

table of contents

02	in-surface power	80	in-surface: meeting + boardroom
03	on-surface power	11	productivity solutions telecom plates
04	undersurface power	13	in-surface: meeting + boardroom
05	corded vs. daisy-chain	15	oasis mini telecom plates
06	symbol guide	17	in-surface - desking + training tables
07	understanding our guide	18	in-surface - training tables

table of contents

20	in-surface - freefit tables	44	application grid
21	in-surface - collaborative spaces only	46	daisy-chain electrical guide
29	on-surface - anywhere	49	conference tables - oasis mini daisy-chain
36	undersurface - telecom plates	58	training tables - villa daisy-chain
38	undersurface - anywhere	62	training tables - modpower daisy-chain



global power options

overview

In-Surface Power

In-surface power modules are options that require a separate cut-out on the table or desk in order to accommodate it. In the following guide, we've split in-surface power into several categories for ease of use and specification – meeting + boardroom and desking + tables. The key difference between the two categories is where they are most appropriately utilized and where the products are available as a standard option.

In-surface power modules do not include any data or other technology ports, data and tech options can be accommodated using telecom plates. Telecom plates are sold separately.

Telecom Plates -

Telecom plates are the way to bring various types of data, A/V and audio capabilities into your power module, always purchased as an add-on to the power module itself.

Telecom plates are separated into two offerings – one offering for our Productivity Solutions power modules (all modules starting with PRTM) and another offering to go with our Oasis Mini power modules. The telecom plates themselves are nearly identical, but ship with their respective modules. We do not recommend mixing them, but it is possible to do so.

On-Surface Power

On-surface power modules are options that can be affixed to the surface itself without the need for a special cutout to accommodate it. Depending on the on-surface module, it can be affixed by screw mount, clamp mount or through a grommet.

These modules can be applied onto any product type, so long as there is room to accommodate their method of attachment

Telecom plates are not compatible with any on-surface power.

Undersurface Power

Undersurface power modules are options that can be affixed to the underside of the surface itself without the need for a special cutout to accommodate it. These are affixed with screws directly into the underside of the table.

These modules can be applied onto any product type, so long as there is room to accommodate their method of attachment.

Telecom plates are not compatible with any undersurface power.

Corded vs. Daisy-Chain

Corded -

Corded means that the power module has a standard 15-amp, 3-prong plug. In other words, this is a simple plug-n-play solution. Each corded power module requires its own power outlet.

Daisy-Chain -

Daisy-chain solutions are power modules that can be connected, one to another, before being connected to a single power source. Daisy-chaining is the means of connection between the two modules – the connection to a single power source can be either a corded solution or a hardwire solution.


Symbol Guide



USB-A Charging Port (Does not transfer data)



3-Prong15A AC Outlet




USB-C Charging Port

(Does not transfer data)



RJ45 Port



Telecom Plate Cutout

(Telecom plate must be specified separately)

Understanding Our Guide



PRTMCD642← Model #

\$\$\$


- Mid-market meeting + conference Market position and suggested use table solution
- Recessed lid
- Simple corded solution, not approved for <-----Indicates how the power module can connect to other modules daisy-chaining
- Available in Black and Tungsten and
- Designer White
- Duplex outlet is always grey
- Cut-out option T1, T2, or T3 to be specified when ordering

Indicates the cutout code required on the worksurface to accommodate the power module

Power / Tech Accessible at Surface







Symbols provide a quick overview of the power available at the surface

Below Surface



If there are power outlets below the worksurface, it's indicated here



PRTMCS401

\$\$\$

- Mid-market meeting + conference table solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- Available in Black, Tungsten and Designer White
- Duplex outlet is always grey
- Cut-out option R1, R2 or R3 to be specified when ordering

Power / Tech Accessible at Surface





x1

Below Surface






PRTMCS421

\$\$\$

- Mid-market meeting + conference table solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- Available in Black, Tungsten and Designer White
- Duplex outlet is always grey
- Cut-out option R1, R2 or R3 to be specified when ordering

Power / Tech Accessible at Surface







Below Surface



x1

3




PRTMCD602

\$\$\$

- Mid-market meeting + conference table solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- Available in Black, Tungsten and Designer White
- Duplex outlet is always grey
- Cut-out option T1, T2 or T3 to be specified when ordering

Power / Tech Accessible at Surface



Below Surface






PRTMCD622

\$\$\$

- Mid-market meeting + conference table solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- Available in Black, Tungsten and Designer White
- Duplex outlet is always grey
- Cut-out option T1, T2 or T3 to be specified when ordering

Power / Tech Accessible at Surface



Below Surface



x1




PRTMCD42

\$\$\$

- Mid-market meeting + conference table solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- Available in Black, Tungsten and Designer White
- Duplex outlet is always grey
- Cut-out option T1, T2 or T3 to be specified when ordering

Power / Tech Accessible at Surface






Below Surface




ر1


Productivity Solutions Telecom Plates




Telecom Plate - 2 x 6




Telecom Plate - 2 x 6



Telecom Plate - 3 x 6



Telecom Plate - 4 x 6



Telecom Plate - 4 x 6

PTEL01

Black Finish
(2) RJ45 cat 6 data ports
To be hardwired by data contractor



Grey Finish
(2) RJ45 cat 6 data ports
To be hardwired by data contractor

PTEL02


Black Finish
(2) RJ45 cat 6 data ports, (1) RJ11
To be hardwired by data contractor

PTELO3

Black Finish
(4) RJ45 cat 6 data ports
To be hardwired by data contractor

PTEL13

Grey Finish
(4) RJ45 cat 6 data ports
To be hardwired by data contractor



Telecom Plate - 3TSV



Telecom Plate - 3AVH



Telecom Plate - SVH

PTEL04

Black Finish
(1) RJ45 cat 6 port, mini stereo, 15-pin VGA
To be hardwired by data contractor


PTEL05

Black Finish Mini stereo, 15-pin VGA, HDMI

PTEL14

Grey Finish Mini stereo, 15-pin VGA, HDMI


Productivity Solutions Telecom Plates



Telecom Plate - 1 USB-C, 1 USB-A

PTEL08

Grey Finish
(1) USB-C port, (1) USB-A port
Requires PUSBTRSF to power for charging application



Telecom Plate - 2 USB-A

PTEL09


Grey Finish
(2) USB-A ports
USB transfers data
Requires PUSBTRSF to power for charging application



Telecom Plate - 2 RJ45, 1HDMI

PTEL10

Grey Finish
(2) RJ45 cat 6 ports, HDMI



Telecom Plate - 1HDMI, 1 USB-A

PTEL11

Grey Finish
(1) HDMI, (1) USB-A
USB transfers data
Requires PUSBTRSF to power for charging application



Powered USB Transformer

PUSBTRSF

Transformer with (1) USB-C and (2) USB-A ports to provide power



OASIS MINI A

\$\$\$


- Premium meeting + conference table solution
- Recessed lid
- Simple corded solution or daisy-chain solutions available
- Available in Black and Tungsten
- Cut-out option M1, M2, or M3 to be specified when ordering



OASIS MINI B \$\$\$

- Premium meeting + conference table solution
- Recessed lid
- Simple corded solution or daisy-chain solutions available
- Available in Black and Tungsten
- Cut-out option M1, M2 or M3 to be specified when ordering


Power / Tech Accessible at Surface





No Power Access Below Worksurface

Power / Tech Accessible at Surface





x3

x4




OASIS MINI USB

\$\$\$

- Premium meeting + conference table solution
- Recessed lid
- Simple corded solution or daisy-chain solutions available
- Available in Black and Tungsten
- Cut-out option M1, M2, or M3 to be specified when ordering

Power / Tech Accessible at Surface



No Power Access Below Worksurface

Oasis Mini Telecom Plates



A-__-A-B




A-__-B-B




A-__-B-B-B

A-__-A-B

Telecom plate with RJ11 Cat 3 Phone and RJ45 Cat 6 Data



A-__-B-B-B
(3) RJ45 Cat 6
Connectors




A-__-B-B-B-B

(4) RJ45 Cat 6 Connectors





A-__-B-C51-L




A-__-B-B-C51

A-__-B-C51-L

A-__-B-B-B-B

RJ45 Cat 6 Data, Mini Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached

A-__-B-B-C51
(2) RJ45 Cat 6 Data and
(1) 15 pin HD VGA
Female/Female with 72"
patch cord attached



A-__-A-B-102



A-__-

A-__-A-B-102
RJ11 Cat 3 phone, RJ45
Cat 6 Data and USB with
72" patch cord attached

A-__-BRJ45 Cat 6 Data

Oasis Mini Telecom Plates





A-__-C51L

Mini Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached



A-__-C45

HDMI Female/Female with 36" patch cord attached




A-__-C51

A-__-C51

15 pin HD VGA Female/Female with 72"

patch cord attached



A-__-CRDMINDER

A-__-CRDMINDER


Cordminder Plate - 2 5/8" holes and 17/8" holes



A-__

A-__

Blank telecom plate



A-__A-B-B

A-__A-B-B

(1) RJ11 Cat 3 Phone and

(2) RJ45 Cat 6 data







A-__-C45-C51-L

A-__-C45-C51-L

HDMI Female/Female with 36" patch cord attached. Mini stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached



A-__-102

A-__-102

USB with 72" patch cord attached



In-Surface - Desking + Training Tables



PMSPDM

\$\$\$

- Value based meeting, conference table + desking solution
- Recessed lid
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only
- Cut-out option E1, E2, or E3 to be specified when ordering



COV-SM-2-x-108, COVE MINI - POWER \$\$\$

- Mid-market meeting, conference table
 + desking solution
- · Flush surface mount, no lid.
- Simple corded solution, not approved for daisy-chaining
- Available in Black or Tungsten
- Cut-out option AG1, AG2, or AG3 to be specified when ordering. When ordering Princeton, can be used with POG1, POG2, POG3.

Power / Tech Accessible at Surface





x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface



ΧŹ

In-Surface - Training Tables



VILLA I, NO DATA PORTS \$\$\$

- Premium training table solution
- Flip lid
- Simple corded solution or daisy-chain solutions available
- Available in Black or Tungsten
- Cut-out option V1, V2 or V3 to be specified when ordering



VILLA USB, NO DATA PORTS \$\$\$

- Premium training table solution
- Flip lid
- · Daisy-chain solution
- Available in Black or Tungsten
- Cut-out option V1, V2 or V3 to be specified when ordering

Power / Tech Accessible at Surface



х2

No Power Access Below Worksurface



Power / Tech Accessible at Surface





x2

x1

In-Surface - Training Tables




MODPOWER

\$\$\$

- Mid-market training table solution
- Flush surface mount, no lid
- Daisy-chain solution
- Available in Magnesium and White
- Cut-out option MPS for single, centered cut-out
- Cut-out option MPD for two cut-outs in the left and right positions

Power / Tech Accessible at Surface



No Power Access Below Worksurface

In-Surface - FreeFit, FreeFit Benching + Softpod Only



FREEFIT POWER GROMMET + MODULE

\$\$\$

- Exclusive grommet with optional power bar for FreeFit + FreeFit benching + Softpod
- Flip lid. Optional device holder (shown)
- Simple corded solution
- Available in Black, Designer White, or Tungsten. Phone holder is White only
- Cut-out option GL/GR for cutout left or right center

Power / Tech Accessible at Surface





х3

x2



SCTAPSC

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Simple corded solution, not approved for daisy-chaining
- Available in Black only
- Cut-out option C1, C2 or C3 to be specified when ordering



SCTAPSD

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Simple corded solution, not approved for daisy-chaining
- Available in Black only
- Cut-out option C1, C2 or C3 to be specified when ordering

Power / Tech Accessible at Surface





x2


x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface









SCTAPSE

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only
- Cut-out option C1, C2 or C3 to be specified when ordering

Power / Tech Accessible at Surface



х3



SCTAOTC

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray
- Simple corded solution, not approved for daisy-chaining
- Available in Black only. Removable accessory trays in Grey only
- Cut-out option C1, C2 or C3 to be specified when ordering



SCTAOTD

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray
- Simple corded solution, not approved for daisy-chaining
- Available in Black only. Removable accessory trays in Grey only
- Cut-out option C1, C2 or C3 to be specified when ordering

Power / Tech Accessible at Surface






x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface



No Power Access Below Worksurface



SCTAOTE

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray
- Simple corded solution, not approved for daisy-chaining
- Available in Black only. Removable accessory trays in Grey only
- Cut-out option C1, C2 or C3 to be specified when ordering

Power / Tech Accessible at Surface



х3



SCTAPTC

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray + recessed cable tray
- · Simple corded solution, not approved for daisy-chaining
- Available in Black only. Removable accessory trays in Grey only
- Cut-out option O1, O2 or O3 to be specified when ordering



SCTAPTD

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray + recessed cable tray
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only. Removable accessory trays in Grey only
- Cut-out option O1, O2 or O3 to be specified when ordering

Power / Tech Accessible at Surface






x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface







x1



SCTAPTE

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes accessory tray + recessed cable tray
- Simple corded solution, not approved for daisy-chaining
- Available in Black only. Removable accessory trays in Grey only
- Cut-out option O1, O2 or O3 to be specified when ordering

Power / Tech Accessible at Surface



X



SCTAPRC

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes recessed cable tray
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only
- Cut-out option O1, O2 or O3 to be specified when ordering



SCTAPRD

\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes recessed cable tray
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only
- Cut-out option O1, O2 or O3 to be specified when ordering

Power / Tech Accessible at Surface





x2


x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface







x1

x2



SCTAPRE


\$\$\$

- Exclusive "pill" shaped power module for use in Collaborative Spaces tables only
- Includes recessed cable tray
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only
- Cut-out option O1, O2 or O3 to be specified when ordering

Power / Tech Accessible at Surface



х3



PEUTEM

\$\$\$

- Value based solution clamps at edge or through a grommet
- Simple corded solution, not approved for daisy-chaining
- Available in Black only

Power / Tech Accessible at Surface



x2



ASHLEY DUO - 2 POWER / USB A+C \$\$\$


- Mid-market solution clamps at edge or through a grommet
- Simple corded solution, not approved for daisy-chaining
- Available in Black and White



ASHLEY TRIO - 3 POWER / USB A+C \$\$\$


- Mid-market solution clamps at edge or through a grommet
- Simple corded solution, not approved for daisy-chaining
- · Available in Black or White

Power / Tech Accessible at Surface



No Power Access Below Worksurface

Power / Tech Accessible at Surface





DPC SLIM - 2 POWER / USB A+C \$\$\$


- Mid-market solution screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit
- Simple corded solution, not approved for daisy-chaining
- Available in White only




DPC SLIM - 3 POWER / USB A+C \$\$\$

- Mid-market solution screw-in mounting plate for forward facing outlets; under surface mount bracket; or clamp mounting kit
- Simple corded solution, not approved for daisy-chaining
- Available in White only


Power / Tech Accessible at Surface





No Power Access Below Worksurface

Power / Tech Accessible at Surface






MODPOWER

\$\$\$

- Mid-market solution. Ideal application on training tables. Screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit
- Daisy-chain solution
- Available in Magnesium and White

Power / Tech Accessible at Surface



No Power Access Below Worksurface



SCTAPEA

\$\$\$

- Premium clamp mount solution. Clamps at the edge of any surface
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only



SCTAPEB

\$\$\$

- Premium clamp mount solution. Clamps at the edge of any surface
- Simple corded solution, not approved for daisy-chaining
- Available in Black only

Power / Tech Accessible at Surface





x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface



X2

On-Surface - Any series



SCTAPEC

\$\$\$

- Premium clamp mount solution. Clamps at the edge of any surface
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only



SCTAPED

\$\$\$

- Premium clamp mount solution. Clamps at the edge of any surface
- Simple corded solution, not approved for daisy-chaining
- Available in Black only

Power / Tech Accessible at Surface





x2


x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface







x1

x1

On-Surface - Any series



SCTAPEE

\$\$\$

- Premium clamp mount solution. Clamps at the edge of any surface
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only

Power / Tech Accessible at Surface



x3


Undersurface - Use with Productivity Solutions Telecom Plates



PGDPS41

\$\$\$

- Value solution for use on most products.
 Screw-in mounting plate for undersurface or side mounting
- Simple corded solution, not approved for daisy-chaining
- Available in Tungsten




PGDPS20

\$\$\$

- Value solution for use on most products.
 Screw-in mounting plate for undersurface or side mounting
- Simple corded solution, not approved for daisy-chaining
- Available in Tungsten

Power / Tech Accessible at Surface



No Power Access Below Worksurface

Power / Tech Accessible at Surface



ΧZ

Undersurface - Use with Productivity Solutions Telecom Plates




PGDPS21

\$\$\$

- Value solution for use on most products.
 Screw-in mounting plate for undersurface or side mounting
- Simple corded solution, not approved for daisy-chaining
- Available in Tungsten

Power / Tech Accessible at Surface






ASHLEY DUO UNDERMOUNT - 2 POWER / USB A+C

\$\$\$

- Mid-market solution undermounts at surface edge
- Simple corded solution, not approved for daisy-chaining
- · Available in Black and white

Power / Tech Accessible at Surface



No Power Access Below Worksurface



SCTAPBA

\$\$\$

- Premium undersurface mount solution.
 Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only



SCTAPBB

\$\$\$

- Premium undersurface mount solution.
 Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- Available in Black only

Power / Tech Accessible at Surface





x2

No Power Access Below Worksurface

Power / Tech Accessible at Surface



ΧŹ



SCTAPBC

\$\$\$

- · Premium undersurface mount solution. Screw-in mounting.
- · Simple corded solution, not approved for daisy-chaining
- · Available in Black only



SCTAPBD

\$\$\$

- Premium undersurface mount solution. Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- Available in Black only

Power / Tech Accessible at Surface






x2 No Power Access Below Worksurface

Power / Tech Accessible at Surface







x1



SCTAPBE

\$\$\$

- Premium undersurface mount solution.
 Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- · Available in Black only

Power / Tech Accessible at Surface



x3



SCTAPPBS

- \$\$\$
- Premium undersurface power bar. Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- · All outlets on one side of bar
- · Available in Black only



SCTAPPD

\$\$\$

- Premium undersurface mount solution.
 Screw-in mounting.
- Simple corded solution, not approved for daisy-chaining
- · Outlets on both sides of bar
- Available in Black only

Power / Tech Accessible at Surface



X8

No Power Access Below Worksurface

Power / Tech Accessible at Surface



X8




HXEUWC

\$\$\$

- Mid-market undersurface mount solution.
 Screw-in mounting
- Simple corded solution, not approved for daisy-chaining
- Available in white only

Power / Tech Accessible at Surface



NAME	TYPE	MODEL#	FINISHES AVAILABLE	Any Series	Adaptabilities Tables	Anywhere Tables	Boardroom Tables	Bungee	Bungee SL	Collaborative Spaces	Connectables	Edventure
Power Solutions	In-surface	PRTMCS401	Black, Tungsten or Designer White			0						
Power Solutions	In-surface	PRTMCS421	Black, Tungsten or Designer White			0						
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0						
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0						
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0						
Oasis Mini	In-surface	Various	Black or Silver Pearl			0						
Villa	In-surface	Various	Black or Tungsten			0		0	0		0	
Villa USB	In-surface	Various	Black or Tungsten					0			O*	
ModPower	In-surface	Various	Magnesium or White					0	0		0	
Power Solutions	In-surface	PMSPDM	Black Only		0	0	0	0	0		0	0
Collaborative Spaces	In-surface	Various	Black Only							0		
Collaborative Spaces Recessed	In-surface	Various	Black Only							0		
Collaborative Spaces w/Tray	In-surface	Various	Black Only							0		
Collaborative Spaces Recessed w/Tray	In-surface	Various	Black Only							0		
Power Grommet + Module	In-surface	Various	White Only									
Cove Mini	In-surface	COV-SM-2-x-108	Black or Tungsten		0	0	0	0	0		0	0
DPC Slim	On-surface	PSDPC22W	White Only	0								
DPC Slim	On-surface	PSDPC32W	White Only	0								
Collaborative Spaces Clamp Module	On-surface	Various	Black Only	0								
Ashley Trio USB A+C	On-Surface	PS30521x	Black or White	0								
Ashley Duo USB A+C	On-surface	PS35250xx	Black or White	0								
Power Solutions	On-surface	PEUTEM	Black Only	0								
ModPower	On-surface	Various	Magnesium or White	0*								
Ashley Duo USB A+C	Undersurface	PS35260xx	Black or White	0								
Collaborative Spaces Undermount	Undersurface	Various	Black Only	0								
Softpod USB Undermount	Undersurface	HXEUWC	White Only	0								

***For use on Zook Flip	Top tables only. No un	its are compatible with	modesty panel.

NAME	TYPE	MODEL #	FINISHES AVAILABLE	FreeFit Tables	Junction	Kadin	Princeton Tables	Softpod	Swap	Terina	Zira Boardroom	Zook***
Power Solutions	In-surface	PRTMCS401	Black, Tungsten or Designer White			0			0		0	0
Power Solutions	In-surface	PRTMCS421	Black, Tungsten or Designer White			0			0		0	0
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0			0		0	0
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0			0		0	0
Power Solutions	In-surface	PRTMCD6**	Black, Tungsten or Designer White			0			0		0	0
Oasis Mini	In-surface	Various	Black or Silver Pearl			0			0		0	0
Villa	In-surface	Various	Black or Tungsten		0					0		0
Villa USB	In-surface	Various	Black or Tungsten		O **							0
ModPower	In-surface	Various	Magnesium or White		0					0		0
Power Solutions	In-surface	PMSPDM	Black Only	0	0	0	0		0	0	0	0
Collaborative Spaces	In-surface	Various	Black Only									
Collaborative Spaces Recessed	In-surface	Various	Black Only									
Collaborative Spaces w/Tray	In-surface	Various	Black Only									
Collaborative Spaces Recessed w/Tray	In-surface	Various	Black Only									
Power Grommet + Module	In-surface	Various	White Only	0				0				
Cove Mini	In-surface	COV-SM-2-x-108	Black or Tungsten	0	0	0	0		0	0	0	0
DPC Slim	On-surface	PSDPC22W	White Only									
DPC Slim	On-surface	PSDPC32W	White Only									
Collaborative Spaces Clamp Module	On-surface	Various	Black Only									
Ashley Duo USB A+C	On-surface	PS35250xx + PS35269xx	Black or White									
Power Solutions	On-surface	PEUTEM	Black Only									
ModPower	On-surface	Various	Magnesium or White									
Ashley Duo USB A+C	Undersurface	PS35260xx	Black or White									
Collaborative Spaces Undermount	Undersurface	Various	Black Only									
Softpod USB Undermount	Undersurface	HXEUWC	White Only									

daisy-chain electrical guide

Daisy Chain Electrical Guide

Oasis Mini + Villa -

When to use a 3-prong plug infeed and when to use a hardwire infeed

The same electrical system is utilized for the conference table power blocks (OASIS MINI A, B + USB) as well as the training table power blocks (VILLA I, VILLA II, VILLA USB). The section below describes infeeds for daisy-chain compatible unit there are also standalone corded units that include their own 3-prong plug.

90% of the time, you will only need a single circuit to handle the amount of power being daisy-chained. In these instances, you can use either the 42AP1-72 or the 42SB2-XX infeed, depending on preference of a 3-prong plug or a hardwire connection. All model #'s printed in the price book are specified to Circuit 1, so you won't need to change anything on most specifications.

EXAMPLES:





Daisy Chain Electrical Guide

Oasis Mini + Villa -

When to use a 3-prong plug infeed and when to use a hardwire infeed

Guidelines for how many units can be daisy-chained on a <u>SINGLE CIRCUT</u> are as follows

- Oasis Mini A 3 units per circuit
- Oasis Mini B 3 units per circuit
- Villa + Villa I USB 8 units per circuit
- Villa II 4 units per circuit

NOTE: Villa Double Block Kits contain two units.

- The other 10% of the time, where you are daisy-chaining a larger amount of units together, you may require two circuits.
- You MUST specify a 42SB2-XX hardwire infeed when using a two-circuit solution
- In order to specify items on circuit two, simply change the "1" in the model # to a "2"

Villa Oasis Mini VIF-42-DKO_72SK OAM-A-PC-4-2-_


- On the following pages, all examples shown are utilizing a single circuit configuration.



conference tables

oasis mini daisy-chain electrical guide

Example of cutout positions on a Conference Table for Oasis Mini Power Troughs. Table with M1, M2 and M3 position cutouts for daisy-chain Oasis Mini power troughs. Cutouts must be specified on the table when using Oasis Mini power troughs.





Daisy-T: Two Way Power Splitter (Daisy-T)



Power Source



Oasis Mini A / Oasis Mini USB (OAM-A-PC-4-1-_) Includes 12" connecting cable to wire both sides of unit (shown as F/F cable on left).




Female/Female Interconnecting Cable (42FF-XX)



Power Infeed Cable (42AP1-72 [3-prong plug) or 42SB2-XX [multi-circuit hardwire])



Oasis Mini B (OAM-B-PC-4-1-_)




Female/Male Interconnecting Cable (42FM-XX)

Drawing 1A


(2) Oasis Mini A / Oasis Mini USB Power Troughs - one in M1, One in M3.

Power Infeed coming from either far left or far right of table.

NOTE: Larger sized tables may require two interconnecting cables (one F/F, One F/M). Please see cable chart for details.








Power from Right

DRAWING 1B


(2) Oasis Mini B Power Troughs - one in M1, One in M3.

Power Infeed coming from either far left or far right of table.

NOTE: Larger sized tables may require two interconnecting cables (one F/F, One F/M). Please see cable chart for details.








Power from Right


DRAWING 2A

(2) Oasis Mini A / Oasis Mini USB Power Troughs - one in M1, One in M3. Power Infeed coming from center position.




DRAWING 2B

(2) Oasis Mini B Power Troughs - one in M1, One in M3. Power Infeed coming from center position.




DRAWING 3

(3) Oasis Mini A P / Oasis Mini USB Power Troughs - one each in M1, M2 and M3. Power Infeed coming from either far left or far right of table.








Power from Right

DRAWING 4


(3) Oasis Mini A / Oasis Mini USB Power Troughs - one each in M1, M2 and M3. Power Infeed coming from center position.




DRAWING 5

(3) Oasis Mini B Power Troughs - one each in M1, M2 and M3.

Power Infeed coming from either far left or far right of table.



Power from Left




Power from Right

DRAWING 6

(3) Oasis Mini A Power Troughs - one each in M1, M2 and M3.

Power Infeed coming from center position.






villa daisy-chain electrical guide

Training Tables - Villa Daisy-Chain

Example of cutout positions on a row of training tables. NOTE: Daisy-chain KITS for any other cutout or cutout combination must be quoted.




Tables with V2 position cutouts for VILLA SINGLE BLOCK power kits. Cutouts must be specified on the table when using daisy-chain power kits.



Tables with V1 & V3 position cutouts for VILLA DOUBLE BLOCK power kits. Cutouts must be specified on the table when using daisy-chain power kits.



Villa Power Block (Included as part of the daisy-chain kits.)



Female/Female Interconnecting Cable (Included as part of daisy-chain kit)



Power Source



Female/Male Interconnecting Cable (Included as part of daisy-chain kit)





Power Infeed Cable (42AP1-72 or 42SB2-XX)


Training Tables - Villa Daisy-Chain

Each Daisy-Chain VILLA SINGLE BLOCK Power Kit comes with:

- 1 Power Block (as illustrated)
- 1 Grommet Cover (covers power block in worksurface fits V2 cutout)
- 1 Female/Female Interconnecting Cable (as illustrated)
- 1 Female/Male Interconnecting Cable (as illustrated)
- 4 Cable Clamps (not shown keep interconnecting cables flush to the underside of the worksurface).










Training Tables - Villa Daisy-Chain

Each Daisy-Chain VILLA DOUBLE BLOCK Power Kit comes with:

- 2 Power Blocks (as illustrated)
- 2 Grommet Covers (covers power block in worksurface fits V1 & V3 cutout)
- 2 Female/Female Interconnecting Cable (as illustrated)
- 1 Female/Male Interconnecting Cable (as illustrated)
- 6 Cable Clamps (not shown keep interconnecting cables flush to the underside of the worksurface).











Training Tables - Modpower Daisy-Chain

Example of cutout positions on a row of training tables.



Tables with MPS position cutouts for MODPOWER IN-SURFACE daisy-chain kits. Cutouts must be specified on the table when MODPOWER IN-SURFACE daisy-chain kits.



Tables with MPD position cutouts for MODPOWER IN-SURFACE daisy-chain kits. Cutouts must be specified on the table when MODPOWER IN-SURFACE daisy-chain kits.




ModPower Starter Unit – Includes a 10' cord with 3-prong plug on one side, 3' cord with universal connector on the other.



Power Source



ModPower Middle Unit - Includes a 3' cord with universal connector on each side.




ModPower End Kit – Includes a 3' cord with universal connector on one side.


Training Tables - Modpower Daisy-Chain

Each MODPOWER Daisy-Chain Kit comes with:

- 1 Power Block
- Starter units include (1) 10' Cord with 3-prong plug + (1) 3' cord with universal connector.
- Middle units include 3' cords with universal connectors on each side.
- End units include (1) 3' cord with universal connector on one side.
- 4 Cable Clamps (not shown keep interconnecting cables flush to the underside of the worksurface).

KITS ARE UNIVERSAL, INTENDED FOR ALL STANDARD TRAINING TABLE SIZES. EXCESS CABLES TO BE COILED UNDER THE SURFACE AS NECESSARY.







Training Tables - Modpower Daisy-Chain

Each MODPOWER Daisy-Chain Kit comes with:

- 1 Power Block
- Starter units include (1) 10' Cord with 3-prong plug + (1) 3' cord with universal connector.
- Middle units include 3' cords with universal connectors on each side.
- End units include (1) 3' cord with universal connector on one side.
- 4 Cable Clamps (not shown keep interconnecting cables flush to the underside of the worksurface).

KITS ARE UNIVERSAL, INTENDED FOR ALL STANDARD TRAINING TABLE SIZES. EXCESS CABLES TO BE COILED UNDER THE SURFACE AS NECESSARY.





GIODAI GI