

# SOFTPOD



Introducing Softpod - where flexibility meets focus.

Softpod<sup>™</sup> responds to the changing landscape of the workplace and educational environment, providing a place for focus and engagement as you move through your day. As an adjunct to collaborative and community spaces, Softpod supports activities that require individual focus and engagement. Softpod facilitates hybrid schedules that require unassigned workspaces as people move between the office and home.



Hanging shelf with dry erase board



Under worksurface casual storage unit



Optional coat/bag hook

#### **Features and Benefits**

- Freestanding hexagon shape allows for on/off grid 120-degree planning
- Single, standalone (private) workspace or "pod" that can be loosely fit in a floorplan
- PET felt + aluminum construction
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of recycled soundabsorbing PET felt
- Easily clean high touch surfaces
- User can easily add/remove privacy + accessory elements
- Casual storage options and accessories support hybrid schedules
- Pods can be equipped with power and data solutions

# **GENERAL INFORMATION**

- Available as 2, 3, 4, 5, 6 and 7-sided pods in a range of colors.
- New 3 divider pod with height adjustable table delivers sit-stand range from 26" to 52.5", from top of worksurface to floor.
- Easy to specify and install.
- · Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- 6 and 7-sided pods can be configured to create meeting or lounge spaces, with power support for monitors and mobile charging. Worksurfaces accommodate 2-4 people comfortably.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



#### **METAL LEG FINISHES:**

BLK	Black	SDT	Stonedust
BZD	Blizzard	SIL	Silver
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

#### **PET FELT COLORS:**

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBY	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White


#### LAMINATE FINISHES (thermally fused and high pressure laminates):

		3	
ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


#### EDGE FINISHES (Laminate Surfaces Only)

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
CHR	Charcoal ( <i>use w/SOG</i> )	SBY	Sheer Beauty
CME	Clear Maple	SIL	Silver
CGY	Custom Grey	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry






#### Height Adjustable Pod



## Freestanding Lounge Pods



**Meeting Pods** 



\*Seating Specified Separately



#### SOFTPOD - STATEMENT OF LINE S

#### Softpods

HX2P5452SW Softpod with 2 Dividers and Worksurface



HX5P5472SW Softpod with 5 Dividers and Worksurface



**Freestanding Pods** 

Freestanding Softpod

with 3 Dividers



Softpod with 5 Dividers and

Freestanding Softpod



HX7PF

HX4PF

HX3PM5472SW

Mobile Softpod

Worksurface

with 3 Dividers and

HXP5430

Single J-divider



HX4PFM Freestanding Mobile Softpod with 4 Dividers

**Height Adjustable Tables** 

and Height Adjustable Worksurface

HX3PH5472SW Softpod with 3 Dividers

HX4PM5472SW HX4P5472R/LW Softpod with 4 Dividers Mobile Softpod with 4 Dividers and and Wraparound Worksurface



HX4PM5472LW/RW Mobile Softpod with 4 Dividers and Wraparound Worksurface











HX3PF



HX6PF

HX2PM5452SW

Mobile Softpod

Worksurface

with 2 Dividers and

HX5P5472R/LW

HX3PFM Freestanding Mobile Softpod with 3 Dividers

Freestanding Softpod

with 6 Dividers



Freestanding Softpod

with 7 Dividers

HXPATCFE

HX3P5472SW

Softpod with

3 Dividers and

Worksurface



HX5PF

Freestanding Softpod

HX5PFM Freestanding Mobile Softpod with 5 Dividers



**Meeting Pods** HX6PFD Meeting Pod with 6 Dividers with D Top Worksurface





HX7PFD Meeting Pod with 7 Dividers with D Top Worksurface



Extensions

HXPAFFF End PET Felt Extension Divider Add-on




HXPACFE Corner PET Felt Extension Divider Add-on







HXPA1CFE



PET Felt Extension Divider



HXPA2CFE

HXPACFEH PET Felt Extension Panel Add-on for Add-on for Softpod with 2 Dividers Add-on for Softpod with 3 Dividers Softpod Height Adjustable Table



HXPACFES Corner Semitransparent Extension Panel Add-on



#### S **SOFTPOD - STATEMENT OF LINE**

#### Electrical





2

PSDPC22W PSDPC32W Slim Desktop Power Module, 2 Duplex









HXEPK Station 2-Circuit



HXECS



Accessories LINLAMPS

LED Single Arm

Lamp

HXEPGK Divider Grommet Kit

LINLAMPD

Lamp

LED Double Arm



HXEPGCS



RNDLAMPS

Lamp

LED Single Arm

Height Adjustable Jumper Kit

PMDCLIPS

ModPower cable

management clips

HXEPPJ HXEPPJ Station to Station



GAADCT

Access Door Module

with Cable Tray

PMDJ36BK

ModPower

Station to Station

HXECF Ceiling Feed

PMDSA10

Starter Unit

PMDSF10

interconnecting jumper Starter Unit



HXEBF Base Feed

PMDCA3

PMDCF3

Mounted Unit

ModPower On Surface ModPower Middle

ModPower In Surface ModPower In

PMDEA3

PMDEF3

Surface Middle Unit Surface End Unit

ModPower In

ModPower End

Mounted Unit



Cable Shroud



HXEHAP

Divider Grommet Connector / Spacer



RNDLAMPD

Lamp

LED Double Arm

HXAHS

Hanging Shelf

HXAHSWB Hanging Shelf with Dry Erase Board



HXARWS Rear Wall Shelf



HXACHS HXACHT Coat/Bag Hook



โØ

HXABH Under Surface Bag Hook



#### Storage

HXSCSOL Under Worksurface Casual Storage Unit (lockable)











#### FOOTPRINT






### **OFF GRID PLANNING**

The flexible format of Softpod offers a variety of planning options and encourages both on and off grid layouts.

From a single or cluster of Softpods this versatile system adapts to your needs.




#### Agile

The freestanding, single Softpod can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low



#### Scalable


The adaptable dividers give the ability to address the level of privacy needed on a station to station basis.






### QUICK SPECIFICATION

Softpod's small and complete kits allows for quick and efficient movement of product from time of specification to installation



#### SPACE PLANNING



Corridor and in-between spaces





# POD FORMATS

Align units in cluster plan Option unit type and orientation

(A) Worksurfaces must have opposing alignment


Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.






Power/ data is delivered through screen walls via grommet


Grommet tethers units together




# PLANNING FOR SINGLE SOFTPOD WITH 2 DIVIDERS




PLANNING FOR SINGLE SOFTPOD WITH 3 DIVIDERS



Around Column








Around Column




#### PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS











PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 Softpods

Cluster of 3 Softpods

### PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT






Meeting with D Worksurface


# END TO END CONNECTIONS

Softpod allows for end to end connection to meet a variety of planning needs:




## **PRIVACY EXTENSIONS**

Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.




### PRIVACY EXTENSIONS




#### PET FELT COLOR PROGRAMMING


PET Felt finishes may be the same or different for the interior and exterior of the Softpod. Only one finish may be applied to either the interior or exterior of each divider within each Softpod. Extensions may be in any single PET Felt color to complement or contrast. Due to variations in the color of felt, we recommend a contrasting or complementary color.




#### WORKSURFACE DIMENSIONS AND GRAIN DIRECTION



- A single worksurface to be used within Softpod dividers.
- The surface is non-handed with pre-determined mounting points.
- Choose from either standard LP low pressure laminate or HP high pressure laminate, with PVC edge.




- A single wraparound worksurface to be used within Softpod dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- Compatible with only 4 or 5 divider station configurations
- Choose from either standard LP low pressure laminate or HP high pressure laminate, with PVC edge.



Height Adjustable Worksurface



#### **GROMMET LOCATIONS**







globalfurnituregroup.com global

#### ELECTRICAL

- Power and data lines can enter Softpod via floor, ceiling, or through grommet in the divider. The grommet opening is built into every Softpod divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single Softpod can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through Softpod dividers into adjacent Softpods.
- Orientation of worksurfaces plays an important role when planning Softpod cluster layouts with the need to pass cables between individual Softpods as the cables are best hidden underneath.
- Worksurfaces must have opposing alignment.
- Align units in cluster plan option unit type & orientation.




(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the Softpod is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling feed pole location outside of the Pod (because cables pass through
- the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between Softpods (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent Softpod, under worksurface.
- In either case, the cables enter or exit the Softpodthrough the divider grommet.

Recommended Maximum 4 unit cluster per 2 circuits.






#### **ELECTRICAL OPTIONS**

Direct Plug In

Direct or floor monument outlet plug-in




Grommet Application

• In surface.



Grommet Application • In surface Daisy Chain.





Daisy Chain Interconnect System

• Direct or floor monument outlet plug-in









**Dual Circuit Power** 





# ELECTRICAL






### HEIGHT ADJUSTABLE


#### HX3PH5472SW


Softpod with 3 Dividers and Height Adjustable Worksurface

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface.

Includes all connecting hardware, tubular legs and supporting brackets









### HXEHAP

Optional electrical kit for use with height adjustable Softpod, includes electrical housing with receptacles, under worksurface cable basket, and black neoprene sock for wire management





Height Range of 26"- 52.5" (from top of surface to floor)

# HEIGHT ADJUSTABLE BASE SPECIFICATION

# Construction:

- Leg column size: 70mm
- Leg and foot materials: steel
- Glide adjustment range: 18mm
- Weight capacity: 1200N/leg
- Operation speed: 1.4 inches/sec (35mm/sec)
  Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

### Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

## Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs  $\ensuremath{\textbf{N3}}$  for three column:

- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs
- Voltage: 120V
- Temperatures: below 70°c.
- Color: Black
- Overload protection:

Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show. Current limitations: single port not larger than 7A, total ports not larger than 15A.


- Type of plug: three prong
- Cord length: 1 meter

## Handset K50C:


- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification








#### STORAGE






## ACCESSORIES




Name Plate Height: 3.5" Depth: 0.5" Width: 11" • Two sided white dry erase surface.


HXNP




HXAHS Hanging Shelf Height: 16" Depth: 3" Width: 23.5" • Optional dry erase board available




HXARWS Rear Wall Shelf Height: 3/4" Depth: 4.5" Width: 32.5" • Laminate NOTE : Not compatible with Ceiling Feed Pole or any monitor mounts.



HXABG Under Surface Bag Hook



HXACHT Coat, Bag Hook for horizontal divider edge



# S

SOFTPODS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	HX2P5452SW	<b>D x W x H</b> 30 x 49 x 54	92.5	87	7.86	\$2934	\$308
ህ oftpod w/2 Dividers and Worksurface*	floor, 25" from top o • Dividers are surfa • The divider perim • Worksurface choi • Metal legs are po • Complete pod inc	bod consisting of two s f surface and has a cle ced with tackable PET eter reveal trim accept ce of thermally fused ( wder coated paint. Sp ludes all connecting ha ical, storage and acces	earance of 4-7/8" felt. Interior PET is privacy extensi LP) or high press ecify standard pa ardware, tubular	at floor leve felt color m ons and is n ure (HP) lam aint finish. legs and sup	el. ay be different tl nade of polyprop inate with PVC e oporting brackets	han the outer. ylene available dge.	
	HX2PM5452SW	30 x 49 x 54	150	87	17.88	\$2964	\$306
4 obile Softpod w/2 Dividers* Id Worksurface	floor, 25" from top o • Dividers are surfa	ood consisting of two s f surface and has a cle ced with tackable PET eter reveal trim accept	earance of 4-7/8" felt. Interior PET	at floor leve felt color m ons and is n	el. ay be different t nade of polyprop	han the outer. ylene available	
	<ul> <li>Metal legs with c</li> <li>Complete pod inc</li> </ul>	ce of thermally fused ( asters are powder coa ludes all connecting ha ical, storage and acces	ted paint. Specif ardware, tubular	y standard p legs and sup	aint finish. oporting brackets		
	<ul> <li>Metal legs with c</li> <li>Complete pod inc</li> </ul>	asters are powder coa ludes all connecting ha	ted paint. Specif ardware, tubular	y standard p legs and sup	aint finish. oporting brackets		n/a

Required specifications PET felt interior finish PET felt exterior finish Laminate finish\* Edge finish\* / Leg finish

Optional specifications HP laminate\* Grommet option\*

Accessories Keyboard tray\* Power block\*



# ACOUSTIC SOLUTIONS

ACOUSTIC SOLUTI	UNS						SOFIPOL
SOFTPODS	MODEL#	D x W x H	FREIGHT CLASS		CUBIC FT.	LIST PRICE	
	HX3PFM	30 x 72 x 54	125	85	14.1	\$3204	n/a
Nobile Softpod w/3 Dividers	floor and has a clea • Dividers are surfa • The divider perim • Metal legs with o • Complete pod inc	pod consisting of one a prance of 6-3/8" at floo aced with tackable PET neter reveal trim accep casters and stiffeners a cludes all connecting h rical, storage and acce	r level. felt. Interior PE ts privacy extens are powder coate ardware, tubular	F felt color ma tions and is m ed paint. Spec Flegs and sup	ay be different t ade of polyprop tify standard pa porting bracket	han the outer. Nylene available int finish.	asures 54"h from the only in Charcoal (CHR).
	HX3P5472SW	30 x 72 x 54	125	141	22.92	\$4056	\$533
l oftpod w/3 Dividers and Worksurface*	measures 54"h fror Dividers are surfa The divider perim Worksurface cho Metal legs are po Complete pod inc	n the floor, 25" from to aced with tackable PET	p of surface and felt. Interior PE ts privacy extens (LP) or high press iecify standard p ardware, tubular	has a clearan F felt color ma ions and is m sure (HP) lamin aint finish. Flegs and sup	nce of 6-3/8" at ay be different t ade of polyprop nate with PVC e porting bracket	floor level. han the outer. bylene available edge.	rksurface. Installed poo
	HX3PM5472SW	30 x 72 x 54	150	127	23.2	\$4317	\$636
Aobile Softpod w/3 Dividers* Ind Worksurface	measures 54"h fror • Dividers are surf • The divider perim • Worksurface cho • Metal legs with ( • Complete pod inc	n the floor, 25″ from to aced with tackable PET	p of surface and felt. Interior PE ts privacy extens (LP) or high press ited paint. Speci ardware, tubular	has a clearan I felt color ma sions and is m sure (HP) lamin fy standard pa legs and sup	ice of 6-3/8" at ay be different t ade of polyprop nate with PVC e aint finish. porting bracket	floor level. han the outer. lylene available edge.	rksurface. Installed poo

Required specifications PET felt interior finish PET felt exterior finish Laminate finish\* Edge finish\* / Leg finish

#### Optional specifications HP laminate\* Grommet option\*

Accessories Keyboard tray\* Power block\*

#### S SOETDOD

# ACOUSTIC SOLUTIONS

OFTPODS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	HX3PH5472SW	30 x 72 x 54	150	133	23.48	\$6487	\$636
மூ oftpod w/3 Dividers and eight Adjustable Worksurface*	Installed pod measu • Dividers are surfa • The divider perim • Worksurface choi • Panel legs are po • Height adjustable Nevada ( <b>NEV</b> ), S • Complete pod inc	pod consisting of one s ures 54"h from the floo aced with tackable PET eter reveal trim accept ice of thermally fused ( wder coated paint. Spe e legs are powder coat tonedust ( <b>SDT</b> ), Silver ludes all connecting ha rical, storage and acce	r and has a clear felt. Interior PET ts privacy extens (LP) or high press ecify standard pa ed. Specify Black (SIL), Taupe (TP ardware, tubular	rance of 6-3/8 felt color ma ions and is m sure (HP) lami aint finish. ( ( <b>BLK</b> ), Blizza <b>E</b> ) and Tungst legs and sup	" at floor level. y be different th ade of polypropy nate with PVC e rd ( <b>BZD</b> ), Charc en ( <b>TUN</b> ). porting brackets	nan the outer. ylene available dge. oal ( <b>CHR</b> ), Desi	only in Charcoal (CHI
	HX4PF	30 x 72 x 54	125	85	14.1	\$4318	n/a
oftpod w/4 Dividers	floor and has a clea • Dividers are surfa • The divider perim • Metal legs and st • Complete pod inc	pod consisting of one s rance of 6-3/8" at floor aced with tackable PET eter reveal trim accept iffeners are powder co ludes all connecting ha rical, storage and acce	r level. felt. Interior PE ts privacy extens bated paint. Spec ardware, tubular	felt color ma ions and is m cify standard legs and sup	y be different th ade of polyprop paint finish. porting brackets	nan the outer. ylene available	
oftpod w/4 Dividers	floor and has a clea • Dividers are surfa • The divider perim • Metal legs and st • Complete pod inc	rance of 6-3/8" at floor aced with tackable PET eter reveal trim accept iffeners are powder co ludes all connecting ha	r level. felt. Interior PE ts privacy extens bated paint. Spec ardware, tubular	felt color ma ions and is m cify standard legs and sup	y be different th ade of polyprop paint finish. porting brackets	nan the outer. ylene available	

Required specifications PET felt interior finish PET felt exterior finish Laminate finish\* Edge finish\* / Leg finish

Optional specifications HP laminate\* Grommet option\*

Accessories Keyboard tray\* Power block\*



# ACOUSTIC SOLUTIONS

MODEL#

HX4P5472SW

HP ADD

\$533



Softpod w/4 Dividers and Worksurface

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

WT/LBS.

170

CUBIC FT.

25.41

LIST PRICE

\$5092

• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.

FREIGHT CLASS

125

- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.

DIMENSIONS

DxWxH

65 x 72 x 54

- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.

Left:						
HX4P5472LW	65 x 72 x 54	100	117	14.1	\$5543	\$751
Right:						
HX4P5472RW	65 x 72 x 54	125	185	25.41	\$5543	\$751

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Left:						
HX4PM5472LW	65 x 72 x 54	125	168	25.4	\$5854	\$895
Right:						
HX4PM5472RW	65 x 72 x 54	125	168	25.4	\$5854	\$895

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Metal legs with casters are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications PET felt interior finish PET felt exterior finish Laminate finish Edge finish / Leg finish Optional specifications HP laminate Grommet option Accessories Keyboard tray Power block



right shown

Softpod w/4 Dividers and Wraparound Worksurface



↓ left shown Mobile Softpod w/4 Dividers and

. Wraparound Worksurface

# S SOFTPOD

# ACOUSTIC SOLUTIONS

SOFTPOD				F		STIC SC		
SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	HX5PF	D x W x H 65 x 72 x 54	150	148	28.24	\$5474	n/a	
Softpod w/5 Dividers	floor and has a c • Dividers are su • The divider per • Metal legs and • Complete pod	ler pod consisting of om learance of 6-3/8" at flo urfaced with tackable P rimeter reveal trim acce d stiffeners are powder includes all connecting ectrical, storage and acc	oor level. ET felt. Interior PET epts privacy extens coated paint. Spec hardware, tubular	felt color may ions and is ma cify standard pa legs and supp	be different to de of polyprop aint finish. orting brackets	han the outer. ylene available		
	HX5PFM	65 x 72 x 54	150	148	28.24	\$5544	n/a	
Mobile Softpod w/5 Dividers	floor and has a c • Dividers are su • The divider per • Metal legs wit • Complete pod	ler pod consisting of on learance of 6-3/8" at flo urfaced with tackable P rimeter reveal trim acce th casters and stiffeners includes all connecting ectrical, storage and acc	por level. ET felt. Interior PET epts privacy extens s are powder coate hardware, tubular	felt color may ions and is ma d paint. Specit legs and supp	be different to de of polyprop y standard pai prting brackets	han the outer. ylene available int finish.		
	HX5P5472SW	65 x 72 x 54	125	198	25.41	\$6218	\$534	
Softpod w/5 Dividers and Worksurface*	measures 54"h f • Dividers are su • The divider pel • Worksurface c • Metal legs are • Complete pod • J-dividers can	ler pod consisting of on rom the floor, 25" from urfaced with tackable P rimeter reveal trim acce hoice of thermally fuse powder coated paint. S includes all connecting be installed both on lef ectrical, storage and acc	top of surface and ET felt. Interior PET opts privacy extens d (LP) or high press Specify standard pa hardware, tubular t or right side or or	has a clearanc felt color may ions and is ma sure (HP) lamin aint finish. legs and supp ne on each side	e of 6-3/8" at be different to de of polyprop ate with PVC e orting brackets e.	floor level. han the outer. ylene available edge.		
	Required specific	cations	Optional speci	fications		Accessories		

**Required specifications** PET felt interior finish PET felt exterior finish Laminate finish\* Edge finish\* / Leg finish Optional specifications HP laminate\* Grommet option\* Accessories Keyboard tray\* Power block\*



globalfurnituregroup.com

# ACOUSTIC SOLUTIONS



HP ADD

\$750

\$750

n/a

\$750

WT/LBS.

213.36

213.36

171

218

CUBIC FT.

25.41

25.41

28.24

191


LIST PRICE

\$6604

\$6604

\$6627

\$7543



**Required specifications** PET felt interior finish PET felt exterior finish Laminate finish\*

Edge finish\* / Leg finish

**Optional specifications** HP laminate\* Grommet option\*

Accessories Keyboard tray Power block\*

globa

# **S** SOFTPOD

# ACOUSTIC SOLUTIONS

	HX7PF	65 x 119 x 54	125	193	28.24	\$7450	n/a
lividers	Complete 7 divide	r pod consisting of two s	traight back divi	ders and fou	r side j-dividers.	Installed pod m	easures 54″h from the
		arance of 6-3/8" at floor faced with tackable PET		folt color m	av ha difforant th	an the outer	
	<ul> <li>The divider peri</li> </ul>	meter reveal trim accepts	s privacy extens	ions and is m	ade of polyprop		only in Charcoal (CHR).
		stiffeners are powder co ncludes all connecting ha					
	<ul> <li>Extensions, electronic</li> </ul>	ctrical, storage and acces	sories are speci	fied separate	ely.		
$\mathbf{h}$	HX7PFD	65 x 119 x 54	100	247	30.76	\$8559	\$341
Dividers and D-Top* e		r pod consisting of two s sures 54″h from the floor				one collaborativ	ve worksurface.
	Dividers are sur	faced with tackable PET	felt. Interior PET	felt color ma	ay be different th		
		meter reveal trim accepts stiffeners are powder coa				ylene available o	only in Charcoal (CHR).
	<ul> <li>Complete pod in</li> </ul>	ncludes all connecting ha	rdware, tubular	legs and sup	porting brackets		
	• Extensions, elec	ctrical, storage and acces	sories are speci	neo separate	ery.		
	HXP5430AP	6 x 30 x 54	300	28.3	16.17	\$1161	
ider		an add-on to a previously					
rider	symmetrical along outer. Installed po	the horizontal axis. J-div d measures 54"h from th	viders are surfac e floor, 25" from	ced with PET top of surfa	felt. Interior PET ce and has a cle	felt color may b arance of 6-3/8'	e different than the ' at floor level.
rider	symmetrical along outer. Installed po • The divider peri	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts	viders are surfac e floor, 25″ from s privacy extens	ed with PET top of surfa ions and is m	felt. Interior PET ce and has a cle nade of polyprop	felt color may b arance of 6-3/8'	e different than the ' at floor level.
ider	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div	the horizontal axis. J-div d measures 54"h from th	viders are surface e floor, 25" from s privacy extens ector kit, shared	ed with PET top of surfa- ions and is m leg kit and t	felt. Interior PET ce and has a cle nade of polyprop rim.	felt color may b arance of 6-3/8' ylene available o	e different than the ' at floor level. only in Charcoal (CHR).
der	symmetrical along outer. Installed po • The divider peri • J-divider comes	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne ider is ordered as an add-	viders are surface e floor, 25" from s privacy extens ector kit, shared	ed with PET top of surfa- ions and is m leg kit and t	felt. Interior PET ce and has a cle nade of polyprop rim.	felt color may b arance of 6-3/8' ylene available o	e different than the ' at floor level. only in Charcoal (CHR).
der	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading.	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne ider is ordered as an add-	viders are surface e floor, 25" from s privacy extens ector kit, shared	ed with PET top of surfa- ions and is m leg kit and t	felt. Interior PET ce and has a cle nade of polyprop rim.	felt color may b arance of 6-3/8' ylene available o	e different than the ' at floor level. only in Charcoal (CHR).
ider	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne ider is ordered as an add- freestanding.	viders are surfac e floor, 25" from s privacy extens ector kit, shared eon to a previou:	eed with PET top of surfa- ions and is m leg kit and tu s order, the P	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma	felt color may b arance of 6-3/8' ylene available o y or may not ma	e different than the ' at floor level. only in Charcoal (CHR).
rider	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne ider is ordered as an add- freestanding.	viders are surfac e floor, 25" from s privacy extens ector kit, shared eon to a previou:	eed with PET top of surfa- ions and is m leg kit and tu s order, the P	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma	felt color may b arance of 6-3/8' ylene available o y or may not ma	e different than the ' at floor level. only in Charcoal (CHR).
	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not HXPCKIT	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne ider is ordered as an add freestanding. 2.25 x 6 x 2.25	viders are surfac e floor, 25" from s privacy extens ector kit, shared on to a previou: 70	ed with PET top of surfactions and is m leg kit and to s order, the P	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma 0.04	felt color may b arance of 6-3/8' ylene available o y or may not ma \$42	be different than the at floor level. I charcoal (CHR). The based on dyelot and
rider Kit	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not HXPCKIT	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conno- ider is ordered as an add freestanding. 2.25 x 6 x 2.25	viders are surfac e floor, 25" from s privacy extens ector kit, shared on to a previou: 70	ed with PET top of surfactions and is m leg kit and to s order, the P	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma 0.04	felt color may b arance of 6-3/8' ylene available o y or may not ma \$42	be different than the at floor level. I charcoal (CHR). The based on dyelot and
	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not HXPCKIT Kit consists of all	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conno- ider is ordered as an add freestanding. 2.25 x 6 x 2.25	viders are surfac e floor, 25" from s privacy extens ector kit, shared on to a previou: 70	ed with PET top of surfactions and is m leg kit and to s order, the P	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma 0.04	felt color may b arance of 6-3/8' ylene available o y or may not ma \$42	be different than the at floor level. I charcoal (CHR). The based on dyelot and
	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not HXPCKIT Kit consists of all several Softpods to Required specifical	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne- ider is ordered as an add- freestanding. 2.25 x 6 x 2.25 hardware required to con- ogether.	viders are surface e floor, 25" from s privacy extens ector kit, shared on to a previous 70 70 nect two Softpo <b>Optional speci</b>	eed with PET top of surfaa ions and is m leg kit and to s order, the P 1	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma 0.04	felt color may b arance of 6-3/8' ylene available o y or may not ma \$42 ecials when a cu Accessories	be different than the at floor level. I charcoal (CHR). The based on dyelot and
	symmetrical along outer. Installed po • The divider peri • J-divider comes • If a single J-div fading. • J-divider is not HXPCKIT Kit consists of all several Softpods t	the horizontal axis. J-div d measures 54"h from th meter reveal trim accepts complete with top conne- ider is ordered as an add- freestanding. 2.25 x 6 x 2.25 hardware required to con- ogether.	viders are surfac e floor, 25" from s privacy extens ector kit, shared on to a previou: 70 70	eed with PET a top of surfar ions and is m leg kit and to s order, the P 1 1 dds end-to-er fications	felt. Interior PET ce and has a cle hade of polyprop rim. ET felt finish ma 0.04	felt color may b arance of 6-3/8' ylene available o y or may not ma \$42 ecials when a cu	be different than the at floor level. I charcoal (CHR). The based on dyelot and



#### LITIONC

	MODEL#		IGHT CLASS	S WT/LBS.	CUBIC FT.	LIST PRICE
	HXPAEFE	<b>D x W x H</b> 0.35 x 9.3 x 25.4	70	0.63	0.05	\$56
PET Felt Extension Divider Add-on	user oriented. • PET felt divider	3.7" of additional depth priva surface is tackable. <i>vith perforated pattern</i> .	cy at the er	nd of the divide	er. Fits into the	base perimeter reveal and
	HXPACFE HXPACFEP	0.35 x 38.3 x 11.69 0.35 x 38.3 x 11.69	70 70	1.16 1.16	0.09 0.09	\$99 \$386
er PET Felt Extension Divider Add-on	placement is user of worksurface. • PET felt divider	11.1" of additional height pri oriented. Pod with Corner P surface is tackable. ern option available, shown	ET Felt Exte	ension Divider /	Add-on installed	
	HXPATCFE HXPATCFEP	0.35 x 19.5 x 37.1 0.35 x 19.5 x 37.1	70 70	1.25 1.25	0.15 0.15	\$108 \$258
orner PET Felt Extension er Add-on	divider perimeter 65" from floor, 36 • PET felt divider	3.7" of additional height priv reveal and placement is use " from top of worksurface. surface is tackable. ern option available, shown	r oriented. F	Pod with Corne	er PET Felt Exter	
	HXPA1CFE HXPA1CFEP	0.35 x 55.51 x 11.69 0.35 x 55.51 x 11.69	70 70	2 2	0.13 0.13	\$193 \$386
Felt Extension Divider Add-on oftpod w/2 Dividers	placement is user worksurface. • PET felt divider	11.1" of additional privacy at oriented. Pod with PET Felt surface is tackable. ern option available, shown	Extension D	)ivider Add-on	installed meas	
	HXPA2CFE HXPA2CFEP	0.35 x 55.51 x 11.69 0.35 x 55.51 x 11.69	70 70	3	0.19	\$220 \$437

Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- $\bullet$  Perforated pattern option available, shown with  $``\mathbf{P}'$  at the end of the code.
- Required specifications
  PET felt finish

for Softpod w/3 Dividers

## ACOUSTIC SOLUTIONS

MODEL#		IGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
HXPACFES		70	1	3.35	\$1051	
placement is user Divider is frosted t	oriented. Pod with Extension or added privacy.	on Panel Add	on installed n	neasures 65" fr	om floor, 36" from top of v	vorksurface.
HXPACFEH HXPACFEHP			6 6	1.65 1.65	\$441 \$884	
to underside of wo from floor, 20" from • PET felt privacy	orksurface. Curved PET fits n top of worksurface. screen surface is tackable.	into aluminur	n mounting br	ackets. PET Fel		
MODEL#	DIMENSIONS FR	IGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
						; under surface
PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.05	\$405	
10' cord with mole		unting option	is: a screw-in	mounting plate	for forward facing outlets	
mount bracket, or						
HXEUWC	4 x 3 x 1	70	0.31	0.01	\$512	
	HXPACFES Designed to add 1 placement is user Divider is frosted f • Available in three HXPACFEH HXPACFEH HXPACFEHP Designed to add 2 <sup>2</sup> to underside of wo from floor, 20" fror • PET felt privacy • Perforated patter MODEL# PSDPC22W Desktop power cen 10' cord with mold mount bracket; or PSDPC32W Desktop power cen	DxWxH         HXPACFES       16.8 x 29.50 x 11.69         Designed to add 11" of additional privacy on placement is user oriented. Pod with Extension Divider is frosted for added privacy.         • Available in three colors: Translucent (TNC         HXPACFEH       16.8 x 29.50 x 11.69         HXPACFEH       16.8 x 29.50 x 11.69         HXPACFEHP       16.8 x 29.50 x 11.69         HXPACFEHP       16.8 x 29.50 x 11.69         Designed to add 20" of additional privacy on to underside of worksurface. Curved PET fits from floor, 20" from top of worksurface.         • PET felt privacy screen surface is tackable.         • Perforated pattern option available, shown         MODEL#       DIMENSIONS         PSDPC22W       2.25 x 4.88 x 2.25         Desktop power center with two 15A tamper r 10' cord with molded plug. Includes three mo mount bracket; or a clamp mounting kit for 0.         PSDPC32W       2.25 x 6 x 2.25         Desktop power center with three 15A tamper	DxWxH         HXPACFES       16.8 × 29.50 × 11.69       70         Designed to add 11" of additional privacy on top of the div placement is user oriented. Pod with Extension Panel Add Divider is frosted for added privacy.       • Available in three colors: Translucent (TNC), Blue (TNB         HXPACFEH       16.8 × 29.50 × 11.69       250         HXPACFEH       16.8 × 29.50 × 11.69       250         HXPACFEHP       16.8 × 29.50 × 11.69       250         Designed to add 20" of additional privacy on top of the he to underside of worksurface. Curved PET fits into aluminur from floor, 20" from top of worksurface.       • PET felt privacy screen surface is tackable.         • PET felt privacy screen surface is tackable.       • Perforated pattern option available, shown with "P' at t         MODEL#       DIMENSIONS       FREIGHT CLASS         PSDPC22W       2.25 × 4.88 × 2.25       60         Desktop power center with two 15A tamper resistant pown 10' cord with molded plug. Includes three mounting option mount bracket; or a clamp mounting kit for 0.5"-1.5" thick         PSDPC32W       2.25 × 6 × 2.25       60         Desktop power center with three 15A tamper resistant pown	Dx W x H         HXPACFES       16.8 x 29.50 x 11.69       70       1         Designed to add 11" of additional privacy on top of the divider assembly placement is user oriented. Pod with Extension Panel Add-on installed r Divider is frosted for added privacy.       • Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (         HXPACFEH       16.8 x 29.50 x 11.69       250       6         Designed to add 20" of additional privacy on top of the height adjustable to underside of worksurface. Curved PET fits into aluminum mounting br from floor, 20" from top of worksurface.       • PET felt privacy screen surface is tackable.         • Perforated pattern option available, shown with "P' at the end of the MODEL#       DIMENSIONS       FREIGHT CLASS       WT/LBS.         PSDPC22W       2.25 x 4.88 x 2.25       60       2.5         Desktop power center with two 15A tamper resistant power receptacle 10' cord with molded plug. Includes three mounting options: a screw-in mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Glo         PSDPC32W       2.25 x 6 x 2.25       60       2.6         Desktop power center with three 15A tamper resistant power receptacle	Designed to add 11" of additional privacy on top of the divider assembly. Fits into the b placement is user oriented. Pod with Extension Panel Add-on installed measures 65" fr Divider is frosted for added privacy.         • Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (TNY). Specify f         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65         Designed to add 20" of additional privacy on top of the height adjustable worksurface.       to underside of worksurface. Curved PET fits into aluminum mounting brackets. PET Fel from floor, 20" from top of worksurface.       •       PET felt privacy screen surface is tackable.         • Perforated pattern option available, shown with "P' at the end of the code.       •       PET felt privacy screen surface is tackable.         • DDesktop power center with two 15A tamper resistant power receptacles, one USB-A pr       10" cord with molded plug. Includes three mounting options: a screw-in mounting plate mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body v <t< td=""><td>DxWxH         HXPACFES       16.8 x 29.50 x 11.69       70       1       3.35       \$1051         Designed to add 11" of additional privacy on top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with Extension Panel Add-on installed measures 65" from floor, 36" from top of v Divider is frosted for added privacy.         • Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (TNY). Specify finish.         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65       \$441         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65       \$884         Designed to add 20" of additional privacy on top of the height adjustable worksurface. Aluminum mounting brack to underside of worksurface. Curved PET fits into aluminum mounting brackets. PET FeIt Panel Add-on installed m from floor, 20" from top of worksurface.       • PET felt privacy screen surface is tackable.         • PET felt privacy screen surface is tackable.       • Perforated pattern option available, shown with "P' at the end of the code.         MODEL#       DIMENSIONS       FREIGHT CLASS       VT/LBS       CUBIC FT       LIST PRICE         PSDPC22W       2.25 x 4.88 x 2.25       60       2.5       0.05       \$307         Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (pr 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets mount</td></t<>	DxWxH         HXPACFES       16.8 x 29.50 x 11.69       70       1       3.35       \$1051         Designed to add 11" of additional privacy on top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with Extension Panel Add-on installed measures 65" from floor, 36" from top of v Divider is frosted for added privacy.         • Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (TNY). Specify finish.         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65       \$441         HXPACFEH       16.8 x 29.50 x 11.69       250       6       1.65       \$884         Designed to add 20" of additional privacy on top of the height adjustable worksurface. Aluminum mounting brack to underside of worksurface. Curved PET fits into aluminum mounting brackets. PET FeIt Panel Add-on installed m from floor, 20" from top of worksurface.       • PET felt privacy screen surface is tackable.         • PET felt privacy screen surface is tackable.       • Perforated pattern option available, shown with "P' at the end of the code.         MODEL#       DIMENSIONS       FREIGHT CLASS       VT/LBS       CUBIC FT       LIST PRICE         PSDPC22W       2.25 x 4.88 x 2.25       60       2.5       0.05       \$307         Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (pr 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets mount

Required specifications Acrylic color\* PET felt finish\*\*



POWER/DATA	MODEL#		IGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
13	HXECS	D x W x H 9.73 x 23.5 x 20.85	70	1.62	2.87	\$106
ble Shroud**	Secures to the b hardware. Speci		l clips to the	bottom of stra	aight section of	f any divider. Includes all connecting
	HXEPGK	2.75 x 5.5 x 3.25	70	0.27	0.02	\$41
vider Grommet Kit**	site; no need to	order special dividers. Powde installed on a single panel or	r coated die	-cast aluminui	m divider gromi	or above the worksurface. Installed net - specify Charcoal (CHR) or Whit unction with the Divider Grommet
	HXEPGCS	2.75 x 5.5 x 3.25	70	0.04	0.01	\$19
vider Grommet Connector/Spacer	Can be located a the Divider Grom	above or below the worksurfa	ce at pre-de on 2-Circuit F	termined loca	tions. Specify v	gh the divider grommet opening. vith the Divider Grommet Kit or use v molded ABS in Charcoal (CHR).
	HXEHAP	8.06 x 22 x 21.5	150	5	1	\$818
ftpod Height Adjustable Power Kit	<ul> <li>Facilitates 2-c</li> <li>Facilitates inte</li> <li>Specify duples</li> <li>Ceiling or base</li> </ul>	duplexes, cable basket and e ircuit power delivery. erconnection of two stations. x circuit #1, #2 or combinatio e feed not included. Specify s nnnecting hardware and supp	Please spec n #1+2. eparately.	ify Station to		ndard data plate (data cover include Kit.

Required specifications PET felt finish\* Grommet finish\*\*

## ACOUSTIC SOLUTIONS

	MODEL#		T CLASS WT/LBS.	CUBIC FT.	LIST PRICE	
	GAADG	<b>D x W x H</b> 5.54 x 10.09 x 1.08	2	0.04	\$90	
$\sim$	GAADG			0.04	\$90	
	> GAADGDH	5.54 X 10.09 X 1.08	2	0.04	\$91	
AADG GAADGDH						
ccess Door Module	GAADGDH includ	set back from edge to allow for es device holder for most mobile e grommet per worksurface.				
	GAADCT	5.54 x 10.09 x 5.07	4	0.19	\$145	
AADCT GAADCTDH	GAADCTDH		4	0.19	\$153	
ccess Door Module w/Cable Tray	knockout and plat GAADCTDH inclu	set back from edge to allow for tform to mount a power bar. Side des device holder for most mobi e grommet per worksurface.	es are open for easy	access. Availabl	e in all standard base finishe	es.
$\sim$	GAADCTPD	5.54 x 10.09 x 6.96	4	0.20	\$307	
	GAADCTPDDH	5.54 x 10.09 x 6.96	4	0.20	\$316	
AADCTPD GAADCTPDDH						
AADCTPD GAADCTPDDH ccess Door Module w/Cable Tray nd Power Bar	knockout and plat access. Available	set back from edge to allow for form to mount a powerbar. Pow in all standard base finishes. G/ n White. SoftPOD can only acco	er bar with 3 simple AADCTPDDH include	x and 2 USB, CSA s device holder f	Certified. Sides are open for most mobile phones or ta	or easy
ccess Door Module w/Cable Tray	knockout and plat access. Available	form to mount a powerbar. Pow in all standard base finishes. G	er bar with 3 simple AADCTPDDH include	x and 2 USB, CSA s device holder f	Certified. Sides are open for most mobile phones or ta	or easy
ccess Door Module w/Cable Tray	knockout and plat access. Available	form to mount a powerbar. Pow in all standard base finishes. G	er bar with 3 simple AADCTPDDH include	x and 2 USB, CSA s device holder f	Certified. Sides are open for most mobile phones or ta	or easy
ccess Door Module w/Cable Tray	knockout and plat access. Available	form to mount a powerbar. Pow in all standard base finishes. G	er bar with 3 simple AADCTPDDH include	x and 2 USB, CSA s device holder f	Certified. Sides are open for most mobile phones or ta	or easy

**Required specifications** 



S

#### POWER/DATA

#### MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify MPS for a single centered cut-out on the approcah side of the table or MPD for two cutouts in the left and right hand positions. Upcharge will apply per cut-out. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



NODPOWER DAISY-CHAIN SOLUTION	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
A	PMDSF10MG PMDSF10WH	2.75 x 7.63 x 2.63 2.75 x 7.63 x 2.63	250 250	3.44 3.44	1 1	\$521 \$521
odPower In-Surface Starter Unit	receptacles, one U Specify correspond positions ( <b>MPD</b> ). A	SB-A and one USB-C char ling cut-out code when or vailable in Magnesium ( <b>N</b>	ging ports, and dering table: si	a circuit bre ngle centere	aker. Four cable d cut-out ( <b>MPS</b> )	ed with three 15A tamper-resis management cord clips include or two cut-outs in left and righ st characters of model number.
	UL listed: UL 962A					
Jes .	PMDCF3MG PMDCF3WH	2.75 x 7.63 x 2.63 2.75 x 7.63 x 2.63	250 250	2.44 2.44	1 1	\$490 \$490
dPower In-Surface Middle Unit	PMDCF3MG PMDCF3WH Includes two 3' co USB-C charging po when ordering tab	2.75 x 7.63 x 2.63 nector cords. Unit is equi rts, and a circuit breaker.	250 pped with three Four cable man : ( <b>MPS</b> ) or two	2.44 e 15A rated agement cor cut-outs in l	1 12A tamper-resi rd clips included eft and right pos	\$490 stant receptacles, one USB-A a . Specify corresponding cut-out itions (MPD). Available in Mag
odPower In-Surface Middle Unit	PMDCF3MG PMDCF3WH Includes two 3' co USB-C charging po when ordering tab	2.75 x 7.63 x 2.63 nector cords. Unit is equi rts, and a circuit breaker. e: single centered cut-out	250 pped with three Four cable man : ( <b>MPS</b> ) or two	2.44 e 15A rated agement cor cut-outs in l	1 12A tamper-resi rd clips included eft and right pos	\$490 stant receptacles, one USB-A a . Specify corresponding cut-out itions (MPD). Available in Mag

## ACOUSTIC SOLUTIONS

ODPOWER/ELECTRICAL	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
E S	PMDSA10WH	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
Power On-Surface Starter Unit	receptacles, one U methods. Four cabl	SB-A and one USB-C char	rging ports, and included. Availa	a circuit bre	aker. Includes e	ped with three 15A tamper-ro edge clamp and three other n r White ( <b>WH</b> ) finish as indica	nountin
and the second s	PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$521	
PP	PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521	
Power On-Surface Middle Unit	USB-C charging po	rts, and a circuit breaker. . Available in Magnesium	Includes edge c	lamp and th	ree other moun	istant receptacles, one USB- ting methods. Four cable ma / last characters of model nu	nagem
	PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$459	
Jon Contraction	PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$459	
Power On-Surface End Unit	Includes one 3' cor					stant receptacles, one USB-A	
	cord clips included UL listed: UL 962A		( <b>MG</b> ) or White	( <b>WH</b> ) finish	as indicated by	/ last characters of model nu	-
	cord clips included	. Available in Magnesium	-			-	-
	cord clips included UL listed: UL 962A	. Available in Magnesium 2.5 x 2.6 x .6	( <b>MG</b> ) or White	( <b>WH</b> ) finish	as indicated by	/ last characters of model nu	-
	cord clips included UL listed: UL 962A PMDCLIPS	. Available in Magnesium 2.5 x 2.6 x .6	( <b>MG</b> ) or White	( <b>WH</b> ) finish	as indicated by	/ last characters of model nu	-
dPower Cable Management Clips	cord clips included UL listed: UL 962A PMDCLIPS Package of 10 clips PMDJ36BK	. Available in Magnesium 2.5 x 2.6 x .6 s. x 36 x	1 ( <b>MG</b> ) or White 70 70 70	(WH) finish 0.03 1.38	as indicated by 0.02 0.09 0.09	y last characters of model nu \$92	
dPower Cable Management Clips	cord clips included UL listed: UL 962A PMDCLIPS Package of 10 clips PMDJ36BK Interconnection jur with male and fem HXEPK11	. Available in Magnesium 2.5 x 2.6 x .6 s. x 36 x mper cord to add an addit ale connector. Package of 9.73 x 23.5 x 20.85	70 70 70 70 70 300	(WH) finish 0.03 1.38 length betwee listed: UL 96 3.92	as indicated by 0.02 0.09 0.09 2A. 2.76	x last characters of model nu \$92 \$308 and on-surface ModPower ur \$434	
Power Cable Management Clips	cord clips included UL listed: UL 962A PMDCLIPS Package of 10 clips PMDJ36BK Interconnection jur with male and fem	. Available in Magnesium 2.5 x 2.6 x .6 s. x 36 x mper cord to add an addit iale connector. Package of	70 70 70 70 160nal 3' of cord l f 2 jumpers. UL l 300 300	(WH) finish 0.03 1.38 length betwe listed: UL 96	0.02 0.09 0.09	x last characters of model nu \$92 \$308 and on-surface ModPower ur	mber.




## SOFTPOD S


LECTRICAL/ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS. C	UBIC FT.	LIST PRICE	
	HXEPPJ78	D x W x H	02 5	0	0.10	¢440	
	HXEPPJ78	2 x 78.5 x 2 2 x 72.5 x 2	92.5 92.5	2	0.18 0.17	\$418 \$414	
	HXEPPJ60	2 x 60.5 x 2	70	1	0.17	\$382	
_	HXEPPJ48	2 x 48.5 x 2	70	1	0.11	\$346	
	HXEPPJ36	2 x 36.5 x 2	70	1	0.08	\$261	
	HXEPPJ30	2 x 30.5 x 2	70	1	0.07	\$240	
	HXEPPJ24	2 x 24.5 x 2	70	1	0.06	\$210	
	HXEPPJ18	2 x 18.5 x 2	70	1	0.04	\$191	
- COCOR							
ntion to Station Jumper Kit		onnection of two statior cluded (qty. based on le		urface). Black n	eoprene socl	of equal length included.	
	HXEBF	2 x 72 x 2	60	5.6	0.06	\$367	
ise Feed						g liquid tight whip plugs into t electrician. Base feed jumper i \$249	
iling Feed						long metal conduit, ready to be d with HXECFP - Ceiling Feed Pc	
	HXECFP	1.5 x 6 x 116	85	5.49	0.38	\$210	
iling Pole**	grommet and pas bezel. Hardware	ses below worksurface	through the works bove ceiling tile is r	urface contoure not included. Sp	d recess. Inc ecify paint fi	with PVC cover secures to the udes mounting hardware and iish. Ceiling Feed HXECF must ccess cabling inside.	ceiling
siling Pole**	grommet and pas bezel. Hardware ordered separate	ses below worksurface for securing the pole at ly. PVC cover is standard	through the works bove ceiling tile is r d in Charcoal (CHR)	urface contoure not included. Sp ). Cover can be r	d recess. Inc ecify paint fi emoved to a	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside.	ceiling
Inder Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface.	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid	urface contoure not included. Sp ). Cover can be r 20.18	d recess. Inc ecify paint fii emoved to a 4.22	udes mounting hardware and nish. Ceiling Feed HXECF must	ceiling : be
Inder Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes.	urface contoure not included. Sp ). Cover can be r 20.18 e compartment.	d recess. Inc ecify paint fii emoved to a 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line	ceiling : be
der Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to	through the works bove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r	d recess. Inc ecify paint fii emoved to a 4.22 Sheet metal unit (sold sep	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately).	ceiling : be
der Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138	ceiling : be
der Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to	through the works bove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r	d recess. Inc ecify paint fii emoved to a 4.22 Sheet metal unit (sold sep	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately).	ceiling : be
der Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138	ceiling : be
der Worksurface Casual	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138	ceiling : be
der Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138	ceiling : be 
Inder Worksurface Casual Dorage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138	ceiling : be 
ader Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138	ceiling : be
nder Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes.	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 37 e compartment.	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling : be
eiling Pole**	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage witt Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage witt Secures to bottor • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to	through the works bove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling : be
ader Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta • Order coat hool • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 x 8 x 21 24 x 8 x 21 x 8 x 21 24 x 8 x 21 x	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling ; be
ader Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta • Order coat hool • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 h shelf; extension at the n of worksurface. ndard PET and paint fin k HXACHS, attaches to	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling : be
ader Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta • Order coat hool • Lockable cabin • Cannot be insta	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to et with key - laminate v alled on height adjustable	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling : be
ader Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta • Order coat hool • Select from sta • Order coat hool	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to et with key - laminate v alled on height adjustable	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling be
der Worksurface Casual orage Unit*	grommet and pas bezel. Hardware ordered separate HXSCSO Open storage wit Secures to bottor • Select from sta • Order coat hool HXSCSOL HXSCSOR Open storage wit Secures to bottor • Select from sta • Order coat hool • Lockable cabin • Cannot be insta	ses below worksurface for securing the pole at ly. PVC cover is standard 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to 24 x 8 x 21 24 x 8 x 21 24 x 8 x 21 h shelf; extension at the n of worksurface. Indard PET and paint fin k HXACHS, attaches to et with key - laminate v alled on height adjustable	through the works pove ceiling tile is r d in Charcoal (CHR) 150 e back provides sid ishes. either left or right s 100 100 e back provides sid ishes. either left or right s either left or right s	urface contoure not included. Sp ). Cover can be r 20.18 e compartment. side of storage r 37 37 e compartment. side of storage r	d recess. Inc ecify paint fir emoved to a 4.22 Sheet metal unit (sold sep 4.22 4.22 Sheet metal	udes mounting hardware and hish. Ceiling Feed HXECF must excess cabling inside. \$456 construction with PET felt line arately). \$1138 \$1138 construction with PET felt line	ceiling be

globalfurnituregroup.com global

#### PANTRY STORAGE



Pantry Storage\*\*



Left (NL) shown
Pantry Storage - w/USB\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57

**ACOUSTIC SOLUTIONS** 

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

For Dry-erase marker board, specify DE and add \$392. If specified, the dry-erase marker laminate will be applied to the
external surface of the pull-out drawer side wall.

FFP01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

For Dry-erase marker board, specify DE and add \$392. If specified, the dry-erase marker laminate will be applied to the
external surface of the pull-out drawer side wall.

Required specifications

Optional specifications HP laminate Dry-erase board



PANTRY STORA

S

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
FFPW1224H42NL	24 x 12 x 42	70	128	7	\$2787	\$31
FFPW1230H42NL	30 x 12 x 42	70	143	9	\$2915	\$38
FFPW1236H42NL	36 x 12 x 42	85	157	11	\$3040	\$47
FFPW1824H42NL	24 x 18 x 42	85	156	11	\$3228	\$48
FFPW1830H42NL	30 x 18 x 42	85	172	13	\$3369	\$59
FFPW1836H42NL	36 x 18 x 42	92.5	187	16	\$3509	\$71
FFPW1224NL	24 x 12 x 50	70	133	8	\$3038	\$28
FFPW1230NL	30 x 12 x 50	85	148	10	\$3171	\$55
FFPW1236NL	36 x 12 x 50	92.5	162	15	\$3306	\$79
FFPW1824NL	24 x 18 x 50	85	161	12	\$3550	\$55
FFPW1830NL	30 x 18 x 50	92.5	177	15	\$3694	\$91
FFPW1836NL	36 x 18 x 50	92.5	192	18	\$3841	\$120
FFPW1224H54NL	24 x 12 x 54	70	138	9	\$3096	\$30
FFPW1230H54NL	30 x 12 x 54	85	153	11	\$3229	\$35
FFPW1236H54NL	36 x 12 x 54	92.5	167	14	\$3364	\$41
FFPW1824H54NL	24 x 18 x 54	92.5	166	14	\$3619	\$41
FFPW1830H54NL	30 x 18 x 54	92.5	182	17	\$3764	\$53
FFPW1836H54NL	36 x 18 x 54	100	197	20	\$3911	\$60
FFPW1224H42NR	24 x 12 x 42	70	128	7	\$2787	\$31
FFPW1230H42NR	30 x 12 x 42	70	143	9	\$2915	\$38
FFPW1236H42NR	36 x 12 x 42	85	157	11	\$3040	\$47
FFPW1824H42NR	24 x 18 x 42	85	156	11	\$3228	\$48
FFPW1830H42NR	30 x 18 x 42	85	172	13	\$3369	\$59
FFPW1836H42NR	36 x 18 x 42	92.5	187	16	\$3509	\$71
FFPW1224NR	24 x 12 x 50	70	133	8	\$3038	\$28
FFPW1230NR	30 x 12 x 50	85	148	10	\$3171	\$55
FFPW1236NR	36 x 12 x 50	92.5	162	15	\$3306	\$79
FFPW1824NR	24 x 18 x 50	85	161	12	\$3550	\$55
FFPW1830NR	30 x 18 x 50	92.5	177	15	\$3694	\$91
FFPW1836NR	36 x 18 x 50	92.5	192	18	\$3841	\$120
FFPW1224H54NR	24 x 12 x 54	70	138	9	\$3096	\$30
FFPW1230H54NR	30 x 12 x 54	85	153	11	\$3229	\$35
FFPW1236H54NR	36 x 12 x 54	92.5	167	14	\$3364	\$41
FFPW1824H54NR	24 x 18 x 54	92.5	166	14	\$3619	\$41
FFPW1830H54NR	30 x 18 x 54	92.5	182	17	\$3764	\$53
FFPW1836H54NR	36 x 18 x 54	100	197	20	\$3911	\$60

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Required specifications Laminate finish Optional specifications HP laminate Dry-erase board

Pantry Storage w/Wardrobe

PANTRY STORAGE

#### ACOUSTIC SOLUTIONS

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H	70	400			404
	FFPW1224H42NLUSB	24 x 12 x 42	70	128	7	\$3422	\$31
	FFPW1230H42NLUSB	30 x 12 x 42	70	143	9	\$3550	\$38
	FFPW1236H42NLUSB	36 x 12 x 42	85	157	11	\$3675	\$47
	FFPW1824H42NLUSB	24 x 18 x 42	85	158	11	\$3863	\$48
	FFPW1830H42NLUSB	30 x 18 x 42	85	172	13	\$4005	\$59
	FFPW1836H42NLUSB	36 x 18 x 42	92.5	187	16	\$4145	\$71
	FFPW1224NLUSB	24 x 12 x 50	70	133	8	\$3673	\$28
	FFPW1230NLUSB	30 x 12 x 50	85	148	10	\$3807	\$55
	FFPW1236NLUSB	36 x 12 x 50	92.5	162	15	\$3942	\$79
	FFPW1824NLUSB	24 x 18 x 50	85	161	12	\$4186	\$55
	FFPW1830NLUSB	30 x 18 x 50	92.5	177	15	\$4329	\$91
	FFPW1836NLUSB	36 x 18 x 50	92.5	192	18	\$4476	\$120
	FFPW1224H54NLUSB	24 x 12 x 54	70	138	9	\$3732	\$30
	FFPW1230H54NLUSB	30 x 12 x 54	85	153	11	\$3865	\$35
	FFPW1236H54NLUSB	36 x 12 x 54	92.5	167	14	\$4000	\$41
	FFPW1824H54NLUSB	24 x 18 x 54	92.5	166	14	\$4254	\$41
	FFPW1830H54NLUSB	30 x 18 x 54	92.5	182	17	\$4400	\$53
	FFPW1836H54NLUSB	36 x 18 x 54	100	197	20	\$4546	\$60
	FFPW1224H42NRUSB	24 x 12 x 42	70	128	7	\$3422	\$31
	FFPW1230H42NRUSB	30 x 12 x 42	70	143	9	\$3550	\$38
	FFPW1236H42NRUSB	36 x 12 x 42	85	157	11	\$3675	\$47
	FFPW1824H42NRUSB	24 x 18 x 42	85	158	11	\$3863	\$48
	FFPW1830H42NRUSB	30 x 18 x 42	85	172	13	\$4005	\$59
	FFPW1836H42NRUSB	36 x 18 x 42	92.5	187	16	\$4145	\$71
	FFPW1224NRUSB	24 x 12 x 50	70	133	8	\$3673	\$28
	FFPW1230NRUSB	30 x 12 x 50	85	148	10	\$3807	\$55
	FFPW1236NRUSB	36 x 12 x 50	92.5	162	15	\$3942	\$79
	FFPW1824NRUSB	24 x 18 x 50	85	161	12	\$4186	\$55
	FFPW1830NRUSB	30 x 18 x 50	92.5	177	15	\$4329	\$91
	FFPW1836NRUSB	36 x 18 x 50	92.5	192	18	\$4476	\$120
	FFPW1224H54NRUSB	24 x 12 x 54	70	138	9	\$3732	\$30
	FFPW1230H54NRUSB	30 x 12 x 54	85	153	11	\$3865	\$35
	FFPW1236H54NRUSB	36 x 12 x 54	92.5	167	14	\$4000	\$41
	FFPW1824H54NRUSB	24 x 18 x 54	92.5	166	14	\$4254	\$41
/	FFPW1830H54NRUSB	30 x 18 x 54	92.5	182	17	\$4400	\$53
	FFPW1836H54NRUSB	36 x 18 x 54	100	197	20	\$4546	\$60
Left (NL) shown							

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Required specifications

aminate finish


Optional specifications HP laminate Dry-erase board



Pantry Storage w/Wardrobe and USB

NTRY STORAGE	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP ADD
	FFPSB0912	8.6 x 11.8 x 7.5	70	8.6	0.03	\$67
t Pantry Storage Bin	Crafted from recyc Specify finish.	cled PET felt, felt bins ar	e an intuitive and	l versatile orga	nization solut	tion within pantry units. Felt is 9mm.
	FFPST0609	5.9 x 8.6 x 2.6	70	0.28	0.08	\$28
t Pantry Storage Tray	Crafted from recyc Felt is 9mm. Speci		re an intuitive and	d versatile org	anization solu	ution within pantry units.

Required specifications
PET Felt finish



474



	MODEL#	DIMENSIONS F	REIGHT CLAS	S WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	HXAHS	3 x 23.5 x 16	150	8.8	1.91	\$145	n/a
Hanging Shelf*	Suspends from the divider's top reveal. Installed board measures 16" from top; 9" from top of worksurface. Shelf is metal, tray insert is PET felt. Magnetic.						
and the second s	HXAHSWB	3 x 23.5 x 16	150	9.57	1.91	\$555	n/a
Hanging Shelf w/Dry Erase Board*		ne divider's top reveal. Inst me, tray insert is PET felt.		easures 16" fr	om top; 9″ from	top of worksurfa	ace. White
	HXARWS	4.5 x 32.25 x 0.75	250	2.8	1.13	\$148	\$41
Rear Wall Shelf**	3/4" laminate sh or any monitor m	elf; non-handed, with pre- ounts.	determined m	ounting points	. 2.5" front radii	. Not compatible	e with Ceil
	HXACHS	0.75 x 1.25 x 2	70	0.05	0.01	\$42	n/a
Coat/Bag Hook for Dividers*		anywhere along the divide n; plug insert is PET felt.	r perimeter re	veal or either	side of the Unde	r Surface Casua	l Storage U
	HXACHT	0.75 x 1.25 x 2	70	0.23	0.01	\$49	n/a
Coat/Bag Hook for Divider Edge*		anywhere along the divide ts; plug insert is PET felt.	r perimeter re	veal or either	or both sides of a	any divider. Mac	le of die-ca
Coat/Bag Hook for Divider Edge*			r perimeter re 70	eveal or either	or both sides of a	any divider. Mac \$46	de of die-ca n/a
Coat/Bag Hook for Divider Edge*	with steel bracke	ts; plug insert is PET felt.	70	0.18	0.01	\$46	n/a
	with steel bracke	ts; plug insert is PET felt. 0.75 x 1.25 x 2	70 ce. Made of d	0.18	0.01	\$46	n/a
	with steel bracke HXABH Can be secured t HXNP	ts; plug insert is PET felt. 0.75 x 1.25 x 2 o the bottom of worksurfa	70 ce. Made of d	0.18 ie-cast alumin 0.26	0.01 um with steel br 0.01	\$46 ackets; plug inse \$84	n/a ert is PET fe n/a