

think globalTM

DESIGN GUIDE

BUNGEE SL




Effective January 2018


Tops

1. Square Corner

AB/AS/A3 or AR edge only


**2. Rounded Corner - Bubble Edge**

BB/BS edge only




Top and Leg Orientation

Top orientation





Pre-drilled holes
(for optional modesty panel and power trough)



Pre-drilled holes
(for optional modesty panel and power trough)



Spider leg orientation




Legs




Spider Legs

20" deep




- For 20" and 24" deep tops use **B2XSPLEG**
- Legs are available with adjustable levelers only
- Casters are not an option for Bungee SL

24" deep



30" deep




- For 30" deep tops use **B30SPLEG**




Tapered Legs

20", 24", 30" deep




- Legs are available with adjustable levelers only
- Casters are not an option for Bungee SL


Filler Panel




Straight configuration




90° configuration




Modesty



Square Modesty Panel




Rectangular



width	
72"	BX72QMP
66"	BX66QMP
60"	BX60QMP
48"	BX48QMP
42"	BX42QMP
36"	BX36QMP


Grommets & Power Block Cut-Out Locations

**Grommet**






- Grommet available in position FOG1, FOG2 and FOG3

Rectangular tops

For 36" and 42" width units:




For 48", 60" and 72" width units:




**Keystone tops****Half moon tops****90° wedge tops****Power Block**

- Cut-out for power block available in position E1, E2 and E3
- Power block ordered separately (PMSPDM)

For 36", 42" and 48" width units:





For 60" and 72" width units:




- not available

Tops with Legs and Plates Condition



Rectangular Tops




- Legs ordered separately
- Support bar included for units with 60" and 72" width




Rectangular Return Tops



- 2 flush plates included
- Legs ordered separately
- Maximum width: 54"



Legend:



spider leg




tapered leg



flat bracket

Tops with Legs and Plates Condition

Half Moon Tops



- 2 tapered legs with levelers included
- 1 joining plate included
- **Not** available with spider legs
- **Does not** connect with spider leg tables




Tapered Legs




square corner



rounded corner




joining plate






Spider Legs


Keystone Tops




- 2 tapered legs with levelers included
- **Not** available with spider legs
- **Does not** connect with spider leg tables

90° Wedge Tops /
90° Corner Tables


- Legs **not** included with wedge top
- Square corner **not** available with spider legs
- Connect to 20" or 24" deep rectangular table



20"-24"




20"-24"



20"-24"

Legend:



spider leg





tapered leg



flat bracket


Suggested Layouts

BDG Layout 1




- | | | |
|---|-----------|-----------------|
| 1 | B2xSPLEG | Spider Leg |
| 2 | BS24WE | 90° Wedge Top |
| 3 | BS2448REC | Rectangular Top |
| 4 | B48MP13 | Modesty Panel |
| 5 | BSFMS | Filler Panel |
| 6 | B29IFMS | Filler Panel |

BDG Layout 2




- | | | |
|---|-----------|-----------------|
| 1 | B29TPLEG | Tapered Leg |
| 2 | BS2448HMF | Half Moon Top |
| 3 | BS2448REC | Rectangular Top |

BDG Layout 3



- | | | |
|---|-----------|--------------------------------|
| 1 | B29TPLEG | Tapered Leg |
| 2 | BS2448REC | Rectangular Top |
| 3 | DGP1248 | Divide Glaze Panel 12" H, 48"W |
| 4 | DGP1224 | Divide Glaze Panel 12" H, 24"W |
| 5 | DPOST12 | Divide Post 12" H |

Legend:



spider leg





tapered leg



flat bracket



Suggested Layouts

BDG Layout 4




- | | | |
|---|-----------|------------------------|
| 1 | B30SPLEG | Spider Leg |
| 2 | BS3072REC | Rectangular Top |
| 3 | BS2436RRE | Rectangular Return Top |
| 4 | B2XSPLEG | Spider Leg |

BDG Layout 5



- | | | |
|---|-----------|--------------------------|
| 1 | B29TPLEG | Tapered Leg |
| 2 | BS2472REC | Rectangular Top |
| 3 | BS2448RRE | Rectangular Return Top |
| 4 | BS2448HMF | Half Moon Top |
| 5 | DPOST12 | Divide Post 12" H |
| 6 | DGP1272 | Divide Glaze Panel 12" H |

Legend:



spider leg




tapered leg




flat bracket


Aluminum Face Panel
















Laminate Face Panel




Center Spine



	Cod.	Dimensions			Finishes	Side View	
Aluminum Face Panel  Magnetic closure		w	d	h	• Face panel and back panel available in Black (BK) or Silver (SI)	 FRONT	 • Optional filler panel available
	JB72A	55.75"	4.25"	10"			
	JB60A	43.75"	4.25"	10"			
	JB48A	31.75"	4.25"	10"			
	JB42A	25.75"	4.25"	10"			
	JB36A	19.75"	4.25"	10"			
Laminate Face Panel 		w	d	h	• Face panel available in all standard bungee laminate finishes • Back panel available Black (BLK) or Brushed Cobalt (BRC)	 FRONT	 • Optional filler panel available
	JB72L	55.75"	4.25"	10"			
	JB60L	43.75"	4.25"	10"			
	JB48L	31.75"	4.25"	10"			
	JB42L	25.75"	4.25"	10"			
	JB36L	19.75"	4.25"	10"			
Center Spine 		w	d	h	• Face panel and back panel available Black (BLK) or Brushed Cobalt (BRC)	 FRONT	 • Optional filler panel available
	JB72C	55.75"	4.25"	10"			
	JB60C	43.75"	4.25"	10"			
	JB48C	31.75"	4.25"	10"			
	JB42C	25.75"	4.25"	10"			
	JB36C	19.75"	4.25"	10"			
Filler Panel     For straight runsFor 90° application							

Power Distribution Components - Proprietary 4 Wire System

Single Duplex Kit




Black plastic duplex connected to harness. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Specify Circuit 1 or Circuit 2. Nominal widths of duplex kits and power troughs should correspond to the width of the table being installed with.

Circuit 1 - PP42SOXX1 24-72"W

Circuit 2 - PP42SOXX2 24-72"W

Double Duplex Kit



Black plastic duplexes connected to harness. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Specify Circuit 1 or Circuit 2. Nominal widths of duplex kits and power troughs should correspond to the width of the table being installed with.

Circuit 1 - PP42SOXX1 24-72"W

Circuit 2 - PP42SOXX2 24-72"W


Power Harness Jumper



Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Use to pass power around or through corner wedges or tables where access to duplexes is not required.

PP42JXX 19-73"W

72" Multi-Circuit Hardwire Infeed




4 wire, 2 circuit hardwire infeed. Provides single power entry from floor or wall mounted building power supply. 72" extra flex conduit.

Must be hardwired by a certified electrician.

PP42HW72 72"W


4B Power Infeed w/72" Conduit



4 wire, 2 circuit hardwire infeed with 72" liquid tight conduit, 10" flex conduit. Provides single power entry from floor or wall mounted building power supply. **Must be hardwired by a certified electrician.**

PP42HW82L 82"W

Single-Circuit 3-Prong Infeed



Junction box included, to be mounted on underside of a table. Provides single power entry from floor or wall located building power supply. Allows for quick and easy disconnection from the wall. Power Circuit 1 only.


Must be hardwired by a certified electrician.

PP42TP120 128"W

PP42TP72 80"W


Accessories

Clamp



- Extra clamps are sold separately
- JBWM2

Power Snake



- Attaches to underside of worksurface
- Used to organize and channel wires from the power trough to the floor-in-feed
- Black finish only
- JBPS

Cable Terminator Mount




- Mount used to secure terminated data or telephone cables
- Mount attaches with 2x screws to aluminum trough, inside power trough
- Designed to hold multiple data solutions
- Inserts not included
- JBCTM


End Cap





- Additional end cap for power trough
- Required for beginning and end of runs
- JBEC



Grommets/Power Blocks



Grommet

Power Block
PMSPDM

- Optional grommets and power blocks are positioned directly above power trough



Showrooms throughout Canada

Toronto

1350 Flint Rd.
Toronto, Ontario
M3J 2J7
416.661.3660

Vancouver

3823 Still Creek Avenue
Burnaby, British Columbia
V5C 4E2
604.432.1701

Montreal

996 St-Antoine St. West
Montreal, Québec
H3C 1A7
514.866.4331

Quebec

Complexe Lebourgneuf 2
502 - 815 Lebourgneuf Blvd.
Quebec, Quebec
G2J 0C1
418.653.6111

Please call ahead to book an appointment

Calgary

302 - 237 8th Avenue SE
Calgary, Alberta
T2G 5C3
403.250.7770

Moncton

268 Coverdale Road
Riverview, New Brunswick
E1B 3J2
506.858.8383

Winnipeg

1-1080 Waverley Street
Winnipeg, Manitoba
R3T 5S4
204.925.3350

Edmonton

201-10158 103 Street NW
Edmonton, Alberta
T5J 0X6
780.444.8922

Halifax

150 - 1310 Hollis Street
Halifax, Nova Scotia
B3J 3P3
902.422.7434

Ottawa

400 - 251 Laurier Ave. West,
Ottawa, Ontario
K1P 5J6
613.234.2881

Please call ahead to book an appointment



Global Canada Headquarters
1350 Flint Road Toronto, Ontario M3J 2J7
416.661.3660
globalfurnituregroup.com