

Seating Vinyl
Vinyle pour sièges

COLLECTION
bantam

global


Bantam



BM20 Rabbit / Garenne




BM26 Firelight / Lueur




BM27 Ginger / Gingembre




BM28 Tropical / Sapotille




BM21 Apple / Pomme verte



BM25 Cosmic / Cosmos



BM22 Ghost / Spectre



BM23 Dove / Tourterelle



BM24 Iron / Fer



888-MORBERN
www.morbern.com

These textiles are suitable for use on upholstered Global healthcare furnishings.

Specifications

- Content: Vinyl
- Backing: 100% Polyester
- Width: 54 inches
- Weight: 35 ± 2 oz per linear yard
- Thickness: 49 ± 6 mils
- Cold crack: -25°F
- Abrasion resistance: No significant wear after 100,000 double rubs with #10 cotton duck using the Wyzenbeek test method

Features/Benefits

- Flame retardant free
- Microbial retardant free
- Formulated phthalate free
- Easily cleanable
- Bromine-free, no Halogenated Flame Retardants (HFRs)
- REACH compliant
- RoHS compliant
- No heavy metals
- No mercury
- No Bisphenol A (BPA)
- No ozone depleting chemicals
- No PBT's (persistent bioaccumulative and toxic chemicals)

Flame Resistance - Manufactured to meet the following flammability* requirements:

- UFAC Class 1
- CAL TB117-2013
- NFPA 260
- EN 1021-1 and 2
- IMO MSC 88/26/ADD. 2 Part 8 (3.1)

* This term and corresponding data refer to typical performance in the specific test indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

For grading, please refer to our website at globalfurnituregroup.com.

Care and Cleaning Instructions:

For normal cleaning: Most stains can be easily cleaned using warm, soapy water and clear water rinses. Moderate scrubbing with a medium bristle brush will help loosen soiling materials from the depressions of embossed surfaces. For more stubborn stains, use Formula 409® commercially available cleaner in accordance with the manufacturer's instructions. Full strength rubbing alcohol or mineral spirits* may be tried cautiously as a last resort on very stubborn stain, if the above suggestions do not work. Indiscriminate use of any solvent, or solvent containing cleaner, can severely damage or discolor vinyl. Always follow with a clear water rinse after cleaning with solvents.

*Caution: Exercise care as these solvents are flammable. Use only small quantities of solvents and keep clear of any sources of ignition. Wear protective gloves and ensure cleaning takes place in a well ventilated area.

Bleach Cleanable: When disinfecting with bleach, dilute with water up to a 9:1 ratio (10%). Liberally apply diluted disinfectant using a sponge. Rinse with cold water several times. Wipe dry and repeat if necessary.

This information is offered for your general guidance only. It is accurate to the best of our knowledge at the time of printing.

Global Textiles Warranty The textiles on this card are covered under the Global Lifetime Warranty as explained in the Global price list and website. Textiles not shown on this card, and any other customer specified textiles, will be subject to the textile supplier warranty.

Ces textiles peuvent être utilisés pour gamir des meubles Global santé.

Caractéristiques techniques

- Composition : vinyle
- Support : 100 % polyester
- Largeur : 54 po
- Poids : 35 ± 2 onces par verge linéaire
- Épaisseur : 49 ± 6 mils
- Fissuration à froid : -25 °F
- Résistance à l'abrasion : aucune usure importante après 100 000 doubles frottements avec une toile de coton n° 10 selon la méthode d'essai de Wyzenbeek

Caractéristiques et avantages

- Sans produits chimiques d'ignifugation (retardateurs de flamme)
- Sans adjuvants résistant aux antimicrobiens
- Sans phtalates
- Facilement nettoyable
- Sans retardateurs de flamme halogénés ou bromés
- Conforme au Règlement REACH
- Conforme à la Directive RoHS
- Sans métaux lourds
- Sans mercure
- Sans bisphénol A (BPA)
- Sans composés appauvrissant la couche d'ozone
- Sans substances persistantes, bioaccumulables et toxiques

Résistance à l'inflammation : Fabriqué de façon à respecter les exigences d'inflammabilité* suivantes :

- UFAC, catégorie 1
- Bulletin technique 117-2013 (État de Californie)
- Norme OMI, document MSC 88/26/Add.2, annexe 8 (3.1)
- Norme NFPA 260
- Norme européenne EN 1021, parties 1 et 2

* Ce terme et toutes les données qui lui ont trait renvoient à un rendement typique pour l'essai mentionné. On ne doit pas en conclure que le textile ou tout autre matériau présenterait un tel comportement en présence d'un véritable incendie.

Veuillez consulter notre site Web à globalfurnituregroup.com pour les divers grades.

Soins et nettoyage :

Nettoyage habituel : En général, la plupart des taches courantes peuvent aisément se nettoyer en les lavant à l'eau tiède savonneuse puis en rinçant à l'eau claire. Les souillures logées dans les creux de surfaces texturées peuvent être délogées en frottant légèrement avec une brosse à soies moyennes.

Pour les taches plus rebelles, utiliser le nettoyant tout usage Formula 409^{MD}, en suivant les instructions du fabricant. En dernier recours, pour les taches très rebelles, on pourra utiliser avec précaution de l'essence minérale ou de l'alcool à friction* non dilué. L'abus de tout solvant ou de produits de nettoyage contenant des solvants peut fortement endommager ou décolorer le vinyle. Toujours rincer à l'eau claire après tout nettoyage à l'aide de solvants.

*Mise en garde : Les solvants étant des substances inflammables, la prudence est de mise. N'utiliser que de petites quantités de solvants, loin de sources d'inflammation, et nettoyer l'article dans un endroit bien ventilé. Le port de gants protecteurs est recommandé.

Nettoyable à l'eau de Javel : Pour désinfecter une surface avec de l'eau de Javel, utiliser une solution d'au plus 10 % (1 partie d'eau de Javel pour 9 parties d'eau). Appliquer généreusement le désinfectant dilué à l'aide d'une éponge. Rincer à l'eau froide plusieurs fois. Essuyer et répéter l'opération au besoin.

Ces renseignements sont fournis à titre indicatif uniquement. Ils sont, à notre connaissance, exacts au moment de l'impression.

Garantie visant les textiles de Global Les textiles figurant sur cette carte d'échantillons sont protégés par la garantie à vie de Global, selon les conditions prévues dans la liste de prix et le site Web de Global. La garantie du fournisseur de textiles s'appliquera à tout textile ne figurant pas sur cette carte ainsi qu'à tout autre textile précisé par le client.



U.S.A. / États-Unis
Global Furniture Group
17 West Stow Road P.O. Box 562
Marlton New Jersey U.S.A. 08053
Tel/Tél (856) 596-3390 (800) 220-1900

Canada
Global Furniture Group
1350 Flint Road, Toronto ON Canada M3J 2J7
Sales & Marketing/Ventes et marketing:
Tel/Tél (877) 446-2251

International
Global Furniture Group
560 Supertest Road, Toronto
Ontario Canada M3J 2M6
Tel/Tél (416) 661-3660 (800) 668-5870

Visit us online at/Visitez-nous en ligne à globalfurnituregroup.com

Offices throughout Canada, United States, United Kingdom and Brazil. Distribution around the world. A member of Global Furniture Group. Bureaux partout au Canada, aux États-Unis, au Royaume-Uni et au Brésil. Distribution mondiale. Membre de Global Furniture Group.

© 2020 © 2020 The trademarks of Global Furniture Group. These products may be covered by one or more issued patents or pending patent applications in Canada, the U.S. and elsewhere. All intellectual property rights in applicable trademarks, patents and industrial designs are strictly reserved. Specifications are correct at time of printing. Printed in Canada. Creative / Global Group Design Center.
© 2020 © 2020 Les marques de commerce de Global Furniture Group. Ces produits peuvent faire l'objet de brevets délivrés ou de demandes de brevets en instance au Canada, aux États-Unis et ailleurs. Tous les droits de propriété intellectuelle sur les marques de commerce, brevets et dessins industriels applicables sont strictement réservés. Les caractéristiques sont valides au moment de l'impression. Imprimé au Canada. Création / Global Group Design Center 210420 20.0033