
panels and components





Divide is a modular desk mounted panel system that can be retro-installed on many Global desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



Features and Benefits

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths.
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s).
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cut-out at the bottom of each panel (order as SCP2).
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match.
- All Adaptabilities, Zira and Genoa laminate colors are offered as well as a wide variety of fabrics.

GENERAL INFORMATION

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks.
- Vertical stacking of varying heights provide semi-private to private work areas.
- Designed for use on the Adaptabilities, Genoa and Zira laminate desk series, and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations.
- Progressive, desk mounted partition system consisting of three major categories:
 - Divide posts to support the partitions.
 - Partitioning screens a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics.
 - Transaction tops laminate tops ideal for creating reception stations.
- For environmental certifications, please visit globalfurnituregroup.com.
- Model numbers reflect total width of panel and posts.

DIVIDE POSTS

- · Available in 6 standard heights:
- 12" high to create semi-private spaces and to support transaction tops.
- 18" high to create **semi-private** spaces.
- 24" high to create semi-private spaces.
- 30" high to create semi-private spaces.
- 36" high to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities. Genoa. and Zira cabinets.
- 42" high to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets.
- Posts are field installed. Each plate divider includes: 1 post mounting plate,
 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut).
 2 divide posts are required per partitioning panel.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.

PARTITIONING SCREENS

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
- Laminate available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom in Black (BLK) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as "SCP2" after model #.
- Glazed choice of Ribbed or Frosted glazing. Frosted material 3mm thick Acrylic P95; ribbed material 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through options see models DRGPxxxx on pages 297-299.
- Fabric available in select panel fabrics only (see right). Top and bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to accommodate off-desk accessories.
- Divide posts partitioning panels are sold separately. Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only.
 For pricing, contact Specials Department for a quote.

TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate.
- Tops are sealed with Global's preferred edging in matching color.
- Woodgrain surfaces feature edging with matching printed woodgrain.
- Transaction tops are available with optional edges at no upcharge, please specify.





A3 1" top, standard flat edge

AR 1" top, bicut edge







C3 1.5" top, standard flat edge

CR 1.5" top, bicut edge

FL 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features predrilled locating holes to allow for quick alignment with the divide post.
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).

LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

FABRICS (fabric screens)

Note: Fabric screens can be upholstered in the following fabrics only:

- Anchorage*
- Lola*
- Merge*

^{*} Contact Customer Service for pricing.

PLEASE NOTE:

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel.






Correct installation


Incorrect installation

HOW TO ORDER DIVIDE SCREENS



^{*}NOTE: number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.


PARTS AND COMPONENTS




INSTALLATION IS AS SIMPLE AS 1...2...3

- 1) Attach the threaded **post mounting plate** with enclosed screws to the top side of the worksurface.
- 2) Divide post is bolted to the mounting plate.
- 3) **Top cap** is attached to the top of the divide post.

D DIVIDE™ - CONFIGURATIONS






FABRIC PANELS


Fabric Panel - 12" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DTB1220	14.8 x 0.68 x 12	3	0.3	\$281	
DTB1224	18.9 x 0.68 x 12	4	0.3	\$310	
DTB1229	24.5 x 0.68 x 12	4	0.4	\$365	
DTB1230	24.8 x 0.68 x 12	5	0.4	\$365	
DTB1236	30.8 x 0.68 x 12	5	0.4	\$391	
DTB1242	36.8 x 0.68 x 12	6	0.5	\$423	
DTB1248	42.8 x 0.68 x 12	7	0.6	\$449	
DTB1260	54.8 x 0.68 x 12	9	0.7	\$520	
DTB1266	60.8 x 0.68 x 12	10	0.8	\$572	
DTB1272	66.8 x 0.68 x 12	11	0.8	\$614	

Features built-in accessory rail. Includes matching filler panel. Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.






- lop and bottom rail are optional in Black (**BLK**) or lungsten (**IUN**), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

0101020	14.0 X 0.00 X 10	7	0.0	φυσσ	
DTB1824	18.9 x 0.68 x 18	5	0.4	\$323	
DTB1829	24.5 x 0.68 x 18	6	0.5	\$391	
DTB1830	24.8 x 0.68 x 18	6	0.5	\$391	
DTB1836	30.8 x 0.68 x 18	7	0.6	\$433	
DTB1842	36.8 x 0.68 x 18	8	0.7	\$433	
DTB1848	42.8 x 0.68 x 18	10	0.8	\$477	
DTB1860	54.8 x 0.68 x 18	12	0.9	\$520	
DTB1866	60.8 x 0.68 x 18	14	1	\$667	
DTB1872	66.8 x 0.68 x 18	14	1.1	\$717	

routures built in accessory run.	merades matering inter pariet. Openly DID 1023 for pariets praced along the acptir state
of a 30" deep worksurface.	1 set per carton.
 Top and bottom rail are option 	nal in Black (BLK) or Tungsten (TUN), please specify




Features built-in accessory rail. Includes matching filler panel. Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

	//
l //	

Fabric Panel - 18" High



Fabric Panel - 24" High

Required specifications

Fabric

Fabric Panel - 36" High

GLAZED PANELS

IST PRICE	CUBIC FT.	WT/LB.	DIMENSIONS	MODEL#
			WxDxH	
\$365	0.6	6	14.8 x 0.68 x 36	DTB3620
\$391	0.7	7	18.9 x 0.68 x 36	DTB3624
\$461	0.9	9	24.5 x 0.68 x 36	DTB3629
\$461	0.9	9	24.8 x 0.68 x 36	DTB3630
\$675	1	10	30.8 x 0.68 x 36	DTB3636
\$717	1.2	12	36.8 x 0.68 x 36	DTB3642
\$785	1.3	14	42.8 x 0.68 x 36	DTB3648
\$952	1.6	17	54.8 x 0.68 x 36	DTB3660
\$982	1.8	19	60.8 x 0.68 x 36	DTB3666
\$1024	1.9	21	66.8 x 0.68 x 36	DTB3672

Features built-in accessory rail. Includes matching filler panel. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface**. 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

Glazed Panel - 12" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
DGP1220	14.8 x 0.68 x 12	2	0.3	\$206	
DGP1224	18.9 x 0.68 x 12	3	0.3	\$241	
DGP1229	24.5 x 0.68 x 12	3	0.4	\$284	
DGP1230	24.8 x 0.68 x 12	4	0.4	\$284	
DGP1236	30.8 x 0.68 x 12	4	0.4	\$333	
DGP1242	36.8 x 0.68 x 12	5	0.5	\$370	
DGP1248	42.8 x 0.68 x 12	5	0.6	\$446	
DGP1260	54.8 x 0.68 x 12	7	0.7	\$538	
DGP1266	60.8 x 0.68 x 12	7	0.8	\$583	
DGP1272	66.8 x 0.68 x 12	8	0.8	\$624	

Features built-in accessory rail. Includes matching filler panel. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface**. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).



Glazed Panel - 18" High

DGP1820	14.8 x 0.68 x 18	3	0.3	\$241	
DGP1824	18.9 x 0.68 x 18	3	0.4	\$270	
DGP1829	24.5 x 0.68 x 18	4	0.5	\$320	
DGP1830	24.8 x 0.68 x 18	4	0.5	\$320	
DGP1836	30.8 x 0.68 x 18	5	0.6	\$370	
DGP1842	36.8 x 0.68 x 18	5	0.7	\$415	
DGP1848	42.8 x 0.68 x 18	6	0.8	\$499	
DGP1860	54.8 x 0.68 x 18	8	0.9	\$600	
DGP1866	60.8 x 0.68 x 18	8	1	\$650	
DGP1872	66.8 x 0.68 x 18	9	1.1	\$698	

Features built-in accessory rail. Includes matching filler panel. Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

Required specifications

Fabric (fabric panels) Glaze (glazed panels)

		A
		Ш
		Ш
		V
l //		


GLAZED PANELS

Glazed Panel - 24" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DGP2420	14.8 x 0.68 x 24	3	0.4	\$270	
DGP2424	18.9 x 0.68 x 24	4	0.5	\$303	
DGP2429	24.5 x 0.68 x 24	4	0.6	\$367	
DGP2430	24.8 x 0.68 x 24	5	0.6	\$367	
DGP2436	30.8 x 0.68 x 24	5	0.7	\$429	
DGP2442	36.8 x 0.68 x 24	6	0.8	\$485	
DGP2448	42.8 x 0.68 x 24	7	0.9	\$574	
DGP2460	54.8 x 0.68 x 24	9	1.1	\$694	
DGP2466	60.8 x 0.68 x 24	10	1.2	\$756	
DGP2472	66.8 x 0.68 x 24	10	1.4	\$813	

Features built-in accessory rail. Includes matching filler panel. Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).




Glazed Panel - 36" High

DGP3620	14.8 x 0.68 x 36	4	0.6	\$333	
DGP3624	18.9 x 0.68 x 36	4	0.7	\$367	
DGP3629	24.5 x 0.68 x 36	5	0.9	\$442	
DGP3630	24.8 x 0.68 x 36	6	0.9	\$442	
DGP3636	30.8 x 0.68 x 36	7	1	\$521	
DGP3642	36.8 x 0.68 x 36	8	1.2	\$590	
DGP3648	42.8 x 0.68 x 36	9	1.3	\$698	
DGP3660	54.8 x 0.68 x 36	11	1.6	\$851	
DGP3666	60.8 x 0.68 x 36	12	1.8	\$929	
DGP3672	66.8 x 0.68 x 36	13	1.9	\$1001	

Features built-in accessory rail. Includes matching filler panel. Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

RAISED GLAZED PANELS



Raised Glazed Panel - 12" High

DD0D1000 00 000 10 0 00 00	
DRGP1220 20 x 0.68 x 12 2 0.2 \$247	
DRGP1224 24 x 0.68 x 12 3 0.3 \$289	
DRGP1229 29 x 0.68 x 12 3 0.3 \$343	
DRGP1230 30 x 0.68 x 12 4 0.3 \$343	
DRGP1236 36 x 0.68 x 12 4 0.4 \$399	
DRGP1242 42 x 0.68 x 12 5 0.5 \$453	
DRGP1248 48 x 0.68 x 12 5 0.5 \$538	
DRGP1260 60 x 0.68 x 12 7 0.7 \$632	
DRGP1266 66 x 0.68 x 12 7 0.7 \$694	
DRGP1272 72 x 0.68 x 12 8 0.8 \$751	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

Required specifications

D DIVIDE™

1		4"


RAISED GLAZED PANELS


Raised Glazed Panel - 18" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DRGP1820	20 x 0.68 x 18	3	0.3	\$289	
DRGP1824	24 x 0.68 x 18	3	0.4	\$327	
DRGP1829	29 x 0.68 x 18	4	0.5	\$381	
DRGP1830	30 x 0.68 x 18	4	0.5	\$381	
DRGP1836	36 x 0.68 x 18	5	0.6	\$446	
DRGP1842	42 x 0.68 x 18	5	0.6	\$499	
DRGP1848	48 x 0.68 x 18	6	0.7	\$594	
DRGP1860	60 x 0.68 x 18	8	0.9	\$713	
DRGP1866	66 x 0.68 x 18	8	1	\$770	
DRGP1872	72 x 0.68 x 18	9	1.1	\$837	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1829** for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above
 other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).





- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above
 other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

,	
24"	4 ***

Raised Glazed Panel - 24" High

Required specifications

Glaze


Raised Glazed Panel - 36" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
DRGP3620	20 x 0.68 x 36	4	0.6	\$399	
DRGP3624	24 x 0.68 x 36	4	0.7	\$438	
DRGP3629	29 x 0.68 x 36	5	0.8	\$529	
DRGP3630	30 x 0.68 x 36	6	0.8	\$529	
DRGP3636	36 x 0.68 x 36	7	1	\$628	
DRGP3642	42 x 0.68 x 36	8	1.1	\$713	
DRGP3648	48 x 0.68 x 36	9	1.3	\$837	
DRGP3660	60 x 0.68 x 36	11	1.6	\$1009	
DRGP3666	66 x 0.68 x 36	12	1.7	\$1098	
DRGP3672	72 x 0.68 x 36	13	1.9	\$1188	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP3629** for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

LAMINATE PANELS




Laminate Panel - 12" High

DLP1220	14.8 x 0.68 x 12	5	0.3	\$70
DLP1224	18.9 x 0.68 x 12	5	0.3	\$82
DLP1229	24.5 x 0.68 x 12	7	0.4	\$103
DLP1230	24.8 x 0.68 x 12	7	0.4	\$103
DLP1236	30.8 x 0.68 x 12	8	0.4	\$113
DLP1242	36.8 x 0.68 x 12	10	0.5	\$131
DLP1248	42.8 x 0.68 x 12	11	0.6	\$151
DLP1260	54.8 x 0.68 x 12	14	0.7	\$166
DLP1266	60.8 x 0.68 x 12	16	0.8	\$183
DLP1272	66.8 x 0.68 x 12	17	0.8	\$202

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.



Laminate Panel - 18" High

DLP1820 14.8 >			0.0	000
DEI 1020 11.07	x 0.68 x 18	/	0.3	\$82
DLP1824 18.9 x	x 0.68 x 18	8	0.4	\$95
DLP1829 24.5 >	x 0.68 x 18	10	0.5	\$115
DLP1830 24.8 >	x 0.68 x 18	10	0.5	\$115
DLP1836 30.8 >	x 0.68 x 18	12	0.6	\$131
DLP1842 36.8 >	x 0.68 x 18	15	0.7	\$156
DLP1848 42.8 >	x 0.68 x 18	17	0.8	\$179
DLP1860 54.8 >	x 0.68 x 18	21	0.9	\$197
DLP1866 60.8 x	x 0.68 x 18	23	1	\$217
DLP1872 66.8 >	x 0.68 x 18	25	1.1	\$241

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.


- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- · Accent edging at top and bottom in Black (BLK) only.

Required specifications

Finish (laminate panels Glaze (glazed panels)

D DIVIDE™

LAMINATE PANELS




Laminate Panel - 24" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DLP2420	14.8 x 0.68 x 24	9	0.4	\$95	
DLP2424	18.9 x 0.68 x 24	11	0.5	\$108	
DLP2429	24.5 x 0.68 x 24	13	0.6	\$131	
DLP2430	24.8 x 0.68 x 24	13	0.6	\$131	
DLP2436	30.8 x 0.68 x 24	16	0.7	\$151	
DLP2442	36.8 x 0.68 x 24	19	0.8	\$179	
DLP2448	42.8 x 0.68 x 24	22	0.9	\$202	
DLP2460	54.8 x 0.68 x 24	28	1.1	\$228	
DLP2466	60.8 x 0.68 x 24	30	1.2	\$253	
DLP2472	66.8 x 0.68 x 24	33	1.4	\$280	

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.



Laminate Panel - 36" High

DLP3620	14.8 x 0.68 x 36	13	0.6	\$120
DLP3624	18.9 x 0.68 x 36	16	0.7	\$131
DLP3629	24.5 x 0.68 x 36	20	0.9	\$166
DLP3630	24.8 x 0.68 x 36	20	0.9	\$166
DLP3636	30.8 x 0.68 x 36	24	1	\$190
DLP3642	36.8 x 0.68 x 36	28	1.2	\$222
DLP3648	42.8 x 0.68 x 36	33	1.3	\$253
DLP3660	54.8 x 0.68 x 36	41	1.6	\$290
DLP3666	60.8 x 0.68 x 36	45	1.8	\$320
DLP3672	66.8 x 0.68 x 36	50	1.9	\$352

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 293 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.

Required specifications


Finish

/IDE POSTS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	DPOST12	1.68 x 1.68 x 12	3	0.1	\$95	
	DPOST18	1.68 x 1.68 x 18	3	0.1	\$131	
	DPOST24	1.68 x 1.68 x 24	3	0.1	\$183	
	DPOST30	1.68 x 1.68 x 30	3	0.1	\$253	
	DPOST36	1.68 x 1.68 x 36	4	0.2	\$284	
	DPOST42	1.68 x 1.68 x 42	5	0.2	\$320	
ide Post	hardware. Instal	anels. Includes one post, on Ilation templates are supplie ide posts per panel. mounted 1,063" from works	ed with each p			
ide Post	hardware. Instal • Requires 2 div • Divide post is	llation templates are supplied ide posts per panel. Ide posts per panel. Ide mounted 1,063" from works	ed with each purface edge.	roject. MUST s	pecify Black (BLK) or Tu	
de Post	hardware. Instal • Requires 2 div • Divide post is	Ilation templates are supplied ide posts per panel. mounted 1,063" from works 0.75 x 1.43 x 12	ed with each purface edge.	roject. MUST s	pecify Black (BLK) or Tu	
le Post	hardware. Instal • Requires 2 div • Divide post is	llation templates are supplied ide posts per panel. Ide posts per panel. Ide mounted 1,063" from works	ed with each purface edge.	roject. MUST s	pecify Black (BLK) or Tu	
de Post	hardware. Instal Requires 2 div Divide post is a DFS12 DFS18	llation templates are supplied ide posts per panel. mounted 1,063" from works 0.75 x 1.43 x 12 0.75 x 1.43 x 18	ed with each purface edge.	roject. MUST s	pecify Black (BLK) or Tu \$55 \$55	
de Post	hardware. Instal Requires 2 div Divide post is a DFS12 DFS18 DFS24	llation templates are supplied posts per panel. mounted 1,063" from works 0.75 x 1.43 x 12 0.75 x 1.43 x 18 0.75 x 1.43 x 24	ed with each purface edge.	0.5 0.5 0.5	pecify Black (BLK) or Tu \$55 \$55 \$55 \$55	
ide Post	hardware. Instal Requires 2 div Divide post is a DFS12 DFS18 DFS24 DFS30	Ilation templates are supplied posts per panel. mounted 1,063" from works 0.75 x 1.43 x 12 0.75 x 1.43 x 18 0.75 x 1.43 x 24 0.75 x 1.43 x 30	ed with each purface edge. 2 2 2 2	0.5 0.5 0.5 0.5	\$55 \$55 \$55 \$55 \$55	
ide Post	hardware. Instal Requires 2 div Divide post is DFS12 DFS18 DFS24 DFS30 DFS36	Ilation templates are supplied posts per panel. mounted 1,063" from works 0.75 x 1.43 x 12 0.75 x 1.43 x 18 0.75 x 1.43 x 24 0.75 x 1.43 x 30 0.75 x 1.43 x 36	ed with each purface edge.	0.5 0.5 0.5 0.5 0.5	\$55 \$55 \$55 \$55 \$55 \$55 \$55	

Required specifications Finish

TRANSACTION TOPS

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add 15% upcharge.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add 20% upcharge
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divide post towards the inside and 8" toward the outside.


Transaction Top Offset

- 4" from the center of the divide post to the inside of worksurface.
- 8" from the center of the divide post to the outside of worksurface.



Two Way Connector Transaction Top (DATT2W/DCTT2W)


Use with a corner worksurface to link transaction tops together.



STRAIGHT TRANSACTION TOPS

Radius End Transaction Top - One Side

Add suffix "D" to model number for radius end on one side.



Radius End Transaction Top - Two Sides

Add suffix "DD" to model number for radius end on both sides.

	1		
1		/	

Straight Transaction Top - 1" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DATT14	14 x 12 x 1	7	0.3	\$126	
DATT18	18 x 12 x 1	8	0.4	\$126	
DATT20	20 x 12 x 1	9	0.5	\$126	
DATT23	23 x 12 x 1	10	0.5	\$126	
DATT24	24 x 12 x 1	10	0.5	\$126	
DATT29	29 x 12 x 1	12	0.6	\$190	
DATT30	30 x 12 x 1	12	0.6	\$190	
DATT36	36 x 12 x 1	14	0.7	\$190	
DATT42	42 x 12 x 1	16	0.8	\$253	
DATT48	48 x 12 x 1	18	0.9	\$253	
DATT54	54 x 12 x 1	21	1	\$315	
DATT60	60 x 12 x 1	23	1.1	\$315	
DATT66	66 x 12 x 1	25	1.2	\$381	
DATT72	72 x 12 x 1	27	1.3	\$381	

12" deep x 1" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. Add 15% upcharge (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. Add 20% upcharge.
- Each radius adds 6" overhang per side.

Danninad	specifications
Keauirea	Specifications

Laminate finish (transaction tops)

Optional specifications

Edge detail





STRAIGHT TRANSACTION TOPS



Straight Transaction Top - 1.5" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DCTT14	14 x 12 x 1.5	9	0.3	\$190	
DCTT18	18 x 12 x 1.5	11	0.4	\$190	
DCTT20	20 x 12 x 1.5	12	0.5	\$190	
DCTT23	23 x 12 x 1.5	14	0.5	\$190	
DCTT24	24 x 12 x 1.5	14	0.5	\$190	
DCTT29	29 x 12 x 1.5	17	0.6	\$284	
DCTT30	30 x 12 x 1.5	17	0.6	\$284	
DCTT36	36 x 12 x 1.5	20	0.7	\$284	
DCTT42	42 x 12 x 1.5	23	0.8	\$347	
DCTT48	48 x 12 x 1.5	26	0.9	\$347	
DCTT54	54 x 12 x 1.5	29	1	\$409	
DCTT60	60 x 12 x 1.5	32	1.1	\$409	
DCTT66	66 x 12 x 1.5	35	1.2	\$472	
DCTT72	72 x 12 x 1 5	38	1.3	\$472	

12" deep x 1.5" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. Add 15% upcharge (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. Add 20% upcharge.
- Each radius adds 6" overhang per side.

GALLERY CORNER TRANSACTION TOPS



Gallery Corner Transaction Top 1" Thick

DA1GC36	36 x 36 x 1	32	5	\$804	
DA1GC42	42 x 42 x 1	38	6.5	\$804	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.



Gallery Corner Transaction Top - 1.5" Thick

DC1GC42 42 x 42 x 1.5 50 6.5 \$929	DC1GC36	36 x 36 x 1.5	43	5	\$929
	DC1GC42	42 x 42 x 1.5	50	6.5	\$929

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

2 PIECE GALLERY CORNER TRANSACTION TOPS



2 Piece Gallery Corner Transaction Top - 1" Thick

DA2GC36	36 x 36 x 1	29	1.9	\$548
DA2GC42	42 x 42 x 1	33	1.9	\$548

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications	Optional specifications
Laminate finish	Edge detail



2 PIECE GALLERY CORNER TOPS

2 Piece Extended Gallery Corner Transaction Top - 1" Thick - LEFT



2 Piece Extended Gallery Corner Transaction Top - 1" Thick - RIGHT



2 Piece Gallery Corner Transaction Top - 1.5" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
DA2GC66L	66 x 36 x 1	37	3	\$770	

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

 Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide post. Taller posts are not safe

DA2GC66R	66 x 36 x 1	37	3	\$770	

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

	 Woodgrain runs in two directions. 	Transaction tops are only	to be used on 12" high d	ivide posts. Taller posts are not safe
--	---	---------------------------	--------------------------	--

DC2GC36	36 x 36 x 1.5	39	1.9	\$673
DC2GC42	42 x 42 x 1.5	45	1.9	\$673

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces.

Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

2-WAY CONNECTOR TOPS



2-Way Connector Transaction Top - 1" Thick

2-Way Connector Transaction Top - 1.5" Thick

DATT2W	12 x 12 x 1	6	0.3	\$222	

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

DCTT2W 12 x 12 x 1.5	7 0.3	\$315
----------------------	-------	-------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.


• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications

Laminate finish

Optional specifications

Edge detail



4-Way Connector Transaction Top - 1" Thick



4-Way Connector Transaction Top - 1.5" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DATT4W	12 x 12 x 1	8	0.3	\$190	

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

DCTT4W	12 x 12 x 1.5	10	0.3	\$284
DG114VV	12 X 12 X 1.3	10	0.5	9Z04

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required	specifications

Laminate finish

Optional specifications

Edge detail