

# panels and components



Divide

290

global



Divide is a modular desk mounted panel system that can be retro-installed on many Global desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



**Features and Benefits**

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths.
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s).
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cut-out at the bottom of each panel (order as SCP2).
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match.
- All Adaptabilities, Zira and Genoa laminate colors are offered as well as a wide variety of fabrics.

**GENERAL INFORMATION**

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks.
- Vertical stacking of varying heights provide semi-private to private work areas.
- Designed for use on the Adaptabilities, Genoa and Zira laminate desk series, and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations.
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts - to support the partitions.
  - Partitioning screens - a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics.
  - Transaction tops - laminate tops ideal for creating reception stations.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).
- Model numbers reflect total width of panel and posts.

**DIVIDE POSTS**

- Available in 6 standard heights:
  - 12" high - to create **semi-private** spaces and to support transaction tops.
  - 18" high - to create **semi-private** spaces.
  - 24" high - to create **semi-private** spaces.
  - 30" high - to create **semi-private** spaces.
  - 36" high - to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa, and Zira cabinets.
  - 42" high - to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets.
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.

**PARTITIONING SCREENS**

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
  - **Laminate** - available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom in Black (**BLK**) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as "**SCP2**" after model #.
  - **Glazed** - choice of **Clear**, **Ribbed** or **Frosted** glazing. Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through options - see models DRGPxxxx on pages 296-298.
  - **Fabric** - available in select panel fabrics only (see right). Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories.
- Divide posts partitioning panels are sold separately. Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials Department for a quote.

**TRANSACTION TOPS**

- Tops are available in 1" or 1.5" thick thermally fused laminate.
- Tops are sealed with Global's preferred edging in matching color.
- Woodgrain surfaces feature edging with matching printed woodgrain.
- Transaction tops are available with optional edges at no upcharge, please specify.



**A3** 1" top, standard flat edge



**AR** 1" top, bicut edge



**C3** 1.5" top, standard flat edge



**CR** 1.5" top, bicut edge



**FL** 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features predrilled locating holes to allow for quick alignment with the divide post.
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).

**LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)**

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SDT</b>	Stonedust
<b>CGY</b>	Custom Grey	<b>SOG</b>	Storm Grey
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

**FABRICS (fabric screens)**

Note: Fabric screens can be upholstered in the following fabrics only:


- Anchorage\*
- Lola\*
- Merge\*

\* Contact Customer Service for pricing.


# D DIVIDE™ - NOTES

## PLEASE NOTE:

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel.




Correct installation



Incorrect installation


## HOW TO ORDER DIVIDE SCREENS

example: DTB 1236 GN31



\*NOTE: number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

## PARTS AND COMPONENTS



## INSTALLATION IS AS SIMPLE AS 1...2...3

- 1) Attach the threaded **post mounting plate** with enclosed screws to the top side of the worksurface.
- 2) **Divide post** is bolted to the mounting plate.
- 3) **Top cap** is attached to the top of the divide post.


12" high system




18" high system



24" high system




30" high system




36" high system



42" high system



FABRIC PANELS




Fabric Panel - 12" High

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H				
DTB1220	14.8 x 0.68 x 12	3	0.3	<b>\$281</b>
DTB1224	18.9 x 0.68 x 12	4	0.3	<b>\$310</b>
DTB1229	24.5 x 0.68 x 12	4	0.4	<b>\$365</b>
DTB1230	24.8 x 0.68 x 12	5	0.4	<b>\$365</b>
DTB1236	30.8 x 0.68 x 12	5	0.4	<b>\$391</b>
DTB1242	36.8 x 0.68 x 12	6	0.5	<b>\$423</b>
DTB1248	42.8 x 0.68 x 12	7	0.6	<b>\$449</b>
DTB1260	54.8 x 0.68 x 12	9	0.7	<b>\$520</b>
DTB1266	60.8 x 0.68 x 12	10	0.8	<b>\$572</b>
DTB1272	66.8 x 0.68 x 12	11	0.8	<b>\$614</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.




Fabric Panel - 18" High

DTB1820	14.8 x 0.68 x 18	4	0.3	<b>\$300</b>
DTB1824	18.9 x 0.68 x 18	5	0.4	<b>\$323</b>
DTB1829	24.5 x 0.68 x 18	6	0.5	<b>\$391</b>
DTB1830	24.8 x 0.68 x 18	6	0.5	<b>\$391</b>
DTB1836	30.8 x 0.68 x 18	7	0.6	<b>\$433</b>
DTB1842	36.8 x 0.68 x 18	8	0.7	<b>\$433</b>
DTB1848	42.8 x 0.68 x 18	10	0.8	<b>\$477</b>
DTB1860	54.8 x 0.68 x 18	12	0.9	<b>\$520</b>
DTB1866	60.8 x 0.68 x 18	14	1	<b>\$667</b>
DTB1872	66.8 x 0.68 x 18	14	1.1	<b>\$717</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.



Fabric Panel - 24" High

DTB2420	14.8 x 0.68 x 24	4	0.4	<b>\$310</b>
DTB2424	18.9 x 0.68 x 24	4	0.5	<b>\$337</b>
DTB2429	24.5 x 0.68 x 24	6	0.6	<b>\$429</b>
DTB2430	24.8 x 0.68 x 24	6	0.6	<b>\$429</b>
DTB2436	30.8 x 0.68 x 24	7	0.7	<b>\$455</b>
DTB2442	36.8 x 0.68 x 24	8	0.8	<b>\$496</b>
DTB2448	42.8 x 0.68 x 24	9	0.9	<b>\$534</b>
DTB2460	54.8 x 0.68 x 24	11	1.1	<b>\$648</b>
DTB2466	60.8 x 0.68 x 24	12	1.2	<b>\$686</b>
DTB2472	66.8 x 0.68 x 24	14	1.4	<b>\$742</b>


Features built-in accessory rail. Includes matching filler panel. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

**Required specifications**

Fabric

**FABRIC PANELS**      **MODEL #**      **DIMENSIONS**      **WT/LB.**      **CUBIC FT.**      **LIST PRICE**




**Fabric Panel - 36" High**

	W x D x H			
DTB3620	14.8 x 0.68 x 36	6	0.6	<b>\$365</b>
DTB3624	18.9 x 0.68 x 36	7	0.7	<b>\$391</b>
DTB3629	24.5 x 0.68 x 36	9	0.9	<b>\$461</b>
DTB3630	24.8 x 0.68 x 36	9	0.9	<b>\$461</b>
DTB3636	30.8 x 0.68 x 36	10	1	<b>\$675</b>
DTB3642	36.8 x 0.68 x 36	12	1.2	<b>\$717</b>
DTB3648	42.8 x 0.68 x 36	14	1.3	<b>\$785</b>
DTB3660	54.8 x 0.68 x 36	17	1.6	<b>\$952</b>
DTB3666	60.8 x 0.68 x 36	19	1.8	<b>\$982</b>
DTB3672	66.8 x 0.68 x 36	21	1.9	<b>\$1024</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.

**GLAZED PANELS**      **MODEL #**      **DIMENSIONS**      **WT/LB.**      **CUBIC FT.**      **LIST PRICE**




**Glazed Panel - 12" High**

DGP1220	14.8 x 0.68 x 12	2	0.3	<b>\$206</b>
DGP1224	18.9 x 0.68 x 12	3	0.3	<b>\$241</b>
DGP1229	24.5 x 0.68 x 12	3	0.4	<b>\$284</b>
DGP1230	24.8 x 0.68 x 12	4	0.4	<b>\$284</b>
DGP1236	30.8 x 0.68 x 12	4	0.4	<b>\$333</b>
DGP1242	36.8 x 0.68 x 12	5	0.5	<b>\$370</b>
DGP1248	42.8 x 0.68 x 12	5	0.6	<b>\$446</b>
DGP1260	54.8 x 0.68 x 12	7	0.7	<b>\$538</b>
DGP1266	60.8 x 0.68 x 12	7	0.8	<b>\$583</b>
DGP1272	66.8 x 0.68 x 12	8	0.8	<b>\$624</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).



**Glazed Panel - 18" High**

DGP1820	14.8 x 0.68 x 18	3	0.3	<b>\$241</b>
DGP1824	18.9 x 0.68 x 18	3	0.4	<b>\$270</b>
DGP1829	24.5 x 0.68 x 18	4	0.5	<b>\$320</b>
DGP1830	24.8 x 0.68 x 18	4	0.5	<b>\$320</b>
DGP1836	30.8 x 0.68 x 18	5	0.6	<b>\$370</b>
DGP1842	36.8 x 0.68 x 18	5	0.7	<b>\$415</b>
DGP1848	42.8 x 0.68 x 18	6	0.8	<b>\$499</b>
DGP1860	54.8 x 0.68 x 18	8	0.9	<b>\$600</b>
DGP1866	60.8 x 0.68 x 18	8	1	<b>\$650</b>
DGP1872	66.8 x 0.68 x 18	9	1.1	<b>\$698</b>


Features built-in accessory rail. Includes matching filler panel. **Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).


**Required specifications**

Fabric (fabric panels)  
Glaze (glazed panels)

**GLAZED PANELS**



**Glazed Panel - 24" High**



**Glazed Panel - 36" High**

**MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE**

W x D x H

DGP2420	14.8 x 0.68 x 24	3	0.4	<b>\$270</b>
DGP2424	18.9 x 0.68 x 24	4	0.5	<b>\$303</b>
DGP2429	24.5 x 0.68 x 24	4	0.6	<b>\$367</b>
DGP2430	24.8 x 0.68 x 24	5	0.6	<b>\$367</b>
DGP2436	30.8 x 0.68 x 24	5	0.7	<b>\$429</b>
DGP2442	36.8 x 0.68 x 24	6	0.8	<b>\$485</b>
DGP2448	42.8 x 0.68 x 24	7	0.9	<b>\$574</b>
DGP2460	54.8 x 0.68 x 24	9	1.1	<b>\$694</b>
DGP2466	60.8 x 0.68 x 24	10	1.2	<b>\$756</b>
DGP2472	66.8 x 0.68 x 24	10	1.4	<b>\$813</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.


- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

DGP3620	14.8 x 0.68 x 36	4	0.6	<b>\$333</b>
DGP3624	18.9 x 0.68 x 36	4	0.7	<b>\$367</b>
DGP3629	24.5 x 0.68 x 36	5	0.9	<b>\$442</b>
DGP3630	24.8 x 0.68 x 36	6	0.9	<b>\$442</b>
DGP3636	30.8 x 0.68 x 36	7	1	<b>\$521</b>
DGP3642	36.8 x 0.68 x 36	8	1.2	<b>\$590</b>
DGP3648	42.8 x 0.68 x 36	9	1.3	<b>\$698</b>
DGP3660	54.8 x 0.68 x 36	11	1.6	<b>\$851</b>
DGP3666	60.8 x 0.68 x 36	12	1.8	<b>\$929</b>
DGP3672	66.8 x 0.68 x 36	13	1.9	<b>\$1001</b>

Features built-in accessory rail. Includes matching filler panel. **Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

**RAISED GLAZED PANELS**



**Raised Glazed Panel - 12" High**

DRGP1220	20 x 0.68 x 12	2	0.2	<b>\$247</b>
DRGP1224	24 x 0.68 x 12	3	0.3	<b>\$289</b>
DRGP1229	29 x 0.68 x 12	3	0.3	<b>\$343</b>
DRGP1230	30 x 0.68 x 12	4	0.3	<b>\$343</b>
DRGP1236	36 x 0.68 x 12	4	0.4	<b>\$399</b>
DRGP1242	42 x 0.68 x 12	5	0.5	<b>\$453</b>
DRGP1248	48 x 0.68 x 12	5	0.5	<b>\$538</b>
DRGP1260	60 x 0.68 x 12	7	0.7	<b>\$632</b>
DRGP1266	66 x 0.68 x 12	7	0.7	<b>\$694</b>
DRGP1272	72 x 0.68 x 12	8	0.8	<b>\$751</b>

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.


- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

**Required specifications**

Glaze



**RAISED GLAZED PANELS**      **MODEL #**      **DIMENSIONS**      **WT/LB.**      **CUBIC FT.**      **LIST PRICE**




**Raised Glazed Panel - 18" High**

	W x D x H			
DRGP1820	20 x 0.68 x 18	3	0.3	<b>\$289</b>
DRGP1824	24 x 0.68 x 18	3	0.4	<b>\$327</b>
DRGP1829	29 x 0.68 x 18	4	0.5	<b>\$381</b>
DRGP1830	30 x 0.68 x 18	4	0.5	<b>\$381</b>
DRGP1836	36 x 0.68 x 18	5	0.6	<b>\$446</b>
DRGP1842	42 x 0.68 x 18	5	0.6	<b>\$499</b>
DRGP1848	48 x 0.68 x 18	6	0.7	<b>\$594</b>
DRGP1860	60 x 0.68 x 18	8	0.9	<b>\$713</b>
DRGP1866	66 x 0.68 x 18	8	1	<b>\$770</b>
DRGP1872	72 x 0.68 x 18	9	1.1	<b>\$837</b>

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).



**Raised Glazed Panel - 24" High**

DRGP2420	20 x 0.68 x 24	3	0.4	<b>\$327</b>
DRGP2424	24 x 0.68 x 24	4	0.5	<b>\$366</b>
DRGP2429	29 x 0.68 x 24	4	0.6	<b>\$438</b>
DRGP2430	30 x 0.68 x 24	5	0.6	<b>\$438</b>
DRGP2436	36 x 0.68 x 24	5	0.7	<b>\$509</b>
DRGP2442	42 x 0.68 x 24	6	0.8	<b>\$580</b>
DRGP2448	48 x 0.68 x 24	7	0.9	<b>\$679</b>
DRGP2460	60 x 0.68 x 24	9	1.1	<b>\$831</b>
DRGP2466	66 x 0.68 x 24	10	1.2	<b>\$908</b>
DRGP2472	72 x 0.68 x 24	10	1.3	<b>\$979</b>


Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

**Required specifications**

Glaze

**RAISED GLAZED PANELS**



**Raised Glazed Panel - 36" High**


**MODEL #                      DIMENSIONS                      WT/LB.                      CUBIC FT.                      LIST PRICE**

	<b>W x D x H</b>				
DRGP3620	20 x 0.68 x 36		4	0.6	<b>\$399</b>
DRGP3624	24 x 0.68 x 36		4	0.7	<b>\$438</b>
DRGP3629	29 x 0.68 x 36		5	0.8	<b>\$529</b>
DRGP3630	30 x 0.68 x 36		6	0.8	<b>\$529</b>
DRGP3636	36 x 0.68 x 36		7	1	<b>\$628</b>
DRGP3642	42 x 0.68 x 36		8	1.1	<b>\$713</b>
DRGP3648	48 x 0.68 x 36		9	1.3	<b>\$837</b>
DRGP3660	60 x 0.68 x 36		11	1.6	<b>\$1009</b>
DRGP3666	66 x 0.68 x 36		12	1.7	<b>\$1098</b>
DRGP3672	72 x 0.68 x 36		13	1.9	<b>\$1188</b>

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

**LAMINATE PANELS**




**Laminate Panel - 12" High**

DLP1220	14.8 x 0.68 x 12		5	0.3	<b>\$70</b>
DLP1224	18.9 x 0.68 x 12		5	0.3	<b>\$82</b>
DLP1229	24.5 x 0.68 x 12		7	0.4	<b>\$103</b>
DLP1230	24.8 x 0.68 x 12		7	0.4	<b>\$103</b>
DLP1236	30.8 x 0.68 x 12		8	0.4	<b>\$113</b>
DLP1242	36.8 x 0.68 x 12		10	0.5	<b>\$131</b>
DLP1248	42.8 x 0.68 x 12		11	0.6	<b>\$151</b>
DLP1260	54.8 x 0.68 x 12		14	0.7	<b>\$166</b>
DLP1266	60.8 x 0.68 x 12		16	0.8	<b>\$183</b>
DLP1272	66.8 x 0.68 x 12		17	0.8	<b>\$202</b>

Includes matching filler panel. Scoop option (**SCP2**) available, add \$33. **Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (**BLK**) only.



**Laminate Panel - 18" High**

DLP1820	14.8 x 0.68 x 18		7	0.3	<b>\$82</b>
DLP1824	18.9 x 0.68 x 18		8	0.4	<b>\$95</b>
DLP1829	24.5 x 0.68 x 18		10	0.5	<b>\$115</b>
DLP1830	24.8 x 0.68 x 18		10	0.5	<b>\$115</b>
DLP1836	30.8 x 0.68 x 18		12	0.6	<b>\$131</b>
DLP1842	36.8 x 0.68 x 18		15	0.7	<b>\$156</b>
DLP1848	42.8 x 0.68 x 18		17	0.8	<b>\$179</b>
DLP1860	54.8 x 0.68 x 18		21	0.9	<b>\$197</b>
DLP1866	60.8 x 0.68 x 18		23	1	<b>\$217</b>
DLP1872	66.8 x 0.68 x 18		25	1.1	<b>\$241</b>


Includes matching filler panel. Scoop option (**SCP2**) available, add \$33. **Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (**BLK**) only.

**Required specifications**

Finish (laminate panels)  
Glaze (glazed panels)

LAMINATE PANELS MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE




Laminate Panel - 24" High

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H				
DLP2420	14.8 x 0.68 x 24	9	0.4	\$95
DLP2424	18.9 x 0.68 x 24	11	0.5	\$108
DLP2429	24.5 x 0.68 x 24	13	0.6	\$131
DLP2430	24.8 x 0.68 x 24	13	0.6	\$131
DLP2436	30.8 x 0.68 x 24	16	0.7	\$151
DLP2442	36.8 x 0.68 x 24	19	0.8	\$179
DLP2448	42.8 x 0.68 x 24	22	0.9	\$202
DLP2460	54.8 x 0.68 x 24	28	1.1	\$228
DLP2466	60.8 x 0.68 x 24	30	1.2	\$253
DLP2472	66.8 x 0.68 x 24	33	1.4	\$280

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.



Laminate Panel - 36" High

DLP3620	14.8 x 0.68 x 36	13	0.6	\$120
DLP3624	18.9 x 0.68 x 36	16	0.7	\$131
DLP3629	24.5 x 0.68 x 36	20	0.9	\$166
DLP3630	24.8 x 0.68 x 36	20	0.9	\$166
DLP3636	30.8 x 0.68 x 36	24	1	\$190
DLP3642	36.8 x 0.68 x 36	28	1.2	\$222
DLP3648	42.8 x 0.68 x 36	33	1.3	\$253
DLP3660	54.8 x 0.68 x 36	41	1.6	\$290
DLP3666	60.8 x 0.68 x 36	45	1.8	\$320
DLP3672	66.8 x 0.68 x 36	50	1.9	\$352

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.

Required specifications

Finish

# D DIVIDE™

## DIVIDE POSTS



**Divide Post**

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
---------	------------	--------	-----------	------------

W x D x H

DPOST12	1.68 x 1.68 x 12	3	0.1	<b>\$95</b>
DPOST18	1.68 x 1.68 x 18	3	0.1	<b>\$131</b>
DPOST24	1.68 x 1.68 x 24	3	0.1	<b>\$183</b>
DPOST30	1.68 x 1.68 x 30	3	0.1	<b>\$253</b>
DPOST36	1.68 x 1.68 x 36	4	0.2	<b>\$284</b>
DPOST42	1.68 x 1.68 x 42	5	0.2	<b>\$320</b>

For supporting panels. Includes one post, one mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. MUST specify Black (**BLK**) or Tungsten (**TUN**).

- Requires 2 divide posts per panel.
- Divide post is mounted 1,063" from worksurface edge.



**Post-to-Wall Filler Strip**

DFS12	0.75 x 1.43 x 12	2	0.5	<b>\$55</b>
DFS18	0.75 x 1.43 x 18	2	0.5	<b>\$55</b>
DFS24	0.75 x 1.43 x 24	2	0.5	<b>\$55</b>
DFS30	0.75 x 1.43 x 30	2	0.5	<b>\$55</b>
DFS36	0.75 x 1.43 x 36	2	0.5	<b>\$55</b>
DFS42	0.75 x 1.43 x 42	3	0.6	<b>\$55</b>


Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Black only.

### Required specifications

Finish


**TRANSACTION TOPS**

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). **Add 15% upcharge.**
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). **Add 20% upcharge.**
- Each radius end adds a 6" overhang per side (see illustrations below).



Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divide post towards the inside and 8" toward the outside.




**Two Way Connector Transaction Top (DATT2W/DCTT2W)**

Use with a corner worksurface to link transaction tops together.


**Transaction Top Offset**

- 4" from the center of the divide post to the inside of worksurface.
- 8" from the center of the divide post to the outside of worksurface.



**Radius End Transaction Top - One Side**

Add suffix "D" to model number for radius end on one side.



**Radius End Transaction Top - Two Sides**

Add suffix "DD" to model number for radius end on both sides.

**STRAIGHT TRANSACTION TOPS**

**MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE**

**W x D x H**

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
DATT14	14 x 12 x 1	7	0.3	<b>\$126</b>
DATT18	18 x 12 x 1	8	0.4	<b>\$126</b>
DATT20	20 x 12 x 1	9	0.5	<b>\$126</b>
DATT23	23 x 12 x 1	10	0.5	<b>\$126</b>
DATT24	24 x 12 x 1	10	0.5	<b>\$126</b>
DATT29	29 x 12 x 1	12	0.6	<b>\$190</b>
DATT30	30 x 12 x 1	12	0.6	<b>\$190</b>
DATT36	36 x 12 x 1	14	0.7	<b>\$190</b>
DATT42	42 x 12 x 1	16	0.8	<b>\$253</b>
DATT48	48 x 12 x 1	18	0.9	<b>\$253</b>
DATT54	54 x 12 x 1	21	1	<b>\$315</b>
DATT60	60 x 12 x 1	23	1.1	<b>\$315</b>
DATT66	66 x 12 x 1	25	1.2	<b>\$381</b>
DATT72	72 x 12 x 1	27	1.3	<b>\$381</b>



**Straight Transaction Top - 1" Thick**

12" deep x 1" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. **Add 15% upcharge** (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. **Add 20% upcharge.**
- Each radius adds 6" overhang per side.

**Required specifications**  
Laminate finish (transaction tops)

**Optional specifications**  
Edge detail

**STRAIGHT TRANSACTION TOPS**




**Straight Transaction Top - 1.5" Thick**

MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
DCTT14	14 x 12 x 1.5	9	0.3	<b>\$190</b>
DCTT18	18 x 12 x 1.5	11	0.4	<b>\$190</b>
DCTT20	20 x 12 x 1.5	12	0.5	<b>\$190</b>
DCTT23	23 x 12 x 1.5	14	0.5	<b>\$190</b>
DCTT24	24 x 12 x 1.5	14	0.5	<b>\$190</b>
DCTT29	29 x 12 x 1.5	17	0.6	<b>\$284</b>
DCTT30	30 x 12 x 1.5	17	0.6	<b>\$284</b>
DCTT36	36 x 12 x 1.5	20	0.7	<b>\$284</b>
DCTT42	42 x 12 x 1.5	23	0.8	<b>\$347</b>
DCTT48	48 x 12 x 1.5	26	0.9	<b>\$347</b>
DCTT54	54 x 12 x 1.5	29	1	<b>\$409</b>
DCTT60	60 x 12 x 1.5	32	1.1	<b>\$409</b>
DCTT66	66 x 12 x 1.5	35	1.2	<b>\$472</b>
DCTT72	72 x 12 x 1.5	38	1.3	<b>\$472</b>

12" deep x 1.5" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. **Add 15% upcharge** (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. **Add 20% upcharge.**
- Each radius adds 6" overhang per side.

**GALLERY CORNER TRANSACTION TOPS**




**Gallery Corner Transaction Top  
1" Thick**

DA1GC36	36 x 36 x 1	32	5	<b>\$804</b>
DA1GC42	42 x 42 x 1	38	6.5	<b>\$804</b>

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.




**Gallery Corner Transaction Top  
- 1.5" Thick**

DC1GC36	36 x 36 x 1.5	43	5	<b>\$929</b>
DC1GC42	42 x 42 x 1.5	50	6.5	<b>\$929</b>

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**2 PIECE GALLERY CORNER TRANSACTION TOPS**



**2 Piece Gallery Corner  
Transaction Top - 1" Thick**

DA2GC36	36 x 36 x 1	29	1.9	<b>\$548</b>
DA2GC42	42 x 42 x 1	33	1.9	<b>\$548</b>


Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**Required specifications**  
Laminate finish

**Optional specifications**  
Edge detail

**2 PIECE GALLERY CORNER TOPS**




**2 Piece Extended Gallery Corner Transaction Top - 1" Thick - LEFT**

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	<b>W x D x H</b>			
DA2GC66L	66 x 36 x 1	37	3	<b>\$770</b>

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide post. Taller posts are not safe.



**2 Piece Extended Gallery Corner Transaction Top - 1" Thick - RIGHT**

DA2GC66R	66 x 36 x 1	37	3	<b>\$770</b>
----------	-------------	----	---	--------------

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.




**2 Piece Gallery Corner Transaction Top - 1.5" Thick**

DC2GC36	36 x 36 x 1.5	39	1.9	<b>\$673</b>
DC2GC42	42 x 42 x 1.5	45	1.9	<b>\$673</b>

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**2-WAY CONNECTOR TOPS**




**2-Way Connector Transaction Top - 1" Thick**

DATT2W	12 x 12 x 1	6	0.3	<b>\$222</b>
--------	-------------	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.



**2-Way Connector Transaction Top - 1.5" Thick**

DCTT2W	12 x 12 x 1.5	7	0.3	<b>\$315</b>
--------	---------------	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**Required specifications**  
Laminate finish


**Optional specifications**  
Edge detail

# D DIVIDE™

## 4-WAY CONNECTOR TOPS

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
---------	------------	--------	-----------	------------

W x D x H




**4-Way Connector Transaction Top - 1" Thick**

DATT4W	12 x 12 x 1	8	0.3	<b>\$190</b>
--------	-------------	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.



**4-Way Connector Transaction Top - 1.5" Thick**

DCTT4W	12 x 12 x 1.5	10	0.3	<b>\$284</b>
--------	---------------	----	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**Required specifications**

Laminate finish

**Optional specifications**

Edge detail