
# panels and components





Divide is a modular desk mounted panel system that can be retro-installed on many Global desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



#### **Features and Benefits**

- · Available as fabric, glazed or laminate partitioning panels in an array of heights and widths.
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s).
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cut-out at the bottom of each panel (order as SCP2).
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match.
- · All Adaptabilities, Zira and Genoa laminate colors are offered as well as a wide variety of fabrics.

#### **GENERAL INFORMATION**

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks.
- Vertical stacking of varying heights provide semi-private to private work areas.
- Designed for use on the Adaptabilities, Genoa and Zira laminate desk series, and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations.
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts to support the partitions.
  - Partitioning screens a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics.
  - Transaction tops laminate tops ideal for creating reception stations.
- For environmental certifications, please visit globalfurnituregroup.com.
- Model numbers reflect total width of panel and posts.

#### **DIVIDE POSTS**

- · Available in 6 standard heights:
- 12" high to create **semi-private** spaces and to support transaction tops.
- 18" high to create **semi-private** spaces.
- 24" high to create semi-private spaces.
- 30" high to create semi-private spaces.
- 36" high to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities. Genoa. and Zira cabinets.
- 42" high to create private spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets.
- Posts are field installed. Each plate divider includes: 1 post mounting plate,
   1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut).
   2 divide posts are required per partitioning panel.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.

#### **PARTITIONING SCREENS**

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
- Laminate available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom in Black (BLK) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel order as "SCP2" after model #.
- Glazed choice of Ribbed or Frosted glazing. Frosted material 3mm thick Acrylic P95; ribbed material 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through options see models DRGPxxxx on pages 299-301.
- Fabric available in select panel fabrics only (see right). Top and bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to accommodate off-desk accessories.
- Divide posts partitioning panels are sold separately. Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only.
   For pricing, contact Specials Department for a quote.

#### TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate.
- Tops are sealed with Global's preferred edging in matching color.
- · Woodgrain surfaces feature edging with matching printed woodgrain.
- Transaction tops are available with optional edges at no upcharge, please specify.





A3 1" top, standard flat edge

AR 1" top, bicut edge







**C3** 1.5" top, standard flat edge

CR 1.5" top, bicut edge

FL 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features predrilled locating holes to allow for quick alignment with the divide post.
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).

# LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## FABRICS (fabric screens)

Note: Fabric screens can be upholstered in the following fabrics only:

- Anchorage\*
- Lola\*
- Merge\*

<sup>\*</sup> Contact Customer Service for pricing.

#### **PLEASE NOTE:**

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel.






Correct installation


Incorrect installation

#### **HOW TO ORDER DIVIDE SCREENS**



<sup>\*</sup>NOTE: number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.


#### PARTS AND COMPONENTS




#### **INSTALLATION IS AS SIMPLE AS 1...2...3**

- 1) Attach the threaded **post mounting plate** with enclosed screws to the top side of the worksurface.
- 2) Divide post is bolted to the mounting plate.
- 3) **Top cap** is attached to the top of the divide post.

# **D DIVIDE™ - CONFIGURATIONS**





**FABRIC PANELS** 

Fabric Panel - 12" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DTB1220	14.8 x 0.68 x 12	3	0.3	\$281	
DTB1224	18.9 x 0.68 x 12	4	0.3	\$310	
DTB1229	24.5 x 0.68 x 12	4	0.4	\$365	
DTB1230	24.8 x 0.68 x 12	5	0.4	\$365	
DTB1236	30.8 x 0.68 x 12	5	0.4	\$391	
DTB1242	36.8 x 0.68 x 12	6	0.5	\$423	
DTB1248	42.8 x 0.68 x 12	7	0.6	\$449	
DTB1260	54.8 x 0.68 x 12	9	0.7	\$520	
DTB1266	60.8 x 0.68 x 12	10	0.8	\$572	
DTB1272	66.8 x 0.68 x 12	11	0.8	\$614	

Features built-in accessory rail. Includes matching filler panel. Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

\$300

\$323

\$391 \$391

\$433

\$433


\$477

\$520

\$667

\$717

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.



Features built-in accessory rail. Includes matching filler panel. Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.


DTB2420	14.8 x 0.68 x 24	4	0.4	\$310	
DTB2424	18.9 x 0.68 x 24	4	0.5	\$337	
DTB2429	24.5 x 0.68 x 24	6	0.6	\$429	
DTB2430	24.8 x 0.68 x 24	6	0.6	\$429	
DTB2436	30.8 x 0.68 x 24	7	0.7	\$455	
DTB2442	36.8 x 0.68 x 24	8	0.8	\$496	
DTB2448	42.8 x 0.68 x 24	9	0.9	\$534	
DTB2460	54.8 x 0.68 x 24	11	1.1	\$648	
DTB2466	60.8 x 0.68 x 24	12	1.2	\$686	
DTB2472	66.8 x 0.68 x 24	14	1.4	\$742	

Features built-in accessory rail. Includes matching filler panel. Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

//	

Fabric Panel - 18" High



Fabric Panel - 24" High

**Required specifications** 

Fabric

Fabric Panel - 36" High

**GLAZED PANELS** 

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DTB3620	14.8 x 0.68 x 36	6	0.6	\$365	
DTB3624	18.9 x 0.68 x 36	7	0.7	\$391	
DTB3629	24.5 x 0.68 x 36	9	0.9	\$461	
DTB3630	24.8 x 0.68 x 36	9	0.9	\$461	
DTB3636	30.8 x 0.68 x 36	10	1	\$675	
DTB3642	36.8 x 0.68 x 36	12	1.2	\$717	
DTB3648	42.8 x 0.68 x 36	14	1.3	\$785	
DTB3660	54.8 x 0.68 x 36	17	1.6	\$952	
DTB3666	60.8 x 0.68 x 36	19	1.8	\$982	
DTB3672	66.8 x 0.68 x 36	21	1.9	\$1024	

Features built-in accessory rail. Includes matching filler panel. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface**. 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.

Glazed Panel - 12" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
DGP1220	14.8 x 0.68 x 12	2	0.3	\$206	
DGP1224	18.9 x 0.68 x 12	3	0.3	\$241	
DGP1229	24.5 x 0.68 x 12	3	0.4	\$284	
DGP1230	24.8 x 0.68 x 12	4	0.4	\$284	
DGP1236	30.8 x 0.68 x 12	4	0.4	\$333	
DGP1242	36.8 x 0.68 x 12	5	0.5	\$370	
DGP1248	42.8 x 0.68 x 12	5	0.6	\$446	
DGP1260	54.8 x 0.68 x 12	7	0.7	\$538	
DGP1266	60.8 x 0.68 x 12	7	0.8	\$583	
DGP1272	66.8 x 0.68 x 12	8	0.8	\$624	

Features built-in accessory rail. Includes matching filler panel. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface**. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).



Glazed Panel - 18" High


DGP1820	14.8 x 0.68 x 18	3	0.3	\$241	
DGP1824	18.9 x 0.68 x 18	3	0.4	\$270	
DGP1829	24.5 x 0.68 x 18	4	0.5	\$320	
DGP1830	24.8 x 0.68 x 18	4	0.5	\$320	
DGP1836	30.8 x 0.68 x 18	5	0.6	\$370	
DGP1842	36.8 x 0.68 x 18	5	0.7	\$415	
DGP1848	42.8 x 0.68 x 18	6	0.8	\$499	
DGP1860	54.8 x 0.68 x 18	8	0.9	\$600	
DGP1866	60.8 x 0.68 x 18	8	1	\$650	
DGP1872	66.8 x 0.68 x 18	9	1.1	\$698	

Features built-in accessory rail. Includes matching filler panel. Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

## **Required specifications**

Fabric (fabric panels) Glaze (glazed panels)




**GLAZED PANELS** 

Glazed Panel - 24" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DGP2420	14.8 x 0.68 x 24	3	0.4	\$270	
DGP2424	18.9 x 0.68 x 24	4	0.5	\$303	
DGP2429	24.5 x 0.68 x 24	4	0.6	\$367	
DGP2430	24.8 x 0.68 x 24	5	0.6	\$367	
DGP2436	30.8 x 0.68 x 24	5	0.7	\$429	
DGP2442	36.8 x 0.68 x 24	6	0.8	\$485	
DGP2448	42.8 x 0.68 x 24	7	0.9	\$574	
DGP2460	54.8 x 0.68 x 24	9	1.1	\$694	
DGP2466	60.8 x 0.68 x 24	10	1.2	\$756	
DGP2472	66.8 x 0.68 x 24	10	1.4	\$813	

Features built-in accessory rail. Includes matching filler panel. Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).




Glazed Panel - 36" High

DGP3620	14.8 x 0.68 x 36	4	0.6	\$333	
DGP3624	18.9 x 0.68 x 36	4	0.7	\$367	
DGP3629	24.5 x 0.68 x 36	5	0.9	\$442	
DGP3630	24.8 x 0.68 x 36	6	0.9	\$442	
DGP3636	30.8 x 0.68 x 36	7	1	\$521	
DGP3642	36.8 x 0.68 x 36	8	1.2	\$590	
DGP3648	42.8 x 0.68 x 36	9	1.3	\$698	
DGP3660	54.8 x 0.68 x 36	11	1.6	\$851	
DGP3666	60.8 x 0.68 x 36	12	1.8	\$929	
DGP3672	66.8 x 0.68 x 36	13	1.9	\$1001	

Features built-in accessory rail. Includes matching filler panel. Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

# RAISED GLAZED PANELS



Raised Glazed Panel - 12" High

DD0D1000 00 000 10 0 00 <b>00</b>	
DRGP1220 20 x 0.68 x 12 2 0.2 <b>\$247</b>	
DRGP1224 24 x 0.68 x 12 3 0.3 <b>\$289</b>	
DRGP1229 29 x 0.68 x 12 3 0.3 <b>\$343</b>	
DRGP1230 30 x 0.68 x 12 4 0.3 <b>\$343</b>	
DRGP1236 36 x 0.68 x 12 4 0.4 <b>\$399</b>	
DRGP1242 42 x 0.68 x 12 5 0.5 <b>\$453</b>	
DRGP1248 48 x 0.68 x 12 5 0.5 <b>\$538</b>	
DRGP1260 60 x 0.68 x 12 7 0.7 <b>\$632</b>	
DRGP1266 66 x 0.68 x 12 7 0.7 <b>\$694</b>	
DRGP1272 72 x 0.68 x 12 8 0.8 <b>\$751</b>	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

**Required specifications** 

# **D** DIVIDE™

1		4"


**RAISED GLAZED PANELS** 


Raised Glazed Panel - 18" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DRGP1820	20 x 0.68 x 18	3	0.3	\$289	
DRGP1824	24 x 0.68 x 18	3	0.4	\$327	
DRGP1829	29 x 0.68 x 18	4	0.5	\$381	
DRGP1830	30 x 0.68 x 18	4	0.5	\$381	
DRGP1836	36 x 0.68 x 18	5	0.6	\$446	
DRGP1842	42 x 0.68 x 18	5	0.6	\$499	
DRGP1848	48 x 0.68 x 18	6	0.7	\$594	
DRGP1860	60 x 0.68 x 18	8	0.9	\$713	
DRGP1866	66 x 0.68 x 18	8	1	\$770	
DRGP1872	72 x 0.68 x 18	9	1.1	\$837	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1829** for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above
  other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).





- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above
  other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

|--|

Raised Glazed Panel - 24" High

**Required specifications** 

Glaze

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	WxDxH			
DRGP3620	20 x 0.68 x 36	4	0.6	\$399
DRGP3624	24 x 0.68 x 36	4	0.7	\$438
DRGP3629	29 x 0.68 x 36	5	0.8	\$529
DRGP3630	30 x 0.68 x 36	6	0.8	\$529
DRGP3636	36 x 0.68 x 36	7	1	\$628
DRGP3642	42 x 0.68 x 36	8	1.1	\$713
DRGP3648	48 x 0.68 x 36	9	1.3	\$837
DRGP3660	60 x 0.68 x 36	11	1.6	\$1009
DRGP3666	66 x 0.68 x 36	12	1.7	\$1098
DRGP3672	72 x 0.68 x 36	13	1.9	\$1188

Raised Glazed Panel - 36" High

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.

5

- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.


0.3

\$70


Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

14.8 x 0.68 x 12

## LAMINATE PANELS



Laminate Panel - 12" High



DLP1220

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.

Laminate Panel - 18" High

DLP1820	14.8 x 0.68 x 18	7	0.3	\$82	
DLP1824	18.9 x 0.68 x 18	8	0.4	\$95	
DLP1829	24.5 x 0.68 x 18	10	0.5	\$115	
DLP1830	24.8 x 0.68 x 18	10	0.5	\$115	
DLP1836	30.8 x 0.68 x 18	12	0.6	\$131	
DLP1842	36.8 x 0.68 x 18	15	0.7	\$156	
DLP1848	42.8 x 0.68 x 18	17	0.8	\$179	
DLP1860	54.8 x 0.68 x 18	21	0.9	\$197	
DLP1866	60.8 x 0.68 x 18	23	1	\$217	
DLP1872	66.8 x 0.68 x 18	25	1.1	\$241	

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.


- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- · Accent edging at top and bottom in Black (BLK) only.

#### **Required specifications**

Finish (laminate panels Glaze (glazed panels)

# **D** DIVIDE™

LAMINATE PANELS




Laminate Panel - 24" High

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DLP2420	14.8 x 0.68 x 24	9	0.4	\$95	
DLP2424	18.9 x 0.68 x 24	11	0.5	\$108	
DLP2429	24.5 x 0.68 x 24	13	0.6	\$131	
DLP2430	24.8 x 0.68 x 24	13	0.6	\$131	
DLP2436	30.8 x 0.68 x 24	16	0.7	\$151	
DLP2442	36.8 x 0.68 x 24	19	0.8	\$179	
DLP2448	42.8 x 0.68 x 24	22	0.9	\$202	
DLP2460	54.8 x 0.68 x 24	28	1.1	\$228	
DLP2466	60.8 x 0.68 x 24	30	1.2	\$253	
DLP2472	66.8 x 0.68 x 24	33	1.4	\$280	

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.



Laminate Panel - 36" High

DLP3620	14.8 x 0.68 x 36	13	0.6	\$120
DLP3624	18.9 x 0.68 x 36	16	0.7	\$131
DLP3629	24.5 x 0.68 x 36	20	0.9	\$166
DLP3630	24.8 x 0.68 x 36	20	0.9	\$166
DLP3636	30.8 x 0.68 x 36	24	1	\$190
DLP3642	36.8 x 0.68 x 36	28	1.2	\$222
DLP3648	42.8 x 0.68 x 36	33	1.3	\$253
DLP3660	54.8 x 0.68 x 36	41	1.6	\$290
DLP3666	60.8 x 0.68 x 36	45	1.8	\$320
DLP3672	66.8 x 0.68 x 36	50	1.9	\$352

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on see notes on page 295 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.

**Required specifications** 


Finish

IVIDE POSTS	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		WxDxH				
	DPOST12	1.68 x 1.68 x 12	3	0.1	\$95	
	DPOST18	1.68 x 1.68 x 18	3	0.1	\$131	
	DPOST24	1.68 x 1.68 x 24	3	0.1	\$183	
	DPOST30	1.68 x 1.68 x 30	3	0.1	\$253	
	DPOST36	1.68 x 1.68 x 36	4	0.2	\$284	
	DPOST42	1.68 x 1.68 x 42	5	0.2	\$320	
vide Post	hardware. Instal • Requires 2 divi		ed with each p		n, three cover strips, threade pecify Black ( <b>BLK</b> ) or Tungst	
vide Post	hardware. Instal • Requires 2 divi • Divide post is r	lation templates are supplied de posts per panel. mounted 1,063" from works	ed with each purface edge.	roject. MUST s	pecify Black ( <b>BLK</b> ) or Tungst	
ide Post	hardware. Instal • Requires 2 divi	lation templates are supplie de posts per panel.	ed with each p			
ide Post	hardware. Instal • Requires 2 divi • Divide post is r	lation templates are supplied to posts per panel. mounted 1,063" from works  0.75 x 1.43 x 12	ed with each purface edge.	roject. MUST s	pecify Black ( <b>BLK</b> ) or Tungst	
ide Post	hardware. Instal • Requires 2 divi • Divide post is r  DFS12 DFS18	lation templates are supplied to posts per panel. mounted 1,063" from works  0.75 x 1.43 x 12  0.75 x 1.43 x 18	ed with each purface edge.	roject. MUST s	pecify Black ( <b>BLK</b> ) or Tungst \$55 \$55	
vide Post	hardware. Instal • Requires 2 divi • Divide post is r  DFS12 DFS18 DFS24	lation templates are supplied to posts per panel. mounted 1,063" from works  0.75 x 1.43 x 12  0.75 x 1.43 x 18  0.75 x 1.43 x 24	ed with each purface edge.	0.5 0.5 0.5	s55 \$55 \$55 \$55	
vide Post	hardware. Instal • Requires 2 divi • Divide post is r  DFS12 DFS18 DFS24 DFS30	lation templates are supplied de posts per panel. mounted 1,063" from works  0.75 x 1.43 x 12  0.75 x 1.43 x 18  0.75 x 1.43 x 24  0.75 x 1.43 x 30	ed with each purface edge.  2 2 2 2	0.5 0.5 0.5 0.5	\$55 \$55 \$55 \$55 \$55	
vide Post sst-to-Wall Filler Strip	hardware. Instal  Requires 2 divi  Divide post is r  DFS12  DFS18  DFS24  DFS30  DFS36  DFS42	lation templates are supplied de posts per panel. mounted 1,063" from works  0.75 x 1.43 x 12  0.75 x 1.43 x 18  0.75 x 1.43 x 24  0.75 x 1.43 x 30  0.75 x 1.43 x 36	ed with each purface edge.  2 2 2 2 2 3	0.5 0.5 0.5 0.5 0.5 0.5 0.5	\$55 \$55 \$55 \$55 \$55 \$55 \$55 \$55	

Required specifications
Finish

#### TRANSACTION TOPS

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add 15% upcharge.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add 20% upcharge
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divide post towards the inside and 8" toward the outside.


# **Transaction Top Offset**

- 4" from the center of the divide post to the inside of worksurface.
- 8" from the center of the divide post to the outside of worksurface.



#### Two Way Connector Transaction Top (DATT2W/DCTT2W)


Use with a corner worksurface to link transaction tops together.



STRAIGHT TRANSACTION TOPS

#### **Radius End Transaction Top - One Side**

Add suffix "D" to model number for radius end on one side.



#### **Radius End Transaction Top - Two Sides**

Add suffix "DD" to model number for radius end on both sides.

	1	
	1	

#### Straight Transaction Top - 1" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DATT14	14 x 12 x 1	7	0.3	\$126	
DATT18	18 x 12 x 1	8	0.4	\$126	
DATT20	20 x 12 x 1	9	0.5	\$126	
DATT23	23 x 12 x 1	10	0.5	\$126	
DATT24	24 x 12 x 1	10	0.5	\$126	
DATT29	29 x 12 x 1	12	0.6	\$190	
DATT30	30 x 12 x 1	12	0.6	\$190	
DATT36	36 x 12 x 1	14	0.7	\$190	
DATT42	42 x 12 x 1	16	0.8	\$253	
DATT48	48 x 12 x 1	18	0.9	\$253	
DATT54	54 x 12 x 1	21	1	\$315	
DATT60	60 x 12 x 1	23	1.1	\$315	
DATT66	66 x 12 x 1	25	1.2	\$381	
DATT72	72 x 12 x 1	27	1.3	\$381	

12" deep x 1" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. Add 15% upcharge (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. Add 20% upcharge.
- Each radius adds 6" overhang per side.

D	
Keauirea	specifications

Laminate finish (transaction tops)

**Optional specifications** 

Edge detail



#### STRAIGHT TRANSACTION TOPS



Straight Transaction Top - 1.5" Thick

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	WxDxH				
DCTT14	14 x 12 x 1.5	9	0.3	\$190	
DCTT18	18 x 12 x 1.5	11	0.4	\$190	
DCTT20	20 x 12 x 1.5	12	0.5	\$190	
DCTT23	23 x 12 x 1.5	14	0.5	\$190	
DCTT24	24 x 12 x 1.5	14	0.5	\$190	
DCTT29	29 x 12 x 1.5	17	0.6	\$284	
DCTT30	30 x 12 x 1.5	17	0.6	\$284	
DCTT36	36 x 12 x 1.5	20	0.7	\$284	
DCTT42	42 x 12 x 1.5	23	0.8	\$347	
DCTT48	48 x 12 x 1.5	26	0.9	\$347	
DCTT54	54 x 12 x 1.5	29	1	\$409	
DCTT60	60 x 12 x 1.5	32	1.1	\$409	
DCTT66	66 x 12 x 1.5	35	1.2	\$472	
DCTT72	72 x 12 x 1.5	38	1.3	\$472	

12" deep x 1.5" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. Add 15% upcharge (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. Add 20% upcharge.
- Each radius adds 6" overhang per side.

#### **GALLERY CORNER TRANSACTION TOPS**



**Gallery Corner Transaction Top** 1" Thick

DA1GC36	36 x 36 x 1	32	5	\$804	
DA1GC42	42 x 42 x 1	38	6.5	\$804	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.



**Gallery Corner Transaction Top** - 1.5" Thick

DC1GC42 42 x 42 x 1.5 50 6.5 <b>\$929</b>	DC1GC36	36 x 36 x 1.5	43	5	\$929
	DC1GC42	42 x 42 x 1.5	50	6.5	\$929

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

# 2 PIECE GALLERY CORNER TRANSACTION TOPS



#### 2 Piece Gallery Corner Transaction Top - 1" Thick

DA2GC36	36 x 36 x 1	29	1.9	\$548
DA2GC42	42 x 42 x 1	33	1.9	\$548

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications	Optional specifications
Laminate finish	Edge detail

2 PIECE GALLERY CORNER TOPS

2 Piece Extended Gallery Corner Transaction Top - 1" Thick - LEFT



2 Piece Extended Gallery Corner Transaction Top - 1" Thick - RIGHT



2 Piece Gallery Corner Transaction Top - 1.5" Thick



Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide post. Taller posts are not safe.

DA2GC66R	66 x 36 x 1	37	3	\$770

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

DC2GC36	36 x 36 x 1.5	39	1.9	\$673
DC2GC42	42 x 42 x 1.5	45	1.9	\$673

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces.

· Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

#### 2-WAY CONNECTOR TOPS



2-Way Connector Transaction Top - 1" Thick

DATT2W	12 x 12 x 1	6	0.3	\$222

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

DCTT2W 12 x 12 x 1.5	7	0.3	\$315
----------------------	---	-----	-------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

2-Way Connector
Transaction Top - 1.5" Thick


**Required specifications** 

Laminate finish


**Optional specifications** 

Edge detail

# 4-WAY CONNECTOR TOPS



**4-Way Connector Transaction** Top - 1" Thick




Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

10

0.3

\$284



**4-Way Connector Transaction** Top - 1.5" Thick

12 x 12 x 1.5

DCTT4W

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

• Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

**Required specifications** 

**Optional specifications** 

Laminate finish

Edge detail