

panels and components



Divide

290

global



Divide is a modular desk mounted panel system that can be retro-installed on many Global desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



Features and Benefits

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths.
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s).
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cut-out at the bottom of each panel (order as SCP2).
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match.
- All Adaptabilities, Zira and Genoa laminate colors are offered as well as a wide variety of fabrics.

GENERAL INFORMATION

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks.
- Vertical stacking of varying heights provide semi-private to private work areas.
- Designed for use on the Adaptabilities, Genoa and Zira laminate desk series, and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations.
- Progressive, desk mounted partition system consisting of three major categories:
 - Divide posts - to support the partitions.
 - Partitioning screens - a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics.
 - Transaction tops - laminate tops ideal for creating reception stations.
- For environmental certifications, please visit globalfurnituregroup.com.
- Model numbers reflect total width of panel and posts.

DIVIDE POSTS

- Available in 6 standard heights:
 - 12" high - to create **semi-private** spaces and to support transaction tops.
 - 18" high - to create **semi-private** spaces.
 - 24" high - to create **semi-private** spaces.
 - 30" high - to create **semi-private** spaces.
 - 36" high - to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa, and Zira cabinets.
 - 42" high - to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets.
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.

PARTITIONING SCREENS

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
 - **Laminate** - available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom in Black (**BLK**) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as "**SCP2**" after model #.
 - **Glazed** - choice of **Clear**, **Ribbed** or **Frosted** glazing. Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through options - see models DRGPxxxx on pages 296-298.
 - **Fabric** - available in select panel fabrics only (see right). Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories.
- Divide posts partitioning panels are sold separately. Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials Department for a quote.

TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate.
- Tops are sealed with Global's preferred edging in matching color.
- Woodgrain surfaces feature edging with matching printed woodgrain.
- Transaction tops are available with optional edges at no upcharge, please specify.



A3 1" top, standard flat edge



AR 1" top, bicut edge



C3 1.5" top, standard flat edge



CR 1.5" top, bicut edge



FL 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features predrilled locating holes to allow for quick alignment with the divide post.
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).

LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

FABRICS (fabric screens)

Note: Fabric screens can be upholstered in the following fabrics only:


- Anchorage*
- Lola*
- Merge*

* Contact Customer Service for pricing.


D DIVIDE™ - NOTES

PLEASE NOTE:

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel.




Correct installation



Incorrect installation


HOW TO ORDER DIVIDE SCREENS

example: DTB 1236 GN31



*NOTE: number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

PARTS AND COMPONENTS



INSTALLATION IS AS SIMPLE AS 1...2...3

- 1) Attach the threaded **post mounting plate** with enclosed screws to the top side of the worksurface.
- 2) **Divide post** is bolted to the mounting plate.
- 3) **Top cap** is attached to the top of the divide post.


12" high system




18" high system



24" high system




30" high system




36" high system



42" high system



FABRIC PANELS




Fabric Panel - 12" High

MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
DTB1220	14.8 x 0.68 x 12	3	0.3	\$281
DTB1224	18.9 x 0.68 x 12	4	0.3	\$310
DTB1229	24.5 x 0.68 x 12	4	0.4	\$365
DTB1230	24.8 x 0.68 x 12	5	0.4	\$365
DTB1236	30.8 x 0.68 x 12	5	0.4	\$391
DTB1242	36.8 x 0.68 x 12	6	0.5	\$423
DTB1248	42.8 x 0.68 x 12	7	0.6	\$449
DTB1260	54.8 x 0.68 x 12	9	0.7	\$520
DTB1266	60.8 x 0.68 x 12	10	0.8	\$572
DTB1272	66.8 x 0.68 x 12	11	0.8	\$614

Features built-in accessory rail. Includes matching filler panel. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.




Fabric Panel - 18" High

DTB1820	14.8 x 0.68 x 18	4	0.3	\$300
DTB1824	18.9 x 0.68 x 18	5	0.4	\$323
DTB1829	24.5 x 0.68 x 18	6	0.5	\$391
DTB1830	24.8 x 0.68 x 18	6	0.5	\$391
DTB1836	30.8 x 0.68 x 18	7	0.6	\$433
DTB1842	36.8 x 0.68 x 18	8	0.7	\$433
DTB1848	42.8 x 0.68 x 18	10	0.8	\$477
DTB1860	54.8 x 0.68 x 18	12	0.9	\$520
DTB1866	60.8 x 0.68 x 18	14	1	\$667
DTB1872	66.8 x 0.68 x 18	14	1.1	\$717

Features built-in accessory rail. Includes matching filler panel. **Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.



Fabric Panel - 24" High

DTB2420	14.8 x 0.68 x 24	4	0.4	\$310
DTB2424	18.9 x 0.68 x 24	4	0.5	\$337
DTB2429	24.5 x 0.68 x 24	6	0.6	\$429
DTB2430	24.8 x 0.68 x 24	6	0.6	\$429
DTB2436	30.8 x 0.68 x 24	7	0.7	\$455
DTB2442	36.8 x 0.68 x 24	8	0.8	\$496
DTB2448	42.8 x 0.68 x 24	9	0.9	\$534
DTB2460	54.8 x 0.68 x 24	11	1.1	\$648
DTB2466	60.8 x 0.68 x 24	12	1.2	\$686
DTB2472	66.8 x 0.68 x 24	14	1.4	\$742


Features built-in accessory rail. Includes matching filler panel. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.

Required specifications

Fabric

FABRIC PANELS **MODEL #** **DIMENSIONS** **WT/LB.** **CUBIC FT.** **LIST PRICE**




Fabric Panel - 36" High

	W x D x H			
DTB3620	14.8 x 0.68 x 36	6	0.6	\$365
DTB3624	18.9 x 0.68 x 36	7	0.7	\$391
DTB3629	24.5 x 0.68 x 36	9	0.9	\$461
DTB3630	24.8 x 0.68 x 36	9	0.9	\$461
DTB3636	30.8 x 0.68 x 36	10	1	\$675
DTB3642	36.8 x 0.68 x 36	12	1.2	\$717
DTB3648	42.8 x 0.68 x 36	14	1.3	\$785
DTB3660	54.8 x 0.68 x 36	17	1.6	\$952
DTB3666	60.8 x 0.68 x 36	19	1.8	\$982
DTB3672	66.8 x 0.68 x 36	21	1.9	\$1024

Features built-in accessory rail. Includes matching filler panel. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS **MODEL #** **DIMENSIONS** **WT/LB.** **CUBIC FT.** **LIST PRICE**




Glazed Panel - 12" High

DGP1220	14.8 x 0.68 x 12	2	0.3	\$206
DGP1224	18.9 x 0.68 x 12	3	0.3	\$241
DGP1229	24.5 x 0.68 x 12	3	0.4	\$284
DGP1230	24.8 x 0.68 x 12	4	0.4	\$284
DGP1236	30.8 x 0.68 x 12	4	0.4	\$333
DGP1242	36.8 x 0.68 x 12	5	0.5	\$370
DGP1248	42.8 x 0.68 x 12	5	0.6	\$446
DGP1260	54.8 x 0.68 x 12	7	0.7	\$538
DGP1266	60.8 x 0.68 x 12	7	0.8	\$583
DGP1272	66.8 x 0.68 x 12	8	0.8	\$624

Features built-in accessory rail. Includes matching filler panel. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).



Glazed Panel - 18" High

DGP1820	14.8 x 0.68 x 18	3	0.3	\$241
DGP1824	18.9 x 0.68 x 18	3	0.4	\$270
DGP1829	24.5 x 0.68 x 18	4	0.5	\$320
DGP1830	24.8 x 0.68 x 18	4	0.5	\$320
DGP1836	30.8 x 0.68 x 18	5	0.6	\$370
DGP1842	36.8 x 0.68 x 18	5	0.7	\$415
DGP1848	42.8 x 0.68 x 18	6	0.8	\$499
DGP1860	54.8 x 0.68 x 18	8	0.9	\$600
DGP1866	60.8 x 0.68 x 18	8	1	\$650
DGP1872	66.8 x 0.68 x 18	9	1.1	\$698


Features built-in accessory rail. Includes matching filler panel. **Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).


Required specifications

Fabric (fabric panels)
Glaze (glazed panels)

GLAZED PANELS



Glazed Panel - 24" High



Glazed Panel - 36" High

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

DGP2420	14.8 x 0.68 x 24	3	0.4	\$270
DGP2424	18.9 x 0.68 x 24	4	0.5	\$303
DGP2429	24.5 x 0.68 x 24	4	0.6	\$367
DGP2430	24.8 x 0.68 x 24	5	0.6	\$367
DGP2436	30.8 x 0.68 x 24	5	0.7	\$429
DGP2442	36.8 x 0.68 x 24	6	0.8	\$485
DGP2448	42.8 x 0.68 x 24	7	0.9	\$574
DGP2460	54.8 x 0.68 x 24	9	1.1	\$694
DGP2466	60.8 x 0.68 x 24	10	1.2	\$756
DGP2472	66.8 x 0.68 x 24	10	1.4	\$813

Features built-in accessory rail. Includes matching filler panel. **Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.


- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

DGP3620	14.8 x 0.68 x 36	4	0.6	\$333
DGP3624	18.9 x 0.68 x 36	4	0.7	\$367
DGP3629	24.5 x 0.68 x 36	5	0.9	\$442
DGP3630	24.8 x 0.68 x 36	6	0.9	\$442
DGP3636	30.8 x 0.68 x 36	7	1	\$521
DGP3642	36.8 x 0.68 x 36	8	1.2	\$590
DGP3648	42.8 x 0.68 x 36	9	1.3	\$698
DGP3660	54.8 x 0.68 x 36	11	1.6	\$851
DGP3666	60.8 x 0.68 x 36	12	1.8	\$929
DGP3672	66.8 x 0.68 x 36	13	1.9	\$1001

Features built-in accessory rail. Includes matching filler panel. **Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

RAISED GLAZED PANELS



Raised Glazed Panel - 12" High

DRGP1220	20 x 0.68 x 12	2	0.2	\$247
DRGP1224	24 x 0.68 x 12	3	0.3	\$289
DRGP1229	29 x 0.68 x 12	3	0.3	\$343
DRGP1230	30 x 0.68 x 12	4	0.3	\$343
DRGP1236	36 x 0.68 x 12	4	0.4	\$399
DRGP1242	42 x 0.68 x 12	5	0.5	\$453
DRGP1248	48 x 0.68 x 12	5	0.5	\$538
DRGP1260	60 x 0.68 x 12	7	0.7	\$632
DRGP1266	66 x 0.68 x 12	7	0.7	\$694
DRGP1272	72 x 0.68 x 12	8	0.8	\$751


Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

Required specifications

Glaze

RAISED GLAZED PANELS **MODEL #** **DIMENSIONS** **WT/LB.** **CUBIC FT.** **LIST PRICE**




Raised Glazed Panel - 18" High

	W x D x H				
DRGP1820	20 x 0.68 x 18	3	0.3	\$289	
DRGP1824	24 x 0.68 x 18	3	0.4	\$327	
DRGP1829	29 x 0.68 x 18	4	0.5	\$381	
DRGP1830	30 x 0.68 x 18	4	0.5	\$381	
DRGP1836	36 x 0.68 x 18	5	0.6	\$446	
DRGP1842	42 x 0.68 x 18	5	0.6	\$499	
DRGP1848	48 x 0.68 x 18	6	0.7	\$594	
DRGP1860	60 x 0.68 x 18	8	0.9	\$713	
DRGP1866	66 x 0.68 x 18	8	1	\$770	
DRGP1872	72 x 0.68 x 18	9	1.1	\$837	

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).



Raised Glazed Panel - 24" High

DRGP2420	20 x 0.68 x 24	3	0.4	\$327	
DRGP2424	24 x 0.68 x 24	4	0.5	\$366	
DRGP2429	29 x 0.68 x 24	4	0.6	\$438	
DRGP2430	30 x 0.68 x 24	5	0.6	\$438	
DRGP2436	36 x 0.68 x 24	5	0.7	\$509	
DRGP2442	42 x 0.68 x 24	6	0.8	\$580	
DRGP2448	48 x 0.68 x 24	7	0.9	\$679	
DRGP2460	60 x 0.68 x 24	9	1.1	\$831	
DRGP2466	66 x 0.68 x 24	10	1.2	\$908	
DRGP2472	72 x 0.68 x 24	10	1.3	\$979	


Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (BLK) or Tungsten (TUN), please specify.
- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (GF), Clear (GC) or Ribbed (RG).

Required specifications

Glaze

RAISED GLAZED PANELS




Raised Glazed Panel - 36" High

MODEL #	DIMENSIONS			WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H					
DRGP3620	20 x 0.68 x 36	4	0.6			\$399
DRGP3624	24 x 0.68 x 36	4	0.7			\$438
DRGP3629	29 x 0.68 x 36	5	0.8			\$529
DRGP3630	30 x 0.68 x 36	6	0.8			\$529
DRGP3636	36 x 0.68 x 36	7	1			\$628
DRGP3642	42 x 0.68 x 36	8	1.1			\$713
DRGP3648	48 x 0.68 x 36	9	1.3			\$837
DRGP3660	60 x 0.68 x 36	11	1.6			\$1009
DRGP3666	66 x 0.68 x 36	12	1.7			\$1098
DRGP3672	72 x 0.68 x 36	13	1.9			\$1188

Features raised bottom with 4" pass-through and built-in accessory rail. Includes matching filler panel. **Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**), please specify.
- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Raised glazed panels to be used in the bottom position only and may be stacked upon but cannot be used to stack above other panel modules. 4" pass-through to be at the desktop level only.
- Glazing is available in Frosted (**GF**), Clear (**GC**) or Ribbed (**RG**).

LAMINATE PANELS




Laminate Panel - 12" High

DLP1220	14.8 x 0.68 x 12	5	0.3			\$70
DLP1224	18.9 x 0.68 x 12	5	0.3			\$82
DLP1229	24.5 x 0.68 x 12	7	0.4			\$103
DLP1230	24.8 x 0.68 x 12	7	0.4			\$103
DLP1236	30.8 x 0.68 x 12	8	0.4			\$113
DLP1242	36.8 x 0.68 x 12	10	0.5			\$131
DLP1248	42.8 x 0.68 x 12	11	0.6			\$151
DLP1260	54.8 x 0.68 x 12	14	0.7			\$166
DLP1266	60.8 x 0.68 x 12	16	0.8			\$183
DLP1272	66.8 x 0.68 x 12	17	0.8			\$202

Includes matching filler panel. Scoop option (**SCP2**) available, **add \$33.** **Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (**BLK**) only.



Laminate Panel - 18" High

DLP1820	14.8 x 0.68 x 18	7	0.3			\$82
DLP1824	18.9 x 0.68 x 18	8	0.4			\$95
DLP1829	24.5 x 0.68 x 18	10	0.5			\$115
DLP1830	24.8 x 0.68 x 18	10	0.5			\$115
DLP1836	30.8 x 0.68 x 18	12	0.6			\$131
DLP1842	36.8 x 0.68 x 18	15	0.7			\$156
DLP1848	42.8 x 0.68 x 18	17	0.8			\$179
DLP1860	54.8 x 0.68 x 18	21	0.9			\$197
DLP1866	60.8 x 0.68 x 18	23	1			\$217
DLP1872	66.8 x 0.68 x 18	25	1.1			\$241


Includes matching filler panel. Scoop option (**SCP2**) available, **add \$33.** **Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.** 1 set per carton.

- *Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.*
- Divide post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (**BLK**) only.

Required specifications

Finish (laminate panels)
Glaze (glazed panels)

LAMINATE PANELS MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE




Laminate Panel - 24" High

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			
DLP2420	14.8 x 0.68 x 24	9	0.4	\$95
DLP2424	18.9 x 0.68 x 24	11	0.5	\$108
DLP2429	24.5 x 0.68 x 24	13	0.6	\$131
DLP2430	24.8 x 0.68 x 24	13	0.6	\$131
DLP2436	30.8 x 0.68 x 24	16	0.7	\$151
DLP2442	36.8 x 0.68 x 24	19	0.8	\$179
DLP2448	42.8 x 0.68 x 24	22	0.9	\$202
DLP2460	54.8 x 0.68 x 24	28	1.1	\$228
DLP2466	60.8 x 0.68 x 24	30	1.2	\$253
DLP2472	66.8 x 0.68 x 24	33	1.4	\$280

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.

- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.



Laminate Panel - 36" High

DLP3620	14.8 x 0.68 x 36	13	0.6	\$120
DLP3624	18.9 x 0.68 x 36	16	0.7	\$131
DLP3629	24.5 x 0.68 x 36	20	0.9	\$166
DLP3630	24.8 x 0.68 x 36	20	0.9	\$166
DLP3636	30.8 x 0.68 x 36	24	1	\$190
DLP3642	36.8 x 0.68 x 36	28	1.2	\$222
DLP3648	42.8 x 0.68 x 36	33	1.3	\$253
DLP3660	54.8 x 0.68 x 36	41	1.6	\$290
DLP3666	60.8 x 0.68 x 36	45	1.8	\$320
DLP3672	66.8 x 0.68 x 36	50	1.9	\$352

Includes matching filler panel. Scoop option (SCP2) available, add \$33. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface. 1 set per carton.


- Model # depicts size of worksurface to be used on - see notes on page 292 for additional ordering information.
- Divide post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom in Black (BLK) only.

Required specifications

Finish

D DIVIDE™

DIVIDE POSTS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
--------------	---------	------------	--------	-----------	------------



Divide Post

	W x D x H				
DPOST12	1.68 x 1.68 x 12	3	0.1	\$95	
DPOST18	1.68 x 1.68 x 18	3	0.1	\$131	
DPOST24	1.68 x 1.68 x 24	3	0.1	\$183	
DPOST30	1.68 x 1.68 x 30	3	0.1	\$253	
DPOST36	1.68 x 1.68 x 36	4	0.2	\$284	
DPOST42	1.68 x 1.68 x 42	5	0.2	\$320	

For supporting panels. Includes one post, one mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. MUST specify Black (**BLK**) or Tungsten (**TUN**).

- Requires 2 divide posts per panel.
- Divide post is mounted 1,063" from worksurface edge.



Post-to-Wall Filler Strip


DFS12	0.75 x 1.43 x 12	2	0.5	\$55
DFS18	0.75 x 1.43 x 18	2	0.5	\$55
DFS24	0.75 x 1.43 x 24	2	0.5	\$55
DFS30	0.75 x 1.43 x 30	2	0.5	\$55
DFS36	0.75 x 1.43 x 36	2	0.5	\$55
DFS42	0.75 x 1.43 x 42	3	0.6	\$55

Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Black only.

Required specifications
Finish


TRANSACTION TOPS

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). **Add 15% upcharge.**
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). **Add 20% upcharge.**
- Each radius end adds a 6" overhang per side (see illustrations below).



Transaction top is offset 6" from edge of worksurface in both directions.


Transaction top is offset 4" from the center of divide post towards the inside and 8" toward the outside.




Two Way Connector Transaction Top (DATT2W/DCTT2W)
Use with a corner worksurface to link transaction tops together.

Transaction Top Offset

- 4" from the center of the divide post to the inside of worksurface.
- 8" from the center of the divide post to the outside of worksurface.



Radius End Transaction Top - One Side
Add suffix "D" to model number for radius end on one side.



Radius End Transaction Top - Two Sides
Add suffix "DD" to model number for radius end on both sides.

STRAIGHT TRANSACTION TOPS

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

DATT14	14 x 12 x 1	7	0.3	\$126
DATT18	18 x 12 x 1	8	0.4	\$126
DATT20	20 x 12 x 1	9	0.5	\$126
DATT23	23 x 12 x 1	10	0.5	\$126
DATT24	24 x 12 x 1	10	0.5	\$126
DATT29	29 x 12 x 1	12	0.6	\$190
DATT30	30 x 12 x 1	12	0.6	\$190
DATT36	36 x 12 x 1	14	0.7	\$190
DATT42	42 x 12 x 1	16	0.8	\$253
DATT48	48 x 12 x 1	18	0.9	\$253
DATT54	54 x 12 x 1	21	1	\$315
DATT60	60 x 12 x 1	23	1.1	\$315
DATT66	66 x 12 x 1	25	1.2	\$381
DATT72	72 x 12 x 1	27	1.3	\$381



Straight Transaction Top - 1" Thick

12" deep x 1" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. **Add 15% upcharge** (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. **Add 20% upcharge.**
- Each radius adds 6" overhang per side.

Required specifications
Laminate finish (transaction tops)

Optional specifications
Edge detail

STRAIGHT TRANSACTION TOPS




Straight Transaction Top - 1.5" Thick

MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
DCTT14	14 x 12 x 1.5	9	0.3	\$190
DCTT18	18 x 12 x 1.5	11	0.4	\$190
DCTT20	20 x 12 x 1.5	12	0.5	\$190
DCTT23	23 x 12 x 1.5	14	0.5	\$190
DCTT24	24 x 12 x 1.5	14	0.5	\$190
DCTT29	29 x 12 x 1.5	17	0.6	\$284
DCTT30	30 x 12 x 1.5	17	0.6	\$284
DCTT36	36 x 12 x 1.5	20	0.7	\$284
DCTT42	42 x 12 x 1.5	23	0.8	\$347
DCTT48	48 x 12 x 1.5	26	0.9	\$347
DCTT54	54 x 12 x 1.5	29	1	\$409
DCTT60	60 x 12 x 1.5	32	1.1	\$409
DCTT66	66 x 12 x 1.5	35	1.2	\$472
DCTT72	72 x 12 x 1.5	38	1.3	\$472

12" deep x 1.5" thick top. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Add "D" to model number for radius end on one side. **Add 15% upcharge** (excluding 18" this must be quoted).
- Add "DD" to model number for radius end on both sides. **Add 20% upcharge.**
- Each radius adds 6" overhang per side.

GALLERY CORNER TRANSACTION TOPS



**Gallery Corner Transaction Top
1" Thick**

DA1GC36	36 x 36 x 1	32	5	\$804
DA1GC42	42 x 42 x 1	38	6.5	\$804

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.




**Gallery Corner Transaction Top
- 1.5" Thick**

DC1GC36	36 x 36 x 1.5	43	5	\$929
DC1GC42	42 x 42 x 1.5	50	6.5	\$929

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

2 PIECE GALLERY CORNER TRANSACTION TOPS



**2 Piece Gallery Corner
Transaction Top - 1" Thick**

DA2GC36	36 x 36 x 1	29	1.9	\$548
DA2GC42	42 x 42 x 1	33	1.9	\$548


Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications
Laminate finish

Optional specifications
Edge detail

2 PIECE GALLERY CORNER TOPS




2 Piece Extended Gallery Corner Transaction Top - 1" Thick - LEFT

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			
DA2GC66L	66 x 36 x 1	37	3	\$770

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide post. Taller posts are not safe.



2 Piece Extended Gallery Corner Transaction Top - 1" Thick - RIGHT

DA2GC66R	66 x 36 x 1	37	3	\$770
----------	-------------	----	---	--------------

Two piece corner top to be used on 30" x 66" desktop. "D" radius end on long transaction top. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.




2 Piece Gallery Corner Transaction Top - 1.5" Thick

DC2GC36	36 x 36 x 1.5	39	1.9	\$673
DC2GC42	42 x 42 x 1.5	45	1.9	\$673

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs in two directions. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

2-WAY CONNECTOR TOPS




2-Way Connector Transaction Top - 1" Thick

DATT2W	12 x 12 x 1	6	0.3	\$222
--------	-------------	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.



2-Way Connector Transaction Top - 1.5" Thick

DCTT2W	12 x 12 x 1.5	7	0.3	\$315
--------	---------------	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications
Laminate finish

Optional specifications
Edge detail


D DIVIDE™

4-WAY CONNECTOR TOPS

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
---------	------------	--------	-----------	------------

W x D x H

DATT4W	12 x 12 x 1	8	0.3	\$190
--------	-------------	---	-----	--------------




4-Way Connector Transaction Top - 1" Thick

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Adaptabilities, Genoa and Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

DCTT4W	12 x 12 x 1.5	10	0.3	\$284
--------	---------------	----	-----	--------------



4-Way Connector Transaction Top - 1.5" Thick

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary flat plates, joining plates and screws. Thickness matches Zira series worksurfaces. 1 set per carton.

- Woodgrain runs diagonally. Transaction tops are only to be used on 12" high divide posts. Taller posts are not safe.

Required specifications

Laminate finish

Optional specifications

Edge detail