tables

café, meeting and conference

Swap......321

training

2gether	358
Bungee	361
Bungee SL	379
Duet	411

Edventure	414
ConnecTABLES	396
Junction	424
Zook	431

reception and occasional

Citi444	
Cylinder and cube tables 446	
River+ 448	

Sirena	450
Wind	451
Work tables	453


tables café, meeting and conference







Boardroom





Contemporary and stylish meeting tables with unique metal bases. Alba tables offer a variety of options to suit the needs of any office.

Tops are available in round and square shapes.

Sculpted four-legged base is available in Black (BLK) or Tungsten 2 (TU2).

Five edge options - self, bullnose, T-mold, built up and slant. Slant edge and metal base finishes are available in either Black (**BLK**) or Tungsten 2 (**TU2**).

No matter the size of the space or the style of the office, Global's laminate meeting tables will work in any setting.

Designed exclusively for Global by world renowned designer Zooey Chu.

Features and Benefits

- All tops and bases are assembled using a metal-to-metal connection.
- All tops are 1.125" thick.
- Bullnose edges available in Black or Grey.
- T-mold edge available in Black and Grey, also available in 22 coordinating laminate finishes.
- Self edge and built-up self edge available in same color as laminate finish.
- Slant edge is available in Black or Tungsten 2.
- All edges available on all tables.
- All metal bases are available in Black or Tungsten 2.

GENERAL INFORMATION

- Designed by Zooey Chu.
- Ideal for small meeting spaces or cafeteria tables; 30" round or square top four-legged base.
- Five edge options: self (SE), bullnose (BN), T-mold (TM), built-up (BU) and slant (ZS).
- Sculpted four-legged base available in Black (BLK) or Tungsten 2 (TU2).
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

• All tops are 1.125" thick with high performance, thermally fused laminate on both sides. A 1.75" built-up self edge is available on all models.

• All tops and bases use a metal-to-metal connection, allowing for easy installation.

EDGE OPTIONS

- Self, bullnose, T-mold, built-up, and slant edges are available on all models. Corners
 of rectangular, square and boat tables ordered with T-mold or bullnose will be
 rounded.
- Bullnose edge is available in Black (BLK) only.
- T-mold edge is available in Black (BLK) or coordinating laminate finish (ME).
- Slant edge is available in Black (BLK) or Tungsten (TU2).
- Self edge and built-up edges are same color as laminate finish.

LAMINATE FINISHES

ACJ	Absolute Acajou	NGL	Noce Grigio
ASN	Asian Night	NEL	Noce Leggero
AWC	Avant Cherry	NML	Noce Medio
AWH	Avant Honey	QTM	Quartered Mahogany
BLK	Black	SOG	Storm Grey
BRC	Brushed Cobalt	WHE	Walnut Heights
CMB	Clear Maple	WHC	White Chocolate
DES	Dark Espresso	WCR	Winter Cherry
DWT	Designer White		
NBL	Noce Biondo		

- The above laminate finishes are available in **high pressure**. Contact our Specials Department for a quote.
- If other than a Global standard laminate finish is preferred, contact our Specials Department. Information needed includes the name of the laminate manufacturer, color name, number and table model. You will then be given a quote for this special order.

globa

307

A ALBA[™] TABLES

DUND TOPS	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	
	C30CF	30 x - x 28.5	54.5	7.06	\$536	
und Top - Four Leg Base	Please specify eq Shipped easy to	lge detail: self edge (SE), b assemble in 2 cartons.	ullnose (BN), T	-mold (TM), bui	lt-up (BU) or slant edge (ZS).	
UARE TOPS						
	C30SF	30 x 30 x 28.5	54.5	7.06	\$536	
uare Top - Four Leg Base	Please specify eo Shipped easy to	lge detail: self edge (SE), b assemble in 2 cartons.	ullnose (BN), T	-mold (TM), bui	lt-up (BU) or slant edge (ZS).	

Required specifications Finish Edge detail

BOARDROOM & CAFETERIA TABLES



Sturdy and economically priced, Global boardroom and cafeteria tables are an excellent choice. All tables are made from thermally fused, high performance laminate and are easy to maintain.

Choose from four attractive table edges: self edge, bullnose, T-mold, or built-up self edge. Available in a variety of colors, all edge options are durable and wear-resistant.

Table tops are offered in six shapes - rectangular, racetrack, boat, elliptical, square and round - and a variety of bases including slab, cross, drum and arch. Add to this an impressive variety of laminate finishes that can be mixed and matched and you'll find Global can satisfy any and every business need.

From small meeting rooms to large boardrooms, from traditional to contemporary, Global's incredible range of table components, shapes, sizes and colors will enhance any office decor.

Features and Benefits

- Tables 144" or less are standard in one piece.
- One piece tops can be cut into two pieces for an upcharge.
- All tops are 1.125" thick.
- Tops and bases boxed as appropriate.
- Custom finish laminate tables available as special order.
- Bullnose edges available in Black or Grey.
- T-mold edge available in Black, Grey or coordinating laminate finish.
- Self edge and built-up self edge available in same color as laminate finish.
- All edges available on all tables.
- Metal legs and bases are standard in Chrome - also available in Black or Grey.



lloba

GENERAL INFORMATION

- Practical and economical table solutions for cafeteria, meeting spaces and more.
- All tables are 29" high.
- Tops are thermally fused laminate with 45 lb. density particle board core.
- Multiple base styles available in thermally fused laminate or metal.
- Tables 72", 84", 96", 120", 144" are standard in one piece.
- One piece tops can be cut into two pieces for an upcharge.
- Six top shapes: rectangular, racetrack, boat, square, round, barrel and elliptical.
- Four edge options: self edge, bullnose, T-mold or built-up self edge.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- All tables are 29" high and made of 45 lb, density particle board covered on both sides with high performance, thermally fused laminate. Table width is nominal.
- All tables with cross bases use Blum fasteners.
- Round and square tops up to 60" dia. are 1" thick; all other tops are 1.125" thick thick. Both thickness are in high performance, thermally fused laminate.
- Tops with built-up (BU) edge option have a 1.75" built-up self edge.
- Tops are crated and bases boxed or crated as appropriate.
- All tops are **PRE-MARKED** as to base location, and the slot and hook assembly method (on selected tables) allows for easy installation.
- All racetrack, boat and rectangular tables 144" and under are standard with two drum, slab, arch, 2-legged, or tubular bases and are priced accordingly.
- Custom table sizes must be quoted. Contact our Specials Department.

LAMINATE FINISHES

ACJ ASN AWC AWH BLK	Absolute Acajou Asian Night Avant Cherry Avant Honey Black	NBL NGL NEL NML QTM	Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

- First Class • The above laminate finishes are also available in high pressure laminate. Contact
- our Specials Department for a quote. • All tables with one or more drum bases require a minimum of 50 lbs. of sand in each base for stability. Sand is not included, to be sourced locally.

METAL BASE FINISHES

Available for CRRxx, CASxx, TCSxx, CARxx, TCRxx and CRSxx tables.

Paint finishes

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten
lated fin	ishes - upcharge applies		
AC0	Antique Copper	CHM	Chrome
BCH	Brushed Chrome	SBR	Satin Brass

EDGE OPTIONS

- · Self, bullnose, T-mold and built-up edges are available on all models. Corners of rectangular, square and boat tables ordered with T-mold or bullnose will be rounded.
- · Bullnose edge is available in Black (BLK) only.
- T-mold edge is available in Black (BLK) or coordinating laminate finish (ME) with upcharge (5%).
- Self edge and built-up edges are same color as laminate finish.

GROMMETS

- Grommets available in standard table top locations (left, center or right). Order as: FOG1, FOG2 or FOG3. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



Actual grommet locations will vary according to base selection.

POWER BLOCK

- A power block (model **PMSPDM**) may be ordered on all worksurfaces.
- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- · Actual power block locations vary according to base selection. The locations will be left (E1), center (E2), and right (E3). Example: 8' table with drum base does not have a modesty panel, so the power block (E2) can be perfectly centered in the table. An 8' table with a slab base has the modesty panel, so the power block (E2) will be offset alongside the modesty panel.
- . To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block as PMSPDM. Add \$268.
- Power blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$91.





Power block PMSPDM. Add \$268

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

SHIPPING

· Shipped easy to assemble.



Ρ

Specify location E1, E2 or E3. Add \$91.

BOARDROOM & CAFETERIA TABLES - NOTES B

EDGE OPTIONS

BASE SIZE CHART (table width is nominal)


Round o	r Square 1	Tops:						Rectangul	ar, Boat	or Race	track To	ps:			
Тор	Slab	Drum	Arch	Cross	4 Leg	Trumpet	Tube	Тор	Slab	Drum	Arch	Cross	2 Leg	Trumpet	Tube
36″	N/A	N/A	N/A	N/A	32″	24″	30″	36" x 72"	24″	18″	24″	N/A	32″	N/A	30"
42″	N/A	18″	N/A	30"	32″	24″	30″	48" x 96"	28″	18″	28″	N/A	32″	N/A	30"
48″	N/A	24″	N/A	30″	32″	N/A	30″	48" x 120"	28″	24″	28″	N/A	32″	N/A	30"
60″	N/A	30″	N/A	36″	N/A	N/A	N/A	48" x 144"	28″	24″	28″	N/A	32″	N/A	30"

TABLE NOTES - ESTIMATED CAPACITY

• Use the following to determine the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

		NU	JMBER OF CHAI	RS		
Top Size	Round	Square	Rectangular	Boat	Racetrack	Elliptical
30 x 30	3	3	N/A	N/A	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A	N/A
30 x 60	N/A	N/A	4-6	4-6	4-6	4
36 x 72	N/A	N/A	4-6	4-6	4-6	4
44 x 84	N/A	N/A	6-8	6-8	6-8	6
48 x 96	N/A	N/A	6-8	6-8	6-8	6
48 x 120	N/A	N/A	8-10	8-10	8-10	8
48 x 144	N/A	N/A	10-12	10-12	10-12	10
48 x 168	N/A	N/A	12-14	12-14	12-14	12
48 x 192	N/A	N/A	14-16	14-16	14-16	14
48 x 216	N/A	N/A	16-18	16-18	16-18	16
48 x 240	N/A	N/A	18-20	18-20	18-20	18
48 x 264	N/A	N/A	20-22	20-22	20-22	20
48 x 288	N/A	N/A	22-24	22-24	22-24	22

BASE OPTIONS



global

B BOARDROOM & CAFETERIA TABLES



Round Top - Drum Base*



Round Top - Three Legs*



Round Top - Three Tubular Legs*



Round Top - Four Leg Base



Round Top - Trumpet Base

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	W x D x H					
42CZ	42 x - x 29	150	12.5	\$1144	N/A	N/A
48CZ	48 x - x 29	145	13.25	\$1264	N/A	N/A
60CZ	60 x - x 29	194	19	\$1662	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

48C	48 x - x 29	99	6.5	\$1309	N/A	N/A
60C	60 x - x 29	140	14.4	\$1534	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

CAR30	30 x - x 29.5	35	9.49	\$431	\$40	\$242
CAR36	36 x - x 29.5	42	12.31	\$538	\$73	\$273
CAR42	42 x - x 29.5	52	12.61	\$621	\$73	\$273

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

TCR24	24 x - x 29.5	30	9.09	\$497	\$73	\$299
TCR30	30 x - x 29.5	35	9.49	\$590	\$73	\$299
TCR36	36 x - x 29.5	42	12.31	\$707	\$73	\$299
TCR42	42 x - x 29.5	52	12.61	\$787	\$73	\$299

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish

Base finish Edge detail

Optional specifications Grommet* Power block cut-out* Accessories Power block*

BOARDROOM & CAFETERIA TABLES B



Round Top - Tubular Base



Round Top - Cross Base*

SQUARE TOPS



Square Top - Drum Base*



Square Top - Cross Base*



Square Top - Four Leg Base



Square Top - Trumpet Base

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	W x D x H					
CRR24	24 x - x 29.5	30	9.09	\$417	\$78	\$327
CRR30	30 x - x 29.5	35	9.49	\$526	\$78	\$327
CRR36	36 x - x 29.5	42	12.31	\$630	\$78	\$327
CRR42	42 x - x 29.5	52	12.61	\$718	\$78	\$327
CRR48	48 x - x 29.5	10	13.26	\$863	\$78	\$327

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

42CX	42 x - x 29	100	3.5	\$1144	N/A	N/A
48CX	48 x - x 29	120	4.25	\$1264	N/A	N/A
60CX	60 x - x 29	144	6.2	\$1662	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

42SZ	42 x 42 x 29	100	12.5	\$1144	N/A	N/A
48SZ	48 x 48 x 29	160	13.16	\$1264	N/A	N/A
60SZ	60 x 60 x 29	190	19	\$1662	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

42SH	42 x 42 x 29	100	3.5	\$1144	N/A	N/A
48SH	48 x 48 x 29	120	4.25	\$1264	N/A	N/A
60SH	60 x 60 x 29	144	6.2	\$1662	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

CAS30	30 x 30 x 29.5	37	9.49	\$431	\$40	\$242
CAS36	36 x 36 x 29.5	44	12.31	\$538	\$73	\$273
CAS42	42 x 42 x 29.5	54	12.61	\$621	\$73	\$273

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

TCS24	24 x 24 x 29.5	32	9.09	\$497	\$73	\$299
TCS30	30 x 30 x 29.5	37	9.49	\$590	\$73	\$299
TCS36	36 x 36 x 29.5	44	12.31	\$707	\$73	\$299
TCS42	42 x 42 x 29.5	54	12.61	\$787	\$73	\$299

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish Base finish

Edge detail

Optional specifications Grommet* Power block cut-out* Accessories
Power block*

globalfurnituregroup.com | canadian



B BOARDROOM & CAFETERIA TABLES

MODEL #

CRS30

CRS36

CRS42



Square Top - Tubular Base

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU).

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU).

DIMENSIONS


WxDxH

30 x 30 x 29.5

36 x 36 x 29.5

42 x 42 x 29.5

RECTANGULAR TOPS



CT6RX 72 x 36 x 29 114 4.6 \$1811 N/A N/A CT8RX 96 x 36 x 29 144 7.3 \$1945 N/A N/A CT8WRX 96 x 48 x 29 154 7.3 \$2064 N/A N/A

WT/LB.

37

44

54

CUBIC FT.

9.49

12.31

12.61

LIST PRICE

\$526

\$630

\$718

BCH/CHM ACO/SBR

\$327

\$327

\$327

\$78

\$78

\$78

Rectangular Top - Two Slab Bases*



72 x 36 x 29

96 x 36 x 29

96 x 48 x 29

CT10RX	120 x 36 x 29	216	8.25	\$2968	N/A	N/A
CT10WRX	120 x 48 x 29	251	8.75	\$3330	N/A	N/A
CT12WRX	144 x 48 x 29	276	10.6	\$3499	N/A	N/A

15.32

16.35

17.7

\$2064

\$2193

\$2324

N/A

N/A

N/A

N/A

N/A

N/A

Rectangular Top - Three Slab Bases*



Rectangular Top - Two Drum Bases*





Rectangular Top - Three Drum Bases*

Rectangular Top - Two Arch Bases*

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU).

164

194

204

Shipped easy to assemble in 2 cartons.

Shipped easy to assemble in 2 cartons.

CT6RZ

CT8RZ

CT8WRZ

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

CT10RZ	120 x 36 x 29	291	23.65	\$3206	N/A	N/A
CT10WRZ	120 x 48 x 29	326	25.3	\$3563	N/A	N/A
CT12WRZ	144 x 48 x 29	351	26.67	\$3766	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

CT6RA	72 x 36 x 29	114	5.6	\$2064	N/A	N/A
CT8RA	96 x 36 x 29	144	7.1	\$2193	N/A	N/A
CT8WRA	96 x 48 x 29	154	10.15	\$2324	N/A	N/A
CT10RA	120 x 36 x 29	174	9.85	\$3206	N/A	N/A
CT10WRA	120 x 48 x 29	184	11.5	\$3563	N/A	N/A
CT12WRA	144 x 48 x 29	194	13.25	\$3766	N/A	N/A

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 3 cartons (except CT6RA shipped easy to assemble in 2 cartons).

Required specifications Top finish Base finish (square tops) Edge detail

Optional specifications Grommet Power block cut-out*

Accessories Power block

BOARDROOM & CAFETERIA TABLES B

RECTANGULAR TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				
	CT6R	72 x 36 x 29	110	13.75	\$1202	
	CT8R	96 x 36 x 29	140	14.75	\$1357	
	CT8WR	96 x 48 x 29	150	16.25	\$1490	
Rectangular Top - Two Legs		lge detail: self edge (SE assemble in 2 cartons.), bullnose (BN), [*]	T-mold (TM) or b	puilt-up (BU).	
	CT10R	120 x 36 x 29	210	15.75	\$1921	
	CT10WR	120 x 48 x 29	245	17.5	\$2321	
	CT12WR	144 x 48 x 29	270	19	\$2510	
Rectangular Top - Three Legs		lge detail: self edge (SE assemble in 2 cartons.), bullnose (BN), [*]	T-mold (TM) or b	puilt-up (BU).	
	0000	70 00 00	110	40.75	64057	
	CR6R CR8R	72 x 36 x 29	110	13.75	\$1357	
	CR8WR	96 x 36 x 29 96 x 48 x 29	10 150	14.75 16.25	\$1521 \$1648	
Rectangular Top - Two Tubular Legs		lge detail: self edge (SE assemble in 2 cartons.), buinose (BN),	1-moia (1 M) or a	ount-up (BU).	
\sim	CR10R	120 x 36 x 29	210	15.75	\$2151	
	CR10WR	120 x 48 x 29	245	17.5	\$2558	
	CR12WR	144 x 48 x 29	270	19	\$2748	
Rectangular Top - Three Tubular Legs BOAT TOPS		lge detail: self edge (SE assemble in 2 cartons.), bullnose (BN), [*]	T-mold (TM) or b	built-up (BU).	
	CT6BX	72 x 36 x 29	114	4.6	\$1811	
	CT8BX	96 x 36 x 29	144	7.3	\$1945	
	CT8WBX	96 x 48 x 29	154	7.3	\$2064	
Boat Top - Two Slab Bases		lge detail: self edge (SE assemble in 3 cartons (e				
	CT10BX	120 x 36 x 29	216	8.25	\$2968	
	CT10WBX	120 x 48 x 29	251	8.25	\$3330	
	CT12WBX	144 x 48 x 29	276	10.6	\$3499	
Boat Top - Three Slab Bases		lge detail: self edge (SE assemble in 3 cartons.), bullnose (BN), [*]	T-mold (TM) or b	built-up (BU).	
	Required specific	ations	Optional spec	ifications	Accesso	pries
	Top finish		Grommet		Power blo	
	Base finish (rectang Edge detail	jular tops)	Power block cut	-out		

B BOARDROOM & CAFETERIA TABLES



BOAT TOPS

Boat Top - Two Drum Bases



Boat Top - Three Drum Bases



Boat Top - Two Arch Bases



Boat Top - Two Legs*



Boat Top - Three Legs*



Boat Top - Two Tubular Legs*

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
CT6BZ	72 x 36 x 29	164	15.32	\$1993	
CT8BZ	96 x 36 x 29	194	16.35	\$2193	
CT8WBZ	96 x 48 x 29	204	17.7	\$2244	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

CT10BZ	120 x 36 x 29	291	23.65	\$3206	
CT10WBZ	120 x 48 x 29	326	25.3	\$3563	
CT12WBZ	144 x 48 x 29	351	26.67	\$3734	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

CT6BA	72 x 36 x 29	114	5.6	\$2064	
CT8BA	96 x 36 x 29	144	7.1	\$2193	
CT8WBA	96 x 48 x 29	154	10.15	\$2324	
CT10BA	120 x 36 x 29	174	9.85	\$3206	
CT10WBA	120 x 48 x 29	184	11.5	\$3563	
CT12WBA	144 x 48 x 29	194	13.25	\$3734	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 3 cartons, (except CT6BA shipped easy to assemble in 2 cartons).

CT6B	72 x 36 x 29	110	13.75	\$1202
CT8B	96 x 36 x 29	140	14.75	\$1357
CT8WB	96 x 48 x 29	150	16.25	\$1490

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

CT10B	120 x 36 x 29	210	15.75	\$1921
CT10WB	120 x 48 x 29	245	17.5	\$2321
CT12WB	144 x 48 x 29	270	19	\$2510

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

CR6B	72 x 36 x 29	110	13.75	\$1357	
CR8B	96 x 36 x 29	140	14.75	\$1503	
CR8WB	96 x 48 x 29	150	16.25	\$1648	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish Leg finish* Edge detail Optional specifications Grommet Power block cut-out Accessories Power block



BOARDROOM & CAFETERIA TABLES B

OPS					
013	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	CR10B	W x D x H 120 x 36 x 29	210	20	\$2151
	CR10WB	120 x 48 x 29	245	23	\$2558
	CR12WB	144 x 48 x 29	270	19	\$2748
					+
- Three Tubular Legs*		dge detail: self edge (SE), assemble in 2 cartons.	bullnose (BN),	T-mold (TM) or	built-up (BU).
СК ТОРЅ					
	RT6X	72 x 36 x 29	114	4.6	\$1811
	RT8X	96 x 36 x 29	144	7.3	\$1945
	RT8WX	96 x 48 x 29	154	7.3	\$2064
Top - Two Slab Bases		dge detail: self edge (SE), assemble in 3 cartons (exc			
\frown	DT10V	120 20 20	210	0.05	éanca
	RT10X RT10WX	120 x 36 x 29	216 251	8.25	\$2968
\triangleleft	RT12WX	120 x 48 x 29 144 x 48 x 29	251	8.75 10.6	\$3330 \$3499
J	11112 ¥¥A	144 X 40 X ZƏ	270	10.0	guruu
Fop - Three Slab Bases		dge detail: self edge (SE), assemble in 3 cartons.	bullnose (BN), [*]	T-mold (TM) or	built-up (BU).
	RT6Z	72 x 36 x 29	164	15.32	\$2064
	RT8Z	96 x 36 x 29	194	16.35	\$2193
	RT8WZ	96 x 48 x 29	204	17.7	\$2324
Fop - Two Drum Bases	Shipped easy to	dge detail: self edge (SE), assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29			built-up (BU). dequate stability. Sand is not incluc \$3206 \$3563
op - Two Drum Bases	Shipped easy to • All drum base: RT10Z	assemble in 2 cartons. s require approximately 50 120 x 36 x 29	lbs. of sand in 291	each base for a	dequate stability. Sand is not incluc
a Top - Two Drum Bases	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to	assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons.	291 326 351 bullnose (BN),	each base for a 23.65 25.3 26.67 T-mold (TM) or	dequate stability. Sand is not incluc \$3206 \$3563 \$3734
	Shipped easy to • All drum bases RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum bases RT6A	assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons. s require approximately 50 72 x 36 x 29	291 326 351 bullnose (BN), Ibs. of sand in 114	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993
	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A	assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons. s require approximately 50 72 x 36 x 29 96 x 36 x 29	291 326 351 bullnose (BN), lbs. of sand in 114 144	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193
	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A RT8A RT8WA	assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons. s require approximately 50 72 x 36 x 29 96 x 36 x 29 96 x 48 x 29	291 326 351 bullnose (BN), lbs. of sand in 114 144 154	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244
	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A RT8A RT8WA RT10A	assemble in 2 cartons. s require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons. s require approximately 50 72 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29	lbs. of sand in 291 326 351 bullnose (BN), lbs. of sand in 114 144 154 174	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206
	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify er Shipped easy to • All drum base: RT6A RT8A RT8A RT8WA RT10A RT10A RT10WA	assemble in 2 cartons. a require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 172 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29 120 x 48 x 29 120 x 48 x 29	lbs. of sand in 291 326 351 bullnose (BN), lbs. of sand in 114 144 154 174 184	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85 11.5	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206 \$3563
Top - Three Drum Bases	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A RT8A RT8A RT8WA RT10A RT10WA RT12WA	assemble in 2 cartons. a require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 dge detail: self edge (SE), assemble in 2 cartons. assemble in 2 cartons. assemble in 2 cartons. 5 require approximately 50 72 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29	lbs. of sand in 291 326 351 bullnose (BN), lbs. of sand in 114 144 154 174 184 194	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85 11.5 13.25	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206 \$3563 \$3734
Top - Three Drum Bases	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A RT8A RT8WA RT10A RT10WA RT12WA Please specify e	assemble in 2 cartons. a require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 172 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29 120 x 48 x 29 120 x 48 x 29	lbs. of sand in 291 326 351 bullnose (BN), ⁷ lbs. of sand in 114 144 154 174 184 194 bullnose (BN), ⁷	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85 11.5 13.25 T-mold (TM) or	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206 \$3563 \$3734 built-up (BU).
	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify ei Shipped easy to • All drum base: RT6A RT8A RT8WA RT10A RT10WA RT10WA RT12WA Please specify ei Shipped easy to RT12WA	assemble in 2 cartons. a require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 120 x 36 x 29 96 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29 120 x 48 x 29 120 x 48 x 29 120 x 48 x 29 120 x 48 x 29 144 x 48 x 29 145 x 48 x 29 14	Ibs. of sand in 291 326 351 bullnose (BN), Ibs. of sand in 114 144 154 174 184 194 bullnose (BN), cept RT6A shipp	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85 11.5 13.25 T-mold (TM) or red easy to asso	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206 \$3563 \$3734 built-up (BU). emble in 2 cartons).
op - Three Drum Bases	Shipped easy to • All drum base: RT10Z RT10WZ RT12WZ Please specify e Shipped easy to • All drum base: RT6A RT8A RT8WA RT10A RT10WA RT10WA RT12WA Please specify e Shipped easy to	assemble in 2 cartons. a require approximately 50 120 x 36 x 29 120 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 144 x 48 x 29 120 x 36 x 29 96 x 36 x 29 96 x 36 x 29 96 x 48 x 29 120 x 36 x 29 120 x 48 x 29 120 x 48 x 29 120 x 48 x 29 120 x 48 x 29 144 x 48 x 29 145 x 48 x 29 14	lbs. of sand in 291 326 351 bullnose (BN), lbs. of sand in 114 144 154 174 184 194 bullnose (BN), cept RT6A shipp	each base for a 23.65 25.3 26.67 T-mold (TM) or each base for a 5.6 7.1 10.15 9.85 11.5 13.25 T-mold (TM) or bed easy to asso	dequate stability. Sand is not includ \$3206 \$3563 \$3734 built-up (BU). dequate stability. Sand is not includ \$1993 \$2193 \$2244 \$3206 \$3563 \$3734 built-up (BU). mble in 2 cartons).



B BOARDROOM & CAFETERIA TABLES



RACETRACK TOPS



Racetrack Top - Three Legs*



Racetrack Top - Two Tubular Legs*



Racetrack Top - Three Tubular Legs*



ELLIPTICAL TOPS

Elliptical Top - Two Slab Bases



Elliptical Top - Three Slab Bases

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
RT6	72 x 36 x 29	110	13.75	\$1202	
RT8	96 x 36 x 29	140	14.75	\$1357	
RT8W	96 x 48 x 29	150	16.25	\$1490	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

RT10	120 x 36 x 29	210	15.75	\$1921	
RT10W	120 x 48 x 29	245	17.5	\$2321	
RT12W	144 x 48 x 29	270	19	\$2510	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

RT6R	72 x 36 x 29	110	13.75	\$1357
RT8R	96 x 36 x 29	140	14.75	\$1503
RT8WR	96 x 48 x 29	150	16.25	\$1648

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

RT10R 120 x 36 x 29 210 15.75 \$2151						
	OR	120 x 36 x 29	210	15.75	\$2151	
RT10WR 120 x 48 x 29 245 17.5 \$2558	0WR	120 x 48 x 29	245	17.5	\$2558	
RT12WR 144 x 48 x 29 270 19 \$2748	2WR	144 x 48 x 29	270	19	\$2748	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

EL6X	72 x 36 x 29	114	4.6	\$1811	
EL8X	96 x 36 x 29	144	7.3	\$1945	
EL8WX	96 x 48 x 29	154	7.3	\$2064	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 3 cartons (except EL6X shipped easy to assemble in 2 cartons).

EL10X	120 x 36 x 29	216	8.25	\$2968	
EL10WX	120 x 48 x 29	251	8.75	\$3330	
EL12WX	144 x 48 x 29	276	10.6	\$3499	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish

lop finish Leg finish* Edge detail Optional specifications Grommet Power block cut-out Accessories Power block

BOARDROOM & CAFETERIA TABLES B




ELLIPTICAL TOPS

Elliptical Top - Two Drum Bases



Elliptical Top - Three Drum Bases



Elliptical Top - Two Arch Bases



Elliptical Top - Two Legs*



Elliptical Top - Three Legs*



Elliptical Top - Two Tubular Legs*

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
EL6Z	72 x 36 x 29	164	15.32	\$2064	
EL8Z	96 x 36 x 29	194	16.35	\$2193	
EL8WZ	96 x 48 x 29	204	17.7	\$2324	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

EL10Z	120 x 36 x 29	291	23.65	\$3206
EL10WZ	120 x 48 x 29	326	25.3	\$3563
EL12WZ	144 x 48 x 29	351	26.67	\$3734

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

• All drum bases require approximately 50 lbs. of sand in each base for adequate stability. Sand is not included.

EL6A	72 x 36 x 29	114	5.6	\$2064	
EL8A	96 x 36 x 29	144	7.1	\$2193	
EL8WA	96 x 48 x 29	154	10.15	\$2324	
EL10A	120 x 36 x 29	174	9.85	\$3206	
EL10WA	120 x 48 x 29	184	11.5	\$3563	
EL12WA	144 x 48 x 29	194	13.25	\$3734	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 3 cartons (except EL6A shipped easy to assemble in 2 cartons).

EL6	72 x 36 x 29	110	13.75	\$1202
EL8	96 x 36 x 29	140	14.75	\$1357
EL8W	96 x 48 x 29	150	16.25	\$1490

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

EL10	120 x 36 x 29	210	15.75	\$1921	
EL10W	120 x 48 x 29	245	17.5	\$2321	
EL12W	144 x 48 x 29	270	19	\$2510	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

EL6R	72 x 36 x 29	110	13.75	\$1357	
EL8R	96 x 36 x 29	140	14.75	\$1503	
EL8WR	96 x 48 x 29	150	16.25	\$1648	

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish Leg finish* Edge detail Optional specifications Grommet Power block cut-out Accessories Power block

lloba

B BOARDROOM & CAFETERIA TABLES



MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
EL10R	120 x 36 x 29	210	15.75	\$2151	
EL10WR	120 x 48 x 29	245	17.5	\$2558	
EL12WR	144 x 48 x 29	270	19	\$2748	

Elliptical Top - Three Tubular Legs*

Please specify edge detail: self edge (SE), bullnose (BN), T-mold (TM) or built-up (BU). Shipped easy to assemble in 2 cartons.

Required specifications Top finish Leg finish*

Edge detail*


Optional specifications Grommet Power block cut-out

Accessories Power block





Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Features and Benefits

- Tops are available in four materials to help perfect your interior design: thermally fused laminate, high pressure laminate, veneer and solid surface.
- High performance thermally fused laminate tops are 1" thick with a 45 lb. density particle board core and feature 2mm thick edgeband.
- High pressure laminate tops are 1 ¹/₁₆" thick with 2mm flat edge or 1 ³/₁₆" thick with knife edge profile. Tops with flat edge have a 45 lb. density particle board core; tops with knife edge have a MDF core.
- Veneer tops are 1 ³/₁₆" thick overall with matching flat edge or knife edge.
- **Solid surface** tops are 1 ¹/₄" thick with a plywood or particle board melamine subtop depending on size, available with flat edge or knife edge.
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights: Coffee table height at 16"H. End table height at 22"H.
 - Lounge height at 22 'H. Lounge height at 27"H. Seated height at 29"H. Counter height at 36"H. Bar height at 41.5"H.

GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series as well as a variety of solid surface options to choose from tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- For environmental certications, please visit globalfurnituregroup.com.

WORKSURFACES

- Four material choices: high performance thermally fused laminate, high pressure laminate, veneer and solid surface.
- **Thermally fused laminate** tops are 1" thick overall with a 45 lb. density particle board core and feature 2mm thick edgeband. Edgeband finish can be specified to match or contrast the surface finish.
- High pressure laminate tops are 1 ¹/₁₆" thick with 2mm flat edge or 1 ³/₁₆" thick with knife edge. 1 ¹/₁₆" thick tops have a 45 lb. density particle board core and the 2mm flat edge finish can be specified to match or complement the top surface. 1 ³/₁₆" thick tops have an MDF core and the knife edge finish will match top surface. Models ending in (LK) indicate high pressure laminate with knife edge.
- Veneer tops are 1 ³/₁₆" thick overall with choice of edge detail flat edge or knife edge. Edge finish will correspond to surface finish. When flat edge, core material is 45 lb. density particle board; when knife edge, core material is MDF. Models ending in (V) indicate veneer.
- Solid surface tops are 1 ¹/₄" thick overall with choice of edge detail flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Models ending in (SF) indicate solid surface with flat edge; models ending in (SK) indicate solid surface with knife edge.
- Please see model # for pricing and availability of various material and edge options.
- Refer to page 323 or globalfurnituregroup.com for available finish options.
- While not all sizes are available in all materials:
- Worksurfaces of 96" or less in length are standard in one piece (1 carton).
- Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons).
- Worksurfaces 96", 120" and 144" x 48" include support channels.

BASES

- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a cold rolled steel tube.
- GRB14H25 attaches to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6"x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have passthrough cut-outs to accomodate a single port simplex or dual USB module to deliver power or USB charging to the surface. This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see page 323) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases come with six 0.5" height adjustable glides for leveling on uneven floors.
- Coffee table height bases wih 14"H column and 0.375"H levelers.
- End table height bases with 20"H column and 0.375"H levelers.
- Lounge height bases with 25"H column and 0.375"H levelers.
- Seated height bases with 27"H column and 0.375"H levelers.
- Counter height bases with 34"H column and 0.375"H levelers.
- Bar height bases with 39.5"H column and 0.375"H levelers.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".



1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Lamina	Laminate finishes (thermally fused and high pressure laminate):						
ACJ	Absolute Acajou	NBL	Noce Biondo				
ASN	Asian Night	NGL	Noce Grigio				
AWC	Avant Cherry	NEL	Noce Leggero				
AWH	Avant Honey	NML	Noce Medio				
BLK	Black	QTM	Quartered Mahogany				
BRC	Brushed Cobalt	SBY	Sheer Beauty				
СМВ	Clear Maple	SOG	Storm Grey				
DES	Dark Espresso	WHE	Walnut Heights				
DWT	Designer White	WHC	White Chocolate				
FAS	Fashionista	WCR	Winter Cherry				
FCL	First Class						

Veneer finishes (applicable for models ending in V only):

AMW	Almond Cherry	MPW	Maple
ACW	Amber Cherry	MTW	Milestone
BTW	Biscotti	MCW	Mocha
CAW	Cocoa Walnut	NLW	Natural Walnut
CRW	Coral	0YW	Oyster Maple
DCW	Dark Cherry	RCW	Red Cherry
DWW	Dark Walnut	SHW	Sahara Maple
EWW	Empress Walnut	SMW	Sugar Maple
EVW	Evening Oak	ULW	Umber Walnut
HAW	Hazelnut	VNW	Vintage Cherry
JAW	Java	WLW	Walnut
LTW	Latte	WMW	White Maple
MHW	Mahogany on Walnut	WCW	Windsor Cherry

Solid surface (applicable for models ending in SF or SK only): Grade 1 Grade 2 SWH Designer White SBT **Beige Tempest** SBX Black Onyx Mirage SFW Frosty White Mirage SHS Hot Stone SMG Milk Glass Spectra Northern Melange SNM Bases (paint finishes): TBL Black TIN Ink TBZ Buzz Blue TKA Kalua TCC Cactus TLA Latte TCR Carrot тмо Mocha TIV TNE Nevada Cloud TDW **Designer White** TSN Sand TDJ Dijon TSR Scarlet TEG TSH Shadow Eggplant TFO Fog TOA Toast TFR Frost TTU Tungsten 10.1

Bases (plated finishes - upcharge applies):						
AC0	Antique Copper	СНМ	Chrome			
BCH	Brushed Chrome	SBR	Satin Brass			

3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
 Flat edge (FE) default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies
- High pressure laminate tops (models ending in LK):
- Knife edge only
- 3" radiused corners available by quote request only
- Veneer tops (models ending in **V**):
- Flat edge (FE) default profile
- Knife edge (KS) optional
- 3" radiused corners available by quote request only

4. SPECIFY EDGE FINISH

Edge finish only applicable for thermally fused laminate and high pressure tops with flat edge (FE) $% \left(F_{\mathrm{e}}\right) =0$

Absolute Acajou	FOG	Fog
Asian Night	LAB	Latte
Avant Cherry	NBL	Noce Biondo
Avant Honey	NGL	Noce Grigio
Black	NEL	Noce Leggero
Brushed Cobalt	NML	Noce Medio
Buzz Blue	ОТМ	Quarter Mahogany
Cactus	SAR	Scarlet
Carrot	SHW	Shadow
Clear Maple	SBY	Sheer Beauty
Dark Espresso	SOG	Storm Grey
Designer White	WHE	Walnut Heights
Dijon	CBE	White Chocolate
Fashionista	WCE	Winter Cherry
First Class		
	Asian Night Avant Cherry Avant Honey Black Brushed Cobalt Buzz Blue Cactus Carrot Clear Maple Dark Espresso Designer White Dijon Fashionista	Asian NightLABAvant CherryNBLAvant HoneyNGLBlackNELBrushed CobaltNMLBuzz BlueQTMCactusSARCarrotSHWClear MapleSBYDark EspressoSOGDesigner WhiteWHEDijonCBEFashionistaWCE

lloba

- Solid surface tops (models ending is **SF**): - Flat edge (FE) - default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies
- Solid surface tops (models ending is SK):
- Knife edge (KS) default profile
- Knife edge with 3" radiused corners (KR) optional for square and rectangular tops, upcharge applies

5. SPECIFY OPTIONS

POWER BLOCKS AND CUT-OUTS LOCATIONS


- A power block delivers power/data to the table surface.
- Power block modules are ordered separately.
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.

Example: Order as E1, U1, A1, J1, K1, R1, T1, etc. Add \$91 for each cut-out.

- Cut-outs may be placed at non-standard locations. Please contact Customer Service.
- Select power block option from Productivity Solutions pages 471-474.
- Custom locations or cut-outs available (drawing required). Add \$132.

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS


(Power modules and blocks can be found in the Productivity Solutions section of the price list)



- Match power block desired with cut-out code and location from above grid.
- Example: If power block module # PLCTM101T is required in the center position, specify cut-out option A2 when specifying the top.

SINGLE PORT MODULES

- Single port module with one simplex or one dual USB charging port centered over the base, available for tops supported with single GRB22xx or GSB19xx base in any height
- Specify optional cut-out (02) to accommodate when specifying tops. Add \$91 to list.
- Modules are listed on product pages with applicable tops and bases. Modules are ordered separately.



• For White colored modules, specify code ending in (W72); for Black colored modules, specify code ending in (B72).

SPECIFICATIONS

 Required and optional specifications marked with an * on the pricelist pages with products are applicable to only those products which have the * symbol beside the product name.



SWAP[™] TABLES - NOTES S

TABLE NOTES - ESTIMATED CAPACITY

• Use the following to determine the size of a table and the number of chairs needed for a conference area.

• All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

		NU	MBER OF CHAIRS		
Top Size	Round	Square	Rectangular	Boat	Racetrack
24 x 24	2	2	N/A	N/A	N/A
24 x 30	N/A	N/A	2-3	N/A	N/A
24 x 36	N/A	N/A	3-4	N/A	N/A
30 x 30	3	4	N/A	N/A	N/A
30 x 36	N/A	N/A	4	N/A	N/A
30 x 42	N/A	N/A	4	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A
36 x 42	N/A	N/A	4	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A
54 x 54	5	6	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A
24 x 60	N/A	N/A	4-6	N/A	4-6
24 x 66	N/A	N/A	4-6	N/A	4-6
24 x 72	N/A	N/A	4-6	N/A	4-6
24 x 84	N/A	N/A	4-6	N/A	4-6
24 x 96	N/A	N/A	6-8	N/A	6-8
30 x 60	N/A	N/A	4-6	4-6	4-6
30 x 66	N/A	N/A	4-6	4-6	4-6
30 x 72	N/A	N/A	4-6	4-6	4-6
30 x 84	N/A	N/A	4-6	4-6	4-6
30 x 96	N/A	N/A	6-8	6-8	6-8
36 x 60	N/A	N/A	4-6	4-6	4-6
36 x 66	N/A	N/A	4-6	4-6	4-6
36 x 72	N/A	N/A	4-6	4-6	4-6
36 x 84	N/A	N/A	4-6	4-6	4-6
36 x 96	N/A	N/A	6-8	6-8	6-8
48 x 84	N/A	N/A	6-8	6-8	6-8
48 x 96	N/A	N/A	6-8	6-8	6-8
48 x 120	N/A	N/A	8-10	8-10	8-10
48 x 144	N/A	N/A	10-12	10-12	10-12

S SWAP[™] TABLES - NOTES

		APPLICA	BLE BASE (OPTIONS FO	R CORRESP	ONDING TO	Р					POWER MGM OPTIONS
		Lounge H	eight 27″H	Seated H	eight 29"H	Counter H	leight 36″H	Bar Heig	1ht 41.5"H			
Table Shape/Size	Top #	Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 18.5",22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
Round O		Nomi	inal base pl	ate dimensi	on indicated	l by 4th and	5th charact	ers in base	model numb	ers		
24" diameter top	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter top	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	02 only
36" diameter top	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
12" diameter top	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
18" diameter top	GRBTP48	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" diameter top	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
60" diameter top	GRBTP60	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A	N/A	1	1	None
Square						· ·						
24" square top	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square top	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square top	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
12" square top	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
Rectangular 🗌				1	1					1	1	<u> </u>
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
12x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60x24 Rectangular	GRT5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66X24 Rectangular	GRT5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2, R2, T2, U2
72x24 Rectangular	GRT6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	FOG2
84x24 Rectangular	GRT7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Lef
96x24 Rectangular	GRT8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, A2
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, J2, K2, R2, 1 FOG2
72x30 Rectangular	GRT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1
84x30 Rectangular	GRT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Le Center/Right
96x30 Rectangular	GRT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	E1/2/3, A1/2/3 U1/2/3, J1/2/3
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	K1/2/3, R1/2/3 T1/2/3, FOG1/2
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	11/2/3,1001/2,
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: E1, E3; A1, A3
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	U1, U3; J1, J3; K K3, R1, R2, T1, T F0G1, F0G3



SWAP[™] TABLES - NOTES S

		APPLICA	BLE BASE (PTIONS FO	R CORRESP	DNDING TO	P					POWER MGM OPTIONS
		Lounge H	eight 27″H	Seated H	eight 29"H	Counter H	eight 36″H	Bar Heig	ght 41.5″H			
Table Shape/Size	Top #	Round base 22"	Square base 18.5"	Round base 22", 28", 34"	Square base 185°, 225°, 285°	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Grommet and Power Block Cut-outs Available
Racetrack C	\supset	Nomi	inal base pl	ate dimensi	on indicated	l by 4th and	5th charact	ers in base	model numl	pers		
60X24 Racetrack	GRC5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66X24 Racetrack	GRC5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2 U2, R2, T2,
72X24 Racetrack	GRC6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	F0G2
84X24 Racetrack	GRC7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left,
96X24 Racetrack	GRC8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, A2, U2, J2, K2, R2, T2
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	FOG2
72x30 Racetrack	GRC6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x30 Racetrack	GRC7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left
96x30 Racetrack	GRC8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right: E1/2/3; A1/2/3;
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U1/2/3, J1/2/3,
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	K1/2/3, R1/2/3, T1/2/3, F0G1/2/3
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: E1, E3; A1, A3;
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	U1, U3; J1, J3; K K3, R1, R2, T1, T2 F0G1, F0G3
Boat Shape 🤇	\supset			1	1							
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, A2,
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, J2, K2, R2, T2 F0G2
72x30 Boat shape	GBT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	1
84x30 Boat shape	GBT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left
96x30 Boat shape	GBT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right: E1/2/3; A1/2/3;
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U1/2/3, J1/2/3,
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	K1/2/3, R1/2/3, T1/2/3, F0G1/2/3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: E1, E3; A1, A3;
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	U1, U3; J1, J3; K K3, R1, R2, T1, T2 F0G1, F0G 3

S SWAP[™] TABLES - NOTES

		AP	PLICABLE BA CORRESPO	SE OPTIONS NDING TOP	FOR			POWER MGM1 OPTIONS
		Centered C	olumn 25.5″H	Offset Col	umn 25.5″H			
Table Shape/Size	Top #	14" 12.5" 12.5"		Square base 12.5"	Base Qty.	# Top pieces	Power Block Cut-outs Available	
Round Laptop O	*Nominal base plate	dimension indicat	ed by 4th and 5th	characters in ba	se model numbers	<u> </u>		
16.5"dia	GRBTP16	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"dia	GRBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"dia	GRBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5″dia	GRBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20"dia	GRBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"dia	GRBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Square Laptop 🛛			1	1	1	1	1	1
16.5"x16.5"	GSBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20"	GSBTP20	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22"	GSBTP22	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5″x16.5″	GSBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20"x20"	GSBOTP20	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22"	GSB0TP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop			I	I	1	1	1	I
16"x20"	GSBTP1620_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x22"	GSBTP1622_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x20"	GSB0T1620_	N/A	N/A	N/A	GSOB13H25	1	1	None
16"x22"	GSBOT1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
		AF	PLICABLE BA		FOR			POWER MGM OPTIONS
		Coffee T	GURRESPU	NDING TOP End Ta	ble 22″H			OPTIONS
		Round base	Square base 18.5"	Round base	Square base 18.5"			
Table Shape	Top #	Ĵ	Ĵ.	Ĵ		Base Qty.	# top pieces	Power Blocl Cut-outs Available
Round Coffee/End Tab	oles O *Na	ominal base plate	dimension indicat	ed by 4th and 5th	n characters in bas	se model nu	umbers.	
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Ta	bles 🗌							
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only

SWAP[™] TABLES S

LAPTOP TABLES FOR CENTER BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADI
		W x D x H							
	Thermally fus	ed laminate, flat e	dge (1)						
	GRBTP16	16.5 x - x 1	6	0.3	\$188	\$80	N/A	N/A	N/A
	GRBTP20	20 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A
	GRBTP22	22 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A
	High pressure	e laminate, knife e	dge						
	GRBTP16LK	16.5 x - x 1.19	7.5	1	\$537	N/A	N/A	N/A	N/A
	GRBTP20LK	20 x - x 1.19	11	1.5	\$608	N/A	N/A	N/A	N/A
	GRBTP22LK	22 x - x 1.19	11	2	\$660	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GRBTP16V	16.5 x - x 1.19	7.5	1	\$809	N/A	N/A	N/A	\$77
	GRBTP20V	20 x - x 1.19	11	1.5	\$875	N/A	N/A	N/A	\$77
	GRBTP22V	22 x - x 1.19	11	2	\$942	N/A	N/A	N/A	\$77
	Solid surface	, flat edge (3)							
	GRBTP16SF	16.5 x - x 1.25	11	0.6	\$1689	N/A	\$88	N/A	N/A
	GRBTP20SF	20 x - x 1.25	16	1	\$1982	N/A	\$118	N/A	N/A
	GRBTP22SF	22 x - x 1.25	20	1	\$2077	N/A	\$171	N/A	N/A
	Solid surface	, knife edge (3)							
	GRBTP16SK	16.5 x - x 1.25	11	0.6	\$1789	N/A	\$100	N/A	N/A
	GRBTP20SK	20 x - x 1.25	16	1	\$2088	N/A	\$123	N/A	N/A
	GRBTP22SK	22 x - x 1.25	20	1	\$2188	N/A	\$176	N/A	N/A

Round Tops, for Centered Base


Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.

SQUARE LAPTOP TABLES FOR CENTER BASE

Thermally fused	laminate, flat edg	e ^{(1) (4)}						
GSBTP16	16.5 x 16.5 x 1	7	0.3	\$188	\$80	N/A	\$18.80	N/A
GSBTP20	20 x 20 x 1	11	0.5	\$206	\$89	N/A	\$20.60	N/A
GSBTP22	22 x 22 x 1	13	0.5	\$206	\$89	N/A	\$20.60	N/A
High pressure la	minate, knife edg	e						
GSBTP16LK	16.5 x 16.5 x 1.19	8.5	1	\$359	N/A	N/A	N/A	N/A
GSBTP20LK	20 x 20 x 1.19	13	1.5	\$450	N/A	N/A	N/A	N/A
GSBTP22LK	22 x 22 x 1.19	16	2	\$491	N/A	N/A	N/A	N/A
Veneer (2)								
GSBTP16V	16.5 x 16.5 x 1.19	8.5	1	\$461	N/A	N/A	N/A	\$72
GSBTP20V	20 x 20 x 1.19	13	1.5	\$578	N/A	N/A	N/A	\$87
GSBTP22V	22 x 22 x 1.19	16	2	\$635	N/A	N/A	N/A	\$97
Solid surface, fla	at edge ^{(3) (4)}							
GSBTP16SF	16.5 x 16.5 x 1.25	14	0.6	\$1447	N/A	\$83	\$206	N/A
GSBTP20SF	20 x 20 x 1.25	21	1	\$1736	N/A	\$123	\$206	N/A
GSBTP22SF	22 x 22 x 1.25	26	1	\$1829	N/A	\$147	\$206	N/A
Solid surface, kr	0							
GSBTP16SK	16.5 x 16.5 x 1.25	14	0.6	\$1789	N/A	\$100	\$206	N/A
GSBTP20SK	20 x 20 x 1.25	21	1	\$2088	N/A	\$130	\$206	N/A
GSBTP22SK	22 x 22 x 1.25	26	1	\$2188	N/A	\$176	\$206	N/A

Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish ⁽¹⁾ Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾ Applicable bases GRB14H25 - round GSB13H25 - square



Square Tops, for Centered Base

globa

S SWAP[™] TABLES

APTOP TABLES FOR CENTER BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
		W x D x H							
	Thermally fuse	ed laminate, flat e	dge ^{(1) (4)}						
	GSBTP1620	16 x 20 x 1	9	0.4	\$206	\$89	N/A	\$20.6	N/A
	GSBTP1622	16 x 22 x 1	11	0.5	\$206	\$89	N/A	\$20.6	N/A
	High pressure	laminate, knife e	dge						
	GSBTP1620LK	20 x 16 x 1.19	11	1	\$461	N/A	N/A	N/A	N/A
	GSBTP1622LK	22 x 16 x 1.19	13	1.5	\$506	N/A	N/A	N/A	N/A
	Veneer (2)								
	GSBTP1620V	20 x 16 x 1.19	11	1	\$568	N/A	N/A	N/A	\$87
	GSBTP1622V	22 x 16 x 1.19	13	1.5	\$624	N/A	N/A	N/A	\$92
	Solid surface,	flat edge ^{(3) (4)}							
	GSBTP1620SF	16 x 20 x 1.25	17	0.8	\$1606	N/A	\$100	\$206	N/A
	GSBTP1622SF	16 x 22 x 1.25	19	0.8	\$1629	N/A	\$106	\$206	N/A
	Solid surface,	knife edge (3) (4)							
	GSBTP1620SK	16 x 20 x 1.25	17	0.8	\$1929	N/A	\$123	\$206	N/A
	GSBTP1622SK	16 x 22 x 1.25	19	0.8	\$1965	N/A	\$141	\$206	N/A

Rectangular Tops, for Centered Base

Only applicable bases to use with above tops: GRB14H25 round base or GSB13H25 square base with centered column. Tops feature metal inserts for ease of assembly to base. One base required.

ROUND LAPTOP TABLES FOR OFFSET BASE

GRBOTP16	16.5 x - x 1	6	0.3	\$188	\$80	N/A	N/A	N/A
GRBOTP20	20 x - x 1	9	0.5	\$206	\$89	N/A	N/A	N/A
GRBOTP22	22 x - x 1	11	0.7	\$206	\$89	N/A	N/A	N/A
High pressure l	aminate, knife edg	ie						
GRBOTP16LK	16.5 x - x 1.19	8	1	\$537	N/A	N/A	N/A	N/A
GRBOTP20LK	20 x - x 1.19	13	1.5	\$608	N/A	N/A	N/A	N/A
GRBOTP22LK	22 x - x 1.19	16	2	\$660	N/A	N/A	N/A	N/A
Veneer (2)								
GRBOTP16V	16.5 x - x 1.19	8	1	\$809	N/A	N/A	N/A	\$77
GRBOTP20V	20 x - x 1.19	13	1.5	\$875	N/A	N/A	N/A	\$77
GRBOTP22V	22 x - x 1.19	16	2	\$942	N/A	N/A	N/A	\$77
Solid surface, f	lat edge (3)							
GRBOTP16SF	16.5 x - x 1.25	11	0.6	\$1689	N/A	\$88	N/A	N/A
GRBOTP20SF	20 x - x 1.25	16	1	\$1982	N/A	\$118	N/A	N/A
GRBOTP22SF	22 x - x 1.25	20	1	\$2077	N/A	\$171	N/A	N/A
Solid surface, l	cnife edge (3)							
GRBOTP16SK	16.5 x - x 1.25	11	0.6	\$1789	N/A	\$100	N/A	N/A
GRBOTP20SK	20 x - x 1.25	16	1	\$2088	N/A	\$123	N/A	N/A
GRBOTP22SK	22 x - x 1.25	20	1	\$2188	N/A	\$176	N/A	N/A



Round Tops, for Offset Base

Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.

Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish ⁽¹⁾ Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾

Applicable bases

GRB14H25 - round centered GSB13H25 - square centered GSOB13H25 - square offset




globalfurnituregroup.com | canadian

330

SWAP[™] TABLES S

RE LAPTOP TABLES FOR OFFSET BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
		W x D x H							
	Thermally fus	ed laminate, flat edg	ge (1) (4)						
	GSBOTP16	16.5 x 16.5 x 1	7	0.3	\$188	\$80	N/A	\$18.80	N/A
	GSB0TP20	20 x 20 x 1	11	0.5	\$206	\$89	N/A	\$20.60	N/A
	GSB0TP22	22 x 22 x 1	13	0.7	\$206	\$89	N/A	\$20.60	N/A
	High pressure	laminate, knife edg	ie						
	GSBOTP16LK	16.5 x 16.5 x 1.19		1	\$359	N/A	N/A	N/A	N/A
	GSB0TP20LK	20 x 20 x 1.19	13	1.5	\$450	N/A	N/A	N/A	N/A
	GSB0TP22LK	22 x 22 x 1.19	16	2	\$491	N/A	N/A	N/A	N/A
	Veneer (2)								
	GSBOTP16V	16.5 x 16.5 x 1.19	8.5	1	\$461	N/A	N/A	N/A	\$72
	GSB0TP20V	20 x 20 x 1.19	13	1.5	\$578	N/A	N/A	N/A	\$87
	GSB0TP22V	22 x 22 x 1.19	16	2	\$635	N/A	N/A	N/A	\$97
	Solid surface,	flat edge ^{(3) (4)}							
	GSB0TP16SF	16.5 x 16.5 x 1.25	5 14	0.6	\$1447	N/A	\$83	\$206	N/A
	GSB0TP20SF	20 x 20 x 1.25	21	1	\$1736	N/A	\$123	\$206	N/A
	GSB0TP22SF	22 x 22 x 1.25	26	1	\$1829	N/A	\$147	\$206	N/A
	Solid surface,	knife edge (3) (4)							
	GSBOTP16SK	16.5 x 16.5 x 1.25	5 14	0.6	\$1789	N/A	\$100	\$206	N/A
	GSB0TP20SK	20 x 20 x 1.25	21	1	\$2088	N/A	\$130	\$206	N/A
	GSB0TP22SK	22 x 22 x 1.25	26	1	\$2188	N/A	\$176	\$206	N/A



Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.

Tops feature metal inserts for ease of assembly to base. One base required.

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE

GSBOT1620	16 x 20 x 1	9	0.4	\$210	\$91	N/A	\$21	N/A
GSBOT1622	16 x 22 x 1	11	0.5	\$210	\$91	N/A	\$21	N/A
High pressure la	aminate, knife edg	ge						
GSBOT1620LK	20 x 16 x 1.19	11	1.5	\$461	N/A	N/A	N/A	N/A
GSBOT1622LK	22 x 16 x 1.19	13	2	\$506	N/A	N/A	N/A	N/A
Veneer (2)								
GSBOT1620V	20 x 16 x 1.19	11	1.5	\$568	N/A	N/A	N/A	\$87
GSBOT1622V	22 x 16 x 1.19	13	2	\$624	N/A	N/A	N/A	\$92
Solid surface, fl	at edge (3) (4)							
GSBOT1620SF	16 x 20 x 1.25	17	0.8	\$1606	N/A	\$100	\$206	N/A
GSBOT1622SF	16 x 22 x 1.25	19	0.8	\$1629	N/A	\$106	\$206	N/A
Solid surface, k	nife edge ^{(3) (4)}							
GSBOT1620SK	16 x 20 x 1.25	17	0.8	\$1929	N/A	\$123	\$206	N/A
GSBOT1622SK	16 x 22 x 1.25	19	0.8	\$1965	N/A	\$141	\$206	N/A



Rectangular Tops, for Offset Base

Only applicable bases to use with above tops: GSOB13H25 square base with OFFSET column.

Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish ⁽¹⁾ Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾ Applicable base GSOB13H25 - square

global

S SWAP[™] TABLES

12.5" Square Offset Base

APTOP TABLE BASES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBF
\sim		W x D x H					
\prod	GRB14H25	14 x - x 24.5	27	3.26	\$633	\$87	\$172
<u> </u>							
" Round Centered Base							
Î							
	GSB13H25	12.5 x 12.5 x 24.5	26	3.26	\$653	\$87	\$186
2.5" Square Centered Base							
·							
$\widehat{\mathbf{r}}$							
	GSOB13H25	12.5 x 12.5 x 24.5	26	3.26	\$653	\$87	\$186

1.5" diameter column. Weighted base for balance includes top plate, 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 323. Upcharge applies on plated finishes.

Required specifications Finish

Optional specifications Plated finish



SWAP[™] TABLES S

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
	W x D x H							
Thermally fu	sed laminate, flat e	dge (1)						
GRBTP24	24 x - x 1	16	1	\$206	\$91	N/A	N/A	N/A
GRBTP30	30 x - x 1	25	1.5	\$239	\$108	N/A	N/A	N/A
GRBTP36	36 x - x 1	36	2	\$303	\$136	N/A	N/A	N/A
High pressur	e laminate, knife e	dge						
GRBTP24LK	24 x - x 1.19	19	2	\$845	N/A	N/A	N/A	N/A
GRBTP30LK	30 x - x 1.19	30	3	\$1038	N/A	N/A	N/A	N/A
GRBTP36LK	36 x - x 1.19	43	4	\$1228	N/A	N/A	N/A	N/A
Veneer (2)								
GRBTP24V	24 x - x 1.19	19	2	\$1008	N/A	N/A	N/A	\$77
GRBTP30V	30 x - x 1.19	30	3	\$1202	N/A	N/A	N/A	\$77
GRBTP36V	36 x - x 1.19	43	4	\$1407	N/A	N/A	N/A	\$77
Solid surface	e, flat edge (3)							
GRBTP24SF	24 x - x 1.25	24	1.2	\$2130	N/A	\$171	N/A	N/A
GRBTP30SF	29.8 x - x 1.25	37	1.8	\$2323	N/A	\$235	N/A	N/A
GRBTP36SF	36 x - x 1.25	53	2.5	\$2970	N/A	\$353	N/A	N/A
Solid surface	e, knife edge (3)							
GRBTP24SK	24 x - x 1.25	24	1.2	\$2188	N/A	\$183	N/A	N/A
GRBTP30SK	29.8 x - x 1.25	37	1.8	\$2411	N/A	\$253	N/A	N/A
		57				4 1 00		



SQUARE TOPS, 24" - 36"W

ROUND TOPS, 24" - 36"W

Round Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

GSBTP24	24 x 24 x 1	20	1	\$206	\$91	N/A	\$20.60	N/A
GSBTP30	30 x 30 x 1	30	1.5	\$239	\$108	N/A	\$23.90	N/A
GSBTP36	36 x 36 x 1	44	2	\$303	\$136	N/A	\$30.30	N/A
High pressure	laminate, knife edge	•						
GSBTP24LK	24 x 24 x 1.19	24	2	\$768	N/A	N/A	N/A	N/A
GSBTP30LK	30 x 30 x 1.19	36	3	\$834	N/A	N/A	N/A	N/A
GSBTP36LK	36 x 36 x 1.19	53	4	\$895	N/A	N/A	N/A	N/A
Veneer (2)								
GSBTP24V	24 x 24 x 1.19	24	2	\$1038	N/A	N/A	N/A	\$72
GSBTP30V	30 x 30 x 1.19	36	3	\$1100	N/A	N/A	N/A	\$72
GSBTP36V	36 x 36 x 1.19	53	4	\$1166	N/A	N/A	N/A	\$72
Solid surface,	flat edge ^{(3) (4)}							
GSBTP24SF	24 x 24 x 1.25	30	1.2	\$1882	N/A	\$176	\$206	N/A
GSBTP30SF	29.8 x 29.8 x 1.25	47	1.8	\$2323	N/A	\$235	\$206	N/A
GSBTP36SF	36 x 36 x 1.25	68	2.5	\$3024	N/A	\$288	\$206	N/A
Solid surface,	knife edge (1) (4)							
GSBTP24SK	24 x 24 x 1.25	30	1.2	\$1942	N/A	\$188	\$206	N/A
GSBTP30SK	29.8 x 29.8 x 1.25	47	1.8	\$2912	N/A	\$265	\$206	N/A
GSBTP36SK	36 x 36 x 1.25	68	2.5	\$3606	N/A	\$329	\$206	N/A

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish ⁽¹⁾

 Optional specifications

 HP laminate ⁽¹⁾
 Knife edge ⁽²⁾

 Grade 2 solid surface ⁽³⁾
 3" radiused corners ⁽⁴⁾

 Q2 cut-out for single port module
 4

Applicable bases Round bases: GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41 Square bases: GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35, GSB19H41 Accessories Single port modules

Square Tops



S SWAP[™] TABLES

RECTANGULAR TOPS, SMALL

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
	W x D x H							
Thermally fus	ed laminate, flat e	dge (1) (4)						
GSBTP2430	30 x 24 x 1	20	0.91	\$235	\$103	N/A	\$23.50	N/A
GSBTP2436	36 x 24 x 1	24	1.08	\$271	\$117	N/A	\$27.10	N/A
GSBTP3036	36 x 30 x 1	31	1.34	\$297	\$128	N/A	\$29.70	N/A
High pressure	e laminate, knife e	dge						
GSBTP2430LK	30 x 24 x 1.19	24	2.5	\$768	N/A	N/A	N/A	N/A
GSBTP2436LK	36 x 24 x 1.19	29	3	\$895	N/A	N/A	N/A	N/A
GSBTP3036LK	36 x 30 x 1.19	37	3.5	\$942	N/A	N/A	N/A	N/A
Veneer (2)								
GSBTP2430V	30 x 24 x 1.19	24	2.5	\$1038	N/A	N/A	N/A	\$72
GSBTP2436V	36 x 24 x 1.19	29	3	\$1100	N/A	N/A	N/A	\$72
GSBTP3036V	36 x 30 x 1.19	37	3.5	\$1166	N/A	N/A	N/A	\$72
Solid surface,	, flat edge ^{(3) (4)}							
GSBTP2430SF	24 x 29.8 x 1.2	5 38	1.8	\$2035	N/A	\$176	\$206	N/A
GSBTP2436SF	24 x 36 x 1.25	45	2.1	\$2295	N/A	\$223	\$206	N/A
GSBTP3036SF	29.8 x 36 x 1.2	5 57	2.1	\$2606	N/A	\$248	\$206	N/A
	(0)(4)							
	, knife edge ^{(3) (4)}			*****			****	
GSBTP2430SK	24 x 29.8 x 1.2		1.8	\$2453	N/A	\$218	\$206	N/A
GSBTP2436SK	24 x 36 x 1.25	45	2.1	\$2664	N/A	\$271	\$206	N/A
GSBTP3036SK	29.8 x 36 x 1.2	25 57	2.1	\$3006	N/A	\$300	\$206	N/A

Rectangular Tops

Applicable bases to use with above tops: GRB22Hxx round base or GSB19Hxx square base (15", 21", 26", 28" 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish (1)

Optional specifications HP laminate ⁽¹⁾ Knife edge (2) Grade 2 solid surface (3) 3" radiused corners (4) Q2 cut-out for single port module

Applicable bases

Round bases: GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41 Square bases: GSB19H15, GSB19H21, GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories Single port modules



SWAP[™] TABLES S

ASES FOR TOPS 24" - 36"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
		W x D x H					
	BASE VALID FO	R TOPS ON PAGES 333-3	34 :				
- $+$	GRB22H15	22 x - x 15	47.6	4.69	\$793	\$147	\$211
5"	GRB22H21	22 x - x 13 22 x - x 21	47.0	6.45	\$793	\$147	\$211
	GRB22H26	22 x - x 21 22 x - x 26	40.0 55	8.63	\$793	\$147	\$211
	GRB22	22 x - x 20 22 x - x 28	55	9.33	\$793	\$147	\$221
	GRB22H35	22 x - x 20 22 x - x 35	57.1	12	\$831	\$147	\$253
	GRB22H41	22 x - x 35 22 x - x 40.5	58.3	12	\$844	\$104	\$255
Dia Bound Bases	GRB22H15 - coff GRB22H21 - end	0	B22H26 - lour B22 - seated l	0 0		H35 - counter	0
Dia Round Bases (1)	GRB22H21 - end	table height GR	B22 - seated I	neight	GRB22	H41 - bar heig	Jht
~	GRB22H21 - end GSB19H15	table height GR 18.5 x 18.5 x 15	B22 - seated 43.7	0 0		H41 - bar heig \$136	9ht \$204
7	GRB22H21 - end	table height GR	B22 - seated I	neight	GRB22	H41 - bar heig	\$204 \$204
$\overline{\gamma}$	GRB22H21 - end GSB19H15	table height GR 18.5 x 18.5 x 15	B22 - seated 43.7	3.52	GRB22 \$857	H41 - bar heig \$136	9ht \$204
$\overline{\gamma}$	GRB22H21 - end GSB19H15 GSB19H21	table height GR 18.5 x 18.5 x 15 18.5 x 18.5 x 21	B22 - seated 1 43.7 44.8	3.52 4.84	GRB22 \$857 \$857	H41 - bar heig \$136 \$136	\$204 \$204
5"	GRB22H21 - end GSB19H15 GSB19H21 GSB19H26	table height GR 18.5 x 18.5 x 15 18.5 x 18.5 x 21 18.5 x 18.5 x 21 18.5 x 18.5 x 26	B22 - seated 43.7 44.8 50	3.52 4.84 5.94	GRB22 \$857 \$857 \$857	H41 - bar heig \$136 \$136 \$136	\$204 \$204 \$204 \$212
- 7	GRB22H21 - end GSB19H15 GSB19H21 GSB19H26 GSB19	18.5 x 18.5 x 15 18.5 x 18.5 x 21 18.5 x 18.5 x 21 18.5 x 18.5 x 26 18.5 x 18.5 x 28	B22 - seated 43.7 44.8 50 50	3.52 4.84 5.94 6.06	GRB22 \$857 \$857 \$857 \$857 \$857	H41 - bar heig \$136 \$136 \$136 \$136 \$136	\$204 \$204 \$204 \$212 \$212
Dia Round Bases (1)	GRB22H21 - end GSB19H15 GSB19H21 GSB19H26 GSB19 GSB19H35	18.5 x 18.5 x 15 18.5 x 18.5 x 15 18.5 x 18.5 x 21 18.5 x 18.5 x 26 18.5 x 18.5 x 28 18.5 x 18.5 x 35 18.5 x 18.5 x 40.5	B22 - seated 43.7 44.8 50 50 51.8	3.52 4.84 5.94 6.06 7.52 8.77	GRB22 \$857 \$857 \$857 \$857 \$857 \$906 \$937	H41 - bar heig \$136 \$136 \$136 \$136 \$136 \$136 \$151	\$204 \$204 \$212 \$212 \$262 \$262 \$267

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Base top plate and base plate include pass-through for single port power or USB module (sold separately). Available in paint and plated finishes as listed on page 323. Upcharge applies on plated finishes.

Required specifications Finish Optional specifications Plated finish ⁽¹⁾

global

S SWAP[™] TABLES

ROUND


MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
	W x D x H							
Thermally fus	ed laminate, flat e	dge (1)						
GRBTP42	42 x - x 1	44	2.5	\$424	\$174	N/A	N/A	N/A
GRBTP48	48 x - x 1	56	3	\$452	\$188	N/A	N/A	N/A
High pressure	e laminate, knife e	dge						
GRBTP42LK	42 x - x 1.19	53	5	\$1432	N/A	N/A	N/A	N/A
GRBTP48LK	48 x - x 1.19	67	6.5	\$1637	N/A	N/A	N/A	N/A
Veneer (2)								
GRBTP42V	42 x - x 1.19	53	5	\$1718	N/A	N/A	N/A	\$72
GRBTP48V	48 x - x 1.19	67	6.5	\$1965	N/A	N/A	N/A	\$81
Solid surface	, flat edge ⁽³⁾							
GRBTP42SF	42 x - x 1.25	73	3.4	\$4029	N/A	\$453	N/A	N/A
GRBTP48SF	48 x - x 1.25	95	4.3	\$4588	N/A	\$576	N/A	N/A

Round Tops

SQUARE/RECTANGULAR TOPS, 42"W

 \bigcirc

Rectangular Tops



Square Tops

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

GSBTP3042	42 x 30 x 1	36	1.55	\$392	\$169	N/A	\$39.20	N/A
GSBTP3642	42 x 36 x 1	43	1.86	\$421	\$182	N/A	\$42.10	N/A
GSBTP42	42 x 42 x 1	58	2.5	\$424	\$174	N/A	\$42.40	N/A
High pressure l	aminate, knife edg	Ie						
GSBTP3042LK	42 x 30 x 1.19	43	4	\$1013	N/A	N/A	N/A	N/A
GSBTP3642LK	42 x 36 x 1.19	52	4.5	\$1075	N/A	N/A	N/A	N/A
GSBTP42LK	42 x 42 x 1.19	70	5	\$1120	N/A	N/A	N/A	N/A
Veneer ⁽²⁾								
GSBTP3042V	42 x 30 x 1.19	43	4	\$1274	N/A	N/A	N/A	\$56
GSBTP3642V	42 x 36 x 1.19	52	4.5	\$1330	N/A	N/A	N/A	\$66
GSBTP42V	42 x 42 x 1.19	70	5	\$1560	N/A	N/A	N/A	\$72
Solid surface, f	lat edge (3) (4)							
GSBTP3042SF	29.8 x 42 x 1.25	66	2.9	\$2736	N/A	\$300	\$206	N/A
GSBTP3642SF	36 x 42 x 1.25	79	2.9	\$3511	N/A	\$400	\$206	N/A
GSBTP42SF	42 x 42 x 1.25	92	3.4	\$3659	N/A	\$436	\$206	N/A
Solid surface, k	nife edge ^{(3) (4)}							
GSBTP3042SK	29.8 x 42 x 1.25	66	2.9	\$3205	N/A	\$353	\$206	N/A
GSBTP3642SK	36 x 42 x 1.25	79	2.9	\$4052	N/A	\$476	\$206	N/A
GSBTP42SK	42 x 42 x 1.25	92	3.4	\$4242	N/A	\$529	\$206	N/A

Applicable bases to use with above tops: GRB28 round base or GSB23 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

Required specifications Top finish Edge finish ⁽¹⁾ Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾ Applicable bases GRB28 - round GSB23 - square



SWAP[™] TABLES S

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	W x D x H					
BASES VALID FO	R TOPS ON PAGE 336:					
GRB28	28 x - x 28	100	15.63	\$1250	\$147	\$372
seated height						
GSB23 seated height	22.5 x 22.5 x 28	82	9.33	\$1146	\$136	\$235
	BASES VALID FO GRB28 seated height GSB23	W x D x H BASES VALID FOR TOPS ON PAGE 336: GRB28 28 x - x 28 seated height GSB23 22.5 x 22.5 x 28	W x D x HBASES VALID FOR TOPS ON PAGE 336:GRB2828 x - x 28100seated heightseated height5GSB2322.5 x 22.5 x 2882	W x D x H BASES VALID FOR TOPS ON PAGE 336: GRB28 28 x - x 28 100 15.63 seated height Seated height 9.33	W x D x H BASES VALID FOR TOPS ON PAGE 336: GRB28 28 x - x 28 100 15.63 \$1250 seated height	W x D x H BASES VALID FOR TOPS ON PAGE 336: GRB28 28 x - x 28 100 15.63 \$1250 \$147 seated height Seated height Seated height \$1250 \$147

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 323. Upcharge applies on plated finishes.

Required Specifications Finish Optional Specifications Plated finish

global

23" Square Base

S SWAP[™] TABLES

) TOPS, 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
		W x D x H							
	Thermally fus	sed laminate, flat o	edge (1)						
	GRBTP54	54 x - x 1	73	4.5	\$603	\$271	N/A	N/A	N/A
	GRBTP60	60 x - x 1	92	5	\$627	\$282	N/A	N/A	N/A
	High pressur	e laminate, knife e	edge						
	GRBTP54LK	54 x - x 1.19	88	8	\$1847	N/A	N/A	N/A	N/A
	GRBTP60LK	60 x - x 1.19	110	10	\$2276	N/A	N/A	N/A	N/A
	Veneer ⁽²⁾								
	GRBTP54V	54 x - x 1.19	88	8	\$2507	N/A	N/A	N/A	\$97
	GRBTP60V	60 x - x 1.19	110	10	\$3094	N/A	N/A	N/A	\$102
	Solid surface	, flat edge (3)							
	GRBTP54SF	54 x - x 1.25	120	5.4	\$4971	N/A	\$706	N/A	N/A
	GRBTP60SF	60 x - x 1.25	148	6.7	\$6530	N/A	\$882	N/A	N/A
	Solid surface	, knife edge (3)							
	GRBTP54SK	54 x - x 1.25	120	5.4	\$5876	N/A	\$888	N/A	N/A
	GRBTP60SK	60 x - x 1.25	148	6.7	\$7189	N/A	\$1077	N/A	N/A

Round Tops

Applicable bases to use with above tops: GRB34 round base or GSB28 square base (28"H). Tops feature metal inserts for ease of assembly to base. One base required.

BASES FOR TOPS 54" - 60"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	ACO / SBR	
		W x D x H						
		OR TOPS ABOVE:						
$\langle \gamma \rangle$	Order the quant	ity of bases as indicated	l by each top	size.				
	GRB34	34 x - x 28	135	20.56	\$1538	\$147	\$449	
\bigcirc	seated height							
34" Dia Round Base								
$\langle \rangle$	GSB28	28.5 x 28.5 x 28	125	15.63	\$1432	\$136	\$242	
	seated height							
28″ Square Base	Base comes fully	assembled and features 0.	5″ adjustable	glides to level o	on uneven surfa	ces. Screws ii	ncluded with	base for
	attaching to appr	opriate top(s). Available in	paint and plate	ed finishes as lis	sted on page 323	 Upcharge approximately 	oplies on plate	ed finishes
	Required specific	ations	Optional speci	ifications		pplicable bas	00	
	Top finish		HP laminate (1)		P	BB34 - round	63	

Top finish Edge finish ⁽¹⁾ Base finish **Optional specification** HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grade 2 solid surface ⁽³⁾ Base plated finish

Applicable bases GRB34 - round GSB28 - square



SWAP[™] TABLES S

R LOUNGE TOPS, 24"D	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
		W x D x H							
	Thermally fus	ed laminate, flat ed	ge (1) (4)						
	GRT5STP	60 x 24 x 1	41	1.79	\$406	\$173	N/A	\$40.60	N/A
	GRT5HSTP	66 x 24 x 1	46	1.97	\$474	\$173	N/A	\$47.40	N/A
	GRT6STP	72 x 24 x 1	49	2.14	\$494	\$184	N/A	\$49.40	N/A
	GRT7STP	84 x 24 x 1	57	2.49	\$573	\$219	N/A	\$49.40	N/A
	GRT8STP	96 x 24 x 1	66	2.84	\$615	\$240	N/A	\$61.50	N/A
	High pressure	laminate, knife ed	ae						
	GRT5STPLK	60 x 24 x 1.19	49	4	\$1100	N/A	N/A	N/A	N/A
	GRT5HSTPLK	66 x 24 x 1.19	55	4.5	\$1166	N/A	N/A	N/A	N/A
	GRT6STPLK	72 x 24 x 1.19	59	5	\$1228	N/A	N/A	N/A	N/A
	GRT7STPLK	84 x 24 x 1.19	68	5.5	\$1356	N/A	N/A	N/A	N/A
	GRT8STPLK	96 x 24 x 1.19	79	6.5	\$1535	N/A	N/A	N/A	N/A
	GRT5STPV	60 x 24 x 1.19	49	4	\$1356	N/A	N/A	N/A	\$66
	GRT5HSTPV	66 x 24 x 1.19	55	4.5	\$1422	N/A	N/A	N/A	\$66
	GRT6STPV	72 x 24 x 1.19	59	5	\$1550	N/A	N/A	N/A	\$66
	GRT7STPV	84 x 24 x 1.19	68	5.5	\$1806	N/A	N/A	N/A	\$66
	GRT8STPV	96 x 24 x 1.19	79	6.5	\$2061	N/A	N/A	N/A	\$66
	Solid surface,	flat odgo (3) (4)							
	GRT5STPSF	60 x 24 x 1.25	75	2.8	\$3941	N/A	\$441	\$206	N/A
	GRT5HSTPSF	66 x 24 x 1.25	83	3.1	\$4117	N/A	\$453	\$206	N/A
	GRT6STPSF	71.8 x 24 x 1.25		3.3	\$4341	N/A	\$464	\$206	N/A
	GRT7STPSF	84 x 24 x 1.25	105	3.9	\$4824	N/A	\$606	\$206	N/A
	GRT8STPSF	96 x 24 x 1.25	120	4.4	\$5294	N/A	\$617	\$206	N/A
		(0)/*							
	Solid surface, GRT5STPSK	knife edge ^{(3) (4)} 60 x 24 x 1.25	75	2.8	\$4441	N/A	\$471	\$206	N/A
~	GRT5HSTPSK	66 x 24 x 1.25	83	3.1	\$4441	N/A N/A	\$471	\$206	,
									N/A
\geq	GRT6STPSK	71.8 x 24 x 1.25		3.3	\$4841	N/A	\$518	\$206	N/A
	GRT7STPSK	84 x 24 x 1.25	105	3.9	\$5518	N/A	\$671	\$206	N/A
	GRT8STPSK	96 x 24 x 1.25	120	4.4	\$6006	N/A	\$694	\$206	N/A

Applicable bases to use with above tops - <u>two</u> bases required: GRB22Hxx round bases or GSB19Hxx square bases (26", 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. 24"D tops not recommended with 28"H bases.



Edge finish (1)

Required specifications

Optional specifications							
HP laminate ⁽¹⁾	Knife edge ⁽²⁾						
Grade 2 solid surface (3)							
3" radiused corners (4)							
Grommet position or powe	er block cut-out						

Applicable bases (two required) Round bases: GRB22H26, GRB22H35, GRB22H41

GSB19H26, GSB19H35, GSB19H41

Square bases:

Accessories Power block

globalfurnituregroup.com | canadian global

Rectangular Tops

RACETRACK LOUNGE TOPS, 24"D

Racetrack Tops

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADE
	W x D x H					
Thermally fused	laminate, flat edge (1)					
GRC5STP	60 x 24 x 1	41	1.79	\$406	\$173	N/A
GRC5HSTP	66 x 24 x 1	46	1.97	\$474	\$173	N/A
GRC6STP	72 x 24 x 1	49	2.14	\$494	\$185	N/A
GRC7STP	84 x 24 x 1	57	2.49	\$573	\$222	N/A
GRC8STP	96 x 24 x 1	66	2.84	\$615	\$244	N/A
High pressure la	minate, knife edge					
GRC5STPLK	60 x 24 x 1.19	49	4	\$1356	N/A	N/A
GRC5HSTPLK	66 x 24 x 1.19	55	4.5	\$1484	N/A	N/A
GRC6STPLK	72 x 24 x 1.19	59	5	\$1612	N/A	N/A
GRC7STPLK	84 x 24 x 1.19	68	5.5	\$1739	N/A	N/A
GRC8STPLK	96 x 24 x 1.19	79	6.5	\$1868	N/A	N/A
Veneer (2)						
GRC5STPV	60 x 24 x 1.19	49	4	\$1612	N/A	\$230
GRC5HSTPV	66 x 24 x 1.19	55	4.5	\$1766	N/A	\$256
GRC6STPV	72 x 24 x 1.19	59	5	\$1918	N/A	\$275
GRC7STPV	84 x 24 x 1.19	68	5.5	\$2225	N/A	\$275
GRC8STPV	96 x 24 x 1.19	79	6.5	\$2532	N/A	\$275

Applicable bases to use with above tops - <u>two</u> bases required: GRB22Hxx round bases or GSB19Hxx square bases (26", 35" or 40.5"H). Tops feature metal inserts for ease of assembly to base. 24"D tops not recommended with 28"H bases.

Required specifications Top finish Edge finish ⁽¹⁾

Optional specifications HP laminate ⁽¹⁾

Knife edge ⁽²⁾ Grommet position or power block cut-out

Applicable bases (two required)

Round bases: GRB22H26, GRB22H35, GRB22H41 Square bases: GSB19H26, GSB19H35, GSB19H41 Accessories Power block

global

TANGULAR TOPS, 60" - 96"W	MODEL #	DIMENSIONS V	NT/LB.	CUBIC FT.	LIST PRICE	HP ADD	GRADE 2	R3 ADD	KS ADD
		W x D x H							
		ed laminate, flat edg	e ^{(1) (4)}						
	GRT5NTP	60 x 30 x 1	46	2.5	\$414	\$173	N/A	\$41.40	N/A
	GRT5NHTP	66 x 30 x 1	56	2.44	\$443	\$184	N/A	\$44.30	N/A
	GRT6NTP	72 x 30 x 1	62	3	\$449	\$194	N/A	\$44.90	N/A
	GRT7NTP	84 x 30 x 1	72	7.5	\$536	\$231	N/A	\$53.60	N/A
	GRT8NTP	96 x 30 x 1	80	8.5	\$592	\$241	N/A	\$59.20	N/A
	GRT5TP	60 x 36 x 1	70	6.6	\$472	\$188	N/A	\$47.20	N/A
	GRT5HTP	66 x 36 x 1	79	7.21	\$481	\$195	N/A	\$48.10	N/A
	GRT6TP	72 x 36 x 1	72	8	\$481	\$195	N/A	\$48.10	N/A
	GRT7TP								
		84 x 36 x 1	85	8.75	\$591	\$241	N/A	\$59.10	N/A
	GRT8TP	96 x 36 x 1	94	9	\$648	\$275	N/A	\$64.80	N/A
	High pressure	e laminate, knife edg	е						
	GRT5NTPLK	60 x 30 x 1.19	55	5	\$1218	N/A	N/A	N/A	N/A
	GRT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1330	N/A	N/A	N/A	N/A
	GRT6NTPLK	72 x 30 x 1.19	74	6	\$1448	N/A	N/A	N/A	N/A
	GRT7NTPLK	84 x 30 x 1.19	86	7	\$1668	N/A	N/A	N/A	N/A
	GRT8NTPLK	96 x 30 x 1.19	96	8	\$1898	N/A	N/A	N/A	N/A
	GRT5TPLK	60 x 36 x 1.19	84	6	\$1448	N/A	N/A	N/A	N/A
	GRT5HTPLK	66 x 36 x 1.19	95	6.5	\$1581	N/A	N/A	N/A	N/A
	GRT6TPLK	72 x 36 x 1.19	86	7	\$1719	N/A	N/A	N/A	N/A
	GRT7TPLK	84 x 36 x 1.19	102	8	\$1990	N/A	N/A	N/A	N/A
	GRT8TPLK	96 x 36 x 1.19	113	9	\$2266	N/A	N/A	N/A	N/A
								•/ * *	,
	Veneer ⁽²⁾								
	GRT5NTPV	60 x 30 x 1.19	55	5	\$1663	N/A	N/A	N/A	\$77
	GRT5NHTPV	66 x 30 x 1.19	67	5.5	\$1770	N/A	N/A	N/A	\$77
	GRT6NTPV	72 x 30 x 1.19	74	6	\$1898	N/A	N/A	N/A	\$97
	GRT7NTPV	84 x 30 x 1.19	86	7	\$2204	N/A	N/A	N/A	\$112
	GRT8NTPV	96 x 30 x 1.19	96	8	\$2507	N/A	N/A	N/A	\$128
	GRT5TPV	60 x 36 x 1.19	84	6	\$1898	N/A	N/A	N/A	\$97
	GRT5HTPV	66 x 36 x 1.19	95	6.5	\$2072	N/A	N/A	N/A	\$128
	GRT6TPV	72 x 36 x 1.19	86	7	\$2251	N/A	N/A	N/A	\$143
	GRT7TPV	84 x 36 x 1.19	102	8	\$2614	N/A	N/A	N/A	\$164
	GRT8TPV	96 x 36 x 1.19	113	9	\$2982	N/A	N/A	N/A	\$179
	Solid surface	, flat edge (3) (4)							
	GRT5NTPSF	60 x 29.8 x 1.25	94	3.4	\$4106	N/A	\$436	\$206	N/A
	GRT5NHTPSF	66 x 29.8 x 1.25	104	3.8	\$4406	N/A	\$506	\$206	N/A
	GRT6NTPSF	71.8 x 29.8 x 1.25		4.1	\$5029	N/A	\$706	\$206	N/A
	GRT7NTPSF	84 x 29.8 x 1.25	132	4.8	\$5836	N/A	\$694	\$206	N/A
	GRT8NTPSF	96 x 29.8 x 1.25	150	5.4	\$6423	N/A	\$900	\$206	N/A
	GRT5TPSF	60 x 36 x 1.25	113	4.1	\$5465	N/A	\$647	\$206	N/A
	GRT5HTPSF	66 x 36 x 1.25	124	4.5	\$5641	N/A	\$647	\$206	N/A
	GRT6TPSF	71.8 x 36 x 1.25	135	4.9	\$6229	N/A	\$706	\$206	N/A
	GRT7TPSF	84 x 36 x 1.25	158	5.7	\$6776	N/A	\$853	\$206	N/A
	GRT8TPSF	96 x 36 x 1.25	180	6.5	\$7271	N/A	\$894	\$206	N/A
	Salid eurfaaa	, knife edge ^{(3) (4)}							
	GRT5NTPSK	60 x 29.8 x 1.25	94	3.4	\$4494	N/A	\$494	\$206	N/A
	GRT5NHTPSK	66 x 29.8 x 1.25		3.8	\$4853	N/A	\$576	\$206	N/A
	GRT6NTPSK	71.8 x 29.8 x 1.25		4.1	\$5470	N/A	\$789	\$206	N/A
	GRT7NTPSK	84 x 29.8 x 1.25		4.1	\$6277	N/A N/A	\$789	\$200	N/A
	GRT8NTPSK	96 x 29.8 x 1.25	150	5.4	\$6971	N/A	\$1005	\$206	N/A
\sim	GRT5TPSK	60 x 36 x 1.25	113	4.1	\$6053	N/A	\$729	\$206	N/A
$\langle \rangle$	GRT5HTPSK	66 x 36 x 1.25	124	4.5	\$6206	N/A	\$741	\$206	N/A
	GRT6TPSK	71.8 x 36 x 1.25	135	4.9	\$6876	N/A	\$812	\$206	N/A
	GRT7TPSK	84 x 36 x 1.25	158	5.7	\$7429	N/A	\$970	\$206	N/A
	GRT8TPSK	96 x 36 x 1.25	180	6.5	\$7911	N/A	\$1023	\$206	N/A
	Ginon ok	55 X 66 X 1.20		0.0	41011		÷	4230	1 1/11

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Applicable bases (two required) Round bases:

GRB22H26, GRB22, GRB22H35, GRB22H41

Accessories Power block

Required specifications	Optional specifications	;
Top finish	HP laminate ⁽¹⁾	Knife edge ⁽²⁾
Edge finish (1)	Grade 2 solid surface ⁽³⁾ 3" radiused corners ⁽⁴⁾	

3" radiused corners ⁽⁴⁾ Grommet position or power block cut-out	Square bases: GSB19H26, GSB19, GSB19H35, GSB19H41

alob

RACETRA

" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
		W x D x H					
	Thermally fused l	laminate, flat edge (1)					
	GRC5NTP	60 x 30 x 1	46	2.5	\$422	\$178	N/A
	GRC5NHTP	66 x 30 x 1	56	2.44	\$457	\$187	N/A
	GRC6NTP	72 x 30 x 1	62	3	\$459	\$195	N/A
	GRC7NTP	84 x 30 x 1	72	7.5	\$548	\$233	N/A
	GRC8NTP	96 x 30 x 1	80	8.5	\$601	\$244	N/A
	GRC5TP	60 x 36 x 1	70	6.6	\$483	\$195	N/A
	GRC5HTP	66 x 36 x 1	79	7.21	\$488	\$199	N/A
	GRC6TP	72 x 36 x 1	72	7.5	\$488	\$199	N/A
	GRC7TP	84 x 36 x 1	85	8.75	\$600	\$244	N/A
	GRC8TP	96 x 36 x 1	94	9	\$659	\$275	N/A
	0 1	ninate, knife edge					
	GRC5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A	N/A
	GRC5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A	N/A
	GRC6NTPLK	72 x 30 x 1.19	74	6	\$1990	N/A	N/A
	GRC7NTPLK	84 x 30 x 1.19	86	7	\$2133	N/A	N/A
	GRC8NTPLK	96 x 30 x 1.19	96	8	\$2287	N/A	N/A
	GRC5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A	N/A
	GRC5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A	N/A
	GRC6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A	N/A
	GRC7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A	N/A
	GRC8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A	N/A
	Veneer (2)						
	GRC5NTPV	60 x 30 x 1.19	55	5	\$1882	N/A	\$271
	GRC5NHTPV	66 x 30 x 1.19	67	5.5	\$2026	N/A	\$292
	GRC6NTPV	72 x 30 x 1.19	74	6	\$2175	N/A	\$312
	GRC7NTPV	84 x 30 x 1.19	86	7	\$2527	N/A	\$363
	GRC8NTPV	96 x 30 x 1.19	96	8	\$2870	N/A	\$415
	GRC5TPV	60 x 36 x 1.19	84	6	\$2175	N/A	\$312
	GRC5HTPV	66 x 36 x 1.19	95	6.5	\$2374	N/A	\$343
	GRC6TPV	72 x 36 x 1.19	86	7	\$2578	N/A	\$373
$\overline{}$	GRC7TPV	84 x 36 x 1.19	102	8	\$2998	N/A	\$435
	GRC8TPV	96 x 36 x 1.19	113	9	\$3417	N/A	\$496

Racetrack Tops

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

Required specifications . Edge finish ⁽¹⁾

Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grommet position or power block cut-out

Applicable bases (two required)

Round bases: GRB22H26, GRB22, GRB22H35, GRB22H41 Square bases: GSB19H26, GSB19, GSB19H35, GSB19H41

Accessories Power block

' SHAPE TOPS, 60" - 96"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD
		W x D x H					
	Thermally fused	laminate, flat edge (1)					
	GBT5NTP	60 x 30 x 1	46	2.5	\$422	\$178	N/A
	GBT5NHTP	66 x 30 x 1	56	2.44	\$457	\$187	N/A
	GBT6NTP	72 x 30 x 1	62	3	\$459	\$195	N/A
	GBT7NTP	84 x 30 x 1	72	7.5	\$548	\$233	N/A
	GBT8NTP	96 x 30 x 1	80	8.5	\$601	\$244	N/A
	GBT5TP	60 x 36 x 1	70	6.6	\$483	\$195	N/A
	GBT5HTP	66 x 36 x 1	79	7.21	\$488	\$199	N/A
	GBT6TP	72 x 36 x 1	72	7.5	\$488	\$199	N/A
	GBT7TP	84 x 36 x 1	85	8.75	\$600	\$244	N/A
	GBT8TP	96 x 36 x 1	94	9	\$659	\$275	N/A
	High pressure la	minate, knife edge					
	GBT5NTPLK	60 x 30 x 1.19	55	5	\$1673	N/A	N/A
	GBT5NHTPLK	66 x 30 x 1.19	67	5.5	\$1826	N/A	N/A
	GBT6NTPLK	72 x 30 x 1.19	74	6	\$1990	N/A	N/A
	GBT7NTPLK	84 x 30 x 1.19	86	7	\$2133	N/A	N/A
	GBT8NTPLK	96 x 30 x 1.19	96	8	\$2287	N/A	N/A
	GBT5TPLK	60 x 36 x 1.19	84	6	\$1826	N/A	N/A
	GBT5HTPLK	66 x 36 x 1.19	95	6.5	\$1980	N/A	N/A
	GBT6TPLK	72 x 36 x 1.19	86	7	\$2144	N/A	N/A
	GBT7TPLK	84 x 36 x 1.19	102	8	\$2451	N/A	N/A
	GBT8TPLK	96 x 36 x 1.19	113	9	\$2758	N/A	N/A
	Veneer ⁽²⁾						
	GBT5NTPV	60 x 30 x 1.19	55	5	\$1882	N/A	\$271
	GBT5NHTPV	66 x 30 x 1.19	67	5.5	\$2026	N/A	\$292
	GBT6NTPV	72 x 30 x 1.19	74	6	\$2175	N/A	\$312
	GBT7NTPV	84 x 30 x 1.19	86	7	\$2527	N/A	\$363
	GBT8NTPV	96 x 30 x 1.19	96	8	\$2870	N/A	\$415
	GBT5TPV	60 x 36 x 1.19	84	6	\$2175	N/A	\$312
	GBT5HTPV	66 x 36 x 1.19	95	6.5	\$2374	N/A	\$343
	GBT6TPV	72 x 36 x 1.19	86	7	\$2578	N/A	\$373
	GBT7TPV	84 x 36 x 1.19	102	8	\$2998	N/A	\$435
	GBT8TPV	96 x 36 x 1.19	113	9	\$3417	N/A	\$496

Applicable bases to use with above tops - two bases required: GRB22H26, GRB22, GRB22H35, GRB22H41 round bases or GSB19H26, GSB19, GSB19H35, GSB19H41 square bases. Tops feature metal inserts for ease of assembly to base.

• GBTxNTP/GBTxNHTP: 30"D across center and 24"D at ends.

• GBTxTP/GBTxHTP: 36"D across center and 28"D at ends.



Boat Shape Tops




global

Optional specifications	Applicable bases (two required)	Accessories	
HP laminate (1)	Round bases:	Power block	
Knife edge (2)	GRB22H26, GRB22, GRB22H35, GRB22H41		
Grommet position or power block cut-out	Square bases:		
	GSB19H26, GSB19, GSB19H35, GSB19H41		



BASES FOR TOPS 60" - 96"W



22" Dia Round Bases



18.5" Square Bases

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	BCH / CHM	
Order the quant	ity of bases as indicate	ed by each top	size.			
GRB22H26	22 x - x 26	55	8.63	\$793	\$147	\$221
GRB22	22 x - x 28	55	9.33	\$793	\$147	\$221
GRB22H35	22 x - x 35	57.1	12	\$831	\$164	\$253
GRB22H41	22 x - x 40.5	58.3	14	\$844	\$171	\$259

GRB22H26 - lounge height GRB22 - seated height GRB22H35 - counter height GRB22H41 - bar height

GSB19H26	18.5 x 18.5 x 26	50	5.94	\$857	\$136	\$212
GSB19	18.5 x 18.5 x 28	50	6.06	\$857	\$136	\$212
GSB19H35	18.5 x 18.5 x 35	51.8	7.52	\$906	\$151	\$262
GSB19H41	18.5 x 18.5 x 40.5	53.2	8.77	\$937	\$166	\$267

GSB19H26 - lounge height GSB19 - seated height GSB19H35 - counter height GSB19H41 - bar height

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint and plated finishes as listed on page 323. Upcharge applies on plated finishes.

Required Specifications Finish Optional Specifications Plated finish



TANGULAR TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	R3 ADD	KS ADD
	Thermally fue	W x D x H d laminate, flat ed	ne (1 nied	re ton - 2 has	es required)	(1)(4)		
	GRT8MTP	96 x 42 x 1	128	11.84	\$1221	\$504	\$122.10	N/A
	GRT8WTP	96 x 48 x 1	190	14	\$1221	\$512	\$122.10	N/A
			100		÷		+	,,,
		d laminate, flat ed	ge (2 pie	ce tops - 3 ba	ses required	(1)(4)		
	GRT10WTP	120 x 48 x 1	220	17	\$1537	\$636	\$153.70	N/A
	GRT12WTP	144 x 48 x 1	262	21	\$1791	\$739	\$179.10	N/A
	Uish sussesses	lominato knifo od	na (1 nia)	atan 2kas	a na mainad)			
	GRT8MTPLK	laminate, knife ed 96 x 42 x 1.19			-	NI / A	NI /A	NI / A
	GRT8WTPLK		154	11	\$3069	N/A	N/A	N/A
	GNIOVVIPLK	96 x48 x 1.19	228	12	\$3432	N/A	N/A	N/A
	High pressure	laminate, knife ed	ge (2 piec	ce tops - 3 ba	ses required)		
	GRT10WTPLK	120 x 48 x 1.19	264	15	\$4630	N/A	N/A	N/A
	GRT12WTPLK	144 x 48 x 1.19	314	18	\$5524	N/A	N/A	N/A
		e top - 2 bases req			A05	N1 / 1	N1 / 1	6070
	GRT8MTPV	96 x 42 x 1.19	154	11	\$3903	N/A	N/A	\$378
\sim	GRT8WTPV	96 x48 x 1.19	228	12	\$4389	N/A	N/A	\$430
	Veneer (2 niec	e tops - 3 bases re	auired) (2)					
	GRT10WTPV	120 x 48 x 1.19	264	15	\$5821	N/A	N/A	\$573
\rightarrow	GRT12WTPV	144 x 48 x 1.19	314	18	\$6952	N/A	N/A	\$685
ETRACK TOPS, 96″ - 144″W	<u>Two</u> bases req Tops feature met	al inserts for ease of						
FRACK TOPS, 96" - 144"W	Tops feature met		assembly	to base.		(1)		
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP	al inserts for ease of d laminate, flat ed 96 x 42 x 1	assembly ge (1 pied 128	to base. ce top - 2 bas 11.84	es required) \$1240	\$504	N/A	N/A
RACK TOPS, 96" - 144"W	Tops feature met	al inserts for ease of d laminate, flat ed	assembly ge (1 pied	to base. ce top - 2 bas	es required)		N/A N/A	N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1	ge (1 pie 128 190	to base. ce top - 2 bas 11.84 14	es required) \$1240 \$1240	\$504 \$512		
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse	al inserts for ease of a laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed	ge (1 pied 128 190 ge (2 pied	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba	es required) \$1240 \$1240 \$1240 ses required	\$504 \$512) ⁽¹⁾	N/A	N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1	ge (1 pie 128 190 ge (2 pie 220	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17	es required) \$1240 \$1240 \$1240 ses required \$1560	\$504 \$512) ⁽¹⁾ \$636	N/A N/A	N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1	ge (1 pie 128 190 ge (2 pie 220 262	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21	es required) \$1240 \$1240 ses required \$1560 \$1818	\$504 \$512) ⁽¹⁾	N/A	N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie ge (1 pie	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas	es required) \$1240 \$1240 ses required \$1560 \$1818 es required)	\$504 \$512) ⁽¹⁾ \$636 \$739	N/A N/A N/A	N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie 154	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658	\$504 \$512) (1) \$636 \$739 N/A	N/A N/A N/A	N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie ge (1 pie	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas	es required) \$1240 \$1240 ses required \$1560 \$1818 es required)	\$504 \$512) ⁽¹⁾ \$636 \$739	N/A N/A N/A	N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie 154 228	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169	\$504 \$512 (1) \$636 \$739 N/A N/A	N/A N/A N/A	N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie 154 228	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169	\$504 \$512 (1) \$636 \$739 N/A N/A	N/A N/A N/A N/A	N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed	ge (1 pie 128 190 ge (2 pie 220 262 ge (1 pie 154 228 ge (2 pie 262	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce tops - 3 ba	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required	\$504 \$512 (1) \$636 \$739 N/A N/A	N/A N/A N/A	N/A N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 144 x 48 x 1.19	ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192	\$504 \$512 (1) \$636 \$739 N/A N/A N/A	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piece	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req	ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce tops - 3 ba 15 18	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215	\$504 \$512 (1) \$636 \$739 N/A N/A N/A	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piec: GRC8MTPV	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19	ge (1 pied 128 190 220 262 262 262 262 264 314 228 264 314 264 314	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce tops - 3 ba 15 18 11 12	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A \$455
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piece	al inserts for ease of d laminate, flat ed 96 x 42 x 1 96 x 48 x 1 d laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req	ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce tops - 3 ba 15 18	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215	\$504 \$512 (1) \$636 \$739 N/A N/A N/A	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piec: GRC8WTPV GRC8WTPV	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) (2) 154 228	to base. Ce top - 2 bas 11.84 14 Ce tops - 3 ba 17 21 Ce top - 2 bas 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A \$455
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piec: GRC8WTPV Veneer (2 piec:	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾	to base. Ce top - 2 bas 11.84 14 Ce tops - 3 ba 17 21 Ce top - 2 bas 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 \$506
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8MTPLK GRC12WTPLK Veneer (1 piec: GRC8WTPV GRC8WTPV Veneer (2 piec: GRC10WTPV	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾	to base. Ce top - 2 bas 11.84 14 Ce tops - 3 ba 17 21 Ce top - 2 bas 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 15 18	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141 \$6727	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 S506 \$666
RACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC12WTPLK Veneer (1 piec: GRC8WTPV Veneer (2 piec:	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾	to base. Ce top - 2 bas 11.84 14 Ce tops - 3 ba 17 21 Ce top - 2 bas 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 \$506
TRACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8MTPLK GRC12WTPLK Veneer (1 piec: GRC8WTPV GRC8WTPV Veneer (2 piec: GRC10WTPV	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 ad laminate, flat ed 120 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 laminate, knife ed 120 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19 120 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾	to base. Ce top - 2 bas 11.84 14 Ce tops - 3 ba 17 21 Ce top - 2 bas 11 12 Ce tops - 3 ba 11 12 Ce tops - 3 ba 15 18	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141 \$6727	\$504 \$512 (1) \$636 \$739 N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 S506 \$666
TRACK TOPS, 96" - 144"W	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC10WTPLK GRC12WTPLK Veneer (1 piect GRC8MTPV GRC8WTPV Veneer (2 piect GRC12WTPV Applicable bas	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 e top - 3 bases rec 120 x 48 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾ 264 314 xuired) ⁽²⁾ 264 314	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce top - 2 bas 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 15 18 ce tops - 18 ce tops - 28 ce tops - 18 ce top	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141 \$6727 \$7954 d base or GSE	\$504 \$512) (1) \$636 \$739 N/A N/A N/A N/A N/A N/A N/A N/A S23 square b	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 S506 \$666
	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC10WTPLK GRC10WTPLK Veneer (1 piect GRC8MTPV GRC8WTPV Veneer (2 piect GRC10WTPV GRC12WTPV Applicable bas Two bases req	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 et top - 3 bases rec 120 x 48 x 1.19 144 x 48 x 1.19 et top - 3 bases rec 120 x 48 x 1.19 144 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾ 264 314 ve tops: s or three	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce top - 2 bas 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 15 18 11 12 ce tops - 3 ba 15 18 ce tops - 1 bas ce tops - 3 ba 15 18 ce tops - 3 ba 15 18 ce tops - 1 bas ce tops - 3 ba 15 18 ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141 \$6727 \$7954 d base or GSE	\$504 \$512) (1) \$636 \$739 N/A N/A N/A N/A N/A N/A N/A N/A S23 square b	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 S506 \$666
	Tops feature met Thermally fuse GRC8MTP GRC8WTP Thermally fuse GRC10WTP GRC12WTP High pressure GRC8MTPLK GRC8WTPLK High pressure GRC10WTPLK GRC10WTPLK GRC10WTPLK Veneer (1 piect GRC8MTPV GRC8WTPV Veneer (2 piect GRC10WTPV GRC12WTPV Applicable bas Two bases req	al inserts for ease of ad laminate, flat ed 96 x 42 x 1 96 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 ed laminate, flat ed 120 x 48 x 1 144 x 48 x 1 laminate, knife ed 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 e top - 2 bases req 96 x 42 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19 e top - 3 bases rec 120 x 48 x 1.19 96 x 48 x 1.19 144 x 48 x 1.19	assembly ge (1 pied 128 190 ge (2 pied 220 262 ge (1 pied 154 228 ge (2 pied 264 314 uired) ⁽²⁾ 154 228 quired) ⁽²⁾ 264 314 ve tops: s or three	to base. ce top - 2 bas 11.84 14 ce tops - 3 ba 17 21 ce top - 2 bas 11 12 ce top - 2 bas 11 12 ce tops - 3 ba 11 12 ce tops - 3 ba 15 18 11 12 ce tops - 3 ba 15 18 ce tops - 1 bas ce tops - 3 ba 15 18 ce tops - 3 ba 15 18 ce tops - 1 bas ce tops - 3 ba 15 18 ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas ce tops - 3 ba ce tops - 1 bas ce tops - 2 bas	es required) \$1240 \$1240 ses required \$1560 \$1818 es required) \$3658 \$4169 ses required \$5192 \$6215 \$4630 \$5141 \$6727 \$7954 d base or GSE	\$504 \$512) (1) \$636 \$739 N/A N/A N/A N/A N/A N/A N/A N/A S23 square b	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A S455 S506 \$666

Required specifications Top finish Edge finish ⁽¹⁾

global

Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ 3" radiused corners ⁽⁴⁾ Grommet position or power block cut-out Applicable bases (two or three required) GRB28 - round GSB23 - square

Accessories Power block

AT SHAPE TOPS, 96" - 144"W	MODEL #	DIMENSIONS	WT/LB. CUE	IC FT. LIS	ST PRICE	HP ADD	KS ADD	
		W x D x H						
	Thermally fuse	d laminate, flat eo	dge (1 piece to	o - 2 bases r	equired) (1)		
	GBT8MTP	96 x 42 x 1			\$1240	\$504	N/A	
	GBT8WTP	96 x 48 x 1			\$1240	\$512	N/A	
						+		
	Thermally fuse	d laminate, flat eo	dae (2 niece to	ns - 3 hases	required)	(1)		
	GBT10WTP	120 x 48 x 1			\$1560	\$636	N/A	
	GBT12WTP	144 x 48 x 1			\$1818	\$739	N/A	
							,	
	High pressure	aminate, knife ec	lge (1 piece to) - 2 bases re	equired)			
	GBT8MTPLK	96 x 42 x 1.19	154 1		\$3658	N/A	N/A	
	GBT8WTPLK	96 x 48 x 1.19	228 1	2	\$4169	N/A	N/A	
	High pressure	aminate, knife ec	lge (2 piece to	os - 3 bases	required)			
	GBT10WTPLK	120 x 48 x 1.19			\$5192	N/A	N/A	
	GBT12WTPLK	144 x 48 x 1.19	314 1	8	\$6215	N/A	N/A	
						-		
	Veneer (1 piece	e top - 2 bases rec	quired) ⁽²⁾					
	GBT8MTPV	96 x 42 x 1.19		1	\$4630	N/A	\$455	
	GBT8WTPV	96 x 48 x 1.19			\$5141	N/A	\$506	
$\langle \rangle$	Veneer (2 piece	e tops - 3 bases re	equired) ⁽²⁾					
	GBT10WTPV	120 x 48 x 1.19		5	\$6727	N/A	\$666	
	GBT12WTPV	144 x 48 x 1.19	314 1	8	\$7954	N/A	\$788	
ASES FOR TOPS 60" - 96"W	MODEL #							
	MODEL #	DIMENSIO	NS WT,	LB. CUE	BIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	MODEL #	DIMENSIO W x D x H	NS WT,	LB. CUE	BIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
~	BASE VALID FO	WxDxH R TOPS ON PAGE	ES 345-346 :		BIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	BASE VALID FO	W x D x H	ES 345-346 :		BIC FT.	LIST PRICE	BCH / CHM	ACO / SBR
	BASE VALID FO	WxDxH R TOPS ON PAGE	ES 345-346 :	h top size.	BIC FT . 5.63	LIST PRICE \$1250	BCH / CHM \$147	ACO / SBR \$372
	BASE VALID FO Order the quan	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac	h top size.				
	BASE VALID FO Order the quan GRB28	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac	h top size.				
Ţ	BASE VALID FO Order the quan GRB28	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac	h top size.				
	BASE VALID FO Order the quan GRB28	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac	h top size.				
Jua Round Base	BASE VALID FO Order the quan GRB28	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac	h top size.				
Jua Round Base	BASE VALID FO Order the quan GRB28 seated height	W x D x H IR TOPS ON PAGE tity of bases as in 28 x - x 28	ES 345-346: Idicated by eac 10	ch top size . O 1	5.63	\$1250	\$147	\$372
Dia Round Base	BASE VALID FO Order the quan GRB28 seated height GSB23	WxDxH IR TOPS ON PAGE tity of bases as in	ES 345-346: Idicated by eac 10	ch top size . O 1				
J Dia Round Base	BASE VALID FO Order the quan GRB28 seated height	W x D x H IR TOPS ON PAGE tity of bases as in 28 x - x 28	ES 345-346: Idicated by eac 10	ch top size . O 1	5.63	\$1250	\$147	\$372
Join Round Base	BASE VALID FO Order the quan GRB28 seated height GSB23	W x D x H IR TOPS ON PAGE tity of bases as in 28 x - x 28	ES 345-346: Idicated by eac 10	ch top size . O 1	5.63	\$1250	\$147	\$372
Joint Round Base	BASE VALID FO Order the quan GRB28 seated height GSB23	W x D x H IR TOPS ON PAGE tity of bases as in 28 x - x 28	ES 345-346: Idicated by eac 10	ch top size . O 1	5.63	\$1250	\$147	\$372
J Dia Round Base	BASE VALID FO Order the quan GRB28 seated height GSB23	W x D x H IR TOPS ON PAGE tity of bases as in 28 x - x 28	ES 345-346: Idicated by eac 10	ch top size . O 1	5.63	\$1250	\$147	\$372
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height	W x D x H R TOPS ON PAGI tity of bases as in 28 x - x 28	ES 345-346: Idicated by eau 10 x 28 8	2 9	5.63	\$1250 \$1146	\$147 \$136	\$372 \$235
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGI tity of bases as in 28 x - x 28	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
Dia Round Base	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
Ţ	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235
	BASE VALID FO Order the quant GRB28 seated height GSB23 seated height Base comes fully	W x D x H R TOPS ON PAGE tity of bases as in 28 x - x 28 22.5 x 22.5 assembled and fea	ES 345-346: dicated by eac 10 x 28 8 atures 0.5" adjus	table glides t	5.63 9.33 o level on u	\$1250 \$1146	\$147 \$136	\$372 \$235

Required specifications Top finish Edge finish ⁽¹⁾ Base finish Optional specifications HP laminate ⁽¹⁾ Knife edge ⁽²⁾ Grommet position or power block cut-out Base plated finish Applicable bases (two or three required) GRB28 - round GSB23 - square Accessories Power block

R TOPS FOR DUAL COLUMN BASE	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	R3 ADD	KS ADD
		W x D x H						
	Thermally fuse	d laminate, flat e	dge (1)(4)					
	GRTD5TP	60 x 36 x 1	60	6.6	\$472	\$188	\$47.20	N/A
	GRTD5HTP	66 x 36 x 1	69	7.21	\$481	\$195	\$48.10	N/A
	GRTD6TP	72 x 36 x 1	75	7.82	\$481	\$195	\$48.10	N/A
	GRTD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	\$63.30	N/A
	GRTD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	\$67.50	N/A
	GRTD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	\$69.40	N/A
	High pressure l	aminate, knife e	dge					
	GRTD5TPLK	60 x 36 x 1.19	72	6	\$1448	N/A	N/A	N/A
	GRTD5HTPLK	66 x 36 x 1.19	83	6.5	\$1581	N/A	N/A	N/A
	GRTD6TPLK	72 x 36 x 1.19	90	7	\$1719	N/A	N/A	N/A
	GRTD5MTPLK	60 x 42 x 1.19	88	7	\$1668	N/A	N/A	N/A
	GRTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$1832	N/A	N/A	N/A
	GRTD6MTPLK	72 x 42 x 1.19	107	8	\$1990	N/A	N/A	N/A
	Veneer (2)							
	GRTD5TPV	60 x 36 x 1.19	72	6	\$1898	N/A	N/A	\$184
	GRTD5HTPV	66 x 36 x 1.19	83	6.5	\$2072	N/A	N/A	\$199
	GRTD6TPV	72 x 36 x 1.19	90	7	\$2251	N/A	N/A	\$215
	GRTD5MTPV	60 x 42 x 1.19	88	7	\$2195	N/A	N/A	\$210
>	GRTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2405	N/A	N/A	\$230
	GRTD6MTPV	72 x 42 x 1.19	107	8	\$2614	N/A	N/A	\$256

Rectangular Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include A2, E2, J2, or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separetly.

RACETRACK TOPS FOR DUAL COLUMN BASE

Thermally fuse	d laminate, flat e	dge (1)						
GRCD5TP	60 x 36 x 1	60	6.6	\$483	\$195	N/A	N/A	
GRCD5HTP	66 x 36 x 1	69	7.21	\$488	\$199	N/A	N/A	
GRCD6TP	72 x 36 x 1	75	7.82	\$488	\$199	N/A	N/A	
GRCD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	N/A	N/A	
GRCD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	N/A	N/A	
GRCD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	N/A	N/A	

High pressure	laminate,	knife	edge
---------------	-----------	-------	------

GRCD5HMTPV

GRCD6MTPV

ingn prossure it	minuto, kinto ou	yv						
GRCD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A	N/A	N/A	
GRCD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A	N/A	N/A	
GRCD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A	N/A	N/A	
GRCD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A	N/A	N/A	
GRCD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A	N/A	N/A	
GRCD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A	N/A	N/A	
Veneer ⁽²⁾								
GRCD5TPV	60 x 36 x 1.19	72	6	\$2379	N/A	N/A	\$230	
GRCD5HTPV	66 x 36 x 1.19	83	6.5	\$2507	N/A	N/A	\$241	
GRCD6TPV	72 x 36 x 1.19	90	7	\$2635	N/A	N/A	\$256	
GRCD5MTPV	60 x 42 x 1.19	88	7	\$2762	N/A	N/A	\$271	

\$2891

\$3018

N/A

N/A



Racetrack Tops

Tops feature metal inserts for ease of assembly to base. One dual column base (GDCB36H28) required. Limited cut-out options available for power modules, include A2, E2, J2, or FOG2 only. Power modules corresponding to applicable cut-out codes ordered separetly.

7.5

8

Required specifications Top finish Edge finish (1)



97

107

66 x 42 x 1.19

72 x 42 x 1.19

Grommet position or power block cut-out

Accessories Power block

N/A

N/A

\$282

\$292

OAT SHAPE TOPS FOR DUAL COLUMN BASE	MODEL #	DIMENSIONS WxDxH	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	KS ADD	
	Thermally fuse	d laminate, flat e	dae (1)					
	GBTD5TP	60 x 36 x 1	60	6.6	\$483	\$195	N/A	
	GBTD5HTP	66 x 36 x 1	69	7.21	\$488	\$199	N/A	
	GBTD6TP	72 x 36 x 1	75	7.82	\$488	\$199	N/A	
	GBTD5MTP	60 x 42 x 1	73	7.62	\$633	\$273	N/A	
	GBTD5HMTP	66 x 42 x 1	81	8.32	\$675	\$294	N/A	
	GBTD6MTP	72 x 42 x 1	89	9.02	\$694	\$300	N/A	
		laminate, knife e	dge					
	GBTD5TPLK	60 x 36 x 1.19	72	6	\$1995	N/A	N/A	
	GBTD5HTPLK	66 x 36 x 1.19	83	6.5	\$2123	N/A	N/A	
	GBTD6TPLK	72 x 36 x 1.19	90	7	\$2251	N/A	N/A	
	GBTD5MTPLK	60 x 42 x 1.19	88	7	\$2379	N/A	N/A	
	GBTD5HMTPLK	66 x 42 x 1.19	97	7.5	\$2507	N/A	N/A	
	GBTD6MTPLK	72 x 42 x 1.19	107	8	\$2635	N/A	N/A	
	Veneer (2)							
	GBTD5TPV	60 x 36 x 1.19	72	6	\$2379	N/A	\$230	
	GBTD5HTPV	66 x 36 x 1.19	83	6.5	\$2507	N/A	\$241	
	GBTD6TPV	72 x 36 x 1.19	90	7	\$2635	N/A	\$256	
\frown	GBTD5MTPV	60 x 42 x 1.19	88	7	\$2762	N/A	\$271	
	GBTD5HMTPV	66 x 42 x 1.19	97	7.5	\$2891	N/A	\$282	
	GBTD6MTPV	72 x 42 x 1.19	107	8	\$3018	N/A	\$292	
	 GBTDxTP/GBT GBTDxMTP/GB 				S.			
JAL COLUMN BASE FOR GxTDxxx TOPS		BTDxHMTP: 42"D a	at center ar			LIST PRICE	BCH/CHM	ACO / SBR
UAL COLUMN BASE FOR GxTDxxx TOPS	 GBTDxMTP/GE MODEL # 	BTDxHMTP: 42″D a Dimensio W x D x H	at center ar	nd 33"D at end WT/LB.		LIST PRICE	BCH / CHM	ACO / SBR
UAL COLUMN BASE FOR GxTDxxx TOPS	 GBTDxMTP/GE MODEL # 	BTDxHMTP: 42"D a	at center ar	nd 33"D at end WT/LB.		LIST PRICE	BCH / CHM	ACO / SBR
JAL COLUMN BASE FOR GxTDxxx TOPS	 GBTDxMTP/GE MODEL # 	BTDxHMTP: 42″D a Dimensio W x D x H	at center ar DNS ES 347-34	nd 33"D at end WT/LB.		LIST PRICE \$2103	BCH / CHM /	ACO / SBR \$768
JAL COLUMN BASE FOR GxTDxxx TOPS	 GBTDxMTP/GI MODEL # BASE VALID FC 	BTDxHMTP: 42"D a Dimensio W x D x H DR TOPS ON PAG	at center ar DNS ES 347-34	dd 33"D at end WT/LB. B:	CUBIC FT.			
JAL COLUMN BASE FOR GxTDxxx TOPS	GBTDxMTP/GI MODEL# BASE VALID FC GDCB36H28	BTDxHMTP: 42"D a Dimensio W x D x H DR TOPS ON PAG	at center ar DNS ES 347-34	dd 33"D at end WT/LB. B:	CUBIC FT.			
	 GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock 	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 xed-down; assembl aching to appropria	at center ar INS ES 347-344 28 Iy required.	d 33"D at end WT/LB. 8: 116.23 Features 0.5"	CUBIC FT. 12.16	\$2103 les to level o	\$582 n uneven surfac	\$768 es. Screws include
	 GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock with base for att 	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 xed-down; assembl aching to appropria	at center ar INS ES 347-344 28 Iy required.	d 33"D at end WT/LB. 8: 116.23 Features 0.5"	CUBIC FT. 12.16	\$2103 les to level o	\$582 n uneven surfac	\$768 es. Screws include
	 GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock with base for att 	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 xed-down; assembl aching to appropria	at center ar INS ES 347-344 28 Iy required.	d 33"D at end WT/LB. 8: 116.23 Features 0.5"	CUBIC FT. 12.16	\$2103 les to level o	\$582 n uneven surfac	\$768 es. Screws include
TH Dual Column Base	 GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock with base for att on plated finishes 	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 ked-down; assembl aching to appropria s.	at center ar INS ES 347-344 28 Iy required.	d 33"D at end WT/LB. B: 116.23 Features 0.5" Available in pa	CUBIC FT. 12.16 ' adjustable glic int and plated fi	\$2103 les to level o	\$582 n uneven surfac ted on page 323.	\$768 es. Screws include
"H Dual Column Base Beguired specifications Top finish	GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock with base for att on plated finishes Optional spe HP laminate (1)	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 ked-down; assembl aching to appropria s.	at center ar INS ES 347-344 28 Iy required.	d 33"D at end WT/LB. 8: 116.23 Features 0.5"	CUBIC FT. 12.16 ' adjustable glic int and plated fi	\$2103 les to level o	\$582 n uneven surfac	\$768 es. Screws include
Fequired specifications	GBTDxMTP/GI MODEL # BASE VALID FC GDCB36H28 seated height Base ships knock with base for att on plated finishes Optional spe HP laminate (1 Knife edge (2)	BTDxHMTP: 42"D a DIMENSIO W x D x H DR TOPS ON PAG 19 x 36 x 2 ked-down; assembl aching to appropria s.	et center ar	MT/LB. MT/LB. I116.23 Features 0.5" Available in pa	CUBIC FT. 12.16 ' adjustable glic int and plated fi	\$2103 les to level o	\$582 In uneven surfacted on page 323.	\$768 es. Screws include

348



HUDDLE TABLES OVERVIEW

Bring teams together to huddle, share and collaborate.

Three heights available - seated desk height: 29", counter height: 36", bar height: 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.

Laminate kits (consisting of laminate top and U-base) are sold separately from metal bases for huddle tables. Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.

Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
		W x D x H					
	GDH364829	36 x 48 x 29	77.05	3.94	\$952	\$188	
	GDH366029	36 x 60 x 29	86.95	4.46	\$1162	\$188	
	GDH367229	36 x 72 x 29	97	4.99	\$1295	\$195	
	GDH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273	
	GDH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300	
	GDH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477	
	GDH429629	42 x 96 x 29	134.74	13.31	\$1746	\$504	
	GDH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374	
	GDH487229	48 x 72 x 29	126	6.58	\$1626	\$443	
	GDH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469	
V	GDH489629	48 x 96 x 29	152.56	15	\$1880	\$512	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GDH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.


GDH364836	36 x 48 x 36	85.95	4.31	\$980	\$188	
GDH366036	36 x 60 x 36	95.85	4.84	\$1189	\$188	
GDH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195	
GDH426036	42 x 60 x 36	109.82	5.61	\$1332	\$273	
GDH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300	
GDH428436	42 x 84 x 36	133.1	12.4	\$1646	\$477	
GDH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504	
GDH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374	
GDH487236	48 x 72 x 36	137	7.08	\$1661	\$443	
GDH488436	48 x 84 x 36	150.24	14	\$1773	\$469	
GDH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GDH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.

Required Specifications Top finish Base finish

Optional Specifications HP laminate Grommet position or power block cut-out Accessories Power block




36"H D-Top Huddle

29"H D-Top Huddle

globalfurnituregroup.com | canadian

S SWAP[™] TABLES D-TOP HUDDLE TABLES



MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	W x D x H					
GDH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188	
GDH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188	
GDH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195	
GDH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$273	
GDH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300	
GDH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477	
GDH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504	
GDH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374	
GDH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443	
GDH488441	48 x 84 x 41.5	156.74	14.53	\$1839	\$469	
GDH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512	

41.5"H D-Top Huddle

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GDH364841 - cut-out position available in position 1 only).


• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.

Required Specifications Top finish Base finish


Accessories Power block

WEDGE HUDDLE TABLES

29"H Wedge Huddle



36"H Wedge Huddle



41.5"H Wedge Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	W x D x H				
GWH486029	48 x 60 x 29	112.6	5.89	\$1448	\$374
GWH487229	48 x 72 x 29	126	6.58	\$1626	\$443
GWH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469
GWH489629	48 x 96 x 29	152.56	15	\$1880	\$512

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 and 2 only**.

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.

GWH486036	48 x 60 x 36	123.6	6.38	\$1483	\$374	
GWH487236	48 x 72 x 36	137	7.08	\$1661	\$443	
GWH488436	48 x 84 x 36	150.24	14	\$1773	\$469	
GWH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 and 2 only**.

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.

GWH486041	48 x 60 x 41.5	130.1	6.74	\$1548	\$374	
GWH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443	
GWH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469	
GWH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512	

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. **Cut-out locations available in positions 1 and 2 only**.

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.


Required Specifications Top finish Base finish Optional Specifications HP laminate Grommet position or power block cut-out Accessories Power block

loba



RECTANGULAR HUDDLE TABLES

29"H Rectangular Huddle



36"H Rectangular Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	W x D x H				
GRH364829	36 x 48 x 29	77.05	3.94	\$952	\$188
GRH366029	36 x 60 x 29	86.95	4.46	\$1161	\$188
GRH367229	36 x 72 x 29	97	4.99	\$1295	\$195
GRH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273
GRH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300
GRH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477
GRH429629	42 x 96 x 29	134.74	13.31	\$1746	\$504
GRH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374
GRH487229	48 x 72 x 29	126	6.58	\$1626	\$443
GRH488429	48 x 84 x 29	139.24	13.5	\$1738	\$469
GRH489629	48 x 96 x 29	152.56	15	\$1880	\$512

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GRH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.

GRH364836	36 x 48 x 36	85.95	4.31	\$980	\$188	
GRH366036	36 x 60 x 36	95.85	4.84	\$1189	\$188	
GRH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195	
GRH426036	42 x 60 x 36	109.82	5.61	\$1332	\$273	
GRH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300	
GRH428436	42 x 84 x 36	133.1	12.41	\$1646	\$477	
GRH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504	
GRH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374	
GRH487236	48 x 72 x 36	137	7.08	\$1661	\$443	
GRH488436	48 x 84 x 36	150.24	14	\$1773	\$469	
GRH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GRH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.

Required Specifications Top finish Base finish Accessories Power block

ANGULAR HUDDLE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
		W x D x H					
	GRH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188	
	GRH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188	
	GRH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195	
	GRH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$374	
	GRH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300	
	GRH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477	
	GRH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504	
	GRH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374	
\Box	GRH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443	
$\langle $	GRH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469	
V	GRH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512	

41.5"H Rectangular Huddle

RECTAN

Laminate U-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of U-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GRH364841 - cut-out position available in position 1 only).


• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.

Required Specifications Top finish Base finish Optional Specifications HP laminate Grommet position or power block cut-out Accessories Power block

global

SOFT ELLIPSE HUDDLE TABLES

29"H Soft Ellipse Huddle



36"H Soft Ellipse Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	W x D x H					
GSEH364829	36 x 48 x 29	77.05	3.94	\$952	\$188	
GSEH366029	36 x 60 x 29	86.95	4.46	\$1161	\$188	
GSEH367229	36 x 72 x 29	97	4.99	\$1295	\$195	
GSEH426029	42 x 60 x 29	99.82	5.18	\$1301	\$273	
GSEH427229	42 x 72 x 29	111.5	5.79	\$1459	\$300	
GSEH428429	42 x 84 x 29	123.1	11.98	\$1616	\$477	
GSEH429629	42 x 96 x 29	134.7	13.31	\$1746	\$504	
GSEH486029	48 x 60 x 29	112.6	5.89	\$1453	\$374	
GSEH487229	48 x 72 x 29	126	6.58	\$1626	\$443	
GSEH488429	48 x 84 x 29	139.2	13.5	\$1738	\$469	
GSEH489629	48 x 96 x 29	152.6	15	\$1880	\$512	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GSEH364829 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only, requires one base.

GSEH364836	36 x 48 x 36	86	4.31	\$980	\$188	
GSEH366036	36 x 60 x 36	95.9	4.84	\$1189	\$188	
GSEH367236	36 x 72 x 36	105.9	5.37	\$1323	\$195	
GSEH426036	42 x 60 x 36	109.8	5.61	\$1332	\$273	
GSEH427236	42 x 72 x 36	121.5	6.22	\$1491	\$300	
GSEH428436	42 x 84 x 36	133.1	12.41	\$1646	\$477	
GSEH429636	42 x 96 x 36	144.74	13.75	\$1777	\$504	
GSEH486036	48 x 60 x 36	123.6	6.38	\$1488	\$374	
GSEH487236	48 x 72 x 36	137	7.08	\$1661	\$443	
GSEH488436	48 x 84 x 36	150.24	14	\$1773	\$469	
GSEH489636	48 x 96 x 36	163.56	15.5	\$1916	\$512	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GSEH364836 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only, requires one base.

Required Specifications Top finish Base finish Accessories Power block

SOFT ELLIPSE HUDDLE TABLES

41.5"H Soft Ellipse Huddle

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	W x D x H				
GSEH364841	36 x 48 x 41.5	92.65	4.58	\$1032	\$188
GSEH366041	36 x 60 x 41.5	102.55	5.11	\$1241	\$188
GSEH367241	36 x 72 x 41.5	112.6	5.63	\$1375	\$195
GSEH426041	42 x 60 x 41.5	117.32	5.92	\$1392	\$273
GSEH427241	42 x 72 x 41.5	129	6.53	\$1549	\$300
GSEH428441	42 x 84 x 41.5	140.6	12.72	\$1706	\$477
GSEH429641	42 x 96 x 41.5	152.24	14.06	\$1837	\$504
GSEH486041	48 x 60 x 41.5	130.1	6.74	\$1552	\$374
GSEH487241	48 x 72 x 41.5	143.5	7.43	\$1726	\$443
GSEH488441	48 x 84 x 41.5	156.74	14.35	\$1839	\$469
GSEH489641	48 x 96 x 41.5	170.06	15.85	\$1980	\$512

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-out locations available in positions 1 and 2 only (except for model GSEH364841 - cut-out position available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only, requires one base.

Required Specifications Top finish Base finish Optional Specifications HP laminate Grommet position or power block cut-out Accessories Power block

global

HUDDLE BASES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	BCH / CHM	ACO/SBR
		W x D x H						
	SELECT BASE CO	MPATIBLE WITH T	OP HEIGHT:					
\diamond	GRHB22H28	22 x - x 28	60	10	\$898	N/A	\$147	\$249
	GRHB22H35	22 x - x 35	62	12.7	\$933	N/A	\$164	\$268
	GRHB22H41	22 x - x 40.5	63	14.2	\$949	N/A	\$171	\$270
\bigcirc	GRHB22H35 - cou	inter height	GRHB22H28 -	seated height	GR	HB22H41	- bar height	

22" Round Huddle Base

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 323 for available finishes.

6.94

8.8

9.84

\$966

\$1022

\$1056

N/A

N/A

N/A

GSHB19H41 - bar height

\$136

\$151

\$166

Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.

55

57

58

• Plated finishes are available at an upcharge.

18.5 x 18.5 x 28

18.5 x 18.5 x 35

18.5 x 18.5 x 40.5

GSHB19H28

GSHB19H35

GSHB19H41

GSHB19H35 - counter height



18.5" Square Huddle Base

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. See page 323 for available finishes.

Be sure to double check huddle table laminate units and metal bases are the same corresponding heights.

GSHB19H28 - seated height

• Plated finishes are available at an upcharge.



\$250

\$287

\$287

tables training



2gether



Bungee/Bungee SL



ConnecTABLES

396



Duet









Zook

431



2gether tables are multi-purpose flip-top tables that create dynamic spaces for people to easily connect and learn; ideal for collaborative, classroom, training and conference applications.

2gether tables feature an intuitive "easy touch" mechanism (located at both ends of the table) which allows the user to flip the tables up or down with ease.

2gether tables can be joined in rows for seminars, rearranged in groups to exchange ideas or set up in rows for training rooms. When they are no longer needed, they can be easily folded down and rolled away for compact storage.

2gether works great and looks great in any setting, any time.



Bumpers on legs and undercarriage provide protection while nested.



Offset "Y" leg allows for in line space saving when nested.



Easy touch lever releases mechanism for effortless movement of table surface.

Features and Benefits

- Flip-top tables.
- Worksurfaces feature 2mm edging in matching color.
- Tops and bases boxed as appropriate.
- Adjustable leveling casters provide smooth mobility.
- Bumpers prevent tables from being damaged while nested.
- Optional modesty panel with integrated wire trough available.
- Optional Black grommets for convenient wire management can be ordered "factory installed".
- Easy to assemble.
- Available in three sizes: 18"D x 60"W, 24"D x 60"W and 24"D x 72"W
- 2gether table tops are available in a variety of Global laminate finishes.
- Champagne base finish.



2GETHER[™] TABLES 2

GENERAL INFORMATION

- 2gether is a series of multi-purpose flip-top tables for collaborative, classroom, training and conference applications.
- Created by the designers of G20 seating.
- Off-set "Y" sculpted legs allow for parallel space saving table nesting, to minimize footprint required for storage.
- Optional modesty panels with integrated wire troughs are available.
- Grommets are available on 24" deep worksurfaces.
- Available in three sizes: 18"D x 60"W, 24"D x 60"W and 24"D x 72"W.
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- Deliver power to the table top with individually corded modules or the ModPower daisy chain solution.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

• 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate.

CONSTRUCTION

- "Easy touch" lever located at both sides of the table for flip-top operation from either side.
- 60" and 72" tops include a steel support channel for structural rigidity.
- All finishes feature Global's preferred edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain).
- Tops are predrilled with threaded steel inserts.
- 14.25" high optional articulating modesty panel attaches to underside of flip-top.
- Bumpers on legs and under carriage prevent tables from being damaged while nested.

NBL

NGL

NEL

NML

QTM

SBY

SOG

WHE

WHC

WCR

• Champagne base finish.

FINISHES

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BRC	Brushed Cobalt
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class

Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany Sheer Beauty Storm Grey Walnut Heights White Chocolate Winter Cherry

EDGE DETAIL

• 2mm matching edge is standard.

MODESTY PANEL

• Optional articulating modesty panel available. Champagne finish.

CASTERS

 Adjustable leveling casters and two locking casters (BLK) on Champane finish legs are standard.

WIRE MANAGEMENT

• Standard with integrated trough underneath table.

GANGING CONNECTORS


- Ganging connectors (model CNGFP) are available for adjoining tables together, to be ordered separately.
- Tops include predrilled threaded inserts to accept ganging connectors.


SPECIFICATIONS


• Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

GROMMETS

- · Grommets are optional on 24" deep tops only.
- Additional grommets available in standard worksurface locations (left, center or right). Order as: FOG1, FOG2 or FOG3. Add \$91.







 Actual grommet locations on the worksurface are depicted in the example drawings shown above. Dimensions shown are actual measurements (in inches).

POWER BLOCK

- An individual corded power block (model **PMSPDM**) may be ordered for 24"D worksurfaces.
- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block as **PMSPDM**. **Add \$268**. Power blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2** or **E3**. **Add \$91**.



Power block PMSPDM. Add \$268

MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to 2gether tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- To be used with rectangular tables IT2460RX and IT2472RX only.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
 MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side). Add \$91.
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side. Add **\$183**.

2 2GETHER[™] TABLES



MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
IT1860RX	60 x 18 x 29	63.4	7	\$1552	
IT2460RX	60 x 24 x 29	73.6	7.7	\$1584	
IT2472RX	72 x 24 x 29	83.4	8.7	\$1766	

Flip-top table on four adjustable leveling casters, two locking. Easy-touch lever located at both ends of the table allows for activation on either side of the table; offset Y leg accommodates in line nesting for space saving storage. Champagne finish leg. Black/dark grey casters. Optional articulating modesty panel available. Shipped easy to assemble in 3 cartons.

IT60MP	51 x 2.75 x 14.25	8.4	1.6	\$287	
IT72MP	63 x 2.75 x 14.25	9.3	2	\$315	

Modesty Panel

Ganging Connector

Articulating modesty panel for use with flip-top or fixed top 2gether tables. Champagne finish. Integrated wire management trough. Shipped easy to assemble in 1 carton.

CNGFP	2.5 x 5 x 1.13	0.2	0.1	\$33

Black epoxy coated 13 gauge steel with two thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. **Sold individually**.

Required specifications

Optional specifications Grommet* (24" deep only) Power block cut-out* (24" deep only) Accessories Modesty panel*



Top finish*

BUNGEE[™] TABLES




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature optional rounded corners with a unique Bubble molding that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge. Four additional edge options are available.

Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Black or Tungsten finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Black or Tungsten finish (standard on flip-top models).



Bungee cords are utilized to quickly and easily reconfigure tables.

Features and Benefits

- Bungee tables are complete with top, legs and Bungee cords.
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring tools.
- Tops are 1" thick and are offered in a variety of shapes and sizes.
- Legs are offered in tapered or spider design in a Black or Tungsten finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal.
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires.
- Optional grommets or power blocks offer technological flexibility.
- Models with handles feature a bow handle in Silver or Black Nickel finish.
- Metal feet are height adjustable and offered in Black or Tungsten finish.
- Boardrooms were never easier to specify - table "sets" and accessories such as AV cabinets and credenza buffets are specified with one model number.

GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors.
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts.
- High pressure tops are available in all Bungee laminate finishes at an extended lead time please see model # for pricing.
- Unique "bubble molding" edging is specially engineered to create a secure seal to align interconnected tables. Alternate edge options are also available.
- Bungee products have been tested and comply with all mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- Tops are 1" thick. Modesty panels are $^{11}/_{16}$ " thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- Tops 54" and over feature a built-in support bar.

BUNGEE CORDS

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a Lifetime Warranty.

EDGE DETAIL

- Six edge details to choose from.
- Unique "bubble molding" is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- Bubble molding finish matches surface laminate with Silver (**BS**) or Black (**BB**) accent trim.
- \bullet Split color flat edge top half matches surfaces laminate with Silver (AS) or Black (AB) bottom accent trim.
- For matching 2mm flat edge, specify (A3).
- For matching bicut edge, specify (AR).
- Cabinetry and accessories feature Global's preferred edging in matching color.

LEGS

- Tables feature two styles of legs tapered leg and spider leg. Available in Black (TBL) or Tungsten (TTU) finish.
- Levelers are standard. Optional locking casters are available at no upcharge, specify Black (**TBC**) or Tungsten (**TTC**) finish.

(Casters must match base finish.) Adjust 3mm - 10mm in height.





tapered leg

y spider leg

HANDLES

- Metal handles are standard on all drawers and doors. Handles are offered in two finishes: Silver (HS) or Black Nickel (HT), please specify.
- Handle finish will match leg finish.





bow handle, Silver finish specify (**HS**)

bow handle, Black Nickel finish specify (**HT**)


FEET

- Metal feet are standard on all cabinets. Feet adjust 0.75" in height.
- Feet are available in Black (TBL) or Tungsten (TTU) finish, please specify.




MODESTY PANELS

- Panels are 13" high, recessed 0.75" from the back and inset 7" from the sides.
- Panels feature a built-in flexible wire pass-through.
- Available in all Bungee laminate finishes



FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Available in Silver finish (SI) or Black finish (BK), please specify.



WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- · Available in Black only.





5" wire management track

22" wire management track

Silver Black Nickel

Tungsten

1. SPECIFY MODEL NUMBER


2. SPECIFY FINISH

Laminate	Finishes:			Edge:			
ACJ	Absolute Acajou	NBL	Noce Biondo	BB	Bubble edge wit	h Black trim	
ASN	Asian Night	NGL	Noce Grigio	BS	Bubble edge wit		
AWC	Avant Cherry	NEL	Noce Leggero	AB	Split color flat ed	lge with Black tri	m
AWH	Avant Honey	NML	Noce Medio	AS	Split color flat eo	lge with Silver tr	im
BLK	Black	0TM	Quartered Mahogany	A3	Matching 2mm f	lat edge	
BRC	Brushed Cobalt	SBY	Sheer Beauty	AR	Matching bicut e	dae	
СМВ	Clear Maple	SOG	Storm Grey		0	0	
DES	Dark Espresso	WHE	Walnut Heights	Legs:		Casters:	
DWT	Designer White	WHC	White Chocolate	TBL	Black	TBC	Black
FAS	Fashionista	WCR	Winter Cherry	TTU	Tungsten	TTC	Tungsten
FCL	First Class				5		5
				Handles:		Modesty	Panel Edge:
				HS	Silver finish	SI	Silver
				HT	Black finish	BK	Black Nicl

3. SPECIFY OPTIONS

GROMMETS

- Optional grommets available in standard worksurface locations (left, center or right) for rectangular tops (48" wide and up). Order as: FOG1, FOG2 or FOG3. Add \$91.
- Optional grommets are available in center position only for rectangular tops (36" and 42" wide), trapezoid tables and ALL flip-top and transformer tables. Order as FOG2. Add \$91 per table.
- FOG2 when selected will apply to all 4 or 6 tables in transformer table kits accordingly
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: CSG. Add \$132. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the custom grommet location form in the back reference section.






17.5

FOG1



Rectangular Tops



For 36", 42" and 48" wide units

Trapezoid Tables and all Flip-Top Tables





SPECIFICATIONS

· Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

POWER BLOCK

Black

Feet TBL

> An individual corded power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Power blocks are ordered separately. Units cannot be daisy-chained.


TTU

- A power block cut-out may be ordered for rectangular tables (60" wide and up) in left, center or right position. Order as E1, E2 or E3. Add \$91
- A power block cut-out may be ordered for rectangular tables (36", 42" and 48" wide), all trapezoid tables, flip-top and transformer tables as an option in center position only, order as E2. Add \$91 per table.
- E2 when selected will apply to all 4 or 6 tables in transformer table kit accordingly.
- Power block(s) ordered separately, specify model PMSPDM. Add \$268 each.
- See left example for placement.

Rectangular Tops



For 36", 42" and 48" wide units



For 60" and 72" wide units

Transformer Tables

17.5'

FOG3

FOG2

Transformer Tables

- **E**

١Ē

grommet location

FOG2. Add \$91 x number of tables in kit

154 (6")

For 60" and 72" wide units



E2. Add \$91 x number of tables in kit

MODPOWER DAISY-CHAIN SOLUTION

- Add flexible power and USB charging to Bungee rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- . Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide fixed top rectangular tables and 48' to 72" wide flip-tip rectangular tables. Add \$91. Note: MPS not available for 36" wide fixed top tables or 42" wide flip-top tables.
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$183.


globalfurnituregroup.com | canadian




Power block PMSPDM. Add \$268.


B BUNGEE[™] TABLES - NOTES


CONNECTING CONDITIONS



• The following table configurations can be created using Bungee boardroom table sets only. See pages 372-373 for specific models / configurations.










BUNGEE[™] TABLES B


20" 36" 42" 36" 42" 24" 36" 26" 36" 20" 24" 36" 24" 36" 20" 36" 24" 36" 36" 24" 36" 36"

RECTANGULAR TABLES



Rectangular Table - Tapered Legs







Rectangular Table - Spider Legs

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	W x D x H					
B2036REF	36 x 20 x 29	59	5.25	\$717	\$169	
B2042REF	42 x 20 x 29	62	5.75	\$740	\$226	
B2048REF	48 x 20 x 29	67	6	\$773	\$226	
B2060REF	60 x 20 x 29	74	7	\$881	\$310	
B2072REF	72 x 20 x 29	81	7.25	\$965	\$352	
B2436REF	36 x 24 x 29	65	5.75	\$762	\$169	
B2442REF	42 x 24 x 29	69	6	\$789	\$226	
B2448REF	48 x 24 x 29	72	6.5	\$813	\$226	
B2460REF	60 x 24 x 29	82	7.25	\$938	\$339	
B2472REF	72 x 24 x 29	91	8	\$1020	\$527	
B3036REF	36 x 30 x 29	70	7.25	\$757	\$317	
B3042REF	42 x 30 x 29	78	7.5	\$789	\$352	
B3048REF	48 x 30 x 29	81	7.5	\$813	\$386	
B3060REF	60 x 30 x 29	92	8.25	\$938	\$386	
B3072REF	72 x 30 x 29	102	9	\$1033	\$527	
B3642REF	42 x 36 x 29	83	7.5	\$870	\$339	
B3648REF	48 x 36 x 29	91	8	\$952	\$352	
B3660REF	60 x 36 x 29	103	9	\$1033	\$386	
B3672REF	72 x 36 x 29	116	10	\$1159	\$527	

Freestanding table includes four tapered legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**AB**) or (**AR**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 370.

• Tables 48" and longer connect in both straight and "L" configurations.

• Tables 36" and 42" connect in straight configurations only.

• Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

B2036RES	36 x 20 x 29	57	6.75	\$813	\$169	
B2042RES	42 x 20 x 29	60	7.25	\$837	\$226	
B2048RES	48 x 20 x 29	65	7.5	\$870	\$226	
B2060RES	60 x 20 x 29	72	8.5	\$975	\$310	
B2072RES	72 x 20 x 29	79	8.75	\$1063	\$352	
B2436RES	36 x 24 x 29	62	7.25	\$857	\$169	
B2442RES	42 x 24 x 29	67	7.5	\$881	\$226	
B2448RES	48 x 24 x 29	71	10	\$912	\$226	
B2460RES	60 x 24 x 29	80	10.75	\$1033	\$339	
B2472RES	72 x 24 x 29	89	11.25	\$1119	\$527	
B3036RES	36 x 30 x 29	72	10.25	\$881	\$317	
B3042RES	42 x 30 x 29	80	10.5	\$909	\$352	
B3048RES	48 x 30 x 29	83	10.5	\$938	\$386	
B3060RES	60 x 30 x 29	94	11.25	\$1063	\$386	
B3072RES	72 x 30 x 29	104	12	\$1144	\$528	

Freestanding table includes two spider legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**AB**) or (**AR**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see page 370.

• Tables 48" and longer connect in both straight and "L" configurations.

- Tables 36" and 42" connect in straight configurations only.
- Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

Top finish

Required specifications

Optional specifications Casters Grommet

Power block cut-out HP laminate Accessories Power block

loba

B BUNGEE[™] TABLES

TRAPEZOID TABLES

Trapezoid Table - Tapered Legs

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE HP ADD WxDxH B2460TRF 60 x 24 x 29 71 7.5 \$870 \$339 B2466TRF 66 x 24 x 29 74 \$881 \$527 8 B2472TRF 72 x 24 x 29 78 8.25 \$952 \$527 B3060TRF 60 x 30 x 29 78 8.5 \$926 \$386 B3066TRF 66 x 30 x 29 81 9.5 \$965 \$527 B3072TRF 72 x 30 x 29 85 9.5 \$1020 \$527

Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and (**AR**) are not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see pages 370-371. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

|--|

Trapezoid Table - Tapered Legs



Trapezoid Table - Spider Legs


	B3672TRF	72 x 36 x 29	91	10.5	\$1185	N/A	
--	----------	--------------	----	------	--------	-----	--

Freestanding table includes five tapered legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and (**AR**) are not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see pages 370-371. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

B2060TRS	60 x 20 x 29	67	8.75	\$938	\$310	
B2066TRS	66 x 20 x 29	68	9	\$965	\$352	
B2072TRS	72 x 20 x 29	74	9.25	\$1005	\$352	
020721110	72 X 20 X 20	7.1	0.20	<i>Q</i> 1000	ÇÜÜL	
DOMONTRO	00 04 00	00	0.05	6005	6000	
B2460TRS	60 x 24 x 29	69	9.25	\$965	\$339	
B2466TRS	66 x 24 x 29	72	9.75	\$1005	\$527	
B2472TRS	72 x 24 x 29	76	10	\$1047	\$527	
B3060TRS	60 x 30 x 29	79	11.5	\$1038	\$386	
B3066TRS	66 x 30 x 29	83	12.5	\$1078	\$527	
	00 x 30 x 23		12.0	\$1070	1.5	
B3072TRS	72 x 30 x 29	87	12.5	\$1134	\$527	

Freestanding table includes two spider legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and (**AR**) are not applicable on trapezoid tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels available, see pages 370-371. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

KEYSTONE TABLES



Keystone Table - Tapered Legs

B30KSF	62 x 30 x 29	69	7.6	\$998	\$377
B24KSF	51 x 24 x 29	60	6.5	\$920	\$251
B20KSF	43.75 x 20 x 29	58	6.5	\$909	\$199

Freestanding table includes four tapered legs with levelers and Bungee cords. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**A3**) or (**AR**) edge option is specified, surface corners are square. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available.

Required specifications Top finish Edge detail Leg finish

Optional specifications Grommet (only trapezoid tables) Casters (only trapezoid tables) Power block cut-out (only trapezoid tables)

HP laminate


Accessories Power block (only trapezoid tables)



BUNGEE[™] TABLES B

							E [™] TABLE
KEYSTONE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	DOCKOF	W x D x H	0.4	0.4	64.000	éco.	
	B36KSF	74.13 x 36 x 29	84	8.4	\$1232	\$527	
eystone Table - Tapered Legs	surface corners	ole includes five tapered le are radiused; when (AS), (<i>i</i> " to other tables of 36" de	AB), (A3) or (AR)	edge option is	specified, surfa	ice corners are squ	are. Each table o
2011 0.11	B30KSS	62 x 30 x 29	77	7.6	\$1164	\$377	
	B24KSS B20KSS	51 x 24 x 29 43.75 x 20 x 29	66 64	6.5 6.5	\$1059 \$1059	\$251 \$199	
eystone Table - Spider Legs	surface corners	ole includes two spider leg are radiused; when (AS), (. " to other tables of 24" an le.	AB), (A3) or (AR)	edge option is	specified, surfa	ice corners are squ	are. Each table o
VEDGE TABLES							
	B24WEF	63 x 24 x 29	54	6.6	\$957	\$251	
	B20WEF	57 x 20 x 29	46	5.1	\$881	\$199	
Vadaa Tabla Tananad Lana							
vedge ladie - lapered Legs	surface corners	le includes four tapered le are radiused; when (AS), (, " to other tables of the sau	AB), (A3) or (AR)	edge option is	specified, surfa	ice corners are squ	are. Each table o
vedge lable - lapered Legs	surface corners be "Bungee-tied page 370.	are radiused; when (AS), (, " to other tables of the sau	AB), (A3) or (AR) me depth. Shippo	edge option is ed easy to asso	s specified, surfa emble in 2 carto	ace corners are squ ns. Modesty pane	are. Each table
	surface corners be "Bungee-tied	are radiused; when (AS), (A	AB), (A3) or (AR)	edge option is	specified, surfa	ice corners are squ	are. Each table o
	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tak surface corners	are radiused; when (AS), (, " to other tables of the sau 80 x 36 x 29	AB), (A3) or (AR) me depth. Shippo 84 70 gs with levelers a AB), (A3) or (AR)	edge option is ed easy to asso 9.4 7.2 and Bungee co edge option is	specified, surfa emble in 2 carto \$1310 \$1164 rds. When (BB specified, surfa	ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ace corners are squ	are. Each table (Is available, see
	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tak surface corners be "Bungee-tied	are radiused; when (AS), (, " to other tables of the sau 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (,	AB), (A3) or (AR) me depth. Shippo 84 70 gs with levelers a AB), (A3) or (AR)	edge option is ed easy to asso 9.4 7.2 and Bungee co edge option is	specified, surfa emble in 2 carto \$1310 \$1164 rds. When (BB specified, surfa	ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ace corners are squ	are. Each table (Is available, see
	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tak surface corners be "Bungee-tied page 370. B30WES B24WES	are radiused; when (AS), (, " to other tables of the sau 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (, " to other tables of the sau 70 x 30 x 29 63 x 24 x 29	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73 62	edge option is ed easy to assi 9.4 7.2 and Bungee co edge option is ed easy to assi 7.2 6.6	specified, surfa emble in 2 carto \$1310 \$1164 rds. When (BB specified, surfa emble in 2 carto \$1151 \$1073	Ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option (ace corners are squ ns. Modesty pane \$312 \$251	are. Each table Is available, see
	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tal surface corners be "Bungee-tied page 370. B30WES	are radiused; when (AS), (, " to other tables of the sar 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (, " to other tables of the sar 70 x 30 x 29	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73	edge option is ed easy to asso 9.4 7.2 and Bungee co edge option is ed easy to asso 7.2	\$1310 \$1310 \$1164 rds. When (BB specified, surfa emble in 2 carto \$1151	Ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option (ace corners are squ ns. Modesty pane \$312	are. Each table Is available, see
Wedge Table - Tapered Legs	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tat surface corners be "Bungee-tied page 370. B30WES B24WES B20WES Freestanding tat surface corners	are radiused; when (AS), (, " to other tables of the sau 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (, " to other tables of the sau 70 x 30 x 29 63 x 24 x 29	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73 62 52 s with levelers an AB), (A3) or (AR)	edge option is ed easy to assi 9.4 7.2 and Bungee co edge option is ed easy to assi 7.2 6.6 5.1 nd Bungee corr edge option is	\$1310 \$1310 \$1164 rds. When (BB a specified, surfa emble in 2 carto \$1151 \$1073 \$998 ds. When (BB) a specified, surfa	Ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ice corners are squ ns. Modesty pane \$312 \$251 \$199 or (BS) edge option ice corners are squ	nare. Each table Is available, see on is specified, nare. Each table Is available, see n is specified, nare. Each table
Vedge Table - Tapered Legs	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tat surface corners be "Bungee-tied page 370. B30WES B24WES B20WES Freestanding tat surface corners be "Bungee-tied	are radiused; when (AS), (, " to other tables of the sau 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (, " to other tables of the sau 70 x 30 x 29 63 x 24 x 29 57 x 20 x 29 ble includes two spider leg are radiused; when (AS), (,	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73 62 52 s with levelers an AB), (A3) or (AR)	edge option is ed easy to assi 9.4 7.2 and Bungee co edge option is ed easy to assi 7.2 6.6 5.1 nd Bungee corr edge option is	\$1310 \$1310 \$1164 rds. When (BB a specified, surfa emble in 2 carto \$1151 \$1073 \$998 ds. When (BB) a specified, surfa	Ace corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ice corners are squ ns. Modesty pane \$312 \$251 \$199 or (BS) edge option ice corners are squ	nare. Each table of ls available, see see see see see see see see see s
Nedge Table - Tapered Legs	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tal surface corners be "Bungee-tied page 370. B30WES B24WES B20WES Freestanding tal surface corners be "Bungee-tied page 370.	are radiused; when (AS), (. " to other tables of the same 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (. " to other tables of the same 70 x 30 x 29 63 x 24 x 29 57 x 20 x 29 ble includes two spider leg are radiused; when (AS), (. " to other tables of the same " to other tables of the same " tables"	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73 62 52 s with levelers a AB), (A3) or (AR) me depth. Shippe Me depth. Shippe	edge option is ed easy to assi 9.4 7.2 and Bungee co edge option is ed easy to assi 7.2 6.6 5.1 nd Bungee corr edge option is ed easy to assi cations	specified, surfa emble in 2 carto \$1310 \$1164 rds. When (BB specified, surfa emble in 2 carto \$1151 \$1073 \$998 ds. When (BB) is specified, surfa emble in 2 carto	ice corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ice corners are squ ns. Modesty pane \$312 \$251 \$199 or (BS) edge option ice corners are squ ns. Modesty pane	nare. Each table of ls available, see
Nedge Table - Tapered Legs	surface corners be "Bungee-tied page 370. B36WEF B30WEF Freestanding tal surface corners be "Bungee-tied page 370. B30WES B24WES B20WES Freestanding tal surface corners be "Bungee-tied page 370.	are radiused; when (AS), (. " to other tables of the same 80 x 36 x 29 70 x 30 x 29 ble includes five tapered le are radiused; when (AS), (. " to other tables of the same 70 x 30 x 29 63 x 24 x 29 57 x 20 x 29 ble includes two spider leg are radiused; when (AS), (. " to other tables of the same " to other tables of the same " tables"	AB), (A3) or (AR) me depth. Shippe 84 70 gs with levelers a AB), (A3) or (AR) me depth. Shippe 73 62 52 s with levelers at AB), (A3) or (AR) me depth. Shippe	edge option is ed easy to assi 9.4 7.2 and Bungee co edge option is ed easy to assi 7.2 6.6 5.1 nd Bungee corri edge option is ed easy to assi ed easy to assi 7.2 6.6 5.1	specified, surfa emble in 2 carto \$1310 \$1164 rds. When (BB specified, surfa emble in 2 carto \$1151 \$1073 \$998 ds. When (BB) is specified, surfa emble in 2 carto	ice corners are squ ns. Modesty pane \$450 \$312) or (BS) edge option ice corners are squ ns. Modesty pane \$312 \$251 \$199 or (BS) edge option ice corners are squ ns. Modesty pane	nare. Each table of ls available, see

B BUNGEE[™] TABLES




BUNGEE[™] TABLES B

ROUND WEDGE TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
		W x D x H					
57" 48" 42"	B2042RWF	42 x 20 x 29	76	8.25	\$789	\$494	
	B2448RWF	48 x 24 x 29	85	10.75	\$813	\$494	
	B3057RWF	57 x 30 x 29	102	12	\$965	\$703	

Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and (**AR**) are not applicable on round wedge tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

TEARDROP TABLES


Round Wedge 120° Table



B2036TDF	36 x 20 x 29	71	8	\$740	\$317	
B2442TDF	42 x 24 x 29	81	8.5	\$813	\$494	
B3048TDF	48 x 30 x 29	91	11	\$891	\$459	

Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and (**AR**) are not applicable on teardrop tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Filler modesty panels available, see page 371. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

FLAT ROUND TABLES



Flat Round Table

B2030FRF 30 x 20 x 29 56 6 \$717 \$283 B2036FRF 36 x 20 x 29 66 7.25 \$717 \$317 B2436FRF 36 x 24 x 29 64 7.25 \$717 \$317 B2442FRF 42 x 24 x 29 76 8.25 \$857 \$494 B3042FRF 42 x 30 x 29 74 8 \$857 \$494 B3048FRF 48 x 30 x 29 88 11 \$857 \$494 B3648FRF 85 \$952 48 x 36 x 29 11 N/A B3652FRF 93 52 x 36 x 29 11 \$952 N/A

Freestanding table includes four tapered legs with levelers and Bungee cords. Bubble edge options (**BB**) or (**BS**) only apply (edge options (**AS**), (**AB**), (**A3**) and(**AR**) are not applicable on flat round tables). Each table can be "Bungee-tied" to other tables of the same depth. Shipped easy to assemble in 2 cartons. Modesty panels or filler panels are NOT available. • Available with optional locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

Required specifications

op finish Edge detail Leg finish Optional specifications Casters

HP laminate

lloba

B BUNGEE[™] TABLES **MODESTY PANELS - SQUARE**

Modesty Panel - Square



For use on rectangular tables. Includes hinged mounting bracket.

Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	N/A	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	N/A	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109	N/A	

Modesty Panel - Square

For use on trapezoid tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.


Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.

• Specify BXM models for 24"D tables and BXL models for 30"D tables.

BXWQMP	27 x 0.69 x 9.6	7	1.1	\$101	N/A	

For use on wedge tables. Includes hinged mounting bracket. Intended for use on the short side of the table.



FILLER MODESTY PANELS							
	BSFMS	21 x 0.25 x 9	1	0.3	\$98	N/A	
Filler Modesty Panel - Straight		pace between two square r er (SI) or Black (BK). Please		s where tables	are linked in a s	straight configuration.	
	BSWFM	19.6 x 9 x 0.25	2	0.1	\$127	N/A	_
Filler Modesty Panel - Straight to Wedge		pace between a straight mo vedge table - tapered legs a					
	Required specific Finish	cations					

Modesty Panel - Square



BUNGEE[™] TABLES B

						DOMULL	IADELU
FILLER MODESTY PANELS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
		W x D x H					
	B23IFMS	23 x 0.06 x 9	3	1.5	\$127		
	B29IFMS	29 x 0.06 x 9	3	1.5	\$127		
August and a second sec	B30IFMS	30 x 0.06 x 9	3	1.5	\$127		
Filler Modesty Panel - Inside Curve	Use for the insid • Use model B2 • Use model B2	pace (inside curve) betwee e curve of round wedge tab 3IFMS for trapezoid tables 9IFMS for teardrop tables 0IFMS for round wedge ta	bles, teardrop ta inside curve of inside curve on	ables or trapezo nly. ıly.		at an angle or curve.	
		er (SI) or Black (BK). Pleas		,			
	B56S	56 x 0.06 x 9	4	1.5	\$178		
A A A A A A A A A A A A A A A A A A A	B62S	62 x 0.06 x 9	4	1.5	\$194		
	B71S	71 x 0.06 x 9	4	1.5	\$206		
Filler Modesty Panel - Outside Curve	teardrop tables o • Use model B5 • Use model B6 • Use model B7	pace (outside curve) betwe only (B2036TDF, B2442TDI 6S for B2036TDF teardrop 2S for B2442TDF teardrop 1S for B3048TDF teardrop er (SI) or Black (BK). Pleas	F and B3048TI tables outside tables outside tables outside	Curve only.	tables are linke	d at an angle or curve	e. Use for
WIRE MANAGEMENT							
	BWMS5	5 x 2 x 3.5	1	0.1	\$6		
	BWMD22	22 x 2 x 3.5	1.5	0.1	\$15		
Wire Management - 5″ / 22″ Track	Black only. There • For a 5" track,	ck mounts to the underside e are no specifications for V order model BWMS5 - inc x, order model BWMD22 -	Wire Managem cludes one wire	nent. e clamp.	e clamp that can	route data and voice	wires separately

Required specifications Finish (only modesty panels)


B BUNGEE[™] TABLES

TRANSFORMER TABLES - 11 FT.						
I1 Foot Configurations	meeting/boardroom table	meeting/boardroom table			small teaming sta	large tions teaming stations
			training	lecture		tions tourning stations
			5	AV present	ations	•
	meeting/boardroom	training				
	table		Ţ			
	Ĩ, Į,					•
TRANSFORMER TABLES - 11 FT.	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	
	BK132F	132 x 60 x 29	290	19.25	\$3499	
ransformer Table Set - 11 Foot*	together. Corne of the tables tog		e radiused for all ssemble in 6 carto	edge options (B ons. Modesty p	B), (BS), (AB), (AS), (A banel set available, orde	ee cords to be "Bungee-tier (3) and (AR) due to geometr er BXK1320MP.
	BK132S	132 x 60 x 29	290	22.25	\$3936	
10 Miles						
ransformer Table Set - 11 Foot*	together. Corne of the tables tog		e radiused for all ssemble in 6 carto	edge options (B ons. Modesty p	B), (BS), (AB), (AS), (A banel set available, orde	e cords to be "Bungee-tied" (3) and (AR) due to geometre (FRXK1320MP)
	BXK132QMP	45 x 0.69 x 9.6	31	3.2	\$402	
quare Modesty Panel Set		bot Transformer Table S ndard line finishes. Edging				ify.
quare Modesty Panel Set						ify.
quare Modesty Panel Set						ify.
quare Modesty Panel Set						ify.
quare Modesty Panel Set						ify.
quare Modesty Panel Set						ify.
Square Modesty Panel Set						ify.
Square Modesty Panel Set For 11 Foot Transformer Table Set**						ify.
quare Modesty Panel Set						ify.
Square Modesty Panel Set	Available in sta	ndard line finishes. Edgin	g only available ir	n Silver (SI) or E	Black (BK). Please spec	ies
quare Modesty Panel Set	Available in sta	ications Edge detail*	g only available ir	n Silver (SI) or E	Black (BK). Please spec	ies


BUNGEE[™] TABLES B

TRANSFORMER TABLES - 13 AND 15 FT.

13/15 Foot Configurations







TRANSFORMER TABLES - 13 AND 15 FT.	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				
\frown	BK156F	156 x 60 x 29	374	26.25	\$5154	
	BK180F	180 x 60 x 29	420	29.75	\$5622	

Transformer Table Set - 13 and 15 Foot*

Includes six freestanding tables. Each table includes **four tapered legs** with levelers and Bungee cords to be "Bungee-tied" together. Corners of all tops in the set are radiused for all edge options (**BB**), (**BS**), (**AB**), (**AS**), (**AS**), (**AS**) and (**AR**) due to geometry of the tables together. Shipped easy to assemble in 9 cartons.

training

Modesty panel set available, order BXK156QMP/BXK180QMP.

Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

BK156S	156 x 60 x 29	374	28.75	\$5327	
BK180S	180 x 60 x 29	420	32.5	\$5772	



Transformer Table Set - 13 and 15 Foot*

Includes six freestanding tables. Each table includes **two spider legs** with levelers and Bungee cords to be "Bungee-tied" together. Corners of all tops in the set are radiused for all edge options (**BB**), (**BS**), (**AB**), (**AS**), (**A3**) and (**AR**) due to geometry of the tables together. Shipped easy to assemble in 9 cartons.

Modesty panel set available, order BXK156QMP/BXK180QMP.

Available with optional locking casters, specify Black (TBC) or Tungsten (TTC).

BXK156QMP	33 x 0.69 x 9.6	41	3.8	\$680	
BXK180QMP	45 x 0.69 x 9.6	51	4.2	\$655	

For use on **13 & 15 foot transformer table sets**. Includes mounting bracket and wire access sweep. Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.

• Use model BXK156QMP for BK156F/S transformer table set.

• Use model BXK180QMP for BK180F/S transformer table set.



Square Modesty Panel Set for 13 and 15 Foot Transformer Table Sets**

 Required specifications

 Top finish*
 Edge detail*


 Leg finish*
 Modesty panel finish

 Edge finish**
 Edge finish*

Optional specifications Grommet* Casters* Power block cut-out* Accessories Power block*

llob

B BUNGEE[™] TABLES SPIDER LEG TABLES - FLIP-TOP



Flip-Top Rectangular Table - Spider Legs*

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	W x D x H					
BX2442RES	42 x 24 x 29	66	20.75	\$1407	\$199	
BX2448RES	48 x 24 x 29	72	23.5	\$1423	\$199	
BX2460RES	60 x 24 x 29	84	29	\$1443	\$251	
BX2466RES	66 x 24 x 29	97	31.75	\$1462	\$299	
BX2472RES	72 x 24 x 29	102	34.75	\$1497	\$299	
BX3042RES	42 x 30 x 29	73	25.5	\$1412	\$251	
BX3048RES	48 x 30 x 29	79	28.75	\$1431	\$251	
BX3060RES	60 x 30 x 29	94	35.75	\$1462	\$312	
BX3066RES	66 x 30 x 29	106	39.25	\$1482	\$377	
BX3072RES	72 x 30 x 29	112	42.5	\$1516	\$377	

Table features a flip-top worksurface for ease of storage. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**A3**) or (**AR**) edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 375.

• Tables 48" and longer connect in both straight and "L" configurations.

• Standard with locking casters, specify Black (TBC) or Tungsten (TTC).



Flip-Top Trapezoid Table - Spider Legs*

29 BX2460TRS 60 x 24 x 29 69 \$1343 \$251 BX2466TRS 66 x 24 x 29 74 31.75 \$1360 \$299 BX2472TRS 72 x 24 x 29 80 34.75 \$1381 \$299 72 BX3060TRS 60 x 30 x 29 35 75 \$1356 \$312 BX3066TRS 66 x 30 x 29 78 39.25 \$1374 \$377 BX3072TRS 72 x 30 x 29 \$1392 84 42.5 \$377

Table features a flip-top worksurface for ease of storage. Bubble edge options (BB) or (BS) only apply (edge options (AS), (AB), (A3) and (AR) are not applicable on trapezoid tables). Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth.
Shipped in 1 carton. Folding modesty panels available, see page 375.
Standard with locking casters, specify Black (TBC) or Tungsten (TTC).

BX24KSS	51 x 24 x 29	69	24.75	\$1317	\$251	
BX30KSS	62 x 30 x 29	79	36.75	\$1370	\$377	

Table features a flip-top worksurface for ease of storage. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**A3**) or (**AR**) edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Modesty panels or filler panels are NOT available. • Standard with locking casters, specify Black (**TBC**) or Tungsten (**TTC**).




Table features a flip-top worksurface for ease of storage. When (**BB**) or (**BS**) edge option is specified, surface corners are radiused; when (**AS**), (**AB**), (**A3**) or (**AR**) edge option is specified, surface corners are square. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Shipped in 1 carton. Folding modesty panels available, see page 375. • Standard with locking casters, specify Black (**TBC**) or Tungsten (**TTC**).

Required specifications	Optional specifications	Accessories
Top finish*	Grommet*	Power block*
Edge detail*	Power block cut-out*	
Leg finish*	HP laminate*	








Flip-Top Wedge Table - Spider Legs*

BUNGEE[™] TABLES B

MODESTY PANELS - FLIP-TOP - SQUARE



Modesty Panel - Square

Modesty Panel - Square

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	W x D x H				
BX36QMP	21 x 0.69 x 9.6	6	0.9	\$97	
BX42QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BX48QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BX60QMP	45 x 0.69 x 9.6	12	1.6	\$117	
BX66QMP	51 x 0.69 x 9.6	13	1.8	\$123	
BX72QMP	57 x 0.69 x 9.6	14	2	\$127	

For use on **flip-top rectangular tables**. Includes hinged mounting bracket.


Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.

• Modesty panel model number indicates the width of table to be used on.

BXM60QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXM66QMP	33 x 0.69 x 9.6	9	1.2	\$109	
BXM72QMP	39 x 0.69 x 9.6	10	1.4	\$113	
BXL60QMP	21 x 0.69 x 9.6	6	0.9	\$98	
BXL66QMP	27 x 0.69 x 9.6	7	1.1	\$101	
BXL72QMP	33 x 0.69 x 9.6	9	1.2	\$109	

For use on **flip-top trapezoid tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap.

- Available in standard line finishes. Edging only available in Silver (SI) or Black (BK). Please specify.
- Modesty panel model number indicates the width of table to be used on.



Modesty Panel - Square

BXWQMP 27 x 0.69 x 9.6 7 1.1 **\$101**

For use on **flip-top wedge tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in standard line finishes. Edging only available in Silver **(SI)** or Black **(BK)**. Please specify.


• Modesty panel model number indicates the width of table to be used on.

Required specifications Modesty panel finish Edge finish



B BUNGEE[™] TABLES

TRANSFORMER TABLES - FLIP-TOP - 4 PC.



 Required specifications


 Top finish
 Edge detail*

 Leg finish
 Modesty panel finish

 Edge finish*
 Edge finish

Accessories Power block

BUNGEE[™] TABLES B



Transformer Table Set - 6 pc. Flip-Top*

TRANSFORMER TABLES - FLIP-TOP - 6 PC.

Includes six freestanding tables with spider legs. All tables feature a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables. Corners of all tops in the set are radiused for all edge options (**BB**), (**BS**), (**AB**), (**AS**), (**A3**) and (**AR**) due to geometry of the tables together. Shipped in 6 cartons.

Folding modesty panel set available, order BXK156QMP/ BXK180QMP.

• Standard with locking casters, specify Black (TBC) or Tungsten (TTC).

BXK156QMP	33 x 0.69 x 9.6	41	3.8	\$680	N/A	
BXK180QMP	45 x 0.69 x 9.6	51	4.2	\$655	N/A	

For use on **6 pc. flip-top table kits**. Modesty panels flip down for storage. Features Black wire access sweep. Available in standard line finishes. Edging only available in Silver (**SI**) or Black (**BK**). Please specify.

 Required specifications

 Top finish*
 Edge detail*

 Leg finish*
 Modesty panel finish

 Edge finish**
 Edge finish**

Optional specifications Grommet* Casters* Power block cut-out* HP laminate* Accessories Power block*



Square Modesty Panel Set for 6 pc. Flip-Top Table**

aloba

B BUNGEE[™] TABLES

ACCESSORIES	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	B2072BUF	72 x 20 x 42	305	37.5	\$3055	\$520	
Credenza Buffet**	radiused. Side st	op transaction shelf has op torage compartments feat with one adjustable shelf.	ure a laminate d	loor and one ad	ustable shelf ea	ach. Center storage featu	
	B249072AV	90 x 24 x 72	530	52.5	\$5042	\$527	-
udio/Visual Cabinet	compartments fe	and center adjustable she ature laminate doors and shelves each. Accommod	one adjustable s	shelf. Side stor	age towers featu	ure frosted aluminum doo	
	B44LEC	22 x 17 x 44	36	12.5	\$801	N/A	
ectern		stand with pencil ledge. (ys radiused Locking caste					

Required specifications Finish Fabric* Handles**

Optional specifications


BUNGEE SL[™] - NOTES B

GENERAL INFORMATION

- Introducing Bungee SL a product line to complement and coordinate with the top selling Bungee training tables series.
- Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications great for benching, training, teaming and academic areas.
- Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.
- High pressure tops are available in all Bungee SL laminates at an extended lead time please refer to model # for pricing.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- Tops are 1" thick.
- All laminate components are made of 45 lb. density particle board with high performance thermally fused laminate.
- Tops 60" and over feature a built-in support bar. The support bar is 10" from the approach side, and clearance to the bottom of the support bar is 27" from the floor.
- BUNGEE CORDS ARE NOT INCLUDED AND ARE NOT COMPATIBLE WITH BUNGEE SL TOPS.




EDGE DETAIL

• Bungee SL comes with a choice of four edge styles (two with two-trim finish options):






A3 - square corner, matching edge



AS - square corner, Silver



BS - rounded corner, Silver



AB - square corner, Black




BB - rounded corner, Black

- BB/BS Bungee bubble edge: Unique "bubble" molding found on original Bungee.
- AB/AS Split color PVC edge: Edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- A3 2mm preferred matching edge. Coordinates well with Adaptabilities and Zira 1" tops.
- AR Bicut edge. Coordinates well with Adaptabilities and Zira 1" tops.

LEGS

• Two leg styles are available: tapered and spider leg. Available in Black (TBL) or Tungsten (TTU) finish, please specify. Levelers are standard; casters are not available for Bungee SL legs. Levelers adjust 3mm - 10mm in height.







MODESTY PANELS

- See POWER AND DATA MANAGEMENT TROUGHS, pages 394-394.
- For modesty panels without power and data management, see Bungee modesty panels, pages 370-371.

WIRE MANAGEMENT / POWER OPTIONS

- TO UTILIZE BUNGEE SL TO THE FULLEST EXTENT, SPECIFY POWER AND DATA MANAGEMENT TROUGHS, see page 391.
- · For basic wire management see details on pages 393-394.

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

ACJ ASN AWC AWH BLK BRC CMB DES DWT	Absolute Acajou Asian Night Avant Cherry Avant Honey Black Brushed Cobalt Clear Maple Dark Espresso Designer White	NBL NGL NML QTM SBY SOG WHE WHC	Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany Sheer Beauty Storm Grey Walnut Heights White Chocolate	Edge: BB BS AB AS A3 AR	Bungee bubble edge with Black trim Bungee bubble edge with Silver trim Split color edge with Black trim Split color edge with Silver trim Matching 2mm flat edge Matching bicut edge
FAS FCL	Fashionista First Class	WCR	Winter Cherry	Legs: TBL	Black


3. SPECIFY OPTIONS

GROMMETS


- Optional grommets available in standard worksurface locations (left, center or right) for rectangular tops 48" and up. Order as: FOG1, FOG2 or FOG3. Add \$91.
- Optional grommet is available in center position only for rectangular tops (36" and 42"), keystone, half moon and wedge tops.
 Order as FOG2. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: CSG. Add \$132.
 A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to the custom grommet location form in the back reference section.


Grommet

Grommet hole dimensions











Rectangular Tops





POWER BLOCK

TTU


Tungsten

- An individual corded power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Power block cut-out dimensions are 2.75" deep x 6" wide. Units cannot be daisy-chained.
- A power block cut-out (model PMSPDM) may be ordered for rectangular tops (60" and up) in place of standard grommets. Order as E1, E2 or E3. Add \$91.
- A power block cut-out (model PMSPDM) may be ordered in the center position only for rectangular tops (36", 42" and 48"), keystone and half moon tops. Order as E2. Add \$91.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block separately as PMSPDM. Add \$268.

Half moon

4.5'





Rectangular tops





E2

18.5


Ė3

For **36", 42"** and **48"** wide units

MODPOWER DAISY-CHAIN SOLUTION


- Add flexible power and USB charging to Bungee SL rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide rectangular tables. Add \$91.
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60" and 72" wide rectangular tables. Add \$183.


global



global

B BUNGEE SL[™] - NOTES





B BUNGEE SL[™]

TOPS WITH

I SQUARE CORNERS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
		W x D x H					
	BS3072REC	72 x 30 x 1	60	4	\$499	\$463	
	BS3060REC	60 x 30 x 1	53	3.4	\$417	\$383	
	BS3048REC	48 x 30 x 1	46	2.7	\$253	\$309	
	BS3042REC	42 x 30 x 1	42	2.4	\$249	\$268	
	BS3036REC	36 x 30 x 1	38	2.1	\$199	\$231	
	BS2472REC	72 x 24 x 1	51	3.3	\$437	\$371	
	BS2460REC	60 x 24 x 1	44	2.8	\$380	\$309	
	BS2448REC	48 x 24 x 1	37	2.3	\$215	\$246	
	BS2442REC	42 x 24 x 1	33	2	\$206	\$215	
	BS2436REC	36 x 24 x 1	29	1.8	\$194	\$185	
\sim	BS2072REC	72 x 20 x 1	43	2.9	\$404	\$309	
	BS2060REC	60 x 20 x 1	37	2.4	\$342	\$257	
	BS2048REC	48 x 20 x 1	30	2	\$202	\$215	
	BS2042REC	42 x 20 x 1	27	1.8	\$186	\$185	
	BS2036REC	36 x 20 x 1	24	1.5	\$173	\$185	

Rectangular Top - Square Corners



Keystone Table - Square Corners*



Half Moon Table - Square Corners*



90° Wedge Top - Square Corners



90° Corner Table - Square Corners*

Rectangular 1" thick worksurface with square corners. Can accept tapered (B29TPLEG) or spider legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Compatible with power and data management troughs, see page 391 or standard modesty panels, see page 370. Shipped easy to assemble in 1 carton.

• Do not use as return top.

· Legs sold separately.

BS30KSF	62.75 x 30.5 x 29	58	4	\$887	\$463	
BS24KSF	52 x 28.75 x 29	50	3.7	\$801	\$339	
BS20KSF	44 x 27.75 x 29	46	3	\$732	\$278	

1" thick worksurface with square corners. Includes two tapered legs. Not available with spider legs. Connects to other tops of 20", 24" or 30" depths. Modesty panels or filler panels are NOT available. Shipped easy to assemble in 2 cartons.

BS3060HMF	59.4 x 29.75 x 29	57	4	\$837	\$383	
BS2448HMF	48.2 x 24 x 29	45	3	\$785	\$246	

1" thick worksurface with square corners. Includes two tapered legs. Not available with spider legs. Connects to other tables equaling the same length. Modesty panels or filler panels are NOT available. Shipped easy to assemble in 2 cartons.

BS24WE	26.8 x 26.8 x 1	15	1.5	\$240	\$215	
BS20WE	22.8 x 22.8 x 1	10	1.2	\$173	\$185	

1" thick worksurface with square corners. Can accept tapered (B29TPLEG) or spider legs (B2XSPLEG / B30SPLEG) in shared positions only. Accepts filler modesty panels. Shipped easy to assemble in 1 carton. Legs sold separately.

DOGGONI	
BS30CN	

33.2 x 33.2 x 29

36 2.5

Connects to 30" deep rectangular tables. Includes one tapered leg. Not available with spider legs.

\$193

\$542

Required specifications Top finish Edge detail Leg finish*

Shipped easy to assemble in 1 carton.

Optional specifications HP laminate Grommet position or power block cut-out

Accessories Power block Power/data management troughs Modesty panel



BUNGEE SL[™] B

RECTANGULAR RETURN TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
		W x D x H				
	BS3054RRE	54 x 30 x 1	50	3.1	\$271	\$347
	BS3048RRE	48 x 30 x 1	46	2.7	\$253	\$309
	BS3042RRE	42 x 30 x 1	42	2.4	\$249	\$268
	BS3036RRE	36 x 30 x 1	38	2.1	\$199	\$231
	BS2454RRE	54 x 24 x 1	40	2.5	\$233	\$278
	BS2448RRE	48 x 24 x 1	37	2.3	\$215	\$246
	BS2442RRE	42 x 24 x 1	33	2	\$206	\$215
	BS2436RRE	36 x 24 x 1	29	1.8	\$194	\$185
	BS2054RRE	54 x 20 x 1	33	2.2	\$220	\$231
\sim	BS2048RRE	48 x 20 x 1	30	2	\$202	\$207
(Aller	BS2042RRE	42 x 20 x 1	27	1.8	\$186	\$185
	BS2036RRE	36 x 20 x 1	24	1.5	\$173	\$154

Rectangular 1" thick worksurface with **square corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept tapered (B29TPLEG) or spider legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Compatible with standard modesty panels, see page 370. Shipped easy to assemble in 1 carton.

• For worksurfaces to be used as a main surface, please see rectangular tops.

• Legs sold separately.

TOPS WITH ROUNDED CORNERS

Rectangular Return Tops -

Square Corners*

BB3072REC	72 x 30 x 1	59	4	\$641	\$463	
BB3060REC	60 x 30 x 1	52	3.4	\$535	\$383	
BB3048REC	48 x 30 x 1	45	2.7	\$326	\$309	
BB3042REC	42 x 30 x 1	41	2.4	\$318	\$268	
BB3036REC	36 x 30 x 1	37	2.1	\$254	\$231	
BB2472REC	72 x 24 x 1	50	3.3	\$562	\$371	
BB2460REC	60 x 24 x 1	43	2.8	\$487	\$309	
BB2448REC	48 x 24 x 1	36	2.3	\$276	\$246	
BB2442REC	42 x 24 x 1	32	2	\$262	\$215	
BB2436REC	36 x 24 x 1	28	1.8	\$249	\$185	
BB2072REC	72 x 20 x 1	42	2.9	\$518	\$309	
BB2060REC	60 x 20 x 1	36	2.4	\$438	\$257	
BB2048REC	48 x 20 x 1	29	2	\$260	\$215	
BB2042REC	42 x 20 x 1	26	1.8	\$239	\$185	
BB2036REC	36 x 20 x 1	23	1.5	\$223	\$185	

Rectangular 1" thick worksurface with **rounded corners**. Can accept tapered (B29TPLEG) or spider legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Compatible with **power and data management troughs**, see page 391 or standard modesty panels, see page 370.

Shipped easy to assemble in 1 carton.

• For worksurfaces to be used as a return, please see return tops.

Legs sold separately.

BB30KSF	62.75 x 30.5 x 29	57	4	\$1058	\$463
BB24KSF	52 x 28.75 x 29	49	3	\$950	\$339
BB20KSF	44 x 27.75 x 29	45	3	\$860	\$278

1" thick worksurface with **rounded corners.** Includes **two** tapered legs. *Not available with spider legs.* Connects to other tops of 20", 24" or 30" depths. Modesty panels or filler panels are NOT available. Shipped easy to assemble in 2 cartons.

Required specifications Top finish Edge detail Leg finish (only BBxxKSF)

Optional specifications HP laminate

Grommet position or power block cut-out*

Accessories

Power block Modesty panel* Power/data management troughs*





Keystone Table - Rounded Corners

loba


B BUNGEE SL[™]

TOPS WITH ROUNDED CORNERS

Half Moon Table - Rounded Corners*

90° Wedge Top - Rounded Corners





1" thick worksurface with rounded corners. Includes two tapered legs. Not available with spider legs. Connects to other tables equaling the same length. Modesty panels or filler panels are NOT available. Shipped easy to assemble in 2 cartons.

	E4 x 20 x 1	FO	0.1	¢240	62/17	
BB3054RRE	54 x 30 x 1	50	3.1	\$349	\$347	
BB3048RRE	48 x 30 x 1	46	2.7	\$326	\$309	
BB3042RRE	42 x 30 x 1	42	2.4	\$318	\$268	
BB3036RRE	36 x 30 x 1	38	2.1	\$254	\$231	
BB2454RRE	54 x 24 x 1	40	2.5	\$299	\$278	
BB2448RRE	48 x 24 x 1	37	2.3	\$276	\$246	
BB2442RRE	42 x 24 x 1	33	2	\$262	\$215	
BB2436RRE	36 x 24 x 1	29	1.8	\$249	\$185	
BB2054RRE	54 x 20 x 1	33	2.2	\$286	\$231	
BB2048RRE	48 x 20 x 1	30	2	\$260	\$207	
BB2042RRE	42 x 20 x 1	27	1.8	\$239	\$185	
BB2036RRE	36 x 20 x 1	24	1.5	\$223	\$154	

Rectangular 1" thick worksurface with rounded corners. Includes two flat brackets to attach to another worksurface on one end. Can accept tapered (B29TPLEG) or spider legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Compatible with standard modesty panels, see page 370. Shipped easy to assemble in 1 carton.

• For worksurfaces to be used as a main surface, please see rectangular tops.

· Legs sold separately.

MODEL #

BB3060HMF

BB2448HMF

BB24WE

BB20WE

DIMENSIONS

WxDxH

59.4 x 29.75 x 29

48.2 x 24 x 29

26.8 x 26.8 x 1

22.8 x 22.8 x 1

WT/LB.

56

44

14

9

CUBIC FT.

4

3.1

1.5

1.2

LIST PRICE

\$999

\$930

\$308

\$223

HP ADD

\$383 \$246

\$215

\$185

BB30CN	33.17 x 33.17 x 29	36	2.5	\$578	\$193

Connects to 30" deep rectangular tables. Includes one tapered leg. Not available with spider legs. Shipped easy to assemble in 1 carton.

Required specifications
Top finish
Edge detail

Optional specifications Grommet HP laminate

Accessories

Power block (rectangular return tops) Modesty panel (rectangular return tops)




Rectangular Return Tops -Rounded Corners

90° Corner Table - Rounded Corners*

Leg finish*



BUNGEE SL[™] B







loba

GENERAL INFORMATION

- Power and data management troughs for the Bungee SL table series. Add Global's proprietary 4-wire power kits and create cost effective and versatile training, benching, academic and meeting areas.
- Front panels are available in laminate or aluminum. A center spine version allows for inexpensive double-sided applications.
- POWER AND DATA MANAGEMENT TROUGHS are sold separately and are meant to be used on Bungee SL only.
- POWER AND DATA MANAGEMENT TROUGHS accept Global's 4-wire power kit in addition to numerous data, phone and other multimedia wires.
- Filler modesty panels conceal wiring in spaces not covered by troughs.
- For environmental certifications, please visit globalfurnituregroup.com.

FINISHES

ammate			
ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	ОТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

Aluminum Face Panel, Trough, Filler Panels and End Caps:

Black (BLK) Tungsten (TUN)

LAMINATE FACE PANEL (LFP)

- Laminate face panel (LFP) on the approach side is ¹¹/₁₆" thick. LFP height is 13".
- Rear access panel is 0.25" thick laminate. Rear panel height is 7.25".
- LFP and rear panel swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (including Global's 4-Wire System) to lie within the bottom.
- LFP is available in all standard laminates, aluminum trough available in Black (BLK) or Tungsten (TUN) finish, please specify (rear access panel is finished in Brushed Cobalt (BRC) laminate when TUN is specified, or Black (BLK) laminate when BLK is specified).
- End caps (JBEC) sold separately.






Tops, legs and end caps not included.

ALUMINUM FACE PANEL (AFP)

- Aluminum face panel (AFP) is an aluminum extrusion. AFP height is 8.25".
- AFP swings down to allow wire access and features a flexible sweep at the top.
- Rear access panel is 0.25" thick laminate. Rear panel height is 7.25".
- Rear panel swings up to allow wire access and features a flexible sweep at the top.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (including Global's 4-Wire System) to lie within the bottom.
- AFP and aluminum trough available in Black (BLK) or Tungsten (TUN) finish, please specify (rear access panel is finished in Brushed Cobalt (BRC) laminate when TUN is specified, or Black (BLK) laminate when BLK is specified).
- End caps (JBEC) sold separately.





Tops, legs and end caps not included.

CENTER SPINE (CS)

- 0.25" thick laminate panels on both sides of the unit. Panel height is 7.25".
- Both panels swing up to allow wire access and feature a flexible sweep at the top.
- All laminate components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- The trough portion of the unit is made of a heavy duty aluminum extrusion to allow wire systems (like Global's 4-Wire System) to lie within the bottom.
- Aluminum trough available in Black (BLK) or Tungsten (TUN) finish, please specify (rear access panel is finished in Brushed Cobalt (BRC) laminate when TUN is specified, or both access panels are finished in Black (BLK) laminate when BLK is specified).
- End caps (JBEC) sold separately.



Tops, legs and end caps not included.



BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS - NOTES B

FILLER MODESTY PANELS

- Used to fill the space between two power and data management troughs and conceal wiring from the approach side.
- Straight filler allows for use in straight configurations between two rectangular tables with power and data management troughs.
- Curved filler allows for use at curve with 90° wedge tables between two
 rectangular tables with power and data management troughs.
- Available in Silver (SI) or Black (BK) finish, please specify.





Curved filler modesty panel

Straight filler modesty panel

END CAPS

- Plastic end caps with decorative insert. Required for beginning and end of runs.
- Cap can be notched in field to allow wire infeed pass-through.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.



WIRE MANAGEMENT

- Two wire manager clamps are included within all power and data management troughs.
- Attached to the unit, they can slide from side-to-side to accommodate wiring systems.
- Data, voice, multimedia and power can be routed separately using channels on each wire manager.
- Additional wire manager clamps are available to retrofit.
- Available in Black only.



POWER SNAKE


- Attaches to underside of worksurface to organize and manage wires from the power trough to the floor in-feed.
- · Black finish only.

GLOBAL 4-WIRE POWER SYSTEM

- Global's proprietary power system comes with everything you need to power your Bungee SL layouts. Kits coordinate to the size of the table being used and fit snugly into the bottom of the power and data management trough.
- Single duplex kits come with one duplex centered on the wiring harness. Duplexes are 6" wide.
- Double duplex kits come with two duplexes 11" of wiring on each side of the harness allows for flexibility between connections. Duplexes are 6" wide.
- One end of the harness kit features a female connection, while the opposite end features a male connection for a quick and easy connect/disconnect.
- Actual kit length is 1" longer than nominal.
- Must be hardwired using infeeds (specified separately) by a licensed electrician.
- All conduits are enclosed in a Black nylon sleeve to reduce visibility.
- All duplexes and connectors are plastic. Black only.
- 8 DUPLEXES PER CIRCUIT MAXIMUM maximums are to national electric code (NEC) - some local codes vary from NEC code - it is the customer's responsibility to follow all applicable local codes and guidelines.

ELECTRICAL SYSTEM

4-2 Wiring Schematic 4-Wire Shared Neutral Complies with National Electric Code UL Listed All circuits rated for 20 AMP




PRODUCT	MAX UNITS PER CIRCUIT
P42S	8 units per circuit
P42D	4 units per circuit

loba


B BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS - NOTES


POWER/DATA MANAGEMENT TROUGH PLACEMENT





8.25″		F0 F//
io l		— <u>, 4.25″</u>
٥	<u>.</u>	

Shared Leg Tables - AFP or LFP









GLOBAL 4-WIRE POWER TO POWER/DATA MANAGEMENT TROUGH:




Bungee SL with AFP Power/Data Management Trough - 90" Corner Application



Bungee SL with CS Power/Data Management Trough - Back to Back Application (shown with power snake)

UTILIZING POWER BLOCKS AND GROMMETS WITH POWER/DATA MANAGEMENT TROUGH





BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS B



TROUGHS

Trough w/Center Spine (CS)

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			
JB72C	55.75 x 4.33 x 10	19	2.2	\$640
JB60C	43.75 x 4.33 x 10	15	1.8	\$601
JB48C	31.75 x 4.33 x 10	12	1.3	\$510
JB42C	25.75 x 4.33 x 10	10	1.1	\$473
JB36C	19.75 x 4.33 x 10	8	0.8	\$439

For use on rectangular Bungee SL surfaces only in back-to-back applications only. Two laminate panels swing up to allow wire access and feature flexible sweep at the top. Black wire management clamps included.

- To fill the gap between two power/data management trough (CS) modules in a straight run, two filler modesty panels (JBSFM) are recommended to conceal wiring from both sides.
- Model # corresponds to the size of table the power/data management trough will fit on (i.e. JB72C will fit a 72" wide table).

Required specifications Aluminum face panel finish (AFP) Power/data trough finish Trough finish, laminate face panel (LFP) Accessories 4-wire power system End cap Power snake

global

B BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS

JBSFM 22.5 x 0.25 x 9 1.6 0.4 \$153		MODEL #	DIMENSIONS WxDxH	WT/LB.	CUBIC FT.	LIST PRICE
In a straight configuration. • In center spine applications, two straight filler modesty panels should be specified to cover cabling and wir sides. JBCFM 28.5 x 0.25 x 9 1.8 0.5 \$183 Modesty Panel Curved filler modesty is used to fill the space between two power/data management troughs where tables ar curve. • For interior curves only. JBEC 8 x 3 x 1 1 0.15 \$35 Plastic end cag to be snapped into place at the end of power/data management troughs. To be specified for t end of runs for a finished look. Charcoal finish only. • Plastic cap can be notiched in the field to allow infeed or data cable pass-through. JBWM2 8.5 x 3 x 2 1 0.1 \$138 Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurfas side tage (supplied) or retroft into power/data management trough modules. JBWM2 8.5 x 3 x 2 1 0.1 \$138 JBWM2 8.5 x 3 x 2 1 0.1 \$138 1 0.25 \$151 JBYMA 8.5 x 3 x 2 1 0.1 \$138 1 0.25 \$151 JBYMA 8.5 x 3 x 2 1 0.1 \$138 1 1 1 1 1 1 1 1 1		JBSFM		1.6	0.4	\$153
Modesty Panel Curved filler modesty is used to fill the space between two power/data management troughs where tables ar curve. • For interior curves only. JBEC 8 x 3 x 1 1 0.15 \$35 Plastic end cap to be snapped into place at the end of power/data management troughs. To be specified for t end of runs for a finished look. Charcoal finish only. • Plastic cap can be notched in the field to allow infeed or data cable pass-through. JBWM2 8.5 x 3 x 2 1 0.1 \$138 ement Clamp Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurfat sided tape (supplied) or retroft into power/data management trough modules. Black finish only. • Recommended for use at 90° corners. • Retroftting requires disassembly of power/data management trough modules. JBPS 4 x 4 x 34 2 0.25 \$151 Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fr data management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69	r Modesty Panel	in a straight con • In center spine	figuration.			
curve. • For interior curves only. JBEC 8 x 3 x 1 1 0.15 \$35 Plastic end cap to be snapped into place at the end of power/data management troughs. To be specified for tend of runs for a finished look. Charcoal finish only. • Plastic cap can be notched in the field to allow infeed or data cable pass-through. JBWM2 8.5 x 3 x 2 1 0.1 \$138 JBWM2 8.5 x 3 x 2 1 0.1 \$138 Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurfat sided tape (supplied) or retrofit into power/data management trough modules. Black finish only. • Recommended for use at 90° corners. • Retrofitting requires disassembly of power/data management trough modules. JBPS 4 x 4 x 34 2 0.25 \$151 Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fr data management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69		JBCFM	28.5 x 0.25 x 9	1.8	0.5	\$183
Plastic end cap to be snapped into place at the end of power/data management troughs. To be specified for t end of runs for a finished look. Charcoal finish only. • Plastic cap can be notched in the field to allow infeed or data cable pass-through. JBWM2 8.5 x 3 x 2 1 0.1 \$138 ment Clamp Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurfaction sided tape (supplied) or retrofit into power/data management trough modules. Black finish only. • Recommended for use at 90° corners. • Retrofitting requires disassembly of power/data management trough modules. JBPS 4 x 4 x 34 2 0.25 \$151 Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fredata management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69	Modesty Panel	curve.		e between two	power/data ma	anagement troughs where tables are li
end of runs for a finished look. Charcoal finish only. • Plastic cap can be notched in the field to allow infeed or data cable pass-through. JBWM2 8.5 x 3 x 2 1 0.1 \$138 nent Clamp Wire management track with double wire clamp - triple height. Can be affixed to the underside of worksurfact sided tape (supplied) or retrofit into power/data management trough modules. Black finish only. • Recommended for use at 90° corners. • Retrofitting requires disassembly of power/data management trough modules. JBPS 4 x 4 x 34 2 0.25 \$151 Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fredata management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69		JBEC	8 x 3 x 1	1	0.15	\$35
sided tape (supplied) or retrofit into power/data management trough modules. Black finish only. • Recommended for use at 90° corners. • Retrofitting requires disassembly of power/data management trough modules. JBPS 4 x 4 x 34 2 0.25 \$151 Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fr data management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69		end of runs for a • Plastic cap can	finished look. Charcoal fini h be notched in the field to	sh only. allow infeed or	data cable pas	s-through.
Attaches to the underside of worksurface with supplied wood screws. Used to organize and channel wires fr data management trough down to the floor infeed. Black finish only. JBCTM 7 x 6.5 x - 1 0.1 \$69	nt Clamp	sided tape (supp • Recommended	lied) or retrofit into power/o d for use at 90° corners.	data manageme	ent trough modu	ıles. Black finish only.
JBCTM 7 x 6.5 x - 1 0.1 \$69	:	JBPS	4 x 4 x 34	2	0.25	\$151
						ed to organize and channel wires from
Mount Secures terminated data or telephone cables. Attaches with two screws to aluminum trough, inside power tr)	JBCTM	7 x 6.5 x -	1	0.1	\$69
Designed to hold multiple data solutions. Inserts not included. Black finish only.	Mount					

BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS B

R

4-WIRE POWER SYSTEM

Single Duplex Kit



Double Duplex Kit

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
Circuit 1	W x D x H				
				+	
PP42S0721	72 x - x -	3.2	0.1	\$167	
PP42S0661	66 x - x -	3	0.09	\$160	
PP42S0601	60 x - x -	2.8	0.09	\$154	
PP42S0541	54 x - x -	2.6	0.08	\$148	
PP42S0481	48 x - x -	2.4	0.08	\$141	
PP42S0421	42 x - x -	2.3	0.07	\$133	
PP42SO361	36 x - x -	2.1	0.06	\$127	
PP42SO301	30 x - x -	1.9	0.06	\$120	
PP42S0241	24 x - x -	1.7	0.05	\$110	
Circuit 2					
PP42S0722	72 x - x -	3.2	0.1	\$167	
PP42S0662	66 x - x -	3	0.09	\$160	
PP42S0602	60 x - x -	2.8	0.09	\$154	
PP42S0542	54 x - x -	2.6	0.08	\$148	
PP42S0482	48 x - x -	2.4	0.08	\$141	
PP42S0422	42 x - x -	2.3	0.07	\$133	
PP42S0362	36 x - x -	2.1	0.06	\$127	
PP42S0302	30 x - x -	1.9	0.06	\$120	
PP42S0242	24 x - x -	1.7	0.05	\$110	

Single duplex kit includes one Black plastic duplex connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in Black nylon sleeve. Actual length is 1" longer than nominal.

- Please specify Circuit 1 or Circuit 2.
- Model # corresponds to the size of table the power/data management trough will fit on (i.e. PP42S0481 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately, see page 394.

Circuit 1					
PP42D0721	72 x - x -	3	0.1	\$193	
PP42D0661	66 x - x -	2.8	0.09	\$187	
PP42D0601	60 x - x -	2.6	0.09	\$180	
PP42D0541	54 x - x -	2.4	0.08	\$173	
PP42D0481	48 x - x -	2.3	0.08	\$166	
PP42D0421	42 x - x -	2.1	0.07	\$158	
PP42D0361	36 x - x -	1.9	0.06	\$153	
Circuit 2					
PP42D0722	72 x - x -	3	0.1	\$193	

FF4ZDU7ZZ	1 Z X - X -	3	0.1	9122	
PP42D0662	66 x - x -	2.8	0.09	\$187	
PP42D0602	60 x - x -	2.6	0.09	\$180	
PP42D0542	54 x - x -	2.4	0.08	\$173	
PP42D0482	48 x - x -	2.3	0.08	\$166	
PP42D0422	42 x - x -	2.1	0.07	\$158	
PP42D0362	36 x - x -	1.9	0.06	\$153	

Double duplex kit includes two Black plastic duplexes connected to harnesses. Male connection (IN) on one side with female connection (OUT) on the opposite for easy connect and disconnect. Conduit is wrapped in Black nylon sleeve. Actual length is 1" longer than nominal.

- Please specify Circuit 1 or Circuit 2. Both duplexes on the kit will be assigned to the same circuit.
- Model # corresponds to the size of table the power/data management trough will fit on (i.e. PP42D0481 will fit a JB48A, JB48L or JB48C module).
- Infeed required for connection to building power. Sold separately, see page 394.

loba

B BUNGEE SL[™] POWER/DATA MANAGEMENT TROUGHS

	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H			
	PP42J72	73 x - x -	3	0.1	\$146
	PP42J66	67 x - x -	2.91	0.09	\$141
	PP42J60	61 x - x -	2.73	0.09	\$137
	PP42J54	55 x - x -	2.54	0.08	\$132
	PP42J48	49 x - x -	2.35	0.08	\$127
	PP42J42	43 x - x -	2.16	0.07	\$122
	PP42J36	37 x - x -	1.98	0.06	\$117
	PP42J30	31 x - x -	1.79	0.06	\$113
	PP42J24	25 x - x -	1.6	0.05	\$109
	PP42J18	19 x - x -	1.41	0.03	\$102
	1142310	13 X - X -	1.41	0.04	\$10 <u>2</u>
wer Harness Jumper	Conduit is wrapp • Use PP42J18 b • Use all other si	ed in Black nylon sleeve. etween two power/data n zes to jump between pow	Actual length is nanagement tro er kits on power	1" longer than r ughs separated r/data managem	osite for easy connect and disconnect. nominal. by Bungee SL wedge, keystone or half moon tab nent troughs that are NOT powered (i.e. use a OWERED power/data management trough modu
	PP42HW72	72 x - x -	6.5	0.3	\$165
۵		VIRED BY LICENSED EL ght conduit is required, sp 4 x 8 x 2			\$173
	PP42TP72	4 x 8 x 4	4.5	0.15	\$155
gle-Circuit 3-Prong Infeed	building power su Available in 72" o • Connects P42S		in Black nylon s cuit 1 only .	sleeve. Allows f	vides single power entry from floor or wall locate for quick and easy disconnection from the wall.
ngle-Circuit 3-Prong Infeed	building power su Available in 72" o • Connects P42S • TO BE HARD	apply. Conduit is wrapped or 120" overall lengths. or P42D kits. Power Cir VIRED BY LICENSED EL	in Black nylon s cuit 1 only. ECTRICIAN. U	sleeve. Allows f	for quick and easy disconnection from the wall.
gle-Circuit 3-Prong Infeed	building power su Available in 72" o • Connects P42S	upply. Conduit is wrapped or 120" overall lengths. or P42D kits. Power Cir	in Black nylon s cuit 1 only .	sleeve. Allows f	
	building power su Available in 72" o Connects P42S TO BE HARDV PMSPDM	ipply. Conduit is wrapped or 120" overall lengths. or P42D kits. Power Cir VIRED BY LICENSED EL 6.5 x 3.5 x 2.75	in Black nylon s cuit 1 only. ECTRICIAN. U 2 power receptad	Sleeve. Allows f JL listed. 0.1	for quick and easy disconnection from the wal \$268 a receptacles. 9' Black cord. Specify position

394



ConnecTABLES provides solutions for a variety of day-to-day work environments. Designed as easy-to-use linking or freestanding tables, ConnecTABLES is limited only by your imagination.

Open Conference

Many ConnecTABLES tops can be assembled to be freestanding. When combined with locking casters and the flip-top T-leg, the result is easy storage and complete portability.

Meeting Rooms

ConnecTABLES modular units provide quick and affordable answers for all sizes and shapes of rooms and applications.

Educational and Training Rooms

ConnecTABLES table tops configure easily into temporary or permanent educational applications.



T-leg with leveling glides.



Modesty panel.



Optional ganging connector.

Features and Benefits

- Optional, easy-to-use thumbscrews allow installation without tools.
- Optional zinc-plated steel ganging hardware connects freestanding tops without moving T-leg position.
- Optional modesty panel wire management unit available.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Optional Black grommets for convenient wire management can be ordered "factory installed".
- Tops are 1" thick and constructed of 45 lb. density particle board.
- Optional casters available with or without manual locks provide mobility.
- ConnecTABLES tops are available in all Global laminate finishes with three leg and two edge color options.

loh

GENERAL INFORMATION

- ConnecTABLES is an affordable and highly flexible system of modular tables. Designed as easy-to-use linking or freestanding tables, ConnecTABLES adapts to every requirement: seminar or training room, meeting room, personal workstations, educational, conferencing and team cluster workgroups.
- ConnecTABLES have eight basic top shapes available in various sizes.
- ConnecTABLES edges do not match any other Global product in either color or style.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in high pressure. Contact your Customer Service representative for a quote.
- If other than a Global standard laminate finish is preferred, contact your Customer Service representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- ConnecTABLES edges do not match any other Global product in either color or style.

CONSTRUCTION

- Some components can stand-alone when the "T" base is set in the freestanding position. When the "T" base is in the linking position, all the components can be used in grouping configurations (clusters).
- Optional wire grommets not available on 45° wedge and the 60° triangle.
- Rectangular tops 54" in length and longer are supplied with a 16" gauge steel support channel. Top is predrilled for placement.
- · Shipped easy to assemble.
- Special width tops are available. Use next size up.
- Tables adjust from 28.75" to 29.75" high.
- Elliptical column cover, glides, casters, thumbscrews and endcaps available in Black only.
- · MUST specify top, edge, and "T" base color with each order.

LEGS

- T-leg is coated with environmentally friendly, recyclable paint electrostatically applied epoxy powder coating for a very durable finish in three colors as specified below. Only the bottom horizontal portion of the painted leg is visible.
- Black plastic leveling glides offer 1" adjustability.
- Two Black plastic elliptical column caps cover each leg column.
- Casters will not affect table height when used in conjunction with or in place of glides.

NBL

NGL

NEL

NML

ОТМ

SBY

SOG

WHE

WHC

WCR

Noce Biondo

Noce Grigio

Noce Medio

Sheer Beauty

Walnut Heights

White Chocolate

Shadow (TSH)

Tungsten (TTU)

Winter Cherry

Storm Grey

Noce Leggero

Quartered Mahogany

- Casters can facilitate mobility in installations which need to be moved frequently.
- Legs when used with casters have no adjustability for leveling.

LAMINATE FINISHES

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BRC	Brushed Cobalt
СМВ	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class

LEG COLORS

Black (**TBL**) Chrome (**CHM**)* *optional on foot only

GROMMETS

- Optional grommets are available in standard worksurface locations (left, center or right) for rectangular tables. Order as: FOG1, FOG2 or FOG3. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



- Grommets may be placed at non-standard locations. Order as: CSG. Add \$132.
 A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to the custom grommet location form in the back reference section.
- If adding Cove mini power block to FOG cut-out, cannot use with modesties.

POWER BLOCK

- An individual corded power block (model PMSPDM) may be ordered on all worksurfaces.
- Power block is a configured with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained and cannot be used with modesties.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block as PMSPDM. Add \$268.
 Power blocks are available in standard worksurface locations (left, center or right).
 Order as E1, E2 or E3. Add \$91.






Specify location E1, E2 or E3. Add \$91.

Power block PMSPDM. Add \$268.

EXAMPLES OF POWER BLOCK POSITIONS



MODPOWER DAISY-CHAIN SOLUTION

- Add flexible power and USB charging to ConnecTables rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting (cannot be used with modesties):
- Specify cut-out option MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 30" to 72" wide rectangular tables. Add \$91.
- Specify cut-out option MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$183.



EDGE COLORS


Black (BLK)

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

TOP & EDGE OPTIONS

• ConnecTABLES have nine basic top shapes available in various sizes. All top shapes have a variety of straight or curved edges which are referred to as Working (W), Connecting (C) or End (E) edges. Edges can also have a combination of edge types as shown.



Working edge (1) - Edges designated with the letter "**W**" indicate that this is a **working** or sitting edge. These edges can be connected with optional ganging hardware in freestanding applications.

Connecting edge (2) - Edges designated with the letter "**C**" indicate that this is a **connecting** edge. These edges can be connected to any other connecting edge of equal width, regardless of the top shape or size.

End edge (3) - Edges designated with the letter "**E**" indicate that this is an **end** edge or an edge that can finish a run of tops. If a top has two end edges it can be freestanding. 90° crescent tops can be freestanding if the optional center leg is added.

3. end edge 1. working edge

FREESTANDING AND CONNECTING CONDITIONS

Freestanding tables are defined as any one worksurface supported by two or more legs; connecting tables are defined as more than one worksurface supported by a single leg at each point of connection. The rule to determine the quantity of legs of an open configuration is the number of worksurfaces plus one (See Figure 1).

On closed configurations, the number of legs is equal to the number of worksurfaces (See Figure 2). There are some exceptions, such as when optional third legs are used on quarter round or 90° crescent shapes.

aloba




Figure 1. Open Configuration Number of surfaces = 5 Number of legs = 6




Figure 2. Closed Configuration Number of surfaces = 6 Number of legs = 6


C CONNECTABLES® - NOTES


FREESTANDING CONDITIONS


- All square, rectangle and trapezoid shapes are able to act as freestanding tables (Figure 3).
- When trapezoid tops are freestanding, legs must be on the outer left and right sides (Figure 4).
- 90° crescent worksurfaces have provision for an optional third center leg for additional stability when heavy loads are applied to the outside edge.
 They can also be used as freestanding tables when a third leg is added (Figure 5).
- All freestanding tables can be connected with optional ganging hardware.

Figure 5 - Adding a Third Leg

- Freestanding tables can be ganged with connected tables in some cases, providing that the number and size of connected tables is easily movable (Figure 6).
- DO NOT DRAG TABLES WHEN RE-CONFIGURING.







Incorrect C Figure 4 - Trapezoid Tops




Figure 6 - Ganging with Connected Tables

CONNECTING CONDITIONS

- Any two worksurfaces of equal depth (24"D, 30"D or 36"D) can be connected with one leg, at the connecting or end edges (Figure 8).
- Half round worksurfaces can be used in the following ways: They must be of equal width when connected to each other (Figure 7) or the connecting shapes must be equal to half the width of the connecting half round (Figure 8).
- ConnecTABLES is designed with the leg to be fastened parallel to connecting edges, but in some cases you may wish to fasten legs at 90° to connecting edges. This could allow for increased leg or knee clearance, depending on the intended use (Figure 9).
- Quarter round and 90° crescent worksurfaces have provision for an optional third leg for additional stability when heavy loads are applied to the outside edge. For quarter round worksurfaces, it is recommended that configuration "A" be used since the outside end of the center leg in configuration "B" is almost flush with the outside edge of the worksurface. If configuration "B" is installed against a wall or where there will be no traffic flow, then configuration "B" can be used.



Figure 8






Figure 9 - 90° Leg Connections



Configuration A



Configuration B



CONNECTABLES® - PUTTING IT ALL TOGETHER C

Ð

elliptical leg

0

mounting plate

9

R

oval hole

9

Legs are fastened to worksurfaces utilizing a steel-to-steel connection. Each leg comes equipped with four 0.25" x 0.875" screws. machine screws. Screws are inserted through the four oval shaped holes only. **Do not use wood screws**. When fastening legs to worksurfaces, hand thread screws into position to prevent any cross threading. When all screws have been hand threaded, tighten firmly with screwdriver to secure. Optional thumbscrews can be used in place of machine screws. Thumbscrews eliminate the need for a screwdriver, whether assembling or disassembling tables. **Do not use power tools for assembly of legs**.





- 1. Turn worksurface upside-down on clean floor. (You may want to use carton from packaging as a protective assembly surface to protect the top from scratching.)
- 2. Position leg mounting plate holes over threaded steel inserts in top.
- 3. Fasten each leg to top with four $0.25^{\prime\prime}$ x $0.875^{\prime\prime}$ screws.
- 4. Turn table right-side up.
- 5. Level table by adjusting glides.





- 1. Determine approximate location of desired configuration in room and turn worksurfaces upside down on floor. (Remember you are working in reverse.)
- 2. Position leg mounting plate so it is centerd over the connecting edge of the first worksurface. Fasten leg with two 0.25" x 0.875" screws.
- 3. Repeat step 2 and 3 on the opposite edge of the first worksurface.
- 4. Turn table right side up.
- 5. Turn table right side up and fasten to the previous top from the underside.
- 6. To add additional worksurfaces repeat step 5.
- 7. When all the tops have been connected, level complete configuration by adjusting glides.

Note: Use the same procedures as above when using optional thumb screws.










ilohi

C CONNECTABLES® - PUTTING IT ALL TOGETHER

OPTIONAL CASTERS


- 1. Turn worksurface upside down on floor.
- 2. Remove existing glide if previously installed.
- Fasten caster to T-leg by threading caster stem into base of T-leg and secure by tightening lock nut.
- 4. If casters are used in combination with glides, level table by adjusting glides.

Note: Casters are available in locking or non-locking styles.



OPTIONAL GANGING HARDWARE

- 1. Optional ganging hardware should be used when quick and frequent reconfigurations are required.
- 2. Turn worksurfaces to be ganged upside-down on floor.
- 3. Remove ganging hardware from package. Holes with steel inserts are located in the corner of tops.
- 4. Fasten ganging hardware to each worksurface with supplied thumb screws.
- 5. Projected arm from ganging hardware can pivot out of the way when not in use.



CONNECTABLES® C

24" 30" 1 36"
1
24" 30" 36"

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
CNS2424	24 x 24 x 1	18	1	\$266	
CNS3030	30 x 30 x 1	27	1.56	\$324	
CNS3636	36 x 36 x 1	39	2	\$330	

Square Top

SQUARE TOPS

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

RECTANGULAR TOPS

CNR2030	30 x 20 x 1	22	1.25	\$183	
CNR2036	20 x 36 x 1	22.5	0.46	\$198	
CNR2042	42 x 20 x 1	31	1.75	\$224	
CNR2048	48 x 20 x 1	35	2	\$244	
CNRU2054	54 x 20 x 1	33.75	0.69	\$323	
CNRU2060	60 x 20 x 1	37.5	1.4	\$343	
CNRU2066	66 x 20 x 1	41.25	0.84	\$376	
CNRU2072	72 x 20 x 1	45	1	\$397	
CNR2430	30 x 24 x 1	22	1.25	\$193	
CNR2436	36 x 24 x 1	26	1.5	\$211	
CNR2442	42 x 24 x 1	31	1.75	\$234	
CNR2448	48 x 24 x 1	35	2	\$255	
CNRU2454	54 x 24 x 1	42	2.34	\$338	
CNRU2460	60 x 24 x 1	47	2.5	\$358	
CNRU2466	66 x 24 x 1	52	2.8	\$390	
CNRU2472	72 x 24 x 1	57	3	\$415	
CNR3036	36 x 30 x 1	33	1.88	\$255	
CNR3042	42 x 30 x 1	38	2.19	\$279	
CNR3048	48 x 30 x 1	44	2.5	\$302	
CNRU3054	54 x 30 x 1	52	2.8	\$387	
CNRU3060	60 x 30 x 1	59	3.13	\$411	
CNRU3066	66 x 30 x 1	64	3.44	\$439	
CNRU3072	72 x 30 x 1	70	3.75	\$466	
CNR3642	42 x 36 x 1	52.5	1.6	\$354	
CNR3648	48 x 36 x 1	60	1.8	\$387	
CNRU3654	54 x 36 x 1	70	2	\$495	
CNRU3660	60 x 36 x 1	78	2.2	\$538	
CNRU3666	66 x 36 x 1	87	2.4	\$592	
CNRU3672	72 x 36 x 1	94	2.6	\$647	


🛋 30″ 36″ 42″ 54″ 60″ 66″ 72″ 🛩





Rectangle Top

TRAPEZOID TOPS





Trapezoid Top

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

26.25

44

21

44

35

66

66

79.2

0.55

1.85

2

1.85

3.13

2.2

2.2

3.5

\$252

\$307

\$268

\$324

\$353

\$397

\$482

\$578

Tops 54" and longer are standard with a 16 gauge steel support channel.

48 x 17.5 x 1

60 x 17.5 x 1

48 x 20.5 x 1

60 x 20.5 x 1

60 x 25.75 x 1

72 x 25.75 x 1

60 x 31 x 1

72 x 31 x 1

CNT2048

CNT2060

CNT2448

CNT2460

CNT3060

CNT3072

CNT3660

CNT3672

Required specifications	Optional specifications	Accessories	
Top finish	Grommet	Power block	
Edge finish			

global

C CONNECTABLES®

0° CRESCENT TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	CNC2430	W x D x H 30 x 30 x 1	20	1.56	\$280
24° 30° 36° 36° 42°	CNC3036	36 x 36 x 1	30	2.25	\$403
	CNC3642	42 x 42 x 1	50	3.15	\$556
424" 30" 36 " 4 30" 36" 42" →	Taraldadaina D	مراجع المراجع المراجع المراجع			linking installations
° Crescent Top*		redrilled with threaded st se with 24″ deep tops.	eel inserts for fr	eestanding and	linking installations.
		se with 30″ deep tops. se with 36″ deep tops.			
		not require a center leg.			
IARTER ROUND TOPS					
24" 30"	CNQ2424	24 x 24 x 1	14	1	\$172
	CNQ3030	30 x 30 x 1	21	1.56	\$213
	CNQ3636	36 x 36 x 1	45	1.3	\$351
arter Round Top*	T-mold edging. Pr	redrilled with threaded st	eel inserts for li	nking installa	tions only.
WEDGE TOPS					
\sim	CNW2424 CNW3030	24 x 24 x 1	10	1	\$190
	CINVV3030	30 x 30 x 1	14	1.56	\$231
► 24" 30" →					
° Wedge Top	I-mold edging. Pi	redrilled with threaded st	eel inserts for l	nking installa	cions only.
IREE WAY CONNECTOR TOPS					
- 24″ 30″ -	CNIV/2424	$24 \times 24 \times 1$	10		****
- 24 30 -	CNY2424	24 x 24 x 1	13	1	\$172
	CNY3030	30 x 30 x 1	13	1 1.56	\$172 \$210
\frown					
	CNY3030	30 x 30 x 1	18	1.56	\$210
ree Way Connector Top	CNY3030		18	1.56	\$210
ree Way Connector Top	CNY3030 T-mold edging. Pr	30 x 30 x 1	18 æel inserts for li	1.56 nking installa	\$210 tions only.
ree Way Connector Top	CNY3030	30 x 30 x 1	18	1.56	\$210
ee Way Connector Top	CNY3030 T-mold edging. Pr CNHFS2448	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1	18 eel inserts for li 36	1.56 nking installa 2	\$210 tions only. \$274
ree Way Connector Top	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1	18 eel inserts for li 36 56	1.56 nking installa 2 3.13	\$210 tions only. \$274 \$360
ree Way Connector Top	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st	18 eel inserts for li 36 56 81	1.56 nking installa 2 3.13 3.3	\$210 tions only. \$274 \$360 \$624
ree Way Connector Top	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1	18 eel inserts for li 36 56 81	1.56 nking installa 2 3.13 3.3	\$210 tions only. \$274 \$360 \$624
ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st	18 eel inserts for li 36 56 81	1.56 nking installa 2 3.13 3.3	\$210 tions only. \$274 \$360 \$624
ree Way Connector Top ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st <i>legs for freestanding.</i> 48 x 28 x 1	18 eel inserts for li 36 56 81 eel inserts for fr	1.56 nking installa 2 3.13 3.3 reestanding and 1.88	\$210 tions only. \$274 \$360 \$624 linking installations. \$311
ree Way Connector Top LIF ROUND TOPS If Round Top* TENDED HALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24 CNHE24 CNHE30	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st <i>legs for freestanding.</i> 48 x 28 x 1 60 x 36 x 1	18 eeel inserts for I 36 56 81 eeel inserts for fr 50 75	1.56 nking installa 2 3.13 3.3 reestanding and 1.88 2.87	\$210 tions only. \$274 \$360 \$624 linking installations. \$311 \$442
ree Way Connector Top ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st <i>legs for freestanding.</i> 48 x 28 x 1	18 eel inserts for li 36 56 81 eel inserts for fr	1.56 nking installa 2 3.13 3.3 reestanding and 1.88	\$210 tions only. \$274 \$360 \$624 linking installations. \$311
ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24 CNHE24 CNHE30 CNHE36	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st <i>legs for freestanding.</i> 48 x 28 x 1 60 x 36 x 1 72 x 42 x 1	18 eeel inserts for I 36 56 81 eeel inserts for fr 50 75 102	1.56 nking installa 2 3.13 3.3 reestanding and 1.88 2.87 3.88	\$210 tions only. \$274 \$360 \$624 linking installations. \$311 \$442 \$706
ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24 CNHE24 CNHE30 CNHE36	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st <i>legs for freestanding.</i> 48 x 28 x 1 60 x 36 x 1	18 eeel inserts for I 36 56 81 eeel inserts for fr 50 75 102	1.56 nking installa 2 3.13 3.3 reestanding and 1.88 2.87 3.88	\$210 tions only. \$274 \$360 \$624 linking installations. \$311 \$442 \$706
ALF ROUND TOPS	CNY3030 T-mold edging. Pr CNHFS2448 CNHFS3060 CNHFS3672 T-mold edging. Pr • <i>Requires three</i> CNHE24 CNHE24 CNHE30 CNHE36	30 x 30 x 1 redrilled with threaded st 48 x 24 x 1 60 x 30 x 1 72 x 36 x 1 redrilled with threaded st legs for freestanding. 48 x 28 x 1 60 x 36 x 1 72 x 42 x 1 redrilled with threaded st	18 eeel inserts for I 36 56 81 eeel inserts for fr 50 75 102	1.56 nking installa 2 3.13 3.3 reestanding and 1.88 2.87 3.88 nking installa	\$210 tions only. \$274 \$360 \$624 linking installations. \$311 \$442 \$706

CONNECTABLES® C

MODESTY PANELS

Modesty Panel



Modesty Panel



For use with **CNC crescent tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNQA2424	27 x 2.75 x 11.75	2.2	0.4	\$123	
CNQA3030	35 x 2.75 x 11.75	2.8	0.5	\$145	
CNQA3636	44 x 2.75 x 11.75	3.3	0.6	\$172	

For use with **CNO quarter round tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNRA2030	29.5 x 3 x 10.5	2.5	0.54	\$123	
CNRA2036	35.5 x 3 x 10.5	2.65	0.65	\$145	
CNRA2042	41.5 x 3 x 10.5	2.9	0.76	\$172	
CNRA2048	47.5 x 3 x 10.5	3.1	0.86	\$196	
CNRA2054	53.5 x 3 x 10.5	3.25	0.98	\$230	
CNRA2060	59.5 x 3 x 10.5	3.4	1.1	\$245	
CNRA2066	65.5 x 3 x 10.5	3.6	1.2	\$270	
CNRA2072	71.5 x 3 x 10.5	3.8	1.3	\$299	
CNRA2430	29 x 2.75 x 11.75	2.8	0.5	\$123	
CNRA2436	35 x 2.75 x 11.75	3.3	0.6	\$145	
CNRA2442	41 x 2.75 x 11.75	3.9	0.7	\$172	
CNRA2448	47 x 2.75 x 11.75	4.4	0.8	\$196	
CNRA2454	53 x 2.75 x 11.75	5	0.9	\$230	
CNRA2460	59 x 2.75 x 11.75	5.5	1	\$245	
CNRA2466	65 x 2.75 x 11.75	6.1	1.1	\$270	
CNRA2472	71 x 2.75 x 11.75	6.6	1.2	\$299	
CNRA3036	35 x 2.75 x 11.75	3.3	0.6	\$145	
CNRA3042	41 x 2.75 x 11.75	3.9	0.7	\$172	
CNRA3048	47 x 2.75 x 11.75	4.4	0.8	\$196	
CNRA3054	53 x 2.75 x 11.75	5	0.9	\$230	
CNRA3060	59 x 2.75 x 11.75	5.5	1	\$245	
CNRA3066	65 x 2.75 x 11.75	6.1	1.1	\$270	
CNRA3072	71 x 2.75 x 11.75	6.6	1.2	\$299	
CNRA3642	41 x 2.75 x 11.75	3.9	0.7	\$172	
CNRA3648	47 x 2.75 x 11.75	4.4	0.8	\$196	
CNRA3654	53 x 2.75 x 11.75	5	0.9	\$230	
CNRA3660	59 x 2.75 x 11.75	5.5	1	\$245	
CNRA3666	65 x 2.75 x 11.75	6.1	1.1	\$270	
CNRA3672	71 x 2.75 x 11.75	6.6	1.2	\$299	



Modesty Panel

For use with **CNR/CNRU rectangular tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

global

C CONNECTABLES®



MODESTY PANELS

Modesty Panel



Modesty Panel



Modesty Panel



Modesty Panel



Modesty Panel

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
CNSA2424	23 x 2.75 x 11.75	2.2	0.4	\$96	
CNSA3030	29 x 2.75 x 11.75	2.8	0.5	\$123	
CNSA3636	35 x 2.75 x 11.75	3.3	0.6	\$145	

For use with **long side of CNS square tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. • *Cannot be used when worksurface tops are attached to flip-top legs.*

\$172	0.8	4.4	43 x 2.75 x 11.75	CNTA2448L
\$230	1.2	5.5	55 x 2.75 x 11.75	CNTA2460L
\$230	1.2	5.5	55 x 2.75 x 11.75	CNTA3060L
\$270	1.4	6.6	67 x 2.75 x 11.75	CNTA3072L
\$230	1.2	5.5	55 x 2.75 x 11.75	CNTA3660L
\$270	1.4	6.6	67 x 2.75 x 11.75	CNTA3672L

For use with **long side of CNT trapezoid tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

2448S	23 x 2.75 x 11.75	2.2	0.4	\$96
2460S	35 x 2.75 x 11.75	2.2	0.4	\$145
3060S	29 x 2.75 x 11.75	2.8	0.5	\$123
3072S	41 x 2.75 x 11.75	2.8	0.5	\$172
3660S	23 x 2.75 x 11.75	3.3	0.6	\$96
3672S	35 x 2.75 x 11.75	3.3	0.6	\$145

For use with **short side of CNT trapezoid tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNWA2424	17 x 2.75 x 11.75	2.2	0.4	\$75	
CNWA3030	22 x 2.75 x 11.75	2.8	0.5	\$96	

For use with **CNW wedge tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNYA2424	22 x 2.75 x 11.75	2.2	0.4	\$96	
CNYA3030	27 x 2.75 x 11.75	2.8	0.5	\$123	

For use with **CNY triangle tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Cannot be used when worksurface tops are attached to flip-top legs.



CONNECTABLES® C

WIRE MANAGEMENT UNITS



Wire Management Unit



Wire Management Unit



Wire Management Unit

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	W x D x H			
CNCB2430	35 x 2.75 x 6	1.5	0.5	\$108
CNCB3036	43 x 2.75 x 6	1.8	0.6	\$120
CNCB3642	53 x 2.75 x 6	2.1	0.7	\$161

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs*.

CNQB2424	27 x 2.75 x 6	1.2	0.4	\$88	
CNQB3030	35 x 2.75 x 6	1.5	0.5	\$108	
CNQB3636	44 x 2.75 x 6	1.8	0.6	\$120	

For use with **CNO quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNRB2430	29 x 2.75 x 6	1.5	0.5	\$88	
CNRB2436	35 x 2.75 x 6	1.8	0.6	\$108	
CNRB2442	41 x 2.75 x 6	2.1	0.7	\$120	
CNRB2448	47 x 2.75 x 6	2.4	0.8	\$142	
CNRB2454	53 x 2.75 x 6	2.7	0.9	\$161	
CNRB2460	59 x 2.75 x 6	3	1	\$177	
CNRB2466	65 x 2.75 x 6	3.3	1.1	\$177	
CNRB2472	71 x 2.75 x 6	3.6	1.2	\$245	
CNRB3036	35 x 2.75 x 6	1.8	0.6	\$108	
CNRB3042	41 x 2.75 x 6	2.1	0.7	\$120	
CNRB3048	47 x 2.75 x 6	2.4	0.8	\$142	
CNRB3054	53 x 2.75 x 6	2.7	0.9	\$161	
CNRB3060	59 x 2.75 x 6	3	1	\$177	
CNRB3066	65 x 2.75 x 6	3.3	1.1	\$177	
CNRB3072	71 x 2.75 x 6	3.6	1.2	\$245	
CNRB3642	41 x 2.75 x 6	2.1	0.7	\$120	
CNRB3648	47 x 2.75 x 6	2.4	0.8	\$142	
CNRB3654	53 x 2.75 x 6	2.7	0.9	\$161	
CNRB3660	59 x 2.75 x 6	3	1	\$177	
CNRB3666	65 x 2.75 x 6	3.3	1.1	\$177	
CNRB3672	71 x 2.75 x 6	3.6	1.2	\$245	

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip-top legs.

C CONNECTABLES®

WIRE MANAGEMENT UNITS



Wire Management Unit



Wire Management Unit



Wire Management Unit



Wire Management Unit



Wire Management Unit

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
CNSB2424	23 x 2.75 x 6	1.8	0.4	\$72	
CNSB3030	29 x 2.75 x 6	1.5	0.5	\$88	
CNSB3636	35 x 2.75 x 6	1.8	0.6	\$108	

For use with **CNS square tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*

CNTB2448L	43 x 2.75 x 6	2.4	0.8	\$120	
CNTB2460L	55 x 2.75 x 6	3	1	\$161	
CNTB3060L	55 x 2.75 x 6	3	1	\$161	
CNTB3072L	67 x 2.75 x 6	3.6	1.2	\$230	
CNTB3660L	55 x 2.75 x 6	0	1	\$161	
		3	I		
CNTB3672L	67 x 2.75 x 6	3.6	1.2	\$230	

For use with **long side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNTB2448S	23 x 2.75 x 6	1.2	0.4	\$72
CNTB2460S	35 x 2.75 x 6	1.2	0.4	\$108
CNTB3060S	29 x 2.75 x 6	1.5	0.5	\$88
CNTB3072S	41 x 2.75 x 6	1.5	0.5	\$120
				*
CNTB3660S	23 x 2.75 x 6	1.8	0.6	\$72
CNTB3672S	35 x 2.75 x 6	1.8	0.6	\$108
0111000720	00 X 2.70 X 0	1.0	0.0	ψ100

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip-top legs.

CNWB2424	17 x 2.75 x 6	1.2	0.4	\$57	
CNWB3030	22 x 2.75 x 6	1.5	0.5	\$72	

For use with **CNW wedge tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*

CNYB2424	22 x 2.75 x 6	1.2	0.4	\$72	
CNYB3030	27 x 2.75 x 6	1.5	0.5	\$88	

For use with **CNY triangle tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*



CONNECTABLES® C

DDESTY PANELS W/WIRE MANAGEMENT	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
5		W x D x H			
	CNCC2430	35 x 2.75 x 11.75	4.3	0.5	\$161
	CNCC3036	43 x 2.75 x 11.75	5.1	0.6	\$184
	CNCC3642	53 x 2.75 x 11.75	6	0.7	\$238
desty Panel w/Wire Management	and flexible privat		lled holes in t	able top. Can be	bed design. Includes two fold-away installation a used with or without wire management gromm
	CNQC2424	27 x 2.75 x 11.75	3.4	0.4	\$133
	CNQC3030	35 x 2.75 x 11.75	4.3	0.4	\$161
3	CNQC3636	44 x 2.75 x 11.75	5.1	0.6	\$184
desty Panel w/ Wire Management	installation clips management grou	and flexible privacy strips.	Connects to p	redrilled holes in	ive ribbed design. Includes two fold-away n table top. Can be used with or without wire
	CNRC2030	29.5 x 3 x 10.5	3.75	0.54	\$133
	CNRC2036	35.5 x 3 x 10.5	4	0.65	\$161
	CNRC2042	41.5 x 3 x 10.5	4.25	0.76	\$184
	CNRC2048	47.5 x 3 x 10.5	4.5	0.86	\$213
	CNRC2054	53.5 x 3 x 10.5	7.7	0.9	\$238
	CNRC2060	59.5 x 3 x 10.5	8.5	1	\$268
	CNRC2066	65.5 x 3 x 10.5	5.25	1.2	\$291
	CNRC2072	71.5 x 3 x 10.5	5.5	1.3	\$307
	CNRC2430	29 x 2.75 x 11.75	4.3	0.5	\$133
	CNRC2436	35 x 2.75 x 11.75	5.1	0.6	\$161
	CNRC2442	41 x 2.75 x 11.75	6	0.7	\$184
	CNRC2448	47 x 2.75 x 11.75	6.8	0.8	\$213
	CNRC2454	53 x 2.75 x 11.75	7.7	0.9	\$238
	CNRC2460	59 x 2.75 x 11.75	8.5	1	\$268
	CNRC2466	65 x 2.75 x 11.75	9.4	1.1	\$291
	CNRC2472	71 x 2.75 x 11.75	10.2	1.2	\$307
	CNRC3036	35 x 2.75 x 11.75	5.1	0.6	\$161
	CNRC3042	41 x 2.75 x 11.75	6	0.7	\$184
	CNRC3048	47 x 2.75 x 11.75	6.8	0.8	\$213
	CNRC3054	53 x 2.75 x 11.75	7.7	0.9	\$238
	CNRC3060	59 x 2.75 x 11.75	8.5	1	\$268
	CNRC3066	65 x 2.75 x 11.75	9.4	1.1	\$291
	CNRC3072	71 x 2.75 x 11.75	10.2	1.2	\$307
	CNRC3642	41 x 2.75 x 11.75	6	0.7	\$184
	CNRC3648	47 x 2.75 x 11.75	6.8	0.8	\$213
- Alter A	CNRC3654	53 x 2.75 x 11.75	7.7	0.9	\$238
			0 5	1	#0C0
	CNRC3660	59 x 2.75 x 11.75	8.5	1	\$268
	CNRC3660 CNRC3666 CNRC3672	59 x 2.75 x 11.75 65 x 2.75 x 11.75 71 x 2.75 x 11.75	9.4 10.2	1.1 1.2	\$208 \$291 \$307

Modesty Panel w/Wire Management

For use with **CNR/CNRU rectangular tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip-top legs.

global

C CONNECTABLES®

MODESTY PANEL W/WIRE MANAGEMENT

Modesty Panel w/Wire Management

For use with **CNC square tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*

CUBIC FT.

0.4

0.5

0.6

LIST PRICE

\$108

\$133

\$161

WT/LB.

3.5

4.3

5.1

CNTC2048L	43 x 2.75 x 11.75	6.8	0.8	\$184	
CNTC2060L	55 x 2.75 x 11.75	8.5	1	\$238	
CNTC2448L	43 x 2.75 x 11.75	6.8	0.8	\$184	
CNTC2460L	55 x 2.75 x 11.75	8.5	1	\$238	
CNTC3060L	55 x 2.75 x 11.75	8.5	1	\$238	
CNTC3072L	67 x 2.75 x 11.75	10.2	1.2	\$291	
CNTC3660L	55 x 2.75 x 11.75	8.5	1	\$238	
CNTC3672L	67 x 2.75 x 11.75	10.2	1.2	\$291	

For use with **long side of CNT trapezoid tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire

0.4

0.5

0.4

0.4

0.5

0.5

0.6

\$108

\$161

\$108

\$161

\$133

\$184

\$108

3.4

3.5

3.4

3.4

4.3

4.3

5.1



Modesty Panel w/Wire Management



Modesty Panel w/Wire Management

 CNTC3672S
 35 x 2.75 x 11.75
 5.1
 0.6
 \$161

 For use with short side of CNT trapezoid tops.
 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire

management grommet.Cannot be used when worksurface tops are attached to flip-top legs.

• Cannot be used when worksurface tops are attached to flip-top legs.

23 x 2.75 x 11.75

35 x 2.75 x 11.75

23 x 2.75 x 11.75

35 x 2.75 x 11.75

29 x 2.75 x 11.75

41 x 2.75 x 11.75

23 x 2.75 x 11.75

DIMENSIONS

WxDxH

23 x 2.75 x 11.75

29 x 2.75 x 11.75

35 x 2.75 x 11.75

MODEL #

CNSC2424

CNSC3030 CNSC3636

management grommet.

CNTC2048S

CNTC2060S

CNTC2448S

CNTC2460S

CNTC3060S

CNTC3072S

CNTC3660S

CNWC2424	17 x 2.75 x 11.75	3.4	0.4	\$84	
CNWC3030	22 x 2.75 x 11.75	4.3	0.5	\$108	

For use with **CNW wedge tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*

CNYC2424	22 x 2.75 x 11.75	3.4	0.4	\$108	
CNYC3030	27 x 2.75 x 11.75	4.3	0.5	\$133	

For use with **CNY triangle tops**. 11.75" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • *Cannot be used when worksurface tops are attached to flip-top legs.*





Modesty Panel w/Wire Management



Modesty Panel w/Wire Management



CONNECTABLES® C

>	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
	CNTLEG18	18 x 1.75 x 27.62	9	2.1	\$176		
	CNTLEG18P	18 x 1.75 x 27.62	13	2.4	\$354		
	 18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" tops. For a single leg, order CNTLEG18. For a pair of legs (set of 2), order CNTLEG18P. Chrome (CHM) is available (on foot only). Add \$74 list for model CNTLEG18. Add \$148 list for model CNTLEG18P. Depth dimension reflects the T-leg bottom tube diameter. 						
>	CNTLEG24 CNTLEG24P	20 x 1.75 x 27.62 20 x 1.75 x 27.62	9 17	2.1 2.4	\$176 \$354		
>	 For a single leg, Chrome (CHM) 	, order CNTLEG24 . For a p	air of legs (se Add \$74 list i	<i>t of 2), order Cl</i> or model CNTL	. For assembly with 24" tops. NTLEG24P. EG24. Add \$148 list for model CNTLEG24P. \$195		
	CNTLEG30P	26 x 1.75 x 27.62	19	3	\$388		
	 Chrome (CHM) 	order CNTLEG30 . For a p is available (on foot only). n reflects the T-leg bottom 32 x 1.75 x 27.62	Add \$74 list	or model CNTL	EG30. Add \$148 list for model CNTLEG30P.		
Post T-leg	 32" long with double post plastic elliptical column cover, leveling glides and end caps. For assembly with 36" tops. For a single leg. Chrome (CHM) is available (on foot only). Add \$74 list. Depth dimension reflects the T-leg bottom tube diameter. 						
•	CNTFLEG24 CNTFLG24P	20 x 1.75 x 27.62 20 x 1.75 x 27.62	10 20	2.4 2.1	\$311 \$621		

Required specifications
Leg finish


global

C CONNECTABLES®

ACCESSORIES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
ß	CNTFLEG30 CNTFLG30P	W x D x H 26 x 1.75 x 27.62 26 x 1.75 x 27.62	14 28	3 6	\$323 \$647	
Flip-Top T-leg*					For assembly with 30" deep rectangular open or closed position. Cannot be installed with	
	 For a single leg Chrome (CHM) 	d when modesty panels and n, order CNTFLEG30 . For a is available (on foot only). on reflects the T-leg bottom	<i>pair of legs (s</i> Add \$74 list ⁻	<i>et of 2), order C</i> for model CNTFI	ned to worksurface tops. E NTFLG30P . LEG30. Add \$148 list for model CNTFLG30P.	
	CNCP	- x - x 1.5	-	-	\$30	
Casters	hardwood floors. • For use with Co	al wheel casters, one lockin Casters are fully interchang onnecTABLES units only. Taffect table height.			surfaces and industrial carpeting. Not suitable for y.	
	CNTS	1.25 x 1.25 x 1.5	0.04	0.02	\$20	
Thumbscrews		screw with 0.75" steel threa without tools. Black only.	id. Set of 4.	Can be used in	place of factory supplied screws to allow installation	
	CNGFP	2.5 x 5 x 1.13	0.2	0.1	\$33	
Ganging Connector	Black epoxy coated 13 gauge steel with two thumbscrews included. Used to connect table top or for connecting freestanding tops together. Holes with steel inserts are located in the corne plate. Sold individually.					

Required specifications
Leg finish*

DUET[™] STACKING TABLES



Duet tables are multi-purpose high density stacking tables that offer optimum space utilization and flexibility. Their personality and simple design make them ideal for use in any learning or training environment at post-secondary and adult levels. Temporarily and easily convert auditoriums and other spaces into examination and seminar spaces. They can be partnered with stacking chairs such as Duet or Popcorn in matching or complementary colors (stacking chairs can be found in the Multi-Purpose section of the Seating price list).

The one-piece molded top and modesty are gently contoured providing an eased edge with an elegant waterfall transition from top to modesty.

Tops are available in a wide array of colors in 0.5" thick polypropylene. Polypropylene material offers strength and ease of cleaning with a slightly textured surface to offer scratch resistance.



One-piece top and modesty.



Stacks 5 high on floor or 20 high on dolly.



Ganging base to keep tables evenly aligned.

Features and Benefits

- One-piece molded top and modesty are 0.5" thick polypropylene.
- Tables are rated 250 lbs. capacity.
- Surface includes factory installed metal inserts for solid and secure connection to the sled base.
- 0.5" diameter solid steel rod sled base frame.
- Bumpers on the underside for protection when stacking.
- Model with ADA width compliant base is available.
- Shipped fully assembled.

dola

GENERAL INFORMATION

- Duet tables are high density multi-purpose stacking tables ideal for auditoriums, seminars or any learning or training environment.
- Lightweight and easy to handle whether stacking for storage or setting up a room.

26"W x 18"D x 9.75"H

- · Made of durable materials to withstand more demanding environments.
- Shipped fully assembled. Packaged 4 per carton.
- For environmental certifications, please visit globalfurnituregroup.com.
- Covered by Global's Lifetime Warranty.

WORKSURFACES

- Top and modesty are a one-piece injection molded design in 0.5" thick polypropylene.
- Available in a wide array of colors (see right column "FINISHES") to complement any space or to define sections by color.
- One-piece molded top and modesty are contoured providing an eased user edge, with an elegant waterfall transition from top to modesty.

CONSTRUCTION

- Surface includes molded in threaded inserts to provide a secure metal-to-metal connection to the sled base.
- Bumpers are included on the underside of top and inside modesty to protect surfaces when stacking.

BASE

- 0.5" diameter solid steel rod sled base frame.
- Available in a durable Chrome finish.
- Model with ganging frame keeps tables evenly positioned and aligned. No tools or fasteners required for ganging; the bases simply interlock.
- Model with ADA compliant base is also available. The frame is 33" wide and the polypropylene top/modesty remain a constant size.
- Tables are standard without glides and are suitable for carpet, rubber or cork flooring.
- Glide options are available (see right column "GLIDES"). Glides must be chosen to best suit flooring type and site conditions. Upcharges apply.

DOLLY

- For space saving storage and transport.
- \bullet Constructed from 1.5" x 0.5" steel tubing with heavy duty casters (two locking) and a removable handle.
- Dolly can stack up to 20 tables.
- Stacking height on dolly is up to 68".

FINISHES			
BZB	Buzz Blue	FRO	Frost
CCT	Cactus	INK	Ink
CRO	Carrot	LAB	Latte
IVC	Cloud	BLK	Night
DJN	Dijon	SND	Sand
EGP	Eggplant	SAR	Scarlet
FOG	Fog	SHW	Shadow

GLIDES

CG	Clear polycarbonate (for carpet, rubber or concrete flooring).
	Height added to table: 0.18". Add \$9/set.
SG	Glides with stainless steel pads (for carpet or rubber flooring).
	Height added to table: 0.17". Add \$19/set.
FG	Glides with felt pads (for vinyl, cork or laminate flooring).
	Height added to table: 0.24". Add \$19/set.
RG	Glides with rubber pads (for vinyl, hardwood, laminate, stone or cera

RG Glides with rubber pads (for vinyl, hardwood, laminate, stone or ceramic flooring). Height added to table: 0.16". Add \$19/set.

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

EXAMPLE DUET TABLE ORDER CODE:

Duet stacking table, polypropylene surface in Shadow, clear polycarbonate glides

DTS1828P	-SHW	-CG		
Model #	Surface finish	Glides		

DUET[™] STACKING TABLES D

STACKING TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	DTS1828P	W x D x H 29 x 25 x 28	23	17.75	\$469	
Stacking Table*	9.75'H modesty.	opylene top and modesty w Shipped fully assembled, 4 <i>per table. It is recommende</i>	per carton.		s listed include	frame footprint, 26″W x 18″D top an
	DTS1828PG	30.75 x 25 x 28	23	17.75	\$494	
Stacking Table, Ganging Frame*	top and 9.75'H m	opylene top and modesty w odesty. Shipped fully asser per table. It is recommende	nbled, 4 per ca	arton.	mensions listed	d include frame footprint, 26"W x 18"
	DTA1832P	33 x 25 x 28	24	19	\$532	
Stacking Table, 32" Wide	Dimensions liste glides are select	d include frame footprint, 26	6"W x 18"D to floor only; doll	p and 9.75'H m y does not acco	odesty. Unders	o and modesty with Chrome base. side clearance is 27.1"H (extra height pped fully assembled, 4 per carton.
DOLLY						
	DTD20	29.5 x 63 x 38.5	50	21	\$734	
Dolly		es DTS1828P and DTS1828I embled in 1 carton.	PG. Can stack	up to 20 table	s. Black only. F	Removable handle for storage.



Edventure is a value series collection that offers a range of teacher desks, student desks, study carrels and lecterns for more traditional learning environments. Designed to withstand daily rigorous use, traditional style meets modern performance.

Tops are available in a wide array of finishes in 1" thick thermally fused laminate or $1 \frac{1}{16}$ high pressure laminate with matching or complementary 2mm PVC edgebanding.

Mobile lecterns and teacher desks offer versatility with storage options for educators on the move.

Single and connecting study carrels create quiet work areas with optional power and data to stay connected.



H-legs with cross bar.



Mobile teacher desk with modesty panel.



Freestanding and add-on study carrels.

Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 ¹/₁₆" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- Matching or complementary 2mm PVC edgebanding.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- H-leg design on teacher and student desks.
- Teacher desk includes modesty panel and is available with or without casters.
- Teacher desk with left or right hand box/box/file pedestal available on casters only.
- Study carrel features curved side panels for seated privacy with a 29"H worksurface.
- Easy to assemble.

EDVENTURE[™] - NOTES E

GENERAL INFORMATION

- Edventure series is an affordable collection of teacher desks, student desks, study carrels and lecterns with personal storage options, that bring a traditional element to the classroom.
- Simple and elegant design respects space requirements to accommodate various teaching styles.
- Edventure series is a high achiever, built to withstand the most demanding environments.
- Shipped easy to assemble.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- \bullet Tops are available in 1" thick thermally fused laminate or 1 $^{1}\!/_{16}$ " thick high pressure laminate.
- Available in an array of finishes (see page 484) in both thermally fused laminate or high pressure laminate. Color pallette also includes nine new bold finishes available for high pressure laminate only, a complementary edge finish must be selected.
- Teacher desks are optional with grommets FOG1, FOG2 or FOG3 or cut-outs E1, E2 or E3 for power block PMSPDM ordered separately.
- Teacher desks with box/box/file pedestal are predrilled with pilot holes on the underside for accepting a lectern shelf ENLS182 ordered separately.

CONSTRUCTION

- Top core is made of 45 lb. density particle board.
- Surfaces include factory installed metal inserts for solid and secure leg connections.

EDGE DETAIL

- Global's preferred 2mm PVC edgebanding is standard.
- Edgebanding may be specified in a matching or a complementary finish for tops in standard Global laminates.

LEGS

- H-legs are 28" high and constructed from 2" x 2" square tubing with a 1" x 2" rectangular cross bar and adjustable leveling glides.
- Available in Black (TBL), Buzz Blue (TBZ), Cactus (TCC), Carrot (TCR), Cloud (TIV), Designer White (TDW), Dijon (TDJ), Eggplant (TEG), Fog (TFO), Frost (TFR), Ink (TIN), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Scarlet (TSR), Shadow (TSH), Toast (TOA) or Tungsten (TTU) paint finishes, Sandtex finish applied.

CASTERS

- Teacher desks and lecterns are available with locking casters. See models ending in C.
- Casters are 3 1/2" high overall.

MODESTY PANELS

- 12"H modesty panel is included with teacher desks.
- Available in an array of finishes (see page 482) in thermally fused laminate with matching edge only.

STORAGE LECTERNS

- The steel storage lectern features integrated full pulls and a full welded seamless top for added strength and crisp appearance.
- Drawer and door fronts have welded reinforcements for additional strength.
- Available in three configurations, offering multiple storage options for storing personal items or keeping active files and resource materials close at hand.
- Removable cam locks are standard.
- Storage lecterns are supported by 2" x 2" x 3 $^{1}\!/_{2}$ "H square tube legs on leveling glides or 3 $^{1}\!/_{2}$ "H industrial size casters.
- Finished laminate tops to complement desking are available. See model ENMST1824.
- An optional lectern shelf offers a perfect platform for keeping presentation materials organized and at the presenter's fingertips. See model ENLS182.

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

STUDY CARRELS

- The study carrel features a 29" high worksurface and curved side panels for privacy.
- Freestanding (starter) and add-on models are available. Legs and privacy panels are shared between adjoining add-on carrels.
- The back panel is inset to hide connecting fasteners from user's view. The inset back also creates a wire drop for the optional LED task light cord.
- Carrels with an optional shelf are available. See models ending in S.
- Optional LED task light is available for carrel with shelf, see page 421
- Optional Cove Daisylink system is available to bring power, USB charging or data to the carrel surface for desktop access, see pages 422-423

COVE DAISYLINK COMPONENTS

- A daisy-chainable power solution with a unique "no particular order" feature, making installation or reconfiguration easy.
- Cove Daisylink modules must be ordered separately and are available for study carrels only.
- You must specify the cut-out for Cove Daisylink modules when ordering the study carrels. Specify (CV). Order the Cove kits (modules and jumpers) and infeed separately.
- 29", 30", 35" and 36" study carrels have one optional cut-out. Add \$91.
 59", 60", 71" and 72" study carrels have two optional cut-outs. Add \$185.
- For Cove Daisylink components, see pages 422-423.
- Maximum of 9 Cove modules per each infeed.

GROMMETS

- Optional grommets are available in standard worksurface locations (left, center or right) for teacher desks.
- Order as: FOG1, FOG2 or FOG3. Add \$91. • Grommet hole dimensions are
- 3.25" wide x 1.875" deep.

POWER BLOCK

 An individual corded power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained.



E1	E2	E3
	TOP VIEW	

Specify location E1, E2 or E3. Add \$91.

TOP VIEW

Power block PMSPDM. Add \$268

MODPOWER DAISY-CHAIN SOLUTION

- Add flexible power and USB charging to Edventure study carrels. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting:
- Specify cut-out option MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the back edge of surface) for 29" to 72" wide study carrels. Add \$91.
- Specify cut-out option MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the back edge of surface for 59" to 72" wide study carrels. Add \$183.

E EDVENTURE[™] - HOW TO SPECIFY

FINISHES

Thermally Fused or High Pressure Laminate Tops

	any i acca of mgn i rooca		,ho	=0g iiii	101100	
ACJ	Absolute Acajou	NBL	Noce Biondo	TBL	Black	TIN
ASN	Asian Night	NGL	Noce Grigio	TBZ	Buzz Blue	ТКА
AWC	Avant Cherry	NEL	Noce Leggero	TCC	Cactus	TLA
AWH	Avant Honey	NML	Noce Medio	TCR	Carrot	TMO
BLK	Black	ΩTM	Quartered Mahogany	TIV	Cloud	TNE
BRC	Brushed Cobalt	SBY	Sheer Beauty	TDW	Designer White	TSN
СМВ	Clear Maple	SOG	Storm Grey	TDJ	Dijon	TSR
DES	Dark Espresso	WHE	Walnut Heights	TEG	Eggplant	TSH
DWT	Designer White	WHC	White Chocolate	TF0	Fog	TOA
FAS	Fashionista	WCR	Winter Cherry	TFR	Frost	TTU
FCL	First Class					

2mm Thick Edgebanding

AAE	Absolute Acajou	FOG	Fo
ASE	Asian Night	LAB	La
ACE	Avant Cherry	NBL	No
AHE	Avant Honey	NGL	No
BLK	Black	NEL	No
BRC	Brushed Cobalt	NML	No
BZB	Buzz Blue	ΟΤΜ	Qu
ССТ	Cactus	SAR	Sc
CRO	Carrot	SHW	Sh
CME	Clear Maple	SBY	Sh
DEE	Dark Espresso	SOG	St
DWE	Designer White	WHE	W
DJN	Dijo	CBE	W
FAS	Fashionista	WCE	W
FCL	First Class		

Fog
Latte
Noce Biondo
Noce Grigio
Noce Leggero
Noce Medio
Quarter Mahogany
Scarlet
Shadow
Sheer Beauty
Storm Grey
Walnut Heights
White Chocolate
Winter Cherry

Buzz Blue	IKA	Kalua
Cactus	TLA	Latte
Carrot	тмо	Mocha
Cloud	TNE	Nevada
Designer White	TSN	Sand
Dijon	TSR	Scarlet
Eggplant	TSH	Shadow
Fog	TOA	Toast
Frost	TTU	Tungsten
		0
nishes for Metal Storage Le	ecterns	
Black	MET	Metro
Black Coffee*	MCH	Mocha*
Blizzard*	MOS	Moss
Bone	NVY	Navy
Business Grev	NEV	Nevada
Charcoal	OYS	Oyster
Claret	SKY	Sky
		Silver
		Stone
,		Stonedust*
_ 0		Storm Grey
-		Tahiti Sand
,		
		Taupe
,	TUN	Tungsten (add 10% upcharge)
Light Grey		
	Cactus Carrot Cloud Designer White Dijon Eggplant Fog Frost nishes for Metal Storage Lo Black Black Coffee* Blizzard* Bone Business Grey	CactusTLACarrotTMOCloudTNEDesigner WhiteTSNDijonTSREggplantTSHFogTOAFrostTTUnishes for Metal Storage LecternsBlackMETBlack Coffee*MCHBlizzard*MOSBoneNVYBusiness GreyNEVCharcoalOYSClaretSKYDesert PuttySTNDesigner WhiteSDTFogSGRGreyTSAIceTPEIvoryTUN

lnk Kalua

*textured finishes

Lea finishes

Note: Modesty panel and lectern shelf are available in thermally fused laminate finishes only. Modesty panel and pedestal edging will match thermally fused laminate finish specified.

TO SPECIFY:

1. SPECIFY MODEL NUMBER

2. SPECIFY THE FOLLOWING:

FOR TEACHER AND STUDENT DESKS:

- Top finish
- Optional HP laminate
- Edge finish (top only)
- Modesty finish if applicable
- Pedestal finish if applicable
- Leg finish
- Optional FOG grommet or cut-out for PMSPDM, if applicable
- Optional key alike or select number (#100-120) applicable on teacher desks with pedestal

FOR STORAGE LECTERNS:

- Case paint finish
- Optional key alike

FOR STUDY CARRELS:

- Top surface finish (shelf, if applicable, will be in the same finish)
- Optional HP laminate
- Edge finish
- Leg finish
- Surround finish (side and back panels)
- Optional cut-out(s) for Cove Daisylink components

EXAMPLE EDVENTURE ORDER CODES

Teacher desk

ENTD7230	-ACJ	-HPL	-AAE	-TTU	-DWT
Model #	Top finish	High pressure	Edge finish	Leg finish	Modesty panel finish

Storage lectern

EL18LPBF	-DWT	-KA
Model #	Case finish	Key alike

Study carrel

-						
ENFC3024	-ACJ	-HPL	-AAE	-TTU	-DWT	-CV
Model #	Top finish	High pressure laminate	Top edge finish	Leg finish	Surround finish	Cut-out for Cove



EDVENTURE[™] E

TEACHER DESKS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
\sim		W x D x H					_
	ENTD4824	48 x 24 x 29	74	4.6	\$912	\$152	
	ENTD5424	54 x 24 x 29	80	4.7	\$922	\$173	
	ENTD6024	60 x 24 x 29	86	4.9	\$935	\$186	
ēacher Desk, 24" Deep*	12"H modesty pane	el included. Shipped e	asy to assemble i	n 2 cartons.			
\frown	ENTD6030	60 x 30 x 29	96	6.4	\$993	\$202	_
	ENTD6630	66 x 30 x 29	103	6.6	\$1032	\$249	
	ENTD7230	72 x 30 x 29	110	6.8	\$1064	\$263	
eacher Desk, 30″ Deep*	12"H modesty pane	el included. Shipped e	asy to assemble i	n 2 cartons.			
MOBILE TEACHER DESKS							
	ENTD4824C	48 x 24 x 29	75	4.6	\$1059	\$152	
	ENTD5424C	54 x 24 x 29	81	4.7	\$1069	\$173	
	ENTD6024C	60 x 24 x 29	87	4.9	\$1082	\$186	
Jobile Teacher Desk, 24" Deep*	12"H modesty pane	el included. Shipped e	asy to assemble i	n 2 cartons.			
	ENTD6030C	60 x 30 x 29	98	5.4	\$1142	\$202	
v Nobile Teacher Desk, 30″ Deep*	12″H modesty pane	el included. Shipped e	asy to assemble i	n 2 cartons.			
\sim	ET6024BBFLC	60 x 24 x 29	155	12.4	\$1872	\$186	_
	ET6624BBFLC	66 x 24 x 29	161	12.6	\$1909	\$215	
	ET7224BBFLC	72 x 24 x 29	167	12.8	\$1943	\$244	
Aobile Teacher Desk w/Single Pedestal, 24″ Deep - LEFT*	Top is predrilled ab		e underside for th	e addition of le		odesty panel included. LS182 (sold separately).	
\frown	ET6024BBFRC	60 x 24 x 29	155	12.4	\$1872	\$186	_
	ET6624BBFRC	66 x 24 x 29	161	12.6	\$1909	\$215	
	ET7224BBFRC	72 x 24 x 29	167	12.8	\$1943	\$244	
lobile Teacher Desk w/Single edestal, 24" Deep - RIGHT*	Top is predrilled ab		e underside for th	e addition of le		modesty panel included. LS182 (sold separately).	
	Required specificat		Optional specif	fications		Accessories	
		lodesty finish edesdal finish*	HP laminate FOG grommet or Key alike/Key #*	cut-out for PMSPI		Lectern shelf*	

E EDVENTURE[™]

MOBILE TEACHER DESKS

Mobile Teacher Desk w/Single

Mobile Teacher Desk w/Single

Pedestal, 30" Deep - RIGHT*

Pedestal, 30" Deep - LEFT*

	Ì
\checkmark	

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	W x D x H					
ET6030BBFLC	60 x 30 x 29	193	14.7	\$1980	\$202	
ET6630BBFLC	66 x 30 x 29	201	14.9	\$2017	\$249	
ET7230BBFLC	72 x 30 x 29	210	15.1	\$2050	\$263	

Flush left hand locking box/box/file pedestal (top box drawer is non-locking) and 12"H modesty panel included. Top is predrilled above the pedestal on the underside for the addition of lectern shelf ENLS182 (sold separately). Shipped easy to assemble in 3 cartons (pedestal is fully assembled).

ET6030BBFRC 60 x 30 x 29 193 14.7 \$1980 \$202 ET6630BBFRC 66 x 30 x 29 201 14.9 \$2017 \$249							
ET6630BBFRC 66 x 30 x 29 201 14.9 \$2017 \$249	ET6030BBFRC	60 x 30 x 29	193	14.7	\$1980	\$202	
	ET6630BBFRC	66 x 30 x 29	201	14.9	\$2017	\$249	
ET7230BBFRC 72 x 30 x 29 210 15.1 \$2050 \$263	ET7230BBFRC	72 x 30 x 29	210	15.1	\$2050	\$263	

Flush right hand locking box/box/file pedestal (top box drawer is non-locking) and 12"H modesty panel included. Top is predrilled above the pedestal on the underside for the addition of lectern shelf ENLS182 (sold separately). Shipped easy to assemble in 3 cartons (pedestal is fully assembled).

STUDENT DESKS



Student Desk**

Required specifications Top finish Modesty finish*

Pedesdal finish*

Leg finish

Edge finish

Optional specifications

HP laminate (teacher and student desks) FOG grommet or cut-out for PMSPDM* Key alike/Key #*

Accessories Lectern shelf* Book box**



EDVENTURE[™] E

STORAGE LECTERNS	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	
	EL18LPBF	18 x 24 x 38	148	11.7	\$3138	
Storage Lectern w/Laptop Drawer*		rawer, open shelf, locking high metal legs with level				Cord escape on backside for laptop
	EL18PBF	18 x 24 x 38	145	11.7	\$2654	
Storage Lectern - Box/File*	Open shelf, locki Shipped assembl	ng personal drawer, box d ed in 1 carton.	rawer and file dr	awer. 3 1/2" hi	gh metal legs v	vith leveling glides.
	EL18PHDL	18 x 24 x 38	128	11.7	\$2654	
Storage Lectern*		ng personal drawer and le assembled in 1 carton.	eft side hinged lo	ocking door witl	h shelf inside.	$3{}^{1}\!/_{2}{}^{\prime\prime}$ high metal legs with leveling
	EL18PHDR	18 x 24 x 38	128	11.7	\$2654	
Storage Lectern*		ng personal drawer and ri assembled in 1 carton.	ght side hinged	locking door wi	ith shelf inside.	$3{}^{\prime}\!/_{\!2}$ " high metal legs with leveling
MOBILE STORAGE LECTERNS						
	EL18LPBFC	18 x 24 x 38	148	11.7	\$3273	
or Mobile Storage Lectern w/Laptop Drawer	Mobile, locking la on back side for	aptop drawer, open shelf, laptop charging. Shipped	ocking personal c assembled in 1 c	lrawer, box drav arton.	ver, file drawer,	on four locking casters. Cord escape
	EL18PBFC	18 x 24 x 38	145	11.7	\$2787	
& Mobile Storage Lectern - Box/File	Mobile, open she Shipped assembl	elf, locking personal drawn ed in 1 carton.	er, box drawer, fil	le drawer, on fo	our locking cast	ers.
	De maine 1 10		Ontical	leedie	-	
	Required specific Paint finish, case Trim finish, feet*	au0115	Optional specif Key alike	164110115	L	Accessories aminate top .ectern shelf

E EDVENTURE[™]

MOBILE STORAGE LECTERNS	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	EL18PHDLC	18 x 24 x 38	128	11.7	\$2787	N/A	
obile Storage Lectern*	Mobile, open shel Shipped assemble	f, locking personal drawer, d in 1 carton.	left side hing	ed locking door	with shelf inside	e, on four locking casters.	
	EL18PHDRC	18 x 24 x 38	128	11.7	\$2787	N/A	
obile Storage Lectern*	Mobile, open shel Shipped assemble		right side hin	ged locking doo	r with shelf insi	de, on four locking casters.	
CCESSORIES							
	ENMST1824	18 x 24 x 1	10.5	0.27	\$183	\$84	
op for Storage Lectern**		top for storage lecterns. A sking, see page 484. Shipp			lly fused lamina	te or high pressure laminate	e finis
	ENLS182	18 x 21 x 3.25-8.25	19	2.55	\$352	N/A	
ectern Shelf**						y be secured to finished top e. Shipped assembled in 1 d	

Required specifications Painte finish, case* Laminate finish** Edge finish (ENLS1824 only) Trim finish (ENLS182 only)

EDVENTURE[™] E

FREESTANDING OR STARTER STUDY CARRELS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	CUT-OUT ADD
\land	ENFC3024	W x D x H 30 x 24 x 50	00	A A A	¢ባበር	¢407	¢01
$\langle \downarrow \rangle$	ENFC3624	30 x 24 x 50 36 x 24 x 50	89 97.5	4.44	\$890 \$942	\$107 \$107	\$91 \$91
	ENFC6024	60 x 24 x 50	115	5.8	\$1097	\$186	\$185
	ENFC7224	72 x 24 x 50	123.5	6.34	\$1172	\$213	\$185
Freestanding/Starter Study Carrel*		h worksurface with curve ove Daisylink components					
	ENFC3024S	30 x 24 x 50	93	4.44	\$947	\$107	\$91
	ENFC3624S	36 x 24 x 50	102.5	4.72	\$991	\$107	\$91
	ENFC6024S	60 x 24 x 50	122	5.8	\$1175	\$186	\$185
	ENFC7224S	72 x 24 x 50	131.5	6.34	\$1261	\$186	\$185
ADD-ON STUDY CARRELS	Shipped easy to a ENAC2924 ENAC3524	light. Bring power and US ssemble in 2 cartons. 29 x 24 x 50 35 x 24 x 50	63 71.5	4.4 4.67	\$677 \$704	\$107 \$122	\$91 \$91
	ENAC5924	59 x 24 x 50	89	5.75	\$865	\$186	\$185
	ENAC7124	71 x 24 x 50	97.5	6.3	\$939	\$186	\$185
Add-On Study Carrel*		yh worksurface with curve ove Daisylink components 29 x 24 x 50 35 x 24 x 50 59 x 24 x 50 71 x 24 x 50					
Add-On Study Carrel w/Shelf*	optional LED task	h worksurface with curve light. Bring power and US ssemble in 2 cartons.					
LED TASK LIGHTS							
	PLED30	15.5 x 1.5 x 0.5	2	0.5	\$344	N/A	N/A
	PLED100	43.5 x 1.5 x 0.5	3	0.5	\$461	N/A	N/A
LED Task Light	Energy efficient L	ED. Ultra slim design. Su	itable for moun	ting on the und	erside of the she	elf of a studv	carrel. 6' power cord.
-		U		<u> </u>			
	Required specific:		Ontional sneci			ccessories	

Required specifications Top finish* Edge finish* Leg finish* Surround finish*

Optional specifications HP laminate*

HP laminate* Cut-out for Cove Daisylink modules* Accessories Cove Daisylink modules* LED task lights*

E EDVENTURE[™]

		DIMENOIONO	W(7/1 D		
COVE DAISYLINK COMPONENTS	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
CONTRACTOR OF CO	ECV2PU30B ECV2PU30S	30 x 2 x - 30 x 2 x -	4.5 4.5	0.5 0.5	\$1010 \$1010
Single Power/USB for 29"/30" Carrels	female/male conn between two 30″	ecting cable and one 14" wide starter carrels, one	female/female 30″ wide starte	connecting cab r carrel and one	arging ports. Includes four cable clamps, one 1- ole. Connecting cables will daisy-chain modules a 29" wide add-on carrel, or two 29" wide add-or model number. Infeed to be ordered separately
	ECV2PU36B ECV2PU36S	36 x 2 x - 36 x 2 x -	4.6 4.6	0.5 0.5	\$1022 \$1022
Single Power/USB for 35″/36″ Carrels	17" female/male between two 36"	connecting cable and one wide starter carrels, one	17" female/fen 36" wide starte	nale connecting r carrel and one	B charging ports. Includes four cable clamps, or g cable. Connecting cables will daisy-chain mod g 35" wide add-on carrel, or two 35" wide add-c model number. Infeed to be ordered separately
4*4 4*4	ECV2PU60B ECV2PU60S	60 x 2 x -	4.6	0.5	\$1880
CO	cable clamps, one interconnecting ca	12" female/male connec able. Connecting cables v ' wide add-on carrel, or tv	ting cable, one vill daisy-chain i	12" female/fem modules betwe	and two 2.1A USB charging ports. Includes four nale connecting cable and one 26" female/fema een two 60" wide starter carrels, one 60" wide s vailable in Black (B) or Silver (S) - indicated by l
	ECV2PU72B	72 x 2 x -	4.6	0.5	\$1901
	ECV2PU72S	72 x 2 x -	4.6	0.5	\$1901
Double Power/USB for 71"/72" Carrels	cable clamps, one interconnecting ca	15" female/male connec able. Connecting cables v ' wide add-on carrel, or tv	ting cable, one vill daisy-chain	15" female/fem modules betwe	and two 2.1A USB charging ports. Includes four nale connecting cable and one 31" female/fema een two 72" wide starter carrels, one 72" wide s vailable in Black (B) or Silver (S) - indicated by l
	ECVPUD30B	30 x 2 x -	4.6	0.5	\$955
	ECVPUD30S	30 x 2 x -	4.6	0.5	\$955
Single Power/Data/USB for 29″/30″ Carrels	cable clamps, one be ordered separa carrel and one 29'	14" female/male connective tely. Connecting cables v	ting cable and c vill daisy-chain vo 29″ wide add	one 14" female/ modules betwe d-on carrels. Av	ts and two 2.1A USB charging ports. Includes for /female connecting cable. Data/telecom option een two 30" wide starter carrels, one 30" wide s vailable in Black (B) or Silver (S) - indicated by le



EDVENTURE[™] E

\sim		W x D x H			
	ECVPUD36B	36 x 2 x -	4.6	0.5	\$967
	ECVPUD36S	36 x 2 x -	4.6	0.5	\$967
Single Power/Data/USB for 35″/36″ Carrels	cable clamps, one be ordered separat carrel and one 35"	17" female/male conne ely. Connecting cables	cting cable and o will daisy-chain r wo 35" wide add	ne 17" female, modules betwe I-on carrels. A	ts and two 2.1A USB charging ports. Includes four /female connecting cable. Data/telecom options to een two 36" wide starter carrels, one 36" wide starter vailable in Black (B) or Silver (S) - indicated by last
	ECVPUD60B	60 x 2 x	16	0 5	\$1760
	ECVPUD60B ECVPUD60S	60 x 2 x - 60 x 2 x -	4.6 4.6	0.5 0.5	\$1769 \$1769
Double Power/Data/USB for 59"/60" Carrels	Includes four cable female/female inte between two 60" v	clamps, one 12" female rconnecting cable. Data vide starter carrels, one	e/male connectin /telecom options e 60″ wide starter	g cable, one 1 to be ordered s carrel and one	wo data knockouts and two 2.1A USB charging ports. 2" female/female connecting cable and one 26" separately. Connecting cables will daisy-chain modules e 59" wide add-on carrel, or two 59" wide add-on model number. Infeed to be ordered separately.
		70 0	4.0	0.5	¢4700
	ECVPUD72B ECVPUD72S	72 x 2 x - 72 x 2 x -	4.6	0.5	\$1790 \$1790
ED Couple Power/Data/USB for 71"/72" Carrels	Includes four cable female/female inte between two 72″ w	clamps, one 15" female rconnecting cable. Data vide starter carrels, one	e/male connectin /telecom options 72" wide starter	g cable, one 1 to be ordered s carrel and one	wo data knockouts and two 2.1A USB charging ports. 5" female/female connecting cable and one 31" separately. Connecting cables will daisy-chain modules 71" wide add-on carrel, or two 71" wide add-on model number. Infeed to be ordered separately.
A A A A A A A A A A A A A A A A A A A	ENCOVCI1	72"W	3	0.5	\$369
Single-Circuit Corded Infeed, 72"					9 Cove modules per each infeed (Cove double counts
and the second sec	ENCOVHW1	72"W	2.75	0.5	\$238
Multi-Circuit Power Hardwire Infeed, 72″		start a run of Cove Dais Certified electrician requ			Cove modules per each infeed (Cove double counts
	ENCVG12	12 x 5 x 3.1	14	1.1	\$143
Jumper Guards - Set of 4	Metal channel to p	rotect jumper connectio	on to Cove Daisyli	ink module. Bl	ack only. Mounts directly to the underside of surface.

WT/LB.

CUBIC FT.

LIST PRICE

DIMENSIONS

COVE DAISYLINK COMPONENTS

MODEL #



Designed by Zooey Chu, Junction provides an affordable solution for your table applications. Choose from a variety of table top designs: rectangular, half round, trapezoid and keystone to create a unique table for your boardroom, classroom or presentation room application.

A freestanding or shared leg configuration with the unique "Y" leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.



Y leg design.



Modesty panel.



Shared leg configuration provides more legroom and decreases the overall costs.

Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particle board.
- 2mm matching edge is standard.
- Optional radius corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- Junction tops are available in Global laminate finishes with two leg options.



GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications.
- Ability for tables to be set up as freestanding or shared leg configuration.
- Unique design by Zooey Chu.
- Half round, trapezoid and keystone tops are available to create a variety of package configurations.
- Rectangular tops are available in 20", 24" and 30" depths.
- Optional modesty panels with integrated wire troughs are available.
- Optional large electrical manager provides a safe environment for equipment wires.
- Special width tops are available. Use next size up.
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused melamine.
- Laminate finishes are available in high pressure. Contact your Customer Service representative for a quote.
- If other than a Global standard laminate finish is preferred, contact your Customer Service representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity.
- Tops are predrilled with threaded steel inserts.
- Special width tops are available. Use next size up (add 10% upcharge).
- Tables adjust from 28.75" to 29.75" high.

EDGE DETAIL

- Global's preferred matching edge is standard.
- Optional radius corners (RM) are available on rectangular tops at no upcharge.

LEGS

- Unique Y design.
- Straight leg available for assembly with half round tops and keystone tops.
- Heavy duty steel construction.
- Coated with environmentally friendly recycled paint that provides a durable finish.
- Black plastic leveling glides offer ⁵/₈" adjustability.
- Available in Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) or Tungsten (TTU) finish.
- Y legs: 17.5" leg span 20"D top, 21.5" leg span 24"D top, 24.5" leg span 30"D top.

CASTERS

- Optional casters are available.
- 1.5" dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides.
- Suggested for carpeted surfaces.
- Available in Black only.
- Sold in packages of two.

GANGING

- Ganging plates are available for ganging workstations together.
- · Ganging plates are Black epoxy coated steel plates with two thumbscrews.
- Provides maximum stability and torque reduction.

FLUSH PLATE

- Suggested for top clusters (fixed configurations for additional stability).
- Sold individually and shipped with two thumbscrews for mounting.
- No tools required.
- Flush plate allows for ganging together of two or more tops.

WIRE MANAGEMENT

- · Available for managing additional larger wires and power connectors.
- 3.5" high x 4.25" deep Black PVC channel attaches to the underside of top.

SPECIFICATIONS

• Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

1. SPECIFY MODEL NUMBER

2. SPECIFY FINISH

Lam	inate	Finis	hes

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BRC	Brushed Cobalt
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class

ogany
е

NBL

NGL

NEL

NML

QTM

SBY

SOG

WHE WHC WCR

Legs:			
TBL	Black	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TF0	Fog	TSH	Shadow
TFR	Frost	TOA	Toast
ТКА	Kalua	TTU	Tungsten
TLA	Latte		

3. SPECIFY OPTIONS

MODESTY PANELS

- 11.25" high panel attaches to the underside of worksurface top.
- Standard with integrated wire trough.
- Available in Black PVC.

GROMMETS

- Grommets are available in rectangular and trapezoid tops (left, center or right). See below for available locations. Order as: FOG1, FOG2 or FOG3. Add \$91.
 For keystone worksurface locations, order as FOG2. Add \$91.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.



Grommets may be placed at non-standard locations. Order as: CSG. Add \$132. A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to the custom grommet location form
in the back reference section.


POWER BLOCK

- A power block (model PMSPDM) may be ordered on all worksurfaces.
- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block as PMSPDM. Add \$268.
 Power blocks are available in standard worksurface locations (left, center or right).
 Order as E1, E2 or E3. Add \$91.



Power block PMSPDM. Add \$268.

EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Junction rectangular tables only. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- · On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting (cannot be used with modesties). Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 30" to 72" wide rectangular tables. Add \$91.
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$183.



JUNCTION[™] J

GULAR TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
		W x D x H				
	JNR2042	42 x 20 x 1.12	26	1.1	\$190	\$95
	JNR2048	48 x 20 x 1.12	29	1.15	\$199	\$99.50
	JNRU2054	54 x 20 x 1.12	33	1.3	\$279	\$139.50
	JNRU2060	60 x 20 x 1.12	37	1.4	\$295	\$147.50
	JNRU2066	66 x 20 x 1.12	41	1.55	\$320	\$160
	JNRU2072	72 x 20 x 1.12	45	1.66	\$344	\$172
	JNR2442	42 x 24 x 1.12	31	1.25	\$210	\$105
	JNR2448	48 x 24 x 1.12	35	1.4	\$227	\$113.50
	JNRU2454	54 x 24 x 1.12	42	1.52	\$317	\$158.50
	JNRU2460	60 x 24 x 1.12	47	1.67	\$337	\$168.50
	JNRU2466	66 x 24 x 1.12	52	1.82	\$365	\$182.50
	JNRU2472	72 x 24 x 1.12	57	2	\$390	\$195
	JNR3042	42 x 30 x 1.12	38	1.51	\$248	\$124
	JNR3048	48 x 30 x 1.12	44	1.7	\$270	\$135
	JNRU3054	54 x 30 x 1.12	52	1.9	\$362	\$181
	JNRU3060	60 x 30 x 1.12	59	2.1	\$386	\$193
	JNRU3066	66 x 30 x 1.12	64	2.26	\$415	\$207.50
	JNRU3072	72 x 30 x 1.12	70	2.5	\$442	\$221

Rectangular Top*

RECTAN

Predrilled with threaded steel inserts for freestanding and linking installations. **Tops 54" and longer are standard with a 16 gauge steel support channel**.

1.05

1.15

1.4

1.52

1.67

1.82

\$227

\$236

\$250

\$315

\$335

\$431

\$113.50

\$118

\$125

\$157.50

\$167.50

\$215.50

HALF	: ROI	IND	TOPS



Half Round Top

Predrilled with threaded steel inserts for freestanding and linking installations. Four legs are required for freestanding configurations.

23

27.5

34

38.25

53

58.3

• JNHFS2040/JNHFS2048 for use with 20" deep joining edge.

40 x 20 x 1.12

48 x 20 x 1.12

48 x 24 x 1.12


54 x 27 x 1.12

60 x 30 x 1.12

66 x 33 x 1.12

- JNHFS2448/JNHFS2454 for use with 24" deep joining edge.
- JNHFS3060/JNHFS3066 for use with 30" deep joining edge.

TRAPEZOID TOPS



Trapezoid Top

JNTT2048	48 x 15.25 x 1.12	27.5	1.15	\$222	\$111	
JNTT2060	60 x 15.25 x 1.12	34	1.4	\$265	\$132.50	
JNTT2448	48 x 20.5 x 1.12	33	1.4	\$239	\$119.50	
JNTT2460	60 x 20.5 x 1.12	41.25	1.67	\$290	\$145	
JNTT3060	60 x 25.75 x 1.12	50.5	2.1	\$314	\$157	
JNTT3072	72 x 25.75 x 1.12	61	2.5	\$358	\$179	

Predrilled with threaded steel inserts for freestanding and linking installations.

• JNTT2040/JNTT2048 for use with 20" deep joining edge.

• JNTT2448/JNTT2454 for use with 24" deep joining edge.

• JNTT3060/JNTT3066 for use with 30" deep joining edge.

Required	specifications
Finish	

JNHFS2040

JNHFS2048

JNHFS2448

JNHFS2454

JNHFS3060

JNHFS3066

Accessories Power block*

loba

J JUNCTION[™]

KEYSTONE TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HD ADD	
\sim		W x D x H					
	JN5S2424	42 x 24 x 1.12	35	1.4	\$270	\$135	
	JN5S3030	54 x 30 x 1.12	53	2.1	\$345	\$172.50	
eystone Tops		ded steel inserts for frees	standing and	linking installa	tions. Three leg	s are required for fre	estanding
	configurations.						
		with 24" deep joining ed with 30" deep joining ed					
IODESTY PANELS			-				
		20.10 x 6.02 x 11.25	0.7	1 E	¢10C	N1/A	
	JNMP42	29.19 x 6.92 x 11.25		1.5	\$186	N/A	
	JNMP48	35.19 x 6.92 x 11.25	4.5	1.75	\$210	N/A	
	JNMP54	41.19 x 6.92 x 11.25	5	2	\$234	N/A	
	JNMP60	47.19 x 6.92 x 11.25	5.9	2.25	\$260	N/A	
	JNMP66	53.19 x 6.92 x 11.25	6.6	2.5	\$274	N/A	
	JNMP72	59.19 x 6.92 x 11.25	7.4	2.75	\$300	N/A	
odesty Panel	For use with JNR re Connects to predrille	ctangular tops. 11.25" ed holes in table top.	high, Black p	olastic, attractiv	e ribbed design.	Includes integrated	wire trough.
VIRE MANAGEMENT							
	JNEC5S	12 E v 4 14 v 2 62	1	0.1	¢/G	Ν/Δ	
	JINEC22	12.5 x 4.14 x 3.63	1	0.1	\$46	N/A	
ire Manager	predrilled holes in ta	teystone . For managing ble top.					
			2.52	0.33	\$117	N/A	
-	JNEC42	41.75 x 4.14 x 3.63					
_	JNEC42 JNEC48	41.75 x 4.14 x 3.63 47.75 x 4.14 x 3.63				N/A	
_	JNEC48	47.75 x 4.14 x 3.63	2.88	0.38	\$139	N/A N/A	
_	JNEC48 JNEC54	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63	2.88 3.24	0.38 0.43	\$139 \$153	N/A	
	JNEC48 JNEC54 JNEC60	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63	2.88 3.24 3.6	0.38 0.43 0.48	\$139 \$153 \$172	N/A N/A	
	JNEC48 JNEC54 JNEC60 JNEC66	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63	2.88 3.24 3.6 3.96	0.38 0.43 0.48 0.53	\$139 \$153 \$172 \$172	N/A N/A N/A	
	JNEC48 JNEC54 JNEC60	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63	2.88 3.24 3.6	0.38 0.43 0.48	\$139 \$153 \$172	N/A N/A	
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
Vire Manager	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234	N/A N/A N/A N/A	VC channel
	JNEC48 JNEC54 JNEC60 JNEC66 JNEC72 For use with JNR re	47.75 x 4.14 x 3.63 53.75 x 4.14 x 3.63 59.75 x 4.14 x 3.63 65.75 x 4.14 x 3.63 71.75 x 4.14 x 3.63 ctangular tops. For mar d holes in the table top.	2.88 3.24 3.6 3.96 4.32	0.38 0.43 0.48 0.53 0.58	\$139 \$153 \$172 \$172 \$234 power connecto	N/A N/A N/A N/A	VC channel

JUNCTION[™] J

LEGS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE		
		W x D x H					
	JNLEG20	2 x 17.4 x 27.5	8.5	2	\$170		
"Y" Leg	 List price is per 	. Leveling glides are stand each leg. or available finishes.	ard. For asser	nbly with 20"	deep tops.		
	JNLEG24	2 x 21.5 x 27.5	10	2.5	\$170		
"Y" Leg	 List price is per 	. Leveling glides are stand each leg. or available finishes.	ard. For asser	nbly with 24"	deep tops.		
	JNLEG30	2 x 24.5 x 27.5	11	2.85	\$187		
"Y" Leg	 List price is per 	. Leveling glides are stand each leg. or available finishes.	ard. For asser	nbly with 30"	deep tops.		
	JNLEG	2 x 1 x 27.5	6	1.3	\$155		
Straight Leg	 List price is per 	e standard. For assembly each leg. or available finishes.	v with half rou	und and keyst	one tops. Mour	nting plate is 11″ deep b	/ 5" wide.

Required specifications Finish (not JNECTxxxx)

global

J JUNCTION[™]

JNCP -x + x 1.5 - - \$30 asters Set of 2 - 1.5" dual wheel casters, one locking. Suggested for carpeted surfaces. Casters are fully interchangeable will glides. Black only. - for use with Junction units only. • For use with Junction units only. • casters D0 NOT affect table height. CCESSORIES JNTS 1.25 x 1.25 x 1.5 - \$17 Immbscrews JNTS 1.25 x 1.25 x 1.5 - \$17 Immbscrews Triangular thumbscrew with 0.75" steel thread. Set of 4. Can be used in place of factory supplied screws to allow instruct of "Y" legs to tops without tools. Black only. JNGFP 2.5 x 5 x 1.13 0.2 0.1 \$28 Imaging Flush Plate Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stabilit for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. Imaging Flush Plate JNFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 Imaging Flush Plate JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20	CASTERS	MODEL #	DIMENSIONS WxDxH	WT/LB.	CUBIC FT.	LIST PRICE	
glides. Black only. • For use with Junction units only. • Casters D0 NOT affect table height. CCESSORIES INTS 1.25 x 1.25 x 1.5 • Initiation of "Y" legs to tops with 0.75" steel thread. Set of 4. Can be used in place of factory supplied screws to allow instront of "Y" legs to tops without tools. Black only. INGFP 2.5 x 5 x 1.13 0.2 0.1 \$28 INGFP 2.5 x 5 x 1.13 0.2 0.1 \$28 Inging Flush Plate Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stabil for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. INFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 INFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20		JNCP		-	-	\$30	
JNTS 1.25 x 1.25 x 1.5 - - \$17 umbscrews Triangular thumbscrew with 0.75" steel thread. Set of 4. Can be used in place of factory supplied screws to allow insta of "Y" legs to tops without tools. Black only. JNGFP 2.5 x 5 x 1.13 0.2 0.1 \$28 Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stabil for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. JNFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20	sters	glides. Black onl • For use with J	y. Inction units only.	g. Suggested	d for carpeted s	urfaces. Casters are fully interchangeable	e with
of "Y" legs to tops without tools. Black only. JNGFP 2.5 x 5 x 1.13 0.2 0.1 \$28 Imaging Flush Plate Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stabil for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. JNFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20	CESSORIES	JNTS	1.25 x 1.25 x 1.5	-	-	\$17	-
Imaging Flush Plate Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stabil for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. JNFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20	umbscrews	Triangular thumb of "Y" legs to top	screw with 0.75" steel threa os without tools. Black only.	d. Set of 4. (Can be used in	place of factory supplied screws to allow	install
for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodat plate. Sold individually. JNFP1 5.25 x 5.25 x 0.37 1.3 0.02 \$5 JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20		JNGFP	2.5 x 5 x 1.13	0.2	0.1	\$28	-
JNFP4 5.25 x 5.25 x 0.37 5.2 0.2 \$20	inging Flush Plate	for connecting fr	eestanding tops together. Ho				
		INEP1	5 25 x 5 25 x 0 37	13	0.02	\$5	
ush Plate Assures alignment on adjoining worksurfaces of the same height. Bolts included. Available in Black only. JNFP1 - 1 per carton. JNFP4 - 4 per carton.							
	sh Plate	JNFP4 Assures alignme JNFP1 - 1 per ca	5.25 x 5.25 x 0.37 nt on adjoining worksurfaces ırton.	5.2	0.2	\$20	-
	sh Plate	JNFP4 Assures alignme JNFP1 - 1 per ca	5.25 x 5.25 x 0.37 nt on adjoining worksurfaces ırton.	5.2	0.2	\$20	
	ush Plate	JNFP4 Assures alignme JNFP1 - 1 per ca	5.25 x 5.25 x 0.37 nt on adjoining worksurfaces ırton.	5.2	0.2	\$20	-
	ash Plate	JNFP4 Assures alignme JNFP1 - 1 per ca	5.25 x 5.25 x 0.37 nt on adjoining worksurfaces ırton.	5.2	0.2	\$20	-



ZOOK[™]



Zook was designed for today's dynamic and diverse learning environments. The tables are lightweight and can be reconfigured easily to create interactive environments and support collaboration.

Choose from a variety of organic and geometric shaped table tops to optimize flexibility. They are available in a wide array of sizes and finishes in both thermally fused laminate and high pressure laminate with matching or complementary edgeband and an array of painted finishes for metal legs.

Tops are available in 1" thick thermally fused laminate or $1 \frac{1}{16}$ high pressure laminate with 2mm PVC edgebanding or a new optional ergo friendly edge.



Variety of organic and geometric shapes.

aloba



Multiple table configurations. Ideal for group study and encouraging collaboration.



Optional ergo friendly edge.

Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 ¹/₁₆" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- 2mm PVC edgebanding or optional ergo friendly edge (with some exceptions).
- Tops are available in organic and geometric shapes.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- Cable tower on group tables is constructed from thermally fused laminate with a removable access panel and inside clearance of 8" x 8.6".
 Available on group tables ZK44848P, ZK45959P and ZK65990 only.
- · Easy to assemble.

431

Z ZOOK[™] - NOTES

GENERAL INFORMATION

- Zook is a series of tables designed for classrooms and diverse learning environments.
- Organic shapes and rectangular tops are available to create a variety of configurations that naturally bring people together.
- Choose from Zook group tables for groups of 4 to 6 people, pod tables for individuals, activity tables or flip-top tables.
- Create spaces that encourage discussion and the sharing of ideas.
- Supports multi-use, active learning spaces and a variety of teaching styles.
- Materials and workmanship stand up to the rigorous demands of today's learning environments.
- Shipped easy to assemble. Tops include factory installed metal inserts to accept leg attachment.
- For environmental certification, please visit globalfurnituregroup.com.

ZOOK GROUP TABLES

- Organic shaped tops available in three sizes: 48" x 48", 59" x 59" or 59" x 90".
- Tops supported by 3" diameter fixed height post legs.
- Select models available with cut-out options for power modules; these select models
 also include a cable tower for managing cables to floor monuments.

ZOOK POD TABLES

- Available in four geometric shapes; three that when used adjacent to one another, can create various pod configurations as well as rectangular tables in a number of sizes.
- ADA compliant heights available for select models.
- 1.5" diameter fixed height post legs.
- Tables may be specified on levelers or with casters for greater mobility and flexibility.

ZOOK ACTIVITY TABLES

- Available in three shapes, all based on a 54" wide footprint.
- Tops are available with two types of mating edges: curved or straight. When planning to mate tables, do not mix mating edge styles.
- 2" diameter tapered legs on levelers or casters.

ZOOK FLIP-TOP TABLES

- Available in three sizes: 30"W x 22"D with concave shaped top; 30"W x 24"D and 60" W x 24"D rectangular top with radiused corners.
- \bullet Supported by Y-legs equipped with smooth glide casters (two locking). H-legs are in Tungsten (TTU) finish only.
- 60" wide table tops optional with FOG1, FOG2 or FOG3 grommet. Add \$91.
- Modesty panels are available separately in Tungsten (TUN) finish only.

WORKSURFACES

- \bullet Tops are available in 1" thick thermally fused laminate or 1 $^{1}\!/_{16}$ " thick high pressure laminate.
- See page 484 for a list of thermally fused and high pressure laminate finishes available, including nine bold finishes in high pressure laminate only.
- Worksurface cores are 45 lb. density particle board.
- All surfaces include factory installed metal inserts for solid and secure leg connections.

WRITABLE SURFACE OPTION

- Available on group, pod, activity, flip-top and rectangular tables.
- High gloss White, non-magnetic dry-erase surface.
- Complementary or contrasting edge to be specified, darker edge finish recommended.
- Specify (WRW) for top finish. For upcharge, refer to finish option per product.

EDGE DETAIL

- Global's preferred (2mm flat edge) matching edge is standard.
- Optional ergo friendly edge is available at an upcharge (varies by item; see product for details).
- Rectangular tops feature rounded 2.5" radius corners.






Ergo friendly edge

2mm flat edge

LEGS

- **Group tables**: 3" diameter steel post legs and are 28" high with adjustable 3" diameter plastic glides. Each leg includes a 6" x 6" metal top plate and ships with truss head screws to connect to tops. See page 433 for available finishes.
- Pod tables: 1.5" diameter tube steel legs are available with adjustable levelers or dual wheel locking casters. Each leg includes top plate and hardware for mounting. See page 433 for available finishes. Optional Chrome (CHM) finish is available, upcharge applies. Add \$79 for three-legged models or add \$106 for four-legged models.
- Activity tables: 2" diameter tapered legs are available with adjustable levelers or optional locking casters. Each leg includes top plate and hardware for mounting. See page 433 for available finishes. Optional Chrome (CHM) finish is available, upcharge applies. Add \$147.




CASTERS

- Pod table models ending in C, indicate legs equipped with casters. 1.5" dual wheel locking casters, available in black only.
- Activity table models ending in C, indicate legs equipped with 2" dia locking casters. Casters are black only.

GROUP TABLE with CABLE TOWER

- Constructed from thermally fused laminate with a removable access panel.
- Inside clearance of 8" x 8.6" will conceal most floor monuments but still provide easy access.
- Available on group tables ZK44848P, ZK45959P and ZK65990P only.
- Must specify cut-out option when ordering group tables to accommodate select power module. Power modules sold separately.
- Available in Black (BLK), Brushed Cobalt (BRC) or Designer White (DWT) finish.



Cable tower



1. SPECIFY MODEL NUMBER

2. SPECIFY TOP FINISH

Thermally Fused and High Pressure Laminate Finishes

ACJ	Absolute Acajou	СМВ	Clear Maple
ASN	Asian Night	DES	Dark Espresso
AWC	Avant Cherry	DWT	Designer White
AWH	Avant Honey	FAS	Fashionista
BLK	Black	FCL	First Class
BRC	Brushed Cobalt	NBL	Noce Biondo

*Upcharge varies by product as noted on the individual product pages.

**Select edge finish separately from above (see step #3).

Upcharge varies for high pressure laminate by product. Refer to products for details.

NEL

3. SPECIFY EDGE FINISH

2mm Thick Edgebanding

AAE	Absolute Acajou
ASE	Asian Night
ACE	Avant Cherry
AHE	Avant Honey
BLK	Black
BRC	Brushed Cobalt
BZB	Buzz Blue
CCT	Cactus
CRO	Carrot
CME	Clear Maple
DEE	Dark Espresso
DWE	Designer White
DJN	Dijon
FAS	Fashionista
FCL	First Class

4. SPECIFY LEG FINISH

FOG Fog LAB Latte NBL Noce Biondo NGL Noce Grigio Noce Leggero NML Noce Medio Quarter Mahogany 0TM SAR Scarlet SHW Shadow SBY Sheer Beauty SOG Storm Grey WHE Walnut Heights CBE White Chocolate WCE Winter Cherry

NGL Noce Grigio Noce Leggero NEL NML Noce Medio Quartered Mahogany QTM SBY Sheer Beauty SOG Storm Grey

WHE Walnut Heights WHC White Chocolate WCR Winter Cherry WRW Writable surface*

Ergo Friendly Edge Finishes (optional - upcharge applies)

•	
EBL	Black
ECP	Latte
ECG	Charcoal Grey
EDW	Designer White
EGR	Grey

Legs																					
Table type	TBL	TBZ	TCC	TCR	TIV	TDW	TDJ	TEG	TF0	TFR	TIN	TKA	TLA	тмо	TNE	TSN	TSR	TSH	TOA	TTU	CHM
Pod	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Group	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	N/A
Activity	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Flip-top	N/A	•	N/A																		

DWT

Note: Leg finish is not optional on flip-top tables, available in Tungsten (TTU) only.

N/A = not available

5. SPECIFY CABLE TOWER FINISH - ZK44848P, ZK45959P and ZK65990P only

Cable Tower Finishes

BLK Black




Brushed Cobalt

Designer White

6. SPECIFY CUT-OUT OPTION - remember to order power module separately

POWER BLOCK AND CUT-OUT OPTIONS

- A power block delivers power/data to the table surface.
- Power block modules must be ordered separately and available for models ZK44848P, ZK45959P and ZK465990P only.
- Must specify the power block cut-out option when ordering the table.
- Optional cut-out available in the center position only and corresponds to select power modules. Order as K2, R2, T2 or U2, depending on the power module ordered.
- · For a custom size cut-out (must be in center position), please contact Customer Service.
- Select power block option on page 435.



- Match power block desired with cut-out code and location from above grid.
- Example: For power block module # PLRTM101B, specify cut-out option K2.

MODPOWER DAISY-CHAIN SOLUTION

- Add flexible power and USB charging to select Zook tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 478.
- . Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting:
- Specify cut-out option MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **ZKRxxxx(L/C)**, ZKFR3024* and ZKFR6024*. Add \$91.
- Specify cut-out option MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the approach side for ZKR54xx(L/C), ZKR60xx(L/C), ZKR72xx(L/C) and ZKFR6024*. Add \$183.

*Note: not for use with Zook flip-top tables if optional modesty panel is specified.

Z ZOOK[™]

MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADD	WRW
ZK4484820	48 x 48 x 20	92	7.1	\$1015	\$285	\$147	\$296
ZK4595920	59 x 59 x 20	123	9	\$1059	\$355	\$181	\$459
connections. Le	gs are 3" in diameter x	19" high each w					
ZK44848 ZK45959	48 x 48 x 29 59 x 59 x 29	215 220	7.1 9.2	\$1053 \$1079	\$279 \$339	\$132 \$173	\$312 \$471
connections. Le	gs are 3" in diameter x 2	28" high each w					
ZK44848P ZK45959P	48 x 48 x 29 59 x 59 x 29	265 270	8.9 11	\$1437 \$1461	\$279 \$339	\$132 \$173	\$312 \$471
secure leg conn	ections. Legs are 3" in c	liameter x 28" h	igh each with	an adjustable 3	3" diameter pl		
ZK6599020	90 x 59 x 20	247.5	14	\$1630	\$624	\$229	\$741
connections. Le	gs are 3" in diameter x	19" high each w					
ZK65990	90 x 59 x 29	245	13.5	\$1668	\$595	\$252	\$781
connections. Le	gs are 3″ in diameter x 2	28″ high each w					
ZK65990P	90 x 59 x 29	295	15.3	\$1976	\$595	\$252	\$781
secure leg conn	ections. Legs are 3" in c	liameter x 28" h	igh with an ac	djustable 3" dia	meter plastic		
	ZK4484820 ZK4595920 4-person table in connections. Le plate. Shipped of the connections and the connections and the connections and the plate. Shipped of the connections. Le plate. Shipped of the connections consections. Le plate. Shipped of the connections consections. Le plate. Shipped of the connections consections con	Wx D x HZK448482048 x 48 x 20ZK459592059 x 59 x 204-person table includes top and four ste connections. Legs are 3" in diameter x" plate. Shipped easy to assemble in 5 caZK4484848 x 48 x 29ZK4595959 x 59 x 294-person table includes top and four ste connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 5 caZK4595959 x 59 x 294-person table includes top and four ste connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 5 caZK45959P59 x 59 x 294-person table includes top, four steel p secure leg connections. Legs are 3" in c metal top plate. Shipped easy to assemble in 8 caZK659902090 x 59 x 206-person table includes top and seven st connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 8 caZK6599090 x 59 x 29G-person table includes top and seven st connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 8 caZK65990P90 x 59 x 29G-person table includes top and seven st connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 8 caZK65990P90 x 59 x 29G-person table includes top and seven st connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 8 caZK65990P90 x 59 x 29G-person table includes top, six steel po secure leg connections. Legs are 3" in diameter x2 plate. Shipped easy to assemble in 8 caZK65990P90 x 59 x 29	W × D × HZK448482048 × 48 × 2092ZK459592059 × 59 × 201234-person table includes top and four steel post legs. To connections. Legs are 3" in diameter x 19" high each w plate. Shipped easy to assemble in 5 cartons.ZK4484848 × 48 × 29215ZK4595959 × 59 × 292204-person table includes top and four steel post legs. To connections. Legs are 3" in diameter x 28" high each w plate. Shipped easy to assemble in 5 cartons.ZK4484848 × 48 × 29265ZK4595959 × 59 × 292704-person table includes top, four steel post legs and cat secure leg connections. Legs are 3" in diameter x 28" high each w plate. Shipped easy to assemble in 6 cartonsZK659902090 × 59 × 20247.56-person table includes top and seven steel post legs. To connections. Legs are 3" in diameter x 19" high each w plate. Shipped easy to assemble in 8 cartons.ZK659902090 × 59 × 29245G-person table includes top and seven steel post legs. To connections. Legs are 3" in diameter x 28" high each w plate. Shipped easy to assemble in 8 cartons.ZK6599090 × 59 × 29245G-person table includes top and seven steel post legs. To connections. Legs are 3" in diameter x 28" high each w plate. Shipped easy to assemble in 8 cartons.ZK6599090 × 59 × 29245G-person table includes top and seven steel post legs. To connections. Legs are 3" in diameter x 28" high each w plate. Shipped easy to assemble in 8 cartons.ZK65990P90 × 59 × 29295G-person table includes top, six steel post le	W × D × HZK448482048 × 48 × 20927.1ZK459592059 × 59 × 2012394-person table includes top and four steel post legs. Top includes fac connections. Legs are 3" in diameter x 19" high each with an adjusta plate. Shipped easy to assemble in 5 cartons.ZK4848448 × 48 × 292157.1ZK4595959 × 59 × 292209.24-person table includes top and four steel post legs. Top includes fac connections. Legs are 3" in diameter x 28" high each with an adjusta plate. Shipped easy to assemble in 5 cartons.ZK44848P48 × 48 × 292658.9ZK45959P59 × 59 × 29270114-person table includes top, four steel post legs and cable tower. Top secure leg connections. Legs are 3" in diameter x 28" high each with metal top plate. Shipped easy to assemble in 6 cartons. For power bZK659902090 × 59 × 20247.5146-person table includes top and seven steel post legs. Top includes fac connections. Legs are 3" in diameter x 19" high each with an adjusta plate. Shipped easy to assemble in 8 cartons.ZK65990290 × 59 × 2924513.5ZK6599090 × 59 × 2924513.5Choperson table includes top and seven steel post legs. Top includes fac connections. Legs are 3" in diameter x 28" high each with an adjusta plate. Shipped easy to assemble in 8 cartons.ZK65990P90 × 59 × 2924513.56-person table includes top and seven steel post legs. Top includes fac connections. Legs are 3" in diameter x 28" high each with an adjusta plate. Shipped easy to assemble in 8 cartons.<	W × D × H ZK4494820 49 × 49 × 20 92 7.1 \$1015 ZK4595920 59 × 59 × 20 123 9 \$1059 4-person table includes top and four steel post legs. Top includes factory installed n connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plate. Shipped easy to assemble in 5 cartons. ZK44848 40 × 48 × 29 215 7.1 \$1053 ZK45959 59 × 59 × 29 220 9.2 \$1079 4-person table includes top and four steel post legs. Top includes factory installed n connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plate. Shipped easy to assemble in 5 cartons. ZK4494P 48 × 48 × 29 265 8.9 \$1437 ZK45959 59 × 59 × 29 270 11 \$1461 4-person table includes top, four steel post legs and cable tower. Top includes factor secure leg connections. Legs are 3" in diameter x 28" high each with an adjustable imetal top plate. Shipped easy to assemble in 6 cartons. For power block options, secure leg connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plate. Shipped easy to assemble in 8 cartons. ZK659902 90 × 59 × 29 247.5 14 \$1630 G-person table includes top and seven steel post legs. Top includes factory installed connections. Legs are 3" in diameter x	W x D x H ZK4484820 48 x 48 x 20 92 7.1 \$1015 \$285 ZK4595920 59 x 59 x 20 123 9 \$1059 \$355 4-person table includes top and four steel post legs. Top includes factory installed metal inserts fo connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plastic glide plate. Shipped easy to assemble in 5 cartons. ZK48484 48 x 48 x 29 215 7.1 \$1053 \$229 ZK45959 59 x 59 x 29 220 9.2 \$1079 \$339 4-person table includes top and four steel post legs. Top includes factory installed metal inserts fo connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide plate. Shipped easy to assemble in 5 cartons. ZK44848P 48 x 48 x 29 265 8.9 \$1437 \$279 ZK45959P 59 x 59 x 29 270 11 \$1461 \$339 4-person table includes top, four steel post legs and cable tower. Top includes factory installed metal inserts fo connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide plate. Shipped easy to assemble in 6 cartons. For power block options, see page 435. ZK6599020 90 x 59 x 20 247.5 14 \$1630 \$624 Geperson table includes top and	W + D + H ZK4484820 49 x 49 x 20 92 7.1 \$1015 \$225 \$147 ZK4595320 59 x 59 x 20 123 9 \$1059 \$335 \$161 4-person table includes top and four steel post legs. Top includes factory installed metal inserts for solid and secu connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plastic glide and a 6" x 6" me plate. Shipped easy to assemble in 5 cartons. ZK48484 40 x 40 x 29 215 7.1 \$1053 \$279 \$132 ZK48959 59 x 50 x 29 220 9.2 \$1079 \$339 \$173 4-person table includes top and four steel post legs. Top includes factory installed metal inserts for solid and secu connections. Legs are 3" in diameter x28" high each with an adjustable 3" diameter plastic glide and a 6" x 6" me plate. Shipped easy to assemble in 5 cartons. ZK44946P 48 x 40 x 29 265 8.9 \$1437 \$279 \$132 ZK4959P 59 x 59 x 29 270 11 \$1461 \$339 \$173 4-person table includes top, four steel post legs and cable tower. Top includes factory installed metal inserts for solid and accu connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide and a 6" x 6" me plate. Shipped easy to assemble in 6 cartons. For power block options, see page 435.<

WER / DATA - RECOMMENDED FOR GROUP TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
	PLRTM101B	W x D x H 11 x 4.3 x 3.5	4.65	0.67	\$484
	PLRTM101D	11 x 4.3 x 3.5	4.65	0.67	\$484
jice/Data Block	outlet on top (two	receptacles) and one simp () - indicated by last lette	lex on the botto	om. 10' cord. In	tions separately, see page 476. Includes one dup icludes one telecom knockout. Available in Black ook tables ZK44848P, ZK45959P or ZK65990P -
	PLRTM202B PLRTM202T	11 x 6.8 x 3.5 11 x 6.8 x 3.5	7 7	0.67 0.67	\$563 \$563
ice/Data Block	duplex outlets on t in Black (B) and Tu	op (four receptacles) and	one simplex on ast letter of mo	the bottom. 10	options separately, see page 476. Includes two ' cord. Includes two telecom knockouts. Availat e with Zook tables ZK44848P, ZK45959P or
	DN 41011 1000	1140.05		0.0	600
	PM101USBB PM101USBT	11 x 4.3 x 3.5 11 x 4.3 x 3.5	6	0.3	\$622
				0.0	
ver/USB Block	knockout and one a as indicated by las	simplex convenience plug	on the bottom ber. Duplex is V	of the unit. 10' Nhite finish only	is and two USB-A charging ports, one telecom power cord. Available in Black (B) or Tungsten (<i>v.</i> Use with Zook tables ZK44848P, ZK45959P or daisy chaining
	PM202USBB	11 x 6.8 x 3.5	7	0.67	\$696
	PM202USBT	11 x 6.8 x 3.5	7	0.67	\$696
wer/USB Block	USB-A charging po	rts, two telecom knockou en (T) as indicated by last	ts and one simp t character of m	olex convenience odel number. D	ets and one duplex with two AC outlets and two e plug on the bottom. 10' power cord. Available uplexes are White finish only. Use with Zook tal its are not approved for daisy chaining.
		9P or ZK65990P - correspo	onang our our c		nts are not approved for daisy chaining.
	ZK44848P, ZK4595				
		9P or ZK65990P - correspo 11 x 6.8 x 3.4 11 x 6.8 x 3.4	8.5 8.5	0.67 0.67	\$1003 \$1003
	ZK44848P, ZK4595 PFPD400RB PFPD400RT Power module with outlets and two US and one convenien by last character o	11 x 6.8 x 3.4 11 x 6.8 x 3.4 n recessed doors. Include SB-A charging ports) and ce plug on the bottom of	8.5 8.5 es four duplexes one simplex on the unit. 10' po s are White fini	0.67 0.67 s: two AC only d the bottom. To ower cord. Box a ish only. Use wi	\$1003 \$1003 uplexes and two USB-A duplexes (each with two tal of eight power outlets, four USB-A charging p available in Black (B) or Tungsten (T) as indicated th Zook tables ZK44848P, ZK45959P or ZK65990f
	ZK44848P, ZK4595 PFPD400RB PFPD400RT Power module with outlets and two US and one convenien by last character o	11 x 6.8 x 3.4 11 x 6.8 x 3.4 n recessed doors. Include B-A charging ports) and ce plug on the bottom of f model number. Duplexe	8.5 8.5 es four duplexes one simplex on the unit. 10' po s are White fini	0.67 0.67 s: two AC only d the bottom. To ower cord. Box a ish only. Use wi	\$1003 \$1003 uplexes and two USB-A duplexes (each with two tal of eight power outlets, four USB-A charging p available in Black (B) or Tungsten (T) as indicated th Zook tables ZK44848P, ZK45959P or ZK65990f

Z ZOOK[™]

POD TABLES								
Sample pod table configurations	ZK41252 shown in left, and right facing	forward shown in	2529L x 5 n alternating ne orientation	ZK412529L x	4 ZK30	2529L x 6	ZK352129L x (5
	LF							
POD TABLES - 29" HIGH	MODEL#	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE AD	D WRW
M	ZK302529L	30 x 24.6 x 29	37	2.01	\$344	\$61	\$62	\$143
Small Pod Table w/3 Legs	or can be arrang secure leg conne	with three round tube 18 ed in groups of six to cre ections. Legs are 1.5" in assemble in 4 cartons, to	ate a round tab diameter x 28″	le effect. Top high with adju	includes facto Istable leveler	ry installed met s.		
	ZK352129L	35 x 20.9 x 29	41	2.43	\$433	\$75	\$68	\$142
U Medium Pod Table w/4 Legs	round table effe	with four round tube 18 ga ct. Top includes factory i adjustable levelers. Ship	nstalled metal i	nserts for soli	d and secure l	eg connections.	Legs are 1.5"	in diamete
	ZK412529L	41 x 25.7 x 29	48	2.26	\$444	\$92	\$85	\$164
u u Large Pod Table w/3 Legs POD TABLES - 32″ HIGH	create a square diameter x 28" h	with three round tube 18 table effect. Top include igh with adjustable level assemble in 4 cartons, to	s factory install lers.	ed metal inser	ts for solid an	d secure leg co		
POD TABLES - 32 HIGH	7//05.04.001	05 00 0 00		0.50	<u></u>	475	6 20	64 40
M	ZK352132L	35 x 20.9 x 32	41	2.59	\$440	\$75	\$68	\$142
U Medium Pod Table w/4 Legs	to create a round in diameter x 31	t table with four round tu d table effect. Top includ " high with adjustable le assemble in 5 cartons, to	les factory insta velers.	lled metal ins	erts for solid a	nd secure leg c		
					+	<u> </u>	\$85	
	ZK412532L	41 x 25.7 x 32	48	2.38	\$450	\$92	900	\$164
Large Pod Table w/3 Legs	ADA complian to create a squa in diameter x 31	41 x 25.7 x 32 t table with three round three table effect. Top inclu in high with adjustable let assemble in 4 cartons, to	tube 18 gauge s des factory inst velers.	teel legs. Car alled metal in:	be used indiviserts for solid	idually or can b and secure leg	e arranged in	groups of fo
Large Pod Table w/3 Legs	ADA complian to create a squa in diameter x 31	t table with three round t re table effect. Top inclu " high with adjustable le assemble in 4 cartons, to	tube 18 gauge s des factory inst velers.	teel legs. Car alled metal in: n legs (legs in:	be used indiviserts for solid	idually or can b and secure leg	e arranged in	groups of fo

Small Mobile Pod Table w/3 Legs	or can be arrange secure leg conne Shipped easy to ZK352129C Trapezoid table v round table effec Legs are 1.5" in	W x D x H 30 x 24.6 x 29 with three round tube 18 g ed in groups of six to cree ections. Legs are 1.5" in assemble in 4 cartons, to 35 x 20.9 x 29 with four round tube 18 g ct. Top includes factory i	ite a round tab diameter x 28'	ble effect. Top " high with 1.5	includes factor " dual wheel lo	y installed meta ocking casters.	al inserts for so	
	or can be arrange secure leg conne Shipped easy to ZK352129C Trapezoid table v round table effec Legs are 1.5" in	ed in groups of six to creat ections. Legs are 1.5" in assemble in 4 cartons, to 35 x 20.9 x 29 vith four round tube 18 gr	ite a round tab diameter x 28' op separate fro	le effect. Top " high with 1.5 om legs (legs ir	includes factor " dual wheel lo idividually pack	y installed meta ocking casters. ked).	al inserts for so	
edium Mobile Pod Table w/4 Legs	Trapezoid table v round table effer Legs are 1.5″ in	vith four round tube 18 g	41	2.43	\$470	\$75		
edium Mobile Pod Table w/4 Legs	round table effe Legs are 1.5" in						\$68	\$142
		diameter x 28" high with assemble in 5 cartons, to	nstalled metal 1.5" dual whe	inserts for sol eel locking cast	id and secure le ters.	eg connections.		ix to creat
	ZK412529C	41 x 25.7 x 29	48	2.26	\$474	\$92	\$85	\$164
rge Mobile Pod Table w/3 Legs	a square table e Legs are 1.5" in	with three round tube 18 g ffect. Top includes facto diameter x 28" high with assemble in 4 cartons, to	ry installed me 1.5" dual whe	etal inserts for a	solid and secur ers.	e leg connectio		our to cre
ECTANGULAR TABLES - 29" HIGH								
	ZKR3020L	30 x 20 x 29	49	2.56	\$419	\$97	\$69	\$131
	ZKR3620L	36 x 20 x 29	50	2.68	\$433	\$113	\$77	\$141
	ZKR4820L	48 x 20 x 29	57	2.98	\$477	\$153	\$94	\$160
	ZKR5420L	54 x 20 x 29	63	3.18	\$557	\$172	\$103	\$168
	ZKR6020L ZKR7220L	60 x 20 x 29 72 x 20 x 29	69 84	3.28 3.58	\$576 \$633	\$191 \$230	\$110 \$127	\$177 \$196
ectangular Table, 20" Deep	2.5" radius round	ound tube 18 gauge stee ded corners and includes pport channel. Shipped	factory install	led metal inser	ts for solid and	secure leg con	nections. Tabl	es 54" and
	ZKR3024L	30 x 24 x 29	50	2.78	\$424	\$113	\$75	\$141
	ZKR3624L	36 x 24 x 29	52	2.88	\$457	\$140	\$83	\$151
	ZKR4824L	48 x 24 x 29	58	3.28	\$508	\$184	\$99	\$174
	ZKR5424L	54 x 24 x 29	64	3.38	\$591	\$207	\$108	\$185
	ZKR6024L ZKR7224L	60 x 24 x 29 72 x 24 x 29	70 85	3.58 3.98	\$615 \$675	\$230 \$275	\$116 \$132	\$196 \$218
	Table with four r	ound tube 18 gauge stee ded corners and includes pport channel. Shipped	factory install	re 1.5" in diam led metal inser	eter x 28″ high ts for solid and	with adjustabl secure leg con	e levelers. Top mections. Tabl	o features es 54″ and
ectangular Table, 24″ Deep					s, top soparate			

Edge finish Leg finish

Ergo friendly edge and finish

Z ZOOK™

MOBILE RECTANGULAR TABLES - 29" HIGH	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADD	WRW
		W x D x H						
	ZKR3020C	30 x 20 x 29	50	2.56	\$458	\$97	\$69	\$131
\frown	ZKR3620C	36 x 20 x 29	51	2.68	\$470	\$113	\$77	\$141
	ZKR4820C	48 x 20 x 29	58	2.98	\$515	\$153	\$94	\$160
	ZKR5420C	54 x 20 x 29	64	3.18	\$594	\$172	\$103	\$168
	ZKR6020C	60 x 20 x 29	70	3.28	\$615	\$191	\$110	\$177
	ZKR7220C	72 x 20 x 29	85	3.58	\$672	\$230	\$127	\$196
b)								

Mobile Rectangular Table, 20" Deep

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel.

Shipped easy to assemble in 5 cartons, top separate from legs (legs individually packed).



30 x 24 x 29 51 2.78 \$461 \$113 \$75 ZKR3024C \$141 ZKR3624C 36 x 24 x 29 53 2.88 \$492 \$140 \$83 \$151 ZKR4824C 48 x 24 x 29 59 3.28 \$547 \$184 \$99 \$174 ZKR5424C 54 x 24 x 29 65 3.38 \$628 \$207 \$108 \$185 ZKR6024C 60 x 24 x 29 71 3.58 \$653 \$230 \$116 \$196 ZKR7224C 72 x 24 x 29 86 3.98 \$714 \$275 \$132 \$218

Mobile Rectangular Table, 24" Deep

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel.

Shipped easy to assemble in 5 cartons, top separate from legs (legs individually packed).

Required specifications Top finish Edge finish Leg finish

Optional specifications HP laminate Ergo friendly edge and finish



ACTIVITY TABLES

Sample activity table configurations	ZK54RECTL x 2	ZK54RNDSL x 2	2	2K54HEXSL x 2			
Straight mating edges							
	ZK54WAVCL x 2	ZK54RNDCL x 2	2	2K54HEXCL x 2			
Curved mating edges							
	ZK54RNDCL x 2 ZK54WAVCL x 1	ZK54RNDCL x ZK54WAVCL x		ZK54HEXCL x 2 ZK54WAVCL x 1			
Mixed shapes Curved mating edges shown. Can also do the same with straight mating edge tables.							
ACTIVITY TABLES - 29" HIGH, CURVED	MODEL # D	IMENSIONS WT/ W x D x H	/LB. CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADI	D WRW
	ZK54RNDCC 5	4 x 28.4 x 28.75 67	.4 2.8	\$821	\$188	\$114	\$185
Curved Half Round Table w/Casters	front interferes with use installed inserts for met	between legs on curved edg ers sitting on ends in a race al-to-metal leg connection. 4 x 32.4 x 28.75 76	track configuration, Shipped easy to a	oriented to sea	t two one eithei	side. Top inclu	
	front interferes with use installed inserts for mer ZK54HEXCC 5 42.9" inside clearance	ers sitting on ends in a race al-to-metal leg connection.	track configuration, Shipped easy to a .4 2.99 Ige, 22.3" on narrov	oriented to sea ssemble in 2 ca \$887 v depth side an	t two one eithei rtons, top sepa \$219 d 24" on other s	side, 22.8" on s	\$185 straight end.
	front interferes with use installed inserts for met ZK54HEXCC 5 42.9" inside clearance Top includes factory ins from legs.	ers sitting on ends in a race al-to-metal leg connection. 4 x 32.4 x 28.75 76 between legs on curved ed	track configuration, Shipped easy to a .4 2.99 Ige, 22.3" on narrov metal leg connection	oriented to sea ssemble in 2 ca \$887 v depth side an	t two one eithei rtons, top sepa \$219 d 24" on other s	side, 22.8" on s	\$185 straight end.
Curved Half Hex Table w/Casters	front interferes with use installed inserts for met ZK54HEXCC 5 42.9" inside clearance Top includes factory ins from legs. ZK54WAVCC 5 44.9" inside clearance	ers sitting on ends in a race al-to-metal leg connection. 4 x 32.4 x 28.75 76 between legs on curved ed italled inserts for metal-to-	track configuration, Shipped easy to a .4 2.99 Ige, 22.3" on narrow metal leg connection .4 3.04	oriented to sea ssemble in 2 ca \$887 v depth side an on. Shipped ea \$912 ides. Top includ	t two one either rtons, top sepa \$219 d 24" on other sy to assemble \$232 des factory insta	side. Z2.8" on s in 2 cartons, to \$121	\$185 straight end. p separate \$185
Curved Half Round Table w/Casters	front interferes with use installed inserts for met ZK54HEXCC 5 42.9" inside clearance Top includes factory ins from legs. ZK54WAVCC 5 44.9" inside clearance	ers sitting on ends in a race al-to-metal leg connection. 4 x 32.4 x 28.75 76 between legs on curved ed stalled inserts for metal-to- 4 x 33.8 x 28.75 77 between legs on curved ed	track configuration, Shipped easy to a .4 2.99 Ige, 22.3" on narrow metal leg connection .4 3.04	oriented to sea ssemble in 2 ca \$887 v depth side an on. Shipped ea \$912 ides. Top includ	t two one either rtons, top sepa \$219 d 24" on other sy to assemble \$232 des factory insta	side. Z2.8" on s in 2 cartons, to \$121	\$185 straight end. p separate \$185
Curved Half Hex Table w/Casters	front interferes with use installed inserts for met ZK54HEXCC 5 42.9" inside clearance Top includes factory ins from legs. ZK54WAVCC 5 44.9" inside clearance	ers sitting on ends in a race al-to-metal leg connection. 4 x 32.4 x 28.75 76 between legs on curved ed stalled inserts for metal-to- 4 x 33.8 x 28.75 77 between legs on curved ed	track configuration, Shipped easy to a .4 2.99 Ige, 22.3" on narrow metal leg connection .4 3.04	oriented to sea ssemble in 2 ca \$887 v depth side an on. Shipped ea \$912 ides. Top includ	t two one either rtons, top sepa \$219 d 24" on other sy to assemble \$232 des factory insta	side. Z2.8" on s in 2 cartons, to \$121	\$185 straight end. p separate \$185

Required specifications Top finish Edge finish Leg finish Optional specifications HP laminate Ergo friendly edge and finish

Z ZOOK™

ACTIVITY TABLES - 29" HIGH, CURVED	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADI	D WRW
	ZK54RNDCL	54 x 28.4 x 28.25	67.4	2.8	\$821	\$188	\$114	\$185
urved Half Round Table w/Levelers	on front interfere	rance between legs on c as with users sitting on er inserts for metal-to-meta	nds in a racetr	ack configurati	ion, oriented to	seat two one	either side. To	p includes
	ZK54HEXCL	54 x 32.4 x 28.25	76.4	2.99	\$887	\$219	\$119	\$185
urved Half Hex Table w/Levelers*		rance between legs on ci tory installed inserts for n						
	ZK54WAVCL	54 x 33.8 x 28.25	77.4	3.04	\$912	\$232	\$121	\$185
l lave Table w/Levelers*		rrance between legs on c ction. Shipped easy to as					alled inserts for	r metal-to-
CTIVITY TABLES - 29" HIGH, STRAIGHT	ZK54RNDSC	54 x 28 x 28.75	67.4	2.8	\$777	\$168	N/A	\$185
raight Half Round Table w/Casters	ends in a racetra	rrance between legs on lo ick configuration, oriented ction. Shipped easy to as	to seat two c	one on either s	ide. Top includ	les factory inst		
	ZK54HEXSC	54 x 34 x 28.75	73.4	2.99	\$802	\$178	N/A	\$185
니 및 및 raight Half Hex Table w/Casters		rrance between legs on lo al leg connection. Shippe					des factory ins	talled inse
	ZK54RECTC	54 x 34 x 28.75	73.4	3.04	\$847	\$201	N/A	\$185
ectangular Table w/Casters		arance between legs on lo ction. Shipped easy to as					nstalled inserts	for metal-
	Required specifi Top finish	cations	Optional sp HP laminate	ecifications				

Z00K[™] Z

ACTIVITY TABLES - 29" HIGH, STRAIGHT	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADD	WRW	
	ZK54RNDSL	W x D x H 54 x 28 x 28.25	67.4	2.8	\$777	\$168	N/A	\$185	
ੱ ਮੁੱਸ Straight Half Round Table w/Levelers	ends in a racetra	arance between legs on lo ack configuration, oriented ction. Shipped easy to as	d to seat two c	one on either si	de. Top includ				
	ZK54HEXSL	54 x 34 x 28.25	73.4	2.99	\$802	\$178	N/A	\$185	
E U U U U U U U U U U U U U U U U U U U		arance between legs on lo al leg connection. Shipp	0				ludes factory insta	lled inserts	
	ZK54RECTL	54 x 34 x 28.25	73.4	3.04	\$847	\$201	N/A	\$185	
Rectangular Table w/Levelers	45.3" inside clearance between legs on long sides and 22.3" on short sides. Top includes factory installed inserts for metal-to metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.								

Required specifications Top finish Edge finish Leg finish

Optional specifications HP laminate

Z ZOOK™

FLIP-TOP TABLES - 29.5" HIGH	MODEL#	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE ADI	D WRW
nested	ZKFC3022	30 x 22 x 29.5	47.1	4.07	\$757	\$113	\$72	\$135
Flip-Top Table, Contoured Top	factory installed	table with smooth glide loc d inserts for metal-to-metal tional modesty (ZKFTM30)	leg connecti	on. When nes	ted each addit	tional table add	s 5.25" to footp	orint needed
nested	ZKFR3024	30 x 24 x 29.5	48	4.15	\$765	\$125	\$74	\$141
Flip-Top Table, Rectangular Top**	factory installed	table with smooth glide loc d inserts for metal-to-metal tional modesty (ZKFTM30)	leg connecti	on. When nes	ted each addit	tional table add	s 5.25" to footp	orint needed
nested	ZKFR6024	60 x 24 x 29.5	73.9	5.28	\$956	\$187	\$116	\$196
Flip-Top Table, Rectangular Top*	factory installed	table with smooth glide loc d inserts for metal-to-metal tional modesty (ZKFTM60)	leg connecti	on. When nes	ted each addit	tional table add	s 5.25" to footp	print needed
	ZKFTM30	17.75 x 0.5 x 13.75	6.6	0.22	\$37	N/A	N/A	N/A
Modesty Panel for ZKFC3022 / ZKFC3024	Hardware inclu	ded to attach to ZKFC3022	or ZKFR3024.	Tungsten fini	sh only. Shipp	ed in 1 carton.		
	ZKFTM60	47.25 x 0.5 x 13.75	14.3	0.57	\$83	N/A	N/A	N/A
Modesty Panel for ZKFR6024	Hardware inclu	ded to attach to ZKFR6024.	Tungsten fin	ish only. Ship	ped in 1 cartor	۱.		
	Required specif Top finish Edge finish	ications		edge and finish OG1, FOG2 or FO	G3)			



tables reception and occasional





Occasional tables







Sirena

450



Wind



453

C CITI TABLES

CITI TABLES

CITI TABLES

End Table

Notes:

- Citi tables complement the contemporary timeless decor of many offices.
- Legs are standard in Tungsten (TTU) and also available in Black (TBL) finish at no upcharge. A Chrome (CHM) finish is available. Add \$68.
- Table tops are available in either tempered glass or laminate.
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	W x D x H				
7885	20 x 24 x 20	45	6	\$715	
(laminate top)					
7886	20 x 24 x 20	52	6	\$934	
(glass top)					
Metal tubular legs	s. Laminate or tempered g	glass tops avail	able. Shipped	assembled in 1 carton.	
7887	40 x 20 x 15	50	65	\$747	
7887 (laminate top)	40 x 20 x 15	50	6.5	\$747	

Coffee Table - Rectangular



Coffee Table - Square

Metal tubular legs. Laminate or tempered glass tops available. Shipped assembled in 1 carton.

7889	33 x 33 x 15	80	8.75	\$1283	
(glass top)					

Metal tubular legs. Tempered glass top. Shipped assembled in 1 carton.

Required specifications Top finish Leg finish

(glass top)



COAT TREES C

AT TREES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
X	20000	W x D x H				
	PCOS2 PCOS3	25 x 25 x 60 25 x 25 x 60	8	14.21 14.21	\$186 \$186	
	10000	23 x 23 x 00	0	17.21	\$100	
	Courses to be an	tal france - Faun Ohmana dau			20" kisk 0 see setter (siisis	
at Tree	for one coat tree Shipped assemt • PCOS2 is finis	e).	die nooks. Adji	ustable glides. I	60″ high. 3 per carton (pricin	g and specifications a
	РСТ	25 x 25 x 65	6	3	\$228	
3						
nt Tree	(AAM), Black (B Walnut (MWM) Walnut (TWM),	KM), Cherry (ACM), English	Oak (EOM), Esp (SBM), Shaker NHM) and Win	resso Cafe (ECN Cherry (SKM), T	5″ high. Available in the follc 1), Gray (HGM), Honey (AHM) iger Fruitwood (TFM), Tiger N 1).	, Maple (AVM), Med

0 OCCASIONAL TABLES

CYLINDER AND CUBE OCCASIONAL TABLES

Notes:

- High pressure laminate exterior with adjustable plastic glides.
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments.
- Ideal for reception areas colors coordinate with all Global desks, conference tables and accessories.
- Shipped assembled in 1 carton.
- WT/LB. are shipping weights.
- Available to either match or coordinate with most Global laminate desk series. Available finishes:

ACJ	Absolute Acajou	NBL	Noce Biondo
AUU	,	NDL	NOCE DIVINU
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

CYLINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				
	CPFD1816	18 x - x 16	23	6.5	\$832	
\frown	CPFD1821	18 x - x 21	26.5	8	\$856	
()	CPFD2416	24 x - x 16	32.5	11	\$865	
	CPFD2421	24 x - x 21	35	12.5	\$886	
	CPFD3016	30 x - x 16	45.5	15.5	\$1024	
	CPFD3021	30 x - x 21	48	17	\$1079	

Premium Cylinder Tables

¹¹/₃₂" thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. Flush base.



CPPD1816	18 x - x 16	27.5	6.5	\$877	
CPPD1821	18 x - x 21	31	8	\$898	
CPPD2416	24 x - x 16	38.7	11	\$908	
CPPD2421	24 x - x 21	41.2	12.5	\$931	
CPPD3016	30 x - x 16	54.5	15.5	\$1038	
CPPD3021	30 x - x 21	57	17	\$1138	

Premium Plinth Cylinder Tables



Cube Table

¹¹/₃₂" thick flexible plywood covered in high pressure laminate. Adjustable plastic glides. Recessed base.

CU1816	18 x 18 x 16	26	3.3	\$502	
CU1821	18 x 18 x 21	30	4	\$544	
CU2416	24 x 24 x 16	38	6	\$526	
CU2421	24 x 24 x 21	43.5	7	\$569	
CU3016	30 x 30 x 16	50.8	6.5	\$553	
CU3021	30 x 30 x 21	57.5	8	\$595	

0.75" thick plywood covered in high pressure laminate. Adjustable plastic glides. Flush base.

Required specifications Finish





OCCASIONAL TABLES 0

LINDER AND CUBE OCCASIONAL TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
		W x D x H			
	CUP1816	18 x 18 x 16	28	3	\$545
	CUP1821	18 x 18 x 21	33.5	4	\$586
	CUP2416	24 x 24 x 16	41.5	6	\$573
	CUP2421	24 x 24 x 21	48	7	\$615
	CUP3016	30 x 30 x 16	53.8	6.5	\$638
	CUP3021	30 x 30 x 21	62.3	8	\$695
h Cube Table				-	c glides. Recessed base .
	CY1816	18 x - x 16	21	3.3	\$465



Cylinder Table



Plinth Cylinder Table

CY1821 18 x - x 21 27 4.3 \$512 CY2416 24 x - x 16 33 \$485 6 24 x - x 21 39 \$526 CY2421 7 CY3016 30 x - x 16 44.5 8 \$573 CY3021 30 x - x 21 52.7 11 \$616

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. Flush base.

CYP1816	18 x - x 16	26.5	3.3	\$502	
CYP1821	18 x - x 21	32	4.3	\$545	
CYP2416	24 x - x 16	40	6	\$522	
CYP2421	24 x - x 21	46	7	\$564	
CYP3016	30 x - x 16	52.3	8	\$614	
CYP3021	30 x - x 21	60.5	11	\$654	

0.375" thick foundation board covered in high pressure laminate. Adjustable plastic glides. Recessed base.

Required specifications Finish



R RIVER+ TABLES

RIVER+ TABLES

Notes:

• River+ tables are made with high pressure laminate and are offered in following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

• Custom high pressure laminate finishes will be considered upon request.

- Legs are straight as standard in Chrome (CHM) with Black non-marking height adjustable glides.
- Legs are also available in the following finishes: Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) and Tungsten (TTU). No upcharge. Please specify.
- The unique tapered legs are made of welded steel, with each leg bolted directly to the unit frame. All units have the same standard leg height of 6.5". The leg height makes it easier to clean under the product. Legs are also available in 3" and 8" heights. All heights are available with fixed-to-floor option. Please specify:


(S6) Standard height (6.5") w/adjustable glides. No upcharge.

(S3) Low (3") w/adjustable glides. No upcharge.

(S8) High (8") w/adjustable glides. No upcharge.

- (F6) Standard height (6.5"), fixed to floor. Add \$90.
 (F3) Low (3"), fixed to floor. Add \$90.
 (F8) High (8"), fixed to floor. Add \$90.
- Products can be weighted to reduce the ease of movement. For additional weight options, please specify (CW) see each model for available additional weight and upcharge.
- Tables can be specified with power/USB units, which include one power outlets, one double USB terminals and a Black 120" 3-prong power cord in predetermined locations E1, E2, F3 or T1 as shown in the electrical illustrations below. Electrical units must be factory installed. Add \$881 per unit.
- Power/USB units are available with either Jet Black (J) face plate with Black power/USB receptacles or with a White (W) face plate with White power/USB receptacles.
- Tamperproof fasteners (TP) are available. Please specify. Add \$119.
- Refer to the Seating price list, under lounge seating for the full range of River+ products available.

ELECTRICAL PLACEMENT



RIVER+ TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				
\frown	R27855	24 x 24 x 17	40	10.7	\$1329	
24" Square Laminate Coffee Table	Freestanding uni	t only. For additional weig	ht, please spec	ify (CW). Add	\$533 for 36 lbs.	
	Power/USB units	s can be specified in position	on F3 or T1 only	. Add \$881.		
	Required specific	cations	Optional spec			
	Top finish Leg finish/height		Power/USB finis Power/USB loca			
	Log mini, norgine		Tamperproof			



RIVER+ TABLES R

RIVER+ TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
	R27856	W x D x H 30 x 30 x 17	53	15.3	\$1392	
30" Square Laminate Coffee Table		t only. For additional weigh can be specified in positio			\$400 for 27 lbs.	
	R27857	36 x 36 x 17	75	20.6	\$1541	
36" Square Laminate Coffee Table		t only. No additional weigh can be specified in positio		Add \$881.		
	R27858	42 x 42 x 17	115	26.7	\$1706	
42" Square Laminate Coffee Table		t only. No additional weigh can be specified in positio		Add \$881.		
	R27859	40 x 20 x 17	55	14.2	\$1400	
Rectangular Laminate Coffee Table		t only. For additional weigh can be specified in positio				
	R27860	36 x 36 x 17	63	15.3	\$1729	
36" Dia. Round Laminate Coffee Table		t only. For additional weigl can be specified in positio			\$267 for 18 lbs.	
	R27861	42 x 42 x 17	85	20.6	\$1889	
42" Dia. Round Laminate Coffee Table		t only. No additional weigh can be specified in positio		\$881.		
	Bequired specific Top finish Leg finish/height		Optional speci Power/USB finisl Power/USB locat Tamperproof	h		



S SIRENA TABLES

SIRENA TABLES

Notes:

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
CMB	Clear Maple	SBY	Sheer Beauty
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

• Laminate tops are 1" thick to coordinate with Global casegoods and wood seating.

• Table legs are available in Black (TBL) or Tungsten (TTU) at no upcharge. Not available in Chrome.

• Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				_
	3400 (laminate top)	48 x 22 x 14.5	44	17.25	\$1214	
Coffee Table	Rectangle coffee tab	ble.				
	3401 (laminate top)	56 x 22 x 14.5	50	19	\$1346	
Coffee Table	Rectangle coffee tab	ble.				
	3402 (laminate top)	17 x 22 x 14.5	20	7.75	\$1007	
End Table	Rectangle end table					

WIND TABLES

Notes:

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (CHM). Also available in Black (TBL), Shadow (TSH) or Tungsten (TTU) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	ΟΤΜ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

• High pressure laminate (HPL) tops are available at a 20% upcharge for models 3366, 3367, 3368, 3870 and 3871. Please specify HPL in addition to the finish. HPL not available for models 3878, 3879 and 3880.

WIND TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE	
		W x D x H				
	3366 (laminate top)	24 x 24 x 17	24	11.5	\$661	
End Table	Steel tubular base.	Tops are available with	n a laminate finis	h. Shipped as	sembled in 1 carton.	
	3367 (laminate top)	48 x 20 x 15	39	16	\$886	
Rectangular Coffee Table	Steel tubular base.	Tops are available with	n a laminate finis	h. Shipped as	sembled in 1 carton.	
	3368 (laminate top)	36 x 36 x 15	50	22	\$1214	
Square Coffee Table	Steel tubular base.	Tops are available with	n a laminate finis	h. Shipped as	sembled in 1 carton.	
\mathcal{R}	3870 (laminate top)	24 x 24 x 17	30	11.5	\$721	
u Round Table	Steel tubular base.	Tops are available with	n a laminate finis	h. Shipped as	sembled in 1 carton.	
	3871 (laminate top)	36 x 36 x 15	50	22	\$1115	
U Round Coffee Table	Steel tubular base.	Tops are available with	n a laminate finis	h. Shipped as	sembled in 1 carton.	
	Required specifications	Ontic	nal specification	19		

Optional specifications Edge detail Leg finish

global

W WIND TABLES

ND TABLES	MODEL #	DIMENSIONS W x D x H	WT/LB.	CUBIC FT.	LIST PRICE
	3878	20 x 25 x 16	30	11.5	\$1112
estanding Rectangular End Table	Steel tubular ba Shipped assemb	se. Laminate top is 5" thicl oled in 1 carton.	k with opening c	on front for stor	rage and visual recess at rear
	3879	25 x 25 x 16	32	11.5	\$1241
u standing Corner Table	Steel tubular ba Shipped assemb	se. Laminate top is 5" thicl oled in 1 carton.	k with opening c	on front for stor	rage and visual recess at rear
	3880	54 x 20 x 15	39	16	\$1393
estanding Coffee Table	Steel tubular ba	se. Laminate too is 5" thicl	k with opening c	on front for stor	rage and visual recess at real
	Shipped assemb	oled in 1 carton.	e en en oponnig e		

Required specifications Top finish **Optional specifications** Edge detail Leg finish



Notes:

• Work tables are offered in the following top finishes to coordinate with Global casegoods and wood seating:

ACJ ASN AWC AWH BLK BRC CMB	Absolute Acajou Asian Night Avant Cherry Avant Honey Black Brushed Cobalt Clear Maple	NBL NGL NML QTM SBY SOG	Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany Sheer Beauty Storm Grey
CMB DES DWT FAS FCL	Clear Maple Dark Espresso Designer White Fashionista First Class	SOG Whe Whc Wcr	Storm Grey Walnut Heights White Chocolate Winter Cherry

• T-mold (TM) edging available in Black (BLK), please specify. No upcharge.

• Legs are available in Chrome (CHM) or Black (TBL).

WORK TABLES	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
\sim		W x D x H			
	AT7236	72 x 36 x 29	110	6	\$784
	AT7230	72 x 30 x 29	100	5	\$616
	AT6030	60 x 30 x 29	90	5	\$540
U III					

Work Tables

1" high performance thermally fused laminate with self edge top. Black metal skirt. Rectangle top with metal legs and leveling glides. Self edge is standard. Black legs are optional, no upcharge. Shipped easy to assemble in 1 carton.

Required specifications Top finish

Leg finish

Optional specifications HP laminate

global