

GENERAL INFORMATION

- Comprehensive range of personal storage in a variety of sizes and configurations starting at 27"H single column widths up to 66"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared workspaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Painted metal case available in two depths with door front options available in painted metal or thermally fused laminate to add warmth and complement desking products or millwork. Also available in limited sizes without doors for open cubby style storage.
- Multiple door pull options including integrated full metal pulls, applied pulls to match Global desking series and "no pull" options for ease of cleaning and to seamlessly integrate with any existing products to customize the overall aesthetic.
- Digital keyless lock options including keypad entry or RFID, programmable for "assigned" or single use "hotelling" applications
- Inside access to leveling glides for ease of installation.
- Units may be specified for optional ganging.
- Ships fully assembled.

CONSTRUCTION SPECIFICATIONS

- Metal case construction of top/bottom and inside panels in 18 gauge steel; sides, back and shelves in 20 gauge steel.
- Door fronts may be specified in painted metal or $\frac{1}{16}$ " thick thermally fused laminate doors with 2mm matching edge.
- Standard flush base with recessed kick base and 1" levelers (3/4" of adjustability for leveling), elevated units also available with 4"H feet (2" of adjustability for leveling).
- Welded case with reinforced channels to ensure strength.
- Full overlay doors with soft close hinges.
- Meets applicable ANSI/BIFMA standards for optimum durability and performance.
Note: All 12", 15" or 18" wide lockers must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.

PRODUCT CODE BREAKDOWN

LM - indicates locker, metal door fronts

LL - indicates locker, laminate door fronts

- 3rd & 4th position indicates outside width

- 5th & 6th position indicates outside nominal height

S - indicates 18"D overall / **D** - indicates 24"D overall

- 8th position indicates the number of columns side-to-side

- 9th position indicates the number of rows top to bottom

L or **R** - indicates doors installed for left or right hand hinge (reversible on-site if required)

N - indicates no feet, levelers only / **4** - indicates elevated case, supported by 4"H feet

FINISH OPTIONS

- Must specify finish for case and doors separately
- Metal case and doors are finished in an environmentally friendly electrostatically applied powder coat solution - a superior durable and lasting finish.

Painted metal case and door finish options:

BLK	Black	NEV	Nevada
BNE	Bone	OYS	Oyster
BGR	Business Grey	SKY	Sky
CHR	Charcoal	SIL	Silver
CLT	Claret	STN	Stone
DPT	Desert Putty	SGR	Storm Grey
DWT	Designer White	TSA	Tahiti Sand
FOG	Fog	TPE	Taupe
GRY	Grey	TUN	Tungsten (add 10% upcharge)
ICE	Ice	WIL	Willow
IVR	Ivory	BKC	Black Coffee Textured
LGR	Light Grey	BZD	Blizzard Textured
MET	Metro	DCH	Dark Chocolate Textured
MOS	Moss	MCH	Mocha Textured
NAVY	Navy	SDT	Stonedust Textured

Thermally fused laminate door front finish options

ACJ	Absolute Acajou	NGL	Noce Grigio
ASN	Asian Night	NEL	Noce Leggero
AWC	Avant Cherry	NML	Noce Medio
AWH	Avant Honey	QTM	Quartered Mahogany
BLK	Black	SOG	Storm Grey
BRC	Brushed Cobalt	TFW	Tiger Fruitwood
CMB	Clear Maple	TWL	Tiger Walnut
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
HGT	Hayden Grey	WGY	Willow Grey
NBL	Noce Biondo	WCR	Winter Cherry

SPECIFICATION OPTIONS:

LOCKS

- NL** - No lock
- CL** - Cam locks⁽¹⁾. No upcharge.
- PL** - Hasp lock (for user supplied pad locks. **Add \$164** per opening.
- DL** (Silver) or **DB** (Black) - Keyless, key pad entry⁽²⁾. **Add \$323** per opening.
- DR** (Silver) or **DA** (Black) - Keyless, RFID entry⁽²⁾. **Add \$412** per opening.

Notes:

⁽¹⁾ **CL** option - randomly assigned lock cores and keys are factory installed. Option to specify key list requirements available. Add "KEYLIST" to order, complete key list form (see page 77) and include completed form with order. Lock cores and keys will be shipped separately, to be field installed.

⁽²⁾ **DA**, **DB**, **DL** and **DR** options are not available with metal fronts with **PX** pull option. Programming (LKPRGKEY) and manager (LKMGKEY) **master keys are required** for keyless entry locks **DL**, **DB**, **DR** and **DA** (**to be ordered separately** - see page 57).


MAIL SLOT

- Optional mail slot for units with metal doors only.
- Mail slot is 5" wide x 0.25" high, position centered 3" from top.
- N** - None. No upcharge.
- M** - Mail slot. **Add \$206** per opening.

Note: If ventilation and mail slot options are both desired, specify bottom ventilation option only with mail slot option.


VENTILATION

- Only applicable for lockers with metal doors (LM models only).
- N** - None. No upcharge.
- U** - Upper position on door front. **Add \$212** per opening.
- L** - Lower position on door front. **Add \$212** per opening.
- B** - Both upper and lower positions on door front. **Add \$425** per opening.



ELEVATED BASE

- Elevated units with 4" feet



INTERIOR SHELF AND HANGING OPTIONS

- To add interior shelves, accessory hooks or accessory bar, specify one of the following options:
- NS** - None. No upcharge.
- TS** - Top shelf. **Add \$58** per opening.
- TR** - Top shelf with accessory rod. **Add \$111** per opening.
- TH** - Top shelf with two accessory hooks. **Add \$87** per opening.
- BS** - Bottom shelf. **Add \$58** per opening.
- BR** - Bottom shelf with accessory rod above. **Add \$103** per opening.
- BH** - Bottom shelf with two accessory hooks above. **Add \$87** per opening.
- DS** - Top and bottom shelf. **Add \$117** per opening.
- DR** - Top and bottom shelf with accessory rod. **Add \$167** per opening.
- DH** - Top and bottom shelf with two accessory hooks. **Add \$145** per opening.
- RO** - Accessory rod only. **Add \$45** per opening.
- HO** - Two accessory hooks only. **Add \$28** per opening.

Notes:

- Not all options are available for all size openings. Confirm available options specific to opening size per electronic specification tools or Build-it tool on Global's website.
- Shelves are adjustable in 2" increments, tools required. Minimum position: 3" from top or bottom of opening.

PULLS

- NH** - No pull, flush front. No upcharge.
- PX** - Integral full pull (only available metal doors). **Add \$7** per opening.
- KN** - Knob. **Add \$20** per opening.
- HS** - Flared Silver. **Add \$21** per opening.
- HW** - Flared Brass. **Add \$24** per opening.
- HX** - Flared matte Black. **Add \$24** per opening.
- HV** - Square edge Silver. **Add \$53** per opening.
- HU** - Square edge matte Black. **Add \$53** per opening.
- HO** - Crescent Black. **Add \$28** per opening.
- HQ** - Bar Silver. **Add \$24** per opening.
- HR** - Bar Black. **Add \$24** per opening.
- HZ** - Dimpled matte Nickel. **Add \$20** per opening.



KN knob



HV square edge Silver



HQ bar Silver



HS flared Silver



HU square edge matte Black



HR bar Black



HW flared Brass



HO crescent Black



HZ dimpled matte Nickel



HX flared matte Black

GANGING


- All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.**
- Units may ship factory ready for ganging, specify:
 - NG** - No ganging. No upcharge.
 - BG** - Unit drilled on both sides for ganging, upcharge per cabinet applies. **Add \$79.** Ganging hardware included.
- Units specified for ganging will be drilled through on both sides of cabinets and include ganging hardware for one side. For end units, specify no ganging and follow easy on site instructions to add ganging left or right side as required to end a run.

ELEVATION SPECIFICS

(A) Outside overall height

(B) Outside door height per opening

All other dimensions indicate inside height clearance per opening



- Inside depth clearance is 17.125" on 18" deep cabinets.
- Inside depth clearance is 23.125" on 24" deep cabinets.
- Inside width clearance per opening:
 - 1 column - 12" wide cabinets: 10.5"
 - 1 column - 15" wide cabinets: 13.5"
 - 1 column - 18" wide cabinets: 16.5"
 - 2 columns - 24" wide cabinets: 10.5"
 - 2 columns - 30" wide cabinets: 13.5"
 - 2 columns - 36" wide cabinets: 16.5"
 - 3 columns - 36" wide cabinets: 10.5"

P 1200 PERSONAL LOCKERS

ONE COLUMN LOCKERS, ONE ROW

MODEL


DIMENSIONS

WT/LB.


CUBIC FT.

LIST PRICE

W x D x H



Metal doors, flush base
Left hand shown



Laminate doors, elevated base
Left hand shown

One Column Locker, One Row - 27"H

Metal case with metal doors





LM1227S11LN / RN	12 x 18 x 27.15	50	4.7	\$847
LM1227S11L4 / R4	12 x 18 x 31.15	50	4.7	\$1016

Metal case with laminate doors

LL1227S11LN / RN	12 x 18 x 27.15	47	4.7	\$920
LL1227S11L4 / R4	12 x 18 x 31.15	47	4.7	\$1089

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



Left hand shown

One Column Locker, One Row - 40"H

Metal case with metal doors, flush base

LM1240S11LN / RN	12 x 18 x 40.5	72	6.8	\$1014
LM1540S11LN / RN	15 x 18 x 40.5	79	8.3	\$1055
LM1840S11LN / RN	18 x 18 x 40.5	85	9.7	\$1104
LM1240D11LN / RN	12 x 24 x 40.5	88	8.8	\$1141
LM1540D11LN / RN	15 x 24 x 40.5	95	10.7	\$1186
LM1840D11LN / RN	18 x 24 x 40.5	103	12.6	\$1241

Metal case with metal doors, elevated base

LM1240S11L4 / R4	12 x 18 x 44.5	72	6.8	\$1183
LM1540S11L4 / R4	15 x 18 x 44.5	79	8.3	\$1223
LM1840S11L4 / R4	18 x 18 x 44.5	85	9.7	\$1274
LM1240D11L4 / R4	12 x 24 x 44.5	88	8.8	\$1309
LM1540D11L4 / R4	15 x 24 x 44.5	95	10.7	\$1354
LM1840D11L4 / R4	18 x 24 x 44.5	103	12.6	\$1411

Metal case with laminate doors, flush base

LL1240S11LN / RN	12 x 18 x 40.5	68	6.8	\$1096
LL1540S11LN / RN	15 x 18 x 40.5	74	8.3	\$1133
LL1840S11LN / RN	18 x 18 x 40.5	80	9.7	\$1229
LL1240D11LN / RN	12 x 24 x 40.5	84	8.8	\$1222
LL1540D11LN / RN	15 x 24 x 40.5	91	10.7	\$1263
LL1840D11LN / RN	18 x 24 x 40.5	97	12.6	\$1365

Metal case with laminate doors, elevated base

LL1240S11L4 / R4	12 x 18 x 44.5	68	6.8	\$1265
LL1540S11L4 / R4	15 x 18 x 44.5	74	8.3	\$1301
LL1840S11L4 / R4	18 x 18 x 44.5	80	9.7	\$1398
LL1240D11L4 / R4	12 x 24 x 44.5	84	8.8	\$1392
LL1540D11L4 / R4	15 x 24 x 44.5	91	10.7	\$1432
LL1840D11L4 / R4	18 x 24 x 44.5	97	12.6	\$1533

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required specifications





Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40
for applicable options and upcharges.

ONE COLUMN LOCKERS, ONE ROW



Left hand shown

One Column Locker, One Row - 53"H

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

Metal case with metal doors, flush base

LM1253S11LN / RN	12 x 18 x 52.95	91	8.9	\$1190
LM1553S11LN / RN	15 x 18 x 52.95	99	10.8	\$1240
LM1853S11LN / RN	18 x 18 x 52.95	107	12.7	\$1306
LM1253D11LN / RN	12 x 24 x 52.95	110	11.6	\$1344
LM1553D11LN / RN	15 x 24 x 52.95	119	14.1	\$1397
LM1853D11LN / RN	18 x 24 x 52.95	127	16.6	\$1467

Metal case with metal doors, elevated base

LM1253S11L4 / R4	12 x 18 x 56.95	91	8.9	\$1360
LM1553S11L4 / R4	15 x 18 x 56.95	99	10.8	\$1408
LM1853S11L4 / R4	18 x 18 x 56.95	107	12.7	\$1474
LM1253D11L4 / R4	12 x 24 x 56.95	110	11.6	\$1514
LM1553D11L4 / R4	15 x 24 x 56.95	119	14.1	\$1565
LM1853D11L4 / R4	18 x 24 x 56.95	127	16.6	\$1637

Metal case with laminate doors, flush base

LL1253S11LN / RN	12 x 18 x 52.95	86	8.9	\$1349
LL1553S11LN / RN	15 x 18 x 52.95	93	10.8	\$1406
LL1853S11LN / RN	18 x 18 x 52.95	100	12.7	\$1484
LL1253D11LN / RN	12 x 24 x 52.95	105	11.6	\$1504
LL1553D11LN / RN	15 x 24 x 52.95	113	14.1	\$1563
LL1853D11LN / RN	18 x 24 x 52.95	121	16.6	\$1646

Metal case with laminate doors, elevated base

LL1253S11L4 / R4	12 x 18 x 56.95	86	8.9	\$1518
LL1553S11L4 / R4	15 x 18 x 56.95	93	10.8	\$1575
LL1853S11L4 / R4	18 x 18 x 56.95	100	12.7	\$1652
LL1253D11L4 / R4	12 x 24 x 56.95	105	11.6	\$1672
LL1553D11L4 / R4	15 x 24 x 56.95	113	14.1	\$1734
LL1853D11L4 / R4	18 x 24 x 56.95	121	16.6	\$1816

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)




Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40 for applicable options and upcharges.

P 1200 PERSONAL LOCKERS

ONE COLUMN LOCKERS, ONE ROW



Left hand shown

One Column Locker, One Row - 66"H

MODEL # DIMENSIONS WT/LB. CUBIC FT. LIST PRICE

W x D x H

Metal case with metal doors, flush base

LM1266S11LN / RN	12 x 18 x 65.85	106	11	\$1354
LM1566S11LN / RN	15 x 18 x 65.85	118	13.4	\$1410
LM1866S11LN / RN	18 x 18 x 65.85	127	15.7	\$1486
LM1266D11LN / RN	12 x 24 x 65.85	132	14.3	\$1538
LM1566D11LN / RN	15 x 24 x 65.85	142	17.4	\$1597
LM1866D11LN / RN	18 x 24 x 65.85	152	20.5	\$1679

Metal case with metal doors, elevated base

LM1266S11L4 / R4	12 x 18 x 69.85	106	11	\$1524
LM1566S11L4 / R4	15 x 18 x 69.85	118	13.4	\$1579
LM1866S11L4 / R4	18 x 18 x 69.85	127	15.7	\$1656
LM1266D11L4 / R4	12 x 24 x 69.85	132	14.3	\$1708
LM1566D11L4 / R4	15 x 24 x 69.85	142	17.4	\$1767
LM1866D11L4 / R4	18 x 24 x 69.85	152	20.5	\$1848

Metal case with laminate doors, flush base

LL1266S11LN / RN	12 x 18 x 65.85	100	11	\$1496
LL1566S11LN / RN	15 x 18 x 65.85	111	13.4	\$1526
LL1866S11LN / RN	18 x 18 x 65.85	119	15.7	\$1637
LL1266D11LN / RN	12 x 24 x 65.85	126	14.3	\$1679
LL1566D11LN / RN	15 x 24 x 65.85	135	17.4	\$1714
LL1866D11LN / RN	18 x 24 x 65.85	144	20.5	\$1829


Metal case with laminate doors, elevated base

LL1266S11L4 / R4	12 x 18 x 69.85	100	11	\$1664
LL1566S11L4 / R4	15 x 18 x 69.85	111	13.4	\$1695
LL1866S11L4 / R4	18 x 18 x 69.85	119	15.7	\$1806
LL1266D11L4 / R4	12 x 24 x 69.85	126	14.3	\$1848
LL1566D11L4 / R4	15 x 24 x 69.85	135	17.4	\$1882
LL1866D11L4 / R4	18 x 24 x 69.85	144	20.5	\$1999


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, TWO ROWS



Metal doors, flush base
Left hand shown



Laminate doors, elevated base
Left hand shown

One Column Locker, Two Rows - 27"H

Metal case with metal doors

LM1227S12LN / RN	12 x 18 x 27.15	53	4.7	\$999
LM1227S12L4 / R4	12 x 18 x 31.15	53	4.7	\$1168

Metal case with laminate doors

LL1227S12LN / RN	12 x 18 x 27.15	50	4.7	\$1115
LL1227S12L4 / R4	12 x 18 x 31.15	50	4.7	\$1285

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40
for applicable options and upcharges.

ONE COLUMN LOCKERS, TWO ROWS

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

Metal case with metal doors, flush base

LM1266S12LN / RN	12 x 18 x 65.85	109	11	\$1487
LM1866S12LN / RN	18 x 18 x 65.85	127	15.7	\$1628
LM1266D12LN / RN	12 x 24 x 65.85	137	14.3	\$1678
LM1866D12LN / RN	18 x 24 x 65.85	151	20.5	\$1829

Metal case with metal doors, elevated base

LM1266S12L4 / R4	12 x 18 x 69.85	109	11	\$1658
LM1866S12L4 / R4	18 x 18 x 69.85	127	15.7	\$1797
LM1266D12L4 / R4	12 x 24 x 69.85	137	14.3	\$1848
LM1866D12L4 / R4	18 x 24 x 69.85	151	20.5	\$1999

Metal case with laminate doors, flush base

LL1266S12LN / RN	12 x 18 x 65.85	103	11	\$1670
LL1866S12LN / RN	18 x 18 x 65.85	118	15.7	\$1734
LL1266D12LN / RN	12 x 24 x 65.85	131	14.3	\$1860
LL1866D12LN / RN	18 x 24 x 65.85	143	20.5	\$1934



Metal case with laminate doors, elevated base

LL1266S12L4 / R4	12 x 18 x 69.85	103	11	\$1839
LL1866S12L4 / R4	18 x 18 x 69.85	118	15.7	\$1902
LL1266D12L4 / R4	12 x 24 x 69.85	131	14.3	\$2028
LL1866D12L4 / R4	18 x 24 x 69.85	143	20.5	\$2103

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One Column Locker, Two Rows - 66"H



Left hand shown

ONE COLUMN LOCKERS, THREE ROWS

Metal case with metal doors

LM1253S13LN / RN	12 x 18 x 52.95	93	8.9	\$1471
LM1253S13L4 / R4	12 x 18 x 56.95	93	8.9	\$1639


Metal case with laminate doors

LL1253S13LN / RN	12 x 18 x 52.95	88	8.9	\$1668
LL1253S13L4 / R4	12 x 18 x 56.95	88	8.9	\$1836

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One Column Locker, Three Rows - 53"H



Metal doors, flush base

Laminate doors, elevated base

Left hand shown

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications


Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)

Pulls
Ganging

Refer to specification options on page 40 for applicable options and upcharges.

P 1200 PERSONAL LOCKERS

ONE COLUMN LOCKERS, THREE ROWS



Metal doors,
flush base



Laminate doors,
elevated base

Left hand shown

One Column Locker, Three Rows - 66"H

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

Metal case with metal doors

LM1866S13LN / RN 18 x 18 x 65.85 101 15.7 **\$1773**

LM1866S13L4 / R4 18 x 18 x 69.85 101 15.7 **\$1942**

Metal case with laminate doors


LL1866S13LN / RN 18 x 18 x 65.85 93 15.7 **\$1958**

LL1866S13L4 / R4 18 x 18 x 69.85 93 15.7 **\$2126**


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, FOUR ROWS



Metal doors,
flush base



Laminate doors,
elevated base

Left hand shown

One Column Locker, Four Rows - 53"H

Metal case with metal doors

LM1853S14LN / RN 18 x 18 x 52.95 111 12.7 **\$1756**

LM1853S14L4 / R4 18 x 18 x 56.95 111 12.7 **\$1925**


Metal case with laminate doors

LL1853S14LN / RN 18 x 18 x 52.95 104 12.7 **\$2008**


LL1853S14L4 / R4 18 x 18 x 56.95 104 12.7 **\$2177**

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



Metal doors,
flush base



Laminate doors,
elevated base

Left hand shown

One Column Locker, Four Rows - 66"H

Metal case with metal doors

LM1266S14LN / RN 12 x 18 x 65.85 114 11 **\$1786**

LM1266S14L4 / R4 12 x 18 x 69.85 114 11 **\$1955**

Metal case with laminate doors

LL1266S14LN / RN 12 x 18 x 65.85 108 11 **\$2008**

LL1266S14L4 / R4 12 x 18 x 69.85 108 11 **\$2177**

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks Pulls
Interior options Ganging
Ventilation (LM models only)
Mail slot (LM models only)

Refer to specification options on page 40
for applicable options and upcharges.

TWO COLUMN LOCKERS, ONE ROW

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

Metal case with metal doors, flush base

LM2440S21LN / RN	24 x 18 x 40.5	114	12.6	\$1609
LM3040S21LN / RN	30 x 18 x 40.5	126	15.6	\$1707
LM2440D21LN / RN	24 x 24 x 40.5	137	16.4	\$1789
LM3040D21LN / RN	30 x 24 x 40.5	149	20.2	\$1893

Metal case with metal doors, elevated base



LM2440S21L4 / R4	24 x 18 x 44.5	114	12.6	\$1778
LM3040S21L4 / R4	30 x 18 x 44.5	126	15.6	\$1876
LM2440D21L4 / R4	24 x 24 x 44.5	137	16.4	\$1958
LM3040D21L4 / R4	30 x 24 x 44.5	149	20.2	\$2061

Metal case with laminate doors, flush base

LL2440S21LN / RN	24 x 18 x 40.5	106	12.6	\$1773
LL3040S21LN / RN	30 x 18 x 40.5	117	15.6	\$1862
LL2440D21LN / RN	24 x 24 x 40.5	129	16.4	\$1953
LL3040D21LN / RN	30 x 24 x 40.5	140	20.2	\$2048

Metal case with laminate doors, elevated base

LL2440S21L4 / R4	24 x 18 x 44.5	106	12.6	\$1942
LL3040S21L4 / R4	30 x 18 x 44.5	117	15.6	\$2032
LL2440D21L4 / R4	24 x 24 x 44.5	129	16.4	\$2121
LL3040D21L4 / R4	30 x 24 x 44.5	140	20.2	\$2219





Left hand shown

Two Column Locker, One Row - 40"H

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

TWO COLUMN LOCKERS, TWO ROWS

Metal doors, flush base
Left hand shownLaminate doors, elevated base
Left hand shown

Two Column Locker, Two Rows - 27"H

Metal case with metal doors

LM2427S22LN / RN	24 x 18 x 27.15	88	8.7	\$1643
LM2427S22L4 / R4	24 x 18 x 31.15	88	8.7	\$1813

Metal case with laminate doors

LL2427S22LN / RN	24 x 18 x 27.15	82	8.7	\$1876
LL2427S22L4 / R4	24 x 18 x 31.15	82	8.7	\$2045

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
GangingRefer to specification options on page 40
for applicable options and upcharges.

P 1200 PERSONAL LOCKERS

TWO COLUMN LOCKERS, TWO ROWS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
------------------------------	---------	------------	--------	-----------	------------

W x D x H

Metal case with metal doors, flush base

LM2440S22LN / RN	24 x 18 x 40.5	119	12.6	\$1894
LM3040S22LN / RN	30 x 18 x 40.5	134	15.6	\$1995
LM2440D22LN / RN	24 x 24 x 40.5	143	16.4	\$2087
LM3040D22LN / RN	30 x 24 x 40.5	159	20.2	\$2196

Metal case with metal doors, elevated base

LM2440S22L4 / R4	24 x 18 x 44.5	119	12.6	\$2064
LM3040S22L4 / R4	30 x 18 x 44.5	134	15.6	\$2165
LM2440D22L4 / R4	24 x 24 x 44.5	143	16.4	\$2256
LM3040D22L4 / R4	30 x 24 x 44.5	159	20.2	\$2364

Metal case with laminate doors, flush base

LL2440S22LN / RN	24 x 18 x 40.5	109	12.6	\$2211
LL3040S22LN / RN	30 x 18 x 40.5	125	15.6	\$2390
LL2440D22LN / RN	24 x 24 x 40.5	133	16.4	\$2424
LL3040D22LN / RN	30 x 24 x 40.5	151	20.2	\$2611

Metal case with laminate doors, elevated base

LL2440S22L4 / R4	24 x 18 x 44.5	109	12.6	\$2380
LL3040S22L4 / R4	30 x 18 x 44.5	125	15.6	\$2560
LL2440D22L4 / R4	24 x 24 x 44.5	133	16.4	\$2594
LL3040D22L4 / R4	30 x 24 x 44.5	151	20.2	\$2780

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Metal case with metal doors, flush base

LM2466S22LN / RN	24 x 18 x 65.85	181	20.5	\$2437
LM3666S22LN / RN	36 x 18 x 65.85	220	29.9	\$2750
LM2466D22LN / RN	24 x 24 x 65.85	216	26.6	\$2830

Metal case with metal doors, elevated base

LM2466S22L4 / R4	24 x 18 x 69.85	181	20.5	\$2606
LM3666S22L4 / RN	36 x 18 x 69.85	220	29.9	\$2919
LM2466D22L4 / R4	24 x 24 x 69.85	216	26.6	\$2999

Metal case with laminate doors, flush base

LL2466S22LN / RN	24 x 18 x 65.85	169	20.5	\$2800
LL3666S22LN / RN	36 x 18 x 65.85	189	29.9	\$2959
LL2466D22LN / RN	24 x 24 x 65.85	204	26.6	\$3087

Metal case with laminate doors, elevated base

LL2466S22L4 / R4	24 x 18 x 69.85	169	20.5	\$2969
LL3666S22L4 / R4	36 x 18 x 69.85	189	29.9	\$3128
LL2466D22L4 / R4	24 x 24 x 69.85	204	26.6	\$3255

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.



Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications



Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40
for applicable options and upcharges.



Left hand shown


Two Column Locker, Two Rows - 40"H




Left hand shown

Two Column Locker, Two Rows - 66"H

TWO COLUMN LOCKERS, THREE ROWS




Metal doors, flush base
Left hand shown




Laminate doors, elevated base
Left hand shown

Two Column Locker, Three Rows - 53"H



Metal doors, flush base
Left hand shown



Laminate doors, elevated base
Left hand shown

Two Column Locker, Three Rows - 66"H

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

Metal case with metal doors

LM2453S23LN / RN 24 x 18 x 52.95

157

16.6

\$2457

LM2453S23L4 / R4 24 x 18 x 56.95

157

16.6

\$2627

Metal case with laminate doors

LL2453S23LN / RN 24 x 18 x 52.95

145

16.6

\$2851

LL2453S23L4 / R4 24 x 18 x 56.95

145

16.6

\$3021

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

Metal case with metal doors

LM3666S23LN / RN 36 x 18 x 65.85

212

29.9

\$3050

LM3666S23L4 / R4 36 x 18 x 69.85

212

29.9

\$3220

Metal case with laminate doors

LL3666S23LN / RN 36 x 18 x 65.85

211

29.9

\$3420

LL3666S23L4 / R4 36 x 18 x 69.85

211


29.9

\$3590


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

TWO COLUMN LOCKERS, FOUR ROWS



Metal doors, flush base
Left hand shown



Laminate doors, elevated base
Left hand shown

Two Column Locker, Four Rows - 53"H

Metal case with metal doors

LM3653S24LN / RN 36 x 18 x 52.95

211

24.2

\$3080

LM3653S24L4 / R4 36 x 18 x 56.95

211

24.2

\$3248

Metal case with laminate doors

LL3653S24LN / RN 36 x 18 x 52.95

196

24.2

\$3889

LL3653S24L4 / R4 36 x 18 x 56.95

196

24.2

\$4058

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks Pulls
Interior options Ganging
Ventilation (LM models only)
Mail slot (LM models only)

Refer to specification options on page 40
for applicable options and upcharges.

P 1200 PERSONAL LOCKERS

Metal doors, flush base
Left hand shown

Laminate doors, elevated base
Left hand shown

Two Column Locker, Four Rows - 66"H

MODEL #		DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H					
Metal case with metal doors					
LM2466S24LN / RN	24 x 18 x 65.85	192	20.5	\$3031	
LM2466S24L4 / R4	24 x 18 x 69.85	192	20.5	\$3200	
Metal case with laminate doors					
LL2466S24LN / RN	24 x 18 x 65.85	179	20.5	\$3474	
LL2466S24L4 / R4	24 x 18 x 69.85	179	20.5	\$3643	

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).

Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Left hand shown

Three Column Locker, One Row - 40"H

Metal case with metal doors, flush base					
LM3640S31LN / RN	36 x 18 x 40.5	161	18.5	\$2209	
LM3640D31LN / RN	36 x 24 x 40.5	192	24	\$2444	
Metal case with metal doors, elevated base					
LM3640S31L4 / R4	36 x 18 x 44.5	161	18.5	\$2377	
LM3640D31L4 / R4	36 x 24 x 44.5	192	24	\$2614	
Metal case with laminate doors, flush base					
LL3640S31LN / RN	36 x 18 x 40.5	134	18.5	\$2454	
LL3640D31LN / RN	36 x 24 x 40.5	165	24	\$2691	
Metal case with laminate doors, elevated base					
LL3640S31L4 / R4	36 x 18 x 44.5	134	18.5	\$2622	
LL3640D31L4 / R4	36 x 24 x 44.5	165	24	\$2859	

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).

Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Required specifications	Optional specifications	
Case finish (painted)	Locks	Pulls
Door front finish (painted or laminate)	Interior options	Ganging
	Ventilation (LM models only)	
	Mail slot (LM models only)	

Refer to specification options on page 40 for applicable options and upcharges.

THREE COLUMN LOCKERS, ONE ROW

MODEL



DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H



Left hand shown

Three Column Locker, One Row - 53"H

Metal case with metal doors, flush base

LM3653S31LN / RN	36 x 18 x 52.95	203	24.2	\$2616
LM3653D31LN / RN	36 x 24 x 52.95	240	31.4	\$2924

Metal case with metal doors, elevated base

LM3653S31L4 / R4	36 x 18 x 56.95	203	24.2	\$2785
LM3653D31L4 / R4	36 x 24 x 56.95	240	31.4	\$3093

Metal case with laminate doors, flush base



LL3653S31LN / RN	36 x 18 x 52.95	188	24.2	\$3091
LL3653D31LN / RN	36 x 24 x 52.95	226	31.4	\$3399

Metal case with laminate doors, elevated base

LL3653S31L4 / R4	36 x 18 x 56.95	188	24.2	\$3260
LL3653D31L4 / R4	36 x 24 x 56.95	226	31.4	\$3568

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.



Left hand shown

Three Column Locker, One Row - 66"H

Metal case with metal doors, flush base

LM3666S31LN / RN	36 x 18 x 65.85	246	29.9	\$2994
LM3666D31LN / RN	36 x 24 x 65.85	291	38.9	\$3362

Metal case with metal doors, elevated base

LM3666S31L4 / R4	36 x 18 x 69.85	246	29.9	\$3163
LM3666D31L4 / R4	36 x 24 x 69.85	291	38.9	\$3531

Metal case with laminate doors, flush base

LL3666S31LN / RN	36 x 18 x 65.85	229	29.9	\$3417
LL3666D31LN / RN	36 x 24 x 65.85	274	38.9	\$3784

Metal case with laminate doors, elevated base

LL3666S31L4 / R4	36 x 18 x 69.85	229	29.9	\$3585
LL3666D31L4 / R4	36 x 24 x 69.85	274	38.9	\$3953

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)

Optional specifications



Locks Pulls
Interior options Ganging
Ventilation (LM models only)
Mail slot (LM models only)

Refer to specification options on page 40
for applicable options and upcharges.

P 1200 PERSONAL LOCKERS



THREE COLUMN LOCKERS, TWO ROWS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
--------------------------------	---------	------------	--------	-----------	------------

W x D x H



Left hand shown

Three Column Locker, Two Rows - 40"H



Left hand shown

Three Column Locker, Two Rows - 53"H

Metal case with metal doors, flush base				
LM3640S32LN / RN	36 x 18 x 40.5	169	18.5	\$2636
LM3640D32LN / RN	36 x 24 x 40.5	202	24	\$2892
Metal case with metal doors, elevated base				
LM3640S32L4 / R4	36 x 18 x 44.5	169	18.5	\$2805
LM3640D32L4 / R4	36 x 24 x 44.5	202	24	\$3061
Metal case with laminate doors, flush base				
LL3640S32LN / RN	36 x 18 x 40.5	157	18.5	\$3111
LL3640D32LN / RN	36 x 24 x 40.5	190	24	\$3399
Metal case with laminate doors, elevated base				
LL3640S32L4 / R4	36 x 18 x 44.5	157	18.5	\$3280
LL3640D32L4 / R4	36 x 24 x 44.5	190	24	\$3570

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Metal case with metal doors, flush base				
LM3653S32LN / RN	36 x 18 x 52.95	211	24.2	\$3007
LM3653D32LN / RN	36 x 24 x 52.95	251	31.4	\$3333
Metal case with metal doors, elevated base				
LM3653S32L4 / R4	36 x 18 x 56.95	211	24.2	\$3176
LM3653D32L4 / R4	36 x 24 x 56.95	251	31.4	\$3502
Metal case with laminate doors, flush base				
LL3653S32LN / RN	36 x 18 x 52.95	196	24.2	\$3446
LL3653D32LN / RN	36 x 24 x 52.95	236	31.4	\$3773
Metal case with laminate doors, elevated base				
LL3653S32L4 / R4	36 x 18 x 56.95	196	24.2	\$3616
LL3653D32L4 / R4	36 x 24 x 56.95	236	31.4	\$3941

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Required specifications


Case finish (painted)
Door front finish (painted or laminate)

Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40 for applicable options and upcharges.

THREE COLUMN LOCKERS, TWO ROWS



Left hand shown

Three Column Locker, Two Rows - 66"H

MODEL

DIMENSIONS

WT/LB.

CUBIC FT.

LIST PRICE

W x D x H

Metal case with metal doors, flush base

LM3666S32LN / RN	36 x 18 x 65.85	259	29.9	\$3394
LM3666D32LN / RN	36 x 24 x 65.85	317	38.9	\$3782

Metal case with metal doors, elevated base

LM3666S32L4 / R4	36 x 18 x 69.85	259	29.9	\$3564
LM3666D32L4 / R4	36 x 24 x 69.85	317	38.9	\$3951

Metal case with laminate doors, flush base

LL3666S32LN / RN	36 x 18 x 65.85	240	29.9	\$3939
LL3666D32LN / RN	36 x 24 x 65.85	298	38.9	\$4327


Metal case with laminate doors, elevated base

LL3666S32L4 / R4	36 x 18 x 69.85	240	29.9	\$4110
LL3666D32L4 / R4	36 x 24 x 69.85	298	38.9	\$4496

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

THREE COLUMN LOCKERS, THREE ROWS



Left hand shown

Three Column Locker, Three Rows - 53"H

Metal case with metal doors, flush base

LM3653S33LN / RN	36 x 18 x 52.95	220	24.2	\$3453
LM3653D33LN / RN	36 x 24 x 52.95	262	31.4	\$3799

Metal case with metal doors, elevated base

LM3653S33L4 / R4	36 x 18 x 56.95	220	24.2	\$3622
LM3653D33L4 / R4	36 x 24 x 56.95	262	31.4	\$3968

Metal case with laminate doors, flush base

LL3653S33LN / RN	36 x 18 x 52.95	203	24.2	\$4044
LL3653D33LN / RN	36 x 24 x 52.95	245	31.4	\$4389

Metal case with laminate doors, elevated base

LL3653S33L4 / R4	36 x 18 x 56.95	203	24.2	\$4212
LL3653D33L4 / R4	36 x 24 x 56.95	245	31.4	\$4558

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

Required specifications

Case finish (painted)
Door front finish (painted or laminate)


Optional specifications

Locks
Interior options
Ventilation (LM models only)
Mail slot (LM models only)
Pulls
Ganging

Refer to specification options on page 40 for applicable options and upcharges.

P 1200 PERSONAL LOCKERS

THREE COLUMN LOCKERS, THREE ROWS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
----------------------------------	---------	------------	--------	-----------	------------



Three Column Locker, Three Rows - 66"H

KEY#	SETS REQUIRED
401	
402	
403	
404	
405	

Keylist

W x D x H				
Metal case with metal doors, flush base				
LM3666S33LN / RN	36 x 18 x 65.85	267	29.9	\$3816
LM3666D33LN / RN	36 x 24 x 65.85	317	38.9	\$4224
Metal case with metal doors, elevated base				
LM3666S33L4 / R4	36 x 18 x 69.85	267	29.9	\$3986
LM3666D33L4 / R4	36 x 24 x 69.85	317	38.9	\$4393
Metal case with laminate doors, flush base				
LL3666S33LN / RN	36 x 18 x 65.85	247	29.9	\$4403
LL3666D33LN / RN	36 x 24 x 65.85	297	38.9	\$4810
Metal case with laminate doors, elevated base				
LL3666S33L4 / R4	36 x 18 x 69.85	247	29.9	\$4573
LL3666D33L4 / R4	36 x 24 x 69.85	297	38.9	\$4979

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.









- Select suffix **(LN)** for **left** hand / **(RN)** for **right** hand opening with levelers (flush base).
- Select suffix **(L4)** for **left** hand / **(R4)** for **right** hand opening with **4" elevated base**.

KEYLIST	- X - X -	-	-	\$0
---------	-----------	---	---	------------

When specific keying information is required with preassigned lock core and key numbers, KEYLIST to be added to order as a no charge line item and accompanied by a completed KEY LIST form found on page 77. Lock cores will be shipped separately, to be installed on site.

Required specifications	Optional specifications	
Case finish (painted)	Locks	Pulls
Door front finish (painted or laminate)	Interior options	Ganging
	Ventilation (LM models only)	
	Mail slot (LM models only)	

Refer to specification options on page 40 for applicable options and upcharges.

METAL CUBBIES, NO DOORS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H					
	One column, two rows, flush base				
	LM1227S12NN	12 x 18 x 27.15	44	4.7	\$692
	Two column, two rows, flush base				
	LM2427S22NN	24 x 18 x 27.15	71	8.7	\$1030
	One column, two rows, elevated base				
	LM1227S12N4	12 x 18 x 31.15	44	4.7	\$862
	Two column, two rows, elevated base				
	LM2427S22N4	24 x 18 x 31.15	71	8.7	\$1199
<ul style="list-style-type: none"> • Select suffix (NN) for metal cubby with levelers (flush base). • Select suffix (N4) for metal cubby with 4" elevated base. • 12" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards. 					
	One column, three rows, flush base				
	LM1253S13NN	12 x 18 x 52.95	77	8.9	\$978
	One column, four rows, flush base				
	LM1853S14NN	18 x 18 x 52.95	77	12.7	\$1077
	Two column, three rows, flush base				
	LM2453S23NN	24 x 18 x 52.95	123	16.6	\$1473
	One column, three rows, elevated base				
	LM1253S13N4	12 x 18 x 56.95	77	8.9	\$1147
	One column, four rows, elevated base				
	LM1853S14N4	18 x 18 x 56.95	77	12.7	\$1247
	Two column, three rows, elevated base				
	LM2453S23N4	24 x 18 x 56.95	123	16.6	\$1642
<ul style="list-style-type: none"> • Select suffix (NN) for metal cubby with levelers (flush base). • Select suffix (N4) for metal cubby with 4" elevated base. • 12" or 18" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards. 					
	One column, three rows, flush base				
	LM1866S13NN	18 x 18 x 65.85	72	15.7	\$1173
	One column, four rows, flush base				
	LM1266S14NN	12 x 18 x 65.85	94	11	\$1141
	Two column, four rows, flush base				
	LM2466S24NN	24 x 18 x 65.85	151	20.5	\$1741
	One column, three rows, elevated base				
	LM1866S13N4	18 x 18 x 69.85	72	15.7	\$1341
	One column, four rows, elevated base				
	LM1266S14N4	12 x 18 x 69.85	94	11	\$1309
	Two column, four rows, elevated base				
	LM2466S24N4	24 x 18 x 69.85	151	20.5	\$1910
<ul style="list-style-type: none"> • Select suffix (NN) for metal cubby with levelers (flush base). • Select suffix (N4) for metal cubby with 4" elevated base. • 12" or 18" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards. 					

Required specifications

Case finish (painted)


Optional specifications

Interior options (refer to notes section)

Factory ganging (**BG**)

P 1200 PERSONAL LOCKERS

LOCKER SLOPED TOPS	MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
--------------------	---------	------------	--------	-----------	------------

	W x D x H				
	LMST1218	12 x 18 x 0.07-8	7.1	2.23	\$171
	LMST1518	15 x 18 x 0.07-8	8.1	2.23	\$177
	LMST1818	18 x 18 x 0.07-8	9.15	2.23	\$183
	LMST2418	24 x 18 x 0.07-8	11.25	3.68	\$190
	LMST3018	30 x 18 x 0.07-8	13.45	3.68	\$200
	LMST3618	36 x 18 x 0.07-8	15.5	4.4	\$207

Locker Sloped Top - 18"D*

Convert standard flat top locker to sloped top. Metal sloped top prevents items from being stacked on the top of a locker and makes cleaning easy. Mounted flush with the locker case; excluding the door front. Mounting hardware included. Use with LM or LL locker models with corresponding width and depth as the sloped top.



Locker Sloped Top - 24"D*

LMST1224	12 x 24 x 0.07-8	9	2.23	\$183
LMST1524	15 x 24 x 0.07-8	10.35	2.23	\$187
LMST1824	18 x 24 x 0.07-8	11.65	2.23	\$197
LMST2424	24 x 24 x 0.07-8	14.2	3.68	\$205
LMST3024	30 x 24 x 0.07-8	16.7	3.68	\$218
LMST3624	36 x 24 x 0.07-8	19.35	4.4	\$233

Convert standard flat top locker to sloped top. Metal sloped top prevents items from being stacked on the top of a locker and makes cleaning easy. Mounted flush with the locker case; excluding the door front. Mounting hardware included. Use with LM or LL locker models with corresponding width and depth as the sloped top.


END OF RUN LAMINATE PANELS



End of Run Laminate Panel - 18"D**

LLERP1827	18 x 0.69 x 25.65	13	0.34	\$140
LLERP1840	18 x 0.69 x 38.55	19.5	0.51	\$210
LLERP1853	18 x 0.69 x 51.45	26	0.67	\$279
LLERP1866	18 x 0.69 x 64.35	32.5	0.84	\$351

To cap the ends of a locker run with a finished laminate panel. To accept panels, lockers at the end of run must be specified with ganging option **(BG)**. Finished laminate panel connects to the side of the locker with the ganging hardware supplied. End of run panels include factory installed inserts for the connection. End of run panel overlaps case to be flushed with laminate door front. Available in all the standard laminates for 1200 series lockers.



End of Run Laminate Panel - 24"D**




LLERP2427	24 x 0.69 x 25.65	17.5	0.45	\$186
LLERP2440	24 x 0.69 x 38.55	26	0.67	\$279
LLERP2453	24 x 0.69 x 51.45	35	0.89	\$374
LLERP2466	24 x 0.69 x 64.35	73	1.11	\$469

To cap the ends of a locker run with a finished laminate panel. To accept panels, lockers at the end of run must be specified with ganging option **(BG)**. Finished laminate panel connects to the side of the locker with the ganging hardware supplied. End of run panels include factory installed inserts for the connection. End of run panel overlaps case to be flushed with laminate door front. Available in all the standard laminates for 1200 series lockers.

Required specifications

Painted finish*
Laminate finish**

KEYLESS ENTRY, PROGRAM KEYS

Master Key

MODEL #	DIMENSIONS	WT/LB.	CUBIC FT.	LIST PRICE
W x D x H				
User Key				
LKUSRKEY	1.2 x 0.9 x 2	0.2	0.05	\$252
Manager Key				
LKMGRKEY	1.2 x 0.9 x 4	0.5	0.05	\$332
Programming Key				
LKPRGKEY	1.2 x 0.9 x 4	0.5	0.05	\$388

	User Key	Manager Key ¹	Programming Key ²
Operates the lock, for users unable to use keypad	•	•	•
Overrides user access		•	•
Allows management inspection		•	•
Provides external power		•	•
Programs manager keys to the lock			•
Assigns user credentials ³ (in assigned use functionality)		•	
Sets lock functionality			•

¹ Up to six manager keys may be programmed to each lock.

² One programming key allowed per lock system.

³ Up to 20 user credentials may be assigned to each lock.