

heavy duty / 24 hr



Concorde Executive 24HR.....323



G1 Ergo Select TS.....324



Granada TS319



Granada Deluxe TS319



Malaga TS.....320



ObusForme Comfort TS.....321



ObusForme Comfort XL.....326



Robust.....331



Saxon332



Truform TS.....321



Vion TS.....333



Yorkdale TS.....322



TS MODELS



model TS3140-3 Malaga

model TS5451-3 Truform







STANDARD FEATURES
















- TS models are available within standard series. TS stands for “three shift” and all of the TS models are rated for 24/7 applications as well as weight rated up to 350 lbs.
- Multi-tilter models feature a heavy duty mechanism.
- Multi-tilters are standard with pneumatic seat height, sliding seat depth adjustment, forward and rearward seat tilt with infinite lock, free floating back angle control and tilt tension control.
- Heavy duty stools are standard with a fixed back, seat depth and pneumatic seat height adjustments, swivels with adjustable Chrome footrest.
- All models are standard with either Ultracell or molded heavy duty seat foam.
- All models have a heavy duty 3” wide back upright.
- All models (except Truform) have outer back panels retained by trim screws for extra security.
- All models (except Truform) are standard with clear vinyl bumper guards around their outside backs.
- Dual wheel carpet casters (C10) are standard on all models, except Truform which comes standard with (C1).
















OPTIONAL FEATURES










- Optional abrasion resistant outer back fabric (polyester) is available (except Truform TS). Resistant to impact damage. Available in Black only. Please specify (BKB). Add \$9.
- For 24 hour application, Global’s Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.
- For hard surface flooring casters, please specify (C10R). Add \$20. For hard surface flooring casters on Truform models, please specify (C9R). Add \$21.
- For additional arm/caster options, please refer to the Arm and Caster section (page 335). *Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.*

Select series are available with multiple seat sizes. See measurements below.

DESCRIPTION	FEATURES	MODEL #	STANDARD TEXTILE GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p>Granada TS</p> <p>LB Heavy Duty Multi-Tilter Plain Back COM: 1.5 YD 1.37 M Unit weight: 48 LB 21.8 KG Carton weight: 58 LB 26.31 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	TS3212	1050	1098	1139	1185	1262	1332	1403	1464	1541	1613	1710	1848		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 26 MM 660	24 610	40 1016	20.5 521	17-19.5 432-495	17.5-21.5 445-546	19 483	17.5-21.5 445-546							
			RTA 2	courier	1 per carton												
 <p>Granada TS</p> <p>HB Heavy Duty Multi-Tilter Plain Back COM: 1.75 YD 1.6 M Unit weight: 51 LB 23.2 KG Carton weight: 55 LB 24.95 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	TS3217	1088	1144	1191	1246	1335	1417	1499	1571	1660	1744	1858	2019		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 26 MM 660	24.5 622	43 1092	20.5 521	17-19.5 432-495	17.5-21.5 445-546	19 483	21.5-25.5 546-648							
			RTA 2	courier	1 per carton												
 <p>Granada Deluxe TS</p> <p>HB Heavy Duty Multi-Tilter COM: 2 YD 1.83 M Unit weight: 56 LB 25.5 KG Carton weight: 65 LB 29.48 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	TS1170-3	1140	1204	1258	1320	1422	1516	1610	1692	1794	1890	2020	2204		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 26 MM 660	23.5 597	45 1143	21 533	18-20.5 457-521	17.5-21.5 445-546	20 508	23-28.25 584-718							
			RTA 2	courier	1 per carton												

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES																																												
			1	2	3	4	5	6	7	8	9	10	11	12																																	
 <p>Granada Deluxe TS</p> <p>MB Heavy Duty Multi-Tilter COM: 1.75 YD 1.6 M Unit weight: 54 LB 24.5 KG Carton weight: 63 LB 28.58 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th><th>D</th><th>H</th> <th>W</th><th>D</th><th>H</th> <th>W</th><th>H</th> </tr> <tr> <td>IN 26</td><td>23.5</td><td>41</td> <td>21</td><td>18-20.5</td><td>17.5-21.5</td> <td>20</td><td>19-24.25</td> </tr> <tr> <td>MM 660</td><td>597</td><td>1041</td> <td>533</td><td>457-521</td><td>445-546</td> <td>508</td><td>483-616</td> </tr> </table>												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H	IN 26	23.5	41	21	18-20.5	17.5-21.5	20	19-24.25	MM 660	597	1041	533	457-521	445-546	508	483-616
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																						
			W	D	H	W	D	H	W	H																																					
			IN 26	23.5	41	21	18-20.5	17.5-21.5	20	19-24.25																																					
MM 660	597	1041	533	457-521	445-546	508	483-616																																								
<p>RTA 2  1 per carton</p>																																															
 <p>Granada Deluxe TS</p> <p>HB Heavy Duty Multi-Tilter w/Schukra COM: 2 YD 1.83 M Unit weight: 56 LB 25.5 KG Carton weight: 63 LB 28.48 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S, V</p>	<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th><th>D</th><th>H</th> <th>W</th><th>D</th><th>H</th> <th>W</th><th>H</th> </tr> <tr> <td>IN 26</td><td>23.5</td><td>45</td> <td>21</td><td>18-20.5</td><td>17.5-21.5</td> <td>20</td><td>23-28.25</td> </tr> <tr> <td>MM 660</td><td>597</td><td>1143</td> <td>533</td><td>457-521</td><td>445-546</td> <td>508</td><td>584-718</td> </tr> </table>												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H	IN 26	23.5	45	21	18-20.5	17.5-21.5	20	23-28.25	MM 660	597	1143	533	457-521	445-546	508	584-718
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																						
			W	D	H	W	D	H	W	H																																					
			IN 26	23.5	45	21	18-20.5	17.5-21.5	20	23-28.25																																					
MM 660	597	1143	533	457-521	445-546	508	584-718																																								
<p>RTA 2  1 per carton</p>																																															
 <p>Granada Deluxe TS</p> <p>MB Heavy Duty Multi-Tilter w/Schukra COM: 1.75 YD 1.6 M Unit weight: 54 LB 24.5 KG Carton weight: 63 LB 28.58 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S, V</p>	<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th><th>D</th><th>H</th> <th>W</th><th>D</th><th>H</th> <th>W</th><th>H</th> </tr> <tr> <td>IN 26</td><td>23.5</td><td>41</td> <td>21</td><td>18-20.5</td><td>17.5-21.5</td> <td>20</td><td>19-24.25</td> </tr> <tr> <td>MM 660</td><td>597</td><td>1041</td> <td>533</td><td>457-521</td><td>445-546</td> <td>508</td><td>483-616</td> </tr> </table>												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H	IN 26	23.5	41	21	18-20.5	17.5-21.5	20	19-24.25	MM 660	597	1041	533	457-521	445-546	508	483-616
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																						
			W	D	H	W	D	H	W	H																																					
			IN 26	23.5	41	21	18-20.5	17.5-21.5	20	19-24.25																																					
MM 660	597	1041	533	457-521	445-546	508	483-616																																								
<p>RTA 2  1 per carton</p>																																															
 <p>Malaga TS</p> <p>HB Heavy Duty Multi-Tilter COM: 1.75 YD 1.6 M Unit weight: 52 LB 23.6 KG Carton weight: 61 LB 27.67 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th><th>D</th><th>H</th> <th>W</th><th>D</th><th>H</th> <th>W</th><th>H</th> </tr> <tr> <td>IN 25</td><td>25</td><td>44</td> <td>20</td><td>17.5-20</td><td>16.75-20.75</td> <td>18.5</td><td>25-29</td> </tr> <tr> <td>MM 635</td><td>635</td><td>1118</td> <td>508</td><td>445-508</td><td>425-527</td> <td>470</td><td>635-737</td> </tr> </table>												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H	IN 25	25	44	20	17.5-20	16.75-20.75	18.5	25-29	MM 635	635	1118	508	445-508	425-527	470	635-737
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																						
			W	D	H	W	D	H	W	H																																					
			IN 25	25	44	20	17.5-20	16.75-20.75	18.5	25-29																																					
MM 635	635	1118	508	445-508	425-527	470	635-737																																								
<p>RTA 2  1 per carton</p>																																															
 <p>Malaga TS</p> <p>LB Heavy Duty Multi-Tilter COM: 1.5 YD 1.37 M Unit weight: 51 LB 23.2 KG Carton weight: 60 LB 27.22 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	<p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, S</p>	<table border="1"> <tr> <th colspan="3">OVERALL DIMENSIONS</th> <th colspan="3">SEAT DIMENSIONS</th> <th colspan="3">BACK DIMENSIONS</th> </tr> <tr> <th>W</th><th>D</th><th>H</th> <th>W</th><th>D</th><th>H</th> <th>W</th><th>H</th> </tr> <tr> <td>IN 25</td><td>24.5</td><td>39.75</td> <td>20</td><td>17.5-20</td><td>16.75-20.75</td> <td>18.5</td><td>20.5-24.5</td> </tr> <tr> <td>MM 635</td><td>622</td><td>1010</td> <td>508</td><td>445-508</td><td>425-527</td> <td>470</td><td>521-622</td> </tr> </table>												OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS			W	D	H	W	D	H	W	H	IN 25	24.5	39.75	20	17.5-20	16.75-20.75	18.5	20.5-24.5	MM 635	622	1010	508	445-508	425-527	470	521-622
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS																																						
			W	D	H	W	D	H	W	H																																					
			IN 25	24.5	39.75	20	17.5-20	16.75-20.75	18.5	20.5-24.5																																					
MM 635	622	1010	508	445-508	425-527	470	521-622																																								
<p>RTA 1  1 per carton</p>																																															

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 <p>ObusForme Comfort TS</p> <p>HB Heavy Duty Multi-Tilter COM: 2.25 YD 2.06 M Unit weight: 65 LB 29.5 KG Carton weight: 78 LB 35.38 KG Carton volume: 11 FT³ 0.31 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	TS1240-3 1283 1355 1416 1486 1600 1706 1812 1904 2019 2127 2273 2480 TS1240P-3 Petite seat IN W19.5 D16.75-19.25 H16-20 MM W495 D425-489 H406-508												
		OVERALL DIMENSIONS W D H IN 26 25 48 MM 660 635 1219	SEAT DIMENSIONS W D H IN 21 17.5-20 16-20 MM 533 445-508 406-508	BACK DIMENSIONS W H IN 19.5 27-32.25 MM 495 686-819	RTA 2		1 per carton							
		 <p>ObusForme Comfort TS</p> <p>MB Heavy Duty Multi-Tilter COM: 2 YD 1.83 M Unit weight: 63 LB 28.6 KG Carton weight: 75 LB 34.02 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	TS1241-3 1222 1286 1340 1402 1504 1598 1692 1774 1876 1972 2102 2286 TS1241P-3 Petite seat IN W19.5 D16.75-19.25 H16-20 MM W495 D425-489 H406-508										
OVERALL DIMENSIONS W D H IN 26 25 44 MM 660 635 1118	SEAT DIMENSIONS W D H IN 21 17.5-20 16-20 MM 533 445-508 406-508			BACK DIMENSIONS W H IN 19.5 22-27.25 MM 495 559-692	RTA 2		1 per carton							
 <p>ObusForme Comfort TS</p> <p>HB Heavy Duty Multi-Tilter w/Schukra COM: 2.25 YD 2.06 M Unit weight: 65 LB 29.5 KG Carton weight: 78 LB 35.38 KG Carton volume: 11 FT³ 0.31 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>			TS1260-3 1410 1482 1543 1613 1727 1833 1939 2031 2146 2254 2400 2607 TS1260P-3 Petite seat IN W19.5 D16.75-19.25 H16-20 MM W495 D425-489 H406-508										
		OVERALL DIMENSIONS W D H IN 26 25 48 MM 660 635 1219	SEAT DIMENSIONS W D H IN 21 17.5-20 16-20 MM 533 445-508 406-508	BACK DIMENSIONS W H IN 19.5 27-32.25 MM 495 686-819	RTA 2		1 per carton							
		 <p>ObusForme Comfort TS</p> <p>MB Heavy Duty Multi-Tilter w/Schukra COM: 2 YD 1.83 M Unit weight: 60 LB 27.3 KG Carton weight: 72 LB 32.66 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	TS1261-3 1351 1415 1469 1531 1633 1727 1821 1903 2005 2101 2231 2415 TS1261P-3 Petite seat IN W19.5 D16.75-19.25 H16-20 MM W495 D425-489 H406-508										
OVERALL DIMENSIONS W D H IN 26 25 44 MM 660 635 1118	SEAT DIMENSIONS W D H IN 21 17.5-20 16-20 MM 533 445-508 406-508			BACK DIMENSIONS W H IN 19.5 22-27.25 MM 495 559-692	RTA 2		1 per carton							
 <p>Truform TS</p> <p>HB Heavy Duty Multi-Tilter COM: 2 YD 1.83 M Unit weight: 58 LB 26.4 KG Carton weight: 63 LB 28.58 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>			TS5450-3 1117 1181 1235 1297 1399 1493 1587 1669 1771 1867 1997 2181										
		OVERALL DIMENSIONS W D H IN 26 25 42 MM 660 635 1067	SEAT DIMENSIONS W D H IN 20 18-20.5 16.5-20.5 MM 508 457-521 419-521	BACK DIMENSIONS W H IN 20 23.5-26 MM 508 597-660	RTA 2		1 per carton							

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES													
			1	2	3	4	5	6	7	8	9	10	11	12		
 <p>Truform TS</p> <p>MB Heavy Duty Multi-Tilter COM: 1.75 YD 1.6 M Unit weight: 55 LB 25 KG Carton weight: 60 LB 27.22 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p>	TS5451-3	1057	1113	1160	1215	1304	1386	1468	1540	1629	1713	1827	1988		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		IN 26 MM 660	25 635	38.5 978	20 508	18-20.5 457-521	16.5-20.5 419-521	20 508	20-22.5 508-572							
			RTA 1		1 per carton											
 <p>Yorkdale TS</p> <p>HB Heavy Duty Multi-Tilter COM: 1.75 YD 1.6 M Unit weight: 44 LB 20 KG Carton weight: 50 LB 22.68 KG Carton volume: 9.75 FT³ 0.27 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock Center tilt action</p>	TS2330	971	1027	1074	1129	1218	1300	1382	1454	1543	1627	1741	1902		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		IN 24 MM 610	25 635	42 1067	20.5 521	17.5 445	16.5-20.5 419-521	19 483	21.5-23.5 546-597							
			RTA 2		1 per carton											
 <p>Yorkdale TS</p> <p>LB Heavy Duty Multi-Tilter COM: 1.5 YD 1.37 M Unit weight: 42 LB 19.1 KG Carton weight: 48 LB 21.77 KG Carton volume: 9.75 FT³ 0.27 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock Center tilt action</p>	TS2331	916	964	1005	1051	1128	1198	1269	1330	1407	1479	1576	1714		
		OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
		W	D	H	W	D	H	W	H							
		IN 24 MM 610	25 635	36 914	20.5 521	17.5 445	16.5-20.5 419-521	19 483	16.5-18.5 419-470							
			RTA 2		1 per carton											

CONCORDE EXECUTIVE 24HR



model 2424




Push Button
 Located within easy reach. Promotes good posture as you move to various positions.

STANDARD FEATURES

- All adjustments are made with push button controls that are conveniently located in full view for easy use.
- Compound curved molded foam seat and back cushions.
- Seat cushion with Velcro attachment is easily removed and make cleaning easy.
- Rated for multi-shift use for persons up to 350 lbs.
- Standard with Allen-bolted width adjustable arms (Allen key included). Arms adjust 1.25" wider on each side, a total of 2.5" extra width.
- Pneumatic seat height adjustment and five position tilt lock. Tilt tension control.
- Ratchet style back height adjustment.
- All models are standard with a five prong, injection molded, fiberglass reinforced nylon Black spider base and button covers with dual wheel carpet casters (C10).
- For 24 hour application, Global's Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.

OPTIONAL FEATURES

- Models are not available with (C7) glides.
- For hard surface flooring casters, please specify (C10R). Add \$20.

DESCRIPTION	FEATURES	MODEL #	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 HB Synchro-Tilter Concorde Executive 24HR COM: 2.5 YD 2.29 M Unit weight: 70 LB 31.8 KG Carton weight: 81.5 LB 36.97 KG Carton volume: 24.5 FT³ 0.69 MT³	ADJUSTMENTS - Tilt tension - Sliding seat depth - 7 position back height - Synchro tilt action - Anti kick back - 2 button control Right arm - Pneumatic seat height Left arm - 5 position tilt lock	2424	-	2716	2784	2861	2989	3106	3224	3326	3454	3574	3736	3966
		Seat depth adjust: 16" to 18"												
		2424-18	-	2716	2784	2861	2989	3106	3224	3326	3454	3574	3736	3966
Deep seat - Seat depth adjust: 18" to 20"														
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
		IN	28.5	27	50	21	16-18	18-22	21	28-31				
		MM	724	686	1270	533	406-457	457-559	533	711-787				
			RTA 00		1 per carton									

Ergonomic features:
 A, B, C, D, E, L, M, N, Q, T

G1 ERGO SELECT TS




model TS7331-3 H1



model TS7333-3 G5

MECHANISM:

Multi-tilter mechanism (-3)



Ergonomic features:

A, B, C, D, E, F, G, H, M, N, Q, R, S, U

STANDARD FEATURES

- TS models are available within the standard G1 Ergo Select series. TS stands for "three shift" and each TS model is rated for 24/7 applications as well as weight rated up to 350 lbs.
- Models feature a heavy duty multi-tilter mechanism, cylinder and molded heavy duty seat foam.
- Standard with pneumatic seat height, forward and rearward seat tilt with infinite lock, free floating back angle control, tilt tension control and side activated sliding seat depth.
- Available in three back heights and two seat sizes (standard or generous).
- Stitch detail on edges of seat and back is discrete, using matched thread as standard.
- Standard with height and width adjustable (G5) arms with sliding armcaps. Armcaps also articulate inwards and outwards to aim toward the keyboard or mouse area.
- Five prong, injection molded, fiberglass reinforced nylon Black base with (C82) dual wheel carpet casters.
- G1 Ergo Select is fully compliant with latest BIFMA G1, GSA and CGSB specifications.
- For 24 hour applications, Global's Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.
- Upholstery options: fabric, vinyl or leather. Vinyl and leather models may feature stitch detail across the seat and/or back cushions, if applicable. Grade 2 and above textiles are recommended for 24/7 applications.

OPTIONAL FEATURES

- Upholstery is available with exaggerated top stitch detail (heavier thread). 14 coordinating or contrasting colors may be selected. Please specify.
- Optional Ergo Select arms are height (4") and width adjustable with sliding armcaps. Armcaps also articulate inwards (25°) and outwards (25°) to aim toward the keyboard or mouse area.

EXAMPLE G1 ERGO SELECT TS ORDER CODE:




TS7332	-WA53	-3	-S	-H1	-B7	-82	-MS
Model #	Textile	Mechanism	Seat size	Arms	Base	Casters	Stitch detail

Please add option codes in the following order:

- **Model number**
TS7331 Medium back with arms.
TS7332 High back with arms.
TS7333 Extended high back with arms.
- **Textile**
 Specify textile code.
- **Mechanism**
(3) Multi-tilter mechanism.
- **Seat size**
(S) Standard
(G) Generous
- **Arms**
(G5) G5 arms. No upcharge.
(H1) Ergo Select arms. Add \$66.
(H2) Ergo Select arms w/wide armcaps. Add \$106.
- **Base**
(B7) Black nylon B7B base. No upcharge.
(A7) Polished aluminum B7A base. Add \$131.
- **Casters**
(82) C82 dual wheel carpet casters. No upcharge.
(8R) C82R dual wheel hard floor casters. Add \$21.
- **Stitch detail**
(MS) Color matched stitching. Decorative top stitch. No upcharge.
(XP) Black **(XB)** Beige
(XG) Copen **(XA)** Graphite
(XK) Mahogany **(XJ)** Natural
(XH) Navy #3 **(XD)** New Grey
(XF) Nickel **(XN)** Off-White
(XL) Rubytone **(XI)** Scarlett
(XC) Smoke **(XE)** Taupe
 (colors shown on website)

G1 Ergo Select TS dimensional information: based on measurements with heavy duty multi-tilter mechanism

	Distance between arms	Standard arm height	Seat depth range	Standard seat height
Standard seat (S) Heavy duty 4" lift (4L) & (H1) arms	16.0" - 21.5" = 5.5" adjustment 406mm - 546mm = 140mm adj.	7.3" - 11.4"	16.5" - 18.75" 419mm - 476mm	17.5" - 21.5"
Generous seat (G) Heavy duty 4" lift (4L) & (H1) arms	17.25" - 22.75" = 5.5" adjustment 438mm - 578mm = 140mm adj.	185mm - 290mm	17.25" - 19.5" 438mm - 495mm	444mm - 546mm

DESCRIPTION	FEATURES	MODEL #	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 <p>Medium Back COM: 1.65 YD 1.51 M Unit weight: 54 LB 24.5 KG Carton weight: 66 LB 29.94 KG Carton volume: 10.5 FT³ 0.29 MT³</p>		TS7331	1252	1305	1349	1401	1485	1562	1640	1707	1791	1871	1978	2130
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			IN 24	21.5	42	18.5	15.5-18.5	17.5-21.5	19	22				
			MM 610	546	1067	470	394-470	445-546	483	559				
			RTA 2	1 per carton										
 <p>High Back COM: 1.75 YD 1.6 M Unit weight: 56 LB 25.5 KG Carton weight: 68 LB 30.84 KG Carton volume: 10.5 FT³ 0.29 MT³</p>		TS7332	1278	1334	1381	1436	1525	1607	1689	1761	1850	1934	2048	2209
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			IN 24.5	23	45.5	19.75	16.5-19.5	17.5-21.5	19	24.5				
			MM 622	584	1156	502	419-495	445-546	483	622				
			RTA 2	1 per carton										
 <p>Extended High Back COM: 2 YD 1.83 M Unit weight: 56 LB 25.5 KG Carton weight: 69 LB 31.3 KG Carton volume: 11 FT³ 0.31 MT³</p>		TS7333	1302	1366	1420	1483	1584	1678	1772	1854	1956	2052	2182	2366
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
			IN 24.5	24	51	19.75	16.5-19.5	17.5-21.5	19	27				
			MM 622	610	1295	502	419-495	445-546	483	686				
			RTA 2	1 per carton										

OBUSFORME COMFORT XL



model 1251-0

model 1252-8



Optional Memory Foam
See right for details.

STANDARD FEATURES

- ObusForme Comfort XL is a great addition to the ObusForme family and is recommended by chiropractors worldwide.
- Specifically intended for users of above average height and/or weight (not intended for average size users).
- All models provide additional height and/or seat depth, designed to meet the requirements of the large occupant chair (BIFMA X5.11).
- Features an elastomeric back support system that provides impressive comfortable support with no pressure points along the spine, with a compound curved back and seat.
- Standard seat foam is extra thick dual cushion with a soft top layer and a firmly supportive lower layer.
- Height, width and depth adjustable (**G3**) arms with self-skinned urethane (SSU) arm pads. Armcaps articulate inwards 30°.
- Standard with Global's high quality Soft Descent™ pneumatic lift which slowly and gently lowers the seat height of the chair making it easy to obtain the exact seat height you desire.
- Vari-Width (**WA**) width adjustable arm extensions are standard when chair is ordered with adjustable arms. Allows the arms to move away from the seat by 2" on each side to allow space if desired for broader hip widths.

- Side activated sliding seat depth adjustment is standard on all models.
- Vertical back height ratchet adjustment of 5.25" is standard on all models.
- Five prong, injection molded, fiberglass reinforced nylon base (28" in diameter) in Black only with dual wheel carpet casters (**C65**).
- All models are rated for 400 lbs.
- All models ship fully assembled in the box.
- Upholstery options: fabric, vinyl or leather. Vinyl and leather models may feature stitch detail across the seat and/or back cushions, if applicable.


OPTIONAL FEATURES

- For hard surface flooring casters, please specify (**C65R**). Add \$21.

For ObusForme Comfort Heavy Duty TS (three shift) models, please refer to page 321

Big & Tall ObusForme Comfort XL: Product Map

For users of above average height or weight




DESCRIPTION FEATURES MODEL # STANDARD TEXTILE GRADES



Extended Back Synchro-Tilter w/Back Angle Adj.

COM: 2.75 YD | 2.51 M
Unit weight: 58 LB | 26.4 KG
Carton weight: 69 LB | 31.3 KG
Carton volume: 26 FT³ | 0.73 MT³



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
Back/lumbar height
(8) Sliding seat depth
(9) Multi position tilt lock
Synchro tilt action
Anti kick back











Extra tall/wide back. Wide/deep seat.

Ergonomic features:
A, B, C, D, E, G, H, L, M, N, Q, R, U

MODEL #	1	2	3	4	5	6	7	8	9	10	11	12
1251-0	1286	1374	1448	1534	1674	1803	1932	2045	2185	2317	2496	2749

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	26	53	23.5	19-22	17-21	22	31-36.25
MM	711	660	1346	597	483-559	432-533	559	787-921


RTA 00 1 per carton

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p>Extended Back Multi-Tilter COM: 2.75 YD 2.51 M Unit weight: 60 LB 27.3 KG Carton weight: 71 LB 32.21 KG Carton volume: 26 FT³ 0.73 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock Center tilt action</p>	<p>Extra tall/wide back. Wide/deep seat.</p> <p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U</p>	1251-3	1286	1374	1448	1534	1674	1803	1932	2045	2185	2317	2496	2749		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	26	53	23.5	19-22	17-21	22	31-36.25							
MM 711	660	1346	597	483-559	432-533	559	787-921										
			RTA 00	1 per carton													
 <p>Extended Back Weight Sensing Synchro-Tilter COM: 2.75 YD 2.51 M Unit weight: 55 LB 25 KG Carton weight: 66 LB 29.94 KG Carton volume: 26 FT³ 0.73 MT³</p>	 <p>ADJUSTMENTS Automatic tilt tension (2) Pneumatic seat height Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock</p>	<p>Extra tall/wide back. Wide/deep seat.</p> <p>Ergonomic features: A, B, C, D, E, H, L, M, N, Q, R, U</p>	1251-8	1286	1374	1448	1534	1674	1803	1932	2045	2185	2317	2496	2749		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	26	53	23.5	19-22	17-22	22	31-36.25							
MM 711	660	1346	597	483-559	432-559	559	787-921										
			RTA 00	1 per carton													
 <p>High Back Synchro-Tilter w/ Back Angle Adj. COM: 2.5 YD 2.29 M Unit weight: 55 LB 25 KG Carton weight: 66.5 LB 30.16 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock Synchro tilt action Anti kick back</p>	<p>High/wide back. Wide/deep seat.</p> <p>Ergonomic features: A, B, C, D, E, G, H, L, M, N, Q, R, U</p>	1252-0	1225	1305	1373	1450	1578	1695	1813	1915	2043	2163	2325	2555		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	26	48.5	23.5	19-22	17-21	22	26.5-31.75							
MM 711	660	1232	597	483-559	432-533	559	673-806										
			RTA 00	1 per carton													
 <p>High Back Multi-Tilter COM: 2.5 YD 2.29 M Unit weight: 57 LB 25.9 KG Carton weight: 68.5 LB 31.07 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock Center tilt action</p>	<p>High/wide back. Wide/deep seat.</p> <p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U</p>	1252-3	1225	1305	1373	1450	1578	1695	1813	1915	2043	2163	2325	2555		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	26	48.5	23.5	19-22	17-21	22	26.5-31.75							
MM 711	660	1232	597	483-559	432-533	559	673-806										
			RTA 00	1 per carton													
 <p>High Back Weight Sensing Synchro-Tilter COM: 2.5 YD 2.29 M Unit weight: 52 LB 23.6 KG Carton weight: 63.5 LB 28.8 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS Automatic tilt tension (2) Pneumatic seat height Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock</p>	<p>High/wide back. Wide/deep seat.</p> <p>Ergonomic features: A, B, C, D, E, H, L, M, N, Q, R, U</p>	1252-8	1225	1305	1373	1450	1578	1695	1813	1915	2043	2163	2325	2555		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	26	48.5	23.5	19-22	17-22	22	26.5-31.75							
MM 711	660	1232	597	483-559	432-559	559	673-806										
			RTA 00	1 per carton													

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12



Mid Back Synchro-Tilter w/Back Angle Adj.
 COM: 2.5 YD | 2.29 M
 Unit weight: 52 LB | 23.6 KG
 Carton weight: 63 LB | 28.58 KG
 Carton volume: 22.5 FT³ | 0.63 MT³



Mid/wide back. Wide/deep seat.
 Ergonomic features:
 A, B, C, D, E, G, H, L, M, N, Q, R, U


MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
1253-0	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	26	44.5	23.5	19-22	17-21	22	22-27.25
MM	711	660	1130	597	483-559	432-533	559	559-692

RTA 00 1 per carton



Mid Back Multi-Tilter
 COM: 2.5 YD | 2.29 M
 Unit weight: 54 LB | 24.5 KG
 Carton weight: 65 LB | 29.48 KG
 Carton volume: 22.5 FT³ | 0.63 MT³



Mid/wide back. Wide/deep seat.
 Ergonomic features:
 A, B, C, D, E, F, G, H, M, N, Q, R, S, U


MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
1253-3	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	26	44.5	23.5	19-22	17-21	22	22-27.25
MM	711	660	1130	597	483-559	432-533	559	559-692

RTA 00 1 per carton



Mid Back Weight Sensing Synchro-Tilter
 COM: 2.5 YD | 2.29 M
 Unit weight: 49 LB | 22.3 KG
 Carton weight: 60 LB | 27.22 KG
 Carton volume: 22.5 FT³ | 0.63 MT³



Mid/wide back. Wide/deep seat.
 Ergonomic features:
 A, B, C, D, E, H, L, M, N, Q, R, U


MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
1253-8	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	26	44.5	23.5	19-22	17-22	22	22-27.25
MM	711	660	1130	597	483-559	432-559	559	559-692

RTA 00 1 per carton



Extended Back Synchro-Tilter w/Back Angle Adj.
 COM: 2.75 YD | 2.51 M
 Unit weight: 57 LB | 25.9 KG
 Carton weight: 68 LB | 30.84 KG
 Carton volume: 26 FT³ | 0.73 MT³



Extra tall/wide back. Wide seat/std depth.
 Ergonomic features:
 A, B, C, D, E, G, H, L, M, N, Q, R, U


MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
1254-0	1225	1313	1387	1473	1613	1742	1871	1984	2124	2256	2435	2688

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	24.5	53	23.5	17-22	17-21	22	31-36.25
MM	711	622	1346	597	432-559	432-533	559	787-921

RTA 00 1 per carton



Extended Back Multi-Tilter
 COM: 2.75 YD | 2.51 M
 Unit weight: 59 LB | 26.8 KG
 Carton weight: 70 LB | 31.75 KG
 Carton volume: 26 FT³ | 0.73 MT³













Extra tall/wide back. Wide seat/std depth.
 Ergonomic features:
 A, B, C, D, E, F, G, H, M, N, Q, R, S, U

MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
1254-3	1225	1313	1387	1473	1613	1742	1871	1984	2124	2256	2435	2688

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	28	24.5	53	23.5	17-20	17-21	22	31-36.25
MM	711	622	1346	597	432-508	432-533	559	787-921

RTA 00 1 per carton


DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES														
			1	2	3	4	5	6	7	8	9	10	11	12			
 <p>Extended Back Weight Sensing Synchro-Tilter COM: 2.75 YD 2.51 M Unit weight: 54 LB 24.5 KG Carton weight: 65 LB 29.48 KG Carton volume: 26 FT³ 0.73 MT³</p>	 <p>ADJUSTMENTS Tilt tension (2) Pneumatic seat height Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock</p>	<p>Extra tall/wide back. Wide seat/std depth.</p> <p>Ergonomic features: A, B, C, D, E, H, L, M, N, Q, R, U</p>	1254-8	1225	1313	1387	1473	1613	1742	1871	1984	2124	2256	2435	2688		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	24.5	53	23.5	17-20	17-22	22	31-36.25							
MM 711	622	1346	597	432-508	432-559	559	787-921										
			RTA 00	1 per carton													
 <p>High Back Synchro-Tilter w/Back Angle Adj. COM: 2.5 YD 2.29 M Unit weight: 54 LB 24.5 KG Carton weight: 65.5 LB 29.71 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock Synchro tilt action Anti kick back</p>	<p>High/wide back. Wide seat/std depth.</p> <p>Ergonomic features: A, B, C, D, E, G, H, L, M, N, Q, R, U</p>	1255-0	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	24.5	48.5	23.5	17-20	17-21	22	26.5-31.75							
MM 711	622	1232	597	432-508	432-533	559	673-806										
			RTA 00	1 per carton													
 <p>High Back Multi-Tilter COM: 2.5 YD 2.29 M Unit weight: 56 LB 25.5 KG Carton weight: 67.5 LB 30.62 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock Center tilt action</p>	<p>High/wide back. Wide seat/std depth.</p> <p>Ergonomic features: A, B, C, D, E, F, G, H, M, N, Q, R, S, U</p>	1255-3	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	24.5	48.5	23.5	17-20	17-21	22	26.5-31.75							
MM 711	622	1232	597	432-508	432-533	559	673-806										
			RTA 00	1 per carton													
 <p>High Back Weight Sensing Synchro-Tilter COM: 2.5 YD 2.29 M Unit weight: 51 LB 23.2 KG Carton weight: 62.5 LB 28.35 KG Carton volume: 24.5 FT³ 0.69 MT³</p>	 <p>ADJUSTMENTS Tilt tension (2) Pneumatic seat height Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock</p>	<p>High/wide back. Wide seat/std depth.</p> <p>Ergonomic features: A, B, C, D, E, H, L, M, N, Q, R, U</p>	1255-8	1166	1246	1314	1391	1519	1636	1754	1856	1984	2104	2266	2496		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	24.5	48.5	23.5	17-20	17-22	22	26.5-31.75							
MM 711	622	1232	597	432-508	432-559	559	673-806										
			RTA 00	1 per carton													
 <p>Mid Back Synchro-Tilter w/ Back Angle Adj. COM: 2.5 YD 2.29 M Unit weight: 51 LB 23.2 KG Carton weight: 62 LB 28.12 KG Carton volume: 22.5 FT³ 0.63 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle Back/lumbar height (8) Sliding seat depth (9) Multi position tilt lock Synchro tilt action Anti kick back</p>	<p>Mid/wide back. Wide seat/std depth.</p> <p>Ergonomic features: A, B, C, D, E, G, H, L, M, N, Q, R, U</p>	1256-0	1107	1187	1255	1332	1460	1577	1695	1797	1925	2045	2207	2437		
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS								
			W	D	H	W	D	H	W	H							
			IN 28	24.5	44.5	23.5	17-20	17-21	22	22-27.25							
MM 711	622	1130	597	432-508	432-533	559	559-692										
			RTA 00	1 per carton													

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12



Mid Back Multi-Tilter

COM: 2.5 YD | 2.29 M
 Unit weight: 53 LB | 24.1 KG
 Carton weight: 64 LB | 29.03 KG
 Carton volume: 22.5 FT³ | 0.63 MT³



Mid/wide back. Wide seat/std depth.

Ergonomic features:
 A, B, C, D, E, F, G, H, M, N, Q, R, S, U

1256-3	1107	1187	1255	1332	1460	1577	1695	1797	1925	2045	2207	2437
---------------	------	------	------	------	------	------	------	------	------	------	------	------

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H


IN	28	24.5	44.5	23.5	17-20	17-21	22	22-27.25
MM	711	622	1130	597	432-508	432-533	559	559-692

RTA 00 1 per carton



Mid Back Weight Sensing Synchro-Tilter

COM: 2.5 YD | 2.29 M
 Unit weight: 48 LB | 21.8 KG
 Carton weight: 59 LB | 26.76 KG
 Carton volume: 22.5 FT³ | 0.63 MT³



Mid/wide back. Wide seat/std depth.

Ergonomic features:
 A, B, C, D, E, H, L, M, N, Q, R, U

1256-8	1107	1187	1255	1332	1460	1577	1695	1797	1925	2045	2207	2437
---------------	------	------	------	------	------	------	------	------	------	------	------	------

OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
W	D	H	W	D	H	W	H

IN	28	24.5	44.5	23.5	17-20	17-22	22	22-27.25
MM	711	622	1130	597	432-508	432-559	559	559-692

RTA 00 1 per carton

ROBUST



model 2527



model 2526







Optional Memory Foam
See right for details.

STANDARD FEATURES

- Heavy duty chair rated for multi-shift users up to 500 lbs.
- Standard with a six prong, oval tubular steel base (32" in diameter) in Black only.
- Standard with a solid steel loop style arm. The arm is vinyl dipped to be warm to the touch and impact absorbent.
- Arms are width adjustable for an extra 2" on each side, providing additional room and comfort for users.
- Side tension adjustment can be reached from a seated position.
- Standard with Ultracell high density, highly resilient foam on seat and back.
- Large diameter 3" Black casters provide easier mobility. Casters are suitable for hard surface flooring or carpet.
- For 24 hour application, Global's Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.
- Upholstery options: fabric only.
Robust has a two-tone fabric combination; chosen fabric + Black trim.

OPTIONAL FEATURES


- There are no caster or arm options for this series.
- Optional abrasion resistant outer back fabric (polyester) is available. Resistant to impact damage. Available in Black only. Please specify **(BKB)**. Add \$9.

DESCRIPTION	FEATURES	MODEL #	STANDARD TEXTILE GRADES																																						
 <p>HB Heavy Duty Multi-Tilter w/Headrest COM: 3.25 YD 2.97 M Unit weight: 92 LB 41.8 KG Carton weight: 118 LB 53.52 KG Carton volume: 33.5 FT³ 0.94 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (9) Infinite position tilt lock Center tilt action</p> <p>Ergonomic features: A, B, C, F, G, M, N, Q, S</p>		1	2	3	4	5	6	7	8	9	10	11	12																											
		2526	-	2418	2506	2607	2772	2925	3078	3211	3377	3533	3744	4043																											
		<p>OVERALL DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>D</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>29</td> <td>27.5</td> <td>50.5</td> </tr> <tr> <td>MM</td> <td>737</td> <td>699</td> <td>1283</td> </tr> </tbody> </table>				W	D	H	IN	29	27.5	50.5	MM	737	699	1283	<p>SEAT DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>D</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>25.5</td> <td>20</td> <td>16.5-20.5</td> </tr> <tr> <td>MM</td> <td>648</td> <td>508</td> <td>419-521</td> </tr> </tbody> </table>				W	D	H	IN	25.5	20	16.5-20.5	MM	648	508	419-521	<p>BACK DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>22</td> <td>30</td> </tr> <tr> <td>MM</td> <td>559</td> <td>762</td> </tr> </tbody> </table>				W	H	IN	22	30	MM
	W	D	H																																						
IN	29	27.5	50.5																																						
MM	737	699	1283																																						
	W	D	H																																						
IN	25.5	20	16.5-20.5																																						
MM	648	508	419-521																																						
	W	H																																							
IN	22	30																																							
MM	559	762																																							
<p>RTA 00 1 per carton</p>																																									
 <p>MB Heavy Duty Multi-Tilter COM: 3 YD 2.74 M Unit weight: 90 LB 40.9 KG Carton weight: 114 LB 51.71 KG Carton volume: 29.5 FT³ 0.84 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (9) Infinite position tilt lock Center tilt action</p> <p>Ergonomic features: A, B, C, F, G, M, N, Q, S</p>		1	2	3	4	5	6	7	8	9	10	11	12																											
		2527	-	2240	2321	2414	2567	2708	2849	2972	3125	3269	3464	3740																											
		<p>OVERALL DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>D</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>29</td> <td>26.5</td> <td>42.5</td> </tr> <tr> <td>MM</td> <td>737</td> <td>673</td> <td>1080</td> </tr> </tbody> </table>				W	D	H	IN	29	26.5	42.5	MM	737	673	1080	<p>SEAT DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>D</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>25.5</td> <td>20</td> <td>16.5-20.5</td> </tr> <tr> <td>MM</td> <td>648</td> <td>508</td> <td>419-521</td> </tr> </tbody> </table>				W	D	H	IN	25.5	20	16.5-20.5	MM	648	508	419-521	<p>BACK DIMENSIONS</p> <table border="1"> <thead> <tr> <th></th> <th>W</th> <th>H</th> </tr> </thead> <tbody> <tr> <td>IN</td> <td>22</td> <td>24</td> </tr> <tr> <td>MM</td> <td>559</td> <td>610</td> </tr> </tbody> </table>				W	H	IN	22	24	MM
	W	D	H																																						
IN	29	26.5	42.5																																						
MM	737	673	1080																																						
	W	D	H																																						
IN	25.5	20	16.5-20.5																																						
MM	648	508	419-521																																						
	W	H																																							
IN	22	24																																							
MM	559	610																																							
<p>RTA 00 1 per carton</p>																																									

SAXON



model 2512-3



Arm Feature
Arms are designed to flip up and down to accommodate people wearing equipment belts.

STANDARD FEATURES

- Rated for multi-shift use by persons up to 350 lbs.
- Standard with a dual cushion Ultracell foam seat and heavily padded back for exceptional comfort.
- Abrasion resistant outer back fabric (polyester) is standard. Resistant to impact damage. Available in Black only.
- Standard with (VL) fold up arms. Arms fold up and down to accommodate users who wear equipment belts, such as police officers and 911 operators.
- Standard with ratchet back height adjustment (2.25").
- Side activated sliding seat depth adjustment is standard.
- For 24 hour application, Global's Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.
- Back support upright is 3" wide for extra strength.
- Five prong, injection molded, fiberglass reinforced nylon Black base with dual wheel carpet casters (C10).
- Upholstery options: fabric and vinyl only. Vinyl models may feature stitch detail across the seat and/or back cushions, if applicable.

OPTIONAL FEATURES

- For hard surface flooring casters, please specify (C10R). Add \$20.
- For additional arm/caster options, please refer to the Arm and Caster section (page 335). *Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited.*

DESCRIPTION



HB Heavy Duty Multi-Tilter
COM: 2.25 YD | 2.06 M
Unit weight: 53 LB | 24.1 KG
Carton weight: 60 LB | 27.22 KG
Carton volume: 13 FT³ | 0.36 M³

FEATURES



ADJUSTMENTS
(1) Tilt tension
(2) Pneumatic seat height
(3) Back angle
(4) Seat angle
(6) Back/lumbar height
Sliding seat depth
(9) Infinite position tilt lock
Center tilt action

Ergonomic features:
A, B, C, D, E, F, G, H, M, N, Q, S

MODEL #

STANDARD TEXTILE GRADES

	1	2	3	4	5	6	7	8	9	10	11	12
2512-3	-	1530	1591	1661	1775	1881	1987	2079	2194	2302	2448	2655

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H
IN	27.5	25	39.5	22.5	19-21.5	18-22	20	19.5-22
MM	699	635	1003	572	483-546	457-559	508	495-559

RTA 2 1 per carton

VION TS



model TS6321-3



model TS6331-3

VION FINISHES - TASK SEATING				
Back Frame	Base	SPECIFY CODE	Arm Options	SPECIFY CODE
Black	Black	BLK	Adjustable "T" arm (Black) Adjustable "T" arm, fixed armcap (Black) Adjustable "T" arm (Black, Chrome accent) Adj. "T" arm, fixed armcap (Black, Chrome accent)	AS AF AC AD
	Polished aluminum	BAU Add \$131		
Shadow	Shadow	SHW Add \$131	Adjustable "T" arm (Shadow) Adjustable "T" arm, fixed armcap (Shadow) Adjustable "T" arm (Shadow, Chrome accent) Adj. "T" arm, fixed armcap (Shadow, Chrome accent)	SHA SHF FC CF
	Polished aluminum	SAU Add \$131		
Fog	Fog	FOG Add \$131	Adjustable "T" arm (Fog) Adjustable "T" arm, fixed armcap (Fog) Adjustable "T" arm (Fog, Chrome accent) Adj. "T" arm, fixed armcap (Fog, Chrome accent)	FA FF FC CF
	Polished aluminum	FAU Add \$131	Fixed "C" arm (Black) Fixed "C" arm (Shadow) Fixed "C" arm (Fog) Fixed "C" arm (polished aluminum)	C SHC CC CA Add \$111





* All arms have Black SSU armcaps.

STANDARD FEATURES

- TS models are available within the standard Vion series. TS stands for "three shift" and each of the TS models are rated for 24/7 applications as well as weight rated up to 350 lbs.
- Multi-tilter models feature a heavy duty mechanism.
- Multi-tilters are standard with pneumatic seat height. Forward and rearward seat tilt with infinite lock and free floating back angle control. Tilt tension control.
- Side activated sliding seat depth adjustment is standard on multi-tilters.
- All models are standard with either Ultracell or molded heavy duty seat foam.
- All models have a heavy duty 3" wide back upright.
- Five prong, injection molded, fiberglass reinforced nylon Governor base (B7) with dual wheel carpet casters (C1).
- Standard with height and width adjustable T-arms with sliding armcaps.
- Mesh back models are available in ten standard Vion Mesh colors: Aqua (MS75), Black (MS69), Black Cherry (MS76), Blue (MS72), Dust (MS77), Ivory (MS78), Natural (MS74), Paprika (MS79), Rope (MS73) and Stone (MS71).
- For 24 hour applications, Global's Limited Lifetime Warranty is applicable only on fabrics that are rated for 100,000 double rubs.
- Upholstery options: fabric, vinyl or leather. Vinyl and leather models may feature stitch detail across the seat and/or back cushions, if applicable. Grade 2 and above textiles are recommended for 24/7 applications.
- Upholstered back models feature Black fabric (Jenny JN02) on the back side.

OPTIONAL FEATURES

- Vion back frames, arms and bases are available in three colors: Black, Shadow and Fog. See Vion finishes chart for options and upcharges. Armcaps are always Black.
- Mesh back models are also available in ten Dimension Mesh colors: Berry (DBE), Black (DBK), Chalk (DCL), Charcoal (DCH), Citrus (DCT), Cobalt (DCO), Fog (DST), Pool Blue (DPB), Sand (DSD), Shadow (DGM). Add \$25.
- Upholstered back models offer a Matching Outer (MO) upholstery option. Due to the additional material needed, these models are listed separately and are priced differently than the standard upholstered back models.
- Optional lumbar pad can be added at time of order, please specify (LS). Add \$17. Lumbar pad can also be ordered after sale as a kit, specify model 6339, add \$33. The lumbar pad is adjustable up to 3".
- Seat available in memory foam, please specify (MF). Add \$106.
- Petite seat models (2" shorter and 2" narrower than the standard size seat) are available. Please specify by adding (P) to the model code. No upcharge.
- For hard surface flooring casters, please specify (C9R). Add \$21.

DESCRIPTION	FEATURES	MODEL #	STANDARD TEXTILE GRADES											
			1	2	3	4	5	6	7	8	9	10	11	12
 <p>Vion TS HB Heavy Duty Multi-Tilter - Mesh Back COM: 1 YD 0.91 M Unit weight: 50 LB 22.7 KG Carton weight: 62 LB 28.12 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p> <p>Ergonomic features: A, B, C, E, F, G, H, M, N, Q, U, S</p>	TS6321-3	1340	1372	1399	1430	1481	1528	1575	1616	1667	1715	1780	1872
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
IN	25.5	24	41	20	17-19.5	17.5-21.5	18.5	23						
MM	648	610	1041	508	432-495	445-546	470	584						
			RTA 2	courier		1 per carton								
 <p>Vion TS MB Heavy Duty Multi-Tilter - Mesh Back COM: 1 YD 0.91 M Unit weight: 48 LB 21.8 KG Carton weight: 60 LB 27.22 KG Carton volume: 10.5 FT³ 0.29 MT³</p>	 <p>ADJUSTMENTS (1) Tilt tension (2) Pneumatic seat height (3) Back angle (4) Seat angle (6) Back/lumbar height (8) Sliding seat depth (9) Infinite position tilt lock</p> <p>Ergonomic features: A, B, C, E, F, G, H, M, N, Q, U, S</p>	TS6322-3	1279	1311	1338	1369	1420	1467	1514	1555	1606	1654	1719	1811
			OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS					
			W	D	H	W	D	H	W	H				
IN	25.5	24	39	20	17-19.5	17.5-21.5	18.5	21						
MM	648	610	991	508	432-495	445-546	470	533						
			RTA 2	courier		1 per carton								


DESCRIPTION FEATURES MODEL# STANDARD TEXTILE GRADES



Vion TS

HB Heavy Duty Multi-Tilter - Upholstered Back

COM: 1.25 YD | 1.14 M
 Unit weight: 51 LB | 23.2 KG
 Carton weight: 63 LB | 28.58 KG
 Carton volume: 10.5 FT³ | 0.29 MT³



ADJUSTMENTS

- (1) Tilt tension
- (2) Pneumatic seat height
- (3) Back angle
- (4) Seat angle
- (6) Back/lumbar height
- (8) Sliding seat depth
- (9) Infinite position tilt lock

Ergonomic features:
 A, B, C, E, F, G, H, M, N, Q, U, S

MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
TS6331-3	1340	1380	1414	1453	1516	1575	1634	1685	1749	1809	1890	2005
TS6331-3MO	1400	1464	1518	1580	1682	1776	1870	1952	2054	2150	2280	2464

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H

IN	25.5	24	41	20	17-19.5	17.5-21.5	18.5	23
MM	648	610	1041	508	432-495	445-546	470	584


RTA 2 1 per carton



Vion TS

MB Heavy Duty Multi-Tilter - Upholstered Back

COM: 1.25 YD | 1.14 M
 Unit weight: 49 LB | 22.3 KG
 Carton weight: 61 LB | 27.67 KG
 Carton volume: 10.5 FT³ | 0.29 MT³



ADJUSTMENTS

- (1) Tilt tension
- (2) Pneumatic seat height
- (3) Back angle
- (4) Seat angle
- (6) Back/lumbar height
- (8) Sliding seat depth
- (9) Infinite position tilt lock

Ergonomic features:
 A, B, C, E, F, G, H, M, N, Q, U, S

MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
TS6332-3	1279	1319	1353	1392	1455	1514	1573	1624	1688	1748	1829	1944
TS6332-3MO	1340	1404	1458	1520	1622	1716	1810	1892	1994	2090	2220	2404


	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H

IN	25.5	24	39	20	17-19.5	17.5-21.5	18.5	21
MM	648	610	991	508	432-495	445-546	470	533

RTA 2 1 per carton

List price

6339 33



Vion S

Lumbar Pad Kit

COM: N/A
 Unit weight: 0.5 LB | 0.2 KG
 Carton weight: 1.5 LB | 0.68 KG
 Carton volume: 0.5 FT³ | 0.01 MT³

	OVERALL DIMENSIONS			SEAT DIMENSIONS			BACK DIMENSIONS	
	W	D	H	W	D	H	W	H

IN	10.25	3.5	5.25	-	-	-	-	-
MM	260	89	133	-	-	-	-	-

RTA 00 1 per carton