UNIVERSAL PANELS **DIVIDER PANELS** 

#### GCPPVACH • Universal Polypropylene Divider Panels - H Configuration PRODUCT



- · Universal Polypropylene Divider Panels dividing space with flexibility. · Lightweight and easy to clean partitions.
- GCPPVACH666085 1888 · Minimal footprint for storage. • Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT - Designer White or TUN - Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- · Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- Planning stations are preconfigured in a back-to-back H with ability to add stations with a T configuration.

#### GCPPVACT • Universal Polypropylene Divider Panels - T Configuration



· Universal Polypropylene Divider Panels dividing space with flexibility. PRODUCT PRICE SIZE/INCHES WEIGHT VOL Lightweight and easy to clean partitions. LBS FT<sup>3</sup> GCPPVACT666085 1202 · Minimal footprint for storage. 66 60 85 73 11.82

CODE

PRICE

SIZE/INCHES

Н

66

VOL

FT<sup>3</sup>

18.74

WEIGHT

LBS

90

- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- · Planning stations are preconfigured in a back-to-back H with ability to add stations with a T configuration.

#### GCPPVACU · Universal Polypropylene Divider Panels - U Configuration




- PRODUCT VOL · Universal Polypropylene Divider Panels dividing space with flexibility. PRICE SIZE/INCHES WEIGHT · Lightweight and easy to clean partitions. CODE LBS FT<sup>3</sup> GCPPVACU666043 1205 66 60 43 11.82 73
- · Minimal footprint for storage.
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- · Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- · Planning stations are preconfigured in a back-to-back U with ability to add stations with an L configuration.

### GCPPVACL · Universal Polypropylene Divider Panels - L Configuration



- · Universal Polypropylene Divider Panels dividing space with flexibility. PRODUCT SIZE/INCHES VOL PRICE WEIGHT · Lightweight and easy to clean partitions. Н LBS FT<sup>3</sup> GCPPVACL666043 859 8.36 60 43 58 · Minimal footprint for storage. 66
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- Includes all connecting hardware and 1" levelling glide.
- · Stations are 60" wide by 42" deep by 66" high.
- · Planning stations are preconfigured in a back-to-back U with ability to add stations with an L configuration.

# GCUPFSP • Freestanding Divider Polycarbonate Screen With Flat



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat feet.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- Please choose any standard paint finish for frame and feet.

lat Feet						
PRODUCT	PRICE	SIZE/INCHES			WEIGHT	VOL
CODE		Н	W	D	LBS	FT <sup>3</sup>
GCUPFSP5424	471	51.75	24	20	15.96	14.38
GCUPFSP5430	518	51.75	30	20	17.96	17.97
GCUPFSP5436	560	51.75	36	20	19.96	21.56
GCUPFSP5442	607	51.75	42	20	21.96	25.16
GCUPFSP5448	614	51.75	48	20	20.96	28.75
GCUPFSP5460	741	51.75	60	20	22.96	35.94
GCUPFSP6024	482	57.75	24	20	17.96	16.04
GCUPFSP6030	527	57.75	30	20	19.96	20.05
GCUPFSP6036	570	57.75	36	20	21.96	24.06
GCUPFSP6042	616	57.75	42	20	23.96	28.07
GCUPFSP6048	625	57.75	48	20	25.96	32.08
GCUPFSP6060	752	57.75	60	20	27.96	40.10
GCUPFSP7230	608	69.75	30	20	21.96	24.22
GCUPFSP7236	663	69.75	36	20	23.96	29.06
GCUPFSP7242	737	69.75	42	20	25.96	33.91
GCUPFSP7248	744	69.75	48	20	27.96	38.75
GCUPFSP7260	858	69.75	60	20	29.96	48.44

## GCUPMSP · Freestanding Divider Polycarbonate Screen With Casters



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel feet with casters.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- · Please choose any standard paint finish for frame and feet.

Casters -						
PRODUCT Code	PRICE	SIZE/INCI H	IES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPMSP5424	697	52.05	24	20	17.13	14.46
GCUPMSP5430	744	52.05	30	20	19.13	18.07
GCUPMSP5436	726	52.05	36	20	21.13	21.69
GCUPMSP5442	771	52.05	42	20	23.13	25.30
GCUPMSP5448	778	52.05	48	20	22.13	28.92
GCUPMSP5460	895	52.05	60	20	24.13	36.15
GCUPMSP6024	655	58.05	24	20	19.13	16.13
GCUPMSP6030	697	58.05	30	20	21.13	20.16
GCUPMSP6036	737	58.05	36	20	23.13	24.19
GCUPMSP6042	780	58.05	42	20	25.13	28.22
GCUPMSP6048	788	58.05	48	20	27.13	32.25
GCUPMSP6060	905	58.05	60	20	29.13	40.31
GCUPMSP7230	891	70.05	30	20	23.13	24.32
GCUPMSP7236	833	70.05	36	20	25.13	29.19
GCUPMSP7242	890	70.05	42	20	27.13	34.05
GCUPMSP7248	898	70.05	48	20	29.13	38.92
GCUPMSP7260	1003	70.05	60	20	31.13	48.65


# GCUPSHP • Shared Divider Polycarbonate Screen



- · Provides privacy and divides space for workstations.
- · Divider stands on the floor and sits on the worksurface.
- · Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat foot.
- Option for 54" and 60" high.
- Extends 24" from the worksuface.
- Sits 24" or 30" above worksurface.
- Please choose any standard paint finish for frame and feet.

PRODUCT CODE	PRICE	SIZE/INCI H	HES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPSHP5448	484	53.57	48	20	13.45	29.76
GCUPSHP5454	506	53.57	54	20	15.45	33.48
GCUPSHP6048	525	59.57	48	20	17.45	33.09
GCUPSHP6054	551	59.57	54	20	19.45	37.23

## GCUPFSF · Freestanding Divider Felt Screen With Flat Feet



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- · Consists of a powder coated aluminum frame, felt and steel flat feet.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- · Please choose any standard paint finish for frame and feet.

PRODUCT CODE   PRICE H   SIZE   INCHES W D   W D   LBS   FT³     GCUPFSF5424   422   51.75   24   20   19.58   14.38     GCUPFSF5430   446   51.75   30   20   20.32   17.97     GCUPFSF5436   454   51.75   36   20   21.06   21.56     GCUPFSF5442   477   51.75   42   20   21.8   25.16     GCUPFSF5448   485   51.75   48   20   22.54   28.75     GCUPFSF6024   431   57.75   24   20   20.38   16.04     GCUPFSF6030   457   57.75   30   20   21.11   20.05     GCUPFSF6042   492   57.75   36   20   21.84   24.06     GCUPFSF6048   495   57.75   42   20   22.57   28.07     GCUPFSF6060   605   57.75   42   20   22.57   28.07     GCUPFSF7230   507   69.75 <td< th=""><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>							
GCUPFSF5424   422   51.75   24   20   19.58   14.38     GCUPFSF5430   446   51.75   30   20   20.32   17.97     GCUPFSF5436   454   51.75   36   20   21.06   21.56     GCUPFSF5442   477   51.75   42   20   21.8   25.16     GCUPFSF5448   485   51.75   48   20   22.54   28.75     GCUPFSF5460   596   51.75   60   20   24.03   35.94     GCUPFSF6024   431   57.75   24   20   20.38   16.04     GCUPFSF6030   457   57.75   30   20   21.11   20.05     GCUPFSF6042   492   57.75   42   20   22.57   28.07     GCUPFSF6048   495   57.75   42   20   22.57   28.07     GCUPFSF6060   605   57.75   48   20   23.3   32.08     GCUPFSF7230   507   69.75		PRICE					
GCUPFSF5430 446 51.75 30 20 20.32 17.97   GCUPFSF5436 454 51.75 36 20 21.06 21.56   GCUPFSF5442 477 51.75 42 20 21.8 25.16   GCUPFSF5448 485 51.75 48 20 22.54 28.75   GCUPFSF5460 596 51.75 60 20 24.03 35.94   GCUPFSF6024 431 57.75 24 20 20.38 16.04   GCUPFSF6030 457 57.75 30 20 21.11 20.05   GCUPFSF6036 464 57.75 36 20 21.84 24.06   GCUPFSF6042 492 57.75 42 20 22.57 28.07   GCUPFSF6048 495 57.75 48 20 23.3 32.08   GCUPFSF7230 605 57.75 60 20 24.87 40.10   GCUPFSF7236 515 69.75 36 20 23.24 29.06	CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPFSF5436   454   51.75   36   20   21.06   21.56     GCUPFSF5442   477   51.75   42   20   21.8   25.16     GCUPFSF5448   485   51.75   48   20   22.54   28.75     GCUPFSF5460   596   51.75   60   20   24.03   35.94     GCUPFSF6024   431   57.75   24   20   20.38   16.04     GCUPFSF6030   457   57.75   30   20   21.11   20.05     GCUPFSF6036   464   57.75   36   20   21.84   24.06     GCUPFSF6042   492   57.75   42   20   22.57   28.07     GCUPFSF6048   495   57.75   48   20   23.3   32.08     GCUPFSF6060   605   57.75   60   20   24.87   40.10     GCUPFSF7230   507   69.75   30   20   22.42   24.22     GCUPFSF7236   515   69.75	GCUPFSF5424	422	51.75	24	20	19.58	14.38
GCUPFSF5442   477   51.75   42   20   21.8   25.16     GCUPFSF5448   485   51.75   48   20   22.54   28.75     GCUPFSF5460   596   51.75   60   20   24.03   35.94     GCUPFSF6024   431   57.75   24   20   20.38   16.04     GCUPFSF6030   457   57.75   30   20   21.11   20.05     GCUPFSF6036   464   57.75   36   20   21.84   24.06     GCUPFSF6042   492   57.75   42   20   22.57   28.07     GCUPFSF6048   495   57.75   48   20   23.3   32.08     GCUPFSF6060   605   57.75   60   20   24.87   40.10     GCUPFSF7230   507   69.75   30   20   22.42   24.22     GCUPFSF7236   515   69.75   36   20   23.24   29.06	GCUPFSF5430	446	51.75	30	20	20.32	17.97
GCUPFSF5448 485 51.75 48 20 22.54 28.75   GCUPFSF5460 596 51.75 60 20 24.03 35.94   GCUPFSF6024 431 57.75 24 20 20.38 16.04   GCUPFSF6030 457 57.75 30 20 21.11 20.05   GCUPFSF6036 464 57.75 36 20 21.84 24.06   GCUPFSF6042 492 57.75 42 20 22.57 28.07   GCUPFSF6048 495 57.75 48 20 23.3 32.08   GCUPFSF6060 605 57.75 60 20 24.87 40.10   GCUPFSF7230 507 69.75 30 20 22.42 24.22   GCUPFSF7236 515 69.75 36 20 23.24 29.06		454	51.75		20		
GCUPFSF5460   596   51.75   60   20   24.03   35.94     GCUPFSF6024   431   57.75   24   20   20.38   16.04     GCUPFSF6030   457   57.75   30   20   21.11   20.05     GCUPFSF6036   464   57.75   36   20   21.84   24.06     GCUPFSF6042   492   57.75   42   20   22.57   28.07     GCUPFSF6048   495   57.75   48   20   23.3   32.08     GCUPFSF6060   605   57.75   60   20   24.87   40.10     GCUPFSF7230   507   69.75   30   20   22.42   24.22     GCUPFSF7236   515   69.75   36   20   23.24   29.06			0 0				
GCUPFSF6024 431 57.75 24 20 20.38 16.04 GCUPFSF6030 457 57.75 30 20 21.11 20.05 GCUPFSF6036 464 57.75 36 20 21.84 24.06 GCUPFSF6042 492 57.75 42 20 22.57 28.07 GCUPFSF6048 495 57.75 48 20 23.3 32.08 GCUPFSF6060 605 57.75 60 20 24.87 40.10 GCUPFSF7230 507 69.75 30 20 22.42 24.22 GCUPFSF7236 515 69.75 36 20 23.24 29.06	00011010		01.70				
GCUPFSF6030 457 57.75 30 20 21.11 20.05   GCUPFSF6036 464 57.75 36 20 21.84 24.06   GCUPFSF6042 492 57.75 42 20 22.57 28.07   GCUPFSF6048 495 57.75 48 20 23.3 32.08   GCUPFSF6060 605 57.75 60 20 24.87 40.10   GCUPFSF7230 507 69.75 30 20 22.42 24.22   GCUPFSF7236 515 69.75 36 20 23.24 29.06	GCUPFSF5460	596	51.75	60	20	24.03	35.94
GCUPFSF6030 457 57.75 30 20 21.11 20.05   GCUPFSF6036 464 57.75 36 20 21.84 24.06   GCUPFSF6042 492 57.75 42 20 22.57 28.07   GCUPFSF6048 495 57.75 48 20 23.3 32.08   GCUPFSF6060 605 57.75 60 20 24.87 40.10   GCUPFSF7230 507 69.75 30 20 22.42 24.22   GCUPFSF7236 515 69.75 36 20 23.24 29.06							
GCUPFSF6036 464 57.75 36 20 21.84 24.06 GCUPFSF6042 492 57.75 42 20 22.57 28.07 GCUPFSF6048 495 57.75 48 20 23.3 32.08 GCUPFSF6060 605 57.75 60 20 24.87 40.10 GCUPFSF7230 507 69.75 30 20 22.42 24.22 GCUPFSF7236 515 69.75 36 20 23.24 29.06		431			20		
GCUPFSF6042 492 57.75 42 20 22.57 28.07   GCUPFSF6048 495 57.75 48 20 23.3 32.08   GCUPFSF6060 605 57.75 60 20 24.87 40.10   GCUPFSF7230 507 69.75 30 20 22.42 24.22   GCUPFSF7236 515 69.75 36 20 23.24 29.06			07.70			2 1	
GCUPFSF6048 495 57.75 48 20 23.3 32.08 GCUPFSF6060 605 57.75 60 20 24.87 40.10 GCUPFSF7230 507 69.75 30 20 22.42 24.22 GCUPFSF7236 515 69.75 36 20 23.24 29.06			07170				
GCUPFSF6060 605 57.75 60 20 24.87 40.10 GCUPFSF7230 507 69.75 30 20 22.42 24.22 GCUPFSF7236 515 69.75 36 20 23.24 29.06	00000		07.70			22.07	
GCUPFSF7230 507 69.75 30 20 22.42 24.22 GCUPFSF7236 515 69.75 36 20 23.24 29.06			07170				
GCUPFSF7236 515 69.75 36 20 23.24 29.06	GCUPFSF6060	605	57.75	60	20	24.87	40.10
GCUPFSF7236 515 69.75 36 20 23.24 29.06							
		00,	0 2 0				
GCUPFSF7242 603 69.75 42 20 24.06 33.91							
	00011017212	000					00.5.
GCUPFSF7248 611 69.75 48 20 24.88 38.75			0 2 1 7 0				
GCUPFSF7260 762 69.75 60 20 29.79 48.44	GCUPFSF7260	762	69.75	60	20	29.79	48.44


## GCUPMSF · Freestanding Felt Divider Screen With Casters



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, felt and steel feet with casters.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- · Please choose any standard paint finish for frame and feet.

PRODUCT Code	PRICE	SIZE/INCH H	IES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPMSF5424	600	52.05	24	20	20.76	14.46
GCUPMSF5430	622	52.05	30	20	21.5	18.07
GCUPMSF5436	629	52.05	36	20	22.24	21.69
GCUPMSF5442	651	52.05	42	20	22.98	25.30
GCUPMSF5448	658	52.05	48	20	23.72	28.92
GCUPMSF5460	761	52.05	60	20	25.21	36.15
GCUPMSF6024	609	58.05	24	20	21.47	16.13
GCUPMSF6030	631	58.05	30	20	22.23	20.16
GCUPMSF6036	638	58.05	36	20	22.99	24.19
GCUPMSF6042	660	58.05	42	20	23.75	28.22
GCUPMSF6048	668	58.05	48	20	24.51	32.25
GCUPMSF6060	769	58.05	60	20	26.05	40.31
GCUPMSF7230	679	70.05	30	20	23.6	24.32
GCUPMSF7236	688	70.05	36	20	24.42	29.19
GCUPMSF7242	767	70.05	42	20	25.24	34.05
GCUPMSF7248	774	70.05	48	20	26.06	38.92
GCUPMSF7260	915	70.05	60	20	30.97	48.65

#### GCUPSHF · Shared Divider Felt Screen



- · Provides privacy and divides space for workstations.
- Divider stands on the floor and sits on the worksurface.
- Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat foot.
- Option for 54" and 60" high.
- Extends 24" from the worksuface.
- Sits 24" or 30" above worksurface.
- $\bullet\,$  Please choose any standard paint finish for frame and feet.

PRODUCT	PRICE	SIZE/INCH	SIZE/INCHES			VOL
CODE		Н	W	D	LBS	FT <sup>3</sup>
GCUPSHF5448	399	53.57	48	20	18.06	29.76
GCUPSHF5454	455	53.57	54	20	18.8	33.48
GCUPSHF6048	425	59.57	48	20	18.84	33.09
GCUPSHF6054	561	59 57	54	20	196	37 23

# GCUPFSG • Freestanding Divider Glass Screen with Flat Feet



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- · Consists of an aluminum frame, clear glass screen and steel flat feet.
- Please choose any standard panel frame paint finish from Global Contract for all metal parts.
- Option for 54" / 60" high.
- Upcharge for frosted (FRST) glass is 20%.

PRODUCT	PRICE	SIZE/INCI	IES		WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPFSG5424	553	51.75	24	20	30.83	14.38
GCUPFSG5430	601	51.75	30	20	34.95	17.97
GCUPFSG5436	649	51.75	36	20	39.07	21.56
GCUPFSG5442	696	51.75	42	20	43.19	25.16
GCUPFSG5448	744	51.75	48	20	47.31	28.75
GCUPFSG5460	839	51.75	60	20	55.56	35.94
GCUPFSG6024	586	57.75	24	20	33.11	16.04
GCUPFSG6030	638	57.75	30	20	37.74	20.05
GCUPFSG6036	691	57.75	36	20	42.36	24.06
GCUPFSG6042	743	57.75	42	20	46.99	28.07
GCUPFSG6048	796	57.75	48	20	51.61	32.08
GCUPFSG6060	901	57.75	60	20	60.86	40.10


# GCUPMSG • Freestanding Divider Glass Screen with Casters



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- · Consists of an aluminum frame, clear glass screen and steel flat feet.
- Please choose any standard panel frame paint finish from Global Contract for all metal parts.
- Option for 54" / 60" high.
- Upcharge for frosted (FRST) glass is 20%.

PRODUCT	PRICE	SIZE/INCH	IES		WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPMSG5424	793	52.05	24	20	31.99	14.46
GCUPMSG5430	840	52.05	30	20	36.11	18.07
GCUPMSG5436	888	52.05	36	20	40.24	21.69
GCUPMSG5442	935	52.05	42	20	44.36	25.30
GCUPMSG5448	983	52.05	48	20	48.48	28.92
GCUPMSG5460	1078	52.05	60	20	56.72	36.15
GCUPMSG6024	825	58.05	24	20	34.28	16.13
GCUPMSG6030	878	58.05	30	20	38.9	20.16
GCUPMSG6036	930	58.05	36	20	43.53	24.19
GCUPMSG6042	982	58.05	42	20	48.15	28.22
GCUPMSG6048	1034	58.05	48	20	52.78	32.25
GCUPMSG6060	1140	58.05	60	20	62.03	40.31

#### GCUPSHG · Shared Divider Glass Screen



- · Provides privacy and divides space for workstations.
- · Divider stands on the floor and sits on the worksurface.
- Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, clear glass screen and steel flat foot.
- Option for 54" / 60" high.
- Extends 24" from the worksuface.
- Sits 24" or 30" above worksurface.
- · Please choose any standard paint finish for frame and feet.
- Upcharge for frosted (FRST) glass is 20%.

PRODUCT	PRICE	SIZE/INCH	IES	WEIGHT	VOL	
CODE		Н	W	D	LBS	FT <sup>3</sup>
GCUPSHG5448	611	53.57	48	20	36.17	29.76
GCUPSHG5454	638	53.57	54	20	38.51	33.48
GCUPSHG6048	660	59.57	48	20	40.52	33.09
GCUPSHG6054	693	59.57	54	20	43.36	37.23