VOL

FT<sup>3</sup>

18 74

#### GCPPVACH • Universal Polypropylene Divider Panels - H Configuration






- Lightweight and easy to clean partitions.
- Minimal footprint for storage.
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- · Planning stations are preconfigured in a back-to-back H with ability to add stations with a T configuration.

#### GCPPVACT • Universal Polypropylene Divider Panels - T Configuration



- Universal Polypropylene Divider Panels dividing space **PRODUCT** SIZE/INCHES WEIGHT VOL with flexibility. CODE W LBS FT<sup>3</sup> 11.82 GCPPVACT666085 1202 85 Lightweight and easy to clean partitions. 66 60 73
- · Minimal footprint for storage.
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- Planning stations are preconfigured in a back-to-back H with ability to add stations with a T configuration.

# GCPPVACU · Universal Polypropylene Divider Papels - II Configuration



versai i diypiopyielle bividei i alle	is o collitual a							
· Universal Polypropylene Divider Panels dividing space	PRODUCT	PRICE	SIZE/INCHES		WEIGHT	VOL		
with flexibility.	CODE		Н	W	D	LBS	FT <sup>3</sup>	
Lightweight and easy to clean partitions	GCPPVACH666043	1205	66	60	43	73	11 82	

- Minimal footprint for storage.
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- Planning stations are preconfigured in a back-to-back U with ability to add stations with an L configuration.


### GCPPVACL • Universal Polypropylene Divider Panels - L Configuration



- Universal Polypropylene Divider Panels dividing space PRODUCT WEIGHT VOL SIZE/INCHES with flexibility. LBS FT<sup>3</sup> GCPPVACL666043 859 8.36 · Lightweight and easy to clean partitions. 66 60 43 58
- · Minimal footprint for storage.
- Fluted solid white polypropylene screens surrounded by a 1/2" by 2/5" powder coated aluminum frame in DWT Designer White or TUN Tungsten
- · Charcoal soft touch radius end trim.
- 7" panel opening at panel bottom for easy cleaning and cable pass-thru.
- · Includes all connecting hardware and 1" levelling glide.
- Stations are 60" wide by 42" deep by 66" high.
- Planning stations are preconfigured in a back-to-back U with ability to add stations with an L configuration.



# GCUPFSP • Freestanding Divider Polycarbonate Screen With Flat Feet • Provides privacy and room separation. PRODUCT PRICE PRODUCT



- Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat feet.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- Please choose any standard paint finish for frame and feet.

een with Flat Fo	eet					
PRODUCT CODE	PRICE	SIZE/INCH H	ES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPFSP5424	471	51.75	24	20	15.96	14.38
GCUPFSP5430	518	51.75	30	20	17.96	17.97
GCUPFSP5436	560	51.75	36	20	19.96	21.56
GCUPFSP5442	607	51.75	42	20	21.96	25.16
GCUPFSP5448	614	51.75	48	20	20.96	28.75
GCUPFSP5460	741	51.75	60	20	22.96	35.94
GCUPFSP6024	482	57.75	24	20	17.96	16.04
GCUPFSP6030	527	57.75	30	20	19.96	20.05
GCUPFSP6036	570	57.75	36	20	21.96	24.06
GCUPFSP6042	616	57.75	42	20	23.96	28.07
GCUPFSP6048	625	57.75	48	20	25.96	32.08
GCUPFSP6060	752	57.75	60	20	27.96	40.10
GCUPFSP7230	608	69.75	30	20	21.96	24.22
GCUPFSP7236	663	69.75	36	20	23.96	29.06
GCUPFSP7242	737	69.75	42	20	25.96	33.91
GCUPFSP7248	744	69.75	48	20	27.96	38.75
GCUPFSP7260	858	69.75	60	20	29.96	48.44

## GCUPMSP · Freestanding Divider Polycarbonate Screen With Casters



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel feet with casters.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- · Please choose any standard paint finish for frame and feet.

PRODUCT CODE	PRICE	SIZE/INCH H	IES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPMSP5424	697	52.05	24	20	17.13	14.46
GCUPMSP5430	744	52.05	30	20	19.13	18.07
GCUPMSP5436	726	52.05	36	20	21.13	21.69
GCUPMSP5442	771	52.05	42	20	23.13	25.30
GCUPMSP5448	778	52.05	48	20	22.13	28.92
GCUPMSP5460	895	52.05	60	20	24.13	36.15
GCUPMSP6024	655	58.05	24	20	19.13	16.13
GCUPMSP6030	697	58.05	30	20	21.13	20.16
GCUPMSP6036	737	58.05	36	20	23.13	24.19
GCUPMSP6042	780	58.05	42	20	25.13	28.22
GCUPMSP6048	788	58.05	48	20	27.13	32.25
GCUPMSP6060	905	58.05	60	20	29.13	40.31
GCUPMSP7230	891	70.05	30	20	23.13	24.32
GCUPMSP7236	833	70.05	36	20	25.13	29.19
GCUPMSP7242	890	70.05	42	20	27.13	34.05
GCUPMSP7248	898	70.05	48	20	29.13	38.92
GCUPMSP7260	1003	70.05	60	20	31.13	48.65


## GCUPSHP · Shared Divider Polycarbonate Screen



- $\boldsymbol{\cdot}$  Provides privacy and divides space for workstations.
- $\bullet\,$  Divider stands on the floor and sits on the worksurface.
- Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat foot.
- Option for 54" and 60" high.
- Extends 24" from the worksuface.
- Sits 24" or 30" above worksurface.
- Please choose any standard paint finish for frame and feet.

PRODUCT Code	PRICE	SIZE/INCH H	IES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPSHP5448	484	53.57	48	20	13.45	29.76
GCUPSHP5454	506	53.57	54	20	15.45	33.48
GCUPSHP6048	525	59.57	48	20	17.45	33.09
GCUPSHP6054	551	59.57	54	20	19.45	37.23

# **GCUPFSF • Freestanding Divider Felt Screen With Flat Feet**



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, felt and steel flat feet.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- Please choose any standard paint finish for frame and feet.

at Feet						
PRODUCT	PRICE	SIZE/INCH	IES		WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPFSF5424	422	51.75	24	20	19.58	14.38
GCUPFSF5430	446	51.75	30	20	20.32	17.97
GCUPFSF5436	454	51.75	36	20	21.06	21.56
GCUPFSF5442	477	51.75	42	20	21.8	25.16
GCUPFSF5448	485	51.75	48	20	22.54	28.75
GCUPFSF5460	596	51.75	60	20	24.03	35.94
GCUPFSF6024	431	57.75	24	20	20.38	16.04
GCUPFSF6030	457	57.75	30	20	21.11	20.05
GCUPFSF6036	464	57.75	36	20	21.84	24.06
GCUPFSF6042	492	57.75	42	20	22.57	28.07
GCUPFSF6048	495	57.75	48	20	23.3	32.08
GCUPFSF6060	605	57.75	60	20	24.87	40.10
GCUPFSF7230	507	69.75	30	20	22.42	24.22
GCUPFSF7236	515	69.75	36	20	23.24	29.06
GCUPFSF7242	603	69.75	42	20	24.06	33.91
GCUPFSF7248	611	69.75	48	20	24.88	38.75
GCUPFSF7260	762	69.75	60	20	29.79	48.44

## GCUPMSF · Freestanding Felt Divider Screen With Casters



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, felt and steel feet with casters.
- Option for 54", 60 and 72" high.
- 72" high by 60" wide divider has a crossbar in the middle.
- · Please choose any standard paint finish for frame and feet.

PRODUCT	PRICE	SIZE/INCH	ES		WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPMSF5424	600	52.05	24	20	20.76	14.46
GCUPMSF5430	622	52.05	30	20	21.5	18.07
GCUPMSF5436	629	52.05	36	20	22.24	21.69
GCUPMSF5442	651	52.05	42	20	22.98	25.30
GCUPMSF5448	658	52.05	48	20	23.72	28.92
GCUPMSF5460	761	52.05	60	20	25.21	36.15
GCUPMSF6024	609	58.05	24	20	21.47	16.13
GCUPMSF6030	631	58.05	30	20	22.23	20.16
GCUPMSF6036	638	58.05	36	20	22.99	24.19
GCUPMSF6042	660	58.05	42	20	23.75	28.22
GCUPMSF6048	668	58.05	48	20	24.51	32.25
GCUPMSF6060	769	58.05	60	20	26.05	40.31
GCUPMSF7230	679	70.05	30	20	23.6	24.32
GCUPMSF7236	688	70.05	36	20	24.42	29.19
GCUPMSF7242	767	70.05	42	20	25.24	34.05
GCUPMSF7248	774	70.05	48	20	26.06	38.92
GCUPMSF7260	915	70.05	60	20	30.97	48.65

#### GCUPSHF · Shared Divider Felt Screen



- · Provides privacy and divides space for workstations.
- Divider stands on the floor and sits on the worksurface.
- Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, transluscent fluted polycarbonate and steel flat foot.
- Option for 54" and 60" high.
- Extends 24" from the worksuface.
- Sits 24" or 30" above worksurface.
- Please choose any standard paint finish for frame and feet.

PRODUCT Code	PRICE	SIZE/INCH H	HES W	D	WEIGHT LBS	VOL FT <sup>3</sup>
GCUPSHF5448	399	53.57	48	20	18.06	29.76
GCUPSHF5454	455	53.57	54	20	18.8	33.48
GCUPSHF6048	425	59.57	48	20	18.84	33.09
GCUPSHF6054	561	59.57	54	20	19.6	37.23



# GCUPFSG · Freestanding Divider Glass Screen with Flat Fee



- · Provides privacy and room separation.
- · Lightweight and easy to clean and move.
- · Consists of an aluminum frame, clear glass screen and
- Please choose any standard panel frame paint finish from Global Contract for all metal parts.
- Option for 54" / 60" high.
- Upcharge for frosted (FRST) glass is 20%.

PRICE	SIZE/INCH	IES		WEIGHT	VOL
	H	W	D	LBS	FT <sup>3</sup>
553	51.75	24	20	30.83	14.38
601	51.75	30	20	34.95	17.97
649	51.75	36	20	39.07	21.56
696	51.75	42	20	43.19	25.16
744	51.75	48	20	47.31	28.75
839	51.75	60	20	55.56	35.94
586	57.75	24	20	33.11	16.04
638	57.75	30	20	37.74	20.05
691	57.75	36	20	42.36	24.06
743	57.75	42	20	46.99	28.07
796	57.75	48	20	51.61	32.08
901	57.75	60	20	60.86	40.10
	553 601 649 696 744 839 586 638 691 743 796	H           553         51.75           601         51.75           649         51.75           696         51.75           744         51.75           839         51.75           586         57.75           638         57.75           691         57.75           743         57.75           796         57.75	H         W           553         51.75         24           601         51.75         30           649         51.75         36           696         51.75         42           744         51.75         48           839         51.75         60           586         57.75         24           638         57.75         30           691         57.75         36           743         57.75         42           796         57.75         48	H         W         D           553         51.75         24         20           601         51.75         30         20           649         51.75         36         20           696         51.75         42         20           744         51.75         48         20           839         51.75         60         20           586         57.75         24         20           638         57.75         30         20           691         57.75         36         20           743         57.75         42         20           796         57.75         48         20	H         W         D         LBS           553         51.75         24         20         30.83           601         51.75         30         20         34.95           649         51.75         36         20         39.07           696         51.75         42         20         43.19           744         51.75         48         20         47.31           839         51.75         60         20         55.56           586         57.75         24         20         33.11           638         57.75         30         20         37.74           691         57.75         36         20         42.36           743         57.75         42         20         46.99           796         57.75         48         20         51.61

## GCUPMSG • Freestanding Divider Glass Screen with Casters



- · Provides privacy and room separation.
- Lightweight and easy to clean and move.
- · Consists of an aluminum frame, clear glass screen and
- · Please choose any standard panel frame paint finish from Global Contract for all metal parts.
- Option for 54" / 60" high.
- · Upcharge for frosted (FRST) glass is 20%.

PRODUCT	PRICE	SIZE/INCH	ES		WEIGHT	VOL
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPMSG5424	793	52.05	24	20	31.99	14.46
GCUPMSG5430	840	52.05	30	20	36.11	18.07
GCUPMSG5436	888	52.05	36	20	40.24	21.69
GCUPMSG5442	935	52.05	42	20	44.36	25.30
GCUPMSG5448	983	52.05	48	20	48.48	28.92
GCUPMSG5460	1078	52.05	60	20	56.72	36.15
GCUPMSG6024	825	58.05	24	20	34.28	16.13
GCUPMSG6030	878	58.05	30	20	38.9	20.16
GCUPMSG6036	930	58.05	36	20	43.53	24.19
GCUPMSG6042	982	58.05	42	20	48.15	28.22
GCUPMSG6048	1034	58.05	48	20	52.78	32.25
GCUPMSG6060	1140	58.05	60	20	62.03	40.31

#### GCUPSHG · Shared Divider Glass Screen



- · Provides privacy and divides space for workstations.
- · Divider stands on the floor and sits on the worksurface.
- · Has no mechanical connection to any surface.
- · Lightweight and easy to clean and move.
- Consists of a powder coated aluminum frame, clear glass screen and steel flat foot.
- Option for 54" / 60" high.
- · Extends 24" from the worksuface.
- · Sits 24" or 30" above worksurface.
- Please choose any standard paint finish for frame and feet.
- Upcharge for frosted (FRST) glass is 20%.

PRODUCT	PRICE	SIZE/INCH	IES	WEIGHT	VOL	
CODE		H	W	D	LBS	FT <sup>3</sup>
GCUPSHG5448	611	53.57	48	20	36.17	29.76
GCUPSHG5454	638	53.57	54	20	38.51	33.48
GCUPSHG6048	660	59.57	48	20	40.52	33.09
GCUPSHG6054	693	59.57	54	20	43.36	37.23