# patient + resident room furniture

# Aldon

Accessories	33	Dressers	15
Bedside cabinets	10	Wardrobe cabinets	16

# Sonoma

Accessories	33
Bedside cabinets	23

Dressers	30
Wardrobe cabinets	31

## **ALDON**<sup>™</sup>



The Aldon series offers affordable and personalized furniture solutions for patient or resident rooms. Highly durable, Aldon's clean lines and simple design provide built-in quality to meet the demands of any healthcare environment. Tops, gables and backs are engineered for on-site maintenance and replacement to ensure long-term performance. The design incorporates smooth surfaces with a straight profile and durable finish options, demonstrating respect for housekeeping and infection prevention control practices. A 3mm PVC edge on tops, drawer and door fronts provides peace of mind for greater performance. The vast array of product and finish selections allow for individual choices while complementing the design objective. Aldon is the ideal balance of value and style.

#### **Features and Benefits**

- Tops standard with 1" thermally fused laminate with coordinating 3mm PVC edge.
- Chassis, back panels, drawer fronts, shelves and doors are constructed of ¾" thermally fused laminate.
- Constructed with NAUF (no added urea formaldehyde) particle board.
- Laminate finishes are available in a variety of colors.
- Thermofoil finishes are available on bedside cabinets.
- All chassis panels and tops can be replaced if damaged.
- Drawers are mounted on high quality precision steel full extension ball bearing slides.
- Optional high impact polystyrene insert liner can be removed for ease of room transfer and cleaning.
- Handle is attractive, easy-togrip, arc style. Standard in Tungsten finish.
- Locks are optional on bedside cabinets, dressers and wardrobes.
- Metal legs and plinth bases available on all models.
- Casters are available on bedside cabinets.
- For proper ventilation, all units have cut-outs with grommets in the back.
- For environmental certications, please visit globalfurnituregroup.com.

aloba

# A ALDON<sup>™</sup> - NOTES

#### TOPS

- Tops are field replaceable.
- Tops on all models are standard with a 1" thermally fused laminate with coordinating 3mm PVC edge.
- 1" high pressure laminate tops with coordinating 3mm PVC edge are available on bedside cabinets and dressers. For a quotation, please submit a Special Request Form to your Global representative.
- Thermofoil and solid surface finishes are available on bedside cabinets only. See right column for finishes.

## **CHASSIS**

- Constructed from 3/4" thermally fused laminate.
- Return on investment is enhanced through the ability to replace chassis panels or tops should they become damaged.

## BACK

- Back panels are constructed from 3/4" thermally fused laminate.
- · Back panels are field replaceable should they become damaged.

## DRAWERS

- Drawer fronts are constructed from 3/4" thermally fused laminate with 3mm PVC edge.
- Thermofoil finishes are available on bedside cabinets only. See right column for finishes.
- · Mounted on high quality precision steel full extension ball bearing slides.
- · Box drawer is 6" high with inside depth of 15.48".
- Drawer interiors are made of PVC-free Black vinyl particle board.
- Bottom drawer interior is fully wrapped in a Black colored durable vinyl covering.
- Soft close drawer is optional, specify (SF) at time of order. Add \$46 per drawer.

## **DRAWER INSERTS**

- The optional bedside cabinet drawer liner insert is constructed of high impact polystyrene, standard in White. Molded in one piece with no seams or joints to collect dust or bacteria, satin smooth and with rounded corners for easy clean up.
- Optional high impact polystyrene insert liner can be removed for ease of transferring personal belongings and cleaning.

## SHELVING

- Structural fixed shelves and adjustable shelves are constructed from 3/4" thermally fused laminate with coordinating 3mm PVC edge.
- Structural fixed shelves and adjustable shelves are supported with metal brackets.

## DOORS

- Constructed from ¾" thermally fused laminate with 3mm PVC edge.
- Mounted using commercial quality hinges that provide a 110° opening span for easy access to personal belongings.

## LOCKS

- · Locks are optional on bedside cabinets, dressers and wardrobes. They must be specified at time of order. Please check each model number for optional locks offered and applicable upcharges.
- Keying is available with random key, please specify (RK), or keyed alike.
- For key alike numbering sequence, please specify key number 101-120. No upcharge.

## EDGE

- Tops, door fronts and drawer fronts have coordinating 3mm PVC edge.
- Fixed and adjustable shelves have coordinating 3mm PVC front edge.
- Top radius is 1" on bedside cabinet edges.

## VENTILATION

· All units have cut-outs with grommets in the back for ventilation, reducing odor and bacteria growth.

## **BASE OPTIONS**

· Metal legs, casters and plinth base are field replaceable and interchangeable on Aldon where applicable.

## **Metal Legs**

- Available on bedside cabinets, dressers and wardrobes.
- Standard powder coated paint finishes are Black (BLK), Blizzard (BZD), Charcoal (CHR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (NEV), Sierra (SCA), Silver (SIL), Taupe (TPE), Toast (TOA) and Tungsten (TUN).
- 3" high. Levelers offer .5" to .75" adjustment for increased stability and leveling.

## Casters

- Available on bedside cabinets only.
- Constructed of commercial quality, swivel dual wheel.
- Front casters are manually locking, swivel dual wheel.
- . When ordering two locking casters the casters will be in the front of the unit for ease of access, non-locking casters will be in the back.

## **Plinth Base**

- · Available on bedside cabinets, dressers and wardrobes.
- 3" high and standard in thermally fused laminate.
- Levelers offer .5" to .75" adjustment for increased stability and leveling.

## STANDARD LAMINATE FINISHES

(ACJ) Absolute Acajou	(HLN) Hayden Linen
( <b>ASN</b> ) Asian Night	( <b>QTM</b> ) Quartered Mahogany
(AWC) Avant Cherry	(NBL) Noce Biondo
(AWH) Avant Honey	(NGL) Noce Grigio
(BLK) Black	(NEL) Noce Leggero
(BZD) Blizzard	(NML) Noce Medio
(BMX) Blizzard Matrix	(SBY) Sheer Beauty
(BRC) Brushed Cobalt	(SDT) Stonedust
(CMB) Clear Maple	(SLN) Stone Linen
(CGY) Custom Grey	(SOG) Storm
(DES) Dark Espresso	(STG) String
(DWT) Designer White	(SWX) Studio White Matrix
(GRX) Grey Matrix	(WHE) Walnut Heights
(FAS) Fashionista	(WHC) White Chocolate
(FCL) First Class	(WCR) Winter Cherry

## **THERMOFOIL FINISHES - FRONT & TOP**

- Thermofoil finishes are available on bedside cabinets only.
- (ACJTH) Absolute Acajou (CMBTH) Clear Maple (CGYTH) Custom Grey (DESTH) Dark Espresso

• Please specify by adding "TH" to the end of the model code. (DWTTH) Designer White (SOGTH) Storm Grey (WHCTH) White Chocolate (WGYTH) Willow Grey

## SPILL COLLECTOR

• Spill collector (SC) is optional on the edge of bedside cabinets with Thermofoil finish only.



#### HANDLES

- Handles require a 128mm center point if custom styles are desired.
- Handle style must be specified at time of order.
- A1 handle is standard, also offered in seven options below:



A1 Arc - Sierra



**B1** Bow - Matte Chrome

TM1



Transitional Metal Pull -

Brushed Nickel

**CM1** Contemporary Metal Pull -Matte Chrome



TM2

Transitional Metal Pull -

Matte Black

**RPH1** (add \$57/handle) Recessed - Silver

- Handles can be ordered separately (except for recessed handle). Add \$31.
   Please specify:
- (GC-A1): Arc Sierra
- (GC-A3): Arc Matte Chrome
- (GC-B1): Bow Matte Chrome
- (GC-CM1): Contemporary Metal Pull Matte Chrome
- (GC-CM2): Contemporary Metal Pull Matte Black
- (GC-TM1): Transitional Metal Pull Brushed Nickel
- (GC-TM2): Transitional Metal Pull Matte Black
- Recessed handle (RPH1) must be specified at time of order. Add \$57 per handle.
- For additional finish options, please contact your Global sales representative.
- To view the healthcare handle finish options, visit globalfurnituregroup.com and go to the Aldon finishes section.

#### **SOLID SURFACE FINISHES - TOP ONLY**

<ul> <li>See models ending</li> </ul>	n " <b>C1</b> " or " <b>C2</b> ".
Grade 1 (C1)	Grade 2 ( <b>C2</b> )

Designer White (SWH)	Beige Tempest (SBT)	Hot Stone (SHS)
	Black Onyx Mirage (SBX)	Milk Glass Spectra (SMG)
	Frosty White Mirage (SFW)	Northern Melange (SNM)



**Standard** - Laminate top, front and case



**TH** - Thermofoil top and front with laminate case



**THSC** - Thermofoil top with spillguard, fronts and laminte case



**C1/C2** - Solid surface top with laminate front and case

- **CUSTOM**Global welcomes the opportunity to provide special request quotations for project
- business. For pricing, visit the Dealer Centre and click on "Specials" on the left sidebar to submit your request.

## SHIPPING

- · All products are shipped assembled, one per carton.
- Allow 4-6 weeks for delivery

aloba

## A ALDON<sup>™</sup>

# PATIENT + RESIDENT ROOM FURNITURE

BEDSIDE CABINETS	MODEL #		WEIGHT KG	VOLUME MT'	LIST PRICE	
	GCEXBT01CN	21.38 x 22.14 x 30	96	8.5	\$1004	
	GCEXBT01CNTH	543 x 562 x 762	43.54	0.24	¢1070	
	w/Thermofoil top a	nd front			\$1378	
	GCEXBT01CNTHSC				\$1378	
		, vith spillguard and front			\$1370	
	GCEXBT01CNC1				\$2044	
$\frown$	w/solid surface top	(grade 1)			QL011	
	GCEXBT01CNC2				\$2219	
	w/solid surface top	grade 2)				
w b w						
Bedside Cabinet		our casters. Standard with rawer, specify ( <b>LK</b> ). Add \$6:				
	GCEXBT01LN	21.38 x 22.14 x 30	96	8.5	\$1069	
		543 x 562 x 762	43.54	0.24	÷4 470	
	GCEXBT01LNTH w/Thermofoil top a	nd front			\$1478	
	GCEXBT01LNTHSC				\$1478	
		vith spillguard and front			φ1470	
$\sim$	GCEXBT01LNC1				\$2109	
	w/solid surface top	(grade 1)				
	GCEXBT01LNC2				\$2284	
	w/solid surface top	grade 2)				
Φ						
Bedside Cabinet		n metal legs. Standard with rawer, specify ( <b>LK</b> ). Add \$6:				
	GCEXBT01PN	21.38 x 22.14 x 30	96	8.5	\$1108	
	GCEXBT01PNTH	543 x 562 x 762	43.54	0.24	¢1406	
	w/Thermofoil top a	nd front			\$1486	
	GCEXBT01PNTHSC				\$1486	
		vith spillguard and front			ψιτου	
$\sim$	GCEXBT01PNC1				\$2146	
$\langle \rangle$	w/colid curface tor	(grado 1)			*	



**Bedside Cabinet** 

Three drawers on plinth base. Standard with no lock. Shipped assembled, 1 per carton. • For lock on top drawer, specify (**LK**). Add \$62. Specify random key (**RK**) or key number 101-120.

w/solid surface top (grade 1)

w/solid surface top (grade 2)

GCEXBT01PNC2



\$2322

# ALDON<sup>™</sup> A

MODEL #			VOLUME MT'	LIST PRICE
	W x D x H			
GCEXBT04CN	21.38 x 22.14 x 30 543 x 562 x 762	94 42 63	8.5 0.24	\$963
GCEXBT04CNTH				\$1291
w/Thermofoil top an	d front			
GCEXBT04CNTHSC				\$1291
w/Thermotoil top wi	th spillguard and front			
GCEXBT04CNC1				\$2001
w/solid surface top	(grade 1)			
GCEXBT04CNC2				\$2177
w/solid surface top	(grade 2)			
· · ·		. ,	, , , ,	
GCEXB104LIN	21.38 x 22.14 x 30 543 x 562 x 762			\$1027
GCEXBT04LNTH				\$1394
w/Thermofoil top an	d front			
GCEXBT04LNTHSC				\$1394
w/Thermofoil top wi	th spillguard and front			
GCEXBT04LNC1				\$2066
	GCEXBT04CN GCEXBT04CNTH w/Thermofoil top an GCEXBT04CNTHSC w/Thermofoil top wi GCEXBT04CNC1 w/solid surface top GCEXBT04CNC2 w/solid surface top One open fixed shelf • For lock on top dra GCEXBT04LN GCEXBT04LNTH w/Thermofoil top an GCEXBT04LNTHSC	W x D x H         GCEXBT04CN       21.38 x 22.14 x 30 543 x 562 x 762         GCEXBT04CNTH w/Thermofoil top and front         GCEXBT04CNTHSC w/Thermofoil top with spillguard and front         GCEXBT04CNC1 w/solid surface top (grade 1)         GCEXBT04CNC2 w/solid surface top (grade 2)         One open fixed shelf and two drawers, on four • For lock on top drawer, specify (LK). Add \$62 543 x 562 x 762         GCEXBT04LN       21.38 x 22.14 x 30 543 x 562 x 762         GCEXBT04LNTH w/Thermofoil top and front	W x D x H           GCEXBT04CN         21.38 x 22.14 x 30         94           543 x 562 x 762         42.63           GCEXBT04CNTH         w/Thermofoil top and front           GCEXBT04CNTHSC         w/Thermofoil top with spillguard and front           GCEXBT04CNC1         w/solid surface top (grade 1)           GCEXBT04CNC2         w/solid surface top (grade 2)           One open fixed shelf and two drawers, on four casters. Standard           • For lock on top drawer, specify (LK). Add \$62. Specify random           GCEXBT04LN         21.38 x 22.14 x 30         94           543 x 562 x 762         42.63           GCEXBT04LNTH         w/Thermofoil top and front           GCEXBT04LNTH         21.38 x 22.14 x 30         94           543 x 562 x 762         42.63	W x D x H         GCEXBT04CN       21.38 x 22.14 x 30       94       8.5         543 x 562 x 762       42.63       0.24         GCEXBT04CNTH         w/Thermofoil top and front         GCEXBT04CNTHSC         w/Thermofoil top with spillguard and front         GCEXBT04CNC1         w/solid surface top (grade 1)         GCEXBT04CNC2         w/solid surface top (grade 2)         One open fixed shelf and two drawers, on four casters. Standard with no lock. Ship         GCEXBT04LNC2         w/solid surface top (grade 2)         GCEXBT04LN         Q1.38 x 22.14 x 30       94       8.5         GCEXBT04LN       21.38 x 22.14 x 30       94       8.5         GCEXBT04LN       21.38 x 22.14 x 30       94       8.5         GCEXBT04LNT       21.38 x 22.14 x 30       94       8.5       943 x 562 x 762       42.63       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24       0.24

GCEXBT04LNC2 w/solid surface top (grade 2)

One open fixed shelf and two drawers, with metal legs. Standard with no lock. Shipped assembled, 1 per carton. • For lock on top drawer, specify (LK). Add \$62. Specify random key (RK) or key number 101-120.

\$2242

GCEXBT04PN	21.38 x 22.14 x 30	94	8.5	\$1054
GOLADIOIII	543 x 562 x 762	42.63	0.24	<b>Q</b> ICCI
GCEXBT04PNTH				\$1386
w/Thermofoil top ar	nd front			
GCEXBT04PNTHSC				\$1386
	ith spillguard and front			<b>\$1500</b>
·				
GCEXBT04PNC1				\$2093
w/solid surface top	(grade 1)			
GCEXBT04PNC2				\$2269
w/solid surface top	(grade 2)			

One open fixed shelf and two drawers, on plinth base. Standard with no lock. Shipped assembled, 1 per carton. • For lock on top drawer, specify (LK). Add \$62. Specify random key (RK) or key number 101-120.



BEDSIDE CA

**Bedside Cabinet** 



**Bedside Cabinet** 

globalfurnituregroup.com | canadian



## A ALDON<sup>™</sup>

# **PATIENT + RESIDENT ROOM FURNITURE**

BEDSIDE CABINETS	MODEL #				LIST PRICE	
	MODEL #	W x D x H		VOLONIL MT'		
	GCEXBT06CLN	21.38 x 22.14 x 30 543 x 562 x 762	92 41.73	8.5 0.24	\$913	
	GCEXBT06CLNTH w/Thermofoil top a				\$1318	
	GCEXBT06CLNTHS w/Thermofoil top v	C vith spillguard and front			\$1318	
	GCEXBT06CLNC1 w/solid surface top	o (grade 1)			\$1951	
	GCEXBT06CLNC2 w/solid surface top	) (grade 2)			\$2127	
edside Cabinet	Standard with no le • For lock on draw • For lock on door, • For locks on draw	r, one <b>left</b> opening door (hir ocks. Shipped assembled, 1 er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L3</b> ). Add \$62. ver and door, specify ( <b>L5</b> ). <i>A</i> key ( <b>RK</b> ) or key number 101-	per carton. Add \$123.	3-position adjustable	e shelf behind door, on f	our casters.
	GCEXBT06CRN	21.38 x 22.14 x 30	92	8.5	\$913	
	GCEXBT06CRNTH w/Thermofoil top a	543 x 562 x 762 Ind front	41.73	0.24	\$1318	
	GCEXBT06CRNTHS w/Thermofoil top v	C vith spillguard and front			\$1318	
	GCEXBT06CRNC1 w/solid surface top	o (grade 1)			\$1951	
	GCEXBT06CRNC2 w/solid surface top	o (grade 2)			\$2127	
ন্ট edside Cabinet	Standard with no lu • For lock on draw • For lock on door, • For locks on draw	r, one <b>right</b> opening door (h ocks. Shipped assembled, 1 er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L4</b> ). Add \$62. ver and door, specify ( <b>L6</b> ). <i>A</i> (ver and door, specify ( <b>L6</b> ). <i>A</i>	per carton. Add \$123.	th 3-position adjusta	able shelf behind door, o	n four casters

• Specify random key (RK) or key number 101-120.



BEDSIDE CABINETS	MODEL #	DIMENSIONS MM W x D x H	WEIGHT KG	VOLUME MT'	LIST PRICE	
	<b>GCEXBT06LLN</b>	21.38 x 22.14 x 30 543 x 562 x 762	92 41.73	8.5 0.24	\$955	
	GCEXBT06LLNTH w/Thermofoil top a		11.75	0.24	\$1421	
	GCEXBT06LLNTHS w/Thermofoil top v	C vith spillguard and front			\$1421	
	GCEXBT06LLNC1 w/solid surface top	(grade 1)			\$1994	
	GCEXBT06LLNC2 w/solid surface top	(grade 2)			\$2169	
edside Cabinet	Standard with no lu • For lock on draw • For lock on door, • For locks on drav	r, one <b>left</b> opening door (hir ocks. Shipped assembled, 7 er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L3</b> ). Add \$62. ver and door, specify ( <b>L5</b> ). A key ( <b>RK</b> ) or key number 101-	l per carton. Add \$123.	3-position adjustable	e shelf behind door, wit	h metal legs.
	GCEXBT06LRN	21.38 x 22.14 x 30 543 x 562 x 762	92 41.73	8.5 0.24	\$955	
	GCEXBT06LRNTH w/Thermofoil top a		11.70	0.2 1	\$1421	
	GCEXBT06LRNTHS w/Thermofoil top v	C vith spillguard and front			\$1421	
	GCEXBT06LRNC1 w/solid surface top	(grade 1)			\$1994	
A D	GCEXBT06LRNC2 w/solid surface top	(grade 2)			\$2169	
edside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on drav	r, one <b>right</b> opening door (h pcks. Shipped assembled, ' er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L4</b> ). Add \$62. ver and door, specify ( <b>L6</b> ). A cey ( <b>RK</b> ) or key number 101	per carton. Add \$123.	th 3-position adjusta	able shelf behind door, v	with metal legs



ALDON<sup>™</sup> A

# A ALDON<sup>™</sup>

# **PATIENT + RESIDENT ROOM FURNITURE**

BEDSIDE CABINETS	MODEL #	DIMENSIONS MM WxDxH	WEIGHT <sup>LB</sup> KG		LIST PRICE	
	GCEXBT06PLN	21.38 x 22.14 x 30 543 x 562 x 762	92 41.73	8.5 0.24	\$974	
	GCEXBT06PLNTH w/Thermofoil top a				\$1414	
	GCEXBT06PLNTHS w/Thermofoil top v	C vith spillguard and front			\$1414	
$\sim$	GCEXBT06PLNC1 w/solid surface top	) (grade 1)			\$2013	
	GCEXBT06PLNC2 w/solid surface top	) (grade 2)			\$2189	
edside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on drav	r, one <b>left</b> opening door (hir ocks. Shipped assembled, ' er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L3</b> ). Add \$62. ver and door, specify ( <b>L5</b> ). / key ( <b>RK</b> ) or key number 101	1 per carton. Add \$123	3-position adjustabl	e shelf behind door, on plir	nth base.
	GCEXBT06PRN	21.38 x 22.14 x 30 543 x 562 x 762	92 41.73	8.5 0.24	\$974	
	GCEXBT06PRNTH w/Thermofoil top a		11.70	0.2 1	\$1414	
	GCEXBT06PRNTHS w/Thermofoil top v	C vith spillguard and front			\$1414	
$\frown$	GCEXBT06PRNC1 w/solid surface top	) (grade 1)			\$2013	
	GCEXBT06PRNC2 w/solid surface top	) (grade 2)			\$2189	
Bedside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on drav	r, one <b>right</b> opening door (h ccks. Shipped assembled, ' er, specify ( <b>LK</b> ). Add \$62. specify ( <b>L4</b> ). Add \$62. ver and door, specify ( <b>L6</b> ). <i>A</i> key ( <b>RK</b> ) or key number 101	1 per carton. Add \$123.	th 3-position adjusta	able shelf behind door, on j	olinth base



SSERS	MODEL #		WEIGHT KG		LIST PRICE
	GCEXDD01LN	<b>W x D x H</b> 36.19 x 24.13 x 30 919 x 613 x 762	180 81.64	18 0.5	\$1799
ble Dresser	<ul> <li>For lock on top r</li> <li>For lock on top r</li> <li>For lock on top r</li> </ul>	each side, on metal legs. Sta ight drawer, specify ( <b>LR</b> ). Ad eft drawer, specify ( <b>LL</b> ). Add ight and left drawers, specify key ( <b>RK</b> ) or key number 101-	d \$62. \$62. / ( <b>L8</b> ). Add \$123.		bled, 1 per carton.
8 8 8	GCEXDD01PN	36.19 x 24.13 x 30 919 x 613 x 762	180 81.64	18 0.5	\$1857
ble Dresser	<ul> <li>For lock on top r</li> <li>For lock on top r</li> <li>For lock on top r</li> </ul>	each side, on plinth base. St ight drawer, specify ( <b>LR</b> ). Ad eft drawer, specify ( <b>LL</b> ). Add ight and left drawers, specify key ( <b>RK</b> ) or key number 101-	d \$62. \$62. / ( <b>L8</b> ). Add \$123.		nbled, 1 per carton.
	GCEXDR02LN	35.63 x 24.13 x 30 905 x 613 x 762	142 64.41	17 0.48	\$1482
awer Dresser		metal legs. Standard with no drawer, specify ( <b>LK</b> ). Add \$62		ssembled, 1 per cart	ion.
	GCEXDR02PN	35.63 x 24.13 x 30 905 x 613 x 762	142 64.41	17 0.48	\$1543
awer Dresser		plinth base. Standard with n drawer, specify ( <b>LK</b> ). Add \$62		assembled, 1 per car	ton.
	GCEXDR07LN	35.63 x 24.13 x 38.5 905 x 613 x 978	153 69.39	22 0.62	\$1707
awer Dresser		netal legs. Standard with no drawer, specify ( <b>LK</b> ). Add \$62		sembled, 1 per carto	n.
	GCEXDR07PN	35.63 x 24.13 x 38.5 905 x 613 x 978	153 69.39	22 0.62	\$1788



ALDON<sup>™</sup> A

## A ALDON<sup>™</sup> DRESSERS

# PATIENT + RESIDENT ROOM FURNITURE

LIST PRICE

\$65

VOLUME MT

1 0.02

Redside Drawer Line

WEIGHT LB

3.5

1.58

DIMENSIONS M

16.5 x 15.5 x 4.5

419 x 394 x 114

WxDxH

MODEL #

GCEXLLP01


dside Drawer Liner

WARDROBE CABINETS


High impact polystyrene insert liner for bedside cabinet 6" drawers. Can be removed for ease of room transfer and cleaning. Shipped assembled, 1 per carton.

6			
7	B <sup>r</sup>	1	_

Wardrobe Cabinet



Wardrobe Cabinet



Wardrobe Cabinet

MODEL #		WEIGHT KG	VOLUME MT <sup>3</sup>	LIST PRICE
	W x D x H			
GCEXWD03LN	35.63 x 24.13 x 72	305	43	\$2104
	905 x 613 x 1829	138.34	1.21	
<ul> <li>Left side top shelf</li> </ul>	f: 12.85" • Left s	ide clothing rail a	rea: 53.2" • Big	ht side with adjustable shelves area: 66 59
Left side top shelf	f: 12.85" • Left s	ide clothing rail a	rea: 53.2" • Rig	ht side with adjustable shelves area: 66.59

• For one lock fastening both doors, specify (LB). Add \$62. Specify random key (RK) or key number 101-120.

GCEXWD03PN	35.63 x 24.13 x 72 905 x 613 x 1829	305 138.34	43 1.21	\$2185
Inside dimensions: • Left side top shelf:	: 12.85" • Lef	t side clothing rail a	rea: 53.2"	• Right side with adjustable shelves area: 66.59

Divided wardrobe with J-style safety clothing rail and shelves, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on the left side. The right side has four adjustable shelves. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no lock. Shipped assembled, 1 per carton.

• For one lock fastening both doors, specify (LB). Add \$62. Specify random key (RK) or key number 101-120.

GCEXWD04LN	35.63 x 24.13 905 x 613 x 1		316 143.33	43 1.21	\$2594
Inside dimensions: • Left side top shelf: 7" • Left side clothing rail		0	e top shelf: 7" e clothing rail		<ul><li>Top drawer: 8.25"</li><li>Lower drawer: 8.25"</li></ul>

Divided wardrobe with J-style safety clothing rail and two full drawers below, on 5 metal legs. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$62.
- For lock on left door, specify (L3). Add \$62.
- For lock on both right and left doors, specify (L2). Add \$123.
- For lock on top drawer, specify (LK). Add \$62.
- For lock on right door and top drawer, specify (L6). Add \$123.
- For lock on left door and top drawer, specify (L5). Add \$123.
- For lock on right door, left door and top drawer, specify (L9). Add \$185.
- Specify random key (RK) or key number 101-120.



WARDRUBE CAB	INEIS	

Wardrobe Cabinet

Wardrobe Cabinet

Nordraha Cabia	 	

MODEL #		WEIGHT KG		LIST PRICE
	W x D x H			
GCEXWD04PN	35.63 x 24.13 x 7	2 316	43	\$2677
	905 x 613 x 1829	143.33	1.21	
Inside dimensions: • Left side top shelf: 7 • Left side clothing rai		ight side top shelf: 7" ight side clothing rail		<ul> <li>Top drawer: 8.25"</li> <li>Lower drawer: 8.25"</li> </ul>

Divided wardrobe with J-style safety clothing rail and two full drawers below, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$62.
- For lock on left door, specify (L3). Add \$62.
- For lock on both right and left doors, specify (L2). Add \$123.
- For lock on top drawer, specify (LK). Add \$62.
- For lock on right door and top drawer, specify (L6). Add \$123.
- For lock on left door and top drawer, specify (L5). Add \$123.
- For lock on right door, left door and top drawer, specify (L9). Add \$185.
- Specify random key (RK) or key number 101-120.

GCEXWD05LN	35.63 x 24.1	3 x 72	305	43	\$2566	
	905 x 613 x	1829	138.34	1.21		
Inside dimensions:						
Inside dimensions: • Left side top shelf:	: 7"	• Right s	side top shelf: 7"		• Drawer: 8.25"	

Divided wardrobe with J-style safety clothing rail and one full drawer below, on 5 metal legs. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. One exposed drawer below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$62.
- For lock on left door, specify (L3). Add \$62.
- For lock on both right and left doors, specify (L2). Add \$123.
- For lock on top drawer, specify (LK). Add \$62.
- For lock on right door and top drawer, specify (L6). Add \$123.
- For lock on left door and top drawer, specify (L5). Add \$123.
- For lock on right door, left door and top drawer, specify (L9). Add \$185.
- Specify random key (RK) or key number 101-120.

	35.63 x 24.13 x 72 905 x 613 x 1829	305 138.34	43 1.21	\$2586	
Inside dimensions: • Left side top shelf: 7"	• Right s	ide top shelf: 7"	• [	)rawer: 8.25"	

• Left side clothing rail area: 50.4"

Right side clothing rail area: 50.4"

Divided wardrobe with J-style safety clothing rail and one full drawer below, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. One exposed drawer below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$62.
- For lock on left door, specify (L3). Add \$62.
- For lock on both right and left doors, specify (L2). Add \$123.
- For lock on top drawer, specify (LK). Add \$62.
- For lock on right door and top drawer, specify (L6). Add \$123.
- For lock on left door and top drawer, specify (L5). Add \$123.
- For lock on right door, left door and top drawer, specify (L9). Add \$185.
- Specify random key (RK) or key number 101-120.

Wardrobe Cabinet

ALDON™ A

# A ALDON<sup>™</sup>

NA

## PATIENT + RESIDENT ROOM FURNITURE

ARROW WARDROBE CABINETS	MODEL #		WEIGHT KG		, LIST PRICE
$\sim$		W x D x H			
	GCEXWN02LLN	18.63 x 24.13 x 72 473 x 613 x 1829	136 61.68	24 0.67	\$1887
	Inside dimensions: • Top shelf: 7"	• Clothing rail area: 42"	• Top draw	er: 8.25"	• Lower drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on four metal legs. One **left** door (hinges on left) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

• For lock on drawer, specify (LK). Add \$62.

- For lock on door, specify (L3). Add \$62.
- For locks on door and drawer, specify (L5). Add \$123.
- Specify random key (**RK**) or key number 101-120.

GCEXWN02LRN	18.63 x 24.13 x 72 473 x 613 x 1829	136 61.68	24 0.67	\$1887
Inside dimensions: • Top shelf: 7"	• Clothing rail area: 42"	• Top drav	ver: 8.25"	• Lower drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on four metal legs. One **right** door (hinges on right) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top drawer, specify (LK). Add \$62.
- For lock on door, specify (L4). Add \$62.
- For locks on door and top drawer, specify (L6). Add \$123.

• Specify random key (RK) or key number 101-120.

GCEXWN02PLN	18.63 x 24.13 x 72	136	24	\$1784
	473 x 613 x 1829	61.68	0.67	
Inside dimensions:				
<ul> <li>Top shelf: 7"</li> </ul>	<ul> <li>Clothing rail area: 42"</li> </ul>	<ul> <li>Top draw</li> </ul>	/er: 8.25"	<ul> <li>Lower drawer: 8.25"</li> </ul>

Narrow wardrobe with J-style safety clothing rail and two drawers below, on plinth base. One **left** door (hinges on left) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top drawer, specify (LK). Add \$62.
- For lock on door, specify (L3). Add \$62.
- For locks on door and top drawer, specify (L5). Add \$123.
- Specify random key (RK) or key number 101-120.



**Narrow Wardrobe Cabinet** 



#### **Narrow Wardrobe Cabinet**



NARROW WARDROBE CABINETS	MODEL #	DIMENSIONS IN MM W x D x H	WEIGHT LB KG	VOLUME FT' MT'	LIST PRICE			
$\bigcirc \blacksquare$	GCEXWN02PRN	18.63 x 24.13 x 72 473 x 613 x 1829	136 61.68	24 0.67	\$1784			
	Inside dimensions: • Top shelf: 7"	• Clothing rail area: 42"	• Top draw	er: 8.25" •	Lower drawer: 8.25"			
Narrow Wardrobe Cabinet	covering upper fixed recommended. Anti with no locks. Ship • For lock on top dr • For lock on door, s • For locks on door	shelf and J-style safety clo	thing rail. Two e e separately; ord . Add \$123.	exposed drawers	oth base. One <b>right</b> door (hinges on right) below. For safety, anti-tip hardware is GCAT400 and quantity required. Standard			
	GCEXCOREK	20 x 22 x 35 508 x 559 x 889	16 7.3	0.01	\$62			
Replacement Lock Set	Replacement core a	nd key.						
	GCEXKEY	24.5 x 29 x 41 622 x 737 x 1041	35 15	0.1	\$15			
Replacement Key	Replacement key fo	r bedside cabinets, dressers	and wardrobes.	Specify key num	ber 101-120.			
ACCESSORIES								
	For Aldon accessories, please refer to the models listed under Sonoma:							
	<ul> <li>Safety garment h</li> </ul>	ook: page 33						

- Safety garment nook: page 33
  Headboards/footboards: page 34
  Wardrobe mirror (for door 11"W x 29"H): page 34

ALDON<sup>™</sup> A



Sonoma offers superior construction detail in an extensive selection of furniture pieces to fit the personal storage requirements of various lifestyle environments including long-term care, retirement, senior living residences and hospitals.

Features distinctive aluminum extrusions on all leading corners allowing for a continuous connection of chassis panels from top-to-bottom providing enhanced performance and durability. The aluminum extrusions offer increased protection from the impact of mobile equipment and furniture used in demanding healthcare environments.

Products have ventilation and drainage features built into the unique design providing air circulation and drainage where required. Products are freestanding allowing access underneath for cleaning.

Features decorative fascia options to enhance the decor of any environment with the additional benefit of providing a safety guard to prevent items from falling behind units.

Wardrobe cabinets offer a safety garment hook with a safety feature to support a maximum of 75 lbs. The J-style safety clothing rail ensures maximum wellbeing and peace of mind from accidents.

Multiple needs and requirements are met with the several styles and a variety of interior configurations.

## **Features and Benefits**

- Tops for units 37.5" or lower are constructed with 1" high pressure laminate.
- Tops for units above 37.5" in height and structural fixed shelves are constructed of 1" thermally fused laminate.
- Chassis, back panels, drawer fronts, adjustable shelves, doors and fascia profiles are constructed of 0.75" thermally fused laminate.
- 3mm polymer edge with top over side panel design.
- Constructed with NAUF (no added urea formaldehyde) particle board.
- Laminate finishes are available in a variety of colors.
- Thermofoil finishes are available on bedside cabinets. See notes for order requirements.
- All chassis panels and tops can be replaced if damaged.
- Drawers are mounted on high quality precision steel full extension ball bearing slides.
- Locks are optional on the top drawer position of all units.
- Aluminum extrusions, legs and plastic parts are available in twelve paint finishes.
- Casters are available on bedside units.
- Handles are offered in six styles.
- For environmental
- certifications, please visit globalfurnituregroup.com.



### ACCESSORIES

- A complementary line of accessories is available to complete and enhance any room or setting.
- · Bookcases offer the same superior construction utilizing aluminum extrusions on each corner and are available in several heights.

#### TOPS

- Units of 37.5" or lower are constructed with 1" high pressure laminate with coordinating 3mm polymer edge.
- Units above 37.5" in height are constructed with 1" thermally fused laminate with coordinating 3mm polymer edge.
- Thermofoil and solid surface finishes are available on bedside cabinets only. See page 22 for finishes.

### **CHASSIS**

- Constructed from 0.75" thermally fused laminate.
- · Connected using aluminum extrusions allowing for a continuous connection top-to-bottom.
- · Return on investment is enhanced through the ability to replace chassis panels or tops should they become damaged.

#### BACK

• Back panels are constructed from 0.75" thermally fused laminate.

#### DRAWERS

- Drawer fronts are constructed of 0.75" thermally fused laminate with 3mm PVC edge.
- Thermofoil finishes are available on bedside cabinets only. See page 22 for finishes.
- · Mounted on high quality precision steel full extension ball bearing slides.
- Drawer depth is determined by the individual product size: 20" deep cabinets feature 15.5" drawers.

22" and 26" deep products feature 17.25" drawers.

- · Bottom drawer interior is fully wrapped in a White colored durable vinyl covering, This vinyl wrap offers superior durability and performance in demanding environments.
- Soft close drawer is optional, specify (SF) at time of order. Add \$46 per drawer.

#### **DRAWER INSERTS**

- The optional bedside cabinet drawer liner insert and personal organizer tray sets are constructed of high impact styrene plastic in a neutral color (French Vanilla). See page 34 for purchase information.
- High impact styrene plastic liners have been specially designed to saddle the drawer edges for a perfect fit while eliminating gaps and potential traps.
- · High impact styrene plastic insert liner and organizer tray set can be removed for ease of room transfer and cleaning.

#### SHELVING

- Structural fixed shelves are constructed of 1" thermally fused laminate with coordinating self edge.
- Adjustable shelves are constructed of 0.75" thermally fused laminate with coordinating self edge.
- · Shelf pins are offered for securing shelf with self-drilling screws to prevent accidental movement.

## DOORS

- Constructed of 0.75" thermally fused laminate with 3mm PVC edge.
- Mounted utilizing commercial quality hinges that provide a 170° opening span for easy access to personal belongings.

## SPILL COLLECTOR

• Spill collector (SC) is optional on the edge of bedside cabinets with Thermofoil finish only.

loba



## LOCKS

- A lock is optional on the top drawer position of all units with drawers. Must be specified at time of order.
- Random keying will be provided as standard when locks are ordered.
- For key alike numbering sequence, please specify keys number 401-440.
- For specifying lock on top drawer, indicate (LS) (lock set) after model number. Add \$62.

#### **ALUMINUM EXTRUSIONS/LEGS/PLASTIC PARTS**

- Aluminum extrusions form the structural integrity of the product, ensuring a continuous solid connection for the unit chassis as well as providing leg support.
- The aluminum extrusion connection/leg is extended to allow clearance under each unit for access during cleaning.
- The aluminum extrusion connection/leg is standard with Charcoal color plastic glide and a non-marking leveler.
- Levelers offer 0.5" adjustment for increased stability and leveling.
- Standard powder coated paint finishes are Black (BLK), Blizzard (BZD), Charcoal (CHR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (NEV), Sierra (SCA), Silver (SIL), Taupe (TPE) and Toast (TOA).
- Tungsten (TUN) finish is available at a 10% upcharge.
- Custom powder coated paint finishes are available. Please contact your Global sales representative for further details.

## CASTERS

- · Available only on specific units.
- Products allowing use of casters are identified by the product code followed by a (C).
- Casters must be specified at time of order.
- · Casters cannot be retrofitted in the field.
- Casters are commercial guality, swivel dual wheel manual locking.
- When ordering two locking casters the casters will be in the front of the unit for ease of access, non-locking casters will be in the back.

#### HANDLES

A1 Arc - Sierra

CM<sub>2</sub>

• Handles require a 128mm center point if custom styles are desired.

Bow - Matte Chrome

• A1 Arc handle is standard, also offered in six options below:

R1





CM1 Contemporary Metal Pull -Matte Chrome



- TM1 Transitional Metal Pull -Brushed Nickel
- TM2 Transitional Metal Pull -Matte Black

Contemporary Metal Pull -Matte Black

RPH1 (add \$57/handle) Recessed - Silver

• Handles can be ordered separately (except for recessed handle). Add \$31. Please specify:

(GC-A1): Arc - Sierra (GC-CM1): Contemporary Metal (GC-TM2): Transitional Metal Pull Pull - Matte Chrome

(GC-CM2): Contemporary Metal Pull - Matte Black (GC-B1): Bow - Matte Chrome (GC-TM1): Transitional Metal Pull - Brushed Nickel - Matte Black

- Recessed handle (RPH1) must be specified at time of order and is not available for use on GCSNBT01Sxx, GCSNBT01CSxx and GCSNBT014CSxx. Add \$57 per handle.
- For additional finish options, please contact your Global sales representative.
- To view the healthcare handle finish options, visit globalfurnituregroup.com and go to the Sonoma finishes section.

#### SONOMA<sup>™</sup> - NOTES S

## PATIENT + RESIDENT ROOM FURNITURE

## **OPTIONAL DECORATIVE TOP FASCIA**

- Top fascia is available on bedside cabinets only and keeps items from falling off the back of the unit. The top fascia profile is installed on site.
- Top fascia is available only in laminate, in two styles Linear (LN) or Arc (AR). Add \$69.
- Fascia profiles are constructed of 0.75" thermally fused laminate, with all leading edges offering a coordinating self edge finish.
- Top fascia is not available with Thermofoil or solid surface finishes.
- Fascia style must be specified at time of order.





Arc (AR)

Linear (LN)

• Custom designed fascia options are available, please contact your Global sales representative.

#### LAMINATE FINISHES - TOP AND CHASSIS

• All laminate finishes are available with coordinating 3mm polymer edge:

( <b>ACJ</b> ) Absolute Acajou	( <b>BMX</b> ) Blizzard Matrix	( <b>FAS</b> ) Fashionista	( <b>NGL</b> ) Noce Grigio	( <b>SOG</b> ) Storm
( <b>ASN</b> ) Asian Night	( <b>BRC</b> ) Brushed Cobalt	( <b>FCL</b> ) First Class	( <b>NEL</b> ) Noce Leggero	( <b>STG</b> ) String
( <b>AWC</b> ) Avant Cherry	( <b>CMB</b> ) Clear Maple	( <b>GRX</b> ) Grey Matrix	( <b>NML</b> ) Noce Medio	( <b>SWX</b> ) Studio White Matrix
( <b>AWH</b> ) Avant Honey	( <b>CGY</b> ) Custom Grey	( <b>HLN</b> ) Hayden Linen	( <b>SBY</b> ) Sheer Beauty	( <b>WHE</b> ) Walnut Heights
( <b>BLK</b> ) Black	( <b>DES</b> ) Dark Espresso	( <b>QTM</b> ) Quartered Mahogany	( <b>SDT</b> ) Stonedust	( <b>WHC</b> ) White Chocolate
( <b>BZD</b> ) Blizzard	( <b>DWT</b> ) Designer White	( <b>NBL</b> ) Noce Biondo	( <b>SLN</b> ) Stone Linen	( <b>WCR</b> ) Winter Cherry

(DWTTH) Designer White

(SOGTH) Storm Grey

## THERMOFOIL FINISHES - TOP AND FRONT (INCLUDING BOTTOM FASCIA)

· Thermofoil finishes are available on bedside cabinets only.

• Please specify by adding "TH	to the end of the model code.
(ACJTH) Absolute Acajou	(CGYTH) Custom Grey
(CMBTH) Clear Maple	( <b>DESTH</b> ) Dark Espresso*

\*Thermofoil has slight grain variation from laminate.

## **SOLID SURFACE FINISHES - TOP ONLY**

· Solid surface finishes are available on bedside cabinets only. See models ending in

Grade 2 (C2) (SBT) Beige Tempest (SBX) Black Onyx Mirage (SFW) Frosty White Mirage (SHS) Hot Stone (SMG) Milk Glass Spectra (SNM) Northern Melange

#### CUSTOM

Grade 1 (C1) (SWH) Designer White

- · Global welcomes the opportunity to provide quotation on special requests for project business.
- For pricing, visit the Dealer Center and click on "Specials" on the left sidebar to submit your request.

#### SHIPPING

- All products are shipped partially assembled, 1 per carton.
- · Fascia, shelves and accessories are to be installed on site.
- Allow 4-6 weeks for delivery.



Standard - Laminate top, front and case



TH - Thermofoil top and front with laminate case



THSC - Thermofoil top with spillguard, fronts and laminte case



C1/C2 - Solid surface top with laminate front and case

(WHCTH) White Chocolate

(WGYTH) Willow Grey

### **BEDSIDE CABINETS**

Notes: Please specify all substitutions and options.

- Bedside cabinets incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the space.
- Ventilation openings have been strategically incorporated into each unit where needed.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish

**BEDSIDE CABINETS** 

- 2. Aluminum extrusion/leg paint finish
- 3. Handle style and finish
- An optional key lock is available for top drawer position only and must be specified at time of order.

MODEL #


- To specify lock on top drawer, indicate (LS) (lock set) after model number. Add \$62.
- Casters are available as specified on models and cannot be retrofitted in the field.

		КО	MI	
	W x D x H			
No casters				
GCSNBT01	22.5 x 20.5 x 30	97	11	\$1272
	572 x 521 x 762	43.99	0.31	
GCSNBT01TH				\$1505
w/Thermofoil top	and front			
GCSNBT01THSC				\$1505
	with anilloward and front			\$1000
w/ mermoron top	with spillguard and front			
GCSNBT01C1				\$2296
w/solid surface to	p (grade 1)			
GCSNBT01C2				\$2472
w/solid surface to	p (grade2)			
Rear casters				
GCSNBT01C	22.5 x 20.5 x 30	100	11	\$1310
	572 x 521 x 762	45.35	0.31	
GCSNBT01CTH				\$1539
w/Thermofoil top	and front			
GCSNBT01CTHSC				\$1539
	with spillguard and front			φ1353
, moniori top	man opinguara una nont			
GCSNBT01CC1				\$2334
w/solid surface to	p (grade 1)			
000000000000000000000000000000000000000				00500
GCSNBT01CC2	un (grada?)			\$2509
w/solid surface to	ip (gradez)			
Four casters				
GCSNBT014C	22.5 x 20.5 x 30	100	11	\$1326
	572 x 521 x 762	45.35	0.31	
GCSNBT014CTH				\$1554
w/Thermofoil top	and front			
GCSNBT014CTHS	ſ			\$1554
	with spillguard and front			ΨUJJ†
w, mornoron top	with opinguara and nont			
GCSNBT014CC1				\$2349
w/solid surface to	p (grade 1)			
CCCNIDT014000				\$2525
GCSNBT014CC2 w/solid surface to				

WEIGHT KG

VOLUME MT.

LIST PRICE



- Model GCSNBT01C has two manual locking swivel casters on back.
- Model GCSNBT014C has four manual locking swivel casters.





**Bedside Cabinet** 



## S SONOMA<sup>™</sup>

BEDSIDE

## **PATIENT + RESIDENT ROOM FURNITURE**

BINETS	MODEL #				LIST PRICE
		W x D x H			
	No casters	005 055 55			*****
	GCSNBT01S	22.5 x 20.5 x 34	104	11	\$1673
	GCSNBT01STH	572 x 521 x 864	47.17	0.31	\$1906
	w/Thermofoil top a	ad front			\$1900
		iu nom			
	GCSNBT01STHSC				\$1906
>	w/Thermofoil top w	ith spillguard and front			
1					
	GCSNBT01SC1				\$2696
	w/solid surface top	(grade 1)			
1					60070
	GCSNBT01SC2 w/solid surface top	(arado 2)			\$2872
	w/solid surface top	(yraue z)			
	Rear casters				
	GCSNBT01CS	22.5 x 20.5 x 34	107	11	\$1719
		572 x 521 x 864	48.53	0.31	
	GCSNBT01CSTH				\$1917
	w/Thermofoil top a	nd front			
<	GCSNBT01CSTHSC				\$1917
	W/ I nermotoli top w	ith spillguard and front			
	GCSNBT01CSC1				\$2742
	w/solid surface top	(grade 1)			φ <i>21</i> 72
		(grado I)			
~U	GCSNBT01CSC2				\$2918
	w/solid surface top	(grade 2)			
	Four casters	00 5 00 5 0.	400		\$4740
	GCSNBT014CS	22.5 x 20.5 x 34	108	11	\$1746
	GCSNBT014CSTH	572 x 521 x 864	48.98	0.31	\$1940
	w/Thermofoil top a	ad front			\$1 <b>34</b> 0
		iu nont			
	GCSNBT014CSTHS	0			\$1940
>		ith spillguard and front			
1					
1	GCSNBT014CSC1				\$2769
1	w/solid surface top	(grade 1)			
1	0.001107-1-0				****
-	GCSNBT014CSC2				\$2945
	w/solid surface top	(grade Z)			

**Bedside Cabinet** 

Three drawers and one pull-out shelf. Shipped partially assembled, 1 per carton. • Model GCSNBT01CS has two manual locking swivel casters on back.

• Model GCSNBT014CS has four manual locking swivel casters.

# SONOMA<sup>™</sup> S

		WEIGHT KG	VOLUME MT'	LIST PRICE	
No castors	WXDXII				
GCSNBT02	22.5 x 20.5 x 30	58	11	\$745	
GCSNBT02TH w/Thermotoil.top.a		20.5	0.51	\$913	
GCSNBT02THSC				\$913	
w/Thermofoil top v	vith spillguard and front				
GCSNBT02C1 w/solid surface top	o (grade 1)			\$1769	
GCSNBT02C2 w/solid surface top	o (grade 2)			\$1944	
Rear casters					
GCSNBT02C	22.5 x 20.5 x 30 572 x 521 x 762	60 27.21	11 0.31	\$771	
GCSNBT02CTH w/Thermofoil top a	and front			\$921	
GCSNBT02CTHSC w/Thermofoil top v	vith spillguard and front			\$921	
GCSNBT02CC1 w/solid surface top (grade 1)					
GCSNBT02CC2 w/solid surface top	\$1971				
GCSNBT024C	22.5 x 20.5 x 30 572 x 521 x 762	60 27 21	11 0.31	\$794	
GCSNBT024CTH w/Thermofoil top a				\$936	
				\$936	
GCSNBT024CC1 w/solid surface top	\$1818				
GCSNBT024CC2 w/solid surface top	) (grade 2)			\$1994	
	GCSNBT02TH w/Thermofoil top a GCSNBT02THSC w/Thermofoil top v GCSNBT02C1 w/solid surface top GCSNBT02C2 w/solid surface top GCSNBT02CTH w/Thermofoil top a GCSNBT02CTHSC w/Thermofoil top v GCSNBT02CC1 w/solid surface top GCSNBT02CC2 w/solid surface top GCSNBT02CC2 w/solid surface top GCSNBT024CTH w/Thermofoil top a GCSNBT024CTH w/Thermofoil top a GCSNBT024CTH w/Thermofoil top a GCSNBT024CTH w/Thermofoil top v	GCSNBT02 $22.5 \times 20.5 \times 30$ $572 \times 521 \times 762$ GCSNBT02TH w/Thermofoil top and frontGCSNBT02THSC w/Thermofoil top with spillguard and frontGCSNBT02C1 w/solid surface top (grade 1)GCSNBT02C2 w/solid surface top (grade 2) <b>Rear casters</b> GCSNBT02C2 W/solid surface top (grade 2)GCSNBT02C2 w/solid surface top (grade 2)GCSNBT02C2 S72 $\times 521 \times 762$ GCSNBT02CTH w/Thermofoil top and frontGCSNBT02CTHSC w/Thermofoil top with spillguard and frontGCSNBT02CC1 w/solid surface top (grade 1)GCSNBT02CC2 w/solid surface top (grade 2)Four castersGCSNBT02CC2 w/solid surface top (grade 2)Four castersGCSNBT024CTH w/Thermofoil top and frontGCSNBT024CTH w/Thermofoil top and frontGCSNBT024CTHSC w/Thermofoil top and frontGCSNBT024CTH w/Thermofoil top and frontGCSNBT024CTHSC w/Thermofoil top with spillguard and frontGCSNBT024CTHSC w/Thermofoil top with spillguard and front	No castersGCSNBT02 $22.5 \times 20.5 \times 30$ $572 \times 521 \times 762$ $58$ $26.3$ GCSNBT02TH w/Thermofoil top and frontGCSNBT02THSC w/Thermofoil top with spillguard and frontGCSNBT02C1 w/solid surface top (grade 1)GCSNBT02C2 w/solid surface top (grade 2)Rear casters GCSNBT02C2 w/solid surface top (grade 2)Rear castersGCSNBT02C1 w/solid surface top (grade 2)Mear casters GCSNBT02C2 w/solid surface top (grade 2)GCSNBT02C2 w/solid surface top (grade 1) $60$ $572 \times 521 \times 762$ $60$ $27.21$ GCSNBT02CTH w/Thermofoil top with spillguard and front $GCSNBT02CC1$ w/solid surface top (grade 1) $GCSNBT02CC1$ w/solid surface top (grade 1)GCSNBT02CC2 w/solid surface top (grade 2) $572 \times 521 \times 762$ $27.21$ $60$ $572 \times 521 \times 762$ GCSNBT02CC1 w/solid surface top (grade 1) $GCSNBT024CT1$ w/solid surface top (grade 2) $60$ $572 \times 521 \times 762$ GCSNBT024CTH w/Thermofoil top and front $GCSNBT024CTHS$ w/Thermofoil top and front $GCSNBT024CTHS$ w/solid surface top (grade 1)GCSNBT024CC1 w/solid surface top (grade 1) $GCSNBT024CC1$ w/solid surface top (grade 1)	No castersGCSNBT02 $22.5 \times 20.5 \times 30$ $572 \times 521 \times 762$ $58$ $26.3$ $11$ $0.31$ GCSNBT02TH w/Thermofoil top and frontGCSNBT02THSC w/solid surface top (grade 1) $GCSNBT02C1$ w/solid surface top (grade 1)GCSNBT02C2 w/solid surface top (grade 2) $V$ $V$ Rear casters GCSNBT02C 572 $\times 521 \times 762$ $60$ $27.21$ GCSNBT02CTH w/Thermofoil top and front $572 \times 521 \times 762$ $572 \times 521 \times 7620.31GCSNBT02CTHw/solid surface top (grade 2)VVRear castersGCSNBT02CC1w/solid surface top (grade 1)GCSNBT02CC1w/solid surface top (grade 1)CVGCSNBT02CC1w/solid surface top (grade 2)VVFour castersGCSNBT02CC1w/solid surface top (grade 2)VFour castersGCSNBT02CC2w/solid surface top (grade 2)VCCSNBT02CC1w/solid surface top (grade 1)GCSNBT02CC2w/solid surface top (grade 1)0.31GCSNBT024CC1w/solid surface top (grade 1)0.31GCSNBT024CTHw/Thermofoil top and frontVGCSNBT024CTHSCw/Thermofoil top with spillguard and front0.31GCSNBT024CC1w/solid surface top (grade 1)0.31GCSNBT024CC1w/solid surface top (grade 1)0.31GCSNBT024CC1w/solid surface top (grade 1)0.31GCSNBT024CC1w/solid surface top (grade 1)0.31GCSNBT024CC1w/solid surface top (grade 1)0.31$	No casters         572 x 521 x 762         58         11         \$745           GCSNBT02         572 x 521 x 762         26.3         0.31         \$913           W/Thermotoil top and front         \$913         \$913         \$913           GCSNBT02TH w/Thermotoil top with spillguard and front         \$913         \$913           GCSNBT02THSC w/Thermotoil top with spillguard and front         \$1769         \$1769           GCSNBT02C1 w/solid surface top (grade 1)         \$1769         \$1944           GCSNBT02C2 w/solid surface top (grade 2)         \$1944         \$1769           Rear casters         \$1769         \$1944           w/Thermotoil top and front         \$1944         \$1944           w/Thermotoil top and front         \$1944         \$1944           w/Thermotoil top and front         \$1945         \$1944           w/Thermotoil top and front         \$1915         \$1944           GCSNBT02CTH w/solid surface top (grade 1)         \$1915         \$1916           GCSNBT02CT1 swith spillguard and front         \$1921         \$1917           GCSNBT02CC1 w/solid surface top (grade 1)         \$1031         \$194           GCSNBT024CT w/solid surface top (grade 2)         \$1031         \$194           W/solid surface top (grade 1)         \$1031 <t< td=""></t<>

One adjustable shelf. Shipped partially assembled, 1 per carton. • Model GCSNBT02C has two manual locking swivel casters on back.

• Model GCSNBT024C has four manual locking swivel casters.



## S SONOMA<sup>™</sup>

BEDSIDE C

## **PATIENT + RESIDENT ROOM FURNITURE**

INETS	MODEL #				LIST PRICE
		W x D x H			
	No casters GCSNBT03	22.5 x 20.5 x 30	76	11	\$1077
	GC2IND102	572 x 521 x 762	34.47	0.31	\$1077
	<b>GCSNBT03TH</b>				\$1139
	w/Thermofoil top	and front			
	GCSNBT03THSC				\$1139
>		with spillguard and front			
	GCSNBT03C1				\$1910
>	w/solid surface to	p (grade 1)			\$1910
		p (grado 17			
5	GCSNBT03C2				\$2086
	w/solid surface to	p (grade 2)			
	Rear casters				
	GCSNBT03C	22.5 x 20.5 x 30	78	11	\$1092
	<b>GCSNBT03CTH</b>	572 x 521 x 762	35.38	0.31	\$1154
	w/Thermofoil top	and front			ψΠJ4
	GCSNBT03CTHSC	with spillguard and front			\$1154
	w/ mermoron top	with spillydard and holit			
5	GCSNBT03CC1				\$1925
	w/solid surface to	p (grade 1)			
1	GCSNBT03CC2				\$2104
	w/solid surface to	p (grade 2)			<u><u><u></u></u></u>
	<b>F</b>				
	Four casters GCSNBT034C	22.5 x 20.5 x 30	78	11	\$1111
		572 x 521 x 762	35.38	0.31	
	GCSNBT034CTH				\$1173
	w/Thermofoil top	and front			
	GCSNBT034CTHS	C			\$1173
	w/Thermofoil top	with spillguard and front			
	GCSNBT034CC1				\$1940
	w/solid surface to	p (grade 1)			\$1340
		r 10 1			
<i>س</i>	GCSNBT034CC2				\$2120
	w/solid surface to	p (grade 2)			

**Bedside Cabinet** 

One drawer, one adjustable shelf. Shipped partially assembled, 1 per carton.
Model GCSNBT03C has two manual locking swivel casters on back.
Model GCSNBT034C has four manual locking swivel casters.

# SONOMA<sup>™</sup> S

BEDSIDE CABINETS	MODEL #			VOLUME MT'	LIST PRICE
		W x D x H			
	No casters GCSNBT04	22.5 x 20.5 x 30	90	11	\$1123
	GCSNBT04TH	572 x 521 x 762	40.82	0.31	\$1356
	w/Thermofoil top an	d front			
	GCSNBT04THSC w/Thermofoil top wi	th spillguard and front			\$1356
	GCSNBT04C1 w/solid surface top (	(grade 1)			\$2146
	GCSNBT04C2 w/solid surface top (	(grade 2)			\$2322
	Rear casters				
	GCSNBT04C	22.5 x 20.5 x 30 572 x 521 x 762	92 41.73	11 0.31	\$1150
	GCSNBT04CTH w/Thermofoil top an	d front			\$1375
	GCSNBT04CTHSC w/Thermofoil top wi	th spillguard and front			\$1375
	GCSNBT04CC1 w/solid surface top (	\$2174			
	GCSNBT04CC2 w/solid surface top (	(grade 2)			\$2349
	Four casters				****
	GCSNBT044C	22.5 x 20.5 x 30 572 x 521 x 762	92 41.73	11 0.31	\$1196
	GCSNBT044CTH w/Thermofoil top an	d front			\$1394
	GCSNBT044CTHSC w/Thermofoil top wi	th spillguard and front			\$1394
	GCSNBT044CC1 w/solid surface top (	(grade 1)			\$2219
	GCSNBT044CC2 w/solid surface top (	(grade 2)			\$2395
Bedside Cabinet	One fixed shelf, two	drawers. Shipped partiall	y assembled, 1 pe	r carton.	

Model GCSNBT04C has two manual locking swivel casters on back.
Model GCSNBT044C has four manual locking swivel casters.





## S SONOMA<sup>™</sup>

## **PATIENT + RESIDENT ROOM FURNITURE**

MODEL #		WEIGHT KG		LIST PRICE
	W x D x H			
No casters				
GCSNBT06L				\$1139
	572 x 521 x 762	37.19	0.31	\$1524
	nd front			<b>31324</b>
wy mermoron top a				
GCSNBT06LTHSC				\$1524
w/Thermofoil top w	ith spillguard and front			
				*****
	(grada 1)			\$2162
w/solid surface top	(grade T)			
GCSNBT06LC2				\$2338
	(grade 2)			
				*****
GCSNB106CL				\$1169
CCONDICCUTU	572 X 521 X 762	38.1	0.31	\$1539
	nd front			91000
w, mormoron top a				
GCSNBT06CLTHSC				\$1539
w/Thermofoil top w	ith spillguard and front			
	( 1 1)			\$2192
W/solid surface top	(grade 1)			
GCSNBT06CLC2				\$2368
	(grade 2)			+2000
	00 5 00 5 00	<u>.</u>		****
GCSNB106L4C				\$1196
	572 X 521 X 762	38.1	0.31	\$1551
	nd front			91001
wy mermoron top a				
GCSNBT06L4CTHS	2			\$1551
w/Thermofoil top w	ith spillguard and front			
	( ) ()			\$2219
w/solid surface top	(grade 1)			
GCSNIBTORI 4CC2				\$2395
	(grade 2)			Ψ£JJJ
	No casters         GCSNBT06L         GCSNBT06LTH         w/Thermofoil top at         GCSNBT06LTHSC         w/Thermofoil top w         GCSNBT06LC1         w/solid surface top         GCSNBT06LC2         w/solid surface top         GCSNBT06LC2         w/solid surface top         GCSNBT06CL         GCSNBT06CLTH         w/Thermofoil top at         GCSNBT06CLTHSC         w/Thermofoil top at         GCSNBT06CLC1         w/solid surface top         GCSNBT06CLC1         w/solid surface top         GCSNBT06CLC1         w/solid surface top         GCSNBT06CLC2         w/solid surface top         GCSNBT06L4C1         w/solid surface top         GCSNBT06L4CTH         w/Thermofoil top at         GCSNBT06L4CTH         w/Thermofoil top at         GCSNBT06L4CTH         w/Thermofoil top at         GCSNBT06L4CCTH         w/solid surface top         GCSNBT06L4CC1         w/solid surface top         GCSNBT06L4CC1         w/solid surface top	W x D x HNo castersGCSNBT06L $22.5 \times 20.5 \times 30$ $572 \times 521 \times 762$ GCSNBT06LTH w/Thermofoil top and frontGCSNBT06LTHSC w/Thermofoil top with spillguard and frontGCSNBT06LC1 w/solid surface top (grade 1)GCSNBT06LC2 w/solid surface top (grade 2)Rear castersGCSNBT06CL $22.5 \times 20.5 \times 30$ $572 \times 521 \times 762$ GCSNBT06CLTH w/Solid surface top (grade 2)Second frontGCSNBT06CLTH w/Thermofoil top and frontGCSNBT06CLTH w/Thermofoil top and frontGCSNBT06CLC1 w/solid surface top (grade 1)GCSNBT06CLC1 w/solid surface top (grade 1)GCSNBT06CLC2 w/solid surface top (grade 2)Four castersGCSNBT06L4C1 w/solid surface top (grade 2)Four castersGCSNBT06L4CTH w/Thermofoil top and frontGCSNBT06L4CTH sysolid surface top (grade 1)GCSNBT06L4CTH w/Thermofoil top with spillguard and frontGCSNBT06L4CTHSC w/Thermofoil top with spillguard and frontGCSNBT06L4CTHSC w/Thermofoil top with spillguard and frontGCSNBT06L4C1 w/solid surface top (grade 1)	Wx D x H         No casters         GCSNBT06L       22.5 x 20.5 x 30 g2 572 x 521 x 762 g37.19         GCSNBT06LTH         w/Thermofoil top and front         GCSNBT06LTHSC         w/Thermofoil top with spillguard and front         GCSNBT06LC1         w/solid surface top (grade 1)         GCSNBT06LC2         w/solid surface top (grade 2)         Rear casters         GCSNBT06CL         QCSNBT06CLTH         w/Thermofoil top and front         GCSNBT06CLTH         w/Thermofoil top and front         GCSNBT06CLC1         w/solid surface top (grade 1)         GCSNBT06CLC1         w/solid surface top (grade 1)         GCSNBT06L4CC         Work colspan="2">B4         ST2 x 521 x 762         W/solid surface top (grade 2)         Four casters         GCSNBT06L4CC         W/solid surface top (grade 2)         Four casters         GCSNBT06L4CC         GCSN	W x D x H           GCSNBT06L         22.5 x 20.5 x 30         82         11           572 x 521 x 762         37.19         0.31           GCSNBT06LTH         w/Thermofoil top and front         0.00000000000000000000000000000000000

**Bedside Cabinet** 

Top position drawer, one **left** opening door with adjustable shelf. Shipped partially assembled, 1 per carton. • Model GCSNBT06CL has two manual locking swivel casters on back. • Model GCSNBT06L4C has four manual locking swivel casters.



# SONOMA<sup>™</sup> S

BEDSIDE CABINETS	MODEL #				LIST PRICE
		W x D x H			
	No casters GCSNBTO6R	22.5 x 20.5 x 30 572 x 521 x 762	74 33.56	11 0.31	\$1139
	GCSNBT06RTH w/Thermofoil top a		00.00	0.01	\$1528
$\frown$	GCSNBT06RTHSC w/Thermofoil top w	vith spillguard and front			\$1528
	GCSNBT06RC1 w/solid surface top	(grade 1)			\$2162
	GCSNBT06RC2 w/solid surface top	(grade 2)			\$2338
	Rear casters				
	GCSNBT06CR	22.5 x 20.5 x 30	77	11	\$1169
	GCSNBT06CRTH w/Thermofoil top a	572 x 521 x 762 nd front	34.92	0.31	\$1539
$\frown$	GCSNBT06CRTHSC w/Thermofoil top w	vith spillguard and front			\$1539
	GCSNBT06CRC1 w/solid surface top	(grade 1)			\$2192
	GCSNBT06CRC2 w/solid surface top	(grade 2)			\$2368
	Four casters				
	GCSNBT06R4C	22.5 x 20.5 x 30	78	11	\$1196
	GCSNBT06R4CTH w/Thermofoil top a	572 x 521 x 762 nd front	35.38	0.31	\$1551
$\frown$	GCSNBT06R4CTHS w/Thermofoil top w	C vith spillguard and front			\$1551
	GCSNBT06R4CC1 w/solid surface top	(grade 1)			\$2219
	GCSNBT06R4CC2 w/solid surface top				\$2395
	1,00114 0411400 100	13.222 -1			

**Bedside Cabinet** 

Top position drawer, one right opening door with adjustable shelf. Shipped partially assembled, 1 per carton.
Model GCLBT06CRN has two manual locking swivel casters on back.
Model GCLBT06R4CN has four manual locking swivel casters.





## S SONOMA<sup>™</sup>

## DRESSERS

Notes: Please specify all substitutions and options.

- Dresser units incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the space.
- Ventilation openings have been strategically incorporated into each unit where needed.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish
- 2. Aluminum extrusion/leg paint finish
- 3. Handle style and finish
- An optional key lock is available for top drawer position only and must be specified at time of order.
- To specify lock on top drawer, indicate (LS) (lock set) after model number. Add \$62.

<sup>1</sup> В. <u>20</u> 0.56 24 0.67	LIST PRICE \$1700 \$2223
0.56	
24	\$2223
24	\$2223
	\$2223
0.67	
24 0.67	\$2063
	tially assembled, 1 per carton
40 5 1.13	\$2911
1	1 40

globa

## WARDROBE CABINETS

#### Notes: Please specify all substitutions and options.

- Wardrobe cabinets incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the space.
- Doors are mounted utilizing commercial quality hinges that provide a 170° opening span for comfortable access to personal belongings.
- Ventilation and draining have been strategically incorporated into each unit where needed.
- Wardrobe cabinets offer a safety garment hook as standard and a J-style safety clothing rail to ensure maximum well being and peace of mind from accidents.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish
- 2. Aluminum extrusion/leg paint finish
- 3. Handle style and finish
- Optional door lock is available. Must be quoted on a project opportunity as a special.
- See accessories for additional options to enhance personal storage features.

WARDROBE CABINETS	MODEL #				LIST PRICE
		W x D x H			
	GCSNWC01	50 x 26.5 x 72	442	71	\$4473
		1270 x 673 x 1829	200.48	2.01	



- Left side top shelf: 14.75"W x 20.75"D x 8.625"H
- Left side clothing rail area: 14.75"W x 20.75"D x 55.6"H
- Right side top shelf: 30.75"W x 20.75"D x 8.625"H
- Right side middle section with adjustable shelf: 30.75"W x 20.75"D x 32"H
- Right side bottom section: 30.75"W x 20.75"D x 24"H
- Drawers: 28.5"W x 5.125"D x 17.25"H

Three doors. Interior **left** side offers an upper shelf with a J-style safety clothing rail below. The **right** side of the cabinet has two half length doors with two fixed and two adjustable shelves. Three drawers below. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60° (see page 33). Shipped partially assembled, 1 per carton.

GCSNWC02	50 x 26.5 x 72	428	71	\$3705	
	1270 x 673 x 1829	194 13	2 01	•	
	1210 / 010 / 1020	101.10	2.01		

Inside dimensions:

- Left side top shelf: 14.75"W x 20.75"D x 8.625"H
- Left side middle section with adjustable shelf: 14.75"W x 20.75"D x 38.7"H
- Left side bottom section: 14.75"W x 20.75"D x 15.8"H
- Right side top shelf: 30.75"W x 20.75"D x 8.625"H
- Right side clothing rail area: 30.75"W x 22.75"D x 55.6"H

Three full length doors. Interior **left** side offers two adjustable and two fixed shelves. Interior **right** side offers an upper shelf with a J-style safety clothing rail below. A Safety Garment Hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 33). Shipped partially assembled, 1 per carton.

GCSNWD01	38.5 x 26.5 x 72	261	55	\$2525	
	978 x 673 x 1829	118.38	1.55		




• Top shelf: 34.75"W x 22.7"D x 8.625"H

• Bottom portion: 34.75"W x 22.7"D x 50.6"H

Two doors, full span J-style safety clothing rail below a fixed shelf. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 33). Lock not available on door. Shipped partially assembled, 1 per carton.



#### Wardrobe Cabinet



Wardrobe Cabinet



Wardrobe Cabinet

# S SONOMA<sup>™</sup>

## PATIENT + RESIDENT ROOM FURNITURE

$\langle$	$\geq$	
	₽	
L		SECTION
۲	F	

WARDROBE CABINETS

Wardrobe Cabinet



#### Wardrobe Cabinet



#### **Narrow Wardrobe Cabinet**



#### **Replacement Lock Set**



**Replacement Key** 

MODEL #		WEIGHT KG	VOLUME MT'	LIST PRICE	
	W x D x H				
GCSNWD02	38.5 x 26.5 x 72	282	55	\$3152	
	978 x 673 x 1829	127.91	1.55		

Inside dimensions:

• Left side top shelf: 17"W x 20.7"D x 8.625"H

• Left side clothing rail area: 17"W x 20.7"D x 55.6"H

• Right side top shelf: 17"W x 20.7"D x 8.625"H

• Right side clothing rail area: 17"W x 20.7"D x 36.6"H

Two doors. Interior is divided in two with an upper shelf and a J-style safety clothing rail on the **left** side. The **right** side has one adjustable and two fixed shelves with a J-style safety clothing rail below. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 33). Shipped partially assembled, 1 per carton.

GCSNWD03	38.5 x 26.5 x 72	297	55	\$3281	
	978 x 673 x 1829	134.71	1.55		

Inside dimensions:

- Left side top shelf: 17"W x 20.7"D x 8.625"H
- Left side clothing rail area: 17"W x 20.7"D x 55.6"H

• Right side top shelf: 17"W x 20.7"D x 8.625"H

- Right side middle section with adjustable shelf: 17"W x 20.7"D x 38.7"H
- Right side bottom section: 17"W x 20.7"D x 15.8"H

Two doors. Interior is divided in two with an upper shelf and a J-style safety clothing rail on the **left** side. The **right** side has two adjustable and two fixed shelves. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 33). Shipped partially assembled, 1 per carton.

Left					
GCSNWN01L	22.5 x 24.5 x 72	216	30	\$2384	
	572 x 622 x 1829	97.97	0.84		
Right					
GCSNWN01R	22.5 x 24.5 x 72	216	30	\$2384	
	572 x 622 x 1829	97.97	0.84		

Inside dimensions:

- Top shelf: 18.7"W x 20.7"D
- Top drawer: 16.5"W x 5.125"D x 15.5"H
- Clothing rail area: 18.7"W
- Lower drawer: 16.5"W x 5.125"D x 15.5"H

One door covering upper shelf and J-style safety clothing rail. Two exposed drawers below. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 33). Shipped partially assembled, 1 per carton.

GCSNCOREK	20 x 22 x 35 508 x 559 x 889	16 7.3	0.01 -	\$62	
Replacement core	e and key.				
WL2EK	24.5 x 29 x 41	35	0.1	\$4	
VVLZLIN		15			



## ACCESSORIES

#### Notes: Please specify all substitutions and options.

- Bookcase units incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the space.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish
- 2. Aluminum extrusion/leg paint finish

ACCESSORIES	MODEL #			VOLUME <sup>FT<sup>3</sup></sup>	LIST PRICE
	GCAT400	W x D x H - -	0.24 0.1	0.1 -	\$46
Anti-Tip Security Kit	aircraft cable. Fu	furniture from tipping over. T Il installation instructions are quired for LWA, LWC, LWD, L	included. Recom	mended for all 72" h	nade from steel and galvanized stee igh units.
	GCSNBC02	34.5 x 14.5 x 37.5 876 x 368 x 953	75 34.01	16 0.45	\$1043
ookcase	37.5" high. 1 adju	ustable shelf. Shipped partia	lly assembled, 1 p	er carton.	
	GCSNHA01	13 x 2 x 4.25 330 x 51 x 108	1 0.45	0.2	\$80
lultiple Hook	<ul> <li>Standard powd</li> </ul>	on opening of wardrobes prov er coated paint finish color: S	Sierra ( <b>SC</b> ).		
	GCSNHA02	13 x 3.75 x 10 330 x 95 x 254	1.5 0.68	-	\$114
agazine/Tissue Holder		on opening of bedside cabine er coated paint finish color: S		ing additional storaç	e of frequently accessed items.
6	GCSNHA03	1.5 x 1 x 3.25 38 x 25 x 83	1.5 0.68	0.2	\$23
afety Garment Hook	with the safety fe	ivides additional hanging sto ature to support a maximum er coated paint finish color: S	weight of 75 lbs.	right and center w	ardrobe doors as standard. Engined


global

## **SONOMA<sup>™</sup>** S ACCESSORIES

## **PATIENT + RESIDENT ROOM FURNITURE**

$\square$	
	$\int$

**Headboard and Footboard** Fascia Profile: Arc (TPAR)



**Headboard and Footboard** Fascia Profile: Linear (TPLN)



**Bedside Drawer Liner and Personal Organizer** 



Wardrobe Mirror

MODEL #				LIST PRICE	
	W x D x H				
GCSNHF01	37 x 1 x 25	47	1.9	\$978	
Set	940 x 25 x 635	21.31	0.05		
GCSNHB01	37 x 1 x 25	26	1.9	\$669	
Headboard	940 x 25 x 635	11.79	0.05		
GCSNFB01	37 x 1 x 20	21	1.7	\$309	
Footboard	940 x 25 x 508	9.52	0.04		

Headboard and footboard are provided as a set or can be ordered individually. 1" thick high pressure laminate with 3mm edge. · No predrilled holes.

• No mounting brackets or hardware included.

· Verify board application and dimensions before ordering.

GCSNHF04	37 x 1 x 25	47	1.9	\$970
Set	940 x 25 x 635	21.31	0.05	
GCSNHB04	37 x 1 x 25	26	1.9	\$600
Headboard	940 x 25 x 635	11.79	0.05	
GCSNFB04	37 x 1 x 20	21	1.7	\$374
Footboard	940 x 25 x 508	9.52	0.04	

Headboard and footboard are provided as a set or can be ordered individually. 1" thick high pressure laminate with 3mm edge. · No predrilled holes.

• No mounting brackets or hardware included.

• Verify board application and dimensions before ordering.

GCSNLP01	18 x 16.5 x 5.25	2	1.3	\$153	
	/57 x /19 x 133	 n a		+	
	457 X 419 X 133	0.9	0.03		

Constructed from high impact styrene plastic. Plastic liners have been specially designed to saddle the drawer edges for a perfect fit while eliminating gaps and potential traps. Removable. • Neutral color (French Vanilla) coordinates with drawer interiors.

GCSNWM01	11 x 0.25 x 29	40	1.5	\$164	
	279 x 6 x 737	18.14	-		

Installed on the left inside of the door. Backed with shatterproof safety tape, tested for shatter resistance. Double mounted with both rubber lined mirror clips and heavy duty foam tape. Edges are polished. 1 per carton.

