

The Aldon series offers affordable and personalized furniture solutions for patient or resident rooms. Highly durable, Aldon's clean lines and simple design provide built-in quality to meet the demands of any healthcare environment. Tops, gables and backs are engineered for on-site maintenance and replacement to ensure long-term performance. The design incorporates smooth surfaces with a straight profile and durable finish options, demonstrating respect for housekeeping and infection prevention control practices. A 3mm PVC edge on tops, drawer and door fronts provides peace of mind for greater performance. The vast array of product and finish selections allow for individual choices while complementing the design objective. Aldon is the ideal balance of value and style.

#### **Features and Benefits**

- Tops standard with 1" thermally fused laminate with coordinating 3mm PVC edge.
- Chassis, back panels, drawer fronts, shelves and doors are constructed of ¾" thermally fused laminate.
- Constructed with NAUF (no added urea formaldehyde) particle board.
- Laminate finishes are available in a variety of colors.
- Thermofoil finishes are available on bedside cabinets.
- All chassis panels and tops can be replaced if damaged.
- Drawers are mounted on high quality precision steel full extension ball bearing slides.
- Optional high impact polystyrene insert liner can be removed for ease of room transfer and cleaning.
- Handle is attractive, easy-togrip, arc style. Standard in Tungsten finish.
- Locks are optional on bedside cabinets, dressers and wardrobes.
- Metal legs and plinth bases available on all models.
- Casters are available on bedside cabinets.
- For proper ventilation, all units have cut-outs with grommets in the back.
- For environmental certications, please visit globalfurnituregroup.com.

- · Tops are field replaceable.
- Tops on all models are standard with 1" thermally fused laminate with coordinating 3mm PVC edge.
- 1" high pressure laminate tops with coordinating 3mm PVC edge are available on bedside cabinets and dressers. For a quotation, please submit a Special Request Form to your Global representative.
- · Thermofoil and solid surface finishes are available on bedside cabinets only. See next page for finishes.

#### **CHASSIS**

- Constructed from 3/4" thermally fused laminate.
- · Return on investment is enhanced through the ability to replace chassis panels or tops should they become damaged.

#### **BACK**

- Back panels are constructed from ¾" thermally fused laminate
- Back panels are field replaceable should they become damaged

#### **DRAWERS**

- Drawer fronts are constructed from ¾" thermally fused laminate with 3mm PVC edge.
- Thermofoil finishes are available on bedside cabinets only.
- Mounted on high quality precision steel full extension ball bearing slides.
- Box drawer is 6" high with inside depth of 15.48"
- Drawer interiors are made of PVC-free Black vinyl particle board.
- Bottom drawer interior is fully wrapped in a Black colored durable vinyl covering.
- Soft close drawer is optional, specify (SF) at time of order. Add \$54 per drawer.

#### **DRAWER INSERTS**

- The optional bedside cabinet drawer liner insert is constructed of high impact polystyrene, standard in White. Molded in one piece with no seams or joints to collect dust or bacteria, satin smooth and with rounded corners for easy clean up.
- Optional high impact polystyrene insert liner can be removed for ease of transferring personal belongings and cleaning.

#### **SHELVING**

- Structural fixed shelves and adjustable shelves are constructed of ¾" thermally fused laminate with coordinating 3mm PVC edge
- Structural fixed shelves and adjustable shelves are supported with metal brackets

#### **DOORS**

- Constructed of 34" thermally fused laminate with 3mm PVC edge.
- Mounted utilizing commercial quality hinges that provide a 110° opening span for easy access to personal belongings.

## LOCKS

- · Locks are optional on bedside cabinets, dressers and wardrobes. They must be specified at time of order. Please check each model number for optional locks offered and applicable upcharges.
- Keying is available with random key, please specify (RK), or keyed alike.
- For key alike numbering sequence, please specify key number 101 120. No upcharge.

#### **EDGE**

- Tops, door fronts and drawer fronts have coordinating 3mm PVC edge
- Fixed and adjustable shelves have coordinating 3mm PVC front edge
- Top radius is 1" on bedside cabinet edges

#### VENTILATION

 All units have cut-outs with grommets in the back for ventilation, reducing odor and bacteria growth.

#### **BASE OPTIONS**

• Metal legs, casters and Plinth base are field replaceable and interchangeable on Aldon where applicable.

#### **Metal Legs**

- · Available on bedside cabinets, dressers and wardrobes
- Standard powder coated paint finishes are Black (BLK), Blizzard (BZD), Charcoal (CHR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (NEV), Sierra (SCA), Silver (SIL), Taupe (TPE), Toast (TOA) and Tungsten (TUN).
- 3"high. Levelers offer .5" to .75" adjustment for increased stability and leveling.

- · Available on bedside cabinets only
- · Constructed of commercial quality, swivel dual wheel
- · Front casters are manually locking, swivel dual wheel
- When ordering two locking casters, the casters will be in the front of the unit for ease of access, non-locking casters will be in the back

#### **Plinth Base**

- Available on bedside cabinets, dressers and wardrobes
- 3" high and standard in thermally fused laminate
- Levelers offer .5" to .75" adjustment for increased stability and leveling

#### **HANDLES**

- Handles require a 128mm center point if custom styles are desired.
- Handle style must be specified at time of order.
- A1 handle is standard, also offered in seven options below:







A1

Arc - Sierra

Arc - Matte Chrome

Bow - Matte Chrome







#### CM<sub>1</sub> Contemporary Metal Pull -

Matte Chrome

Contemporary Metal Pull -Matte Black

TM<sub>1</sub> Transitional Metal Pull -**Brushed Nickel** 



Matte Black



CM<sub>2</sub>

Transitional Metal Pull -

RPH1 (add \$67/handle) Recessed - Silver

 Handles can be ordered separately (except for recessed handle). Add \$35. Please specify:

(GC-A1): Arc - Sierra

(GC-B1): Bow - Matte Chrome

(GC-CM1): Contemporary Metal Pull - Matte Chrome (GC-CM2): Contemporary Metal Pull - Matte Black

(GC-TM1): Transitional Metal Pull - Brushed Nickel (GC-TM2): Transitional Metal Pull - Matte Black

- Recessed handle (RPH1) must be specified at time of order. Add \$67 /handle.
- For additional finish options, please contact your Global sales representative.
- To view handle finish options, visit globalfurnituregroup.com and go to the Sonoma finishes section.

#### **LAMINATE FINISHES - TOP AND CHASSIS**

· All laminate finishes are available with coordinating 3mm PVC edge:

Absolute Acajou (ACJ) First Class (FCL) Asian Night (ASN) Noce Biondo (NBL) Avant Cherry (AWC) Noce Grigio (NGL) Avant Honey (AWH) Noce Leggero (NEL) Black (BLK) Noce Medio (NML) Blizzard (BZD) Quartered Mahogany (QTM) Brushed Cobalt (BRC) Sheer Beauty (SBY) Clear Maple (CMB) Stonedust (SDT) Custom Grey (CGY) Storm Grey (SOG) Walnut Heights (WHE) Dark Espresso (DES) Designer White (DWT) White Chocolate (WHC) Fashionista (FAS) Winter Cherry (WCR)

#### THERMOFOIL FINISHES - TOP AND FRONT (INCLUDING BOTTOM FASCIA)

• Thermofoil finishes are available on bedside cabinets only.

Absolute Acajou (ACJ) Clear Maple (CMB) Custom Grey (CGY) Dark Espresso (DES) Designer White (DWT) Fashionista (FAS) First Class (FCL) Sheer Beauty (SBY) Storm Grey (SOG) White Chocolate (WHC)

#### **SOLID SURFACE FINISHES - TOP ONLY**

• Available on bedside cabinets only. See models ending in "C1" or "C2".

Grade 1 (C1) Grade 2 (C2)

Designer White (SWH) Beige Tempest (SBT) Hot Stone (SHS) Northern Melange (SNM) Black Onyx Mirage (SBX) Frosty White Mirage (SFW) Milk Glass Spectra (SMG)

• For detailed material information, please reference WilsonArt's Solid Surface collection.



Standard - laminate top, front and case



TH - thermofoil top and front, laminate case



THSC - thermofoil top with spill guard and front, laminate case



C1/C2 - solid surface top, laminate front and case

#### **SPILL COLLECTOR**

• Spill collector (SC) is optional on the edge of bedside cabinets with Thermofoil finish only.



#### **CUSTOM**

• Global welcomes the opportunity to provide quotation on special requests for project business.

#### **SHIPPING**

• All products are shipped partially assembled, one per carton, unless otherwise noted.

BEDSIDE CABINETS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GCEXBT01CN	22.14 x 21.38 x 3	0 92.5	96	8.5	\$1301
	GCEXBT01CNTH w/Thermofoil top	and front				\$1812
	GCEXBT01CNTHS w/Thermofoil top	SC with spillguard and fron	t			\$1812
	GCEXBT01CNC1 w/solid surface to	op (grade 1)				\$2721
	GCEXBT01CNC2 w/solid surface to	op (grade 2)				\$2959
edside Cabinet		four casters. Standard drawer, specify ( <b>LK</b> ). Ad				n. () or key number 101-120.
	GCEXBT01LN	22.14 x 21.38 x 3	0 92.5	96	8.5	\$1385
	GCEXBT01LNTH w/Thermofoil top	and front				\$1942
	GCEXBT01LNTHS w/Thermofoil top	SC with spillguard and fron	t			\$1942
	GCEXBT01LNC1 w/solid surface to	op (grade 1)				\$2804
	GCEXBT01LNC2 w/solid surface to	op (grade 2)				\$3042
dside Cabinet		ith metal legs. Standard drawer, specify ( <b>LK</b> ). Ad				n. ) or key number 101-120.
	GCEXBT01PN	22.14 x 21.38 x 3	0 92.5	96	8.5	\$1436
	GCEXBT01PNTH w/Thermofoil top	and front				\$1953
	GCEXBT01PNTHS w/Thermofoil top	SC with spillguard and fron	t			\$1953
	GCEXBT01PNC1 w/solid surface to	op (grade 1)				\$2855
8	GCEXBT01PNC2 w/solid surface to	op (grade 2)				\$3095
dside Cabinet	Three drawers or					

1					
MODEL#	DIMENSIONS FRE	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GCEXBT04CN	22.14 x 21.38 x 30	92.5	94	8.5	\$1249
GCEXBT04CNTH w/Thermofoil top	and front				\$1697
					\$1697
GCEXBT04CNC1 w/solid surface to	op (grade 1)				\$2667
GCEXBT04CNC2 w/solid surface to	op (grade 2)				\$2908
GCEXBT04LN	22.14 x 21.38 x 30	92.5	94	8.5	\$1332
GCEXBT04LNTH w/Thermofoil top	and front				\$1833
					\$1833
GCEXBT04LNC1 w/solid surface to	op (grade 1)				\$2750
GCEXBT04LNC2 w/solid surface to	op (grade 2)				\$2991
GCEXBT04PN	22.14 x 21.38 x 30	92.5	94	8.5	\$1368
GCEXBT04PNTH w/Thermofoil top	and front				\$1823
					\$1823
GCEXBT04PNC1 w/solid surface to	op (grade 1)				\$2788
	GCEXBT04CNTH w/Thermofoil top GCEXBT04CNC1 w/solid surface to One open fixed sh • For lock on top of GCEXBT04LNTH w/Thermofoil top GCEXBT04LNTH w/Thermofoil top GCEXBT04LNTH w/Thermofoil top GCEXBT04LNC2 w/solid surface to GCEXBT04LNC1 w/solid surface to GCEXBT04LNC1 w/solid surface to GCEXBT04LNC2 w/solid surface to One open fixed sh • For lock on top of GCEXBT04PNTH w/Thermofoil top GCEXBT04PNTH w/Thermofoil top GCEXBT04PNTHS w/Thermofoil top GCEXBT04PNTHS w/Thermofoil top	GCEXBTO4CNTH w/Thermofoil top and front GCEXBT04CNTHSC w/Thermofoil top with spillguard and front GCEXBT04CNC1 w/solid surface top (grade 1) GCEXBT04CNC2 w/solid surface top (grade 2)  One open fixed shelf and two drawers, on fou • For lock on top drawer, specify (LK). Add \$  GCEXBT04LNTH w/Thermofoil top and front  GCEXBT04LNTHSC w/Thermofoil top with spillguard and front  GCEXBT04LNC1 w/solid surface top (grade 1)  GCEXBT04LNC2 w/solid surface top (grade 2)  One open fixed shelf and two drawers, with r • For lock on top drawer, specify (LK). Add \$  GCEXBT04LNC2 w/solid surface top (grade 2)  One open fixed shelf and two drawers, with r • For lock on top drawer, specify (LK). Add \$  GCEXBT04PN  22.14 x 21.38 x 30  GCEXBT04PNTH w/Thermofoil top and front  GCEXBT04PNTHSC w/Thermofoil top with spillguard and front	GCEXBT04CNTH W/Thermofoil top and front GCEXBT04CNTHSC W/Thermofoil top with spillguard and front GCEXBT04CNC1 W/solid surface top (grade 1) GCEXBT04CNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, on four casters. St • For lock on top drawer, specify (LK). Add \$89 list upchar  GCEXBT04LNTH W/Thermofoil top and front GCEXBT04LNTHSC W/Thermofoil top with spillguard and front GCEXBT04LNC1 W/solid surface top (grade 1) GCEXBT04LNC2 W/solid surface top (grade 1) GCEXBT04LNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, with metal legs. St • For lock on top drawer, specify (LK). Add \$89 list upchar  GCEXBT04PN  GCEXBT04PNTH W/Thermofoil top and front GCEXBT04PNTH W/Thermofoil top with spillguard and front GCEXBT04PNTH W/Thermofoil top with spillguard and front GCEXBT04PNTHSC W/Thermofoil top with spillguard and front GCEXBT04PNTHSC W/Thermofoil top with spillguard and front	GCEXBTO4CN 22.14 x 21.38 x 30 92.5 94  GCEXBT04CNTH W/Thermofoil top and front GCEXBT04CNTHSC W/Thermofoil top with spillguard and front GCEXBT04CNC1 W/solid surface top (grade 1) GCEXBT04CNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, on four casters. Standard with r • For lock on top drawer, specify (LK). Add \$89 list upcharge. Specify r  GCEXBT04LN 22.14 x 21.38 x 30 92.5 94  GCEXBT04LNTH W/Thermofoil top and front GCEXBT04LNC1 W/solid surface top (grade 1) GCEXBT04LNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, with metal legs. Standard with r • For lock on top drawer, specify (LK). Add \$89 list upcharge. Specify r  GCEXBT04PNC1  GCEXBT04PNTH W/Thermofoil top with spillguard and front GCEXBT04PNTH W/Thermofoil top and front GCEXBT04PNTHSC W/Thermofoil top with spillguard and front GCEXBT04PNTHSC W/Thermofoil top with spillguard and front GCEXBT04PNTHSC W/Thermofoil top with spillguard and front GCEXBT04PNC1	GCEXBT04CN 22.14 x 21.38 x 30 92.5 94 8.5  GCEXBT04CNTH W/Thermofoil top and front  GCEXBT04CNC1 W/solid surface top (grade 1)  GCEXBT04CNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, on four casters. Standard with no lock. Shippe • For lock on top drawer, specify (LK). Add \$89 list upcharge. Specify random key (RK)  GCEXBT04LNT  GCEXBT04LNTH W/Thermofoil top and front  GCEXBT04LNTHSC W/Thermofoil top with spillguard and front  GCEXBT04LNC1 W/solid surface top (grade 2)  One open fixed shelf and two drawers, with metal legs. Standard with no lock. Shippe • For lock on top drawer, specify (LK). Add \$89 list upcharge. Specify random key (RK)  GCEXBT04LNC1 W/solid surface top (grade 1)  GCEXBT04LNC2 W/solid surface top (grade 2)  One open fixed shelf and two drawers, with metal legs. Standard with no lock. Shippe • For lock on top drawer, specify (LK). Add \$89 list upcharge. Specify random key (RK)  GCEXBT04PNT  GCEXBT04PNTH W/Thermofoil top and front  GCEXBT04PNTHSC W/Thermofoil top with spillguard and front

DSIDE CABINETS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	GCEXBT06CLN	D x W x H 22.14 x 21.38 x 3	0 92.5	92	8.5	\$1186	
	GCEXBT06CLNTH w/Thermofoil top ar	nd front				\$1744	
	GCEXBT06CLNTHSC w/Thermofoil top w	; ith spillguard and fron	t			\$1744	
	GCEXBT06CLNC1 w/solid surface top	(grade 1)				\$2605	
	GCEXBT06CLNC2 w/solid surface top	(grade 2)				\$2845	
side Cabinet	Standard with no lo • For lock on drawe • For lock on door, s • For locks on draw	one <b>left</b> opening doo cks. Shipped assemble r, specify ( <b>LK</b> ). Add <b>\$7</b> pecify ( <b>L3</b> ). Add <b>\$71</b> ler and door, specify ( <b>L</b> ey ( <b>RK</b> ) or key number	ed, 1 per carton. '1 list upcharge. ist upcharge. 5). Add \$141 list		on adjustable sl	nelf behind door, on four casters	j.
	GCEXBT06CRN	22.14 x 21.38 x 3	0 92.5	92	8.5	\$1186	
	GCEXBT06CRNTH w/Thermofoil top ar	nd front				\$1744	
	GCEXBT06CRNTHS0 w/Thermofoil top w	C ith spillguard and from	t			\$1744	
8	GCEXBT06CRNC1 w/solid surface top	(grade 1)				\$2605	
	GCEXBT06CRNC2 w/solid surface top	(grade 2)				\$2845	
ide Cabinet	Standard with no lo • For lock on drawe • For lock on door, s • For locks on draw	one <b>right</b> opening docks. Shipped assemble r, specify ( <b>LK</b> ). Add <b>\$7</b> pecify ( <b>L4</b> ). Add <b>\$71</b> I er and door, specify ( <b>L</b> ey ( <b>RK</b> ) or key number	ed, 1 per carton 11 list upcharge. ist upcharge. 6). Add \$141 list	·	sition adjustable	e shelf behind door, on four cast	ers.
	GCEXBT06LLN	22.14 x 21.38 x 3	0 92.5	92	8.5	\$1264	
	GCEXBT06LLNTH w/Thermofoil top ar	nd front				\$1863	
	GCEXBT06LLNTHSC w/Thermofoil top w	ith spillguard and fron	t			\$1863	
	GCEXBT06LLNC1 w/solid surface top	(grade 1)				\$2682	
	GCEXBT06LLNC2 w/solid surface top	(grade 2)				\$2923	
⊕ iide Cabinet	Standard with no lo • For lock on drawe • For lock on door, s • For locks on draw	one <b>left</b> opening doo cks. Shipped assemble r, specify ( <b>LK</b> ). Add <b>\$7</b> pecify ( <b>L3</b> ). Add <b>\$71</b> ler and door, specify ( <b>L</b> ey ( <b>RK</b> ) or key number	ed, 1 per carton. 11 list upcharge. ist upcharge. 5). Add \$141 list		on adjustable sl	nelf behind door, with metal leg	S.

BEDSIDE CABINETS	MODEL#	DIMENSIONS FRI	IGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GCEXBT06LRN	22.14 x 21.38 x 30	92.5	92	8.5	\$1264
	GCEXBT06LRNTH w/Thermofoil top a	nd front				\$1863
	GCEXBT06LRNTHS w/Thermofoil top v	C vith spillguard and front				\$1863
	GCEXBT06LRNC1 w/solid surface top	(grade 1)				\$2682
	GCEXBT06LRNC2 w/solid surface top	(grade 2)				\$2923
edside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on draw	r, one <b>right</b> opening door ocks. Shipped assembled, er, specify ( <b>LK</b> ). Add <b>\$71</b> list specify ( <b>L4</b> ). Add <b>\$71</b> list ver and door, specify ( <b>L6</b> ). ey ( <b>RK</b> ) or key number 10	1 per carton. st upcharge upcharge. Add <b>\$141</b> lis		sition adjustable	shelf behind door, with metal legs
	GCEXBT06PLN	22.14 x 21.38 x 30	92.5	92	8.5	\$1264
	GCEXBT06PLNTH w/Thermofoil top a	nd front				\$1863
	GCEXBT06PLNTHS w/Thermofoil top v	C vith spillguard and front				\$1863
	GCEXBT06PLNC1 w/solid surface top	(grade 1)				\$2682
	GCEXBT06PLNC2 w/solid surface top	(grade 2)				\$2923
edside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on draw	r, one <b>left</b> opening door (hocks. Shipped assembled, er, specify ( <b>LK</b> ). Add <b>\$71</b> list specify ( <b>L3</b> ). Add <b>\$71</b> list ver and door, specify ( <b>L5</b> ). ey ( <b>RK</b> ) or key number 10	1 per carton. st upcharge upcharge. Add <b>\$141</b> lis		on adjustable sh	nelf behind door, on plinth base.
	GCEXBT06PRN	22.14 x 21.38 x 30	92.5	92	8.5	\$1264
	GCEXBT06PRNTH w/Thermofoil top a	nd front				\$1863
	GCEXBT06PRNTHS w/Thermofoil top v	C vith spillguard and front				\$1863
	GCEXBT06PRNC1 w/solid surface top	(grade 1)				\$2682
	GCEXBT06PRNC2 w/solid surface top	(grade 2)				\$2923
edside Cabinet	Standard with no lo • For lock on draw • For lock on door, • For locks on draw	r, one <b>right</b> opening door ocks. Shipped assembled, er, specify ( <b>LK</b> ). Add <b>\$71</b> list specify ( <b>L4</b> ). Add <b>\$71</b> list ver and door, specify ( <b>L6</b> ). ey ( <b>RK</b> ) or key number 10	1 per carton. st upcharge upcharge. Add <b>\$141</b> lis		sition adjustable	shelf behind door, on plinth base.

PAHENI + K
DRESSERS
Double Dresser

MIODEL#	DIMENSIONS	FREIGHT CLASS	WI/LDS.	CUBIC FI.	LIST PRICE
	DxWxH				
GCEXDD01LN	24.13 x 36.19 x	30 92.5	180	18	\$2328

Three drawers on each side, on metal legs. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top right drawer, specify (LR). Add \$71 list upcharge.
- For lock on top left drawer, specify (LL). Add \$71 list upcharge.
- For lock on top right and left drawers, specify (L8). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.

	GCEXDD01PN	24.13 x 36.19 x 30	92.5	180	18	\$2406	
--	------------	--------------------	------	-----	----	--------	--



**Double Dresser** 


Three drawers on each side, on plinth base. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top right drawer, specify (LR). Add \$71 list upcharge.
- For lock on top left drawer, specify (LL). Add \$71 list upcharge.
- For lock on top right and left drawers, specify (L8). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.



3 Drawer Dresser

GCEXDR02LN	24.13 x 35.63 x 30	100	142	17	\$1921





3 Drawer Dresser

GCEXDR02PN	24.13 x 35.63 x 30	100	142	17	\$2000	

Three drawers on plinth base. Standard with no lock. Shipped assembled, 1 per carton.

• For lock on top drawer, specify (LK). Add \$71 list upcharge.

/3/
3
1

4 Drawer Dresser

GCEXDR07LN	24.13 x 35.63 x 38.5	125	153	22	\$2214

Four drawers on metal legs. Standard with no lock. Shipped assembled, 1 per carton.

• For lock on top drawer, specify (LK). Add \$71 list upcharge.



**4 Drawer Dresser** 

GCEXDR07PN 24.13 x 35.63 x 38.5 125 153 22 **\$2318** 

Four drawers on plinth base. Standard with no lock. Shipped assembled, 1 per carton.

• For lock on top drawer, specify **LK**. Add \$71 list upcharge.

$\boldsymbol{ALDON}^{\scriptscriptstyleTM}$			PATIE	NT + 1	RESIDEN	NT ROOM FU	JRNITURE
BEDSIDE DRAWER LINER	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	GCEXLLP01	15.5 x 16.5 x 4.5	5 250	3.5	1	\$89	
Bedside Drawer Liner	High impact polyst Shipped assemble		edside cabinet 6"	drawers. C	an be removed t	for ease of room transf	er and cleaning.

WARDROBE CABINETS	
Wardrobe Cabinet	
vvarurune Ganillet	

GCEXWD03LN Inside dimensions:

MODEL# WT/LBS. DIMENSIONS FREIGHT CLASS CUBIC FT. LIST PRICE 24.13 x 35.63 x 72 125 305 43 \$2725

• Left side top shelf: 12.85"


• Left side clothing rail area: 53.2"


Right side with adjustable shelves area: 66.59"

Divided wardrobe with J-style safety clothing rail and shelves, on 5 metal legs. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on the left side. The right side has four adjustable shelves. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no lock. Shipped assembled, 1 per carton.

• For one lock fastening both doors, specify (LB). Add \$71 list upcharge. Specify random key (RK) or key number 101-120.







Inside dimensions:

• Left side top shelf: 12.85" Left side clothing rail area: 53.2"
 Right side with adjustable shelves area: 66.59"

Divided wardrobe with J-style safety clothing rail and shelves, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on the left side. The right side has four adjustable shelves. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no lock. Shipped assembled, 1 per carton.

• For one lock fastening both doors, specify (LB). Add \$71 list upcharge. Specify random key (RK) or key number 101-120.





Inside dimensions:

GCEXWD04LN

• Left side top shelf: 7"

• Left side clothing rail area: 42"

• Right side top shelf: 7"

125

• Right side clothing rail area: 42"

316

• Top drawer: 8.25" • Lower drawer: 8.25"

43

\$3361

Divided wardrobe with J-style safety clothing rail and two full drawers below, on 5 metal legs. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

• For lock on right door, specify (L4). Add \$141 list upcharge.

24.13 x 35.63 x 72

- For lock on left door, specify (L3). Add \$71 list upcharge.
- For lock on both right and left doors, specify (L2). Add \$141 list upcharge.
- For lock on top drawer, specify (LK). Add \$71 list upcharge.
- For lock on right door and top drawer, specify (L6). Add \$141 list upcharge.
- For lock on left door and top drawer, specify (L5). Add \$141 list upcharge.
- For lock on right door, left door and top drawer, specify (L9). Add \$211 list upcharge.
- Specify random key (RK) or key number 101-120.


WARDROBE CABINETS	
Wardrobe Cabinet	

Inside dimensions:

• Left side top shelf: 7" • Right side top shelf: 7" Top drawer: 8.25" • Left side clothing rail area: 42" • Right side clothing rail area: 42" • Lower drawer: 8.25"

Divided wardrobe with J-style safety clothing rail and two full drawers below, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$141 list upcharge.
- For lock on left door, specify (L3). Add \$71 list upcharge.
- For lock on both right and left doors, specify (L2). Add \$141 list upcharge.
- For lock on top drawer, specify (LK). Add \$71 list upcharge.
- For lock on right door and top drawer, specify (L6). Add \$141 list upcharge.
- For lock on left door and top drawer, specify (L5). Add \$141 list upcharge.
- For lock on right door, left door and top drawer, specify (L9). Add \$211 list upcharge.
- Specify random key (RK) or key number 101-120.



GCEXWD05LN	24.13 x 35.63 x 72	125	305	43	\$3324


Inside dimensions:

- Left side top shelf: 7"
- Right side top shelf: 7"
- Top drawer: 8.25"

- Left side clothing rail area: 42"
- Right side clothing rail area: 42"
- Lower drawer: 8.25"

Divided wardrobe with J-style safety clothing rail and two full drawers below, on 5 metal legs. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately, order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$141 list upcharge.
- For lock on left door, specify (L3). Add \$71 list upcharge.
- For lock on both right and left doors, specify (L2). Add \$141 list upcharge.
- For lock on drawer, specify (LK). Add \$71 list upcharge.
- For lock on right door and drawer, specify (L6). Add \$141 list upcharge.
- For lock on left door and drawer, specify (L5). Add \$141 list upcharge.
- For locks on right door, left door and drawer, specify (L9). Add \$211 list upcharge.
- Specify random key (RK) or key number 101-120.



GCEXWD05PN \$3351 24.13 x 35.63 x 72 125 305 43


Inside dimensions:

- Left side top shelf: 7"
- Right side top shelf: 7"
- Top drawer: 8.25"

- Left side clothing rail area: 42"
- Right side clothing rail area: 42"
- Lower drawer: 8.25"

Divided wardrobe with J-style safety clothing rail and two full drawers below, on plinth base. Two doors covering interior divided in two with an upper fixed shelf and J-style safety clothing rail on both sides. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately, order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on right door, specify (L4). Add \$141 list upcharge.
- For lock on left door, specify (L3). Add \$71 list upcharge.
- For lock on both right and left doors, specify (L2). Add \$141 list upcharge.
- For lock on drawer, specify (LK). Add \$71 list upcharge.
- For lock on right door and drawer, specify (L6). Add \$141 list upcharge.
- For lock on left door and drawer, specify (L5). Add \$141 list upcharge.
- For locks on right door, left door and drawer, specify (L9). Add \$211 list upcharge.
- Specify random key (RK) or key number 101-120.



## ALDON™

## PATIENT + RESIDENT ROOM FURNITURE



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
GCEXWN02LLN	24.13 x 18.63 x 7	2 150	136	24	\$2444
Inside dimensions: • Top shelf: 7"	• Clothing rail area	a: 42" • Top o	drawer: 8.25″	• Low	ver drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on four metal legs. One **left** door (hinges on left) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top drawer, specify (LK). Add \$89 list upcharge.
- For lock on door, specify (L3). Add \$71 list upcharge.
- For locks on door and top drawer, specify (L5). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.



GCEXWN02LRN	24.13 x 18.63 x 72	150	136	24	\$2444

Inside dimensions:

• Top shelf: 7" • Clothing rail area: 42"

• Top drawer: 8.25"

• Lower drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on four metal legs. One **right** door (hinges on right) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard

- For lock on top drawer, specify (LK). Add \$89 list upcharge.
- For lock on door, specify (L4). Add \$71 list upcharge.
- For locks on door and top drawer, specify (L6). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.

with no locks. Shipped assembled, 1 per carton.



GCEXWN02PLN 24.13 x 18.63 x 72 150 136 24 **\$2313** 

Inside dimensions:

Top shelf: 7"

• Clothing rail area: 42"

• Top drawer: 8.25"

• Lower drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on plinth base. One **left** door (hinges on left) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top drawer, specify (LK). Add \$89 list upcharge.
- For lock on door, specify (L3). Add \$71 list upcharge.
- For locks on door and top drawer, specify (L5). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.



Narrow Wardrobe Cabinet

GCEXWN02PRN 24.13 x 18.63 x 72 150 136 24 **\$2313** 

Inside dimensions:

Top shelf: 7"
 Clothing rail area: 42"
 Top

• Top drawer: 8.25"

• Lower drawer: 8.25"

Narrow wardrobe with J-style safety clothing rail and two drawers below, on plinth base. One **right** door (hinges on right) covering upper fixed shelf and J-style safety clothing rail. Two exposed drawers below. For safety, anti-tip hardware is recommended. Anti-tip security kits are available separately; order product code GCAT400 and quantity required. Standard with no locks. Shipped assembled, 1 per carton.

- For lock on top drawer, specify (LK). Add \$89 list upcharge.
- · For lock on door, specify (L4). Add \$71 list upcharge.
- For locks on door and top drawer, specify (L6). Add \$141 list upcharge.
- Specify random key (RK) or key number 101-120.

ACCESSORIES	MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE
	AL00975COREK <b>\$67</b>
Replacement Lock Set	Replacement core and key.
	AL00975KEY <b>\$27</b>
Replacement Key	Replacement key for bedside cabinets, dressers and wardrobes. Specify key number
	For Aldon accessories, please refer to the models listed under Sonoma:
	<ul> <li>Safety garment hook: page 31</li> <li>Headboards/footboards: page 32</li> <li>Wardrobe mirror (for door 11"W x 29"H): page 32</li> </ul>



Sonoma offers superior construction detail in an extensive selection of furniture pieces to fit the personal storage requirements of various lifestyle environments including long-term care, retirement, senior living residences and hospitals.

Features distinctive aluminum extrusions on all leading corners allowing for a continuous connection of chassis panels from top to bottom providing enhanced performance and durability. The aluminum extrusions offer increased protection from the impact of mobile equipment and furniture used in demanding healthcare environments.

Products have ventilation and drainage features built into the unique design providing air circulation and drainage where required. Products are freestanding allowing access underneath for cleaning.

Features decorative fascia options for enhancing the decor of any environment with the additional benefit of providing a safety guard to prevent items from falling behind units.

Wardrobe cabinets offer a safety garment hook with a safety feature to support a maximum of 75 lbs. The J-style safety clothing rail ensures maximum wellbeing and peace of mind from accidents.

Multiple needs and requirements are met with the several styles and variety of interior configurations.

#### **Features and benefits**

- Tops for units 37.5" or lower are constructed with 1" high pressure laminate
- Tops for units above 37.5" in height and structural fixed shelves are constructed of 1" thermally fused laminate
- · Chassis, back panels, drawer fronts, adjustable shelves, doors and fascia profiles are constructed of 0.75" thermally fused laminate
- 3mm polymer edge with top over side panel design
- · Constructed with NAUF (no added urea formaldehyde) particle board
- · Laminate finishes are available in a variety of colors
- · Thermofoil finishes are available on bedside cabinets. See notes for order requirements.
- All chassis panels and tops can be replaced if damaged
- · Drawers are mounted on high quality precision steel full extension ball bearing slides
- Locks are optional on the top drawer position of all units
- · Aluminum extrusions, legs and plastic parts are available in twelve paint finishes.
- · Casters are available on bedside units
- Handles are offered in multiple styles
- For environmental certifications, please visit globalfurnituregroup.com

## **ACCESSORIES**

- A complementary line of accessories is available to complete and enhance any room or setting.
- Bookcases offer the same superior construction utilizing aluminum extrusions on each corner and are available in several heights.

#### **TOPS**

- Units of 37.5" or lower are constructed with 1" high pressure laminate with coordinating 3mm polymer edge.
- Units above 37.5" in height are constructed with 1" thermally fused laminate with coordinating 3mm polymer edge.
- Thermofoil finishes are available on bedside cabinets only. See page 20 for finishes.

#### **CHASSIS**

- Constructed from 0.75" thermally fused laminate.
- Connected using aluminum extrusions allowing for a continuous connection top to hottom
- Return on investment is enhanced through the ability to replace chassis panels or tops should they become damaged.

#### BACK

• Back panels are constructed from 0.75" thermally fused laminate.

#### **DRAWERS**

- Drawer fronts are constructed of ¾" thermally fused laminate with 3mm PVC edge.
- Thermofoil finishes are available on bedside cabinets only.
- Mounted on high quality precision steel full extension ball bearing slides.
- Drawer depth is determined by the individual product size: 20"D cabinets feature 15.5" drawers.

22"D products feature 17.25" drawers.

- Bottom drawer interior is fully wrapped in a White colored, durable vinyl covering. This
  vinyl wrap offers superior durability and performance in demanding environments.
- Soft close drawer is optional, specify (SF) at time of order. Add \$54 per drawer.

#### **DRAWER INSERTS**

- The optional bedside cabinet drawer liner insert and personal organizer tray sets are constructed of high impact styrene plastic in a neutral color (French Vanilla). See page 32 for purchase information.
- High impact styrene plastic liners have been specially designed to saddle the drawer edges for a perfect fit while eliminating gaps and potential traps.
- High impact styrene plastic insert liner and organizer tray set can be removed for ease of room transfer and cleaning.

#### SHELVING

- Structural fixed shelves are constructed of 1" thermally fused laminate with coordinating self edge.
- Adjustable shelves are constructed of 0.75" thermally fused laminate with coordinating self edge.
- Shelf pins are offered for securing shelf with self-drilling screws to prevent accidental movement.

#### DOORS

- Constructed of 0.75" thermally fused laminate with 3mm PVC edge.
- Mounted utilizing commercial quality hinges that provide a 170° opening span for easy access to personal belongings.

#### LOCKS

- A lock is optional on the top drawer position of all units with drawers. Must be specified at time of order.
- · Random keying will be provided as standard when locks are ordered.
- For key alike numbering sequence, please specify keys number 401-440.
- For specifying lock on top drawer, indicate (LS) (lock set) after model number. Add \$71.
- Electronic lock (EL) available on select models. Add \$219.

#### **ALUMINUM EXTRUSIONS/LEGS/PLASTIC PARTS**

- Aluminum extrusions form the structural integrity of the product, ensuring a continuous solid connection for the unit chassis as well as providing leg support.
- The aluminum extrusion connection/leg is extended to allow clearance under each unit for access during cleaning.
- The aluminum extrusion connection/leg is standard with Charcoal color plastic glide and a non-marking leveler.
- Levelers offer 0.5" adjustment for increased stability and leveling.
- Standard powder coated paint finishes are Black (BLK), Blizzard (BZD), Charcoal (CHR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (NEV), Sierra (SCA), Silver (SIL), Taupe (TPE), Toast (TOA). Finish must be specified at time of order.
- Tungsten (TUN) finish is available at a 10% upcharge.
- Custom powder coated paint finishes are available. Please contact customer care for further details.

#### **CASTERS**

- · Available only on specific units.
- Products allowing use of casters are identified by the product code followed by a (C).
- · Casters must be specified at time of order.
- Casters cannot be retrofitted in the field.
- · Casters are commercial quality, swivel dual wheel manual locking.
- When ordering two locking casters, the casters will be in the front of the unit for ease of access. Non-locking casters will be in the back.

#### **HANDLES**

- Handles require a 128mm center point if custom styles are desired.
- Handle style must be specified at time of order.



A1 B1
Arc - Sierra Bow - Matte Chrome



omo (



Contemporary Metal Pull -Matte Chrome



CM2 Contemporary Metal Pull -



**TM1**Transitional Metal Pull -

Brushed Nickel



TM2
Transitional Metal Pull Matte Black



Matte Black

RPH1 (add \$67/handle) Recessed - Silver

Handles can be ordered separately (except for recessed handle). Add \$35.
 Please specify:

(GC-A1): Arc - Sierra (GC-B1): Bow - Matte Chrome (GC-CM1): Contemporary Metal Pull - Matte Chrome

(GC-CM2): Contemporary Metal Pull - Matte Black (GC-TM1): Transitional Metal Pull - Brushed Nickel (GC-TM2): Transitional Metal Pull - Matte Black

- Recessed handle (RPH1) must be specified at time of order. Add \$67/handle.
- For additional finish options, please contact your Global sales representative.
- To view handle finish options, visit globalfurnituregroup.com and go to the Sonoma finishes section.

#### OPTIONAL DECORATIVE TOP FASCIA FOR BEDSIDE CABINETS ONLY

- Top fascia keeps items from falling off the back of the unit. The top fascia profile is installed on site.
- Top fascia is available only in laminate, in two styles Linear (TPLN) or Arc (TPAR). Add \$79.
- Fascia profiles are constructed of 0.75" thermally fused laminate, with all leading edges offering a coordinating self edge finish.
- Top fascia is not available with Thermofoil or Solid Surface finishes.
- · Bottom fascia is always linear.
- · Fascia style must be specified at time of order.





Arc (TPAR)

• Custom designed fascia options are available. Please contact your Global sales representative.

#### **LAMINATE FINISHES - TOP AND CHASSIS**

• All laminate finishes are available with coordinating 3mm polymer edge:

First Class (FCL) Absolute Acajou (ACJ) Noce Biondo (NBL) Asian Night (ASN) Avant Cherry (AWC) Noce Grigio (NGL) Avant Honey (AWH) Noce Leggero (NEL) Black (BLK) Noce Medio (NML) Blizzard (BZD) Quartered Mahogany (QTM) Brushed Cobalt (BRC) Sheer Beauty (SBY) Clear Maple (CMB) Stonedust (SDT) Custom Grey (CGY) Storm Grey (SOG) Dark Espresso (DES) Walnut Heights (WHE) Designer White (DWT) White Chocolate (WHC)

#### THERMOFOIL FINISHES - TOP AND FRONT (INCLUDING BOTTOM FASCIA)

• Thermofoil finishes are available on bedside cabinets only.

Absolute Acajou (ACJ) Clear Maple (CMB) Custom Grey (CGY) Dark Espresso (DES) Designer White (DWT) Fashionista (FAS) First Class (FCL) Sheer Beauty (SBY) Storm Grey (SOG) White Chocolate (WHC)

#### **SOLID SURFACE FINISHES - TOP ONLY**

Solid surface finishes are available on bedside cabinets only. See models ending in "C1" or "C2".

Winter Cherry (WCR)

## Grade 1 (C1)

Fashionista (FAS)

Designer White (SWH)

Grade 2 (C2) Beige Tempest (SBT) Black Onyx Mirage (SBX)

Hot Stone (SHS) Frosty White Mirage (SFW)




THSC - thermofoil top with spill guard and front, laminate case

Northern Melange (SNM) Milk Glass Spectra (SMG)



C1/C2 - solid surface top, laminate front and case



TH - thermofoil top and front, laminate case

• For detailed material information, please reference WilsonArt's Solid Surface collection.

## SPILL COLLECTOR

• Spill collector (SC) is optional on the edge of bedside cabinets with thermofoil finish only.



#### CUSTOM

• Global invites the opportunity to provide quotation on special requests for project business.

#### **SHIPPING**

- All products are shipped partially assembled, one per carton, unless otherwise noted.
- Fascia, shelves and accessories are to be installed on site.

#### BEDSIDE CABINETS

Notes: Please specify all substitutions and options.

- Bedside cabinets incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the space.
- Ventilation openings have been strategically incorporated into each unit where needed.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish
- 2. Aluminum extrusion/leg paint finish
- 3. Handle style and finish
- An optional key lock is available for top drawer position only and must be specified at time of order.
- To specify lock on top drawer, indicate (LS) (lock set) after model number. Add \$71.
- Casters are available as specified on models and cannot be retrofitted in the field.

DE CABINETS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	No seedone	D x W x H				
	No casters GCSNBT01	20.5 x 22.5 x 30	100	97	11	\$1506
	GCSNBT01TH w/Thermofoil top a		100	37	11	\$1798
	GCSNBT01THSC	vith spillguard and fron	t			\$1798
	GCSNBT01C1 w/solid surface top	o (grade 1)				\$2784
U	GCSNBT01C2 w/solid surface top	o (grade 2)				\$3004
	Rear casters					
	GCSNBT01C	20.5 x 22.5 x 30	100	100	11	\$1506
	GCSNBT01CTH w/Thermofoil top a	and front				\$1835
	GCSNBT01CTHSC w/Thermofoil top v	vith spillguard and from	t			\$1835
	GCSNBT01CC1 w/solid surface top	o (grade 1)				\$2829
	GCSNBT01CC2 w/solid surface top	o (grade 2)				\$3049
	Four casters					
	GCSNBT014C	20.5 x 22.5 x 30	100	100	11	\$1566
	GCSNBT014CTH w/Thermofoil top a	and front				\$1851
	GCSNBT014CTHSC w/Thermofoil top v	; vith spillguard and fron	t			\$1851
	GCSNBT014CC1 w/solid surface top	o (grade 1)				\$2845
	GCSNBT014CC2 w/solid surface top	o (grade 2)				\$3063
de Cabinet		per carton. 11C has two manual loc 114C has four manual lo				

OSIDE CABINETS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	No casters GCSNBT01S	20.5 x 22.5 x 34	100	104	11	\$1980
	GCSNBT01STH w/Thermofoil top and	d front				\$2270
	GCSNBT01STHSC w/Thermofoil top wi	th spillguard and fror	ıt			\$2270
	GCSNBT01SC1 w/solid surface top (	grade 1)				\$3257
	GCSNBT01SC2 w/solid surface top (	grade 2)				\$3478
	Rear casters					
	GCSNBT01CS	20.5 x 22.5 x 34	100	107	11	\$2035
	GCSNBT01CSTH w/Thermofoil top and	d front				\$2285
	GCSNBT01CSTHSC w/Thermofoil top wir	th spillguard and fror	ıt			\$2285
	GCSNBT01CSC1 w/solid surface top (grade 1)					\$3312
	GCSNBT01CSC2 w/solid surface top (	grade 2)				\$3532
	Four casters					
	GCSNBT014CS	20.5 x 22.5 x 34	100	108	11	\$2066
	GCSNBT014CSTH w/Thermofoil top and	d front				\$2308
	GCSNBT014CSTHSC w/Thermofoil top wi		ıt			\$2308
	GCSNBT014CSC1 w/solid surface top (	grade 1)				\$3342
	GCSNBT014CSC2 w/solid surface top (	arado 21				\$3561

- Model GCSNBT01CS has two manual locking swivel casters on back.
- Model GCSNBT014CS has four manual locking swivel casters.

No casters	D x W x H					
GCSNBT02	20.5 x 22.5 x 30	150	58	11	\$884	
GCSNBT02TH w/Thermofoil top ar	nd front				\$1093	
GCSNBT02THSC w/Thermofoil top w	rith spillguard and front				\$1093	
GCSNBT02C1 w/solid surface top	(grade 1)				\$2161	
GCSNBT02C2 w/solid surface top	(grade 2)				\$2382	
Rear casters						
GCSNBT02C	20.5 x 22.5 x 30	150	60	11	\$914	
GCSNBT02CTH w/Thermofoil top ar	\$1102					
GCSNBT02CTHSC w/Thermofoil top w	vith spillguard and front				\$1102	
GCSNBT02CC1 w/solid surface top	(grade 1)				\$2191	
GCSNBT02CC2 w/solid surface top	(grade 2)				\$2412	
Four casters						
GCSNBT024C	20.5 x 22.5 x 30	150	60	11	\$941	
GCSNBT024CTH w/Thermofoil top ar	nd front				\$1117	
GCSNBT024CTHSC w/Thermofoil top w					\$1117	
GCSNBT024CC1 w/solid surface top	(grade 1)				\$2219	
GCSNBT024CC2 w/solid surface top	(grade 2)				\$2436	
	w/Thermofoil top ar GCSNBT02THSC w/Thermofoil top w GCSNBT02C1 w/solid surface top GCSNBT02C2 w/solid surface top  Rear casters GCSNBT02CTH w/Thermofoil top ar GCSNBT02CTHSC w/Thermofoil top ar GCSNBT02CC1 w/solid surface top GCSNBT02CC2 w/solid surface top GCSNBT02CC2 w/solid surface top GCSNBT02CC2 w/solid surface top GCSNBT024C GCSNBT024CTH w/Thermofoil top ar GCSNBT024CTH w/Thermofoil top ar GCSNBT024CTH w/Thermofoil top ar GCSNBT024CTH w/Thermofoil top w GCSNBT024CC1 w/solid surface top GCSNBT024CC1 w/solid surface top GCSNBT024CC2	w/Thermofoil top and front GCSNBT02THSC w/Thermofoil top with spillguard and front GCSNBT02C1 w/solid surface top (grade 1) GCSNBT02C2 w/solid surface top (grade 2)  Rear casters GCSNBT02C	w/Thermofoil top and front GCSNBT02THSC w/Thermofoil top with spillguard and front GCSNBT02C1 w/solid surface top (grade 1) GCSNBT02C2 w/solid surface top (grade 2)  Rear casters GCSNBT02C 20.5 x 22.5 x 30 150 GCSNBT02CTH w/Thermofoil top and front GCSNBT02CTHSC w/Thermofoil top with spillguard and front GCSNBT02CC1 w/solid surface top (grade 1) GCSNBT02CC2 w/solid surface top (grade 2)  Four casters GCSNBT024C CCSNBT024CTH w/Thermofoil top and front GCSNBT024CTH w/Thermofoil top with spillguard and front GCSNBT024CTH w/Thermofoil top with spillguard and front GCSNBT024CTHSC w/Thermofoil top with spillguard and front GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC2	w/Thermofoil top and front GCSNBT02THSC w/Thermofoil top with spillguard and front GCSNBT02C1 w/solid surface top (grade 1) GCSNBT02C2 w/solid surface top (grade 2)  Rear casters GCSNBT02C 20.5 x 22.5 x 30 150 60 GCSNBT02CTH w/Thermofoil top and front GCSNBT02CTHSC w/Thermofoil top with spillguard and front GCSNBT02CC1 w/solid surface top (grade 1) GCSNBT02CC2 w/solid surface top (grade 2)  Four casters GCSNBT024C 20.5 x 22.5 x 30 150 60 GCSNBT024C w/Thermofoil top and front GCSNBT024CTH w/Thermofoil top and front GCSNBT024CTH w/Thermofoil top with spillguard and front GCSNBT024CTHSC w/Thermofoil top with spillguard and front GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC2	w/Thermofoil top and front GCSNBT02THSC w/Thermofoil top with spillguard and front GCSNBT02C1 w/solid surface top (grade 1) GCSNBT02C2 w/solid surface top (grade 2)  Rear casters GCSNBT02C 20.5 x 22.5 x 30 150 60 11 GCSNBT02CTH w/Thermofoil top and front GCSNBT02CTHSC w/Thermofoil top with spillguard and front GCSNBT02CC2 w/solid surface top (grade 1) GCSNBT02CC2 w/solid surface top (grade 2)  Four casters GCSNBT02CCC w/solid surface top (grade 2)  Four casters GCSNBT024C 20.5 x 22.5 x 30 150 60 11 GCSNBT024CC w/Thermofoil top and front GCSNBT024CTH w/Thermofoil top with spillguard and front GCSNBT024CTHSC w/Thermofoil top with spillguard and front GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC1 w/solid surface top (grade 1) GCSNBT024CC2	w/Thermofoil top and front       \$1093         w/Thermofoil top with spillguard and front       \$2161         GCSNBT02C1       \$2161         w/solid surface top (grade 1)       \$2382         GCSNBT02C2       \$2382         w/solid surface top (grade 2)       \$2382         Rear casters         GCSNBT02C       20.5 x 22.5 x 30       150       60       11       \$914         GCSNBT02CTH       \$1102       \$102

- $\bullet$  Model GCSNBT02C has two manual locking swivel casters on back.
- Model GCSNBT024C has four manual locking swivel casters.

DE CABINETS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	No casters	D x W x H				
	GCSNBT03	20.5 x 22.5 x 30	125	76	11	\$1274
	GCSNBT03TH w/Thermofoil top a	and front				\$1351
	GCSNBT03THSC w/Thermofoil top v	vith spillguard and fror	t			\$1351
	GCSNBT03C1 w/solid surface top	o (grade 1)				\$2313
	GCSNBT03C2 w/solid surface top	grade 2)				\$2533
	Rear casters	00 5 00 5 00	105	70	11	<b>04000</b>
	GCSNBT03C	20.5 x 22.5 x 30	125	78	11	\$1293
	GCSNBT03CTH w/Thermofoil top a	and front				\$1369
	GCSNBT03CTHSC	vith spillguard and fror	t			\$1369
	GCSNBT03CC1 w/solid surface top	o (grade 1)				\$2332
	GCSNBT03CC2 w/solid surface top	o (grade 2)				\$2556
	Four casters					
	GCSNBT034C	20.5 x 22.5 x 30	125	78	11	\$1318
	GCSNBT034CTH w/Thermofoil top a	and front				\$1392
	GCSNBT034CTHSC w/Thermofoil top v	; vith spillguard and fror	t			\$1392
	GCSNBT034CC1 w/solid surface top	o (grade 1)				\$2352
	GCSNBT034CC2 w/solid surface top	o (grade 2)				\$2576



- Model GCSNBT034C has four manual locking swivel casters.

		J11E					0011011117
BEDSIDE CABINETS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	No casters	DxWxH					
	GCSNBT04	20.5 x 22.5 x 30	100	90	11	\$1331	
	GCSNBT04TH w/Thermofoil top a	nd front				\$1622	
	GCSNBT04THSC w/Thermofoil top w	vith spillguard and from	nt			\$1622	
	GCSNBT04C1 w/solid surface top	(grade 1)				\$2608	
	GCSNBT04C2 w/solid surface top	(grade 2)				\$2827	
	Rear casters GCSNBT04C	20.5 x 22.5 x 30	100	92	11	\$1362	
	GCSNBT04CTH	20.3 x 22.3 x 30	100	JZ	11	\$1502	
	w/Thermofoil top a	nd front				\$1041	
	GCSNBT04CTHSC w/Thermofoil top w	vith spillguard and froi	nt			\$1641	
	GCSNBT04CC1 w/solid surface top	GCSNBT04CC1 w/solid surface top (grade 1)					
	GCSNBT04CC2 w/solid surface top	(grade 2)				\$2856	
	Four casters GCSNBT044C	20.5 x 22.5 x 30	100	92	11	\$1415	
	GCSNBT044CTH w/Thermofoil top a		100	92	11	\$1415 \$1660	
	GCSNBT044CTHSC		nt			\$1660	
	GCSNBT044CC1 w/solid surface top	(grade 1)				\$2692	
# H	GCSNBT044CC2 w/solid surface top	(grade 2)				\$2911	
Bedside Cabinet	<ul> <li>Model GCSNBT0</li> </ul>	o drawers. 1 per carto 4C has two manual lo 44C has four manual l	cking swivel caste				



DE CABINETS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	No casters	D x W x H				
	GCSNBT06L	20.5 x 22.5 x 30	125	82	11	\$1348
	GCSNBT06LTH w/Thermofoil top an	d front				\$1832
	GCSNBT06LTHSC w/Thermofoil top wi	th spillguard and fror	nt			\$1832
	GCSNBT06LC1 w/solid surface top (	(grade 1)				\$2625
	GCSNBT06LC2 w/solid surface top	(grade 2)				\$2845
	Rear casters	20 E v 22 E v 20	125	0.4	11	¢120E
	GCSNBT06CL	20.5 x 22.5 x 30	125	84	11	\$1385
	GCSNBT06CLTH w/Thermofoil top an	id front				\$1846
	GCSNBT06CLTHSC	th spillguard and fror	nt			\$1846
	GCSNBT06CLC1 w/solid surface top	(grade 1)				\$2662
	GCSNBT06CLC2 w/solid surface top	(grade 2)				\$2881
	Four casters GCSNBT06L4C	20.5 x 22.5 x 30	125	84	11	\$1415
	GCSNBT06L4CTH w/Thermofoil top an		123	04	11	\$1860
	GCSNBT06L4CTHSC		ıt			\$1860
	GCSNBT06L4CC1 w/solid surface top					\$2692
	GCSNBT06L4CC2 w/solid surface top	(grade 2)				\$2912

- Model GCSNBT06CL has two manual locking swivel casters on back.
- Model GCSNBT06L4C has four manual locking swivel casters.

BEDSIDE CABINETS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	No casters					
	GCSNBT06R	20.5 x 22.5 x 30	125	82	11	\$1348
	GCSNBT06LTH w/Thermofoil top an	d front				\$1832
	GCSNBT06RTHSC w/Thermofoil top wi	ith spillguard and from	t			\$1832
	GCSNBT06RC1 w/solid surface top	(grade 1)				\$2625
	GCSNBT06RC2 w/solid surface top	(grade 2)				\$2845
	Rear casters					•
	GCSNBT06CR	20.5 x 22.5 x 30	125	84	11	\$1385
	GCSNBT06CRTH w/Thermofoil top an	d front				\$1846
	GCSNBT06CRTHSC w/Thermofoil top wi	ith spillguard and fron	t			\$1846
	GCSNBT06CRC1 w/solid surface top	(grade 1)				\$2662
	GCSNBT06CRC2 w/solid surface top	(grade 2)				\$2881
	Four casters GCSNBT06R4C	20.5 x 22.5 x 30	125	84	11	\$1415
_	GCSNBT06R4CTH w/Thermofoil top an	d front				\$1860
	GCSNBT06R4CTHSC w/Thermofoil top wi	; ith spillguard and fron	t			\$1860
	GCSNBT06R4CC1 w/solid surface top					\$2692
	GCSNBT06R4CC2 w/solid surface top	(grade 2)				\$2912
Bedside Cabinet	<ul> <li>Model GCLBT06Cl</li> </ul>	one <b>left</b> opening doo RN has two manual lo 4CN has four manual l	cking swivel cast	ers on back.		

DRESSERS	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	<ul> <li>Dresser units int</li> <li>The aluminum expace.</li> <li>Ventilation open</li> <li>See Sonoma - I</li> <li>Must specify de</li> <li>1. Laminate fini</li> <li>2. Aluminum ex</li> <li>3. Handle style</li> <li>An optional key</li> </ul>	ings have been strategical Notes pages for details on tail information at time of sh trusion/leg paint finish	num extrusion ength and dura lly incorporated tops, chassis, order. See Sor	ability from in d into each u finish and de noma™ - Note	mpact with mob nit where needs stail selections. es pages. t be specified a	oile equipment and furniture used in the ed.  ed.  it time of order.
	GCSNDR02	22.5 x 34.5 x 30	125	141	20	\$1932
22.5" Deep Dresser	Three drawers. Sh	ipped partially assembled,	1 per carton.			
	GCSNDR04	22.5 x 34.5 x 37.5	125	173	24	\$2527
22.5" Deep Dresser	Four drawers. Ship	ped partially assembled, 1	per carton.			
	GCSNDR06	22.5 x 34.5 x 37.5	125	165	24	\$2343
22" Deep Dresser	Three drawers wit	h open storage space abov	e. Cord acces	s in back. Sh	ipped partially a	assembled, 1 per carton.
	GCSNDD01	22.5 x 66.75 x 30	125	281	40	\$3308
Double Dresser	Double dresser wit	th three drawers. 26" dee	p at each side.	Shipped par	tially assemble	d, 1 per carton.

WARDROBE CABINETS MODEL# DIMENSIONS FREIGHT CLASS LIST PRICE WT/LBS. CUBIC FT. DxWxH

Notes: Please specify all substitutions and options.

- Wardrobe cabinets incorporate the unique aluminum extrusion connection/leg construction.
- The aluminum extrusion offers superior strength and durability from impact with mobile equipment and furniture used in the
- Doors are mounted utilizing commercial quality hinges that provide a 170° opening span for comfortable access to personal
- Ventilation and draining have been strategically incorporated into each unit where needed.
- Wardrobe cabinets offer a safety garment hook as standard and a J-style safety clothing rail to ensure maximum well being and peace of mind from accidents.
- See Sonoma<sup>™</sup> Notes pages for details on tops, chassis, finish and detail selections.
- Must specify detail information at time of order. See Sonoma<sup>™</sup> Notes pages.
- 1. Laminate finish
- 2. Aluminum extrusion/leg paint finish
- 3. Handle style and finish
- Optional door lock is available on select models. Must be quoted on a project opportunity as a special.
- See accessories for additional options to enhance personal storage features.





- Left side top shelf: 14.75"W x 20.75"D x 8.625"H
- Left side clothing rail area: 14.75"W x 20.75"D x 55.6"H
- Right side top shelf: 30.75"W x 20.75"D x 8.625"H
- Right side middle section with adjustable shelf: 30.75"W x 20.75"D x 32"H
- Right side bottom section: 30.75"W x 20.75"D x 24"H
- Drawers: 28.5"W x 5.125"D x 17.25"H

Three doors. Interior left side offers an upper shelf with a J-style safety clothing rail below. The right side of the cabinet has two half length doors with two fixed and two adjustable shelves. Three drawers below. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 31). Shipped partially assembled, 1 per carton.



Inside dimensions:

- Left side top shelf: 14.75"W x 20.75"D x 8.625"H
- Left side middle section with adjustable shelf: 14.75"W x 20.75"D x 38.7"H
- Left side bottom section: 14.75"W x 20.75"D x 15.8"H
- Right side top shelf: 30.75"W x 20.75"D x 8.625"H
- Right side clothing rail area: 30.75"W x 22.75"D x 55.6"H

Three full length doors. Interior left side offers two adjustable and two fixed shelves. Interior right side offers an upper shelf with a J-style safety clothing rail below. A Safety Garment Hook is standard on the cabinet interior door. For greater security,

the Anti-Tip Security Kit is recommended on units above 60" (see page 31). Lock not available on doors. Shipped partially assembled, 1 per carton.

GCSNWD01 \$2870 26.5 x 38.5 x 72 150 261


Inside dimensions:

- Top shelf: 34.75"W x 22.7"D x 8.625"H
- Bottom portion: 34.75"W x 22.7"D x 50.6"H

Two doors, full span J-style safety clothing rail below a fixed shelf. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 31). Lock not available on doors. Shipped partially assembled, 1 per carton.



**Wardrobe Cabinet** 



**Wardrobe Cabinet** 



**Wardrobe Cabinet** 

# WARDROBE CABINETS



**Wardrobe Cabinet** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GCSNWD02	26.5 x 38.5 x 72	2 150	282	55	\$3581	

#### Inside dimensions:

- Left side top shelf: 17"W x 20.7"D x 8.625"H
- Left side clothing rail area: 17"W x 20.7"D x 55.6"H
- Right side top shelf: 17"W x 20.7"D x 8.625"H
- Right side clothing rail area: 17"W x 20.7"D x 36.6"H

Two doors. Interior is divided in two with an upper shelf and a J-style safety clothing rail on the left side. The right side has one adjustable and two fixed shelves with a J-style safety clothing rail below. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 31). Lock not available on doors. Shipped partially assembled, 1 per carton.

GCSNWD03	26.5 x 38.5 x 72	150	297	55	\$3729	

#### Inside dimensions:

- Left side top shelf: 17"W x 20.7"D x 8.625"H
- Left side clothing rail area: 17"W x 20.7"D x 55.6"H
- Right side top shelf: 17"W x 20.7"D x 8.625"H
- Right side middle section with adjustable shelf: 17"W x 20.7"D x 38.7"H
- Right side bottom section: 17"W x 20.7"D x 15.8"H

Two doors. Interior is divided in two with an upper shelf and a J-style safety clothing rail on the left side. The right side has two adjustable and two fixed shelves. A safety garment hook is standard on the cabinet interior door. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 31). Lock not available on doors. Shipped partially assembled, 1 per carton.

Left:					
GCSNWN01L		125	216	30	\$2710
Right:					
GCSNWN01R	24.5 x 22.5 x 72	125	216	30	\$2710

#### Inside dimensions:

- Top shelf: 18.7"W x 20.7"D
- Top drawer: 16.5"W x 5.125"D x 15.5"H
- Clothing rail area: 18.7"W
- Lower drawer: 16.5"W x 5.125"D x 15.5"H

One door covering upper shelf and J-style safety clothing rail. Two exposed drawers below. For greater security, the Anti-Tip Security Kit is recommended on units above 60" (see page 31). 1 per carton.

V00465FL0CK3/4	X X	-	 .01	\$67	

Replacement core and key.

WL2EK	X X	-	 .01	\$27	

Replacement key for all units with drawers. Specify key number 401-440.





**Narrow Wardrobe Cabinet** 



right shown

**Replacement Lock Set** 




Replacement Key

Notes: Please specify all auditations and ceriors.  **Notes: Please specify all auditations and ceriors.  **Bookcase units increprotes the unique aleminim extraction from specific programs.  **Bookcase units increprotes the unique aleminim extraction of an object of strength and durability from impact with mobile equipment and furniture used in 25 kes Summa.  **See Summa.** Notes pages for details to expts, classis, finish and detail selections.  **And stopport, detail information at time of ardior. See Scroma.** Notes pages.  1. Laminima extrasion/lap paint finish.  **ACCESSORIES**  **MODEL**  **MODEL**  **Individual extrasion and page paint finish.  **ACCESSORIES**  **MODEL**  **MODEL**  **MODEL**  **Individual extrasion in the princip over. This cabinot stabilization headware is made from steel and galvanized stool already accordance to the company of the page.  **CEATAGO.**  **To 0.24 0.1 \$54  **Helps to provent furniture from tapping over. This cabinot stabilization headware is made from steel and galvanized stool already accordance to included. Recommended for all 72* high units.  **CEATAGO.**  **To 0.24 0.1 \$54  **Helps to provent furniture from tapping over. This cabinot stabilization headware is made from steel and galvanized stool already accordance to included. Recommended for all 72* high units.  **CESNRCD.**  **CESNRCD.**  **To 1.5 x 34.5 x 37.5 150 76 16 \$1187  **To 1.5 x 34.5 x 37.5 150 76 16 \$1187  **To 1.5 x 34.5 x 37.5 150 76 16 \$1187  **To 1.5 x 34.5 x 37.5 150 0.5 \$133  **Moltiple Hook.**  **Fits into ventilation apening of ventrales providing additional hanging of frequently worm or accessed item.*  **Standard Poveder Coated Paint Finish Color: Sterra (SC).  **CESNRADO.**  **To 1.5 x 3.5 x 3.5 x 13.5 0.2 \$28  **Standard Poveder Coated Paint Finish Color: Sterra (SC).  **CESNRADO.**  **Standard Poveder Coated Paint Finish Color: Sterra (SC).  **Standard Poveder Coated Paint Finish Color: Sterra (SC).  **Standard Poveder Coated Paint Finish Color: Sterra (SC).  **Standard Poveder Coated Paint	ACCESSORIES	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
Anti-Tip Security Kit  Helps to prevent furniture from tipping over. This cabinet stabilization hardware is made from steel and galvanized steel aircraft cable. Full installation instructions are included. Recommended for all 72" high units.  • Two kits are required for LWA, LWC, LWD, LWG and LWN units.  • Two kits are required for LWA, LWC, LWD, LWG and LWN units.  • This is a seem of the stabilization instructions are included. Recommended for all 72" high units.  • This is a seem of the stabilization and LWC, LWD, LWG and LWN units.  • The stabilization of the stabil		<ul> <li>Bookcase units i</li> <li>The aluminum exspace.</li> <li>See Sonoma™- N</li> <li>Must specify det</li> <li>1. Laminate finis</li> </ul>	cify all substitutions and on ncorporate the unique alunctrusion offers superior standards on Notes pages for details on tail information at time of sh	minum extrusion rength and durant tops, chassis, f	ability from in	mpact with mob		iture used in th
Helps to prevent furniture from tipping over. This cabinet stabilization hardware is made from steel and galvanized steel aircraft cable. Full installation instructions are included. Recommended for all 72° high units.  • Two kits are required for LWA, LWC, LWD, LWG and LWN units.  GCSNBC02 14.5 x 34.5 x 37.5 150 76 16 \$1187  GCSNBC02 14.5 x 34.5 x 37.5 150 76 16 \$1187  GCSNHA01 2 x 13 x 4.25 70 1 0.2 \$92  Fits into ventilation opening of widrobes providing additional hanging of frequently worn or accessed items.  • Standard Powder Coated Paint Finish Color: Sierra (\$C):  GCSNHA02 3.75 x 13 x 10 70 1.5 0.6 \$133  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed items.  • Standard Powder Coated Paint Finish Color: Sierra (\$C):  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28	ACCESSORIES	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
aircraft cable. Full installation instructions are included. Recommended for all 72" high units.  • Two kits are required for LWA, LWC, LWD, LWG and LWN units.  GCSNBC02 14.5 x 34.5 x 37.5 150 76 16 \$1187  GCSNBC02 14.5 x 34.5 x 37.5 150 76 16 \$1187  GCSNBC02 14.5 x 34.5 x 37.5 150 76 16 \$1187  GCSNHA01 2 x 13 x 4.25 70 1 0.2 \$92  Multiple Hook  Fits into ventilation opening of wrdrobes providing additional hanging of frequently worn or accessed items.  • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA02 3.75 x 13 x 10 70 1.5 0.6 \$133  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed item  • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28		GCAT400		70	0.24	0.1	\$54	
Bookcase  37.5" High. 1 adjustable shelf. Shipped partially assembled, 1 per carton.  GCSNHA01  2 x 13 x 4.25  70  1  0.2  \$32  Multiple Hook  Fits into ventilation opening of wrdrobes providing additional hanging of frequently worn or accessed items.  • Standard Powder Coated Paint Finish Color: Sierra (\$C):  GCSNHA02  3.75 x 13 x 10  70  1.5  0.6  \$133  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed item.  • Standard Powder Coated Paint Finish Color: Sierra (\$C):  GCSNHA03  1 x 1.5 x 3.25  70  1.5  0.2  \$28  Safety Garment Hook  Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.	త్∖ Anti-Tip Security Kit	aircraft cable. Full	installation instructions a	are included. Re	ecommended			nized steel
GCSNHA01 2 x 13 x 4.25 70 1 0.2 \$92  Multiple Hook  Fits into ventilation opening of wrdrobes providing additional hanging of frequently worn or accessed items.  • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA02 3.75 x 13 x 10 70 1.5 0.6 \$133  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed item  • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.		GCSNBC02	14.5 x 34.5 x 37.5	150	76	16	\$1187	
Multiple Hook  Fits into ventilation opening of wrdrobes providing additional hanging of frequently worn or accessed items.  Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA02 3.75 x 13 x 10 70 1.5 0.6 \$133  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed item  Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  Safety Garment Hook  Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.	Bookcase	37.5" High. 1 adju	stable shelf. Shipped part	ially assembled	l, 1 per carto	n.		
Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA02 3.75 x 13 x 10 70 1.5 0.6 \$133  Magazine/Tissue Holder  Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed iter • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  Garment Hook  Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.		GCSNHA01	2 x 13 x 4.25	70	1	0.2	\$92	
Fits into ventilation opening of bedside cabinet or dresser providing additional storage for frequently worn or accessed iter  • Standard Powder Coated Paint Finish Color: Sierra (SC).  GCSNHA03 1 x 1.5 x 3.25 70 1.5 0.2 \$28  Garment Hook  Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.	Multiple Hook				al hanging o	f frequently wo	rn or accessed items.	
Standard Powder Coated Paint Finish Color: Sierra (SC).      GCSNHA03    1 x 1.5 x 3.25    70    1.5    0.2    \$28      Garment Hook    Garment hook provides additional hanging storage on the inside right and center wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.		GCSNHA02	3.75 x 13 x 10	70	1.5	0.6	\$133	
Safety Garment Hook  Garment hook provides additional hanging storage on the inside <b>right</b> and <b>center</b> wardrobe doors as standard. Engineere with the safety feature to support a maximum weight of 75 lbs.	Magazine/Tissue Holder				roviding add	itional storage	for frequently worn or a	ccessed items.
with the safety feature to support a maximum weight of 75 lbs.		GCSNHA03	1 x 1.5 x 3.25	70	1.5	0.2	\$28	
with the safety feature to support a maximum weight of 75 lbs.	G							
	Safety Garment Hook	with the safety fea	ture to support a maximu	m weight of 75		nd <b>center</b> war	drobe doors as standard	l. Engineered

ACCESSORIES

## PATIENT + RESIDENT ROOM FURNITURE



**Headboard and Footboard** Fascia Profile: Arc (TPAR)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GCSNHF01 Set	1 x 37 x 25	65	47	1.9	\$1112	
GCSNHB01 Headboard	1 x 37 x 25	85	26	1.9	\$761	
GCSNFB01 Footboard	1 x 37 x 20	85	21	1.7	\$352	

Headboard and footboard are provided as a set or can be ordered individually. 1" thick high pressure laminate with 3mm edge.

- No predrilled holes.
- No mounting brackets or hardware included.
- Verify board application and dimensions before ordering.

GCSNHF04 Set	1 x 37 x 25	65	47	1.9	\$1104	
GCSNHB04 Headboard	1 x 37 x 25	85	26	1.9	\$683	
GCSNFB04 Footboard	1 x 37 x 20	85	21	1.7	\$426	

Headboard and footboard are provided as a set or can be ordered individually. 1" thick high pressure laminate with 3mm edge.

2

1.3

\$175

· No predrilled holes.


GCSNLP01

- No mounting brackets or hardware included.
- Verify board application and dimensions before ordering.

16.5 x 18 x 5.25

Bedsid	le Draw	rer Lin	er an
Person	al Orga	nizer	

**Headboard and Footboard** Fascia Profile: Linear (TPLN)



Constructed from high impact styrene plastic. Plastic liners have been specially designed to saddle the drawer edges for a

300

perfect fit while eliminating gaps and potential traps. Removable. • Neutral color (French Vanilla)

GCSNWM01 .25 x 11 x 29 65 40 1.5 <b>\$188</b>		
---	--	--

Installed on the left inside of the door. Backed with shatterproof safety tape, tested for shatter resistance. Double mounted with both rubber lined mirror clips and heavy duty foam tape. Edges are polished. 1 per carton.

# tables