



Priva acoustic pods provide a place for personal privacy, focus and online collaboration, away from the noise of the open office. Integrated ventilation and low-voltage LED lighting are motion-sensor activated to reduce energy consumption. The tempered glass entrance door, in combination with optional glass back panel, reduces the sense of confinement. Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.

A laptop shelf, two AC outlets and two USB-A charging ports support the range of today's electronic and communication devices. The exterior is available in a variety of laminate finishes to coordinate with other furnishings. The interior can be finished in laminate or PET, for industry-leading sound absorption. Hinge and handle trim is available in Black or anodized Silver. Mechanical fasteners to affix the pod to the floor are available.



#### Features and Benefits


- Quiet and private
- Plug-and-play
- Internal frame is comprised of 14-gauge steel beams
- Easily clean high touch surfaces
- Slim, modern design
- Optional PET interior for greater acoustic properties
- Fixed touch-down shelf with power unit
- Special retractable casters enable Priva to be relocated easily



Two AC outlets and two USB-A charging ports, plus laminate touch-down shelf



Easy to clean



Ventilation fan and LED lights

GENERAL INFORMATION

- Priva is the culmination of 2 years of research and development of an acoustic phone booth that inhibits sound transmission between the interior and exterior creating a private room-in-room for workplace applications.
- Assembles in less than 90 minutes. Once complete, simply plug in and get to work!
- Priva has been tested and complies with all BIFMA mechanical tests.
- For environmental certification, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).


CONSTRUCTION

- Exterior is clad in 3/4" thermally fused laminate with a 10mm tempered glass door and glass (POD1G) or laminate back panel (POD1L).
- Exterior corner details are made of extruded aluminum
- Internal frame is comprised of 14 gauge steel beams
- Interior is clad in PET (recommended for greater acoustic properties)
- Laminate interior is optional.
- Pod ceiling is Designer White laminate
- Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.
- Laminate touch-down shelf is standard in Designer White (DWT) laminate.


DIMENSIONS

- Exterior: 44"w x 38"d x 88"h
- Interior: 36"w x 36"d x 80"h
- Door: 32"w x 88"h
- Shelf: 24"w x 8"d x 40"h


Exterior Dimensions



Interior Dimensions - Side View



Interior Dimensions - Front View



POWER + CONNECTIVITY

- Two AC outlets and two charging USB-A ports, coupled with an occupancy sensor controlling two 12V DC fans and an LED light circuit, ensure comfort in even the smallest of enclosed spaces, while keeping power consumption at a minimum.
- One 10 foot power cord with 3-prong plug

ACOUSTIC RATINGS

- NIC-36, STI .24

AIRFLOW SPECIFICATIONS

- CFM 55

FINISHES

Exterior Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
BLK	Black
BRC	Brushed Cobalt
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
SBY	Sheer Beauty
SOG	Storm Grey
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

Exterior Frame Finishes

BK	Black
CR	Charcoal
DW	Designer White
TU	Tungsten

Interior Finishes - select Laminate or PET

PET:


GPH	Graphite
MTS	Mist
PWT	Pewter



Laminate:

BLK	Black
DWT	Designer White
SOG	Storm Grey

Hardware Finishes (Handle + Hinge)

BK	Black	Interior Finish (Laminate or PET)
SI	Silver	




SINGLE USER POD		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <div>Front ViewRear View</div>			D x W x H				
		POD1G	38 x 44 x 88	65	1323	44.80	\$27095
<b>Single User Pod - Glass Back Panel</b>		Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a <b>glass back panel</b> .					
 <div>Front ViewRear View</div>							
		POD1L	38 x 44 x 88	65	1323	44.80	\$27095
<b>Single User Pod - Laminate Back Panel</b>		Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a <b>laminate back panel</b> .					



Softpod™ responds to the changing landscape of today's workplace and educational environments, providing a place for focus and engagement as you move through your day. Now featuring meeting pods and height adjustable surfaces—including a new 2-divider pod, which offers a compact footprint with an ample worksurface, and the option of lockable casters for easy relocation.

The new 3-divider pod with a height adjustable table (HAT) delivers a sit-stand range from 22.5" to 48.9", from the top of the worksurface to the floor. The HAT power solution creates new planning opportunities for end-to-end pod connections.

Softpod layouts with 6-dividers and 7-dividers can be configured to provide meeting or lounge spaces with power support for monitors and mobile charging. Worksurfaces accommodate 2-4 people. Optional PET Felt or corner semi-transparent extension panels provide additional privacy. Additional features such as hanging shelves, coat and bag hooks, and nameplates are available for all pod configurations.



Hanging shelf with dry erase board



Corner PET Felt extension divider



Pull out pantry storage

#### Features and Benefits

- 120° footprint supports clusters of one or more pods in a layout
- Integrated wiring solutions deliver power and data above and below the worksurface
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of 50% recycled sound-absorbing PET felt bonded to a slim internal aluminum framework
- New 3-divider pod with a height adjustable table (HAT) delivers a sit-stand range from 22.5" to 48.9"
- User can easily add/remove privacy + accessory elements
- Casual storage and accessories support hybrid schedules
- Pods can be equipped with power and data solutions



GENERAL INFORMATION

- Available as 2, 3, 4, 5, 6 and 7-sided pods in a range of colors.
- New 3 divider pod with height adjustable table delivers sit-stand range from 22.5” to 48.9”, from top of worksurface to floor.
- Easy to specify and install.
- Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- 6 and 7-sided pods can be configured to create meeting or lounge spaces, with power support for monitors and mobile charging. Worksurfaces accommodate 2-4 people comfortably.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1” thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16” thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

METAL LEG FINISHES:

BLK	Black	SDT	Stonedust
BZD	Blizzard	SIL	Silver
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

PET FELT COLORS:

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBV	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey*	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

\*Coordinates w/SIL edgeband finish

EDGE FINISHES (Laminate Surfaces Only)

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CHR	Charcoal (use w/SOG)	SIL	Silver*
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry
FCL	First Class		*Coordinates w/CGY laminate

## Divider:

- PET felt / aluminum composition
- Channel edge allows for add-on privacy
- Acoustic rating of .60 NRC and 13 STC

## PET Felt features:


- Tackable acoustic material
- Soft form capability

## Electrical:


- Simple interconnect / direct plug-in
- Hard wire formats

## Storage:


- Solution based



## Height Adjustable Pod




## Freestanding Lounge Pods



\*Seating Specified Separately

## Meeting Pods



\*Seating Specified Separately

**Softpods**

HX2P5452SW  
Softpod with 2 Dividers  
and Worksurface



HX2PM5452SW  
Mobile Softpod  
with 2 Dividers and  
Worksurface



HX3PM5472SW  
Mobile Softpod  
with 3 Dividers and  
Worksurface



HX3P5472SW  
Softpod with  
3 Dividers and  
Worksurface



HX4PM5472SW  
Mobile Softpod  
with 4 Dividers and  
Worksurface



HX4P5472R/LW  
Softpod with 4 Dividers  
and Wraparound  
Worksurface



HX4PM5472LW/RW  
Mobile Softpod with  
4 Dividers and Wrap-  
around Worksurface



HX5P5472SW  
Softpod with 5 Dividers  
and Worksurface



HX5P5472R/LW  
Softpod with 5 Dividers and  
Wrap Around Worksurface



HXP5430  
Single J-divider

**Height Adjustable Tables**

HX3PH5472SW  
Softpod with 3 Dividers  
and Height Adjustable  
Worksurface

**Freestanding Pods**

HX3PF  
Freestanding Softpod  
with 3 Dividers



HX3PFM  
Freestanding Mobile  
Softpod with 3 Dividers



HX4PF  
Freestanding Softpod  
with 4 Dividers



HX4PFM  
Freestanding Mobile  
Softpod with 4 Dividers



HX5PF  
Freestanding Softpod  
with 5 Dividers



HX5PFM  
Freestanding Mobile  
Softpod with 5 Dividers



HX6PF  
Freestanding Softpod  
with 6 Dividers




HX7PF  
Freestanding Softpod  
with 7 Dividers

**Meeting Pods**

HX6PFD  
Meeting Pod with 6 Dividers  
with D Top Worksurface



HX7PFD  
Meeting Pod with 7 Dividers  
with D Top Worksurface

**Extensions**

HXPACFE  
End PET Felt Extension  
Divider Add-on



HXPACFE  
Corner PET Felt  
Extension Divider Add-on



HXPATCFE  
Top Corner PET Felt  
Extension Divider Add-on



HXPA1CFE  
PET Felt Extension Divider  
Add-on for Softpod with 2 Dividers



HXPA2CFE  
PET Felt Extension Divider  
Add-on for Softpod with 3 Dividers



HXPACFEH  
PET Felt Extension Panel Add-on for  
Softpod Height Adjustable Table




HXPACFES  
Corner Semitransparent  
Extension Panel Add-on



## Electrical

PS3525057/5002  
Clamp Mount module



PS3526057/6002  
Undermount module




HXEUWC  
Under Worksurface  
Edge USB charger




GAADG  
Access Door  
Module




GAADCT  
Access Door Module  
with Cable Tray




PMDSA10  
ModPower On Surface  
Starter Unit



PMDCA3  
ModPower Middle  
Mounted Unit




PMDEA3  
ModPower End  
Mounted Unit



PSDPC22W  
Slim Desktop Power  
Module, 2 Duplex



PSDPC32W  
Slim Desktop Power  
Module, 3 Duplex




PMDCLIPS  
ModPower cable  
management clips



PMDJ36BK  
ModPower  
interconnecting jumper




PMDSF10  
ModPower In Surface  
Starter Unit



PMDCF3  
ModPower In  
Surface Middle Unit



PMDEF3  
ModPower In  
Surface End Unit




HXEPK  
Station 2-Circuit  
Power Kit




HXECs  
Cable Shroud




HXEHP  
Height Adjustable  
Power Kit



HXEPPJ  
Station to Station  
Jumper Kit




HXEPPJ  
Station to Station  
Jumper



HXECF  
Ceiling Feed



HXEBF  
Base Feed



HXECFP  
Ceiling Feed Pole



HXEPGK  
Divider Grommet  
Kit



HXEPGCS  
Divider Grommet  
Connector / Spacer



## Accessories

LINLAMPS  
LED Single Arm  
Lamp



LINLAMPD  
LED Double Arm  
Lamp



RNDLAMPS  
LED Single Arm  
Lamp



RNDLAMPD  
LED Double Arm  
Lamp



HXAHS  
Hanging Shelf



HXAHSWB  
Hanging Shelf with  
Dry Erase Board



HXARWS  
Rear Wall Shelf



HXACHS  
Coat/Bag Hook  
for Dividers




HXACTH  
Coat/Bag Hook  
for Dividers Edge




HXABH  
Under Surface  
Bag Hook



HXNP  
Name Plate




HXPCKIT  
Connection Kit




## Storage


HXSCSOL  
Under Worksurface  
Casual Storage Unit  
(lockable)



HXSCSO  
Under Worksurface  
Casual Storage Unit




FFPO  
Pantry Storage







FOOTPRINT




HX2P5452SW  
Softpod with 2 Dividers




HX3P5472SW  
Softpod with 3 Dividers




HX3PH5472SW  
Height Adjustable Softpod




HX5P5472SW Softpod with 5 Dividers




Single Softpod with 5 Dividers




HX4P5472SW  
Softpod with 4 Dividers




HX6PFD  
Softpod with 6 Dividers and D Top Worksurface



HX7PFD  
Softpod with 7 Dividers and D Top Worksurface




HX6PFD  
Softpod with 6 Dividers and D Top Worksurface



HX7PFD  
Softpod with 7 Dividers and D Top Worksurface


## OFF GRID PLANNING

The flexible format of Softpod offers a variety of planning options and encourages both on and off grid layouts. From a single or cluster of Softpods this versatile system adapts to your needs.



## Agile


The freestanding, single Softpod can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low



## Scalable

The adaptable dividers give the ability to address the level of privacy needed on a station to station basis.


### Softpod PRIVACY



Less Privacy


More Privacy

### Extensions - PRIVACY




**QUICK SPECIFICATION**


Softpod's small and complete kits allows for quick and efficient movement of product from time of specification to installation



**Single Pod with 3 Dividers**



**Single Pod with 4 Dividers**






**Single Pod with 4 Dividers  
and Wrap Around Surface**




**Single Pod with 5 Dividers**



**Single Pod with 5 Dividers and  
Wrap Around Surface**


**POWER CONNECTIONS****Plug In**

Simple casual wire - Direct plug-in or hard wired.


**Daisy Chain Interconnect System**

Plug-in power supply and interlinked, pre-determined universal modules. If specified, one module is shipped with the station and interconnected on site.



Integrating additional station (C) requires disconnecting A from B and plugging in the C on site.

**Dual Circuit Power**

Outlets mounted below worksurfaces.



## SPACE PLANNING




**POD FORMATS**

Align units in cluster plan  
Option unit type and orientation

(A) Worksurfaces must have opposing alignment



Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.



Power/ data is delivered through screen walls via grommet


Grommet tethers units together

Maximum 4 unit cluster per 2 circuits






## PLANNING FOR SINGLE SOFTPOD WITH 2 DIVIDERS




Touchdown




Around Column

## PLANNING FOR SINGLE SOFTPOD WITH 3 DIVIDERS




Touchdown




Around Column

PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS


Cluster of 2 Softpods




Cluster of 3 Softpods




Cluster of 4 Softpods




PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 Softpods




Cluster of 3 Softpods




Cluster of 4 Softpods


## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT



Cluster of 2 softPODs




Cluster of 3 softPODs




Cluster of 4 softPODs

## PLANNING WITH COLLABORATION POD FOR MEETING AND LOUNGE SETTINGS


\*Seating specified separately




Meeting with D Worksurface



Freestanding Pods for Lounge Settings




Meeting with D Worksurface




Freestanding Pods for Lounge Settings

**END TO END CONNECTIONS**


Softpod allows for end to end connection to meet a variety of planning needs:




Softpod with 2 Dividers




Softpod with 2 Dividers




Softpod with 3 Dividers




Softpod with 3 Dividers




Softpod with 4 Dividers




Softpod with 5 Dividers



HXPCKIT






\* Reuse leg from existing pod




PRIVACY EXTENSIONS


Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.




**End PET Felt Extension Divider Add-on**  
Height: 25.5"  
Depth: 9mm  
Width: 9.5"  
PET Felt  
- solid



**Top Corner PET Felt Extension Divider Add-on**  
Height: 37"  
Depth: 9mm  
Width: 19.5"  
PET Felt  
- solid  
- perforated




**Corner PET Felt Extension Divider Add-on**  
Height: 11.5"  
Depth: 9mm  
Width: 38.5"  
PET Felt  
- solid  
- perforated



**Corner Semitransparent Extension Panel Add-on**  
Height: 11.5"  
Depth: 9mm  
Width: 29.5"  
Acrylic  
- Semitransparent



**Top PET Felt Extension Divider Add-on for Softpod with 2 Dividers**  
Height: 11.5"  
Depth: 9mm  
Width: 55.5"  
PET Felt  
- solid  
- perforated





**Top PET Felt Extension Divider Add-on for Softpod with 3 Dividers**  
Height: 11.5"  
Depth: 9mm  
Width: 78.3"  
PET Felt  
- solid  
- perforated





**PRIVACY EXTENSIONS**


PET Felt - Solid





PET Felt - Perforated

**PET FELT COLOR PROGRAMMING**

PET Felt finishes may be the same or different for the interior and exterior of the Softpod. Only one finish may be applied to either the interior or exterior of each divider within each Softpod. Extensions may be in any single PET Felt color to complement or contrast. Due to variations in the color of felt, we recommend a contrasting or complementary color.







## WORKSURFACE DIMENSIONS AND GRAIN DIRECTION




- A single worksurface to be used within Softpod dividers.
- The surface is non-handed with pre-determined mounting points.
- Choose from either standard LP - low pressure laminate or HP - high pressure laminate, with PVC edge.

- A single wraparound worksurface to be used within Softpod dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- Compatible with only 4 or 5 divider station configurations
- Choose from either standard LP - low pressure laminate or HP - high pressure laminate, with PVC edge.




GROMMET LOCATIONS

**GAADDCT/  
GAADCTPD**




**GAADDCT/  
GAADCTPD**




Right Hand Shown


- Grommet cut-out option for GAADS series and ModPower. Top right (TR) or top left (TL). Grommets must be ordered separately.
- GAAD grommet is not available in combination with HXECS (Cable Shroud) and HXEPK (2 Circuit Power Kit).



**PMDSF10  
PMDCF3  
PMDEF3**




**PMDSF10  
PMDCF3  
PMDEF3**




Right Hand Shown

- Grommets must be ordered separately.
- GAAD grommet is not available in combination with HXECS (Cable Shroud) and HXEPK (2 Circuit Power Kit).




## ELECTRICAL


- Power and data lines can enter Softpod via floor, ceiling, or through grommet in the divider. The grommet opening is built into every Softpod divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single Softpod can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through Softpod dividers into adjacent Softpods.
- Orientation of worksurfaces plays an important role when planning Softpod cluster layouts with the need to pass cables between individual Softpods as the cables are best hidden underneath.
- Worksurfaces must have opposing alignment.
- Align units in cluster plan option unit type & orientation.





(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the Softpod is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling feed pole location outside of the Pod (because cables pass through the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between Softpods (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent Softpod, under worksurface).
- In either case, the cables enter or exit the Softpod through the divider grommet.



Recommended  
Maximum 4 unit  
cluster per 2 circuits.




● Ceiling Feed Pole Location

**ELECTRICAL OPTIONS**



## Direct Plug In

- Direct or floor monument outlet plug-in





## Grommet Application

- In surface.




## Grommet Application

- In surface Daisy Chain.





## Daisy Chain Interconnect System

- Direct or floor monument outlet plug-in




## Dual Circuit Power


- Hardwired



## Floor Feed



## Ceiling Feed






## ELECTRICAL

### 2 Circuit, 4 Wire Power Distribution

The 4-wire, 2-circuit electrical components are housed in a metal trough, mounted under worksurface, immediately adjacent to the worksurface contoured recess.






**HEIGHT ADJUSTABLE****HX3PH5472SW**



Softpod with 3 Dividers and Height Adjustable Worksurface

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface.

Includes all connecting hardware, tubular legs and supporting brackets

**HXEHP**

Optional electrical kit for use with height adjustable Softpod, includes electrical housing with receptacles, under worksurface cable basket, and black neoprene sock for wire management



Height Range of 22.5" - 48.9" (from top of surface to floor)

## HEIGHT ADJUSTABLE BASE SPECIFICATION

### Construction:

- Leg column size: 70mm
- Leg and foot materials: steel
- Glide adjustment range: 18mm
- Weight capacity: 1200N/leg
- Operation speed: 1.4 inches/sec (35mm/sec)
- Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

### Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

### Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs **N3** for three column:


- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs

- Voltage: 120V
- Temperatures: below 70°C.
- Color: Black
- Overload protection:  
Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show.  
Current limitations: single port not larger than 7A, total ports not larger than 15A.
- Type of plug: three prong
- Cord length: 1 meter


### Handset K50C:

- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification


## HEIGHT ADJUSTABLE POWER

**Side to side**


Required jumper length - 36"  
HXEPPJ36

**End to end**


Required jumper length - 90"  
HXEPPJ72  
HXEPPJ18  
HX4CNT

**Back to back**

Required jumper length - 24"  
HXEPPJ24

**Line**

Required jumper length - 72"  
HXEPPJ72



## STORAGE

### Hook

For hanging small items like earphones.

### Shelf


PET Felt liner with rear hole to direct power cords for charging.

### Rear Access


Tuck valuable items out of sight

### Bag Drop

Area for storing personal items.




**Optional Lockable  
Door Unit Available.**




### Pantry Storage

Multifunction, customizable storage


ACCESSORIES




**HXNP**  
**Name Plate**  
Height: 3.5"  
Depth: 0.5"  
Width: 11"  
• Two sided white dry erase surface.




**HXAHS**  
**Hanging Shelf**  
Height: 16"  
Depth: 3"  
Width: 23.5"  
• Optional dry erase board available




**HXARWS**  
**Rear Wall Shelf**  
Height: 3/4"  
Depth: 4.5"  
Width: 32.5"  
• Laminate  
NOTE : Not compatible with Ceiling Feed Pole or any monitor mounts.






**HXABG**  
**Under Surface Bag Hook**






**HXACHT**  
**Coat, Bag Hook for horizontal divider edge**



**HXACHS**  
**Coat, Bag Hook for Dividers**




SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	HX2P5452SW	30 x 49 x 54	92.5	87	7.86	\$2934	\$308
Softpod w/2 Dividers and Worksurface*	<p>Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 4-7/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
							
	HX2PM5452SW	30 x 49 x 54	150	87	17.88	\$2964	\$306
Mobile Softpod w/2 Dividers* and Worksurface	<p>Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 4-7/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
							
	HX3PF	30 x 72 x 54	125	85	14.1	\$3161	n/a
Softpod w/3 Dividers	<p>Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX3PFM	30 x 72 x 54	125	85	14.1	\$3204	n/a
Mobile Softpod w/3 Dividers	Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level. <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	HX3P5472SW	30 x 72 x 54	125	141	22.92	\$4320	\$568
	Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54" h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level. <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	HX3PM5472SW	30 x 72 x 54	150	127	23.2	\$4317	\$636
	Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54" h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level. <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

Required specifications	Optional specifications	Accessories
PET felt interior finish PET felt exterior finish Laminate finish* Edge finish* / Leg finish	HP laminate* Grommet option*	Keyboard tray* Power block*



SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX3PH5472SW	30 x 72 x 54	150	133	23.48	\$5684	\$636
							
	HX4PF	30 x 72 x 54	125	85	14.1	\$4318	n/a
							
	HX4PFM	30 x 72 x 54	100	117	14.1	\$4373	n/a

Softpod w/3 Dividers and Height Adjustable Worksurface\*

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Panel legs are powder coated paint. Specify standard paint finish.
- Height adjustable legs are powder coated. Specify Black (BLK), Blizzard (BZD), Charcoal (CHR), Designer White (DWT), Nevada (NEV), Stonedust (SDT), Silver (SIL), Taupe (TPE) and Tungsten (TUN).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Softpod w/4 Dividers

Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.




- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Mobile Softpod w/4 Dividers

Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.




- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications	Optional specifications	Accessories
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		




SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX4P5472SW	65 x 72 x 54	125	170	25.41	\$5423	\$568
Softpod w/4 Dividers and Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• J-divider may be installed on the left or right.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	Left:						
	HX4P5472LW	65 x 72 x 54	100	117	14.1	\$5904	\$800
	Right:						
	HX4P5472RW	65 x 72 x 54	125	185	25.41	\$5904	\$800
Softpod w/4 Dividers and Wraparound Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	Left:						
	HX4PM5472LW	65 x 72 x 54	125	168	25.4	\$5854	\$895
	Right:						
	HX4PM5472RW	65 x 72 x 54	125	168	25.4	\$5854	\$895
Mobile Softpod w/4 Dividers and Wraparound Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate	Keyboard tray
PET felt exterior finish	Grommet option	Power block
Laminate finish		
Edge finish / Leg finish		



SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
<div></div> <div>Softpod w/5 Dividers</div>	D x W x H						
	HX5PF	65 x 72 x 54	150	148	28.24	\$5474	n/a
	<p>Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
<div></div> <div>Mobile Softpod w/5 Dividers</div>	HX5PFM	65 x 72 x 54	150	148	28.24	\$5544	n/a
	<p>Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
<div></div> <div>Softpod w/5 Dividers and Worksurface*</div>	HX5P5472SW	65 x 72 x 54	125	198	25.41	\$6623	\$569
	<p>Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• J-dividers can be installed both on left or right side or one on each side.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><i>right shown</i></p> <p><b>Softpod w/5 Dividers and* Wraparound Worksurface</b></p>	<b>D x W x H</b>						
	Left:						
	HX5P5472LW	65 x 72 x 54	100	213.36	25.41	<b>\$7034</b>	<b>\$799</b>
	Right:						
	HX5P5472RW	65 x 72 x 54	100	213.36	25.41	<b>\$7034</b>	<b>\$799</b>
<p>Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard wraparound worksurface. Installed pod measures 54" h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li> <li>• Metal legs are powder coated paint. Specify standard paint finish.</li> <li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>• J-divider may be installed on the left or right.</li> <li>• Extensions, electrical, storage and accessories are specified separately.</li> </ul>							
 <p><b>Softpod w/6 Dividers</b></p>	HX6PF	65 x 96 x 54	125	171	28.24	<b>\$6627</b>	n/a
	<p>Complete 6 divider pod consisting of two straight back dividers and four side j-dividers. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>• Extensions, electrical, storage and accessories are specified separately.</li> </ul>						
 <p><b>Softpod w/6 Dividers and D-Top* Worksurface</b></p>	HX6PFD	54 x 96 x 54	300	218	191	<b>\$7543</b>	<b>\$341</b>
	<p>Complete 6 divider pod consisting of two straight back dividers, four side j-dividers and one collaborative worksurface. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>• Extensions, electrical, storage and accessories are specified separately.</li> </ul>						

**Required specifications**





PET felt interior finish  
 PET felt exterior finish  
 Laminate finish\*  
 Edge finish\* / Leg finish

**Optional specifications**

HP laminate\*  
 Grommet option\*

**Accessories**

Keyboard tray\*  
 Power block\*

SOFTPODS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Softpod w/7 Dividers</b></p>	HX7PF	65 x 119 x 54	125	193	28.24	<b>\$7450</b>	n/a
	<p>Complete 7 divider pod consisting of two straight back dividers and four side j-dividers. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>Extensions, electrical, storage and accessories are specified separately.</li> </ul>						
 <p><b>Softpod w/7 Dividers and D-Top* Worksurface</b></p>	HX7PFD	65 x 119 x 54	100	247	30.76	<b>\$8559</b>	<b>\$341</b>
	<p>Complete 7 divider pod consisting of two straight back dividers, four side j-dividers and one collaborative worksurface. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>Extensions, electrical, storage and accessories are specified separately.</li> </ul>						
 <p><b>Single J-divider</b></p>	HXP5430AP	6 x 30 x 54	300	28.3	16.17	<b>\$1237</b>	
	<p><i>To be ordered as an add-on to a previously ordered 3-divider or 4-divider pod.</i> A single divider is curved; non-handed; symmetrical along the horizontal axis. J-dividers are surfaced with PET felt. Interior PET felt color may be different than the outer. Installed pod measures 54" h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>J-divider comes complete with top connector kit, shared leg kit and trim.</li> <li>If a single J-divider is ordered as an add-on to a previous order, the PET felt finish may or may not match based on dyelot and fading.</li> <li>J-divider is not freestanding.</li> </ul>						
 <p><b>Connection Kit</b></p>	HXPCKIT	2.25 x 6 x 2.25	70	1	0.04	<b>\$42</b>	
	<p>Kit consists of all hardware required to connect two Softpods end-to-end. For use in specials when a customer wants to link several Softpods together.</p>						

**Required specifications**






PET felt interior finish  
 PET felt exterior finish  
 Laminate finish\*  
 Edge finish\* / Leg finish

**Optional specifications**






HP laminate\*  
 Grommet option\*

**Accessories**






Keyboard tray\*  
 Power block\*

SOFTPOD EXTENSIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	HXPAAEFE	0.35 x 9.3 x 25.4	70	0.63	0.05	\$60
Designed to add 8.7" of additional depth privacy at the end of the divider. Fits into the base perimeter reveal and placement is user oriented.						
• PET felt divider surface is tackable.						
• Not available with perforated pattern.						
	HXPACFE	0.35 x 38.3 x 11.69	70	1.16	0.09	\$106
	HXPACFEP	0.35 x 38.3 x 11.69	70	1.16	0.09	\$412
Designed to add 11.1" of additional height privacy at the top corner of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.						
• PET felt divider surface is tackable.						
• Perforated pattern option available, shown with "P" at the end of the code.						
	HXPATCFE	0.35 x 19.5 x 37.1	70	1.25	0.15	\$116
	HXPATCFEP	0.35 x 19.5 x 37.1	70	1.25	0.15	\$275
Designed to add 8.7" of additional height privacy at the top of the divider and 11.1" depth at the end of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.						
• PET felt divider surface is tackable.						
• Perforated pattern option available, shown with "P" at the end of the code.						
	HXPA1CFE	0.35 x 55.51 x 11.69	70	2	0.13	\$193
	HXPA1CFEP	0.35 x 55.51 x 11.69	70	2	0.13	\$386
Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.						
• PET felt divider surface is tackable.						
• Perforated pattern option available, shown with "P" at the end of the code.						
	HXPA2CFE	0.35 x 55.51 x 11.69	70	3	0.19	\$220
	HXPA2CFEP	0.35 x 55.51 x 11.69	70	3	0.19	\$437
Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.						
• PET felt divider surface is tackable.						
• Perforated pattern option available, shown with "P" at the end of the code.						

Required specifications  
PET felt finish

SOFTPOD EXTENSIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	HXPACFES	16.8 x 29.50 x 11.69	70	1	3.35	\$1051
Corner Semitransparent Extension Panel Add-on*	Designed to add 11" of additional privacy on top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with Extension Panel Add-on installed measures 65" from floor, 36" from top of worksurface. Divider is frosted for added privacy. • Available in three colors: Translucent (TNC), Blue (TNB) and Yellow (TNY). Specify finish.					
	HXPACFEH	16.8 x 29.50 x 11.69	250	6	1.65	\$441
	HXPACFHP	16.8 x 29.50 x 11.69	250	6	1.65	\$884
PET Felt Extension Panel Add-on for Softpod Height Adjustable Table**	Designed to add 20" of additional privacy on top of the height adjustable worksurface. Aluminum mounting brackets fasten to underside of worksurface. Curved PET fits into aluminum mounting brackets. PET Felt Panel Add-on installed measures 69" from floor, 20" from top of worksurface. • PET felt privacy screen surface is tackable. • Perforated pattern option available, shown with "P" at the end of the code.					
POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	PSDPC22W	2.25 x 4.88 x 2.25	60	2.5	0.05	\$324
	Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.					
	PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.05	\$432
	Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.					
	HXEUWC	4 x 3 x 1	70	0.31	0.01	\$546
	Under surface table-mounted module with dual USB-A & -C charging ports. Consists of one 15 watt USB-C charging outlet and one 2.1 amp USB-A charging outlet. Unit has white housing, white powder coated mounting bracket and white electrical cord.					


**Required specifications**  
Acrylic color\*  
PET felt finish\*\*

POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Cable Shroud**</b>	D x W x H					
	HXECS	9.73 x 23.5 x 20.85	70	1.62	2.87	<b>\$113</b>
	Secures to the bottom of the worksurface and clips to the bottom of straight section of any divider. Includes all connecting hardware. Specify PET felt color.					
 <b>Divider Grommet Kit**</b>						
	HXEPGK	2.75 x 5.5 x 3.25	70	0.27	0.02	<b>\$44</b>
	Facilitates passage of wires through any softPOD divider. Can be located either below or above the worksurface. Installed on site; no need to order special dividers. Powder coated die-cast aluminum divider grommet - specify Charcoal (CHR) or White (DWT). Can be installed on a single panel or to connect two panels when used in conjunction with the Divider Grommet Connector/Spacer.					
 <b>Divider Grommet Connector/Spacer</b>						
	HXEPGCS	2.75 x 5.5 x 3.25	70	0.04	0.01	<b>\$21</b>
		Converts any divider grommet kit into a connector. Clamps two dividers together through the divider grommet opening. Can be located above or below the worksurface at pre-determined locations. Specify with the Divider Grommet Kit or use with the Divider Grommet Kit included in the Station 2-Circuit Power Kit. Made of injection molded ABS in Charcoal (CHR). <ul style="list-style-type: none"><li>• For dual pod connection, only 1 HXEPGK is needed.</li></ul>				
 <b>Softpod Height Adjustable Power Kit</b>	HXEHP11	8.06 x 22 x 21.5	150	5	1	<b>\$872</b>
	HXEHP12	8.06 x 22 x 21.5	150	5	1	<b>\$872</b>
	HXEHP22	8.06 x 22 x 21.5	150	5	1	<b>\$872</b>
	Consists of two duplexes, cable basket and electrical housing. Accommodates one standard data plate (data cover included). <ul style="list-style-type: none"><li>• Facilitates 2-circuit power delivery.</li><li>• Facilitates interconnection of two stations. Please specify Station to Station Jumper Kit.</li><li>• Specify duplex circuit #1, #2 or combination #1+2.</li><li>• Ceiling or base feed not included. Specify separately.</li><li>• Includes all connecting hardware and supporting brackets.</li></ul>					

**Required specifications**  
PET felt finish\*  
Grommet finish\*\*



ACCESS DOOR MODULES




GAADG

GAADGDH

Access Door Module

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GAADG	5.54 x 10.09 x 1.08	--	2	0.04	<b>\$96</b>
GAADGDH	5.54 x 10.09 x 1.08	--	2	0.04	<b>\$104</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. Softpod can only accommodate one grommet per worksurface.




GAADCT

GAADCTDH

Access Door Module w/Cable Tray

GAADCT	5.54 x 10.09 x 5.07	--	4	0.19	<b>\$155</b>
GAADCTDH	5.54 x 10.09 x 5.07	--	4	0.19	<b>\$163</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes. GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.



GAADCTPD

GAADCTPDDH

Access Door Module w/Cable Tray  
and Power Bar


GAADCTPD	5.54 x 10.09 x 6.96	--	4	0.20	<b>\$327</b>
GAADCTPDDH	5.54 x 10.09 x 6.96	--	4	0.20	<b>\$337</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.

Required specifications

POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
------------	--------	------------	---------------	---------	-----------	------------

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------------------------	--------	------------	---------------	---------	-----------	------------



ModPower In-Surface Starter Unit

PMDSF10MG	2.75 x 7.63 x 2.63	250	3.44	1	<b>\$555</b>
PMDSF10WH	2.75 x 7.63 x 2.63	250	3.44	1	<b>\$555</b>

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower In-Surface Middle Unit

PMDCF3MG	2.75 x 7.63 x 2.63	250	2.44	1	<b>\$522</b>
PMDCF3WH	2.75 x 7.63 x 2.63	250	2.44	1	<b>\$522</b>

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.





ModPower In-Surface End Unit

PMDEF3MG	2.75 x 7.63 x 2.63	70	1.85	1	<b>\$457</b>
PMDEF3WH	2.75 x 7.63 x 2.63	70	1.85	1	<b>\$457</b>

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## MODPOWER/ELECTRICAL

**ModPower On-Surface Starter Unit****ModPower On-Surface Middle Unit****ModPower On-Surface End Unit****ModPower Cable Management Clips****ModPower Interconnecting Jumper****Station 2-Circuit Power Kit**

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H

PMDSA10MG

1.75 x 6.13 x 2.5

150

4.33

1

**\$587**

PMDSA10WH

1.75 x 6.13 x 2.5

150

4.33

1

**\$587**

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

PMDCA3MG

1.75 x 6.13 x 2.5

250

3.33

1

**\$555**

PMDCA3WH

1.75 x 6.13 x 2.5

250

3.33

1

**\$555**

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

PMDEA3MG

1.75 x 6.13 x 2.5

250

2.75

1

**\$489**

PMDEA3WH

1.75 x 6.13 x 2.5

250

2.75

1

**\$489**

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

PMDCLIPS

2.5 x 2.6 x .6

70

0.03

0.02

**\$98**

Package of 10 clips.

PMDJ36BK

-- x 36 x --

70

1.38

0.09

**\$329**

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.

HXEPK11

9.73 x 23.5 x 20.85

300

3.92

2.76

**\$463**

HXEPK12

9.73 x 23.5 x 20.85

300

3.92

2.76

**\$463**

HXEPK22

9.73 x 23.5 x 20.85





300



3.92

2.76

**\$463**


Station 2-Circuit power kit consists of two duplexes, trough, cable shroud and divider grommet. Accommodates up to two standard data plates (data plates not included). Accommodates center mount single or dual screen monitor arm. Facilitates 2-circuit power delivery. Facilitates power connection between stations. Specify Station to Station Jumper Kit. Specify duplex circuit #1, #2 or combination of #1+2. Ceiling or base feed not included - specify separately. Trough is powder coated metal in Charcoal (CHR). Includes all connecting hardware, supporting brackets and through divider grommet.

ELECTRICAL/ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	HXEPPJ78	2 x 78.5 x 2	92.5	2	0.18	\$418
	HXEPPJ72	2 x 72.5 x 2	92.5	2	0.17	\$414
	HXEPPJ60	2 x 60.5 x 2	70	1	0.14	\$382
	HXEPPJ48	2 x 48.5 x 2	70	1	0.11	\$346
	HXEPPJ36	2 x 36.5 x 2	70	1	0.08	\$261
	HXEPPJ30	2 x 30.5 x 2	70	1	0.07	\$240
	HXEPPJ24	2 x 24.5 x 2	70	1	0.06	\$210
	HXEPPJ18	2 x 18.5 x 2	70	1	0.04	\$191
Station to Station Jumper Kit	Facilitates interconnection of two stations (under the worksurface). Black neoprene sock of equal length included. Mounting clips included (qty. based on length).					
	HX4CNT	1.5 x 1.5 x 3	70	0.48	0.05	\$51
	Used to connect two Station to Station jumper kits (HXEPPJxx).					
Base Feed	HXEBCF	2 x 72 x 2	60	5.6	0.06	\$391
	Provides single power entry from floor into 2-Circuit Power Kit under worksurface. 6' long liquid tight whip plugs into the side of the left or right duplex. Must be hard wired to the building power supply by a licensed electrician. Base feed jumper included.					
	HXECF	2 x 144 x 2	60	5.6	0.06	\$266
Ceiling Feed	Ceiling feed plugs into side of left or right duplex mounted within the 2-Circuit Power Kit. 10' long metal conduit, ready to be hardwired to building power supply. Strain relief fitting provided; junction box is not included. To be used with HXECFP - Ceiling Feed Pole.					
	HXECFP	1.5 x 6 x 116	85	5.49	0.38	\$224
	Manages power and data cables between ceiling and worksurface. Aluminum extrusion with PVC cover secures to the divider grommet and passes below worksurface through the worksurface contoured recess. Includes mounting hardware and ceiling bezel. Hardware for securing the pole above ceiling tile is not included. Specify paint finish. Ceiling Feed HXECF must be ordered separately. PVC cover is standard in Charcoal (CHR). Cover can be removed to access cabling inside.					
Ceiling Pole*						
Required specifications						
Laminate finish*						

CASUAL STORAGE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
			D x W x H				
		HXSCSO	24 x 8 x 21	150	20.18	4.22	\$486
<b>Under Worksurface Casual Storage Unit</b>		Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface. <ul style="list-style-type: none"><li>• Select from standard PET and paint finishes.</li><li>• Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).</li></ul>					
							
		HXSCSOL	24 x 8 x 21	100	37	4.22	\$1138
		HXSCSOR	24 x 8 x 21	100	37	4.22	\$1138
<b>Under Worksurface Lockable Casual Storage Unit*</b>		Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface. <ul style="list-style-type: none"><li>• Select from standard PET and paint finishes.</li><li>• Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).</li><li>• Lockable cabinet with key - laminate with PVC edge. Specify finishes.</li><li>• <i>Cannot be installed on height adjustable Softpod.</i></li></ul>					

**Required specifications**

Paint finish  
PET felt color  
Laminate finish\*


PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	FFPO1224H54NL	24 x 12 x 54	70	138	9	<b>\$2717</b>	<b>\$31</b>
	FFPO1230H54NL	30 x 12 x 54	85	153	11	<b>\$2847</b>	<b>\$31</b>
	FFPO1236H54NL	36 x 12 x 54	92.5	167	14	<b>\$2978</b>	<b>\$43</b>
	FFPO1224H54NR	24 x 12 x 54	70	138	9	<b>\$2717</b>	<b>\$31</b>
	FFPO1230H54NR	30 x 12 x 54	85	153	11	<b>\$2847</b>	<b>\$31</b>
	FFPO1236H54NR	36 x 12 x 54	92.5	167	14	<b>\$2978</b>	<b>\$43</b>
	FFPO1824H54NL	24 x 18 x 54	92.5	166	14	<b>\$3149</b>	<b>\$43</b>
	FFPO1830H54NL	30 x 18 x 54	92.5	182	17	<b>\$3291</b>	<b>\$55</b>
	FFPO1836H54NL	36 x 18 x 54	100	197	20	<b>\$3433</b>	<b>\$61</b>
	FFPO1824H54NR	24 x 18 x 54	92.5	166	14	<b>\$3149</b>	<b>\$43</b>
	FFPO1830H54NR	30 x 18 x 54	92.5	182	17	<b>\$3291</b>	<b>\$55</b>
	FFPO1836H54NR	36 x 18 x 54	100	197	20	<b>\$3433</b>	<b>\$61</b>

Left (NL) shown

**Pantry Storage\*\***

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

	FFPO1224H54NLUSB	24 x 12 x 54	70	138	9	<b>\$3330</b>	<b>\$31</b>
	FFPO1230H54NLUSB	30 x 12 x 54	85	153	11	<b>\$3460</b>	<b>\$31</b>
	FFPO1236H54NLUSB	36 x 12 x 54	92.5	167	14	<b>\$3590</b>	<b>\$43</b>
	FFPO1224H54NRUSB	24 x 12 x 54	70	138	9	<b>\$3330</b>	<b>\$31</b>
	FFPO1230H54NRUSB	30 x 12 x 54	85	153	11	<b>\$3460</b>	<b>\$31</b>
	FFPO1236H54NRUSB	36 x 12 x 54	92.5	167	14	<b>\$3590</b>	<b>\$43</b>
	FFPO1824H54NLUSB	24 x 18 x 54	92.5	166	14	<b>\$3760</b>	<b>\$43</b>
	FFPO1830H54NLUSB	30 x 18 x 54	92.5	182	17	<b>\$3904</b>	<b>\$55</b>
	FFPO1836H54NLUSB	36 x 18 x 54	100	197	20	<b>\$4045</b>	<b>\$61</b>
	FFPO1824H54NRUSB	24 x 18 x 54	92.5	166	14	<b>\$3760</b>	<b>\$43</b>
	FFPO1830H54NRUSB	30 x 18 x 54	92.5	182	17	<b>\$3904</b>	<b>\$55</b>
	FFPO1836H54NRUSB	36 x 18 x 54	100	197	20	<b>\$4045</b>	<b>\$61</b>

Left (NL) shown

**Pantry Storage - w/USB\*\***


The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

**Required specifications**

Laminate finish


**Optional specifications**HP laminate  
Dry-erase board

PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p>Left (NL) shown</p> <p><b>Pantry Storage w/Wardrobe</b></p>		D x W x H					
	FFPW1224H42NL	24 x 12 x 42	70	128	7	\$2969	\$34
	FFPW1230H42NL	30 x 12 x 42	70	143	9	\$3105	\$41
	FFPW1236H42NL	36 x 12 x 42	85	157	11	\$3238	\$51
	FFPW1824H42NL	24 x 18 x 42	85	156	11	\$3438	\$52
	FFPW1830H42NL	30 x 18 x 42	85	172	13	\$3588	\$63
	FFPW1836H42NL	36 x 18 x 42	92.5	187	16	\$3738	\$76
	FFPW1224NL	24 x 12 x 50	70	133	8	\$3236	\$30
	FFPW1230NL	30 x 12 x 50	85	148	10	\$3378	\$59
	FFPW1236NL	36 x 12 x 50	92.5	162	15	\$3521	\$85
	FFPW1824NL	24 x 18 x 50	85	161	12	\$3781	\$59
	FFPW1830NL	30 x 18 x 50	92.5	177	15	\$3935	\$97
	FFPW1836NL	36 x 18 x 50	92.5	192	18	\$4091	\$128
	FFPW1224H54NL	24 x 12 x 54	70	138	9	\$3298	\$32
	FFPW1230H54NL	30 x 12 x 54	85	153	11	\$3439	\$38
	FFPW1236H54NL	36 x 12 x 54	92.5	167	14	\$3583	\$44
	FFPW1824H54NL	24 x 18 x 54	92.5	166	14	\$3855	\$44
	FFPW1830H54NL	30 x 18 x 54	92.5	182	17	\$4009	\$57
	FFPW1836H54NL	36 x 18 x 54	100	197	20	\$4166	\$64
	FFPW1224H42NR	24 x 12 x 42	70	128	7	\$2969	\$34
	FFPW1230H42NR	30 x 12 x 42	70	143	9	\$3105	\$41
	FFPW1236H42NR	36 x 12 x 42	85	157	11	\$3238	\$51
	FFPW1824H42NR	24 x 18 x 42	85	156	11	\$3438	\$52
	FFPW1830H42NR	30 x 18 x 42	85	172	13	\$3588	\$63
	FFPW1836H42NR	36 x 18 x 42	92.5	187	16	\$3738	\$76
	FFPW1224NR	24 x 12 x 50	70	133	8	\$3236	\$30
	FFPW1230NR	30 x 12 x 50	85	148	10	\$3378	\$59
	FFPW1236NR	36 x 12 x 50	92.5	162	15	\$3521	\$85
	FFPW1824NR	24 x 18 x 50	85	161	12	\$3781	\$59
	FFPW1830NR	30 x 18 x 50	92.5	177	15	\$3935	\$97
	FFPW1836NR	36 x 18 x 50	92.5	192	18	\$4091	\$128
	FFPW1224H54NR	24 x 12 x 54	70	138	9	\$3298	\$32
	FFPW1230H54NR	30 x 12 x 54	85	153	11	\$3439	\$38
	FFPW1236H54NR	36 x 12 x 54	92.5	167	14	\$3583	\$44
	FFPW1824H54NR	24 x 18 x 54	92.5	166	14	\$3855	\$44
	FFPW1830H54NR	30 x 18 x 54	92.5	182	17	\$4009	\$57
	FFPW1836H54NR	36 x 18 x 54	100	197	20	\$4166	\$64

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

<b>Required specifications</b>	<b>Optional specifications</b>
Laminate finish	HP laminate
	Dry-erase board

PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p>Left (NL) shown</p> <p><b>Pantry Storage w/Wardrobe and USB</b></p>	<b>D x W x H</b>						
	FFPW1224H42NLUSB	24 x 12 x 42	70	128	7	<b>\$3645</b>	<b>\$34</b>
	FFPW1230H42NLUSB	30 x 12 x 42	70	143	9	<b>\$3781</b>	<b>\$41</b>
	FFPW1236H42NLUSB	36 x 12 x 42	85	157	11	<b>\$3914</b>	<b>\$51</b>
	FFPW1824H42NLUSB	24 x 18 x 42	85	158	11	<b>\$4115</b>	<b>\$52</b>
	FFPW1830H42NLUSB	30 x 18 x 42	85	172	13	<b>\$4266</b>	<b>\$63</b>
	FFPW1836H42NLUSB	36 x 18 x 42	92.5	187	16	<b>\$4415</b>	<b>\$76</b>
	FFPW1224NLUSB	24 x 12 x 50	70	133	8	<b>\$3912</b>	<b>\$30</b>
	FFPW1230NLUSB	30 x 12 x 50	85	148	10	<b>\$4055</b>	<b>\$59</b>
	FFPW1236NLUSB	36 x 12 x 50	92.5	162	15	<b>\$4199</b>	<b>\$85</b>
	FFPW1824NLUSB	24 x 18 x 50	85	161	12	<b>\$4459</b>	<b>\$59</b>
	FFPW1830NLUSB	30 x 18 x 50	92.5	177	15	<b>\$4611</b>	<b>\$97</b>
	FFPW1836NLUSB	36 x 18 x 50	92.5	192	18	<b>\$4767</b>	<b>\$128</b>
	FFPW1224H54NLUSB	24 x 12 x 54	70	138	9	<b>\$3975</b>	<b>\$32</b>
	FFPW1230H54NLUSB	30 x 12 x 54	85	153	11	<b>\$4117</b>	<b>\$38</b>
	FFPW1236H54NLUSB	36 x 12 x 54	92.5	167	14	<b>\$4260</b>	<b>\$44</b>
	FFPW1824H54NLUSB	24 x 18 x 54	92.5	166	14	<b>\$4531</b>	<b>\$44</b>
	FFPW1830H54NLUSB	30 x 18 x 54	92.5	182	17	<b>\$4686</b>	<b>\$57</b>
	FFPW1836H54NLUSB	36 x 18 x 54	100	197	20	<b>\$4842</b>	<b>\$64</b>
	FFPW1224H42NRUSB	24 x 12 x 42	70	128	7	<b>\$3645</b>	<b>\$34</b>
	FFPW1230H42NRUSB	30 x 12 x 42	70	143	9	<b>\$3781</b>	<b>\$41</b>
	FFPW1236H42NRUSB	36 x 12 x 42	85	157	11	<b>\$3914</b>	<b>\$51</b>
	FFPW1824H42NRUSB	24 x 18 x 42	85	158	11	<b>\$4115</b>	<b>\$52</b>
	FFPW1830H42NRUSB	30 x 18 x 42	85	172	13	<b>\$4266</b>	<b>\$63</b>
	FFPW1836H42NRUSB	36 x 18 x 42	92.5	187	16	<b>\$4415</b>	<b>\$76</b>
	FFPW1224NRUSB	24 x 12 x 50	70	133	8	<b>\$3912</b>	<b>\$30</b>
	FFPW1230NRUSB	30 x 12 x 50	85	148	10	<b>\$4055</b>	<b>\$59</b>
	FFPW1236NRUSB	36 x 12 x 50	92.5	162	15	<b>\$4199</b>	<b>\$85</b>
	FFPW1824NRUSB	24 x 18 x 50	85	161	12	<b>\$4459</b>	<b>\$59</b>
	FFPW1830NRUSB	30 x 18 x 50	92.5	177	15	<b>\$4611</b>	<b>\$97</b>
	FFPW1836NRUSB	36 x 18 x 50	92.5	192	18	<b>\$4767</b>	<b>\$128</b>
	FFPW1224H54NRUSB	24 x 12 x 54	70	138	9	<b>\$3975</b>	<b>\$32</b>
	FFPW1230H54NRUSB	30 x 12 x 54	85	153	11	<b>\$4117</b>	<b>\$38</b>
	FFPW1236H54NRUSB	36 x 12 x 54	92.5	167	14	<b>\$4260</b>	<b>\$44</b>
	FFPW1824H54NRUSB	24 x 18 x 54	92.5	166	14	<b>\$4531</b>	<b>\$44</b>
	FFPW1830H54NRUSB	30 x 18 x 54	92.5	182	17	<b>\$4686</b>	<b>\$57</b>
	FFPW1836H54NRUSB	36 x 18 x 54	100	197	20	<b>\$4842</b>	<b>\$64</b>

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.



#### Required specifications





Laminate finish

#### Optional specifications

HP laminate  
Dry-erase board




PANTRY STORAGE ACCESSORIES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	<b>Felt Pantry Storage Bin</b>		D x W x H				
		FFPSB0912	8.6 x 11.8 x 7.5	70	8.6	0.03	<b>\$72</b>
		Crafted from recycled PET felt, felt bins are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.					
	<b>Felt Pantry Storage Tray</b>						
		FFPST0609	5.9 x 8.6 x 2.6	70	0.28	0.08	<b>\$30</b>
		Crafted from recycled PET felt, felt trays are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.					

PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
<p><b>D x W x H</b></p> <p><b>Mounting Options for Voyage and Revo Lights:</b>                      Freestanding Base (<b>FS</b>)                      Freestanding Base with USB charge port (<b>FSUSB</b>) - Add <b>\$110</b>.                      Surface Mount (<b>SM</b>)                      Clamp Mount (<b>CM</b>)</p>							
REVO + VOYAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
 <b>Voyage - Single Arm</b>	LINLAMPS	6 x 6 x 14.1	60	2.66	.01	<b>\$709</b>	
	<p>Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (<b>FSUSB</b>) allows for charging of mobile devices. UL Listed: UL 1153:2014.</p> <p>• Occupancy Sensor (<b>OS</b>) - Add <b>\$83</b></p>						
 <b>Voyage - Double Arm</b>	LINLAMPD	6 x 6 x 21.6	60	2.66	.01	<b>\$726</b>	
	<p>Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (<b>FSUSB</b>) allows for charging of mobile devices. UL Listed: UL 1153:2014.</p> <p>• Occupancy Sensor (<b>OS</b>) - Add <b>\$83</b></p>						
 <b>Revo - Single Arm</b>	RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	<b>\$709</b>	
	<p>Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (<b>FSUSB</b>) allows for charging of mobile devices. UL Listed: UL 1153:2014.</p> <p>• Occupancy Sensor (<b>OS</b>) - Add <b>\$83</b></p>						
 <b>Revo - Double Arm</b>	RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	<b>\$726</b>	
	<p>Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (<b>FSUSB</b>) allows for charging of mobile devices. UL Listed: UL 1153:2014.</p> <p>• Occupancy Sensor (<b>OS</b>) - Add <b>\$83</b></p>						

Required Specifications	Optional Specifications
Finish Mount	Occupancy Sensor


TASK LIGHTING



Hanging Shelf\*

	D x W x H					
HXAHS	3 x 23.5 x 16	150	8.8	1.91	\$155	n/a

Suspends from the divider's top reveal. Installed board measures 16" from top; 9" from top of worksurface. Shelf is painted metal, tray insert is PET felt. Magnetic.



Hanging Shelf w/Dry Erase Board\*

HXAHSWB	3 x 23.5 x 16	150	9.57	1.91	\$592	n/a
---------	---------------	-----	------	------	-------	-----

Suspends from the divider's top reveal. Installed board measures 16" from top; 9" from top of worksurface. White surface, painted metal frame, tray insert is PET felt. Magnetic.



Rear Wall Shelf\*\*

HXARWS	4.5 x 32.25 x 0.75	250	2.8	1.13	\$158	\$44
--------	--------------------	-----	-----	------	-------	------


3/4" laminate shelf; non-handed, with pre-determined mounting points. 2.5" front radii. *Not compatible with Ceiling Feed Pole or any monitor mounts.*



Coat/Bag Hook for Dividers\*

HXACHS	0.75 x 1.25 x 2	70	0.05	0.01	\$45	n/a
--------	-----------------	----	------	------	------	-----


Can be installed anywhere along the divider perimeter reveal or either side of the Under Surface Casual Storage Unit. Made of die-cast aluminum; plug insert is PET felt.



Coat/Bag Hook for Divider Edge\*

HXACHT	0.75 x 1.25 x 2	70	0.23	0.01	\$53	n/a
--------	-----------------	----	------	------	------	-----


Can be installed anywhere along the divider perimeter reveal or either or both sides of any divider. Made of die-cast aluminum with steel brackets; plug insert is PET felt.



Under Surface Bag Hook\*

HXABH	0.75 x 1.25 x 2	70	0.18	0.01	\$49	n/a
-------	-----------------	----	------	------	------	-----

Can be secured to the bottom of worksurface. Made of die-cast aluminum with steel brackets; plug insert is PET felt.



Name Plate

HXNP	0.5 x 10.75 x 3.625	70	0.26	0.01	\$90	n/a
------	---------------------	----	------	------	------	-----

Sits inside the divider top reveal. Two-sided white dry erase surface laminated to 1/2" PET felt. Can be mounted horizontally or vertically.

Required specifications

Paint finish\*  
Laminate finish\*\*  
PET felt color\*

Optional Specifications

HP laminate\*\*

# productivity solutions



Productivity Solutions

566