




bridges II connect share achieve


Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.

Features and Benefits

- High performance thermally fused laminate tops are 1" thick
- High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all sides
- Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- Leg Options:
Height adjustable round legs
Fixed height rectangular legs



Rectangular Leg



Power Trough



Round Leg

GENERAL INFORMATION

Flexible Building components

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

Easy to customize and reconfigure to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

Compatible with various environments

- Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

Choice of **two functionally and visually different leg** supports

- Casters or levelers
- Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

Various **power/data delivery** levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- Horizontal cable management under storage units with optional wire basket

Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

TABLES

- All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- Worksurfaces provided with pilot holes for alignment purposes

CODES

- This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP

BRT = Bridges II

WS = Type of Worksurface



2472 = Size: Depth x Width

AWC = High Pressure Laminate

HP = Finish

RECTANGULAR LEG


- For single and shared worksurface support
- Bridges II Rectangular legs are available with:
 - Locking Casters (**BRTLCS**) or Levelers (**BRTLVS**)



- Casters and Levelers **CANNOT** be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White

ROUND LEG

- For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" - 32" in 1" increments with levelers and 27" - 35" with casters
- Bridges II Round legs are available with:
 - Locking Casters (**BRTLCR**) or Levelers (**BRTLVR**)



- Casters and Levelers **CAN** be retrofitted
- Levelers have a 1" height range, with 3/8-16" thread
- Levelers are available in Chrome only
- Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- Paint finish is a durable, environmentally friendly epoxy powder coating

FINISHES

Metal Frame Finishes:

BLK	Black
BZD	Blizzard**
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
SDT	Stonedust**
TPE	Taupe
TUN	Tungsten

ANO* Anodized Aluminum - Upcharge applies. Refer to models for upcharge.

*ANO is a process, not a paint finish.

**Textured finish

Laminate Top Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black - Coordinates with BLK Metal Frame Finish
BZD	Blizzard
BRC	Brushed Cobalt - Coordinates with TUN Metal Frame Finish
CMB	Clear Maple
CGY	Custom Grey - Coordinates with SIL Metal Frame Finish
DES	Dark Espresso
DWT	Designer White - Coordinates with DWT Metal Frame Finish
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SDT	Stonedust
SOG	Storm Grey - Coordinates with CHR Metal Frame Finish
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

Edgeband Finishes:

AAE	Absolute Acajou
ASE	Asian Night
ACE	Avant Cherry
AHE	Avant Honey
BLK	Black
BRG	Brushed Cobalt
BZD	Blizzard
CHR	Charcoal (<i>use w/SOG</i>)
CME	Clear Maple
DEE	Dark Espresso
DWE	Designer White
FAS	Fashionista
FCL	First Class
NEV	Nevada
QTM	Quartered Mahogany
SBY	Sheer Beauty
SIL	Silver (<i>use w/CGY</i>)
SDT	Stonedust
TPE	Taupe
WHE	Walnut Heights
CBE	White Chocolate
WCE	Winter Cherry

Chassis/Accent Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black - Coordinates with BLK Metal Frame Finish
BRG	Brushed Cobalt - Coordinates with TUN Metal Frame Finish
BZD	Blizzard
CGY	Custom Grey - Coordinates with SIL Metal Frame Finish
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White - Coordinates with DWT Metal Frame Finish
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SOG	Storm Grey - Coordinates with CHR Metal Frame Finish
SDT	Stonedust
STG	String - Coordinates with NEV Metal Frame Finish
WHC	White Chocolate
WHE	Walnut Heights
WCR	Winter Cherry

Metal Beam + Access Door Finishes:

BLK	Black
BZD	Blizzard*
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
SDT	Stonedust*
TPE	Taupe
TUN	Tungsten

*Textured finish

FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONS


Bridges II Fabric Table Dividers are available in: **Anchorage, Lola, Merge**

COLLABORATIVE SEATING

- All standard seating fabrics and grades apply.


30" W UNITS STORAGE CAPACITY CHART

Side to Side



LETTER LETTER


Side to Side Letter/Front to Back Legal



LETTER LEGAL

36" W UNITS STORAGE CAPACITY CHART

Side to Side Letter




LETTER LETTER

Side to Side Legal



LEGAL LEGAL


Side to Side Letter/Front to Back Legal



LEGAL LEGAL

RECTANGULAR LEG PACKAGES

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		HP ADD
						D x W x H		
	BRTS1P2484L	24 x 84 x 29	70	75	4.92	\$1687	\$165	
	BRTS1P2478L	24 x 78 x 29	85	72	4.82	\$1638	\$158	
	BRTS1P2472L	24 x 72 x 29	85	69	4.73	\$1581	\$163	
	BRTS1P2466L	24 x 66 x 29	85	66	4.65	\$1564	\$145	
	BRTS1P2463L	24 x 62.5 x 29	85	63	4.57	\$1552	\$141	
	BRTS1P2460L	24 x 60 x 29	85	60	4.48	\$1535	\$140	
	BRTS1P2454L	24 x 54 x 29	85	57	4.4	\$1482	\$122	
	BRTS1P2451L	24 x 50.5 x 29	85	54	4.3	\$1441	\$117	
	BRTS1P2448L	24 x 48 x 29	85	51	4.2	\$1403	\$111	
	BRTS1P2442L	24 x 42 x 29	92.5	48	4.1	\$1342	\$91	
	BRTS1P2436L	24 x 36 x 29	92.5	45	4	\$1258	\$78	
	BRTS1P3084L	30 x 84 x 29	70	84	5.2	\$1769	\$176	
	BRTS1P3078L	30 x 78 x 29	70	81	5.1	\$1701	\$163	
	BRTS1P3072L	30 x 72 x 29	70	78	5.01	\$1661	\$161	
	BRTS1P3066L	30 x 66 x 29	70	75	4.9	\$1621	\$155	
	BRTS1P3063L	30 x 62.5 x 29	70	72	4.8	\$1609	\$150	
	BRTS1P3060L	30 x 60 x 29	85	69	4.73	\$1593	\$145	
	BRTS1P3054L	30 x 54 x 29	85	66	4.6	\$1556	\$121	
	BRTS1P3051L	30 x 50.5 x 29	85	63	4.5	\$1528	\$127	
	BRTS1P3048L	30 x 48 x 29	85	60	4.41	\$1502	\$122	
	BRTS1P3042L	30 x 42 x 29	85	57	4.3	\$1469	\$120	
	BRTS1P3036L	30 x 36 x 29	85	54	4.2	\$1357	\$83	



Single Line 1 Person Pod with Levelers

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

- Anodized Aluminum Leg - Add **\$165**. list upcharge

Required Specifications

Top finish
Metal finish (legs)


Optional Specifications

Edge finish
Beam finish

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTS1P2484C	24 x 84 x 29	70	75	4.92	\$1769	\$165
BRTS1P2478C	24 x 78 x 29	85	72	4.82	\$1720	\$158
BRTS1P2472C	24 x 72 x 29	85	69	4.73	\$1674	\$155
BRTS1P2466C	24 x 66 x 29	85	66	4.65	\$1647	\$145
BRTS1P2463C	24 x 62.5 x 29	85	63	4.57	\$1633	\$141
BRTS1P2460C	24 x 60 x 29	85	60	4.48	\$1619	\$140
BRTS1P2454C	24 x 54 x 29	85	57	4.4	\$1564	\$122
BRTS1P2451C	24 x 50.5 x 29	85	54	4.3	\$1526	\$117
BRTS1P2448C	24 x 48 x 29	85	51	4.2	\$1485	\$111
BRTS1P2442C	24 x 42 x 29	92.5	48	4.1	\$1422	\$91
BRTS1P2436C	24 x 36 x 29	92.5	45	4	\$1343	\$78
BRTS1P3084C	30 x 84 x 29	70	84	5.2	\$1867	\$163
BRTS1P3078C	30 x 78 x 29	70	81	5.1	\$1783	\$163
BRTS1P3072C	30 x 72 x 29	70	78	5.01	\$1743	\$138
BRTS1P3066C	30 x 66 x 29	70	75	4.9	\$1704	\$155
BRTS1P3063C	30 x 62.5 x 29	70	72	4.8	\$1692	\$150
BRTS1P3060C	30 x 60 x 29	85	69	4.73	\$1675	\$145
BRTS1P3054C	30 x 54 x 29	85	66	4.6	\$1640	\$121
BRTS1P3051C	30 x 50.5 x 29	85	63	4.5	\$1611	\$127
BRTS1P3048C	30 x 48 x 29	85	60	4.41	\$1584	\$122
BRTS1P3042C	30 x 42 x 29	85	57	4.3	\$1553	\$120
BRTS1P3036C	30 x 36 x 29	85	54	4.2	\$1440	\$83



Single Line 1 Person Pod with Casters

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

- Anodized Aluminum Leg - Add **\$165** list upcharge


Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES




Single Line 2 Person Pod with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTS2P2484L	24 x 168 x 29	70	149	7.41	\$2956	\$326
BRTS2P2478L	24 x 156 x 29	70	140	7.27	\$2856	\$310
BRTS2P2472L	24 x 144 x 29	70	131	7.13	\$2767	\$302
BRTS2P2466L	24 x 132 x 29	70	122	6.95	\$2709	\$285
BRTS2P2460L	24 x 120 x 29	70	113	6.71	\$2650	\$277
BRTS2P2454L	24 x 108 x 29	70	104	6.45	\$2542	\$241
BRTS2P2448L	24 x 96 x 29	70	95	6.21	\$2386	\$217
BRTS2P3084L	30 x 168 x 29	70	173	8.25	\$3101	\$351
BRTS2P3078L	30 x 156 x 29	70	164	7.97	\$2964	\$323
BRTS2P3072L	30 x 144 x 29	70	155	7.69	\$2903	\$314
BRTS2P3066L	30 x 132 x 29	70	140	7.41	\$2805	\$302
BRTS2P3060L	30 x 120 x 29	70	131	7.13	\$2749	\$285
BRTS2P3054L	30 x 108 x 29	70	122	6.85	\$2670	\$241
BRTS2P3048L	30 x 96 x 29	70	113	6.57	\$2563	\$241

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **\$243**. list upcharge




Single Line 3 Person Pod with Levelers

BRTS3P2484L	24 x 252 x 29	70	219	9.74	\$4227	\$487
BRTS3P2478L	24 x 234 x 29	70	206	9.53	\$4077	\$463
BRTS3P2472L	24 x 216 x 29	70	192	9.32	\$3942	\$451
BRTS3P2466L	24 x 198 x 29	70	179	9.11	\$3853	\$428
BRTS3P2460L	24 x 180 x 29	70	165	8.89	\$3770	\$392
BRTS3P2454L	24 x 162 x 29	70	152	8.68	\$3607	\$357
BRTS3P2448L	24 x 144 x 29	70	138	8.47	\$3371	\$321
BRTS3P3084L	30 x 252 x 29	65	263	11.59	\$4434	\$524
BRTS3P3078L	30 x 234 x 29	70	246	11.16	\$4229	\$484
BRTS3P3072L	30 x 216 x 29	70	229	10.72	\$4105	\$471
BRTS3P3066L	30 x 198 x 29	70	212	10.3	\$3987	\$451
BRTS3P3060L	30 x 180 x 29	70	195	9.87	\$3905	\$428
BRTS3P3054L	30 x 162 x 29	70	178	9.44	\$3789	\$357
BRTS3P3048L	30 x 144 x 29	70	161	9.01	\$3628	\$357

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **\$325**. list upcharge



Single Line 4 Person Pod with Levelers

BRTS4P2484L	24 x 336 x 29	70	291	13.67	\$5493	\$650
BRTS4P2478L	24 x 312 x 29	70	273	13.18	\$5296	\$616
BRTS4P2472L	24 x 288 x 29	70	254	12.69	\$5147	\$609
BRTS4P2466L	24 x 264 x 29	70	236	12.2	\$4999	\$567
BRTS4P2460L	24 x 240 x 29	70	217	11.71	\$4884	\$550
BRTS4P2454L	24 x 216 x 29	70	199	11.22	\$4669	\$475
BRTS4P2448L	24 x 192 x 29	70	180	10.73	\$4355	\$428
BRTS4P3084L	30 x 336 x 29	65	345	14.87	\$5762	\$698
BRTS4P3078L	30 x 312 x 29	65	323	14.3	\$5491	\$639
BRTS4P3072L	30 x 288 x 29	70	301	13.73	\$5327	\$625
BRTS4P3066L	30 x 264 x 29	70	279	13.16	\$5170	\$598
BRTS4P3060L	30 x 240 x 29	70	257	12.59	\$5064	\$567
BRTS4P3054L	30 x 216 x 29	70	235	12.02	\$4905	\$475
BRTS4P3048L	30 x 192 x 29	70	213	11.45	\$4691	\$475

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **\$407**. list upcharge

Required Specifications


Top finish
Metal finish (legs)

Optional Specifications

Edge finish
Beam finish
Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTBAR2P2484L	50.5 x 84 x 29	70	146	9.4	\$2792	\$326
BRTBAR2P2478L	50.5 x 78 x 29	85	137	9.2	\$2691	\$310
BRTBAR2P2472L	50.5 x 72 x 29	85	128	9.02	\$2601	\$302
BRTBAR2P2466L	50.5 x 66 x 29	85	119	8.76	\$2542	\$285
BRTBAR2P2460L	50.5 x 60 x 29	85	110	8.56	\$2487	\$277
BRTBAR2P3084L	62.5 x 84 x 29	70	174	10.4	\$2875	\$351
BRTBAR2P3078L	62.5 x 78 x 29	70	163	9.8	\$2747	\$310
BRTBAR2P3072L	62.5 x 72 x 29	70	152	9.54	\$2659	\$310
BRTBAR2P3066L	62.5 x 66 x 29	70	141	9.25	\$2578	\$302
BRTBAR2P3060L	62.5 x 60 x 29	85	130	9	\$2522	\$285



Back-to-Back 2 Person Pod with Levelers

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.


- Anodized Aluminum Leg - Add **\$165**. list upcharge



Back-to-Back 2 Person Pod with Access Door and Levelers*

BRTBAR2PA2484L	50.5 x 84 x 29	70	146	9.4	\$2935	\$583
BRTBAR2PA2478L	50.5 x 78 x 29	85	137	9.2	\$2853	\$521
BRTBAR2PA2472L	50.5 x 72 x 29	85	128	9.02	\$2792	\$500
BRTBAR2PA2466L	50.5 x 66 x 29	85	119	8.76	\$2689	\$438
BRTBAR2PA2460L	50.5 x 60 x 29	85	110	8.56	\$2585	\$397


BRTBAR2PA3084L	62.5 x 84 x 29	70	174	10.4	\$3204	\$708
BRTBAR2PA3078L	62.5 x 78 x 29	70	163	9.8	\$3101	\$666
BRTBAR2PA3072L	62.5 x 72 x 29	70	152	9.54	\$3039	\$605
BRTBAR2PA3066L	62.5 x 66 x 29	70	141	9.25	\$2935	\$542
BRTBAR2PA3060L	62.5 x 60 x 29	85	130	9	\$2792	\$500



Back-to-Back 2 Person Pod with Access Doors and Levelers*

BRTBAR2PDA2484L	50.5 x 84 x 29	70	146	9.4	\$3167	\$625
BRTBAR2PDA2478L	50.5 x 78 x 29	85	137	9.2	\$3078	\$560
BRTBAR2PDA2472L	50.5 x 72 x 29	85	128	9.02	\$3011	\$537
BRTBAR2PDA2466L	50.5 x 66 x 29	85	119	8.76	\$2902	\$471
BRTBAR2PDA2460L	50.5 x 60 x 29	85	110	8.56	\$2791	\$425

BRTBAR2PDA3084L	62.5 x 84 x 29	70	174	10.4	\$3455	\$759
BRTBAR2PDA3078L	62.5 x 78 x 29	70	163	9.8	\$3345	\$714
BRTBAR2PDA3072L	62.5 x 72 x 29	70	152	9.54	\$3280	\$647
BRTBAR2PDA3066L	62.5 x 66 x 29	70	141	9.25	\$3167	\$578
BRTBAR2PDA3060L	62.5 x 60 x 29	85	130	9	\$3011	\$537



Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$165**. list upcharge


Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	

Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES




Back-to-Back 4 Person Pod with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTBAR4P2484L	50.5 x 168 x 29	70	272	15.66	\$4999	\$650
BRTBAR4P2478L	50.5 x 156 x 29	70	256	15.2	\$4800	\$616
BRTBAR4P2472L	50.5 x 144 x 29	70	240	14.74	\$4622	\$598
BRTBAR4P2466L	50.5 x 132 x 29	70	224	14.28	\$4504	\$567
BRTBAR4P2460L	50.5 x 120 x 29	70	208	13.82	\$4388	\$550
BRTBAR4P3084L	62.5 x 168 x 29	70	333	16.86	\$5206	\$698
BRTBAR4P3078L	62.5 x 156 x 29	70	313	16.32	\$4933	\$639
BRTBAR4P3072L	62.5 x 144 x 29	70	293	15.78	\$4767	\$625
BRTBAR4P3066L	62.5 x 132 x 29	70	273	15.24	\$4612	\$598
BRTBAR4P3060L	62.5 x 120 x 29	70	253	14.7	\$4504	\$567

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

- Anodized Aluminum Leg - Add **\$243** list upcharge




Back-to-Back 4 Person Pod with Access Door and Levelers*

BRTBAR4PA2484L	50.5 x 168 x 29	70	272	15.66	\$5288	\$1162
BRTBAR4PA2478L	50.5 x 156 x 29	70	256	15.2	\$5123	\$1036
BRTBAR4PA2472L	50.5 x 144 x 29	70	240	14.74	\$4999	\$994
BRTBAR4PA2466L	50.5 x 132 x 29	70	224	14.28	\$4792	\$873
BRTBAR4PA2460L	50.5 x 120 x 29	70	208	13.82	\$4585	\$791
BRTBAR4PA3084L	62.5 x 168 x 29	70	333	16.86	\$5783	\$1406
BRTBAR4PA3078L	62.5 x 156 x 29	70	313	16.32	\$5577	\$1324
BRTBAR4PA3072L	62.5 x 144 x 29	70	293	15.78	\$5455	\$1203
BRTBAR4PA3066L	62.5 x 132 x 29	70	273	15.24	\$5247	\$1078
BRTBAR4PA3060L	62.5 x 120 x 29	70	253	14.7	\$4959	\$994

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$243** list upcharge



Back-to-Back 4 Person Pod with Access Door and Levelers*

BRTBAR4PDA2484L	50.5 x 168 x 29	70	272	15.66	\$5706	\$1248
BRTBAR4PDA2478L	50.5 x 156 x 29	70	256	15.2	\$5527	\$1112
BRTBAR4PDA2472L	50.5 x 144 x 29	70	240	14.74	\$5393	\$1071
BRTBAR4PDA2466L	50.5 x 132 x 29	70	224	14.28	\$5173	\$932
BRTBAR4PDA2460L	50.5 x 120 x 29	70	208	13.82	\$4946	\$846
BRTBAR4PDA3084L	62.5 x 168 x 29	70	333	16.86	\$6241	\$1511
BRTBAR4PDA3078L	62.5 x 156 x 29	70	313	16.32	\$6017	\$1424
BRTBAR4PDA3072L	62.5 x 144 x 29	70	293	15.78	\$5885	\$1289
BRTBAR4PDA3066L	62.5 x 132 x 29	70	273	15.24	\$5661	\$1158
BRTBAR4PDA3060L	62.5 x 120 x 29	70	253	14.7	\$5351	\$1067

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$243** list upcharge

Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	


Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTBAR6P2484L	50.5 x 252 x 29	70	434	22.88	\$7208	\$970
BRTBAR6P2478L	50.5 x 234 x 29	70	409	22.1	\$6909	\$922
BRTBAR6P2472L	50.5 x 216 x 29	70	359	21.32	\$6639	\$898
BRTBAR6P2466L	50.5 x 198 x 29	70	329	20.54	\$6465	\$847
BRTBAR6P2460L	50.5 x 180 x 29	70	308	19.76	\$6251	\$821
BRTBAR6P3084L	62.5 x 252 x 29	70	493	24.53	\$7498	\$1046
BRTBAR6P3078L	62.5 x 234 x 29	70	462	23.75	\$7088	\$958
BRTBAR6P3072L	62.5 x 216 x 29	70	431	22.86	\$6842	\$935
BRTBAR6P3066L	62.5 x 198 x 29	70	400	21.97	\$6605	\$898
BRTBAR6P3060L	62.5 x 180 x 29	70	369	21.08	\$6403	\$847


Back-to-Back 6 Person Pod with Levelers



Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.

- Anodized Aluminum Leg - Add **\$325**. list upcharge

Back-to-Back 6 Person Pod with Access Door and Levelers*




BRTBAR6PA2484L	50.5 x 252 x 29	70	434	22.88	\$7643	\$1740
BRTBAR6PA2478L	50.5 x 234 x 29	70	409	22.1	\$7396	\$1553
BRTBAR6PA2472L	50.5 x 216 x 29	70	359	21.32	\$7208	\$1490
BRTBAR6PA2466L	50.5 x 198 x 29	70	329	20.54	\$6899	\$1305
BRTBAR6PA2460L	50.5 x 180 x 29	70	308	19.76	\$6548	\$1179
BRTBAR6PA3084L	62.5 x 252 x 29	70	493	24.53	\$8365	\$2109
BRTBAR6PA3078L	62.5 x 234 x 29	70	462	23.75	\$8055	\$1987
BRTBAR6PA3072L	62.5 x 216 x 29	70	431	22.86	\$7869	\$1800
BRTBAR6PA3066L	62.5 x 198 x 29	70	400	21.97	\$7560	\$1615
BRTBAR6PA3060L	62.5 x 180 x 29	70	369	21.08	\$7085	\$1490

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$325**. list upcharge

Back-to-Back 6 Person Pod with Access Door and Levelers*



BRTBAR6PDA2484L	50.5 x 252 x 29	70	434	22.88	\$8246	\$1862
BRTBAR6PDA2478L	50.5 x 234 x 29	70	409	22.1	\$7978	\$1668
BRTBAR6PDA2472L	50.5 x 216 x 29	70	359	21.32	\$7778	\$1603
BRTBAR6PDA2466L	50.5 x 198 x 29	70	329	20.54	\$7443	\$1338
BRTBAR6PDA2460L	50.5 x 180 x 29	70	308	19.76	\$7064	\$1269
BRTBAR6PDA3084L	62.5 x 252 x 29	70	493	24.53	\$9026	\$2267
BRTBAR6PDA3078L	62.5 x 234 x 29	70	462	23.75	\$8689	\$2132
BRTBAR6PDA3072L	62.5 x 216 x 29	70	431	22.86	\$8490	\$1931
BRTBAR6PDA3066L	62.5 x 198 x 29	70	400	21.97	\$8154	\$1731
BRTBAR6PDA3060L	62.5 x 180 x 29	70	369	21.08	\$7645	\$1600

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$325**. list upcharge


Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	

Optional Specifications

Anodized Aluminum Leg
HP laminate


RECTANGULAR LEG PACKAGES

**Back-to-Back 8 Person Pod with Levelers**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTBAR8P2484L	50.5 x 336 x 29	70	556	28.30	\$9417	\$1294
BRTBAR8P2478L	50.5 x 312 x 29	70	520	27.30	\$9021	\$1226
BRTBAR8P2472L	50.5 x 288 x 29	70	484	26.30	\$8657	\$1193
BRTBAR8P2466L	50.5 x 264 x 29	70	448	25.30	\$8427	\$1127
BRTBAR8P2460L	50.5 x 240 x 29	70	412	24.42	\$8235	\$1094
BRTBAR8P3084L	62.5 x 336 x 29	70	669	30.58	\$9788	\$1394
BRTBAR8P3078L	62.5 x 312 x 29	70	625	29.48	\$9243	\$1275
BRTBAR8P3072L	62.5 x 288 x 29	70	581	28.38	\$8915	\$1242
BRTBAR8P3066L	62.5 x 264 x 29	70	536	27.28	\$8599	\$1193
BRTBAR8P3060L	62.5 x 240 x 29	70	492	26.18	\$8383	\$1127

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.


- Anodized Aluminum Leg - Add **\$407** list upcharge

**Back-to-Back 8 Person Pod with Access Door and Levelers***

BRTBAR8PA2484L	50.5 x 336 x 29	70	556	28.30	\$9993	\$2316
BRTBAR8PA2478L	50.5 x 312 x 29	70	520	27.30	\$9663	\$2068
BRTBAR8PA2472L	50.5 x 288 x 29	70	484	26.30	\$9417	\$1987
BRTBAR8PA2466L	50.5 x 264 x 29	70	448	25.30	\$9003	\$1740
BRTBAR8PA2460L	50.5 x 240 x 29	70	412	24.42	\$8633	\$1572
BRTBAR8PA3084L	62.5 x 336 x 29	70	669	30.58	\$10946	\$2811
BRTBAR8PA3078L	62.5 x 312 x 29	70	625	29.48	\$10529	\$2646
BRTBAR8PA3072L	62.5 x 288 x 29	70	581	28.38	\$10283	\$2399
BRTBAR8PA3066L	62.5 x 264 x 29	70	536	27.28	\$9871	\$2151
BRTBAR8PA3060L	62.5 x 240 x 29	70	492	26.18	\$9293	\$1987

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$407** list upcharge

**Back-to-Back 8 Person Pod with Access Door and Levelers***

BRTBAR8PDA2484L	50.5 x 336 x 29	70	556	28.30	\$10784	\$2488
BRTBAR8PDA2478L	50.5 x 312 x 29	70	520	27.30	\$10424	\$2222
BRTBAR8PDA2472L	50.5 x 288 x 29	70	484	26.30	\$10160	\$2136
BRTBAR8PDA2466L	50.5 x 264 x 29	70	448	25.30	\$9714	\$1869
BRTBAR8PDA2460L	50.5 x 240 x 29	70	412	24.42	\$9313	\$1691
BRTBAR8PDA3084L	62.5 x 336 x 29	70	669	30.58	\$11808	\$2808
BRTBAR8PDA3078L	62.5 x 312 x 29	70	625	29.48	\$11360	\$2845
BRTBAR8PDA3072L	62.5 x 288 x 29	70	581	28.38	\$11092	\$2580
BRTBAR8PDA3066L	62.5 x 264 x 29	70	536	27.28	\$10652	\$2307
BRTBAR8PDA3060L	62.5 x 240 x 29	70	492	26.18	\$10025	\$2136

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$407** list upcharge


Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	

Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		HP ADD
						D x W x H		
	BRT36P2484C	24 x 84 x 36	70	120.68	6.42	\$3543	\$196	
	BRT36P2478C	24 x 78 x 36	70	114.16	6.13	\$3454	\$183	
	BRT36P2472C	24 x 72 x 36	70	107.64	5.83	\$3366	\$175	
	BRT36P2466C	24 x 66 x 36	70	101.12	5.62	\$3300	\$171	
	BRT36P2460C	24 x 60 x 36	70	94.60	5.41	\$3229	\$162	
	BRT36P2454C	24 x 54 x 36	70	88.08	5.19	\$3127	\$141	
	BRT36P2448C	24 x 48 x 36	70	81.56	4.98	\$2970	\$128	
	BRT36P2442C	24 x 42 x 36	70	76.04	4.76	\$2865	\$109	
	BRT36P2436C	24 x 36 x 36	70	68.52	4.55	\$2777	\$88	
	BRT36P3084C	30 x 84 x 36	70	148.11	7.32	\$4049	\$210	
	BRT36P3078C	30 x 78 x 36	70	139.96	6.95	\$3935	\$190	
	BRT36P3072C	30 x 72 x 36	70	131.81	6.59	\$3837	\$183	
	BRT36P3066C	30 x 66 x 36	70	123.66	6.32	\$3743	\$183	
	BRT36P3060C	30 x 60 x 36	70	115.51	6.06	\$3666	\$171	
	BRT36P3054C	30 x 54 x 36	70	107.36	5.79	\$3569	\$141	
	BRT36P3048C	30 x 48 x 36	70	99.21	5.53	\$3415	\$141	
	BRT36P3042C	30 x 42 x 36	70	91.06	5.26	\$3338	\$134	
	BRT36P3036C	30 x 36 x 36	70	83.91	5	\$3197	\$100	
	BRT36P3684C	36 x 84 x 36	70	161.97	8.91	\$4533	\$238	
	BRT36P3678C	36 x 78 x 36	70	152.82	8.50	\$4419	\$225	
	BRT36P3672C	36 x 72 x 36	70	144.67	8.10	\$4291	\$210	
	BRT36P3666C	36 x 66 x 36	70	135.52	7.79	\$4174	\$196	
	BRT36P3660C	36 x 60 x 36	70	126.37	7.48	\$4045	\$175	
	BRT36P3654C	36 x 54 x 36	70	118.22	7.18	\$3917	\$162	
	BRT36P3648C	36 x 48 x 36	70	109.07	6.87	\$3741	\$141	
	BRT36P3642C	36 x 42 x 36	70	99.92	6.56	\$3620	\$128	




36''H Single Table with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$165**. list upcharge

BRT36P2484L	24 x 84 x 36	70	120.20	6.42	\$3426	\$196
BRT36P2478L	24 x 78 x 36	70	113.68	6.13	\$3341	\$183
BRT36P2472L	24 x 72 x 36	70	107.16	5.83	\$3249	\$175
BRT36P2466L	24 x 66 x 36	70	100.64	5.62	\$3186	\$171
BRT36P2460L	24 x 60 x 36	70	94.12	5.41	\$3111	\$162
BRT36P2454L	24 x 54 x 36	70	87.60	5.19	\$3010	\$141
BRT36P2448L	24 x 48 x 36	70	81.08	4.98	\$2853	\$128
BRT36P2442L	24 x 42 x 36	70	75.56	4.76	\$2749	\$109
BRT36P2436L	24 x 36 x 36	85	68.04	4.55	\$2660	\$88
BRT36P3084L	30 x 84 x 36	70	147.63	7.32	\$3931	\$210
BRT36P3078L	30 x 78 x 36	70	139.48	6.96	\$3820	\$190
BRT36P3072L	30 x 72 x 36	70	131.33	6.59	\$3721	\$183
BRT36P3066L	30 x 66 x 36	70	123.18	6.32	\$3629	\$183
BRT36P3060L	30 x 60 x 36	70	115.03	6.06	\$3549	\$171
BRT36P3054L	30 x 54 x 36	70	106.88	5.79	\$3451	\$141
BRT36P3048L	30 x 48 x 36	70	98.73	5.53	\$3300	\$141
BRT36P3042L	30 x 42 x 36	70	90.58	5.26	\$3221	\$134
BRT36P3036L	30 x 36 x 36	70	83.43	5	\$3082	\$100
BRT36P3684L	36 x 84 x 36	70	161.49	8.91	\$4420	\$238
BRT36P3678L	36 x 78 x 36	70	152.34	8.50	\$4302	\$225
BRT36P3672L	36 x 72 x 36	70	144.19	8.10	\$4177	\$210
BRT36P3666L	36 x 66 x 36	70	135.04	7.79	\$4056	\$196
BRT36P3660L	36 x 60 x 36	70	125.89	7.48	\$3930	\$175
BRT36P3654L	36 x 54 x 36	70	117.74	7.18	\$3798	\$162
BRT36P3648L	36 x 48 x 36	70	108.59	6.87	\$3628	\$141
BRT36P3642L	36 x 42 x 36	70	99.44	6.56	\$3505	\$128



36''H Single Table with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$165**. list upcharge

Required Specifications


- Top finish
- Edge finish
- Metal finish (legs)

Optional Specifications

- Anodized Aluminum Leg
- HP laminate

RECTANGULAR LEG PACKAGES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRT36A2484L	24 x 84 x 36	70	106.36	4.74	\$2769	\$196
BRT36A2478L	24 x 78 x 36	70	99.84	4.45	\$2687	\$183
BRT36A2472L	24 x 72 x 36	70	93.32	4.15	\$2596	\$175
BRT36A2466L	24 x 66 x 36	70	86.80	3.94	\$2533	\$171
BRT36A2460L	24 x 60 x 36	70	80.28	3.73	\$2457	\$162
BRT36A2454L	24 x 54 x 36	70	73.76	3.51	\$2355	\$141
BRT36A2448L	24 x 48 x 36	70	67.24	3.30	\$2200	\$128
BRT36A2442L	24 x 42 x 36	70	61.72	3.08	\$2096	\$109
BRT36A2436L	24 x 36 x 36	70	54.20	2.87	\$2007	\$88
BRT36A3084L	30 x 84 x 36	65	131.77	5.56	\$3238	\$210
BRT36A3078L	30 x 78 x 36	65	123.62	5.19	\$3124	\$190
BRT36A3072L	30 x 72 x 36	65	115.47	4.83	\$3026	\$183
BRT36A3066L	30 x 66 x 36	65	107.32	4.56	\$2934	\$183
BRT36A3060L	30 x 60 x 36	65	99.17	4.30	\$2853	\$171
BRT36A3054L	30 x 54 x 36	65	91.02	4.03	\$2757	\$141
BRT36A3048L	30 x 48 x 36	70	82.87	3.77	\$2604	\$141
BRT36A3042L	30 x 42 x 36	70	74.72	3.50	\$2525	\$134
BRT36A3036L	30 x 36 x 36	70	67.57	3.24	\$2386	\$100
BRT36A3684L	36 x 84 x 36	70	143.70	6.65	\$3627	\$238
BRT36A3678L	36 x 78 x 36	70	134.55	6.24	\$3508	\$225
BRT36A3672L	36 x 72 x 36	70	126.40	5.84	\$3382	\$210
BRT36A3666L	36 x 66 x 36	70	117.25	5.53	\$3263	\$196
BRT36A3660L	36 x 60 x 36	70	108.10	5.22	\$3136	\$175
BRT36A3654L	36 x 54 x 36	70	99.95	4.92	\$3005	\$162
BRT36A3648L	36 x 48 x 36	70	90.80	4.61	\$2831	\$141
BRT36A3642L	36 x 42 x 36	70	81.65	4.30	\$2711	\$128




36''H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

- 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$83** list upcharge

BRT42P2484C	24 x 84 x 42	70	122.58	6.98	\$3604	\$196
BRT42P2478C	24 x 78 x 42	70	116.06	6.69	\$3521	\$183
BRT42P2472C	24 x 72 x 42	70	109.54	6.39	\$3430	\$175
BRT42P2466C	24 x 66 x 42	70	103.02	6.18	\$3366	\$171
BRT42P2460C	24 x 60 x 42	70	96.50	5.97	\$3291	\$162
BRT42P2454C	24 x 54 x 42	70	89.98	5.75	\$3191	\$141
BRT42P2448C	24 x 48 x 42	70	83.46	5.54	\$3034	\$128
BRT42P2442C	24 x 42 x 42	85	77.94	5.32	\$2931	\$109
BRT42P2436C	24 x 36 x 42	85	70.42	5.11	\$2842	\$88
BRT42P3084C	30 x 84 x 42	70	150.01	7.92	\$4112	\$210
BRT42P3078C	30 x 78 x 42	70	141.86	7.55	\$4000	\$190
BRT42P3072C	30 x 72 x 42	70	133.71	7.19	\$3901	\$183
BRT42P3066C	30 x 66 x 42	70	125.56	6.92	\$3808	\$183
BRT42P3060C	30 x 60 x 42	70	117.41	6.66	\$3731	\$171
BRT42P3054C	30 x 54 x 42	70	109.26	6.39	\$3631	\$141
BRT42P3048C	30 x 48 x 42	70	101.11	6.13	\$3482	\$141
BRT42P3042C	30 x 42 x 42	70	92.96	5.86	\$3402	\$134
BRT42P3036C	30 x 36 x 42	70	85.81	5.60	\$3263	\$100
BRT42P3684C	36 x 84 x 42	70	163.87	9.69	\$4599	\$238
BRT42P3678C	36 x 78 x 42	70	154.72	9.28	\$4482	\$225
BRT42P3672C	36 x 72 x 42	70	146.57	8.88	\$4356	\$210
BRT42P3666C	36 x 66 x 42	70	137.42	8.57	\$4236	\$196
BRT42P3660C	36 x 60 x 42	70	128.27	8.26	\$4110	\$175
BRT42P3654C	36 x 54 x 42	70	120.12	7.96	\$3980	\$162
BRT42P3648C	36 x 48 x 42	85	110.97	7.65	\$3806	\$141
BRT42P3642C	36 x 42 x 42	85	101.82	7.34	\$3684	\$128



42''H Pod with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$165** list upcharge

Required Specifications


- Top finish
- Edge finish
- Metal finish (legs)

Optional Specifications

- Anodized Aluminum Leg
- HP laminate

RECTANGULAR LEG PACKAGES


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRT42P2484L	24 x 84 x 42	70	122.10	6.98	\$3491	\$196
BRT42P2478L	24 x 78 x 42	70	115.58	6.69	\$3405	\$183
BRT42P2472L	24 x 72 x 42	70	109.06	6.39	\$3315	\$175
BRT42P2466L	24 x 66 x 42	70	102.54	6.18	\$3249	\$171
BRT42P2460L	24 x 60 x 42	70	96.02	5.97	\$3178	\$162
BRT42P2454L	24 x 54 x 42	70	89.50	5.75	\$3075	\$141
BRT42P2448L	24 x 48 x 42	85	82.98	5.54	\$2918	\$128
BRT42P2442L	24 x 42 x 42	85	77.46	5.32	\$2814	\$109
BRT42P2436L	24 x 36 x 42	85	69.94	5.11	\$2726	\$88
BRT42P3084L	30 x 84 x 42	70	149.53	7.92	\$4001	\$210
BRT42P3078L	30 x 78 x 42	70	141.38	7.55	\$3887	\$190
BRT42P3072L	30 x 72 x 42	70	133.23	7.19	\$3789	\$183
BRT42P3066L	30 x 66 x 42	70	125.08	6.92	\$3696	\$183
BRT42P3060L	30 x 60 x 42	70	116.93	6.66	\$3617	\$171
BRT42P3054L	30 x 54 x 42	70	108.78	6.39	\$3519	\$141
BRT42P3048L	30 x 48 x 42	70	100.63	6.13	\$3369	\$141
BRT42P3042L	30 x 42 x 42	70	92.48	5.86	\$3289	\$134
BRT42P3036L	30 x 36 x 42	70	85.33	5.60	\$3151	\$100
BRT42P3684L	36 x 84 x 42	70	163.39	9.69	\$4485	\$238
BRT42P3678L	36 x 78 x 42	70	154.24	9.28	\$4367	\$225
BRT42P3672L	36 x 72 x 42	70	146.09	8.88	\$4240	\$210
BRT42P3666L	36 x 66 x 42	70	136.94	8.57	\$4123	\$196
BRT42P3660L	36 x 60 x 42	70	127.79	8.26	\$3994	\$175
BRT42P3654L	36 x 54 x 42	70	119.64	7.96	\$3864	\$162
BRT42P3648L	36 x 48 x 42	85	110.49	7.65	\$3690	\$141
BRT42P3642L	36 x 42 x 42	85	101.34	7.34	\$3571	\$128



42''H Pod with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.
 • 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
 • Anodized Aluminum Leg - Add **\$165**. list upcharge

BRT42A2484L	24 x 84 x 42	70	107.31	5.02	\$2803	\$196
BRT42A2478L	24 x 78 x 42	70	100.79	4.73	\$2717	\$183
BRT42A2472L	24 x 72 x 42	70	94.27	4.43	\$2631	\$175
BRT42A2466L	24 x 66 x 42	70	87.75	4.22	\$2563	\$171
BRT42A2460L	24 x 60 x 42	70	81.23	4.01	\$2492	\$162
BRT42A2454L	24 x 54 x 42	70	74.71	3.79	\$2389	\$141
BRT42A2448L	24 x 48 x 42	70	68.19	3.58	\$2234	\$128
BRT42A2442L	24 x 42 x 42	70	62.67	3.36	\$2035	\$109
BRT42A2436L	24 x 36 x 42	70	55.15	3.15	\$1952	\$88
BRT42A3084L	30 x 84 x 42	65	132.72	5.86	\$3271	\$210
BRT42A3078L	30 x 78 x 42	65	124.57	5.49	\$3157	\$190
BRT42A3072L	30 x 72 x 42	65	116.42	5.13	\$3057	\$183
BRT42A3066L	30 x 66 x 42	70	108.27	4.86	\$2967	\$183
BRT42A3060L	30 x 60 x 42	70	100.12	4.60	\$2889	\$171
BRT42A3054L	30 x 54 x 42	70	91.97	4.33	\$2791	\$141
BRT42A3048L	30 x 48 x 42	70	83.82	4.07	\$2639	\$141
BRT42A3042L	30 x 42 x 42	70	75.67	3.80	\$2560	\$134
BRT42A3036L	30 x 36 x 42	70	68.52	3.54	\$2419	\$100



42''H Add-On with Levelers

BRT42A3684L	36 x 84 x 42	70	114.65	7.04	\$3656	\$238
BRT42A3678L	36 x 78 x 42	70	135.50	6.63	\$3543	\$225
BRT42A3672L	36 x 72 x 42	70	127.35	6.23	\$3414	\$210
BRT42A3666L	36 x 66 x 42	70	118.20	5.92	\$3297	\$196
BRT42A3660L	36 x 60 x 42	70	109.05	5.61	\$3167	\$175
BRT42A3654L	36 x 54 x 42	70	100.90	5.31	\$3038	\$162
BRT42A3648L	36 x 48 x 42	70	91.75	5	\$2864	\$141
BRT42A3642L	36 x 42 x 42	70	82.60	4.69	\$2742	\$128

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.
 • 24''D tables include 3 horizontal structural beams. 30''/36''D tables include 4 horizontal structural beams.
 • Anodized Aluminum Leg - Add **\$83**. list upcharge

Required Specifications

Top finish
 Edge finish
 Metal finish (legs)

Optional Specifications


Anodized Aluminum Leg
 HP laminate

ROUND LEG PACKAGES

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

D x W x H


BRTS1P2484LR	24 x 84 x 29	70	75	4.92	\$1739	\$165
BRTS1P2478LR	24 x 78 x 29	85	72	4.82	\$1687	\$158
BRTS1P2472LR	24 x 72 x 29	85	69	4.73	\$1644	\$155
BRTS1P2466LR	24 x 66 x 29	85	66	4.65	\$1613	\$145
BRTS1P2463LR	24 x 62.5 x 29	85	63	4.57	\$1600	\$141
BRTS1P2460LR	24 x 60 x 29	85	60	4.48	\$1584	\$140
BRTS1P2454LR	24 x 54 x 29	85	57	4.40	\$1552	\$101
BRTS1P2451LR	24 x 50.5 x 29	85	54	4.30	\$1490	\$94
BRTS1P2448LR	24 x 48 x 29	85	51	4.20	\$1453	\$111
BRTS1P2442LR	24 x 42 x 29	92.5	48	4.10	\$1392	\$70
BRTS1P2436LR	24 x 36 x 29	92.5	45	4	\$1346	\$49



**Single Line 1 Person Pod with Levelers
Round Leg**

BRTS1P3084LR	30 x 84 x 29	70	75	4.92	\$1777	\$176
BRTS1P3078LR	30 x 78 x 29	85	72	4.82	\$1711	\$163
BRTS1P3072LR	30 x 72 x 29	85	69	4.73	\$1668	\$138
BRTS1P3066LR	30 x 66 x 29	85	66	4.65	\$1631	\$155
BRTS1P3063LR	30 x 62.5 x 29	85	63	4.57	\$1619	\$150
BRTS1P3060LR	30 x 60 x 29	85	60	4.48	\$1603	\$123
BRTS1P3054LR	30 x 54 x 29	85	57	4.40	\$1564	\$122
BRTS1P3051LR	30 x 50.5 x 29	85	54	4.30	\$1537	\$127
BRTS1P3048LR	30 x 48 x 29	85	51	4.20	\$1488	\$122
BRTS1P3042LR	30 x 42 x 29	92.5	48	4.10	\$1458	\$120
BRTS1P3036LR	30 x 36 x 29	92.5	45	4	\$1305	\$87

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.



**Single Line 1 Person Pod with Casters
Round Leg**

BRTS1P2484CR	24 x 84 x 29	70	75	4.92	\$1835	\$165
BRTS1P2478CR	24 x 78 x 29	85	72	4.82	\$1788	\$158
BRTS1P2472CR	24 x 72 x 29	85	69	4.73	\$1742	\$155
BRTS1P2466CR	24 x 66 x 29	85	66	4.65	\$1714	\$145
BRTS1P2463CR	24 x 62.5 x 29	85	63	4.57	\$1701	\$141
BRTS1P2460CR	24 x 60 x 29	85	60	4.48	\$1684	\$140
BRTS1P2454CR	24 x 54 x 29	85	57	4.40	\$1649	\$101
BRTS1P2451CR	24 x 50.5 x 29	85	54	4.30	\$1591	\$94
BRTS1P2448CR	24 x 48 x 29	85	51	4.20	\$1552	\$111
BRTS1P2442CR	24 x 42 x 29	92.5	48	4.10	\$1488	\$70
BRTS1P2436CR	24 x 36 x 29	92.5	45	4	\$1446	\$49

BRTS1P3084CR	30 x 84 x 29	70	75	4.92	\$1877	\$176
BRTS1P3078CR	30 x 78 x 29	85	72	4.82	\$1809	\$163
BRTS1P3072CR	30 x 72 x 29	85	69	4.73	\$1772	\$136
BRTS1P3066CR	30 x 66 x 29	85	66	4.65	\$1728	\$155
BRTS1P3063CR	30 x 62.5 x 29	85	63	4.57	\$1716	\$150
BRTS1P3060CR	30 x 60 x 29	85	60	4.48	\$1701	\$123
BRTS1P3054CR	30 x 54 x 29	85	57	4.40	\$1663	\$122
BRTS1P3051CR	30 x 50.5 x 29	85	54	4.30	\$1634	\$127
BRTS1P3048CR	30 x 48 x 29	85	51	4.20	\$1589	\$122
BRTS1P3042CR	30 x 42 x 29	92.5	48	4.10	\$1556	\$120
BRTS1P3036CR	30 x 36 x 29	92.5	45	4	\$1404	\$87

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate





ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTS2P2484LR	24 x 168 x 29	70	149	7.41	\$3049	\$310
	BRTS2P2478LR	24 x 156 x 29	70	140	7.27	\$2931	\$310
	BRTS2P2472LR	24 x 144 x 29	70	131	7.13	\$2841	\$302
	BRTS2P2466LR	24 x 132 x 29	70	122	6.95	\$2792	\$277
	BRTS2P2460LR	24 x 120 x 29	70	113	6.71	\$2726	\$277
	BRTS2P2454LR	24 x 108 x 29	70	104	6.45	\$2617	\$241
	BRTS2P2448LR	24 x 96 x 29	70	95	6.21	\$2460	\$217
	BRTS2P3084LR	30 x 168 x 29	70	173	8.25	\$3112	\$351
	BRTS2P3078LR	30 x 156 x 29	70	164	7.97	\$2976	\$323
	BRTS2P3072LR	30 x 144 x 29	70	155	7.69	\$2893	\$314
	BRTS2P3066LR	30 x 132 x 29	70	140	7.41	\$2815	\$302
	BRTS2P3060LR	30 x 120 x 29	70	131	7.13	\$2763	\$285
	BRTS2P3054LR	30 x 108 x 29	70	122	6.85	\$2685	\$241
	BRTS2P3048LR	30 x 96 x 29	70	113	6.57	\$2578	\$241
Single Line 2 Person Pod with Levelers Round Leg	Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.						
	BRTS3P2484LR	24 x 252 x 29	70	219	9.74	\$4325	\$487
	BRTS3P2478LR	24 x 234 x 29	70	206	9.53	\$4176	\$463
	BRTS3P2472LR	24 x 216 x 29	70	192	9.32	\$4040	\$451
	BRTS3P2466LR	24 x 198 x 29	70	179	9.11	\$3954	\$428
	BRTS3P2460LR	24 x 180 x 29	70	165	8.89	\$3866	\$414
	BRTS3P2454LR	24 x 162 x 29	70	152	8.68	\$3706	\$357
	BRTS3P2448LR	24 x 144 x 29	70	138	8.47	\$3471	\$321
	BRTS3P3084LR	30 x 263 x 29	65	263	11.59	\$4448	\$524
	BRTS3P3078LR	30 x 234 x 29	70	246	11.16	\$4243	\$484
	BRTS3P3072LR	30 x 216 x 29	70	229	10.72	\$4121	\$471
	BRTS3P3066LR	30 x 198 x 29	70	212	10.30	\$4003	\$451
	BRTS3P3060LR	30 x 180 x 29	70	195	9.87	\$3922	\$428
	BRTS3P3054LR	30 x 162 x 29	70	178	9.44	\$3805	\$357
	BRTS3P3048LR	30 x 144 x 29	70	161	9.01	\$3643	\$357
Single Line 3 Person Pod with Levelers Round Leg	Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.						
	BRTS4P2484LR	24 x 336 x 29	70	291	13.67	\$5619	\$650
	BRTS4P2478LR	24 x 312 x 29	70	273	13.18	\$5420	\$616
	BRTS4P2472LR	24 x 288 x 29	70	254	12.69	\$5240	\$598
	BRTS4P2466LR	24 x 264 x 29	70	236	12.20	\$5123	\$567
	BRTS4P2460LR	24 x 240 x 29	70	217	11.71	\$4991	\$567
	BRTS4P2454LR	24 x 216 x 29	70	199	11.22	\$4792	\$475
	BRTS4P2448LR	24 x 192 x 29	70	180	10.73	\$4429	\$475
	BRTS4P3084LR	30 x 336 x 29	65	345	14.87	\$5783	\$698
	BRTS4P3078LR	30 x 312 x 29	65	323	14.30	\$5513	\$639
	BRTS4P3072LR	30 x 288 x 29	70	301	13.73	\$5347	\$625
	BRTS4P3066LR	30 x 264 x 29	70	279	13.16	\$5188	\$598
	BRTS4P3060LR	30 x 240 x 29	70	257	12.59	\$5081	\$567
	BRTS4P3054LR	30 x 216 x 29	70	235	12.02	\$4925	\$475
	BRTS4P3048LR	30 x 192 x 29	70	213	11.45	\$4710	\$475
Single Line 4 Person Pod with Levelers Round Leg	Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.						

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate



ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTBAR2P2484LR	50.5 x 84 x 29	70	146	9.40	\$2836	\$326
	BRTBAR2P2478LR	50.5 x 78 x 29	85	137	9.20	\$2759	\$310
	BRTBAR2P2472LR	50.5 x 72 x 29	85	128	9.02	\$2667	\$302
	BRTBAR2P2466LR	50.5 x 66 x 29	85	119	8.76	\$2608	\$285
	BRTBAR2P2460LR	50.5 x 60 x 29	85	110	8.56	\$2552	\$277
Back-to-Back 2 Person Pod with Levelers Round Leg	BRTBAR2P3084LR	62.5 x 84 x 29	70	174	10.40	\$2941	\$351
	BRTBAR2P3078LR	62.5 x 78 x 29	70	163	9.80	\$2805	\$323
	BRTBAR2P3072LR	62.5 x 72 x 29	70	152	9.54	\$2721	\$302
	BRTBAR2P3066LR	62.5 x 66 x 29	70	141	9.25	\$2643	\$302
	BRTBAR2P3060LR	62.5 x 60 x 29	85	130	9	\$2373	\$500
Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.							
	BRTBAR2PA2484LR	50.5 x 84 x 29	70	146	9.40	\$2981	\$583
	BRTBAR2PA2478LR	50.5 x 78 x 29	85	137	9.20	\$2918	\$521
	BRTBAR2PA2472LR	50.5 x 72 x 29	85	128	9.02	\$2856	\$500
	BRTBAR2PA2466LR	50.5 x 66 x 29	85	119	8.76	\$2752	\$438
	BRTBAR2PA2460LR	50.5 x 60 x 29	85	110	8.56	\$2650	\$397
Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg*	BRTBAR2PA3084LR	62.5 x 84 x 29	70	174	10.40	\$3230	\$708
	BRTBAR2PA3078LR	62.5 x 78 x 29	70	163	9.80	\$3127	\$666
	BRTBAR2PA3072LR	62.5 x 72 x 29	70	152	9.54	\$3061	\$605
	BRTBAR2PA3066LR	62.5 x 66 x 29	70	141	9.25	\$2959	\$542
	BRTBAR2PA3060LR	62.5 x 60 x 29	85	130	9	\$2815	\$500
Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.							
	BRTBAR2PDA2484LR	50.5 x 84 x 29	70	146	9.40	\$3216	\$627
	BRTBAR2PDA2478LR	50.5 x 78 x 29	85	137	9.20	\$3151	\$559
	BRTBAR2PDA2472LR	50.5 x 72 x 29	85	128	9.02	\$3080	\$537
	BRTBAR2PDA2466LR	50.5 x 66 x 29	85	119	8.76	\$2972	\$469
	BRTBAR2PDA2460LR	50.5 x 60 x 29	85	110	8.56	\$2862	\$429
Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg*	BRTBAR2PDA3084LR	62.5 x 84 x 29	70	174	10.40	\$3483	\$759
	BRTBAR2PDA3078LR	62.5 x 78 x 29	70	163	9.80	\$3372	\$714
	BRTBAR2PDA3072LR	62.5 x 72 x 29	70	152	9.54	\$3302	\$651
	BRTBAR2PDA3066LR	62.5 x 66 x 29	70	141	9.25	\$3193	\$582
	BRTBAR2PDA3060LR	62.5 x 60 x 29	85	130	9	\$3037	\$538
Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.							
	BRTBAR4P2484LR	50.5 x 168 x 29	70	272	15.66	\$5140	\$650
	BRTBAR4P2478LR	50.5 x 156 x 29	70	256	15.20	\$4941	\$616
	BRTBAR4P2472LR	50.5 x 144 x 29	70	240	14.74	\$4760	\$598
	BRTBAR4P2466LR	50.5 x 132 x 29	70	224	14.28	\$4645	\$567
	BRTBAR4P2460LR	50.5 x 120 x 29	70	208	13.82	\$4529	\$550
Back-to-Back 4 Person Pod with Levelers Round Leg	BRTBAR4P3084LR	62.5 x 168 x 29	70	333	16.86	\$5306	\$698
	BRTBAR4P3078LR	62.5 x 156 x 29	70	313	16.32	\$5033	\$639
	BRTBAR4P3072LR	62.5 x 144 x 29	70	293	15.78	\$4869	\$625
	BRTBAR4P3066LR	62.5 x 132 x 29	70	273	15.24	\$4669	\$598
	BRTBAR4P3060LR	62.5 x 120 x 29	70	253	14.70	\$4645	\$567
Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.							

Required Specifications

Top finish
Metal finish (legs)
Access door finish*

Optional Specifications

Edge finish
Beam finish
Anodized Aluminum Leg
HP laminate

ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTBAR4PA2484LR	50.5 x 168 x 29	70	272	15.66	\$5288	\$1162
	BRTBAR4PA2478LR	50.5 x 156 x 29	70	256	15.20	\$5123	\$1036
	BRTBAR4PA2472LR	50.5 x 144 x 29	70	240	14.74	\$4999	\$994
	BRTBAR4PA2466LR	50.5 x 132 x 29	70	224	14.28	\$4792	\$873
	BRTBAR4PA2460LR	50.5 x 120 x 29	70	208	13.82	\$4585	\$791
	BRTBAR4PA3084LR	62.5 x 168 x 29	70	333	16.86	\$5783	\$1406
	BRTBAR4PA3078LR	62.5 x 156 x 29	70	313	16.32	\$5577	\$1324
	BRTBAR4PA3072LR	62.5 x 144 x 29	70	293	15.78	\$5455	\$1203
	BRTBAR4PA3066LR	62.5 x 132 x 29	70	273	15.24	\$5247	\$1078
	BRTBAR4PA3060LR	62.5 x 120 x 29	70	253	14.70	\$4959	\$994
Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg*	Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						
	BRTBAR4PDA2484LR	50.5 x 168 x 29	70	272	15.66	\$5856	\$1248
	BRTBAR4PDA2478LR	50.5 x 156 x 29	70	256	15.20	\$5678	\$1113
	BRTBAR4PDA2472LR	50.5 x 144 x 29	70	240	14.74	\$5544	\$1070
	BRTBAR4PDA2466LR	50.5 x 132 x 29	70	224	14.28	\$5420	\$937
	BRTBAR4PDA2460LR	50.5 x 120 x 29	70	208	13.82	\$5100	\$847
	BRTBAR4PDA3084LR	62.5 x 168 x 29	70	333	16.86	\$6346	\$1514
	BRTBAR4PDA3078LR	62.5 x 156 x 29	70	313	16.32	\$6123	\$1424
	BRTBAR4PDA3072LR	62.5 x 144 x 29	70	293	15.78	\$5989	\$1289
	BRTBAR4PDA3066LR	62.5 x 132 x 29	70	273	15.24	\$5856	\$1067
	BRTBAR4PDA3060LR	62.5 x 120 x 29	70	253	14.70	\$5500	\$1070
Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg*	Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						
	BRTBAR6P2484LR	50.5 x 252 x 29	70	434	22.88	\$7422	\$970
	BRTBAR6P2478LR	50.5 x 234 x 29	70	409	22.10	\$7125	\$922
	BRTBAR6P2472LR	50.5 x 216 x 29	70	359	21.32	\$6854	\$898
	BRTBAR6P2466LR	50.5 x 198 x 29	70	329	20.54	\$6678	\$847
	BRTBAR6P2460LR	50.5 x 180 x 29	70	308	19.76	\$6508	\$834
	BRTBAR6P3084LR	62.5 x 252 x 29	70	493	24.53	\$7684	\$1031
	BRTBAR6P3078LR	62.5 x 234 x 29	70	462	23.75	\$7262	\$958
	BRTBAR6P3072LR	62.5 x 216 x 29	70	431	22.86	\$7014	\$935
	BRTBAR6P3066LR	62.5 x 198 x 29	70	400	21.97	\$6777	\$898
	BRTBAR6P3060LR	62.5 x 180 x 29	70	369	21.08	\$6617	\$847
Back-to-Back 6 Person Pod with Levelers Round Leg	Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.						


Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	


Optional Specifications

Anodized Aluminum Leg
HP laminate


ROUND LEG PACKAGES



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg*



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg*



Back-to-Back 8 Person Pod with Levelers Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		HP ADD
					D x W x H		
BRTBAR6PA2484LR	50.5 x 252 x 29	70	434	22.88	\$7856	\$1740	
BRTBAR6PA2478LR	50.5 x 234 x 29	70	409	22.10	\$7608	\$1553	
BRTBAR6PA2472LR	50.5 x 216 x 29	70	359	21.32	\$7422	\$1490	
BRTBAR6PA2466LR	50.5 x 198 x 29	70	329	20.54	\$7112	\$1305	
BRTBAR6PA2460LR	50.5 x 180 x 29	70	308	19.76	\$6803	\$1179	
BRTBAR6PA3084LR	62.5 x 252 x 29	70	493	24.53	\$8538	\$2109	
BRTBAR6PA3078LR	62.5 x 234 x 29	70	462	23.75	\$8229	\$1987	
BRTBAR6PA3072LR	62.5 x 216 x 29	70	431	22.86	\$8042	\$1800	
BRTBAR6PA3066LR	62.5 x 198 x 29	70	400	21.97	\$7732	\$1615	
BRTBAR6PA3060LR	62.5 x 180 x 29	70	369	21.08	\$7299	\$1490	

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

BRTBAR6PDA2484LR	50.5 x 252 x 29	70	434	22.88	\$8477	\$1866	
BRTBAR6PDA2478LR	50.5 x 234 x 29	70	409	22.10	\$8207	\$1667	
BRTBAR6PDA2472LR	50.5 x 216 x 29	70	359	21.32	\$8008	\$1600	
BRTBAR6PDA2466LR	50.5 x 198 x 29	70	329	20.54	\$7671	\$1404	
BRTBAR6PDA2460LR	50.5 x 180 x 29	70	308	19.76	\$7343	\$1268	
BRTBAR6PDA3084LR	62.5 x 252 x 29	70	493	24.53	\$9211	\$2267	
BRTBAR6PDA3078LR	62.5 x 234 x 29	70	462	23.75	\$8876	\$2129	
BRTBAR6PDA3072LR	62.5 x 216 x 29	70	431	22.86	\$8678	\$1931	
BRTBAR6PDA3066LR	62.5 x 198 x 29	70	400	21.97	\$8339	\$1736	
BRTBAR6PDA3060LR	62.5 x 180 x 29	70	369	21.08	\$7876	\$1599	

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

BRTBAR8P2484LR	50.5 x 336 x 29	70	556	28.30	\$9721	\$1275	
BRTBAR8P2478LR	50.5 x 312 x 29	70	520	27.30	\$9310	\$1226	
BRTBAR8P2472LR	50.5 x 288 x 29	70	484	26.30	\$8945	\$1193	
BRTBAR8P2466LR	50.5 x 264 x 29	70	448	25.30	\$8713	\$1127	
BRTBAR8P2460LR	50.5 x 240 x 29	70	412	24.42	\$8482	\$1094	
BRTBAR8P3084LR	62.5 x 336 x 29	70	669	30.58	\$10035	\$1394	
BRTBAR8P3078LR	62.5 x 312 x 29	70	625	29.48	\$9490	\$1275	
BRTBAR8P3072LR	62.5 x 288 x 29	70	581	28.38	\$9161	\$1242	
BRTBAR8P3066LR	62.5 x 264 x 29	70	536	27.28	\$8847	\$1193	
BRTBAR8P3060LR	62.5 x 240 x 29	70	492	26.18	\$8633	\$1127	




Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	

Optional Specifications

Anodized Aluminum Leg
HP laminate




ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTBAR8PA2484LR	50.5 x 336 x 29	70	556	28.30	\$10283	\$2316
	BRTBAR8PA2478LR	50.5 x 312 x 29	70	520	27.30	\$9953	\$2068
	BRTBAR8PA2472LR	50.5 x 288 x 29	70	484	26.30	\$9706	\$1987
	BRTBAR8PA2466LR	50.5 x 264 x 29	70	448	25.30	\$9293	\$1740
	BRTBAR8PA2460LR	50.5 x 240 x 29	70	412	24.42	\$8878	\$1572
	BRTBAR8PA3084LR	62.5 x 336 x 29	70	669	30.58	\$11193	\$2811
	BRTBAR8PA3078LR	62.5 x 312 x 29	70	625	29.48	\$10777	\$2646
	BRTBAR8PA3072LR	62.5 x 288 x 29	70	581	28.38	\$10529	\$2399
	BRTBAR8PA3066LR	62.5 x 264 x 29	70	536	27.28	\$10118	\$2151
	BRTBAR8PA3060LR	62.5 x 240 x 29	70	492	26.18	\$9540	\$1987
Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg*	Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						
	BRTBAR8PDA2484LR	50.5 x 336 x 29	70	556	28.30	\$11092	\$2488
	BRTBAR8PDA2478LR	50.5 x 312 x 29	70	520	27.30	\$10737	\$2221
	BRTBAR8PDA2472LR	50.5 x 288 x 29	70	484	26.30	\$10472	\$2129
	BRTBAR8PDA2466LR	50.5 x 264 x 29	70	448	25.30	\$10025	\$1869
	BRTBAR8PDA2460LR	50.5 x 240 x 29	70	412	24.42	\$9580	\$1691
	BRTBAR8PDA3084LR	62.5 x 336 x 29	70	669	30.58	\$12073	\$3020
	BRTBAR8PDA3078LR	62.5 x 312 x 29	70	625	29.48	\$11626	\$2845
	BRTBAR8PDA3072LR	62.5 x 288 x 29	70	581	28.38	\$11360	\$2580
	BRTBAR8PDA3066LR	62.5 x 264 x 29	70	536	27.28	\$10918	\$2310
	BRTBAR8PDA3060LR	62.5 x 240 x 29	70	492	26.18	\$10293	\$2132
Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg*	Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						
RETURNS							
	BRTSLDT72C	72 x 48 x 29	92.5	28.50	2.40	\$830	N/A
Rail Sliding Table Kit - Rectangular Legs	Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. Worksurface not included . Legs are for 24" d worksurfaces. 40mm dia. locking casters with 8mm thread, white body and grey tires. Maximum length of sliding table surface is 48". Cannot be used on single line pods with rectangular legs.						
	BRTSLDT72CR	72 x 48 x 29	92.5	28.50	2.40	\$830	N/A
Rail Sliding Table Kit - Round Legs	Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. Worksurface not included . Legs are for 24" d worksurfaces. 3" dia. locking casters are standard. Maximum length of sliding table surface is 48".						

Required Specifications

Top finish	Edge finish
Metal finish (legs)	Beam finish
Access door finish*	

Optional Specifications

Anodized Aluminum Leg
HP laminate

MEETING TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTBRDP276L BRTBRDP240L BRTBRDP204L BRTBRDP180L BRTBRDP132L BRTBRDP120L	52.5 x 276 x 29 52.5 x 240 x 29 52.5 x 204 x 29 52.5 x 180 x 29 52.5 x 132 x 29 52.5 x 120 x 29	70 70 70 70 70 85	474 408 340 308 228 210	23.42 22.64 20.74 19.82 15.02 14.56	\$9033 \$8687 \$7040 \$6807 \$5064 \$4944	\$1132 \$1059 \$834 \$784 \$537 \$513
Boardroom Table with Rectangular Leg and Levelers	<p>Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$325 list upcharge • BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables 						
	BRTBRDPA276L BRTBRDPA240L BRTBRDPA204L BRTBRDPA180L BRTBRDPA132L BRTBRDPA120L	52.5 x 276 x 29 52.5 x 240 x 29 52.5 x 204 x 29 52.5 x 180 x 29 52.5 x 132 x 29 52.5 x 120 x 29	70 70 70 70 70 85	474 408 340 308 228 210	23.42 22.64 20.74 19.82 15.02 14.56	\$9603 \$9272 \$7416 \$7005 \$5210 \$5003	\$1727 \$1093 \$900 \$1024 \$734 \$630
Boardroom Table with Rectangular Leg, Access Door and Levelers*	<p>Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$325 list upcharge • BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables • BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables 						
	BRTSQ42L BRTSQ42C	42 x 42 x 29	70	85	4.20	\$1564 \$1647	\$171 \$171
Square Meeting Table with Rectangular Legs	<p>3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$165 list upcharge 						
	BRTR42L BRTR42C	42 x 42 x 29	70	65	3.90	\$1564 \$1647	\$171 \$171
Round Meeting Table with Rectangular Legs	<p>3mm edging. Select BRTR42L for levelers or BRTR42C for casters.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$165 list upcharge 						




Required Specifications





Top finish
Metal finish (legs)
Beam finish
Access door finish*

Optional Specifications

HP laminate
Anodized aluminum leg
Table-edge mounted power module (Meeting Tables)

Below worksurface power trough with power distribution module (Meeting Tables)

LEG ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTSL24C	24 x 2.5 x 28	150	8	1.34	\$557	N/A
	BRTSL30C	30 x 2.5 x 28	150	8	1.41	\$562	N/A
	BRTSL36C	36 x 2.5 x 28	150	8	1.81	\$684	N/A
Single Rectangular Leg Assembly with Casters	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.						
	BRTSL24L	24 x 2.5 x 28	150	8	1.34	\$504	N/A
	BRTSL30L	30 x 2.5 x 28	150	8	1.34	\$526	N/A
	BRTSL36L	36 x 2.5 x 28	125	9	1.50	\$463	N/A
Single Rectangular Leg Assembly with Levelers	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.						
	BRTBA34L	34 x 2.5 x 28	150	10	2.47	\$500	N/A
	BRTBA51L	50.5 x 2.5 x 28	150	12	2.96	\$542	N/A
	BRTBA63L	62.5 x 2.5 x 28	150	13	3.21	\$565	N/A
Back-to-Back Rectangular Leg Assembly with Levelers	Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.						
	BRTHL3624C	24 x 2.5 x 35	100	14	1.68	\$717	N/A
	BRTHL3630C	30 x 2.5 x 35	100	16	1.76	\$758	N/A
	BRTHL3636C	36 x 2.5 x 35	125	18	2.26	\$858	N/A
Single H Leg Assembly with Casters	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required:						
	BRTHL4224C	24 x 2.5 x 41	125	15	1.96	\$749	N/A
	BRTHL4230C	30 x 2.5 x 41	100	17	2.06	\$791	N/A
	BRTHL4236C	36 x 2.5 x 41	125	19	2.65	\$888	N/A
Single H Leg Assembly with Levelers	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required:						
	BRTHL3624L	24 x 2.5 x 35	100	14	1.68	\$660	N/A
	BRTHL3630L	30 x 2.5 x 35	100	16	1.76	\$700	N/A
	BRTHL3636L	36 x 2.5 x 35	125	18	2.26	\$800	N/A
	BRTHL4224L	24 x 2.5 x 41	125	15	1.96	\$691	N/A
	BRTHL4230L	30 x 2.5 x 41	100	17	2.06	\$733	N/A
	BRTHL4236L	36 x 2.5 x 41	125	19	2.65	\$831	N/A
	Required Specifications				Optional Specifications		
	Metal finish (legs)				Anodized aluminum leg		



LEG ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTSLL24L BRTSLL30L BRTSLL36L	24 x 2.5 x 28 30 x 2.5 x 28 36 x 2.5 x 28	92.5 92.5 92.5	11 13.75 16.50	1.01 1.26 1.51	\$475 \$510 \$546	N/A N/A N/A
Single Loop Leg	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.						
	BRTBALL51L BRTBALL63L	50.5 x 2.5 x 28 62.5 x 2.5 x 28	92.5 92.5	23.14 28.64	2.12 2.62	\$660 \$690	N/A N/A
Back-to-Back Loop Leg	Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.						
	BRT120L42	34 x 2.5 x 28	250	6.60	2.80	\$955	N/A
120° Rectangular Corner Leg Kit	One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs.						
	BRTLVS	1 x 1 x 2.5	70	.03	.01	\$12	N/A
Leveler for Rectangular Leg Table	5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site.						
	BRTLCS	2.6 x 2.7 x 2.5	70	.06	.01	\$38	N/A
Caster for Rectangular Leg Table	Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site.						
	BRTSL	24 x 3 x 28	125	8	1.25	\$442	N/A
Single Table Round Leg Assembly	Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. Locking casters are available on single tables. Specify BRTLCR .						

Required Specifications

Top finish
Edge finish
Metal finish (legs)



Optional Specifications

Anodized Aluminum Leg
HP laminate

LEG ASSEMBLIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTFSL	24 x 2.5 x 28	150	5	.97	\$379	N/A
Single Table Round Leg Assembly, Fixed Height							
	BRTDL	50 x 3 x 28	150	12	2.81	\$573	N/A
Double Table Round Leg Assembly							
	BRTFDL	50 x 2.5 x 28	250	8	2.03	\$515	N/A
Double Table Round Leg Assembly, Fixed Height							
	BRTCRL42	16 x 18 x 28	92.5	15	1.50	\$883	N/A
120° Round Corner Leg Assembly							
	BRTFCRL42	16 x 18 x 28	92.5	13	1.50	\$821	N/A
120° Fixed Height Corner Leg Assembly							

Required Specifications

Metal finish (legs)

LEG ASSEMBLIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTLVR	2.13 x 2.13 x 2	70	.20	.01	\$12	N/A
Leveler for Round Leg Table							
		3/8" thread with black base. Leveler has 1" height adjustment range. Field retrofittable on round leg.					
	BRTLCR	1.5 x 3 x 3.75	70	.30	.01	\$38	N/A
Caster for Round Leg Table							
		Locking. 3" diameter with 3/8" -16 threaded stem. Field retrofittable on round leg.					
	BRTRL	24 x 24 x 28	125	16	2.33	\$909	N/A
Round Table Leg Assembly							
		Four leg assembly. Leveling Glides are standard. Locking casters are available. Specify (4) BRTLCR. Maximum table diameter is 42". Includes all connecting hardware.					
	BRTLSC	2 x 9 x 5	70	.50	.01	\$158	N/A
Leg Support Cantilever							
		Provides stability for leg supports.					

Required Specifications

Metal Finish (legs)

Optional Specifications

Casters (BRTRL)

BEAM APPLICATIONS

D x W x H

Table supporting structures - BEAMS

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

STANDARD TABLE BEAM

Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.




End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).



Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.




TELESCOPIC TABLE BEAM (4)

Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to any-worksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.



STORAGE TABLE BEAM (5)


The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends).



STORAGE TABLE BEAM ADAPTER (6)

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.

BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTSB84C	1 x 79 x 2	60	8.02	.15	\$339
	BRTSB78C	1 x 73 x 2	60	7.38	.12	\$332
	BRTSB72C	1 x 67 x 2	60	6.74	.09	\$322
	BRTSB66C	1 x 61 x 2	60	6.09	.08	\$309
	BRTSB63C	1 x 57.5 x 2	60	5.72	.08	\$305
	BRTSB60C	1 x 55 x 2	60	5.45	.07	\$299
	BRTSB54C	1 x 49 x 2	60	4.86	.06	\$287
	BRTSB51C	1 x 45.5 x 2	60	4.81	.05	\$280
	BRTSB48C	1 x 43 x 2	60	4.60	.05	\$268
	BRTSB42C	1 x 37 x 2	60	3.59	.04	\$257
	BRTSB36C	1 x 31 x 2	60	3.31	.03	\$254
	BRTSB30C	1 x 25 x 2	60	2.70	.02	\$253
	BRTSB24C	1 x 19 x 2	60	2.03	.01	\$245
	BRTSB15C	1 x 10 x 2	70	1.28	.01	\$196







Standard Table Beam

Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate **standard table beam, end of run and interconnecting table beam applications**. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.

Required Specifications


Metal Finish

BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTBB84C	1 x 79 x 2	60	10.32	.15	\$382
	BRTBB78C	1 x 73 x 2	60	9.68	.12	\$372
	BRTBB72C	1 x 67 x 2	60	9.04	.09	\$360
	BRTBB66C	1 x 61 x 2	60	8.40	.09	\$348
	BRTBB60C	1 x 55 x 2	60	7.75	.08	\$336
	BRTBB54C	1 x 49 x 2	60	7.11	.07	\$323
	BRTBB48C	1 x 43 x 2	60	6.74	.07	\$300
	BRTBB42C	1 x 37 x 2	60	5.83	.06	\$287
	BRTBB36C	1 x 31 x 2	60	5.19	.05	\$284
Bottom Table Beam	Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps.					
	BRRTTB84C	1 x 96.5 x 2	60	10.32	.15	\$520
	BRRTTB78C	1 x 90.5 x 2	60	9.68	.12	\$511
	BRRTTB72C	1 x 84.5 x 2	60	9.04	.09	\$500
	BRRTTB66C	1 x 78.5 x 2	60	8.40	.09	\$488
	BRRTTB60C	1 x 72.5 x 2	60	7.75	.08	\$477
	BRRTTB54C	1 x 66.5 x 2	60	7.11	.07	\$460
	BRRTTB48C	1 x 60.5 x 2	60	6.74	.07	\$434
	BRRTTB42C	1 x 54.5 x 2	60	5.83	.06	\$417
	BRRTTB36C	1 x 48.5 x 2	60	5.19	.05	\$391
Telescopic Table Beam	Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length.					
	BRTSTB84C	1 x 80.75 x 2	60	8.64	.09	\$373
	BRTSTB78C	1 x 74.75 x 2	60	7.99	.08	\$364
	BRTSTB72C	1 x 68.75 x 2	60	7.35	.08	\$351
	BRTSTB66C	1 x 62.75 x 2	60	6.74	.07	\$339
	BRTSTB60C	1 x 54.75 x 2	60	5.85	.06	\$322
	BRTSTB54C	1 x 50.75 x 2	60	5.43	.05	\$299
	BRTSTB48C	1 x 44.75 x 2	60	4.78	.05	\$284
	BRTSTB42C	1 x 38.75 x 2	60	4.16	.04	\$280
	BRTSTB36C	1 x 32.75 x 2	60	3.50	.03	\$268
Storage Table Beam	Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25" h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface.					
	BRTSA21	1 x 15.2 x 6.5	60	2.15	.05	\$128
	BRTSA25	1 x 15.2 x 2.75	60	4.30	.02	\$110
Storage Table Beam Adapter	Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25" h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adapter assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify BRTSA21 or BRTSA25 depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.					


Required Specifications

Metal Finish


WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTWS2484	24 x 84 x 1	60	55	1.80	\$532	\$165
	BRTWS2478	24 x 78 x 1	60	51	1.70	\$490	\$158
	BRTWS2472	24 x 72 x 1	60	47	1.54	\$460	\$155
	BRTWS2466	24 x 66 x 1	60	43	1.41	\$438	\$145
	BRTWS2463	24 x 62.5 x 1	65	39	1.41	\$431	\$147
	BRTWS2460	24 x 60 x 1	60	39	1.30	\$420	\$140
	BRTWS2454	24 x 54 x 1	65	35	1.20	\$379	\$123
	BRTWS2451	24 x 50.5 x 1	65	31	1.06	\$383	\$123
	BRTWS2448	24 x 48 x 1	65	31	1.06	\$320	\$111
	BRTWS2442	24 x 42 x 1	60	28	.90	\$268	\$91
	BRTWS2436	24 x 36 x 1	60	23	.71	\$205	\$70
	BRTWS3084	30 x 84 x 1	60	69	2.24	\$572	\$176
	BRTWS3078	30 x 78 x 1	60	64	2.10	\$515	\$163
	BRTWS3072	30 x 72 x 1	65	59	2	\$485	\$161
	BRTWS3066	30 x 66 x 1	60	54	1.80	\$455	\$155
	BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$445	\$150
	BRTWS3060	30 x 60 x 1	65	49	1.77	\$438	\$145
	BRTWS3054	30 x 54 x 1	60	44	1.44	\$408	\$123
	BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$402	\$128
	BRTWS3048	30 x 48 x 1	65	39	1.41	\$379	\$123
	BRTWS3042	30 x 42 x 1	60	34	1.12	\$356	\$120
	BRTWS3036	30 x 36 x 1	65	30	1.06	\$254	\$87
	BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$666	\$173
	BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$593	\$100

Rectangular Worksurface

Flat 3 mm edge profile on all sides.

Rectangular Worksurface with Access Door*

Flat 3 mm edge profile on all sides. Worksurfaces 42" to 72" w have one access door. 78" w and 84" w worksurfaces have two access doors. Access door is offset 13.5" from either side of worksurface. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Rectangular Boardroom Table Top Extension, Round Corners





Flat 3 mm edge profile on all sides. Boardroom table extensions convert existing 24" or 30" deep back-to-back Bridges table assembly into a boardroom table. 24" and 30" d rectangular top with round corner can only be supported by 34" double leg and extension beams. *No freestanding and mobile application.*

Required Specifications

Top finish
Edge finish
Access door finish*

Optional Specifications

HP laminate







WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTWSAA2484 BRTWSAA2478 BRTWSAA2472 BRTWSAA2466 BRTWSAA2460	24 x 84 x 1 24 x 78 x 1 24 x 72 x 1 24 x 66 x 1 24 x 60 x 1	60 60 60 60 65	51 47 43 39 35	1.70 1.54 1.41 1.30 1.20	\$633 \$600 \$593 \$551 \$507	\$308 \$275 \$274 \$241 \$217
	BRTWSAA3084 BRTWSAA3078 BRTWSAA3072 BRTWSAA3066 BRTWSAA3060	30 x 84 x 1 30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1	60 65 60 65 60	64 59 54 49 44	2.10 2 1.80 1.77 1.44	\$752 \$709 \$702 \$663 \$593	\$372 \$349 \$329 \$290 \$274
Rectangular Worksurface with 2 Access Doors*	Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Painted aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84".						
	BRTWS2451 BRTWS3051 BRTWS3651 BRTWS4251 BRTWS4851 BRTWS5151 BRTWS5451 BRTWS6051	24 x 50.5 x 1 30 x 50.5 x 1 36 x 50.5 x 1 42 x 50.5 x 1 48 x 50.5 x 1 50.5 x 50.5 x 1 54 x 50.5 x 1 60 x 50.5 x 1	65 65 65 65 65 65 65 65	31 39 43 48 52 55 59 63	1.06 1.41 1.71 1.93 2.07 2.12 2.19 2.26	\$383 \$402 \$593 \$655 \$745 \$797 \$861 \$979	\$123 \$128 \$100 \$176 \$195 \$185 \$241 \$247
Meeting Table Top	BRTWS2463 BRTWS3063 BRTWS3663 BRTWS4263 BRTWS4863 BRTWS5463 BRTWS6063	24 x 62.5 x 1 30 x 62.5 x 1 36 x 62.5 x 1 42 x 62.5 x 1 48 x 62.5 x 1 54 x 62.5 x 1 60 x 62.5 x 1	65 65 65 65 65 65 65	39 49 53 57 61 63 67	1.41 1.77 1.94 2.07 2.13 2.21 2.34	\$431 \$445 \$666 \$797 \$957 \$1075 \$1198	\$147 \$150 \$173 \$209 \$242 \$272 \$298
Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes.							
<ul style="list-style-type: none"> • Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly • Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly 							
	BRTWAC120424224 BRTWAC120424230	24 x 42 x 1 30 x 42 x 1	65 65	31 39	1.06 1.41	\$944 \$1028	\$310 \$315
120° Worksurface	5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation.						
	BRTWAC120A424224 BRTWAC120A424230	24 x 42 x 1 30 x 42 x 1	65 65	31 39	1.06 1.41	\$1005 \$1086	\$337 \$421
120° Worksurface with Access Door*	5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Painted aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						

Required Specifications

Top finish
Edge finish
Access door finish*

Optional Specifications

HP laminate


WORKSURFACES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD							
	BRTMT5151	50.5 x 50.5 x 1	65	55	2.12	\$749	\$418							
Rectangular Meeting Table Top*														
	BRTMTR42	42 x 42 x 1	65	40	1.76	\$500	\$127							
Round Meeting Table Top*														
	BHBF01	4 x 3	70	.50	.01	\$24								
Flat Bracket														
	Constructed of cold rolled steel. May be used to ensure alignment of neighboring worksurfaces.													
Display Wall Table Top w/Scoop*														
	Display wall mounts to the end of back-to-back table assembly supported by rectangular legs. As opposed to two separate back-to-back worksurfaces, the display wall table top provides one continuous, uninterrupted surface with a scoop cutout next to the display wall (the scoop facilitates cable passage from below the table). Table top 50.5" w side matches 24" d back-to-back table assemblies. Meeting table tops 62.5" w side matches 30" d back-to-back table assemblies.													
Monitor Facing Double Workstation**														
	Display wall faces the double workstation; facilitates seated presentation area. Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5" h. 1" LP laminate board with 3mm edging. Specify WHD to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.													
<ul style="list-style-type: none">• Included vertical cable manager passes through the gap between 2 back-to-back worksurfaces. Should you need one continuous, uninterrupted surface specify Display Wall Table Top with Scoop (BRTWSxxxxSCP).• Add \$1215 for white, dry erase on 51" w model, and \$1621 for 63" w														
BRTTVFT63 4 x 62.5 x 52 BRTTVFT51 4 x 50.5 x 52														
\$1872 \$1772														
BRTTVBK63 4 x 62.5 x 52 BRTTVBK51 4 x 50.5 x 52														
\$1872 \$1772														
Monitor Facing Back of Double Workstation**														
Required Specifications														
Top finish														
Edge finish														
Optional Specifications														
HP laminate														

POWER DELIVERY / CABLE MANAGEMENT

D x W x H


At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

Wire Basket (1) connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. *Wire Basket is not to be used with power troughs.*




Cable Snake (2) Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit **Desk Top Power Data Modules (3)** deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.




Ceiling pole **BRTCPO (4)** manages power and data cables between ceiling and above or below worksurface power troughs.

Above and Below Worksurface Power/Data Troughs (5) can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)



NOTE: Specify **BRTHH58 (8)** to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.

Leg shroud (9) attaches to 34" w legs and manages power floor feed, as well as data cables from floor monument.





Storage power/data box BRTVCM (7) attaches to storage units and provides access to one duplex/data terminal on top storage surface. Integrated single circuit module can be plugged to floor monument under the storage or to a wall outlet

4-2-2 Wiring Schematic

8-Wire Shared Neutral

"2 + 2" - 2 Utility Circuits, 2 Dedicated



8 Wires

4 Circuits

Receptacles

Specifications




4 Lines (12 ga.)	2 Utility circuits	Duplex - Up to 12 duplex receptacles per circuit (Up to 48 per infeed)
2 Neutrals (10 ga.)	2 Dedicated Circuits	
2 Grounds (12 ga.)		

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

POWER DELIVERY / CABLE MANAGEMENT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
36"	BRTEETB84SKIT	11.6 x 78.34 x 2.5	100	12	1.31	\$1203
	BRTEETB78SKIT	11.6 x 72.34 x 2.5	100	11	1.21	\$1152
	BRTEETB72SKIT	11.6 x 66.34 x 2.5	100	9.80	1.11	\$749
	BRTEETB66SKIT	11.6 x 60.34 x 2.5	100	8.90	1.01	\$725
	BRTEETB60SKIT	11.6 x 54.34 x 2.5	100	8	.91	\$698
	BRTEETB54SKIT	11.6 x 48.34 x 2.5	100	7.10	.81	\$684
	BRTEETB48SKIT	11.6 x 42.34 x 2.5	100	6.20	.71	\$655
	BRTEETB42SKIT	11.6 x 36.34 x 2.5	100	5.30	.61	\$605
	BRTEETB36SKIT	11.6 x 30.34 x 2.5	125	4.50	.59	\$551
42" - 72"	Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. <i>Covers for duplex openings are not supplied.</i> 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.					
Below Worksurface Single Power/Data Trough	<ul style="list-style-type: none"> • BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager. • BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers. • BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER • BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER • For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual. • Specify duplex receptacles separately • Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$63 list, see BRTPDS. 					
36"	BRTEETB84DKIT	8.5 x 78.3 x 2.5	92.5	9.80	.96	\$1553
	BRTEETB78DKIT	8.5 x 72.3 x 2.5	92.5	9	.88	\$1531
	BRTEETB72DKIT	8.5 x 66.3 x 2.5	92.5	8.30	.81	\$903
	BRTEETB66DKIT	8.5 x 60.3 x 2.5	92.5	7.50	.74	\$883
	BRTEETB60DKIT	8.5 x 54.3 x 2.5	92.5	6.80	.66	\$852
	BRTEETB54DKIT	8.5 x 48.3 x 2.5	92.5	6	.59	\$830
	BRTEETB48DKIT	8.5 x 42.3 x 2.5	92.5	5.30	.52	\$811
	BRTEETB42DKIT	8.5 x 36.3 x 2.5	92.5	4.50	.44	\$778
	BRTEETB36DKIT	8.5 x 30.3 x 2.5	92.5	3.80	.37	\$759
42" - 72"	Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. <i>Covers for duplex openings are not supplied.</i> 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.					
Below Worksurface Double Power/Data Trough	<ul style="list-style-type: none"> • BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager. • BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers. • BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER • BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER • For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual. • Specify duplex receptacles separately • Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$63 list, see BRTPDS. 					





Required Specifications

Metal Finish (Power/Data Troughs)

ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
 36"	BRTEETA84KIT	2.5 x 84 x 3.5	65	9.49	.42	\$1348
	BRTEETA78KIT	2.5 x 78 x 3.5	65	8.81	.39	\$1297
	BRTEETA72KIT	2.5 x 71.9 x 3.5	65	8.12	.36	\$852
	BRTEETA66KIT	2.5 x 65.9 x 3.5	65	7.45	.33	\$842
	BRTEETA60KIT	2.5 x 59.9 x 3.5	65	6.77	.30	\$778
	BRTEETA54KIT	2.5 x 53.9 x 3.5	65	6.09	.27	\$759
	BRTEETA48KIT	2.5 x 47.9 x 3.5	65	5.41	.24	\$718
	BRTEETA42KIT	2.5 x 41.9 x 3.5	65	4.73	.21	\$676
	BRTEETA36KIT	2.5 x 35.9 x 3.5	65	4.06	.18	\$625
Above Worksurface Power Trough	Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. <i>Covers for duplex openings are not supplied.</i> 36" trough side. Specify jumpers between tables separately. Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.					
	<ul style="list-style-type: none"> • BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager. • BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers. • BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER • BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER • Specify above worksurface power trough end cap BRTETEC to finish open ends of the power trough • Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$63 list, see BRTPDS. 					
 Back-to-Back Storage Tower Gap Filler Kit	BRTEST15KIT	15.5 x 2.5 x 3.5	65	2	.08	\$562
	BRTEST24KIT	24 x 2.5 x 3.5	70	2.50	.12	\$610
	BRTEST30KIT	31 x 2.5 x 3.5	70	3.50	.16	\$650
	BRTEST48KIT	48 x 2.5 x 3.5	70	4	.24	\$717
 Above Worksurface Power Trough	Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" legs or storage beam and storage towers.					
	<ul style="list-style-type: none"> • Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables. • The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers • The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage towers 					
	BRTETEC	.5 x 2.25 x 3	70	.10	.01	\$12
	Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.					




Required Specifications

Required Specifications



ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTEHH28	.5 x 28 x 2	70	1	1.17	\$179
	BRTEHH40	.5 x 40.5 x 2	70	1.10	1.25	\$191
	BRTEHH44	.5 x 44.5 x 2	70	1.5	1.17	\$206
	BRTEHH52	.5 x 52.5 x 2	300	2.0	1.17	\$217
	BRTEHH58	.5 x 58.5 x 2	300	2.2	1.17	\$226
	BRTEHH76	.5 x 76.5 x 2	250	2.8	1.17	\$252
Housing to Housing Harness	Distributes power between Power Distribution Housings.					
	<ul style="list-style-type: none"> • BRTEHH28 distributes power between back-to-back or single sided troughs in a straight run. • BRTEHH40 distributes power from back-to-back to single sided power troughs • BRTEHH44 distributes power between back-to-back power troughs separated by (1) pair of storage cabinets without wardrobes. Specify BRTEST15KIT separately. • BRTEHH52 distributes power from back-to-back power troughs separated by (1) pair of storage cabinets with wardrobes. Specify BRTEST24KIT separately. • BRTEHH58 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets without wardrobes. Specify BRTEST30KIT separately. • BRTEHH58 also distributes power from double-sided, back-to-back below worksurface power troughs to a single sided, below worksurface power trough at the end of a table run. • BRTEHH76 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets with wardrobes. Specify BRTEST48KIT separately. 					
	BRTEBF	6 x 4 x 72	250	4	2	\$578
	BRTEBF120	6 x 4 x 120	250	6	2	\$805
	BRTEBF144	6 x 4 x 144	150	8	2	\$865
Base Feed	Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.					
	BRTEBFK	6 x 4 x 100	250	4	2	\$907
Base Feed - New York Electrical	Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.					
	BRTCPP	1.5 x 4.75 x 99	65	13	.48	\$314
Ceiling Pole	Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.					
	BRTECF120	6 x 6 x 120	250	5	2	\$476
	BRTECF144	6 x 6 x 144	250	5	2	\$530
Ceiling Feed	Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.					

Required Specifications

Metal Finish (BRTCPP)

ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTECFK120 BRTECFK144	6 x 6 x 120 6 x 6 x 144	250 250	5 5	2 2	\$712 \$790
Ceiling Feed - New York Electrical						
Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.						
	BRTE8D1 BRTE8D2 BRTE8DA BRTE8DB BRTE8DXW1 BRTE8DXW2 BRTE8DXWA BRTE8DXWB	1.25 x 4.63 x 2 1.25 x 4.63 x 2	70 70 70 70 70 70 70 70	.10 .10 .10 .10 .10 .10 .10 .10	.01 .01 .01 .01 .01 .01 .01 .01	\$45 \$45 \$45 \$45 \$63 \$63 \$63 \$63
Duplex Receptacles						
Screws into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black.						
<ul style="list-style-type: none"> • BRTE8D1 / BRTE8DXW1 - Circuit #1 (utility circuit) • BRTE8D2 / BRTE8DXW2 - Circuit #2 (utility circuit) • BRTE8DA / BRTE8DXWA - Circuit A (dedicated circuit) • BRTE8DB / BRTE8DXWB - Circuit B (dedicated circuit) 						
	BRTCB76KIT BRTCB70 BRTCB64 BRTCB58 BRTCB52 BRTCB46 BRTCB40 BRTCB34 BRTCB28 BRTCB22 BRTCB16 BRTCB8	8 x 34 x 1 8 x 70 x 1 8 x 64 x 1 8 x 58 x 1 8 x 52 x 1 8 x 46 x 1 8 x 40 x 1 8 x 34 x 1 8 x 28 x 1 8 x 22 x 1 8 x 16 x 1 8 x 8 x 1	70 100 92.5 92.5 100 92.5 70 70 70 70 70 70	1.56 3.22 2.94 2.66 2.39 2.16 1.80 1.56 1.20 1.01 .73 .36	.15 .34 .29 .26 .24 .21 .18 .15 .13 .10 .07 .03	\$281 \$204 \$190 \$184 \$173 \$163 \$155 \$149 \$131 \$123 \$116 \$104
Power/Data Cable Basket						
Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.						
<ul style="list-style-type: none"> • Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage cabinet spine assembly. 						
	BRTDLSHS34	5 x 30 x 29	92.5	62	5.25	\$575
34" Leg Shroud						
A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish.						

Required Specifications
Metal Finish (BRTDLSHS34)

ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTCS	2 x 8 x 30	70	3	.19	\$162
Cable Snake						
Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.						
	BRTCM43	46 x 5 x 3	92.5	8	.67	\$67
	BRTCM55	58 x 5 x 3	92.5	9	.85	\$77
Wire Manager						
Replacement wire manager can be added. Wire Manager neatly organizes and stores electrical and communication cables. Two lengths: 46" for tops 60" and under; 58" for tops 72". Black Plastic only.						
	BRTPDS	.6 x 4.75 x 2.04	70	.10	.01	\$63
	BRTPDSW	.6 x 4.75 x 2.04	70	.10	.01	\$63
	BRTPDSS	.6 x 4.75 x 2.04	70	.10	.01	\$63
Data/Comm Spacer						
Data/Comm plate spacer extends the depth behind data/comm jacks by 0.6" in order to accommodate larger data/comm cable bending radius. BRTPDS is Black, BRTPDSW is White and BRTPDSS is Silver.						
	BRTVCM2118	18 x 6 x 21	92.5	14	1.31	\$1139
	BRTVCM2518	18 x 6 x 25	92.5	17	1.56	\$1162
	BRTVCM2124	24 x 6 x 21	100	17	1.75	\$1203
	BRTVCM2524	24 x 6 x 25	92.5	22	2.08	\$1222
Vertical Cable Manager*						
Facilitates power/data transfer from a floor monument under storage cabinets. The units can join other 18" or 24" deep storage units to form a storage spine. Removable top with a Below worksurface Power/Data Module provides easy access. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top, unfinished cut-out edges. Universal connecting hardware included. Below Worksurface Power/Data Module included. Provides power - two outlets; 72" L 3-prong power cord. White face plate, outlets and coupler & jack adapters; anodized aluminum bracket supports; thumb screws, black cord. Provides data - two coupler/jack ports; includes Voice/Data Adapter Kit to accept various couplers & jacks (Not Included).						

ACCESSORIES / TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
• 9mm thick panels offered in 18 finishes						
• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives						
• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly						
• Variation in fiber mix and color are inherent to the character of the product						
		D x W x H	BRACKET/EXTRUSION FINISH			
			BLK Black	CHR	Charcoal	
			DWT Designer White	FOG	Fog	
			NEV Nevada	SIL	Silver	
			TPE Taupe	TUN	Tungsten	
			ANO Anodized Aluminum - upcharge applies. Available on select models only.			
						Refer to model for availability and upcharge.

FELT COLORS


(AMT) Amethyst	(APR) Apricot
(BLK) Black	(BSK) Blue Smoke
(BRI) Brick	(CNN) Carnation
(DEN) Denim	(EMD) Emerald
(GPH) Graphite	(HVT) Harvest
(LAP) Lapis	(MTS) Mist
(NVY) Navy	(PWT) Pewter
(RBY) Ruby	(SHR) Shamrock
(SFR) Sunflower	(WHT) White

FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAFDD84	7.5 x 81 x 16.88	125	6.30	1	\$757
	BRTAFDD78	7.5 x 75 x 16.88	125	5.90	.92	\$722
	BRTAFDD72	7.5 x 69 x 16.88	125	5.40	.85	\$687
	BRTAFDD66	7.5 x 63 x 16.88	125	5	.77	\$651
	BRTAFDD60	7.5 x 57 x 16.88	125	4.60	.70	\$615
	BRTAFDD54	7.5 x 51 x 16.88	125	4.10	.63	\$582
	BRTAFDD48	7.5 x 45 x 16.88	125	3.70	.55	\$409
	BRTAFDD42	7.5 x 39 x 16.88	125	3.20	.48	\$363
	BRTAFDD36	7.5 x 33 x 16.88	125	2.80	.41	\$325

**Back-to-Back Parallel Felt Divider**


Secures between two back-to-back tables; provides privacy, divides space. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. 36"- 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3.

- Anodized Aluminum extrusion - Add **\$175** list upcharge

**Perpendicular Side to Side Off Module Felt Divider**

Secures off module to front and back edges of a table; provides privacy, divides space. 9mm felt material is tackable. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

- Anodized Aluminum extrusion - Add **\$175** list upcharge

**Perpendicular Side to Side Felt Divider**

Secures to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg; provides privacy, divides space. 9mm felt material is tackable. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.







- Anodized Aluminum extrusion - Add **\$175** list upcharge

Required Specifications

Top finish*

Edge finish*

Chassis finish*







FELT DIVIDERS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAFEDN24	4.05 x 25.46 x 30.68	250	3.3	1.12	\$472
	BRTAFEDN30	4.05 x 31.46 x 30.68	250	3.98	1.29	\$530
	BRTAFEDN51	4.05 x 50.56 x 30.68	150	6.22	1.46	\$972
	BRTAFEDN63	4.05 x 62.56 x 30.68	150	7.57	1.63	\$1107
End of Run Felt Divider & Modesty Kit*	Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.					
	BRTAFDSN84	4.05 x 78 x 30.68	125	9.24	1.2	\$1322
	BRTAFDSN78	4.05 x 72 x 30.68	125	8.57	1.11	\$1259
	BRTAFDSN72	4.05 x 69 x 30.68	125	7.89	1.02	\$1198
	BRTAFDSN66	4.05 x 63 x 30.68	125	7.21	0.93	\$1043
	BRTAFDSN60	4.05 x 57 x 30.68	125	6.54	0.84	\$996
	BRTAFDSN54	4.05 x 51 x 30.68	125	5.87	0.74	\$936
	BRTAFDSN48	4.05 x 45 x 30.68	125	5.19	0.65	\$774
Felt Divider & Modesty Panel Kit*	Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.					
<ul style="list-style-type: none">• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.						
	BRTAFMPSN84	4.17 x 77.75 x 13.82	65	31.12	1.2	\$565
	BRTAFMPSN78	4.17 x 71.75 x 13.82	65	28.72	1.11	\$535
	BRTAFMPSN72	4.17 x 65.75 x 13.82	65	26.32	1.02	\$507
	BRTAFMPSN66	4.17 x 59.75 x 13.82	65	23.92	0.93	\$479
	BRTAFMPSN60	4.17 x 53.75 x 13.82	65	21.51	0.84	\$451
	BRTAFMPSN54	4.17 x 47.75 x 13.82	65	19.11	0.74	\$432
	BRTAFMPSN48	4.17 x 41.75 x 13.82	65	16.71	0.65	\$317
Felt Modesty Panel	Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.					
<ul style="list-style-type: none">• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.						

Required Specifications

Felt color
Bracket/extrusion finish

Optional Specifications

Anodized extrusion

TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
 36" - 72"  78" - 84" Table Divider - Glass	BRTAGDD84 BRTAGDD78 BRTAGDD72 BRTAGDD66 BRTAGDD60 BRTAGDD54 BRTAGDD48 BRTAGDD42 BRTAGDD36	.25 x 81 x 16 .25 x 75 x 16 .25 x 69 x 16 .25 x 63 x 16 .25 x 57 x 16 .25 x 51 x 16 .25 x 45 x 16 .25 x 39 x 16 .25 x 33 x 16	60 60 60 60 60 60 60 60 60	29 27 25 23 21 18 16 14 12	.18 .17 .16 .14 .13 .11 .10 .09 .07	\$925 \$873 \$749 \$698 \$644 \$615 \$565 \$521 \$471
	Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"- 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.					
 36" - 72"  78" - 84" Parallel Table Divider - Glass	BRTAGDS84 BRTAGDS78 BRTAGDS72 BRTAGDS66 BRTAGDS60 BRTAGDS54 BRTAGDS48 BRTAGDS42 BRTAGDS36	.25 x 81 x 32 .25 x 75 x 32 .25 x 69 x 32 .25 x 63 x 32 .25 x 57 x 32 .25 x 51 x 32 .25 x 45 x 32 .25 x 39 x 32 .25 x 33 x 32	60 60 60 60 60 60 60 60 60	55 51 47 43 39 35 31 27 23	.35 .33 .30 .28 .25 .23 .20 .18 .15	\$1763 \$1676 \$1403 \$1319 \$1234 \$1152 \$1065 \$981 \$899
	Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36"- 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.					
 Perpendicular End of Run Divider - Glass	BRTAGED63 BRTAGED51 BRTAGED30 BRTAGED24	.25 x 62.5 x 32 .25 x 50.5 x 32 .25 x 30 x 32 .25 x 24 x 32	60 60 60 60	35 31 27 23	.23 .20 .18 .15	\$1848 \$1676 \$940 \$858
	Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.					
 Shared Perpendicular Side to Side Divider, Middle - Glass, Rounded Corners	BRTAGPPD24M BRTAGPPD30M	.25 x 24 x 16 .25 x 30 x 16	60 60	9 11.25	.06 .07	\$538 \$566
	Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with rounded top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.					

Required Specifications

Bracket finish





TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAGPPD24MQ BRTAGPPD30MQ	.25 x 24 x 16 .25 x 30 x 16	60	9 11.25	.06 .07	\$538 \$566
Shared Perpendicular Side to Side Divider, Middle - Glass, Square Corners	Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with square top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.					
	BRTAGPPD24S BRTAGPPD30S	.25 x 24 x 16 .25 x 30 x 16	60	9 11.25	.05 .07	\$538 \$566
Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners	Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth rectangular leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with rounded top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.					
	BRTAGPPD24SQ BRTAGPPD30SQ	.25 x 24 x 16 .25 x 30 x 16	60	9 11.25	.05 .07	\$538 \$566
Shared Perpendicular Side to Side Divider, Seam - Glass, Square Corners	Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth rectangular leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with square top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.					
	BRTAGMPS84 BRTAGMPS78 BRTAGMPS72 BRTAGMPS66 BRTAGMPS60 BRTAGMPS54 BRTAGMPS48 BRTAGMPS42 BRTAGMPS36	.25 x 77.75 x 13.25 .25 x 71.75 x 13.25 .25 x 65.75 x 13.25 .25 x 59.75 x 13.25 .25 x 53.75 x 13.25 .25 x 47.75 x 13.25 .25 x 41.75 x 13.25 .25 x 35.75 x 13.25 .25 x 29.75 x 13.25	60	24 22 20 19 17 15 11 11 9	.14 .13 .12 .11 .10 .09 .06 .06 .05	\$1152 \$1110 \$878 \$835 \$793 \$752 \$711 \$666 \$626
Modesty Panel - Glass	Secures to the rear edge of a single table, between table legs; provides privacy. Installed divider reaches 15" below the worksurface. 36"- 72" wide modesty panels include 2 mounting brackets. 78" and 84" wide modesty panels include 3 mounting brackets. Tempered glass, acid etched on one side (similar to frosted), and satin chrome disc fasteners. Brackets are available in all standard Bridges II paint finishes.					
	BRTLPS36 BRTLPS30	.75 x 36 x 16 .75 x 30 x 16	60	11 9	.25 .21	\$321 \$280
Perpendicular Laminate Side to Side Divider - Extended*	Protrudes by 6" beyond the front worksurface edge for added privacy. Secures off-module or on-module to the front and back edge of worksurface, regardless of type of leg support - supporting brackets can straddle over shared leg. 3/4" LP PVC edge boards. Brackets are available in all standard Bridges II paint finishes.					
	• Specify BRTLPS30 for 24" d worksurfaces and BRTLPS36 for 30" d worksurfaces					

Required Specifications

Required Specification



Chassis/Alle
Bracket finish

Bracket finish

TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTLPDSE75	.75 x 75 x 16	60	22	.52	\$573
Perpendicular Laminate Side to Side Double Divider - Extended	BRTLPDSE63	.75 x 63 x 16	60	18	.44	\$515
 Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPDD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.						
<ul style="list-style-type: none"> • Can ONLY be installed on-module between two BRTLPDD dividers. • Specify BRTLPDSE63 for 24"d back-to-back worksurfaces and BRTLPDSE75 for 30"d back-to-back worksurfaces 						
	BRTLPDD84	.75 x 81 x 16	60	24	.56	\$697
Table Divider - Laminate	BRTLPDD78	.75 x 75 x 16	60	23	.52	\$674
	BRTLPDD72	.75 x 69 x 16	60	21	.47	\$537
	BRTLPDD66	.75 x 63 x 16	60	19	.43	\$503
	BRTLPDD60	.75 x 57 x 16	60	17	.39	\$480
	BRTLPDD54	.75 x 51 x 16	60	15	.35	\$460
	BRTLPDD48	.75 x 45 x 16	60	14	.31	\$434
	BRTLPDD42	.75 x 39 x 16	60	12	.27	\$404
	BRTLPDD36	.75 x 33 x 16	60	10	.22	\$367
 Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36" - 72" wide dividers include 2 support brackets and one pass-through grommet. 78" and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.						
<ul style="list-style-type: none"> • Please refer to the Compatibility Guide on page 488 to determine available accessories 						
	BRTLPDS84	.75 x 81 x 32	60	50	1.16	\$1090
High Table Divider - Laminate	BRTLPDS78	.75 x 75 x 32	60	47	1.08	\$1046
	BRTLPDS72	.75 x 69 x 32	60	43	1	\$856
	BRTLPDS66	.75 x 63 x 32	60	40	.91	\$811
	BRTLPDS60	.75 x 57 x 32	60	36	.83	\$765
	BRTLPDS54	.75 x 51 x 32	60	32	.75	\$708
	BRTLPDS48	.75 x 45 x 32	60	29	.66	\$674
	BRTLPDS42	.75 x 39 x 32	60	25	.56	\$628
	BRTLPDS36	.75 x 33 x 32	60	22	.50	\$514
 Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.						
<ul style="list-style-type: none"> • Please refer to the Compatibility Guide on page 488 to determine available accessories 						
	BRTLPPD24	.75 x 24 x 16	60	7	.16	\$255
High Perpendicular Side-to-Side Divider - Laminate	BRTLPPD30	.75 x 30 x 16	60	9	.20	\$277
 Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.						





Required Specifications

Chassis/Accent finish
Bracket finish
Edge finish

TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTLPED24	.75 x 24 x 32	60	7	.16	\$405
Perpendicular End of Run Divider, Laminate*	BRTLPED30	.75 x 30 x 32	60	9	.20	\$434
	BRTLPED51	.75 x 50.5 x 32	60	15	.35	\$684
	BRTLPED63	.75 x 62.5 x 32	60	19	.43	\$776
<p>Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.</p> <ul style="list-style-type: none"> • BRTLPED51 divider matches 24" deep back-to-back assemblies • BRTLPED63 divider matches 30" deep back-to-back assemblies 						
MODESTY PANEL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTMPS84	.75 x 78.5 x 14	60	22	.51	\$615
Laminate Modesty Panel*	BRTMPS78	.75 x 72.5 x 14	60	20	.47	\$593
	BRTMPS72	.75 x 66.5 x 14	60	19	.43	\$572
	BRTMPS66	.75 x 60.5 x 14	60	17	.40	\$551
	BRTMPS60	.75 x 54.5 x 14	60	16	.36	\$532
	BRTMPS54	.75 x 48.5 x 14	60	14	.32	\$512
	BRTMPS48	.75 x 42.5 x 14	60	13	.29	\$489
	BRTMPS42	.75 x 36.5 x 14	60	11	.25	\$471
	BRTMPS36	.75 x 30.5 x 14	60	9	.21	\$448
<p>Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.</p>						

Required Specifications

Chassis/Accent finish
Bracket finish
Edge finish

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTPEG24	.75 x 24 x 14	60	6	.14	\$264
	BRTPEG24H21	.75 x 24 x 20.5	60	9	.21	\$305
	BRTPEG24H27	.75 x 24 x 26.5	60	12	.26	\$356
	BRTPEG30	.75 x 30 x 14	60	8	.18	\$284
	BRTPEG30H21	.75 x 30 x 20.5	60	12	.26	\$324
	BRTPEG30H27	.75 x 30 x 26.5	60	15	.33	\$378
	BRTPEG51	.75 x 50.5 x 14	60	13	.30	\$460
	BRTPEG51H21	.75 x 50.5 x 20.5	60	20	.43	\$556
	BRTPEG51H27	.75 x 50.5 x 26.5	60	26	.56	\$644
	BRTPEG63	.75 x 62.5 x 14	60	16	.38	\$500
	BRTPEG63H21	.75 x 62.5 x 20.5	60	25	.53	\$595
	BRTPEG63H27	.75 x 62.5 x 26.5	60	32	.69	\$684
Laminate End of Run Gable*						
	Perpendicular end of a run gable. Secures to the side edge of a table/tables and legs; provides privacy, divides space. ¾" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.					
	<ul style="list-style-type: none"> • BRTPEG24, 30, 51 and 63 measure 15" below worksurface • BRTPEGxxH21 lines up with the bottom of storage cabinets • BRTPEGxxH27 reaches down 1" from the floor (creates full panel look) 					
	BRTTEGF	4.5 x 2.5 x 1	70	.03	.01	\$18
Table End Gap Filler						
	Injection molded block fills the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.					
	BRLBST84	2.95 x 81 x 13.5	70	10.24	.61	\$584
	BRLBST78	2.95 x 75 x 13.5	70	9.69	.56	\$567
	BRLBST72	2.95 x 69 x 13.5	70	9.15	.52	\$550
	BRLBST66	2.95 x 63 x 13.5	70	8.61	.48	\$532
	BRLBST60	2.95 x 57 x 13.5	70	8.07	.43	\$514
	BRLBST54	2.95 x 51 x 13.5	70	7.52	.39	\$503
	BRLBST48	2.95 x 45 x 13.5	70	6.98	.35	\$485
	BRLBST42	2.95 x 39 x 13.5	70	6.44	.30	\$468
	BRLBST36	2.95 x 33 x 13.5	65	5.90	.26	\$445
Single Table Accessory Rail						
	Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.					
	BRLBB2B84	7.50 x 81 x 13.5	65	17.69	.74	\$963
	BRLBB2B78	7.50 x 75 x 13.5	65	16.61	.69	\$928
	BRLBB2B72	7.50 x 69 x 13.5	65	15.52	.63	\$894
	BRLBB2B66	7.50 x 63 x 13.5	65	14.44	.58	\$860
	BRLBB2B60	7.50 x 57 x 13.5	65	13.36	.53	\$826
	BRLBB2B54	7.50 x 51 x 13.5	65	12.27	.48	\$801
	BRLBB2B48	7.50 x 45 x 13.5	65	11.19	.42	\$765
	BRLBB2B42	7.50 x 39 x 13.5	65	10.10	.37	\$731
	BRLBB2B36	7.50 x 33 x 13.5	65	9.02	.32	\$688
Back-To-Back Accessory Rail						
	Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.					

Required Specifications

Chassis/Accent finish*

Edge finish*

Bracket finish*

FRAMED DIVIDERS

Single Table Or Single Table Row Application; 16" and 30" high dividers


Table Mounted Framed Divider for single table or single table row; recessed 1.5" at both ends, mounted to the table with 0.6" gap at the back.
 BRTMFD/BRTMLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.
 BRTMFD/BRTMLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Single Table End of Run Framed Divider;
 BREFD/BRELD 24" (21" actual for 24" deep worksurfaces),
 BREFD/BRELD 30" (27" actual for 30" deep worksurfaces),
 BREFD/BRELD 36" (33" actual for 36" deep worksurfaces),

Two brackets secure the divider to the side edge of work surface. Flush with rear edge, 3" recessed from front work surface edge.

Perpendicular Shared Framed Divider;
 BRSFD/BRSLD 24" (21" actual for 24" deep worksurfaces),
 BRSFD/BRSLD 30" (27" actual for 30" deep worksurfaces),
 BRSFD/BRSLD 36" (33" actual for 36" deep worksurfaces),

Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of two adjacent worksurfaces. Flush with the rear edge, 3" recessed from front worksurface edge.




Back-To-Back Table Application; 16" dividers

Perpendicular Back To Back Parallel Framed Divider secured between two back-to-back tables; recessed 1.5" at both ends; 0.6" gap between the divider and work surfaces.
 BRPFD/BPLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.
 BRPFD/BPLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Shared Frame Back 2 Back Framed Divider;
 BRSDFD/BRSDLD 51" (45" actual for 24" deep back-to-back work surfaces)
 BRSDFD/BRSDLD 63" (57" actual for 30" deep back-to-back work surfaces).
 One bracket secures the divider through the gap between work surfaces; two brackets locate top of the divider between two adjacent Parallel dividers.
 NOTE: cannot be used on its own without the two Parallel dividers.
 3" recessed from front worksurface edges.

Perpendicular Back-To-Back End of Run Framed Divider;
 BREDFD/BREDLD 51" (45" actual for 24" deep back-to-back worksurfaces)
 BREDFD/BREDLD 63" (57" actual for 30" deep back-to-back worksurfaces).
 Three brackets secure the divider to both side edges of worksurfaces.
 3" recessed from front worksurface edges.







Perpendicular Shared Framed Divider;
 BRSFD/BRSLD 24" (21" actual for 24" deep work surfaces).
 BRSFD/BRSLD 30" (27" actual for 30" deep work surfaces).

Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of the two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surfaces edge.

Perpendicular Single Table End of Run Framed Divider;
 BREFD/BRELD 24" (21" actual for 24" deep work surfaces).
 BREFD/BRELD 30" (27" actual for 30" deep work surfaces).

Two brackets secure the divider to the side edge of work surface. Flush with the rear edge, 3" recessed from front work surface edge.






FRAMED DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRPFD84	1.25 x 81 x 16	70	32	1.95	\$966
	BRPFD78	1.25 x 75 x 16	70	28	1.81	\$917
	BRPFD72	1.25 x 69 x 16	70	24	1.57	\$906
	BRPFD66	1.25 x 63 x 16	85	20	1.53	\$871
	BRPFD60	1.25 x 57 x 16	92.5	15	1.39	\$821
	BRPFD54	1.25 x 51 x 16	92.5	13	1.25	\$692
	BRPFD48	1.25 x 45 x 16	85	11	.75	\$655
	BRPFD42	1.25 x 39 x 16	100	9	.97	\$569
	BRPFD36	1.25 x 33 x 16	100	8	.83	\$556
Back-to-Back Parallel Framed Divider Fabric						
Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.						
• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door						
LIST PRICE HP ADD DE ADD DM ADD						
	BRPLD84	1.25 x 81 x 16	70	32	2.25	\$679 \$342 \$777 \$1969
	BRPLD78	1.25 x 75 x 16	70	28	2.08	\$667 \$309 \$778 \$1960
	BRPLD72	1.25 x 69 x 16	70	24	1.92	\$660 \$277 \$777 \$1945
	BRPLD66	1.25 x 63 x 16	85	20	1.75	\$637 \$288 \$648 \$1768
	BRPLD60	1.25 x 57 x 16	92.5	15	1.58	\$615 \$238 \$657 \$1652
	BRPLD54	1.25 x 51 x 16	92.5	13	1.42	\$514 \$209 \$686 \$1681
	BRPLD48	1.25 x 45 x 16	85	11	1.25	\$441 \$159 \$307 \$806
	BRPLD42	1.25 x 39 x 16	100	9	1.08	\$391 \$127 \$261 \$695
	BRPLD36	1.25 x 33 x 16	100	8	.92	\$372 \$117 \$234 \$613
Back-to-Back Parallel Framed Divider*						
Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.						
• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door						
LIST PRICE						
	BREFD36	1.25 x 33 x 16	85	12	.92	\$490
	BREFD30	1.25 x 27 x 16	85	11	.75	\$444
	BREFD24	1.25 x 21 x 16	70	9	.58	\$431
Perpendicular Single Table End of Run Framed Divider, Fabric						
Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes.						
LIST PRICE HP ADD DE ADD DM ADD						
	BRELD36	1.25 x 33 x 16	70	20	.92	\$321 \$118 \$234 \$364
	BRELD30	1.25 x 27 x 16	65	17	.75	\$310 \$104 \$178 \$280
	BRELD24	1.25 x 21 x 16	65	14	.58	\$278 \$87 \$161 \$244
Perpendicular Single Table End of Run Framed Divider, Laminate*						
Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.						

Required Specifications

Fabric
Finish
Bracket finish

Optional Specifications

HP laminate*
Dry erase/dry erase magnetic whiteboard*




SHARED FRAMED DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRSFD36	1.25 x 33 x 16	85	12	.92	\$479
Perpendicular Shared Framed Divider, Fabric	BRSFD30	1.25 x 27 x 16	85	11	.75	\$431
	BRSFD24	1.25 x 21 x 16	70	9	.58	\$418
	Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.					
	BRSLD36	1.25 x 33 x 16	70	20	.92	\$321
Perpendicular Shared Framed Divider, Laminate*	BRSLD30	1.25 x 27 x 16	65	17	.75	\$300
	BRSLD24	1.25 x 21 x 16	65	14	.58	\$278
	Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.					
	BREDFD63	1.25 x 57 x 16	85	21	1.58	\$758
Perpendicular Back-to-Back End of Run Framed Divider, Fabric	BREDFD51	1.25 x 45 x 16	85	18	1.25	\$668
	Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes.					
	BREDLD63	1.25 x 57 x 16	70	32	1.58	\$556
Perpendicular Back-to-Back End of Run Framed Divider, Laminate*	BREDLD51	1.25 x 45 x 16	70	26	1.25	\$452
	Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.					
	BRSDFD63	1.25 x 57 x 16	85	20	1.58	\$719
Perpendicular Back-to-Back Shared Framed Divider, Fabric	BRSDFD51	1.25 x 45 x 16	85	17	1.25	\$629
	Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.					
	<ul style="list-style-type: none"> • Cannot be used on its own without the two parallel dividers 					

Required Specifications

Fabric
Finish
Bracket finish

Optional Specifications

HP laminate*
Dry erase/dry erase magnetic whiteboard*



SHARED FRAMED DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE							
						D x W x H	LIST PRICE	HP ADD	DE ADD	DM ADD			
	BRSDDL63	1.25 x 57 x 16	70	32	1.58	\$533	\$228	\$502	\$1818				
	BRSDDL51	1.25 x 45 x 16	70	26	1.25	\$432	\$157	\$233	\$888				
Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.													
<ul style="list-style-type: none"> • Cannot be used on its own without the two parallel dividers 													
Table Mounted Framed Divider, Fabric*	BRTMFD84	1.25 x 81 x 30	70	43	4.22	LIST PRICE							
						\$1096							
						\$1020							
						\$981							
						\$948							
						\$834							
						\$744							
						\$668							
						\$594							
						\$504							
	Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.												
<ul style="list-style-type: none"> • 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door 													
Table Mounted Framed Divider, Laminate*	BRTMLD84	1.25 x 81 x 30	70	83	4.22	LIST PRICE							
						\$1387	\$455	\$1318	\$3034				
						\$1366	\$457	\$1318	\$3034				
						\$691	\$307	\$1772	\$3686				
						\$660	\$309	\$1779	\$3696				
						\$637	\$219	\$1787	\$3696				
						\$605	\$219	\$1685	\$3492				
						\$584	\$219	\$695	\$1659				
						\$562	\$219	\$704	\$1547				
						\$542	\$219	\$385	\$1200				
	Parallel divider for single tables. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM) user side only. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.												
<ul style="list-style-type: none"> • 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door 													
	BRTADPCPP	1.5 x 4.75 x 99	65	13	.48	\$665							
Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.													
<ul style="list-style-type: none"> • Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this ceiling feed. 													

Required Specifications

Fabric



Finish

Bracket finish*

BACK-TO-BACK WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTADP5136H24	50.50 x 36 x 24.63	150	33	6.31	\$1739
	BRTADP5142H24	50.50 x 42 x 24.63	150	34.50	7.36	\$1773
	BRTADP5148H24	50.50 x 48 x 24.63	150	36	8.42	\$1810
	BRTADP5154H24	50.50 x 54 x 24.63	250	37.50	9.47	\$1846
	BRTADP5160H24	50.50 x 60 x 24.63	250	39	10.52	\$1881
	BRTADP5166H24	50.50 x 66 x 24.63	250	40.50	11.57	\$1919
	BRTADP5172H24	50.50 x 72 x 24.63	250	42	12.63	\$1953
	BRTADP5178H24	50.50 x 78 x 24.63	250	43.50	13.68	\$1990
	BRTADP5184H24	50.50 x 84 x 24.63	250	45	14.73	\$2026
	BRTADP6336H24	62.50 x 36 x 24.63	150	46.50	7.81	\$1879
24" H Back-to-Back Wellness Screen	BRTADP6342H24	62.50 x 42 x 24.63	150	48	9.11	\$1913
	BRTADP6348H24	62.50 x 48 x 24.63	150	49.50	10.42	\$1952
	BRTADP6354H24	62.50 x 54 x 24.63	150	51	11.72	\$1987
	BRTADP6360H24	62.50 x 60 x 24.63	150	52.50	13.02	\$2022
	BRTADP6366H24	62.50 x 66 x 24.63	250	54	14.32	\$2059
	BRTADP6372H24	62.50 x 72 x 24.63	250	55	15.63	\$2095
	BRTADP6378H24	62.50 x 78 x 24.63	250	57.35	16.93	\$2132
	BRTADP6384H24	62.50 x 84 x 24.63	250	58.50	18.23	\$2168
	Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).					
	<ul style="list-style-type: none"> • BRTADP51xxH24 are for configurations with 24" deep surfaces. • BRTADP63xxH24 are for configurations with 30" deep surfaces. 					
	BRTADP5136H30	50.50 x 36 x 30.63	150	35.50	6.31	\$1926
	BRTADP5142H30	50.50 x 42 x 30.63	150	37	7.36	\$1969
	BRTADP5148H30	50.50 x 48 x 30.63	150	38.50	8.42	\$2008
	BRTADP5154H30	50.50 x 54 x 30.63	150	40	9.47	\$2054
	BRTADP5160H30	50.50 x 60 x 30.63	250	41.50	10.52	\$2094
	BRTADP5166H30	50.50 x 66 x 30.63	250	43	11.57	\$2138
	BRTADP5172H30	50.50 x 72 x 30.63	250	44.50	12.63	\$2177
	BRTADP5178H30	50.50 x 78 x 30.63	250	46	13.68	\$2219
	BRTADP5184H30	50.50 x 84 x 30.63	250	47.50	14.73	\$2261
	BRTADP6336H30	62.50 x 36 x 30.63	125	49	7.81	\$2165
30" H Back-to-Back Wellness Screen	BRTADP6342H30	62.50 x 42 x 30.63	150	50.50	9.11	\$2206
	BRTADP6348H30	62.50 x 48 x 30.63	150	52	10.42	\$2248
	BRTADP6354H30	62.50 x 54 x 30.63	150	53.50	11.72	\$2289
	BRTADP6360H30	62.50 x 60 x 30.63	150	55	13.02	\$2331
	BRTADP6366H30	62.50 x 66 x 30.63	250	56.50	14.32	\$2373
	BRTADP6372H30	62.50 x 72 x 30.63	250	58	15.63	\$2414
	BRTADP6378H30	62.50 x 78 x 30.63	250	59.50	16.93	\$2456
	BRTADP6384H30	62.50 x 84 x 30.63	250	61	18.23	\$2498
	Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).					
	<ul style="list-style-type: none"> • BRTADP51xxH30 are for configurations with 24" deep surfaces. • BRTADP63xxH30 are for configurations with 30" deep surfaces. 					





Required Specifications

Frame finish

BACK-TO-BACK WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE																																																						
		D x W x H																																																										
 24" H Back-to-Back Wellness Screen Extension Kit	BRTADPE5136H24	50.50 x 36 x 24.63	150	26.35	6.31	\$1178																																																						
	BRTADPE5142H24	50.50 x 42 x 24.63	250	27.85	7.36	\$1214																																																						
	BRTADPE5148H24	50.50 x 48 x 24.63	250	29.35	8.42	\$1250																																																						
	BRTADPE5154H24	50.50 x 54 x 24.63	250	30.85	9.47	\$1284																																																						
	BRTADPE5160H24	50.50 x 60 x 24.63	250	32.35	10.52	\$1322																																																						
	BRTADPE5166H24	50.50 x 66 x 24.63	250	33.85	11.57	\$1358																																																						
	BRTADPE5172H24	50.50 x 72 x 24.63	250	35.35	12.63	\$1398																																																						
	BRTADPE5178H24	50.50 x 78 x 24.63	250	36.85	13.68	\$1432																																																						
	BRTADPE5184H24	50.50 x 84 x 24.63	250	38.35	14.73	\$1467																																																						
 30" H Back-to-Back Wellness Screen Extension Kit	BRTADPE6336H24	62.50 x 36 x 24.63	150	39.85	7.81	\$1249																																																						
	BRTADPE6342H24	62.50 x 42 x 24.63	150	41.35	9.11	\$1283																																																						
	BRTADPE6348H24	62.50 x 48 x 24.63	150	42.85	10.42	\$1320																																																						
	BRTADPE6354H24	62.50 x 54 x 24.63	250	44.35	11.72	\$1357																																																						
	BRTADPE6360H24	62.50 x 60 x 24.63	250	45.85	13.02	\$1394																																																						
	BRTADPE6366H24	62.50 x 66 x 24.63	250	47.35	14.32	\$1432																																																						
	BRTADPE6372H24	62.50 x 72 x 24.63	250	48.85	15.63	\$1465																																																						
	BRTADPE6378H24	62.50 x 78 x 24.63	250	50.35	16.93	\$1502																																																						
	BRTADPE6384H24	62.50 x 84 x 24.63	250	51.85	18.23	\$1539																																																						
<p>Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).</p>																																																												
<ul style="list-style-type: none">• BRTADPE51xxH24 are for configurations with 24" deep surfaces.• BRTADPE63xxH24 are for configurations with 30" deep surfaces.																																																												
<table border="1"><tbody><tr><td>BRTADPE5136H30</td><td>50.50 x 36 x 30.63</td><td>150</td><td>28.85</td><td>6.31</td><td>\$1294</td></tr><tr><td>BRTADPE5142H30</td><td>50.50 x 42 x 30.63</td><td>150</td><td>30.35</td><td>7.36</td><td>\$1336</td></tr><tr><td>BRTADPE5148H30</td><td>50.50 x 48 x 30.63</td><td>250</td><td>31.85</td><td>8.42</td><td>\$1379</td></tr><tr><td>BRTADPE5154H30</td><td>50.50 x 54 x 30.63</td><td>250</td><td>33.35</td><td>9.47</td><td>\$1422</td></tr><tr><td>BRTADPE5160H30</td><td>50.50 x 60 x 30.63</td><td>250</td><td>34.85</td><td>10.52</td><td>\$1462</td></tr><tr><td>BRTADPE5166H30</td><td>50.50 x 66 x 30.63</td><td>250</td><td>36.35</td><td>11.57</td><td>\$1504</td></tr><tr><td>BRTADPE5172H30</td><td>50.50 x 72 x 30.63</td><td>250</td><td>37.85</td><td>12.63</td><td>\$1547</td></tr><tr><td>BRTADPE5178H30</td><td>50.50 x 78 x 30.63</td><td>250</td><td>39.35</td><td>13.68</td><td>\$1586</td></tr><tr><td>BRTADPE5184H30</td><td>50.50 x 84 x 30.63</td><td>250</td><td>40.85</td><td>14.73</td><td>\$1629</td></tr></tbody></table>	BRTADPE5136H30	50.50 x 36 x 30.63	150	28.85	6.31	\$1294	BRTADPE5142H30	50.50 x 42 x 30.63	150	30.35	7.36	\$1336	BRTADPE5148H30	50.50 x 48 x 30.63	250	31.85	8.42	\$1379	BRTADPE5154H30	50.50 x 54 x 30.63	250	33.35	9.47	\$1422	BRTADPE5160H30	50.50 x 60 x 30.63	250	34.85	10.52	\$1462	BRTADPE5166H30	50.50 x 66 x 30.63	250	36.35	11.57	\$1504	BRTADPE5172H30	50.50 x 72 x 30.63	250	37.85	12.63	\$1547	BRTADPE5178H30	50.50 x 78 x 30.63	250	39.35	13.68	\$1586	BRTADPE5184H30	50.50 x 84 x 30.63	250	40.85	14.73	\$1629						
BRTADPE5136H30	50.50 x 36 x 30.63	150	28.85	6.31	\$1294																																																							
BRTADPE5142H30	50.50 x 42 x 30.63	150	30.35	7.36	\$1336																																																							
BRTADPE5148H30	50.50 x 48 x 30.63	250	31.85	8.42	\$1379																																																							
BRTADPE5154H30	50.50 x 54 x 30.63	250	33.35	9.47	\$1422																																																							
BRTADPE5160H30	50.50 x 60 x 30.63	250	34.85	10.52	\$1462																																																							
BRTADPE5166H30	50.50 x 66 x 30.63	250	36.35	11.57	\$1504																																																							
BRTADPE5172H30	50.50 x 72 x 30.63	250	37.85	12.63	\$1547																																																							
BRTADPE5178H30	50.50 x 78 x 30.63	250	39.35	13.68	\$1586																																																							
BRTADPE5184H30	50.50 x 84 x 30.63	250	40.85	14.73	\$1629																																																							
<table border="1"><tbody><tr><td>BRTADPE6336H30</td><td>62.50 x 36 x 30.63</td><td>150</td><td>42.35</td><td>7.81</td><td>\$1376</td></tr><tr><td>BRTADPE6342H30</td><td>62.50 x 42 x 30.63</td><td>150</td><td>43.85</td><td>9.11</td><td>\$1420</td></tr><tr><td>BRTADPE6348H30</td><td>62.50 x 48 x 30.63</td><td>150</td><td>45.35</td><td>10.42</td><td>\$1461</td></tr><tr><td>BRTADPE6354H30</td><td>62.50 x 54 x 30.63</td><td>250</td><td>46.85</td><td>11.72</td><td>\$1502</td></tr><tr><td>BRTADPE6360H30</td><td>62.50 x 60 x 30.63</td><td>250</td><td>48.35</td><td>13.02</td><td>\$1544</td></tr><tr><td>BRTADPE6366H30</td><td>62.50 x 66 x 30.63</td><td>250</td><td>49.85</td><td>14.32</td><td>\$1585</td></tr><tr><td>BRTADPE6372H30</td><td>62.50 x 72 x 30.63</td><td>250</td><td>51.35</td><td>15.63</td><td>\$1629</td></tr><tr><td>BRTADPE6378H30</td><td>62.50 x 78 x 30.63</td><td>250</td><td>52.85</td><td>16.93</td><td>\$1668</td></tr><tr><td>BRTADPE6384H30</td><td>62.50 x 84 x 30.63</td><td>250</td><td>54.35</td><td>18.23</td><td>\$1711</td></tr></tbody></table>	BRTADPE6336H30	62.50 x 36 x 30.63	150	42.35	7.81	\$1376	BRTADPE6342H30	62.50 x 42 x 30.63	150	43.85	9.11	\$1420	BRTADPE6348H30	62.50 x 48 x 30.63	150	45.35	10.42	\$1461	BRTADPE6354H30	62.50 x 54 x 30.63	250	46.85	11.72	\$1502	BRTADPE6360H30	62.50 x 60 x 30.63	250	48.35	13.02	\$1544	BRTADPE6366H30	62.50 x 66 x 30.63	250	49.85	14.32	\$1585	BRTADPE6372H30	62.50 x 72 x 30.63	250	51.35	15.63	\$1629	BRTADPE6378H30	62.50 x 78 x 30.63	250	52.85	16.93	\$1668	BRTADPE6384H30	62.50 x 84 x 30.63	250	54.35	18.23	\$1711						
BRTADPE6336H30	62.50 x 36 x 30.63	150	42.35	7.81	\$1376																																																							
BRTADPE6342H30	62.50 x 42 x 30.63	150	43.85	9.11	\$1420																																																							
BRTADPE6348H30	62.50 x 48 x 30.63	150	45.35	10.42	\$1461																																																							
BRTADPE6354H30	62.50 x 54 x 30.63	250	46.85	11.72	\$1502																																																							
BRTADPE6360H30	62.50 x 60 x 30.63	250	48.35	13.02	\$1544																																																							
BRTADPE6366H30	62.50 x 66 x 30.63	250	49.85	14.32	\$1585																																																							
BRTADPE6372H30	62.50 x 72 x 30.63	250	51.35	15.63	\$1629																																																							
BRTADPE6378H30	62.50 x 78 x 30.63	250	52.85	16.93	\$1668																																																							
BRTADPE6384H30	62.50 x 84 x 30.63	250	54.35	18.23	\$1711																																																							
<p>Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).</p>																																																												
<ul style="list-style-type: none">• BRTADPE51xxH30 are for configurations with 24" deep surfaces.• BRTADPE63xxH30 are for configurations with 30" deep surfaces.																																																												



Required Specifications

Frame finish

SINGLE TABLE WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTADP2436H24	31.75 x 36 x 24.63	125	26.55	3.97	\$1200
	BRTADP2442H24	31.75 x 42 x 24.63	125	28.10	4.63	\$1238
	BRTADP2448H24	31.75 x 48 x 24.63	150	29.65	5.29	\$1272
	BRTADP2454H24	31.75 x 54 x 24.63	150	31.20	5.95	\$1309
	BRTADP2460H24	31.75 x 60 x 24.63	150	32.75	6.61	\$1346
	BRTADP2466H24	31.75 x 66 x 24.63	150	34.30	7.28	\$1380
	BRTADP2472H24	31.75 x 72 x 24.63	150	35.85	7.94	\$1418
	BRTADP2478H24	31.75 x 78 x 24.63	150	37.40	8.60	\$1455
	BRTADP2484H24	31.75 x 84 x 24.63	150	38.95	9.26	\$1490
<hr/>						
	BRTADP3036H24	37.75 x 36 x 24.63	100	40.50	4.72	\$1284
	BRTADP3042H24	37.75 x 42 x 24.63	125	42.05	5.51	\$1322
	BRTADP3048H24	37.75 x 48 x 24.63	125	43.60	6.29	\$1358
	BRTADP3054H24	37.75 x 54 x 24.63	150	42.15	7.08	\$1398
	BRTADP3060H24	37.75 x 60 x 24.63	150	46.70	7.87	\$1432
	BRTADP3066H24	37.75 x 66 x 24.63	150	48.25	8.65	\$1467
	BRTADP3072H24	37.75 x 72 x 24.63	150	49.80	9.44	\$1504
	BRTADP3078H24	37.75 x 78 x 24.63	150	51.35	10.22	\$1540
	BRTADP3084H24	37.75 x 84 x 24.63	150	52.90	11.01	\$1578
<hr/>						
24" H Single Table Wellness Screen	Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).					
	<ul style="list-style-type: none"> • BRTADP24xxH24 are for configurations with 24" deep surfaces. • BRTADP30xxH24 are for configurations with 30" deep surfaces. 					
<hr/>						
	BRTADP2436H30	31.75 x 36 x 30.63	125	28.85	3.97	\$1346
	BRTADP2442H30	31.75 x 42 x 30.63	125	30.40	4.63	\$1389
	BRTADP2448H30	31.75 x 48 x 30.63	125	31.95	5.29	\$1432
	BRTADP2454H30	31.75 x 54 x 30.63	150	33.50	5.95	\$1472
	BRTADP2460H30	31.75 x 60 x 30.63	150	35.05	6.61	\$1515
	BRTADP2466H30	31.75 x 66 x 30.63	150	36.60	7.28	\$1555
	BRTADP2472H30	31.75 x 72 x 30.63	150	38.15	7.94	\$1598
	BRTADP2478H30	31.75 x 78 x 30.63	150	39.70	8.60	\$1638
	BRTADP2484H30	31.75 x 84 x 30.63	150	41.25	9.26	\$1681
<hr/>						
	BRTADP3036H30	37.75 x 36 x 30.63	100	42.80	4.72	\$1428
	BRTADP3042H30	37.75 x 42 x 30.63	100	44.35	5.51	\$1472
	BRTADP3048H30	37.75 x 48 x 30.63	125	45.90	6.29	\$1514
	BRTADP3054H30	37.75 x 54 x 30.63	125	47.45	7.08	\$1552
	BRTADP3060H30	37.75 x 60 x 30.63	125	49	7.87	\$1594
	BRTADP3066H30	37.75 x 66 x 30.63	150	50.55	8.65	\$1637
	BRTADP3072H30	37.75 x 72 x 30.63	150	52.10	9.44	\$1676
	BRTADP3078H30	37.75 x 78 x 30.63	150	53.65	10.22	\$1720
	BRTADP3084H30	37.75 x 84 x 30.63	150	55.20	11.01	\$1763
<hr/>						
30" H Single Table Wellness Screen	Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).					
	<ul style="list-style-type: none"> • BRTADP24xxH30 are for configurations with 24" deep surfaces. • BRTADP30xxH30 are for configurations with 30" deep surfaces. 					
<hr/>						

Required Specifications

Frame finish



SINGLE TABLE WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTADPE2436H24	31.75 x 36 x 24.63	150	21.05	3.97	\$900
	BRTADPE2442H24	31.75 x 42 x 24.63	150	22.60	4.63	\$989
	BRTADPE2448H24	31.75 x 48 x 24.63	150	24.15	5.29	\$1026
	BRTADPE2454H24	31.75 x 54 x 24.63	150	25.70	5.95	\$1061
	BRTADPE2460H24	31.75 x 60 x 24.63	150	27.25	6.61	\$1096
	BRTADPE2466H24	31.75 x 66 x 24.63	250	28.80	7.28	\$1134
	BRTADPE2472H24	31.75 x 72 x 24.63	250	30.35	7.94	\$1170
	BRTADPE2478H24	31.75 x 78 x 24.63	250	31.90	8.60	\$1206
	BRTADPE2484H24	31.75 x 84 x 24.63	250	33.45	9.26	\$1240
	BRTADPE3036H24	37.75 x 36 x 24.63	125	35	4.72	\$937
24" H Single Table Wellness Screen Extension Kit	BRTADPE3042H24	37.75 x 42 x 24.63	125	36.55	5.51	\$1023
	BRTADPE3048H24	37.75 x 48 x 24.63	125	38.10	6.29	\$1061
	BRTADPE3054H24	37.75 x 54 x 24.63	150	39.65	7.08	\$1096
	BRTADPE3060H24	37.75 x 60 x 24.63	150	41.20	7.87	\$1134
	BRTADPE3066H24	37.75 x 66 x 24.63	150	42.75	8.65	\$1168
	BRTADPE3072H24	37.75 x 72 x 24.63	150	44.30	9.44	\$1203
	BRTADPE3078H24	37.75 x 78 x 24.63	150	45.85	10.01	\$1240
	BRTADPE3084H24	37.75 x 84 x 24.63	150	47.40	10.01	\$1276
	BRTADPE3036H30	31.75 x 36 x 30.63	150	22.85	3.97	\$991
	BRTADPE2442H30	31.75 x 42 x 30.63	150	24.40	4.63	\$1085
	BRTADPE2448H30	31.75 x 48 x 30.63	150	25.95	5.29	\$1125
	BRTADPE2454H30	31.75 x 54 x 30.63	150	27.50	5.95	\$1167
	BRTADPE2460H30	31.75 x 60 x 30.63	150	29.05	6.61	\$1210
	BRTADPE2466H30	31.75 x 66 x 30.63	150	30.60	7.28	\$1250
	BRTADPE2472H30	31.75 x 72 x 30.63	150	32.15	7.94	\$1291
	BRTADPE2478H30	31.75 x 78 x 30.63	250	33.70	8.60	\$1333
	BRTADPE2484H30	31.75 x 84 x 30.63	250	35.25	9.26	\$1375
	BRTADPE3036H30	37.75 x 36 x 30.63	125	36.80	4.72	\$1031
	BRTADPE3042H30	37.75 x 42 x 30.63	125	38.35	5.51	\$1125
	BRTADPE3048H30	37.75 x 48 x 30.63	125	39.90	6.29	\$1167
30" H Single Table Wellness Screen Extension Kit	BRTADPE3054H30	37.75 x 54 x 30.63	150	41.45	7.08	\$1207
	BRTADPE3060H30	37.75 x 60 x 30.63	150	43	7.87	\$1250
	BRTADPE3066H30	37.75 x 66 x 30.63	150	44.55	8.65	\$1291
	BRTADPE3072H30	37.75 x 72 x 30.63	150	46.10	9.44	\$1332
	BRTADPE3078H30	37.75 x 78 x 30.63	150	47.65	10.22	\$1375
	BRTADPE3084H30	37.75 x 84 x 30.63	150	49.20	11.01	\$1415
	BRTADPE2436H30	31.75 x 36 x 30.63	150	22.85	3.97	\$991
	BRTADPE2442H30	31.75 x 42 x 30.63	150	24.40	4.63	\$1085
	BRTADPE2448H30	31.75 x 48 x 30.63	150	25.95	5.29	\$1125
	BRTADPE2454H30	31.75 x 54 x 30.63	150	27.50	5.95	\$1167
	BRTADPE2460H30	31.75 x 60 x 30.63	150	29.05	6.61	\$1210
	BRTADPE2466H30	31.75 x 66 x 30.63	150	30.60	7.28	\$1250
	BRTADPE2472H30	31.75 x 72 x 30.63	150	32.15	7.94	\$1291
	BRTADPE2478H30	31.75 x 78 x 30.63	250	33.70	8.60	\$1333
	BRTADPE2484H30	31.75 x 84 x 30.63	250	35.25	9.26	\$1375
	BRTADPE3036H30	37.75 x 36 x 30.63	125	36.80	4.72	\$1031
	BRTADPE3042H30	37.75 x 42 x 30.63	125	38.35	5.51	\$1125
	BRTADPE3048H30	37.75 x 48 x 30.63	125	39.90	6.29	\$1167
	BRTADPE3054H30	37.75 x 54 x 30.63	150	41.45	7.08	\$1207
	BRTADPE3060H30	37.75 x 60 x 30.63	150	43	7.87	\$1250
	BRTADPE3066H30	37.75 x 66 x 30.63	150	44.55	8.65	\$1291
	BRTADPE3072H30	37.75 x 72 x 30.63	150	46.10	9.44	\$1332
	BRTADPE3078H30	37.75 x 78 x 30.63	150	47.65	10.22	\$1375
	BRTADPE3084H30	37.75 x 84 x 30.63	150	49.20	11.01	\$1415

Required Specifications

Frame finish

Required Specifications





Required 3

BACK-TO-BACK FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTADFE5136H24	50.50 x 36 x 24.60	150	23.35	6.31	\$935
	BRTADFE5142H24	50.50 x 42 x 24.60	250	24.85	7.36	\$961
	BRTADFE5148H24	50.50 x 48 x 24.60	250	26.35	8.42	\$988
	BRTADFE5154H24	50.50 x 54 x 24.60	250	27.85	9.47	\$1014
	BRTADFE5160H24	50.50 x 60 x 24.60	250	29.35	10.52	\$1040
	BRTADFE5166H24	50.50 x 66 x 24.60	250	30.85	11.57	\$1067
	BRTADFE5172H24	50.50 x 72 x 24.60	250	32.35	12.63	\$1093
	BRTADFE5178H24	50.50 x 78 x 24.60	250	33.85	13.68	\$1121
	BRTADFE5184H24	50.50 x 84 x 24.60	250	35.35	14.73	\$1174
	BRTADFE6336H24	62.50 x 36 x 24.60	150	36.85	7.81	\$985
24" H Back-to-Back Felt Divider Screen Extension Kit	BRTADFE6342H24	62.50 x 42 x 24.60	150	38.35	9.11	\$1011
	BRTADFE6348H24	62.50 x 48 x 24.60	150	39.85	10.42	\$1039
	BRTADFE6354H24	62.50 x 54 x 24.60	250	41.35	11.72	\$1064
	BRTADFE6360H24	62.50 x 60 x 24.60	250	42.85	13.02	\$1092
	BRTADFE6366H24	62.50 x 66 x 24.60	250	44.35	14.32	\$1118
	BRTADFE6372H24	62.50 x 72 x 24.60	250	45.85	15.63	\$1145
	BRTADFE6378H24	62.50 x 78 x 24.60	250	47.35	16.93	\$1171
	BRTADFE6384H24	62.50 x 84 x 24.60	250	48.85	18.23	\$1224
	Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.					
	<ul style="list-style-type: none"> • BRTADFE51xxH24 are for configurations with 24" deep surfaces. • BRTADFE63xxH24 are for configurations with 30" deep surfaces. 					
	BRTADFE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$932
	BRTADFE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$957
	BRTADFE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$982
	BRTADFE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1007
	BRTADFE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1031
	BRTADFE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1057
	BRTADFE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1081
	BRTADFE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1106
	BRTADFE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1163
	BRTADFE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$981
30" H Back-to-Back Felt Divider Screen Extension Kit	BRTADFE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1006
	BRTADFE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1030
	BRTADFE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1055
	BRTADFE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1080
	BRTADFE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1105
	BRTADFE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1129
	BRTADFE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$1154
	BRTADFE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$1210
	Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.					
	<ul style="list-style-type: none"> • BRTADFE51xxH30 are for configurations with 24" deep surfaces. • BRTADFE63xxH30 are for configurations with 30" deep surfaces. 					

Required Specifications




Frame finish

Felt finish

SINGLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTADF2436H24	31.50 x 36 x 24.60	125	22.55	3.94	\$998
	BRTADF2442H24	31.50 x 42 x 24.60	125	24.10	4.59	\$1024
	BRTADF2448H24	31.50 x 48 x 24.60	150	25.65	5.25	\$1051
	BRTADF2454H24	31.50 x 54 x 24.60	150	27.20	5.91	\$1076
	BRTADF2460H24	31.50 x 60 x 24.60	150	28.75	6.56	\$1105
	BRTADF2466H24	31.50 x 66 x 24.60	150	30.30	7.22	\$1130
	BRTADF2472H24	31.50 x 72 x 24.60	150	31.85	7.88	\$1157
	BRTADF2478H24	31.50 x 78 x 24.60	150	33.40	8.53	\$1184
	BRTADF2484H24	31.50 x 84 x 24.60	150	34.95	9.19	\$1236
<hr/>						
	BRTADF3036H24	37.75 x 36 x 24.60	100	36.50	4.72	\$1031
	BRTADF3042H24	37.75 x 42 x 24.60	125	38.05	5.51	\$1060
	BRTADF3048H24	37.75 x 48 x 24.60	125	39.60	6.29	\$1086
	BRTADF3054H24	37.75 x 54 x 24.60	150	41.15	7.08	\$1112
	BRTADF3060H24	37.75 x 60 x 24.60	150	41.70	7.87	\$1139
	BRTADF3066H24	37.75 x 66 x 24.60	150	44.25	8.65	\$1167
	BRTADF3072H24	37.75 x 72 x 24.60	150	45.80	9.44	\$1190
	BRTADF3078H24	37.75 x 78 x 24.60	150	47.35	10.22	\$1217
	BRTADF3084H24	37.75 x 84 x 24.60	150	48.90	11.01	\$1271
<hr/>						
24" H Single Table Felt Divider Screen	Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.					
	<ul style="list-style-type: none"> • BRTADF24xxH24 are for configurations with 24" deep surfaces. • BRTADF30xxH24 are for configurations with 30" deep surfaces. 					
<hr/>						
	BRTADF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$991
	BRTADF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$1017
	BRTADF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$1040
	BRTADF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$1064
	BRTADF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1089
	BRTADF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1113
	BRTADF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1139
	BRTADF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1163
	BRTADF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1222
<hr/>						
	BRTADF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$1039
	BRTADF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$1063
	BRTADF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1088
	BRTADF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1112
	BRTADF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1139
	BRTADF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1163
	BRTADF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1187
	BRTADF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1211
	BRTADF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1269
<hr/>						
30" H Single Table Felt Divider Screen	Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.					
	<ul style="list-style-type: none"> • BRTADF24xxH30 are for configurations with 24" deep surfaces. • BRTADF30xxH30 are for configurations with 30" deep surfaces. 					
<hr/>						



Required Specifications

Frame finish
Felt finish

SINGLE TABLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTADFE2436H24	31.50 x 36 x 24.60	150	18.55	3.94	\$756
	BRTADFE2442H24	31.50 x 42 x 24.60	150	20.10	4.59	\$827
	BRTADFE2448H24	31.50 x 48 x 24.60	150	21.65	5.25	\$855
	BRTADFE2454H24	31.50 x 54 x 24.60	150	23.20	5.91	\$881
	BRTADFE2460H24	31.50 x 60 x 24.60	150	24.75	6.56	\$908
	BRTADFE2466H24	31.50 x 66 x 24.60	250	26.30	7.22	\$935
	BRTADFE2472H24	31.50 x 72 x 24.60	250	27.85	7.88	\$961
	BRTADFE2478H24	31.50 x 78 x 24.60	250	29.40	8.53	\$988
	BRTADFE2484H24	31.50 x 84 x 24.60	250	30.95	9.19	\$1040
	BRTADFE3036H24	37.75 x 36 x 24.60	125	32.50	4.72	\$783
	BRTADFE3042H24	37.75 x 42 x 24.60	125	34.05	5.51	\$856
	BRTADFE3048H24	37.75 x 48 x 24.60	125	35.60	6.29	\$883
	BRTADFE3054H24	37.75 x 54 x 24.60	150	37.15	7.08	\$909
	BRTADFE3060H24	37.75 x 60 x 24.60	150	38.70	7.87	\$937
	BRTADFE3066H24	37.75 x 66 x 24.60	150	40.25	8.65	\$963
	BRTADFE3072H24	37.75 x 72 x 24.60	150	41.80	9.44	\$990
	BRTADFE3078H24	37.75 x 78 x 24.60	150	43.35	10.01	\$1017
	BRTADFE3084H24	37.75 x 84 x 24.60	150	44.90	10.01	\$1070
24" H Single Table Felt Divider Screen Extension Kit	<p>Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.</p> <ul style="list-style-type: none"> • BRTADFE24xxH24 are for configurations with 24" deep surfaces. • BRTADFE30xxH24 are for configurations with 30" deep surfaces. 					
	BRTADFE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$792
	BRTADFE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$864
	BRTADFE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$888
	BRTADFE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$913
	BRTADFE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$938
	BRTADFE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$963
	BRTADFE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$988
	BRTADFE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$1011
	BRTADFE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1070
30" H Single Table Felt Divider Screen Extension Kit	<p>Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.</p> <ul style="list-style-type: none"> • BRTADFE24xxH30 are for configurations with 24" deep surfaces. • BRTADFE30xxH30 are for configurations with 30" deep surfaces. 					

Required Specifications

Frame finish
Felt finish



BACK-TO-BACK GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD	
D x W x H								
	BRTADG5136H24	50.50 x 36 x 24.60	150	28	6.31	\$1540	\$471	
	BRTADG5142H24	50.50 x 42 x 24.60	150	29.50	7.36	\$2389	\$485	
	BRTADG5148H24	50.50 x 48 x 24.60	150	31	8.42	\$2445	\$491	
	BRTADG5154H24	50.50 x 54 x 24.60	250	32.50	9.47	\$2500	\$506	
	BRTADG5160H24	50.50 x 60 x 24.60	250	34	10.52	\$2554	\$513	
	BRTADG5166H24	50.50 x 66 x 24.60	250	35.50	11.57	\$2609	\$527	
	BRTADG5172H24	50.50 x 72 x 24.60	250	37	12.63	\$2665	\$542	
	BRTADG5178H24	50.50 x 78 x 24.60	250	38.50	13.68	\$2721	\$547	
	BRTADG5184H24	50.50 x 84 x 24.60	250	40	14.73	\$2776	\$560	
	BRTADG6336H24	62.50 x 36 x 24.60	150	41.50	7.81	\$2554	\$513	
	BRTADG6342H24	62.50 x 42 x 24.60	150	43	9.11	\$2603	\$527	
	BRTADG6348H24	62.50 x 48 x 24.60	150	44.50	10.42	\$2665	\$542	
	BRTADG6354H24	62.50 x 54 x 24.60	150	46	11.72	\$2714	\$547	
	BRTADG6360H24	62.50 x 60 x 24.60	150	47.50	13.02	\$2776	\$560	
	BRTADG6366H24	62.50 x 66 x 24.60	250	49	14.32	\$2830	\$568	
	BRTADG6372H24	62.50 x 72 x 24.60	250	50.50	15.63	\$2879	\$582	
	BRTADG6378H24	62.50 x 78 x 24.60	250	52	16.93	\$2941	\$595	
	BRTADG6384H24	62.50 x 84 x 24.60	250	53.50	18.23	\$2990	\$603	
	24" H Back-to-Back Glass Divider Screen	Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).						
	<ul style="list-style-type: none"> • BRTADG51xxH24 are for configurations with 24" deep surfaces. • BRTADG63xxH24 are for configurations with 30" deep surfaces. 							
	BRTADG5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$2466	\$498	
	BRTADG5142H30	50.50 x 42 x 30.60	150	32	7.36	\$2528	\$513	
	BRTADG5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$2576	\$520	
	BRTADG5154H30	50.50 x 54 x 30.60	150	35	9.47	\$2639	\$533	
	BRTADG5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$2693	\$542	
	BRTADG5166H30	50.50 x 66 x 30.60	250	38	11.57	\$2748	\$554	
	BRTADG5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$2782	\$560	
	BRTADG5178H30	50.50 x 78 x 30.60	250	41	13.68	\$2865	\$575	
	BRTADG5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$2920	\$589	
	30" H Back-to-Back Glass Divider Screen	Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).						
	<ul style="list-style-type: none"> • BRTADG51xxH30 are for configurations with 24" deep surfaces. • BRTADG63xxH30 are for configurations with 30" deep surfaces. 							
	BRTADG6336H30	62.50 x 36 x 30.60	125	44	7.81	\$2768	\$560	
	BRTADG6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$2824	\$568	
	BRTADG6348H30	62.50 x 48 x 30.60	150	47	10.42	\$2879	\$582	
	BRTADG6354H30	62.50 x 54 x 30.60	150	48.50	11.72	\$2941	\$595	
	BRTADG6360H30	62.50 x 60 x 30.60	150	50	13.02	\$2996	\$603	
	BRTADG6366H30	62.50 x 66 x 30.60	250	51.50	14.32	\$3043	\$616	
	BRTADG6372H30	62.50 x 72 x 30.60	250	53	15.63	\$3087	\$621	
	BRTADG6378H30	62.50 x 78 x 30.60	250	54.50	16.93	\$3161	\$637	
	BRTADG6384H30	62.50 x 84 x 30.60	250	56	18.23	\$3224	\$651	
	Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).							
	<ul style="list-style-type: none"> • BRTADG51xxH30 are for configurations with 24" deep surfaces. • BRTADG63xxH30 are for configurations with 30" deep surfaces. 							

Required specifications

Frame finish

Optional specifications

Frosted glass (FRST)




BACK-TO-BACK GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H							
	BRTADGE5136H24	50.50 x 36 x 24.60	150	23.35	6.31	\$1540	\$311
	BRTADGE5142H24	50.50 x 42 x 24.60	250	24.85	7.36	\$1597	\$326
	BRTADGE5148H24	50.50 x 48 x 24.60	250	26.35	8.42	\$1650	\$334
	BRTADGE5154H24	50.50 x 54 x 24.60	250	27.85	9.47	\$1707	\$347
	BRTADGE5160H24	50.50 x 60 x 24.60	250	29.35	10.52	\$1762	\$355
	BRTADGE5166H24	50.50 x 66 x 24.60	250	30.85	11.57	\$1816	\$368
	BRTADGE5172H24	50.50 x 72 x 24.60	250	32.35	12.63	\$1872	\$382
	BRTADGE5178H24	50.50 x 78 x 24.60	250	33.85	13.68	\$1926	\$389
	BRTADGE5184H24	50.50 x 84 x 24.60	250	35.35	14.73	\$1982	\$403
	BRTADGE6336H24	62.50 x 36 x 24.60	150	36.85	7.81	\$1650	\$334
24" H Back-to-Back Glass Divider Screen Extension Kit	BRTADGE6342H24	62.50 x 42 x 24.60	150	38.35	9.11	\$1707	\$347
	BRTADGE6348H24	62.50 x 48 x 24.60	150	39.85	10.42	\$1762	\$355
	BRTADGE6354H24	62.50 x 54 x 24.60	250	41.35	11.72	\$1816	\$368
	BRTADGE6360H24	62.50 x 60 x 24.60	250	42.85	13.02	\$1863	\$373
	BRTADGE6366H24	62.50 x 66 x 24.60	250	44.35	14.32	\$1926	\$389
	BRTADGE6372H24	62.50 x 72 x 24.60	250	45.85	15.63	\$1982	\$403
	BRTADGE6378H24	62.50 x 78 x 24.60	250	47.35	16.93	\$2031	\$408
	BRTADGE6384H24	62.50 x 84 x 24.60	250	48.85	18.23	\$2093	\$422
	Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).						
	<ul style="list-style-type: none"> • BRTADGE51xxH24 are for configurations with 24" deep surfaces. • BRTADGE63xxH24 are for configurations with 30" deep surfaces. 						
	BRTADGE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$1631	\$334
	BRTADGE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$1678	\$340
	BRTADGE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$1733	\$355
	BRTADGE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1796	\$360
	BRTADGE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1850	\$373
	BRTADGE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1913	\$389
	BRTADGE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1941	\$396
	BRTADGE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$2018	\$408
	BRTADGE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$2079	\$422
	BRTADGE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$1733	\$355
30" H Back-to-Back Glass Divider Screen Extension Kit	BRTADGE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1796	\$360
	BRTADGE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1850	\$373
	BRTADGE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1907	\$389
	BRTADGE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1961	\$396
	BRTADGE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$2018	\$408
	BRTADGE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$2058	\$417
	BRTADGE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$2135	\$430
	BRTADGE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$2189	\$444
	Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).						
	<ul style="list-style-type: none"> • BRTADGE51xxH30 are for configurations with 24" deep surfaces. • BRTADGE63xxH30 are for configurations with 30" deep surfaces. 						

Required specifications

Frame finish

Optional specifications

Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H							
	BRTADG2436H24	31.50 x 36 x 24.60	125	22.55	3.94	\$1685	\$340
	BRTADG2442H24	31.50 x 42 x 24.60	125	24.10	4.59	\$1740	\$355
	BRTADG2448H24	31.50 x 48 x 24.60	150	25.65	5.25	\$1796	\$360
	BRTADG2454H24	31.50 x 54 x 24.60	150	27.20	5.91	\$1850	\$373
	BRTADG2460H24	31.50 x 60 x 24.60	150	28.75	6.56	\$1907	\$389
	BRTADG2466H24	31.50 x 66 x 24.60	150	30.30	7.22	\$1961	\$396
	BRTADG2472H24	31.50 x 72 x 24.60	150	31.85	7.88	\$2018	\$408
	BRTADG2478H24	31.50 x 78 x 24.60	150	33.40	8.53	\$2072	\$417
	BRTADG2484H24	31.50 x 84 x 24.60	150	34.95	9.19	\$2127	\$430
	BRTADG3036H24	37.75 x 36 x 24.60	100	36.50	4.72	\$1796	\$360
	BRTADG3042H24	37.75 x 42 x 24.60	125	38.05	5.51	\$1845	\$373
	BRTADG3048H24	37.75 x 48 x 24.60	125	39.60	6.29	\$1907	\$389
	BRTADG3054H24	37.75 x 54 x 24.60	125	41.15	7.08	\$1955	\$396
	BRTADG3060H24	37.75 x 60 x 24.60	150	41.70	7.87	\$2010	\$408
	BRTADG3066H24	37.75 x 66 x 24.60	150	44.25	8.65	\$2066	\$417
	BRTADG3072H24	37.75 x 72 x 24.60	150	45.80	9.44	\$2120	\$430
	BRTADG3078H24	37.75 x 78 x 24.60	150	47.35	10.22	\$2174	\$436
	BRTADG3084H24	37.75 x 84 x 24.60	150	48.90	11.01	\$2231	\$451
24" H Single Table Glass Divider Screen	Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.						
	<ul style="list-style-type: none"> • BRTADG24xxH24 are for configurations with 24" deep surfaces. • BRTADG30xxH24 are for configurations with 30" deep surfaces. 						
	BRTADG2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$1762	\$355
	BRTADG2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$1810	\$368
	BRTADG2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$1863	\$373
	BRTADG2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$1926	\$389
	BRTADG2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1982	\$403
	BRTADG2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$2044	\$417
	BRTADG2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$2072	\$417
	BRTADG2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$2148	\$436
	BRTADG2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$2209	\$444
30" H Single Table Glass Divider Screen	Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).						
	<ul style="list-style-type: none"> • BRTADG24xxH30 are for configurations with 24" deep surfaces. • BRTADG30xxH30 are for configurations with 30" deep surfaces. 						

Required specifications

Frame finish


Optional specifications

Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H						
BRTADGE2436H24	31.50 x 36 x 24.60	150	18.55	3.94	\$1210	\$243
BRTADGE2442H24	31.50 x 42 x 24.60	150	20.10	4.59	\$1320	\$272
BRTADGE2448H24	31.50 x 48 x 24.60	150	21.65	5.25	\$1367	\$278
BRTADGE2454H24	31.50 x 54 x 24.60	150	23.20	5.91	\$1423	\$292
BRTADGE2460H24	31.50 x 60 x 24.60	150	24.75	6.56	\$1479	\$299
BRTADGE2466H24	31.50 x 66 x 24.60	250	26.30	7.22	\$1534	\$311
BRTADGE2472H24	31.50 x 72 x 24.60	250	27.85	7.88	\$1588	\$320
BRTADGE2478H24	31.50 x 78 x 24.60	250	29.40	8.53	\$1645	\$334
BRTADGE2484H24	31.50 x 84 x 24.60	250	30.95	9.19	\$1699	\$347
BRTADGE3036H24	37.75 x 36 x 24.60	125	32.50	4.72	\$1265	\$257
BRTADGE3042H24	37.75 x 42 x 24.60	125	34.05	5.51	\$1375	\$278
BRTADGE3048H24	37.75 x 48 x 24.60	125	35.60	6.29	\$1429	\$292
BRTADGE3054H24	37.75 x 54 x 24.60	150	37.15	7.08	\$1485	\$299
BRTADGE3060H24	37.75 x 60 x 24.60	150	38.70	7.87	\$1540	\$311
BRTADGE3066H24	37.75 x 66 x 24.60	150	40.25	8.65	\$1597	\$326
BRTADGE3072H24	37.75 x 72 x 24.60	150	41.80	9.44	\$1650	\$334
BRTADGE3078H24	37.75 x 78 x 24.60	150	43.35	10.01	\$1707	\$347
BRTADGE3084H24	37.75 x 84 x 24.60	150	44.90	10.01	\$1762	\$355

24"H Single Table Glass Divider Screen Extension Kit




Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

- **BRTADGE24xxH24** are for configurations with 24" deep surfaces.
- **BRTADGE30xxH24** are for configurations with 30" deep surfaces.

Required specifications
Frame finish

Optional specifications
Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H							
	BRTADGE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$1265	\$1522
	BRTADGE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$1375	\$278
	BRTADGE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$1429	\$292
	BRTADGE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$1491	\$305
	BRTADGE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$1547	\$311
	BRTADGE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$1610	\$326
	BRTADGE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$1637	\$334
	BRTADGE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$1713	\$347
	BRTADGE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1775	\$360
	BRTADGE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$1327	\$272
	BRTADGE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$1429	\$292
	BRTADGE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$1491	\$305
	BRTADGE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$1547	\$311
	BRTADGE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$1610	\$326
	BRTADGE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$1659	\$334
	BRTADGE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$1693	\$340
	BRTADGE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$1775	\$360
	BRTADGE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1831	\$368



30''H Single Table Glass Divider Screen Extension Kit


Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADGE24xxH30** are for configurations with 24" deep surfaces.
- **BRTADGE30xxH30** are for configurations with 30" deep surfaces.

Required specifications
Frame finish

Optional specifications
Frosted glass (FRST)

STARTER BEAM	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRPBS1824	24 x 24 x 18	250	20.23	6	\$492
	BRPBS1830	24 x 30 x 18	250	21.83	7.5	\$522
	BRPBS1836	24 x 36 x 18	250	23.14	9	\$546
	BRPBS1842	24 x 42 x 18	250	24.46	10.5	\$570
	BRPBS1848	24 x 48 x 18	250	25.77	12	\$601
	BRPBS1854	24 x 54 x 18	250	27.08	13.5	\$627
	BRPBS1860	24 x 60 x 18	300	28.39	15	\$651
	BRPBS1866	24 x 66 x 18	300	29.7	16.5	\$681
	BRPBS1872	24 x 72 x 18	300	31.01	18	\$721
	BRPBS2624	24 x 24 x 26	250	21.24	8.7	\$524
	BRPBS2630	24 x 30 x 26	250	22.84	10.8	\$554
	BRPBS2636	24 x 36 x 26	300	24.15	13	\$577
	BRPBS2642	24 x 42 x 26	300	25.47	15.2	\$602
	BRPBS2648	24 x 48 x 26	300	26.77	17.3	\$633
	BRPBS2654	24 x 54 x 26	300	28.09	19.5	\$659
	BRPBS2660	24 x 60 x 26	300	29.4	21.7	\$683
	BRPBS2666	24 x 66 x 26	300	30.7	28.8	\$713
	BRPBS2672	24 x 72 x 26	300	32.02	26	\$753
	BRPBS3424	24 x 24 x 34	300	22.25	11.3	\$552
	BRPBS3430	24 x 30 x 34	300	23.85	14.2	\$592
	BRPBS3436	24 x 36 x 34	300	25.16	17	\$616
	BRPBS3442	24 x 42 x 34	300	26.47	19.8	\$641
	BRPBS3448	24 x 48 x 34	300	27.78	22.7	\$672
	BRPBS3454	24 x 54 x 34	300	29.09	25.5	\$697
	BRPBS3460	24 x 60 x 34	300	30.4	28.3	\$722
	BRPBS3466	24 x 66 x 34	300	31.71	31.2	\$747
	BRPBS3472	24 x 72 x 34	400	33.02	34	\$795




Starter Beam

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face plate on each side while 24" wide beams accommodate one electrical duplex and one communication face plate on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (BRPBTC), Glass and top trim kit (BRPBEG), or PET felt and top trim kit (BRPBTF) separately. Specify electrical components separately.

Required Specifications


Paint finish

ADD-ON BEAM / TRIM KIT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRPBA1824	24 x 24 x 18	250	14.46	6	\$362
	BRPBA1830	24 x 30 x 18	250	16.06	7.5	\$392
	BRPBA1836	24 x 36 x 18	300	17.37	9	\$415
	BRPBA1842	24 x 42 x 18	300	18.68	10.5	\$440
	BRPBA1848	24 x 48 x 18	300	19.99	12	\$471
	BRPBA1854	24 x 54 x 18	300	21.31	13.5	\$497
	BRPBA1860	24 x 60 x 18	300	22.62	15	\$521
	BRPBA1866	24 x 66 x 18	300	23.92	16.5	\$547
	BRPBA1872	24 x 72 x 18	300	25.24	18	\$590
	BRPBA2624	24 x 24 x 26	300	15.5	8.7	\$394
	BRPBA2630	24 x 30 x 26	300	17.11	10.8	\$424
	BRPBA2636	24 x 36 x 26	300	18.42	13	\$447
	BRPBA2642	24 x 42 x 26	300	19.73	15.2	\$472
	BRPBA2648	24 x 48 x 26	300	21.04	17.3	\$503
	BRPBA2654	24 x 54 x 26	300	22.35	19.5	\$529
	BRPBA2660	24 x 60 x 26	300	23.66	21.7	\$553
	BRPBA2666	24 x 66 x 26	300	24.97	23.8	\$579
	BRPBA2672	24 x 72 x 26	300	26.28	26	\$622
	BRPBA3424	24 x 24 x 34	300	16.55	11.3	\$432
	BRPBA3430	24 x 30 x 34	300	18.15	14.2	\$462
	BRPBA3436	24 x 36 x 34	300	19.46	17	\$485
	BRPBA3442	24 x 42 x 34	300	20.77	19.8	\$510
	BRPBA3448	24 x 48 x 34	400	22.08	22.7	\$541
	BRPBA3454	24 x 54 x 34	400	23.4	25.5	\$567
	BRPBA3460	24 x 60 x 34	400	24.71	28.3	\$591
	BRPBA3466	24 x 66 x 34	400	26.01	31.2	\$617
	BRPBA3472	24 x 72 x 34	400	27.33	34	\$661



Add-On Beam

Add-on beam connects to the Starter Beam and serves to extend the run of powerbeams as desired. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. Add-on beam consists of horizontal channel, raceway covers, two legs, one foot and a pair of beam-to-beam connecting capture strips. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. The foot has a depth of 24". Specify standard Flat Top Trim (BRP BTC), Glass and top trim kit (BRP BEG), or PET felt and top trim kit (BRP BEF) separately. Specify electrical components separately.




Flat Top Trim Kit

Attaches on top of beams to add privacy or divide space. Flat top trim is made of aluminum extrusion. Specify finish.

Required Specifications

Paint finish


TOP TRIM KITS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		FRST ADD
	BRPBEG0824	2.61 x 24 x 8	60	9.42	0.3	\$152	\$99	
	BRPBEG0830	2.61 x 30 x 8	60	11.79	0.4	\$161	\$99	
	BRPBEG0836	2.61 x 36 x 8	60	14.15	0.4	\$170	\$99	
	BRPBEG0842	2.61 x 42 x 8	60	16.52	0.5	\$180	\$99	
	BRPBEG0848	2.61 x 48 x 8	60	18.88	0.6	\$198	\$110	
	BRPBEG0854	2.61 x 54 x 8	60	19.52	0.7	\$219	\$124	
	BRPBEG0860	2.61 x 60 x 8	65	20.58	0.7	\$240	\$138	
	BRPBEG0866	2.61 x 66 x 8	65	21.55	0.8	\$261	\$151	
	BRPBEG0872	2.61 x 72 x 8	65	23.62	0.9	\$289	\$164	
	BRPBEG1624	2.61 x 24 x 16	70	9.81	0.6	\$158	\$99	
	BRPBEG1630	2.61 x 30 x 16	70	12.37	0.7	\$194	\$117	
	BRPBEG1636	2.61 x 36 x 16	70	14.85	0.9	\$218	\$148	
	BRPBEG1642	2.61 x 42 x 16	70	17.34	1	\$247	\$173	
	BRPBEG1648	2.61 x 48 x 16	70	19.82	1.2	\$277	\$198	
	BRPBEG1654	2.61 x 54 x 16	70	21.25	1.3	\$307	\$194	
	BRPBEG1660	2.61 x 60 x 16	70	23.62	1.5	\$337	\$247	
	BRPBEG1666	2.61 x 66 x 16	70	25.98	1.6	\$367	\$272	
	BRPBEG1672	2.61 x 72 x 16	70	28.35	1.7	\$404	\$296	



Embedded Glass and Top Trim Kit*

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass.

BRPBFEF0824	2.61 x 24 x 8	70	1.32	0.3	\$74
BRPBFEF0830	2.61 x 30 x 8	70	1.65	0.4	\$79
BRPBFEF0836	2.61 x 36 x 8	70	1.99	0.4	\$103
BRPBFEF0842	2.61 x 42 x 8	150	2.32	0.5	\$108
BRPBFEF0848	2.61 x 48 x 8	150	2.65	0.6	\$194
BRPBFEF0854	2.61 x 54 x 8	150	2.98	0.7	\$199
BRPBFEF0860	2.61 x 60 x 8	150	3.32	0.7	\$203
BRPBFEF0866	2.61 x 66 x 8	150	3.65	0.8	\$208
BRPBFEF0872	2.61 x 72 x 8	150	3.98	0.9	\$218







Embedded PET Felt and Top Trim Kit**

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

Required Specifications

Optional Specifications

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRPBEP0824	2.61 x 24 x 8	70	1.32	0.3	\$148
BRPBEP0830	2.61 x 30 x 8	70	1.65	0.4	\$157
BRPBEP0836	2.61 x 36 x 8	70	1.99	0.4	\$206
BRPBEP0842	2.61 x 42 x 8	150	2.32	0.5	\$215
BRPBEP0848	2.61 x 48 x 8	150	2.65	0.6	\$388
BRPBEP0854	2.61 x 54 x 8	150	2.98	0.7	\$397
BRPBEP0860	2.61 x 60 x 8	150	3.32	0.7	\$406
BRPBEP0866	2.61 x 66 x 8	150	3.65	0.8	\$415
BRPBEP0872	2.61 x 72 x 8	150	3.98	0.9	\$436
BRPBEP1624	2.61 x 24 x 16	70	1.83	0.6	\$148
BRPBEP1630	2.61 x 30 x 16	250	2.3	0.7	\$157
BRPBEP1636	2.61 x 36 x 16	250	2.76	0.9	\$206
BRPBEP1642	2.61 x 42 x 16	250	3.22	1	\$215
BRPBEP1648	2.61 x 48 x 16	250	3.68	1.2	\$388
BRPBEP1654	2.61 x 54 x 16	250	4.14	1.3	\$397
BRPBEP1660	2.61 x 60 x 16	250	4.61	1.5	\$406
BRPBEP1666	2.61 x 66 x 16	250	5.07	1.6	\$415
BRPBEP1672	2.61 x 72 x 16	250	5.53	1.7	\$436
 					
Embedded Perforated PET Felt and Top Trim Kit					
Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, perforated PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.					
BPX30P0824	2.61 x 24 x 8	100	4	0.44	\$134
BPX30P0830	2.61 x 30 x 8	125	4	0.66	\$147
BPX30P0836	2.61 x 36 x 8	150	4	0.71	\$159
BPX30P0842	2.61 x 42 x 8	150	5	0.88	\$174
BPX30P0848	2.61 x 48 x 8	150	5	0.93	\$185
BPX30P0854	2.61 x 54 x 8	150	6	1.04	\$196
BPX30P0860	2.61 x 60 x 8	150	6	1.2	\$207
BPX30P0866	2.61 x 66 x 8	150	7	1.31	\$301
BPX30P0872	2.61 x 72 x 8	150	8	1.42	\$392
BPX30P1624	2.61 x 24 x 16	125	5	0.73	\$134
BPX30P1630	2.61 x 30 x 16	150	5	1.09	\$147
BPX30P1636	2.61 x 36 x 16	150	5	1.19	\$159
BPX30P1642	2.61 x 42 x 16	150	6	1.46	\$174
BPX30P1648	2.61 x 48 x 16	250	6	1.55	\$185
BPX30P1654	2.61 x 54 x 16	150	7	1.73	\$196
BPX30P1660	2.61 x 60 x 16	250	7	2.01	\$207
BPX30P1666	2.61 x 66 x 16	150	9	2.17	\$301
BPX30P1672	2.61 x 72 x 16	150	10	2.37	\$392
 					
Overpanel Frame					
Attaches on top of beams to add privacy or divide space. Consists of extruded aluminum frame and bayonets connecting the frame to the top of the beam vertical leg. Any tile can be attached to either side to enclose the frame. Specify standard Flat Top Trim (BRPBTC), Glass and top trim kit (BRPBEG) or PET felt and top trim kit (BRPBEP) separately.					
• Maximum height of beam with overpanel is 42".					
 <hr/>					
Required Specifications					
Paint finish					


REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		
		D x W x H				GR 1	GR 2	LAMINATE
	BP3FT0824	2.61 x 24 x 8	125	1	0.3	\$156	\$156	\$170
	BP3FT0830	2.61 x 30 x 8	125	2	0.4	\$178	\$178	\$197
	BP3FT0836	2.61 x 36 x 8	125	2	0.4	\$211	\$211	\$237
	BP3FT0842	2.61 x 42 x 8	150	2	0.6	\$227	\$227	\$249
	BP3FT0848	2.61 x 48 x 8	150	3	0.7	\$237	\$237	\$257
	BP3FT0854	2.61 x 54 x 8	60	3	0.1	\$246	\$246	\$267
	BP3FT0860	2.61 x 60 x 8	125	4	0.8	\$254	\$254	\$274
	BP3FT0866	2.61 x 66 x 8	150	4	0.9	\$443	\$443	\$533
	BP3FT0872	2.61 x 72 x 8	150	4	1	\$569	\$569	\$711
	BP3FT1624	2.61 x 24 x 16	125	2	0.3	\$156	\$156	\$170
Removable Face Tile, Fabric or Laminate*	BP3FT1630	2.61 x 30 x 16	125	3	0.4	\$178	\$178	\$197
	BP3FT1636	2.61 x 36 x 16	125	3	0.4	\$211	\$211	\$237
	BP3FT1642	2.61 x 42 x 16	150	3	0.6	\$227	\$227	\$249
	BP3FT1648	2.61 x 48 x 16	150	4	0.7	\$237	\$237	\$257
	BP3FT1654	2.61 x 54 x 16	60	4	0.1	\$246	\$246	\$267
	BP3FT1660	2.61 x 60 x 16	125	5	0.8	\$254	\$254	\$274
	BP3FT1666	2.61 x 66 x 16	150	5	0.9	\$443	\$443	\$533
	BP3FT1672	2.61 x 72 x 16	125	6	1	\$569	\$569	\$711
	Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.							
	BP3AT0824	2.61 x 24 x 8	85	2.3	0.17	\$185		
	BP3AT0830	2.61 x 30 x 8	85	2.9	0.21	\$197		
	BP3AT0836	2.61 x 36 x 8	85	3.5	0.25	\$238		
	BP3AT0842	2.61 x 42 x 8	85	4.1	0.29	\$281		
	BP3AT0848	2.61 x 48 x 8	85	4.7	0.33	\$326		
	BP3AT0854	2.61 x 54 x 8	85	5.3	0.38	\$356		
	BP3AT0860	2.61 x 60 x 8	85	5.9	0.42	\$402		
	BP3AT0866	2.61 x 66 x 8	85	6.5	0.46	\$577		
	BP3AT0872	2.61 x 72 x 8	85	7	0.5	\$750		
	BP3AT1624	2.61 x 24 x 16	85	4.7	0.33	\$185		
	BP3AT1630	2.61 x 30 x 16	85	5.7	0.42	\$197		
Removable Face Tile, Accessory	BP3AT1636	2.61 x 36 x 16	85	7	0.5	\$238		
	BP3AT1642	2.61 x 42 x 16	85	8.2	0.58	\$281		
	BP3AT1648	2.61 x 48 x 16	85	9.4	0.67	\$326		
	BP3AT1654	2.61 x 54 x 16	85	10.6	0.75	\$356		
	BP3AT1660	2.61 x 60 x 16	85	11.9	0.83	\$402		
	BP3AT1666	2.61 x 66 x 16	85	13	0.91	\$577		
	BP3AT1672	2.61 x 72 x 16	85	14	1	\$750		
	Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.							

Required Specifications

Fabric or Finish*

Paint finish

REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H							
	BP3GT0824	2.61 x 24 x 8	70	3.1	0.2	\$152	\$42
	BP3GT0830	2.61 x 30 x 8	70	3.9	0.2	\$193	\$42
	BP3GT0836	2.61 x 36 x 8	70	4.7	0.3	\$235	\$39
	BP3GT0842	2.61 x 42 x 8	70	5.5	0.3	\$271	\$44
	BP3GT0848	2.61 x 48 x 8	70	6.3	0.3	\$315	\$40
	BP3GT0854	2.61 x 54 x 8	70	7.1	0.4	\$350	\$44
	BP3GT0860	2.61 x 60 x 8	70	7.8	0.4	\$394	\$41
	BP3GT0866	2.61 x 66 x 8	70	8.6	0.5	\$561	\$42
	BP3GT0872	2.61 x 72 x 8	70	9.4	0.5	\$731	\$41



Removable Face Tile, Glass*

Removable glass tile attaches to the overpanel frame to add visual accessibility and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard.

Add 20% upcharge for frosted glass (FRST).



90 Degree Post

Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.

BRP3PS018	2.61 x 2.61 x 18	65	3	0.1	\$59
BRP3PS026	2.61 x 2.61 x 26	65	3.6	0.1	\$84
BRP3PS034	2.61 x 2.61 x 34	65	4	0.1	\$109



60 Degree Post

Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way.

BRP3PS60018	2.61 x 2.61 x 18	65	3	0.1	\$59
BRP3PS60026	2.61 x 2.61 x 26	65	3.6	0.1	\$84
BRP3PS60034	2.61 x 2.61 x 34	65	4	0.1	\$109



45 Degree Post




Post facilitates two beams at a 45° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.

Required Specifications

Paint finish



Optional Specifications

Frosted glass (FRST)*

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	BRPVTRF18	2.61 x 2.61 x 18	70	0.5	0.01	\$46
	BRPVTRF26	2.61 x 2.61 x 26	70	0.72	0.02	\$67
	BRPVTRF34	2.61 x 2.61 x 34	70	0.94	0.03	\$89
	BRPVTRF42	2.61 x 2.61 x 42	70	1.16	0.04	\$130
Post Trim	Attaches to post. Consists of extruded aluminum post and one pair of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.					
	BA3VTEF8	0.13 x 2.61 x 8	70	0.2	0.01	\$26
	BA3VTEF16	0.13 x 2.61 x 16	70	0.5	0.01	\$55
	BA3VTEF32	0.13 x 2.61 x 32	xx	1.1	0.06	\$82
Overpanel End Trim	Attaches to sides of overpanel extension frame. Consists of extruded aluminum post, die-cast corner and one pair of capture strip connectors. When specified as an add-on, use with overpanel frame. Alternatively, we recommend using the BRPVTRFxx of the appropriate size for a clean, seamless trim.					
	BRPRB	7.5 x 7.5 x 6.5	60	3.67	0.01	\$285
Round Disc Base for Post	Attaches to the bottom of a BRP3PS post to provide stability at an intersection. Round metal plate is 1/4" thick.					
	BEPE81	2.61 x 2.61 x 81	65	9	0.4	\$227
Post Extension	Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only.					
	Post extension will accept:					
	- (75) 5.6mm dia. data cables					
	- (60) 5.6mm (0.22") dia. data cables with 1 power feed					
	- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds					
	BH3PE008	2.61 x 2.61 x 8	x	1	0.03	\$51
	BH3PE016	2.61 x 2.61 x 16	x	2	0.07	\$62
	BH3PE032	2.61 x 2.61 x 32	x	4	0.14	\$109
	BH3PE45016	2.61 x 2.61 x 16	x	2	0.07	\$62
	BH3PE45032	2.61 x 2.61 x 32	x	4	0.14	\$109
	BH3PE60016	2.61 x 2.61 x 16	x	2	0.07	\$62
	BH3PE60032	2.61 x 2.61 x 32	x	4	0.14	\$109
Post Extension for Over Panels	Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.					


Required Specifications

Paint finish

END OF RUN GALLERY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	B3LEP4227NC	1 x 26.5 x 42	60	29.49	0.64	\$1020
	B3LEP4251NC	1 x 51 x 42	60	55.17	1.24	\$1497
	B3LEP4263NC	1 x 63 x 42	60	68.01	1.53	\$1677
	B3LEP4275NC	1 x 75 x 42	60	80.86	1.82	\$1866
	B3LEP5027NC	1 x 26.5 x 50	60	35.25	0.77	\$1190
	B3LEP5051NC	1 x 51 x 50	60	65.92	1.48	\$1738
	B3LEP5063NC	1 x 63 x 50	60	81.27	1.82	\$1959
	B3LEP5075NC	1 x 75 x 50	60	96.62	2.17	\$2210
End of Run Gallery Panel, T-config	No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.					
• Power beam and overpanel must add up to height of gallery panels.						
	B3LSEPL4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
	B3LSEPL4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
	B3LSEPL4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
	B3LSEPL4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
	B3LSEPL5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
	B3LSEPL5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
	B3LSEPL5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
	B3LSEPL5039NC	1 x 39 x 50	60	50.57	1.13	\$1505
Left End of Run Gallery Panel, L-config	No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.					
• Power beam and overpanel must add up to height of gallery panels.						
	B3LSEPR4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
	B3LSEPR4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
	B3LSEPR4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
	B3LSEPR4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
	B3LSEPR5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
	B3LSEPR5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
	B3LSEPR5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
	B3LSEPR5039NC	1 x 39 x 50	60	50.57	1.13	\$1505
Right End of Run Gallery Panel, L-config	No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.					
• Power beam and overpanel must add up to height of gallery panels.						



Required Specifications

Laminate finish
Edge finish
Paint finish

END OF RUN GALLERY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	B3LEP4251	1 x 51 x 42	60	55.25	1.24	\$1530
	B3LEP4263	1 x 63 x 42	60	68.1	1.53	\$1708
	B3LEP4275	1 x 75 x 42	60	80.95	1.82	\$1899
	B3LEP5051	1 x 51 x 50	60	66.01	1.48	\$1771
	B3LEP5063	1 x 63 x 50	60	81.36	1.82	\$1992
	B3LEP5075	1 x 75 x 50	60	96.71	2.17	\$2244
End of Run Gallery Panel, T-config	With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:					
	<ul style="list-style-type: none"> • Right side is compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only. • Left side is compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only. • Power beam and overpanel must add up to height of gallery panels. 					
	B3LSEPL4227	1 x 27 x 42	60	29.51	0.66	\$1157
	B3LSEPL4233	1 x 33 x 42	60	35.94	0.8	\$1247
	B3LSEPL4239	1 x 39 x 42	60	42.36	0.95	\$1309
	B3LSEPL5027	1 x 27 x 50	60	35.27	0.78	\$1313
	B3LSEPL5033	1 x 33 x 50	60	42.94	0.95	\$1425
	B3LSEPL5039	1 x 39 x 50	60	50.62	1.13	\$1524
Left End of Run Gallery Panel, L-config	With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the <i>left</i> edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only. 					
	B3LSEPR4227	1 x 27 x 42	60	29.51	0.66	\$1157
	B3LSEPR4233	1 x 33 x 42	60	35.94	0.8	\$1247
	B3LSEPR4239	1 x 39 x 42	60	42.36	0.95	\$1309
	B3LSEPR5027	1 x 27 x 50	60	35.27	0.78	\$1313
	B3LSEPR5033	1 x 33 x 50	60	42.94	0.95	\$1425
	B3LSEPR5039	1 x 39 x 50	60	50.62	1.13	\$1524
Right End of Run Gallery Panel, L-config	With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the <i>right</i> edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only. 					

Required Specifications

Laminate finish
Edge finish
Paint finish

GALLERY PANEL EXTENSIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	B3LXPL4224	1 x 24 x 42	60	25.83	0.58	\$595
	B3LXPL4230	1 x 30 x 42	60	32.27	0.58	\$685
	B3LXPL4236	1 x 36 x 42	60	38.68	0.88	\$775
	B3LXPL4242	1 x 42 x 42	60	45.11	1.02	\$863
	B3LXPL4248	1 x 48 x 42	60	51.53	1.17	\$953
	B3LXPL5024	1 x 24 x 50	60	30.83	0.69	\$709
	B3LXPL5030	1 x 30 x 50	60	38.51	0.87	\$821
	B3LXPL5036	1 x 36 x 50	60	46.18	1.04	\$931
	B3LXPL5042	1 x 42 x 50	60	53.86	1.22	\$1039
	B3LXPL5048	1 x 48 x 50	60	61.53	1.39	\$1151
Left Gallery Panel Extension	With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Right side is compatible with models: B3LEPxxx, B3LSEPL, B3LMPxxx, B3LSMP and B3LXPLxxx only. • Left side is compatible with B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only. 					
	B3LXPR4224	1 x 24 x 42	60	25.83	0.58	\$595
	B3LXPR4230	1 x 30 x 42	60	25.83	0.58	\$685
	B3LXPR4236	1 x 36 x 42	60	38.68	0.88	\$775
	B3LXPR4242	1 x 42 x 42	60	45.11	1.02	\$863
	B3LXPR4248	1 x 48 x 42	60	51.53	1.17	\$953
	B3LXPR5024	1 x 24 x 50	60	30.83	0.69	\$709
	B3LXPR5030	1 x 30 x 50	60	38.51	0.87	\$821
	B3LXPR5036	1 x 36 x 50	60	46.18	1.04	\$931
	B3LXPR5042	1 x 42 x 50	60	53.86	1.22	\$1039
	B3LXPR5048	1 x 48 x 50	60	61.53	1.39	\$1151
Right Gallery Panel Extension	With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Right side is compatible with B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx only. • Left side is compatible with left hand panels B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only. 					

Required Specifications

Laminate finish
Edge finish
Paint finish

GALLERY PANEL EXTENSIONS

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H




Left Gallery Panel Extension

B3LXPL4212NC	1 x 12 x 42	60	12.95	0.29	\$348
B3LXPL4224NC	1 x 24 x 42	60	25.83	0.58	\$580
B3LXPL4230NC	1 x 30 x 42	60	32.22	0.73	\$669
B3LXPL4236NC	1 x 36 x 42	60	38.65	0.88	\$756
B3LXPL4242NC	1 x 42 x 42	60	45.07	1.02	\$849
B3LXPL4248NC	1 x 48 x 42	60	51.5	1.17	\$935
B3LXPL5012NC	1 x 12 x 50	60	15.45	0.35	\$435
B3LXPL5024NC	1 x 24 x 50	60	30.8	0.69	\$695
B3LXPL5030NC	1 x 30 x 50	60	38.47	0.87	\$803
B3LXPL5036NC	1 x 36 x 50	60	46.15	1.04	\$912
B3LXPL5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
B3LXPL5048NC	1 x 48 x 50	60	61.5	1.39	\$1137

No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.



Right Gallery Panel Extension

B3LXPR4212NC	1 x 12 x 42	60	12.95	0.29	\$348
B3LXPR4224NC	1 x 24 x 42	60	25.83	0.58	\$580
B3LXPR4230NC	1 x 30 x 42	60	32.22	0.73	\$669
B3LXPR4236NC	1 x 36 x 42	60	38.65	0.88	\$756
B3LXPR4242NC	1 x 42 x 42	60	45.07	1.02	\$849
B3LXPR4248NC	1 x 48 x 42	60	51.5	1.17	\$935
B3LXPR5012NC	1 x 12 x 50	60	15.45	0.35	\$435
B3LXPR5024NC	1 x 24 x 50	60	30.8	0.69	\$695
B3LXPR5030NC	1 x 30 x 50	60	38.47	0.87	\$803
B3LXPR5036NC	1 x 36 x 50	60	46.15	1.04	\$912
B3LXPR5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
B3LXPR5048NC	1 x 48 x 50	60	61.5	1.39	\$1137

No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).



- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

Required Specifications

Laminate finish





Edge finish

Paint finish

END OF RUN RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	B3L2PL4213	1 x 13 x 42	60	14.02	0.32	\$378
	B3L2PL4225	1 x 25 x 42	60	26.87	0.61	\$669
	B3L2PL4231	1 x 31 x 42	60	33.29	0.75	\$756
	B3L2PL4237	1 x 37 x 42	60	39.72	0.9	\$821
	B3L2PL5013	1 x 13 x 50	60	16.73	0.38	\$471
	B3L2PL5025	1 x 25 x 50	60	32.08	0.72	\$803
	B3L2PL5031	1 x 31 x 50	60	39.75	0.9	\$912
	B3L2PL5037	1 x 37 x 50	60	47.43	1.07	\$1011
Left Gallery Panel End of Run Return	<p>Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only. 					
	B3L2PR4213	1 x 13 x 42	60	14.02	0.32	\$378
	B3L2PR4225	1 x 25 x 42	60	26.87	0.61	\$669
	B3L2PR4231	1 x 31 x 42	60	33.29	0.75	\$756
	B3L2PR4237	1 x 37 x 42	60	39.72	0.9	\$821
	B3L2PR5013	1 x 13 x 50	60	16.73	0.38	\$471
	B3L2PR5025	1 x 25 x 50	60	32.08	0.72	\$803
	B3L2PR5031	1 x 31 x 50	60	39.75	0.9	\$912
	B3L2PR5037	1 x 37 x 50	60	47.43	1.07	\$1011
Right Gallery Panel End of Run Return	<p>Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. ToThe total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx only. 					

Required Specifications

Laminate finish
Edge finish
Paint finish

GALLERY PANEL - 3WAY RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	B3L3PL4225 B3L3PL4249 B3L3PL4261 B3L3PL4273	1 x 25 x 42 1 x 49 x 42 1 x 61 x 42 1 x 73 x 42	60 60 60 60	26.87 52.57 65.41 78.26	0.61 1.19 1.48 1.77	\$561 \$907 \$1203 \$1397
Left End of Run 3-Way Return*						
	B3L3PL5025 B3L3PL5049 B3L3PL5061 B3L3PL5073	1 x 25 x 50 1 x 49 x 50 1 x 61 x 50 1 x 73 x 50	60 60 60 60	32.08 62.77 78.12 93.47	0.72 1.42 1.77 2.11	\$703 \$1246 \$1464 \$1718
	Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPxxxx only. 					
	B3L3PR4225 B3L3PR4249 B3L3PR4261 B3L3PR4273	1 x 25 x 42 1 x 49 x 42 1 x 61 x 42 1 x 73 x 42	60 60 60 60	26.87 52.57 65.41 78.26	0.61 1.19 1.48 1.77	\$561 \$907 \$1203 \$1397
Right End of Run 3-Way Return*						
	B3L3PR5025 B3L3PR5049 B3L3PR5061 B3L3PR5073	1 x 25 x 50 1 x 49 x 50 1 x 61 x 50 1 x 73 x 50	60 60 60 60	32.08 62.77 78.12 93.47	0.72 1.42 1.77 2.11	\$703 \$1246 \$1464 \$1718
	Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.					
	<ul style="list-style-type: none"> • Power beam and overpanel must add up to height of gallery panels. • Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPxxxx only. 					
GALLERY PANEL ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	B3HLPBB01	8 x 1.5 x 7	70	1	0.5	\$81
Gallery Panel Bottom Inline Bracket						
	Connects two gallery panels at the bottom with screws. Available in all Bridges II paint colors. Specify finish.					
	B3HLPBC01	4 x 1.5 x 7	100	4	0.5	\$79
Gallery Panel Corner Bracket						
	Connects two gallery panels at 90 degrees with screws. Available in all Bridges II paint colors. Specify finish.					

Required Specifications

Laminate finish*
Edge finish*
Paint finish






PRIVACY GLASS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
D x W x H							
	B3PMP24GI8W	1 x 24 x 8	60	4.84	0.11	\$457	\$91
	B3PMP30GI8W	1 x 30 x 8	60	6.06	0.14	\$496	\$99
	B3PMP36GI8W	1 x 36 x 8	60	7.28	0.17	\$528	\$105
	B3PMP42GI8W	1 x 42 x 8	60	8.5	0.19	\$551	\$111
	B3PMP48GI8W	1 x 48 x 8	60	9.72	0.22	\$581	\$116
	B3PMP24GI16W	1 x 24 x 16	60	8.92	0.22	\$457	\$91
	B3PMP30GI16W	1 x 30 x 16	60	11.17	0.28	\$496	\$99
	B3PMP36GI16W	1 x 36 x 16	60	13.43	0.33	\$528	\$105
	B3PMP42GI16W	1 x 42 x 16	60	15.68	0.39	\$551	\$111
	B3PMP48GI16W	1 x 48 x 16	60	17.92	0.44	\$581	\$116
Privacy Glass for 1" Laminate Panels*	Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). Add 20% upcharge for frosted glass (FRST).						
	B3PFD0824W	1 x 24 x 8	70	1.32	0.11	\$183	
	B3PFD0830W	1 x 30 x 8	70	1.65	0.14	\$213	
	B3PFD0836W	1 x 36 x 8	70	1.99	0.17	\$252	
	B3PFD0842W	1 x 42 x 8	85	2.32	0.19	\$284	
	B3PFD0848W	1 x 48 x 8	85	2.65	0.22	\$416	
	B3PFD0854W	1 x 54 x 8	92.5	2.98	0.25	\$455	
	B3PFD0860W	1 x 60 x 8	92.5	3.32	0.28	\$488	
	B3PFD0866W	1 x 66 x 8	92.5	3.65	0.31	\$515	
	B3PFD0872W	1 x 72 x 8	85	3.98	0.33	\$581	
	B3PFD1624W	1 x 24 x 16	70	1.83	0.22	\$208	
	B3PFD1630W	1 x 30 x 16	100	2.3	0.28	\$240	
	B3PFD1636W	1 x 36 x 16	100	2.76	0.33	\$268	
	B3PFD1642W	1 x 42 x 16	100	3.22	0.39	\$307	
	B3PFD1648W	1 x 48 x 16	100	3.68	0.44	\$457	
	B3PFD1654W	1 x 54 x 16	100	4.14	0.5	\$498	
	B3PFD1660W	1 x 60 x 16	100	4.61	0.56	\$533	
	B3PFD1666W	1 x 66 x 16	100	5.07	0.61	\$561	
	B3PFD1672W	1 x 72 x 16	100	5.53	0.67	\$638	
Felt Divider for 1" Laminate Panels**	Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.						

Required Specifications





Paint finish
Felt finish**

Optional Specifications

Frosted glass (FRST)*





ELECTRICAL - POWER BEAM	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTECI	4.63 x 1.5 x 1.5	70	0.06	0.01	\$119
I Connector						
						Inline coupler used to connect two BRTEHHxx pass-thru cables (sold separately; see page 469).
	BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	\$45
	BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	\$45
	BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	\$45
	BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	\$45
Duplex Receptacles						
						Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit.
						<ul style="list-style-type: none"> • BRTE8D1 - Circuit #1 (utility circuit) • BRTE8D2 - Circuit #2 (utility circuit) • BRTE8DA - Circuit A (dedicated circuit) • BRTE8DB - Circuit B (utility circuit)
	BRTEDU1B	1.25 x 4.63 x 2	300	3.82	2	\$424
	BRTEDU1W	1.25 x 4.63 x 2	300	6.98	2	\$424
USB Receptacles						
						Snaps into Power Distribution Housing. USB charging module provides convenient charging power access through dual ports on face of receptacles.
						<ul style="list-style-type: none"> • Two USB ports. • 2 amp output, considered as circuit #1.
	BRTE3D24	2.6 x 9.25 x 2	70	0.83	1.2	\$262
	BRTE3D30	2.6 x 15.25 x 2	70	1.28	1.2	\$301
	BRTE3D36	2.6 x 21.25 x 2	70	1.62	1.7	\$317
	BRTE3D42	2.6 x 27.25 x 2	300	2	2	\$334
	BRTE3D48	2.6 x 33.25 x 2	400	2.32	2.5	\$348
	BRTE3D54	2.6 x 39.25 x 2	400	2.66	3.2	\$359
	BRTE3D60	2.6 x 45.25 x 2	400	3.04	3.2	\$374
	BRTE3D66	2.6 x 51.25 x 2	300	3.76	3.3	\$580
	BRTE3D72	2.6 x 57.25 x 2	300	3.76	3.3	\$580
Power Distribution Housing Kit						
						Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. BRTE3D36 is for use with a 36" beam.
						<ul style="list-style-type: none"> • 24" wide beam allows for only one (1) duplex receptacle per beam side.
	BRTEJC16	0.5 x 16.75 x 2	70	0.66	1.2	\$205
	BRTEJC20	0.5 x 20.75 x 2	70	0.78	1.2	\$215
Jumper Cable						
						Electrically connects two Power Distribution Housings.
						<ul style="list-style-type: none"> • BE8JC16 electrically connects two Power Beams positioned side by side. • BE8JC20 electrically connects two Power Beams separated by a post. • Wires are concealed in a flexible metal conduit. • Cannot go through a post in a corner application. Please use the Jumper Cable Mesh for this application.

Required Specifications

ELECTRICAL - POWER BEAM	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTEJM19 BRTEJMS20	0.05 x 19 x 2 0.05 x 19 x 2	70 70	0.75 0.75	1.2 1.2	\$170 \$221
Jumper Cable Mesh	<p>Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application.</p> <ul style="list-style-type: none"> • BRTEJM19 - Wires are covered with a durable nylon mesh. • BRTEJMS20 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh. 					
	BRTEHH40 BRTEHH46 BRTEHH52 BRTEHH58 BRTEHH64 BRTEHH70 BRTEHH76 BRTEHH82 BRTEHH88 BRTEHH94 BRTEHH100 BRTEHH106 BRTEHH118 BRTEHH130 BRTEHH142	.5 x 40.5 x 2 .5 x 46.5 x 2 .5 x 52.5 x 2 .5 x 58.5 x 2 .5 x 64.5 x 2 .5 x 70.5 x 2 .5 x 76.5 x 2 .5 x 82.5 x 2 .5 x 88.5 x 2 .5 x 94.5 x 2 .5 x 100.5 x 2 .5 x 106.5 x 2 .5 x 118.5 x 2 .5 x 130.5 x 2 .5 x 142.5 x 2	70 70 300 300 300 250 250 250 250 250 250 250 250 250 150	1.44 1.71 1.95 2.21 2.37 2.6 2.81 3.03 3.05 3.3 3.47 3.87 4.08 4.73 4.99	1.25 1.2 1.17 1.17 1.2 1.2 1.17 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	\$191 \$270 \$217 \$226 \$306 \$317 \$252 \$339 \$350 \$363 \$374 \$389 \$410 \$433 \$457
Housing to Housing Pass-Thru Cable	<p>Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.</p>					
	BRTEHJ24 BRTEHJ30 BRTEHJ36 BRTEHJ42 BRTEHJ48 BRTEHJ54 BRTEHJ60 BRTEHJ72 BRTEHJ84 BRTEHJ96 BRTEHJ108 BRTEHJ120 BRTEHJ144	.5 x 24 x 2 .5 x 30 x 2 .5 x 36 x 2 .5 x 42 x 2 .5 x 48 x 2 .5 x 54 x 2 .5 x 60 x 2 .5 x 72 x 2 .5 x 84 x 2 .5 x 96 x 2 .5 x 108 x 2 .5 x 120 x 2 .5 x 144 x 2	70 70 70 70 70 300 300 250 250 250 250 250 250 250	0.9 1.3 1.44 1.71 1.95 2.21 2.37 2.81 3.05 3.3 3.87 4.08 4.73 4.59	1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2	\$197 \$211 \$221 \$230 \$241 \$249 \$257 \$274 \$300 \$320 \$339 \$359 \$381
Housing to Jumper Pass-Thru Cable	<p>Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.</p>					
	BRTBPEFH18 BRTBPEFH26 BRTBPEFH34	2.5 x 6 x 18 2.5 x 6 x 26 2.5 x 6 x 34	85 65 65	2.7 5.41 7.03	0.2 0.2 0.3	\$699 \$745 \$780
Base Feed & Housing for Power Beam*	<p>Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.</p> <ul style="list-style-type: none"> • Specify BRTBPEFH18 for 18"H power beams; BRTBPEFH26 for 26"H power beams; BRTBPEFH34 for 34"H power beams. • Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration. • Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg. 					





Required Specifications

Paint finish*

ELECTRICAL - POWER BEAM	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTECF120 BRTECF144	6 x 6 x 120 6 x 6 x 144	250 250	5.25 6	2 2	\$476 \$530
Ceiling Feed - Single	<p>Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.</p>					
	BRTECF1202 BRTECF1442	3 x 6 x 120 3 x 6 x 144	250 250	5.24 5.96	2 2	\$995 \$1121
Ceiling Feed - Double	<p>Provides dual power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.</p> <ul style="list-style-type: none"> • For use in the middle of a run to distribute power in two directions OR at the beginning of a run where second Ceiling Feed harness is connected to BRTEHJxx and distributes power underneath Power Distribution Housing to pick up a second circuit grouping in a long panel run. 					
	BRTECFK120 BRTECFK144	6 x 6 x 120 6 x 6 x 144	250 250	5.25 6	2 2	\$712 \$790
Ceiling Feed - New York Electrical	<p>Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.</p>					
	BRTECHJB	x	70	5.25	0.01	\$342
Hardwire Junction Box - Chicago	<p>Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.</p>					
	BRTWMS	5.25 x 42 x 1.25	70	1.87	.40	\$157
Wire Manager Kit*	<p>Provides wire management from under the Freefit worksurface to the Power Beam. The bracket can be aligned anywhere on the Power Beam. Kit includes a neoprene sock, bracket and screws. Specify bracket paint finish.</p>					

Required Specifications

Paint finish*





STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRT21BF18L BRT21BF24L BRT21BF30L BRT21BF18C BRT21BF24C BRT21BF30C	18 x 15.5 x 21 24 x 15.5 x 21 30 x 15.5 x 21 18 x 15.5 x 21 24 x 15.5 x 21 30 x 15.5 x 21	70 85 85 70 85 85	58 64 72 58 64 72	3.39 4.52 5.65 3.39 4.52 5.65	\$911 \$1059 \$1162 \$911 \$1139 \$1242	\$68 \$68 \$88 \$68 \$68 \$88
File Pedestal	<p>Can join with other 21" h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge • 18" deep storage components will not accept legal size paper 						
	BRT25BF18L BRT25BF24L BRT25BF30L BRT25BF18C BRT25BF24C BRT25BF30C	18 x 15.5 x 25 24 x 15.5 x 25 30 x 15.5 x 25 18 x 15.5 x 25 24 x 15.5 x 25 30 x 15.5 x 25	70 85 85 70 85 85	69 74 82 69 74 82	3.89 5.02 6.15 3.89 5.02 6.15	\$1036 \$1203 \$1305 \$1119 \$1283 \$1387	\$68 \$68 \$88 \$68 \$68 \$88
Box/File Pedestal	<p>Can join with other 25" h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge • 18" deep storage components will not accept legal size paper 						
	BRT21LS30L BRT21LS36L BRT21LS42L	18 x 30 x 21 18 x 36 x 21 18 x 42 x 21	100 125 125	53 60 67	6.56 7.87 9.18	\$994 \$1100 \$1203	\$88 \$88 \$88
Sliding Door Storage	<p>Can join with other 21" h storage units of corresponding depth to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge • 18" deep storage components will not accept legal size paper 						
	BRT21LSS30L BRT21LSS36L BRT21LSS42L	24 x 30 x 21 24 x 36 x 21 24 x 42 x 21	125 125 125	69 78 87	8.75 10.50 12.25	\$1387 \$1511 \$1634	\$88 \$110 \$128
Shared Sliding Door Storage	<p>Offers two 11" deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21" h, 24" d storage units to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 						

Required Specifications

Metal finish
Top finish
Chassis finish
Drawer/door front finish

Optional Specifications

Anodized Aluminum Leg
HP laminate (tops only)
Cable Basket





STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRT21LS042L	24 x 42 x 21	100	124	14	\$1861	\$150
Shared File/Open Storage*	<p>Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 21" h, 24" d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18" cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 						
	BRT25LBF042L	24 x 42 x 25	100	154	16.66	\$2337	\$128
Shared Storage Unit*	<p>Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 25" h, 24" d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18" cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge • 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough. 						
MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRT21F3018U	18 x 30 x 13	92.5	47	4.06	\$1075	n/a
21H Lateral File Drawer, No Top	BRT21F3618U	18 x 36 x 13	92.5	51	4.88	\$1188	n/a
	BRT21F4218U	18 x 42 x 13	100	56	5.69	\$1379	n/a
	BRT21F3024U	24 x 30 x 13	100	51	5.42	\$1101	n/a
	BRT21F3624U	24 x 36 x 13	100	55	6.5	\$1226	n/a
	BRT21F4224U	24 x 42 x 13	125	60	7.58	\$1441	n/a
	<p>Fits below Bridges II tables. Can join with other 21" h storage units of corresponding depth to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One file drawer. Top and legs to be ordered separately. Metal handles.</p> <ul style="list-style-type: none"> • 18" deep storage components will not accept legal size paper 						
	BRT21L03018U	18 x 30 x 13	125	25	4.06	\$339	n/a
21H Open Storage, No Top	BRT21L03618U	18 x 36 x 13	150	29	4.88	\$504	n/a
	BRT21L04218U	18 x 42 x 13	150	32	5.69	\$548	n/a
	BRT21L03024U	24 x 30 x 13	150	29	5.42	\$352	n/a
	BRT21L03624U	24 x 36 x 13	150	33	6.5	\$524	n/a
	BRT21L04224U	24 x 42 x 13	150	36	7.58	\$569	n/a
	<p>Open storage unit with no top. Positioned beside a Bridges II table assembly or between two adjacent workstations. Can join with other 21" h storage units to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening. Top and legs to be ordered separately.</p>						

Required Specifications

Metal finish*
 Top finish*
 Chassis finish
 Drawer/door front finish

Optional Specifications

Anodized Aluminum Leg*
 HP laminate* (tops only)
 Cable Basket
 Cushion (BRT21LS042L)




MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRT25LO3018U	18 x 30 x 17	125	40	5.31	\$501	n/a
	BRT25LO3618U	18 x 36 x 17	125	46	6.38	\$687	n/a
	BRT25LO4218U	18 x 42 x 17	125	52	7.44	\$710	n/a
	BRT25LO3024U	24 x 30 x 17	125	44	7.08	\$534	n/a
	BRT25LO3624U	24 x 36 x 17	150	50	8.5	\$714	n/a
	BRT25LO4224U	24 x 42 x 17	150	56	9.92	\$745	n/a
25''H Open Storage, Glass Shelf, No Top	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25''h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. Top and legs to be ordered separately.						
	BRT25LBF3018U	18 x 30 x 17	92.5	58	5.31	\$1289	n/a
	BRT25LBF3618U	18 x 36 x 17	85	78	6.38	\$1497	n/a
	BRT25LBF4218U	18 x 42 x 17	100	68	7.44	\$1594	n/a
	BRT25LBF3024U	24 x 30 x 17	100	62	7.08	\$1340	n/a
	BRT25LBF3624U	24 x 36 x 17	100	82	8.5	\$1556	n/a
	BRT25LBF4224U	24 x 42 x 17	125	72	9.92	\$1659	n/a
Lateral Box/File Storage, No Top*	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25''h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. Top and legs to be ordered separately. Metal handles. Black pencil tray included.						
	• 18" deep storage components will not accept legal size paper						
	• 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.						
25''H Storage Cabinet, No Top*	BRT25L2D3018U	18 x 30 x 17	125	39	5.31	\$955	n/a
	BRT25L2D3618U	18 x 36 x 17	125	45	6.38	\$1025	n/a
	BRT25L2D4218U	18 x 42 x 17	125	54	7.44	\$1067	n/a
	BRT25L2D3024U	24 x 30 x 17	125	43	7.08	\$1110	n/a
	BRT25L2D3624U	24 x 36 x 17	150	49	8.5	\$1210	n/a
	BRT25L2D4224U	24 x 42 x 17	150	58	9.92	\$1260	n/a
25''H Storage Cabinet, No Top*	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25''h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 16.5". Metal handles.						
	• 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.						
	BRT29L2D3018U	18 x 30 x 21	125	49	6.56	\$1089	n/a
	BRT29L2D3618U	18 x 36 x 21	125	55	7.88	\$1137	n/a
	BRT29L2D4218U	18 x 42 x 21	125	64	9.19	\$1187	n/a
	BRT29L2D3024U	24 x 30 x 21	125	53	8.75	\$1277	n/a
	BRT29L2D3624U	24 x 36 x 21	150	59	10.5	\$1335	n/a
	BRT29L2D4224U	24 x 42 x 21	150	68	12.25	\$1365	n/a
29''H Storage Cabinet, No Top*	Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29''h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 20.5". Metal handles.						
	• 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.						

Required Specifications

Chassis finish
Drawer/door front finish*

Optional Specifications

Cable Basket




STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRT29LOBF3018U	18 x 30 x 21	92.5	70	6.56	\$1517	n/a
	BRT29LOBF3618U	18 x 36 x 21	100	78	7.88	\$1711	n/a
	BRT29LOBF4218U	18 x 42 x 21	100	86	9.19	\$1880	n/a
	BRT29LOBF3024U	24 x 30 x 21	100	74	8.75	\$1579	n/a
	BRT29LOBF3624U	24 x 36 x 21	125	82	10.52	\$1780	n/a
	BRT29LOBF4224U	24 x 42 x 21	125	90	12.25	\$1955	n/a
29''H Box/File/Open Storage, No Top	<p>Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29''h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. Top and legs to be ordered separately. Storage compartment internal height: 3.9". Metal handles. Black pencil tray included.</p> <ul style="list-style-type: none"> • 18" deep storage components will not accept legal size paper 						
	BRTWU1830	18 x 30 x 1	60	15	0.5	\$191	\$68
	BRTWU1836	18 x 36 x 1	60	18	0.59	\$218	\$74
	BRTWU1842	18 x 42 x 1	60	21	0.68	\$286	\$97
	BRTWU1860	18 x 60 x 1	65	29	0.97	\$451	\$133
	BRTWU1866	18 x 66 x 1	65	32	1.1	\$473	\$150
	BRTWU1872	18 x 72 x 1	65	35	1.2	\$493	\$162
	BRTWU1878	18 x 78 x 1	65	38	1.3	\$521	\$171
	BRTWU1884	18 x 84 x 1	65	41	1.4	\$571	\$179
	BRTWU1890	18 x 90 x 1	65	44	1.5	\$594	\$185
	BRTWU1896	18 x 96 x 1	65	47	1.6	\$618	\$193
	BRTWU2430	24 x 30 x 1	60	20	0.65	\$200	\$61
	BRTWU2436	24 x 36 x 1	60	24	0.78	\$222	\$76
	BRTWU2442	24 x 42 x 1	60	28	0.9	\$292	\$96
	BRTWU2460	24 x 60 x 1	60	39	1.3	\$461	\$152
	BRTWU2466	24 x 66 x 1	60	43	1.41	\$480	\$157
	BRTWU2472	24 x 72 x 1	60	47	1.54	\$501	\$41
	BRTWU2478	24 x 78 x 1	60	51	1.7	\$537	\$172
	BRTWU2484	24 x 84 x 1	60	55	1.8	\$582	\$182
	BRTWU2490	24 x 90 x 1	60	59	1.9	\$605	\$187
	BRTWU2496	24 x 96 x 1	60	63	2	\$629	\$196
Worksurface for Modular Storage*	<p>Flat 3mm profile on all sides. Worksurface provided with pilot holes for alignment purposes. Worksurfaces can be used for each modular unit or can span two to three units.</p>						
	BRT18LEGL	18 x 2.5 x 8	150	8	1.34	\$73	n/a
Modular Storage Leg**	BRT24LEGL	24 x 2.5 x 8	150	8	1.34	\$80	n/a
	<p>Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum leg - Add \$39 list upcharge 						

Required Specifications

Top finish*
Edge finish
Chassis finish
Metal finish**

Optional Specifications

HP laminate* (tops only)
Anodized Aluminum Leg**
Cable Basket (storage unit)

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTCMS36	12 x 36 x 6.75	100	15.20	1.69	\$397	n/a
	BRTCMS30	12 x 30 x 6.75	100	12.60	1.41	\$280	n/a
Center Mount Shelf**							
Open, shared center mount shelf "floats" 6.75" above the gap formed by two back-to-back worksurfaces. Accepts BRTEBBIN Elevated Shelf Binder Bin - The 30" w shelf accommodates two; 36" w shelf accommodates up to three. Shelves overhang the support structure by 6" on either side. Aluminum/die cast structure attaches to the underside of both worksurfaces.							
<ul style="list-style-type: none"> • Not compatible with BRTEETA Above Worksurface Power Trough and Worksurfaces with Access Doors • Anodized Aluminum support structure - Add \$91 list upcharge 							
	BRTTES24	15.5 x 24 x 15	100	29	3.22	\$769	\$68
	BRTTES30	15.5 x 30 x 15	100	34	4.03	\$842	\$76
	BRTTES51	15.5 x 50.5 x 15	100	57	6.79	\$1387	\$138
	BRTTES63	15.5 x 62.5 x 15	100	68	8.40	\$1523	\$178
Table Mounted End Shelf*							
Single or double open shelf/extended worksurface. Secured to the end of single or back-to-back Bridges table. All mounting hardware included. Storage compartment internal height: 13.25". 1" top.							
	BRTSTS0824	12 x 24 x 8	92.5	14	1.33	\$273	\$88
	BRTSTS0830	12 x 30 x 8	100	16	1.66	\$314	\$88
	BRTSTS0851	12 x 50.5 x 8	100	25	2.80	\$500	\$128
	BRTSTS0863	12 x 62.5 x 8	100	28	3.47	\$565	\$191
	BRTSTS1324	12 x 24 x 13	100	18	2.16	\$296	\$88
	BRTSTS1330	12 x 30 x 13	125	21	2.70	\$336	\$88
	BRTSTS1351	12 x 50.5 x 13	125	32	4.55	\$500	\$128
	BRTSTS1363	12 x 62.5 x 13	125	38	5.64	\$583	\$171
	BRTSTS1624	12 x 24 x 16	125	19	2.66	\$336	\$88
	BRTSTS1630	12 x 30 x 16	100	29	3.33	\$397	\$88
	BRTSTS1651	12 x 50.5 x 16	150	33	5.61	\$583	\$150
	BRTSTS1663	12 x 62.5 x 16	150	39	6.94	\$666	\$191
Single Sided Elevated Table Shelf*							
Secured perpendicularly to the single or back-to-back Bridges table. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Optional Elevated Shelf Binder Bin (BRTEBBIN) rests on top surface for enhanced privacy. 8" h provides additional storage space without obstructing view and reaches 16" module height when combined w/8" h Binder shelf. Internal height: 6.6". 16" h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6".							
<ul style="list-style-type: none"> • Please refer to the Compatibility Guide on page 488 to determine available accessories 							


Required Specifications

Top finish
Edge finish
Metal finish**
Chassis/Accent finish*

Optional Specifications

HP laminate (tops only)
Elevated Shelf Binder Bin
Anodized Aluminum**

MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTBTS0836	12 x 36 x 8	100	16	2	\$418	\$88
	BRTBTS0842	12 x 42 x 8	100	19	2.33	\$460	\$88
	BRTBTS0848	12 x 48 x 8	125	21	2.66	\$500	\$128
	BRTBTS0854	12 x 54 x 8	125	23	3	\$521	\$150
	BRTBTS0860	12 x 60 x 8	125	26	3.33	\$583	\$171
	BRTBTS0866	12 x 66 x 8	125	28	3.66	\$625	\$191
	BRTBTS0872	12 x 72 x 8	125	30	4	\$666	\$191
	BRTBTS0878	12 x 78 x 8	125	32	4.33	\$708	\$211
	BRTBTS0884	12 x 84 x 8	125	35	4.66	\$749	\$231
	BRTBTS1336	12 x 36 x 13	125	22	3.25	\$500	\$110
	BRTBTS1342	12 x 42 x 13	125	25	3.79	\$565	\$110
	BRTBTS1348	12 x 48 x 13	125	28	4.33	\$605	\$150
	BRTBTS1354	12 x 54 x 13	125	30	4.87	\$666	\$150
	BRTBTS1360	12 x 60 x 13	150	33	5.86	\$708	\$150
	BRTBTS1366	12 x 66 x 13	150	36	6.45	\$725	\$254
	BRTBTS1372	12 x 72 x 13	125	39	6.50	\$830	\$211
	BRTBTS1378	12 x 78 x 13	150	42	7.04	\$893	\$211
	BRTBTS1384	12 x 84 x 13	150	44	7.58	\$955	\$231
	BRTBTS1636	12 x 36 x 16	125	25	4	\$521	\$88
	BRTBTS1642	12 x 42 x 16	125	28	4.66	\$583	\$128
	BRTBTS1648	12 x 48 x 16	150	31	5.33	\$644	\$128
	BRTBTS1654	12 x 54 x 16	150	34	6	\$684	\$171
	BRTBTS1660	12 x 60 x 16	150	38	6.66	\$749	\$171
	BRTBTS1666	12 x 66 x 16	150	41	7.33	\$811	\$171
	BRTBTS1672	12 x 72 x 16	150	44	8	\$873	\$191
	BRTBTS1678	12 x 78 x 16	150	47	8.66	\$911	\$211
	BRTBTS1684	12 x 84 x 16	150	50	9.33	\$977	\$231



Shared Elevated Table Shelf

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8" h provides additional storage space without obstructing view; reaches 16" module height when combined w/8" h Binder shelf. Internal height: 6.6". 16" h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

- Please refer to the **Compatibility Guide** on page 488 to determine available accessories




Table Supported Shared Overhead


One compartment per side. White magnetic back wall. Lines up with 50" h floor standing storage. Fits over the gap between two parallel back-to-back Bridges tables. Fits over worksurface power/data trough. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

- Please refer to the **Compatibility Guide** on page 488 to determine available accessories

Required Specifications
Top finish
Edge finish
Chassis/accent finish

Optional Specifications
HP laminate (tops only)
Elevated Shelf Binder Bin


MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTBASL36	16 x 36 x 21	250	23.50	6.56	\$2397	\$161
	BRTBASL42	16 x 42 x 21	250	27.50	7.65	\$2564	\$196
	BRTBASL48	16 x 48 x 21	250	31.40	8.75	\$2698	\$232
	BRTBASL54	16 x 54 x 21	250	35.30	9.84	\$2903	\$243
	BRTBASL60	16 x 60 x 21	250	35.30	9.84	\$3060	\$251
	BRTBASL66	16 x 66 x 21	250	43.20	12.03	\$3453	\$293
	BRTBASL72	16 x 72 x 21	250	47.10	13.12	\$3635	\$327
	BRTBASL78	16 x 78 x 21	250	51	14.21	\$3826	\$352
	BRTBASL84	16 x 84 x 21	250	55	15.31	\$3876	\$485

Shared Elevated Overhead*

Two compartments facing in opposite direction with locking, sliding laminate doors. Storage compartment internal height: 12.25". Shared elevated overhead fits over the gap between two parallel Bridges back-to-back tables. Integrated anodized aluminum accessory rail below the storage compartments. Fits over Above Worksurface Power/Data Troughs. Elevated Shelf Binder Bins DO NOT work with this overhead. 1" top.

- Note: In order to prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width as the supporting worksurface.
- To prevent interference with Ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 488 to determine available accessories

BRTSDS48	12 x 48 x 16	92.5	54	5.33	\$666	\$128
----------	--------------	------	----	------	--------------	--------------

45" High Shared Storage Divider**

Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.

BRT21H03616	16 x 36 x 21	100	81	9	\$1194	\$161
BRT21H04216	16 x 42 x 21	100	81	9	\$1282	\$185
BRT21H04816	16 x 48 x 21	250	31.40	8.75	\$1367	\$210
BRT21H05416	16 x 54 x 21	250	35.30	9.84	\$1452	\$237
BRT21H06016	16 x 60 x 21	250	35.30	9.84	\$1547	\$264
BRT21H06616	16 x 66 x 21	250	43.20	12.03	\$1646	\$288
BRT21H07216	16 x 72 x 21	250	47.10	13.12	\$1707	\$326
BRT21H07816	16 x 78 x 21	250	51	14.21	\$1835	\$339
BRT21H08416	16 x 84 x 21	250	55	15.31	\$1909	\$366





Open Single Sided Storage

Table supported single sided open storage. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 488 to determine available accessories


Required Specifications
 Top finish
 Edge finish
 Chassis finish*
 Drawer/door front finish*

Optional Specifications
 HP laminate (tops only)
 Elevated Shelf Binder Bin**

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRT21GS3616	16 x 36 x 21	100	87	9	\$1878	\$159
	BRT21GS4216	16 x 42 x 21	100	103	10.50	\$1974	\$184
	BRT21GS4816	16 x 48 x 21	100	108	12	\$2058	\$210
	BRT21GS5416	16 x 54 x 21	100	133	13.50	\$2454	\$237
	BRT21GS6016	16 x 60 x 21	100	144	15	\$2550	\$264
	BRT21GS6616	16 x 66 x 21	100	155	16.50	\$2670	\$288
	BRT21GS7216	16 x 72 x 21	100	164	18	\$2761	\$314
	BRT21GS7816	16 x 78 x 21	100	174	19.50	\$2908	\$338
	BRT21GS8416	16 x 84 x 21	100	181	21	\$2993	\$367
Open Single Sided Storage, 1 Glass Door	Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.						
	<ul style="list-style-type: none"> • Cannot be used in conjunction with above worksurface power trough. • To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface. • To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface. • Please refer to the Compatibility Guide on page 488 to determine available accessories 						
	BRT21LS3616	16 x 36 x 21	92.5	94	9	\$1824	\$226
	BRT21LS4216	16 x 42 x 21	92.5	111	10.50	\$1912	\$260
	BRT21LS4816	16 x 48 x 21	100	117	12	\$1996	\$298
	BRT21LS5416	16 x 54 x 21	92.5	143	13.50	\$2080	\$336
	BRT21LS6016	16 x 60 x 21	92.5	155	15	\$2408	\$368
	BRT21LS6616	16 x 66 x 21	92.5	167	16.50	\$2508	\$405
	BRT21LS7216	16 x 72 x 21	100	177	18	\$2578	\$444
	BRT21LS7816	16 x 78 x 21	100	188	19.50	\$2695	\$480
	BRT21LS8416	16 x 84 x 21	100	198	21	\$2768	\$515
Open Single Sided Storage, 1 Laminate Door**	Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.						
	<ul style="list-style-type: none"> • Cannot be used in conjunction with above worksurface power trough. • To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface. • To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface. • Please refer to the Compatibility Guide on page 488 to determine available accessories 						
	BRT21HD03616	16 x 36 x 21	100	81	9	\$1238	\$159
	BRT21HD04216	16 x 42 x 21	100	96	10.50	\$1308	\$185
	BRT21HD04816	16 x 48 x 21	100	100	12	\$1370	\$215
	BRT21HD05416	16 x 54 x 21	100	124	13.50	\$1474	\$238
	BRT21HD06016	16 x 60 x 21	100	134	15	\$1552	\$261
	BRT21HD06616	16 x 66 x 21	100	144	16.50	\$1668	\$287
	BRT21HD07216	16 x 72 x 21	100	152	18	\$1722	\$314
	BRT21HD07816	16 x 78 x 21	100	161	19.50	\$1858	\$339
	BRT21HD08416	16 x 84 x 21	100	168	21	\$1910	\$367
Open Double Sided Storage*	Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.						
	<ul style="list-style-type: none"> • Cannot be used in conjunction with above worksurface power trough. • To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface. • To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface. • Please refer to the Compatibility Guide on page 488 to determine available accessories 						

Required Specifications
 Top finish
 Edge finish
 Chassis finish*
 Drawer/door front finish**

Optional Specifications
 HP laminate (tops only)
 Elevated Shelf Binder Bin

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRT21GDS3616	16 x 36 x 21	92.5	94	9	\$2437	\$155
	BRT21GDS4216	16 x 42 x 21	92.5	111	10.50	\$2552	\$185
	BRT21GDS4816	16 x 48 x 21	100	117	12	\$2608	\$211
	BRT21GDS5416	16 x 54 x 21	92.5	143	13.50	\$3373	\$237
	BRT21GDS6016	16 x 60 x 21	92.5	155	15	\$3433	\$264
	BRT21GDS6616	16 x 66 x 21	92.5	167	16.50	\$3661	\$287
	BRT21GDS7216	16 x 72 x 21	100	177	18	\$3742	\$314
	BRT21GDS7816	16 x 78 x 21	100	188	19.50	\$3897	\$338
	BRT21GDS8416	16 x 84 x 21	100	196	21	\$4148	\$366

Double Sided Storage, Glass Door

Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 488 to determine available accessories


**Double Sided Storage, Laminate Door***

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 488 to determine available accessories

BRT21LDS3616	16 x 36 x 21	92.5	106	9	\$2396	\$159
BRT21LDS4216	16 x 42 x 21	85	126	10.50	\$2547	\$185
BRT21LDS4816	16 x 48 x 21	92.5	134	12	\$2600	\$210
BRT21LDS5416	16 x 54 x 21	85	162	13.50	\$3246	\$237
BRT21LDS6016	16 x 60 x 21	92.5	176	15	\$3302	\$264
BRT21LDS6616	16 x 66 x 21	92.5	190	16.50	\$3525	\$288
BRT21LDS7216	16 x 72 x 21	92.5	203	18	\$3578	\$314
BRT21LDS7816	16 x 78 x 21	92.5	216	19.50	\$3711	\$338
BRT21LDS8416	16 x 84 x 21	92.5	227	21	\$3935	\$366

50"H Storage Tower w/Coat Storage*

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50" h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.



- Anodized Aluminum Leg - Add **\$91** list upcharge

Required Specifications

Top finish	Edge finish
Chassis finish	Anodized aluminum leg*
Drawer/door front finish	HP laminate
Metal finish (legs)	E-Lock*

Optional Specifications

Anodized aluminum leg*
HP laminate
E-Lock*




STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTTW6624L	24 x 24 x 66	125	170	22	\$2988	\$193
66''H Storage Tower with Coat Storage	BRTTW6624R	24 x 24 x 66	125	170	22	\$2988	\$193
	BRTTW6630L	30 x 24 x 66	125	195	27.50	\$3315	\$195
	BRTTW6630R	30 x 24 x 66	125	195	27.50	\$3315	\$234
<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66" h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 							
	BRTT5024L	24 x 15.5 x 50	100	88	10.76	\$1675	\$110
50''H Storage Tower	BRTT5024R	24 x 15.5 x 50	100	88	10.76	\$1675	\$110
	BRTT5030L	30 x 15.5 x 50	125	101	13.45	\$1843	\$128
	BRTT5030R	30 x 15.5 x 50	125	101	13.45	\$1843	\$128
<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50" h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 							
	BRTT6624L	24 x 15.5 x 66	100	106	12.91	\$2221	\$140
66''H Storage Tower	BRTT6624R	24 x 15.5 x 66	100	106	12.91	\$2221	\$140
	BRTT6630L	30 x 15.5 x 66	125	121	16.14	\$2441	\$170
	BRTT6630R	30 x 15.5 x 66	125	121	16.14	\$2441	\$170
<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66" h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 							
	BRTCS45BBFFL	18 x 36 x 45	92.5	256	24	\$3045	\$159
Cantilever Storage*	BRTCS45BBFFR	18 x 36 x 45	92.5	256	24	\$3045	\$159
<p>Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 							

Required Specifications

Top finish Edge finish
 Chassis finish
 Drawer/door front finish
 Metal finish (legs)

Optional Specifications

Anodized aluminum leg
 HP laminate
 E-Lock*





STORAGE	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTCS45FFFOL BRTCS45FFFOR	18 x 36 x 45 18 x 36 x 45	92.5 92.5	256 256	24 24	\$3120 \$3120	\$159 \$159
Cantilever Storage*	<p>Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 3 locking file drawers with 2 locks. Open compartment (10.3" interior dimension). Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 						
	BRTCS45BBFOOL BRTCS45BBFOOR	18 x 36 x 45 18 x 36 x 45	92.5 92.5	256 256	24 24	\$2979 \$2979	\$159 \$159
Cantilever Storage*	<p>Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. Locking file drawer. 2 pencil drawers (not locking). Open compartment (10.3" interior dimension) with adjustable glass shelf. 4 fixed open compartments; two above worksurfaces (6.7" interior dimension), two below (lower 12.2" interior dimension; upper 3.3" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> • Anodized Aluminum Leg - Add \$91 list upcharge 						
	BRTDS2B2F	16 x 18 x 36	125	85	14	\$1866	n/a
Pier Storage, Box/File	<p>Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Two lockable file drawers, two box drawers. Black pencil tray included.</p>						
	BRTDSOP	16 x 18 x 36	150	75	14	\$1241	n/a
Pier Storage, Open w/Glass Shelves	<p>Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"</p>						

Required Specifications

Top finish*
Edge finish*
Chassis finish
Drawer/door front finish

Optional Specifications

Anodized aluminum leg
HP laminate (tops only)

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTDS2D	16 x 18 x 36	150	79	14	\$1667	n/a
Pier Storage, Door w/Glass Shelves							
Supports side-by-side divider with hinged, lockable door on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"							
<hr/>							
	BRT21PHD04216	16 x 42 x 21	100	96	10.50	\$1080	\$185
	BRT21PHD04816	16 x 48 x 21	100	100	12	\$1148	\$215
	BRT21PHD05416	16 x 54 x 21	100	124	13.50	\$1258	\$237
	BRT21PHD06016	16 x 60 x 21	100	134	15	\$1330	\$264
	BRT21PHD06616	16 x 66 x 21	100	144	16.50	\$1441	\$286
	BRT21PHD07216	16 x 72 x 21	100	152	18	\$1518	\$314
<hr/>							
Side-by-Side Storage, Open*							
Pier and table supported side-by-side double-sided open storage. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.							
<hr/>							
	BRT21PLDS4216	16 x 42 x 21	92.5	126	11	\$2500	\$185
	BRT21PLDS4816	16 x 48 x 21	92.5	134	12	\$2553	\$211
	BRT21PLDS5416	16 x 54 x 21	92.5	162	14	\$3203	\$237
	BRT21PLDS6016	16 x 60 x 21	92.5	176	15	\$3259	\$264
	BRT21PLDS6616	16 x 66 x 21	92.5	190	17	\$3480	\$288
	BRT21PLDS7216	16 x 72 x 21	92.5	203	18	\$3533	\$314
<hr/>							
Side-by-Side Storage, Laminate Doors*							
Pier and table supported side-by-side double-sided storage with sliding laminate doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.							
<hr/>							
	BRT21PGDS4216	16 x 42 x 21	92.5	110	10.50	\$2525	\$183
	BRT21PGDS4816	16 x 48 x 21	100	116	12	\$2581	\$210
	BRT21PGDS5416	16 x 54 x 21	92.5	141	13.50	\$3347	\$237
	BRT21PGDS6016	16 x 60 x 21	92.5	153	15	\$3406	\$261
	BRT21PGDS6616	16 x 66 x 21	92.5	165	16.50	\$3634	\$287
	BRT21PGDS7216	16 x 72 x 21	100	175	18	\$3716	\$315
<hr/>							
Side-by-Side Storage, Glass Doors*							
Pier and table supported side-by-side double-sided storage with sliding glass doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.							
<hr/>							

Required Specifications

Top finish*
 Edge finish*
 Chassis finish
 Drawer/door front finish (excl. glass)



Optional Specifications

HP laminate*

Required Specifications





Requirements







Fabric
Point finish**

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTWB0924	0.5 x 24 x 8.5	70	1	.56	\$272
Whiteboard						
	BRRTB0924	0.5 x 24 x 8.5	70	1	.56	\$272
Tackboard*						

Required Specifications




Metal finish
Fabric*

MONITOR ARMS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GAMCSSDE	-- x -- x --		125	7.50	1.09
Single Screen Double Extension Arm						\$609
	GAMCSSDEH	-- x -- x --		125	8.20	1.09
Single Screen Double Extension Arm with Height Adjustment						\$730
	GAMCDSDE	-- x -- x --		100	10.70	1.09
Dual Screen Double Extension Arm						\$1072
	GAMCDSDEH	-- x -- x --		92.5	12.2	1.09
Dual Screen Double Extension Arm with Height Adjustment						\$1316

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BABB01	10.25 x 4 x 9	100	2	.21	\$75
Binder Bin						
Load bar/accessory rail mounted metal binder bin. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						
	BAFS01	9.25 x 2.75 x 9.25	70	.06	.14	\$58
Flip Sorter						
Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						
	BASS01L (Left)	10.25 x 5 x 9.5	70	1	.28	\$47
BASS01R (Right)						
Load bar/accessory rail mounted metal slant sorter. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						
	BALT01 (Letter)	9.25 x 13.5 x 2	70	.05	.15	\$62
BALT01LGL (Legal)						
Load bar/accessory rail mounted metal letter or legal tray. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						
	BAMB01	5.25 x 5.75 x 3	70	.08	.05	\$62
Media Bin						
Load bar/accessory rail mounted metal media bin. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						
	BAUT01	3.75 x 5.75 x 3	70	.05	.02	\$41
Utility Tray						
Load bar/accessory rail mounted metal utility tray. • Please refer to the Compatibility Guide on page 488 to determine compatible storage components						

Required Specifications

Paint finish

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BAPP01	2.75 x 16 x 9	100	2	.25	\$94
Mail Box*						
		Load bar/accessory rail mounted metal mail box.				
		• Please refer to the Compatibility Guide on page 488 to determine compatible storage components				
	BATH01	10 x 9 x 2	125	2	.26	\$91
Telephone Holder*						
		Load bar/accessory rail mounted metal telephone holder.				
		• Please refer to the Compatibility Guide on page 488 to determine compatible storage components				
	BRTESBBIN	12 x 12 x 8	100	6	.66	\$193
Elevated Shelf Binder Bin*						
		Load bar/accessory rail mounted elevated shelf binder bin.				
		• Please refer to the Compatibility Guide on page 488 to determine compatible storage components				

Required Specifications

Paint finish*

ACCESSORIES

D x W x H

ACCESSORIES COMPATIBILITY GUIDE

	DIVIDERS: BRTLPPD BRTLPPDS BR2AFD BR2AHD	Elevated Shelves BRTSTS08 BRTBTS08 8" high	Elevated Shelves BRTSTS13 BRTBTS13 13" high	Elevated Shelves BRTSTS16 BRTBTS16 16" high	Shared Overhead BRTBAS048 12" deep	Shared Overhead with sliding doors BRTBASS 16" deep
Binder Bin BABB01	yes	no	no	yes	no	no
Flip Sorter BAFS01	yes	no	yes	no	no	no
Slant Sorter BASS01	yes	no	yes	no	no	no
Letter Tray BALT01	yes	yes	yes	yes	yes	yes
Media Bin BAMB01	yes	yes	yes	yes	yes	yes
Utility Tray BAUT01	yes	yes	yes	yes	yes	yes
Mail Box BAPP01	yes	no	no	yes	no	no
Phone Holder BVATH01	yes	yes	yes	yes	yes	yes
Elevated Shelf Binder Bin BRTESBBIN	no	no	no	no	yes	no
Tackboard BRTTB	yes	no	no	yes	no	no
Whiteboard BRTWB	yes	no	no	yes	no	no

COLLABORATIVE SEATING

D x W x H

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.


Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.

Bridges Collaborative Seating upholstery features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.


In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle. The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.

Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.


Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.




24" square table block



6" In-line table block



COLLABORATIVE SEATING




Low Table*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTST2460F	24 x 60 x 17	150	83.60	14.17	\$938	\$348
BRTST2448F	24 x 48 x 17	125	69	11.33	\$839	\$253
BRTST2424F	24 x 24 x 17	125	40.70	5.67	\$593	\$104

Freestanding 17" h table. Central partition divides space under top surface into two 11" deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

- Anodized Aluminum Leg - Add **\$79** list upcharge
- To convert to mobile - Add an **M** at the end of the product code. Add **\$35** upcharge.

COLLABORATIVE SEATING




Lounge Seat

GRADE	LIST	GRADE	LIST
1	\$1767	7	\$2370
2	\$1857	8	\$2579
3	\$1925	9	\$2740
4	\$2025	10	\$2920
5	\$2172	11	\$3285
6	\$2238	12	\$3679
1	\$1527	7	\$2012
2	\$1601	8	\$2179
3	\$1655	9	\$2306
4	\$1737	10	\$2451
5	\$1851	11	\$2746
6	\$1907	12	\$3058
1	\$839	7	\$1143
2	\$886	8	\$1247
3	\$920	9	\$1328
4	\$972	10	\$1418
5	\$1044	11	\$1600
6	\$1077	12	\$1797

Fully upholstered armless lounge seat with metal base. Seats can be freestanding or linked with optional interlocking bracket kit.

- Anodized Aluminum Leg - Add **\$79** list upcharge



Lounge Seat, Full Backrest

GRADE	LIST	GRADE	LIST
1	\$2822	7	\$3906
2	\$2980	8	\$4280
3	\$3103	9	\$4568
4	\$3286	10	\$4890
5	\$3545	11	\$5554
6	\$3668	12	\$6261
1	\$2435	7	\$3277
2	\$2558	8	\$3569
3	\$2654	9	\$3794
4	\$2797	10	\$4045
5	\$3001	11	\$4561
6	\$3095	12	\$5110
1	\$1320	7	\$1864
2	\$1401	8	\$2051
3	\$1463	9	\$2196
4	\$1554	10	\$2358
5	\$1684	11	\$2690
6	\$1745	12	\$3042

Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

- Anodized Aluminum Leg - Add **\$79** list upcharge

Required Specifications

Top finish* Edge finish*

Chassis finish*

Fabric

Paint finish (legs)

Optional Specifications

Anodized Aluminum Leg




HP laminate*

Required Specifications

Fabric
Paint finish (legs)

Optional Specifications

Anodized Aluminum Leg



COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
D x W x H									
	BRTE2148E2B	24 x 48 x 29	250	57	19.33	1	\$3125	7	\$4088
						2	\$3266	8	\$4422
						3	\$3372	9	\$4678
						4	\$3536	10	\$4964
						5	\$3767	11	\$5553
						6	\$3878	12	\$6181
Lounge Seat, Two 21" USB Backrests									
Fully upholstered armless lounge seat with two backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.									
• Anodized Aluminum Leg - Add \$79 list upcharge									
	BRTE2148EBODL	24 x 48 x 29	250	57	19.33	1	\$3125	7	\$4088
	(shown)					2	\$3266	8	\$4422
						3	\$3372	9	\$4678
						4	\$3536	10	\$4964
						5	\$3767	11	\$5553
						6	\$3878	12	\$6181
Lounge Seat, Two Offset USB Backrests									
Fully upholstered armless lounge seat with two offset backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.									
• Anodized Aluminum Leg - Add \$79 list upcharge									
	BRTE2124EBL	24 x 24 x 29	250	46.10	19.33	1	\$1638	7	\$2183
						2	\$1719	8	\$2370
						3	\$1782	9	\$2514
						4	\$1872	10	\$2676
						5	\$2002	11	\$3008
						6	\$2066	12	\$3360
Lounge Seat, 21" USB Backrest									
Fully upholstered armless lounge seat with one backrest and metal base. 21" w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.									
• Anodized Aluminum Leg - Add \$79 list upcharge									

Required Specifications

Fabric
Metal Finish (legs)

Optional Specifications

Anodized Aluminum Leg






COLLABORATIVE SEATING	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	BRTSINT60S	24 x 60 x 29	125	155	24.17	1	\$5639	7	\$6699
						2	\$5776	8	\$7074
						3	\$5896	9	\$7365
						4	\$6081	10	\$7686
						5	\$6340	11	\$8349
						6	\$6464	12	\$9055
	BRTSINT48S	24 x 48 x 29	100	182	19.33	1	\$5395	7	\$6238
						2	\$5519	8	\$6530
						3	\$5615	9	\$6757
						4	\$5759	10	\$7006
						5	\$5961	11	\$7522
						6	\$6056	12	\$8073
Integrated Lounge Seat, Single-Sided	<p>Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The single-sided kit consists of 24" x 48" or 24" x 60" seat, full width back, three-sided below worksurface enclosure, 6" d worksurface module with access door, 30" x 48" or 30" x 60" w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.</p> <ul style="list-style-type: none"> • Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side • Anodized Aluminum Leg - Add \$79! list upcharge • High pressure laminate - Add \$284 list upcharge 								
Integrated Lounge Seat, Double-Sided	BRTSINT60D	24 x 60 x 29	125	155	24.17	1	\$7320	7	\$8404
						2	\$7478	8	\$8778
						3	\$7601	9	\$9066
						4	\$7784	10	\$9388
						5	\$8043	11	\$10052
						6	\$8167	12	\$10760
	BRTSINT48D	24 x 48 x 29	100	182	19.33	1	\$6548	7	\$7390
						2	\$6671	8	\$7682
						3	\$6767	9	\$7907
						4	\$6910	10	\$8158
						5	\$7114	11	\$8674
						6	\$7209	12	\$9223
Integrated Lounge Seat, Double-Sided	<p>Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The double-sided kit consists of two 24" x 48" or 24" x 60" seats, full width backs, three-sided below worksurface enclosures, 6" d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.</p> <ul style="list-style-type: none"> • Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side. • Anodized Aluminum Leg - Add \$79 list upcharge • High pressure laminate - Add \$284 list upcharge 								

Required Specifications

Fabric
Laminate finish (enclosure)
Edge finish (enclosure)
Metal finish (legs)

Optional Specifications

Anodized Aluminum Leg
HP laminate (enclosure)


SEATING PARTITIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	BRTPP2448L1	28.7 x 53 x 25	300	41	22.01	\$2068
	BRTPP2424L1	28.7 x 29 x 25	250	32	12.04	\$1547
Seat Partitions	Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.					
	BRTPP2448L2	28.7 x 53 x 50	400	41	44.01	\$2996
	BRTPP2424L2	28.7 x 29 x 50	300	32	24.08	\$2342
Seat Privacy Partitions	Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50" h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.					
	BRTS2424B	24 x 24 x 25	250	32	12.04	\$660
	BRTS2424BP	24 x 24 x 25	125	59.30	8.33	\$1312
Square Table Block*	Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.					
	BRTSTBG	2.4 x 5 x 1.1	70	.05	.01	\$51
Square Table Block Ganging Bracket Kit	Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.					
	BRTSTS2	1.3 x 6 x .1	70	.03	.01	\$23
Ganging Bracket Kit	Two ganging brackets connect seat temporarily to adjacent in-line seat or 24" d bridges storage. Black powdercoat finish.					

Required Specifications

Fabric
Laminate finish (enclosure)
Edge finish (enclosure)
Metal finish (legs)

Optional Specifications


Anodized Aluminum Leg
HP laminate (enclosure)

COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	BRTS2406B	24 x 6 x 25	92.5	21	2.08	\$566	\$51
	BRTS2406BP	24 x 6 x 25	92.5	23.30	2.08	\$1219	\$51
	BRTS2406B2P	24 x 6 x 25	92.5	24.30	2.08	\$1873	\$51
	BRTS2406BT	24 x 6 x 25	85	25.60	2.08	\$1080	\$51
	BRTS2406BPT	24 x 6 x 25	92.5	24.30	2.08	\$1733	\$51


Inline 6" Block

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two Bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side of the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.


- BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

BRTS2406B 


Inline table - no power module or swivel arm

BRTS2406BP 


Inline table w/front power module

BRTS2406B2P 

Inline table w/front and rear power module

BRTS2406BT 

Inline table w/swivel tablet arm

BRTS2406BPT 

Inline table w/front power module and swivel tablet arm

Required Specifications

Top finish
Edge finish
Chassis/Accent finish
Fabric

Optional Specifications

HP laminate (top only)



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide is offered in many laminate and fabric color options to complement any office environment.



Features and Benefits

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify; choose the desired panel height and width and its corresponding height divide post(s)
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics

GENERAL INFORMATION

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
 - Divide posts - to support the partitions
 - Partitioning screens - a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
 - Transaction tops - laminate tops ideal for creating reception stations
- For environmental certifications, please visit globalfurnituregroup.com
- Model numbers reflect total width of panel and posts

DIVIDE POSTS

- Available in 6 standard heights:
 - 12" high - to create **semi-private** spaces and to support Transaction Tops
 - 18" high - to create **semi-private** spaces and to support Transaction Tops
 - 24" high - to create **semi-private** spaces
 - 30" high - to create **semi-private** spaces
 - 36" high - to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
 - 42" high - to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.

PARTITIONING SCREENS

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
 - **Laminate:** available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom is Black (**BLK**) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as **SCP2** after model #. Woodgrain direction is horizontal for all sizes.
 - **Glazed:** choice of **ribbed** or **frosted** glazing. Frosted material is 3mm thick Acrylic P95; Ribbed material is 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through option.
 - **Fabric:** available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials.

TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge. Please specify (see right column).



A3 1" top, standard



AR 1" top, bicut edge



C3 1.5" top, standard



CR 1.5" top, bicut edge



CF 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
- Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRG	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


FABRICS (fabric screens)

Fabric screens can be upholstered in the following fabrics only:


- Anchorage
- Imprint
- Lola
- Merge

PLEASE NOTE:

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel




Correct Installation




Incorrect Installation

HOW TO ORDER DIVIDE SCREENS

example: DTB 12 36* AN52

**Fabric Code****Width*** (of worksurface to be used on)**Height** (of screen)**Style Code** (fabric, glazed or laminate)


***NOTE:** Number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

PARTS AND COMPONENTS**INSTALLATION IS AS SIMPLE AS 1...2...3**


- 1) Attach the threaded **Post Mounting Plate** with enclosed screws to the top side of the worksurface.
- 2) **Divider Post** is bolted to the Mounting Plate.
- 3) **Top Cap** is attached to the top of the Divide Post.

12"H System


12" panel




12" raised panel

18"H System

18" panel



18" raised panel

24"H System

24" panel




24" raised panel




(2) 12" panels

30"H System


12" panel + 18" panel

36"H System


36" panel




36" raised panel




(2) 18" panels



(3) 12" panels


42"H System

18" panel + 24" panel

(1) 18" panel
(2) 12" panels

FABRIC PANELS


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
D x W x H									
DTB1220	.68 x 14.8 x 12	92.5	3	.30	\$288	\$324	\$352	\$395	\$449
DTB1224	.68 x 18.9 x 12	85	4	.30	\$301	\$337	\$363	\$399	\$459
DTB1229	.68 x 24.5 x 12	92.5	4	.40	\$319	\$358	\$383	\$426	\$479
DTB1230	.68 x 24.8 x 12	85	5	.40	\$319	\$358	\$383	\$426	\$479
DTB1236	.68 x 30.8 x 12	85	5	.40	\$354	\$391	\$416	\$455	\$510
DTB1242	.68 x 36.8 x 12	85	6	.50	\$412	\$449	\$474	\$510	\$570
DTB1248	.68 x 42.8 x 12	92.5	7	.60	\$446	\$481	\$508	\$543	\$602
DTB1260	.68 x 54.8 x 12	85	9	.70	\$477	\$514	\$541	\$580	\$637
DTB1266	.68 x 60.8 x 12	85	10	.80	\$503	\$539	\$567	\$604	\$661
DTB1272	.68 x 66.8 x 12	85	11	.80	\$535	\$572	\$599	\$636	\$693



Fabric Panel - 12" High


Includes matching filler panel. Ships 1 set per carton. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.



Fabric Panel - 18" High

DTB1820	.68 x 14.8 x 18	85	4	.30	\$319	\$358	\$383	\$426	\$479
DTB1824	.68 x 18.9 x 18	85	5	.40	\$335	\$370	\$397	\$432	\$491
DTB1829	.68 x 24.5 x 18	85	6	.50	\$354	\$391	\$416	\$455	\$510
DTB1830	.68 x 24.8 x 18	85	6	.50	\$354	\$391	\$416	\$455	\$510
DTB1836	.68 x 30.8 x 18	92.5	7	.60	\$412	\$449	\$474	\$510	\$570
DTB1842	.68 x 36.8 x 18	92.5	8	.70	\$450	\$486	\$511	\$547	\$604
DTB1848	.68 x 42.8 x 18	85	10	.80	\$477	\$514	\$541	\$580	\$637
DTB1860	.68 x 54.8 x 18	85	12	.90	\$503	\$539	\$567	\$604	\$661
DTB1866	.68 x 60.8 x 18	85	14	1	\$535	\$572	\$599	\$636	\$693
DTB1872	.68 x 66.8 x 18	85	14	1.10	\$599	\$636	\$663	\$702	\$759



Fabric Panel - 24" High

Includes matching filler panel. Ships 1 set per carton. **Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB2420	.68 x 14.8 x 24	92.5	4	.40	\$354	\$391	\$416	\$455	\$510
DTB2424	.68 x 18.9 x 24	100	4	.50	\$354	\$391	\$416	\$455	\$510
DTB2429	.68 x 24.5 x 24	92.5	6	.60	\$412	\$449	\$474	\$510	\$570
DTB2430	.68 x 24.8 x 24	92.5	6	.60	\$412	\$449	\$474	\$510	\$570
DTB2436	.68 x 30.8 x 24	92.5	7	.70	\$446	\$481	\$508	\$543	\$602
DTB2442	.68 x 36.8 x 24	92.5	8	.80	\$477	\$514	\$541	\$580	\$637
DTB2448	.68 x 42.8 x 24	92.5	9	.90	\$503	\$539	\$567	\$604	\$661
DTB2460	.68 x 54.8 x 24	92.5	11	1.10	\$535	\$572	\$599	\$636	\$693
DTB2466	.68 x 60.8 x 24	92.5	12	1.20	\$599	\$636	\$663	\$702	\$759
DTB2472	.68 x 66.8 x 24	92.5	14	1.40	\$651	\$688	\$716	\$752	\$811


Includes matching filler panel. Ships 1 set per carton. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

Required Specifications

Fabric
Rail Finish

FABRIC PANELS




MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
					GR.1	GR.2	GR. 3	GR. 4	GR. 5
DTB3620	.68 x 14.8 x 36	92.5	6	.60	\$436	\$464	\$485	\$517	\$563
DTB3624	.68 x 18.9 x 36	92.5	7	.70	\$436	\$464	\$485	\$517	\$563
DTB3629	.68 x 24.5 x 36	92.5	9	.90	\$588	\$616	\$637	\$669	\$715
DTB3630	.68 x 24.8 x 36	92.5	9	.90	\$588	\$616	\$637	\$669	\$715
DTB3636	.68 x 30.8 x 36	92.5	10	1	\$664	\$693	\$715	\$747	\$792
DTB3642	.68 x 36.8 x 36	92.5	12	1.20	\$712	\$740	\$761	\$793	\$839
DTB3648	.68 x 42.8 x 36	92.5	14	1.30	\$830	\$858	\$879	\$911	\$957
DTB3660	.68 x 54.8 x 36	92.5	17	1.60	\$968	\$996	\$1017	\$1049	\$1095
DTB3666	.68 x 60.8 x 36	92.5	19	1.80	\$1078	\$1107	\$1129	\$1161	\$1206
DTB3672	.68 x 66.8 x 36	92.5	21	1.90	\$1140	\$1168	\$1189	\$1221	\$1267

Fabric Panel - 36" High*

Includes matching filler panel. Ships 1 set per carton. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS




					LIST PRICE
DGP1220	.68 x 14.8 x 12	125	2	.30	\$283
DGP1224	.68 x 18.9 x 12	92.5	3	.30	\$301
DGP1229	.68 x 24.5 x 12	125	3	.40	\$357
DGP1230	.68 x 24.8 x 12	92.5	4	.40	\$357
DGP1236	.68 x 30.8 x 12	92.5	4	.40	\$415
DGP1242	.68 x 36.8 x 12	92.5	5	.50	\$471
DGP1248	.68 x 42.8 x 12	100	5	.60	\$556
DGP1260	.68 x 54.8 x 12	92.5	7	.70	\$651
DGP1266	.68 x 60.8 x 12	100	7	.80	\$712
DGP1272	.68 x 66.8 x 12	92.5	8	.80	\$770

Glazed Panel - 12" High**

Includes matching filler panel. Ships 1 set per carton. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).



					LIST PRICE
DRGP1220	.68 x 14.8 x 12	60	2	.02	\$252
DRGP1224	.68 x 18.9 x 12	60	3	.03	\$292
DRGP1229	.68 x 24.5 x 12	60	3	.03	\$343
DRGP1230	.68 x 24.8 x 12	60	4	.03	\$343
DRGP1236	.68 x 30.8 x 12	60	4	.04	\$402
DRGP1242	.68 x 36.8 x 12	60	5	.05	\$455
DRGP1248	.68 x 42.8 x 12	60	5	.05	\$540
DRGP1260	.68 x 54.8 x 12	60	7	.07	\$639
DRGP1266	.68 x 60.8 x 12	60	7	.07	\$698
DRGP1272	.68 x 66.8 x 12	60	8	.08	\$758

Glazed Panel - 12" High, Raised**

4" gap at bottom. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

Required Specifications


Fabric*

Glaze**

Rail Finish

GLAZED PANELS


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
DGP1820	.68 x 14.8 x 18	92.5	3	.30	\$316
DGP1824	.68 x 18.9 x 18	125	3	.40	\$341
DGP1829	.68 x 24.5 x 18	100	4	.50	\$399
DGP1830	.68 x 24.8 x 18	100	4	.50	\$399
DGP1836	.68 x 30.8 x 18	100	5	.60	\$461
DGP1842	.68 x 36.8 x 18	125	5	.70	\$514
DGP1848	.68 x 42.8 x 18	125	6	.80	\$616
DGP1860	.68 x 54.8 x 18	100	8	.90	\$736
DGP1866	.68 x 60.8 x 18	100	8	1	\$796
DGP1872	.68 x 66.8 x 18	100	9	1.10	\$860



Glazed Panel - 18" High

Includes matching filler panel. Ships 1 set per carton. **Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).




Glazed Panel - 18" High, Raised

4" gap at bottom. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

DGP2420	.68 x 14.8 x 24	125	3	.40	\$341
DGP2424	.68 x 18.9 x 24	100	4	.50	\$382
DGP2429	.68 x 24.5 x 24	125	4	.60	\$457
DGP2430	.68 x 24.8 x 24	100	5	.60	\$457
DGP2436	.68 x 30.8 x 24	125	5	.70	\$528
DGP2442	.68 x 36.8 x 24	125	6	.80	\$599
DGP2448	.68 x 42.8 x 24	125	7	.90	\$703
DGP2460	.68 x 54.8 x 24	100	9	1.10	\$854
DGP2466	.68 x 60.8 x 24	100	10	1.20	\$931
DGP2472	.68 x 66.8 x 24	125	10	1.40	\$1002



Glazed Panel - 24" High

Includes matching filler panel. Ships 1 set per carton. **Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

Required Specifications

Glaze
Rail finish

GLAZED PANELS

MODEL#

DIMENSIONS

FREIGHT CLASS


WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H


DRGP2420	.68 x 14.8 x 24	60	3	.04	\$331
DRGP2424	.68 x 18.9 x 24	60	4	.05	\$371
DRGP2429	.68 x 24.5 x 24	60	4	.06	\$442
DRGP2430	.68 x 24.8 x 24	60	5	.06	\$442
DRGP2436	.68 x 30.8 x 24	60	5	.07	\$515
DRGP2442	.68 x 36.8 x 24	60	6	.08	\$586
DRGP2448	.68 x 42.8 x 24	60	7	.09	\$684
DRGP2460	.68 x 54.8 x 24	100	9	1.10	\$837
DRGP2466	.68 x 60.8 x 24	100	10	1.20	\$913
DRGP2472	.68 x 66.8 x 24	125	10	1.30	\$987



Glazed Panel - 24" High, Raised

4" gap at bottom. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).




Glazed Panel - 36" High

DGP3620	.68 x 14.8 x 36	125	4	.60	\$415
DGP3624	.68 x 18.9 x 36	150	4	.70	\$457
DGP3629	.68 x 24.5 x 36	150	5	.90	\$546
DGP3630	.68 x 24.8 x 36	125	6	.90	\$546
DGP3636	.68 x 30.8 x 36	125	7	1	\$644
DGP3642	.68 x 36.8 x 36	125	8	1.20	\$736
DGP3648	.68 x 42.8 x 36	125	9	1.30	\$860
DGP3660	.68 x 54.8 x 36	125	11	1.60	\$1038
DGP3666	.68 x 60.8 x 36	125	12	1.80	\$1130
DGP3672	.68 x 66.8 x 36	125	13	1.90	\$1220

Includes matching filler panel. Ships 1 set per carton. **Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).



DRGP3620	.68 x 14.8 x 36	60	4	.06	\$402
DRGP3624	.68 x 18.9 x 36	60	4	.07	\$442
DRGP3629	.68 x 24.5 x 36	60	5	.08	\$534
DRGP3630	.68 x 24.8 x 36	60	6	.08	\$534
DRGP3636	.68 x 30.8 x 36	125	7	1	\$632
DRGP3642	.68 x 36.8 x 36	125	8	1.10	\$717
DRGP3648	.68 x 42.8 x 36	125	9	1.30	\$842
DRGP3660	.68 x 54.8 x 36	125	11	1.60	\$1012
DRGP3666	.68 x 60.8 x 36	125	12	1.70	\$1104
DRGP3672	.68 x 66.8 x 36	125	13	1.90	\$1195

Glazed Panel - 36" High, Raised

4" gap at bottom. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

Required Specifications


Glaze

Rail finish

LAMINATE PANELS


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DLP1220	.68 x 14.8 x 12	70	5	.30	\$94
DLP1224	.68 x 18.9 x 12	70	5	.30	\$111
DLP1229	.68 x 24.5 x 12	70	7	.40	\$140
DLP1230	.68 x 24.8 x 12	70	7	.40	\$140
DLP1236	.68 x 30.8 x 12	70	8	.40	\$154
DLP1242	.68 x 36.8 x 12	70	10	.50	\$175
DLP1248	.68 x 42.8 x 12	70	11	.60	\$196
DLP1260	.68 x 54.8 x 12	70	14	.70	\$212
DLP1266	.68 x 60.8 x 12	70	16	.80	\$234
DLP1272	.68 x 66.8 x 12	70	17	.80	\$264

Laminate Panel - 12" High



Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see **NOTES** on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.




Laminate Panel - 18" High

DLP1820	.68 x 14.8 x 18	65	7	.30	\$113
DLP1824	.68 x 18.9 x 18	70	8	.40	\$128
DLP1829	.68 x 24.5 x 18	70	10	.50	\$152
DLP1830	.68 x 24.8 x 18	70	10	.50	\$152
DLP1836	.68 x 30.8 x 18	70	12	.60	\$172
DLP1842	.68 x 36.8 x 18	70	15	.70	\$196
DLP1848	.68 x 42.8 x 18	70	17	.80	\$227
DLP1860	.68 x 54.8 x 18	65	21	.90	\$249
DLP1866	.68 x 60.8 x 18	65	23	1	\$273
DLP1872	.68 x 66.8 x 18	65	25	1.10	\$301

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see **NOTES** on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.



Laminate Panel - 24" High

DLP2420	.68 x 14.8 x 24	65	9	.40	\$128
DLP2424	.68 x 18.9 x 24	70	11	.50	\$139
DLP2429	.68 x 24.5 x 24	70	13	.60	\$172
DLP2430	.68 x 24.8 x 24	70	13	.60	\$172
DLP2436	.68 x 30.8 x 24	65	16	.70	\$190
DLP2442	.68 x 36.8 x 24	65	19	.80	\$221
DLP2448	.68 x 42.8 x 24	65	22	.90	\$252
DLP2460	.68 x 54.8 x 24	65	28	1.10	\$283
DLP2466	.68 x 60.8 x 24	65	30	1.20	\$315
DLP2472	.68 x 66.8 x 24	65	33	1.40	\$344

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see **NOTES** on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

Required Specifications

Laminate finish. Note: woodgrain finishes are horizontal on all sizes.

LAMINATE PANELS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DLP3620	.68 x 14.8 x 36	70	13	.60	\$156
	DLP3624	.68 x 18.9 x 36	65	16	.70	\$172
	DLP3629	.68 x 24.5 x 36	70	20	.90	\$210
	DLP3630	.68 x 24.8 x 36	70	20	.90	\$210
	DLP3636	.68 x 30.8 x 36	65	24	1	\$242
	DLP3642	.68 x 36.8 x 36	65	28	1.20	\$280
	DLP3648	.68 x 42.8 x 36	65	33	1.30	\$315
	DLP3660	.68 x 54.8 x 36	65	41	1.60	\$362
	DLP3666	.68 x 60.8 x 36	65	45	1.80	\$399
	DLP3672	.68 x 66.8 x 36	65	50	1.90	\$438

Laminate Panel - 36" High*

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see **NOTES** on page 498 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

DIVIDE POSTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DPOST12	1.68 x 1.68 x 12	70	2	.10	\$129
	DPOST18	1.68 x 1.68 x 18	70	2	.10	\$175
	DPOST24	1.68 x 1.68 x 24	60	3	.10	\$228
	DPOST30	1.68 x 1.68 x 30	60	4	.10	\$316
	DPOST36	1.68 x 1.68 x 36	70	4	.20	\$362
	DPOST42	1.68 x 1.68 x 42	65	5	.20	\$402

Divide Post

For supporting panels. Includes one post mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. Available in Black (**BLK**) or Tungsten (**TUN**), please specify.

- Requires 2 divide posts per panel
- Divide post is mounted 1.063" from worksurface edge.

DFS12	1.43 x .75 x 12	150	2	.50	\$72
DFS18	1.43 x .75 x 18	150	2	.50	\$72
DFS24	1.43 x .75 x 24	150	2	.50	\$72
DFS30	1.43 x .75 x 30	150	2	.50	\$76
DFS36	1.43 x .75 x 36	150	2	.50	\$76
DFS42	1.43 x .75 x 42	150	3	.60	\$76

Post-to-Wall Filler Strip

Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Ships 1 per carton. Black only.


Required Specifications

Laminate finish*. Note: woodgrain finishes are horizontal on all sizes.

TRANSACTION TOPS

D x W x H

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add a **15% upcharge**.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add a **20% upcharge**.
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divider post towards the inside and 8" towards the outside.


Transaction Top Offset

- 4" from the center of the Divider Post to the inside of worksurface
- 8" from the center of the Divider Post to the outside of worksurface




Two Way Connector Transaction Top (DATT2W/DCTT2W)

Use with a corner worksurface to link transaction tops together.



Radius End Transaction Top - one side

Add suffix "D" to model number for radius end on one side.



Radius End Transaction Top - two sides

Add suffix "DD" to model number for radius end on both sides.

STRAIGHT TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DATT14	12 x 14 x 1	65	7	.30	\$282
	DATT18	12 x 18 x 1	70	8	.40	\$282
	DATT20	12 x 20 x 1	70	9	.50	\$282
	DATT23	12 x 23 x 1	70	10	.50	\$320
	DATT24	12 x 24 x 1	70	10	.50	\$320
	DATT29	12 x 29 x 1	70	12	.60	\$342
	DATT30	12 x 30 x 1	70	12	.60	\$342
	DATT36	12 x 36 x 1	70	14	.70	\$362
	DATT42	12 x 42 x 1	70	16	.80	\$382
	DATT48	12 x 48 x 1	70	18	.90	\$382
	DATT54	12 x 54 x 1	70	21	1	\$431
	DATT60	12 x 60 x 1	70	23	1.10	\$431
	DATT66	12 x 66 x 1	70	25	1.20	\$481
	DATT72	12 x 72 x 1	70	27	1.30	\$481



Straight Transaction Top - 1" thick

12" deep x 1" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Add "D" to model number for radius end on one side, ADD **15% upcharge**.
- Add "DD" to model number for radius end on both sides, ADD **20% upcharge**.
- Each radius adds 6" overhang per side.

Required Specifications

Laminate Finish
Edge Detail

Optional Specifications

Radius End

TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	DCTT14	12 x 14 x 1.5	60	9	.30	\$391
	DCTT18	12 x 18 x 1.5	65	11	.40	\$391
	DCTT20	12 x 14.8 x 1.5	65	12	.50	\$391
	DCTT23	12 x 23 x 1.5	65	14	.50	\$454
	DCTT24	12 x 18.9 x 1.5	65	14	.50	\$454
	DCTT29	12 x 24.5 x 1.5	65	17	.60	\$483
	DCTT30	12 x 30 x 1.5	65	17	.60	\$483
	DCTT36	12 x 36 x 1.5	65	20	.70	\$506
	DCTT42	12 x 42 x 1.5	65	23	.80	\$506
	DCTT48	12 x 48 x 1.5	65	26	.90	\$506
	DCTT54	12 x 54 x 1.5	65	29	1	\$576
	DCTT60	12 x 60 x 1.5	65	32	1.10	\$576
	DCTT66	12 x 66 x 1.5	65	35	1.20	\$630
	DCTT72	12 x 72 x 1.5	65	38	1.30	\$630




Straight Transaction Top - 1 1/2" thick

12" deep x 1 1/2" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Add "D" to model number for radius end on one side, ADD **15% upcharge**.
- Add "DD" to model number for radius end on both sides, ADD **20% upcharge**.
- Each radius adds 6" overhang per side.

GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DA1GC36	36 x 36 x 1	125	32	5	\$859
	DA1GC42	42 x 42 x 1	150	38	6.50	\$859



Gallery Corner Transaction Top - 1" thick

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Woodgrain runs in one direction.

GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DC1GC36	36 x 36 x 1.5	100	43	5	\$1069
	DC1GC42	42 x 42 x 1.5	125	50	6.50	\$1069



Gallery Corner Transaction Top - 1 1/2" thick

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs in one direction.

2 PIECE GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DA2GC36	36 x 36 x 1	70	29	1.90	\$610
	DA2GC42	42 x 42 x 1	70	33	1.90	\$610



2 Piece Gallery Corner Transaction Top - 1" thick

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.





- Woodgrain runs in two directions.

Required Specifications

Laminate Finish
Edge Detail

Optional Specifications

Radius End (DCTT models)

2 PIECE GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	DC2GC36	36 x 36 x 1.5	70	39	1.90	\$818
	DC2GC42	42 x 42 x 1.5	65	45	1.90	\$818
2 Piece Gallery Corner Transaction Top - 1½" thick						
<p>Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs in two directions. 						
2-WAY CONNECTOR TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DATT2W	12 x 12 x 1	70	6	.30	\$385
2-Way Connector Transaction Top - 1" thick						
<p>Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs diagonally. 						
	DCTT2W	12 x 12 x 1.5	65	7	.30	\$450
2-Way Connector Transaction Top - 1½" thick						
<p>Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs diagonally. 						
4-WAY CONNECTOR TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DATT4W	12 x 12 x 1	65	8	.30	\$411
4-Way Connector Transaction Top - 1" thick						
<p>Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs diagonally. 						
	DCTT4W	12 x 12 x 1.5	60	10	.30	\$527
4-Way Connector Transaction Top - 1½" thick						
<p>Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs diagonally. 						

Required Specifications

Laminate Finish

Edge Detail

personal storage



Sidebar Storage

510



Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.

Features and Benefits

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting



Foot options



Stack-on storage



Low credenza storage with cushion

GENERAL INFORMATION

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time – please refer to model # for availability and pricing.
- For environmental certifications, please visit globalfurnituregroup.com

CONSTRUCTION

- Tops are 1" thick thermally fused laminate (**TFL**) or optional 1-1/16" thick high pressure laminate (**HPL**) available in a variety of edge details
- All finishes feature edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain)
- Constructed of 45 lb. density particleboard covered on both sides with high performance thermally fused laminate (**TFL**) or high pressure laminate surfaces (**HPL**)
- Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides
- Products specified with the high pressure laminate option (**HPL**) are finished on the underside of the surface with a kraft paper backing.

STORAGE

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box – 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- All shelves are fixed

FEET

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black [BLK] feet).
- If no handle selection is available, legs and feet are available in Tungsten (**TTU**) or Black (**TBL**)

LOCKS

- Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

SHIPPING

- Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

S Sidebar Storage - Notes

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops (upcharge applies)

3. SPECIFY FINISH

Top/Base/Door, Drawer and Cabinet Finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Edge:

AB	Split color edge with Black Trim
AS	Split color edge with Silver Trim
A3	Standard edge
AR	Bicut edge

Feet:

Storage Feet are available in Tungsten (**TTU**) or Black (**TBL**).

4. SPECIFY OPTIONS

EDGE OPTIONS



A3 - square corner, standard edge

AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black

HANDLES

- Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be **factory installed**. Each handle is identified by the letters "**HU**", "**HV**", "**HW**", "**HX**" "**HS**", "**HZ**", "**HO**", "**HC**", and "**HR**". To specify a handle, please specify the code after the model number. To order a handle as an option, please specify the code when ordering. List Price is **\$58**.



HS Flared Silver



HV Square Edge Silver



HO Crescent Black



HW Flared Brass



HU Square Edge Black



HZ Dimpled Nickel



HX Flared Black



HQ Bar Silver




HR Bar Black

MOBILE PEDESTAL	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	S1619MP	19 x 16 x 25	85	76	6	\$1054	n/a
	S1623MP	23 x 16 x 25	92.5	82	7	\$1095	n/a

Mobile Pedestal*

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.

- File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MOBILE PEDESTAL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	CU1517	17 x 15 x 1.5	125	6	.90	1	\$155	7	\$442
						2	\$201	8	\$541
						3	\$232	9	\$618
						4	\$281	10	\$701
						5	\$347	11	\$874
						6	\$381	12	\$1064
	CU1520	20 x 15 x 1.5	70	1	1	1	\$167	7	\$452
						2	\$210	8	\$552
						3	\$242	9	\$628
						4	\$292	10	\$712
						5	\$359	11	\$886
						6	\$390	12	\$1075

Cushion for Mobile Pedestals**

Cushion attaches with Velcro strips.

- CU1517 for use on S1619MP. CU1520 for use on S1623MP.

Required Specifications

Top finish*
Drawer front finish*
Handles*
Fabric**

Required Specifications

Required

Top finish
Top/edge detail





Top edge
Base finish

Drawer Front Finish (Units w/doors)

Handle

Handles

Shelf Finish (Open Units)


STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	S3020HZ S3024HZ S3620HZ S3624HZ	20 x 30 x 63.35 24 x 30 x 63.35 20 x 36 x 63.35 24 x 36 x 63.35	100 125 125 125	239 246 253 275	27.50 32.50 32.75 38.75	\$2689 \$2817 \$2911 \$3055	n/a n/a n/a n/a
3 High Lateral File - Open	Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4. • Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.						
	S3020DX S3024DX S3620DX S3624DX	20 x 30 x 36.35 24 x 30 x 36.35 20 x 36 x 36.35 24 x 36 x 36.35	125 125 125 125	122 139 151 173	16.50 19.50 19.50 23	\$1380 \$1486 \$1618 \$1764	n/a n/a n/a n/a
2 High Storage Cabinet	Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2.						
	S3020FX S3024FX S3620FX S3624FX	20 x 30 x 49.85 24 x 30 x 49.85 20 x 36 x 49.85 24 x 36 x 49.85	125 125 100 125	167 190 209 238	22 26 23.75 30.75	\$1710 \$1845 \$2026 \$2218	n/a n/a n/a n/a
3 High Storage Cabinet	Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3.						
	S3020HX S3024HX	20 x 30 x 63.35 24 x 30 x 63.35	125 125	212 241	27.50 32.50	\$2048 \$2222	n/a n/a
4 High Storage Cabinet	Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4.						

Required Specifications


Top finish
Top/edge detail
Base finish
Door / Drawer Front Finish

Handles

LOW CREDENZAS




left




right

Low Credenza - Lateral Drawer




left




right

Low Credenza - Lateral Drawer



Medium Credenza - Box/File



Medium Credenza w/Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
S4220ASL	20 x 42 x 22.85	125	110	15	\$1326	\$213
S4224ASL	24 x 42 x 22.85	125	123	17.50	\$1422	\$250
S4820ASL	20 x 48 x 22.85	125	121	17	\$1435	\$250
S4824ASL	24 x 48 x 22.85	125	136	20	\$1534	\$282
S4220ASR	20 x 42 x 22.85	125	110	15	\$1326	\$213
S4224ASR	24 x 42 x 22.85	125	123	17.50	\$1422	\$250
S4820ASR	20 x 48 x 22.85	125	121	17	\$1435	\$250
S4824ASR	24 x 48 x 22.85	125	136	20	\$1534	\$282

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.


- 42" w cabinet has a 30" w lateral drawer.
- 48" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S6020ASL	20 x 60 x 22.85	125	138	21	\$1581	\$319
S6024ASL	24 x 60 x 22.85	125	156	24.75	\$1692	\$353
S7220ASL	20 x 72 x 22.85	125	159	20.75	\$1764	\$353
S7224ASL	24 x 72 x 22.85	125	179	25	\$1879	\$422
S6020ASR	20 x 60 x 22.85	125	138	21	\$1581	\$319
S6024ASR	24 x 60 x 22.85	125	156	24.75	\$1692	\$353
S7220ASR	20 x 72 x 22.85	125	159	20.75	\$1764	\$353
S7224ASR	24 x 72 x 22.85	125	179	25	\$1879	\$422

Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 60" w cabinet has a 30" w lateral drawer.
- 72" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


MEDIUM CREDENZAS



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S3020BZ	20 x 30 x 29.6	100	113	13.75	\$1408	\$178
S3024BZ	24 x 30 x 29.6	125	126	16.25	\$1499	\$178
S3620BZ	20 x 36 x 29.6	125	128	16.25	\$1540	\$178
S3624BZ	24 x 36 x 29.6	100	142	16.75	\$1632	\$213

Wide box and lateral file. Handles are standard. Lock secures both drawers.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



S3020BY	20 x 30 x 29.6	100	116	13.75	\$1337	\$178
S3024BY	24 x 30 x 29.6	100	131	16.25	\$1443	\$178
S3620BY	20 x 36 x 29.6	100	132	16.25	\$1472	\$178
S3624BY	24 x 36 x 29.6	100	149	16.75	\$1581	\$213

Open cavity and lateral file. Handles are standard. Standard with lock.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications


Top finish
Top/edge detail
Base finish
Door/drawer front finish

Handles

Optional Specifications

HP laminate

MEDIUM CREDENZAS



left



right


Medium Credenza - Box/Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
S4220BSL	20 x 42 x 29.6	125	142	18.75	\$1666	\$213
S4224BSL	24 x 42 x 29.6	125	160	22	\$1777	\$250
S4820BSL	20 x 48 x 29.6	125	155	21.25	\$1806	\$250
S4824BSL	24 x 48 x 29.6	125	173	25	\$1923	\$282

S4220BSR	20 x 42 x 29.6	125	142	18.75	\$1666	\$213
S4224BSR	24 x 42 x 29.6	125	160	22	\$1777	\$250
S4820BSR	20 x 48 x 29.6	125	155	21.25	\$1806	\$250
S4824BSR	24 x 48 x 29.6	125	173	25	\$1923	\$282

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42" w credenza has a 30" w box/lateral file
- 48" w credenza has a 36" w box/lateral file
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



left



right

Medium Credenza - Mixed Drawers

S4220BQL	20 x 42 x 29.6	100	165	18.75	\$2119	\$213
S4224BQL	24 x 42 x 29.6	100	184	22	\$2250	\$250
S4820BQL	20 x 48 x 29.6	100	179	21.25	\$2254	\$250
S4824BQL	24 x 48 x 29.6	100	184	22	\$2250	\$282

S4220BQR	20 x 42 x 29.6	100	165	18.75	\$2119	\$213
S4224BQR	24 x 42 x 29.6	100	184	22	\$2250	\$250
S4820BQR	20 x 48 x 29.6	100	179	21.25	\$2254	\$250
S4824BQR	24 x 48 x 29.6	100	184	22	\$2250	\$282

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.

- 42" w credenza has a 30" w lateral drawer
- 48" w credenza has a 36" w lateral drawer
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.






Required Specifications

Top finish
Top/edge detail
Base finish
Door/drawer front finish

Handles

Optional Specifications





HP laminate

STACK-ON STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	S1214AO S2414AO S3014AO S3614AO	14.3 x 12 x 13.5 14.3 x 24 x 13.5 14.3 x 30 x 13.5 14.3 x 36 x 13.5	92.5 100 100 125	23 37 41 46	2.20 4 5 5.90	\$264 \$400 \$442 \$483	n/a n/a n/a n/a
Stack-On Bookcases	Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top. • Sxx14AO Stack-On bookcases add 1 tier when placed on any storage unit.						
	S1214BO S2414BO S3014BO S3614BO	14.3 x 12 x 20.25 14.3 x 24 x 20.25 14.3 x 30 x 20.25 14.3 x 36 x 20.25	92.5 92.5 100 100	35 59 68 77	3.10 5.75 7 8.50	\$380 \$625 \$699 \$804	n/a n/a n/a n/a
Stack-On Bookcase w/Collators**	Designed to be placed on top credenzas. Open cavity with collator below. Unit rests directly on credenza top. • Sxx14BO Stack-On bookcases add 1.5 tiers when placed on any storage unit.						
	S1214DO S2414DO S3014DO S3614DO	14.3 x 12 x 27 14.3 x 24 x 27 14.3 x 30 x 27 14.3 x 36 x 27	92.5 100 100 125	41 68 76 85	4 7.50 9.25 11	\$428 \$671 \$736 \$817	n/a n/a n/a n/a
Stack-On Bookcases	Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top. • Sxx14DO Stack-On bookcases add 2 tiers when placed on any storage unit.						
	S1215DTL S1215DTR S2415DT S3015DT S3615DT	15 x 12 x 27 15 x 12 x 27 15 x 24 x 27 15 x 30 x 27 15 x 36 x 27	92.5 92.5 92.5 100 100	47 47 79 91 103	4.20 4.20 7.75 9.50 11.25	\$561 \$561 \$938 \$1027 \$1145	n/a n/a n/a n/a n/a
Stack-On Storage Cabinet*	Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12" w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top. • Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.						
	S2415DNL S3015DNL S3615DNL S4215DNL S2415DNR S3015DNR S3615DNR S4215DNR	15 x 24 x 27 15 x 30 x 27 15 x 36 x 27 15 x 42 x 27 15 x 24 x 27 15 x 30 x 27 15 x 36 x 27 15 x 42 x 27	100 100 100 100 100 100 100 100	73 83 94 117 73 83 94 117	7.75 9.50 11.25 13 7.75 9.50 11.25 13	\$804 \$882 \$986 \$1260 \$804 \$882 \$986 \$1260	n/a n/a n/a n/a n/a n/a n/a n/a
Stack-On Mixed Storage Cabinet*	Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top. • Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.						

Required Specifications

Top finish
Top/edge detail
Base finish
Door/drawer front finish*

Handles*
Collator finish**

STACK-ON STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	S1214EO	14.3 x 12 x 33.75	92.5	53	5	\$554	n/a
	S2414EO	14.3 x 24 x 33.75	100	90	9.25	\$915	n/a
Stack-On Bookcase w/ Collators	S3014EO	14.3 x 30 x 33.75	100	102	11.25	\$1013	n/a
	S3614EO	14.3 x 36 x 33.75	100	115	13.25	\$1150	n/a
Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.							
• Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.							
	S1215ETL	15 x 12 x 33.75	92.5	59	5.25	\$685	n/a
	S1215ETR	15 x 12 x 33.75	92.5	59	5.25	\$685	n/a
Stack-On Closed Storage* Cabinet w/ Collators	S2415ET	15 x 24 x 33.75	92.5	102	9.50	\$1173	n/a
	S3015ET	15 x 30 x 33.75	100	117	11.75	\$1298	n/a
	S3615ET	15 x 36 x 33.75	100	133	14	\$1472	n/a
Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.							
• Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.							
	S2415ENL	15 x 24 x 33.75	92.5	96	9.50	\$1041	n/a
	S3015ENL	15 x 30 x 33.75	100	110	11.75	\$1158	n/a
Stack-On Mixed Storage* Cabinet w/ Collators	S3615ENL	15 x 36 x 33.75	100	124	14	\$1312	n/a
	S4215ENL	15 x 42 x 33.75	100	154	16	\$1636	n/a
	S2415ENR	15 x 24 x 33.75	92.5	96	9.50	\$1041	n/a
	S3015ENR	15 x 30 x 33.75	100	110	11.75	\$1158	n/a
	S3615ENR	15 x 36 x 33.75	100	124	14	\$1312	n/a
	S4215ENR	15 x 42 x 33.75	100	154	16	\$1636	n/a
Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.							
• Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.							
	S1214FO	14.3 x 12 x 40.5	100	59	6	\$597	n/a
	S2414FO	14.3 x 24 x 40.5	100	98	10.75	\$930	n/a
Stack-On Bookcases	S3014FO	14.3 x 30 x 40.5	100	110	13.25	\$1019	n/a
	S3614FO	14.3 x 36 x 40.5	125	123	15.75	\$1130	n/a
Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top.							
• Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.							

Required Specifications

Top finish




Handles*

Top/edge detail

Collator finish

Base finish

Door/drawer front finish*

STACK-ON STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
D x W x H								
	S1215FTL	15 x 12 x 40.5	92.5	68	6.25	\$762	n/a	
	S1215FTR	15 x 12 x 40.5	92.5	68	6.25	\$762	n/a	
Stack-On Storage Cabinet	S2415FT	15 x 24 x 40.5	92.5	116	11.25	\$1271	n/a	
	S3015FT	15 x 30 x 40.5	100	132	14	\$1394	n/a	
	S3615FT	15 x 36 x 40.5	100	150	16.50	\$1553	n/a	
Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.								
• Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.								
	S2415FNL	15 x 24 x 40.5	100	107	11.25	\$1102	n/a	
	S3015FNL	15 x 30 x 40.5	100	121	14	\$1206	n/a	
	S3615FNL	15 x 36 x 40.5	100	137	16.50	\$1347	n/a	
	S4215FNL	15 x 42 x 40.5	100	171	19	\$1722	n/a	
Stack-On Mixed Storage Cabinet	S2415FNR	15 x 24 x 40.5	100	107	11.25	\$1102	n/a	
	S3015FNR	15 x 30 x 40.5	100	121	14	\$1206	n/a	
	S3615FNR	15 x 36 x 40.5	100	137	16.50	\$1347	n/a	
	S4215FNR	15 x 42 x 40.5	100	171	19	\$1722	n/a	
Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.								
• Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.								
	S1224FTL	24 x 12 x 40.5	100	83	9.50	\$900	n/a	
	S1224FTR	24 x 12 x 40.5	100	83	9.50	\$900	n/a	
Stack-On Wardrobe Cabinet	Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.							
• S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.								

Required Specifications

Top finish

Top/edge detail

Base finish

Door/drawer front finish


Handles

wellness solutions



Wellness Solutions

522

WELLNESS SCREENS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<ul style="list-style-type: none"> • Surface mounted wellness guard provides a physical divider • Acrylic glazing is clear and support rails are painted Designer White (DWT). • Aluminum extruded posts 						
	GCAMSG3636LP GCAMSG3648LP	2 x 36 x 36 2 x 48 x 36	300	20.20 22.80	2.92 3.98	\$530 \$688
<p>Wellness Screen - Under Mount</p> <p>No mounting hardware included; drilling required. For use with existing worksurface or transaction top.</p>						

FREESTANDING DIVIDERS - FELT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						FELT COLORS
• Divide space with flexibility.						(AMT) Amethyst
• Lightweight and easy to clean partitions						(HVT) Harvest
• Minimal footprint for storage						(APR) Apricot
• Screens are surrounded by a 0.5" x 2.5" powder coated aluminum frame in Designer White (DWT) or Tungsten (TUN)						(BLK) Black
• Charcoal soft touch radius end trim						(BSK) Blue Smoke
• 7" panel opening at panel bottom for easy cleaning and cable pass-through						(BRI) Brick
• Includes all connecting hardware and 1" leveling glide						(CNN) Carnation
• Stations are 60" wide by 42" deep by 66" high.						(DEN) Denim
						(EMD) Emerald
						(GPH) Graphite
						(WHT) White

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GCUPFSF5442	20 x 42 x 51.75	400	21.8	25.16	\$839
GCUPFSF5448	20 x 48 x 51.75	400	22.54	28.75	\$852
GCUPFSF5460	20 x 60 x 51.75	400	24.03	35.94	\$1045
GCUPFSF6042	20 x 42 x 57.75	400	22.57	28.07	\$859
GCUPFSF6048	20 x 48 x 57.75	400	23.3	32.08	\$865
GCUPFSF6060	20 x 60 x 57.75	400	24.87	40.1	\$1059
GCUPFSF7242	20 x 42 x 69.75	400	24.06	33.91	\$1051
GCUPFSF7248	20 x 48 x 69.75	400	24.88	38.75	\$1064
GCUPFSF7260	20 x 60 x 69.75	400	29.79	48.44	\$1334

Felt Screen - Flat Feet

Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle.

GCUPMSF5442	20 x 42 x 52.05	400	22.98	25.3	\$1134
GCUPMSF5448	20 x 48 x 52.05	400	23.72	28.92	\$1148
GCUPMSF5460	20 x 60 x 52.05	400	25.21	36.15	\$1327
GCUPMSF6042	20 x 42 x 58.05	400	23.75	28.22	\$1155
GCUPMSF6048	20 x 48 x 58.05	400	24.51	32.25	\$1169
GCUPMSF6060	20 x 60 x 58.05	400	26.05	40.31	\$1348
GCUPMSF7242	20 x 42 x 70.05	400	25.24	34.05	\$1340
GCUPMSF7248	20 x 48 x 70.05	400	26.06	38.92	\$1348
GCUPMSF7260	20 x 60 x 70.05	400	30.97	48.65	\$1597

Felt Screen - Casters

Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle.

GCUPSHF5448	20 x 48 x 53.57	400	18.06	29.76	\$700
GCUPSHF5454	20 x 54 x 53.57	400	18.8	33.48	\$796
GCUPSHF6048	20 x 48 x 59.57	400	18.84	33.09	\$748
GCUPSHF6054	20 x 54 x 59.57	400	19.6	37.23	\$982

Shared Divider Felt Screen

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extends 24" from the worksurface. Sits 24" or 30" above worksurface.

Required Specifications

Frame/ foot finish
PET felt

FREESTANDING DIVIDERS - GLASS

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H




Glass Screen - Flat Feet

GCUPFSG5424	20 x 24 x 51.75	250	30.83	14.38	\$955
GCUPFSG5430	20 x 30 x 51.75	300	34.95	17.97	\$1038
GCUPFSG5436	20 x 36 x 51.75	300	39.07	21.56	\$1119
GCUPFSG5442	20 x 42 x 51.75	300	43.19	25.16	\$1202
GCUPFSG5448	20 x 48 x 51.75	300	47.31	28.75	\$1285
GCUPFSG5460	20 x 60 x 51.75	300	55.56	35.94	\$1449
GCUPFSG6024	20 x 24 x 57.75	250	33.11	16.04	\$1012
GCUPFSG6030	20 x 30 x 57.75	300	37.74	20.05	\$1102
GCUPFSG6036	20 x 36 x 57.75	300	42.36	24.06	\$1192
GCUPFSG6042	20 x 42 x 57.75	300	46.99	28.07	\$1283
GCUPFSG6048	20 x 48 x 57.75	300	51.61	32.08	\$1374
GCUPFSG6060	20 x 60 x 57.75	300	60.86	40.1	\$1554

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (FRST), add 20%.




Glass Screen - Casters

GCUPMSG5424	20 x 24 x 52.05	250	31.99	14.46	\$1368
GCUPMSG5430	20 x 30 x 52.05	300	36.11	18.07	\$1450
GCUPMSG5436	20 x 36 x 52.05	300	40.24	21.69	\$1532
GCUPMSG5442	20 x 42 x 52.05	300	44.36	25.3	\$1614
GCUPMSG5448	20 x 48 x 52.05	300	48.48	28.92	\$1696
GCUPMSG5460	20 x 60 x 52.05	300	56.72	36.15	\$1861
GCUPMSG6024	20 x 24 x 58.05	250	34.28	16.13	\$1424
GCUPMSG6030	20 x 30 x 58.05	300	38.9	20.16	\$1515
GCUPMSG6036	20 x 36 x 58.05	300	43.53	24.19	\$1604
GCUPMSG6042	20 x 42 x 58.05	300	48.15	28.22	\$1695
GCUPMSG6048	20 x 48 x 58.05	300	52.78	32.25	\$1785
GCUPMSG6060	20 x 60 x 58.05	300	62.03	40.31	\$1966

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (FRST), add 20%.



Shared Divider Glass Screen

GCUPSHG5448	20 x 48 x 53.57	300	36.17	29.76	\$1054
GCUPSHG5454	20 x 54 x 53.57	300	38.51	33.48	\$1102
GCUPSHG6048	20 x 48 x 59.57	300	40.52	33.09	\$1140
GCUPSHG6054	20 x 54 x 59.57	300	43.36	37.23	\$1195

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extends 24" from the worksurface. Sits 24" or 30" above worksurface.

- For frosted glass (FRST), add 20%.






Required Specifications

Frame/foot finish

Optional Specifications





Frosted glass (FRST)

LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
<ul style="list-style-type: none"> Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core Minimal footprint for storage Easy to connect Easy to reconfigure Easy to clean Panels available in Designer White (DWT) or Absolute Acajou (ACJ) laminates Frames available in Designer White (DWT) or Tungsten (TUN) Width options: 36", 42", 48", 60" wide 66" high 1.3" thick. 						
LINKING PANELS - SEGMENTED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DLSP6636	1.3 x 36 x 66	92.5	35	3	\$900
	DLSP6642	1.3 x 42 x 66	92.5	41	3.46	\$926
	DLSP6648	1.3 x 48 x 66	92.5	47	3.93	\$944
	DLSP6660	1.3 x 60 x 66	85	59	4.90	\$1449
Segmented Linking Panel*						
	Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core. Minimal footprint for storage. Laminate core available in Designer White (DWT) or Absolute Acajou (ACJ). Aluminum extrusion comes in powder coated paint finish in Designer White (DWT) or Absolute Acajou (ACJ). Comes complete with hinge kits and levelers on both legs.					
	DLSPWS1830SCPPLP	18 x 30 x 1	60	15	.50	\$210
Worksurface, for Segmented Panel**						
	Straight rectangular laminate worksurface, non handed, can be interchanged on site, and features a scoop for cable pass-through. Available in Designer White (DWT) or Absolute Acajou (ACJ). Edging available in Designer White (DWE) or Absolute Acajou (ACJ).					
	DLSPHOMC	12 x 3 x 21	100	4	.42	\$165
Worksurface Off-Module Cantilever*						
	Installs on horizontal rails of panels to provide worksurface support. Frees up space under the worksurface. Powder coated paint finish in Designer White (DWT) or Tungsten (TUN).					
	DLSPHBRKT	3 x 2.25 x 0.75	70	.10	.05	\$15
Worksurface Bracket*						
	Extruded aluminum bracket that is bolted to the underside of the worksurface. Bracket supports worksurface at any location along the middle rail of the panel. Includes mounting hardware. Powder coated paint finish in Designer White (DWT) or Tungsten (TUN).					
	Required Specifications					
	Frame finish*					
	Laminate finish**					

LAMINATE LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
<ul style="list-style-type: none"> Laminate linking panels provide privacy. Standard height of 54" or 66", width in 6" increments from 24" to 60". Aluminum extrusion comes in powder coated paint finish: Designer White (DWT) or Tungsten (TUN). Laminate core offered in Designer White (DWT) or Absolute Acajou (ACJ). Edge banded to match laminate finish. Panels come complete with hinge kits 						
Planning Diagrams						
<ul style="list-style-type: none"> When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'. When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'. 						
						
For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.						
LAMINATE LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DPL5424	1.3 x 24 x 54	92.5	18	1.62	\$684
	DPL5430	1.3 x 30 x 54	92.5	23	2.08	\$759
	DPL5436	1.3 x 36 x 54	92.5	27	2.47	\$834
	DPL5442	1.3 x 42 x 54	92.5	32	2.85	\$909
	DPL5448	1.3 x 48 x 54	92.5	37	3.25	\$983
	DPL5454	1.3 x 54 x 54	92.5	42	3.63	\$1060
	DPL5460	1.3 x 60 x 54	92.5	47	4.02	\$1135
	DPL6624	1.3 x 24 x 66	92.5	23	2.04	\$777
Laminate Panel - Leveler/Leveler 	DPL6630	1.3 x 30 x 66	92.5	29	2.52	\$859
	DPL6636	1.3 x 36 x 66	92.5	35	3	\$941
	DPL6642	1.3 x 42 x 66	92.5	41	3.46	\$1023
	DPL6648	1.3 x 48 x 66	92.5	47	3.93	\$1107
	DPL6654	1.3 x 54 x 66	92.5	53	4.40	\$1190
	DPL6660	1.3 x 60 x 66	92.5	59	4.90	\$1271
	Levelers on both legs.					
	DPLSCH5424	1.3 x 24 x 54	92.5	18	1.62	\$819
	DPLSCH5430	1.3 x 30 x 54	92.5	23	2.08	\$899
	DPLSCH5436	1.3 x 36 x 54	92.5	27	2.47	\$978
	DPLSCH5442	1.3 x 42 x 54	92.5	32	2.85	\$1057
	DPLSCH5448	1.3 x 48 x 54	92.5	37	3.25	\$1135
	DPLSCH5454	1.3 x 54 x 54	92.5	42	3.63	\$1214
	DPLSCH5460	1.3 x 60 x 54	92.5	47	4.02	\$1292
	DPLSCH6624	1.3 x 24 x 66	92.5	23	2.04	\$911
	DPLSCH6630	1.3 x 30 x 66	92.5	29	2.52	\$999
Laminate Panel - Caster/Leveler 	DPLSCH6636	1.3 x 36 x 66	92.5	35	3	\$1087
	DPLSCH6642	1.3 x 42 x 66	92.5	41	3.46	\$1172
	DPLSCH6648	1.3 x 48 x 66	92.5	47	3.93	\$1257
	DPLSCH6654	1.3 x 54 x 66	92.5	53	4.40	\$1376
	DPLSCH6660	1.3 x 60 x 66	92.5	59	4.90	\$1432
	Single locking caster on one leg, leveler on the other.					
Required Specifications Frame finish Laminate finish						

Required Specifications

Required 3

LAMINATE PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	DPLDCHN5424	1.3 x 24 x 54	65	18	1.62	\$759
	DPLDCHN5430	1.3 x 30 x 54	70	23	2.08	\$826
	DPLDCHN5436	1.3 x 36 x 54	70	27	2.47	\$900
	DPLDCHN5442	1.3 x 42 x 54	70	32	2.85	\$971
	DPLDCHN5448	1.3 x 48 x 54	70	37	3.25	\$1040
	DPLDCHN5454	1.3 x 54 x 54	70	42	3.63	\$1112
	DPLDCHN5460	1.3 x 60 x 54	70	47	4.02	\$1184
Laminate Panel - Leveler/Double Caster	DPLDCHN6624	1.3 x 24 x 66	65	23	2.04	\$842
	DPLDCHN6630	1.3 x 30 x 66	70	29	2.52	\$922
	DPLDCHN6636	1.3 x 36 x 66	70	35	3	\$998
	DPLDCHN6642	1.3 x 42 x 66	70	41	3.46	\$1074
	DPLDCHN6648	1.3 x 48 x 66	70	47	3.93	\$1154
	DPLDCHN6654	1.3 x 54 x 66	70	53	4.40	\$1234
	DPLDCHN6660	1.3 x 60 x 66	70	59	4.90	\$1310
Leveler on one leg and double locking caster base on the other. Freestanding.						
LINKING PANEL ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DPLWA54	2 x 2 x 54	70	2.3	0.13	\$178
	DPLWA66	2 x 2 x 66	65	3.5	0.15	\$203
Wall Connection	Connects linking panels to walls. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of vertical extrusion, charcoal PVC cover and hinge kits.					
	DPLEKIT	2 x 2 x 3	70	1	.05	\$310
Expanding Kit	Connects two linking panels in a straight line. This kit will accommodate any special width by overlapping the panels. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of a top and bottom bracket and all necessary hardware.					
	DPDC01	1.3 x 3 x 6	60	2	.05	\$195
Door and Door Catch Kit	Converts any linking panel into a door. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" caster.					
	DPLOP24	1.05 x 24 x 16.8	70	1.74	.39	\$161
	DPLOP30	1.05 x 30 x 16.8	150	2.20	.49	\$191
	DPLOP36	1.05 x 36 x 16.8	150	2.67	.59	\$223
	DPLOP42	1.05 x 42 x 16.8	150	3.14	.70	\$247
	DPLOP48	1.05 x 48 x 16.8	150	3.60	.80	\$368
	DPLOP54	1.05 x 54 x 16.8	150	4.07	.90	\$398
	DPLOP60	1.05 x 60 x 16.8	150	4.53	1.01	\$431
PET Felt Over Panel	For laminate panels. Sits atop laminate panel and bridges the 66" H laminate linking panel and top of the consultation booth. Available in Designer White (DWT) or Tungsten (TUN) paint finish. Kit contains aluminum extrusion and felt insert.					
Required Specifications Finish						