





Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.



Rectangular Leg



Power Trough



Round Leg

#### **Features and Benefits**

- High performance thermally fused laminate tops are 1" thick
- High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all sides
- Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data
   accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- Leg Options: Height adjustable round legs Fixed height rectangular legs

### **GENERAL INFORMATION**

#### **Flexible Building components**

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

**Easy to customize and reconfigure** to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

### **Compatible with various environments**

• Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

### Choice of two functionally and visually different leg supports

- Casters or levelers
- Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

#### Various power/data delivery levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- · Horizontal cable management under storage units with optional wire basket

**Interconnected storage units** can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

• For environmental certifications, please visit globalfurnituregroup.com.

### BRIDGES II<sup>™</sup> - NOTES

#### WORKSURFACES

В

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

#### TABLES

- All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- Worksurfaces provided with pilot holes for alignment purposes

#### CODES

 This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP BRT = Bridges II

WS = Type of Worksurface

2472 = Size: Depth x Width

AWC = High Pressure Laminate

HP = Finish

#### **RECTANGULAR LEG**

- For single and shared worksurface support
- Bridges II Rectangular legs are available with: Locking Casters (BRTLCS) or Levelers (BRTLVS)



- Casters and Levelers **CANNOT** be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White

#### ROUND LEG

- For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" 32" in 1" increments with levelers and 27" 35" with casters
- Bridges II Round legs are available with: Locking Casters (**BRTLCR**) or Levelers (**BRTLVR**)



- Casters and Levelers CAN be retrofitted
- Levelers have a 1" height range, with 3/8-16" thread
- Levelers are available in Chrome only
- Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- · Paint finish is a durable, environmentally friendly epoxy powder coating


### FINISHES

#### **Metal Frame Finishes:**

- BLK Black
- BZD Blizzard\*\*
- CHR Charcoal
- DWT Designer White
- FOG Fog
- NEV Nevada
- SIL Silver
- SDT Stonedust\*\* TPE Taupe
- TPE Taupe TUN Tungs
  - N Tungsten
- ANO\* Anodized Aluminum Upcharge applies. Refer to models for upcharge.
- \*ANO is a process, not a paint finish.
- \*\* Textured finish

#### Laminate Top Finishes:

- ACJ Absolute Acajou
- ASN Asian Night
- AWC Avant Cherry
- AWH Avant Honey
- BLK Black Coordinates with BLK Metal Frame Finish
- BZD Blizzard
- BRC Brushed Cobalt Coordinates with TUN Metal Frame Finish
- CMB Clear Maple
- CGY Custom Grey Coordinates with SIL Metal Frame Finish
- DES Dark Espresso
- DWT Designer White Coordinates with DWT Metal Frame Finish
- FAS Fashionista
- FCL First Class
- NBL Noce Biondo
- NGL Noce Grigio
- NEL Noce Leggero
- NML Noce Medio
- QTM Quartered Mahogany
- SBY Sheer Beauty
- SDT Stonedust
- SOG Storm Grey Coordinates with CHR Metal Frame Finish
- WHE Walnut Heights
- WHC White Chocolate
- WCR Winter Cherry



#### BRIDGES II<sup>™</sup> - NOTES В

#### **Edgeband Finishes:**

- Absolute Acajou AAE ASE Asian Night ACE Avant Cherry AHE Avant Honey
- BLK Black
- BRC Brushed Cobalt
- BZD Blizzard
- CHR Charcoal (use w/SOG)
- Custom Grey -
- CGY
- CME Clear Maple
- DEE Dark Espresso
- DWE Designer White
- FAS Fashionista FCL First Class
- NEV Nevada
- QTM Quartered Mahogany
- SBY Sheer Beauty
- SIL Silver
- SDT Stonedust
- TPE Taupe
- WHE Walnut Heights
- CBE White Chocolate
- WCE Winter Cherry

#### Chassis/Accout Finishes

| Chassis | Accent Finisnes:   |
|---------|--|
| ACJ     | Absolute Acajou  |
| ASN     | Asian Night  |
| AWC     | Avant Cherry   |
| AWH     | Avant Honey  |
| BLK     | Black - Coordinates with BLK Metal Frame Finish          |
| BRC     | Brushed Cobalt - Coordinates with TUN Metal Frame Finish |
| BZD     | Blizzard   |
| CGY     | Custom Grey - Coordinates with SIL Metal Frame Finish    |
| CMB     | Clear Maple  |
| DES     | Dark Espresso  |
| DWT     | Designer White - Coordinates with DWT Metal Frame Finish |
| FAS     | Fashionista  |
| FCL     | First Class  |
| NBL     | Noce Biondo  |
| NGL     | Noce Grigio  |
| NEL     | Noce Leggero   |
| NML     | Noce Medio   |
| QTM     | Quartered Mahogany                                       |
| SBY     | Sheer Beauty   |
| SOG     | Storm Grey - Coordinates with CHR Metal Frame Finish     |
| SDT     | Stonedust  |
| STG     | String - Coordinates with NEV Metal Frame Finish         |
| WHC     | White Chocolate  |
| WHE     | Walnut Heights   |
| WCR     | Winter Cherry  |
|         |  |

#### **Metal Beam Finishes:**

- BLK Black BZD Blizzard\* CHR Charcoal DWT Designer White FOG Fog NEV Nevada SIL Silver SDT Stonedust\* TPE Taupe TUN Tungsten
- \*Textured finish

### FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONS

Bridges II Fabric Table Dividers are available in: Anchorage, Lola, Merge

#### **COLLABORATIVE SEATING**

• All standard seating fabrics and grades apply.

#### 30"W UNITS STORAGE CAPACITY CHART

Side to Side



Side to Side Letter/Front to Back Legal

| LETTER | LEGAL |
|--------|-------|

#### **36"W UNITS STORAGE CAPACITY CHART**

Side to Side Letter

| LETTER | LETTER |
|--------|--------|

#### Side to Side Legal

| LETTER | LEGAL |
|--------|-------|

Side to Side Letter/Front to Back Legal

LEGAL LEGAL

**RECTANGULAR LEG PACKAGES** 

MODEL#

BRTS1P2484L

BRTS1P2478L

BRTS1P2472L

BRTS1P2466L

BRTS1P2463L

BRTS1P2460L

BRTS1P2454L

BRTS1P2451L

BRTS1P2448L

BRTS1P2442L

BRTS1P2436L

BRTS1P3084L

BRTS1P3078L

BRTS1P3072L

BRTS1P3066L

BRTS1P3063L

BRTS1P3060L

BRTS1P3054L

BRTS1P3051L

BRTS1P3048L

BRTS1P3042L

BRTS1P3036L

DIMENSIONS

DxWxH

24 x 84 x 29

24 x 78 x 29

24 x 72 x 29

24 x 66 x 29

24 x 60 x 29

24 x 54 x 29

24 x 48 x 29

24 x 42 x 29

24 x 36 x 29

30 x 84 x 29

30 x 78 x 29

30 x 72 x 29

30 x 66 x 29

30 x 60 x 29

30 x 54 x 29

30 x 48 x 29

30 x 42 x 29

30 x 36 x 29

30 x 50.5 x 29

30 x 62.5 x 29

24 x 50.5 x 29

24 x 62.5 x 29

FREIGHT CLASS

70

85

85

85

85

85

85

85

85

92.5

92.5

70

70

70

70

70

85

85

85

85

85

85

WT/LBS.

75

72

69

66

63

60

57

54

51

48

45

84

81

78

75

72

69

66

63

60

57

54

CUBIC FT.

4.92

4.82

4.73

4.65

4.57

4.48

4.4

4.3

4.2

4.1

4

5.2

5.1

5.01

4.9

4.8

4.73

4.6

4.5

4.41

4.3

4.2

LIST PRICE

\$1584

\$1538

\$1484

\$1468

\$1457

\$1441

\$1391

\$1353

\$1317

\$1260

\$1181

\$1661

\$1597

\$1559

\$1522

\$1510

\$1495

\$1461

\$1434

\$1410

\$1379

\$1274

HP ADD

\$154

\$148

\$153

\$136

\$132

\$131

\$114

\$109

\$104

\$85

\$73

\$165

\$153

\$151

\$145 \$140

\$136

\$113

\$119

\$114

\$112

\$77

Single Line 1 Person Pod with Levelers

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. • Anodized Aluminum Leg - Add **\$154**. list upcharge

Required Specifications Top finish

Edge finish Metal finish (legs) Beam finish



| RECTANGULAR LEG PACKAGES | MODEL#      | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------------------|-------------|----------------|---------------|---------|-----------|------------|--------|
|                          |             | D x W x H      |               |         |           |            |        |
|                          | BRTS1P2484C | 24 x 84 x 29   | 70            | 75      | 4.92      | \$1661     | \$154  |
|                          | BRTS1P2478C | 24 x 78 x 29   | 85            | 72      | 4.82      | \$1615     | \$148  |
|                          | BRTS1P2472C | 24 x 72 x 29   | 85            | 69      | 4.73      | \$1571     | \$145  |
|                          | BRTS1P2466C | 24 x 66 x 29   | 85            | 66      | 4.65      | \$1546     | \$136  |
|                          | BRTS1P2463C | 24 x 62.5 x 29 | 85            | 63      | 4.57      | \$1533     | \$132  |
|                          | BRTS1P2460C | 24 x 60 x 29   | 85            | 60      | 4.48      | \$1520     | \$131  |
|                          | BRTS1P2454C | 24 x 54 x 29   | 85            | 57      | 4.4       | \$1468     | \$114  |
|                          | BRTS1P2451C | 24 x 50.5 x 29 | 85            | 54      | 4.3       | \$1432     | \$109  |
|                          | BRTS1P2448C | 24 x 48 x 29   | 85            | 51      | 4.2       | \$1394     | \$104  |
|                          | BRTS1P2442C | 24 x 42 x 29   | 92.5          | 48      | 4.1       | \$1335     | \$85   |
|                          | BRTS1P2436C | 24 x 36 x 29   | 92.5          | 45      | 4         | \$1261     | \$73   |
|                          |             |                |               |         |           |            |        |
|                          | BRTS1P3084C | 30 x 84 x 29   | 70            | 84      | 5.2       | \$1753     | \$153  |
|                          | BRTS1P3078C | 30 x 78 x 29   | 70            | 81      | 5.1       | \$1674     | \$153  |
|                          | BRTS1P3072C | 30 x 72 x 29   | 70            | 78      | 5.01      | \$1636     | \$129  |
| $\sim$                   | BRTS1P3066C | 30 x 66 x 29   | 70            | 75      | 4.9       | \$1600     | \$145  |
|                          | BRTS1P3063C | 30 x 62.5 x 29 | 70            | 72      | 4.8       | \$1588     | \$140  |
|                          | BRTS1P3060C | 30 x 60 x 29   | 85            | 69      | 4.73      | \$1572     | \$136  |
|                          | BRTS1P3054C | 30 x 54 x 29   | 85            | 66      | 4.6       | \$1539     | \$113  |
|                          | BRTS1P3051C | 30 x 50.5 x 29 | 85            | 63      | 4.5       | \$1512     | \$119  |
|                          | BRTS1P3048C | 30 x 48 x 29   | 85            | 60      | 4.41      | \$1487     | \$114  |
|                          | BRTS1P3042C | 30 x 42 x 29   | 85            | 57      | 4.3       | \$1458     | \$112  |
| ų,                       | BRTS1P3036C | 30 x 36 x 29   | 85            | 54      | 4.2       | \$1352     | \$77   |
| ll                       |             |                |               |         |           |            |        |

**Single Line 1 Person Pod with Casters** 

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish


## Optional Specifications Anodized Aluminum Leg

HP laminate


**RECTANGULAR LEG PACKAGES** 



Single Line 2 Person Pod with Levelers



**Single Line 3 Person Pod with Levelers** 



Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$228. list upcharge

| \$457 | \$3969 | 9.74  | 219 | 70 | 24 x 252 x 29 | BRTS3P2484L |
|-------|--------|-------|-----|----|---------------|-------------|
| \$434 | \$3828 | 9.53  | 206 | 70 | 24 x 234 x 29 | BRTS3P2478L |
| \$423 | \$3701 | 9.32  | 192 | 70 | 24 x 216 x 29 | BRTS3P2472L |
| \$401 | \$3617 | 9.11  | 179 | 70 | 24 x 198 x 29 | BRTS3P2466L |
| \$368 | \$3539 | 8.89  | 165 | 70 | 24 x 180 x 29 | BRTS3P2460L |
| \$335 | \$3386 | 8.68  | 152 | 70 | 24 x 162 x 29 | BRTS3P2454L |
| \$301 | \$3165 | 8.47  | 138 | 70 | 24 x 144 x 29 | BRTS3P2448L |
|       |        |       |     |    |               |             |
| \$492 | \$4163 | 11.59 | 263 | 65 | 30 x 252 x 29 | BRTS3P3084L |
| \$454 | \$3970 | 11.16 | 246 | 70 | 30 x 234 x 29 | BRTS3P3078L |
| \$442 | \$3854 | 10.72 | 229 | 70 | 30 x 216 x 29 | BRTS3P3072L |
| \$423 | \$3743 | 10.3  | 212 | 70 | 30 x 198 x 29 | BRTS3P3066L |
| \$401 | \$3666 | 9.87  | 195 | 70 | 30 x 180 x 29 | BRTS3P3060L |
| \$335 | \$3557 | 9.44  | 178 | 70 | 30 x 162 x 29 | BRTS3P3054L |
| \$335 | \$3406 | 9.01  | 161 | 70 | 30 x 144 x 29 | BRTS3P3048L |
|       |        |       |     |    |               |             |

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$305. list upcharge

|             | 04 000 00     | 70 | 004 | 40.07 | Å=4=3  | ****  |
|-------------|---------------|----|-----|-------|--------|-------|
| BRTS4P2484L | 24 x 336 x 29 | 70 | 291 | 13.67 | \$5157 | \$610 |
| BRTS4P2478L | 24 x 312 x 29 | 70 | 273 | 13.18 | \$4972 | \$578 |
| BRTS4P2472L | 24 x 288 x 29 | 70 | 254 | 12.69 | \$4832 | \$571 |
| BRTS4P2466L | 24 x 264 x 29 | 70 | 236 | 12.2  | \$4693 | \$532 |
| BRTS4P2460L | 24 x 240 x 29 | 70 | 217 | 11.71 | \$4585 | \$516 |
| BRTS4P2454L | 24 x 216 x 29 | 70 | 199 | 11.22 | \$4384 | \$446 |
| BRTS4P2448L | 24 x 192 x 29 | 70 | 180 | 10.73 | \$4089 | \$401 |
|             |               |    |     |       |        |       |
| BRTS4P3084L | 30 x 336 x 29 | 65 | 345 | 14.87 | \$5410 | \$655 |
| BRTS4P3078L | 30 x 312 x 29 | 65 | 323 | 14.3  | \$5155 | \$600 |
| BRTS4P3072L | 30 x 288 x 29 | 70 | 301 | 13.73 | \$5001 | \$586 |
| BRTS4P3066L | 30 x 264 x 29 | 70 | 279 | 13.16 | \$4854 | \$561 |
| BRTS4P3060L | 30 x 240 x 29 | 70 | 257 | 12.59 | \$4754 | \$532 |
| BRTS4P3054L | 30 x 216 x 29 | 70 | 235 | 12.02 | \$4605 | \$446 |
| BRTS4P3048L | 30 x 192 x 29 | 70 | 213 | 11.45 | \$4404 | \$446 |
|             |               |    |     |       |        |       |



Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$382. list upcharge


Required Specifications Top finish Edge finish Metal finish (legs) Beam finish




|--|--|

**RECTANGULAR LEG PACKAGES** 

Back-to-Back 2 Person Pod with Levelers



Back-to-Back 2 Person Pod with Access Door and Levelers



Back-to-Back 2 Person Pod with Access Doors and Levelers

| MODEL#        | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------|----------------|---------------|---------|-----------|------------|--------|
|               | D x W x H      |               |         |           |            |        |
| BRTBAR2P2484L | 50.5 x 84 x 29 | 70            | 146     | 9.4       | \$2621     | \$306  |
| BRTBAR2P2478L | 50.5 x 78 x 29 | 85            | 137     | 9.2       | \$2526     | \$291  |
| BRTBAR2P2472L | 50.5 x 72 x 29 | 85            | 128     | 9.02      | \$2442     | \$283  |
| BRTBAR2P2466L | 50.5 x 66 x 29 | 85            | 119     | 8.76      | \$2386     | \$267  |
| BRTBAR2P2460L | 50.5 x 60 x 29 | 85            | 110     | 8.56      | \$2335     | \$260  |
|               |                |               |         |           |            |        |
| BRTBAR2P3084L | 62.5 x 84 x 29 | 70            | 174     | 10.4      | \$2699     | \$329  |
| BRTBAR2P3078L | 62.5 x 78 x 29 | 70            | 163     | 9.8       | \$2579     | \$291  |
| BRTBAR2P3072L | 62.5 x 72 x 29 | 70            | 152     | 9.54      | \$2496     | \$291  |
| BRTBAR2P3066L | 62.5 x 66 x 29 | 70            | 141     | 9.25      | \$2420     | \$283  |
| BRTBAR2P3060L | 62.5 x 60 x 29 | 85            | 130     | 9         | \$2368     | \$267  |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge

| BRTBAR2PA2484L | 50.5 x 84 x 29 | 70 | 146 | 9.4  | \$2755 | \$547 |  |
|----------------|----------------|----|-----|------|--------|-------|--|
| BRTBAR2PA2478L | 50.5 x 78 x 29 | 85 | 137 | 9.2  | \$2678 | \$489 |  |
| BRTBAR2PA2472L | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$2621 | \$469 |  |
| BRTBAR2PA2466L | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2524 | \$411 |  |
| BRTBAR2PA2460L | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2427 | \$372 |  |
|                |                |    |     |      |        |       |  |
| BRTBAR2PA3084L | 62.5 x 84 x 29 | 70 | 174 | 10.4 | \$3008 | \$664 |  |
| BRTBAR2PA3078L | 62.5 x 78 x 29 | 70 | 163 | 9.8  | \$2911 | \$625 |  |
| BRTBAR2PA3072L | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$2853 | \$568 |  |
| BRTBAR2PA3066L | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$2755 | \$508 |  |
| BRTBAR2PA3060L | 62.5 x 60 x 29 | 85 | 130 | 9    | \$2621 | \$469 |  |
|                |                |    |     |      |        |       |  |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$154. list upcharge

| 2973<br>2890<br>2827<br>2724 | \$586<br>\$525<br>\$504<br>\$442 |
|------------------------------|----------------------------------|
| 2827                         | \$504                            |
|                              |                                  |
| 2724                         | \$442                            |
|                              |                                  |
| 2620                         | \$399                            |
|                              |                                  |
| 3244                         | \$712                            |
| 3140                         | \$670                            |
| 3079                         | \$607                            |
|                              | \$542                            |
| 2973                         | \$504                            |
|                              | 3140<br>3079<br>2973<br>2827     |


Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs)

Beam finish

RECTANGULAR LEG PACKAGES



Back-to-Back 4 Person Pod with Levelers

| MODEL#        | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------|-----------------|---------------|---------|-----------|------------|--------|
|               | D x W x H       |               |         |           |            |        |
| BRTBAR4P2484L | 50.5 x 168 x 29 | 70            | 272     | 15.66     | \$4693     | \$610  |
| BRTBAR4P2478L | 50.5 x 156 x 29 | 70            | 256     | 15.2      | \$4507     | \$578  |
| BRTBAR4P2472L | 50.5 x 144 x 29 | 70            | 240     | 14.74     | \$4339     | \$561  |
| BRTBAR4P2466L | 50.5 x 132 x 29 | 70            | 224     | 14.28     | \$4229     | \$532  |
| BRTBAR4P2460L | 50.5 x 120 x 29 | 70            | 208     | 13.82     | \$4120     | \$516  |
|               |                 |               |         |           |            |        |
| BRTBAR4P3084L | 62.5 x 168 x 29 | 70            | 333     | 16.86     | \$4888     | \$655  |
| BRTBAR4P3078L | 62.5 x 156 x 29 | 70            | 313     | 16.32     | \$4631     | \$600  |
| BRTBAR4P3072L | 62.5 x 144 x 29 | 70            | 293     | 15.78     | \$4476     | \$586  |
| BRTBAR4P3066L | 62.5 x 132 x 29 | 70            | 273     | 15.24     | \$4330     | \$561  |
| BRTBAR4P3060L | 62.5 x 120 x 29 | 70            | 253     | 14.7      | \$4229     | \$532  |

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

• Anodized Aluminum Leg - Add \$228. list upcharge

| BRTBAR4PA2484I | 50 5 x 168 x 29 | 70 | 272 | 15.66 | \$4965 | \$1091 |
|----------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR4PA2478I | 50.5 x 156 x 29 | 70 | 256 | 15.2  | \$4810 | \$972  |
| BRTBAR4PA2472L | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4693 | \$933  |
| BRTBAR4PA2466L | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4499 | \$819  |
| BRTBAR4PA2460L | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4305 | \$742  |
|                |                 |    |     |       |        |        |
| BRTBAR4PA3084L | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5430 | \$1320 |
| BRTBAR4PA3078L | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$5236 | \$1243 |
| BRTBAR4PA3072L | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5122 | \$1129 |
| BRTBAR4PA3066L | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$4926 | \$1012 |
| BRTBAR4PA3060L | 62.5 x 120 x 29 | 70 | 253 | 14.7  | \$4656 | \$933  |
|                |                 |    |     |       |        |        |


Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/ data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough. • Anodized Aluminum Leg - Add **\$228**. list upcharge

| BRTBAR4PDA2484L | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5357 | \$1171 |
|-----------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR4PDA2478L | 50.5 x 156 x 29 | 70 | 256 | 15.2  | \$5189 | \$1044 |
| BRTBAR4PDA2472L | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$5063 | \$1005 |
| BRTBAR4PDA2466L | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4857 | \$875  |
| BRTBAR4PDA2460L | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4644 | \$794  |
|                 |                 |    |     |       |        |        |
| BRTBAR4PDA3084L | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5860 | \$1418 |
| BRTBAR4PDA3078L | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$5649 | \$1337 |
| BRTBAR4PDA3072L | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5525 | \$1210 |
| BRTBAR4PDA3066L | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$5315 | \$1087 |
| BRTBAR4PDA3060L | 62.5 x 120 x 29 | 70 | 253 | 14.7  | \$5024 | \$1001 |
|                 |                 |    |     |       |        |        |


Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add **\$228**. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications Anodized Aluminum Leg HP laminate



Back-to-Back 4 Person Pod with Access Door and Levelers



Back-to-Back 4 Person Pod with Access Door and Levelers




globalfurnituregroup.com


| RECTANGU | LAR LEG PA | CKAGES |
|----------|------------|--------|
|          |            | UNHULU |



**Back-to-Back 6 Person Pod with Levelers** 



Back-to-Back 6 Person Pod with Access Door and Levelers



Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.

• Anodized Aluminum Leg - Add \$305. list upcharge

| 434<br>409<br>359<br>329<br>308 | 22.88<br>22.1<br>21.32<br>20.54<br>19.76 | \$7176<br>\$6944<br>\$6768<br>\$6477<br>\$6148 | \$1633<br>\$1458<br>\$1399<br>\$1225<br>\$1107                              |
|---------------------------------|--|--|---|
| 409<br>359<br>329               | 22.1<br>21.32<br>20.54                   | \$6944<br>\$6768<br>\$6477                     | \$1458<br>\$1399<br>\$1225  |
| 359<br>329                      | 21.32<br>20.54                           | \$6768<br>\$6477                               | \$1399<br>\$1225  |
| 329                             | 20.54                                    | \$6477   | \$1225  |
|                                 |  |  |   |
| 308                             | 19.76                                    | \$6148   | \$1107  |
|                                 |  |  |   |
|                                 |  |  |   |
| 493                             | 24.53                                    | \$7854   | \$1980  |
| 462                             | 23.75                                    | \$7563   | \$1865  |
| 431                             | 22.86                                    | \$7388   | \$1690  |
| 400                             | 21.97                                    | \$7098   | \$1516  |
| 369                             | 21.08                                    | \$6652   | \$1399  |
|                                 | 431<br>400                               | 431         22.86           400         21.97  | 431         22.86         \$7388           400         21.97         \$7098 |

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/ data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough. • Anodized Aluminum Leg - Add **\$305**. Iist upcharge

| BRTBAR6PDA2484L | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7742 | \$1748 |
|-----------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR6PDA2478L | 50.5 x 234 x 29 | 70 | 409 | 22.1  | \$7491 | \$1566 |
| BRTBAR6PDA2472L | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$7303 | \$1505 |
| BRTBAR6PDA2466L | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$6988 | \$1256 |
| BRTBAR6PDA2460L | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6632 | \$1191 |
|                 |                 |    |     |       |        |        |
| BRTBAR6PDA3084L | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$8475 | \$2128 |
| BRTBAR6PDA3078L | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8158 | \$2001 |
| BRTBAR6PDA3072L | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$7971 | \$1813 |
| BRTBAR6PDA3066L | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$7656 | \$1625 |
| BRTBAR6PDA3060L | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7178 | \$1502 |
|                 |                 |    |     |       |        |        |

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Anodized Aluminum Leg - Add \$305. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications Anodized Aluminum Leg HP laminate





Back-to-Back 6 Person Pod with Access Door and Levelers

**RECTANGULAR LEG PACKAGES** 



**Back-to-Back 8 Person Pod with Levelers** 



Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.

• Anodized Aluminum Leg - Add \$382. list upcharge

| BRTBAR8PA2484L | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$9383  | \$2174 |
|----------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8PA2478L | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9073  | \$1941 |
| BRTBAR8PA2472L | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$8842  | \$1865 |
| BRTBAR8PA2466L | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$8453  | \$1633 |
| BRTBAR8PA2460L | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8106  | \$1476 |
|                |                 |    |     |       |         |        |
| BRTBAR8PA3084L | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$10277 | \$2639 |
| BRTBAR8PA3078L | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$9886  | \$2484 |
| BRTBAR8PA3072L | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$9655  | \$2252 |
| BRTBAR8PA3066L | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$9268  | \$2019 |
| BRTBAR8PA3060L | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$8725  | \$1865 |
|                |                 |    |     |       |         |        |

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$382. list upcharge

| BRTBAR8PDA2484L | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$10125 | \$2336 |
|-----------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8PDA2478L | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9787  | \$2086 |
| BRTBAR8PDA2472L | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$9539  | \$2005 |
| BRTBAR8PDA2466L | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$9121  | \$1754 |
| BRTBAR8PDA2460L | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8744  | \$1587 |
|                 |                 |    |     |       |         |        |
| BRTBAR8PDA3084L | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$11087 | \$2636 |
| BRTBAR8PDA3078L | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$10666 | \$2671 |
| BRTBAR8PDA3072L | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$10415 | \$2422 |
| BRTBAR8PDA3066L | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$10001 | \$2166 |
| BRTBAR8PDA3060L | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$9413  | \$2005 |
|                 |                 |    |     |       |         |        |

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add **\$382**. list upcharge

Required Specifications Top finish Edge finish

Metal finish (legs) Beam finish

Back-to-Back 8 Person Pod with Access Door and Levelers



Back-to-Back 8 Person Pod with Access Door and Levelers



| RECTANGULAR LEG PACKAGES       | MODEL#  |   | FREIGHT CLASS   | WT/LBS.   | CUBIC FT.   | LIST PRICE  | HP ADD  |
|--------------------------------|---|---|---|---|---|---|---|
|                                | DDT0CD04040   | D x W x H   | 70  | 120 60  | 610   | ¢ววาต   | ¢104  |
|                                | BRT36P2484C   | 24 x 84 x 36  | 70<br>70  | 120.68  | 6.42  | \$3326  | \$184   |
|                                | BRT36P2478C<br>BRT36P2472C  | 24 x 78 x 36  | 70  | 114.16<br>107.64  | 6.13<br>5.83  | \$3243<br>\$3160  | \$171<br>\$164  |
|                                | BRT36P2466C   | 24 x 72 x 36<br>24 x 66 x 36  | 70  | 107.04  | 5.62  | \$3098  | \$160   |
|                                | BRT36P2460C   | 24 x 60 x 36  | 70  | 94.60   | 5.41  | \$3031  | \$152   |
|                                |   |   | 70  | 88.08   | 5.19  | \$2936  | \$132   |
|                                | BRT36P2454C   | 24 x 54 x 36  | 70  | 81.56   | 4.98  |   | \$132   |
|                                | BRT36P2448C   | 24 x 48 x 36  | 70  | 76.04   | 4.90  | \$2788  |   |
|                                | BRT36P2442C   | 24 x 42 x 36  | 70  |   |   | \$2690  | \$102   |
|                                | BRT36P2436C   | 24 x 36 x 36  | 70  | 68.52   | 4.55  | \$2607  | \$82  |
|                                | BRT36P3084C   | 30 x 84 x 36  | 70  | 148.11  | 7.32  | \$3801  | \$197   |
|                                | BRT36P3078C   | 30 x 78 x 36  | 70  | 139.96  | 6.95  | \$3694  | \$178   |
|                                | BRT36P3072C   | 30 x 72 x 36  | 70  | 131.81  | 6.59  | \$3602  | \$171   |
|                                | BRT36P3066C   | 30 x 66 x 36  | 70  | 123.66  | 6.32  | \$3514  | \$171   |
|                                | BRT36P3060C   | 30 x 60 x 36  | 70  | 115.51  | 6.06  | \$3442  | \$160   |
|                                | BRT36P3054C   | 30 x 54 x 36  | 70  | 107.36  | 5.79  | \$3351  | \$132   |
|                                | BRT36P3048C   | 30 x 48 x 36  | 70  | 99.21   | 5.53  | \$3206  | \$132   |
|                                | BRT36P3042C   | 30 x 42 x 36  | 70  | 91.06   | 5.26  | \$3134  | \$125   |
|                                | BRT36P3036C   | 30 x 36 x 36  | 70  | 83.91   | 5   | \$3001  | \$93  |
| $\sim$                         | BRT36P3684C   | 36 x 84 x 36  | 70  | 161.97  | 8.91  | \$4256  | \$223   |
|                                | BRT36P3678C   | 36 x 78 x 36  | 70  | 152.82  | 8.50  | \$4149  | \$225   |
|                                | BRT36P3672C   | 36 x 72 x 36  | 70  | 144.67  | 8.10  | \$4029  | \$197   |
|                                | BRT36P3666C   | 36 x 66 x 36  | 70  | 135.52  | 7.79  | \$3919  | \$137   |
| <b>9</b>                       | BRT36P3660C   | 36 x 60 x 36  | 70  | 126.37  | 7.48  | \$3798  | \$164   |
|                                | BRT36P3654C   | 36 x 54 x 36  | 70  | 118.22  | 7.48  | \$3677  | \$152   |
| -                              | BRT36P3648C   | 36 x 48 x 36  | 70  | 109.07  | 6.87  | \$3512  | \$132   |
|                                |   | JU A 40 A JU  | /0  | 103.07  | 0.07  |   |   |
| 36″H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>ude 3 horizontal structur   | 70<br>ksurface, two H le<br>m thread, white b<br>al beams. 30"/36   | ody and grey  | / tires.  |   |   |
| 36″H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin  | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>ude 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list   | 70<br>ksurface, two H le<br>m thread, white b<br>al beams. 30"/36<br>upcharge   | eg assemblie<br>ody and grey<br>"D tables ind   | s, horizontal s<br>/ tires.<br>clude 4 horizor  | tructural beams, a  | nd one bottom ta  |
| 36″H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>ude 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36   | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20   | s, horizontal s<br>/ tires.<br>clude 4 horizor<br>6.42  | tructural beams, a<br>ital structural bea<br>\$3216   | nd one bottom ta<br>ms.<br><b>\$184</b>   |
| 36″H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L  | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>ude 3 horizontal structur<br>uum Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36   | 70<br>ksurface, two H le<br>m thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70   | eg assemblie<br>body and grey<br>"D tables ind<br>120.20<br>113.68  | s, horizontal s<br>/ tires.<br>clude 4 horizor<br>6.42<br>6.13  | tructural beams, a<br>ital structural bea<br>\$3216<br>\$3137   | and one bottom ta<br>ms.<br>\$184<br>\$171  |
| 36″H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>ude 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16   | s, horizontal s<br>v tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83  | tructural beams, a<br>ital structural bea<br>\$3216<br>\$3137<br>\$3050   | and one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L  | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>ude 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64   | s, horizontal s<br>/ tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62  | tructural beams, a<br>ital structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991   | and one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>dde 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 65 x 36<br>24 x 60 x 36  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                         | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12  | s, horizontal s<br>/ tires.<br>Llude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41  | tructural beams, a<br>ital structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921   | nd one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L  | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>ide 3 horizontal structur<br>ium Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 54 x 36  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70       | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60   | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19  | tructural beams, a<br>atal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>Jde 3 horizontal structur<br>ium Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 54 x 36   | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70 | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08  | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98  | tructural beams, a<br>stal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2442L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>Jde 3 horizontal structur<br>ium Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 54 x 36<br>24 x 48 x 36<br>24 x 48 x 36   | 70<br>ksurface, two H le<br>m thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56   | s, horizontal s<br>v tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76  | tructural beams, a<br>tal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581  | and one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>Jde 3 horizontal structur<br>ium Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 54 x 36   | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70 | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08  | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98  | tructural beams, a<br>stal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2436L<br>BRT36P2436L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mi<br>Jde 3 horizontal structur<br>ium Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 54 x 36<br>24 x 48 x 36<br>24 x 48 x 36   | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56   | s, horizontal s<br>t tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32  | tructural beams, a<br>tal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581  | and one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L   | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mr<br>ude 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 60 x 36<br>24 x 60 x 36<br>24 x 48 x 36<br>24 x 48 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>30 x 84 x 36<br>30 x 78 x 36   | 70<br>scurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables inc<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48  | s, horizontal s<br>/ tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.76<br>4.75<br>7.32<br>6.96  | tructural beams, a<br>stal structural bea<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586  | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$132<br>\$102<br>\$102<br>\$82<br>\$197<br>\$178  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2436L<br>BRT36P2436L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one worl ocking casters with 8m \\ \text{ude 3 horizontal structur } \\ \text{num Leg - Add $154. list } \\ \hline \\ 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 36 \times 36 \\ \hline \\ 30 \times 84 \times 36 \end{array}$  | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables inc<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63  | s, horizontal s<br>t tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32  | tructural beams, a<br>stal structural bea<br>s3216<br>s3137<br>s3050<br>s2991<br>s2921<br>s2826<br>s2678<br>s2581<br>s2497<br>s3691   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197  |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2440L<br>BRT36P2444L<br>BRT36P2444L<br>BRT36P24436L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3076L<br>BRT36P3066L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one work ocking casters with 8mi de 3 horizontal structur turn Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 66 \times 36 \end{array}$  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18  | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32  | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2466L<br>BRT36P2466L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P24436L<br>BRT36P3084L<br>BRT36P3078L<br>BRT36P3072L  | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8m<br>de 3 horizontal structur<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 60 x 36<br>24 x 60 x 36<br>24 x 54 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>30 x 84 x 36<br>30 x 78 x 36   | 70<br>scurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables inc<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33  | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06  | tructural beams, a<br>stal structural bea<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493  | sind one bottom ta<br>ms.<br>5184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2440L<br>BRT36P2444L<br>BRT36P2444L<br>BRT36P24436L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3076L<br>BRT36P3066L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one work ocking casters with 8mi de 3 horizontal structur turn Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 66 \times 36 \end{array}$  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18  | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79  | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3054L<br>BRT36P3048L  | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one work ocking casters with 8mi de 3 horizontal structur turn Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 36 \times 36 \\ \hline 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 66 \times 36 \\ \hline 30 \times 60 \times 36 \\ \hline \end{array}$  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73   | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53  | tructural beams, a<br>stal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2472L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3064L<br>BRT36P3054L<br>BRT36P3048L<br>BRT36P3048L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8m \\ ude 3 horizontal structur \\ num Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 36 \times 36 \\ \hline 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 54 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 3$ | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58  | s, horizontal s'<br>t tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26   | tructural beams, a<br>stal structural beams, a<br>s3216<br>s3137<br>s3050<br>s2991<br>s2921<br>s2826<br>s2678<br>s2681<br>s2497<br>s3586<br>s3493<br>s3407<br>s3332<br>s3407<br>s3332<br>s3240<br>s3098<br>s3024  | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3054L<br>BRT36P3048L  | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one worl ocking casters with 8mi \\ \text{de 3 horizontal structur } \\ \text{num Leg - Add $154. list } \\ \hline \\ 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 54 \times 36 \\ 30 \times 48 \times 36 \\ \end{array}$   | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73   | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53  | tructural beams, a<br>stal structural bea<br>\$3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3240<br>\$3098   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3054L<br>BRT36P3048L<br>BRT36P3048L<br>BRT36P3042L<br>BRT36P3042L<br>BRT36P3036L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8mr yide 3 horizontal structur yium Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 36 \times$   | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43   | s, horizontal s<br>/ tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5   | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3407<br>\$3332<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$2893   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$152<br>\$132<br>\$100<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$13                                     |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2466L<br>BRT36P2464L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P3074L<br>BRT36P3078L<br>BRT36P3072L<br>BRT36P3072L<br>BRT36P3064L<br>BRT36P3048L<br>BRT36P3048L<br>BRT36P3042L<br>BRT36P3036L<br>BRT36P30364L  | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8mr yide 3 horizontal structur yium Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 54 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 42 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 36 \times 36 \\ 30 \times 36 \times 36 \\ 30 \times 36 \times 36 \\ \hline \end{array}$  | 70<br><pre> scurface, two H le n thread, white b al beams. 30"/36 upcharge 70 70 70 70 70 70 70 70 70 70 70 70 70</pre>                                     | eg assemblie<br>ody and grey<br>"D tables inc<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49   | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>8.91   | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3407<br>\$3332<br>\$3407<br>\$3332<br>\$3024<br>\$3098<br>\$3024<br>\$2893<br>\$4150   | sind one bottom ta<br>ms.<br>5184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132          |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2466L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3054L<br>BRT36P3042L<br>BRT36P3036L<br>BRT36P3036L<br>BRT36P3036L<br>BRT36P3068L<br>BRT36P3078L  | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8m \\ de 3 horizontal structur \\ num Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 48 \times 36 \\ 30 \times 36 \times 36 \\ \hline \end{array}$  | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34   | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>5<br>8.91<br>8.50  | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$2893<br>\$4150<br>\$4039   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$125<br>\$93<br>\$223<br>\$211                   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3042L<br>BRT36P3042L<br>BRT36P3042L<br>BRT36P3036L<br>BRT36P3078L<br>BRT36P3036L<br>BRT36P3078L<br>BRT36P3036L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ \text{bly consists of one work ocking casters with 8m \\ \text{ocking casters with 8m \\ \text{or a structur } \\ trum Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 42 \times 36 \\ 30 \times 36 \times 36 \\ \hline \\ $  | 70<br>ksurface, two H le<br>m thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34<br>144.19                               | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>5<br>8.91<br>8.50<br>8.10                                    | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$2893<br>\$4150<br>\$4039<br>\$3922   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$125<br>\$93<br>\$223<br>\$211<br>\$197 |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2460L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3048L<br>BRT36P3048L<br>BRT36P3036L<br>BRT36P3036L<br>BRT36P3678L<br>BRT36P3678L<br>BRT36P3678L<br>BRT36P3672L<br>BRT36P3666L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8m \\ \text{de 3 horizontal structur turn Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 54 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 24 \times 48 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 72 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 60 \times 36 \\ 30 \times 48 $   | 70<br>ksurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34<br>144.19<br>135.04                     | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>8.91<br>8.50<br>8.10<br>7.79                                 | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$3098<br>\$3024<br>\$3098                     | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$13          |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2472L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3064L<br>BRT36P3078L<br>BRT36P3054L<br>BRT36P3054L<br>BRT36P3078L<br>BRT36P3054L<br>BRT36P3054L<br>BRT36P30584L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3678L<br>BRT36P3678L<br>BRT36P3676L<br>BRT36P3666L<br>BRT36P3666L<br>BRT36P3666L | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mr<br>ude 3 horizontal structur<br>turn Leg - Add <b>\$154</b> . List<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 60 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>30 x 78 x 36<br>30 x 78 x 36<br>30 x 60 x 36<br>30 x 54 x 36<br>30 x 57 x 36<br>30 x 60 x 36<br>36 x 78 x 36<br>36 x 77 x 36<br>37 x 36 x 36 x 36 x 36 x 36<br>37 x 36 x   | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34<br>144.19<br>135.04<br>125.89           | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>8.91<br>8.50<br>8.10<br>7.79<br>7.48                         | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$3098<br>\$3024<br>\$2893 | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$17   |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2478L<br>BRT36P2472L<br>BRT36P2460L<br>BRT36P2460L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2448L<br>BRT36P2448L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3074L<br>BRT36P3064L<br>BRT36P3048L<br>BRT36P3048L<br>BRT36P3048L<br>BRT36P3064L<br>BRT36P3678L<br>BRT36P3666L<br>BRT36P3660L<br>BRT36P3660L<br>BRT36P3660L<br>BRT36P3660L<br>BRT36P3654L   | $\begin{array}{c} 36 \times 42 \times 36 \\ \\ bly consists of one worl ocking casters with 8mm ude 3 horizontal structur rum Leg - Add $154. list \\ \hline 24 \times 84 \times 36 \\ 24 \times 78 \times 36 \\ 24 \times 72 \times 36 \\ 24 \times 66 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 60 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 24 \times 42 \times 36 \\ 30 \times 84 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 78 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 66 \times 36 \\ 30 \times 48 \times 3$   | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34<br>144.19<br>135.04<br>125.89<br>117.74 | s, horizontal s<br>t tires.<br>clude 4 horizor<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>8.91<br>8.50<br>8.10<br>7.79<br>7.48<br>7.18 | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2581<br>\$2497<br>   | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$177<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132                                    |
| 36"H Single Table with Casters | BRT36P3642C<br>Single table assem<br>beam. 40mm dia. I<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT36P2484L<br>BRT36P2472L<br>BRT36P2472L<br>BRT36P2466L<br>BRT36P2460L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P2454L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3066L<br>BRT36P3064L<br>BRT36P3078L<br>BRT36P3054L<br>BRT36P3054L<br>BRT36P3078L<br>BRT36P3054L<br>BRT36P3054L<br>BRT36P30584L<br>BRT36P3078L<br>BRT36P3066L<br>BRT36P3678L<br>BRT36P3678L<br>BRT36P3676L<br>BRT36P3666L<br>BRT36P3666L<br>BRT36P3666L | 36 x 42 x 36<br>bly consists of one work<br>ocking casters with 8mr<br>ude 3 horizontal structur<br>turn Leg - Add <b>\$154</b> . List<br>24 x 84 x 36<br>24 x 78 x 36<br>24 x 72 x 36<br>24 x 66 x 36<br>24 x 60 x 36<br>24 x 60 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>24 x 42 x 36<br>30 x 78 x 36<br>30 x 78 x 36<br>30 x 60 x 36<br>30 x 54 x 36<br>30 x 57 x 36<br>30 x 60 x 36<br>36 x 78 x 36<br>36 x 77 x 36<br>37 x 36 x 36 x 36 x 36 x 36<br>37 x 36 x   | 70<br>ssurface, two H le<br>n thread, white b<br>al beams. 30"/36<br>upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                   | eg assemblie<br>ody and grey<br>"D tables ind<br>120.20<br>113.68<br>107.16<br>100.64<br>94.12<br>87.60<br>81.08<br>75.56<br>68.04<br>147.63<br>139.48<br>131.33<br>123.18<br>115.03<br>106.88<br>98.73<br>90.58<br>83.43<br>161.49<br>152.34<br>144.19<br>135.04<br>125.89           | s, horizontal s<br>/ tires.<br>clude 4 horizon<br>6.42<br>6.13<br>5.83<br>5.62<br>5.41<br>5.19<br>4.98<br>4.76<br>4.55<br>7.32<br>6.96<br>6.59<br>6.32<br>6.06<br>5.79<br>5.53<br>5.26<br>5<br>8.91<br>8.50<br>8.10<br>7.79<br>7.48                         | tructural beams, a<br>stal structural beams, a<br>s3216<br>\$3137<br>\$3050<br>\$2991<br>\$2921<br>\$2826<br>\$2678<br>\$2678<br>\$2581<br>\$2497<br>\$3691<br>\$3586<br>\$3493<br>\$3407<br>\$3332<br>\$3240<br>\$3098<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$2893<br>\$3024<br>\$3098<br>\$3024<br>\$2893 | sind one bottom ta<br>ms.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$17   |

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. • 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge

Optional Specifications Anodized Aluminum Leg

HP laminate

Required Specifications Top finish Edge finish Metal finish (legs)

globalfurnituregroup.com global

**RECTANGULAR LEG PACKAGES** 

#### 36"H Add-On with Levelers

42"H Pod with Casters

| MODEL#      | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|--------------|---------------|---------|-----------|------------|--------|
|             | D x W x H    |               |         |           |            |        |
| BRT36A2484L | 24 x 84 x 36 | 70            | 106.36  | 4.74      | \$2600     | \$184  |
| BRT36A2478L | 24 x 78 x 36 | 70            | 99.84   | 4.45      | \$2523     | \$171  |
| BRT36A2472L | 24 x 72 x 36 | 70            | 93.32   | 4.15      | \$2437     | \$164  |
| BRT36A2466L | 24 x 66 x 36 | 70            | 86.80   | 3.94      | \$2378     | \$160  |
| BRT36A2460L | 24 x 60 x 36 | 70            | 80.28   | 3.73      | \$2307     | \$152  |
| BRT36A2454L | 24 x 54 x 36 | 70            | 73.76   | 3.51      | \$2211     | \$132  |
| BRT36A2448L | 24 x 48 x 36 | 70            | 67.24   | 3.30      | \$2065     | \$120  |
| BRT36A2442L | 24 x 42 x 36 | 70            | 61.72   | 3.08      | \$1968     | \$102  |
| BRT36A2436L | 24 x 36 x 36 | 70            | 54.20   | 2.87      | \$1884     | \$82   |
| BRT36A3084L | 30 x 84 x 36 | 65            | 131.77  | 5.56      | \$3040     | \$197  |
| BRT36A3078L | 30 x 78 x 36 | 65            | 123.62  | 5.19      | \$2933     | \$178  |
| BRT36A3072L | 30 x 72 x 36 | 65            | 115.47  | 4.83      | \$2841     | \$171  |
| BRT36A3066L | 30 x 66 x 36 | 65            | 107.32  | 4.56      | \$2754     | \$171  |
| BRT36A3060L | 30 x 60 x 36 | 65            | 99.17   | 4.30      | \$2678     | \$160  |
| BRT36A3054L | 30 x 54 x 36 | 65            | 91.02   | 4.03      | \$2588     | \$132  |
| BRT36A3048L | 30 x 48 x 36 | 70            | 82.87   | 3.77      | \$2445     | \$132  |
| BRT36A3042L | 30 x 42 x 36 | 70            | 74.72   | 3.50      | \$2370     | \$125  |
| BRT36A3036L | 30 x 36 x 36 | 70            | 67.57   | 3.24      | \$2240     | \$93   |
| BRT36A3684L | 36 x 84 x 36 | 70            | 143.70  | 6.65      | \$3405     | \$223  |
| BRT36A3678L | 36 x 78 x 36 | 70            | 134.55  | 6.24      | \$3293     | \$211  |
| BRT36A3672L | 36 x 72 x 36 | 70            | 126.40  | 5.84      | \$3175     | \$197  |
| BRT36A3666L | 36 x 66 x 36 | 70            | 117.25  | 5.53      | \$3063     | \$184  |
| BRT36A3660L | 36 x 60 x 36 | 70            | 108.10  | 5.22      | \$2944     | \$164  |
| BRT36A3654L | 36 x 54 x 36 | 70            | 99.95   | 4.92      | \$2821     | \$152  |
| BRT36A3648L | 36 x 48 x 36 | 70            | 90.80   | 4.61      | \$2658     | \$132  |
| BRT36A3642L | 36 x 42 x 36 | 70            | 81.65   | 4.30      | \$2545     | \$120  |

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.
24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
Anodized Aluminum Leg - Add \$77. list upcharge

| BRT42P2484C | 24 x 84 x 42 | 70 | 122.58 | 6.98 | \$3384 | \$184 |
|-------------|--------------|----|--------|------|--------|-------|
| BRT42P2478C | 24 x 78 x 42 | 70 | 116.06 | 6.69 | \$3306 | \$171 |
| BRT42P2472C | 24 x 72 x 42 | 70 | 109.54 | 6.39 | \$3220 | \$164 |
| BRT42P2466C | 24 x 66 x 42 | 70 | 103.02 | 6.18 | \$3160 | \$160 |
| BRT42P2460C | 24 x 60 x 42 | 70 | 96.50  | 5.97 | \$3090 | \$152 |
| BRT42P2454C | 24 x 54 x 42 | 70 | 89.98  | 5.75 | \$2996 | \$132 |
| BRT42P2448C | 24 x 48 x 42 | 70 | 83.46  | 5.54 | \$2848 | \$120 |
| BRT42P2442C | 24 x 42 x 42 | 85 | 77.94  | 5.32 | \$2752 | \$102 |
| BRT42P2436C | 24 x 36 x 42 | 85 | 70.42  | 5.11 | \$2668 | \$82  |
|             |              |    |        |      |        |       |
| BRT42P3084C | 30 x 84 x 42 | 70 | 150.01 | 7.92 | \$3861 | \$197 |
| BRT42P3078C | 30 x 78 x 42 | 70 | 141.86 | 7.55 | \$3755 | \$178 |
| BRT42P3072C | 30 x 72 x 42 | 70 | 133.71 | 7.19 | \$3662 | \$171 |
| BRT42P3066C | 30 x 66 x 42 | 70 | 125.56 | 6.92 | \$3575 | \$171 |
| BRT42P3060C | 30 x 60 x 42 | 70 | 117.41 | 6.66 | \$3503 | \$160 |
| BRT42P3054C | 30 x 54 x 42 | 70 | 109.26 | 6.39 | \$3409 | \$132 |
| BRT42P3048C | 30 x 48 x 42 | 70 | 101.11 | 6.13 | \$3269 | \$132 |
| BRT42P3042C | 30 x 42 x 42 | 70 | 92.96  | 5.86 | \$3194 | \$125 |
| BRT42P3036C | 30 x 36 x 42 | 70 | 85.81  | 5.60 | \$3063 | \$93  |
|             |              |    |        |      |        |       |
| BRT42P3684C | 36 x 84 x 42 | 70 | 163.87 | 9.69 | \$4318 | \$223 |
| BRT42P3678C | 36 x 78 x 42 | 70 | 154.72 | 9.28 | \$4208 | \$211 |
| BRT42P3672C | 36 x 72 x 42 | 70 | 146.57 | 8.88 | \$4090 | \$197 |
| BRT42P3666C | 36 x 66 x 42 | 70 | 137.42 | 8.57 | \$3977 | \$184 |
| BRT42P3660C | 36 x 60 x 42 | 70 | 128.27 | 8.26 | \$3859 | \$164 |
| BRT42P3654C | 36 x 54 x 42 | 70 | 120.12 | 7.96 | \$3737 | \$152 |
| BRT42P3648C | 36 x 48 x 42 | 85 | 110.97 | 7.65 | \$3573 | \$132 |
| BRT42P3642C | 36 x 42 x 42 | 85 | 101.82 | 7.34 | \$3459 | \$120 |
|             |              |    |        |      |        |       |

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs)

Optional Specifications Anodized Aluminum Leg

HP laminate



| TANGULAR LEG PACKAGES | MODEL#   |  | FREIGHT CLASS   | WT/LBS.  | CUBIC FT.   | LIST PRICE   | HP ADD  |
|-----------------------|--|--|---|--|---|--|---|
|                       | BRT42P2484L  | <b>D x W x H</b>   | 70  | 122.10   | 6.98  | \$3277   | \$184   |
|                       |  | 24 x 84 x 42   |   |  |   |  |   |
|                       | BRT42P2478L<br>BRT42P2472L   | 24 x 78 x 42<br>24 x 72 x 42   | 70<br>70  | 115.58<br>109.06   | 6.69<br>6.39  | \$3197<br>\$3112   | \$171<br>\$164  |
|                       |  |  |   |  |   |  |   |
|                       | BRT42P2466L  | 24 x 66 x 42   | 70  | 102.54   | 6.18  | \$3050   | \$160   |
|                       | BRT42P2460L  | 24 x 60 x 42   | 70  | 96.02  | 5.97  | \$2984   | \$152   |
|                       | BRT42P2454L  | 24 x 54 x 42   | 70  | 89.50  | 5.75  | \$2887   | \$132   |
|                       | BRT42P2448L  | 24 x 48 x 42   | 85  | 82.98  | 5.54  | \$2739   | \$120   |
|                       | BRT42P2442L  | 24 x 42 x 42   | 85  | 77.46  | 5.32  | \$2642   | \$102   |
|                       | BRT42P2436L  | 24 x 36 x 42   | 85  | 69.94  | 5.11  | \$2559   | \$82  |
|                       | BRT42P3084L  | 30 x 84 x 42   | 70  | 149.53   | 7.92  | \$3756   | \$197   |
|                       | BRT42P3078L  | 30 x 78 x 42   | 70  | 141.38   | 7.55  | \$3649   | \$178   |
|                       | BRT42P3072L  | 30 x 72 x 42   | 70  | 133.23   | 7.19  | \$3557   | \$171   |
|                       | BRT42P3066L  | 30 x 66 x 42   | 70  | 125.08   | 6.92  | \$3470   | \$171   |
|                       | BRT42P3060L  | 30 x 60 x 42   | 70  | 116.93   | 6.66  | \$3396   | \$160   |
|                       | BRT42P3054L  | 30 x 54 x 42   | 70  | 108.78   | 6.39  | \$3304   | \$132   |
|                       | BRT42P3048L  | 30 x 48 x 42   | 70  | 100.63   | 6.13  | \$3163   | \$132   |
|                       | BRT42P3042L  | 30 x 40 x 42<br>30 x 42 x 42   | 70  | 92.48  | 5.86  | \$3088   | \$125   |
|                       | BRT42P3036L  | 30 x 36 x 42   | 70  | 85.33  | 5.60  | \$2958   | \$93  |
| $\sim$                | D111421 3030L  | JU A JU A 42   | 10  | 00.00  | J.UU  | φΖĴĴŨ  | φJJ   |
|                       | BRT42P3684L  | 36 x 84 x 42   | 70  | 163.39   | 9.69  | \$4211   | \$223   |
|                       | BRT42P3678L  | 36 x 78 x 42   | 70  | 154.24   | 9.28  | \$4100   | \$211   |
|                       | BRT42P3672L  | 36 x 72 x 42   | 70  | 146.09   | 8.88  | \$3981   | \$197   |
|                       | BRT42P3666L  | 36 x 66 x 42   | 70  | 136.94   | 8.57  | \$3871   | \$184   |
|                       | BRT42P3660L  | 36 x 60 x 42   | 70  | 127.79   | 8.26  | \$3750   | \$164   |
| ↓                     | BRT42P3654L  | 36 x 54 x 42   | 70  | 119.64   | 7.96  | \$3628   | \$152   |
|                       | BRT42P3648L  | 36 x 48 x 42   | 85  | 110.49   | 7.65  | \$3464   | \$132   |
|                       |  |  |   |  |   | \$3353   | \$120   |
| Pod with Levelers     | <ul> <li>24"D tables inclu</li> </ul>  | 36 x 42 x 42<br>bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list  | ral beams. 30"/36   |  |   | ctural beams and   | one bottom table  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L   | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70   | assemblies,<br>"D tables in<br>107.31  | horizontal struc<br>clude 4 horizon<br>5.02   | ctural beams and<br>tal structural bea<br>\$2631   | one bottom table<br>ams.<br>\$184   |
| Pod with Levelers     | Single table assemi<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L  | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551   | l one bottom table<br>ams.<br>\$184<br>\$171  |
| Pod with Levelers     | Single table assemi<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L   | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164   |
| Pod with Levelers     | Single table assemi<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L  | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551   | l one bottom table<br>ams.<br>\$184<br>\$171  |
| Pod with Levelers     | Single table assemi<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L   | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339   | sing section table arms.  |
| Pod with Levelers     | Single table assemi<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L   | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406   | sing state s  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2454L<br>BRT42A2454L<br>BRT42A2448L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 76 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2442L  | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 42 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910   | sine bottom table<br>ams.<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2454L<br>BRT42A2454L<br>BRT42A2448L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 76 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70   | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2442L<br>BRT42A2436L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 36 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$132<br>\$120<br>\$102<br>\$82   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2454L<br>BRT42A2454L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2436L<br>BRT42A3084L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 84 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071   | since bottom table ams.   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2454L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2470<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964   | sine bottom table<br>ams.<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2454L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2436L<br>BRT42A3078L<br>BRT42A3072L   | bly consists of one work<br>ude 3 horizontal structu<br>num Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 72 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.36<br>3.36<br>5.86<br>5.49<br>5.13   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870   | sing<br>sing<br>sing<br>sing<br>sing<br>sing<br>sing<br>sing  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3072L<br>BRT42A3066L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 72 x 42<br>30 x 66 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>132.72<br>124.57<br>116.42<br>108.27   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785   | sine bottom table<br>ams.<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine<br>sine   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3072L<br>BRT42A3066L<br>BRT42A3060L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>65<br>65<br>65<br>65<br>70<br>70<br>70 | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$160   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3072L<br>BRT42A3060L<br>BRT42A306L<br>BRT42A3054L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 60 x 42<br>30 x 60 x 42<br>30 x 54 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A246L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3066L<br>BRT42A306L<br>BRT42A306L<br>BRT42A3054L<br>BRT42A3048L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 48 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2446L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A306L<br>BRT42A306L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add <b>\$154</b> . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 60 x 42<br>30 x 60 x 42<br>30 x 54 x 42<br>30 x 48 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2785<br>\$2785<br>\$2772<br>\$2620<br>\$2477<br>\$2403   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$125   |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A246L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3066L<br>BRT42A306L<br>BRT42A306L<br>BRT42A3054L<br>BRT42A3048L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 36 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 48 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A246L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A306L<br>BRT42A306L<br>BRT42A3042L<br>BRT42A3036L<br>BRT42A3036L<br>BRT42A306L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42<br>30 x 60 x 42<br>30 x 60 x 42<br>30 x 48 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>87.75<br>87.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65  | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04   | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2400<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403   | sine bottom table<br>ams.<br>sine sine sine sine sine sine sine sine  |
| Pod with Levelers     | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A3048L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A306L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L<br>BRT42A3036L<br>BRT42A3036L<br>BRT42A3084L<br>BRT42A3678L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 36 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 64 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 36 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50   | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63                                 | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2400<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$26620<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271  | sine bottom table<br>ams.<br>sine bottom table<br>ams.<br>sine bottom table<br>sine bottom table<br>si |
| Pod with Levelers     | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A348L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3061L<br>BRT42A3062L<br>BRT42A306L<br>BRT42A3062L<br>BRT42A3062L<br>BRT42A3062L<br>BRT42A3063L<br>BRT42A3063L<br>BRT42A3678L<br>BRT42A3678L<br>BRT42A3672L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 42 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 42 x 42<br>30 x 84 x 42<br>30 x 72 x 42<br>30 x 66 x 42<br>30 x 66 x 42<br>30 x 64 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 36 x 42<br>30 x 36 x 42<br>30 x 36 x 72 x 42<br>30 x 36 x 72 x 42<br>30 x 77 x 42 | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35                               | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63<br>6.23                         | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2400<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$125<br>\$93<br>\$223<br>\$211<br>\$197   |
| Pod with Levelers     | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A3048L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A306L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L<br>BRT42A304L<br>BRT42A3036L<br>BRT42A3036L<br>BRT42A3084L<br>BRT42A3678L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 36 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 64 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 54 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 36 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35<br>118.20                     | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63                                 | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271<br>\$3432<br>\$3326<br>\$3205<br>\$3095           | sine bottom table<br>ams.<br>sine bottom table<br>ams.<br>sine bottom table<br>sine bottom table<br>si |
| Pod with Levelers     | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A348L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3061L<br>BRT42A3062L<br>BRT42A306L<br>BRT42A3062L<br>BRT42A3062L<br>BRT42A3062L<br>BRT42A3063L<br>BRT42A3063L<br>BRT42A3678L<br>BRT42A3678L<br>BRT42A3672L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 78 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 42 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 42 x 42<br>30 x 84 x 42<br>30 x 72 x 42<br>30 x 66 x 42<br>30 x 66 x 42<br>30 x 64 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 36 x 42<br>30 x 36 x 42<br>30 x 36 x 72 x 42<br>30 x 36 x 72 x 42<br>30 x 77 x 42 | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35<br>118.20<br>109.05           | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63<br>6.23                         | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2660<br>\$2775<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271   | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$125<br>\$93<br>\$223<br>\$211<br>\$197   |
| I Pod with Levelers   | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3060L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A3061L<br>BRT42A306 | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 66 x 42<br>30 x 48 x 42<br>30 x 36 x 42<br>30 x 36 x 42<br>30 x 66 x 42<br>30 x 66 x 72 x 42<br>36 x 78 x 42<br>36 x 72 x 42<br>36 x 66 x 42  | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35<br>118.20                     | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63<br>6.23<br>5.92                 | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271<br>\$3432<br>\$3326<br>\$3205<br>\$3095           | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$171<br>\$125<br>\$33<br>\$211<br>\$197<br>\$184  |
| I Pod with Levelers   | Single table asseml<br>• 24″D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3060L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A306L<br>BRT42A3078L<br>BRT42A3678L<br>BRT42A3678L<br>BRT42A3660L<br>BRT42A3660L   | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42<br>36 x 78 x 42<br>36 x 78 x 42<br>36 x 66 x 42<br>36 x 60 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35<br>118.20<br>109.05           | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63<br>6.23<br>5.92<br>5.61         | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$3071<br>\$2964<br>\$2870<br>\$2785<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271<br>\$3432<br>\$3326<br>\$3205<br>\$3095<br>\$2973 | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$171<br>\$171<br>\$160<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132<br>\$132  |
| Pod with Levelers     | Single table asseml<br>• 24"D tables inclu<br>• Anodized Alumin<br>BRT42A2484L<br>BRT42A2478L<br>BRT42A2472L<br>BRT42A2472L<br>BRT42A2466L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2460L<br>BRT42A2448L<br>BRT42A2448L<br>BRT42A3084L<br>BRT42A3078L<br>BRT42A3078L<br>BRT42A3072L<br>BRT42A3060L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A306L<br>BRT42A3678L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L<br>BRT42A366L  | bly consists of one work<br>ude 3 horizontal structu<br>hum Leg - Add $\$154$ . list<br>24 x 84 x 42<br>24 x 78 x 42<br>24 x 72 x 42<br>24 x 66 x 42<br>24 x 66 x 42<br>24 x 60 x 42<br>24 x 54 x 42<br>24 x 48 x 42<br>24 x 48 x 42<br>24 x 42 x 42<br>24 x 36 x 42<br>30 x 84 x 42<br>30 x 78 x 42<br>30 x 66 x 42<br>30 x 60 x 42<br>30 x 60 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 48 x 42<br>30 x 60 x 42<br>36 x 78 x 42<br>36 x 78 x 42<br>36 x 66 x 42<br>36 x 60 x 42<br>36 x 60 x 42<br>36 x 60 x 42<br>36 x 54 x 42   | surface, two H leg<br>ral beams. 30"/36<br>t upcharge<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70<br>70                                     | assemblies,<br>"D tables in<br>107.31<br>100.79<br>94.27<br>87.75<br>81.23<br>74.71<br>68.19<br>62.67<br>55.15<br>132.72<br>124.57<br>116.42<br>108.27<br>100.12<br>91.97<br>83.82<br>75.67<br>68.52<br>114.65<br>135.50<br>127.35<br>118.20<br>109.05<br>100.90 | horizontal struc<br>clude 4 horizon<br>5.02<br>4.73<br>4.43<br>4.22<br>4.01<br>3.79<br>3.58<br>3.36<br>3.15<br>5.86<br>5.49<br>5.13<br>4.86<br>4.60<br>4.33<br>4.07<br>3.80<br>3.54<br>7.04<br>6.63<br>6.23<br>5.92<br>5.61<br>5.31 | ctural beams and<br>tal structural bea<br>\$2631<br>\$2551<br>\$2470<br>\$2406<br>\$2339<br>\$2243<br>\$2097<br>\$1910<br>\$1832<br>\$2964<br>\$2870<br>\$2712<br>\$2620<br>\$2477<br>\$2403<br>\$22712<br>\$2620<br>\$2477<br>\$2403<br>\$2271<br>\$2403<br>\$2271<br>\$2403<br>\$2271          | l one bottom table<br>ams.<br>\$184<br>\$171<br>\$164<br>\$160<br>\$152<br>\$132<br>\$120<br>\$102<br>\$82<br>\$120<br>\$102<br>\$82<br>\$197<br>\$178<br>\$171<br>\$160<br>\$132<br>\$132<br>\$125<br>\$93<br>\$223<br>\$211<br>\$197<br>\$184<br>\$164<br>\$152   |

• Anodized Aluminum Leg - Add \$77. list upcharge

Required Specifications Top finish Edge finish Metal finish (legs)

Optional Specifications Anodized Aluminum Leg HP laminate

ROUND LEG PACKAGES

#### Single Line 1 Person Pod with Levelers Round Leg



Single Line 1 Person Pod with Casters Round Leg

| MODEL#       | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------|----------------|---------------|---------|-----------|------------|--------|
|              | D x W x H      |               |         |           |            |        |
| BRTS1P2484LR | 24 x 84 x 29   | 70            | 75      | 4.92      | \$1632     | \$154  |
| BRTS1P2478LR | 24 x 78 x 29   | 85            | 72      | 4.82      | \$1584     | \$148  |
| BRTS1P2472LR | 24 x 72 x 29   | 85            | 69      | 4.73      | \$1543     | \$145  |
| BRTS1P2466LR | 24 x 66 x 29   | 85            | 66      | 4.65      | \$1514     | \$136  |
| BRTS1P2463LR | 24 x 62.5 x 29 | 85            | 63      | 4.57      | \$1502     | \$132  |
| BRTS1P2460LR | 24 x 60 x 29   | 85            | 60      | 4.48      | \$1487     | \$131  |
| BRTS1P2454LR | 24 x 54 x 29   | 85            | 57      | 4.40      | \$1457     | \$94   |
| BRTS1P2451LR | 24 x 50.5 x 29 | 85            | 54      | 4.30      | \$1399     | \$88   |
| BRTS1P2448LR | 24 x 48 x 29   | 85            | 51      | 4.20      | \$1364     | \$104  |
| BRTS1P2442LR | 24 x 42 x 29   | 92.5          | 48      | 4.10      | \$1307     | \$65   |
| BRTS1P2436LR | 24 x 36 x 29   | 92.5          | 45      | 4         | \$1263     | \$46   |
|              |                |               |         |           |            |        |
| BRTS1P3084LR | 30 x 84 x 29   | 70            | 75      | 4.92      | \$1668     | \$165  |
| BRTS1P3078LR | 30 x 78 x 29   | 85            | 72      | 4.82      | \$1606     | \$153  |
| BRTS1P3072LR | 30 x 72 x 29   | 85            | 69      | 4.73      | \$1566     | \$129  |
| BRTS1P3066LR | 30 x 66 x 29   | 85            | 66      | 4.65      | \$1531     | \$145  |
| BRTS1P3063LR | 30 x 62.5 x 29 | 85            | 63      | 4.57      | \$1520     | \$140  |
| BRTS1P3060LR | 30 x 60 x 29   | 85            | 60      | 4.48      | \$1505     | \$115  |
| BRTS1P3054LR | 30 x 54 x 29   | 85            | 57      | 4.40      | \$1468     | \$114  |
| BRTS1P3051LR | 30 x 50.5 x 29 | 85            | 54      | 4.30      | \$1443     | \$119  |
| BRTS1P3048LR | 30 x 48 x 29   | 85            | 51      | 4.20      | \$1397     | \$114  |
| BRTS1P3042LR | 30 x 42 x 29   | 92.5          | 48      | 4.10      | \$1369     | \$112  |
| BRTS1P3036LR | 30 x 36 x 29   | 92.5          | 45      | 4         | \$1225     | \$81   |
|              |                |               |         |           |            |        |

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

| BRTS1P2484CB | 24 x 84 x 29   | 70   | 75 | 4.92 | \$1723 | \$154 | - |
|--------------|----------------|------|----|------|--------|-------|---|
| BRTS1P2478CB | 24 x 78 x 29   | 85   | 73 | 4.82 | \$1678 | \$148 |   |
| BRTS1P2472CR | 24 x 72 x 29   | 85   | 69 | 4.73 | \$1635 | \$145 |   |
| BRTS1P2466CR | 24 x 66 x 29   | 85   | 66 | 4.65 | \$1609 | \$136 |   |
| BRTS1P2463CR | 24 x 62.5 x 29 | 85   | 63 | 4.57 | \$1597 | \$132 |   |
| BRTS1P2460CR | 24 x 60 x 29   | 85   | 60 | 4.48 | \$1581 | \$131 |   |
| BRTS1P2454CR | 24 x 54 x 29   | 85   | 57 | 4.40 | \$1548 | \$94  |   |
| BRTS1P2451CR | 24 x 50.5 x 29 | 85   | 54 | 4.30 | \$1493 | \$88  |   |
| BRTS1P2448CR | 24 x 48 x 29   | 85   | 51 | 4.20 | \$1457 | \$104 |   |
| BRTS1P2442CR | 24 x 42 x 29   | 92.5 | 48 | 4.10 | \$1397 | \$65  |   |
| BRTS1P2436CR | 24 x 36 x 29   | 92.5 | 45 | 4    | \$1357 | \$46  |   |
|              |                |      |    |      |        |       |   |
| BRTS1P3084CR | 30 x 84 x 29   | 70   | 75 | 4.92 | \$1762 | \$165 |   |
| BRTS1P3078CR | 30 x 78 x 29   | 85   | 72 | 4.82 | \$1698 | \$153 |   |
| BRTS1P3072CR | 30 x 72 x 29   | 85   | 69 | 4.73 | \$1663 | \$127 |   |
| BRTS1P3066CR | 30 x 66 x 29   | 85   | 66 | 4.65 | \$1622 | \$145 |   |
| BRTS1P3063CR | 30 x 62.5 x 29 | 85   | 63 | 4.57 | \$1611 | \$140 |   |
| BRTS1P3060CR | 30 x 60 x 29   | 85   | 60 | 4.48 | \$1597 | \$115 |   |
| BRTS1P3054CR | 30 x 54 x 29   | 85   | 57 | 4.40 | \$1561 | \$114 |   |
| BRTS1P3051CR | 30 x 50.5 x 29 | 85   | 54 | 4.30 | \$1534 | \$119 |   |
| BRTS1P3048CR | 30 x 48 x 29   | 85   | 51 | 4.20 | \$1492 | \$114 |   |
| BRTS1P3042CR | 30 x 42 x 29   | 92.5 | 48 | 4.10 | \$1461 | \$112 |   |
| BRTS1P3036CR | 30 x 36 x 29   | 92.5 | 45 | 4    | \$1318 | \$81  |   |
|              |                |      |    |      |        |       |   |

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish



| G PACKAGES | MODEL#       | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|------------|--------------|---------------|---------------|---------|-----------|------------|--------|
|            |              | D x W x H     |               |         |           |            |        |
|            | BRTS2P2484LR | 24 x 168 x 29 | 70            | 149     | 7.41      | \$2862     | \$291  |
|            | BRTS2P2478LR | 24 x 156 x 29 | 70            | 140     | 7.27      | \$2752     | \$291  |
|            | BRTS2P2472LR | 24 x 144 x 29 | 70            | 131     | 7.13      | \$2667     | \$283  |
|            | BRTS2P2466LR | 24 x 132 x 29 | 70            | 122     | 6.95      | \$2621     | \$260  |
|            | BRTS2P2460LR | 24 x 120 x 29 | 70            | 113     | 6.71      | \$2559     | \$260  |
|            | BRTS2P2454LR | 24 x 108 x 29 | 70            | 104     | 6.45      | \$2457     | \$226  |
|            | BRTS2P2448LR | 24 x 96 x 29  | 70            | 95      | 6.21      | \$2309     | \$203  |
| ^          |              |               |               |         |           |            |        |
|            | BRTS2P3084LR | 30 x 168 x 29 | 70            | 173     | 8.25      | \$2922     | \$329  |
|            | BRTS2P3078LR | 30 x 156 x 29 | 70            | 164     | 7.97      | \$2794     | \$303  |
|            | BRTS2P3072LR | 30 x 144 x 29 | 70            | 155     | 7.69      | \$2716     | \$294  |
|            | BRTS2P3066LR | 30 x 132 x 29 | 70            | 140     | 7.41      | \$2643     | \$283  |
| *    8     | BRTS2P3060LR | 30 x 120 x 29 | 70            | 131     | 7.13      | \$2594     | \$267  |
| H          | BRTS2P3054LR | 30 x 108 x 29 | 70            | 122     | 6.85      | \$2521     | \$226  |
| R          | BRTS2P3048LR | 30 x 96 x 29  | 70            | 113     | 6.57      | \$2420     | \$226  |

Single Line 2 Person Pod with Levelers **Round Leg** 

ROUND

#### Single Line 3 Person Pod with Levelers **Round Leg**



Single Line 4 Person Pod with Levelers **Round Leg** 

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

| BRTS3P2484LR | 24 x 252 x 29 | 70 | 219 | 9.74  | \$4061 | \$457 |
|--------------|---------------|----|-----|-------|--------|-------|
| BRTS3P2478LR | 24 x 234 x 29 | 70 | 206 | 9.53  | \$3921 | \$434 |
| BRTS3P2472LR | 24 x 216 x 29 | 70 | 192 | 9.32  | \$3793 | \$423 |
| BRTS3P2466LR | 24 x 198 x 29 | 70 | 179 | 9.11  | \$3712 | \$401 |
| BRTS3P2460LR | 24 x 180 x 29 | 70 | 165 | 8.89  | \$3630 | \$388 |
| BRTS3P2454LR | 24 x 162 x 29 | 70 | 152 | 8.68  | \$3479 | \$335 |
| BRTS3P2448LR | 24 x 144 x 29 | 70 | 138 | 8.47  | \$3259 | \$301 |
|              |               |    |     |       |        |       |
| BRTS3P3084LR | 30 x 263 x 29 | 65 | 263 | 11.59 | \$4176 | \$492 |
| BRTS3P3078LR | 30 x 234 x 29 | 70 | 246 | 11.16 | \$3984 | \$454 |
| BRTS3P3072LR | 30 x 216 x 29 | 70 | 229 | 10.72 | \$3869 | \$442 |
| BRTS3P3066LR | 30 x 198 x 29 | 70 | 212 | 10.30 | \$3758 | \$423 |
| BRTS3P3060LR | 30 x 180 x 29 | 70 | 195 | 9.87  | \$3682 | \$401 |
| BRTS3P3054LR | 30 x 162 x 29 | 70 | 178 | 9.44  | \$3572 | \$335 |
| BRTS3P3048LR | 30 x 144 x 29 | 70 | 161 | 9.01  | \$3420 | \$335 |
|              |               |    |     |       |        |       |

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

| BRTS4P2484LR | 24 x 336 x 29 | 70 | 291 | 13.67 | \$5276 | \$610 |
|--------------|---------------|----|-----|-------|--------|-------|
| BRTS4P2478LR | 24 x 312 x 29 | 70 | 273 | 13.18 | \$5089 | \$578 |
| BRTS4P2472LR | 24 x 288 x 29 | 70 | 254 | 12.69 | \$4920 | \$561 |
| BRTS4P2466LR | 24 x 264 x 29 | 70 | 236 | 12.20 | \$4810 | \$532 |
| BRTS4P2460LR | 24 x 240 x 29 | 70 | 217 | 11.71 | \$4686 | \$532 |
| BRTS4P2454LR | 24 x 216 x 29 | 70 | 199 | 11.22 | \$4499 | \$446 |
| BRTS4P2448LR | 24 x 192 x 29 | 70 | 180 | 10.73 | \$4158 | \$446 |
|              |               |    |     |       |        |       |
| BRTS4P3084LR | 30 x 336 x 29 | 65 | 345 | 14.87 | \$5430 | \$655 |
| BRTS4P3078LR | 30 x 312 x 29 | 65 | 323 | 14.30 | \$5176 | \$600 |
| BRTS4P3072LR | 30 x 288 x 29 | 70 | 301 | 13.73 | \$5020 | \$586 |
| BRTS4P3066LR | 30 x 264 x 29 | 70 | 279 | 13.16 | \$4871 | \$561 |
| BRTS4P3060LR | 30 x 240 x 29 | 70 | 257 | 12.59 | \$4770 | \$532 |
| BRTS4P3054LR | 30 x 216 x 29 | 70 | 235 | 12.02 | \$4624 | \$446 |
| BRTS4P3048LR | 30 x 192 x 29 | 70 | 213 | 11.45 | \$4422 | \$446 |
|              |               |    |     |       |        |       |

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

Required Specifications Top finish

. Edge finish Metal finish (legs) Beam finish



**ROUND LEG PACKAGES** 

Back-to-Back 2 Person Pod with Levelers **Round Leg** 



**Back-to-Back 2 Person Pod with** Access Door and Levelers, Round Leg



**Back-to-Back 2 Person Pod with** Access Door and Levelers, Round Leg



**Back-to-Back 4 Person Pod with Levelers Round Leg** 

| MODEL#   | DIMENSIONS  | FREIGHT CLASS  | WT/LBS.   | CUBIC FT.                            | LIST PRICE  | HP ADD  |       |
|--|---|--|---|--------------------------------------|---|---|-------|
| BRTBAR2P2484I R  | <b>D x W x H</b><br>50 5 x 84 x 29  | 70   | 146   | 9.40                                 | \$2662  | \$306   | -     |
| BRTBAR2P2478LR   | 50.5 x 78 x 29  | 85   | 140   | 9.20                                 | \$2590  | \$291   |       |
| BRTBAR2P2472LR   | 50.5 x 72 x 29  | 85   | 128   | 9.02                                 | \$2504  | \$283   |       |
| BRTBAR2P2466LR   | 50.5 x 66 x 29  | 85   | 119   | 8.76                                 | \$2448  | \$267   |       |
| BRTBAR2P2460LR   | 50.5 x 60 x 29  | 85   | 110   | 8.56                                 | \$2396  | \$260   |       |
| DITID/ TALE 2 TOOLIT   | 00.0 X 00 X 20  | 00   | 110   | 0.00                                 | <i>QLUUU</i>  | ŶL00  |       |
| BRTBAR2P3084LR   | 62.5 x 84 x 29  | 70   | 174   | 10.40                                | \$2761  | \$329   |       |
| BRTBAR2P3078LR   | 62.5 x 78 x 29  | 70   | 163   | 9.80                                 | \$2633  | \$303   |       |
| BRTBAR2P3072LR   | 62.5 x 72 x 29  | 70   | 152   | 9.54                                 | \$2554  | \$283   |       |
| BRTBAR2P3066LR   | 62.5 x 66 x 29  | 70   | 141   | 9.25                                 | \$2481  | \$283   |       |
| BRTBAR2P3060LR   | 62.5 x 60 x 29  | 85   | 130   | 9                                    | \$2228  | \$469   |       |
| DNIDANZF3000LN   | 02.3 X 00 X 23  | 00   | 150   | 5                                    | <u><u></u></u>  | φ <del>4</del> 0J                                       |       |
| Back-to-back 2 Person v<br>structural beams.   |   |  |   |                                      |   |   | rting |
| <br>Back-to-back 2 Person  |   |  |   |                                      |   |   | ting  |
| <br>Back-to-back 2 Person<br>structural beams.   | workstation consi   | sts of two worksur                                     | faces, two b                                    | ack-to-back leg                      | g assemblies, and   | two suppor  | rting |
| Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR  | workstation consi<br>50.5 x 84 x 29   | sts of two worksur                                     | faces, two b                                    | ack-to-back leg<br>9.40              | g assemblies, and<br>\$2799   | two suppor<br>\$547<br>\$489                            | rting |
| Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR<br>BRTBAR2PA2478LR   | workstation consi<br>50.5 x 84 x 29<br>50.5 x 78 x 29   | sts of two worksur<br>70<br>85                         | faces, two b<br>146<br>137                      | ack-to-back leg<br>9.40<br>9.20      | 3 assemblies, and<br>\$2799<br>\$2739<br>\$2681                     | two suppor<br>\$547<br>\$489<br>\$469                   | rting |
| Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR<br>BRTBAR2PA2478LR<br>BRTBAR2PA2472LR<br>BRTBAR2PA2466LR                                       | workstation consi<br>50.5 x 84 x 29<br>50.5 x 78 x 29<br>50.5 x 72 x 29<br>50.5 x 66 x 29                   | sts of two worksur<br>70<br>85<br>85<br>85             | faces, two b<br>146<br>137<br>128<br>119        | 9.40<br>9.20<br>9.02<br>8.76         | g assemblies, and<br>\$2799<br>\$2739<br>\$2681<br>\$2584           | two suppor<br>\$547<br>\$489<br>\$469<br>\$411          | ting  |
| Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR<br>BRTBAR2PA2478LR<br>BRTBAR2PA2472LR  | workstation consi<br>50.5 x 84 x 29<br>50.5 x 78 x 29<br>50.5 x 72 x 29                                     | sts of two worksur<br>70<br>85<br>85                   | faces, two b<br>146<br>137<br>128               | 9.40<br>9.20<br>9.02                 | 3 assemblies, and<br>\$2799<br>\$2739<br>\$2681                     | two suppor<br>\$547<br>\$489<br>\$469                   | rting |
| <br>Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR<br>BRTBAR2PA2478LR<br>BRTBAR2PA2472LR<br>BRTBAR2PA2466LR                                   | workstation consi<br>50.5 x 84 x 29<br>50.5 x 78 x 29<br>50.5 x 72 x 29<br>50.5 x 66 x 29                   | sts of two worksur<br>70<br>85<br>85<br>85             | faces, two b<br>146<br>137<br>128<br>119        | 9.40<br>9.20<br>9.02<br>8.76         | g assemblies, and<br>\$2799<br>\$2739<br>\$2681<br>\$2584           | two suppor<br>\$547<br>\$489<br>\$469<br>\$411          |       |
| Back-to-back 2 Person<br>structural beams.<br>BRTBAR2PA2484LR<br>BRTBAR2PA2478LR<br>BRTBAR2PA2478LR<br>BRTBAR2PA2476LR<br>BRTBAR2PA2466LR<br>BRTBAR2PA2460LR | workstation consi<br>50.5 x 84 x 29<br>50.5 x 78 x 29<br>50.5 x 72 x 29<br>50.5 x 66 x 29<br>50.5 x 60 x 29 | sts of two worksur<br>70<br>85<br>85<br>85<br>85<br>85 | faces, two b<br>146<br>137<br>128<br>119<br>110 | 9.40<br>9.20<br>9.02<br>8.76<br>8.56 | g assemblies, and<br>\$2799<br>\$2739<br>\$2681<br>\$2584<br>\$2488 | two suppor<br>\$547<br>\$489<br>\$469<br>\$411<br>\$372 | ting  |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

70

85

141

130

9.25

9

\$2778

\$2643

\$508

\$469

| BRTBAR2PDA2484LR | 50.5 x 84 x 29 | 70 | 146 | 9.40  | \$3019 | \$588 |
|------------------|----------------|----|-----|-------|--------|-------|
| BRTBAR2PDA2478LR | 50.5 x 78 x 29 | 85 | 137 | 9.20  | \$2958 | \$524 |
| BRTBAR2PDA2472LR | 50.5 x 72 x 29 | 85 | 128 | 9.02  | \$2892 | \$504 |
| BRTBAR2PDA2466LR | 50.5 x 66 x 29 | 85 | 119 | 8.76  | \$2790 | \$440 |
| BRTBAR2PDA2460LR | 50.5 x 60 x 29 | 85 | 110 | 8.56  | \$2687 | \$402 |
|                  |                |    |     |       |        |       |
| BRTBAR2PDA3084LR | 62.5 x 84 x 29 | 70 | 174 | 10.40 | \$3270 | \$712 |
| BRTBAR2PDA3078LR | 62.5 x 78 x 29 | 70 | 163 | 9.80  | \$3166 | \$670 |
| BRTBAR2PDA3072LR | 62.5 x 72 x 29 | 70 | 152 | 9.54  | \$3100 | \$611 |
| BRTBAR2PDA3066LR | 62.5 x 66 x 29 | 70 | 141 | 9.25  | \$2998 | \$546 |
| BRTBAR2PDA3060LR | 62.5 x 60 x 29 | 85 | 130 | 9     | \$2851 | \$505 |
|                  |                |    |     |       |        |       |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| BRTBAR4P2484LR | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$4826 \$610 |
|----------------|-----------------|----|-----|-------|--------------|
| BRTBAR4P2478LR | 50.5 x 156 x 29 | 70 | 256 | 15.20 | \$4639 \$578 |
| BRTBAR4P2472LR | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4469 \$561 |
| BRTBAR4P2466LR | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4361 \$532 |
| BRTBAR4P2460LR | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4252 \$516 |
|                |                 |    |     |       |              |
| BRTBAR4P3084LR | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$4982 \$655 |
| BRTBAR4P3078LR | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$4725 \$600 |
| BRTBAR4P3072LR | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$4571 \$586 |
| BRTBAR4P3066LR | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$4384 \$561 |
| BRTBAR4P3060LR | 62.5 x 120 x 29 | 70 | 253 | 14.70 | \$4361 \$532 |
|                |                 |    |     |       |              |

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.

**Required Specifications** Top finish Edge finish Metal finish (legs) Beam finish

BRTBAR2PA3066LR

BRTBAR2PA3060LR

62.5 x 66 x 29

62.5 x 60 x 29



ROUND LEG PACKAGES



Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 6 Person Pod with Levelers Round Leg

| MODEL#          | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------------|-----------------|---------------|---------|-----------|------------|--------|
|                 | D x W x H       |               |         |           |            |        |
| BRTBAR4PA2484LR | 50.5 x 168 x 29 | 70            | 272     | 15.66     | \$4965     | \$1091 |
| BRTBAR4PA2478LR | 50.5 x 156 x 29 | 70            | 256     | 15.20     | \$4810     | \$972  |
| BRTBAR4PA2472LR | 50.5 x 144 x 29 | 70            | 240     | 14.74     | \$4693     | \$933  |
| BRTBAR4PA2466LR | 50.5 x 132 x 29 | 70            | 224     | 14.28     | \$4499     | \$819  |
| BRTBAR4PA2460LR | 50.5 x 120 x 29 | 70            | 208     | 13.82     | \$4305     | \$742  |
|                 |                 |               |         |           |            |        |
| BRTBAR4PA3084LR | 62.5 x 168 x 29 | 70            | 333     | 16.86     | \$5430     | \$1320 |
| BRTBAR4PA3078LR | 62.5 x 156 x 29 | 70            | 313     | 16.32     | \$5236     | \$1243 |
| BRTBAR4PA3072LR | 62.5 x 144 x 29 | 70            | 293     | 15.78     | \$5122     | \$1129 |
| BRTBAR4PA3066LR | 62.5 x 132 x 29 | 70            | 273     | 15.24     | \$4926     | \$1012 |
| BRTBAR4PA3060LR | 62.5 x 120 x 29 | 70            | 253     | 14.70     | \$4656     | \$933  |
|                 |                 |               |         |           |            |        |

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

|                  | F0 F ·· 100 ·· 20 | 70 | 070 | 15.00 | ¢F 400 | 64474  |
|------------------|-------------------|----|-----|-------|--------|--------|
| BRTBAR4PDA2484LR | 50.5 x 168 x 29   | 70 | 272 | 15.66 | \$5498 | \$1171 |
| BRTBAR4PDA2478LR | 50.5 x 156 x 29   | 70 | 256 | 15.20 | \$5331 | \$1045 |
| BRTBAR4PDA2472LR | 50.5 x 144 x 29   | 70 | 240 | 14.74 | \$5205 | \$1004 |
| BRTBAR4PDA2466LR | 50.5 x 132 x 29   | 70 | 224 | 14.28 | \$5089 | \$879  |
| BRTBAR4PDA2460LR | 50.5 x 120 x 29   | 70 | 208 | 13.82 | \$4788 | \$795  |
|                  |                   |    |     |       |        |        |
| BRTBAR4PDA3084LR | 62.5 x 168 x 29   | 70 | 333 | 16.86 | \$5958 | \$1421 |
| BRTBAR4PDA3078LR | 62.5 x 156 x 29   | 70 | 313 | 16.32 | \$5749 | \$1337 |
| BRTBAR4PDA3072LR | 62.5 x 144 x 29   | 70 | 293 | 15.78 | \$5623 | \$1210 |
| BRTBAR4PDA3066LR | 62.5 x 132 x 29   | 70 | 273 | 15.24 | \$5498 | \$1001 |
| BRTBAR4PDA3060LR | 62.5 x 120 x 29   | 70 | 253 | 14.70 | \$5164 | \$1004 |
|                  |                   |    |     |       |        |        |

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| BRTBAR6P2484LR | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$6969 | \$910 |
|----------------|-----------------|----|-----|-------|--------|-------|
| BRTBAR6P2478LR | 50.5 x 234 x 29 | 70 | 409 | 22.10 | \$6690 | \$865 |
| BRTBAR6P2472LR | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$6435 | \$843 |
| BRTBAR6P2466LR | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$6270 | \$795 |
| BRTBAR6P2460LR | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6110 | \$783 |
|                |                 |    |     |       |        |       |
| BRTBAR6P3084LR | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$7215 | \$968 |
| BRTBAR6P3078LR | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$6818 | \$899 |
| BRTBAR6P3072LR | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$6585 | \$877 |
| BRTBAR6P3066LR | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$6363 | \$843 |
| BRTBAR6P3060LR | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$6213 | \$795 |
|                |                 |    |     |       |        |       |

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish

ROUND LEG PACKAGES

MODEL#

BRTBAR6PA2484LR

BRTBAR6PA2478LR

BRTBAR6PA2472LR

BRTBAR6PA2466LR

BRTBAR6PA2460LR

BRTBAR6PA3084LR

BRTBAR6PA3078LR

BRTBAR6PA3072LR

DIMENSIONS

50.5 x 252 x 29

50.5 x 234 x 29

50.5 x 216 x 29

50.5 x 198 x 29

50.5 x 180 x 29

62.5 x 252 x 29


62.5 x 234 x 29

62.5 x 216 x 29

DxWxH



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg



FREIGHT CLASS

70

70

70

70

70

70

70

70

WT/LBS.

434

409

359

329

308

493

462

431

CUBIC FT.

22.88

22.10

21.32

20.54

19.76

24.53

23.75

22.86

| BRTBAR6PDA2484LR | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7959 | \$1752 |
|------------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR6PDA2478LR | 50.5 x 234 x 29 | 70 | 409 | 22.10 | \$7706 | \$1565 |
| BRTBAR6PDA2472LR | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$7519 | \$1502 |
| BRTBAR6PDA2466LR | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$7202 | \$1318 |
| BRTBAR6PDA2460LR | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6894 | \$1190 |
|                  |                 |    |     |       |        |        |
| BRTBAR6PDA3084LR | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$8648 | \$2128 |
| BRTBAR6PDA3078LR | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8334 | \$1999 |
| BRTBAR6PDA3072LR | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$8148 | \$1813 |
| BRTBAR6PDA3066LR | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$7830 | \$1630 |
| BRTBAR6PDA3060LR | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7395 | \$1501 |

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| BRTBAF | 18P2484LR | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$9127 | \$1197 |
|--------|-----------|-----------------|----|-----|-------|--------|--------|
| BRTBAF | 18P2478LR | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$8741 | \$1151 |
| BRTBAF | 18P2472LR | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$8399 | \$1120 |
| BRTBAF | 18P2466LR | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$8181 | \$1058 |
| BRTBAF | 18P2460LR | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$7964 | \$1027 |
|        |           |                 |    |     |       |        |        |
| BRTBAF | 18P3084LR | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$9422 | \$1308 |
| BRTBAF | 18P3078LR | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$8910 | \$1197 |
| BRTBAF | 18P3072LR | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$8601 | \$1166 |
| BRTBAF | 18P3066LR | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$8307 | \$1120 |
| BRTBAF | 18P3060LR | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$8106 | \$1058 |
|        |           |                 |    |     |       |        |        |

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications Anodized Aluminum Leg HP laminate



globalfurnituregroup.com

HP ADD

\$1633

\$1458

\$1399

\$1225

\$1107

\$1980

\$1865

\$1690

LIST PRICE

\$7376

\$7143

\$6969

\$6677

\$6387

\$8016

\$7726

\$7551



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 8 Person Pod with Levelers Round Leg

376 USA

| AGES            | MODEL#                | DIMENSIONS        | FREIGHT CLASS       | WT/LBS.      | CUBIC FT.       | LIST PRICE       | HP ADD       |
|-----------------|-----------------------|-------------------|---------------------|--------------|-----------------|------------------|--------------|
|                 |                       | D x W x H         |                     |              |                 |                  |              |
|                 | BRTBAR8PA2484LR       | 50.5 x 336 x 29   | 70                  | 556          | 28.30           | \$9655           | \$2174       |
|                 | BRTBAR8PA2478LR       | 50.5 x 312 x 29   | 70                  | 520          | 27.30           | \$9345           | \$1941       |
|                 | BRTBAR8PA2472LR       | 50.5 x 288 x 29   | 70                  | 484          | 26.30           | \$9113           | \$1865       |
| ~               | BRTBAR8PA2466LR       | 50.5 x 264 x 29   | 70                  | 448          | 25.30           | \$8725           | \$1633       |
|                 | BRTBAR8PA2460LR       | 50.5 x 240 x 29   | 70                  | 412          | 24.42           | \$8336           | \$1476       |
|                 |                       |                   |                     |              |                 |                  |              |
|                 | BRTBAR8PA3084LR       | 62.5 x 336 x 29   | 70                  | 669          | 30.58           | \$10509          | \$2639       |
|                 | BRTBAR8PA3078LR       | 62.5 x 312 x 29   | 70                  | 625          | 29.48           | \$10119          | \$2484       |
|                 | BRTBAR8PA3072LR       | 62.5 x 288 x 29   | 70                  | 581          | 28.38           | \$9886           | \$2252       |
| Ĩ               | BRTBAR8PA3066LR       | 62.5 x 264 x 29   | 70                  | 536          | 27.28           | \$9500           | \$2019       |
|                 | BRTBAR8PA3060LR       | 62.5 x 240 x 29   | 70                  | 492          | 26.18           | \$8957           | \$1865       |
|                 |                       |                   |                     |              |                 |                  |              |
| Person Pod with | Back-to-back 8 Person | workstation consi | sts of eight worksu | irfaces five | hack-to-hack le | a assemblies and | d eight sunn |

Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg

ROUND LEG PACKA

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| BRTBAR8PDA2484LR | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$10415 | \$2336 |
|------------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8PDA2478LR | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$10413 | \$2085 |
| BRTBAR8PDA2472LR | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$9832  | \$1999 |
| BRTBAR8PDA2466LR | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$9413  | \$1754 |
| BRTBAR8PDA2460LR | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8995  | \$1587 |
|                  |                 |    |     |       |         |        |
| BRTBAR8PDA3084LR | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$11336 | \$2835 |
| BRTBAR8PDA3078LR | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$10916 | \$2671 |
| BRTBAR8PDA3072LR | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$10666 | \$2422 |
| BRTBAR8PDA3066LR | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$10251 | \$2169 |
| BRTBAR8PDA3060LR | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$9664  | \$2001 |

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

|   | BRTSLDT72C           | 72 x 48 x 29  | 92.5           | 28.50 | 2.40 | \$779           | N/A            |
|---|----------------------|---|----------------|-------|------|-----------------|----------------|
| 5 | 0.0                  | pport, sliding bracket h  |                |       |      |                 |                |
|   | are for 24"d worksu  |   | 0              |       | ,    | a groy thos. Mu | xiniani lengui |
|   | table surface is 48" | . <i>Cannot be used on</i><br>um Leg - Add <b>\$56</b> . list u<br>72 x 48 x 29 | single line po |       | ,    | \$779           | N/A            |

Required Specifications Top finish Edge finish Metal finish (legs) Beam finish

Optional Specifications Anodized Aluminum Leg HP laminate



Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg



RETURNS

**Rail Sliding Table Kit - Rectangular Legs** 



MEETING TABLES



**Boardroom Table with Rectangular** Leg and Levelers



**Boardroom Table with Rectangular** Leg, Access Door and Levelers



Square Meeting Table with **Rectangular Legs** 



**Round Meeting Table with Rectangular Legs** 

| MODEL#      | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|-----------------|---------------|---------|-----------|------------|--------|
|             | D x W x H       |               |         |           |            |        |
| BRTBRDP276L | 52.5 x 276 x 29 | 70            | 474     | 23.42     | \$8481     | \$1062 |
| BRTBRDP240L | 52.5 x 240 x 29 | 70            | 408     | 22.64     | \$8156     | \$994  |
| BRTBRDP204L | 52.5 x 204 x 29 | 70            | 340     | 20.74     | \$6610     | \$783  |
| BRTBRDP180L | 52.5 x 180 x 29 | 70            | 308     | 19.82     | \$6391     | \$736  |
| BRTBRDP132L | 52.5 x 132 x 29 | 70            | 228     | 15.02     | \$4754     | \$504  |
| BRTBRDP120L | 52.5 x 120 x 29 | 85            | 210     | 14.56     | \$4642     | \$481  |

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables

| \$1621 | \$9016 | 23.42 | 474 | 70 | 52.5 x 276 x 29 | BRTBRDPA276L |
|--------|--------|-------|-----|----|-----------------|--------------|
| \$1026 | \$8706 | 22.64 | 408 | 70 | 52.5 x 240 x 29 | BRTBRDPA240L |
| \$845  | \$6963 | 20.74 | 340 | 70 | 52.5 x 204 x 29 | BRTBRDPA204L |
| \$961  | \$6577 | 19.82 | 308 | 70 | 52.5 x 180 x 29 | BRTBRDPA180L |
| \$689  | \$4892 | 15.02 | 228 | 70 | 52.5 x 132 x 29 | BRTBRDPA132L |
| \$591  | \$4697 | 14.56 | 210 | 85 | 52.5 x 120 x 29 | BRTBRDPA120L |
|        |        |       |     |    |                 |              |

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables

| BRTSQ42L | 42 x 42 x 29 | 70 | 85 | 4.20 | \$1468 | \$160 |
|----------|--------------|----|----|------|--------|-------|
| BRTSQ42C | 42 x 42 x 29 | 70 | 85 | 4.20 | \$1546 | \$160 |

3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters. Anodized Aluminum Leg - Add \$154 list upcharge

| BRTR42L | 42 x 42 x 29 | 70 | 65 | 3.90 | \$1468 | \$160 |
|---------|--------------|----|----|------|--------|-------|
| BRTR42C | 42 x 42 x 29 | 70 | 65 | 3.90 | \$1546 | \$160 |

3mm edging. Select BRTR42L for levelers or BRTR42C for casters. Anodized Aluminum Leg - Add \$154 list upcharge

**Required Specifications** Top finish Edge finish Metal finish (legs)

Beam finish

#### **Optional Specifications** HP laminate

Anodized aluminum leg Table-edge mounted power module (Meeting Tables)

Below worksurface power trough with power distribution module (Meeting Tables)





В

| EG ASSEMBLIES | MODEL#   | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|---------------|----------|---------------|---------------|---------|-----------|------------|--------|--|
|               |          | D x W x H     |               |         |           |            |        |  |
| <b>N</b>      | BRTSL24C | 24 x 2.5 x 28 | 150           | 8       | 1.34      | \$523      | N/A    |  |
|               | BRTSL30C | 30 x 2.5 x 28 | 150           | 8       | 1.41      | \$527      | N/A    |  |
|               | BRTSL36C | 36 x 2.5 x 28 | 150           | 8       | 1.81      | \$642      | N/A    |  |

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add **\$77** list upcharge

| BRTSL24L | 24 x 2.5 x 28 | 150 | 8 | 1.34 | \$473 | N/A |
|----------|---------------|-----|---|------|-------|-----|
| BRTSL30L | 30 x 2.5 x 28 | 150 | 8 | 1.34 | \$493 | N/A |
| BRTSL36L | 36 x 2.5 x 28 | 125 | 9 | 1.50 | \$434 | N/A |

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

Anodized Aluminum Leg - Add \$77 list upcharge
Please specify two beams when using BRTSL36L

Thease specify two beams when using birrocode.

| BRTBA34L | 34 x 2.5 x 28   | 150 | 10 | 2.47 | \$469 | N/A |
|----------|-----------------|-----|----|------|-------|-----|
| BRTBA51L | 50.5 x 2.5 x 28 | 150 | 12 | 2.96 | \$508 | N/A |
| BRTBA63L | 62.5 x 2.5 x 28 | 150 | 13 | 3.21 | \$530 | N/A |

Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add **\$77** list upcharge

| BRTHL3624C | 24 x 2.5 x 35 | 100 | 14 | 1.68 | \$673 | N/A |
|------------|---------------|-----|----|------|-------|-----|
| BRTHL3630C | 30 x 2.5 x 35 | 100 | 16 | 1.76 | \$711 | N/A |
| BRTHL3636C | 36 x 2.5 x 35 | 125 | 18 | 2.26 | \$805 | N/A |
|            |               |     |    |      |       |     |
| BRTHL4224C | 24 x 2.5 x 41 | 125 | 15 | 1.96 | \$703 | N/A |
| BRTHL4230C | 30 x 2.5 x 41 | 100 | 17 | 2.06 | \$742 | N/A |
| BRTHL4236C | 36 x 2.5 x 41 | 125 | 19 | 2.65 | \$833 | N/A |
|            |               |     |    |      |       |     |

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required:

• 24"D legs - 4 beams (3 under the surface and one at the bottom)

• 30"D/36"D legs - 5 beams (4 under the surface and one at the bottom)

Anodized Aluminum Leg - Add \$77 list upcharge

| BRTHL3624L | 24 x 2.5 x 35 | 100 | 14 | 1.68 | \$619 | N/A |
|------------|---------------|-----|----|------|-------|-----|
| BRTHL3630L | 30 x 2.5 x 35 | 100 | 16 | 1.76 | \$657 | N/A |
| BRTHL3636L | 36 x 2.5 x 35 | 125 | 18 | 2.26 | \$751 | N/A |
|            |               |     |    |      |       |     |
| BRTHL4224L | 24 x 2.5 x 41 | 125 | 15 | 1.96 | \$648 | N/A |
| BRTHL4230L | 30 x 2.5 x 41 | 100 | 17 | 2.06 | \$688 | N/A |
| BRTHL4236L | 36 x 2.5 x 41 | 125 | 19 | 2.65 | \$780 | N/A |

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required:

- 24"D legs 4 beams (3 under the surface and one at the bottom)
- 30"D/36"D legs 5 beams (4 under the surface and one at the bottom)
- Anodized Aluminum Leg Add \$77 list upcharge

Required Specifications Metal finish (legs) Optional Specifications

Anodized aluminum leg



**Single Rectangular Leg Assembly** 

with Casters

Single Rectangular Leg Assembly with Levelers




Back-to-Back Rectangular Leg Assembly with Levelers

**Single H Leg Assembly with Casters** 



#### Single H Leg Assembly with Levelers



Back-to-Back Loop Leg



120° Rectangular Corner Leg Kit

| BRTLVS           | 1 x 1 x 2.5                                   |
|------------------|---|
|                  |   |
|                  |   |
|                  |   |
| 5/16" thread wit | h black base. Leveler has 2″ adj              |
| interchanged on  | site.   |
|                  | 26,427,425                                    |
| DHILUS           | 2.6 x 2.7 x 2.5                               |
|                  |   |
|                  |   |
| 8                | diameter with 8mm thread, whit                |
|                  | 5/16" thread wit<br>interchanged on<br>BRTLCS |



Single Table Round Leg Assembly

| MODEL#    | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|---------------|---------------|---------|-----------|------------|--------|
|           | D x W x H     |               |         |           |            |        |
| BRTSLL24L | 24 x 2.5 x 28 | 92.5          | 11      | 1.01      | \$446      | N/A    |
| BRTSLL30L | 30 x 2.5 x 28 | 92.5          | 13.75   | 1.26      | \$478      | N/A    |
| BRTSLL36L | 36 x 2.5 x 28 | 92.5          | 16.50   | 1.51      | \$512      | N/A    |

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add **\$77** list upcharge

| BRTBALL51L | 50.5 x 2.5 x 28 | 92.5 | 23.14 | 2.12 | \$619 | N/A |
|------------|-----------------|------|-------|------|-------|-----|
| BRTBALL63L | 62.5 x 2.5 x 28 | 92.5 | 28.64 | 2.62 | \$647 | N/A |

Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add **\$77** list upcharge

| BRT120L42 34 x 2.5 x 28 250 6.60 2.80 <b>\$896</b> N/A |               |     |      |      |       |     |
|--|---------------|-----|------|------|-------|-----|
|  | 34 x 2.5 x 28 | 250 | 6.60 | 2.80 | \$896 | N/A |

One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$46 list upcharge

|  | BRTLVS | 1 x 1 x 2.5 | 70 | .03 | .01 | \$11 | N/A |
|--|--------|-------------|----|-----|-----|------|-----|
|--|--------|-------------|----|-----|-----|------|-----|

5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site.

| BRTLCS | 2.6 x 2.7 x 2.5 | 70 | .06 | .01 | \$35 | N/A |
|--------|-----------------|----|-----|-----|------|-----|
|        |                 |    |     |     |      |     |

Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site.

| DDTCI | 24 x 2 x 20 | 125 | 0 | 1.25 | ¢/15 N | 1/A |
|-------|-------------|-----|---|------|--------|-----|
| DNISL | 24 X 3 X 20 | 120 | 0 | 1.20 | ə410 I | N/A |

Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. Locking casters are available on single tables. Specify **BRTLCR**.

Required Specifications Top finish Edge finish Metal finish (legs)



| G ASSEMBLIES                                      | MODEL#  | DIMENSIONS<br>D x W x H   | FREIGHT CLASS   | WT/LBS.                       | CUBIC FT.   | LIST PRICE       | HP ADD                  |  |  |
|---|---|---|-----------------|-------------------------------|---|------------------|-------------------------|--|--|
|   | BRTFSL  | 24 x 2.5 x 28   | 150             | 5                             | .97   | \$355            | N/A                     |  |  |
| ध<br>ngle Table Round Leg Assembly,<br>xed Height |   | leg assemblies combin<br>an be shared by two ad   |                 |                               |   |                  | ges II series Single Li |  |  |
|   | BRTDL   | 50 x 3 x 28   | 150             | 12                            | 2.81  | \$538            | N/A                     |  |  |
| ມ<br>uble Table Round Leg Assembly                |   | e leg assemblies combi<br>One leg can be shared l   |                 |                               |   |                  | Bridges II series Bac   |  |  |
|   | BRTFDL  | 50 x 2.5 x 28   | 250             | 8                             | 2.03  | \$483            | N/A                     |  |  |
| uble Table Round Leg Assembly,<br>ced Height      |   | e leg assemblies combi<br>One leg can be shared l   | -               |                               |   | -                | e Bridges II series Bac |  |  |
|   | BRTCRL42  | 16 x 18 x 28  | 92.5            | 15                            | 1.50  | \$829            | N/A                     |  |  |
| D° Round Corner Leg Assembly                      | Provides support for worksurfaces connected at 120°. Single leg and beam assembly for 120° worksurface planning. Works with <b>BRTWAC120xxxx</b> or <b>BRTWAC120xxxxA</b> 120° worksurfaces. For a single application, two <b>BRTSL</b> (single legs) must added. To join a back-to-back table application, leg assembly will join to existing pod.<br>• When joining to an existing table, the beam extends to reach the shared leg. |   |                 |                               |   |                  |                         |  |  |
|   | BRTFCRL42   | 16 x 18 x 28  | 92.5            | 13                            | 1.50  | \$770            | N/A                     |  |  |
| D° Fixed Height Corner Leg Assembly               | worksurface plar<br>two <b>BRTFSL</b> (sir  | for worksurfaces conn<br>nning. Works with <b>BR1</b><br>ngle legs) must be adde<br>to an existing table, the | WAC120xxxx or E | BRTWAC120><br>o-back table ap | <b>XXXXA</b> 120° working the second secon | vorksurfaces. Fo | r a single application, |  |  |
|   |   |   |                 |                               |   |                  |                         |  |  |
|   |   |   |                 |                               |   |                  |                         |  |  |

Required Specifications Metal finish (legs)

LEG ASSEMBLIES




Leveler for Round Leg Table



**Caster for Round Leg Table** 



**Round Table Leg Assembly** 



Leg Support Cantilever

3/8" thread with black base. Leveler has 1" height adjustment range. Field retrofittable on round leg. BRTLCR 1.5 x 3 x 3.75 70 .30 .01 \$35 N/A Locking. 3" diameter with 3/8" -16 threaded stem. Field retrofittable on round leg. BRTRL 24 x 24 x 28 125 16 2.33 \$853 N/A Four leg assembly. Leveling Glides are standard. Locking casters are available. Specify (4) BRTLCR. Maximum table diamter is 42". Includes all connecting hardware. 2 x 9 x 5 BRTLSC 70 .50 .01 \$148 N/A

FREIGHT CLASS

70

WT/LBS.

.20

CUBIC FT.

.01

LIST PRICE

\$11

HP ADD

N/A

Provides stability for leg supports.

MODEL#

BRTLVR

DIMENSIONS

2.13 x 2.13 x 2

DxWxH

Required Specifications Metal Finish (legs) Optional Specifications Casters (BRTRL)



#### BEAM APPLICATIONS

DxWxH

#### **Table supporting structures - BEAMS**

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

#### **STANDARD TABLE BEAM**

#### Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.

#### End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).

#### Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.

#### **TELESCOPIC TABLE BEAM (4)**

Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to anyworksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.

#### **STORAGE TABLE BEAM (5)**

BEAMS

The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends.

#### **STORAGE TABLE BEAM ADAPTER (6)**

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.

MODEL#

| BRTSB84C | 1 x 79 x 2   | 60 | 8.02 | .15 | \$318 |
|----------|--------------|----|------|-----|-------|
| BRTSB78C | 1 x 73 x 2   | 60 | 7.38 | .12 | \$311 |
| BRTSB72C | 1 x 67 x 2   | 60 | 6.74 | .09 | \$302 |
| BRTSB66C | 1 x 61 x 2   | 60 | 6.09 | .08 | \$290 |
| BRTSB63C | 1 x 57.5 x 2 | 60 | 5.72 | .08 | \$286 |
| BRTSB60C | 1 x 55 x 2   | 60 | 5.45 | .07 | \$280 |
| BRTSB54C | 1 x 49 x 2   | 60 | 4.86 | .06 | \$269 |
| BRTSB51C | 1 x 45.5 x 2 | 60 | 4.81 | .05 | \$262 |
| BRTSB48C | 1 x 43 x 2   | 60 | 4.60 | .05 | \$251 |
| BRTSB42C | 1 x 37 x 2   | 60 | 3.59 | .04 | \$241 |
| BRTSB36C | 1 x 31 x 2   | 60 | 3.31 | .03 | \$238 |
| BRTSB30C | 1 x 25 x 2   | 60 | 2.70 | .02 | \$237 |
| BRTSB24C | 1 x 19 x 2   | 60 | 2.03 | .01 | \$230 |
| BRTSB15C | 1 x 10 x 2   | 70 | 1.28 | .01 | \$184 |

FREIGHT CLASS


DIMENSIONS



Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate standard table beam, end of run and interconnecting table beam applications. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.

**Required Specifications** 

Metal Finish









WT/LBS.



CUBIC FT.

LIST PRICE







**Bottom Table Beam** 



**Telescopic Table Beam** 



Storage Table Beam



**Storage Table Beam Adapter** 

| MODEL#   | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|----------|------------|---------------|---------|-----------|------------|--|
|          | D x W x H  |               |         |           |            |  |
| BRTBB84C | 1 x 79 x 2 | 60            | 10.32   | .15       | \$358      |  |
| BRTBB78C | 1 x 73 x 2 | 60            | 9.68    | .12       | \$349      |  |
| BRTBB72C | 1 x 67 x 2 | 60            | 9.04    | .09       | \$338      |  |
| BRTBB66C | 1 x 61 x 2 | 60            | 8.40    | .09       | \$326      |  |
| BRTBB60C | 1 x 55 x 2 | 60            | 7.75    | .08       | \$315      |  |
| BRTBB54C | 1 x 49 x 2 | 60            | 7.11    | .07       | \$303      |  |
| BRTBB48C | 1 x 43 x 2 | 60            | 6.74    | .07       | \$281      |  |
| BRTBB42C | 1 x 37 x 2 | 60            | 5.83    | .06       | \$269      |  |
| BRTBB36C | 1 x 31 x 2 | 60            | 5.19    | .05       | \$266      |  |
|          |            |               |         |           |            |  |

Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps.

| BRTTB84C | 1 x 96.5 x 2 | 60 | 10.32 | .15 | \$488 |  |
|----------|--------------|----|-------|-----|-------|--|
| BRTTB78C | 1 x 90.5 x 2 | 60 | 9.68  | .12 | \$479 |  |
| BRTTB72C | 1 x 84.5 x 2 | 60 | 9.04  | .09 | \$469 |  |
| BRTTB66C | 1 x 78.5 x 2 | 60 | 8.40  | .09 | \$458 |  |
| BRTTB60C | 1 x 72.5 x 2 | 60 | 7.75  | .08 | \$447 |  |
| BRTTB54C | 1 x 66.5 x 2 | 60 | 7.11  | .07 | \$431 |  |
| BRTTB48C | 1 x 60.5 x 2 | 60 | 6.74  | .07 | \$407 |  |
| BRTTB42C | 1 x 54.5 x 2 | 60 | 5.83  | .06 | \$391 |  |
| BRTTB36C | 1 x 48.5 x 2 | 60 | 5.19  | .05 | \$367 |  |

Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length.

| BRTSTB84C | 1 x 80.75 x 2 | 60 | 8.64 | .09 | \$350 |  |
|-----------|---------------|----|------|-----|-------|--|
| BRTSTB78C | 1 x 74.75 x 2 | 60 | 7.99 | .08 | \$341 |  |
| BRTSTB72C | 1 x 68.75 x 2 | 60 | 7.35 | .08 | \$329 |  |
| BRTSTB66C | 1 x 62.75 x 2 | 60 | 6.74 | .07 | \$318 |  |
| BRTSTB60C | 1 x 54.75 x 2 | 60 | 5.85 | .06 | \$302 |  |
| BRTSTB54C | 1 x 50.75 x 2 | 60 | 5.43 | .05 | \$280 |  |
| BRTSTB48C | 1 x 44.75 x 2 | 60 | 4.78 | .05 | \$266 |  |
| BRTSTB42C | 1 x 38.75 x 2 | 60 | 4.16 | .04 | \$262 |  |
| BRTSTB36C | 1 x 32.75 x 2 | 60 | 3.50 | .03 | \$251 |  |
|           |               |    |      |     |       |  |

Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25"h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface.

| BRTSA21 | 1 x 15.2 x 6.5  | 60 | 2.15 | .05 | \$120 |  |
|---------|-----------------|----|------|-----|-------|--|
| BRTSA25 | 1 x 15.2 x 2.75 | 60 | 4.30 | .02 | \$103 |  |

Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25" h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adapter assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify **BRTSA21** or **BRTSA25** depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.

Required Specifications



| RKSURFACES                        | MODEL#                                  | DIMENSIONS                     | FREIGHT CLASS       | WT/LBS.      | CUBIC FT.        | LIST PRICE      | HP ADD         |
|-----------------------------------|---|--------------------------------|---------------------|--------------|------------------|-----------------|----------------|
|                                   | DDTM/05 IT I                            | D x W x H                      |                     |              |                  | ÷               | 64F-           |
|                                   | BRTWS2484                               | 24 x 84 x 1                    | 60                  | 55           | 1.80             | \$499           | \$154          |
|                                   | BRTWS2478                               | 24 x 78 x 1                    | 60                  | 51           | 1.70             | \$460           | \$148          |
|                                   | BRTWS2472                               | 24 x 72 x 1                    | 60                  | 47           | 1.54             | \$431           | \$145          |
|                                   | BRTWS2466                               | 24 x 66 x 1                    | 60                  | 43           | 1.41             | \$411           | \$136          |
|                                   | BRTWS2463                               | 24 x 62.5 x 1                  | 65                  | 39           | 1.41             | \$404           | \$138          |
|                                   | BRTWS2460                               | 24 x 60 x 1                    | 60                  | 39           | 1.30             | \$394           | \$131          |
|                                   | BRTWS2454                               | 24 x 54 x 1                    | 65                  | 35           | 1.20             | \$355           | \$115          |
|                                   | BRTWS2451                               | 24 x 50.5 x 1                  | 65                  | 31           | 1.06             | \$359           | \$115          |
|                                   | BRTWS2448                               | 24 x 48 x 1                    | 65                  | 31           | 1.06             | \$300           | \$104          |
|                                   | BRTWS2442                               | 24 x 42 x 1                    | 60                  | 28           | .90              | \$251           | \$85           |
|                                   | BRTWS2436                               | 24 x 36 x 1                    | 60                  | 23           | .71              | \$192           | \$65           |
|                                   | BRTWS3084                               | 30 x 84 x 1                    | 60                  | 69           | 2.24             | \$537           | \$165          |
|                                   | BRTWS3078                               | 30 x 78 x 1                    | 60                  | 64           | 2.10             | \$483           | \$153          |
|                                   | BRTWS3072                               | 30 x 72 x 1                    | 65                  | 59           | 2                | \$455           | \$151          |
|                                   | BRTWS3066                               | 30 x 66 x 1                    | 60                  | 54           | 1.80             | \$427           | \$145          |
|                                   | BRTWS3063                               | 30 x 62.5 x 1                  | 65                  | 49           | 1.77             | \$417           | \$140          |
|                                   | BRTWS3060                               | 30 x 60 x 1                    | 65                  | 49           | 1.77             | \$411           | \$136          |
|                                   | BRTWS3054                               | 30 x 54 x 1                    | 60                  | 44           | 1.44             | \$383           | \$115          |
|                                   | BRTWS3051                               | 30 x 50.5 x 1                  | 65                  | 39           | 1.41             | \$377           | \$120          |
|                                   | BRTWS3048                               | 30 x 48 x 1                    | 65                  | 39           | 1.41             | \$355           | \$115          |
| $\sim$                            | BRTWS3042                               | 30 x 42 x 1                    | 60                  | 34           | 1.12             | \$334           | \$112          |
|                                   | BRTWS3036                               | 30 x 36 x 1                    | 65                  | 30           | 1.06             | \$238           | \$81           |
|                                   | BRTWS3663                               | 36 x 62.5 x 1                  | 65                  | 53           | 1.94             | \$625           | \$162          |
|                                   | BRTWS3651                               | 36 x 50.5 x 1                  | 65                  | 43           | 1.71             | \$556           | \$93           |
|                                   | BRTWSAA2484                             | 24 x 84 x 1                    | 60                  | 51           | 1.70             | \$594           | \$289          |
|                                   | BRTWSAA2478                             | 24 x 78 x 1                    | 60                  | 47           | 1.54             | \$563           | \$258          |
|                                   | BRTWSA2472                              | 24 x 72 x 1                    | 60                  | 47           | 1.54             | \$517           | \$238          |
|                                   | BRTWSA2466                              | 24 x 66 x 1                    | 60                  | 43           | 1.41             | \$480           | \$206          |
|                                   | BRTWSA2460                              | 24 x 60 x 1                    | 60                  | 39           | 1.30             | \$442           | \$187          |
|                                   | BRTWSA2454                              | 24 x 54 x 1                    | 65                  | 35           | 1.20             | \$392           | \$179          |
|                                   | BRTWSA2448                              | 24 x 48 x 1                    | 65                  | 31           | 1.06             | \$355           | \$160          |
|                                   | BRTWSA2442                              | 24 x 42 x 1                    | 60                  | 28           | .90              | \$315           | \$140          |
|                                   | BRTWSAA3084                             | 30 x 84 x 1                    | 60                  | 64           | 2.10             | \$706           | \$349          |
|                                   | BRTWSAA3078                             | 30 x 78 x 1                    | 65                  | 59           | 2.10             | \$665           | \$327          |
|                                   | BRTWSA3072                              | 30 x 72 x 1                    | 65                  | 59           | 2                | \$615           | \$285          |
| ~                                 | BRTWSA3066                              | 30 x 66 x 1                    | 60                  | 54           | 1.80             | \$577           | \$256          |
|                                   | BRTWSA3060                              | 30 x 60 x 1                    | 65                  | 49           | 1.77             | \$517           | \$238          |
|                                   | BRTWSA3054                              | 30 x 54 x 1                    | 60                  | 44           | 1.44             | \$469           | \$216          |
|                                   | BRTWSA3048                              | 30 x 48 x 1                    | 65                  | 39           | 1.41             | \$420           | \$187          |
|                                   | BRTWSA3042                              | 30 x 42 x 1                    | 60                  | 34           | 1.12             | \$372           | \$168          |
| ✓                                 |   | :<br>                          |                     | 0″           |                  | 70"             |                |
| ngular Worksurface<br>Access Door | Flat 3 mm edge prof                     |                                |                     |              |                  |                 |                |
| ACCESS DUUI                       | access doors. Acce                      |                                |                     |              |                  |                 |                |
|                                   | access to power/da<br>worksurface power | 0                              | INSUITACE. VVUIKSUF | Iace WILLI a | CCESS DOOLS CAIN | INOT DE COMDINE | u willi aduve  |
|                                   |   | 0                              | c=                  |              |                  | <b>*</b>        | ****           |
| $\sim$                            | BRTWBE2451R                             | 24 x 50.5 x 1                  | 65                  | 31           | 1.06             | \$355           | \$115          |
|                                   | BRTWBE2463R                             | 24 x 62.5 x 1                  | 65                  | 39           | 1.41             | \$411           | \$136          |
|                                   |   |                                |                     |              |                  |                 |                |
|                                   | BRTWBE3051R<br>BRTWBE3063R              | 30 x 50.5 x 1<br>30 x 62.5 x 1 | 65<br>65            | 39<br>49     | 1.41<br>1.77     | \$383<br>\$427  | \$115<br>\$145 |

Flat 3 mm edge profile on all sides. Boardroom table extensions convert existing 24" or 30" deep back-to-back Bridges table assembly into a boardroom table. 24" and 30"d rectangular top with round corner can only be supported by 34" double leg and extension beams. No freestanding and mobile application.

Required Specifications Top finish Edge finish

Optional Specifications HP laminate

Rec wit



Rectangular Boardoom Table Top **Extension, Round Corners** 


WORKSURFACES



**Rectangular Worksurface** with 2 Access Doors



**Meeting Table Top** 



120° Worksurface



120° Worksurface with Access Door

| MODEL#      | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|-------------|-------------|---------------|---------|-----------|------------|--------|--|
|             | D x W x H   |               |         |           |            |        |  |
| BRTWSAA2484 | 24 x 84 x 1 | 60            | 51      | 1.70      | \$594      | \$289  |  |
| BRTWSAA2478 | 24 x 78 x 1 | 60            | 47      | 1.54      | \$563      | \$258  |  |
| BRTWSAA2472 | 24 x 72 x 1 | 60            | 43      | 1.41      | \$556      | \$257  |  |
| BRTWSAA2466 | 24 x 66 x 1 | 60            | 39      | 1.30      | \$517      | \$226  |  |
| BRTWSAA2460 | 24 x 60 x 1 | 65            | 35      | 1.20      | \$476      | \$203  |  |
|             |             |               |         |           |            |        |  |
| BRTWSAA3084 | 30 x 84 x 1 | 60            | 64      | 2.10      | \$706      | \$349  |  |
| BRTWSAA3078 | 30 x 78 x 1 | 65            | 59      | 2         | \$665      | \$327  |  |
| BRTWSAA3072 | 30 x 72 x 1 | 60            | 54      | 1.80      | \$659      | \$308  |  |
| BRTWSAA3066 | 30 x 66 x 1 | 65            | 49      | 1.77      | \$622      | \$272  |  |
| BRTWSAA3060 | 30 x 60 x 1 | 60            | 44      | 1.44      | \$556      | \$257  |  |
|             |             |               |         |           |            |        |  |

Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Anodized aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84".

| BRTWS2451 | 24 x 50.5 x 1   | 65 | 31 | 1.06 | \$359  | \$115 |
|-----------|-----------------|----|----|------|--------|-------|
| BRTWS3051 | 30 x 50.5 x 1   | 65 | 39 | 1.41 | \$377  | \$120 |
| BRTWS3651 | 36 x 50.5 x 1   | 65 | 43 | 1.71 | \$556  | \$93  |
| BRTWS4251 | 42 x 50.5 x 1   | 65 | 48 | 1.93 | \$615  | \$165 |
| BRTWS4851 | 48 x 50.5 x 1   | 65 | 52 | 2.07 | \$699  | \$183 |
| BRTWS5151 | 50.5 x 50.5 x 1 | 65 | 55 | 2.12 | \$748  | \$173 |
| BRTWS5451 | 54 x 50.5 x 1   | 65 | 59 | 2.19 | \$808  | \$226 |
| BRTWS6051 | 60 x 50.5 x 1   | 65 | 63 | 2.26 | \$919  | \$231 |
|           |                 |    |    |      |        |       |
| BRTWS2463 | 24 x 62.5 x 1   | 65 | 39 | 1.41 | \$404  | \$138 |
| BRTWS3063 | 30 x 62.5 x 1   | 65 | 49 | 1.77 | \$417  | \$140 |
| BRTWS3663 | 36 x 62.5 x 1   | 65 | 53 | 1.94 | \$625  | \$162 |
| BRTWS4263 | 42 x 62.5 x 1   | 65 | 57 | 2.07 | \$748  | \$196 |
| BRTWS4863 | 48 x 62.5 x 1   | 65 | 61 | 2.13 | \$898  | \$227 |
| BRTWS5463 | 54 x 62.5 x 1   | 65 | 63 | 2.21 | \$1009 | \$255 |
| BRTWS6063 | 60 x 62.5 x 1   | 65 | 67 | 2.34 | \$1124 | \$279 |
|           |                 |    |    |      |        |       |

Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes.

• Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly

• Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly

| BRTWAC120424224 | 24 x 42 x 1 | 65 | 31 | 1.06 | \$886 | \$291 |
|-----------------|-------------|----|----|------|-------|-------|
| BRTWAC120424230 | 30 x 42 x 1 | 65 | 39 | 1.41 | \$965 | \$295 |

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation.

| BRTWAC120A424224 | 24 x 42 x 1 | 65 | 31 | 1.06 | \$943  | \$316 |  |
|------------------|-------------|----|----|------|--------|-------|--|
| BRTWAC120A424230 | 30 x 42 x 1 | 65 | 39 | 1.41 | \$1019 | \$395 |  |

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

**Required Specifications** Top finish

**Optional Specifications** 

Edge finish

HP laminate



В

| WORKSURFACES                                   | MODEL#   | DIMENSIONS F   | REIGHT CLASS   | WT/LBS.   | CUBIC FT.  | LIST PRICE   | HP ADD   |  |
|--|--|--|--|---|--|--|--|--|
| $\frown$                                       |  | D x W x H  | 05   |   | 0.40   | 4700   | 4000   |  |
|  | BRTMT5151  | 50.5 x 50.5 x 1  | 65   | 55  | 2.12   | \$703  | \$392  |  |
|  |  |  |  |   |  |  |  |  |
| $\checkmark$                                   |  |  |  |   |  |  |  |  |
| ectangular Meeting Table Top*                  | 50.5"long side matcl   | hes 24″d back-to-back t  | able assembly.   |   |  |  |  |  |
|  | BRTMTR42   | 42 x 42 x 1  | 65   | 40  | 1.76   | \$469  | \$119  |  |
|  | DITIONITI  | 72 7 72 7 1  | 00   | -10   | 1.70   | ψτυσ   | φΠ   |  |
| )  |  |  |  |   |  |  |  |  |
|  |  |  |  |   |  |  |  |  |
| ound Meeting Table Top*                        |  |  |  |   |  |  |  |  |
|  |  |  |  |   |  |  |  |  |
|  | BHBF01   | 4 x 3  | 70   | .50   | .01  | \$22   |  |  |
|  |  |  |  |   |  |  |  |  |
| 0  |  |  |  |   |  |  |  |  |
| at Bracket                                     | Constructed of cold  | rolled steel. May be us  | ed to ensure al  | ignment of ne   | eighboring wor   | ksurfaces.   |  |  |
|  |  | 00 50 5 4  |  |   |  |  |  |  |
|  | BRTWS6051SCP<br>BRTWS5451SCP   | 60 x 50.5 x 1<br>54 x 50.5 x 1   | 60<br>60   | 75<br>68  | 1.75<br>1.58   | \$899<br>\$794   | \$228<br>\$222   |  |
|  | BRTWS4863SCP   | 48 x 62.5 x 1  | 60   | 75  | 1.74   | \$880  | \$223  |  |
|  |  |  |  |   |  |  |  |  |
| $\boldsymbol{K}$                               | BRTWS6063SCP   | 60 x 62.5 x 1  | 60   | 93  | 2.17   | \$1100   | \$272  |  |
|  | BRTWS5463SCP<br>BRTWS4863SCP   | 54 x 62.5 x 1<br>48 x 62.5 x 1   | 60<br>60   | 84<br>75  | 1.95<br>1.74   | \$992<br>\$880   | \$249<br>\$223   |  |
|  | DITI 1034003301  | 40 X 02.3 X 1  | 00   | 75  | 1./4   | φυυυ   | ΨΖΖJ   |  |
|  |  |  |  |   |  |  |  |  |
|  | back table assemblie<br>BRTTVFT63<br>BRTTVFT51   | 4 x 62.5 x 52  | 100<br>92 5  | 74<br>62  | 7.52   | \$1757<br>\$1663   |  |  |
|  |  |  | 100<br>92.5  | 74<br>62  | 7.52<br>6.08   | \$1757<br>\$1663   |  |  |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;   | 92.5<br>facilitates seate  | 62<br>ed presentati   | 6.08<br>on area. Includ  | \$1663<br>es laminate boar   |  |  |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n   | 92.5<br>facilitates seato<br>nanager (black)   | 62<br>ed presentati<br>. Slim (22mm   | 6.08<br>on area. Includ<br>) bracket capab   | \$1663<br>es laminate board<br>le of supporting  | displays/TVs u   | p to 50"   |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a   | 92.5<br>facilitates seat<br>nanager (black)<br>d, top of the 52<br>add HP white, d   | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa   | p to 50"<br>minate<br>ce and   |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat   | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-   | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem  | displays/TVs u<br>5.5"h. 1" LP la<br>ay board surfa<br>bly supported   | p to 50"<br>minate<br>ce and   |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the<br>VSxxxxSCP D   | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Aonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc<br>able manager passes th   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>prough the gap  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the<br>VSxxxxSCP D<br>between 2 ba   | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo  | \$1663<br>es laminate board<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Tonitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>ne double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>urough the gap<br>isplay Wall Tab   | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the<br>VSxxxxSCP D<br>between 2 ba<br>ble Top with S   | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo  | \$1663<br>es laminate board<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Ionitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterrr<br>• Add <b>\$1036</b> for wh   | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51"w r  | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>prough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b>   | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the o<br>VSxxxxSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo<br>Scoop ( <b>BRTWS</b>  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul<br>xxxxSCP).  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Ionitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm<br>• Add <b>\$1036</b> for wh  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>ying. Specify <b>WHB</b> to a<br>te on the opposite side.<br>back-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w n<br>4 x 62.5 x 52   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tab<br>nodel, and <b>\$13</b>  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the o<br>VSxxxXSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w<br>74  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>iate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul<br>xxxxSCP).<br>\$1757   | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Ionitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterrr<br>• Add <b>\$1036</b> for wh   | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51"w r  | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>prough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b>   | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the o<br>VSxxxxSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo<br>Scoop ( <b>BRTWS</b>  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul<br>xxxxSCP).  | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
| Ionitor Facing Double Workstation**            | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm<br>• Add <b>\$1036</b> for wh  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w n<br>4 x 62.5 x 52  | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tab<br>nodel, and <b>\$13</b>  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the o<br>VSxxxXSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w<br>74  | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tab<br>ack-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52  | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>iate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul<br>xxxxSCP).<br>\$1757   | displays/TVs u<br>55"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.  | p to 50"<br>minate<br>ce and<br>by   |
|  | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterrr<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51   | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>a x 50.5 x 52<br>b x 50.5 x 50<br>b x 50.5 | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>dd HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b><br>100<br>92.5  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the e<br>VSxxxSCP D<br>between 2 ba<br>ole Top with S<br><b>83</b> for 63" w<br>74<br>62   | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>and of back-to-<br>isplay Wall Tab<br>ck-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08   | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table asser<br>le Top with Scoo<br>ksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663   | displays/TVs u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on   | p to 50"<br>minate<br>ce and<br>by<br>e  |
| Monitor Facing Back of<br>Double Workstation** | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51<br>Display wall support  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>ging. Specify <b>WHB</b> to a<br>e on the opposite side.<br>back-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w r<br>4 x 62.5 x 52<br>4 x 50.5 x 52<br>52   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>dd HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b><br>100<br>92.5  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the o<br>VSxxxSCP D<br>between 2 ba<br>ole Top with S<br><b>83</b> for 63" w<br>74<br>62<br>table assemb   | 6.08<br>on area. Includ<br>) bracket capab<br>p. 62.5") wide<br>ker board lamir<br>and of back-to-<br>isplay Wall Tab<br>ck-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08   | \$1663<br>es laminate boar<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table asser<br>le Top with Scoo<br>ksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663   | displays/TVs u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on   | p to 50"<br>minate<br>ce and<br>by<br>e<br>s back of                                       |
|  | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51<br>Display wall support<br>the double workstati<br>hardware, vertical ca   | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>ging. Specify <b>WHB</b> to a<br>e on the opposite side.<br>yack-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w r<br>4 x 62.5 x 52<br>4 x 50.5 x 52<br>c board mounts to end o<br>ion (combine with colla<br>able manager (black). S  | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>dd HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b><br>100<br>92.5<br>f back-to-back<br>borative seatin<br>lim (22mm) brac  | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the e<br>VSxxxSCP D<br>between 2 ba<br>ole Top with S<br><b>83</b> for 63" w<br>74<br>62<br>table assemb<br>rg). Includes I<br>cket capable  | 6.08<br>on area. Includ<br>) bracket capat<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tat<br>ick-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08  | \$1663<br>es laminate board<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>rksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663<br>y rectangular legs<br>TV/display brack<br>isplays/TVs up to  | displays/TV's u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on<br>d you need on<br>s. Display face<br>sets (black), mo<br>50" (resp. 62 | p to 50"<br>minate<br>ce and<br>by<br>e<br>s back of<br>punting<br>") wide,                |
|  | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical ca<br>continuous, uninterm<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51<br>Display wall support<br>the double workstat<br>hardware, vertical ca<br>up to 80lbs. When ir  | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>yack-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w r<br>4 x 62.5 x 52<br>4 x 50.5 x 52<br>c board mounts to end o<br>ion (combine with colla<br>able manager (black). S<br>installed, top of the 52"   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>dd HP white, d<br>Display wall m<br>ture with BRTV<br>trough the gap<br>isplay Wall Tab<br>model, and <b>\$13</b><br>100<br>92.5<br>f back-to-back<br>borative seatin<br>lim (22mm) brac<br>x 50.5" (resp. 6                                       | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the e<br>VSxxxSCP D<br>between 2 ba<br>ole Top with S<br><b>83</b> for 63" w<br>74<br>62<br>table assemb<br>ng). Includes I<br>cket capable<br>2.5") wide bo                                   | 6.08<br>on area. Includ<br>) bracket capati<br>p. 62.5") wide<br>ker board lamir<br>end of back-to-<br>isplay Wall Tati<br>ck-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08<br>ly supported by<br>aminate board,<br>of supporting di<br>ard reaches 65  | \$1663<br>es laminate board<br>le of supporting<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>ksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663<br>v rectangular legs<br>TV/display brack<br>isplays/TVs up to<br>.5"h. 1" LP lamin  | displays/TV's u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on<br>  | p to 50"<br>minate<br>ce and<br>by<br>e<br>s back of<br>punting<br>") wide,<br>h 3mm       |
|  | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical c<br>continuous, uninterrr<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51<br>Display wall support<br>the double workstat<br>hardware, vertical ca<br>up to 80lbs. When ir<br>edging. Specify <b>WH</b>                         | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>yack-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w r<br>4 x 62.5 x 52<br>4 x 50.5 x 52<br>c board mounts to end o<br>ion (combine with colla<br>able manager (black). S<br>installed, top of the 52"<br><b>IB</b> to add HP white, dry   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tat<br>model, and <b>\$13</b><br>100<br>92.5<br>f back-to-back<br>borative seatin<br>lim (22mm) brav<br>x 50.5" (resp. 6<br>-erase marker b                    | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the (<br>VSxxxSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w<br>74<br>62<br>table assemb<br>ng). Includes I<br>cket capable<br>2.5") wide bo<br>poord laminat                  | 6.08<br>on area. Includ<br>) bracket capati<br>p. 62.5") wide<br>ker board lamir<br>and of back-to-<br>isplay Wall Tati<br>tack-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08<br>ly supported by<br>aminate board,<br>of supporting di<br>ard reaches 65<br>te on non-displa                    | \$1663<br>es laminate board<br>le of supporting of<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>ksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663<br>/ rectangular legs<br>TV/display brack<br>isplays/TVs up to<br>.5"h. 1" LP lamin<br>ay board surface                     | displays/TV's u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on<br>  | p to 50"<br>minate<br>ce and<br>by<br>e<br>s back of<br>punting<br>") wide,<br>h 3mm<br>HP |
| Tonitor Facing Back of                         | BRTTVFT63<br>BRTTVFT51<br>Display wall faces th<br>(black), mounting ha<br>(resp. 62") wide, up<br>board with 3mm edg<br>standard HP laminat<br>rectangular legs or b<br>• Included vertical c:<br>continuous, uninterrr<br>• Add <b>\$1036</b> for wh<br>BRTTVBK63<br>BRTTVBK51<br>Display wall support<br>the double workstat<br>hardware, vertical ca<br>up to 80lbs. When ir<br>edging. Specify <b>WH</b><br>laminate on the opp | 4 x 62.5 x 52<br>4 x 50.5 x 52<br>4 x 50.5 x 52<br>he double workstation;<br>rdware, vertical cable n<br>to 80lbs. When installe<br>jing. Specify <b>WHB</b> to a<br>e on the opposite side.<br>yack-to-back table struc<br>able manager passes th<br>upted surface specify D<br>ite, dry erase on 51" w r<br>4 x 62.5 x 52<br>4 x 50.5 x 52<br>c board mounts to end o<br>ion (combine with colla<br>able manager (black). S<br>installed, top of the 52"   | 92.5<br>facilitates seatu<br>nanager (black)<br>d, top of the 52<br>add HP white, d<br>Display wall m<br>ture with BRTV<br>rough the gap<br>isplay Wall Tat<br>nodel, and <b>\$13</b><br>100<br>92.5<br>f back-to-back<br>borative seatin<br>lim (22mm) brack<br>s 50.5" (resp. 6<br>-erase marker to<br>mounts to the | 62<br>ed presentati<br>. Slim (22mm<br>" x 50.5" (res<br>ry-erase marl<br>ounts to the (<br>VSxxxSCP D<br>between 2 ba<br>ble Top with S<br><b>83</b> for 63" w<br>74<br>62<br>table assemb<br>ng). Includes I<br>cket capable<br>2.5") wide bo<br>board laminat<br>end of back-t | 6.08<br>on area. Includ<br>) bracket capati<br>p. 62.5") wide<br>ker board lamir<br>and of back-to-<br>isplay Wall Tati<br>tack-to-back wo<br>Scoop ( <b>BRTWS</b><br>7.52<br>6.08<br>ly supported br<br>aminate board,<br>of supporting of<br>ard reaches 65<br>te on non-displa<br>o-back table as | \$1663<br>es laminate board<br>le of supporting of<br>board reaches 65<br>ate on non-displa<br>back table assem<br>le Top with Scoo<br>ksurfaces. Shoul<br>xxxxSCP).<br>\$1757<br>\$1663<br>// rectangular legs<br>TV/display brack<br>isplays/TVs up to<br>.5"h. 1" LP lamin<br>ay board surface<br>sembly supporte | displays/TV's u<br>.5"h. 1" LP la<br>ay board surfa<br>bly supported<br>p.<br>d you need on<br>  | p to 50"<br>minate<br>ce and<br>by<br>e<br>s back or<br>bunting<br>") wide,<br>h 3mm<br>HP |

Required Specifications Top finish Edge finish Optional Specifications HP laminate

### **POWER DELIVERY / CABLE MANAGEMENT**

D x W x H

At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

Wire Basket (1) connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. Wire Basket is not to be used with power troughs.

Cable Snake (2) Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit Desk Top Power Data Modules (3) deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.


Ceiling pole BRTCPP (4) manages power and data cables between ceiling and above or below worksurface power troughs.


Above and Below Worksurface Power/Data Troughs (5) can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)

NOTE: Specify BRTHH58 (8) to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.


Leg shroud (9) attaches to 34"w legs and manages power floor feed, as well as data cables from floor monument.


Single Sided Power/Data Troughs (6) can be installed to the underside of a single table.





#### 4-2-2 Wiring Schematic 8-Wire Shared Neutral "2 + 2" - 2 Utility Circuits, 2 Dedicated





#### 8 Wires **4 Circuits** 4 Lines (12 ga.) 2 Neutrals (10 ga.) 2 Dedicated Circuits 2 Grounds (12 ga.)


Receptacles 2 Utility circuits

Duplex - Up to 12 duplex receptacles per circuit (Up to 48 per infeed)

### **Specifications**

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.








POWER DELIVERY / CABLE MANAGEMENT





42" - 72"

Below Worksurface Double Power/Data Trough

| MODEL#        | DIMENSIONS         | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------|--------------------|---------------|---------|-----------|------------|
|               | D x W x H          |               |         |           |            |
| BRTEETB84SKIT | 11.6 x 78.34 x 2.5 | 5 100         | 12      | 1.31      | \$1129     |
| BRTEETB78SKIT | 11.6 x 72.34 x 2.5 | 5 100         | 11      | 1.21      | \$1081     |
| BRTEETB72SKIT | 11.6 x 66.34 x 2.5 | 5 100         | 9.80    | 1.11      | \$703      |
| BRTEETB66SKIT | 11.6 x 60.34 x 2.5 | 5 100         | 8.90    | 1.01      | \$680      |
| BRTEETB60SKIT | 11.6 x 54.34 x 2.5 | 5 100         | 8       | .91       | \$655      |
| BRTEETB54SKIT | 11.6 x 48.34 x 2.5 | 5 100         | 7.10    | .81       | \$642      |
| BRTEETB48SKIT | 11.6 x 42.34 x 2.5 | 5 100         | 6.20    | .71       | \$615      |
| BRTEETB42SKIT | 11.6 x 36.34 x 2.5 | 5 100         | 5.30    | .61       | \$568      |
| BRTEETB36SKIT | 11.6 x 30.34 x 2.5 | 5 125         | 4.50    | .59       | \$517      |
|               |                    |               |         |           |            |

Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied*. 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER
- For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black **BRTPDS** Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$59** list, see **BRTPDS**.

| BRTEETB84DKIT | 8.5 x 78.3 x 2.5 | 92.5 | 9.80 | .96 | \$1458 |
|---------------|------------------|------|------|-----|--------|
| BRTEETB78DKIT | 8.5 x 72.3 x 2.5 | 92.5 | 9    | .88 | \$1437 |
| BRTEETB72DKIT | 8.5 x 66.3 x 2.5 | 92.5 | 8.30 | .81 | \$847  |
| BRTEETB66DKIT | 8.5 x 60.3 x 2.5 | 92.5 | 7.50 | .74 | \$829  |
| BRTEETB60DKIT | 8.5 x 54.3 x 2.5 | 92.5 | 6.80 | .66 | \$800  |
| BRTEETB54DKIT | 8.5 x 48.3 x 2.5 | 92.5 | 6    | .59 | \$779  |
| BRTEETB48DKIT | 8.5 x 42.3 x 2.5 | 92.5 | 5.30 | .52 | \$761  |
| BRTEETB42DKIT | 8.5 x 36.3 x 2.5 | 92.5 | 4.50 | .44 | \$730  |
| BRTEETB36DKIT | 8.5 x 30.3 x 2.5 | 92.5 | 3.80 | .37 | \$712  |
|               |                  |      |      |     |        |

Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETD42SKIT and (1) JUMPER
- For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6".
   White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

Required Specifications Metal Finish (Power/Data Troughs)

globalfurnituregroup.com glob

| ELECTRICAL COMPONENTS  | MODEL#              | DIMENSIONS       | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|--|---------------------|------------------|---------------|---------|-----------|------------|--|
|  |                     | D x W x H        |               |         |           |            |  |
| 19   | BRTEETA84KIT        | 2.5 x 84 x 3.5   | 65            | 9.49    | .42       | \$1265     |  |
| a series and a series of the s | BRTEETA78KIT        | 2.5 x 78 x 3.5   | 65            | 8.81    | .39       | \$1217     |  |
| Bue  | BRTEETA72KIT        | 2.5 x 71.9 x 3.5 | 65            | 8.12    | .36       | \$800      |  |
| 6  | BRTEETA66KIT        | 2.5 x 65.9 x 3.5 | 65            | 7.45    | .33       | \$790      |  |
| James Contraction of the second  | <b>BRTEETA60KIT</b> | 2.5 x 59.9 x 3.5 | 65            | 6.77    | .30       | \$730      |  |
| 5″ 🧷   | BRTEETA54KIT        | 2.5 x 53.9 x 3.5 | 65            | 6.09    | .27       | \$712      |  |
| A sure   | BRTEETA48KIT        | 2.5 x 47.9 x 3.5 | 65            | 5.41    | .24       | \$674      |  |
| B. Burn  | BRTEETA42KIT        | 2.5 x 41.9 x 3.5 | 65            | 4.73    | .21       | \$634      |  |
|  | BRTEETA36KIT        | 2.5 x 35.9 x 3.5 | 65            | 4.06    | .18       | \$586      |  |

42" - 72" Above Worksurface Power Trough



**Back-to-Back Storage Tower Gap Filler Kit** 

Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. Covers for duplex openings are not supplied. 36" trough side. Specify jumpers between tables separately. Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/ communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER
- BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER
- Specify above worksurface power trough end cap BRTETEC to finish open ends of the power trough
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

| BRTEST15KIT | 15.5 x 2.5 x 3.5 | 65 | 2    | .08 | \$527 |
|-------------|------------------|----|------|-----|-------|
| BRTEST24KIT | 24 x 2.5 x 3.5   | 70 | 2.50 | .12 | \$572 |
| BRTEST30KIT | 31 x 2.5 x 3.5   | 70 | 3.50 | .16 | \$610 |
| BRTEST48KIT | 48 x 2.5 x 3.5   | 70 | 4    | .24 | \$673 |
|             |                  |    |      |     |       |

Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" leas or storage beam and storage towers.

- Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables.
- The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers
- The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage

towers

|  | BRTETEC | .5 x 2.25 x 3 | 70 | .10 | .01 | \$11 |  |
|--|---------|---------------|----|-----|-----|------|--|
|--|---------|---------------|----|-----|-----|------|--|

Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.

**Required Specifications** Metal Finish (Power/Data Troughs)



Above Worksurface Power Trough



| ELECTRICAL COMPONENTS           | MODEL#  | DIMENSIONS   | FREIGHT CLASS  | WT/LBS.  | CUBIC FT.   | LIST PRICE   |  |
|---------------------------------|---|--|--|--|---|--|--|
|                                 |   | D x W x H  |  |  |   |  |  |
|                                 | BRTEHH28  | .5 x 28 x 2  | 70   | 1  | 1.17  | \$179  |  |
|                                 | BRTEHH40  | .5 x 40.5 x 2  | 70   | 1.10   | 1.25  | \$191  |  |
| . A                             | BRTEHH44  | .5 x 44.5 x 2  | 70   | 1.5  | 1.17  | \$206  |  |
| TURNER                          | BRTEHH52  | .5 x 52.5 x 2  | 300  | 2.0  | 1.17  | \$217  |  |
| - Commune                       | BRTEHH58  | .5 x 58.5 x 2  | 300  | 2.2  | 1.17  | \$226  |  |
| E Frank CR                      | BRTEHH76  | .5 x 76.5 x 2  | 250  | 2.8  | 1.17  | \$252  |  |
| *                               |   |  |  |  |   |  |  |
| Housing to Housing Harness      | <ul> <li>BRTEHH28 distr</li> <li>BRTEHH40 distr</li> <li>BRTEHH44 distr</li> <li>Wardrobes. Speci</li> <li>BRTEHH52 distr</li> <li>Specify BRTEST24</li> <li>BRTEHH58 distr</li> <li>Specify BRTEST30</li> <li>BRTEHH58 also</li> <li>below worksurfac</li> <li>BRTEHH76 distr</li> <li>Specify BRTEST48</li> </ul> | fy BRTEST15KIT separa<br>ibutes power from bac<br>KIT separately.<br>ibutes power from bac<br>KIT separately.<br>distributes power from<br>e power trough at the<br>ibutes power from bac<br>KIT separately.<br>6 x 4 x 72 | back-to-back or sin<br>k-to-back to single<br>back-to-back power<br>ately.<br>k-to-back power tru<br>k-to-back power tru<br>n double-sided, bac<br>end of a table run.<br>k-to-back power tru<br>250 | sided power tr<br>er troughs separate<br>oughs separate<br>oughs separate<br>ck-to-back belo<br>oughs separate | oughs<br>arated by (1) p<br>ad by (1) pair o<br>ad by (2) pairs<br>w worksurfac<br>ad by (2) pairs<br>2 | pair of storage cabinets wit<br>of storage cabinets with we<br>of storage cabinets without<br>e power troughs to a single<br>of storage cabinets with v<br>\$542                                       | ardrobes.<br>ut wardrobes.<br>e sided,                             |
| <b>1</b>                        | BRTEBF120   | 6 x 4 x 120  | 250  | 6  | 2   | \$755  |  |
|                                 | BRTEBF144   | 6 x 4 x 144  | 150  | 8  | 2   | \$812  |  |
| J.                              |   | he building power supp   | ny by a licensed en  |  |   |  |  |
| Base Feed - New York Electrical |   | 6 x 4 x 100<br>wer entry from floor or<br>he building power supp   |  |  | 2<br>oly. Connects  | \$851<br>to Power Distribution Hou   | sing. Must   |
| Base Feed - New York Electrical | Provides single po  | wer entry from floor or  | wall located build   | ing power supp   |   |  | sing. Must   |
| Base Feed - New York Electrical | Provides single po<br>be hard wired to t<br>BRTCPP<br>Brings ceiling feed<br>heights. Two part  | wer entry from floor or<br>he building power supp<br>1.5 x 4.75 x 99<br>d conduit and data cabl<br>construction allows po  | wall located build<br>bly by a licensed el<br>65<br>les from the ceiling<br>ower/data conduit  | ing power supp<br>ectrician.<br>13<br>I down to Powe<br>lay-in. Attache  | .48<br>.48<br>er Troughs at o   | to Power Distribution Hou  | es 10' ceiling<br>ower Troughs                                     |
|                                 | Provides single po<br>be hard wired to t<br>BRTCPP<br>Brings ceiling feed<br>heights. Two part<br>in back-to-back ap<br>Painted Finish.   | wer entry from floor or<br>he building power supp<br>1.5 x 4.75 x 99<br>d conduit and data cabl<br>construction allows po<br>plications only. Not fo   | wall located build<br>bly by a licensed el<br>65<br>les from the ceiling<br>ower/data conduit<br>r use on single side  | ing power supp<br>ectrician.<br>13<br>down to Powe<br>lay-in. Attache<br>ed Bridges II tro                     | .48<br>.48<br>er Troughs at o<br>es to a junctio<br>oughs. Includ                                       | to Power Distribution Hou<br>\$294<br>desk height. Accommodate<br>n between two adjacent Po<br>es mounting hardware and  | es 10' ceiling<br>ower Troughs                                     |
|                                 | Provides single po<br>be hard wired to t<br>BRTCPP<br>Brings ceiling feed<br>heights. Two part<br>in back-to-back ap<br>Painted Finish.<br>BRTECF120  | wer entry from floor or<br>he building power supp<br>1.5 x 4.75 x 99<br>d conduit and data cabl<br>construction allows po<br>plications only. Not fo   | wall located build<br>bly by a licensed el<br>65<br>es from the ceiling<br>ower/data conduit<br>ir use on single side<br>250   | ing power supp<br>ectrician.<br>13<br>I down to Powe<br>lay-in. Attache<br>ed Bridges II tro<br>5              | .48<br>.48<br>er Troughs at o<br>es to a junctio<br>oughs. Includ                                       | to Power Distribution Hou<br>\$294<br>desk height. Accommodate<br>n between two adjacent Pr<br>les mounting hardware and<br>\$476  | es 10' ceiling<br>ower Troughs                                     |
|                                 | Provides single po<br>be hard wired to t<br>BRTCPP<br>Brings ceiling feed<br>heights. Two part<br>in back-to-back ap<br>Painted Finish.<br>BRTECF120<br>BRTECF120<br>BRTECF144<br>Provides single po<br>circuit) metal conc   | wer entry from floor or<br>he building power supp<br>1.5 x 4.75 x 99<br>d conduit and data cabl<br>construction allows po<br>plications only. Not fo<br>6 x 6 x 120<br>6 x 6 x 144<br>wer entry from ceiling,              | wall located build<br>bly by a licensed el<br>65<br>es from the ceiling<br>pwer/data conduit<br>r use on single side<br>250<br>250<br>through ceiling po<br>ded metal junction                       | ing power supp<br>ectrician.<br>13<br>down to Power<br>lay-in. Attache<br>ed Bridges II tro<br>5<br>5<br>5     | .48<br>.48<br>er Troughs at o<br>es to a junctio<br>oughs. Includ<br>2<br>2<br>2                        | to Power Distribution Hou<br>\$294<br>desk height. Accommodate<br>n between two adjacent Po-<br>les mounting hardware and<br>\$476<br>\$530<br>over Distribution Module.<br>uilding power supply above | es 10' ceiling<br>ower Troughs<br>I ceiling bezel.<br>An 8 wire (4 |

Required Specifications Metal Finish (BRTCPP)

ELECTRICAL COMPONENTS

**Ceiling Feed - New York Electrical** 

**Duplex Receptacles** 



**Power/Data Cable Basket** 



34" Leg Shroud

| MODEL#     | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------|-------------|---------------|---------|-----------|------------|
|            | D x W x H   |               |         |           |            |
| BRTECFK120 | 6 x 6 x 120 | 250           | 5       | 2         | \$712      |
| BRTECFK144 | 6 x 6 x 144 | 250           | 5       | 2         | \$790      |
|            |             |               |         |           |            |

Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.

| BRTE8D1   | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$42 |
|-----------|-----------------|----|-----|-----|------|
| BRTE8D2   | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$42 |
| BRTE8DA   | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$42 |
| BRTE8DB   | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$42 |
| BRTE8DXW1 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$59 |
| BRTE8DXW2 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$59 |
| BRTE8DXWA | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$59 |
| BRTE8DXWB | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$59 |
|           |                 |    |     |     |      |

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black.

- BRTE8D1 / BRTE8DXW1 Circuit #1 (utility circuit)
- BRTE8D2 / BRTE8DXW2 Circuit #2 (utility circuit)
- BRTE8DA / BRTE8DXWA Circuit A (dedicated circuit)
- BRTE8DB / BRTE8DXWB Circuit B (dedicated circuit)

| BRTCB76KIT | 8 x 34 x 1 | 70   | 1.56 | .15 | \$263 |
|------------|------------|------|------|-----|-------|
| BRTCB70    | 8 x 70 x 1 | 100  | 3.22 | .34 | \$191 |
| BRTCB64    | 8 x 64 x 1 | 92.5 | 2.94 | .29 | \$178 |
| BRTCB58    | 8 x 58 x 1 | 92.5 | 2.66 | .26 | \$172 |
| BRTCB52    | 8 x 52 x 1 | 100  | 2.39 | .24 | \$162 |
| BRTCB46    | 8 x 46 x 1 | 92.5 | 2.16 | .21 | \$153 |
| BRTCB40    | 8 x 40 x 1 | 70   | 1.80 | .18 | \$145 |
| BRTCB34    | 8 x 34 x 1 | 70   | 1.56 | .15 | \$139 |
| BRTCB28    | 8 x 28 x 1 | 70   | 1.20 | .13 | \$123 |
| BRTCB22    | 8 x 22 x 1 | 70   | 1.01 | .10 | \$115 |
| BRTCB16    | 8 x 16 x 1 | 70   | .73  | .07 | \$108 |
| BRTCB8     | 8 x 8 x 1  | 70   | .36  | .03 | \$97  |
|            |            |      |      |     |       |

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners. • Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage

cabinet spine assembly.

| BRTDLSHS34 | 5 x 30 x 29 | 92.5 | 62 | 5.25 | \$539 |
|------------|-------------|------|----|------|-------|
|            |             |      |    |      |       |

A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish.

**Required Specifications** Metal Finish (BRTDLSHS34)



| cables. Transluce         BRTCM43         BRTCM55         Vire Manager         Replacement wire         Two lengths: 46"         BRTPDS         BRTPDSW         BRTPDSS         Data/Comm Spacer         Data/Comm plate         bending radius. E         BRTVCM2118         BRTVCM2518                               | DIMENSIONS<br>D × W × H<br>2 × 8 × 30<br>anagement trough. Two p<br>ent White finish only.<br>46 × 5 × 3<br>58 × 5 × 3<br>58 × 5 × 3<br>c manager can be added.<br>7 for tops 60" and under;<br>6 × 4.75 × 2.04<br>.6 × 4.75 × 2.04<br>.6 × 4.75 × 2.04<br>.6 × 4.75 × 2.04           | 92.5<br>92.5   | 3<br>the snake, on<br>8<br>9<br>r neatly organi<br>. Black Plastic<br>.10<br>.10 | .67<br>.85<br>zes and stores<br>c only.<br>.01                          | \$62<br>\$72   |   |
|--|---|--|--|---|--|---|
| able Snake       Flexible cable ma<br>cables. Transluce         BRTCM43       BRTCM55         Wire Manager       Replacement wire<br>Two lengths: 46"         BRTPDS       BRTPDS<br>BRTPDSW         BRTPDS       Data/Comm plate<br>bending radius. E         BRTVCM2118<br>BRTVCM2518       BRTVCM2118<br>BRTVCM2518 | $2 \times 8 \times 30$<br>anagement trough. Two p<br>ent White finish only.<br>$46 \times 5 \times 3$<br>$58 \times 5 \times 3$<br>e manager can be added.<br>for tops 60" and under;<br>$.6 \times 4.75 \times 2.04$<br>$.6 \times 4.75 \times 2.04$<br>$.6 \times 4.75 \times 2.04$ | 92.5<br>92.5<br>92.5<br>. Wire Manager<br>58" for tops 72"<br>70<br>70         | the snake, on<br>8<br>9<br>r neatly organi<br>. Black Plastic<br>.10<br>.10      | e for data/com<br>.67<br>.85<br>zes and stores<br>c only.<br>.01        | munication and one for r<br>\$62<br>\$72<br>electrical and communic  |   |
| cables. Transluce         BRTCM43         BRTCM55         ire Manager         Replacement wire         Two lengths: 46"         BRTPDS         BRTPDSW         BRTPDSW         BRTPDSS         Data/Comm plate         bending radius. E         BRTVCM2118         BRTVCM2518   | 46 x 5 x 3<br>46 x 5 x 3<br>58 x 5 x 3<br>e manager can be added.<br>for tops 60" and under;<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04  | 92.5<br>92.5<br>. Wire Manager<br>58" for tops 72"<br>70<br>70                 | 8<br>9<br>r neatly organi<br>. Black Plastic<br>.10<br>.10                       | .67<br>.85<br>zes and stores<br>c only.<br>.01                          | \$62<br>\$72<br>electrical and communic  |   |
| BRTCM55 BRTCM55 BRTPDS BRTPDS BRTPDSW BRTPDSS Ta/Comm Spacer Data/Comm plate bending radius. E BRTVCM2118 BRTVCM2518   | 58 x 5 x 3<br>e manager can be added.<br>' for tops 60" and under;<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04  | 92.5<br>. Wire Manager<br>58" for tops 72"<br>70<br>70                         | 9<br>r neatly organi<br>. Black Plastic<br>.10<br>.10                            | .85<br>zes and stores<br>c only.<br>.01                                 | \$72<br>electrical and communic  | ation cable   |
| Replacement wird<br>Two lengths: 46"<br>BRTPDS<br>BRTPDSW<br>BRTPDSS<br>a/Comm Spacer<br>Data/Comm plate<br>bending radius. E<br>BRTVCM2118<br>BRTVCM2518  | e manager can be added.<br>7 for tops 60" and under;<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04  | . Wire Manager<br>58" for tops 72"<br>70<br>70                                 | r neatly organi<br>. Black Plastic<br>.10<br>.10                                 | zes and stores<br>c only.<br>.01  | electrical and communic  | ation cable   |
| Two lengths: 46"<br>BRTPDS<br>BRTPDSW<br>BRTPDSS<br>a/Comm Spacer<br>Data/Comm plate<br>bending radius. E<br>BRTVCM2118<br>BRTVCM2518  | for tops 60" and under;<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04   | 58" for tops 72"<br>70<br>70   | . Black Plastic<br>.10<br>.10  | c only.<br>.01  |  | ation cable   |
| ta/Comm Spacer Data/Comm plate<br>bending radius. E<br>BRTVCM2118<br>BRTVCM2518  | .6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04  | 70   | .10  |   | \$59   |   |
| BRTPDSW<br>BRTPDSS<br>Data/Comm plate<br>bending radius. E<br>BRTVCM2118<br>BRTVCM2518   | .6 x 4.75 x 2.04<br>.6 x 4.75 x 2.04  | 70   | .10  |   |  |   |
| ta/Comm Spacer Data/Comm plate<br>bending radius. E<br>BRTVCM2118<br>BRTVCM2518  |   | 70   |  | .01   | \$59   |   |
| BRTVCM2118<br>BRTVCM2518   | e spacer extends the dept   |  | .10  | .01   | \$59   |   |
| BRTVCM2124<br>BRTVCM2524   | 3RTPDS is Black, BRTPDS<br>18 x 6 x 21<br>18 x 6 x 25<br>24 x 6 x 21<br>24 x 6 x 25   | 92.5<br>92.5<br>92.5<br>100<br>92.5  | 1 BRTPDSS is 5<br>14<br>17<br>17<br>22   | 1.31<br>1.56<br>1.75<br>2.08  | \$1069<br>\$1091<br>\$1129<br>\$1147   |   |
| storage units to f<br>Optional cable ba<br>cut-out edges. U<br>- two outlets; 72   | /data transfer from a floc<br>orm a storage spine. Rer<br>asket supsends off storag<br>niversal connecting hardv<br>"L 3-prong power cord. N<br>screws, black cord. Prov<br>(Not Included).   | movable top witl<br>je unit's bottom a<br>ware included. I<br>White face plate | h a Below wor<br>and manages<br>Below Worksu<br>e, outlets and c                 | rksurface Powe<br>cables along th<br>ırface Power/D<br>coupler & jack a | r/Data Module provides<br>e horizontal plane. 1" to<br>ata Module included. Pr<br>adapters; anodized alumi | easy acces<br>op, unfinish<br>rovides pov<br>inum brack |

# В

| ACCESSORIES / TABLE DIVIDERS  | MODEL#  | DIMENSIONS FF                     | EIGHT CLAS    | S WT/LBS.          | CUBIC FT.     | LIST PRICE                             |
|---|---|-----------------------------------|---------------|--------------------|---------------|--|
|   |   | D x W x H                         |               |                    |               |  |
| <ul> <li>9mm thick panels offered in 18</li> <li>Made from 100% PET (polyest</li> </ul> | misnes<br>er) fiber with a high content (50%) |                                   | -             | USION FINISH       | CHR           | Charcoal                               |
| material, free of added chemica   | • • •   |                                   |               | ner White          | FOG           | Fog                                    |
|   | impact and tear resistant, bacteria           |                                   | 0             |                    | SIL           | Silver                                 |
| moisture resistant, and installat   |   | TESISTAIL, TF                     |               |                    | TUN           | Tungsten                               |
|   | re inherent to the character of the p         |                                   |               |                    |               | pplies. Available on select models     |
|   |   |                                   |               | to model for av    |               |  |
| ELT COLORS  |   |                                   | nerer         |                    | anabinty and  | a aponargo.                            |
| (AMT) Amethyst (APR) Ap   | icot  |                                   |               |                    |               |  |
| (BLK) Black (BSK) Blu   |   |                                   |               |                    |               |  |
| (BRI) Brick (CNN) Ca  |   |                                   |               |                    |               |  |
| (DEN) Denim (EMD) En  |   |                                   |               |                    |               |  |
| GPH) Graphite (HVT) Ha  |   |                                   |               |                    |               |  |
|   |   |                                   |               |                    |               |  |
| (LAP) Lapis (MTS) M   |   |                                   |               |                    |               |  |
| (NVY) Navy (PWT) Pe   |   |                                   |               |                    |               |  |
| RBY) Ruby (SHR) Sh  |   |                                   |               |                    |               |  |
| SFR) Sunflower (WHT) W  | nite  |                                   |               |                    |               |  |
| LT DIVIDERS   | MODEL#  | DIMENSIONS FF                     | EIGHT CLAS    | S WT/LBS.          | CUBIC FT.     | LIST PRICE                             |
|   | BRTAFDD84                                     | 7.5 x 81 x 16.88                  | 125           | 6.30               | 1             | \$710                                  |
|   | BRTAFDD78                                     | 7.5 x 75 x 16.88                  | 125           | 5.90               | .92           | \$677                                  |
|   | BRTAFDD72                                     | 7.5 x 69 x 16.88                  | 125           | 5.40               | .85           | \$645                                  |
|   | BRTAFDD66                                     | 7.5 x 63 x 16.88                  | 125           | 5                  | .00           | \$611                                  |
|   | BRTAFDD60                                     | 7.5 x 57 x 16.88                  | 125           | 4.60               | .70           | \$577                                  |
|   | BRTAFDD54                                     | 7.5 x 51 x 16.88                  | 125           | 4.10               | .63           | \$546                                  |
|   | BRTAFDD48                                     | 7.5 x 45 x 16.88                  | 125           | 3.70               | .55           | \$384                                  |
|   | BRTAFDD42                                     | 7.5 x 39 x 16.88                  | 125           | 3.20               | .48           | \$340                                  |
|   | BRTAFDD36                                     | 7.5 x 33 x 16.88                  | 125           | 2.80               | .41           | \$305                                  |
|   |   |                                   |               |                    |               |  |
| ack-to-Back Parallel Felt Div   | ider Secures between                          | two back-to-back tables; p        | rovides priva | acy, divides spac  | ce. 9mm felt  | material is tackable. Installed divi   |
|   | measures 15.7" fr                             | om the top of the worksur         | ace. Availab  | le in 9 PET felt o | colors. Pleas | e specify. Brackets and extrusion a    |
|   |   | •                                 |               |                    |               | kets. 78" and 84" wide dividers ind    |
|   |   | inum extrusion - Add \$164        |               |                    |               |  |
|   | BRTAFPPD30M                                   | 6.5 x 30.24 x 16.85               | 100           | 2.60               | .27           | \$289                                  |
|   | BRTAFPPD24M                                   | 6.5 x 24.24 x 16.85               | 100           | 2.00               | .27           | \$256                                  |
|   | DNIAFFFDZ4IVI                                 | 0.0 X 24.24 X 10.00               | 100           | 2.10               | .LL           | \$230                                  |
|   |   |                                   |               |                    |               |  |
|   |   |                                   |               |                    |               |  |
|   |   |                                   |               |                    |               |  |
| erpendicular Side to Side   | Secures off modu                              | le to front and back edges        | of a table: n | rovidos privacy    | dividae enac  | e. 9mm felt material is tackable. 2    |
| ff Module Felt Divider  |   |                                   |               |                    |               | rectangular legs). Cannot be instal    |
| ii wouule reit Diviuei  |   | -                                 |               | -                  | -             |  |
|   |   |                                   |               |                    |               | e. Available in 9 PET felt colors. Ple |
|   |   | and extrusion available in        |               |                    | tinisnes.     |  |
|   | Anodized Alum                                 | inum extrusion - Add <b>\$164</b> | list upcharge | 9                  |               |  |
|   |   | 0 5 00 01 10 05                   | 100           | 4.20               | 40            | ¢000                                   |
|   | BRTAFPPD63S                                   | 6.5 x 62.81 x 16.85               | 100           | 4.20               | .46           | \$600                                  |
|   | BRTAFPPD51S                                   | 6.5 x 50.81 x 16.85               | 100           | 4.20               | .46           | \$535                                  |
|   | BRTAFPPD30S                                   | 6.5 x 30.24 x 16.85               | 92.5          | 2.70               | .27           | \$296                                  |
|   | BRTAFPPD24S                                   | 6.5 x 24.24 x 16.85               | 92.5          | 2.30               | .22           | \$263                                  |
| ×   |   |                                   |               |                    |               |  |
|   |   |                                   |               | () ()              |               |  |
| erpendicular Side to Side Felt  |   | -                                 | -             |                    |               | upporting backets can straddle over    |
|   |   |                                   |               |                    |               | led at the end of a run. Installed d   |
|   | measures 15.7" fr                             | om the top of the worksur         | ace. Availab  | le in 9 PET felt o | colors. Pleas | e specify. Brackets and extrusion a    |
|   | in all standard Bri                           | dges II paint finishes.           |               |                    |               |  |
|   | Acadinad Alum                                 | inum ovtrucion Add \$164          | ligt uppharge |                    |               |  |

• Anodized Aluminum extrusion - Add \$164 list upcharge

Required Specifications Top finish\* Edge finish\* Chassis finish\*


394 USA




| FELT DIVIDERS | MODEL#     | DIMENSIONS FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------------|------------|--------------------------|---------|-----------|------------|--|
|               |            | D x W x H                |         |           |            |  |
| $\sim$        | BRTAFEDN24 | 4.05 x 25.46 x 30.68 250 | 3.3     | 1.12      | \$443      |  |
|               | BRTAFEDN30 | 4.05 x 31.46 x 30.68 250 | 3.98    | 1.29      | \$497      |  |
|               | BRTAFEDN51 | 4.05 x 50.56 x 30.68 150 | 6.22    | 1.46      | \$912      |  |
|               | BRTAFEDN63 | 4.05 x 62.56 x 30.68 150 | 7.57    | 1.63      | \$1039     |  |



End of Run Felt Divider & Modesty Kit\*



Felt Divider & Modesty Panel Kit\*



**Felt Modesty Panel** 

|            | D x W x H            |     |      |      |        |
|------------|----------------------|-----|------|------|--------|
| BRTAFEDN24 | 4.05 x 25.46 x 30.68 | 250 | 3.3  | 1.12 | \$443  |
| BRTAFEDN30 | 4.05 x 31.46 x 30.68 | 250 | 3.98 | 1.29 | \$497  |
| BRTAFEDN51 | 4.05 x 50.56 x 30.68 | 150 | 6.22 | 1.46 | \$912  |
| BRTAFEDN63 | 4.05 x 62.56 x 30.68 | 150 | 7.57 | 1.63 | \$1039 |
|            |                      |     |      |      |        |

Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

| BRTAFDSN84 | 4.05 x 78 x 30.68 | 125 | 9.24 | 1.2  | \$1241 |
|------------|-------------------|-----|------|------|--------|
| BRTAFDSN78 | 4.05 x 72 x 30.68 | 125 | 8.57 | 1.11 | \$1182 |
| BRTAFDSN72 | 4.05 x 69 x 30.68 | 125 | 7.89 | 1.02 | \$1124 |
| BRTAFDSN66 | 4.05 x 63 x 30.68 | 125 | 7.21 | 0.93 | \$979  |
| BRTAFDSN60 | 4.05 x 57 x 30.68 | 125 | 6.54 | 0.84 | \$935  |
| BRTAFDSN54 | 4.05 x 51 x 30.68 | 125 | 5.87 | 0.74 | \$878  |
| BRTAFDSN48 | 4.05 x 45 x 30.68 | 125 | 5.19 | 0.65 | \$726  |
|            |                   |     |      |      |        |

Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.

| BRTAFMPSN84 | 4.17 x 77.75 x 13.82 | 65 | 31.12 | 1.2  | \$530 |
|-------------|----------------------|----|-------|------|-------|
| BRTAFMPSN78 | 4.17 x 71.75 x 13.82 | 65 | 28.72 | 1.11 | \$502 |
| BRTAFMPSN72 | 4.17 x 65.75 x 13.82 | 65 | 26.32 | 1.02 | \$476 |
| BRTAFMPSN66 | 4.17 x 59.75 x 13.82 | 65 | 23.92 | 0.93 | \$449 |
| BRTAFMPSN60 | 4.17 x 53.75 x 13.82 | 65 | 21.51 | 0.84 | \$423 |
| BRTAFMPSN54 | 4.17 x 47.75 x 13.82 | 65 | 19.11 | 0.74 | \$405 |
| BRTAFMPSN48 | 4.17 x 41.75 x 13.82 | 65 | 16.71 | 0.65 | \$297 |
|             |                      |    |       |      |       |


Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.


**Required Specifications** Felt color Bracket/extrusion finish

**Optional Specifications** Anodized extrusion

TABLE DIVIDERS



**Table Divider - Glass** 



#### **Parallel Table Divider - Glass**



#### Perpendicular End of Run Divider - Glass

| MODEL#    | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|---------------|---------------|---------|-----------|------------|
|           | D x W x H     |               |         |           |            |
| BRTAGDD84 | .25 x 81 x 16 | 60            | 29      | .18       | \$868      |
| BRTAGDD78 | .25 x 75 x 16 | 60            | 27      | .17       | \$819      |
| BRTAGDD72 | .25 x 69 x 16 | 60            | 25      | .16       | \$703      |
| BRTAGDD66 | .25 x 63 x 16 | 60            | 23      | .14       | \$655      |
| BRTAGDD60 | .25 x 57 x 16 | 60            | 21      | .13       | \$604      |
| BRTAGDD54 | .25 x 51 x 16 | 60            | 18      | .11       | \$577      |
| BRTAGDD48 | .25 x 45 x 16 | 60            | 16      | .10       | \$530      |
| BRTAGDD42 | .25 x 39 x 16 | 60            | 14      | .09       | \$489      |
| BRTAGDD36 | .25 x 33 x 16 | 60            | 12      | .07       | \$442      |
|           |               |               |         |           |            |

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

| BRTAGDS84 | .25 x 81 x 32 | 60 | 55 | .35 | \$1655 |
|-----------|---------------|----|----|-----|--------|
| BRTAGDS78 | .25 x 75 x 32 | 60 | 51 | .33 | \$1573 |
| BRTAGDS72 | .25 x 69 x 32 | 60 | 47 | .30 | \$1317 |
| BRTAGDS66 | .25 x 63 x 32 | 60 | 43 | .28 | \$1238 |
| BRTAGDS60 | .25 x 57 x 32 | 60 | 39 | .25 | \$1158 |
| BRTAGDS54 | .25 x 51 x 32 | 60 | 35 | .23 | \$1081 |
| BRTAGDS48 | .25 x 45 x 32 | 60 | 31 | .20 | \$1000 |
| BRTAGDS42 | .25 x 39 x 32 | 60 | 27 | .18 | \$921  |
| BRTAGDS36 | .25 x 33 x 32 | 60 | 23 | .15 | \$844  |
|           |               |    |    |     |        |

Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36"-72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

| BRTAGED63 | .25 x 62.5 x 32 | 60 | 35 | .23 | \$1735 |
|-----------|-----------------|----|----|-----|--------|
| BRTAGED51 | .25 x 50.5 x 32 | 60 | 31 | .20 | \$1573 |
| BRTAGED30 | .25 x 30 x 32   | 60 | 27 | .18 | \$882  |
| BRTAGED24 | .25 x 24 x 32   | 60 | 23 | .15 | \$805  |

Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

| BRTAGPPD24M | .25 x 24 x 16 | 60 | 9     | .06 | \$505 |
|-------------|---------------|----|-------|-----|-------|
| BRTAGPPD30M | .25 x 30 x 16 | 60 | 11.25 | .07 | \$531 |

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with rounded top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

**Required Specifications** 

Bracket finish

**Shared Perpendicular Side to Side** Divider, Middle - Glass, Rounded Corners





| TABLE DIVIDERS | MODEL#       | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|----------------|--------------|---------------|---------------|---------|-----------|------------|--|
|                |              | D x W x H     |               |         |           |            |  |
| $ \land \land$ | BRTAGPPD24MQ | .25 x 24 x 16 | 60            | 9       | .06       | \$505      |  |
| $\rightarrow$  | BRTAGPPD30MQ | .25 x 30 x 16 | 60            | 11.25   | .07       | \$531      |  |
|                |              |               |               |         |           |            |  |

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with **square** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

| BRTAGPPD24S | .25 x 24 x 16 | 60 | 9     | .05 | \$505 |  |
|-------------|---------------|----|-------|-----|-------|--|
| BRTAGPPD30S | .25 x 30 x 16 | 60 | 11.25 | .07 | \$531 |  |

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth **rectangular** leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with **rounded** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

| BRTAGPPD24SQ | .25 x 24 x 16 | 60 | 9     | .05 | \$505 |
|--------------|---------------|----|-------|-----|-------|
| BRTAGPPD30SQ | .25 x 30 x 16 | 60 | 11.25 | .07 | \$531 |

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth **rectangular** leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with **square** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

| BRTAGMPS84 | .25 x 77.75 x 13.25 | 60 | 24 | .14 | \$1081 |
|------------|---------------------|----|----|-----|--------|
| BRTAGMPS78 | .25 x 71.75 x 13.25 | 60 | 22 | .13 | \$1042 |
| BRTAGMPS72 | .25 x 65.75 x 13.25 | 60 | 20 | .12 | \$824  |
| BRTAGMPS66 | .25 x 59.75 x 13.25 | 60 | 19 | .11 | \$784  |
| BRTAGMPS60 | .25 x 53.75 x 13.25 | 60 | 17 | .10 | \$744  |
| BRTAGMPS54 | .25 x 47.75 x 13.25 | 60 | 15 | .09 | \$706  |
| BRTAGMPS48 | .25 x 41.75 x 13.25 | 60 | 11 | .06 | \$667  |
| BRTAGMPS42 | .25 x 35.75 x 13.25 | 60 | 11 | .06 | \$625  |
| BRTAGMPS36 | .25 x 29.75 x 13.25 | 60 | 9  | .05 | \$587  |
|            |                     |    |    |     |        |

Secures to the rear edge of a single table, between table legs; provides privacy, Installed divider reaches 15" below the worksurface. 36"-72" wide modesty panels include 2 mounting brackets. 78" and 84" wide modesty panels include 3 mounting brackets. Tempered glass, acid etched on one side (similar to frosted), and satin chrome disc fasteners. Brackets are available in all standard Bridges II paint finishes.

| BRTLPSE36 | .75 x 36 x 16 | 60 | 11 | .25 | \$301 |
|-----------|---------------|----|----|-----|-------|
| BRTLPSE30 | .75 x 30 x 16 | 60 | 9  | .21 | \$262 |

Protrudes by 6" beyond the front worksurface edge for added privacy. Secures off-module or on-module to the front and back edge of worksurface, regardless of type of leg support - supporting brackets can straddle over shared leg. 3/4" LP PVC edge boards. Brackets are available in all standard Bridges II paint finishes.

• Specify BRTLPSE30 for 24"d worksurfaces and BRTLPSE36 for 30"d worksurfaces

- Required Specifications Chassis/Accent Finish\*
- Bracket finish Edge finish\*


Shared Perpendicular Side to Side Divider, Middle - Glass, Square Corners



Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners



Shared Perpendicular Side to Side Divider, Seam - Glass, Square Corners



**Modesty Panel - Glass** 



Perpendicular Laminate Side to Side Divider - Extended\*



| Perpendicular Laminate Side to Side |
|-------------------------------------|
| Double Divider - Extended           |





Table Divider - Laminate



78″ - 84″ High Table Divider - Laminate



High Perpendicular Side-to-Side Divider - Laminate

| MODEL  | # DIMENSION       | S FREIGHT C | LASS WT/LBS | S. CUBIC F | T. LIST PRICE |  |
|--------|-------------------|-------------|-------------|------------|---------------|--|
|        | D x W x H         |             |             |            |               |  |
| BRTLPD | SE75 .75 x 75 x 1 | 60          | 22          | .52        | \$538         |  |
| BRTLPD | SE63 .75 x 63 x 1 | 60          | 18          | .44        | \$483         |  |

Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPDD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.

• Can ONLY be installed on-module between two BRTLPDD dividers.

Specify BRTLPDSE63 for 24"d back-to-back worksurfaces and BRTLPDSE75 for 30"d back-to-back worksurfaces

| BRTLPDD84 | .75 x 81 x 16 | 60 | 24 | .56 | \$654 |
|-----------|---------------|----|----|-----|-------|
| BRTLPDD78 | .75 x 75 x 16 | 60 | 23 | .52 | \$632 |
| BRTLPDD72 | .75 x 69 x 16 | 60 | 21 | .47 | \$504 |
| BRTLPDD66 | .75 x 63 x 16 | 60 | 19 | .43 | \$472 |
| BRTLPDD60 | .75 x 57 x 16 | 60 | 17 | .39 | \$450 |
| BRTLPDD54 | .75 x 51 x 16 | 60 | 15 | .35 | \$431 |
| BRTLPDD48 | .75 x 45 x 16 | 60 | 14 | .31 | \$407 |
| BRTLPDD42 | .75 x 39 x 16 | 60 | 12 | .27 | \$379 |
| BRTLPDD36 | .75 x 33 x 16 | 60 | 10 | .22 | \$344 |
|           |               |    |    |     |       |

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72" wide dividers include 2 support brackets and one pass-through grommet. 78" and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRTLPDS84 | .75 x 81 x 32 | 60 | 50 | 1.16 | \$1023 |
|-----------|---------------|----|----|------|--------|
| BRTLPDS78 | .75 x 75 x 32 | 60 | 47 | 1.08 | \$982  |
| BRTLPDS72 | .75 x 69 x 32 | 60 | 43 | 1    | \$803  |
| BRTLPDS66 | .75 x 63 x 32 | 60 | 40 | .91  | \$761  |
| BRTLPDS60 | .75 x 57 x 32 | 60 | 36 | .83  | \$718  |
| BRTLPDS54 | .75 x 51 x 32 | 60 | 32 | .75  | \$664  |
| BRTLPDS48 | .75 x 45 x 32 | 60 | 29 | .66  | \$632  |
| BRTLPDS42 | .75 x 39 x 32 | 60 | 25 | .56  | \$589  |
| BRTLPDS36 | .75 x 33 x 32 | 60 | 22 | .50  | \$482  |
|           |               |    |    |      |        |

Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36"-72" wide dividers include 2 support brackets.
78" and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.
Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRTLPPD24         .75 x 24 x 16         60         7         .16         \$239           BRTLPPD30         .75 x 30 x 16         60         9         .20         \$260 |           |               |    |   |     |       |
|---|-----------|---------------|----|---|-----|-------|
| BRILPPD3U ./5 X 3U X 16 60 9 .20 <b>5260</b>  | BRTLPPD24 | .75 x 24 x 16 | 60 | 7 | .16 | \$239 |
|   | BRTLPPD30 | .75 x 30 x 16 | 60 | 9 | .20 |       |

Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.

Required Specifications Chassis/Accent finish Bracket finish Edge finish



| TABLE DIVIDERS                   | MODEL#              | DIMENSIONS            | FREIGHT CLASS        | WT/LBS.    | CUBIC FT.         | LIST PRICE              |            |
|----------------------------------|---------------------|-----------------------|----------------------|------------|-------------------|-------------------------|------------|
|                                  |                     | D x W x H             |                      |            |                   |                         |            |
|                                  | BRTLPED24           | .75 x 24 x 32         | 60                   | 7          | .16               | \$380                   |            |
| 4                                | BRTLPED30           | .75 x 30 x 32         | 60                   | 9          | .20               | \$407                   |            |
|                                  | BRTLPED51           | .75 x 50.5 x 32       | 60                   | 15         | .35               | \$642                   |            |
| 1                                | BRTLPED63           | .75 x 62.5 x 32       | 60                   | 19         | .43               | \$728                   |            |
| <b>~</b>                         |                     |                       |                      |            |                   |                         |            |
| Pernendicular End of Run Divider | Secures to the side | edge of a table: prov | ides nrivacy, divide | s snace In | stalled divider r | measures 15.7" from the | ton of the |

Perpendicular End of Run Divider, Laminate\* Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

• BRTLPED51 divider matches 24" deep back-to-back assemblies

• BRTLPED63 divider matches 30" deep back-to-back assemblies

| MODESTY PANEL    | MODEL#   | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------|----------|-----------------|---------------|---------|-----------|------------|
|                  | BRTMPS84 | .75 x 78.5 x 14 | 60            | 22      | .51       | \$577      |
|                  | BRTMPS78 | .75 x 72.5 x 14 | 60            | 20      | .47       | \$556      |
|                  | BRTMPS72 | .75 x 66.5 x 14 | 60            | 19      | .43       | \$537      |
|                  | BRTMPS66 | .75 x 60.5 x 14 | 60            | 17      | .40       | \$517      |
| $\triangleright$ | BRTMPS60 | .75 x 54.5 x 14 | 60            | 16      | .36       | \$499      |
| H l              | BRTMPS54 | .75 x 48.5 x 14 | 60            | 14      | .32       | \$480      |
|                  | BRTMPS48 | .75 x 42.5 x 14 | 60            | 13      | .29       | \$459      |
|                  | BRTMPS42 | .75 x 36.5 x 14 | 60            | 11      | .25       | \$442      |
|                  | BRTMPS36 | .75 x 30.5 x 14 | 60            | 9       | .21       | \$420      |

Laminate Modesty Panel\*

Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.

Required Specifications

Chassis/Accent finish Bracket finish Edge finish


ACCESSORIES




#### Laminate End of Run Gable\*



**Table End Gap Filler** 



**Single Table Accessory Rail** 



**Back-To-Back Accessory Rail** 

| MODEL#      | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|-------------|-------------------|---------------|---------|-----------|------------|--|
|             | D x W x H         |               |         |           |            |  |
| BRTPEG24    | .75 x 24 x 14     | 60            | 6       | .14       | \$247      |  |
| BRTPEG24H21 | .75 x 24 x 20.5   | 60            | 9       | .21       | \$286      |  |
| BRTPEG24H27 | .75 x 24 x 26.5   | 60            | 12      | .26       | \$334      |  |
| BRTPEG30    | .75 x 30 x 14     | 60            | 8       | .18       | \$266      |  |
| BRTPEG30H21 | .75 x 30 x 20.5   | 60            | 12      | .26       | \$304      |  |
| BRTPEG30H27 | .75 x 30 x 26.5   | 60            | 15      | .33       | \$354      |  |
| BRTPEG51    | .75 x 50.5 x 14   | 60            | 13      | .30       | \$431      |  |
| BRTPEG51H21 | .75 x 50.5 x 20.5 | 60            | 20      | .43       | \$522      |  |
| BRTPEG51H27 | .75 x 50.5 x 26.5 | 60            | 26      | .56       | \$604      |  |
| BRTPEG63    | .75 x 62.5 x 14   | 60            | 16      | .38       | \$469      |  |
| BRTPEG63H21 | .75 x 62.5 x 20.5 | 60            | 25      | .53       | \$558      |  |
| BRTPEG63H27 | .75 x 62.5 x 26.5 | 60            | 32      | .69       | \$642      |  |

Perpendicular end of a run gable. Secures to the side edge of a table/tables and legs; provides privacy, divides space. %" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTPEG24, 30, 51 and 63 measure 15" below worksurface
- BRTPEGxxH21 lines up with the bottom of storage cabinets
- BRTPEGxxH27 reaches down 1" from the floor (creates full panel look)

| BRTTEGF | 4.5 x 2.5 x 1 | 70 | .03 | .01 | \$16 |  |
|---------|---------------|----|-----|-----|------|--|

Injection molded block fills the gap finishing the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.

| BRLBST84 | 2.95 x 81 x 13.5 | 70 | 10.24 | .61 | \$548 |
|----------|------------------|----|-------|-----|-------|
| BRLBST78 | 2.95 x 75 x 13.5 | 70 | 9.69  | .56 | \$532 |
| BRLBST72 | 2.95 x 69 x 13.5 | 70 | 9.15  | .52 | \$516 |
| BRLBST66 | 2.95 x 63 x 13.5 | 70 | 8.61  | .48 | \$499 |
| BRLBST60 | 2.95 x 57 x 13.5 | 70 | 8.07  | .43 | \$482 |
| BRLBST54 | 2.95 x 51 x 13.5 | 70 | 7.52  | .39 | \$472 |
| BRLBST48 | 2.95 x 45 x 13.5 | 70 | 6.98  | .35 | \$455 |
| BRLBST42 | 2.95 x 39 x 13.5 | 70 | 6.44  | .30 | \$439 |
| BRLBST36 | 2.95 x 33 x 13.5 | 65 | 5.90  | .26 | \$417 |
|          |                  |    |       |     |       |

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.

| BRLBB2B84 | 7.50 x 81 x 13.5 | 65 | 17.69 | .74 | \$904 |
|-----------|------------------|----|-------|-----|-------|
| BRLBB2B78 | 7.50 x 75 x 13.5 | 65 | 16.61 | .69 | \$871 |
| BRLBB2B72 | 7.50 x 69 x 13.5 | 65 | 15.52 | .63 | \$839 |
| BRLBB2B66 | 7.50 x 63 x 13.5 | 65 | 14.44 | .58 | \$807 |
| BRLBB2B60 | 7.50 x 57 x 13.5 | 65 | 13.36 | .53 | \$775 |
| BRLBB2B54 | 7.50 x 51 x 13.5 | 65 | 12.27 | .48 | \$752 |
| BRLBB2B48 | 7.50 x 45 x 13.5 | 65 | 11.19 | .42 | \$718 |
| BRLBB2B42 | 7.50 x 39 x 13.5 | 65 | 10.10 | .37 | \$686 |
| BRLBB2B36 | 7.50 x 33 x 13.5 | 65 | 9.02  | .32 | \$646 |
|           |                  |    |       |     |       |

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.

Required Specifications Chassis/Accent finish\* Edge finish\* Bracket finish\*





## Single Table Or Single Table Row Application; 16" and 30" high dividers

Table Mounted Framed Divider for single table or single table row; recessed 1.5" at both ends, mounted to the table with 0.6" gap at the back. BRTMFD/BRTMLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets. BRTMFD/BRTMLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Single Table End of Run Framed Divider; BREFD/BRELD 24" (21" actual for 24" deep worksurfaces), BREFD/BRELD 30" (27" actual for 30" deep worksurfaces), BREFD/BRELD 36" (33" actual for 36" deep worksurfaces),

Two brackets secure the divider to the side edge of work surface. Flush with rear edge, 3" recessed from front work surface edge.

Perpendicular Shared Framed Divider; BRSFD/BRSLD 24" (21" actual for 24" deep worksurfaces), BRSFD/BRSLD 30" (27" actual for 30" deep worksurfaces), BRSFD/BRSLD 36" (33" actual for 36" deep worksurfaces),

Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of two adjacent worksurfaces. Flush with the rear edge, 3" recessed from front worksurface edge.

#### Back-To-Back Table Application; 16" dividers

Perpendicular Back 2 Back Parallel Framed Divider secured between two back-to-back tables; recessed 1.5" at both ends; 0.6" gap between the divider and work surfaces. BRPFD/BRPLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets. BRPFD/BRPLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Shared Frame Back 2 Back Framed Divider; BRSDFD/BRSDLD 51" (45" actual for 24" deep back-to-back work surfaces) BRSDFD/BRSDLD 63" (57" actual for 30" deep back-to-back work surfaces). One bracket secures the divider through the gap between work surfaces; two brackets locate top of the divider between two adjacent Parallel dividers. NOTE: cannot be used on its own without the two Parallel dividers. 3" recessed from front worksurface edges. Perpendicular Back-To-Back End of Run Framed Divider; BREDFD/BREDLD 51" (45" actual for 24" deep back-to-back worksurfaces) BREDFD/BREDLD 63" (57" actual for 30" deep back-to-back worksurfaces). Three brackets secure the divider to both side edges of worksurfaces. 3" recessed from front worksurface edges.

> Perpendicular Shared Framed Divider; BRSFD/BRSLD 24" (21" actual for 24" deep work surfaces). BRSFD/BRSLD 30" (27" actual for 30" deep work surfaces).

Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of the two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surfaces edge.

Perpendicular Single Table End of Run Framed Divider; BREFD/BRELD 24" (21" actual for 24" deep work surfaces). BREFD/BRELD 30" (27" actual for 30" deep work surfaces).

Two brackets secure the divider to the side edge of work surface. Flush with the rear edge, 3" recessed from front work surface edge.

FRAMED DIVIDERS

**Back-to-Back Parallel Framed Divider** Fabric



**Back-to-Back Parallel Framed Divider\*** 



**Perpendicular Single Table End of Run Framed Divider, Fabric** 



**Perpendicular Single Table End of Run** Framed Divider, Laminate\*

| MODEL#  | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------|----------------|---------------|---------|-----------|------------|--|
|         | D x W x H      |               |         |           |            |  |
| BRPFD84 | 1.25 x 81 x 16 | 70            | 32      | 1.95      | \$907      |  |
| BRPFD78 | 1.25 x 75 x 16 | 70            | 28      | 1.81      | \$861      |  |
| BRPFD72 | 1.25 x 69 x 16 | 70            | 24      | 1.57      | \$850      |  |
| BRPFD66 | 1.25 x 63 x 16 | 85            | 20      | 1.53      | \$817      |  |
| BRPFD60 | 1.25 x 57 x 16 | 92.5          | 15      | 1.39      | \$770      |  |
| BRPFD54 | 1.25 x 51 x 16 | 92.5          | 13      | 1.25      | \$649      |  |
| BRPFD48 | 1.25 x 45 x 16 | 85            | 11      | .75       | \$615      |  |
| BRPFD42 | 1.25 x 39 x 16 | 100           | 9       | .97       | \$534      |  |
| BRPFD36 | 1.25 x 33 x 16 | 100           | 8       | .83       | \$522      |  |

Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

|         |                |      |    |      | LIST PRICE | HP ADD | DE ADD | DM ADD |
|---------|----------------|------|----|------|------------|--------|--------|--------|
| BRPLD84 | 1.25 x 81 x 16 | 70   | 32 | 2.25 | \$637      | \$321  | \$729  | \$1848 |
| BRPLD78 | 1.25 x 75 x 16 | 70   | 28 | 2.08 | \$626      | \$290  | \$730  | \$1840 |
| BRPLD72 | 1.25 x 69 x 16 | 70   | 24 | 1.92 | \$619      | \$260  | \$729  | \$1826 |
| BRPLD66 | 1.25 x 63 x 16 | 85   | 20 | 1.75 | \$598      | \$270  | \$608  | \$1660 |
| BRPLD60 | 1.25 x 57 x 16 | 92.5 | 15 | 1.58 | \$577      | \$223  | \$616  | \$1551 |
| BRPLD54 | 1.25 x 51 x 16 | 92.5 | 13 | 1.42 | \$482      | \$196  | \$644  | \$1578 |
| BRPLD48 | 1.25 x 45 x 16 | 85   | 11 | 1.25 | \$414      | \$149  | \$288  | \$756  |
| BRPLD42 | 1.25 x 39 x 16 | 100  | 9  | 1.08 | \$367      | \$119  | \$245  | \$652  |
| BRPLD36 | 1.25 x 33 x 16 | 100  | 8  | .92  | \$349      | \$109  | \$219  | \$575  |

Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

|         |                |    |    |     | LIST PRICE |
|---------|----------------|----|----|-----|------------|
| BREFD36 | 1.25 x 33 x 16 | 85 | 12 | .92 | \$460      |
| BREFD30 | 1.25 x 27 x 16 | 85 | 11 | .75 | \$416      |
| BREFD24 | 1.25 x 21 x 16 | 70 | 9  | .58 | \$404      |

Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes.

|         |                |    |    |     | LIST PRICE | HP ADD | DE ADD | DM ADD |
|---------|----------------|----|----|-----|------------|--------|--------|--------|
| BRELD36 | 1.25 x 33 x 16 | 70 | 20 | .92 | \$301      | \$110  | \$219  | \$341  |
| BRELD30 | 1.25 x 27 x 16 | 65 | 17 | .75 | \$291      | \$97   | \$167  | \$262  |
| BRELD24 | 1.25 x 21 x 16 | 65 | 14 | .58 | \$261      | \$81   | \$151  | \$229  |

Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.

**Required Specifications** Fabric Finish

Bracket finish

**Optional Specifications** HP laminate Dry erase/dry erase magentic whiteboard\*



| RED FRAMED DIVIDERS | MODEL#  | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------------------|---------|----------------|---------------|---------|-----------|------------|--|
|                     |         | D x W x H      |               |         |           |            |  |
|                     | BRSFD36 | 1.25 x 33 x 16 | 85            | 12      | .92       | \$449      |  |
|                     | BRSFD30 | 1.25 x 27 x 16 | 85            | 11      | .75       | \$404      |  |
|                     | BRSFD24 | 1.25 x 21 x 16 | 70            | 9       | .58       | \$392      |  |

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

|         |                |    |    |     | LIST PRICE | HP ADD | DE ADD | DM ADD |
|---------|----------------|----|----|-----|------------|--------|--------|--------|
| BRSLD36 | 1.25 x 33 x 16 | 70 | 20 | .92 | \$301      | \$110  | \$178  | \$626  |
| BRSLD30 | 1.25 x 27 x 16 | 65 | 17 | .75 | \$281      | \$97   | \$135  | \$557  |
| BRSLD24 | 1.25 x 21 x 16 | 65 | 14 | .58 | \$261      | \$72   | \$114  | \$416  |

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

|          |                |    |    |      | LIST PRICE |
|----------|----------------|----|----|------|------------|
| BREDFD63 | 1.25 x 57 x 16 | 85 | 21 | 1.58 | \$711      |
| BREDFD51 | 1.25 x 45 x 16 | 85 | 18 | 1.25 | \$627      |

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes.

|          |                |    |    |      | LIST PRICE | HP ADD | DE ADD | DM ADD |
|----------|----------------|----|----|------|------------|--------|--------|--------|
| BREDLD63 | 1.25 x 57 x 16 | 70 | 32 | 1.58 | \$522      | \$223  | \$510  | \$929  |
| BREDLD51 | 1.25 x 45 x 16 | 70 | 26 | 1.25 | \$424      | \$147  | \$243  | \$444  |

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (**DM**) is specified it is applied user side ONLY and dry erase whiteboard (**DE**) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.

|          |                |    |    |      | LIST PRICE |
|----------|----------------|----|----|------|------------|
| BRSDFD63 | 1.25 x 57 x 16 | 85 | 20 | 1.58 | \$675      |
| BRSDFD51 | 1.25 x 45 x 16 | 85 | 17 | 1.25 | \$590      |

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes. • Cannot be used on its own without the two parallel dividers

Required Specifications Fabric Finish Bracket finish Optional Specifications HP laminate\* Dry erase/dry erase magentic whiteboard\*

Framed Divider, Fabric

**Perpendicular Shared** 



SHAF

Perpendicular Shared Framed Divider, Laminate\*



Perpendicular Back-to-Back End of Run Framed Divider, Fabric



Perpendicular Back-to-Back End of Run Framed Divider, Laminate\*



Perpendicular Back-to-Back Shared Framed Divider, Fabric

SHARED FRAMED DIVIDERS MODEL# FREIGHT CLASS DIMENSIONS WT/LBS. CUBIC FT. LIST PRICE D x W x H LIST PRICE HP ADD DE ADD BRSDLD63 1.25 x 57 x 16 70 32 1.58 \$500 BRSDLD51 1.25 x 45 x 16 70 26 1.25 \$405

> Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

· Cannot be used on its own without the two parallel dividers

in all standard Bridges II paint finishes.

|          |                |      |    |      | LIST PRICE |
|----------|----------------|------|----|------|------------|
| BRTMFD84 | 1.25 x 81 x 30 | 70   | 43 | 4.22 | \$1029     |
| BRTMFD78 | 1.25 x 75 x 30 | 70   | 40 | 3.91 | \$957      |
| BRTMFD72 | 1.25 x 69 x 30 | 70   | 37 | 3.59 | \$921      |
| BRTMFD66 | 1.25 x 63 x 30 | 85   | 33 | 3.28 | \$890      |
| BRTMFD60 | 1.25 x 57 x 30 | 92.5 | 30 | 2.97 | \$783      |
| BRTMFD54 | 1.25 x 51 x 30 | 92.5 | 27 | 2.66 | \$698      |
| BRTMFD48 | 1.25 x 45 x 30 | 85   | 25 | 2.34 | \$627      |
| BRTMFD42 | 1.25 x 39 x 30 | 100  | 22 | 2.03 | \$557      |
| BRTMFD36 | 1.25 x 33 x 30 | 100  | 20 | 1.90 | \$473      |

Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available

• 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

Table Mounted Framed Divider, Fabric\*


Perpendicular Back-to-Back Shared

Framed Divider, Laminate\*



**Table Mounted Framed Divider**, Laminate\*

**Ceiling Pole for Wellness Screens** 



Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

 Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this ceiling feed.

- **Required Specifications**
- Fabric
- Finish Bracket finish\*



DM ADD

\$1707

\$833

\$214

\$147

\$502

\$233

| K-TO-BACK WELLNESS SCREENS | MODEL#           | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------|------------------|-------------------|---------------|---------|-----------|------------|
|                            |                  | D x W x H         |               |         |           |            |
|                            | BRTADP5136H24    | 50.50 x 36 x 24.6 | 3 150         | 33      | 6.31      | \$1632     |
|                            | BRTADP5142H24    | 50.50 x 42 x 24.6 | 3 150         | 34.50   | 7.36      | \$1664     |
|                            | BRTADP5148H24    | 50.50 x 48 x 24.6 | 3 150         | 36      | 8.42      | \$1699     |
|                            | BRTADP5154H24    | 50.50 x 54 x 24.6 | 63 250        | 37.50   | 9.47      | \$1733     |
|                            | BRTADP5160H24    | 50.50 x 60 x 24.6 | 3 250         | 39      | 10.52     | \$1766     |
|                            | BRTADP5166H24    | 50.50 x 66 x 24.6 | 3 250         | 40.50   | 11.57     | \$1801     |
|                            | BRTADP5172H24    | 50.50 x 72 x 24.6 | 3 250         | 42      | 12.63     | \$1833     |
|                            | BRTADP5178H24    | 50.50 x 78 x 24.6 | 3 250         | 43.50   | 13.68     | \$1868     |
|                            | BRTADP5184H24    | 50.50 x 84 x 24.6 |               | 45      | 14.73     | \$1902     |
|                            |                  |                   |               |         |           |            |
|                            | BRTADP6336H24    | 62.50 x 36 x 24.6 | 3 150         | 46.50   | 7.81      | \$1764     |
|                            | BRTADP6342H24    | 62.50 x 42 x 24.6 | 3 150         | 48      | 9.11      | \$1796     |
|                            | BRTADP6348H24    | 62.50 x 48 x 24.6 |               | 49.50   | 10.42     | \$1832     |
| •                          | BRTADP6354H24    | 62.50 x 54 x 24.6 |               | 51      | 11.72     | \$1865     |
|                            | BRTADP6360H24    | 62.50 x 60 x 24.6 |               | 52.50   | 13.02     | \$1898     |
|                            | BRTADP6366H24    | 62.50 x 66 x 24.6 |               | 54      | 14.32     | \$1933     |
|                            | BRTADP6372H24    | 62.50 x 72 x 24.6 |               | 55      | 15.63     | \$1967     |
|                            | BRTADP6378H24    | 62.50 x 78 x 24.6 |               | 57.35   | 16.93     | \$2001     |
|                            | BRTADP6384H24    | 62.50 x 84 x 24.6 |               | 58.50   | 18.23     | \$2035     |
|                            | DITINUT 00041124 | 02.00 x 04 x 24.0 | 200           | 00.00   | 10.20     | ψ2005      |

allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

• BRTAPD51xxH24 are for configurations with 24" deep surfaces.

• BRTAPD63xxH24 are for configurations with 30" deep surfaces.

| BRTADP5136H30 | 50.50 x 36 x 30.63 | 150 | 35.50 | 6.31  | \$1808 |
|---------------|--------------------|-----|-------|-------|--------|
| BRTADP5142H30 | 50.50 x 42 x 30.63 | 150 | 37    | 7.36  | \$1848 |
| BRTADP5148H30 | 50.50 x 48 x 30.63 | 150 | 38.50 | 8.42  | \$1885 |
| BRTADP5154H30 | 50.50 x 54 x 30.63 | 150 | 40    | 9.47  | \$1928 |
| BRTADP5160H30 | 50.50 x 60 x 30.63 | 250 | 41.50 | 10.52 | \$1966 |
| BRTADP5166H30 | 50.50 x 66 x 30.63 | 250 | 43    | 11.57 | \$2007 |
| BRTADP5172H30 | 50.50 x 72 x 30.63 | 250 | 44.50 | 12.63 | \$2044 |
| BRTADP5178H30 | 50.50 x 78 x 30.63 | 250 | 46    | 13.68 | \$2083 |
| BRTADP5184H30 | 50.50 x 84 x 30.63 | 250 | 47.50 | 14.73 | \$2123 |
|               |                    |     |       |       |        |
| BRTADP6336H30 | 62.50 x 36 x 30.63 | 125 | 49    | 7.81  | \$2032 |
| BRTADP6342H30 | 62.50 x 42 x 30.63 | 150 | 50.50 | 9.11  | \$2071 |
| BRTADP6348H30 | 62.50 x 48 x 30.63 | 150 | 52    | 10.42 | \$2110 |
| BRTADP6354H30 | 62.50 x 54 x 30.63 | 150 | 53.50 | 11.72 | \$2149 |
| BRTADP6360H30 | 62.50 x 60 x 30.63 | 150 | 55    | 13.02 | \$2188 |
| BRTADP6366H30 | 62.50 x 66 x 30.63 | 250 | 56.50 | 14.32 | \$2228 |
| BRTADP6372H30 | 62.50 x 72 x 30.63 | 250 | 58    | 15.63 | \$2266 |
| BRTADP6378H30 | 62.50 x 78 x 30.63 | 250 | 59.50 | 16.93 | \$2306 |
| BRTADP6384H30 | 62.50 x 84 x 30.63 | 250 | 61    | 18.23 | \$2345 |
|               |                    |     |       |       |        |

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

• BRTADP51xxH30 are for configurations with 24" deep surfaces.


• BRTADP63xxH30 are for configurations with 30" deep surfaces.

**Required Specifications** Frame finish



BACK

24″H




30"H Back-to-Back Wellness Screen

globalfurnituregroup.com globa

**BACK-TO-BACK WELLNESS SCREENS** 

| 24"H Back to Back Wolling |
|---------------------------|

24"H Back-to-Back Wellness Screen Extension Kit



30"H Back-to-Back Wellness Screen Extension Kit

| MODEL#         | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------|-------------------|---------------|---------|-----------|------------|
|                | D x W x H         |               |         |           |            |
| BRTADPE5136H24 | 50.50 x 36 x 24.6 | 63 150        | 26.35   | 6.31      | \$1106     |
| BRTADPE5142H24 | 50.50 x 42 x 24.6 | 63 250        | 27.85   | 7.36      | \$1139     |
| BRTADPE5148H24 | 50.50 x 48 x 24.6 | 63 250        | 29.35   | 8.42      | \$1173     |
| BRTADPE5154H24 | 50.50 x 54 x 24.6 | 63 250        | 30.85   | 9.47      | \$1205     |
| BRTADPE5160H24 | 50.50 x 60 x 24.6 | 63 250        | 32.35   | 10.52     | \$1241     |
| BRTADPE5166H24 | 50.50 x 66 x 24.6 | 63 250        | 33.85   | 11.57     | \$1275     |
| BRTADPE5172H24 | 50.50 x 72 x 24.6 | 63 250        | 35.35   | 12.63     | \$1312     |
| BRTADPE5178H24 | 50.50 x 78 x 24.6 | 63 250        | 36.85   | 13.68     | \$1344     |
| BRTADPE5184H24 | 50.50 x 84 x 24.6 | 63 250        | 38.35   | 14.73     | \$1377     |
|                |                   |               |         |           |            |
| BRTADPE6336H24 | 62.50 x 36 x 24.6 | 63 150        | 39.85   | 7.81      | \$1172     |
| BRTADPE6342H24 | 62.50 x 42 x 24.6 | 63 150        | 41.35   | 9.11      | \$1204     |
| BRTADPE6348H24 | 62.50 x 48 x 24.6 | 63 150        | 42.85   | 10.42     | \$1239     |
| BRTADPE6354H24 | 62.50 x 54 x 24.6 | 63 250        | 44.35   | 11.72     | \$1274     |
| BRTADPE6360H24 | 62.50 x 60 x 24.6 | 63 250        | 45.85   | 13.02     | \$1308     |
| BRTADPE6366H24 | 62.50 x 66 x 24.6 | 63 250        | 47.35   | 14.32     | \$1344     |
| BRTADPE6372H24 | 62.50 x 72 x 24.6 | 63 250        | 48.85   | 15.63     | \$1375     |
| BRTADPE6378H24 | 62.50 x 78 x 24.6 | 63 250        | 50.35   | 16.93     | \$1410     |
| BRTADPE6384H24 | 62.50 x 84 x 24.6 | 63 250        | 51.85   | 18.23     | \$1445     |
|                |                   |               |         |           |            |

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH24 are for configurations with 24" deep surfaces.
- BRTADPE63xxH24 are for configurations with 30" deep surfaces.

| BRTADPE5136H30 | 50.50 x 36 x 30.63 | 150 | 28.85 | 6.31  | \$1215 |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADPE5142H30 | 50.50 x 42 x 30.63 | 150 | 30.35 | 7.36  | \$1254 |
| BRTADPE5148H30 | 50.50 x 48 x 30.63 | 250 | 31.85 | 8.42  | \$1294 |
| BRTADPE5154H30 | 50.50 x 54 x 30.63 | 250 | 33.35 | 9.47  | \$1335 |
| BRTADPE5160H30 | 50.50 x 60 x 30.63 | 250 | 34.85 | 10.52 | \$1372 |
| BRTADPE5166H30 | 50.50 x 66 x 30.63 | 250 | 36.35 | 11.57 | \$1412 |
| BRTADPE5172H30 | 50.50 x 72 x 30.63 | 250 | 37.85 | 12.63 | \$1452 |
| BRTADPE5178H30 | 50.50 x 78 x 30.63 | 250 | 39.35 | 13.68 | \$1489 |
| BRTADPE5184H30 | 50.50 x 84 x 30.63 | 250 | 40.85 | 14.73 | \$1529 |
|                |                    |     |       |       |        |
| BRTADPE6336H30 | 62.50 x 36 x 30.63 | 150 | 42.35 | 7.81  | \$1292 |
| BRTADPE6342H30 | 62.50 x 42 x 30.63 | 150 | 43.85 | 9.11  | \$1333 |
| BRTADPE6348H30 | 62.50 x 48 x 30.63 | 150 | 45.35 | 10.42 | \$1371 |
| BRTADPE6354H30 | 62.50 x 54 x 30.63 | 250 | 46.85 | 11.72 | \$1410 |
| BRTADPE6360H30 | 62.50 x 60 x 30.63 | 250 | 48.35 | 13.02 | \$1449 |
| BRTADPE6366H30 | 62.50 x 66 x 30.63 | 250 | 49.85 | 14.32 | \$1488 |
| BRTADPE6372H30 | 62.50 x 72 x 30.63 | 250 | 51.35 | 15.63 | \$1529 |
| BRTADPE6378H30 | 62.50 x 78 x 30.63 | 250 | 52.85 | 16.93 | \$1566 |
| BRTADPE6384H30 | 62.50 x 84 x 30.63 | 250 | 54.35 | 18.23 | \$1606 |
|                |                    |     |       |       |        |

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH30 are for configurations with 24" deep surfaces.
- BRTADPE63xxH30 are for configurations with 30" deep surfaces.

Required Specifications Frame finish



| ILE TABLE WELLNESS SCREENS | MODEL#        | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|----------------------------|---------------|-------------------|---------------|---------|-----------|------------|--|
|                            |               | D x W x H         |               |         |           |            |  |
|                            | BRTADP2436H24 | 31.75 x 36 x 24.6 | 3 125         | 26.55   | 3.97      | \$1126     |  |
|                            | BRTADP2442H24 | 31.75 x 42 x 24.6 | 3 125         | 28.10   | 4.63      | \$1162     |  |
|                            | BRTADP2448H24 | 31.75 x 48 x 24.6 | 3 150         | 29.65   | 5.29      | \$1194     |  |
|                            | BRTADP2454H24 | 31.75 x 54 x 24.6 | 3 150         | 31.20   | 5.95      | \$1229     |  |
|                            | BRTADP2460H24 | 31.75 x 60 x 24.6 | 3 150         | 32.75   | 6.61      | \$1263     |  |
|                            | BRTADP2466H24 | 31.75 x 66 x 24.6 | 3 150         | 34.30   | 7.28      | \$1295     |  |
|                            | BRTADP2472H24 | 31.75 x 72 x 24.6 | 3 150         | 35.85   | 7.94      | \$1331     |  |
|                            | BRTADP2478H24 | 31.75 x 78 x 24.6 | 3 150         | 37.40   | 8.60      | \$1366     |  |
|                            | BRTADP2484H24 | 31.75 x 84 x 24.6 | 3 150         | 38.95   | 9.26      | \$1399     |  |
|                            |               |                   |               |         |           |            |  |
|                            | BRTADP3036H24 | 37.75 x 36 x 24.6 | 3 100         | 40.50   | 4.72      | \$1205     |  |
|                            | BRTADP3042H24 | 37.75 x 42 x 24.6 | 3 125         | 42.05   | 5.51      | \$1241     |  |
|                            | BRTADP3048H24 | 37.75 x 48 x 24.6 | 3 125         | 43.60   | 6.29      | \$1275     |  |
|                            | BRTADP3054H24 | 37.75 x 54 x 24.6 | 3 150         | 42.15   | 7.08      | \$1312     |  |
|                            | BRTADP3060H24 | 37.75 x 60 x 24.6 | 3 150         | 46.70   | 7.87      | \$1344     |  |
|                            | BRTADP3066H24 | 37.75 x 66 x 24.6 | 3 150         | 48.25   | 8.65      | \$1377     |  |
| $\sim$                     | BRTADP3072H24 | 37.75 x 72 x 24.6 | 3 150         | 49.80   | 9.44      | \$1412     |  |
| $\leq$                     | BRTADP3078H24 | 37.75 x 78 x 24.6 | 3 150         | 51.35   | 10.22     | \$1446     |  |
|                            | BRTADP3084H24 | 37.75 x 84 x 24.6 | 3 150         | 52.90   | 11.01     | \$1481     |  |
|                            |               |                   |               |         |           | •          |  |

24"H Single Table Wellness Screen

SING

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).


- BRTADP24xxH24 are for configurations with 24" deep surfaces.
- BRTADP30xxH24 are for configurations with 30" deep surfaces.

| BRTADP2436H30 | 31.75 x 36 x 30.63 | 125 | 28.85 | 3.97  | \$1263 |
|---------------|--------------------|-----|-------|-------|--------|
| BRTADP2442H30 | 31.75 x 42 x 30.63 | 125 | 30.40 | 4.63  | \$1304 |
| BRTADP2448H30 | 31.75 x 48 x 30.63 | 125 | 31.95 | 5.29  | \$1344 |
| BRTADP2454H30 | 31.75 x 54 x 30.63 | 150 | 33.50 | 5.95  | \$1382 |
| BRTADP2460H30 | 31.75 x 60 x 30.63 | 150 | 35.05 | 6.61  | \$1422 |
| BRTADP2466H30 | 31.75 x 66 x 30.63 | 150 | 36.60 | 7.28  | \$1460 |
| BRTADP2472H30 | 31.75 x 72 x 30.63 | 150 | 38.15 | 7.94  | \$1500 |
| BRTADP2478H30 | 31.75 x 78 x 30.63 | 150 | 39.70 | 8.60  | \$1538 |
| BRTADP2484H30 | 31.75 x 84 x 30.63 | 150 | 41.25 | 9.26  | \$1578 |
|               |                    |     |       |       |        |
| BRTADP3036H30 | 37.75 x 36 x 30.63 | 100 | 42.80 | 4.72  | \$1340 |
| BRTADP3042H30 | 37.75 x 42 x 30.63 | 100 | 44.35 | 5.51  | \$1382 |
| BRTADP3048H30 | 37.75 x 48 x 30.63 | 125 | 45.90 | 6.29  | \$1421 |
| BRTADP3054H30 | 37.75 x 54 x 30.63 | 125 | 47.45 | 7.08  | \$1457 |
| BRTADP3060H30 | 37.75 x 60 x 30.63 | 125 | 49    | 7.87  | \$1496 |
| BRTADP3066H30 | 37.75 x 66 x 30.63 | 150 | 50.55 | 8.65  | \$1537 |
| BRTADP3072H30 | 37.75 x 72 x 30.63 | 150 | 52.10 | 9.44  | \$1573 |
| BRTADP3078H30 | 37.75 x 78 x 30.63 | 150 | 53.65 | 10.22 | \$1615 |
| BRTADP3084H30 | 37.75 x 84 x 30.63 | 150 | 55.20 | 11.01 | \$1655 |
|               |                    |     |       |       |        |

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

• BRTADP24xxH30 are for configurations with 24" deep surfaces.

• BRTADP30xxH30 are for configurations with 30" deep surfaces.




30"H Single Table Wellness Screen

Required Specifications Frame finish

SINGLE TABLE WELLNESS SCREENS

| / |  |
|---|--|
|   |  |
|   |  |

24"H Single Table Wellness Screen Extension Kit



30"H Single Table Wellness Screen Extension Kit

| MODEL#         | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|----------------|-------------------|---------------|---------|-----------|------------|--|
|                | D x W x H         |               |         |           |            |  |
| BRTADPE2436H24 | 31.75 x 36 x 24.6 | 3 150         | 21.05   | 3.97      | \$845      |  |
| BRTADPE2442H24 | 31.75 x 42 x 24.6 | 3 150         | 22.60   | 4.63      | \$928      |  |
| BRTADPE2448H24 | 31.75 x 48 x 24.6 | 3 150         | 24.15   | 5.29      | \$963      |  |
| BRTADPE2454H24 | 31.75 x 54 x 24.6 | 3 150         | 25.70   | 5.95      | \$996      |  |
| BRTADPE2460H24 | 31.75 x 60 x 24.6 | 3 150         | 27.25   | 6.61      | \$1029     |  |
| BRTADPE2466H24 | 31.75 x 66 x 24.6 | 3 250         | 28.80   | 7.28      | \$1064     |  |
| BRTADPE2472H24 | 31.75 x 72 x 24.6 | 3 250         | 30.35   | 7.94      | \$1098     |  |
| BRTADPE2478H24 | 31.75 x 78 x 24.6 | 3 250         | 31.90   | 8.60      | \$1132     |  |
| BRTADPE2484H24 | 31.75 x 84 x 24.6 | 3 250         | 33.45   | 9.26      | \$1164     |  |
|                |                   |               |         |           |            |  |
| BRTADPE3036H24 | 37.75 x 36 x 24.6 | 3 125         | 35      | 4.72      | \$879      |  |
| BRTADPE3042H24 | 37.75 x 42 x 24.6 | 3 125         | 36.55   | 5.51      | \$960      |  |
| BRTADPE3048H24 | 37.75 x 48 x 24.6 | 3 125         | 38.10   | 6.29      | \$996      |  |
| BRTADPE3054H24 | 37.75 x 54 x 24.6 | 3 150         | 39.65   | 7.08      | \$1029     |  |
| BRTADPE3060H24 | 37.75 x 60 x 24.6 | 3 150         | 41.20   | 7.87      | \$1064     |  |
| BRTADPE3066H24 | 37.75 x 66 x 24.6 | 3 150         | 42.75   | 8.65      | \$1096     |  |
| BRTADPE3072H24 | 37.75 x 72 x 24.6 | 3 150         | 44.30   | 9.44      | \$1129     |  |
| BRTADPE3078H24 | 37.75 x 78 x 24.6 | 3 150         | 45.85   | 10.01     | \$1164     |  |
| BRTADPE3084H24 | 37.75 x 84 x 24.6 | 3 150         | 47.40   | 10.01     | \$1198     |  |
|                |                   |               |         |           |            |  |

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH24 are for configurations with 24" deep surfaces.
- BRTADPE30xxH24 are for configurations with 30" deep surfaces.

| BRTADPE2436H30 | 31.75 x 36 x 30.63 | 150 | 22.85 | 3.97  | \$930  |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADPE2442H30 | 31.75 x 42 x 30.63 | 150 | 24.40 | 4.63  | \$1018 |
| BRTADPE2448H30 | 31.75 x 48 x 30.63 | 150 | 25.95 | 5.29  | \$1056 |
| BRTADPE2454H30 | 31.75 x 54 x 30.63 | 150 | 27.50 | 5.95  | \$1095 |
| BRTADPE2460H30 | 31.75 x 60 x 30.63 | 150 | 29.05 | 6.61  | \$1136 |
| BRTADPE2466H30 | 31.75 x 66 x 30.63 | 150 | 30.60 | 7.28  | \$1173 |
| BRTADPE2472H30 | 31.75 x 72 x 30.63 | 150 | 32.15 | 7.94  | \$1212 |
| BRTADPE2478H30 | 31.75 x 78 x 30.63 | 250 | 33.70 | 8.60  | \$1251 |
| BRTADPE2484H30 | 31.75 x 84 x 30.63 | 250 | 35.25 | 9.26  | \$1291 |
|                |                    |     |       |       |        |
| BRTADPE3036H30 | 37.75 x 36 x 30.63 | 125 | 36.80 | 4.72  | \$968  |
| BRTADPE3042H30 | 37.75 x 42 x 30.63 | 125 | 38.35 | 5.51  | \$1056 |
| BRTADPE3048H30 | 37.75 x 48 x 30.63 | 125 | 39.90 | 6.29  | \$1095 |
| BRTADPE3054H30 | 37.75 x 54 x 30.63 | 150 | 41.45 | 7.08  | \$1133 |
| BRTADPE3060H30 | 37.75 x 60 x 30.63 | 150 | 43    | 7.87  | \$1173 |
| BRTADPE3066H30 | 37.75 x 66 x 30.63 | 150 | 44.55 | 8.65  | \$1212 |
| BRTADPE3072H30 | 37.75 x 72 x 30.63 | 150 | 46.10 | 9.44  | \$1250 |
| BRTADPE3078H30 | 37.75 x 78 x 30.63 | 150 | 47.65 | 10.22 | \$1291 |
| BRTADPE3084H30 | 37.75 x 84 x 30.63 | 150 | 49.20 | 11.01 | \$1328 |
|                |                    |     |       |       |        |

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH30 are for configurations with 24" deep surfaces.
- BRTADPE30xxH30 are for configurations with 30" deep surfaces.

Required Specifications Frame finish



| CK-TO-BACK FELT DIVIDER SCREENS | MODEL#        |                    | REIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------------------------------|---------------|--------------------|--------------|---------|-----------|------------|--|
|                                 |               | D x W x H          |              |         |           |            |  |
|                                 | BRTADF5136H24 | 50.50 x 36 x 24.60 | 150          | 28      | 6.31      | \$1287     |  |
|                                 | BRTADF5142H24 | 50.50 x 42 x 24.60 | 150          | 29.50   | 7.36      | \$1309     |  |
|                                 | BRTADF5148H24 | 50.50 x 48 x 24.60 | 150          | 31      | 8.42      | \$1335     |  |
|                                 | BRTADF5154H24 | 50.50 x 54 x 24.60 | 250          | 32.50   | 9.47      | \$1356     |  |
|                                 | BRTADF5160H24 | 50.50 x 60 x 24.60 | 250          | 34      | 10.52     | \$1385     |  |
|                                 | BRTADF5166H24 | 50.50 x 66 x 24.60 | 250          | 35.50   | 11.57     | \$1410     |  |
|                                 | BRTADF5172H24 | 50.50 x 72 x 24.60 | 250          | 37      | 12.63     | \$1435     |  |
|                                 | BRTADF5178H24 | 50.50 x 78 x 24.60 | 250          | 38.50   | 13.68     | \$1462     |  |
|                                 | BRTADF5184H24 | 50.50 x 84 x 24.60 | 250          | 40      | 14.73     | \$1509     |  |
|                                 |               |                    |              |         |           |            |  |
|                                 | BRTADF6336H24 | 62.50 x 36 x 24.60 | 150          | 41.50   | 7.81      | \$1385     |  |
|                                 | BRTADF6342H24 | 62.50 x 42 x 24.60 | 150          | 43      | 9.11      | \$1410     |  |
|                                 | BRTADF6348H24 | 62.50 x 48 x 24.60 | 150          | 44.50   | 10.42     | \$1435     |  |
|                                 | BRTADF6354H24 | 62.50 x 54 x 24.60 | 150          | 46      | 11.72     | \$1460     |  |
|                                 | BRTADF6360H24 | 62.50 x 60 x 24.60 | 150          | 47.50   | 13.02     | \$1484     |  |
|                                 | BRTADF6366H24 | 62.50 x 66 x 24.60 | 250          | 49      | 14.32     | \$1509     |  |
|                                 | BRTADF6372H24 | 62.50 x 72 x 24.60 | 250          | 50.50   | 15.63     | \$1534     |  |
|                                 | BRTADF6378H24 | 62.50 x 78 x 24.60 | 250          | 52      | 16.93     | \$1559     |  |
|                                 | BRTADF6384H24 | 62.50 x 84 x 24.60 | 250          | 53.50   | 18.23     | \$1608     |  |
| N                               |               |                    |              |         |           |            |  |

24"H Back-to-Back Felt Divider Screen

BAC

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


- BRTAPF51xxH24 are for configurations with 24" deep surfaces.
- BRTAPF63xxH24 are for configurations with 30" deep surfaces.

| BRTADF5136H30 | 50.50 x 36 x 30.60 | 150 | 30.50 | 6.31  | \$1282 |
|---------------|--------------------|-----|-------|-------|--------|
| BRTADF5142H30 | 50.50 x 42 x 30.60 | 150 | 32    | 7.36  | \$1306 |
| BRTADF5148H30 | 50.50 x 48 x 30.60 | 150 | 33.50 | 8.42  | \$1329 |
| BRTADF5154H30 | 50.50 x 54 x 30.60 | 150 | 35    | 9.47  | \$1352 |
| BRTADF5160H30 | 50.50 x 60 x 30.60 | 250 | 36.50 | 10.52 | \$1375 |
| BRTADF5166H30 | 50.50 x 66 x 30.60 | 250 | 38    | 11.57 | \$1397 |
| BRTADF5172H30 | 50.50 x 72 x 30.60 | 250 | 39.50 | 12.63 | \$1422 |
| BRTADF5178H30 | 50.50 x 78 x 30.60 | 250 | 41    | 13.68 | \$1447 |
| BRTADF5184H30 | 50.50 x 84 x 30.60 | 250 | 42.50 | 14.73 | \$1500 |
|               |                    |     |       |       |        |
| BRTADF6336H30 | 62.50 x 36 x 30.60 | 125 | 44    | 7.81  | \$1440 |
| BRTADF6342H30 | 62.50 x 42 x 30.60 | 150 | 45.50 | 9.11  | \$1462 |
| BRTADF6348H30 | 62.50 x 48 x 30.60 | 150 | 47    | 10.42 | \$1484 |
| BRTADF6354H30 | 62.50 x 54 x 30.60 | 150 | 48.50 | 11.72 | \$1507 |
| BRTADF6360H30 | 62.50 x 60 x 30.60 | 150 | 50    | 13.02 | \$1531 |
| BRTADF6366H30 | 62.50 x 66 x 30.60 | 250 | 51.50 | 14.32 | \$1555 |
| BRTADF6372H30 | 62.50 x 72 x 30.60 | 250 | 53    | 15.63 | \$1578 |
| BRTADF6378H30 | 62.50 x 78 x 30.60 | 250 | 54.50 | 16.93 | \$1601 |
| BRTADF6384H30 | 62.50 x 84 x 30.60 | 250 | 56    | 18.23 | \$1655 |
|               |                    |     |       |       |        |

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF51xxH30 are for configurations with 24" deep surfaces.
- BRTADF63xxH30 are for configurations with 30" deep surfaces.
- **Required Specifications**

Frame finish




30"H Back-to-Back Felt Divider Screen

**BACK-TO-BACK FELT DIVIDER SCREENS** 

| 2//"U Dook to Dook Ealt Div |  |
|-----------------------------|--|

24″H Back-to-Back Felt Divider Screen Extension Kit



Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


#### • BRTADFE51xxH24 are for configurations with 24" deep surfaces.

• BRTADFE63xxH24 are for configurations with 30" deep surfaces.

| BRTADFE5136H30 | 50.50 x 36 x 30.60 | 150 | 25.85 | 6.31  | \$875  |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADFE5142H30 | 50.50 x 42 x 30.60 | 150 | 27.35 | 7.36  | \$898  |
| BRTADFE5148H30 | 50.50 x 48 x 30.60 | 250 | 28.85 | 8.42  | \$922  |
| BRTADFE5154H30 | 50.50 x 54 x 30.60 | 250 | 30.35 | 9.47  | \$945  |
| BRTADFE5160H30 | 50.50 x 60 x 30.60 | 250 | 31.85 | 10.52 | \$968  |
| BRTADFE5166H30 | 50.50 x 66 x 30.60 | 250 | 33.35 | 11.57 | \$992  |
| BRTADFE5172H30 | 50.50 x 72 x 30.60 | 250 | 34.85 | 12.63 | \$1015 |
| BRTADFE5178H30 | 50.50 x 78 x 30.60 | 250 | 36.35 | 13.68 | \$1038 |
| BRTADFE5184H30 | 50.50 x 84 x 30.60 | 250 | 37.85 | 14.73 | \$1092 |
|                |                    |     |       |       |        |
| BRTADFE6336H30 | 62.50 x 36 x 30.60 | 150 | 39.35 | 7.81  | \$921  |
| BRTADFE6342H30 | 62.50 x 42 x 30.60 | 150 | 40.85 | 9.11  | \$944  |
| BRTADFE6348H30 | 62.50 x 48 x 30.60 | 150 | 42.35 | 10.42 | \$967  |
| BRTADFE6354H30 | 62.50 x 54 x 30.60 | 250 | 43.85 | 11.72 | \$990  |
| BRTADFE6360H30 | 62.50 x 60 x 30.60 | 250 | 45.35 | 13.02 | \$1014 |
| BRTADFE6366H30 | 62.50 x 66 x 30.60 | 250 | 46.85 | 14.32 | \$1037 |
| BRTADFE6372H30 | 62.50 x 72 x 30.60 | 250 | 48.35 | 15.63 | \$1060 |
| BRTADFE6378H30 | 62.50 x 78 x 30.60 | 250 | 49.85 | 16.93 | \$1083 |
| BRTADFE6384H30 | 62.50 x 84 x 30.60 | 250 | 51.35 | 18.23 | \$1136 |
|                |                    |     |       |       |        |

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH30 are for configurations with 24" deep surfaces.
- BRTADFE63xxH30 are for configurations with 30" deep surfaces.
- Required Specifications Frame finish Felt finish



30"H Back-to-Back Felt Divider Screen Extension Kit



| IGLE FELT DIVIDER SCREENS | MODEL#        | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------------------------|---------------|-------------------|---------------|---------|-----------|------------|--|
|                           |               | D x W x H         |               |         |           |            |  |
|                           | BRTADF2436H24 | 31.50 x 36 x 24.6 | 60 125        | 22.55   | 3.94      | \$937      |  |
|                           | BRTADF2442H24 | 31.50 x 42 x 24.6 | 50 125        | 24.10   | 4.59      | \$961      |  |
|                           | BRTADF2448H24 | 31.50 x 48 x 24.6 | 60 150        | 25.65   | 5.25      | \$986      |  |
|                           | BRTADF2454H24 | 31.50 x 54 x 24.6 | 60 150        | 27.20   | 5.91      | \$1010     |  |
|                           | BRTADF2460H24 | 31.50 x 60 x 24.6 | 60 150        | 28.75   | 6.56      | \$1037     |  |
|                           | BRTADF2466H24 | 31.50 x 66 x 24.6 | 60 150        | 30.30   | 7.22      | \$1061     |  |
|                           | BRTADF2472H24 | 31.50 x 72 x 24.6 | 30 150        | 31.85   | 7.88      | \$1086     |  |
|                           | BRTADF2478H24 | 31.50 x 78 x 24.6 | 60 150        | 33.40   | 8.53      | \$1111     |  |
|                           | BRTADF2484H24 | 31.50 x 84 x 24.6 | 60 150        | 34.95   | 9.19      | \$1160     |  |
|                           |               |                   |               |         |           |            |  |
|                           | BRTADF3036H24 | 37.75 x 36 x 24.6 | 60 100        | 36.50   | 4.72      | \$968      |  |
|                           | BRTADF3042H24 | 37.75 x 42 x 24.6 | 60 125        | 38.05   | 5.51      | \$995      |  |
|                           | BRTADF3048H24 | 37.75 x 48 x 24.6 | 60 125        | 39.60   | 6.29      | \$1019     |  |
|                           | BRTADF3054H24 | 37.75 x 54 x 24.6 | 60 150        | 41.15   | 7.08      | \$1044     |  |
|                           | BRTADF3060H24 | 37.75 x 60 x 24.6 | 60 150        | 41.70   | 7.87      | \$1069     |  |
|                           | BRTADF3066H24 | 37.75 x 66 x 24.6 | 60 150        | 44.25   | 8.65      | \$1095     |  |
| N N                       | BRTADF3072H24 | 37.75 x 72 x 24.6 | 60 150        | 45.80   | 9.44      | \$1117     |  |
| $\mathbb{N}$              | BRTADF3078H24 | 37.75 x 78 x 24.6 | 60 150        | 47.35   | 10.22     | \$1142     |  |
|                           | BRTADF3084H24 | 37.75 x 84 x 24.6 | 60 150        | 48.90   | 11.01     | \$1193     |  |

24"H Single Table Felt Divider Screen

SIN


Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF24xxH24 are for configurations with 24" deep surfaces.
- BRTADF30xxH24 are for configurations with 30" deep surfaces.

| BRTADF2436H30 | 31.50 x 36 x 30.60 | 125 | 24.85 | 3.97  | \$930  |
|---------------|--------------------|-----|-------|-------|--------|
| BRTADF2442H30 | 31.50 x 42 x 30.60 | 125 | 26.40 | 4.59  | \$954  |
| BRTADF2448H30 | 31.50 x 48 x 30.60 | 125 | 27.95 | 5.25  | \$976  |
| BRTADF2454H30 | 31.50 x 54 x 30.60 | 150 | 29.50 | 5.91  | \$999  |
| BRTADF2460H30 | 31.50 x 60 x 30.60 | 150 | 31.05 | 6.56  | \$1022 |
| BRTADF2466H30 | 31.50 x 66 x 30.60 | 150 | 32.60 | 7.22  | \$1045 |
| BRTADF2472H30 | 31.50 x 72 x 30.60 | 150 | 34.14 | 7.88  | \$1069 |
| BRTADF2478H30 | 31.50 x 78 x 30.60 | 150 | 34.70 | 8.53  | \$1092 |
| BRTADF2484H30 | 31.50 x 84 x 30.60 | 150 | 37.25 | 9.19  | \$1147 |
|               |                    |     |       |       |        |
| BRTADF3036H30 | 37.75 x 36 x 30.60 | 100 | 38.80 | 4.72  | \$975  |
| BRTADF3042H30 | 37.75 x 42 x 30.60 | 100 | 40.35 | 5.51  | \$998  |
| BRTADF3048H30 | 37.75 x 48 x 30.60 | 125 | 41.90 | 6.29  | \$1021 |
| BRTADF3054H30 | 37.75 x 54 x 30.60 | 125 | 43.45 | 7.08  | \$1044 |
| BRTADF3060H30 | 37.75 x 60 x 30.60 | 125 | 45    | 7.87  | \$1069 |
| BRTADF3066H30 | 37.75 x 66 x 30.60 | 150 | 46.55 | 8.65  | \$1092 |
| BRTADF3072H30 | 37.75 x 72 x 30.60 | 150 | 48.10 | 9.44  | \$1114 |
| BRTADF3078H30 | 37.75 x 78 x 30.60 | 150 | 49.65 | 10.22 | \$1137 |
| BRTADF3084H30 | 37.75 x 84 x 30.60 | 150 | 51.20 | 11.01 | \$1191 |
|               |                    |     |       |       |        |

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF24xxH30 are for configurations with 24" deep surfaces.
- BRTADF30xxH30 are for configurations with 30" deep surfaces.
- Required Specifications Frame finish
- Felt finish



30"H Single Table Felt Divider Screen

SINGLE TABLE FELT DIVIDER SCREENS

| 1 |  |
|---|--|
|   |  |

24″H Single Table Felt Divider Screen Extension Kit



30"H Single Table Felt Divider Screen Extension Kit

| MODEL#         | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|----------------|-------------------|---------------|---------|-----------|------------|--|
|                | D x W x H         |               |         |           |            |  |
| BRTADFE2436H24 | 31.50 x 36 x 24.0 | 60 150        | 18.55   | 3.94      | \$709      |  |
| BRTADFE2442H24 | 31.50 x 42 x 24.  | 60 150        | 20.10   | 4.59      | \$776      |  |
| BRTADFE2448H24 | 31.50 x 48 x 24.  | 60 150        | 21.65   | 5.25      | \$802      |  |
| BRTADFE2454H24 | 31.50 x 54 x 24.0 | 60 150        | 23.20   | 5.91      | \$827      |  |
| BRTADFE2460H24 | 31.50 x 60 x 24.  | 60 150        | 24.75   | 6.56      | \$852      |  |
| BRTADFE2466H24 | 31.50 x 66 x 24.  | 60 250        | 26.30   | 7.22      | \$877      |  |
| BRTADFE2472H24 | 31.50 x 72 x 24.  | 60 250        | 27.85   | 7.88      | \$902      |  |
| BRTADFE2478H24 | 31.50 x 78 x 24.0 | 60 250        | 29.40   | 8.53      | \$927      |  |
| BRTADFE2484H24 | 31.50 x 84 x 24.  | 60 250        | 30.95   | 9.19      | \$976      |  |
|                |                   |               |         |           |            |  |
| BRTADFE3036H24 | 37.75 x 36 x 24.  | 60 125        | 32.50   | 4.72      | \$735      |  |
| BRTADFE3042H24 | 37.75 x 42 x 24.  | 60 125        | 34.05   | 5.51      | \$803      |  |
| BRTADFE3048H24 | 37.75 x 48 x 24.  | 60 125        | 35.60   | 6.29      | \$829      |  |
| BRTADFE3054H24 | 37.75 x 54 x 24.  | 60 150        | 37.15   | 7.08      | \$853      |  |
| BRTADFE3060H24 | 37.75 x 60 x 24.  | 60 150        | 38.70   | 7.87      | \$879      |  |
| BRTADFE3066H24 | 37.75 x 66 x 24.  | 60 150        | 40.25   | 8.65      | \$904      |  |
| BRTADFE3072H24 | 37.75 x 72 x 24.  | 60 150        | 41.80   | 9.44      | \$929      |  |
| BRTADFE3078H24 | 37.75 x 78 x 24.  | 60 150        | 43.35   | 10.01     | \$954      |  |
| BRTADFE3084H24 | 37.75 x 84 x 24.  | 60 150        | 44.90   | 10.01     | \$1004     |  |

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

#### • BRTADFE24xxH24 are for configurations with 24" deep surfaces.

#### • BRTADFE30xxH24 are for configurations with 30" deep surfaces.

| BRTADFE2436H30 | 31.50 x 36 x 30.60 | 150 | 20.35 | 3.94  | \$743  |  |
|----------------|--------------------|-----|-------|-------|--------|--|
| BRTADFE2442H30 | 31.50 x 42 x 30.60 | 150 | 21.90 | 4.59  | \$811  |  |
| BRTADFE2448H30 | 31.50 x 48 x 30.60 | 150 | 23.45 | 5.25  | \$833  |  |
| BRTADFE2454H30 | 31.50 x 54 x 30.60 | 150 | 25    | 5.91  | \$857  |  |
| BRTADFE2460H30 | 31.50 x 60 x 30.60 | 150 | 26.55 | 6.56  | \$880  |  |
| BRTADFE2466H30 | 31.50 x 66 x 30.60 | 150 | 28.10 | 7.22  | \$904  |  |
| BRTADFE2472H30 | 31.50 x 72 x 30.60 | 150 | 29.65 | 7.88  | \$927  |  |
| BRTADFE2478H30 | 31.50 x 78 x 30.60 | 250 | 31.20 | 8.53  | \$949  |  |
| BRTADFE2484H30 | 31.50 x 84 x 30.60 | 250 | 32.75 | 9.19  | \$1004 |  |
|                |                    |     |       |       |        |  |
| BRTADFE3036H30 | 37.75 x 36 x 30.60 | 125 | 34.30 | 4.72  | \$770  |  |
| BRTADFE3042H30 | 37.75 x 42 x 30.60 | 125 | 35.85 | 5.51  | \$842  |  |
| BRTADFE3048H30 | 37.75 x 48 x 30.60 | 125 | 37.40 | 6.29  | \$865  |  |
| BRTADFE3054H30 | 37.75 x 54 x 30.60 | 150 | 38.95 | 7.08  | \$890  |  |
| BRTADFE3060H30 | 37.75 x 60 x 30.60 | 150 | 40.50 | 7.87  | \$913  |  |
| BRTADFE3066H30 | 37.75 x 66 x 30.60 | 150 | 42.05 | 8.65  | \$937  |  |
| BRTADFE3072H30 | 37.75 x 72 x 30.60 | 150 | 43.60 | 9.44  | \$960  |  |
| BRTADFE3078H30 | 37.75 x 78 x 30.60 | 150 | 45.15 | 10.22 | \$983  |  |
| BRTADFE3084H30 | 37.75 x 84 x 30.60 | 150 | 46.70 | 11.01 | \$1037 |  |
|                |                    |     |       |       |        |  |

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

#### • BRTADFE24xxH30 are for configurations with 24" deep surfaces.

- BRTADFE30xxH30 are for configurations with 30" deep surfaces.
- Required Specifications Frame finish Felt finish



| TO-BACK GLASS DIVIDER SCREENS | MODEL#        | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|-------------------------------|---------------|-------------------|---------------|---------|-----------|------------|----------|
|                               |               | D x W x H         |               |         |           |            |          |
|                               | BRTADG5136H24 | 50.50 x 36 x 24.6 | 0 150         | 28      | 6.31      | \$1446     | \$442    |
|                               | BRTADG5142H24 | 50.50 x 42 x 24.6 | 0 150         | 29.50   | 7.36      | \$2243     | \$455    |
|                               | BRTADG5148H24 | 50.50 x 48 x 24.6 | 0 150         | 31      | 8.42      | \$2295     | \$461    |
|                               | BRTADG5154H24 | 50.50 x 54 x 24.6 | 0 250         | 32.50   | 9.47      | \$2347     | \$475    |
|                               | BRTADG5160H24 | 50.50 x 60 x 24.6 | 0 250         | 34      | 10.52     | \$2398     | \$481    |
|                               | BRTADG5166H24 | 50.50 x 66 x 24.6 | 0 250         | 35.50   | 11.57     | \$2449     | \$494    |
|                               | BRTADG5172H24 | 50.50 x 72 x 24.6 | 0 250         | 37      | 12.63     | \$2502     | \$508    |
|                               | BRTADG5178H24 | 50.50 x 78 x 24.6 | 0 250         | 38.50   | 13.68     | \$2554     | \$513    |
|                               | BRTADG5184H24 | 50.50 x 84 x 24.6 | 0 250         | 40      | 14.73     | \$2606     | \$525    |
|                               |               |                   |               |         |           |            |          |
|                               | BRTADG6336H24 | 62.50 x 36 x 24.6 | 0 150         | 41.50   | 7.81      | \$2398     | \$481    |
|                               | BRTADG6342H24 | 62.50 x 42 x 24.6 | 0 150         | 43      | 9.11      | \$2444     | \$494    |
|                               | BRTADG6348H24 | 62.50 x 48 x 24.6 | 0 150         | 44.50   | 10.42     | \$2502     | \$508    |
|                               | BRTADG6354H24 | 62.50 x 54 x 24.6 | 0 150         | 46      | 11.72     | \$2548     | \$513    |
|                               | BRTADG6360H24 | 62.50 x 60 x 24.6 | 0 150         | 47.50   | 13.02     | \$2606     | \$525    |
|                               | BRTADG6366H24 | 62.50 x 66 x 24.6 | 0 250         | 49      | 14.32     | \$2657     | \$533    |
|                               | BRTADG6372H24 | 62.50 x 72 x 24.6 |               | 50.50   | 15.63     | \$2703     | \$546    |
| × ×                           | BRTADG6378H24 | 62.50 x 78 x 24.6 |               | 52      | 16.93     | \$2761     | \$558    |
|                               | BRTADG6384H24 | 62.50 x 84 x 24.6 |               | 53.50   | 18.23     | \$2807     | \$566    |

24"H Back-to-Back Glass Divider Screen

BAC

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass .Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (**FRST**).

• BRTADG51xxH24 are for configurations with 24" deep surfaces.

• BRTADG63xxH24 are for configurations with 30" deep surfaces.

| BRTADG5136H30                  | 50.50 x 36 x 30.60   | 150 | 30.50 | 6.31  | \$2315 \$467 |
|--------------------------------|----------------------|-----|-------|-------|--------------|
| BRTADG5142H30                  | 50.50 x 42 x 30.60   | 150 | 30.50 | 7.36  | \$2373 \$481 |
| BRTADG5148H30                  | 50.50 x 48 x 30.60   | 150 | 33.50 | 8.42  | \$2418 \$488 |
| BRTADG5154H30                  | 50.50 x 54 x 30.60   | 150 | 35    | 9.47  | \$2477 \$500 |
| BRTADG5160H30                  | 50.50 x 60 x 30.60   | 250 | 36.50 | 10.52 | \$2528 \$508 |
| BRTADG5166H30                  | 50.50 x 66 x 30.60   | 250 | 38    | 11.57 | \$2580 \$520 |
| BRTADG5172H30                  | 50.50 x 72 x 30.60   | 250 | 39.50 | 12.63 | \$2612 \$525 |
| BRTADG5172H30<br>BRTADG5178H30 | 50.50 x 72 x 30.60   | 250 | 41    | 13.68 | \$2690 \$539 |
| BRTADG5184H30                  | 50.50 x 84 x 30.60   | 250 | 42.50 | 14.73 | \$2741 \$553 |
| DITADUJTO4HJU                  | JU.JU X 04 X JU.UU   | 230 | 42.30 | 14.75 | φ2741 φ333   |
| BRTADG6336H30                  | 62.50 x 36 x 30.60   | 125 | 44    | 7.81  | \$2599 \$525 |
| BRTADG6342H30                  | 62.50 x 42 x 30.60   | 150 | 45.50 | 9.11  | \$2651 \$533 |
| BRTADG6348H30                  | 62.50 x 48 x 30.60   | 150 | 47    | 10.42 | \$2703 \$546 |
| BRTADG6354H30                  | 62.50 x 54 x 30.60   | 150 | 48.50 | 11.72 | \$2761 \$558 |
| BRTADG6360H30                  | 62.50 x 60 x 30.60   | 150 | 50    | 13.02 | \$2813 \$566 |
| BRTADG6366H30                  | 62.50 x 66 x 30.60   | 250 | 51.50 | 14.32 | \$2857 \$578 |
| BRTADG6372H30                  | 62.50 x 72 x 30.60   | 250 | 53    | 15.63 | \$2898 \$583 |
| BRTADG6378H30                  | 62.50 x 78 x 30.60   | 250 | 54.50 | 16.93 | \$2968 \$598 |
| BRTADG6384H30                  | 62.50 x 84 x 30.60   | 250 | 56    | 18.23 | \$3027 \$611 |
| 2                              | 02.00 // 01 // 00.00 | 200 | 00    |       | <del>-</del> |

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

• BRTADG51xxH30 are for configurations with 24" deep surfaces.

• BRTADG63xxH30 are for configurations with 30" deep surfaces.

Required specifications Frame finish



30"H Back-to-Back Glass Divider Screen

**BACK-TO-BACK GLASS DIVIDER SCREENS** 

| )K<br>24"H Back-to-Back Glass I |
|---------------------------------|

24"H Back-to-Back Glass Divider Screen Extension Kit



30"H Back-to-Back Glass Divider Screen Extension Kit

| MODEL#         | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|----------------|-------------------|---------------|---------|-----------|------------|----------|
|                | D x W x H         |               |         |           |            |          |
| BRTADGE5136H24 | 50.50 x 36 x 24.6 | 60 150        | 23.35   | 6.31      | \$1446     | \$292    |
| BRTADGE5142H24 | 50.50 x 42 x 24.6 | 60 250        | 24.85   | 7.36      | \$1499     | \$306    |
| BRTADGE5148H24 | 50.50 x 48 x 24.6 | 60 250        | 26.35   | 8.42      | \$1549     | \$313    |
| BRTADGE5154H24 | 50.50 x 54 x 24.6 | 60 250        | 27.85   | 9.47      | \$1602     | \$325    |
| BRTADGE5160H24 | 50.50 x 60 x 24.6 | 60 250        | 29.35   | 10.52     | \$1654     | \$333    |
| BRTADGE5166H24 | 50.50 x 66 x 24.6 | 60 250        | 30.85   | 11.57     | \$1705     | \$345    |
| BRTADGE5172H24 | 50.50 x 72 x 24.6 | 60 250        | 32.35   | 12.63     | \$1757     | \$358    |
| BRTADGE5178H24 | 50.50 x 78 x 24.6 | 60 250        | 33.85   | 13.68     | \$1808     | \$365    |
| BRTADGE5184H24 | 50.50 x 84 x 24.6 | 60 250        | 35.35   | 14.73     | \$1861     | \$378    |
|                |                   |               |         |           |            |          |
| BRTADGE6336H24 | 62.50 x 36 x 24.6 | 60 150        | 36.85   | 7.81      | \$1549     | \$313    |
| BRTADGE6342H24 | 62.50 x 42 x 24.6 | 60 150        | 38.35   | 9.11      | \$1602     | \$325    |
| BRTADGE6348H24 | 62.50 x 48 x 24.6 | 60 150        | 39.85   | 10.42     | \$1654     | \$333    |
| BRTADGE6354H24 | 62.50 x 54 x 24.6 | 60 250        | 41.35   | 11.72     | \$1705     | \$345    |
| BRTADGE6360H24 | 62.50 x 60 x 24.6 | 60 250        | 42.85   | 13.02     | \$1749     | \$350    |
| BRTADGE6366H24 | 62.50 x 66 x 24.6 | 60 250        | 44.35   | 14.32     | \$1808     | \$365    |
| BRTADGE6372H24 | 62.50 x 72 x 24.6 | 60 250        | 45.85   | 15.63     | \$1861     | \$378    |
| BRTADGE6378H24 | 62.50 x 78 x 24.6 | 60 250        | 47.35   | 16.93     | \$1907     | \$383    |
| BRTADGE6384H24 | 62.50 x 84 x 24.6 | 60 250        | 48.85   | 18.23     | \$1965     | \$396    |
|                |                   |               |         |           |            |          |

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

• BRTADGE51xxH24 are for configurations with 24" deep surfaces.

• BRTADGE63xxH24 are for configurations with 30" deep surfaces.

| BRTADGE5136H30 | 50.50 x 36 x 30.60 | 150 | 25.85 | 6.31  | \$1531 | \$313 |
|----------------|--------------------|-----|-------|-------|--------|-------|
| BRTADGE5142H30 | 50.50 x 42 x 30.60 | 150 | 27.35 | 7.36  | \$1575 | \$319 |
| BRTADGE5148H30 | 50.50 x 48 x 30.60 | 250 | 28.85 | 8.42  | \$1627 | \$333 |
| BRTADGE5154H30 | 50.50 x 54 x 30.60 | 250 | 30.35 | 9.47  | \$1686 | \$338 |
| BRTADGE5160H30 | 50.50 x 60 x 30.60 | 250 | 31.85 | 10.52 | \$1737 | \$350 |
| BRTADGE5166H30 | 50.50 x 66 x 30.60 | 250 | 33.35 | 11.57 | \$1796 | \$365 |
| BRTADGE5172H30 | 50.50 x 72 x 30.60 | 250 | 34.85 | 12.63 | \$1822 | \$371 |
| BRTADGE5178H30 | 50.50 x 78 x 30.60 | 250 | 36.35 | 13.68 | \$1894 | \$383 |
| BRTADGE5184H30 | 50.50 x 84 x 30.60 | 250 | 37.85 | 14.73 | \$1952 | \$396 |
|                |                    |     |       |       |        |       |
| BRTADGE6336H30 | 62.50 x 36 x 30.60 | 150 | 39.35 | 7.81  | \$1627 | \$333 |
| BRTADGE6342H30 | 62.50 x 42 x 30.60 | 150 | 40.85 | 9.11  | \$1686 | \$338 |
| BRTADGE6348H30 | 62.50 x 48 x 30.60 | 150 | 42.35 | 10.42 | \$1737 | \$350 |
| BRTADGE6354H30 | 62.50 x 54 x 30.60 | 250 | 43.85 | 11.72 | \$1790 | \$365 |
| BRTADGE6360H30 | 62.50 x 60 x 30.60 | 250 | 45.35 | 13.02 | \$1841 | \$371 |
| BRTADGE6366H30 | 62.50 x 66 x 30.60 | 250 | 46.85 | 14.32 | \$1894 | \$383 |
| BRTADGE6372H30 | 62.50 x 72 x 30.60 | 250 | 48.35 | 15.63 | \$1932 | \$391 |
| BRTADGE6378H30 | 62.50 x 78 x 30.60 | 250 | 49.85 | 16.93 | \$2004 | \$403 |
| BRTADGE6384H30 | 62.50 x 84 x 30.60 | 250 | 51.35 | 18.23 | \$2055 | \$416 |
|                |                    |     |       |       |        |       |

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

• BRTADGE51xxH30 are for configurations with 24" deep surfaces.

• BRTADGE63xxH30 are for configurations with 30" deep surfaces

Required specifications



| NGLE TABLE GLASS DIVIDER SCREENS | MODEL#        | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|----------------------------------|---------------|-------------------|---------------|---------|-----------|------------|----------|
|                                  |               | D x W x H         |               |         |           |            |          |
|                                  | BRTADG2436H24 | 31.50 x 36 x 24.6 | 60 125        | 22.55   | 3.94      | \$1582     | \$319    |
|                                  | BRTADG2442H24 | 31.50 x 42 x 24.6 | 50 125        | 24.10   | 4.59      | \$1633     | \$333    |
|                                  | BRTADG2448H24 | 31.50 x 48 x 24.6 | 30 150        | 25.65   | 5.25      | \$1686     | \$338    |
|                                  | BRTADG2454H24 | 31.50 x 54 x 24.6 | 60 150        | 27.20   | 5.91      | \$1737     | \$350    |
|                                  | BRTADG2460H24 | 31.50 x 60 x 24.6 | 60 150        | 28.75   | 6.56      | \$1790     | \$365    |
|                                  | BRTADG2466H24 | 31.50 x 66 x 24.6 | 60 150        | 30.30   | 7.22      | \$1841     | \$371    |
|                                  | BRTADG2472H24 | 31.50 x 72 x 24.6 | 60 150        | 31.85   | 7.88      | \$1894     | \$383    |
|                                  | BRTADG2478H24 | 31.50 x 78 x 24.6 | 60 150        | 33.40   | 8.53      | \$1945     | \$391    |
|                                  | BRTADG2484H24 | 31.50 x 84 x 24.6 | 60 150        | 34.95   | 9.19      | \$1997     | \$403    |
|                                  |               |                   |               |         |           |            |          |
|                                  | BRTADG3036H24 | 37.75 x 36 x 24.6 | 60 100        | 36.50   | 4.72      | \$1686     | \$338    |
|                                  | BRTADG3042H24 | 37.75 x 42 x 24.6 | 60 125        | 38.05   | 5.51      | \$1732     | \$350    |
|                                  | BRTADG3048H24 | 37.75 x 48 x 24.6 | 60 125        | 39.60   | 6.29      | \$1790     | \$365    |
|                                  | BRTADG3054H24 | 37.75 x 54 x 24.6 | 60 125        | 41.15   | 7.08      | \$1835     | \$371    |
|                                  | BRTADG3060H24 | 37.75 x 60 x 24.6 | 60 150        | 41.70   | 7.87      | \$1887     | \$383    |
|                                  | BRTADG3066H24 | 37.75 x 66 x 24.6 | 60 150        | 44.25   | 8.65      | \$1939     | \$391    |
| N N                              | BRTADG3072H24 | 37.75 x 72 x 24.6 | 30 150        | 45.80   | 9.44      | \$1990     | \$403    |
| $\mathbb{N}$                     | BRTADG3078H24 | 37.75 x 78 x 24.6 | 50 150        | 47.35   | 10.22     | \$2041     | \$409    |
|                                  | BRTADG3084H24 | 37.75 x 84 x 24.6 |               | 48.90   | 11.01     | \$2094     | \$423    |
| $\sim$                           |               | 07.70 X 04 X 24.0 | 100           | -10.00  | 11.01     | 420J4      | ΨTLU     |

24"H Single Table Glass Divider Screen

SIN

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

• BRTADG24xxH24 are for configurations with 24" deep surfaces.

• BRTADG30xxH24 are for configurations with 30" deep surfaces.


| BRTADG2436H30 | 31.50 x 36 x 30.60 | 125 | 24.85 | 3.97  | \$1654 | \$333 |
|---------------|--------------------|-----|-------|-------|--------|-------|
| BRTADG2442H30 | 31.50 x 42 x 30.60 | 125 | 26.40 | 4.59  | \$1699 | \$345 |
| BRTADG2448H30 | 31.50 x 48 x 30.60 | 125 | 27.95 | 5.25  | \$1749 | \$350 |
| BRTADG2454H30 | 31.50 x 54 x 30.60 | 150 | 29.50 | 5.91  | \$1808 | \$365 |
| BRTADG2460H30 | 31.50 x 60 x 30.60 | 150 | 31.05 | 6.56  | \$1861 | \$378 |
| BRTADG2466H30 | 31.50 x 66 x 30.60 | 150 | 32.60 | 7.22  | \$1919 | \$391 |
| BRTADG2472H30 | 31.50 x 72 x 30.60 | 150 | 34.14 | 7.88  | \$1945 | \$391 |
| BRTADG2478H30 | 31.50 x 78 x 30.60 | 150 | 34.70 | 8.53  | \$2016 | \$409 |
| BRTADG2484H30 | 31.50 x 84 x 30.60 | 150 | 37.25 | 9.19  | \$2074 | \$416 |
|               |                    |     |       |       |        |       |
| BRTADG3036H30 | 37.75 x 36 x 30.60 | 100 | 38.80 | 4.72  | \$1749 | \$350 |
| BRTADG3042H30 | 37.75 x 42 x 30.60 | 100 | 40.35 | 5.51  | \$1808 | \$365 |
| BRTADG3048H30 | 37.75 x 48 x 30.60 | 125 | 41.90 | 6.29  | \$1861 | \$378 |
| BRTADG3054H30 | 37.75 x 54 x 30.60 | 125 | 43.45 | 7.08  | \$1907 | \$383 |
| BRTADG3060H30 | 37.75 x 60 x 30.60 | 125 | 45    | 7.87  | \$1965 | \$396 |
| BRTADG3066H30 | 37.75 x 66 x 30.60 | 150 | 46.55 | 8.65  | \$2016 | \$409 |
| BRTADG3072H30 | 37.75 x 72 x 30.60 | 150 | 48.10 | 9.44  | \$2055 | \$416 |
| BRTADG3078H30 | 37.75 x 78 x 30.60 | 150 | 49.65 | 10.22 | \$2127 | \$429 |
| BRTADG3084H30 | 37.75 x 84 x 30.60 | 150 | 51.20 | 11.01 | \$2172 | \$436 |
|               |                    |     |       |       |        |       |

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

• BRTADG24xxH30 are for configurations with 24" deep surfaces.

• BRTADG30xxH30 are for configurations with 30" deep surfaces.

Required specifications Frame finish



30"H Single Table Glass Divider Screen

SINGLE TABLE GLASS DIVIDER SCREENS

#### 24"H Single Table Glass Divider Screen Extension Kit

MODEL# FREIGHT CLASS LIST PRICE FRST ADD DIMENSIONS WT/LBS. CUBIC FT. DxWxH BRTADGE2436H24 150 18.55 3.94 \$1136 \$228 31.50 x 36 x 24.60 \$1239 \$255 BRTADGE2442H24 31.50 x 42 x 24.60 150 20.10 4.59 \$1283 BRTADGE2448H24 31.50 x 48 x 24.60 150 21.65 5.25 \$261 150 23.20 5.91 \$1336 \$274 BRTADGE2454H24 31.50 x 54 x 24.60 24.75 6.56 \$1388 \$280 BRTADGE2460H24 31.50 x 60 x 24.60 150 26.30 7.22 \$1440 \$292 BRTADGE2466H24 31.50 x 66 x 24.60 250 27.85 7.88 \$1491 \$300 BRTADGE2472H24 31.50 x 72 x 24.60 250 29.40 \$1544 BRTADGE2478H24 31.50 x 78 x 24.60 250 8.53 \$313 BRTADGE2484H24 31.50 x 84 x 24.60 250 30.95 9.19 \$1595 \$325 \$1187 \$241 BRTADGE3036H24 37.75 x 36 x 24.60 125 32.50 4.72 37.75 x 42 x 24.60 BRTADGE3042H24 125 34.05 5.51 \$1291 \$261 BRTADGE3048H24 37.75 x 48 x 24.60 125 35.60 6.29 \$1341 \$274 BRTADGE3054H24 37.75 x 54 x 24.60 37.15 7.08 \$1394 \$280 150 BRTADGE3060H24 37.75 x 60 x 24.60 150 38.70 7.87 \$1446 \$292 BRTADGE3066H24 37.75 x 66 x 24.60 150 40.25 8.65 \$1499 \$306 BRTADGE3072H24 37.75 x 72 x 24.60 150 41.80 9.44 \$1549 \$313 BRTADGE3078H24 37.75 x 78 x 24.60 150 43.35 10.01 \$1602 \$325 BRTADGE3084H24 \$1654 37.75 x 84 x 24.60 150 44.90 10.01 \$333

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

• BRTADGE24xxH24 are for configurations with 24" deep surfaces.

• BRTADGE30xxH24 are for configurations with 30" deep surfaces

Required specifications Frame finish



| SINGLE TABLE GLASS DIVIDER SCREENS | MODEL#         | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|------------------------------------|----------------|-------------------|---------------|---------|-----------|------------|----------|
|                                    |                | D x W x H         |               |         |           |            |          |
|                                    | BRTADGE2436H30 | 31.50 x 36 x 30.6 | 60 150        | 20.35   | 3.94      | \$1187     | \$241    |
|                                    | BRTADGE2442H30 | 31.50 x 42 x 30.6 | 30 150        | 21.90   | 4.59      | \$1291     | \$261    |
|                                    | BRTADGE2448H30 | 31.50 x 48 x 30.6 | 60 150        | 23.45   | 5.25      | \$1341     | \$274    |
|                                    | BRTADGE2454H30 | 31.50 x 54 x 30.6 | 60 150        | 25      | 5.91      | \$1400     | \$286    |
|                                    | BRTADGE2460H30 | 31.50 x 60 x 30.6 | 60 150        | 26.55   | 6.56      | \$1452     | \$292    |
|                                    | BRTADGE2466H30 | 31.50 x 66 x 30.6 | 60 150        | 28.10   | 7.22      | \$1511     | \$306    |
|                                    | BRTADGE2472H30 | 31.50 x 72 x 30.6 | 60 150        | 29.65   | 7.88      | \$1537     | \$313    |
|                                    | BRTADGE2478H30 | 31.50 x 78 x 30.6 | 60 250        | 31.20   | 8.53      | \$1608     | \$325    |
|                                    | BRTADGE2484H30 | 31.50 x 84 x 30.6 | 60 250        | 32.75   | 9.19      | \$1666     | \$338    |
|                                    |                |                   |               |         |           |            |          |
|                                    | BRTADGE3036H30 | 37.75 x 36 x 30.6 | 60 125        | 34.30   | 4.72      | \$1246     | \$255    |
|                                    | BRTADGE3042H30 | 37.75 x 42 x 30.6 | 60 125        | 35.85   | 5.51      | \$1341     | \$274    |
|                                    | BRTADGE3048H30 | 37.75 x 48 x 30.6 | 60 125        | 37.40   | 6.29      | \$1400     | \$286    |
|                                    | BRTADGE3054H30 | 37.75 x 54 x 30.6 | 60 150        | 38.95   | 7.08      | \$1452     | \$292    |
|                                    | BRTADGE3060H30 | 37.75 x 60 x 30.6 | 60 150        | 40.50   | 7.87      | \$1511     | \$306    |
|                                    | BRTADGE3066H30 | 37.75 x 66 x 30.6 | 60 150        | 42.05   | 8.65      | \$1557     | \$313    |
|                                    | BRTADGE3072H30 | 37.75 x 72 x 30.6 | 60 150        | 43.60   | 9.44      | \$1589     | \$319    |
|                                    | BRTADGE3078H30 | 37.75 x 78 x 30.6 | 60 150        | 45.15   | 10.22     | \$1666     | \$338    |
|                                    | BRTADGE3084H30 | 37.75 x 84 x 30.6 | 60 150        | 46.70   | 11.01     | \$1719     | \$345    |

30"H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).**Add 20%** upcharge for frosted glass (**FRST**).

• BRTADGE24xxH30 are for configurations with 24" deep surfaces.

• BRTADGE30xxH30 are for configurations with 30" deep surfaces.

Required specifications Frame finish

STARTER E

## POWER BEAM

| Λ  | MODEL#    | DIMENSIONS<br>D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|-----------|-------------------------|---------------|---------|-----------|------------|
|  | BRPBS1824 | 24 x 24 x 18            | 250           | 20.23   | 6         | \$492      |
|  | BRPBS1830 | 24 x 30 x 18            | 250           | 21.83   | 7.5       | \$522      |
|  | BRPBS1836 | 24 x 36 x 18            | 250           | 23.14   | 9         | \$546      |
|  | BRPBS1842 | 24 x 42 x 18            | 250           | 24.46   | 10.5      | \$570      |
|  | BRPBS1848 | 24 x 48 x 18            | 250           | 25.77   | 12        | \$601      |
|  | BRPBS1854 | 24 x 54 x 18            | 250           | 27.08   | 13.5      | \$627      |
|  | BRPBS1860 | 24 x 60 x 18            | 300           | 28.39   | 15        | \$651      |
|  | BRPBS1866 | 24 x 66 x 18            | 300           | 29.7    | 16.5      | \$681      |
|  | BRPBS1872 | 24 x 72 x 18            | 300           | 31.01   | 18        | \$721      |
|  | BRPBS2624 | 24 x 24 x 26            | 250           | 21.24   | 8.7       | \$524      |
|  | BRPBS2630 | 24 x 30 x 26            | 250           | 22.84   | 10.8      | \$554      |
|  | BRPBS2636 | 24 x 36 x 26            | 300           | 24.15   | 13        | \$577      |
|  | BRPBS2642 | 24 x 42 x 26            | 300           | 25.47   | 15.2      | \$602      |
|  | BRPBS2648 | 24 x 48 x 26            | 300           | 26.77   | 17.3      | \$633      |
|  | BRPBS2654 | 24 x 54 x 26            | 300           | 28.09   | 19.5      | \$659      |
|  | BRPBS2660 | 24 x 60 x 26            | 300           | 29.4    | 21.7      | \$683      |
|  | BRPBS2666 | 24 x 66 x 26            | 300           | 30.7    | 28.8      | \$713      |
|  | BRPBS2672 | 24 x 72 x 26            | 300           | 32.02   | 26        | \$753      |
|  | BRPBS3424 | 24 x 24 x 34            | 300           | 22.25   | 11.3      | \$552      |
|  | BRPBS3430 | 24 x 30 x 34            | 300           | 23.85   | 14.2      | \$592      |
|  | BRPBS3436 | 24 x 36 x 34            | 300           | 25.16   | 17        | \$616      |
|  | BRPBS3442 | 24 x 42 x 34            | 300           | 26.47   | 19.8      | \$641      |
|  | BRPBS3448 | 24 x 48 x 34            | 300           | 27.78   | 22.7      | \$672      |
| a de la constante de la consta | BRPBS3454 | 24 x 54 x 34            | 300           | 29.09   | 25.5      | \$697      |
|  | BRPBS3460 | 24 x 60 x 34            | 300           | 30.4    | 28.3      | \$722      |
|  | BRPBS3466 | 24 x 66 x 34            | 300           | 31.71   | 31.2      | \$747      |
|  | BRPBS3472 | 24 x 72 x 34            | 400           | 33.02   | 34        | \$795      |

Starter Beam

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

Required Specifications Paint finish



#### **POWER BEAM**

ADD-ON BE

## BRIDGES II<sup>™</sup> **B**

| M / TRIM KIT | MODEL#    | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------------|-----------|--------------|---------------|---------|-----------|------------|
|              |           | D x W x H    |               |         |           |            |
|              | BRPBA1824 | 24 x 24 x 18 | 250           | 14.46   | 6         | \$362      |
|              | BRPBA1830 | 24 x 30 x 18 | 250           | 16.06   | 7.5       | \$392      |
|              | BRPBA1836 | 24 x 36 x 18 | 300           | 17.37   | 9         | \$415      |
|              | BRPBA1842 | 24 x 42 x 18 | 300           | 18.68   | 10.5      | \$440      |
|              | BRPBA1848 | 24 x 48 x 18 | 300           | 19.99   | 12        | \$471      |
|              | BRPBA1854 | 24 x 54 x 18 | 300           | 21.31   | 13.5      | \$497      |
|              | BRPBA1860 | 24 x 60 x 18 | 300           | 22.62   | 15        | \$521      |
|              | BRPBA1866 | 24 x 66 x 18 | 300           | 23.92   | 16.5      | \$547      |
|              | BRPBA1872 | 24 x 72 x 18 | 300           | 25.24   | 18        | \$590      |
|              |           |              |               |         |           |            |
|              | BRPBA2624 | 24 x 24 x 26 | 300           | 15.5    | 8.7       | \$394      |
|              | BRPBA2630 | 24 x 30 x 26 | 300           | 17.11   | 10.8      | \$424      |
|              | BRPBA2636 | 24 x 36 x 26 | 300           | 18.42   | 13        | \$447      |
|              | BRPBA2642 | 24 x 42 x 26 | 300           | 19.73   | 15.2      | \$472      |
|              | BRPBA2648 | 24 x 48 x 26 | 300           | 21.04   | 17.3      | \$503      |
|              | BRPBA2654 | 24 x 54 x 26 | 300           | 22.35   | 19.5      | \$529      |
|              | BRPBA2660 | 24 x 60 x 26 | 300           | 23.66   | 21.7      | \$553      |
|              | BRPBA2666 | 24 x 66 x 26 | 300           | 24.97   | 23.8      | \$579      |
|              | BRPBA2672 | 24 x 72 x 26 | 300           | 26.28   | 26        | \$622      |
|              |           | 24 24 24     | 200           | 10 55   | 11.0      | ¢400       |
|              | BRPBA3424 | 24 x 24 x 34 | 300           | 16.55   | 11.3      | \$432      |
|              | BRPBA3430 | 24 x 30 x 34 | 300           | 18.15   | 14.2      | \$462      |
|              | BRPBA3436 | 24 x 36 x 34 | 300           | 19.46   | 17        | \$485      |
|              | BRPBA3442 | 24 x 42 x 34 | 300           | 20.77   | 19.8      | \$510      |
|              | BRPBA3448 | 24 x 48 x 34 | 400           | 22.08   | 22.7      | \$541      |
| 6 A          | BRPBA3454 | 24 x 54 x 34 | 400           | 23.4    | 25.5      | \$567      |
|              | BRPBA3460 | 24 x 60 x 34 | 400           | 24.71   | 28.3      | \$591      |
|              | BRPBA3466 | 24 x 66 x 34 | 400           | 26.01   | 31.2      | \$617      |
|              | BRPBA3472 | 24 x 72 x 34 | 400           | 27.33   | 34        | \$661      |

Add-On Beam




| BRPBTC24 | 2.61 x 24 x 0.2 | 70 | 0.24 | 0.01 | \$13 |  |
|----------|-----------------|----|------|------|------|--|
| BRPBTC30 | 2.61 x 30 x 0.2 | 70 | 0.61 | 0.01 | \$16 |  |
| BRPBTC36 | 2.61 x 36 x 0.2 | 70 | 0.73 | 0.01 | \$19 |  |
| BRPBTC42 | 2.61 x 42 x 0.2 | 70 | 0.85 | 0.01 | \$21 |  |
| BRPBTC48 | 2.61 x 48 x 0.2 | 70 | 0.97 | 0.01 | \$25 |  |
| BRPBTC54 | 2.61 x 54 x 0.2 | 70 | 1.1  | 0.02 | \$28 |  |
| BRPBTC60 | 2.61 x 60 x 0.2 | 70 | 1.22 | 0.02 | \$28 |  |
| BRPBTC66 | 2.61 x 66 x 0.2 | 70 | 1.34 | 0.02 | \$32 |  |
| BRPBTC72 | 2.61 x 72 x 0.2 | 70 | 1.47 | 0.02 | \$37 |  |

**Flat Top Trim Kit** 

Attaches on top of beams to add privacy or divide space. Flat top trim is made of aluminum extrusion. Specify finish.

Required Specifications Paint finish



TOP TR


## POWER BEAM

| I KITS | MODEL#     | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|--------|------------|----------------|---------------|---------|-----------|------------|----------|
|        |            | D x W x H      |               |         |           |            |          |
|        | BRPBEG0824 | 2.61 x 24 x 8  | 60            | 9.42    | 0.3       | \$152      | \$99     |
|        | BRPBEG0830 | 2.61 x 30 x 8  | 60            | 11.79   | 0.4       | \$161      | \$99     |
|        | BRPBEG0836 | 2.61 x 36 x 8  | 60            | 14.15   | 0.4       | \$170      | \$99     |
|        | BRPBEG0842 | 2.61 x 42 x 8  | 60            | 16.52   | 0.5       | \$180      | \$99     |
|        | BRPBEG0848 | 2.61 x 48 x 8  | 60            | 18.88   | 0.6       | \$198      | \$110    |
|        | BRPBEG0854 | 2.61 x 54 x 8  | 60            | 19.52   | 0.7       | \$219      | \$124    |
|        | BRPBEG0860 | 2.61 x 60 x 8  | 65            | 20.58   | 0.7       | \$240      | \$138    |
|        | BRPBEG0866 | 2.61 x 66 x 8  | 65            | 21.55   | 0.8       | \$261      | \$151    |
|        | BRPBEG0872 | 2.61 x 72 x 8  | 65            | 23.62   | 0.9       | \$289      | \$164    |
|        |            |                |               |         |           |            |          |
|        | BRPBEG1624 | 2.61 x 24 x 16 | 70            | 9.81    | 0.6       | \$158      | \$99     |
|        | BRPBEG1630 | 2.61 x 30 x 16 | 70            | 12.37   | 0.7       | \$194      | \$117    |
|        | BRPBEG1636 | 2.61 x 36 x 16 | 70            | 14.85   | 0.9       | \$218      | \$148    |
|        | BRPBEG1642 | 2.61 x 42 x 16 | 70            | 17.34   | 1         | \$247      | \$173    |
|        | BRPBEG1648 | 2.61 x 48 x 16 | 70            | 19.82   | 1.2       | \$277      | \$198    |
|        | BRPBEG1654 | 2.61 x 54 x 16 | 70            | 21.25   | 1.3       | \$307      | \$194    |
|        | BRPBEG1660 | 2.61 x 60 x 16 | 70            | 23.62   | 1.5       | \$337      | \$247    |
|        | BRPBEG1666 | 2.61 x 66 x 16 | 70            | 25.98   | 1.6       | \$367      | \$272    |
|        | BRPBEG1672 | 2.61 x 72 x 16 | 70            | 28.35   | 1.7       | \$404      | \$296    |

**Embedded Glass and Top Trim Kit\*** 

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass.

| BRPBEF0824 | 2.61 x 24 x 8  | 70  | 1.32 | 0.3  | \$74  |  |
|------------|----------------|-----|------|------|-------|--|
| BRPBEF0830 | 2.61 x 30 x 8  | 70  | 1.65 | 0.4  | \$79  |  |
| BRPBEF0836 | 2.61 x 36 x 8  | 70  | 1.99 | 0.4  | \$103 |  |
| BRPBEF0842 | 2.61 x 42 x 8  | 150 | 2.32 | 0.5  | \$108 |  |
| BRPBEF0848 | 2.61 x 48 x 8  | 150 | 2.65 | 0.6  | \$194 |  |
| BRPBEF0854 | 2.61 x 54 x 8  | 150 | 2.98 | 0.7  | \$199 |  |
| BRPBEF0860 | 2.61 x 60 x 8  | 150 | 3.32 | 0.7  | \$203 |  |
| BRPBEF0866 | 2.61 x 66 x 8  | 150 | 3.65 | 0.8  | \$208 |  |
| BRPBEF0872 | 2.61 x 72 x 8  | 150 | 3.98 | 0.9  | \$218 |  |
|            |                |     |      |      |       |  |
| BRPBEF1624 | 2.61 x 24 x 16 | 70  | 1.83 | 0.6  | \$74  |  |
| BRPBEF1630 | 2.61 x 30 x 16 | 250 | 2.3  | 0.7  | \$79  |  |
| BRPBEF1636 | 2.61 x 36 x 16 | 250 | 2.76 | 0.9  | \$103 |  |
| BRPBEF1642 | 2.61 x 42 x 16 | 250 | 3.22 | 1    | \$108 |  |
| BRPBEF1648 | 2.61 x 48 x 16 | 250 | 3.68 | 1.16 | \$194 |  |
| BRPBEF1654 | 2.61 x 54 x 16 | 250 | 4.14 | 1.3  | \$199 |  |
| BRPBEF1660 | 2.61 x 60 x 16 | 250 | 4.61 | 1.5  | \$203 |  |
| BRPBEF1666 | 2.61 x 66 x 16 | 250 | 5.07 | 1.6  | \$208 |  |
| BRPBEF1672 | 2.61 x 72 x 16 | 250 | 5.53 | 1.7  | \$218 |  |
|            |                |     |      |      |       |  |



Embedded PET Felt and Top Trim Kit\*\*


Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

Required Specifications Paint finish Felt finish\*\*



#### **POWER BEAM**

## BRIDGES II<sup>™</sup> B



Embedded Perforated PET Felt and Top Trim Kit



**Overpanel Frame** 

| MODEL#      | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------|----------------|---------------|---------|-----------|------------|
|             | D x W x H      |               |         |           |            |
| BRPBEFP0824 | 2.61 x 24 x 8  | 70            | 1.32    | 0.3       | \$148      |
| BRPBEFP0830 | 2.61 x 30 x 8  | 70            | 1.65    | 0.4       | \$157      |
| BRPBEFP0836 | 2.61 x 36 x 8  | 70            | 1.99    | 0.4       | \$206      |
| BRPBEFP0842 | 2.61 x 42 x 8  | 150           | 2.32    | 0.5       | \$215      |
| BRPBEFP0848 | 2.61 x 48 x 8  | 150           | 2.65    | 0.6       | \$388      |
| BRPBEFP0854 | 2.61 x 54 x 8  | 150           | 2.98    | 0.7       | \$397      |
| BRPBEFP0860 | 2.61 x 60 x 8  | 150           | 3.32    | 0.7       | \$406      |
| BRPBEFP0866 | 2.61 x 66 x 8  | 150           | 3.65    | 0.8       | \$415      |
| BRPBEFP0872 | 2.61 x 72 x 8  | 150           | 3.98    | 0.9       | \$436      |
|             |                |               |         |           |            |
| BRPBEFP1624 | 2.61 x 24 x 16 | 70            | 1.83    | 0.6       | \$148      |
| BRPBEFP1630 | 2.61 x 30 x 16 | 250           | 2.3     | 0.7       | \$157      |
| BRPBEFP1636 | 2.61 x 36 x 16 | 250           | 2.76    | 0.9       | \$206      |
| BRPBEFP1642 | 2.61 x 42 x 16 | 250           | 3.22    | 1         | \$215      |
| BRPBEFP1648 | 2.61 x 48 x 16 | 250           | 3.68    | 1.2       | \$388      |
| BRPBEFP1654 | 2.61 x 54 x 16 | 250           | 4.14    | 1.3       | \$397      |
| BRPBEFP1660 | 2.61 x 60 x 16 | 250           | 4.61    | 1.5       | \$406      |
| BRPBEFP1666 | 2.61 x 66 x 16 | 250           | 5.07    | 1.6       | \$415      |
| BRPBEFP1672 | 2.61 x 72 x 16 | 250           | 5.53    | 1.7       | \$436      |
|             |                |               |         |           |            |

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, perforated PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

| BPX30P0824 | 2.61 x 24 x 8  | 100 | 4  | 0.44 | \$134 |
|------------|----------------|-----|----|------|-------|
| BPX30P0830 | 2.61 x 30 x 8  | 125 | 4  | 0.66 | \$147 |
| BPX30P0836 | 2.61 x 36 x 8  | 150 | 4  | 0.71 | \$159 |
| BPX30P0842 | 2.61 x 42 x 8  | 150 | 5  | 0.88 | \$174 |
| BPX30P0848 | 2.61 x 48 x 8  | 150 | 5  | 0.93 | \$185 |
| BPX30P0854 | 2.61 x 54 x 8  | 150 | 6  | 1.04 | \$196 |
| BPX30P0860 | 2.61 x 60 x 8  | 150 | 6  | 1.2  | \$207 |
| BPX30P0866 | 2.61 x 66 x 8  | 150 | 7  | 1.31 | \$301 |
| BPX30P0872 | 2.61 x 72 x 8  | 150 | 8  | 1.42 | \$392 |
|            |                |     |    |      |       |
| BPX30P1624 | 2.61 x 24 x 16 | 125 | 5  | 0.73 | \$134 |
| BPX30P1630 | 2.61 x 30 x 16 | 150 | 5  | 1.09 | \$147 |
| BPX30P1636 | 2.61 x 36 x 16 | 150 | 5  | 1.19 | \$159 |
| BPX30P1642 | 2.61 x 42 x 16 | 150 | 6  | 1.46 | \$174 |
| BPX30P1648 | 2.61 x 48 x 16 | 250 | 6  | 1.55 | \$185 |
| BPX30P1654 | 2.61 x 54 x 16 | 150 | 7  | 1.73 | \$196 |
| BPX30P1660 | 2.61 x 60 x 16 | 250 | 7  | 2.01 | \$207 |
| BPX30P1666 | 2.61 x 66 x 16 | 150 | 9  | 2.17 | \$301 |
| BPX30P1672 | 2.61 x 72 x 16 | 150 | 10 | 2.37 | \$392 |

Attaches on top of beams to add privacy or divide space. Consists of extruded aluminum frame and bayonets connecting the frame to the top of the beam vertical leg. Any tile can be attached to either side to enclose the frame. Specify standard Flat Top Trim (**BRPBEC**), Glass and top trim kit (**BRPBEG**) or PET felt and top trim kit (**BRPBEF**) separately.

• Maximum height of beam with overpanel is 42".

Required Specifications Paint finish

REMOVA

## POWER BEAM

| LE FACE TILES | MODEL#    | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. |       | LIST PRIC | Ξ        |
|---------------|-----------|----------------|---------------|---------|-----------|-------|-----------|----------|
|               |           | D x W x H      |               |         |           | GR 1  | GR 2      | LAMINATI |
|               | BP3FT0824 | 2.61 x 24 x 8  | 125           | 1       | 0.3       | \$156 | \$156     | \$156    |
|               | BP3FT0830 | 2.61 x 30 x 8  | 125           | 2       | 0.4       | \$178 | \$178     | \$178    |
|               | BP3FT0836 | 2.61 x 36 x 8  | 125           | 2       | 0.4       | \$211 | \$211     | \$211    |
|               | BP3FT0842 | 2.61 x 42 x 8  | 150           | 2       | 0.6       | \$227 | \$227     | \$227    |
|               | BP3FT0848 | 2.61 x 48 x 8  | 150           | 3       | 0.7       | \$237 | \$237     | \$237    |
|               | BP3FT0854 | 2.61 x 54 x 8  | 60            | 3       | 0.1       | \$246 | \$246     | \$246    |
|               | BP3FT0860 | 2.61 x 60 x 8  | 125           | 4       | 0.8       | \$254 | \$254     | \$254    |
|               | BP3FT0866 | 2.61 x 66 x 8  | 150           | 4       | 0.9       | \$443 | \$443     | \$443    |
|               | BP3FT0872 | 2.61 x 72 x 8  | 150           | 4       | 1         | \$569 | \$569     | \$569    |
|               | BP3FT1624 | 2.61 x 24 x 16 | 125           | 2       | 0.3       | \$156 | \$156     | \$156    |
|               | BP3FT1630 | 2.61 x 30 x 16 | 125           | 3       | 0.4       | \$178 | \$178     | \$178    |
|               | BP3FT1636 | 2.61 x 36 x 16 | 125           | 3       | 0.4       | \$211 | \$211     | \$211    |
|               | BP3FT1642 | 2.61 x 42 x 16 | 150           | 3       | 0.6       | \$227 | \$227     | \$227    |
|               | BP3FT1648 | 2.61 x 48 x 16 | 150           | 4       | 0.7       | \$237 | \$237     | \$237    |
| <b>/</b> J    | BP3FT1654 | 2.61 x 54 x 16 | 60            | 4       | 0.1       | \$246 | \$246     | \$246    |
|               | BP3FT1660 | 2.61 x 60 x 16 | 125           | 5       | 0.8       | \$254 | \$254     | \$254    |
|               | BP3FT1666 | 2.61 x 66 x 16 | 150           | 5       | 0.9       | \$443 | \$443     | \$443    |
|               | BP3FT1672 | 2.61 x 72 x 16 | 125           | 6       | 1         | \$569 | \$569     | \$569    |

Removable Face Tile, Fabric or Laminate\*

Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

| BP3AT0824 | 2.61 x 24 x 8  | 85 | 2.3  | 0.17 | \$185 |  |
|-----------|----------------|----|------|------|-------|--|
| BP3AT0830 | 2.61 x 30 x 8  | 85 | 2.9  | 0.17 | \$197 |  |
| BP3AT0836 | 2.61 x 36 x 8  | 85 | 3.5  | 0.25 | \$238 |  |
| BP3AT0842 | 2.61 x 42 x 8  | 85 | 4.1  | 0.29 | \$281 |  |
| BP3AT0848 | 2.61 x 48 x 8  | 85 | 4.7  | 0.33 | \$326 |  |
| BP3AT0854 | 2.61 x 54 x 8  | 85 | 5.3  | 0.38 | \$356 |  |
| BP3AT0860 | 2.61 x 60 x 8  | 85 | 5.9  | 0.42 | \$402 |  |
| BP3AT0866 | 2.61 x 66 x 8  | 85 | 6.5  | 0.46 | \$577 |  |
| BP3AT0872 | 2.61 x 72 x 8  | 85 | 7    | 0.5  | \$750 |  |
|           |                |    |      |      |       |  |
| BP3AT1624 | 2.61 x 24 x 16 | 85 | 4.7  | 0.33 | \$185 |  |
| BP3AT1630 | 2.61 x 30 x 16 | 85 | 5.7  | 0.42 | \$197 |  |
| BP3AT1636 | 2.61 x 36 x 16 | 85 | 7    | 0.5  | \$238 |  |
| BP3AT1642 | 2.61 x 42 x 16 | 85 | 8.2  | 0.58 | \$281 |  |
| BP3AT1648 | 2.61 x 48 x 16 | 85 | 9.4  | 0.67 | \$326 |  |
| BP3AT1654 | 2.61 x 54 x 16 | 85 | 10.6 | 0.75 | \$356 |  |
| BP3AT1660 | 2.61 x 60 x 16 | 85 | 11.9 | 0.83 | \$402 |  |
| BP3AT1666 | 2.61 x 66 x 16 | 85 | 13   | 0.91 | \$577 |  |
| BP3AT1672 | 2.61 x 72 x 16 | 85 | 14   | 1    | \$750 |  |
|           |                |    |      |      |       |  |



**Removable Face Tile, Accessory** 

Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

**Required Specifications** Fabric\* Paint finish



### **POWER BEAM**


REMOV

## BRIDGES II<sup>™</sup>

B

| BLE FACE TILES     | MODEL#    | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|--------------------|-----------|----------------|---------------|---------|-----------|------------|----------|
|                    |           | D x W x H      |               |         |           |            |          |
|                    | BP3GT0824 | 2.61 x 24 x 8  | 70            | 3.1     | 0.2       | \$152      | \$42     |
|                    | BP3GT0830 | 2.61 x 30 x 8  | 70            | 3.9     | 0.2       | \$193      | \$42     |
|                    | BP3GT0836 | 2.61 x 36 x 8  | 70            | 4.7     | 0.3       | \$235      | \$39     |
|                    | BP3GT0842 | 2.61 x 42 x 8  | 70            | 5.5     | 0.3       | \$271      | \$44     |
|                    | BP3GT0848 | 2.61 x 48 x 8  | 70            | 6.3     | 0.3       | \$315      | \$40     |
|                    | BP3GT0854 | 2.61 x 54 x 8  | 70            | 7.1     | 0.4       | \$350      | \$44     |
|                    | BP3GT0860 | 2.61 x 60 x 8  | 70            | 7.8     | 0.4       | \$394      | \$41     |
|                    | BP3GT0866 | 2.61 x 66 x 8  | 70            | 8.6     | 0.5       | \$561      | \$42     |
|                    | BP3GT0872 | 2.61 x 72 x 8  | 70            | 9.4     | 0.5       | \$731      | \$41     |
|                    |           |                |               |         |           |            |          |
|                    | BP3GT1624 | 2.61 x 24 x 16 | 70            | 5.8     | 0.3       | \$152      | \$42     |
|                    | BP3GT1630 | 2.61 x 30 x 16 | 70            | 7.2     | 0.4       | \$193      | \$42     |
| <i>/</i> <b>//</b> | BP3GT1636 | 2.61 x 36 x 16 | 70            | 8.7     | 0.5       | \$235      | \$39     |
|                    | BP3GT1642 | 2.61 x 42 x 16 | 70            | 10.2    | 0.6       | \$271      | \$44     |
|                    | BP3GT1648 | 2.61 x 48 x 16 | 70            | 11.6    | 0.7       | \$315      | \$40     |
|                    | BP3GT1654 | 2.61 x 54 x 16 | 70            | 13.1    | 0.8       | \$350      | \$44     |
|                    | BP3GT1660 | 2.61 x 60 x 16 | 70            | 14.6    | 0.8       | \$394      | \$41     |
|                    | BP3GT1666 | 2.61 x 66 x 16 | 70            | 16      | 0.9       | \$561      | \$42     |
|                    | BP3GT1672 | 2.61 x 72 x 16 | 70            | 17.5    | 1         | \$731      | \$41     |

Removable Face Tile, Glass\*



90 Degree Post



60 Degree Post



45 Degree Post

Removable glass tile attaches to the overpanel frame to add visual accessibility and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard. **Add 20%** upcharge for frosted glass (**FRST**).

| BRP3PS018 | 2.61 x 2.61 x 18 | 65 | 3   | 0.1 | \$59  |
|-----------|------------------|----|-----|-----|-------|
| BRP3PS026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84  |
| BRP3PS034 | 2.61 x 2.61 x 34 | 65 | 4   | 0.1 | \$109 |

Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.

| BRP3PS60018 | 2.61 x 2.61 x 18 | 65 | 3   | 0.1 | \$59  |
|-------------|------------------|----|-----|-----|-------|
| BRP3PS60026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84  |
| BRP3PS60034 | 2.61 x 2.61 x 34 | 65 | 4   | 0.1 | \$109 |

Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way.

| BRP3PS45018 | 2.61 x 2.61 x 18 | 65 | 3   | 0.1 | \$59  |
|-------------|------------------|----|-----|-----|-------|
| BRP3PS45026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84  |
| BRP3PS45034 | 2.61 x 2.61 x 34 | 65 | 4   | 0.1 | \$109 |

Post facilitates two beams at a 45° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.

**Required Specifications** Paint finish Optional Specifications Frosted glass (FRST)\*

globalfurnituregroup.com global

Post Trim

**Overpanel End Trim** 

**Round Disc Base for Post** 

Post Extension

## M

| MODEL#                 | DIMENSIONS FF   | EIGHT CLASS    | WT/LBS. | CUBIC FT. | LIST PRICE   |
|------------------------|---|----------------|---------|-----------|--------------|
|                        | D x W x H   |                |         |           |              |
| BRPVTRF18              | 2.61 x 2.61 x 18  | 70             | 0.5     | 0.01      | \$46         |
| BRPVTRF26              | 2.61 x 2.61 x 26  | 70             | 0.72    | 0.02      | \$67         |
| BRPVTRF34              | 2.61 x 2.61 x 34  | 70             | 0.94    | 0.03      | \$89         |
| BRPVTRF42              | 2.61 x 2.61 x 42  | 70             | 1.16    | 0.04      | \$130        |
| BA3VTEF8<br>BA3VTEF16  | 0.13 x 2.61 x 8<br>0.13 x 2.61 x 16   | 70<br>70       | 0.2     | 0.01      | \$26<br>\$55 |
| BA3VTEF16<br>BA3VTEF32 | 0.13 x 2.61 x 16<br>0.13 x 2.61 x 32  | 70<br>xx       | 0.5     | 0.01      | \$55<br>\$82 |
|                        |   |                |         |           |              |
| strip connectors.      | s of overpanel extension fra<br>When specified as an add-<br>e size for a clean, seamless | on, use with c |         |           |              |
| BRPRB                  | 7.5 x 7.5 x 6.5   | 60             | 3.67    | 0.01      | \$285        |
|                        |   |                |         |           |              |

Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only. Post extension will accept:

1

2

4

2

4

2

4

0.03

0.07

0.14

0.07

0.14

0.07

0.14

- (75) 5.6mm dia. data cables

BH3PE008

BH3PE016

BH3PE032

BH3PE45016

BH3PE45032

BH3PE60016

BH3PE60032

- (60) 5.6mm (0.22") dia. data cables with 1 power feed

- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds

2.61 x 2.61 x 8

2.61 x 2.61 x 16


2.61 x 2.61 x 32

2.61 x 2.61 x 16

2.61 x 2.61 x 32

2.61 x 2.61 x 16

2.61 x 2.61 x 32



Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.

х

Х

Х

Х

х

Х

Х

**Required Specifications** Paint finish

424 USA



\$51

\$62

\$109

\$62

\$109

\$62

\$109

globalfurnituregroup.com

## **POWER BEAM**

# BRIDGES II<sup>™</sup>

В



End of Run Gallery Panel, T-config

| MODEL#      | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|-------------|---------------|---------------|---------|-----------|------------|--|
|             | D x W x H     |               |         |           |            |  |
| B3LEP4227NC | 1 x 26.5 x 42 | 60            | 29.49   | 0.64      | \$1020     |  |
| B3LEP4251NC | 1 x 51 x 42   | 60            | 55.17   | 1.24      | \$1497     |  |
| B3LEP4263NC | 1 x 63 x 42   | 60            | 68.01   | 1.53      | \$1677     |  |
| B3LEP4275NC | 1 x 75 x 42   | 60            | 80.86   | 1.82      | \$1866     |  |
|             |               |               |         |           |            |  |
| B3LEP5027NC | 1 x 26.5 x 50 | 60            | 35.25   | 0.77      | \$1190     |  |
| B3LEP5051NC | 1 x 51 x 50   | 60            | 65.92   | 1.48      | \$1738     |  |
| B3LEP5063NC | 1 x 63 x 50   | 60            | 81.27   | 1.82      | \$1959     |  |
| B3LEP5075NC | 1 x 75 x 50   | 60            | 96.62   | 2.17      | \$2210     |  |
|             |               |               |         |           |            |  |

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51"w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

· Power beam and overpanel must add up to height of gallery panels.

| B3LSEPL4215NC | 1 x 14.25 x 42 | 60 | 16.64 | 0.35 | \$839  |
|---------------|----------------|----|-------|------|--------|
| B3LSEPL4227NC | 1 x 27 x 42    | 60 | 29.47 | 0.66 | \$1142 |
| B3LSEPL4233NC | 1 x 33 x 42    | 60 | 35.89 | 0.8  | \$1231 |
| B3LSEPL4239NC | 1 x 39 x 42    | 60 | 42.32 | 0.95 | \$1294 |
|               |                |    |       |      |        |
| B3LSEPL5015NC | 1 x 14.25 x 50 | 60 | 19.9  | 0.41 | \$956  |
| B3LSEPL5027NC | 1 x 27 x 50    | 60 | 35.23 | 0.78 | \$1298 |
| B3LSEPL5033NC | 1 x 33 x 50    | 60 | 42.9  | 0.95 | \$1406 |
| B3LSEPL5039NC | 1 x 39 x 50    | 60 | 50.57 | 1.13 | \$1505 |
|               |                |    |       |      |        |

Left End of Run Gallery Panel, L-config

*No connectors* for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 30" deep surface; 39"w accommodates a 36"deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

· Power beam and overpanel must add up to height of gallery panels.

| B3LSEPR4215NC | 1 x 14.25 x 42 | 60 | 16.64 | 0.35 | \$839  |  |
|---------------|----------------|----|-------|------|--------|--|
| B3LSEPR4227NC | 1 x 27 x 42    | 60 | 29.47 | 0.66 | \$1142 |  |
| B3LSEPR4233NC | 1 x 33 x 42    | 60 | 35.89 | 0.8  | \$1231 |  |
| B3LSEPR4239NC | 1 x 39 x 42    | 60 | 42.32 | 0.95 | \$1294 |  |
|               |                |    |       |      |        |  |
| B3LSEPR5015NC | 1 x 14.25 x 50 | 60 | 19.9  | 0.41 | \$956  |  |
| B3LSEPR5027NC | 1 x 27 x 50    | 60 | 35.23 | 0.78 | \$1298 |  |
| B3LSEPR5033NC | 1 x 33 x 50    | 60 | 42.9  | 0.95 | \$1406 |  |
| B3LSEPR5039NC | 1 x 39 x 50    | 60 | 50.57 | 1.13 | \$1505 |  |
|               |                |    |       |      |        |  |

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27"w gallery panel accommodates a 24" deep surface; 33"w accommodates a 30" deep surface; 39"w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

· Power beam and overpanel must add up to height of gallery panels.

Required Specifications

Laminate finish Edge finish Paint finish



**Right End of Run Gallery Panel, L-config** 

# END OF RUN GALLERY PANELS

MODEL#

B3LEP4251

B3LEP4263

B3LEP4275

B3LEP5051

B3LEP5063

B3LEP5075

#### End of Run Gallery Panel, T-config

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:

WT/LBS.

55.25

68.1

80.95

66.01

81.36

96.71

CUBIC FT.

1.24

1.53

1.82

1.48

1.82

2.17

• Right side is compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) onlv.

Left side is compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.

· Power beam and overpanel must add up to height of gallery panels.

DIMENSIONS

D x W x H

1 x 51 x 42

1 x 63 x 42

1 x 75 x 42

1 x 51 x 50

1 x 63 x 50

1 x 75 x 50

FREIGHT CLASS

60

60

60

60

60

60

| B3LSEPL4227 | 1 x 27 x 42 | 60 | 29.51 | 0.66 | \$1157 |  |
|-------------|-------------|----|-------|------|--------|--|
| B3LSEPL4233 | 1 x 33 x 42 | 60 | 35.94 | 0.8  | \$1247 |  |
| B3LSEPL4239 | 1 x 39 x 42 | 60 | 42.36 | 0.95 | \$1309 |  |
|             |             |    |       |      |        |  |
| B3LSEPL5027 | 1 x 27 x 50 | 60 | 35.27 | 0.78 | \$1313 |  |
| B3LSEPL5033 | 1 x 33 x 50 | 60 | 42.94 | 0.95 | \$1425 |  |
| B3LSEPL5039 | 1 x 39 x 50 | 60 | 50.62 | 1.13 | \$1524 |  |
|             |             |    |       |      |        |  |

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the left edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

Power beam and overpanel must add up to height of gallery panels.

Compatible with left hand Gallery Panels (B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx) only.

| B3LSEPR4227 | 1 x 27 x 42 | 60 | 29.51 | 0.66 | \$1157 |
|-------------|-------------|----|-------|------|--------|
| B3LSEPR4233 | 1 x 33 x 42 | 60 | 35.94 | 0.8  | \$1247 |
| B3LSEPR4239 | 1 x 39 x 42 | 60 | 42.36 | 0.95 | \$1309 |
|             |             |    |       |      |        |
| B3LSEPR5027 | 1 x 27 x 50 | 60 | 35.27 | 0.78 | \$1313 |
| B3LSEPR5033 | 1 x 33 x 50 | 60 | 42.94 | 0.95 | \$1425 |
| B3LSEPR5039 | 1 x 39 x 50 | 60 | 50.62 | 1.13 | \$1524 |
|             |             |    |       |      |        |

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the right edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- · Power beam and overpanel must add up to height of gallery panels.
- Compatible with right hand Gallery Panels (B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx) only.
- **Required Specifications** Laminate finish Edge finish Paint finish

Left End of Run Gallery Panel, L-config

**Right End of Run Gallery Panel, L-config** 



## POWER BEAM

LIST PRICE

\$1530 \$1708

\$1899

\$1771

\$1992

\$2244



## **POWER BEAM**

MODEL#

B3LXPL4224

B3LXPL4230

B3LXPL4236

B3LXPL4242

B3LXPL4248

B3LXPL5024

B3LXPL5030


B3LXPL5036

B3LXPL5042

B3LXPL5048

GALLERY PANEL EXTENSIONS

# BRIDGES II<sup>™</sup> **B**



#### Left Gallery Panel Extension

*With connectors* for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

WT/LBS.

25.83

32.27

38.68

45.11

51.53

30.83

38.51

46.18

53.86

61.53

CUBIC FT.

0.58

0.58

0.88

1.02

1.17

0.69

0.87

1.04

1.22

1.39

LIST PRICE

\$595 \$685

\$775

\$863

\$953

\$709

\$821

\$931

\$1039

\$1151

Power beam and overpanel must add up to height of gallery panels.

DIMENSIONS

DxWxH

1 x 24 x 42

1 x 30 x 42

1 x 36 x 42

1 x 42 x 42

1 x 48 x 42

1 x 24 x 50

1 x 30 x 50

1 x 36 x 50

1 x 42 x 50

1 x 48 x 50

FREIGHT CLASS

60

60

60

60

60

60

60

60

60

60

• Right side is compatible with models: B3LEPxxx, B3LSEPL, B3LMPxxx, B3LSMP and B3LXPLxxx only.

• Left side is compatible with B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only.

| B3LXPR4224 | 1 x 24 x 42 | 60 | 25.83 | 0.58 | \$595  |
|------------|-------------|----|-------|------|--------|
| B3LXPR4230 | 1 x 30 x 42 | 60 | 25.83 | 0.58 | \$685  |
| B3LXPR4236 | 1 x 36 x 42 | 60 | 38.68 | 0.88 | \$775  |
| B3LXPR4242 | 1 x 42 x 42 | 60 | 45.11 | 1.02 | \$863  |
| B3LXPR4248 | 1 x 48 x 42 | 60 | 51.53 | 1.17 | \$953  |
|            |             |    |       |      |        |
| B3LXPR5024 | 1 x 24 x 50 | 60 | 30.83 | 0.69 | \$709  |
| B3LXPR5030 | 1 x 30 x 50 | 60 | 38.51 | 0.87 | \$821  |
| B3LXPR5036 | 1 x 36 x 50 | 60 | 46.18 | 1.04 | \$931  |
| B3LXPR5042 | 1 x 42 x 50 | 60 | 53.86 | 1.22 | \$1039 |
| B3LXPR5048 | 1 x 48 x 50 | 60 | 61.53 | 1.39 | \$1151 |
|            |             |    |       |      |        |


**Right Gallery Panel Extension** 

*With connectors* for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with B3LXPRxxxx and B3LXPRxxxxNC, B3L2PRxxxx and B3L3PRxxxx only.
- Left side is compatible with left hand panels B3LXPLxxxx and B3LXPLxxxxNC, B3L2PLxxxx and B3L3PLxxxx only.


#### Required Specifications Laminate finish

Edge finish Paint finish




GALLERY PANEL EXTENSIONS

## **POWER BEAM**



Left Gallery Panel Extension



**Right Gallery Panel Extension** 

| MODEL#       | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------------|-------------|---------------|---------|-----------|------------|
|              | D x W x H   |               |         |           |            |
| B3LXPL4212NC | 1 x 12 x 42 | 60            | 12.95   | 0.29      | \$348      |
| B3LXPL4224NC | 1 x 24 x 42 | 60            | 25.83   | 0.58      | \$580      |
| B3LXPL4230NC | 1 x 30 x 42 | 60            | 32.22   | 0.73      | \$669      |
| B3LXPL4236NC | 1 x 36 x 42 | 60            | 38.65   | 0.88      | \$756      |
| B3LXPL4242NC | 1 x 42 x 42 | 60            | 45.07   | 1.02      | \$849      |
| B3LXPL4248NC | 1 x 48 x 42 | 60            | 51.5    | 1.17      | \$935      |
|              |             |               |         |           |            |
| B3LXPL5012NC | 1 x 12 x 50 | 60            | 15.45   | 0.35      | \$435      |
| B3LXPL5024NC | 1 x 24 x 50 | 60            | 30.8    | 0.69      | \$695      |
| B3LXPL5030NC | 1 x 30 x 50 | 60            | 38.47   | 0.87      | \$803      |
| B3LXPL5036NC | 1 x 36 x 50 | 60            | 46.15   | 1.04      | \$912      |
| B3LXPL5042NC | 1 x 42 x 50 | 60            | 53.82   | 1.22      | \$1028     |
| B3LXPL5048NC | 1 x 48 x 50 | 60            | 61.5    | 1.39      | \$1137     |

No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

· Power beam and overpanel must add up to height of gallery panels.

• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.

| B3LXPR4212NC    | 1 x 12 x 42  | 60 | 12.95 | 0.29 | \$348         |  |
|-----------------|--------------|----|-------|------|---------------|--|
| B3LXPR4224NC    | 1 x 24 x 42  | 60 | 25.83 | 0.58 | \$580         |  |
| B3LXPR4230NC    | 1 x 30 x 42  | 60 | 32.22 | 0.73 | \$669         |  |
| B3LXPR4236NC    | 1 x 36 x 42  | 60 | 38.65 | 0.88 | \$756         |  |
| B3LXPR4242NC    | 1 x 42 x 42  | 60 | 45.07 | 1.02 | \$849         |  |
| B3LXPR4248NC    | 1 x 48 x 42  | 60 | 51.5  | 1.17 | \$935         |  |
| DOEMINIZAONO    | 1 7 10 7 12  | 00 | 01.0  | 1.17 | <b>4</b> 505  |  |
| B3LXPR5012NC    | 1 x 12 x 50  | 60 | 15.45 | 0.35 | \$435         |  |
| DOLAFNOUTZING   | 1 % 1 2 % 30 | 00 | 10.40 | 0.50 | <b>\$43</b> 0 |  |
| B3LXPR5024NC    | 1 x 24 x 50  | 60 | 30.8  | 0.69 | \$695         |  |
| B3LXPR5030NC    | 1 x 30 x 50  | 60 | 38.47 | 0.87 | \$803         |  |
| B3LXPR5036NC    | 1 x 36 x 50  | 60 | 46.15 | 1.04 | \$912         |  |
| B3LXPR5042NC    | 1 x 42 x 50  | 60 | 53.82 | 1.22 | \$1028        |  |
| B3LXPR5048NC    | 1 x 48 x 50  | 60 | 61.5  | 1.39 | \$1137        |  |
| 2023 1100 10110 | 1 / 10 / 00  | 50 | 01.0  | 1.00 | çi içi        |  |

No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

Power beam and overpanel must add up to height of gallery panels.

Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.

**Required Specifications** Laminate finish Edge finish Paint finish



## **POWER BEAM**

EN

## BRIDGES II<sup>™</sup> **B**

| D OF RUN RETURNS | MODEL#     | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------|------------|-------------|---------------|---------|-----------|------------|
|                  |            | D x W x H   |               |         |           |            |
|                  | B3L2PL4213 | 1 x 13 x 42 | 60            | 14.02   | 0.32      | \$378      |
|                  | B3L2PL4225 | 1 x 25 x 42 | 60            | 26.87   | 0.61      | \$669      |
| •]               | B3L2PL4231 | 1 x 31 x 42 | 60            | 33.29   | 0.75      | \$756      |
|                  | B3L2PL4237 | 1 x 37 x 42 | 60            | 39.72   | 0.9       | \$821      |
| •                |            |             |               |         |           |            |
|                  | B3L2PL5013 | 1 x 13 x 50 | 60            | 16.73   | 0.38      | \$471      |
|                  | B3L2PL5025 | 1 x 25 x 50 | 60            | 32.08   | 0.72      | \$803      |
|                  | B3L2PL5031 | 1 x 31 x 50 | 60            | 39.75   | 0.9       | \$912      |
| <u> </u>         | B3L2PL5037 | 1 x 37 x 50 | 60            | 47.43   | 1.07      | \$1011     |

Left Gallery Panel End of Run Return

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 25"w gallery panel accommodates a 24" deep surface; 31"w accommodates a 30" deep surface; 37"w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

• Power beam and overpanel must add up to height of gallery panels.

• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.

| B3L2PR4213 | 1 x 13 x 42 | 60 | 14.02 | 0.32 | \$378  |  |
|------------|-------------|----|-------|------|--------|--|
| B3L2PR4225 | 1 x 25 x 42 | 60 | 26.87 | 0.61 | \$669  |  |
| B3L2PR4231 | 1 x 31 x 42 | 60 | 33.29 | 0.75 | \$756  |  |
| B3L2PR4237 | 1 x 37 x 42 | 60 | 39.72 | 0.9  | \$821  |  |
|            |             |    |       |      |        |  |
| B3L2PR5013 | 1 x 13 x 50 | 60 | 16.73 | 0.38 | \$471  |  |
| B3L2PR5025 | 1 x 25 x 50 | 60 | 32.08 | 0.72 | \$803  |  |
| B3L2PR5031 | 1 x 31 x 50 | 60 | 39.75 | 0.9  | \$912  |  |
| B3L2PR5037 | 1 x 37 x 50 | 60 | 47.43 | 1.07 | \$1011 |  |
|            |             |    |       |      |        |  |


#### **Right Gallery Panel End of Run Return**

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. ToThe total height includes the panel glides extended to their maximum height. 25"w gallery panel accommodates a 24" deep surface; 31"w accommodates a 30" deep surface; 37"w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). • Power beam and overpanel must add up to height of gallery panels.

• Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx only.

#### **Required Specifications**

Laminate finish Edge finish Paint finish



GALL

# **POWER BEAM**

| LLERY PANEL - 3WAY RETURNS | MODEL#     | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------|------------|-------------|---------------|---------|-----------|------------|
|                            |            | D x W x H   |               |         |           |            |
|                            | B3L3PL4225 | 1 x 25 x 42 | 60            | 26.87   | 0.61      | \$561      |
|                            | B3L3PL4249 | 1 x 49 x 42 | 60            | 52.57   | 1.19      | \$907      |
| •                          | B3L3PL4261 | 1 x 61 x 42 | 60            | 65.41   | 1.48      | \$1203     |
| •                          | B3L3PL4273 | 1 x 73 x 42 | 60            | 78.26   | 1.77      | \$1397     |
|                            | B3L3PL5025 | 1 x 25 x 50 | 60            | 32.08   | 0.72      | \$703      |
| <                          | B3L3PL5049 | 1 x 49 x 50 | 60            | 62.77   | 1.42      | \$1246     |
|                            | B3L3PL5061 | 1 x 61 x 50 | 60            | 78.12   | 1.77      | \$1464     |
|                            | B3L3PL5073 | 1 x 73 x 50 | 60            | 93.47   | 2.11      | \$1718     |

### Left End of Run 3-Way Return\*

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61"w accommodates two 30" deep surfaces; 73"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.

· Power beam and overpanel must add up to height of gallery panels.

• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.

| \$561  |    | 0.61 | 26.87 | 60 | 1 x 25 x 42 | B3L3PR4225 |
|--------|----|------|-------|----|-------------|------------|
| \$907  | :  | 1.19 | 52.57 | 60 | 1 x 49 x 42 | B3L3PR4249 |
| \$1203 | \$ | 1.48 | 65.41 | 60 | 1 x 61 x 42 | B3L3PR4261 |
| \$1397 | \$ | 1.77 | 78.26 | 60 | 1 x 73 x 42 | B3L3PR4273 |
|        |    |      |       |    |             |            |
| \$703  | 5  | 0.72 | 32.08 | 60 | 1 x 25 x 50 | B3L3PR5025 |
| \$1246 | \$ | 1.42 | 62.77 | 60 | 1 x 49 x 50 | B3L3PR5049 |
| \$1464 | \$ | 1.77 | 78.12 | 60 | 1 x 61 x 50 | B3L3PR5061 |
| \$1718 | \$ | 2.11 | 93.47 | 60 | 1 x 73 x 50 | B3L3PR5073 |
|        |    |      |       |    |             |            |

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49"w gallery panel accommodates two 24" deep surfaces; 61"w accommodates two 30" deep surfaces; 73"w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

• Power beam and overpanel must add up to height of gallery panels.

• Compatible with models: B3LEPxxxx, B3LSEPRxxxx, B3LMPxxxx and B3LXPRxxxx only.

| GALLERY PANEL ACCESSORIES           | MODEL#  | DIMENSIONS             | FREIGHT CLASS       | WT/LBS.         | CUBIC FT.       | LIST PRICE                |
|-------------------------------------|---|------------------------|---------------------|-----------------|-----------------|---------------------------|
|                                     | B3HLPBB01   | 8 x 1.5 x 7            | 70                  | 1               | 0.5             | \$81                      |
| Gallery Panel Bottom Inline Bracket | Connects two gall   | ery panels at the bott | om with screws. Av  | ailable in all  | Bridges II pain | t colors. Specify finish. |
|                                     | B3HLPCB01   | 4 x 1.5 x 7            | 100                 | 4               | 0.5             | \$79                      |
| Gallery Panel Corner Bracket        | Connects two gall   | ery panels at 90 degre | ees with screws. Av | vailable in all | Bridges II pair | t colors. Specify finish. |
|                                     | <b>Required Specific:</b><br>Laminate finish*<br>Edge finish*<br>Paint finish | ations                 |                     |                 |                 |                           |

### Right End of Run 3-Way Return\*





## **POWER BEAM**

PRIVACY G

# BRIDGES II<sup>™</sup> B

| LASS | MODEL#       | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|------|--------------|-------------|---------------|---------|-----------|------------|----------|
|      |              | D x W x H   |               |         |           |            |          |
|      | B3PMP24GI8W  | 1 x 24 x 8  | 60            | 4.84    | 0.11      | \$457      | \$91     |
|      | B3PMP30GI8W  | 1 x 30 x 8  | 60            | 6.06    | 0.14      | \$496      | \$99     |
|      | B3PMP36GI8W  | 1 x 36 x 8  | 60            | 7.28    | 0.17      | \$528      | \$105    |
|      | B3PMP42GI8W  | 1 x 42 x 8  | 60            | 8.5     | 0.19      | \$551      | \$111    |
|      | B3PMP48GI8W  | 1 x 48 x 8  | 60            | 9.72    | 0.22      | \$581      | \$116    |
|      |              |             |               |         |           |            |          |
|      | B3PMP24GI16W | 1 x 24 x 16 | 60            | 8.92    | 0.22      | \$457      | \$91     |
|      | B3PMP30GI16W | 1 x 30 x 16 | 60            | 11.17   | 0.28      | \$496      | \$99     |
|      | B3PMP36GI16W | 1 x 36 x 16 | 60            | 13.43   | 0.33      | \$528      | \$105    |
| 11   | B3PMP42GI16W | 1 x 42 x 16 | 60            | 15.68   | 0.39      | \$551      | \$111    |
|      | B3PMP48GI16W | 1 x 48 x 16 | 60            | 17.92   | 0.44      | \$581      | \$116    |

### Privacy Glass for 1" Laminate Panels\*

Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). Add 20% upcharge for frosted glass (FRST).

| B3PFD0824W | 1 x 24 x 8  | 70   | 1.32 | 0.11 | \$183 |  |
|------------|-------------|------|------|------|-------|--|
| B3PFD0830W | 1 x 30 x 8  | 70   | 1.65 | 0.14 | \$213 |  |
| B3PFD0836W | 1 x 36 x 8  | 70   | 1.99 | 0.17 | \$252 |  |
| B3PFD0842W | 1 x 42 x 8  | 85   | 2.32 | 0.19 | \$284 |  |
| B3PFD0848W | 1 x 48 x 8  | 85   | 2.65 | 0.22 | \$416 |  |
| B3PFD0854W | 1 x 54 x 8  | 92.5 | 2.98 | 0.25 | \$455 |  |
| B3PFD0860W | 1 x 60 x 8  | 92.5 | 3.32 | 0.28 | \$488 |  |
| B3PFD0866W | 1 x 66 x 8  | 92.5 | 3.65 | 0.31 | \$515 |  |
| B3PFD0872W | 1 x 72 x 8  | 85   | 3.98 | 0.33 | \$581 |  |
|            |             |      |      |      |       |  |
| B3PFD1624W | 1 x 24 x 16 | 70   | 1.83 | 0.22 | \$208 |  |
| B3PFD1630W | 1 x 30 x 16 | 100  | 2.3  | 0.28 | \$240 |  |
| B3PFD1636W | 1 x 36 x 16 | 100  | 2.76 | 0.33 | \$268 |  |
| B3PFD1642W | 1 x 42 x 16 | 100  | 3.22 | 0.39 | \$307 |  |
| B3PFD1648W | 1 x 48 x 16 | 100  | 3.68 | 0.44 | \$457 |  |
| B3PFD1654W | 1 x 54 x 16 | 100  | 4.14 | 0.5  | \$498 |  |
| B3PFD1660W | 1 x 60 x 16 | 100  | 4.61 | 0.56 | \$533 |  |
| B3PFD1666W | 1 x 66 x 16 | 100  | 5.07 | 0.61 | \$561 |  |
| B3PFD1672W | 1 x 72 x 16 | 100  | 5.53 | 0.67 | \$638 |  |
|            |             |      |      |      |       |  |

Felt Divider for 1" Laminate Panels\*\*

Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.

Required Specifications
Paint finish
Felt finish\*\*

Optional Specifications Frosted glass (FRST)\*

**ELECTRICAL - POWER BEAM** 


# POWER BEAM

LIST PRICE


\$111




I Connector




**Duplex Receptacles** 




**USB Receptacles** 



**Power Distribution Housing Kit** 



**Jumper Cable** 



FREIGHT CLASS

70

WT/LBS.

0.06

CUBIC FT.

0.01

| BRT8D1 | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
|--------|-----------------|----|-----|------|------|
| BRT8D2 | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| BRT8DB | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| BRT8DA | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |

Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit.

DIMENSIONS

4.63 x 1.5 x 1.5

D x W x H

• BRT8D1 - Circuit #1 (utility circuit)

• BRT8D2 - Circuit #2 (utility circuit)

BRT8DB - Circuit B (utility circuit)

BRT8DA - Circuit A (dedicated circuit)

| BRTEDI I1B | 1 25 x / 63 x 2 | 300 | 3.83 | 2 | \$121 |  |
|------------|-----------------|-----|------|---|-------|--|
| DITLUUTD   | 1.23 X 4.03 X 2 | 300 | J.0Z | 2 | 9424  |  |
| BRTEDU1W   | 1.25 x 4.63 x 2 | 300 | 6.98 | 2 | \$424 |  |

Snaps into Power Distribution Housing. USB charging module provides convenient charging power access though dual ports on face of receptacles.

• Two USB ports.

MODEL#

BRTECI

• 2 amp ouput, considered as circut #1.

| BRTE3D24 | 2.6 x 9.25 x 2  | 70  | 0.83 | 1.2 | \$262 |
|----------|-----------------|-----|------|-----|-------|
| BRTE3D30 | 2.6 x 15.25 x 2 | 70  | 1.28 | 1.2 | \$301 |
| BRTE3D36 | 2.6 x 21.25 x 2 | 70  | 1.62 | 1.7 | \$317 |
| BRTE3D42 | 2.6 x 27.25 x 2 | 300 | 2    | 2   | \$334 |
| BRTE3D48 | 2.6 x 33.25 x 2 | 400 | 2.32 | 2.5 | \$348 |
| BRTE3D54 | 2.6 x 39.25 x 2 | 400 | 2.66 | 3.2 | \$359 |
| BRTE3D60 | 2.6 x 45.25 x 2 | 400 | 3.04 | 3.2 | \$374 |
| BRTE3D66 | 2.6 x 51.25 x 2 | 300 | 3.76 | 3.3 | \$580 |
| BRTE3D72 | 2.6 x 57.25 x 2 | 300 | 3.76 | 3.3 | \$580 |
|          |                 |     |      |     |       |

Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. **BRTE3D36** is for use with a 36" beam.

• 24" wide beam allows for only one (1) duplex receptacle per beam side.

| BRTEJC16 | 0.5 x 16.75 x 2 | 70 | 0.66 | 1.2 | \$205 |  |
|----------|-----------------|----|------|-----|-------|--|
| BRTEJC20 | 0.5 x 20.75 x 2 | 70 | 0.78 | 1.2 | \$215 |  |

Electrically connects two Power Distribution Housings.

• BE8JC16 electrically connects two Power Beams positioned side by side.

• BE8JC20 electrically connects two Power Beams separated by a post.

• Wires are concealed in a flexible metal conduit.

• Cannot go through a post in a corner application. Please use the Jumper Cable Mesh for this application.

**Required Specifications** 



## **POWER BEAM**

ELECTR

# BRIDGES II<sup>™</sup> **B**

| RICAL - POWER BEAM  | MODEL#    | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---|-----------|---------------|---------------|---------|-----------|------------|--|
|   |           | D x W x H     |               |         |           |            |  |
|   | BRTEJM19  | 0.05 x 19 x 2 | 70            | 0.75    | 1.2       | \$170      |  |
| and the second se | BRTEJMS20 | 0.05 x 19 x 2 | 70            | 0.75    | 1.2       | \$221      |  |

Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application. • BRTEJM19 - Wires are covered with a durable nylon mesh.

• BRTEJMS20 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.

| BRTEHH40  | .5 x 40.5 x 2  | 70  | 1.44 | 1.25 | \$191 |
|-----------|----------------|-----|------|------|-------|
| BRTEHH46  | .5 x 46.5 x 2  | 70  | 1.71 | 1.2  | \$270 |
| BRTEHH52  | .5 x 52.5 x 2  | 300 | 1.95 | 1.17 | \$217 |
| BRTEHH58  | .5 x 58.5 x 2  | 300 | 2.21 | 1.17 | \$226 |
| BRTEHH64  | .5 x 64.5 x 2  | 300 | 2.37 | 1.2  | \$306 |
| BRTEHH70  | .5 x 70.5 x 2  | 250 | 2.6  | 1.2  | \$317 |
| BRTEHH76  | .5 x 76.5 x 2  | 250 | 2.81 | 1.17 | \$252 |
| BRTEHH82  | .5 x 82.5 x 2  | 250 | 3.03 | 1.2  | \$339 |
| BRTEHH88  | .5 x 88.5 x 2  | 250 | 3.05 | 1.2  | \$350 |
| BRTEHH94  | .5 x 94.5 x 2  | 250 | 3.3  | 1.2  | \$363 |
| BRTEHH100 | .5 x 100.5 x 2 | 250 | 3.47 | 1.2  | \$374 |
| BRTEHH106 | .5 x 106.5 x 2 | 250 | 3.87 | 1.2  | \$389 |
| BRTEHH118 | .5 x 118.5 x 2 | 250 | 4.08 | 1.2  | \$410 |
| BRTEHH130 | .5 x 130.5 x 2 | 250 | 4.73 | 1.2  | \$433 |
| BRTEHH142 | .5 x 142.5 x 2 | 150 | 4.99 | 1.2  | \$457 |
|           |                |     |      |      |       |

Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.

| BRTEHJ24  | .5 x 24 x 2  | 70  | 0.9  | 1.2 | \$197 |
|-----------|--------------|-----|------|-----|-------|
| BRTEHJ30  | .5 x 30 x 2  | 70  | 1.3  | 1.2 | \$211 |
| BRTEHJ36  | .5 x 36 x 2  | 70  | 1.44 | 1.2 | \$221 |
| BRTEHJ42  | .5 x 42 x 2  | 70  | 1.71 | 1.2 | \$230 |
| BRTEHJ48  | .5 x 48 x 2  | 70  | 1.95 | 1.2 | \$241 |
| BRTEHJ54  | .5 x 54 x 2  | 300 | 2.21 | 1.2 | \$249 |
| BRTEHJ60  | .5 x 60 x 2  | 300 | 2.37 | 1.2 | \$257 |
| BRTEHJ72  | .5 x 72 x 2  | 250 | 2.81 | 1.2 | \$274 |
| BRTEHJ84  | .5 x 84 x 2  | 250 | 3.05 | 1.2 | \$300 |
| BRTEHJ96  | .5 x 96 x 2  | 250 | 3.3  | 1.2 | \$320 |
| BRTEHJ108 | .5 x 108 x 2 | 250 | 3.87 | 1.2 | \$339 |
| BRTEHJ120 | .5 x 120 x 2 | 250 | 4.08 | 1.2 | \$359 |
| BRTEHJ144 | .5 x 144 x 2 | 250 | 4.59 | 1.2 | \$381 |

Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.

| BRTBPEFH18 | 2.5 x 6 x 18 | 85 | 2.7  | 0.2 | \$699 |  |
|------------|--------------|----|------|-----|-------|--|
| BRTBPEFH26 | 2.5 x 6 x 26 | 65 | 5.41 | 0.2 | \$745 |  |
| BRTBPEFH34 | 2.5 x 6 x 34 | 65 | 7.03 | 0.3 | \$780 |  |

Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.


• Specify BRTBPEFH18 for 18"H power beams; BRTBPEFH26 for 26"H power beams; BRTBPEFH34 for 34"H power beams.

- Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration.
- Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg.


**Required Specifications** 

Paint finish\*





## Housing to Housing Pass-Thru Cable



#### **Housing to Jumper Pass-Thru Cable**



**Base Feed & Housing for Power Beam\*** 

# **POWER BEAM**

| ELECTRICAL - POWER BEAM | MODEL#    | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------------------|-----------|-------------|---------------|---------|-----------|------------|
| $\bigcirc$              |           | D x W x H   |               |         |           |            |
|                         | BRTECF120 | 6 x 6 x 120 | 250           | 5.25    | 2         | \$476      |
|                         | BRTECF144 | 6 x 6 x 144 | 250           | 6       | 2         | \$530      |

Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.

| \$995  | 2 | 5.24 | 250 | 3 x 6 x 120 | BRTECF1202 |
|--------|---|------|-----|-------------|------------|
| \$1121 | 2 | 5.96 | 250 | 3 x 6 x 144 | BRTECF1442 |

Provides dual power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.

• For use in the middle of a run to distribute power in two directions **OR** at the beginning of a run where second Ceiling Feed harness is connected to BRTEHJxx and distributes power underneath Power Distribution Housing to pick up a second circuit grouping in a long panel run.

| BRTECFK120 | 6 x 6 x 120 | 250 | 5.25 | 2 | \$712 |  |
|------------|-------------|-----|------|---|-------|--|
| BRTECFK144 | 6 x 6 x 144 | 250 | 6    | 2 | \$790 |  |

Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJXX Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.

| BRTECHJB x 70 5.25 0.01 <b>\$342</b> |
|--------------------------------------|

Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.

**Required Specifications** 

**Ceiling Feed - Double** 

**Ceiling Feed - Single** 

Hardwire Junction Box - Chicago

**Ceiling Feed - New York Electrical** 




В



STORAGE

File Pedestal



**Box/File Pedestal** 



**Sliding Door Storage** 



**Shared Sliding Door Storage** 

| MODEL#     | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|------------|----------------|---------------|---------|-----------|------------|--------|--|
|            | D x W x H      |               |         |           |            |        |  |
| BRT21BF18L | 18 x 15.5 x 21 | 70            | 58      | 3.39      | \$855      | \$63   |  |
| BRT21BF24L | 24 x 15.5 x 21 | 85            | 64      | 4.52      | \$994      | \$63   |  |
| BRT21BF30L | 30 x 15.5 x 21 | 85            | 72      | 5.65      | \$1091     | \$82   |  |
| BRT21BF18C | 18 x 15.5 x 21 | 70            | 58      | 3.39      | \$855      | \$63   |  |
| BRT21BF24C | 24 x 15.5 x 21 | 85            | 64      | 4.52      | \$1069     | \$63   |  |
| BRT21BF30C | 30 x 15.5 x 21 | 85            | 72      | 5.65      | \$1166     | \$82   |  |
|            |                |               |         |           |            |        |  |

Can join with other 21"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

| BRT25BF18L | 18 x 15.5 x 25 | 70 | 69 | 3.89 | \$972  | \$63 |
|------------|----------------|----|----|------|--------|------|
| BRT25BF24L | 24 x 15.5 x 25 | 85 | 74 | 5.02 | \$1129 | \$63 |
| BRT25BF30L | 30 x 15.5 x 25 | 85 | 82 | 6.15 | \$1225 | \$82 |
|            |                |    |    |      |        |      |
| BRT25BF18C | 18 x 15.5 x 25 | 70 | 69 | 3.89 | \$1050 | \$63 |
| BRT25BF24C | 24 x 15.5 x 25 | 85 | 74 | 5.02 | \$1204 | \$63 |
| BRT25BF30C | 30 x 15.5 x 25 | 85 | 82 | 6.15 | \$1302 | \$82 |

Can join with other 25"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included. • Anodized Aluminum Leg - Add **\$85** list upcharge

• 18" deep storage components will not accept legal size paper

| BRT21LS30L | 18 x 30 x 21 | 100 | 53 | 6.56 | \$933  | \$82 |
|------------|--------------|-----|----|------|--------|------|
| BRT21LS36L | 18 x 36 x 21 | 125 | 60 | 7.87 | \$1032 | \$82 |
| BRT21LS42L | 18 x 42 x 21 | 125 | 67 | 9.18 | \$1129 | \$82 |

Can join with other 21"h storage units of corresponding depth to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs. • Anodized Aluminum Leg - Add **\$85** list upcharge

• 18" deep storage components will not accept legal size paper


| BRT21LSS30L | 24 x 30 x 21 | 125 | 69 | 8.75  | \$1302 | \$82  |
|-------------|--------------|-----|----|-------|--------|-------|
| BRT21LSS36L | 24 x 36 x 21 | 125 | 78 | 10.50 | \$1418 | \$103 |
| BRT21LSS42L | 24 x 42 x 21 | 125 | 87 | 12.25 | \$1534 | \$120 |

Offers two 11"deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine. Optional 15.5" x 18"cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs. • Anodized Aluminum Leg - Add **\$85** list upcharge

Required Specifications
Metal finish

Top finish Edge finish Chassis finish Drawer/door front finish Optional Specifications Anodized Aluminum Leg HP laminate (tops only) Cable Basket

| ^                             | MODEL#   | DIMENSIONS<br>D x W x H  | FREIGHT CLASS  | WT/LBS.  | CUBIC FT.   | LIST PRICE  | HP ADD  |
|-------------------------------|--|--|--|--|---|---|---|
|                               | BRT21LSO42L  | 24 x 42 x 21   | 100  | 124  | 14  | \$1747  | \$140   |
| ↓<br>d File/Open Storage*     | storage units to for<br>x 18"cushion. One<br>shelf: 12.36". Optic<br>1" top; metal handl   | partments on either sic<br>m a spine or serve as a<br>locking file drawer, On<br>onal cable basket suspi<br>es; powder coated alur<br>um Leg - Add <b>\$85</b> list u  | an additional retu<br>le open compartr<br>lends off storage<br>minum or anodiz   | urn worksurfac<br>nent per side.<br>unit's bottom  | ce or ad-hoc gue<br>Storage compa<br>and manages ca   | est seating with<br>artment internal  | optional 15.5"<br>height without  |
|                               | BRT25LBF042L   | 24 x 42 x 25   | 100  | 154  | 16.66   | \$2194  | \$120   |
| 丁<br>ed Storage Unit*         | storage units to for<br>x 18"cushion. One<br>shelf: 12.36". Optio<br>1" top; metal handl<br>• Anodized Alumin<br>• 25" high Bridges  | partments on either sic<br>m a spine or serve as a<br>locking file drawer, On<br>onal cable basket suspi<br>es; powder coated alur<br>um Leg - Add <b>\$85</b> list u<br>storage should not be<br>fit under the trough.  | an additional retu<br>le open compartr<br>lends off storage<br>minum or anodiz<br>upcharge   | urn worksurfac<br>nent per side.<br>unit's bottom<br>ed aluminum l   | ce or ad-hoc gue<br>Storage compa<br>and manages ca<br>legs. Black penci  | est seating with<br>intment internal<br>ables along the<br>il tray included.  | optional 15.5″<br>height without<br>horizontal plane.   |
| ULAR STORAGE                  | MODEL#   | DIMENSIONS   | FREIGHT CLASS  | WT/LBS.  | CUBIC FT.   | LIST PRICE  | HP ADD  |
|                               | BRT21F3018U  | 18 x 30 x 13   | 92.5   | 47   | 4.06  | \$1009  | n/a   |
|                               | BRT21F30180  | 18 x 36 x 13   | 92.5   | 51   | 4.00  |   | n/a   |
| x                             |  |  |  | 51   | 4.00  | 21112   | II/a  |
|                               | BRT21F4218U  | 18 x 42 x 13   | 100  | 56   | 5.69  | \$1115<br>\$1294  | n/a   |
|                               | BRT21F4218U  | 18 x 42 x 13   | 100  | 56   | 5.69  | \$1294  | n/a   |
|                               | BRT21F4218U<br>BRT21F3024U   | 18 x 42 x 13<br>24 x 30 x 13   | 100<br>100   | 56<br>51   | 5.69<br>5.42  | \$1294<br>\$1033  | n/a<br>n/a  |
|                               | BRT21F4218U  | 18 x 42 x 13   | 100  | 56   | 5.69  | \$1294  | n/a   |
| Lateral File Drawer, No Top   | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b>  | 18 x 42 x 13<br>24 x 30 x 13<br>24 x 36 x 13<br>24 x 42 x 13<br>Il tables. Can join with   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.   | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep   | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi   | n/a<br>n/a<br>n/a<br>n/a  |
| ateral File Drawer, No Top    | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be orderer</b><br>• <i>18" deep storage</i>  | 18 x 42 x 13<br>24 x 30 x 13<br>24 x 36 x 13<br>24 x 42 x 13<br>Il tables. Can join with<br>ion of optional cable ba<br>d separately. Metal h<br>e components will not a   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br>accept legal size  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i>   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O   | n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b>   |
| teral File Drawer, No Top     | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be orderer</b><br>• 18" deep storage<br>BRT21L03018U   | 18 x 42 x 13<br>24 x 30 x 13<br>24 x 36 x 13<br>24 x 42 x 13<br>II tables. Can join with<br>ion of optional cable ba<br><b>d separately</b> . Metal h<br><i>a components will not a</i><br>18 x 30 x 13  | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br>accept legal size<br>125   | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318  | n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b>  |
| veral File Drawer, No Top     | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be orderer</b><br>• <i>18" deep storage</i>  | 18 x 42 x 13<br>24 x 30 x 13<br>24 x 36 x 13<br>24 x 42 x 13<br>Il tables. Can join with<br>ion of optional cable ba<br>d separately. Metal h<br>e components will not a   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br>accept legal size  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i>   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O   | n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b>   |
| teral File Drawer, No Top     | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• <i>18" deep storage</i><br>BRT21L03018U<br>BRT21L03618U<br>BRT21L04218U   | 18 x 42 x 13<br>24 x 30 x 13<br>24 x 36 x 13<br>24 x 42 x 13<br>II tables. Can join with<br>ion of optional cable ba<br><b>d separately</b> . Metal h<br><i>e components will not a</i><br>18 x 30 x 13<br>18 x 36 x 13<br>18 x 42 x 13  | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>handles.<br><i>accept legal size</i><br>125<br>150<br>150  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514  | n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a  |
| Iteral File Drawer, No Top    | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• <i>18" deep storage</i><br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03024U   | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join with<br>ion of optional cable ba<br><b>d separately</b> . Metal h<br><i>e components will not a</i><br>$18 \times 30 \times 13$ $18 \times 36 \times 13$ $18 \times 42 \times 13$ $24 \times 30 \times 13$   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br><i>accept legal size</i><br>125<br>150<br>150  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>32   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330   | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a                                    |
| teral File Drawer, No Top     | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• <i>18" deep storage</i><br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03024U<br>BRT21L03024U<br>BRT21L03624U   | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join with<br>ion of optional cable ba<br>d separately. Metal h<br>e components will not a<br>18 \times 30 \times 13 $18 \times 36 \times 13$ $18 \times 42 \times 13$ $24 \times 30 \times 13$   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br><i>accept legal size</i><br>125<br>150<br>150<br>150   | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>32<br>29<br>33   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5   | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492  | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a<br>n/a                             |
| ateral File Drawer, No Top    | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• <i>18" deep storage</i><br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03024U   | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join with<br>ion of optional cable ba<br><b>d separately</b> . Metal h<br><i>e components will not a</i><br>$18 \times 30 \times 13$ $18 \times 36 \times 13$ $18 \times 42 \times 13$ $24 \times 30 \times 13$   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br><i>accept legal size</i><br>125<br>150<br>150  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>32   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42  | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330   | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a                                    |
|                               | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• <i>18" deep storage</i><br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03618U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L04224U<br>Open storage unit w  | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join with         ion of optional cable bac <b>d separately</b> . Metal h <i>e components will not a</i> $18 \times 30 \times 13$ $18 \times 30 \times 13$ $18 \times 30 \times 13$ $24 \times 42 \times 13$ with no top. Positioned   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br><i>accept legal size</i><br>125<br>150<br>150<br>150<br>150<br>150<br>150  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>32<br>29<br>33<br>36<br>s II table assentince allows for   | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5<br>7.58<br>mbly or betweer<br>r installation of o | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492<br>\$534<br>n two adjacent v<br>optional cable b | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a<br>n/a                             |
|                               | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be orderer</b><br>• 18" deep storage<br>BRT21L03018U<br>BRT21L03018U<br>BRT21L03618U<br>BRT21L04218U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L04224U<br>Open storage unit w<br>with other 21"h sto<br>and data cables unit                      | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join withion of optional cable back <b>d separately</b> . Metal h <i>a components will not a</i> $18 \times 30 \times 13$ $24 \times 30 \times 13$ $32 \times 30 \times 13$ $33 \times 30 \times 13$ $34 \times 30 \times 13$ $34$   | 100<br>100<br>100<br>125<br>1 other 21"h stora<br>asket to manage<br>handles.<br><i>accept legal size</i><br>125<br>150<br>150<br>150<br>150<br>150<br>150<br>150<br>15  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>33<br>36<br>s Il table asset<br>ince allows for<br><b>p and legs to</b>                                      | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5<br>7.58<br>mbly or betweer<br>r installation of o | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492<br>\$534<br>n two adjacent v<br>optional cable b | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a  |
| A Lateral File Drawer, No Top | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• 18" deep storage<br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03618U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L04224U<br>Open storage unit w<br>with other 21"h sto<br>and data cables und   | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join withion of optional cable back <b>d separately</b> . Metal h <i>a components will not a</i> $18 \times 30 \times 13$ $24 \times 30 \times 13$ $32 \times 30 \times 13$ $33 \times 30 \times 13$ $34 \times 30 \times 13$ $34$   | 100<br>100<br>125<br>other 21"h stora<br>asket to manage<br>nandles.<br><i>accept legal size</i><br>125<br>150<br>150<br>150<br>150<br>150<br>150<br>beside a Bridge<br>bine. Floor cleara<br>box opening. <b>To</b> | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>32<br>29<br>33<br>36<br>s II table asser<br>ince allows for<br><b>p and legs to</b>                          | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5<br>7.58<br>mbly or betweer<br>r installation of o | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492<br>\$534<br>n two adjacent v<br>optional cable b | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a  |
|                               | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be orderer</b><br>• 18" deep storage<br>BRT21L03018U<br>BRT21L03018U<br>BRT21L03618U<br>BRT21L04218U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L04224U<br>Open storage unit w<br>with other 21"h sto<br>and data cables unit                      | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join withion of optional cable back <b>d separately</b> . Metal h <i>a components will not a</i> $18 \times 30 \times 13$ $24 \times 30 \times 13$ $32 \times 30 \times 13$ $33 \times 30 \times 13$ $34 \times 30 \times 13$ $34$   | 100<br>100<br>100<br>125<br>1 other 21"h stora<br>asket to manage<br>handles.<br><i>accept legal size</i><br>125<br>150<br>150<br>150<br>150<br>150<br>150<br>150<br>15  | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br><i>paper</i><br>25<br>29<br>32<br>29<br>33<br>36<br>s II table assentince allows for<br>p and legs to<br>ifications<br>num Leg*                      | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5<br>7.58<br>mbly or betweer<br>r installation of o | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492<br>\$534<br>n two adjacent v<br>optional cable b | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>Ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a |
|                               | BRT21F4218U<br>BRT21F3024U<br>BRT21F3624U<br>BRT21F3624U<br>BRT21F4224U<br>Fits below Bridges<br>allows for installati<br><b>legs to be ordere</b><br>• 18" deep storage<br>BRT21L03018U<br>BRT21L03618U<br>BRT21L03618U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L03624U<br>BRT21L04224U<br>Open storage unit w<br>with other 21"h sto<br>and data cables und<br>BRT21CH Specificat<br>Metal finish* | $18 \times 42 \times 13$ $24 \times 30 \times 13$ $24 \times 36 \times 13$ $24 \times 42 \times 13$ II tables. Can join with<br>for of optional cable backers will not at the components with not top. Positioned the components to form a spectrum at the components with not positioned the components with not top. Pos | 100<br>100<br>100<br>125<br>1 other 21"h stora<br>asket to manage<br>nandles.<br>accept legal size<br>125<br>150<br>150<br>150<br>150<br>150<br>150<br>150<br>15   | 56<br>51<br>55<br>60<br>age units of co<br>cords and dat<br>paper<br>25<br>29<br>32<br>29<br>32<br>29<br>32<br>36<br>s II table asset<br>ince allows for<br>p and legs to<br>ifications<br>num Leg*<br>ops only) | 5.69<br>5.42<br>6.5<br>7.58<br>prresponding dep<br>ta cables under s<br>4.06<br>4.88<br>5.69<br>5.42<br>6.5<br>7.58<br>mbly or betweer<br>r installation of o | \$1294<br>\$1033<br>\$1151<br>\$1353<br>oth to form a spi<br>storage spine. O<br>\$318<br>\$473<br>\$514<br>\$330<br>\$492<br>\$534<br>n two adjacent v<br>optional cable b | n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>ine. Floor clearance<br>ine file drawer. <b>Top and</b><br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a<br>n/a |




# BRIDGES II

| $\wedge$ |  |
|----------|--|
|          |  |
|          |  |

MODULAR STORAGE

25"H Open Storage, Glass Shelf, No Top



Lateral Box/File Storage, No Top\*



25"H Storage Cabinet, No Top\*



29"H Storage Cabinet, No Top\*

| MODEL#       | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------|--------------|---------------|---------|-----------|------------|--------|
|              | D x W x H    |               |         |           |            |        |
| BRT25L03018U | 18 x 30 x 17 | 125           | 40      | 5.31      | \$470      | n/a    |
| BRT25L03618U | 18 x 36 x 17 | 125           | 46      | 6.38      | \$645      | n/a    |
| BRT25L04218U | 18 x 42 x 17 | 125           | 52      | 7.44      | \$666      | n/a    |
|              |              |               |         |           |            |        |
| BRT25L03024U | 24 x 30 x 17 | 125           | 44      | 7.08      | \$501      | n/a    |
| BRT25L03624U | 24 x 36 x 17 | 150           | 50      | 8.5       | \$670      | n/a    |
| BRT25L04224U | 24 x 42 x 17 | 150           | 56      | 9.92      | \$699      | n/a    |

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. Top and legs to be ordered separately.

 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.

| BRT25LBF3018U | 18 x 30 x 17 | 92.5 | 58 | 5.31 | \$1210 | n/a |
|---------------|--------------|------|----|------|--------|-----|
| BRT25LBF3618U | 18 x 36 x 17 | 85   | 78 | 6.38 | \$1405 | n/a |
| BRT25LBF4218U | 18 x 42 x 17 | 100  | 68 | 7.44 | \$1496 | n/a |
|               |              |      |    |      |        |     |
| BRT25LBF3024U | 24 x 30 x 17 | 100  | 62 | 7.08 | \$1258 | n/a |
| BRT25LBF3624U | 24 x 36 x 17 | 100  | 82 | 8.5  | \$1461 | n/a |
| BRT25LBF4224U | 24 x 42 x 17 | 125  | 72 | 9.92 | \$1557 | n/a |
|               |              |      |    |      |        |     |

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. Top and legs to be ordered separately. Metal handles. Black pencil tray included.

- 18" deep storage components will not accept legal size paper
- 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.

| BRT25L2D3018U | 18 x 30 x 17 | 125 | 39 | 5.31 | \$896  | n/a |
|---------------|--------------|-----|----|------|--------|-----|
| BRT25L2D3618U | 18 x 36 x 17 | 125 | 45 | 6.38 | \$962  | n/a |
| BRT25L2D4218U | 18 x 42 x 17 | 125 | 54 | 7.44 | \$1001 | n/a |
|               |              |     |    |      |        |     |
| BRT25L2D3024U | 24 x 30 x 17 | 125 | 43 | 7.08 | \$1042 | n/a |
| BRT25L2D3624U | 24 x 36 x 17 | 150 | 49 | 8.5  | \$1136 | n/a |
| BRT25L2D4224U | 24 x 42 x 17 | 150 | 58 | 9.92 | \$1183 | n/a |
|               |              |     |    |      |        |     |

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 16.5". Metal handles.

• 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.


| BRT29L2D3018U | 18 x 30 x 21 | 125 | 49 | 6.56  | \$1022 | n/a |
|---------------|--------------|-----|----|-------|--------|-----|
| BRT29L2D3618U | 18 x 36 x 21 | 125 | 55 | 7.88  | \$1067 | n/a |
| BRT29L2D4218U | 18 x 42 x 21 | 125 | 64 | 9.19  | \$1114 | n/a |
|               |              |     |    |       |        |     |
| BRT29L2D3024U | 24 x 30 x 21 | 125 | 53 | 8.75  | \$1199 | n/a |
| BRT29L2D3624U | 24 x 36 x 21 | 150 | 59 | 10.5  | \$1253 | n/a |
| BRT29L2D4224U | 24 x 42 x 21 | 150 | 68 | 12.25 | \$1281 | n/a |

Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 20.5". Metal handles.

 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.


**Required Specifications** Chassis finish Drawer/door front finish\*

**Optional Specifications** Cable Basket



globalfurnituregroup.com

STORAGE



29"H Box/File/Open Storage, No Top



Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. **Top and legs to be ordered separately.** Storage compartment internal height: 3.9". Metal handles. Black pencil tray included.

• 18" deep storage components will not accept legal size paper

| BRTWU1830 | 18 x 30 x 1 | 60 | 15 | 0.5  | \$179     | \$63  |
|-----------|-------------|----|----|------|-----------|-------|
| BRTWU1836 | 18 x 36 x 1 | 60 | 18 | 0.59 | \$204     | \$69  |
| BRTWU1842 | 18 x 42 x 1 | 60 | 21 | 0.68 | \$268     | \$91  |
| BRTWU1860 | 18 x 60 x 1 | 65 | 29 | 0.97 | \$423     | \$124 |
| BRTWU1866 | 18 x 66 x 1 | 65 | 32 | 1.1  | \$444     | \$140 |
| BRTWU1872 | 18 x 72 x 1 | 65 | 35 | 1.2  | \$462     | \$152 |
| BRTWU1878 | 18 x 78 x 1 | 65 | 38 | 1.3  | \$489     | \$160 |
| BRTWU1884 | 18 x 84 x 1 | 65 | 41 | 1.4  | \$536     | \$168 |
| BRTWU1890 | 18 x 90 x 1 | 65 | 44 | 1.5  | \$557     | \$173 |
| BRTWU1896 | 18 x 96 x 1 | 65 | 47 | 1.6  | \$580     | \$181 |
|           |             |    |    |      |           |       |
| BRTWU2430 | 24 x 30 x 1 | 60 | 20 | 0.65 | \$187     | \$57  |
| BRTWU2436 | 24 x 36 x 1 | 60 | 24 | 0.78 | \$208     | \$71  |
| BRTWU2442 | 24 x 42 x 1 | 60 | 28 | 0.9  | \$274     | \$90  |
| BRTWU2460 | 24 x 60 x 1 | 60 | 39 | 1.3  | \$432     | \$142 |
| BRTWU2466 | 24 x 66 x 1 | 60 | 43 | 1.41 | \$450     | \$147 |
| BRTWU2472 | 24 x 72 x 1 | 60 | 47 | 1.54 | \$470     | \$38  |
| BRTWU2478 | 24 x 78 x 1 | 60 | 51 | 1.7  | \$504     | \$161 |
| BRTWU2484 | 24 x 84 x 1 | 60 | 55 | 1.8  | \$546     | \$170 |
| BRTWU2490 | 24 x 90 x 1 | 60 | 59 | 1.9  | \$568     | \$175 |
| BRTWU2496 | 24 x 96 x 1 | 60 | 63 | 2    | \$590     | \$184 |
|           |             |    |    |      | • • • • • |       |

### Worksurface for Modular Storage\*

Flat 3mm profile on all sides. Worksurface provided with pilot holes for alignment purposes. Worksurfaces can be used for each modular unit or can span two to three units.

| _        |  |     |
|----------|--|-----|
| <u>[</u> |  | للي |

Modular Storage Leg\*\*

| BRT18LEGL | 18 x 2.5 x 8 | 150 | 8 | 1.34 | \$68 | n/a |
|-----------|--------------|-----|---|------|------|-----|
| BRT24LEGL | 24 x 2.5 x 8 | 150 | 8 | 1.34 | \$75 | n/a |

Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs. • Anodized Aluminum leg - Add **\$36** list upcharge

Required Specifications Top finish\* Edge finish Chassis finish Metal finish\*\* **Optional Specifications** HP laminate\* (tops only) Anodized Aluminum Leg\*\* Cable Basket (storage unit)



B

|        | MODEL#   | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|--------|----------|----------------|---------------|---------|-----------|------------|--------|--|
|        |          | D x W x H      |               |         |           |            |        |  |
| $\sim$ | BRTCMS36 | 12 x 36 x 6.75 | 100           | 15.20   | 1.69      | \$372      | n/a    |  |
|        | BRTCMS30 | 12 x 30 x 6.75 | 100           | 12.60   | 1.41      | \$262      | n/a    |  |
|        |          |                |               |         |           |            |        |  |

Open, shared center mount shelf "floats" 6.75" above the gap formed by two back-to-back worksurfaces. Accepts **BRTESBBIN** Elevated Shelf Binder Bin - The 30"w shelf accommodates two; 36"w shelf accommodates up to three. Shelves overhang the support structure by 6" on either side. Aluminum/die cast structure attaches to the underside of both worksurfaces. • Not compatible with BRTEETA Above Worksurface Power Trough and Worksurfaces with Access Doors

Anodized Aluminum support structure - Add \$85 list upcharge

| BRTTES24 | 15.5 x 24 x 15   | 100 | 29 | 3.22 | \$722  | \$63  |
|----------|------------------|-----|----|------|--------|-------|
| BRTTES30 | 15.5 x 30 x 15   | 100 | 34 | 4.03 | \$790  | \$71  |
| BRTTES51 | 15.5 x 50.5 x 15 | 100 | 57 | 6.79 | \$1302 | \$129 |
| BRTTES63 | 15.5 x 62.5 x 15 | 100 | 68 | 8.40 | \$1430 | \$167 |

Single or double open shelf/extended worksurface. Secured to the end of single or back-to-back Bridges table. All mounting hardware included. Storage compartment internal height: 13.25". 1" top.

| BRTSTS0824 | 12 x 24 x 8    | 92.5 | 14 | 1.33 | \$256 | \$82  |
|------------|----------------|------|----|------|-------|-------|
| BRTSTS0830 | 12 x 30 x 8    | 100  | 16 | 1.66 | \$294 | \$82  |
| BRTSTS0851 | 12 x 50.5 x 8  | 100  | 25 | 2.80 | \$469 | \$120 |
| BRTSTS0863 | 12 x 62.5 x 8  | 100  | 28 | 3.47 | \$530 | \$179 |
|            |                |      |    |      |       |       |
| BRTSTS1324 | 12 x 24 x 13   | 100  | 18 | 2.16 | \$277 | \$82  |
| BRTSTS1330 | 12 x 30 x 13   | 125  | 21 | 2.70 | \$315 | \$82  |
| BRTSTS1351 | 12 x 50.5 x 13 | 125  | 32 | 4.55 | \$469 | \$120 |
| BRTSTS1363 | 12 x 62.5 x 13 | 125  | 38 | 5.64 | \$547 | \$160 |
|            |                |      |    |      |       |       |
| BRTSTS1624 | 12 x 24 x 16   | 125  | 19 | 2.66 | \$315 | \$82  |
| BRTSTS1630 | 12 x 30 x 16   | 100  | 29 | 3.33 | \$372 | \$82  |
| BRTSTS1651 | 12 x 50.5 x 16 | 150  | 33 | 5.61 | \$547 | \$140 |
| BRTSTS1663 | 12 x 62.5 x 16 | 150  | 39 | 6.94 | \$625 | \$179 |
|            |                |      |    |      |       |       |

Secured perpendicularly to the single or back-to-back Bridges table. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Optional Elevated Shelf Binder Bin (**BRTESBBIN**) rests on top surface for enhanced privacy. 8"h provides additional storage space without obstructing view and reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6".

• Please refer to the Compatibility Guide on page 452 to determine available accessories

### Required Specifications

Top finish Edge finish Metal finish\*\* Chassis/Accent finish\*

## Optional Specifications


HP laminate (tops only) Elevated Shelf Binder Bin Anodized Aluminum\*\*



**Center Mount Shelf\*\*** 

STORAGE


Table Mounted End Shelf\*



#### Single Sided Elevated Table Shelf\*

globalfurnituregroup.com global

MODULAR STORAGE




**Shared Elevated Table Shelf** 

| MODEL#     | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|------------|--------------|---------------|---------|-----------|------------|--------|
|            | D x W x H    |               |         |           |            |        |
| BRTBTS0836 | 12 x 36 x 8  | 100           | 16      | 2         | \$392      | \$82   |
| BRTBTS0842 | 12 x 42 x 8  | 100           | 19      | 2.33      | \$431      | \$82   |
| BRTBTS0848 | 12 x 48 x 8  | 125           | 21      | 2.66      | \$469      | \$120  |
| BRTBTS0854 | 12 x 54 x 8  | 125           | 23      | 3         | \$489      | \$140  |
| BRTBTS0860 | 12 x 60 x 8  | 125           | 26      | 3.33      | \$547      | \$160  |
| BRTBTS0866 | 12 x 66 x 8  | 125           | 28      | 3.66      | \$586      | \$179  |
| BRTBTS0872 | 12 x 72 x 8  | 125           | 30      | 4         | \$625      | \$179  |
| BRTBTS0878 | 12 x 78 x 8  | 125           | 32      | 4.33      | \$664      | \$198  |
| BRTBTS0884 | 12 x 84 x 8  | 125           | 35      | 4.66      | \$703      | \$216  |
|            |              |               |         |           |            |        |
| BRTBTS1336 | 12 x 36 x 13 | 125           | 22      | 3.25      | \$469      | \$103  |
| BRTBTS1342 | 12 x 42 x 13 | 125           | 25      | 3.79      | \$530      | \$103  |
| BRTBTS1348 | 12 x 48 x 13 | 125           | 28      | 4.33      | \$568      | \$140  |
| BRTBTS1354 | 12 x 54 x 13 | 125           | 30      | 4.87      | \$625      | \$140  |
| BRTBTS1360 | 12 x 60 x 13 | 150           | 33      | 5.86      | \$664      | \$140  |
| BRTBTS1366 | 12 x 66 x 13 | 150           | 36      | 6.45      | \$680      | \$238  |
| BRTBTS1372 | 12 x 72 x 13 | 125           | 39      | 6.50      | \$779      | \$198  |
| BRTBTS1378 | 12 x 78 x 13 | 150           | 42      | 7.04      | \$838      | \$198  |
| BRTBTS1384 | 12 x 84 x 13 | 150           | 44      | 7.58      | \$896      | \$216  |
|            | 10 00 10     | 105           | 25      | 4         | ¢400       | 600    |
| BRTBTS1636 | 12 x 36 x 16 | 125           | 25      | -         | \$489      | \$82   |
| BRTBTS1642 | 12 x 42 x 16 | 125           | 28      | 4.66      | \$547      | \$120  |
| BRTBTS1648 | 12 x 48 x 16 | 150           | 31      | 5.33      | \$604      | \$120  |
| BRTBTS1654 | 12 x 54 x 16 | 150           | 34      | 6         | \$642      | \$160  |
| BRTBTS1660 | 12 x 60 x 16 | 150           | 38      | 6.66      | \$703      | \$160  |
| BRTBTS1666 | 12 x 66 x 16 | 150           | 41      | 7.33      | \$761      | \$160  |
| BRTBTS1672 | 12 x 72 x 16 | 150           | 44      | 8         | \$819      | \$179  |
| BRTBTS1678 | 12 x 78 x 16 | 150           | 47      | 8.66      | \$855      | \$198  |
| BRTBTS1684 | 12 x 84 x 16 | 150           | 50      | 9.33      | \$917      | \$216  |

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8"h provides additional storage space without obstructing view; reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

• Please refer to the Compatibility Guide on page 452 to determine available accessories




Required Specifications Top finish Edge finish Chassis/accent finish Optional Specifications HP laminate (tops only) Elevated Shelf Binder Bin



| STORAGE | MODEL#    | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|-----------|--------------|---------------|---------|-----------|------------|--------|
|         |           | D x W x H    |               |         |           |            |        |
|         | BRTBASL36 | 16 x 36 x 21 | 250           | 23.50   | 6.56      | \$2250     | \$151  |
|         | BRTBASL42 | 16 x 42 x 21 | 250           | 27.50   | 7.65      | \$2407     | \$184  |
|         | BRTBASL48 | 16 x 48 x 21 | 250           | 31.40   | 8.75      | \$2533     | \$217  |
| $\sim$  | BRTBASL54 | 16 x 54 x 21 | 250           | 35.30   | 9.84      | \$2725     | \$228  |
|         | BRTBASL60 | 16 x 60 x 21 | 250           | 35.30   | 9.84      | \$2873     | \$235  |
|         | BRTBASL66 | 16 x 66 x 21 | 250           | 43.20   | 12.03     | \$3242     | \$275  |
|         | BRTBASL72 | 16 x 72 x 21 | 250           | 47.10   | 13.12     | \$3413     | \$307  |
|         | BRTBASL78 | 16 x 78 x 21 | 250           | 51      | 14.21     | \$3592     | \$330  |
|         | BRTBASL84 | 16 x 84 x 21 | 250           | 55      | 15.31     | \$3639     | \$455  |

**Shared Elevated Overhead\*** 

MODULAR S



• Note: In order to prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width as the supporting worksurface.

• To prevent interference with Ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

| DNISUS40 IZX40X10 92.0 04 0.00 <b>3020 312</b> | \$120 |
|--|-------|

Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.

| BRT21H03616 | 16 x 36 x 21 | 100 | 81    | 9     | \$1121 | \$151 |
|-------------|--------------|-----|-------|-------|--------|-------|
| BRT21H04216 | 16 x 42 x 21 | 100 | 81    | 9     | \$1203 | \$173 |
| BRT21H04816 | 16 x 48 x 21 | 250 | 31.40 | 8.75  | \$1283 | \$197 |
| BRT21H05416 | 16 x 54 x 21 | 250 | 35.30 | 9.84  | \$1363 | \$222 |
| BRT21H06016 | 16 x 60 x 21 | 250 | 35.30 | 9.84  | \$1452 | \$247 |
| BRT21H06616 | 16 x 66 x 21 | 250 | 43.20 | 12.03 | \$1545 | \$270 |
| BRT21H07216 | 16 x 72 x 21 | 250 | 47.10 | 13.12 | \$1602 | \$306 |
| BRT21H07816 | 16 x 78 x 21 | 250 | 51    | 14.21 | \$1723 | \$318 |
| BRT21H08416 | 16 x 84 x 21 | 250 | 55    | 15.31 | \$1792 | \$343 |
|             |              |     |       |       |        |       |

Table supported single sided open storage. Storage compartment internal height: 14". 1" top.

• Cannot be used in conjunction with above worksurface power trough.

• To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

Required Specifications

Top finish Edge finish Chassis finish\* Drawer/door front finish\* Optional Specifications HP laminate (tops only) Elevated Shelf Binder Bin\*\*




45" High Shared Storage Divider\*\*



**Open Single Sided Storage** 

STORAGE



Open Single Sided Storage, 1 Glass Door




Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.

• Cannot be used in conjunction with above worksurface power trough.

• To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRT21LS3616 | 16 x 36 x 21 | 92.5 | 94  | 9     | \$1712 | \$212 |
|-------------|--------------|------|-----|-------|--------|-------|
| BRT21LS4216 | 16 x 42 x 21 | 92.5 | 111 | 10.50 | \$1795 | \$244 |
| BRT21LS4816 | 16 x 48 x 21 | 100  | 117 | 12    | \$1874 | \$279 |
| BRT21LS5416 | 16 x 54 x 21 | 92.5 | 143 | 13.50 | \$1953 | \$315 |
| BRT21LS6016 | 16 x 60 x 21 | 92.5 | 155 | 15    | \$2261 | \$345 |
| BRT21LS6616 | 16 x 66 x 21 | 92.5 | 167 | 16.50 | \$2354 | \$380 |
| BRT21LS7216 | 16 x 72 x 21 | 100  | 177 | 18    | \$2420 | \$416 |
| BRT21LS7816 | 16 x 78 x 21 | 100  | 188 | 19.50 | \$2530 | \$450 |
| BRT21LS8416 | 16 x 84 x 21 | 100  | 198 | 21    | \$2599 | \$483 |
|             |              |      |     |       |        |       |

Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.

• Cannot be used in conjunction with above worksurface power trough.

• To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRT21HD03616 | 16 x 36 x 21 | 100 | 81  | 9     | \$1162 | \$149 |
|--------------|--------------|-----|-----|-------|--------|-------|
| BRT21HD04216 | 16 x 42 x 21 | 100 | 96  | 10.50 | \$1228 | \$173 |
| BRT21HD04816 | 16 x 48 x 21 | 100 | 100 | 12    | \$1286 | \$201 |
| BRT21HD05416 | 16 x 54 x 21 | 100 | 124 | 13.50 | \$1384 | \$223 |
| BRT21HD06016 | 16 x 60 x 21 | 100 | 134 | 15    | \$1457 | \$245 |
| BRT21HD06616 | 16 x 66 x 21 | 100 | 144 | 16.50 | \$1566 | \$269 |
| BRT21HD07216 | 16 x 72 x 21 | 100 | 152 | 18    | \$1616 | \$294 |
| BRT21HD07816 | 16 x 78 x 21 | 100 | 161 | 19.50 | \$1744 | \$318 |
| BRT21HD08416 | 16 x 84 x 21 | 100 | 168 | 21    | \$1793 | \$344 |

Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- · Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

Required Specifications Top finish Edge finish Chassis finish\* Drawer/door front finish\*\* Optional Specifications HP laminate (tops only) Elevated Shelf Binder Bin





**Open Double Sided Storage\*** 



### Open Single Sided Storage, 1 Laminate Door\*\*

## BRIDGES II

В

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH BRT21GDS3616 92.5 94 9 \$2288 16 x 36 x 21 \$145 BRT21GDS4216 16 x 42 x 21 92.5 111 10.50 \$2396 \$173 BRT21GDS4816 16 x 48 x 21 100 117 12 \$2448 \$198 BRT21GDS5416 16 x 54 x 21 92.5 143 13.50 \$3167 \$222 BRT21GDS6016 92.5 16 x 60 x 21 155 15 \$3223 \$247 BRT21GDS6616 16 x 66 x 21 92.5 167 16.50 \$3437 \$269 BRT21GDS7216 16 x 72 x 21 100 177 18 \$3513 \$294 19.50 BRT21GDS7816 16 x 78 x 21 100 188 \$3659 \$317 \$3894 BRT21GDS8416 16 x 84 x 21 100 196 21 \$343

> Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- · Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

• Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRT21LDS3616 | 16 x 36 x 21 | 92.5 | 106 | 9     | \$2249 | \$149 |
|--------------|--------------|------|-----|-------|--------|-------|
| BRT21LDS4216 | 16 x 42 x 21 | 85   | 126 | 10.50 | \$2391 | \$173 |
| BRT21LDS4816 | 16 x 48 x 21 | 92.5 | 134 | 12    | \$2441 | \$197 |
| BRT21LDS5416 | 16 x 54 x 21 | 85   | 162 | 13.50 | \$3047 | \$222 |
| BRT21LDS6016 | 16 x 60 x 21 | 92.5 | 176 | 15    | \$3100 | \$247 |
| BRT21LDS6616 | 16 x 66 x 21 | 92.5 | 190 | 16.50 | \$3309 | \$270 |
| BRT21LDS7216 | 16 x 72 x 21 | 92.5 | 203 | 18    | \$3359 | \$294 |
| BRT21LDS7816 | 16 x 78 x 21 | 92.5 | 216 | 19.50 | \$3484 | \$317 |
| BRT21LDS8416 | 16 x 84 x 21 | 92.5 | 227 | 21    | \$3694 | \$343 |
|              |              |      |     |       |        |       |

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

Cannot be used in conjunction with above worksurface power trough.

• To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.

• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.

Please refer to the Compatibility Guide on page 452 to determine available accessories

| BRTTW5024L | 24 x 24 x 50 | 100 | 142 | 16.66 | \$2116 | \$140 |
|------------|--------------|-----|-----|-------|--------|-------|
| BRTTW5024R | 24 x 24 x 50 | 100 | 142 | 16.66 | \$2116 | \$140 |
| BRTTW5030L | 30 x 24 x 50 | 125 | 163 | 20.83 | \$2348 | \$140 |
| BRTTW5030R | 30 x 24 x 50 | 125 | 163 | 20.83 | \$2348 | \$140 |

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

#### **Required Specifications** Top finish Edge finish Chassis finish Drawer/door front finish

Metal finish (legs)

**Optional Specifications** Anodized aluminum leg\*


HP laminate E-Lock\*




50"H Storage Tower w/Coat Storage\*



STORAGE



#### **Double Sided Storage, Laminate Door\***



STORAGE

66"H Storage Tower with Coat Storage

MODEL# FREIGHT CLASS DIMENSIONS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH 22 BRTTW6624L 24 x 24 x 66 125 170 \$2805 \$181 BRTTW6624R 24 x 24 x 66 125 170 22 \$2805 \$181 27.50 BRTTW6630L 30 x 24 x 66 125 195 \$3112 \$183 BRTTW6630R 30 x 24 x 66 125 195 27.50 \$3112 \$219

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included. Anodized Aluminum Leg - Add \$85 list upcharge

| BRTT5024L 24 x 15.5 x 50 100 88 10.76  | \$1572 | \$103 |
|--|--------|-------|
| BRTT5024R 24 x 15.5 x 50 100 88 10.76  | \$1572 | \$103 |
| BRTT5030L 30 x 15.5 x 50 125 101 13.45 | \$1730 | \$120 |
| BRTT5030R 30 x 15.5 x 50 125 101 13.45 | \$1730 | \$120 |

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

| BRTT6624L | 24 x 15.5 x 66 | 100 | 106 | 12.91 | \$2085 | \$131 |
|-----------|----------------|-----|-----|-------|--------|-------|
| BRTT6624R | 24 x 15.5 x 66 | 100 | 106 | 12.91 | \$2085 | \$131 |
| BRTT6630L | 30 x 15.5 x 66 | 125 | 121 | 16.14 | \$2292 | \$159 |
| BRTT6630R | 30 x 15.5 x 66 | 125 | 121 | 16.14 | \$2292 | \$159 |

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

Anodized Aluminum Leg - Add \$85 list upcharge

| BRTCS45BBFFL | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2859 | \$149 |
|--------------|--------------|------|-----|----|--------|-------|
| BRTCS45BBFFR | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2859 | \$149 |

Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.

Anodized Aluminum Leg - Add \$85 list upcharge

**Required Specifications** 

Edge finish Top finish Chassis finish Drawer/door front finish Metal finish (legs)

**Optional Specifications** Anodized aluminum leg HP laminate E-Lock\*



globalfurnituregroup.com



**Cantilever Storage\*** 

444 USA





66"H Storage Tower

В

| STORAGE       | MODEL#       | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------|--------------|--------------|---------------|---------|-----------|------------|--------|
| ~             |              | D x W x H    |               |         |           |            |        |
| $\langle \$   | BRTCS45FFFOL | 18 x 36 x 45 | 92.5          | 256     | 24        | \$2929     | \$149  |
| $\rightarrow$ | BRTCS45FFFOR | 18 x 36 x 45 | 92.5          | 256     | 24        | \$2929     | \$149  |
|               |              |              |               |         |           |            |        |

Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 3 locking file drawers with 2 locks. Open compartment (10.3" interior dimension). Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.

Anodized Aluminum Leg - Add \$85 list upcharge

| BRTCS45BBFOOL | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2797 | \$149 |
|---------------|--------------|------|-----|----|--------|-------|
| BRTCS45BBFOOR | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2797 | \$149 |

Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. Locking file drawer. 2 pencil drawers (not locking). Open compartment (10.3" interior dimension) with adjustable glass shelf. 4 fixed open compartments; two above worksurfaces (6.7" interior dimension), two below (lower 12.2" interior dimension; upper 3.3" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.

Anodized Aluminum Leg - Add \$85 list upcharge

|  | BRTDS2B2F | 16 x 18 x 36 | 125 | 85 | 14 | \$1752 | n/a |
|--|-----------|--------------|-----|----|----|--------|-----|
|--|-----------|--------------|-----|----|----|--------|-----|

Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Two lockable file drawers, two box drawers. Black pencil tray included.

| BRTDSOP | 16 x 18 x 36 | 150 | 75 | 14 | \$1165 | n/a |
|---------|--------------|-----|----|----|--------|-----|
|---------|--------------|-----|----|----|--------|-----|

Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"

**Required Specifications** Top finish\* Edge finish\* Chassis finish Drawer/door front finish

**Optional Specifications** Anodized aluminum leg HP laminate (tops only)

Pier Storage, Box/File

Pier Storage, Open w/Glass Shelves

**Cantilever Storage\*** 

**Cantilever Storage\*** 







| ORAGE                          | MODEL#  | DIMENSIONS                       | FREIGHT CLASS       | WT/LBS.      | CUBIC FT.         | LIST PRICE                | HP ADD             |
|--------------------------------|---|----------------------------------|---------------------|--------------|-------------------|---------------------------|--------------------|
|                                | BRTDS2D                                       | <b>D x W x H</b><br>16 x 18 x 36 | 150                 | 79           | 14                | \$1565                    | n/a                |
|                                |   |                                  |                     |              |                   |                           |                    |
| Storage, Door w/Glass Shelves  | Supports side-by-side internal height without |                                  |                     | opposite si  | des for side-by-s | side application.         | Storage compartm   |
|                                |   |                                  |                     |              |                   |                           |                    |
| $\sim$                         | BRT21PHD04216                                 | 16 x 42 x 21                     | 100                 | 96           | 10.50             | \$1014                    | \$173              |
|                                | BRT21PHD04816                                 | 16 x 48 x 21                     | 100                 | 100          | 12                | \$1077                    | \$201              |
|                                | BRT21PHD05416                                 | 16 x 54 x 21                     | 100                 | 124          | 13.50             | \$1181                    | \$222              |
|                                | BRT21PHD06016                                 | 16 x 60 x 21                     | 100                 | 134          | 15                | \$1248                    | \$247              |
|                                | BRT21PHD06616                                 | 16 x 66 x 21                     | 100                 | 144          | 16.50             | \$1353                    | \$268              |
|                                | BRT21PHD07216                                 | 16 x 72 x 21                     | 100                 | 152          | 18                | \$1425                    | \$294              |
| e-by-Side Storage, Open*       | Pier and table support table. Storage comp    |                                  |                     | orage. Divid | es space and pro  | ovides storage a          | nywhere along bend |
|                                |   | 10 40 01                         | 02 5                | 100          | 11                | 600.47                    | 6470               |
|                                | BRT21PLDS4216                                 | 16 x 42 x 21                     | 92.5                | 126          | 11                | \$2347                    | \$173              |
|                                | BRT21PLDS4816                                 | 16 x 48 x 21                     | 92.5                | 134          | 12                | \$2397                    | \$198              |
|                                | BRT21PLDS5416                                 | 16 x 54 x 21                     | 92.5                | 162          | 14                | \$3007                    | \$222              |
|                                | BRT21PLDS6016                                 | 16 x 60 x 21                     | 92.5                | 176          | 15                | \$3060                    | \$247              |
|                                | BRT21PLDS6616                                 | 16 x 66 x 21                     | 92.5                | 190          | 17                | \$3267                    | \$270              |
|                                | BRT21PLDS7216                                 | 16 x 72 x 21                     | 92.5                | 203          | 18                | \$3317                    | \$294              |
|                                | provides storage any                          |                                  |                     |              |                   | . 1 <del>4</del> . 1 top. |                    |
| $\sim$                         | BRT21PGDS4216                                 | 16 x 42 x 21                     | 92.5                | 110          | 10.50             | \$2370                    | \$171              |
|                                | BRT21PGDS4816                                 | 16 x 48 x 21                     | 100                 | 116          | 12                | \$2423                    | \$197              |
|                                | BRT21PGDS5416                                 | 16 x 54 x 21                     | 92.5                | 141          | 13.50             | \$3142                    | \$222              |
|                                | BRT21PGDS6016                                 | 16 x 60 x 21                     | 92.5                | 153          | 15                | \$3198                    | \$245              |
|                                | BRT21PGDS6616                                 | 16 x 66 x 21                     | 92.5                | 165          | 16.50             | \$3412                    | \$269              |
|                                | BRT21PGDS7216                                 | 16 x 72 x 21                     | 100                 | 175          | 18                | \$3489                    | \$295              |
| -by-Side Storage, Glass Doors* | Pier and table suppo                          | rted side-by-side do             | ouble-sided storage | with sliding | glass doors and   | d recessed pull. I        | Divides space and  |
|                                | provides storage any                          | where along bench                | or table. Storage c | ompartmen    | t internal height | : 14". 1" top.            |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |
|                                |   |                                  |                     |              |                   |                           |                    |

Required Specifications Top finish\* Edge finish\* Chassis finish Drawer/door front finish (excl. glass) Optional Specifications HP laminate\*



| ACCESSORIES               | MODEL #   | DIMENSIONS F   | REIGHT CLASS  | WT/LBS.  | CUBIC FT.  | GRADE  | LIST  | GNADE                       |              |
|---------------------------|---|--|---|--|--|--|---|-----------------------------|--------------|
|                           | BRTC  | 18 x 15.5 x 1.25   | 150   | 2  | .41  | 1  | \$255   | 7                           | \$           |
| ~                         |   |  |   |  |  | 2  | \$291   | 8                           | \$           |
| $\langle \rangle$         |   |  |   |  |  | 3  | \$319   | 9                           | \$           |
| $\langle \rangle$         |   |  |   |  |  | 4  | \$351   | 10                          | \$           |
|                           |   |  |   |  |  | 5  | \$400   | 11                          | \$           |
| $\checkmark$              |   |  |   |  |  | 6  | \$446   | 12                          |              |
| Cushion*                  |   | shion may be added to any<br>to 25″h storage units, u  |   |  |  |  | fabrics.  |                             |              |
|                           | GAGTA01   | 2 x 9 x 2.5  | 70  | .50  | .03  | :  | \$115   |                             |              |
|                           |   | ble in Black only.<br>d with GACPU01. See Proc<br>9.2 x 11.7 x 18.5  | luctivity Solutio   | ns for compat  | ible keyboard  |  | sms and sli<br>\$252  | iding CPU h                 | nol          |
| CPU Holder on Glide Track | adjustment and l  | PUs with a width range of<br>bayonet lance for vertical h  | neight adjustme   | nt. 12" glide  | track mounte   | d and 360  | l° swivel fo  | or easy acce                | ess          |
| CPU Holder on Glide Track | adjustment and l  |  | neight adjustme   | nt. 12" glide  | track mounte   | d and 360<br>Ind suppor  | l° swivel fo  | or easy acce                | ess          |
| CPU Holder on Glide Track | adjustment and l<br>of CPU. Manufa<br>GACPU01<br>Fully adjustable   | bayonet lance for vertical h<br>ctured from steel and engi   | neered resin, p<br>125  | nt. 12" glide<br>roviding rugge<br>9   | track mounte<br>d durability a<br>1.15<br>nt range of 12                                     | d and 360<br>ind suppor  | I° swivel fo<br>rt. Availabl<br>\$228<br>5″ and wid   | or easy acce<br>le in Black | ess<br>onl   |
|                           | adjustment and l<br>of CPU. Manufa<br>GACPU01<br>Fully adjustable<br>to 9.3". Soft tou<br>underside of des                    | bayonet lance for vertical h<br>ctured from steel and engi<br>9.2 x 11.7 x 18.5<br>clamping mechanism to ac<br>ch knob for side clamp adj<br>k surface. CPU Holder can<br>tured from Steel and Engin | neered resin, p<br>125<br>cept tower CPL<br>ustment and ba<br>also be mount | nt. 12" glide<br>roviding rugge<br>9<br>Is with a heigh<br>yonet lance for<br>ed directly to a | track mounte<br>d durability a<br>1.15<br>nt range of 12<br>or vertical hei<br>an upright de | d and 360<br>ind suppor<br>2.5" to 22.<br>ght adjust<br>sk leg sur               | <sup>1°</sup> swivel fo<br>rt. Availabl<br>\$228<br>5″ and wid<br>tment. Mon<br>face or wal | Ith range of<br>unts direct | f 3.<br>Iy t |
|                           | adjustment and l<br>of CPU. Manufa<br>GACPU01<br>Fully adjustable<br>to 9.3". Soft tou<br>underside of des<br>holes. Manufact | bayonet lance for vertical h<br>ctured from steel and engi<br>9.2 x 11.7 x 18.5<br>clamping mechanism to ac<br>ch knob for side clamp adj<br>k surface. CPU Holder can<br>tured from Steel and Engin | neered resin, p<br>125<br>cept tower CPL<br>ustment and ba<br>also be mount | nt. 12" glide<br>roviding rugge<br>9<br>Is with a heigh<br>yonet lance for<br>ed directly to a | track mounte<br>d durability a<br>1.15<br>nt range of 12<br>or vertical hei<br>an upright de | d and 360<br>ind suppor<br>2.5" to 22.<br>ight adjust<br>sk leg sur<br>nd suppor | <sup>1°</sup> swivel fo<br>rt. Availabl<br>\$228<br>5″ and wid<br>tment. Mon<br>face or wal | Ith range of<br>unts direct | f 3.<br>Iy 1 |

Required Specifications Fabric\* Paint finish\*\*

| ACCESSORIES | MODEL#  | DIMENSIONS   | FREIGHT CLASS                                  | WT/LBS.                             | CUBIC FT.      | LIST PRICE  |
|-------------|---|--|--|-------------------------------------|----------------|---|
|             | BRTWB0924                                     | <b>D x W x H</b><br>0.5 x 24 x 8.5                   | 70   | 1                                   | .56            | \$255   |
|             |   |  |  |                                     |                |   |
| Whiteboard  | shelves. White dr<br>magnetic board. <i>F</i> |  | es magnetically to<br><b>npatibility Guide</b> | the steel ba<br><i>(page 452) t</i> | cker. When rer | all Bridges II dividers and single-si<br>noved, the steel backer can be use<br>ailable accessories. |
|             | BRTTB0924                                     | 0.5 x 24 x 8.5                                       | 70   | 1                                   | .56            | \$255   |
| Tackboard*  |   | rface on white powder<br>e <b>Compatibility Guid</b> |  |                                     | 0              | ividers and single-sided shelves.   |

Required Specifications Metal finish Fabric\*



| MONITOR ARMS   | MODEL#   | DIMENSIONS<br>D x W x H   | FREIGHT CLASS   | WT/LBS.   | CUBIC FT.   | LIST PRICE  |                |
|--|--|---|---|---|---|---|----------------|
| 180°<br>19° adjustment<br>180°   | GAMCSSDE   | X X   | 125   | 7.50  | 1.09  | \$571   |                |
| ाgle Screen Double Extension Arm   | able to tilt 180°, sv  | ving 180° side-to-side<br>njunction with below  | e and rotate from I   | andscape to p                                       | ortrait. Minor                                    | post for more desk space. Displa<br>assembly required.<br>It must be used. Cannot be clam   | ·              |
| 13"ht. adjustment  | GAMCSSDEH  | X X   | 125   | 8.20  | 1.09  | \$685   |                |
| े स्थ्रा<br>ngle Screen Double Extension Arm<br>ith Height Adjustment  | forth movement. Ea<br>monitor. Displays a<br>extension arm and                         | asy to use Allen wrend<br>re able to tilt 180°, sw<br>hides all cables. Min<br>njunction with below | ch allows user to a<br>ving 180° side-to-s<br>or assembly requi | adjust the cou<br>side and rotate<br>red.           | nterbalance m<br>e from landsca                   | on allows 19" of horizontal back a<br>echanism for easy movement of 1<br>be to portrait. Cable manager con<br>nt must be used. Cannot be clam                           | the<br>omes or |
| 80° (Contraction of the second | GAMCDSDE   | X X   | 100   | 10.70   | 1.09  | \$1006  |                |
| 180° 🔪 al Screen Double Extension Arm  | wrench allows use swing 180° side-to   | r to adjust the counter-<br>-side and rotate from<br>njunction with below                           | rbalance mechanis<br>landscape to portr                         | sm for easy m<br>ait. Minor ass                     | ovement of the<br>sembly required                 | forth movement. Easy to use Alle<br>monitor. Displays are able to til<br>1.<br>It must be used. Cannot be clam  | lt 180°,       |
| 12.4" ht. adjustment<br>12.4" ht. adjustment<br>23.5" adjustment<br>180°   | GAMCDSDEH  | x x   | 92.5  | 12.2  | 1.09  | \$1247  |                |
| Dual Screen Double Extension Arm   | allow 19" of horizo<br>mechanism for eas<br>to portrait. Cable n<br>• To use arm in co | ntal back and forth m<br>y movement of the mo<br>nanager comes on exte                              | ovement. Easy to p<br>onitor. Displays an<br>ension arm and hi  | use Allen wre<br>e able to tilt 1<br>des all cables | nch allows use<br>80°, swing 180<br>. Minor assem | nt adjustment. Double extension<br>r to adjust the counterbalance<br>I <sup>o</sup> side-to-side and rotate from la<br>bly required.<br>It must be used. Cannot be clam | andsca         |

| CCESSORIES    | MODEL#               |  | REIGHT CLASS | WT/LBS.        | CUBIC FT.       | LIST PRICE     |   |
|---------------|----------------------|--|--------------|----------------|-----------------|----------------|---|
|               | BABB01               | <b>D x W x H</b><br>10.25 x 4 x 9                            | 100          | 2              | .21             | \$70           |   |
| nder Bin      |                      | ry rail mounted metal bind<br>the <b>Compatibility Guide</b> |              | o determine co | ompatible store | age components |   |
|               | BAFS01               | 9.25 x 2.75 x 9.25   | 70           | .06            | .14             | \$54           |   |
| p Sorter      |                      | ry rail mounted metal flip<br>the <b>Compatibility Guide</b> |              |                |                 | age components |   |
| $ \land $     | BASS01L<br>(Left)    | 10.25 x 5 x 9.5  | 70           | 1              | .28             | \$44           |   |
|               | BASS01R<br>(Right)   | 10.25 x 5 x 9.5  | 70           | 1              | .28             | \$44           |   |
| ant Sorter    |                      | ry rail mounted metal slar<br>the <b>Compatibility Guide</b> |              | o determine co | ompatible store | age components |   |
|               | BALT01<br>(Letter)   | 9.25 x 13.5 x 2  | 70           | .05            | .15             | \$58           |   |
|               | BALTO1LGL<br>(Legal) | 9.25 x 15 x 2  | 70           | .05            | .15             | \$71           |   |
| er/Legal Tray |                      | ry rail mounted metal lett<br>the <b>Compatibility Guide</b> |              |                | ompatible store | age components |   |
|               | BAMB01               | 5.25 x 5.75 x 3  | 70           | .08            | .05             | \$58           |   |
| dia Bin       |                      | ry rail mounted metal mea<br>the <b>Compatibility Guide</b>  |              | o determine co | ompatible store | age components |   |
|               | BAUT01               | 3.75 x 5.75 x 3  | 70           | .05            | .02             | \$38           |   |
| lity Tray     |                      | ry rail mounted metal util<br>the <b>Compatibility Guide</b> |              | o determine cc | ompatible store | age components |   |
|               | Required Specific    | -11  |              |                |                 |                | _ |

Required Specifications
Paint finish



| CCESSORIES                | MODEL#    |   | REIGHT CLASS     | WT/LBS.       | CUBIC FT.      | LIST PRICE             |                 |
|---------------------------|-----------|---|------------------|---------------|----------------|------------------------|-----------------|
|                           | BAPP01    | <b>D x W x H</b><br>2.75 x 16 x 9                             | 100              | 2             | .25            | \$88                   |                 |
|                           |           |   |                  |               |                |                        |                 |
| lail Box*                 |           | ory rail mounted metal main<br>the <b>Compatibility Guide</b> |                  | determine cor | mpatible stora | age components         |                 |
|                           | BATH01    | 10 x 9 x 2  | 125              | 2             | .26            | \$85                   |                 |
| elephone Holder*          |           | ory rail mounted metal tele<br>the <b>Compatibility Guide</b> |                  | determine cor | npatible stora | age components         |                 |
|                           | BRTESBBIN | 12 x 12 x 8   | 100              | 6             | .66            | \$181                  |                 |
| levated Shelf Binder Bin* |           | ory rail mounted elevated s<br>the <b>Compatibility Guide</b> |                  | determine cor | npatible stora | age components         |                 |
|                           | PEEPD     | 15 x 22.5 x 1.5   | 250              | 2             | 0.7            | \$164                  |                 |
| encil Drawer              |           | for writing instruments an<br>Black ABS plastic only.         | d small items at | the worksurfa | ce. Attaches   | to underside of worksu | rface with drav |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |
|                           |           |   |                  |               |                |                        |                 |

Required Specifications
Paint finish\*

## ACCESSORIES

## ACCESSORIES COMPATIBILITY GUIDE

|  | DIVIDERS: BRTLPDD<br>BRTLPDS BR2AFD<br>BR2AHD | Elevated Shelves<br>BRTSTS08<br>BRTBTS08<br>8″ high | Elevated Shelves<br>BRTSTS13<br>BRTBTS13<br>13″ high | Elevated Shelves<br>BRTSTS16<br>BRTBTS16<br>16″ high | Shared<br>Overhead<br>BRTBASO48<br>12″ deep | Shared<br>Overhead with slid-<br>ing doors BRTBASS<br>16″ deep |
|--|---|---|--|--|---|--|
| Binder Bin BABB01                      | yes   | no  | no   | yes  | no  | no   |
| Flip Sorter BAFS01                     | yes   | no  | yes  | no   | no  | no   |
| Slant Sorter BASS01                    | yes   | no  | yes  | no   | no  | no   |
| Letter Tray BALT01                     | yes   | yes   | yes  | yes  | yes   | yes  |
| Media Bin BAMB01                       | yes   | yes   | yes  | yes  | yes   | yes  |
| Utility Tray BAUT01                    | yes   | yes   | yes  | yes  | yes   | yes  |
| Mail Box BAPP01                        | yes   | no  | no   | yes  | no  | no   |
| Phone Holder<br>BVATH01                | yes   | yes   | yes  | yes  | yes   | yes  |
| Elevated Shelf Binder<br>Bin BRTESBBIN | no  | no  | no   | no   | yes   | no   |
| Tackboard BRTTB                        | yes   | no  | no   | yes  | no  | no   |
| Whiteboard BRTWB                       | yes   | no  | no   | yes  | no  | no   |

DxWxH



## COLLABORATIVE SEATING

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

D x W x H

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.


Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.


**Bridges Collaborative Seating upholstery** features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.

In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle. The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.


Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.

Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.





### 6" In-line table block



COLLABORATIVE SEATING




| MODEL#     | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|------------|--------------|---------------|---------|-----------|------------|--------|--|
|            | D x W x H    |               |         |           |            |        |  |
| BRTST2460F | 24 x 60 x 17 | 150           | 83.60   | 14.17     | \$880      | \$326  |  |
| BRTST2448F | 24 x 48 x 17 | 125           | 69      | 11.33     | \$787      | \$237  |  |
| BRTST2424F | 24 x 24 x 17 | 125           | 40.70   | 5.67      | \$556      | \$97   |  |

Freestanding 17"h table. Central partition divides space under top surface into two 11" deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

• Anodized Aluminum Leg - Add \$74 list upcharge

• To convert to mobile - Add an M at the end of the product code. Add \$35 upcharge.

## COLLABORATIVE SEATING



Fully upholstered armless lounge seat with metal base. Seats can be freestanding or linked with optional interlocking bracket kit. • Anodized Aluminum Leg - Add \$74 list upcharge

| BRTSE6060B | 24 x 60 x 29 | 250 | 70    | 24.17 | 1 | \$2649 | 7  | \$3666 |
|------------|--------------|-----|-------|-------|---|--------|----|--------|
|            |              |     |       |       | 2 | \$2797 | 8  | \$4018 |
|            |              |     |       |       | 3 | \$2912 | 9  | \$4288 |
|            |              |     |       |       | 4 | \$3084 | 10 | \$4590 |
|            |              |     |       |       | 5 | \$3327 | 11 | \$5214 |
|            |              |     |       |       | 6 | \$3443 | 12 | \$5878 |
|            |              |     |       |       |   |        |    |        |
| BRTSE4848B | 24 x 48 x 29 | 250 | 55.50 | 19.33 | 1 | \$2286 | 7  | \$3076 |
|            |              |     |       |       | 2 | \$2401 | 8  | \$3350 |
|            |              |     |       |       | 3 | \$2491 | 9  | \$3562 |
|            |              |     |       |       | 4 | \$2625 | 10 | \$3797 |
|            |              |     |       |       | 5 | \$2817 | 11 | \$4282 |
|            |              |     |       |       | 6 | \$2905 | 12 | \$4797 |
|            |              |     |       |       |   |        |    |        |
| BRTSE2424B | 24 x 24 x 29 | 250 | 33    | 9.57  | 1 | \$1239 | 7  | \$1749 |
|            |              |     |       |       | 2 | \$1315 | 8  | \$1925 |
|            |              |     |       |       | 3 | \$1373 | 9  | \$2061 |
|            |              |     |       |       | 4 | \$1458 | 10 | \$2213 |
|            |              |     |       |       | 5 | \$1580 | 11 | \$2525 |
|            |              |     |       |       | 6 | \$1638 | 12 | \$2855 |
|            |              |     |       |       |   |        |    |        |


Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications** Top finish\* Edge finish\* Chassis finish\* Fabric Paint finish (legs)

**Optional Specifications** Anodized Aluminum Leg HP laminate\*



globalfurnituregroup.com



Lounge Seat



Β

В

| BORATIVE SEATING | MODEL#      | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST   | GRADE | LIST   |
|------------------|-------------|--------------|---------------|---------|-----------|-------|--------|-------|--------|
|                  |             | D x W x H    |               |         |           |       |        |       |        |
|                  | BRTSE2448BL | 24 x 48 x 29 | 250           | 46.10   | 19.33     | 1     | \$1884 | 7     | \$2563 |
|                  |             |              |               |         |           | 2     | \$1987 | 8     | \$2800 |
|                  |             |              |               |         |           | 3     | \$2063 | 9     | \$2980 |
|                  |             |              |               |         |           | 4     | \$2175 | 10    | \$3179 |
|                  |             |              |               |         |           | 5     | \$2339 | 11    | \$3596 |
|                  |             |              |               |         |           | 6     | \$2416 | 12    | \$4038 |
|                  |             |              |               |         |           |       |        |       |        |
| $ \land $        | BRTSE2448BR | 24 x 48 x 29 | 250           | 46.10   | 19.33     | 1     | \$1884 | 7     | \$2563 |
|                  | (shown)     |              |               |         |           | 2     | \$1987 | 8     | \$2800 |
|                  |             |              |               |         |           | 3     | \$2063 | 9     | \$2980 |
|                  |             |              |               |         |           | 4     | \$2175 | 10    | \$3179 |
|                  |             |              |               |         |           | 5     | \$2339 | 11    | \$3596 |
|                  |             |              |               |         |           | 6     | \$2416 | 12    | \$4038 |


Fully upholstered armless lounge seat with one backrest and metal base. Specify backrest as either left or right side. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

Anodized Aluminum Leg - Add \$74 list upcharge

| BRTSE2448BODL | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2336 | 7  | \$3241 |
|---------------|--------------|-----|-------|-------|---|--------|----|--------|
| shown)        |              |     |       |       | 2 | \$2468 | 8  | \$3554 |
|               |              |     |       |       | 3 | \$2570 | 9  | \$3794 |
|               |              |     |       |       | 4 | \$2724 | 10 | \$4065 |
|               |              |     |       |       | 5 | \$2940 | 11 | \$4618 |
|               |              |     |       |       | 6 | \$3043 | 12 | \$5206 |
|               |              |     |       |       |   |        |    |        |
| BRTSE2448BODR | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2336 | 7  | \$3241 |
|               |              |     |       |       | 2 | \$2468 | 8  | \$3554 |
|               |              |     |       |       | 3 | \$2570 | 9  | \$3794 |
|               |              |     |       |       | 4 | \$2724 | 10 | \$4065 |
|               |              |     |       |       | 5 | \$2940 | 11 | \$4618 |
|               |              |     |       |       | 6 | \$3043 | 12 | \$5206 |

Lounge Seat, Two 24" Offset Backrests

Lounge Seat, 24" Offset Backrest



configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

| BRTSE2148EBL | 24 x 48 x 29 | 250 | 33    | 9.67  | 1 | \$2184 | 7  | \$2863 |
|--------------|--------------|-----|-------|-------|---|--------|----|--------|
|              |              |     |       |       | 2 | \$2287 | 8  | \$3100 |
|              |              |     |       |       | 3 | \$2363 | 9  | \$3280 |
|              |              |     |       |       | 4 | \$2475 | 10 | \$3479 |
|              |              |     |       |       | 5 | \$2639 | 11 | \$3896 |
|              |              |     |       |       | 6 | \$2716 | 12 | \$4338 |
|              |              |     |       |       |   |        |    |        |
| BRTSE2148EBR | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2184 | 7  | \$2863 |
| shown)       |              |     |       |       | 2 | \$2287 | 8  | \$3100 |
|              |              |     |       |       | 3 | \$2363 | 9  | \$3280 |
|              |              |     |       |       | 4 | \$2475 | 10 | \$3479 |
|              |              |     |       |       | 5 | \$2639 | 11 | \$3896 |
|              |              |     |       |       | 6 | \$2716 | 12 | \$4338 |

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 4' long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications** 



Optional Specifications Anodized Aluminum Leg



COLLAR

Lounge Seat, 21" USB Backrest

globalfurnituregroup.com global

**COLLABORATIVE SEATING** 


Lounge Seat, Two 21" USB Backrests

| MODEL#       | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST   | GRADE | LIST   |
|--------------|--------------|---------------|---------|-----------|-------|--------|-------|--------|
|              | D x W x H    |               |         |           |       |        |       |        |
| BRTSE2148E2B | 24 x 48 x 29 | 250           | 57      | 19.33     | 1     | \$2934 | 7     | \$3838 |
|              |              |               |         |           | 2     | \$3066 | 8     | \$4151 |
|              |              |               |         |           | 3     | \$3165 | 9     | \$4392 |
|              |              |               |         |           | 4     | \$3319 | 10    | \$4660 |
|              |              |               |         |           | 5     | \$3536 | 11    | \$5213 |
|              |              |               |         |           | 6     | \$3641 | 12    | \$5803 |

Fully upholstered armless lounge seat with two backrests and metal base. Both 21"w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets. • Anodized Aluminum Leg - Add \$74 list upcharge

| BRTSE2148EBODL | 24 x 48 x 29 | 250 | 57 | 19.33 | 1 | \$2934 | 7  | \$3838 |
|----------------|--------------|-----|----|-------|---|--------|----|--------|
| (shown)        |              |     |    |       | 2 | \$3066 | 8  | \$4151 |
|                |              |     |    |       | 3 | \$3165 | 9  | \$4392 |
|                |              |     |    |       | 4 | \$3319 | 10 | \$4660 |
|                |              |     |    |       | 5 | \$3536 | 11 | \$5213 |
|                |              |     |    |       | 6 | \$3641 | 12 | \$5803 |
|                |              |     |    |       |   |        |    |        |
| BRTSE2148EBODR | 24 x 48 x 29 | 250 | 57 | 19.33 | 1 | \$2934 | 7  | \$3838 |
|                |              |     |    |       | 2 | \$3066 | 8  | \$4151 |
|                |              |     |    |       | 3 | \$3165 | 9  | \$4392 |
|                |              |     |    |       | 4 | \$3319 | 10 | \$4660 |
|                |              |     |    |       | 5 | \$3536 | 11 | \$5213 |
|                |              |     |    |       | 6 | \$3641 | 12 | \$5803 |

Lounge Seat, Two Offset USB Backrests



• Anodized Aluminum Leg - Add \$74 list upcharge

| BRTSE2124EBL | 24 x 24 x 29 | 250 | 46.10 | 19.33 | 1 | \$1538 | 7  | \$2049 |
|--------------|--------------|-----|-------|-------|---|--------|----|--------|
|              |              |     |       |       | 2 | \$1614 | 8  | \$2225 |
|              |              |     |       |       | 3 | \$1673 | 9  | \$2360 |
|              |              |     |       |       | 4 | \$1757 | 10 | \$2512 |
|              |              |     |       |       | 5 | \$1879 | 11 | \$2824 |
|              |              |     |       |       | 6 | \$1939 | 12 | \$3154 |
|              |              |     |       |       |   |        |    |        |
| BRTSE2124EBR | 24 x 24 x 29 | 250 | 46.10 | 19.33 | 1 | \$1538 | 7  | \$2049 |
| (shown)      |              |     |       |       | 2 | \$1614 | 8  | \$2225 |
|              |              |     |       |       | 3 | \$1673 | 9  | \$2360 |
|              |              |     |       |       | 4 | \$1757 | 10 | \$2512 |
|              |              |     |       |       | 5 | \$1879 | 11 | \$2824 |
|              |              |     |       |       | 6 | \$1939 | 12 | \$3154 |
|              |              |     |       |       |   |        |    |        |

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications** Fabric

Metal Finish (legs)

**Optional Specifications** Anodized Aluminum Lea





Lounge Seat, 21" USB Backrest



В

| DRATIVE SEATING | MODEL#     | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST   | GRADE | LIST   |
|-----------------|------------|--------------|---------------|---------|-----------|-------|--------|-------|--------|
|                 |            | D x W x H    |               |         |           |       |        |       |        |
|                 | BRTSINT60S | 24 x 60 x 29 | 125           | 155     | 24.17     | 1     | \$5294 | 7     | \$6289 |
|                 |            |              |               |         |           | 2     | \$5422 | 8     | \$6641 |
|                 |            |              |               |         |           | 3     | \$5535 | 9     | \$6914 |
|                 |            |              |               |         |           | 4     | \$5709 | 10    | \$7216 |
|                 |            |              |               |         |           | 5     | \$5952 | 11    | \$7838 |
|                 |            |              |               |         |           | 6     | \$6068 | 12    | \$8501 |
|                 |            |              |               |         |           |       |        |       |        |
|                 | BRTSINT48S | 24 x 48 x 29 | 100           | 182     | 19.33     | 1     | \$5065 | 7     | \$5856 |
|                 |            |              |               |         |           | 2     | \$5181 | 8     | \$6130 |
|                 |            |              |               |         |           | 3     | \$5271 | 9     | \$6343 |
|                 |            |              |               |         |           | 4     | \$5406 | 10    | \$6577 |
|                 |            |              |               |         |           | 5     | \$5596 | 11    | \$7062 |
| K               |            |              |               |         |           | 6     | \$5685 | 12    | \$7579 |

Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5"d back-toback linear table assembly. The single-sided kit consists of 24"x 48" or 24"x 60" seat, full width back, three-sided below worksurface enclosure, 6"d worksurface module with access door, 30"x 48" or 30"x 60" w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24"d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side

• Anodized Aluminum Leg - Add \$74 list upcharge

High pressure laminate - Add \$266 list upcharge

| 24 x 60 x 29 125 155 24.17 | 1 | \$6873 | 7  | \$7890  |
|----------------------------|---|--------|----|---------|
|                            | 2 | \$7021 | 8  | \$8242  |
|                            | 3 | \$7136 | 9  | \$8512  |
|                            | 4 | \$7308 | 10 | \$8814  |
|                            | 5 | \$7551 | 11 | \$9438  |
|                            | 6 | \$7668 | 12 | \$10103 |
|                            |   |        |    |         |
| 24 x 48 x 29 100 182 19.33 | 1 | \$6148 | 7  | \$6938  |
|                            | 2 | \$6263 | 8  | \$7212  |
|                            | 3 | \$6353 | 9  | \$7424  |
|                            | 4 | \$6487 | 10 | \$7659  |
|                            | 5 | \$6679 | 11 | \$8144  |
|                            | 6 | \$6768 | 12 | \$8659  |

Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5"d back-to-back linear table assembly. The double-sided kit consists of two 24"x 48" or 24"x 60" seats, full width backs, three-sided below worksurface enclosures, 6"d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular

**legs.** Not compatible with round legs, 24"d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side.

- Anodized Aluminum Leg Add \$74 list upcharge
- High pressure laminate Add \$266 list upcharge

## **Required Specifications**

Fabric Laminate finish (enclosure) Edge finish (enclosure) Metal finish (legs) Optional Specifications Anodized Aluminum Leg HP laminate (enclosure)



COLLABO

#### **Integrated Lounge Seat, Double-Sided**

**Integrated Lounge Seat, Single-Sided** 


SEATING PARTITIONS



**Seat Partitions** 



**Seat Privacy Partitions** 



Square Table Block\*



**Square Table Block Ganging Bracket Kit** 



Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

| BRTPP2448L2 | 28.7 x 53 x 50 | 400 | 41 | 44.01 | \$2813 |
|-------------|----------------|-----|----|-------|--------|
| BRTPP2424L2 | 28.7 x 29 x 50 | 300 | 32 | 24.08 | \$2199 |

Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50"h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

| BRTS2424B  | 24 x 24 x 25 | 250 | 32    | 12.04 | \$619  | \$90 |
|------------|--------------|-----|-------|-------|--------|------|
| BRTS2424BP | 24 x 24 x 25 | 125 | 59.30 | 8.33  | \$1231 | \$90 |

Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.

| BRTSTBG 2.4 x 5 x 1.1 70 .05 .01 <b>\$47</b> n/a |         |               |    |     |     |      |     |
|--|---------|---------------|----|-----|-----|------|-----|
|  | BRTSTBG | 2.4 x 5 x 1.1 | 70 | .05 | .01 | \$47 | n/a |

Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.

| BRTSTSB | 1.3 x 6 x .1 | 70 | .03 | .01 | \$21 | n/a |
|---------|--------------|----|-----|-----|------|-----|



Required Specifications Fabric Laminate finish (enclosure) Edge finish (enclosure)

Metal finish (legs)

Optional Specifications Anodized Aluminum Leg HP laminate (enclosure)



**Ganging Bracket Kit** 

| COLLABORATIVE SEATING | MODEL#      | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|-----------------------|-------------|-------------|---------------|---------|-----------|------------|--------|--|
|                       |             | D x W x H   |               |         |           |            |        |  |
|                       | BRTS2406B   | 24 x 6 x 25 | 92.5          | 21      | 2.08      | \$531      | \$47   |  |
|                       | BRTS2406BP  | 24 x 6 x 25 | 92.5          | 23.30   | 2.08      | \$1144     | \$47   |  |
|                       | BRTS2406B2P | 24 x 6 x 25 | 92.5          | 24.30   | 2.08      | \$1758     | \$47   |  |
|                       | BRTS2406BT  | 24 x 6 x 25 | 85            | 25.60   | 2.08      | \$1014     | \$47   |  |
|                       | BRTS2406BPT | 24 x 6 x 25 | 92.5          | 24.30   | 2.08      | \$1627     | \$47   |  |

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two Bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side fo the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.

• BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

BRTS2406BP





BRTS2406B2P



Inline table w/swivel tablet arm

BRTS2406BPT

Inline table w/front power module and swivel tablet arm



Inline table w/front and rear power module

Required Specifications Top finish Edge finish

Chassis/Accent finish

Fabric

Optional Specifications HP laminate (top only)

BRTS2406B

CC

Inline 6" Block

Inline table - no power module or swivel arm

globalfurnituregroup.com

globa



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



#### **Features and Benefits**

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s)
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics

## **GENERAL INFORMATION**

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts to support the partitions
  - Partitioning screens a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
  - Transaction tops laminate tops ideal for creating reception stations
- · For environmental certifications, please visit globalfurnituregroup.com
- Model numbers reflect total width of panel and posts

### **DIVIDE POSTS**

- Available in 6 standard heights:
- 12" high to create semi-private spaces and to support Transaction Tops
- 18" high to create semi-private spaces and to support Transaction Tops
- 24" high to create semi-private spaces
- 30" high to create **semi-private** spaces
- 36" high to create private spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
- 42" high to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.

### **PARTITIONING SCREENS**

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
- Laminate: available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom is Black (BLK) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as SCP2 after model #. Woodgrain direction is horizontal for all sizes.
- Glazed: choice of ribbed or frosted glazing. Frosted material is 3mm thick Acrylic P95; Ribbed material is 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through option.
- Fabric: available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (BLK) or Tungsten (TUN), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials.

### TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- · Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge.
   Please specify (see right column).





A3 1" top, standard



C3 1.5" top, standard

- ard **CR** 1.5" top, bicut edge **CF** 1.5" top, fluted edge
- Includes all necessary flat mounting plates and joining plates.

AR 1" top, bicut edge

- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
  Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

| ACJ | Absolute Acajou | FCL | First Class        |
|-----|-----------------|-----|--------------------|
| ASN | Asian Night     | NBL | Noce Biondo        |
| AWC | Avant Cherry    | NGL | Noce Grigio        |
| AWH | Avant Honey     | NEL | Noce Leggero       |
| BLK | Black           | NML | Noce Medio         |
| BZD | Blizzard        | QTM | Quartered Mahogany |
| BRC | Brushed Cobalt  | SBY | Sheer Beauty       |
| CMB | Clear Maple     | SOG | Storm Grey         |
| CGY | Custom Grey     | SDT | Stonedust          |
| DES | Dark Espresso   | WHE | Walnut Heights     |
| DWT | Designer White  | WHC | White Chocolate    |
| FAS | Fashionista     | WCR | Winter Cherry      |
|     |                 |     |                    |

## FABRICS (fabric screens)

Fabric screens can be upholstered in the following fabrics only:

- Anchorage
- Imprint
- Lola
- Merge

# D DIVIDE<sup>™</sup> - NOTES

## PLEASE NOTE:


- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel






**Correct Installation** 

## HOW TO ORDER DIVIDE SCREENS



PARTS AND COMPONENTS




## **INSTALLATION IS AS SIMPLE AS 1...2...3**

1) Attach the threaded Post Mounting Plate with enclosed screws to the top side of the worksurface.


2) **Divider Post** is bolted to the Mounting Plate.

3) Top Cap is attached to the top of the Divide Post.

# DIVIDE<sup>™</sup> - CONFIGURATIONS **D**



FABRIC PANELS



Fabric Panel - 12" High

| MODEL#  | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GR.1  | GR.2  | GR. 3 | GR. 4 | GR. 5 |
|---------|-----------------|---------------|---------|-----------|-------|-------|-------|-------|-------|
|         | D x W x H       |               |         |           |       |       |       |       |       |
| DTB1220 | .68 x 14.8 x 12 | 92.5          | 3       | .30       | \$270 | \$303 | \$330 | \$370 | \$421 |
| DTB1224 | .68 x 18.9 x 12 | 85            | 4       | .30       | \$282 | \$315 | \$340 | \$374 | \$430 |
| DTB1229 | .68 x 24.5 x 12 | 92.5          | 4       | .40       | \$299 | \$335 | \$359 | \$399 | \$449 |
| DTB1230 | .68 x 24.8 x 12 | 85            | 5       | .40       | \$299 | \$335 | \$359 | \$399 | \$449 |
| DTB1236 | .68 x 30.8 x 12 | 85            | 5       | .40       | \$332 | \$366 | \$390 | \$426 | \$478 |
| DTB1242 | .68 x 36.8 x 12 | 85            | 6       | .50       | \$386 | \$420 | \$444 | \$478 | \$534 |
| DTB1248 | .68 x 42.8 x 12 | 92.5          | 7       | .60       | \$418 | \$450 | \$476 | \$509 | \$564 |
| DTB1260 | .68 x 54.8 x 12 | 85            | 9       | .70       | \$447 | \$481 | \$507 | \$543 | \$597 |
| DTB1266 | .68 x 60.8 x 12 | 85            | 10      | .80       | \$472 | \$505 | \$532 | \$566 | \$620 |
| DTB1272 | .68 x 66.8 x 12 | 85            | 11      | .80       | \$502 | \$536 | \$562 | \$596 | \$650 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post MUST be ordered separately. Two posts are required per panel.

| DTB1820 | .68 x 14.8 x 18 | 85   | 4  | .30  | \$299 | \$335 | \$359 | \$399 | \$449 |
|---------|-----------------|------|----|------|-------|-------|-------|-------|-------|
| DTB1824 | .68 x 18.9 x 18 | 85   | 5  | .40  | \$314 | \$346 | \$372 | \$405 | \$460 |
| DTB1829 | .68 x 24.5 x 18 | 85   | 6  | .50  | \$332 | \$366 | \$390 | \$426 | \$478 |
| DTB1830 | .68 x 24.8 x 18 | 85   | 6  | .50  | \$332 | \$366 | \$390 | \$426 | \$478 |
| DTB1836 | .68 x 30.8 x 18 | 92.5 | 7  | .60  | \$386 | \$420 | \$444 | \$478 | \$534 |
| DTB1842 | .68 x 36.8 x 18 | 92.5 | 8  | .70  | \$422 | \$455 | \$479 | \$513 | \$566 |
| DTB1848 | .68 x 42.8 x 18 | 85   | 10 | .80  | \$447 | \$481 | \$507 | \$543 | \$597 |
| DTB1860 | .68 x 54.8 x 18 | 85   | 12 | .90  | \$472 | \$505 | \$532 | \$566 | \$620 |
| DTB1866 | .68 x 60.8 x 18 | 85   | 14 | 1    | \$502 | \$536 | \$562 | \$596 | \$650 |
| DTB1872 | .68 x 66.8 x 18 | 85   | 14 | 1.10 | \$562 | \$596 | \$622 | \$658 | \$712 |
|         |                 |      |    |      |       |       |       |       |       |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.


| DTB2420 | .68 x 14.8 x 24 | 92.5 | 4  | .40  | \$332 | \$366 | \$390 | \$426 | \$478 |
|---------|-----------------|------|----|------|-------|-------|-------|-------|-------|
| DTB2424 | .68 x 18.9 x 24 | 100  | 4  | .50  | \$332 | \$366 | \$390 | \$426 | \$478 |
| DTB2429 | .68 x 24.5 x 24 | 92.5 | 6  | .60  | \$386 | \$420 | \$444 | \$478 | \$534 |
| DTB2430 | .68 x 24.8 x 24 | 92.5 | 6  | .60  | \$386 | \$420 | \$444 | \$478 | \$534 |
| DTB2436 | .68 x 30.8 x 24 | 92.5 | 7  | .70  | \$418 | \$450 | \$476 | \$509 | \$564 |
| DTB2442 | .68 x 36.8 x 24 | 92.5 | 8  | .80  | \$447 | \$481 | \$507 | \$543 | \$597 |
| DTB2448 | .68 x 42.8 x 24 | 92.5 | 9  | .90  | \$472 | \$505 | \$532 | \$566 | \$620 |
| DTB2460 | .68 x 54.8 x 24 | 92.5 | 11 | 1.10 | \$502 | \$536 | \$562 | \$596 | \$650 |
| DTB2466 | .68 x 60.8 x 24 | 92.5 | 12 | 1.20 | \$562 | \$596 | \$622 | \$658 | \$712 |
| DTB2472 | .68 x 66.8 x 24 | 92.5 | 14 | 1.40 | \$611 | \$645 | \$672 | \$705 | \$761 |
|         |                 |      |    |      |       |       |       |       |       |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.


- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

**Required Specifications** 

Fabric Rail Finish



Fabric Panel - 24" High



Fabric Panel - 18" High



## DIVIDE<sup>™</sup>

| RIC PANELS | MODEL#  | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GR.1   | GR.2   | GR. 3  | GR. 4  | GR. 5  |
|------------|---------|-----------------|---------------|---------|-----------|--------|--------|--------|--------|--------|
|            |         | D x W x H       |               |         |           |        |        |        |        |        |
|            | DTB3620 | .68 x 14.8 x 36 | 92.5          | 6       | .60       | \$409  | \$435  | \$455  | \$485  | \$528  |
|            | DTB3624 | .68 x 18.9 x 36 | 92.5          | 7       | .70       | \$409  | \$435  | \$455  | \$485  | \$528  |
|            | DTB3629 | .68 x 24.5 x 36 | 92.5          | 9       | .90       | \$552  | \$578  | \$598  | \$628  | \$671  |
| -AA        | DTB3630 | .68 x 24.8 x 36 | 92.5          | 9       | .90       | \$552  | \$578  | \$598  | \$628  | \$671  |
|            | DTB3636 | .68 x 30.8 x 36 | 92.5          | 10      | 1         | \$623  | \$650  | \$670  | \$700  | \$743  |
|            | DTB3642 | .68 x 36.8 x 36 | 92.5          | 12      | 1.20      | \$668  | \$694  | \$714  | \$744  | \$787  |
|            | DTB3648 | .68 x 42.8 x 36 | 92.5          | 14      | 1.30      | \$779  | \$805  | \$825  | \$855  | \$898  |
|            | DTB3660 | .68 x 54.8 x 36 | 92.5          | 17      | 1.60      | \$908  | \$934  | \$954  | \$984  | \$1027 |
|            | DTB3666 | .68 x 60.8 x 36 | 92.5          | 19      | 1.80      | \$1012 | \$1039 | \$1059 | \$1089 | \$1132 |
|            | DTB3672 | .68 x 66.8 x 36 | 92.5          | 21      | 1.90      | \$1070 | \$1096 | \$1116 | \$1146 | \$1189 |
| *          |         |                 |               |         |           |        |        |        |        |        |

Fabric Panel - 36" High\*

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.


- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post MUST be ordered separately. Two posts are required per panel.

### **GLAZED PANELS**

FABR



Glazed Panel - 12" High\*\*



Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).


| DRGP1220 | .68 x 14.8 x 12 | 60 | 2 | .02 | \$236 |  |
|----------|-----------------|----|---|-----|-------|--|
| DRGP1224 | .68 x 18.9 x 12 | 60 | 3 | .03 | \$274 |  |
| DRGP1229 | .68 x 24.5 x 12 | 60 | 3 | .03 | \$322 |  |
| DRGP1230 | .68 x 24.8 x 12 | 60 | 4 | .03 | \$322 |  |
| DRGP1236 | .68 x 30.8 x 12 | 60 | 4 | .04 | \$377 |  |
| DRGP1242 | .68 x 36.8 x 12 | 60 | 5 | .05 | \$427 |  |
| DRGP1248 | .68 x 42.8 x 12 | 60 | 5 | .05 | \$507 |  |
| DRGP1260 | .68 x 54.8 x 12 | 60 | 7 | .07 | \$600 |  |
| DRGP1266 | .68 x 60.8 x 12 | 60 | 7 | .07 | \$655 |  |
| DRGP1272 | .68 x 66.8 x 12 | 60 | 8 | .08 | \$711 |  |
|          |                 |    |   |     |       |  |

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in BlacBlack (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

#### **Required Specifications**

Fabric\* Glaze\*\* **Rail Finish** 



Glazed Panel - 12" High, Raised\*\*

## **D** DIVIDE<sup>™</sup>





Glazed Panel - 18" High



Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

| DRGP1820 | .68 x 14.8 x 18 | 60  | 3 | .03  | \$274 |
|----------|-----------------|-----|---|------|-------|
| DRGP1824 | .68 x 18.9 x 18 | 60  | 3 | .04  | \$310 |
| DRGP1829 | .68 x 24.5 x 18 | 60  | 4 | .05  | \$359 |
| DRGP1830 | .68 x 24.8 x 18 | 60  | 4 | .05  | \$359 |
| DRGP1836 | .68 x 30.8 x 18 | 60  | 5 | .06  | \$422 |
| DRGP1842 | .68 x 36.8 x 18 | 60  | 5 | .06  | \$470 |
| DRGP1848 | .68 x 42.8 x 18 | 60  | 6 | .07  | \$563 |
| DRGP1860 | .68 x 54.8 x 18 | 60  | 8 | .09  | \$673 |
| DRGP1866 | .68 x 60.8 x 18 | 100 | 8 | 1    | \$729 |
| DRGP1872 | .68 x 66.8 x 18 | 100 | 9 | 1.10 | \$790 |
|          |                 |     |   |      |       |

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.

• Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.

- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).


| DGP2420 | .68 x 14.8 x 24 | 125 | 3  | .40  | \$320 |  |
|---------|-----------------|-----|----|------|-------|--|
| DGP2424 | .68 x 18.9 x 24 | 100 | 4  | .50  | \$358 |  |
| DGP2429 | .68 x 24.5 x 24 | 125 | 4  | .60  | \$429 |  |
| DGP2430 | .68 x 24.8 x 24 | 100 | 5  | .60  | \$429 |  |
| DGP2436 | .68 x 30.8 x 24 | 125 | 5  | .70  | \$495 |  |
| DGP2442 | .68 x 36.8 x 24 | 125 | 6  | .80  | \$562 |  |
| DGP2448 | .68 x 42.8 x 24 | 125 | 7  | .90  | \$660 |  |
| DGP2460 | .68 x 54.8 x 24 | 100 | 9  | 1.10 | \$801 |  |
| DGP2466 | .68 x 60.8 x 24 | 100 | 10 | 1.20 | \$874 |  |
| DGP2472 | .68 x 66.8 x 24 | 125 | 10 | 1.40 | \$940 |  |
|         |                 |     |    |      |       |  |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.


- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

#### **Required Specifications**

Glaze Rail finish



Glazed Panel - 24" High



Glazed Panel - 18" High, Raised



MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH DRGP2420 .68 x 14.8 x 24 60 3 .04 \$310 DRGP2424 .68 x 18.9 x 24 60 .05 \$348 4 \$415 60 .06 DRGP2429 .68 x 24.5 x 24 4 60 .06 \$415 DRGP2430 .68 x 24.8 x 24 5 60 .07 \$483 DRGP2436 .68 x 30.8 x 24 5 DRGP2442 .68 x 36.8 x 24 60 6 .08 \$550 \$642 DRGP2448 .68 x 42.8 x 24 60 7 .09 DRGP2460 .68 x 54.8 x 24 100 9 1.10 \$785 DRGP2466 .68 x 60.8 x 24 \$857 100 10 1.20 DRGP2472 .68 x 66.8 x 24 125 10 1.30 \$926

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

| DGP3620 | .68 x 14.8 x 36 | 125 | 4  | .60  | \$389  |
|---------|-----------------|-----|----|------|--------|
| DGP3624 | .68 x 18.9 x 36 | 150 | 4  | .70  | \$429  |
| DGP3629 | .68 x 24.5 x 36 | 150 | 5  | .90  | \$512  |
| DGP3630 | .68 x 24.8 x 36 | 125 | 6  | .90  | \$512  |
| DGP3636 | .68 x 30.8 x 36 | 125 | 7  | 1    | \$604  |
| DGP3642 | .68 x 36.8 x 36 | 125 | 8  | 1.20 | \$691  |
| DGP3648 | .68 x 42.8 x 36 | 125 | 9  | 1.30 | \$807  |
| DGP3660 | .68 x 54.8 x 36 | 125 | 11 | 1.60 | \$974  |
| DGP3666 | .68 x 60.8 x 36 | 125 | 12 | 1.80 | \$1061 |
| DGP3672 | .68 x 66.8 x 36 | 125 | 13 | 1.90 | \$1145 |
|         |                 |     |    |      |        |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

| DRGP3620 | .68 x 14.8 x 36 | 60  | 4  | .06  | \$377  |
|----------|-----------------|-----|----|------|--------|
| DRGP3624 | .68 x 18.9 x 36 | 60  | 4  | .07  | \$415  |
| DRGP3629 | .68 x 24.5 x 36 | 60  | 5  | .08  | \$501  |
| DRGP3630 | .68 x 24.8 x 36 | 60  | 6  | .08  | \$501  |
| DRGP3636 | .68 x 30.8 x 36 | 125 | 7  | 1    | \$593  |
| DRGP3642 | .68 x 36.8 x 36 | 125 | 8  | 1.10 | \$673  |
| DRGP3648 | .68 x 42.8 x 36 | 125 | 9  | 1.30 | \$790  |
| DRGP3660 | .68 x 54.8 x 36 | 125 | 11 | 1.60 | \$950  |
| DRGP3666 | .68 x 60.8 x 36 | 125 | 12 | 1.70 | \$1036 |
| DRGP3672 | .68 x 66.8 x 36 | 125 | 13 | 1.90 | \$1122 |
|          |                 |     |    |      |        |

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).


#### **Required Specifications**

Glaze Rail finish




GLAZED PANELS

#### Glazed Panel - 24" High, Raised




Glazed Panel - 36" High




Glazed Panel - 36" High, Raised

LAMINATE PANELS



Laminate Panel - 12" High



Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

| DLP1820 | .68 x 14.8 x 18 | 65 | 7  | .30  | \$106 |
|---------|-----------------|----|----|------|-------|
| DLP1824 | .68 x 18.9 x 18 | 70 | 8  | .40  | \$120 |
| DLP1829 | .68 x 24.5 x 18 | 70 | 10 | .50  | \$142 |
| DLP1830 | .68 x 24.8 x 18 | 70 | 10 | .50  | \$142 |
| DLP1836 | .68 x 30.8 x 18 | 70 | 12 | .60  | \$161 |
| DLP1842 | .68 x 36.8 x 18 | 70 | 15 | .70  | \$184 |
| DLP1848 | .68 x 42.8 x 18 | 70 | 17 | .80  | \$213 |
| DLP1860 | .68 x 54.8 x 18 | 65 | 21 | .90  | \$233 |
| DLP1866 | .68 x 60.8 x 18 | 65 | 23 | 1    | \$256 |
| DLP1872 | .68 x 66.8 x 18 | 65 | 25 | 1.10 | \$282 |
|         |                 |    |    |      |       |

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.

• Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.

• Divide Post **MUST** be ordered separately. Two posts are required per panel.

Accent edging at top and bottom Black (BLK) only.


| DLP2420 | .68 x 14.8 x 24 | 65 | 9  | .40  | \$120 |
|---------|-----------------|----|----|------|-------|
| DLP2424 | .68 x 18.9 x 24 | 70 | 11 | .50  | \$130 |
| DLP2429 | .68 x 24.5 x 24 | 70 | 13 | .60  | \$161 |
| DLP2430 | .68 x 24.8 x 24 | 70 | 13 | .60  | \$161 |
| DLP2436 | .68 x 30.8 x 24 | 65 | 16 | .70  | \$178 |
| DLP2442 | .68 x 36.8 x 24 | 65 | 19 | .80  | \$207 |
| DLP2448 | .68 x 42.8 x 24 | 65 | 22 | .90  | \$236 |
| DLP2460 | .68 x 54.8 x 24 | 65 | 28 | 1.10 | \$265 |
| DLP2466 | .68 x 60.8 x 24 | 65 | 30 | 1.20 | \$295 |
| DLP2472 | .68 x 66.8 x 24 | 65 | 33 | 1.40 | \$323 |

Laminate Panel - 24" High

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

Required Specifications Laminate finish. Note: woodgrain finishes are horizontal on all sizes.



Laminate Panel - 18" High



## DIVIDE<sup>™</sup> **D**


| AMINATE PANELS           | MODEL#  | DIMENSIONS   | FREIGHT CLASS  | WT/LBS.                   | CUBIC FT.                       | LIST PRICE                                   |       |
|--------------------------|---|--|--|---------------------------|---------------------------------|--|-------|
|                          |   | D x W x H  | 70   | 10                        | 00                              | ¢4.4C  |       |
| _                        | DLP3620   | .68 x 14.8 x 36  | 70   | 13                        | .60                             | \$146  |       |
|                          | DLP3624   | .68 x 18.9 x 36  | 65   | 16                        | .70                             | \$161  |       |
|                          | DLP3629   | .68 x 24.5 x 36  | 70   | 20                        | .90                             | \$197  |       |
|                          | DLP3630   | .68 x 24.8 x 36  | 70   | 20                        | .90                             | \$197  |       |
|                          | DLP3636   | .68 x 30.8 x 36  | 65   | 24                        | 1                               | \$227  |       |
|                          | DLP3642   | .68 x 36.8 x 36  | 65   | 28                        | 1.20                            | \$262  |       |
| JU                       | DLP3648   | .68 x 42.8 x 36  | 65   | 33                        | 1.30                            | \$295  |       |
|                          | DLP3660   | .68 x 54.8 x 36  | 65   | 41                        | 1.60                            | \$339  |       |
|                          | DLP3666   | .68 x 60.8 x 36  | 65   | 45                        | 1.80                            | \$374  |       |
|                          | DLP3672   | .68 x 66.8 x 36  | 65   | 50                        | 1.90                            | \$411  |       |
| ninate Panel - 36″ High* | placed along th<br>• <i>Model # depic</i><br>• Divide Post <b>M</b> | g filler panel. Scoop op<br>te depth side of a 30"<br>ts size of worksurface to<br>UST be ordered separat<br>at top and bottom Black | <b>deep worksurfac</b><br>be used on - see l<br>ely. Two posts are | <b>:e.</b><br>NOTES on pa | ge 462 for add                  | -  |       |
| VIDE POSTS               | MODEL#  | DIMENSIONS   | FREIGHT CLASS  | WT/LBS.                   | CUBIC FT.                       | LIST PRICE                                   |       |
|                          | DPOST12   | 1.68 x 1.68 x 12   | 70   | 2                         | .10                             | \$121  |       |
|                          | DPOST12<br>DPOST18  | 1.68 x 1.68 x 18   | 70   | 2                         | .10                             |  |       |
|                          | DPOST18<br>DPOST24  |  |  |                           |                                 | \$164  |       |
|                          |   | 1.68 x 1.68 x 24   | 60   | 3                         | .10                             | \$214  |       |
|                          | DPOST30   | 1.68 x 1.68 x 30   | 60   | 4                         | .10                             | \$296  |       |
|                          | DPOST36   | 1.68 x 1.68 x 36   | 70   | 4                         | .20                             | \$339  |       |
|                          | DPOST42   | 1.68 x 1.68 x 42   | 65   | 5                         | .20                             | \$377  |       |
|                          | <ul> <li>Divide post is</li> </ul>                                  | mounted 1.063" from wo   | orksurface edge.   |                           |                                 |  |       |
|                          | DFS12<br>DFS18<br>DFS24   | 1.43 x .75 x 12<br>1.43 x .75 x 18<br>1.43 x .75 x 24  | 150<br>150<br>150  | 2<br>2<br>2               | .50<br>.50<br>.50               | \$67<br>\$67<br>\$67<br>\$71                 |       |
|                          | DFS12<br>DFS18<br>DFS24<br>DFS30                                    | 1.43 x .75 x 12<br>1.43 x .75 x 18<br>1.43 x .75 x 24<br>1.43 x .75 x 30   | 150<br>150<br>150<br>150   | 2<br>2<br>2               | .50<br>.50<br>.50               | \$67<br>\$67<br>\$71                         |       |
|                          | DFS12<br>DFS18<br>DFS24<br>DFS30<br>DFS36                           | 1.43 x .75 x 12<br>1.43 x .75 x 18<br>1.43 x .75 x 24<br>1.43 x .75 x 30<br>1.43 x .75 x 36  | 150<br>150<br>150<br>150<br>150<br>150                             | 2<br>2<br>2<br>2<br>2     | .50<br>.50<br>.50<br>.50        | \$67<br>\$67<br>\$71<br>\$71                 |       |
| ost-to-Wall Filler Strip | DFS12<br>DFS18<br>DFS24<br>DFS30<br>DFS36<br>DFS42                  | 1.43 x .75 x 12<br>1.43 x .75 x 18<br>1.43 x .75 x 24<br>1.43 x .75 x 30   | 150<br>150<br>150<br>150<br>150<br>150                             | 2<br>2<br>2<br>2<br>3     | .50<br>.50<br>.50<br>.50<br>.60 | \$67<br>\$67<br>\$71<br>\$71<br>\$71<br>\$71 | Inly. |

#### Required Specifications Laminate finish\*. Note: woodgrain finishes are horizontal on all sizes.

## **D** DIVIDE<sup>™</sup>

#### TRANSACTION TOPS

- D x W x H
- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add a 15% upcharge.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add a 20% upcharge.
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.


Transaction top is offset 4" from the center of divider post towards the inside and 8" towards the outside.

#### **Transaction Top Offset**

- $4^{\prime\prime}$  from the center of the Divider Post to the inside of worksurface
- 8" from the center of the Divider Post to the outside of worksurface




Two Way Connector Transaction Top (DATT2W/DCTT2W) Use with a corner worksurface to link transaction tops together.



#### **Radius End Transaction Top - one side**

Add suffix "D" to model number for radius end on one side.



#### Radius End Transaction Top - two sides

Add suffix "DD" to model number for radius end on both sides.

| STRAIGHT TRANSACTION TOPS | MODEL# | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------------------|--------|-------------|---------------|---------|-----------|------------|
|                           | DATT14 | 12 x 14 x 1 | 65            | 7       | .30       | \$264      |
|                           | DATT18 | 12 x 18 x 1 | 70            | 8       | .40       | \$264      |
|                           | DATT20 | 12 x 20 x 1 | 70            | 9       | .50       | \$264      |
|                           | DATT23 | 12 x 23 x 1 | 70            | 10      | .50       | \$300      |
|                           | DATT24 | 12 x 24 x 1 | 70            | 10      | .50       | \$300      |
|                           | DATT29 | 12 x 29 x 1 | 70            | 12      | .60       | \$321      |
|                           | DATT30 | 12 x 30 x 1 | 70            | 12      | .60       | \$321      |
|                           | DATT36 | 12 x 36 x 1 | 70            | 14      | .70       | \$339      |
|                           | DATT42 | 12 x 42 x 1 | 70            | 16      | .80       | \$358      |
|                           | DATT48 | 12 x 48 x 1 | 70            | 18      | .90       | \$358      |
|                           | DATT54 | 12 x 54 x 1 | 70            | 21      | 1         | \$404      |
|                           | DATT60 | 12 x 60 x 1 | 70            | 23      | 1.10      | \$404      |
|                           | DATT66 | 12 x 66 x 1 | 70            | 25      | 1.20      | \$451      |
|                           | DATT72 | 12 x 72 x 1 | 70            | 27      | 1.30      | \$451      |

Straight Transaction Top - 1" thick

12" deep x 1" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

• Add "D" to model number for radius end on one side, ADD 15% upcharge.

- Add "DD" to model number for radius end on both sides, ADD 20% upcharge.
- Each radius adds 6" overhang per side.

Required Specifications Laminate Finish Edge Detail Optional Specifications Radius End



### DIVIDE™

| TRANSACTION TOPS | MODEL# | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------|--------|-----------------|---------------|---------|-----------|------------|
|                  |        | D x W x H       |               |         |           |            |
|                  | DCTT14 | 12 x 14 x 1.5   | 60            | 9       | .30       | \$367      |
|                  | DCTT18 | 12 x 18 x 1.5   | 65            | 11      | .40       | \$367      |
|                  | DCTT20 | 12 x 14.8 x 1.5 | 65            | 12      | .50       | \$367      |
|                  | DCTT23 | 12 x 23 x 1.5   | 65            | 14      | .50       | \$426      |
|                  | DCTT24 | 12 x 18.9 x 1.5 | 65            | 14      | .50       | \$426      |
|                  | DCTT29 | 12 x 24.5 x 1.5 | 65            | 17      | .60       | \$453      |
|                  | DCTT30 | 12 x 30 x 1.5   | 65            | 17      | .60       | \$453      |
|                  | DCTT36 | 12 x 36 x 1.5   | 65            | 20      | .70       | \$475      |
|                  | DCTT42 | 12 x 42 x 1.5   | 65            | 23      | .80       | \$475      |
|                  | DCTT48 | 12 x 48 x 1.5   | 65            | 26      | .90       | \$475      |
|                  | DCTT54 | 12 x 54 x 1.5   | 65            | 29      | 1         | \$540      |
|                  | DCTT60 | 12 x 60 x 1.5   | 65            | 32      | 1.10      | \$540      |
|                  | DCTT66 | 12 x 66 x 1.5   | 65            | 35      | 1.20      | \$591      |
|                  | DCTT72 | 12 x 72 x 1.5   | 65            | 38      | 1.30      | \$591      |
| $\checkmark$     |        |                 |               |         |           |            |

Straight Transaction Top - 1½" thick

12" deep x 1½" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Add "D" to model number for radius end on one side, ADD 15% upcharge.

• Add "DD" to model number for radius end on both sides, ADD 20% upcharge.

• Each radius adds 6" overhang per side.

| GALLERY CORNER TRANSACTION TOPS | MODEL#  | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---------------------------------|---------|-------------|---------------|---------|-----------|------------|--|
| $\rightarrow$ $\checkmark$      | DA1GC36 | 36 x 36 x 1 | 125           | 32      | 5         | \$806      |  |
| 20122                           | DA1GC42 | 42 x 42 x 1 | 150           | 38      | 6.50      | \$806      |  |



**Gallery Corner Transaction Top - 1" thick** 

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

• Woodgrain runs in one direction.

| DC1GC36 | 36 x 36 x 1.5 | 100 | 43 | 5    | \$1003 |
|---------|---------------|-----|----|------|--------|
| DC1GC42 | 42 x 42 x 1.5 | 125 | 50 | 6.50 | \$1003 |
|         |               |     |    |      |        |

**Gallery Corner Transaction Top - 1½" thick** One piece

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Woodgrain runs in one direction.

| 2 PIECE GALLERY CORNER TRANSACTION TOPS | MODEL#  | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|---|---------|-------------|---------------|---------|-----------|------------|--|
|   | DA2GC36 | 36 x 36 x 1 | 70            | 29      | 1.90      | \$572      |  |
|   | DA2GC42 | 42 x 42 x 1 | 70            | 33      | 1.90      | \$572      |  |
| $\checkmark$ $\checkmark$               |         |             |               |         |           |            |  |

2 Piece Gallery Corner Transaction Top - 1" thick Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

Woodgrain runs in two directions.

Required Specifications Laminate Finish Edge Detail Optional Specifications Radius End (DCTT models)

| DIVIDE™ |
|---------|
|         |

D

|   | MODEL#  |   | FREIGHT CLASS   | WT/LBS.   | CUBIC FT.   | LIST PRICE  |
|---|---|---|---|---|---|---|
|   | DC2GC36   | <b>D x W x H</b><br>36 x 36 x 1.5   | 70  | 39  | 1.90  | \$768   |
|   | DC2GC42   | 42 x 42 x 1.5   | 65  | 45  | 1.90  | \$768   |
| $\checkmark$ $\checkmark$   |   |   |   |   |   |   |
| ? Piece Gallery Corner<br>Transaction Top - 1½" thick   |   | Includes all necessary FI   |   |   |   | e of worksurface space allowing fo<br>ess matches Zira worksurfaces.  |
|   |   | s in two directions.  |   |   |   |   |
| 2-WAY CONNECTOR TRANSACTION TOPS  | MODEL#  | DIMENSIONS F  | FREIGHT CLASS   | WT/LBS.   | CUBIC FT.   | LIST PRICE  |
|   | DATT2W  | 12 x 12 x 1   | 70  | 6   | .30   | \$361   |
|   |   |   |   |   |   |   |
| 2-Way Connector<br>Transaction Top - 1" thick   | necessary Flat Pla  | ates, Joining Plates and so<br>ips 1 set per carton.  |   |   |   | the corner piece. Includes all noa, Halton and Zira Series  |
|   | DCTT2W  | 12 x 12 x 1.5   | 65  | 7   | .30   | \$422   |
|   |   |   |   |   |   |   |
|   |   |   |   |   |   |   |
| Transaction Top - 1½" thick   |   | ates, Joining Plates and so   |   |   |   | the corner piece. Includes all<br>Ships 1 set per carton.   |
| 2-Way Connector<br>Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS  | necessary Flat Pla<br>• Woodgrain runs  | ates, Joining Plates and so<br>s diagonally.  | crews. Thicknes   | ss matches Zir  | ra worksurfaces   | Ships 1 set per carton.   |
| Transaction Top - 1½" thick   | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla  | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so   | crews. Thicknes<br>65<br>tion tops. Dedu                                | ss matches Zin<br>8<br>ct 6" from ead   | a worksurfaces<br>.30<br>ch side adjoinin   |   |
| Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS<br>4-Way Connector  | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla<br>worksurfaces. Shi   | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so<br>ips 1 set per carton.  | crews. Thicknes<br>65<br>tion tops. Dedu                                | ss matches Zin<br>8<br>ct 6" from ead   | a worksurfaces<br>.30<br>ch side adjoinin   | Ships 1 set per carton. \$385 the corner piece. Includes all  |
| Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS<br>4-Way Connector  | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla<br>worksurfaces. Shi<br>• Woodgrain runs   | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so<br>ips 1 set per carton.<br>s diagonally.   | 65<br>tion tops. Deduc<br>crews. Thicknes                               | 8 matches Zin<br>8<br>ct 6" from ead<br>ss matches Ac                         | a worksurfaces<br>.30<br>ch side adjoining<br>laptabilities, Ge                             | Ships 1 set per carton.<br>\$385<br>g the corner piece. Includes all<br>noa, Halton and Zira Series                                 |
| Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS<br>4-Way Connector  | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla<br>worksurfaces. Shi<br>• Woodgrain runs<br>DCTT4W   | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so<br>ips 1 set per carton.<br>s diagonally.<br>12 x 12 x 1.5  | crews. Thicknes   | 8 matches Zin<br>8<br>ct 6" from eau<br>ss matches Ac                         | a worksurfaces<br>.30<br>ch side adjoinin<br>laptabilities, Ge<br>.30                       | Ships 1 set per carton. \$385 the corner piece. Includes all  |
| Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS<br>4-Way Connector<br>Transaction Top - 1" thick                    | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla<br>worksurfaces. Shi<br>• Woodgrain runs<br>DCTT4W<br>Used as a corner p                       | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so<br>ips 1 set per carton.<br>s diagonally.<br>12 x 12 x 1.5<br>piece to link four transact<br>ates, Joining Plates and so                  | 65<br>65<br>tion tops. Dedu<br>crews. Thicknes<br>60<br>tion tops. Dedu | 8 matches Zin<br>8<br>ct 6" from eau<br>ss matches Ac<br>10<br>ct 6" from eau | a worksurfaces<br>.30<br>ch side adjoining<br>laptabilities, Ge<br>.30<br>ch side adjoining | Ships 1 set per carton.  \$385 g the corner piece. Includes all noa, Halton and Zira Series  \$494 g the corner piece. Includes all |
| Transaction Top - 1½" thick<br>4-WAY CONNECTOR TRANSACTION TOPS<br>4-Way Connector<br>Transaction Top - 1" thick<br>4-Way Connector | necessary Flat Pla<br>• Woodgrain runs<br>DATT4W<br>Used as a corner p<br>necessary Flat Pla<br>worksurfaces. Shi<br>• Woodgrain runs<br>DCTT4W<br>Used as a corner p<br>necessary Flat Pla | ates, Joining Plates and so<br>s diagonally.<br>12 x 12 x 1<br>piece to link four transact<br>ates, Joining Plates and so<br>ips 1 set per carton.<br>s diagonally.<br>12 x 12 x 1.5<br>piece to link four transact<br>ates, Joining Plates and so<br>s diagonally. | 65<br>65<br>tion tops. Dedu<br>crews. Thicknes<br>60<br>tion tops. Dedu | 8 matches Zin<br>8<br>ct 6" from eau<br>ss matches Ac<br>10<br>ct 6" from eau | a worksurfaces<br>.30<br>ch side adjoining<br>laptabilities, Ge<br>.30<br>ch side adjoining | Ships 1 set per carton.  \$385 g the corner piece. Includes all noa, Halton and Zira Series  \$494 g the corner piece. Includes all |



## personal storage




Sidebar Storage

456



## **S** SIDEBAR STORAGE - NOTES



Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.



Foot options



Stack-on storage



Low credenza storage with cushion

#### Features and Benefits

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting

#### **GENERAL INFORMATION**

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time please refer to model # for availability and pricing.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick thermally fused laminate (**TFL**) or optional 1-1/16" thick high pressure laminate (**HPL**) available in a variety of edge details
- All finishes feature edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain)
- Constructed of 45 lb. density particleboard covered on both sides with high performance thermally fused laminate (TFL) or high pressure laminate surfaces (HPL)
- Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides
- Products specified with the high pressure laminate option (**HPL**) are finished on the underside of the surface with a kraft paper backing.

#### STORAGE

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- All shelves are fixed

#### FEET

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black [BLK] feet).
- If no handle selection is available, legs and feet are available in Tungsten (TTU) or Black (TBL)

#### LOCKS

 Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

#### SHIPPING

 Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

#### **1. SPECIFY MODEL NUMBER**

#### 2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops (upcharge applies)

#### **3. SPECIFY FINISH**

| Top/Ba | se/Door, Drawer and Cabinet Fi | inishes: |                    |
|--------|--------------------------------|----------|--------------------|
| ACJ    | Absolute Acajou                | FCL      | First Class        |
| ASN    | Asian Night                    | NBL      | Noce Biondo        |
| AWC    | Avant Cherry                   | NGL      | Noce Grigio        |
| AWH    | Avant Honey                    | NEL      | Noce Leggero       |
| BLK    | Black                          | NML      | Noce Medio         |
| BZD    | Blizzard                       | QTM      | Quartered Mahogany |
| BRC    | Brushed Cobalt                 | SBY      | Sheer Beauty       |
| CMB    | Clear Maple                    | SDT      | Stonedust          |
| CGY    | Custom Grey                    | SOG      | Storm Grey         |
| DES    | Dark Espresso                  | WHE      | Walnut Heights     |
| DWT    | Designer White                 | WHC      | White Chocolate    |
| FAS    | Fashionista                    | WCR      | Winter Cherry      |

#### Edge:

| AB | Split color edge with Black Trim  |
|----|-----------------------------------|
| AS | Split color edge with Silver Trim |
| A3 | Standard edge                     |

AR Bicut edge

#### Feet:

Storage Feet are available in Tungsten (TTU) or Black (TBL).

#### **4. SPECIFY OPTIONS**

#### **EDGE OPTIONS**



A3 - square corner, standard edge



AS - square corner, Silver



 $\boldsymbol{AR}$  - square corner, bicut edge



AB - square corner, Black

HANDLES
Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be factory installed. Each handle is identified by the letters "HU", "HV", "HW", "HX" "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code <u>after</u> the model number. To order a handle as an option, please specify the code when ordering. List Price is \$47.





## SIDEBAR STORAGE S

| MOBILE PEDESTAL | MODEL#  | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------------|---------|--------------|---------------|---------|-----------|------------|--------|
|                 |         | D x W x H    |               |         |           |            |        |
| $\wedge$        | S1619MP | 19 x 16 x 25 | 85            | 76      | 6         | \$989      | n/a    |
| $\checkmark$    | S1623MP | 23 x 16 x 25 | 92.5          | 82      | 7         | \$1028     | n/a    |

**Mobile Pedestal\*** 

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.

• File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| MOBILE PEDESTAL | MODEL# | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST  | GRADE | LIST   |
|-----------------|--------|---------------|---------------|---------|-----------|-------|-------|-------|--------|
|                 | CU1517 | 17 x 15 x 1.5 | 125           | 6       | .90       | 1     | \$145 | 7     | \$414  |
|                 |        |               |               |         |           | 2     | \$188 | 8     | \$507  |
|                 |        |               |               |         |           | 3     | \$217 | 9     | \$579  |
|                 |        |               |               |         |           | 4     | \$263 | 10    | \$657  |
|                 |        |               |               |         |           | 5     | \$325 | 11    | \$820  |
|                 |        |               |               |         |           | 6     | \$357 | 12    | \$998  |
| $\sim$          |        |               |               |         |           |       |       |       |        |
|                 | CU1520 | 20 x 15 x 1.5 | 70            | 1       | 1         | 1     | \$156 | 7     | \$423  |
|                 |        |               |               |         |           | 2     | \$196 | 8     | \$517  |
|                 |        |               |               |         |           | 3     | \$226 | 9     | \$588  |
|                 |        |               |               |         |           | 4     | \$273 | 10    | \$667  |
|                 |        |               |               |         |           | 5     | \$336 | 11    | \$831  |
| $\checkmark$    |        |               |               |         |           | 6     | \$365 | 12    | \$1008 |

**Cushion for Mobile Pedestals\*\*** 

Cushion attaches with Velcro strips.


• CU1517 for use on S1619MP. CU1520 for use on S1623MP.

#### Required Specifications Top finish\*


Top finish\* Drawer front finish\* Handles\* Fabric\*\*

## **S** SIDEBAR STORAGE


STORAGE



2 High Bookcase



**3 High Bookcase** 



4 High Bookcase



2 High Lateral File



**3 High Lateral File** 

| MODEL#  | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|---------|-----------------|---------------|---------|-----------|------------|--------|--|
|         | D x W x H       |               |         |           |            |        |  |
| S3012A0 | 12 x 30 x 22.85 | 125           | 49      | 7         | \$618      | n/a    |  |
| S3612A0 | 12 x 36 x 22.85 | 125           | 61      | 8.25      | \$715      | n/a    |  |

Open bookcases accommodate binders in every cavity. One fixed shelf. 36"w units feature a fixed vertical divider.

| S3012D0 | 12 x 30 x 36.35 | 125 | 77 | 10.50 | \$853 | n/a |
|---------|-----------------|-----|----|-------|-------|-----|
| S3612D0 | 12 x 36 x 36.35 | 125 | 94 | 12.50 | \$989 | n/a |

Open bookcases accommodate binders in every cavity. Two fixed shelves. 36" w units feature a fixed vertical divider. Matches Tier 2.

| S3012F0  | 12 x 30 x 49.85 | 125 | 102 | 14    | \$1028 | n/a |
|----------|-----------------|-----|-----|-------|--------|-----|
| S3612FOL | 12 x 36 x 49.85 | 125 | 127 | 16.50 | \$1218 | n/a |
| S3612FOR | 12 x 36 x 49.85 | 125 | 127 | 16.50 | \$1218 | n/a |

Open bookcases accommodate binders in every cavity. Three fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 3.

| S3012HO  | 12 x 30 x 63.35 | 125 | 129 | 17.50 | \$1218 | n/a |
|----------|-----------------|-----|-----|-------|--------|-----|
| S3612HOL | 12 x 36 x 63.35 | 125 | 161 | 20.75 | \$1467 | n/a |
| S3612HOR | 12 x 36 x 63.35 | 125 | 161 | 20.75 | \$1467 | n/a |

Open bookcases accommodate binders in every cavity. Four fixed shelves. 36" w units feature a fixed vertical divider. Matches Tier 4.

| S3020DZ | 20 x 30 x 36.35 | 100 | 142 | 16.50 | \$1668 | n/a |
|---------|-----------------|-----|-----|-------|--------|-----|
| S3024DZ | 24 x 30 x 36.35 | 125 | 149 | 19.50 | \$1760 | n/a |
| S3620DZ | 20 x 36 x 36.35 | 125 | 153 | 19.50 | \$1805 | n/a |
| S3624DZ | 24 x 36 x 36.35 | 125 | 168 | 23.35 | \$1902 | n/a |

Two file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 2.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| S3020FZ | 20 x 30 x 49.85 | 100 | 191 | 22 | \$2051 | n/a |
|---------|-----------------|-----|-----|----|--------|-----|
| S3024FZ | 24 x 30 x 49.85 | 125 | 198 | 26 | \$2158 | n/a |
| S3620FZ | 20 x 36 x 49.85 | 125 | 203 | 26 | \$2223 | n/a |
| S3624FZ | 24 x 36 x 49.85 | 125 | 221 | 31 | \$2340 | n/a |

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 3.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications Top finish Top/edge detail Base finish Drawer Front Finish (Units w/doors)

Handles Leg Finish (Bookcases only) Shelf Finish (Open Units)



globalfurnituregroup.com

478 USA

## SIDEBAR STORAGE S

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH S3020HZ 20 x 30 x 63.35 100 239 27.50 \$2524 n/a S3024HZ 24 x 30 x 63.35 125 246 32.50 \$2645 n/a S3620HZ \$2733 20 x 36 x 63.35 125 253 32.75 n/a S3624HZ 24 x 36 x 63.35 125 275 38.75 \$2868 n/a

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| S3020DX | 20 x 30 x 36.35 | 125 | 122 | 16.50 | \$1295 | n/a |
|---------|-----------------|-----|-----|-------|--------|-----|
| S3024DX | 24 x 30 x 36.35 | 125 | 139 | 19.50 | \$1395 | n/a |
|         |                 |     |     |       |        |     |
| S3620DX | 20 x 36 x 36.35 | 125 | 151 | 19.50 | \$1519 | n/a |
| S3624DX | 24 x 36 x 36.35 | 125 | 173 | 23    | \$1656 | n/a |
|         |                 |     |     |       |        |     |

Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2.

| S3020FX | 20 x 30 x 49.85 | 125 | 167 | 22    | \$1605 | n/a |
|---------|-----------------|-----|-----|-------|--------|-----|
| S3024FX | 24 x 30 x 49.85 | 125 | 190 | 26    | \$1732 | n/a |
| S3620FX | 20 x 36 x 49.85 | 100 | 209 | 23.75 | \$1902 | n/a |
| S3624FX | 24 x 36 x 49.85 | 125 | 238 | 30.75 | \$2082 | n/a |

Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3.

| S3020HX | 20 x 30 x 63.35 | 125 | 212 | 27.50 | \$1923 | n/a |
|---------|-----------------|-----|-----|-------|--------|-----|
| S3024HX | 24 x 30 x 63.35 | 125 | 241 | 32.50 | \$2086 | n/a |

Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4.

#### **Required Specifications**

Top finish Top/edge detail Base finish Door / Drawer Front Finish Handles




2 High Storage Cabinet



#### 3 High Storage Cabinet



#### **4 High Storage Cabinet**




3 High Lateral File - Open



STORAGE

## **S** SIDEBAR STORAGE



Low Credenza - Lateral Drawer

left

right

Low Credenza - Lateral Drawer

| MODEL#   | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|----------|-----------------|---------------|---------|-----------|------------|--------|--|
|          | D x W x H       |               |         |           |            |        |  |
| S4220ASL | 20 x 42 x 22.85 | 125           | 110     | 15        | \$1245     | \$200  |  |
| S4224ASL | 24 x 42 x 22.85 | 125           | 123     | 17.50     | \$1335     | \$234  |  |
| S4820ASL | 20 x 48 x 22.85 | 125           | 121     | 17        | \$1347     | \$234  |  |
| S4824ASL | 24 x 48 x 22.85 | 125           | 136     | 20        | \$1440     | \$264  |  |
|          |                 |               |         |           |            |        |  |
| S4220ASR | 20 x 42 x 22.85 | 125           | 110     | 15        | \$1245     | \$200  |  |
| S4224ASR | 24 x 42 x 22.85 | 125           | 123     | 17.50     | \$1335     | \$234  |  |
| S4820ASR | 20 x 48 x 22.85 | 125           | 121     | 17        | \$1347     | \$234  |  |
| S4824ASR | 24 x 48 x 22.85 | 125           | 136     | 20        | \$1440     | \$264  |  |
|          |                 |               |         |           |            |        |  |

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

• 42"w cabinet has a 30"w lateral drawer.

• 48"w cabinet has a 36"w lateral drawer.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| S6020ASL | 20 x 60 x 22.85 | 125 | 138 | 21    | \$1484 | \$299 |
|----------|-----------------|-----|-----|-------|--------|-------|
| S6024ASL | 24 x 60 x 22.85 | 125 | 156 | 24.75 | \$1588 | \$331 |
| S7220ASL | 20 x 72 x 22.85 | 125 | 159 | 20.75 | \$1656 | \$331 |
| S7224ASL | 24 x 72 x 22.85 | 125 | 179 | 25    | \$1764 | \$396 |
|          |                 |     |     |       |        |       |
| S6020ASR | 20 x 60 x 22.85 | 125 | 138 | 21    | \$1484 | \$299 |
| S6024ASR | 24 x 60 x 22.85 | 125 | 156 | 24.75 | \$1588 | \$331 |
| S7220ASR | 20 x 72 x 22.85 | 125 | 159 | 20.75 | \$1656 | \$331 |
| S7224ASR | 24 x 72 x 22.85 | 125 | 179 | 25    | \$1764 | \$396 |
|          |                 |     |     |       |        |       |

Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-toback and side-to-side letter/legal filing capability.

• 60"w cabinet has a 30"w lateral drawer.

• 72"w cabinet has a 36"w lateral drawer.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| MEDIUM CREDENZAS | MODEL#  | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|------------------|---------|----------------|---------------|---------|-----------|------------|--------|--|
|                  | S3020BZ | 20 x 30 x 29.6 | 100           | 113     | 13.75     | \$1322     | \$167  |  |
|                  | S3024BZ | 24 x 30 x 29.6 | 125           | 126     | 16.25     | \$1407     | \$167  |  |
|                  | S3620BZ | 20 x 36 x 29.6 | 125           | 128     | 16.25     | \$1446     | \$167  |  |
| ∼ v°             | S3624BZ | 24 x 36 x 29.6 | 100           | 142     | 16.75     | \$1532     | \$200  |  |

Medium Credenza - Box/File



Medium Credenza w/Lateral File

Wide box and lateral file. Handles are standard. Lock secures both drawers.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| S3020BY | 20 x 30 x 29.6 | 100 | 116 | 13.75 | \$1255 | \$167 |
|---------|----------------|-----|-----|-------|--------|-------|
| S3024BY | 24 x 30 x 29.6 | 100 | 131 | 16.25 | \$1354 | \$167 |
| S3620BY | 20 x 36 x 29.6 | 100 | 132 | 16.25 | \$1382 | \$167 |
| S3624BY | 24 x 36 x 29.6 | 100 | 149 | 16.75 | \$1484 | \$200 |

Open cavity and lateral file. Handles are standard. Standard with lock.


• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| <b>Required Specifications</b> |
|--------------------------------|
| Top finish                     |
| Top/edge detail                |
| Base finish                    |
| Door/drawer front finish       |

Handles

Optional Specifications HP laminate

## SIDEBAR STORAGE S



#### Medium Credenza - Box/Lateral File

| MODEL#   | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|----------------|---------------|---------|-----------|------------|--------|
|          | D x W x H      |               |         |           |            |        |
| S4220BSL | 20 x 42 x 29.6 | 125           | 142     | 18.75     | \$1564     | \$200  |
| S4224BSL | 24 x 42 x 29.6 | 125           | 160     | 22        | \$1668     | \$234  |
| S4820BSL | 20 x 48 x 29.6 | 125           | 155     | 21.25     | \$1695     | \$234  |
| S4824BSL | 24 x 48 x 29.6 | 125           | 173     | 25        | \$1805     | \$264  |
|          |                |               |         |           |            |        |
| S4220BSR | 20 x 42 x 29.6 | 125           | 142     | 18.75     | \$1564     | \$200  |
| S4224BSR | 24 x 42 x 29.6 | 125           | 160     | 22        | \$1668     | \$234  |
| S4820BSR | 20 x 48 x 29.6 | 125           | 155     | 21.25     | \$1695     | \$234  |
| S4824BSR | 24 x 48 x 29.6 | 125           | 173     | 25        | \$1805     | \$264  |
|          |                |               |         |           |            |        |

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

• 42"w credenza has a 30"w box/lateral file

• 48"w credenza has a 36"w box/lateral file

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


| S4220BQL | 20 x 42 x 29.6 | 100 | 165 | 18.75 | \$1989 | \$200 |
|----------|----------------|-----|-----|-------|--------|-------|
| S4224BQL | 24 x 42 x 29.6 | 100 | 184 | 22    | \$2112 | \$234 |
| S4820BQL | 20 x 48 x 29.6 | 100 | 179 | 21.25 | \$2116 | \$234 |
| S4824BQL | 24 x 48 x 29.6 | 100 | 184 | 22    | \$2112 | \$264 |
|          |                |     |     |       |        |       |
| S4220BQR | 20 x 42 x 29.6 | 100 | 165 | 18.75 | \$1989 | \$200 |
| S4224BQR | 24 x 42 x 29.6 | 100 | 184 | 22    | \$2112 | \$234 |
| S4820BQR | 20 x 48 x 29.6 | 100 | 179 | 21.25 | \$2116 | \$234 |
| S4824BQR | 24 x 48 x 29.6 | 100 | 184 | 22    | \$2112 | \$264 |
|          |                |     |     |       |        |       |

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.

• 42"w credenza has a 30"w lateral drawer

• 48"w credenza has a 36"w lateral drawer

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



#### Medium Credenza - Mixed Drawers

Required Specifications Top finish


**Optional Specifications** HP laminate

. Top/edge detail Base finish Door/drawer front finish Handles


## **S** SIDEBAR STORAGE

Stack-On Bookcases

STACK-ON STORAGE




Stack-On Bookcase w/Collators\*\*



Stack-On Bookcases

12"w (right) 24" - 36"w

Stack-On Storage Cabinet\*



Stack-On Mixed Storage Cabinet\*

| MODEL#  | DIMENSIONS       | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|------------------|---------------|---------|-----------|------------|--------|
|         | D x W x H        |               |         |           |            |        |
| S1214A0 | 14.3 x 12 x 13.5 | 92.5          | 23      | 2.20      | \$247      | n/a    |
| S2414A0 | 14.3 x 24 x 13.5 | 100           | 37      | 4         | \$375      | n/a    |
| S3014A0 | 14.3 x 30 x 13.5 | 100           | 41      | 5         | \$415      | n/a    |
| S3614A0 | 14.3 x 36 x 13.5 | 125           | 46      | 5.90      | \$453      | n/a    |

Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top. • Sxx14A0 Stack-On bookcases add 1 tier when placed on any storage unit.

| S1214BO | 14.3 x 12 x 20.25 | 92.5 | 35 | 3.10 | <b>\$356</b> n/a |
|---------|-------------------|------|----|------|------------------|
| S2414B0 | 14.3 x 24 x 20.25 | 92.5 | 59 | 5.75 | <b>\$586</b> n/a |
| S3014BO | 14.3 x 30 x 20.25 | 100  | 68 | 7    | <b>\$656</b> n/a |
| S3614B0 | 14.3 x 36 x 20.25 | 100  | 77 | 8.50 | <b>\$754</b> n/a |

Designed to be placed on top credenzas. Open cavitiy with collator below. Unit rests directly on credenza top. • Sxx14B0 Stack-On bookcases add 1.5 tiers when placed on any storage unit.

| S1214D0 | 14.3 x 12 x 27 | 92.5 | 41 | 4    | \$401 | n/a |
|---------|----------------|------|----|------|-------|-----|
| S2414D0 | 14.3 x 24 x 27 | 100  | 68 | 7.50 | \$630 | n/a |
| S3014D0 | 14.3 x 30 x 27 | 100  | 76 | 9.25 | \$691 | n/a |
| S3614D0 | 14.3 x 36 x 27 | 125  | 85 | 11   | \$767 | n/a |

Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top. • Sxx14D0 Stack-On bookcases add 2 tiers when placed on any storage unit.

| \$2415DT 15 x 24 x 27 92 5 79 7.75 <b>\$880</b>  | n/a        |
|--|------------|
| S2415DT 15 x 24 x 27 92.5 79 7.75 <b>\$880</b>   | n/a        |
| S3015DT         15 x 30 x 27         100         91         9.50         \$964           S3615DT         15 x 36 x 27         100         103         11.25         \$1075 | n/a<br>n/a |

Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12" w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top. • Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.

| S2415DNL         15 x 24 x 27         100         73           S3015DNL         15 x 30 x 27         100         83           S3615DNL         15 x 36 x 27         100         94 | 7.75<br>9.50<br>11.25 | \$754 n/a<br>\$828 n/a<br>\$925 n/a |
|--|-----------------------|-------------------------------------|
| S3615DNL 15 x 36 x 27 100 94   |                       |                                     |
|  | 11.25                 | <b>\$925</b> n/a                    |
|  |                       | <b>4323</b> 11/0                    |
| S4215DNL 15 x 42 x 27 100 117  | 13                    | \$1183 n/a                          |
|  |                       |                                     |
| S2415DNR 15 x 24 x 27 100 73   | 7.75                  | <b>\$754</b> n/a                    |
| S3015DNR 15 x 30 x 27 100 83   | 9.50                  | \$828 n/a                           |
| S3615DNR 15 x 36 x 27 100 94   | 11.25                 | <b>\$925</b> n/a                    |
| S4215DNR 15 x 42 x 27 100 117  | 13                    | <b>\$1183</b> n/a                   |

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.

Required Specifications Top finish Top/edge detail Base finish Door/drawer front finish\*

Handles\* Collator finish\*\*




## SIDEBAR STORAGE S


# 12"w 24" - 36"w

Stack-On Bookcase w/Collators


STACK-ON STORAGE



Stack-On Closed Storage\* Cabinet w/Collators



Stack-On Mixed Storage\* Cabinet w/Collators



Stack-On Bookcases

| MODEL#  | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|---------|-------------------|---------------|---------|-----------|------------|--------|--|
|         | D x W x H         |               |         |           |            |        |  |
| S1214E0 | 14.3 x 12 x 33.75 | 92.5          | 53      | 5         | \$520      | n/a    |  |
| S2414E0 | 14.3 x 24 x 33.75 | 100           | 90      | 9.25      | \$859      | n/a    |  |
| S3014E0 | 14.3 x 30 x 33.75 | 100           | 102     | 11.25     | \$951      | n/a    |  |
| S3614E0 | 14.3 x 36 x 33.75 | 100           | 115     | 13.25     | \$1079     | n/a    |  |

Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.

• Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.

| x 33.75 93 | 2.5                    | 59 !                            | 5.25                                    | ec 40                                       | /  |
|------------|------------------------|---------------------------------|---|---|--|
|            |                        | 00 .                            | 5.25                                    | \$643                                       | n/a  |
| x 33.75 92 | 2.5 !                  | 59 !                            | 5.25                                    | \$643                                       | n/a  |
|            |                        |                                 |   |   |  |
| x 33.75 92 | 2.5 1                  | 02                              | 9.50                                    | \$1101                                      | n/a  |
| x 33.75 1  | .00 1                  | 17 1                            | 1.75                                    | \$1218                                      | n/a  |
| x 33.75 1  | 00 1                   | 33                              | 14                                      | \$1382                                      | n/a  |
|            | x 33.75 9<br>x 33.75 1 | x 33.75 92.5 1<br>x 33.75 100 1 | x 33.75 92.5 102 9<br>x 33.75 100 117 1 | x 33.75 92.5 102 9.50 x 33.75 100 117 11.75 | x 33.75 92.5 102 9.50 <b>\$1101</b><br>x 33.75 100 117 11.75 <b>\$1218</b> |

Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top. • Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.

| S2415ENL | 15 x 24 x 33.75 | 92.5 | 96  | 9.50  | \$977  | n/a |
|----------|-----------------|------|-----|-------|--------|-----|
| S3015ENL | 15 x 30 x 33.75 | 100  | 110 | 11.75 | \$1087 | n/a |
| S3615ENL | 15 x 36 x 33.75 | 100  | 124 | 14    | \$1231 | n/a |
| S4215ENL | 15 x 42 x 33.75 | 100  | 154 | 16    | \$1536 | n/a |
| S2415ENR | 15 x 24 x 33.75 | 92.5 | 96  | 9.50  | \$977  | n/a |
| S3015ENR | 15 x 30 x 33.75 | 100  | 110 | 11.75 | \$1087 | n/a |
| S3615ENR | 15 x 36 x 33.75 | 100  | 124 | 14    | \$1231 | n/a |
| S4215ENR | 15 x 42 x 33.75 | 100  | 154 | 16    | \$1536 | n/a |
|          |                 |      |     |       |        |     |

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.

| S1214F0 | 14.3 x 12 x 40.5 | 100 | 59  | 6     | \$560  | n/a |
|---------|------------------|-----|-----|-------|--------|-----|
| S2414F0 | 14.3 x 24 x 40.5 | 100 | 98  | 10.75 | \$873  | n/a |
| S3014F0 | 14.3 x 30 x 40.5 | 100 | 110 | 13.25 | \$956  | n/a |
| S3614F0 | 14.3 x 36 x 40.5 | 125 | 123 | 15.75 | \$1061 | n/a |

Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top. • Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.

Required Specifications


Top finish Top/edge detail Base finish Door/drawer front finish\* Handles\* Collator finish

#### S SIDEBAR STORAGE


STACK-ON STORAGE

12"w (right) 24" - 36"w

**Stack-On Storage Cabinet** 



**Stack-On Mixed Storage Cabinet** 



left riaht Stack-On Wardrobe Cabinet

| MODEL#   | DIMENSIONS     | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |  |
|----------|----------------|---------------|---------|-----------|------------|--------|--|
|          | D x W x H      |               |         |           |            |        |  |
| S1215FTL | 15 x 12 x 40.5 | 92.5          | 68      | 6.25      | \$715      | n/a    |  |
| S1215FTR | 15 x 12 x 40.5 | 92.5          | 68      | 6.25      | \$715      | n/a    |  |
|          |                |               |         |           |            |        |  |
| S2415FT  | 15 x 24 x 40.5 | 92.5          | 116     | 11.25     | \$1193     | n/a    |  |
| S3015FT  | 15 x 30 x 40.5 | 100           | 132     | 14        | \$1308     | n/a    |  |
| S3615FT  | 15 x 36 x 40.5 | 100           | 150     | 16.50     | \$1458     | n/a    |  |
|          |                |               |         |           |            |        |  |

Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.

| S2415FNL | 15 x 24 x 40.5 | 100 | 107 | 11.25 | \$1034 | n/a |
|----------|----------------|-----|-----|-------|--------|-----|
| S3015FNL | 15 x 30 x 40.5 | 100 | 121 | 14    | \$1132 | n/a |
| S3615FNL | 15 x 36 x 40.5 | 100 | 137 | 16.50 | \$1264 | n/a |
| S4215FNL | 15 x 42 x 40.5 | 100 | 171 | 19    | \$1616 | n/a |
|          |                |     |     |       |        |     |
| S2415FNR | 15 x 24 x 40.5 | 100 | 107 | 11.25 | \$1034 | n/a |
| S3015FNR | 15 x 30 x 40.5 | 100 | 121 | 14    | \$1132 | n/a |
| S3615FNR | 15 x 36 x 40.5 | 100 | 137 | 16.50 | \$1264 | n/a |
| S4215FNR | 15 x 42 x 40.5 | 100 | 171 | 19    | \$1616 | n/a |
|          |                |     |     |       |        |     |

Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.

| S1224FTL | 24 x 12 x 40.5 | 100 | 83 | 9.50 | \$845 | n/a |
|----------|----------------|-----|----|------|-------|-----|
| S1224FTR | 24 x 12 x 40.5 | 100 | 83 | 9.50 | \$845 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.

**Required Specifications** Top finish Top/edge detail

Base finish Door/drawer front finish Handles





## wellness solutions



Wellness Solutions



## WELLNESS SCREENS

## WELLNESS SOLUTIONS

Winter Cherry

\$674

\$867

| LAMINATE PANELS  | MODEL#                              | DIMENSIONS | FREIGH | T CLASS    | WT/LBS.     | CUBIC FT.  | LIST PRICE         |
|--|-------------------------------------|------------|--------|------------|-------------|------------|--------------------|
| Surface mounted wellness guard prov                          | ides a physical divider             | DxWxH      | Lamina | ate Finish | es (for GCI | BMSGxxxxLF | ):                 |
| <ul> <li>Acrylic glazing is clear and support rai</li> </ul> | Is are painted Designer White (DWT) |            | ACJ    | Absolute   | e Acajou    | DES        | Dark Espresso      |
| • Kit includes all hardware to install on                    | an existing surface                 |            | ASN    | Asian N    | ight        | DWT        | Designer White     |
| <ul> <li>Aluminum extruded posts</li> </ul>                  |                                     |            | AWC    | Avant Cl   | herry       | QTM        | Quartered Mahogany |
|  |                                     |            | AWH    | Avant H    | oney        | SOG        | Storm Grey         |
|  |                                     |            | BLK    | Black      |             | WHE        | Walnut Heights     |
|  |                                     |            | BRC    | Brushed    | Cobalt      | WHC        | White Chocolate    |

CMB

Clear Maple

WCR

| WELLNESS SCREENS | MODEL#       | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|------------------|--------------|-------------|---------------|---------|-----------|------------|--|
|                  |              | D x W x H   |               |         |           |            |  |
|                  | GCTCSG3636LP | 3 x 36 x 36 | 300           | 20.20   | 2.92      | \$608      |  |
|                  | GCTCSG3648LP | 3 x 48 x 36 | 300           | 22.80   | 3.98      | \$756      |  |
|                  | GCTCSG3636W  | 3 x 36 x 36 | 300           | 20.20   | 2.92      | \$624      |  |
|                  | GCTCSG3648W  | 3 x 48 x 36 | 300           | 22.80   | 3.98      | \$773      |  |
|                  |              |             |               |         |           |            |  |

Wellness Screen - Clamp Mount

Includes clamp mount brackets, for use with existing worksurface or transaction top. Select model ending in LP for tops up to 1-1/8" thick or W for tops up to  $1 \frac{1}{8}"$  thick

| GCBRMSG3636LP | 5 x 36 x 36 | 300 | 20.20 | 2.92 | \$608 |
|---------------|-------------|-----|-------|------|-------|
| GCBRMSG3648LP | 5 x 48 x 36 | 300 | 22.80 | 3.98 | \$756 |

28.45

34.17

2.92

3.98

Wellness Screen - Surface Mount

Wellness Screen - Freestanding\*



Wellness Screen - Under Mount



Wellness Screen - Tri-Fold

12"D, board mounted. Available in all standard Global laminate finishes.

12 x 36 x 36

12 x 48 x 36

| GCAMSG3636LP | 2 x 36 x 36 | 300 | 20.20 | 2.92 | \$497 |  |
|--------------|-------------|-----|-------|------|-------|--|
| GCAMSG3648LP | 2 x 48 x 36 | 300 | 22.80 | 3.98 | \$646 |  |

No mounting hardware included; drilling required. For use with existing worksurface or transaction top.

Includes flat face surface mounting brackets, for use with existing worksurface or transaction top.

250

250

| GCFSGS1618-1       | 15 x 18 x 15.75 | 150  | 5.15  | 0.97 | \$493  |  |
|--------------------|-----------------|------|-------|------|--------|--|
| GCFSGA1923-1       | 15.75 x 23 x 19 | 92.5 | 7.30  | 0.67 | \$566  |  |
| Sold in packs of 5 | :               |      |       |      |        |  |
| GCFSGS1618-5       | 15 x 18 x 15.75 | 150  | 25.75 | 4.86 | \$2353 |  |
| GCFSGA1923-5       | 15.75 x 23 x 19 | 92.5 | 36.50 | 3.37 | \$2727 |  |

• Models ending in -1 are a single unit, individually packed

• Models ending in -5 are a bundle of 5 units, bulk packed.

**Required Specifications** 

Finish\*

GCBMSG3636LP

GCBMSG3648LP




### UNIVERSAL PRIVACY PANELS

## FREESTANDING DIVIDERS


| FREESTANDING DIVIDERS - FELT                                   | MODEL#                     | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE      |
|--|----------------------------|-----------------|---------------|---------|-----------|-----------------|
| <ul> <li>Divide space with flexibility.</li> </ul>             |                            | D x W x H       | FELT CO       | OBS     |           |                 |
| Lightweight and easy to clean partitions                       |                            |                 | (AMT) An      |         |           | (HVT) Harvest   |
| Minimal footprint for storage                                  |                            |                 | (APR) Apr     | •       |           | (LAP) Lapis     |
| <ul> <li>Screens are surrounded by a 0.5" x 2.5" pc</li> </ul> | wder coated aluminum frar  | ne in           | (BLK) Bla     | ck      |           | (MTS) Mist      |
| Designer White ( <b>DWT</b> ) or Tungsten ( <b>TUN</b> )       |                            |                 | (BSK) Blu     | e Smoke |           | (NVY) Navy      |
| Charcoal soft touch radius end trim                            |                            |                 | (BRI) Bric    | k       |           | (PWT) Pewter    |
| • 7" panel opening at panel bottom for easy                    | cleaning and cable pass-th | rough           | (CNN) Ca      | rnation |           | (RBY) Ruby      |
| • Includes all connecting hardware and 1" le                   | eveling glide              | -               | (DEN) De      | nim     |           | (SHR) Shamrock  |
| • Stations are 60" wide by 42" deep by 66"                     | high.                      |                 | (EMD) Em      | nerald  |           | (SFR) Sunflower |
|  |                            |                 | (GPH) Gra     | phite   |           | (WHT) White     |
|  | MODEL#                     | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE      |
|  | GCUPFSF5442                | 20 x 42 x 51.75 | 400           | 21.8    | 25.16     | \$787           |
|  | GCUPFSF5448                | 20 x 48 x 51.75 | 400           | 22.54   | 28.75     | \$800           |
|  | GCUPFSF5460                | 20 x 60 x 51.75 | 400           | 24.03   | 35.94     | \$981           |
|  | GCUPFSF6042                | 20 x 42 x 57.75 | 400           | 22.57   | 28.07     | \$806           |

| GCUPFSF6042 | 20 x 42 x 57.75 | 400 | 22.57 | 28.07 | \$806  |  |
|-------------|-----------------|-----|-------|-------|--------|--|
| GCUPFSF6048 | 20 x 48 x 57.75 | 400 | 23.3  | 32.08 | \$812  |  |
| GCUPFSF6060 | 20 x 60 x 57.75 | 400 | 24.87 | 40.1  | \$994  |  |
|             |                 |     |       |       |        |  |
| GCUPFSF7242 | 20 x 42 x 69.75 | 400 | 24.06 | 33.91 | \$986  |  |
| GCUPFSF7248 | 20 x 48 x 69.75 | 400 | 24.88 | 38.75 | \$999  |  |
| GCUPFSF7260 | 20 x 60 x 69 75 | 400 | 29.79 | 48 44 | \$1252 |  |
| GCOFF3F7200 | 20 X 00 X 05.75 | 400 | 20.75 | TU.TT | ΨIZJZ  |  |

Felt Screen - Flat Feet



**Felt Screen - Casters** 



#### **Shared Divider Felt Screen**

Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle.

| GCUPMSF5442 | 20 x 42 x 52.05 | 400 | 22.98 | 25.3  | \$1064 |  |
|-------------|-----------------|-----|-------|-------|--------|--|
| GCUPMSF5448 | 20 x 48 x 52.05 | 400 | 23.72 | 28.92 | \$1077 |  |
| GCUPMSF5460 | 20 x 60 x 52.05 | 400 | 25.21 | 36.15 | \$1246 |  |
|             |                 |     |       |       |        |  |
| GCUPMSF6042 | 20 x 42 x 58.05 | 400 | 23.75 | 28.22 | \$1084 |  |
| GCUPMSF6048 | 20 x 48 x 58.05 | 400 | 24.51 | 32.25 | \$1097 |  |
| GCUPMSF6060 | 20 x 60 x 58.05 | 400 | 26.05 | 40.31 | \$1265 |  |
|             |                 |     |       |       |        |  |
| GCUPMSF7242 | 20 x 42 x 70.05 | 400 | 25.24 | 34.05 | \$1258 |  |
| GCUPMSF7248 | 20 x 48 x 70.05 | 400 | 26.06 | 38.92 | \$1265 |  |
| GCUPMSF7260 | 20 x 60 x 70.05 | 400 | 30.97 | 48.65 | \$1499 |  |

Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle.

| GCUPSHF5448 | 20 x 48 x 53.57 | 400 | 18.06 | 29.76 | \$657 |
|-------------|-----------------|-----|-------|-------|-------|
| GCUPSHF5454 | 20 x 54 x 53.57 | 400 | 18.8  | 33.48 | \$747 |
|             |                 |     |       |       |       |
| GCUPSHF6048 | 20 x 48 x 59.57 | 400 | 18.84 | 33.09 | \$702 |
| GCUPSHF6054 | 20 x 54 x 59.57 | 400 | 19.6  | 37.23 | \$922 |

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.


Required Specifications Frame/ foot finish PET felt



## W FREESTANDING DIVIDERS

FREESTANDING DIVIDERS - GLASS

## UNIVERSAL PRIVACY PANELS



**Glass Screen - Flat Feet** 



Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.

| GCUPMSG5424 | 20 x 24 x 52.05 | 250 | 31.99 | 14.46 | \$1284 |
|-------------|-----------------|-----|-------|-------|--------|
| GCUPMSG5430 | 20 x 30 x 52.05 | 300 | 36.11 | 18.07 | \$1361 |
| GCUPMSG5436 | 20 x 36 x 52.05 | 300 | 40.24 | 21.69 | \$1438 |
| GCUPMSG5442 | 20 x 42 x 52.05 | 300 | 44.36 | 25.3  | \$1515 |
| GCUPMSG5448 | 20 x 48 x 52.05 | 300 | 48.48 | 28.92 | \$1592 |
| GCUPMSG5460 | 20 x 60 x 52.05 | 300 | 56.72 | 36.15 | \$1747 |
|             |                 |     |       |       |        |
| GCUPMSG6024 | 20 x 24 x 58.05 | 250 | 34.28 | 16.13 | \$1337 |
| GCUPMSG6030 | 20 x 30 x 58.05 | 300 | 38.9  | 20.16 | \$1422 |
| GCUPMSG6036 | 20 x 36 x 58.05 | 300 | 43.53 | 24.19 | \$1506 |
| GCUPMSG6042 | 20 x 42 x 58.05 | 300 | 48.15 | 28.22 | \$1591 |
| GCUPMSG6048 | 20 x 48 x 58.05 | 300 | 52.78 | 32.25 | \$1676 |
| GCUPMSG6060 | 20 x 60 x 58.05 | 300 | 62.03 | 40.31 | \$1846 |
|             |                 |     |       |       |        |

**Glass Screen - Casters** 



**Shared Divider Glass Screen** 

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.

| GCUPSHG5448 | 20 x 48 x 53.57 | 300 | 36.17 | 29.76 | \$989  |  |
|-------------|-----------------|-----|-------|-------|--------|--|
| GCUPSHG5454 | 20 x 54 x 53.57 | 300 | 38.51 | 33.48 | \$1034 |  |
|             |                 |     |       |       |        |  |
| GCUPSHG6048 | 20 x 48 x 59.57 | 300 | 40.52 | 33.09 | \$1070 |  |
| GCUPSHG6054 | 20 x 54 x 59.57 | 300 | 43.36 | 37.23 | \$1122 |  |
|             |                 |     |       |       |        |  |

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.

• For frosted glass (FRST), add 20%.

Required Specifications Frame/foot finish Optional Specifications Frosted glass (FRST)



## WELLNESS SOLUTIONS

| KING PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |  |
|-------------|--------|------------|---------------|---------|-----------|------------|--|
|             |        | D x W x H  |               |         |           |            |  |

- Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core
- Minimal footprint for storage
- Easy to connect

LINK

- Easy to reconfigure
- Easy to clean
- Panels available in Designer White (DWT) or Absolute Acajou (ACJ) laminates
- Frames available in Designer White (DWT) or Tungsten (TUN)
- Width options: 36", 42", 48", 60" wide
- 66″ high
- 1.3" thick.

| LINKING PANELS - SEGMENTED         | MODEL#             | DIMENSIONS  | FREIGHT CLASS | WT/LBS.      | CUBIC FT.      | LIST PRICE   |     |
|------------------------------------|--------------------|---|---------------|--------------|----------------|--|-----|
|                                    | DLSP6636           | 1.3 x 36 x 66   | 92.5          | 35           | 3              | \$845  |     |
|                                    | DLSP6642           | 1.3 x 42 x 66   | 92.5          | 41           | 3.46           | \$869  |     |
|                                    | DLSP6648           | 1.3 x 48 x 66   | 92.5          | 47           | 3.93           | \$886  |     |
|                                    | DLSP6660           | 1.3 x 60 x 66   | 85            | 59           | 4.90           | \$1360   |     |
| Segmented Linking Panel*           |                    |   |               |              |                | ssed on a lightweight core. Minim<br>ajou ( <b>ACJ</b> ). Aluminum extrusion o |     |
|                                    |                    | paint finish in Designe                                 |               |              |                | nes complete with hinge kits and   |     |
|                                    | DLSPWS1830SCPL     | P 18 x 30 x 1   | 60            | 15           | .50            | \$197  |     |
| Worksurface, for Segmented Panel** | 0 0                | in Designer White (                                     |               |              | 0              | ind features a scoop for cable pas<br>ble in Designer White ( <b>DWE</b> ) or  | ίS- |
|                                    | DLSPHOMC           | 12 x 3 x 21   | 100           | 4            | .42            | \$154  |     |
| Worksurface Off-Module Cantilever* |                    | al rails of panels to p<br>gner White ( <b>DWT</b> ) or |               | support. Fre | es up space un | der the worksurface. Powder coat   | ted |
|                                    | DLSPHBRKT          | 3 x 2.25 x 0.75   | 70            | .10          | .05            | \$14   |     |
| Worksurface Bracket*               |                    |   |               |              |                | supports worksurface at any loca<br>finish in Designer White ( <b>DWT</b> ) or |     |
|                                    | Required Specifica | tions   |               | _            |                |  | _   |

Frame finish\* Laminate finish\*\*

LINKING PANELS

#### LINKING PANELS W

## WELLNESS SOLUTIONS

#### LAMINATE LINKING PANELS

DIMENSIONS DxWxH

FREIGHT CLASS WT/LBS.

CUBIC FT. LIST PRICE


- · Laminate linking panels provide privacy.
- Standard height of 54" or 66", width in 6" increments from 24" to 60".
- Aluminum extrusion comes in powder coated paint finish: Designer White (DWT) or Tungsten (TUN).

MODEL#

- Laminate core offered in Designer White (DWT) or Absolute Acajou (ACJ).
- Edge banded to match laminate finish.
- Panels come complete with hinge kits

#### **Planning Diagrams**

- When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'.
- When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'.



For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.

| TE LINKING PANELS         | MODEL#   | DIMENSIONS  | FREIGHT CLASS  | WT/LBS.  | CUBIC FT.   | LIST PRICE  |
|---------------------------|--|---|--|--|---|---|
|                           | DPL5424  | 1.3 x 24 x 54   | 92.5   | 18   | 1.62  | \$642   |
|                           | DPL5430  | 1.3 x 30 x 54   | 92.5   | 23   | 2.08  | \$712   |
|                           | DPL5436  | 1.3 x 36 x 54   | 92.5   | 27   | 2.47  | \$783   |
|                           | DPL5442  | 1.3 x 42 x 54   | 92.5   | 32   | 2.85  | \$853   |
|                           | DPL5448  | 1.3 x 48 x 54   | 92.5   | 37   | 3.25  | \$923   |
|                           | DPL5454  | 1.3 x 54 x 54   | 92.5   | 42   | 3.63  | \$995   |
|                           | DPL5460  | 1.3 x 60 x 54   | 92.5   | 47   | 4.02  | \$1065  |
|                           | DPL6624  | 1.3 x 24 x 66   | 92.5   | 23   | 2.04  | \$729   |
|                           | DPL6630  | 1.3 x 30 x 66   | 92.5   | 29   | 2.52  | \$806   |
|                           | DPL6636  | 1.3 x 36 x 66   | 92.5   | 35   | 3   | \$883   |
|                           | DPL6642  | 1.3 x 42 x 66   | 92.5   | 41   | 3.46  | \$960   |
| 7                         | DPL6648  | 1.3 x 48 x 66   | 92.5   | 47   | 3.93  | \$1039  |
|                           | DPL6654  | 1.3 x 54 x 66   | 92.5   | 53   | 4.40  | \$1117  |
|                           | DPL6660  | 1.3 x 60 x 66   | 92.5   | 59   | 4.90  | \$1193  |
| Papal Lavalar/Lavalar     | Lovalara an bath la  |   |  |  |   |   |
| e Panel - Leveler/Leveler | Levelers on both le  | egs.  |  |  |   |   |
| e Panel - Leveler/Leveler | Levelers on both le  | egs.<br>1.3 x 24 x 54   | 92.5   | 18   | 1.62  | \$769   |
| e Panel - Leveler/Leveler |  |   | 92.5<br>92.5   | 18<br>23   | 1.62<br>2.08  | \$769<br>\$844  |
| e Panel - Leveler/Leveler | DPLSCH5424   | 1.3 x 24 x 54   |  |  |   |   |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54   | 92.5<br>92.5<br>92.5   | 23<br>27<br>32   | 2.08<br>2.47<br>2.85  | \$844<br>\$918<br>\$992   |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54   | 92.5<br>92.5<br>92.5<br>92.5<br>92.5                         | 23<br>27<br>32<br>37                                     | 2.08<br>2.47<br>2.85<br>3.25  | \$844<br>\$918  |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 48 x 54<br>1.3 x 54 x 54   | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5                 | 23<br>27<br>32<br>37<br>42                               | 2.08<br>2.47<br>2.85<br>3.25<br>3.63                                      | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139   |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54  | 92.5<br>92.5<br>92.5<br>92.5<br>92.5                         | 23<br>27<br>32<br>37                                     | 2.08<br>2.47<br>2.85<br>3.25  | \$844<br>\$918<br>\$992<br>\$1065   |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 48 x 54<br>1.3 x 54 x 54   | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5                 | 23<br>27<br>32<br>37<br>42                               | 2.08<br>2.47<br>2.85<br>3.25<br>3.63                                      | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139   |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454<br>DPLSCH5454   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 54 x 54<br>1.3 x 54 x 54<br>1.3 x 60 x 54  | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5         | 23<br>27<br>32<br>37<br>42<br>47                         | 2.08<br>2.47<br>2.85<br>3.25<br>3.63<br>4.02                              | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139<br>\$1213                                       |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454<br>DPLSCH5460<br>DPLSCH6624   | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 54 x 54<br>1.3 x 60 x 54<br>1.3 x 24 x 66  | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5 | 23<br>27<br>32<br>37<br>42<br>47<br>23                   | 2.08<br>2.47<br>2.85<br>3.25<br>3.63<br>4.02<br>2.04                      | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139<br>\$1213<br>\$855                              |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454<br>DPLSCH5456<br>DPLSCH660<br>DPLSCH6624<br>DPLSCH6630                              | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 54 x 54<br>1.3 x 60 x 54<br>1.3 x 24 x 66<br>1.3 x 30 x 66                                   | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5 | 23<br>27<br>32<br>37<br>42<br>47<br>23<br>29             | 2.08<br>2.47<br>2.85<br>3.25<br>3.63<br>4.02<br>2.04<br>2.52              | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139<br>\$1213<br>\$855<br>\$938                     |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454<br>DPLSCH5454<br>DPLSCH5460<br>DPLSCH6624<br>DPLSCH6630<br>DPLSCH6636               | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 48 x 54<br>1.3 x 60 x 54<br>1.3 x 24 x 66<br>1.3 x 30 x 66<br>1.3 x 36 x 66                  | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5 | 23<br>27<br>32<br>37<br>42<br>47<br>23<br>29<br>35       | 2.08<br>2.47<br>2.85<br>3.25<br>3.63<br>4.02<br>2.04<br>2.52<br>3         | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139<br>\$1213<br>\$855<br>\$938<br>\$1020           |
| e Panel - Leveler/Leveler | DPLSCH5424<br>DPLSCH5430<br>DPLSCH5436<br>DPLSCH5442<br>DPLSCH5448<br>DPLSCH5454<br>DPLSCH5454<br>DPLSCH6624<br>DPLSCH6630<br>DPLSCH6636<br>DPLSCH6636<br>DPLSCH6642 | 1.3 x 24 x 54<br>1.3 x 30 x 54<br>1.3 x 36 x 54<br>1.3 x 42 x 54<br>1.3 x 42 x 54<br>1.3 x 48 x 54<br>1.3 x 60 x 54<br>1.3 x 24 x 66<br>1.3 x 30 x 66<br>1.3 x 36 x 66<br>1.3 x 42 x 66 | 92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5<br>92.5 | 23<br>27<br>32<br>37<br>42<br>47<br>23<br>29<br>35<br>41 | 2.08<br>2.47<br>2.85<br>3.25<br>3.63<br>4.02<br>2.04<br>2.52<br>3<br>3.46 | \$844<br>\$918<br>\$992<br>\$1065<br>\$1139<br>\$1213<br>\$855<br>\$938<br>\$1020<br>\$1100 |

- **Required Specifications**
- Frame finish
- Laminate finish



### WELLNESS SOLUTIONS

## LINKING PANELS

LIST PRICE



LAMINATE LINKING PANELS

#### DxWxH DPLDF5424 65 40.2 \$757 1.3 x 24 x 54 1.62 DPLDF5430 1.3 x 30 x 54 65 47.6 2.08 \$811 \$863 DPLDF5436 70 2.47 1.3 x 36 x 54 54.9 70 62.3 2.85 \$917 DPLDF5442 1.3 x 42 x 54 70 \$968 DPLDF5448 1.3 x 48 x 54 69.6 3.25 DPLDF5454 70 3.63 \$1022 1.3 x 54 x 54 77 DPLDF5460 70 84.3 4.02 \$1075 1.3 x 60 x 54 DPLDF6624 1.3 x 24 x 66 65 48.6 2.04 \$821 DPLDF6630 1.3 x 30 x 66 65 57.9 2.52 \$878 DPLDF6636 70 67.3 3 \$937 1.3 x 36 x 66 70 3.46 DPLDF6642 1.3 x 42 x 66 76.6 \$994 70 3.93 DPLDF6648 1.3 x 48 x 66 85.9 \$1052 DPLDF6654 1.3 x 54 x 66 70 95.2 4.40 \$1110 DPLDF6660 1.3 x 60 x 66 70 104.5 4.90 \$1169

WT/LBS.

CUBIC FT.

FREIGHT CLASS

Laminate Panel - Flat Feet

Flat foot on both legs. Freestanding.

DIMENSIONS

MODEL#

| e de la constante de la consta | • |
|--|---|

**Laminate Panel - Double Casters** 

Laminate Panel -Single Caster/Double Casters DPLMN5424 18 1.62 \$803 1.3 x 24 x 54 65 DPLMN5430 1.3 x 30 x 54 65 23 2.08 \$873 DPLMN5436 1.3 x 36 x 54 65 27 2.47 \$944 DPLMN5442 1.3 x 42 x 54 70 32 2.85 \$1012 DPLMN5448 1.3 x 48 x 54 70 37 3.25 \$1083 DPLMN5454 1.3 x 54 x 54 70 42 3.63 \$1153 70 47 DPLMN5460 1.3 x 60 x 54 4.02 \$1221 23 \$890 DPLMN6624 1.3 x 24 x 66 65 2.04 DPLMN6630 65 2.52 \$965 1.3 x 30 x 66 29 DPLMN6636 1.3 x 36 x 66 65 35 3 \$1043 DPLMN6642 70 41 3.46 1.3 x 42 x 66 \$1121 DPLMN6648 1.3 x 48 x 66 70 47 3.93 \$1197 DPLMN6654 1.3 x 54 x 66 70 53 4.40 \$1273 DPLMN6660 70 59 4.90 \$1351 1.3 x 60 x 66

Double locking caster base on both legs. Freestanding.

| DPLDCMN5424 | 1.3 x 24 x 54 | 65 | 18 | 1.62 | \$755  |
|-------------|---------------|----|----|------|--------|
| DPLDCMN5430 | 1.3 x 30 x 54 | 70 | 23 | 2.08 | \$825  |
| DPLDCMN5436 | 1.3 x 36 x 54 | 70 | 27 | 2.47 | \$889  |
| DPLDCMN5442 | 1.3 x 42 x 54 | 70 | 32 | 2.85 | \$957  |
| DPLDCMN5448 | 1.3 x 48 x 54 | 70 | 37 | 3.25 | \$1023 |
| DPLDCMN5454 | 1.3 x 54 x 54 | 70 | 42 | 3.63 | \$1087 |
| DPLDCMN5460 | 1.3 x 60 x 54 | 70 | 47 | 4.02 | \$1158 |
|             |               |    |    |      |        |
| DPLDCMN6624 | 1.3 x 24 x 66 | 65 | 23 | 2.04 | \$834  |
| DPLDCMN6630 | 1.3 x 30 x 66 | 70 | 29 | 2.52 | \$909  |
| DPLDCMN6636 | 1.3 x 36 x 66 | 70 | 35 | 3    | \$982  |
| DPLDCMN6642 | 1.3 x 42 x 66 | 70 | 41 | 3.46 | \$1055 |
| DPLDCMN6648 | 1.3 x 48 x 66 | 70 | 47 | 3.93 | \$1127 |
| DPLDCMN6654 | 1.3 x 54 x 66 | 70 | 53 | 4.40 | \$1201 |
| DPLDCMN6660 | 1.3 x 60 x 66 | 70 | 59 | 4.90 | \$1256 |
|             |               |    |    |      |        |

Single locking caster on one leg and double locking caster base on the other. Freestanding

Required Specifications Frame finish Laminate finish

## L LINKING PANELS

## WELLNESS SOLUTIONS

| AMINATE PANELS   | MODEL#  |  | FREIGHT CLASS  | WT/LBS.   | CUBIC FT.  | LIST PRICE  |            |
|--|---|--|--|---|--|---|------------|
|  | DPLDCHN5424   | <b>D x W x H</b><br>1.3 x 24 x 54  | 65   | 18  | 1.62   | \$712   |            |
|  | DPLDCHN5424<br>DPLDCHN5430  | 1.3 x 30 x 54  | 70   | 23  | 2.08   | \$775   |            |
|  | DPLDCHN5430<br>DPLDCHN5436  | 1.3 x 36 x 54  | 70   | 23  | 2.08   | \$845   |            |
|  | DPLDCHN5442   | 1.3 x 42 x 54  | 70   | 32  | 2.47   | \$911   |            |
|  | DPLDCHN5448   | 1.3 x 48 x 54  | 70   | 37  | 3.25   | \$976   |            |
|  | DPLDCHN5454   | 1.3 x 54 x 54  | 70   | 42  | 3.63   | \$1044  |            |
|  | DPLDCHN5460   | 1.3 x 60 x 54  | 70   | 42  | 4.02   | \$1044  |            |
|  | DFLDGHN3400   | 1.5 X 00 X 54  | 70   | 47  | 4.UZ   | ə i i i i   |            |
|  | DPLDCHN6624   | 1.3 x 24 x 66  | 65   | 23  | 2.04   | \$790   |            |
|  | DPLDCHN6630   | 1.3 x 30 x 66  | 70   | 29  | 2.54   | \$865   |            |
|  | DPLDCHN6636   | 1.3 x 36 x 66  | 70   | 35  | 3  | \$937   |            |
|  | DPLDCHN6642   | 1.3 x 42 x 66  | 70   | 41  | 3.46   | \$1008  |            |
|  | DPLDCHN6648   | 1.3 x 48 x 66  | 70   | 47  | 3.93   | \$1083  |            |
| N. Contraction of the second s | DPLDCHN6654   | 1.3 x 54 x 66  | 70   | 53  | 4.40   | \$1158  |            |
| le la  | DPLDCHN6660   | 1.3 x 60 x 66  | 70   | 59  | 4.90   | \$1230  |            |
|  | DI LDGI INOOOO  | 1.3 X 00 X 00  | 70   | 55  | 4.50   | \$12 <b>3</b> 0   |            |
| ninate Panel -<br>veler/Double Caster  | Leveler on one leg a  | and double locking cas   | ter base on the ot   | ther. Freest  | anding.  |   |            |
| IKING PANEL ACCESSORIES  |   | DIMENSIONS   |  |   |  |   |            |
| INING FAMILITAUGENNUKIEN   | MODEL#  | DIMENSIONS   | FREIGHT CLASS  | WT/LBS.   | CUBIC FT.  | LIST PRICE  |            |
|  | DPLWA54   | 2 x 2 x 54   | 70   | 2.3   | 0.13   | \$167   |            |
|  | DPLWA66   | 2 x 2 x 66   | 65   | 3.5   | 0.15   | \$190   |            |
|  |   |  |  |   |  |   |            |
| panding Kit  |   |  |  |   |  | \$291   |            |
| spanding Kit   | Connects two linkin   | g panels in a straight   | line. This kit will a  | accommodat  | e any special v  |   |            |
| spanding Kit   | Connects two linkin<br>Available in Design  | g panels in a straight   | line. This kit will a  | accommodat  | e any special v  | vidth by overlapping the pan  |            |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6  | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe  | accommodat<br>ht finish. Kit<br>2<br>er White ( <b>DV</b>   | e any special v<br>consists of a to<br>.05   | vidth by overlapping the pan<br>op and bottom bracket and a   | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe  | accommodat<br>ht finish. Kit<br>2<br>er White ( <b>DV</b>   | e any special v<br>consists of a to<br>.05<br>VT) or Tungster  | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>I ( <b>TUN</b> ) paint finish. Kit cons   | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24  | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70   | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DV</b><br>Ister.<br>1.74   | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39   | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>I (TUN) paint finish. Kit cons<br>\$151   | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP30   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150  | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DV</b><br>Ister.<br>1.74<br>2.20   | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49  | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>In ( <b>TUN</b> ) paint finish. Kit cons<br>\$151<br>\$179                        | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP30<br>DPLOP36  | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 36 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150   | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DW</b><br>Ister.<br>1.74<br>2.20<br>2.67   | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49<br>.59   | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit con<br>\$151<br>\$179<br>\$209                            | all neces  |
| [ <b>)</b>   | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP30<br>DPLOP36<br>DPLOP42   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 36 x 16.8<br>1.05 x 42 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150<br>150                                    | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DW</b><br>Ister.<br>1.74<br>2.20<br>2.67<br>3.14   | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49<br>.59<br>.70  | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit cons<br>\$151<br>\$179<br>\$209<br>\$231                  | all neces  |
| ß  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP24<br>DPLOP30<br>DPLOP36<br>DPLOP42<br>DPLOP48   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 42 x 16.8<br>1.05 x 48 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150<br>150<br>150                             | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DW</b><br>Ister.<br>1.74<br>2.20<br>2.67<br>3.14<br>3.60                                 | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49<br>.59<br>.70<br>.80                                   | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit con<br>\$151<br>\$179<br>\$209<br>\$231<br>\$345          | all neces  |
| 0  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP24<br>DPLOP30<br>DPLOP36<br>DPLOP42<br>DPLOP48<br>DPLOP54  | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 42 x 16.8<br>1.05 x 48 x 16.8<br>1.05 x 54 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150<br>150<br>150<br>150                      | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DW</b><br>Ister.<br>1.74<br>2.20<br>2.67<br>3.14<br>3.60<br>4.07                         | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49<br>.59<br>.70<br>.80<br>.90                            | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit con<br>\$151<br>\$179<br>\$209<br>\$231<br>\$345<br>\$373 | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP24<br>DPLOP30<br>DPLOP36<br>DPLOP42<br>DPLOP48   | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 42 x 16.8<br>1.05 x 48 x 16.8   | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150<br>150<br>150                             | accommodat<br>nt finish. Kit<br>2<br>er White ( <b>DW</b><br>Ister.<br>1.74<br>2.20<br>2.67<br>3.14<br>3.60                                 | e any special v<br>consists of a to<br>.05<br>VT) or Tungster<br>.39<br>.49<br>.59<br>.70<br>.80                                   | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit con<br>\$151<br>\$179<br>\$209<br>\$231<br>\$345          | all neces  |
|  | Connects two linkin<br>Available in Design<br>hardware.<br>DPDC01<br>Converts any linking<br>plate, two hinge kit<br>DPLOP24<br>DPLOP30<br>DPLOP36<br>DPLOP36<br>DPLOP42<br>DPLOP48<br>DPLOP54<br>DPLOP54<br>DPLOP60<br>For laminate panels | g panels in a straight<br>er White ( <b>DWT</b> ) or Tur<br>1.3 x 3 x 6<br>g panel into a door. Av<br>s, single caster foot as<br>1.05 x 24 x 16.8<br>1.05 x 30 x 16.8<br>1.05 x 42 x 16.8<br>1.05 x 48 x 16.8<br>1.05 x 54 x 16.8<br>1.05 x 60 x 16.8<br>1.05 x 60 x 16.8 | line. This kit will a<br>ngsten ( <b>TUN</b> ) pain<br>60<br>ailable in Designe<br>ssembly and 1" ca<br>70<br>150<br>150<br>150<br>150<br>150<br>150<br>150<br>150 | accommodat<br>th finish. Kit<br>2<br>er White ( <b>DW</b><br>ester.<br>1.74<br>2.20<br>2.67<br>3.14<br>3.60<br>4.07<br>4.53<br>the gap betw | e any special v<br>consists of a to<br>.05<br>✓T) or Tungster<br>.39<br>.49<br>.59<br>.70<br>.80<br>.90<br>1.01<br>veen the 66″H I | vidth by overlapping the pan<br>op and bottom bracket and a<br>\$183<br>(TUN) paint finish. Kit con<br>\$151<br>\$179<br>\$209<br>\$231<br>\$345<br>\$373 | sists of s |



## acoustic solutions



Priva

426



Softpod

429

