




bridges II connect
share
achieve


Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.

Features and Benefits

- High performance thermally fused laminate tops are 1" thick
- High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all sides
- Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- Leg Options:
Height adjustable round legs
Fixed height rectangular legs



Rectangular Leg



Power Trough



Round Leg

GENERAL INFORMATION

Flexible Building components

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

Easy to customize and reconfigure to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

Compatible with various environments

- Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

Choice of **two functionally and visually different leg** supports

- Casters or levelers
- Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

Various **power/data delivery** levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- Horizontal cable management under storage units with optional wire basket


Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

- For environmental certifications, please visit globalfurnituregroup.com.

B BRIDGES II™ - NOTES

WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

TABLES

- All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- Worksurfaces provided with pilot holes for alignment purposes

CODES

- This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP

BRT = Bridges II

WS = Type of Worksurface


2472 = Size: Depth x Width

AWC = High Pressure Laminate


HP = Finish

RECTANGULAR LEG

- For single and shared worksurface support
- Bridges II Rectangular legs are available with:
Locking Casters (**BRTLCS**) or Levelers (**BRTLVS**)





- Casters and Levelers **CANNOT** be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White



ROUND LEG

- For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" - 32" in 1" increments with levelers and 27" - 35" with casters
- Bridges II Round legs are available with:
Locking Casters (**BRTLCS**) or Levelers (**BRTLVR**)



- Casters and Levelers CAN be retrofitted
- Levelers have a 1" height range, with 3/8-16" thread
- Levelers are available in Chrome only
- Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- Paint finish is a durable, environmentally friendly epoxy powder coating

FINISHES

Metal Frame Finishes:

| | |
|--|---|
| BLK | Black |
| BZD | Blizzard** |
| CHR | Charcoal |
| DWT | Designer White |
| FOG | Fog |
| NEV | Nevada |
| SIL | Silver |
| SDT | Stonedust** |
| TPE | Taupe |
| TUN | Tungsten |
| ANO* | Anodized Aluminum - Upcharge applies. Refer to models for upcharge. |
| *ANO is a process, not a paint finish. | |
| **Textured finish | |

Laminate Top Finishes:

| | |
|-----|--|
| ACJ | Absolute Acajou |
| ASN | Asian Night |
| AWC | Avant Cherry |
| AWH | Avant Honey |
| BLK | Black - Coordinates with BLK Metal Frame Finish |
| BZD | Blizzard |
| BRC | Brushed Cobalt - Coordinates with TUN Metal Frame Finish |
| CMB | Clear Maple |
| CGY | Custom Grey - Coordinates with SIL Metal Frame Finish |
| DES | Dark Espresso |
| DWT | Designer White - Coordinates with DWT Metal Frame Finish |
| FAS | Fashionista |
| FCL | First Class |
| NBL | Noce Biondo |
| NGL | Noce Grigio |
| NEL | Noce Leggero |
| NML | Noce Medio |
| QTM | Quartered Mahogany |
| SBY | Sheer Beauty |
| SDT | Stonedust |
| SOG | Storm Grey - Coordinates with CHR Metal Frame Finish |
| WHE | Walnut Heights |
| WHC | White Chocolate |
| WCR | Winter Cherry |

Edgeband Finishes:

| | |
|-----|-------------------------------|
| AAE | Absolute Acajou |
| ASE | Asian Night |
| ACE | Avant Cherry |
| AHE | Avant Honey |
| BLK | Black |
| BRC | Brushed Cobalt |
| BZD | Blizzard |
| CHR | Charcoal (<i>use w/SOG</i>) |
| CGY | Custom Grey - |
| CME | Clear Maple |
| DEE | Dark Espresso |
| DWE | Designer White |
| FAS | Fashionista |
| FCL | First Class |
| NEV | Nevada |
| QTM | Quartered Mahogany |
| SBY | Sheer Beauty |
| SIL | Silver |
| SDT | Stonedust |
| TPE | Taupe |
| WHE | Walnut Heights |
| CBE | White Chocolate |
| WCE | Winter Cherry |

Chassis/Accent Finishes:

| | |
|-----|--|
| ACJ | Absolute Acajou |
| ASN | Asian Night |
| AWC | Avant Cherry |
| AWH | Avant Honey |
| BLK | Black - Coordinates with BLK Metal Frame Finish |
| BRC | Brushed Cobalt - Coordinates with TUN Metal Frame Finish |
| BZD | Blizzard |
| CGY | Custom Grey - Coordinates with SIL Metal Frame Finish |
| CMB | Clear Maple |
| DES | Dark Espresso |
| DWT | Designer White - Coordinates with DWT Metal Frame Finish |
| FAS | Fashionista |
| FCL | First Class |
| NBL | Noce Biondo |
| NGL | Noce Grigio |
| NEL | Noce Leggero |
| NML | Noce Medio |
| QTM | Quartered Mahogany |
| SBY | Sheer Beauty |
| SOG | Storm Grey - Coordinates with CHR Metal Frame Finish |
| SDT | Stonedust |
| STG | String - Coordinates with NEV Metal Frame Finish |
| WHC | White Chocolate |
| WHE | Walnut Heights |
| WCR | Winter Cherry |

Metal Beam Finishes:

| | |
|-----|----------------|
| BLK | Black |
| BZD | Blizzard* |
| CHR | Charcoal |
| DWT | Designer White |
| FOG | Fog |
| NEV | Nevada |
| SIL | Silver |
| SDT | Stonedust* |
| TPE | Taupe |
| TUN | Tungsten |


*Textured finish

FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONSBridges II Fabric Table Dividers are available in: **Anchorage, Lola, Merge****COLLABORATIVE SEATING**


- All standard seating fabrics and grades apply.

30"W UNITS STORAGE CAPACITY CHART


Side to Side




Side to Side Letter/Front to Back Legal

**36"W UNITS STORAGE CAPACITY CHART**


Side to Side Letter




Side to Side Legal



Side to Side Letter/Front to Back Legal



RECTANGULAR LEG PACKAGES



Single Line 1 Person Pod with Levelers

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|----------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTS1P2484L | 24 x 84 x 29 | 70 | 75 | 4.92 | \$1687 | \$165 |
| BRTS1P2478L | 24 x 78 x 29 | 85 | 72 | 4.82 | \$1638 | \$158 |
| BRTS1P2472L | 24 x 72 x 29 | 85 | 69 | 4.73 | \$1581 | \$163 |
| BRTS1P2466L | 24 x 66 x 29 | 85 | 66 | 4.65 | \$1564 | \$145 |
| BRTS1P2463L | 24 x 62.5 x 29 | 85 | 63 | 4.57 | \$1552 | \$141 |
| BRTS1P2460L | 24 x 60 x 29 | 85 | 60 | 4.48 | \$1535 | \$140 |
| BRTS1P2454L | 24 x 54 x 29 | 85 | 57 | 4.4 | \$1482 | \$122 |
| BRTS1P2451L | 24 x 50.5 x 29 | 85 | 54 | 4.3 | \$1441 | \$117 |
| BRTS1P2448L | 24 x 48 x 29 | 85 | 51 | 4.2 | \$1403 | \$111 |
| BRTS1P2442L | 24 x 42 x 29 | 92.5 | 48 | 4.1 | \$1342 | \$91 |
| BRTS1P2436L | 24 x 36 x 29 | 92.5 | 45 | 4 | \$1258 | \$78 |
| | | | | | | |
| BRTS1P3084L | 30 x 84 x 29 | 70 | 84 | 5.2 | \$1769 | \$176 |
| BRTS1P3078L | 30 x 78 x 29 | 70 | 81 | 5.1 | \$1701 | \$163 |
| BRTS1P3072L | 30 x 72 x 29 | 70 | 78 | 5.01 | \$1661 | \$161 |
| BRTS1P3066L | 30 x 66 x 29 | 70 | 75 | 4.9 | \$1621 | \$155 |
| BRTS1P3063L | 30 x 62.5 x 29 | 70 | 72 | 4.8 | \$1609 | \$150 |
| BRTS1P3060L | 30 x 60 x 29 | 85 | 69 | 4.73 | \$1593 | \$145 |
| BRTS1P3054L | 30 x 54 x 29 | 85 | 66 | 4.6 | \$1556 | \$121 |
| BRTS1P3051L | 30 x 50.5 x 29 | 85 | 63 | 4.5 | \$1528 | \$127 |
| BRTS1P3048L | 30 x 48 x 29 | 85 | 60 | 4.41 | \$1502 | \$122 |
| BRTS1P3042L | 30 x 42 x 29 | 85 | 57 | 4.3 | \$1469 | \$120 |
| BRTS1P3036L | 30 x 36 x 29 | 85 | 54 | 4.2 | \$1357 | \$83 |

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES



Single Line 1 Person Pod with Casters

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|----------------|---------------|---------|-----------|---------------|--------------|
| D x W x H | | | | | | |
| BRTS1P2484C | 24 x 84 x 29 | 70 | 75 | 4.92 | \$1769 | \$165 |
| BRTS1P2478C | 24 x 78 x 29 | 85 | 72 | 4.82 | \$1720 | \$158 |
| BRTS1P2472C | 24 x 72 x 29 | 85 | 69 | 4.73 | \$1674 | \$155 |
| BRTS1P2466C | 24 x 66 x 29 | 85 | 66 | 4.65 | \$1647 | \$145 |
| BRTS1P2463C | 24 x 62.5 x 29 | 85 | 63 | 4.57 | \$1633 | \$141 |
| BRTS1P2460C | 24 x 60 x 29 | 85 | 60 | 4.48 | \$1619 | \$140 |
| BRTS1P2454C | 24 x 54 x 29 | 85 | 57 | 4.4 | \$1564 | \$122 |
| BRTS1P2451C | 24 x 50.5 x 29 | 85 | 54 | 4.3 | \$1526 | \$117 |
| BRTS1P2448C | 24 x 48 x 29 | 85 | 51 | 4.2 | \$1485 | \$111 |
| BRTS1P2442C | 24 x 42 x 29 | 92.5 | 48 | 4.1 | \$1422 | \$91 |
| BRTS1P2436C | 24 x 36 x 29 | 92.5 | 45 | 4 | \$1343 | \$78 |
| | | | | | | |
| BRTS1P3084C | 30 x 84 x 29 | 70 | 84 | 5.2 | \$1867 | \$163 |
| BRTS1P3078C | 30 x 78 x 29 | 70 | 81 | 5.1 | \$1783 | \$163 |
| BRTS1P3072C | 30 x 72 x 29 | 70 | 78 | 5.01 | \$1743 | \$138 |
| BRTS1P3066C | 30 x 66 x 29 | 70 | 75 | 4.9 | \$1704 | \$155 |
| BRTS1P3063C | 30 x 62.5 x 29 | 70 | 72 | 4.8 | \$1692 | \$150 |
| BRTS1P3060C | 30 x 60 x 29 | 85 | 69 | 4.73 | \$1675 | \$145 |
| BRTS1P3054C | 30 x 54 x 29 | 85 | 66 | 4.6 | \$1640 | \$121 |
| BRTS1P3051C | 30 x 50.5 x 29 | 85 | 63 | 4.5 | \$1611 | \$127 |
| BRTS1P3048C | 30 x 48 x 29 | 85 | 60 | 4.41 | \$1584 | \$122 |
| BRTS1P3042C | 30 x 42 x 29 | 85 | 57 | 4.3 | \$1553 | \$120 |
| BRTS1P3036C | 30 x 36 x 29 | 85 | 54 | 4.2 | \$1440 | \$83 |

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate


RECTANGULAR LEG PACKAGES



Single Line 2 Person Pod with Levelers



Single Line 3 Person Pod with Levelers



Single Line 4 Person Pod with Levelers

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|---------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTS2P2484L | 24 x 168 x 29 | 70 | 149 | 7.41 | \$2956 | \$326 |
| BRTS2P2478L | 24 x 156 x 29 | 70 | 140 | 7.27 | \$2856 | \$310 |
| BRTS2P2472L | 24 x 144 x 29 | 70 | 131 | 7.13 | \$2767 | \$302 |
| BRTS2P2466L | 24 x 132 x 29 | 70 | 122 | 6.95 | \$2709 | \$285 |
| BRTS2P2460L | 24 x 120 x 29 | 70 | 113 | 6.71 | \$2650 | \$277 |
| BRTS2P2454L | 24 x 108 x 29 | 70 | 104 | 6.45 | \$2542 | \$241 |
| BRTS2P2448L | 24 x 96 x 29 | 70 | 95 | 6.21 | \$2386 | \$217 |
| | | | | | | |
| BRTS2P3084L | 30 x 168 x 29 | 70 | 173 | 8.25 | \$3101 | \$351 |
| BRTS2P3078L | 30 x 156 x 29 | 70 | 164 | 7.97 | \$2964 | \$323 |
| BRTS2P3072L | 30 x 144 x 29 | 70 | 155 | 7.69 | \$2903 | \$314 |
| BRTS2P3066L | 30 x 132 x 29 | 70 | 140 | 7.41 | \$2805 | \$302 |
| BRTS2P3060L | 30 x 120 x 29 | 70 | 131 | 7.13 | \$2749 | \$285 |
| BRTS2P3054L | 30 x 108 x 29 | 70 | 122 | 6.85 | \$2670 | \$241 |
| BRTS2P3048L | 30 x 96 x 29 | 70 | 113 | 6.57 | \$2563 | \$241 |
| | | | | | | |
| BRTS3P2484L | 24 x 252 x 29 | 70 | 219 | 9.74 | \$4227 | \$487 |
| BRTS3P2478L | 24 x 234 x 29 | 70 | 206 | 9.53 | \$4077 | \$463 |
| BRTS3P2472L | 24 x 216 x 29 | 70 | 192 | 9.32 | \$3942 | \$451 |
| BRTS3P2466L | 24 x 198 x 29 | 70 | 179 | 9.11 | \$3853 | \$428 |
| BRTS3P2460L | 24 x 180 x 29 | 70 | 165 | 8.89 | \$3770 | \$392 |
| BRTS3P2454L | 24 x 162 x 29 | 70 | 152 | 8.68 | \$3607 | \$357 |
| BRTS3P2448L | 24 x 144 x 29 | 70 | 138 | 8.47 | \$3371 | \$321 |
| | | | | | | |
| BRTS3P3084L | 30 x 252 x 29 | 65 | 263 | 11.59 | \$4434 | \$524 |
| BRTS3P3078L | 30 x 234 x 29 | 70 | 246 | 11.16 | \$4229 | \$484 |
| BRTS3P3072L | 30 x 216 x 29 | 70 | 229 | 10.72 | \$4105 | \$471 |
| BRTS3P3066L | 30 x 198 x 29 | 70 | 212 | 10.3 | \$3987 | \$451 |
| BRTS3P3060L | 30 x 180 x 29 | 70 | 195 | 9.87 | \$3905 | \$428 |
| BRTS3P3054L | 30 x 162 x 29 | 70 | 178 | 9.44 | \$3789 | \$357 |
| BRTS3P3048L | 30 x 144 x 29 | 70 | 161 | 9.01 | \$3628 | \$357 |
| | | | | | | |
| BRTS4P2484L | 24 x 336 x 29 | 70 | 291 | 13.67 | \$5493 | \$650 |
| BRTS4P2478L | 24 x 312 x 29 | 70 | 273 | 13.18 | \$5296 | \$616 |
| BRTS4P2472L | 24 x 288 x 29 | 70 | 254 | 12.69 | \$5147 | \$609 |
| BRTS4P2466L | 24 x 264 x 29 | 70 | 236 | 12.2 | \$4999 | \$567 |
| BRTS4P2460L | 24 x 240 x 29 | 70 | 217 | 11.71 | \$4884 | \$550 |
| BRTS4P2454L | 24 x 216 x 29 | 70 | 199 | 11.22 | \$4669 | \$475 |
| BRTS4P2448L | 24 x 192 x 29 | 70 | 180 | 10.73 | \$4355 | \$428 |
| | | | | | | |
| BRTS4P3084L | 30 x 336 x 29 | 65 | 345 | 14.87 | \$5762 | \$698 |
| BRTS4P3078L | 30 x 312 x 29 | 65 | 323 | 14.3 | \$5491 | \$639 |
| BRTS4P3072L | 30 x 288 x 29 | 70 | 301 | 13.73 | \$5327 | \$625 |
| BRTS4P3066L | 30 x 264 x 29 | 70 | 279 | 13.16 | \$5170 | \$598 |
| BRTS4P3060L | 30 x 240 x 29 | 70 | 257 | 12.59 | \$5064 | \$567 |
| BRTS4P3054L | 30 x 216 x 29 | 70 | 235 | 12.02 | \$4905 | \$475 |
| BRTS4P3048L | 30 x 192 x 29 | 70 | 213 | 11.45 | \$4691 | \$475 |

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge


Required Specifications

- Top finish
- Edge finish
- Metal finish (legs)
- Beam finish


Optional Specifications

- Anodized Aluminum Leg
- HP laminate


RECTANGULAR LEG PACKAGES



Back-to-Back 2 Person Pod with Levelers



Back-to-Back 2 Person Pod with Access Door and Levelers



Back-to-Back 2 Person Pod with Access Doors and Levelers

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|------------|---------------|---------|-----------|------------|--------|
|--------|------------|---------------|---------|-----------|------------|--------|

D x W x H

| | | | | | | |
|---------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2P2484L | 50.5 x 84 x 29 | 70 | 146 | 9.4 | \$2792 | \$326 |
| BRTBAR2P2478L | 50.5 x 78 x 29 | 85 | 137 | 9.2 | \$2691 | \$310 |
| BRTBAR2P2472L | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$2601 | \$302 |
| BRTBAR2P2466L | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2542 | \$285 |
| BRTBAR2P2460L | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2487 | \$277 |

| | | | | | | |
|---------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2P3084L | 62.5 x 84 x 29 | 70 | 174 | 10.4 | \$2875 | \$351 |
| BRTBAR2P3078L | 62.5 x 78 x 29 | 70 | 163 | 9.8 | \$2747 | \$310 |
| BRTBAR2P3072L | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$2659 | \$310 |
| BRTBAR2P3066L | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$2578 | \$302 |
| BRTBAR2P3060L | 62.5 x 60 x 29 | 85 | 130 | 9 | \$2522 | \$285 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|----------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2PA2484L | 50.5 x 84 x 29 | 70 | 146 | 9.4 | \$2935 | \$583 |
| BRTBAR2PA2478L | 50.5 x 78 x 29 | 85 | 137 | 9.2 | \$2853 | \$521 |
| BRTBAR2PA2472L | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$2792 | \$500 |
| BRTBAR2PA2466L | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2689 | \$438 |
| BRTBAR2PA2460L | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2585 | \$397 |

| | | | | | | |
|----------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2PA3084L | 62.5 x 84 x 29 | 70 | 174 | 10.4 | \$3204 | \$708 |
| BRTBAR2PA3078L | 62.5 x 78 x 29 | 70 | 163 | 9.8 | \$3101 | \$666 |
| BRTBAR2PA3072L | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$3039 | \$605 |
| BRTBAR2PA3066L | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$2935 | \$542 |
| BRTBAR2PA3060L | 62.5 x 60 x 29 | 85 | 130 | 9 | \$2792 | \$500 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|-----------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2PDA2484L | 50.5 x 84 x 29 | 70 | 146 | 9.4 | \$3167 | \$625 |
| BRTBAR2PDA2478L | 50.5 x 78 x 29 | 85 | 137 | 9.2 | \$3078 | \$560 |
| BRTBAR2PDA2472L | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$3011 | \$537 |
| BRTBAR2PDA2466L | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2902 | \$471 |
| BRTBAR2PDA2460L | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2791 | \$425 |

| | | | | | | |
|-----------------|----------------|----|-----|------|---------------|--------------|
| BRTBAR2PDA3084L | 62.5 x 84 x 29 | 70 | 174 | 10.4 | \$3455 | \$759 |
| BRTBAR2PDA3078L | 62.5 x 78 x 29 | 70 | 163 | 9.8 | \$3345 | \$714 |
| BRTBAR2PDA3072L | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$3280 | \$647 |
| BRTBAR2PDA3066L | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$3167 | \$578 |
| BRTBAR2PDA3060L | 62.5 x 60 x 29 | 85 | 130 | 9 | \$3011 | \$537 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate


RECTANGULAR LEG PACKAGES



Back-to-Back 4 Person Pod with Levelers



Back-to-Back 4 Person Pod with Access Door and Levelers



Back-to-Back 4 Person Pod with Access Door and Levelers

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------|-------------------------|---------------|---------|-----------|------------|--------|
| BRTBAR4P2484L | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$4999 | \$650 |
| BRTBAR4P2478L | 50.5 x 156 x 29 | 70 | 256 | 15.2 | \$4800 | \$616 |
| BRTBAR4P2472L | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4622 | \$598 |
| BRTBAR4P2466L | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4504 | \$567 |
| BRTBAR4P2460L | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4388 | \$550 |
| BRTBAR4P3084L | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5206 | \$698 |
| BRTBAR4P3078L | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$4933 | \$639 |
| BRTBAR4P3072L | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$4767 | \$625 |
| BRTBAR4P3066L | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$4612 | \$598 |
| BRTBAR4P3060L | 62.5 x 120 x 29 | 70 | 253 | 14.7 | \$4504 | \$567 |

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|----------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR4PA2484L | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5288 | \$1162 |
| BRTBAR4PA2478L | 50.5 x 156 x 29 | 70 | 256 | 15.2 | \$5123 | \$1036 |
| BRTBAR4PA2472L | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4999 | \$994 |
| BRTBAR4PA2466L | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4792 | \$873 |
| BRTBAR4PA2460L | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4585 | \$791 |
| BRTBAR4PA3084L | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5783 | \$1406 |
| BRTBAR4PA3078L | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$5577 | \$1324 |
| BRTBAR4PA3072L | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5455 | \$1203 |
| BRTBAR4PA3066L | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$5247 | \$1078 |
| BRTBAR4PA3060L | 62.5 x 120 x 29 | 70 | 253 | 14.7 | \$4959 | \$994 |

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|-----------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR4PDA2484L | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5706 | \$1248 |
| BRTBAR4PDA2478L | 50.5 x 156 x 29 | 70 | 256 | 15.2 | \$5527 | \$1112 |
| BRTBAR4PDA2472L | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$5393 | \$1071 |
| BRTBAR4PDA2466L | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$5173 | \$932 |
| BRTBAR4PDA2460L | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4946 | \$846 |
| BRTBAR4PDA3084L | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$6241 | \$1511 |
| BRTBAR4PDA3078L | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$6017 | \$1424 |
| BRTBAR4PDA3072L | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5885 | \$1289 |
| BRTBAR4PDA3066L | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$5661 | \$1158 |
| BRTBAR4PDA3060L | 62.5 x 120 x 29 | 70 | 253 | 14.7 | \$5351 | \$1067 |

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.




- Anodized Aluminum Leg - Add **No Match!**. list upcharge

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

| RECTANGULAR LEG PACKAGES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-----------------|-------------------------|---------------|---------|-----------|---------------|---------------|
|  <p>Back-to-Back 6 Person Pod with Levelers</p> | BRTBAR6P2484L | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7208 | \$970 |
| | BRTBAR6P2478L | 50.5 x 234 x 29 | 70 | 409 | 22.1 | \$6909 | \$922 |
| | BRTBAR6P2472L | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$6639 | \$898 |
| | BRTBAR6P2466L | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$6465 | \$847 |
| | BRTBAR6P2460L | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6251 | \$821 |
| | BRTBAR6P3084L | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$7498 | \$1046 |
| | BRTBAR6P3078L | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$7088 | \$958 |
| | BRTBAR6P3072L | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$6842 | \$935 |
| | BRTBAR6P3066L | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$6605 | \$898 |
| | BRTBAR6P3060L | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$6403 | \$847 |
| <p>Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add No Match!. list upcharge | | | | | | | |
|  <p>Back-to-Back 6 Person Pod with Access Door and Levelers</p> | BRTBAR6PA2484L | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7643 | \$1740 |
| | BRTBAR6PA2478L | 50.5 x 234 x 29 | 70 | 409 | 22.1 | \$7396 | \$1553 |
| | BRTBAR6PA2472L | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$7208 | \$1490 |
| | BRTBAR6PA2466L | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$6899 | \$1305 |
| | BRTBAR6PA2460L | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6548 | \$1179 |
| | BRTBAR6PA3084L | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$8365 | \$2109 |
| | BRTBAR6PA3078L | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8055 | \$1987 |
| | BRTBAR6PA3072L | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$7869 | \$1800 |
| | BRTBAR6PA3066L | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$7560 | \$1615 |
| | BRTBAR6PA3060L | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7085 | \$1490 |
| <p>Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add No Match!. list upcharge | | | | | | | |
|  <p>Back-to-Back 6 Person Pod with Access Door and Levelers</p> | BRTBAR6PDA2484L | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$8246 | \$1862 |
| | BRTBAR6PDA2478L | 50.5 x 234 x 29 | 70 | 409 | 22.1 | \$7978 | \$1668 |
| | BRTBAR6PDA2472L | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$7778 | \$1603 |
| | BRTBAR6PDA2466L | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$7443 | \$1338 |
| | BRTBAR6PDA2460L | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$7064 | \$1269 |
| | BRTBAR6PDA3084L | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$9026 | \$2267 |
| | BRTBAR6PDA3078L | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8689 | \$2132 |
| | BRTBAR6PDA3072L | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$8490 | \$1931 |
| | BRTBAR6PDA3066L | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$8154 | \$1731 |
| | BRTBAR6PDA3060L | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7645 | \$1600 |
| <p>Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add No Match!. list upcharge | | | | | | | |


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate


RECTANGULAR LEG PACKAGES



Back-to-Back 8 Person Pod with Levelers



Back-to-Back 8 Person Pod with Access Door and Levelers



Back-to-Back 8 Person Pod with Access Door and Levelers

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------------|-----------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTBAR8P2484L | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$9417 | \$1294 |
| BRTBAR8P2478L | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9021 | \$1226 |
| BRTBAR8P2472L | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$8657 | \$1193 |
| BRTBAR8P2466L | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$8427 | \$1127 |
| BRTBAR8P2460L | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8235 | \$1094 |
| BRTBAR8P3084L | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$9788 | \$1394 |
| BRTBAR8P3078L | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$9243 | \$1275 |
| BRTBAR8P3072L | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$8915 | \$1242 |
| BRTBAR8P3066L | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$8599 | \$1193 |
| BRTBAR8P3060L | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$8383 | \$1127 |

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|----------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8PA2484L | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$9993 | \$2316 |
| BRTBAR8PA2478L | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9663 | \$2068 |
| BRTBAR8PA2472L | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$9417 | \$1987 |
| BRTBAR8PA2466L | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$9003 | \$1740 |
| BRTBAR8PA2460L | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8633 | \$1572 |
| BRTBAR8PA3084L | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$10946 | \$2811 |
| BRTBAR8PA3078L | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$10529 | \$2646 |
| BRTBAR8PA3072L | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$10283 | \$2399 |
| BRTBAR8PA3066L | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$9871 | \$2151 |
| BRTBAR8PA3060L | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$9293 | \$1987 |

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|-----------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8PDA2484L | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$10784 | \$2488 |
| BRTBAR8PDA2478L | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$10424 | \$2222 |
| BRTBAR8PDA2472L | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$10160 | \$2136 |
| BRTBAR8PDA2466L | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$9714 | \$1869 |
| BRTBAR8PDA2460L | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$9313 | \$1691 |
| BRTBAR8PDA3084L | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$11808 | \$2808 |
| BRTBAR8PDA3078L | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$11360 | \$2845 |
| BRTBAR8PDA3072L | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$11092 | \$2580 |
| BRTBAR8PDA3066L | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$10652 | \$2307 |
| BRTBAR8PDA3060L | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$10025 | \$2136 |

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.


- Anodized Aluminum Leg - Add **No Match!**. list upcharge

Required Specifications


Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

| RECTANGULAR LEG PACKAGES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--|--------------|---------------|----------|-----------|---------------|--------------|
|  | D x W x H | | | | | | |
| | BRT36P2484C | 24 x 84 x 36 | 70 | 120.68 | 6.42 | \$3543 | \$196 |
| | BRT36P2478C | 24 x 78 x 36 | 70 | 114.16 | 6.13 | \$3454 | \$183 |
| | BRT36P2472C | 24 x 72 x 36 | 70 | 107.64 | 5.83 | \$3366 | \$175 |
| | BRT36P2466C | 24 x 66 x 36 | 70 | 101.12 | 5.62 | \$3300 | \$171 |
| | BRT36P2460C | 24 x 60 x 36 | 70 | 94.60 | 5.41 | \$3229 | \$162 |
| | BRT36P2454C | 24 x 54 x 36 | 70 | 88.08 | 5.19 | \$3127 | \$141 |
| | BRT36P2448C | 24 x 48 x 36 | 70 | 81.56 | 4.98 | \$2970 | \$128 |
| | BRT36P2442C | 24 x 42 x 36 | 70 | 76.04 | 4.76 | \$2865 | \$109 |
| | BRT36P2436C | 24 x 36 x 36 | 70 | 68.52 | 4.55 | \$2777 | \$88 |
| | BRT36P3084C | 30 x 84 x 36 | 70 | 148.11 | 7.32 | \$4049 | \$210 |
| | BRT36P3078C | 30 x 78 x 36 | 70 | 139.96 | 6.95 | \$3935 | \$190 |
| | BRT36P3072C | 30 x 72 x 36 | 70 | 131.81 | 6.59 | \$3837 | \$183 |
| | BRT36P3066C | 30 x 66 x 36 | 70 | 123.66 | 6.32 | \$3743 | \$183 |
| | BRT36P3060C | 30 x 60 x 36 | 70 | 115.51 | 6.06 | \$3666 | \$171 |
| | BRT36P3054C | 30 x 54 x 36 | 70 | 107.36 | 5.79 | \$3569 | \$141 |
| | BRT36P3048C | 30 x 48 x 36 | 70 | 99.21 | 5.53 | \$3415 | \$141 |
| | BRT36P3042C | 30 x 42 x 36 | 70 | 91.06 | 5.26 | \$3338 | \$134 |
| | BRT36P3036C | 30 x 36 x 36 | 70 | 83.91 | 5 | \$3197 | \$100 |
| | BRT36P3684C | 36 x 84 x 36 | 70 | 161.97 | 8.91 | \$4533 | \$238 |
| | BRT36P3678C | 36 x 78 x 36 | 70 | 152.82 | 8.50 | \$4419 | \$225 |
| | BRT36P3672C | 36 x 72 x 36 | 70 | 144.67 | 8.10 | \$4291 | \$210 |
| | BRT36P3666C | 36 x 66 x 36 | 70 | 135.52 | 7.79 | \$4174 | \$196 |
| | BRT36P3660C | 36 x 60 x 36 | 70 | 126.37 | 7.48 | \$4045 | \$175 |
| | BRT36P3654C | 36 x 54 x 36 | 70 | 118.22 | 7.18 | \$3917 | \$162 |
| | BRT36P3648C | 36 x 48 x 36 | 70 | 109.07 | 6.87 | \$3741 | \$141 |
| | BRT36P3642C | 36 x 42 x 36 | 70 | 99.92 | 6.56 | \$3620 | \$128 |
| | Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires. | | | | | | |
| | • 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams. | | | | | | |
| | • Anodized Aluminum Leg - Add No Match! list upcharge | | | | | | |

36"H Single Table with Casters

| | | | | | | | |
|---|--|--------------|----|--------|------|---------------|--------------|
|  | BRT36P2484L | 24 x 84 x 36 | 70 | 120.20 | 6.42 | \$3426 | \$196 |
| | BRT36P2478L | 24 x 78 x 36 | 70 | 113.68 | 6.13 | \$3341 | \$183 |
| | BRT36P2472L | 24 x 72 x 36 | 70 | 107.16 | 5.83 | \$3249 | \$175 |
| | BRT36P2466L | 24 x 66 x 36 | 70 | 100.64 | 5.62 | \$3186 | \$171 |
| | BRT36P2460L | 24 x 60 x 36 | 70 | 94.12 | 5.41 | \$3111 | \$162 |
| | BRT36P2454L | 24 x 54 x 36 | 70 | 87.60 | 5.19 | \$3010 | \$141 |
| | BRT36P2448L | 24 x 48 x 36 | 70 | 81.08 | 4.98 | \$2853 | \$128 |
| | BRT36P2442L | 24 x 42 x 36 | 70 | 75.56 | 4.76 | \$2749 | \$109 |
| | BRT36P2436L | 24 x 36 x 36 | 85 | 68.04 | 4.55 | \$2660 | \$88 |
| | BRT36P3084L | 30 x 84 x 36 | 70 | 147.63 | 7.32 | \$3931 | \$210 |
| | BRT36P3078L | 30 x 78 x 36 | 70 | 139.48 | 6.96 | \$3820 | \$190 |
| | BRT36P3072L | 30 x 72 x 36 | 70 | 131.33 | 6.59 | \$3721 | \$183 |
| | BRT36P3066L | 30 x 66 x 36 | 70 | 123.18 | 6.32 | \$3629 | \$183 |
| | BRT36P3060L | 30 x 60 x 36 | 70 | 115.03 | 6.06 | \$3549 | \$171 |
| | BRT36P3054L | 30 x 54 x 36 | 70 | 106.88 | 5.79 | \$3451 | \$141 |
| | BRT36P3048L | 30 x 48 x 36 | 70 | 98.73 | 5.53 | \$3300 | \$141 |
| | BRT36P3042L | 30 x 42 x 36 | 70 | 90.58 | 5.26 | \$3221 | \$134 |
| | BRT36P3036L | 30 x 36 x 36 | 70 | 83.43 | 5 | \$3082 | \$100 |
| | BRT36P3684L | 36 x 84 x 36 | 70 | 161.49 | 8.91 | \$4420 | \$238 |
| | BRT36P3678L | 36 x 78 x 36 | 70 | 152.34 | 8.50 | \$4302 | \$225 |
| | BRT36P3672L | 36 x 72 x 36 | 70 | 144.19 | 8.10 | \$4177 | \$210 |
| | BRT36P3666L | 36 x 66 x 36 | 70 | 135.04 | 7.79 | \$4056 | \$196 |
| | BRT36P3660L | 36 x 60 x 36 | 70 | 125.89 | 7.48 | \$3930 | \$175 |
| | BRT36P3654L | 36 x 54 x 36 | 70 | 117.74 | 7.18 | \$3798 | \$162 |
| | BRT36P3648L | 36 x 48 x 36 | 70 | 108.59 | 6.87 | \$3628 | \$141 |
| | BRT36P3642L | 36 x 42 x 36 | 70 | 99.44 | 6.56 | \$3505 | \$128 |
| | Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. | | | | | | |
| | • 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams. | | | | | | |
| | • Anodized Aluminum Leg - Add No Match! list upcharge | | | | | | |

36"H Single Table with Levelers

Required Specifications

Top finish
Edge finish
Metal finish (legs)

Optional Specifications

Anodized Aluminum Leg
HP laminate

RECTANGULAR LEG PACKAGES


MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

D x W x H

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT36A2484L | 24 x 84 x 36 | 70 | 106.36 | 4.74 | \$2769 | \$196 |
| BRT36A2478L | 24 x 78 x 36 | 70 | 99.84 | 4.45 | \$2687 | \$183 |
| BRT36A2472L | 24 x 72 x 36 | 70 | 93.32 | 4.15 | \$2596 | \$175 |
| BRT36A2466L | 24 x 66 x 36 | 70 | 86.80 | 3.94 | \$2533 | \$171 |
| BRT36A2460L | 24 x 60 x 36 | 70 | 80.28 | 3.73 | \$2457 | \$162 |
| BRT36A2454L | 24 x 54 x 36 | 70 | 73.76 | 3.51 | \$2355 | \$141 |
| BRT36A2448L | 24 x 48 x 36 | 70 | 67.24 | 3.30 | \$2200 | \$128 |
| BRT36A2442L | 24 x 42 x 36 | 70 | 61.72 | 3.08 | \$2096 | \$109 |
| BRT36A2436L | 24 x 36 x 36 | 70 | 54.20 | 2.87 | \$2007 | \$88 |

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT36A3084L | 30 x 84 x 36 | 65 | 131.77 | 5.56 | \$3238 | \$210 |
| BRT36A3078L | 30 x 78 x 36 | 65 | 123.62 | 5.19 | \$3124 | \$190 |
| BRT36A3072L | 30 x 72 x 36 | 65 | 115.47 | 4.83 | \$3026 | \$183 |
| BRT36A3066L | 30 x 66 x 36 | 65 | 107.32 | 4.56 | \$2934 | \$183 |
| BRT36A3060L | 30 x 60 x 36 | 65 | 99.17 | 4.30 | \$2853 | \$171 |
| BRT36A3054L | 30 x 54 x 36 | 65 | 91.02 | 4.03 | \$2757 | \$141 |
| BRT36A3048L | 30 x 48 x 36 | 70 | 82.87 | 3.77 | \$2604 | \$141 |
| BRT36A3042L | 30 x 42 x 36 | 70 | 74.72 | 3.50 | \$2525 | \$134 |
| BRT36A3036L | 30 x 36 x 36 | 70 | 67.57 | 3.24 | \$2386 | \$100 |

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT36A3684L | 36 x 84 x 36 | 70 | 143.70 | 6.65 | \$3627 | \$238 |
| BRT36A3678L | 36 x 78 x 36 | 70 | 134.55 | 6.24 | \$3508 | \$225 |
| BRT36A3672L | 36 x 72 x 36 | 70 | 126.40 | 5.84 | \$3382 | \$210 |
| BRT36A3666L | 36 x 66 x 36 | 70 | 117.25 | 5.53 | \$3263 | \$196 |
| BRT36A3660L | 36 x 60 x 36 | 70 | 108.10 | 5.22 | \$3136 | \$175 |
| BRT36A3654L | 36 x 54 x 36 | 70 | 99.95 | 4.92 | \$3005 | \$162 |
| BRT36A3648L | 36 x 48 x 36 | 70 | 90.80 | 4.61 | \$2831 | \$141 |
| BRT36A3642L | 36 x 42 x 36 | 70 | 81.65 | 4.30 | \$2711 | \$128 |




36"H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.
• 24"D tables include 3 horizontal structural beams. 30"/36" D tables include 4 horizontal structural beams.
• Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT42P2484C | 24 x 84 x 42 | 70 | 122.58 | 6.98 | \$3604 | \$196 |
| BRT42P2478C | 24 x 78 x 42 | 70 | 116.06 | 6.69 | \$3521 | \$183 |
| BRT42P2472C | 24 x 72 x 42 | 70 | 109.54 | 6.39 | \$3430 | \$175 |
| BRT42P2466C | 24 x 66 x 42 | 70 | 103.02 | 6.18 | \$3366 | \$171 |
| BRT42P2460C | 24 x 60 x 42 | 70 | 96.50 | 5.97 | \$3291 | \$162 |
| BRT42P2454C | 24 x 54 x 42 | 70 | 89.98 | 5.75 | \$3191 | \$141 |
| BRT42P2448C | 24 x 48 x 42 | 70 | 83.46 | 5.54 | \$3034 | \$128 |
| BRT42P2442C | 24 x 42 x 42 | 85 | 77.94 | 5.32 | \$2931 | \$109 |
| BRT42P2436C | 24 x 36 x 42 | 85 | 70.42 | 5.11 | \$2842 | \$88 |

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT42P3084C | 30 x 84 x 42 | 70 | 150.01 | 7.92 | \$4112 | \$210 |
| BRT42P3078C | 30 x 78 x 42 | 70 | 141.86 | 7.55 | \$4000 | \$190 |
| BRT42P3072C | 30 x 72 x 42 | 70 | 133.71 | 7.19 | \$3901 | \$183 |
| BRT42P3066C | 30 x 66 x 42 | 70 | 125.56 | 6.92 | \$3808 | \$183 |
| BRT42P3060C | 30 x 60 x 42 | 70 | 117.41 | 6.66 | \$3731 | \$171 |
| BRT42P3054C | 30 x 54 x 42 | 70 | 109.26 | 6.39 | \$3631 | \$141 |
| BRT42P3048C | 30 x 48 x 42 | 70 | 101.11 | 6.13 | \$3482 | \$141 |
| BRT42P3042C | 30 x 42 x 42 | 70 | 92.96 | 5.86 | \$3402 | \$134 |
| BRT42P3036C | 30 x 36 x 42 | 70 | 85.81 | 5.60 | \$3263 | \$100 |

| | | | | | | |
|-------------|--------------|----|--------|------|--------|-------|
| BRT42P3684C | 36 x 84 x 42 | 70 | 163.87 | 9.69 | \$4599 | \$238 |
| BRT42P3678C | 36 x 78 x 42 | 70 | 154.72 | 9.28 | \$4482 | \$225 |
| BRT42P3672C | 36 x 72 x 42 | 70 | 146.57 | 8.88 | \$4356 | \$210 |
| BRT42P3666C | 36 x 66 x 42 | 70 | 137.42 | 8.57 | \$4236 | \$196 |
| BRT42P3660C | 36 x 60 x 42 | 70 | 128.27 | 8.26 | \$4110 | \$175 |
| BRT42P3654C | 36 x 54 x 42 | 70 | 120.12 | 7.96 | \$3980 | \$162 |
| BRT42P3648C | 36 x 48 x 42 | 85 | 110.97 | 7.65 | \$3806 | \$141 |
| BRT42P3642C | 36 x 42 x 42 | 85 | 101.82 | 7.34 | \$3684 | \$128 |



42"H Pod with Casters


Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.
40mm dia. locking casters with 8mm thread, white body and grey tires.
• 24"D tables include 3 horizontal structural beams. 30"/36" D tables include 4 horizontal structural beams.
• Anodized Aluminum Leg - Add **No Match!**. list upcharge

Required Specifications

Top finish
Edge finish
Metal finish (legs)

Optional Specifications


Anodized Aluminum Leg
HP laminate

| RECTANGULAR LEG PACKAGES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|------------------|--------------|---------------|----------|-----------|---------------|--------------|
|  | D x W x H | | | | | | |
| | BRT42P2484L | 24 x 84 x 42 | 70 | 122.10 | 6.98 | \$3491 | \$196 |
| | BRT42P2478L | 24 x 78 x 42 | 70 | 115.58 | 6.69 | \$3405 | \$183 |
| | BRT42P2472L | 24 x 72 x 42 | 70 | 109.06 | 6.39 | \$3315 | \$175 |
| | BRT42P2466L | 24 x 66 x 42 | 70 | 102.54 | 6.18 | \$3249 | \$171 |
| | BRT42P2460L | 24 x 60 x 42 | 70 | 96.02 | 5.97 | \$3178 | \$162 |
| | BRT42P2454L | 24 x 54 x 42 | 70 | 89.50 | 5.75 | \$3075 | \$141 |
| | BRT42P2448L | 24 x 48 x 42 | 85 | 82.98 | 5.54 | \$2918 | \$128 |
| | BRT42P2442L | 24 x 42 x 42 | 85 | 77.46 | 5.32 | \$2814 | \$109 |
| | BRT42P2436L | 24 x 36 x 42 | 85 | 69.94 | 5.11 | \$2726 | \$88 |
| | BRT42P3084L | 30 x 84 x 42 | 70 | 149.53 | 7.92 | \$4001 | \$210 |
| | BRT42P3078L | 30 x 78 x 42 | 70 | 141.38 | 7.55 | \$3887 | \$190 |
| | BRT42P3072L | 30 x 72 x 42 | 70 | 133.23 | 7.19 | \$3789 | \$183 |
| | BRT42P3066L | 30 x 66 x 42 | 70 | 125.08 | 6.92 | \$3696 | \$183 |
| | BRT42P3060L | 30 x 60 x 42 | 70 | 116.93 | 6.66 | \$3617 | \$171 |
| | BRT42P3054L | 30 x 54 x 42 | 70 | 108.78 | 6.39 | \$3519 | \$141 |
| | BRT42P3048L | 30 x 48 x 42 | 70 | 100.63 | 6.13 | \$3369 | \$141 |
| | BRT42P3042L | 30 x 42 x 42 | 70 | 92.48 | 5.86 | \$3289 | \$134 |
| | BRT42P3036L | 30 x 36 x 42 | 70 | 85.33 | 5.60 | \$3151 | \$100 |
| | BRT42P3684L | 36 x 84 x 42 | 70 | 163.39 | 9.69 | \$4485 | \$238 |
| | BRT42P3678L | 36 x 78 x 42 | 70 | 154.24 | 9.28 | \$4367 | \$225 |
| | BRT42P3672L | 36 x 72 x 42 | 70 | 146.09 | 8.88 | \$4240 | \$210 |
| | BRT42P3666L | 36 x 66 x 42 | 70 | 136.94 | 8.57 | \$4123 | \$196 |
| | BRT42P3660L | 36 x 60 x 42 | 70 | 127.79 | 8.26 | \$3994 | \$175 |
| | BRT42P3654L | 36 x 54 x 42 | 70 | 119.64 | 7.96 | \$3864 | \$162 |
| | BRT42P3648L | 36 x 48 x 42 | 85 | 110.49 | 7.65 | \$3690 | \$141 |
| | BRT42P3642L | 36 x 42 x 42 | 85 | 101.34 | 7.34 | \$3571 | \$128 |

42"H Pod with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **No Match!**. list upcharge

| | | | | | | | |
|---|-------------|--------------|----|--------|------|---------------|--------------|
|  | BRT42A2484L | 24 x 84 x 42 | 70 | 107.31 | 5.02 | \$2803 | \$196 |
| | BRT42A2478L | 24 x 78 x 42 | 70 | 100.79 | 4.73 | \$2717 | \$183 |
| | BRT42A2472L | 24 x 72 x 42 | 70 | 94.27 | 4.43 | \$2631 | \$175 |
| | BRT42A2466L | 24 x 66 x 42 | 70 | 87.75 | 4.22 | \$2563 | \$171 |
| | BRT42A2460L | 24 x 60 x 42 | 70 | 81.23 | 4.01 | \$2492 | \$162 |
| | BRT42A2454L | 24 x 54 x 42 | 70 | 74.71 | 3.79 | \$2389 | \$141 |
| | BRT42A2448L | 24 x 48 x 42 | 70 | 68.19 | 3.58 | \$2234 | \$128 |
| | BRT42A2442L | 24 x 42 x 42 | 70 | 62.67 | 3.36 | \$2035 | \$109 |
| | BRT42A2436L | 24 x 36 x 42 | 70 | 55.15 | 3.15 | \$1952 | \$88 |
| | BRT42A3084L | 30 x 84 x 42 | 65 | 132.72 | 5.86 | \$3271 | \$210 |
| | BRT42A3078L | 30 x 78 x 42 | 65 | 124.57 | 5.49 | \$3157 | \$190 |
| | BRT42A3072L | 30 x 72 x 42 | 65 | 116.42 | 5.13 | \$3057 | \$183 |
| | BRT42A3066L | 30 x 66 x 42 | 70 | 108.27 | 4.86 | \$2967 | \$183 |
| | BRT42A3060L | 30 x 60 x 42 | 70 | 100.12 | 4.60 | \$2889 | \$171 |
| | BRT42A3054L | 30 x 54 x 42 | 70 | 91.97 | 4.33 | \$2791 | \$141 |
| | BRT42A3048L | 30 x 48 x 42 | 70 | 83.82 | 4.07 | \$2639 | \$141 |
| | BRT42A3042L | 30 x 42 x 42 | 70 | 75.67 | 3.80 | \$2560 | \$134 |
| | BRT42A3036L | 30 x 36 x 42 | 70 | 68.52 | 3.54 | \$2419 | \$100 |
| | BRT42A3684L | 36 x 84 x 42 | 70 | 114.65 | 7.04 | \$3656 | \$238 |
| | BRT42A3678L | 36 x 78 x 42 | 70 | 135.50 | 6.63 | \$3543 | \$225 |
| | BRT42A3672L | 36 x 72 x 42 | 70 | 127.35 | 6.23 | \$3414 | \$210 |
| | BRT42A3666L | 36 x 66 x 42 | 70 | 118.20 | 5.92 | \$3297 | \$196 |
| | BRT42A3660L | 36 x 60 x 42 | 70 | 109.05 | 5.61 | \$3167 | \$175 |
| | BRT42A3654L | 36 x 54 x 42 | 70 | 100.90 | 5.31 | \$3038 | \$162 |
| | BRT42A3648L | 36 x 48 x 42 | 70 | 91.75 | 5 | \$2864 | \$141 |
| | BRT42A3642L | 36 x 42 x 42 | 70 | 82.60 | 4.69 | \$2742 | \$128 |

42"H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **No Match!**. list upcharge


Required Specifications

Top finish
Edge finish
Metal finish (legs)


Optional Specifications

Anodized Aluminum Leg
HP laminate

ROUND LEG PACKAGES



Single Line 1 Person Pod with Levelers
Round Leg



Single Line 1 Person Pod with Casters
Round Leg

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------------|----------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTS1P2484LR | 24 x 84 x 29 | 70 | 75 | 4.92 | \$1739 | \$165 |
| BRTS1P2478LR | 24 x 78 x 29 | 85 | 72 | 4.82 | \$1687 | \$158 |
| BRTS1P2472LR | 24 x 72 x 29 | 85 | 69 | 4.73 | \$1644 | \$155 |
| BRTS1P2466LR | 24 x 66 x 29 | 85 | 66 | 4.65 | \$1613 | \$145 |
| BRTS1P2463LR | 24 x 62.5 x 29 | 85 | 63 | 4.57 | \$1600 | \$141 |
| BRTS1P2460LR | 24 x 60 x 29 | 85 | 60 | 4.48 | \$1584 | \$140 |
| BRTS1P2454LR | 24 x 54 x 29 | 85 | 57 | 4.40 | \$1552 | \$101 |
| BRTS1P2451LR | 24 x 50.5 x 29 | 85 | 54 | 4.30 | \$1490 | \$94 |
| BRTS1P2448LR | 24 x 48 x 29 | 85 | 51 | 4.20 | \$1453 | \$111 |
| BRTS1P2442LR | 24 x 42 x 29 | 92.5 | 48 | 4.10 | \$1392 | \$70 |
| BRTS1P2436LR | 24 x 36 x 29 | 92.5 | 45 | 4 | \$1346 | \$49 |
| | | | | | | |
| BRTS1P3084LR | 30 x 84 x 29 | 70 | 75 | 4.92 | \$1777 | \$176 |
| BRTS1P3078LR | 30 x 78 x 29 | 85 | 72 | 4.82 | \$1711 | \$163 |
| BRTS1P3072LR | 30 x 72 x 29 | 85 | 69 | 4.73 | \$1668 | \$138 |
| BRTS1P3066LR | 30 x 66 x 29 | 85 | 66 | 4.65 | \$1631 | \$155 |
| BRTS1P3063LR | 30 x 62.5 x 29 | 85 | 63 | 4.57 | \$1619 | \$150 |
| BRTS1P3060LR | 30 x 60 x 29 | 85 | 60 | 4.48 | \$1603 | \$123 |
| BRTS1P3054LR | 30 x 54 x 29 | 85 | 57 | 4.40 | \$1564 | \$122 |
| BRTS1P3051LR | 30 x 50.5 x 29 | 85 | 54 | 4.30 | \$1537 | \$127 |
| BRTS1P3048LR | 30 x 48 x 29 | 85 | 51 | 4.20 | \$1488 | \$122 |
| BRTS1P3042LR | 30 x 42 x 29 | 92.5 | 48 | 4.10 | \$1458 | \$120 |
| BRTS1P3036LR | 30 x 36 x 29 | 92.5 | 45 | 4 | \$1305 | \$87 |

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

| | | | | | | |
|--------------|----------------|------|----|------|--------|-------|
| BRTS1P2484CR | 24 x 84 x 29 | 70 | 75 | 4.92 | \$1835 | \$165 |
| BRTS1P2478CR | 24 x 78 x 29 | 85 | 72 | 4.82 | \$1788 | \$158 |
| BRTS1P2472CR | 24 x 72 x 29 | 85 | 69 | 4.73 | \$1742 | \$155 |
| BRTS1P2466CR | 24 x 66 x 29 | 85 | 66 | 4.65 | \$1714 | \$145 |
| BRTS1P2463CR | 24 x 62.5 x 29 | 85 | 63 | 4.57 | \$1701 | \$141 |
| BRTS1P2460CR | 24 x 60 x 29 | 85 | 60 | 4.48 | \$1684 | \$140 |
| BRTS1P2454CR | 24 x 54 x 29 | 85 | 57 | 4.40 | \$1649 | \$101 |
| BRTS1P2451CR | 24 x 50.5 x 29 | 85 | 54 | 4.30 | \$1591 | \$94 |
| BRTS1P2448CR | 24 x 48 x 29 | 85 | 51 | 4.20 | \$1552 | \$111 |
| BRTS1P2442CR | 24 x 42 x 29 | 92.5 | 48 | 4.10 | \$1488 | \$70 |
| BRTS1P2436CR | 24 x 36 x 29 | 92.5 | 45 | 4 | \$1446 | \$49 |
| | | | | | | |
| BRTS1P3084CR | 30 x 84 x 29 | 70 | 75 | 4.92 | \$1877 | \$176 |
| BRTS1P3078CR | 30 x 78 x 29 | 85 | 72 | 4.82 | \$1809 | \$163 |
| BRTS1P3072CR | 30 x 72 x 29 | 85 | 69 | 4.73 | \$1772 | \$136 |
| BRTS1P3066CR | 30 x 66 x 29 | 85 | 66 | 4.65 | \$1728 | \$155 |
| BRTS1P3063CR | 30 x 62.5 x 29 | 85 | 63 | 4.57 | \$1716 | \$150 |
| BRTS1P3060CR | 30 x 60 x 29 | 85 | 60 | 4.48 | \$1701 | \$123 |
| BRTS1P3054CR | 30 x 54 x 29 | 85 | 57 | 4.40 | \$1663 | \$122 |
| BRTS1P3051CR | 30 x 50.5 x 29 | 85 | 54 | 4.30 | \$1634 | \$127 |
| BRTS1P3048CR | 30 x 48 x 29 | 85 | 51 | 4.20 | \$1589 | \$122 |
| BRTS1P3042CR | 30 x 42 x 29 | 92.5 | 48 | 4.10 | \$1556 | \$120 |
| BRTS1P3036CR | 30 x 36 x 29 | 92.5 | 45 | 4 | \$1404 | \$87 |




Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

| ROUND LEG PACKAGES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--------------|-------------------------|---------------|---------|-----------|---------------|--------------|
| | | | | | | | |
|  <p>Single Line 2 Person Pod with Levelers Round Leg</p> | BRTS2P2484LR | 24 x 168 x 29 | 70 | 149 | 7.41 | \$3049 | \$310 |
| | BRTS2P2478LR | 24 x 156 x 29 | 70 | 140 | 7.27 | \$2931 | \$310 |
| | BRTS2P2472LR | 24 x 144 x 29 | 70 | 131 | 7.13 | \$2841 | \$302 |
| | BRTS2P2466LR | 24 x 132 x 29 | 70 | 122 | 6.95 | \$2792 | \$277 |
| | BRTS2P2460LR | 24 x 120 x 29 | 70 | 113 | 6.71 | \$2726 | \$277 |
| | BRTS2P2454LR | 24 x 108 x 29 | 70 | 104 | 6.45 | \$2617 | \$241 |
| | BRTS2P2448LR | 24 x 96 x 29 | 70 | 95 | 6.21 | \$2460 | \$217 |
| | BRTS2P3084LR | 30 x 168 x 29 | 70 | 173 | 8.25 | \$3112 | \$351 |
| | BRTS2P3078LR | 30 x 156 x 29 | 70 | 164 | 7.97 | \$2976 | \$323 |
| | BRTS2P3072LR | 30 x 144 x 29 | 70 | 155 | 7.69 | \$2893 | \$314 |
| | BRTS2P3066LR | 30 x 132 x 29 | 70 | 140 | 7.41 | \$2815 | \$302 |
| | BRTS2P3060LR | 30 x 120 x 29 | 70 | 131 | 7.13 | \$2763 | \$285 |
| | BRTS2P3054LR | 30 x 108 x 29 | 70 | 122 | 6.85 | \$2685 | \$241 |
| | BRTS2P3048LR | 30 x 96 x 29 | 70 | 113 | 6.57 | \$2578 | \$241 |
| Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces. | | | | | | | |
|  <p>Single Line 3 Person Pod with Levelers Round Leg</p> | BRTS3P2484LR | 24 x 252 x 29 | 70 | 219 | 9.74 | \$4325 | \$487 |
| | BRTS3P2478LR | 24 x 234 x 29 | 70 | 206 | 9.53 | \$4176 | \$463 |
| | BRTS3P2472LR | 24 x 216 x 29 | 70 | 192 | 9.32 | \$4040 | \$451 |
| | BRTS3P2466LR | 24 x 198 x 29 | 70 | 179 | 9.11 | \$3954 | \$428 |
| | BRTS3P2460LR | 24 x 180 x 29 | 70 | 165 | 8.89 | \$3866 | \$414 |
| | BRTS3P2454LR | 24 x 162 x 29 | 70 | 152 | 8.68 | \$3706 | \$357 |
| | BRTS3P2448LR | 24 x 144 x 29 | 70 | 138 | 8.47 | \$3471 | \$321 |
| | BRTS3P3084LR | 30 x 263 x 29 | 65 | 263 | 11.59 | \$4448 | \$524 |
| | BRTS3P3078LR | 30 x 234 x 29 | 70 | 246 | 11.16 | \$4243 | \$484 |
| | BRTS3P3072LR | 30 x 216 x 29 | 70 | 229 | 10.72 | \$4121 | \$471 |
| | BRTS3P3066LR | 30 x 198 x 29 | 70 | 212 | 10.30 | \$4003 | \$451 |
| | BRTS3P3060LR | 30 x 180 x 29 | 70 | 195 | 9.87 | \$3922 | \$428 |
| | BRTS3P3054LR | 30 x 162 x 29 | 70 | 178 | 9.44 | \$3805 | \$357 |
| | BRTS3P3048LR | 30 x 144 x 29 | 70 | 161 | 9.01 | \$3643 | \$357 |
| Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces. | | | | | | | |
|  <p>Single Line 4 Person Pod with Levelers Round Leg</p> | BRTS4P2484LR | 24 x 336 x 29 | 70 | 291 | 13.67 | \$5619 | \$650 |
| | BRTS4P2478LR | 24 x 312 x 29 | 70 | 273 | 13.18 | \$5420 | \$616 |
| | BRTS4P2472LR | 24 x 288 x 29 | 70 | 254 | 12.69 | \$5240 | \$598 |
| | BRTS4P2466LR | 24 x 264 x 29 | 70 | 236 | 12.20 | \$5123 | \$567 |
| | BRTS4P2460LR | 24 x 240 x 29 | 70 | 217 | 11.71 | \$4991 | \$567 |
| | BRTS4P2454LR | 24 x 216 x 29 | 70 | 199 | 11.22 | \$4792 | \$475 |
| | BRTS4P2448LR | 24 x 192 x 29 | 70 | 180 | 10.73 | \$4429 | \$475 |
| | BRTS4P3084LR | 30 x 336 x 29 | 65 | 345 | 14.87 | \$5783 | \$698 |
| | BRTS4P3078LR | 30 x 312 x 29 | 65 | 323 | 14.30 | \$5513 | \$639 |
| | BRTS4P3072LR | 30 x 288 x 29 | 70 | 301 | 13.73 | \$5347 | \$625 |
| | BRTS4P3066LR | 30 x 264 x 29 | 70 | 279 | 13.16 | \$5188 | \$598 |
| | BRTS4P3060LR | 30 x 240 x 29 | 70 | 257 | 12.59 | \$5081 | \$567 |
| | BRTS4P3054LR | 30 x 216 x 29 | 70 | 235 | 12.02 | \$4925 | \$475 |
| | BRTS4P3048LR | 30 x 192 x 29 | 70 | 213 | 11.45 | \$4710 | \$475 |
| Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces. | | | | | | | |


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate


ROUND LEG PACKAGES




Back-to-Back 2 Person Pod with Levelers Round Leg



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 4 Person Pod with Levelers Round Leg

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------------|-------------------------|---------------|---------|-----------|------------|--------|
| BRTBAR2P2484LR | 50.5 x 84 x 29 | 70 | 146 | 9.40 | \$2836 | \$326 |
| BRTBAR2P2478LR | 50.5 x 78 x 29 | 85 | 137 | 9.20 | \$2759 | \$310 |
| BRTBAR2P2472LR | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$2667 | \$302 |
| BRTBAR2P2466LR | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2608 | \$285 |
| BRTBAR2P2460LR | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2552 | \$277 |
| BRTBAR2P3084LR | 62.5 x 84 x 29 | 70 | 174 | 10.40 | \$2941 | \$351 |
| BRTBAR2P3078LR | 62.5 x 78 x 29 | 70 | 163 | 9.80 | \$2805 | \$323 |
| BRTBAR2P3072LR | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$2721 | \$302 |
| BRTBAR2P3066LR | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$2643 | \$302 |
| BRTBAR2P3060LR | 62.5 x 60 x 29 | 85 | 130 | 9 | \$2373 | \$500 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

| | | | | | | |
|-----------------|----------------|----|-----|-------|--------|-------|
| BRTBAR2PA2484LR | 50.5 x 84 x 29 | 70 | 146 | 9.40 | \$2981 | \$583 |
| BRTBAR2PA2478LR | 50.5 x 78 x 29 | 85 | 137 | 9.20 | \$2918 | \$521 |
| BRTBAR2PA2472LR | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$2856 | \$500 |
| BRTBAR2PA2466LR | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2752 | \$438 |
| BRTBAR2PA2460LR | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2650 | \$397 |
| BRTBAR2PA3084LR | 62.5 x 84 x 29 | 70 | 174 | 10.40 | \$3230 | \$708 |
| BRTBAR2PA3078LR | 62.5 x 78 x 29 | 70 | 163 | 9.80 | \$3127 | \$666 |
| BRTBAR2PA3072LR | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$3061 | \$605 |
| BRTBAR2PA3066LR | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$2959 | \$542 |
| BRTBAR2PA3060LR | 62.5 x 60 x 29 | 85 | 130 | 9 | \$2815 | \$500 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| | | | | | | |
|------------------|----------------|----|-----|-------|--------|-------|
| BRTBAR2PDA2484LR | 50.5 x 84 x 29 | 70 | 146 | 9.40 | \$3216 | \$627 |
| BRTBAR2PDA2478LR | 50.5 x 78 x 29 | 85 | 137 | 9.20 | \$3151 | \$559 |
| BRTBAR2PDA2472LR | 50.5 x 72 x 29 | 85 | 128 | 9.02 | \$3080 | \$537 |
| BRTBAR2PDA2466LR | 50.5 x 66 x 29 | 85 | 119 | 8.76 | \$2972 | \$469 |
| BRTBAR2PDA2460LR | 50.5 x 60 x 29 | 85 | 110 | 8.56 | \$2862 | \$429 |
| BRTBAR2PDA3084LR | 62.5 x 84 x 29 | 70 | 174 | 10.40 | \$3483 | \$759 |
| BRTBAR2PDA3078LR | 62.5 x 78 x 29 | 70 | 163 | 9.80 | \$3372 | \$714 |
| BRTBAR2PDA3072LR | 62.5 x 72 x 29 | 70 | 152 | 9.54 | \$3302 | \$651 |
| BRTBAR2PDA3066LR | 62.5 x 66 x 29 | 70 | 141 | 9.25 | \$3193 | \$582 |
| BRTBAR2PDA3060LR | 62.5 x 60 x 29 | 85 | 130 | 9 | \$3037 | \$538 |

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| | | | | | | |
|----------------|-----------------|----|-----|-------|--------|-------|
| BRTBAR4P2484LR | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5140 | \$650 |
| BRTBAR4P2478LR | 50.5 x 156 x 29 | 70 | 256 | 15.20 | \$4941 | \$616 |
| BRTBAR4P2472LR | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4760 | \$598 |
| BRTBAR4P2466LR | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4645 | \$567 |
| BRTBAR4P2460LR | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4529 | \$550 |
| BRTBAR4P3084LR | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5306 | \$698 |
| BRTBAR4P3078LR | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$5033 | \$639 |
| BRTBAR4P3072LR | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$4869 | \$625 |
| BRTBAR4P3066LR | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$4669 | \$598 |
| BRTBAR4P3060LR | 62.5 x 120 x 29 | 70 | 253 | 14.70 | \$4645 | \$567 |




Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

| ROUND LEG PACKAGES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|------------------|-------------------------|---------------|---------|-----------|---------------|---------------|
|  | BRTBAR4PA2484LR | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5288 | \$1162 |
| | BRTBAR4PA2478LR | 50.5 x 156 x 29 | 70 | 256 | 15.20 | \$5123 | \$1036 |
| | BRTBAR4PA2472LR | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$4999 | \$994 |
| | BRTBAR4PA2466LR | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$4792 | \$873 |
| | BRTBAR4PA2460LR | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$4585 | \$791 |
| | BRTBAR4PA3084LR | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$5783 | \$1406 |
| | BRTBAR4PA3078LR | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$5577 | \$1324 |
| | BRTBAR4PA3072LR | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5455 | \$1203 |
| | BRTBAR4PA3066LR | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$5247 | \$1078 |
| | BRTBAR4PA3060LR | 62.5 x 120 x 29 | 70 | 253 | 14.70 | \$4959 | \$994 |
| <p>Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> | | | | | | | |
|  | BRTBAR4PDA2484LR | 50.5 x 168 x 29 | 70 | 272 | 15.66 | \$5856 | \$1248 |
| | BRTBAR4PDA2478LR | 50.5 x 156 x 29 | 70 | 256 | 15.20 | \$5678 | \$1113 |
| | BRTBAR4PDA2472LR | 50.5 x 144 x 29 | 70 | 240 | 14.74 | \$5544 | \$1070 |
| | BRTBAR4PDA2466LR | 50.5 x 132 x 29 | 70 | 224 | 14.28 | \$5420 | \$937 |
| | BRTBAR4PDA2460LR | 50.5 x 120 x 29 | 70 | 208 | 13.82 | \$5100 | \$847 |
| | BRTBAR4PDA3084LR | 62.5 x 168 x 29 | 70 | 333 | 16.86 | \$6346 | \$1514 |
| | BRTBAR4PDA3078LR | 62.5 x 156 x 29 | 70 | 313 | 16.32 | \$6123 | \$1424 |
| | BRTBAR4PDA3072LR | 62.5 x 144 x 29 | 70 | 293 | 15.78 | \$5989 | \$1289 |
| | BRTBAR4PDA3066LR | 62.5 x 132 x 29 | 70 | 273 | 15.24 | \$5856 | \$1067 |
| | BRTBAR4PDA3060LR | 62.5 x 120 x 29 | 70 | 253 | 14.70 | \$5500 | \$1070 |
| <p>Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> | | | | | | | |
|  | BRTBAR6P2484LR | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7422 | \$970 |
| | BRTBAR6P2478LR | 50.5 x 234 x 29 | 70 | 409 | 22.10 | \$7125 | \$922 |
| | BRTBAR6P2472LR | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$6854 | \$898 |
| | BRTBAR6P2466LR | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$6678 | \$847 |
| | BRTBAR6P2460LR | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6508 | \$834 |
| | BRTBAR6P3084LR | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$7684 | \$1031 |
| | BRTBAR6P3078LR | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$7262 | \$958 |
| | BRTBAR6P3072LR | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$7014 | \$935 |
| | BRTBAR6P3066LR | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$6777 | \$898 |
| | BRTBAR6P3060LR | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$6617 | \$847 |
| <p>Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.</p> | | | | | | | |


Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate


ROUND LEG PACKAGES



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 8 Person Pod with Levelers Round Leg

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------------|-------------------------|---------------|---------|-----------|------------|--------|
| BRTBAR6PA2484LR | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$7856 | \$1740 |
| BRTBAR6PA2478LR | 50.5 x 234 x 29 | 70 | 409 | 22.10 | \$7608 | \$1553 |
| BRTBAR6PA2472LR | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$7422 | \$1490 |
| BRTBAR6PA2466LR | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$7112 | \$1305 |
| BRTBAR6PA2460LR | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$6803 | \$1179 |
| BRTBAR6PA3084LR | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$8538 | \$2109 |
| BRTBAR6PA3078LR | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8229 | \$1987 |
| BRTBAR6PA3072LR | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$8042 | \$1800 |
| BRTBAR6PA3066LR | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$7732 | \$1615 |
| BRTBAR6PA3060LR | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7299 | \$1490 |

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| | | | | | | |
|------------------|-----------------|----|-----|-------|--------|--------|
| BRTBAR6PDA2484LR | 50.5 x 252 x 29 | 70 | 434 | 22.88 | \$8477 | \$1866 |
| BRTBAR6PDA2478LR | 50.5 x 234 x 29 | 70 | 409 | 22.10 | \$8207 | \$1667 |
| BRTBAR6PDA2472LR | 50.5 x 216 x 29 | 70 | 359 | 21.32 | \$8008 | \$1600 |
| BRTBAR6PDA2466LR | 50.5 x 198 x 29 | 70 | 329 | 20.54 | \$7671 | \$1404 |
| BRTBAR6PDA2460LR | 50.5 x 180 x 29 | 70 | 308 | 19.76 | \$7343 | \$1268 |
| BRTBAR6PDA3084LR | 62.5 x 252 x 29 | 70 | 493 | 24.53 | \$9211 | \$2267 |
| BRTBAR6PDA3078LR | 62.5 x 234 x 29 | 70 | 462 | 23.75 | \$8876 | \$2129 |
| BRTBAR6PDA3072LR | 62.5 x 216 x 29 | 70 | 431 | 22.86 | \$8678 | \$1931 |
| BRTBAR6PDA3066LR | 62.5 x 198 x 29 | 70 | 400 | 21.97 | \$8339 | \$1736 |
| BRTBAR6PDA3060LR | 62.5 x 180 x 29 | 70 | 369 | 21.08 | \$7876 | \$1599 |

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

| | | | | | | |
|----------------|-----------------|----|-----|-------|---------|--------|
| BRTBAR8P2484LR | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$9721 | \$1275 |
| BRTBAR8P2478LR | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9310 | \$1226 |
| BRTBAR8P2472LR | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$8945 | \$1193 |
| BRTBAR8P2466LR | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$8713 | \$1127 |
| BRTBAR8P2460LR | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8482 | \$1094 |
| BRTBAR8P3084LR | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$10035 | \$1394 |
| BRTBAR8P3078LR | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$9490 | \$1275 |
| BRTBAR8P3072LR | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$9161 | \$1242 |
| BRTBAR8P3066LR | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$8847 | \$1193 |
| BRTBAR8P3060LR | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$8633 | \$1127 |


Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

Required Specifications

Top finish
Edge finish
Metal finish (legs)
Beam finish


Optional Specifications

Anodized Aluminum Leg
HP laminate

| ROUND LEG PACKAGES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|-----------------|-------------------------|---------------|----------|-----------|----------------|---------------|
|  | BRTBAR8PA2484LR | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$10283 | \$2316 |
| | BRTBAR8PA2478LR | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$9953 | \$2068 |
| | BRTBAR8PA2472LR | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$9706 | \$1987 |
| | BRTBAR8PA2466LR | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$9293 | \$1740 |
| | BRTBAR8PA2460LR | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$8878 | \$1572 |
| | BRTBAR8PA3084LR | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$11193 | \$2811 |
| | BRTBAR8PA3078LR | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$10777 | \$2646 |
| | BRTBAR8PA3072LR | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$10529 | \$2399 |
| | BRTBAR8PA3066LR | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$10118 | \$2151 |
| | BRTBAR8PA3060LR | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$9540 | \$1987 |

**Back-to-Back 8 Person Pod with
Access Door and Levelers, Round Leg**

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.




**Back-to-Back 8 Person Pod with
Access Door and Levelers, Round Leg**

| | | | | | | |
|------------------|-----------------|----|-----|-------|----------------|---------------|
| BRTBAR8PDA2484LR | 50.5 x 336 x 29 | 70 | 556 | 28.30 | \$11092 | \$2488 |
| BRTBAR8PDA2478LR | 50.5 x 312 x 29 | 70 | 520 | 27.30 | \$10737 | \$2221 |
| BRTBAR8PDA2472LR | 50.5 x 288 x 29 | 70 | 484 | 26.30 | \$10472 | \$2129 |
| BRTBAR8PDA2466LR | 50.5 x 264 x 29 | 70 | 448 | 25.30 | \$10025 | \$1869 |
| BRTBAR8PDA2460LR | 50.5 x 240 x 29 | 70 | 412 | 24.42 | \$9580 | \$1691 |
| BRTBAR8PDA3084LR | 62.5 x 336 x 29 | 70 | 669 | 30.58 | \$12073 | \$3020 |
| BRTBAR8PDA3078LR | 62.5 x 312 x 29 | 70 | 625 | 29.48 | \$11626 | \$2845 |
| BRTBAR8PDA3072LR | 62.5 x 288 x 29 | 70 | 581 | 28.38 | \$11360 | \$2580 |
| BRTBAR8PDA3066LR | 62.5 x 264 x 29 | 70 | 536 | 27.28 | \$10918 | \$2310 |
| BRTBAR8PDA3060LR | 62.5 x 240 x 29 | 70 | 492 | 26.18 | \$10293 | \$2132 |

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

RETURNS




Rail Sliding Table Kit - Rectangular Legs

| | | | | | | |
|------------|--------------|------|-------|------|--------------|-----|
| BRTSLDT72C | 72 x 48 x 29 | 92.5 | 28.50 | 2.40 | \$830 | N/A |
|------------|--------------|------|-------|------|--------------|-----|

Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included.** Legs are for 24"d worksurfaces. 40mm dia. locking casters with 8mm thread, white body and grey tires. Maximum length of sliding table surface is 48". ***Cannot be used on single line pods with rectangular legs.***

- Anodized Aluminum Leg - Add **\$56** list upcharge



Rail Sliding Table Kit - Round Legs

| | | | | | | |
|-------------|--------------|------|-------|------|--------------|-----|
| BRTSLDT72CR | 72 x 48 x 29 | 92.5 | 28.50 | 2.40 | \$830 | N/A |
|-------------|--------------|------|-------|------|--------------|-----|





Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included.** Legs are for 24"d worksurfaces. 3" dia. locking casters are standard. Maximum length of sliding table surface is 48".

Required Specifications






Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications

Anodized Aluminum Leg
HP laminate

| MEETING TABLES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|--|-----------------|---------------|---------|-----------|---------------|---------------|
|  Boardroom Table with Rectangular Leg and Levelers | | D x W x H | | | | | |
| | BRTBRDP276L | 52.5 x 276 x 29 | 70 | 474 | 23.42 | \$9033 | \$1132 |
| | BRTBRDP240L | 52.5 x 240 x 29 | 70 | 408 | 22.64 | \$8687 | \$1059 |
| | BRTBRDP204L | 52.5 x 204 x 29 | 70 | 340 | 20.74 | \$7040 | \$834 |
| | BRTBRDP180L | 52.5 x 180 x 29 | 70 | 308 | 19.82 | \$6807 | \$784 |
| | BRTBRDP132L | 52.5 x 132 x 29 | 70 | 228 | 15.02 | \$5064 | \$537 |
| | BRTBRDP120L | 52.5 x 120 x 29 | 85 | 210 | 14.56 | \$4944 | \$513 |
| <p>Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.</p> <ul style="list-style-type: none">• Anodized Aluminum Leg - Add No Match! list upcharge• BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables | | | | | | | |
|  Boardroom Table with Rectangular Leg, Access Door and Levelers | BRTBRDPA276L | 52.5 x 276 x 29 | 70 | 474 | 23.42 | \$9603 | \$1727 |
| | BRTBRDPA240L | 52.5 x 240 x 29 | 70 | 408 | 22.64 | \$9272 | \$1093 |
| | BRTBRDPA204L | 52.5 x 204 x 29 | 70 | 340 | 20.74 | \$7416 | \$900 |
| | BRTBRDPA180L | 52.5 x 180 x 29 | 70 | 308 | 19.82 | \$7005 | \$1024 |
| | BRTBRDPA132L | 52.5 x 132 x 29 | 70 | 228 | 15.02 | \$5210 | \$734 |
| | BRTBRDPA120L | 52.5 x 120 x 29 | 85 | 210 | 14.56 | \$5003 | \$630 |
| | <p>Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.</p> <ul style="list-style-type: none">• Anodized Aluminum Leg - Add No Match! list upcharge• BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables• BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables | | | | | | |
|  Square Meeting Table with Rectangular Legs | BRTSQ42L | 42 x 42 x 29 | 70 | 85 | 4.20 | \$1564 | \$171 |
| | BRTSQ42C | 42 x 42 x 29 | 70 | 85 | 4.20 | \$1647 | \$171 |
| <p>3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters.</p> <ul style="list-style-type: none">• Anodized Aluminum Leg - Add No Match! list upcharge | | | | | | | |
|  Round Meeting Table with Rectangular Legs | BRTR42L | 42 x 42 x 29 | 70 | 65 | 3.90 | \$1564 | \$171 |
| | BRTR42C | 42 x 42 x 29 | 70 | 65 | 3.90 | \$1647 | \$171 |
| <p>3mm edging. Select BRTR42L for levelers or BRTR42C for casters.</p> <ul style="list-style-type: none">• Anodized Aluminum Leg - Add No Match! list upcharge | | | | | | | |

| Required Specifications | Optional Specifications | |
|-------------------------|--|--|
| Top finish | HP laminate | Below worksurface power trough with power distribution module (Meeting Tables) |
| Edge finish | Anodized aluminum leg | |
| Metal finish (legs) | Table-edge mounted power module (Meeting Tables) | |
| Beam finish | | |







| LEG ASSEMBLIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--|-----------------|---------------|---------|-----------|------------|--------|
|  | D x W x H | | | | | | |
| | BRTSL24C | 24 x 2.5 x 28 | 150 | 8 | 1.34 | \$557 | N/A |
| | BRTSL30C | 30 x 2.5 x 28 | 150 | 8 | 1.41 | \$562 | N/A |
| | BRTSL36C | 36 x 2.5 x 28 | 150 | 8 | 1.81 | \$684 | N/A |
| Single Rectangular Leg Assembly with Casters | Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |
|  | BRTSL24L | 24 x 2.5 x 28 | 150 | 8 | 1.34 | \$504 | N/A |
| | BRTSL30L | 30 x 2.5 x 28 | 150 | 8 | 1.34 | \$526 | N/A |
| | BRTSL36L | 36 x 2.5 x 28 | 125 | 9 | 1.50 | \$463 | N/A |
| | Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$83 list upchargePlease specify two beams when using BRTSL36L. | | | | | | |
|  | BRTBA34L | 34 x 2.5 x 28 | 150 | 10 | 2.47 | \$500 | N/A |
| | BRTBA51L | 50.5 x 2.5 x 28 | 150 | 12 | 2.96 | \$542 | N/A |
| | BRTBA63L | 62.5 x 2.5 x 28 | 150 | 13 | 3.21 | \$565 | N/A |
| | Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |
|  | BRTHL3624C | 24 x 2.5 x 35 | 100 | 14 | 1.68 | \$717 | N/A |
| | BRTHL3630C | 30 x 2.5 x 35 | 100 | 16 | 1.76 | \$758 | N/A |
| | BRTHL3636C | 36 x 2.5 x 35 | 125 | 18 | 2.26 | \$858 | N/A |
| | BRTHL4224C | 24 x 2.5 x 41 | 125 | 15 | 1.96 | \$749 | N/A |
| | BRTHL4230C | 30 x 2.5 x 41 | 100 | 17 | 2.06 | \$791 | N/A |
| | BRTHL4236C | 36 x 2.5 x 41 | 125 | 19 | 2.65 | \$888 | N/A |
| Single H Leg Assembly with Casters | Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required: <ul style="list-style-type: none">24"D legs - 4 beams (3 under the surface and one at the bottom)30"D/36"D legs - 5 beams (4 under the surface and one at the bottom)Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |
|  | BRTHL3624L | 24 x 2.5 x 35 | 100 | 14 | 1.68 | \$660 | N/A |
| | BRTHL3630L | 30 x 2.5 x 35 | 100 | 16 | 1.76 | \$700 | N/A |
| | BRTHL3636L | 36 x 2.5 x 35 | 125 | 18 | 2.26 | \$800 | N/A |
| | BRTHL4224L | 24 x 2.5 x 41 | 125 | 15 | 1.96 | \$691 | N/A |
| | BRTHL4230L | 30 x 2.5 x 41 | 100 | 17 | 2.06 | \$733 | N/A |
| | BRTHL4236L | 36 x 2.5 x 41 | 125 | 19 | 2.65 | \$831 | N/A |
| Single H Leg Assembly with Levelers | Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required: <ul style="list-style-type: none">24"D legs - 4 beams (3 under the surface and one at the bottom)30"D/36"D legs - 5 beams (4 under the surface and one at the bottom)Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |

Required Specifications






Metal finish (legs)

Optional Specifications

Anodized aluminum leg

| LEG ASSEMBLIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|---|-----------------|---------------|---------|-----------|------------|--------|
|  | D x W x H | | | | | | |
| | BRTSLL24L | 24 x 2.5 x 28 | 92.5 | 11 | 1.01 | \$475 | N/A |
| | BRTSLL30L | 30 x 2.5 x 28 | 92.5 | 13.75 | 1.26 | \$510 | N/A |
| | BRTSLL36L | 36 x 2.5 x 28 | 92.5 | 16.50 | 1.51 | \$546 | N/A |
| Single Loop Leg | Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |
|  | BRTBALL51L | 50.5 x 2.5 x 28 | 92.5 | 23.14 | 2.12 | \$660 | N/A |
| | BRTBALL63L | 62.5 x 2.5 x 28 | 92.5 | 28.64 | 2.62 | \$690 | N/A |
| Back-to-Back Loop Leg | Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$83 list upcharge | | | | | | |
|  | BRT120L42 | 34 x 2.5 x 28 | 250 | 6.60 | 2.80 | \$955 | N/A |
| | One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$49 list upcharge | | | | | | |
|  | BRTLVS | 1 x 1 x 2.5 | 70 | .03 | .01 | \$12 | N/A |
| | 5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site. | | | | | | |
|  | BRTLCS | 2.6 x 2.7 x 2.5 | 70 | .06 | .01 | \$38 | N/A |
| | Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site. | | | | | | |
|  | BRTSL | 24 x 3 x 28 | 125 | 8 | 1.25 | \$442 | N/A |
| | Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. Locking casters are available on single tables. Specify BRTLCR . | | | | | | |


| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Top finish | Anodized Aluminum Leg |
| Edge finish | HP laminate |
| Metal finish (legs) | |

| LEG ASSEMBLIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|---------------|---------------|---------|-----------|--------------|--------|
|  <p>Single Table Round Leg Assembly, Fixed Height</p>  <p>Double Table Round Leg Assembly</p>  <p>Double Table Round Leg Assembly, Fixed Height</p>  <p>120° Round Corner Leg Assembly</p>  <p>120° Fixed Height Corner Leg Assembly</p> | <p>D x W x H</p> | | | | | | |
| | BRTFSL | 24 x 2.5 x 28 | 150 | 5 | .97 | \$379 | N/A |
| | Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. | | | | | | |
| | BRTDL | 50 x 3 x 28 | 150 | 12 | 2.81 | \$573 | N/A |
| | Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. | | | | | | |
| | BRTFDL | 50 x 2.5 x 28 | 250 | 8 | 2.03 | \$515 | N/A |
| | Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. | | | | | | |
| | BRTCRL42 | 16 x 18 x 28 | 92.5 | 15 | 1.50 | \$883 | N/A |
| | Provides support for worksurfaces connected at 120°. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod. | | | | | | |
| | <ul style="list-style-type: none"> When joining to an existing table, the beam extends to reach the shared leg. | | | | | | |
| | BRTFCRL42 | 16 x 18 x 28 | 92.5 | 13 | 1.50 | \$821 | N/A |
| | Provides support for worksurfaces connected at 120°, supported by fixed height legs. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTFSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod. | | | | | | |
| | <ul style="list-style-type: none"> When joining to an existing table, the beam extends to reach the shared leg. | | | | | | |


Required Specifications

Metal finish (legs)


LEG ASSEMBLIES




Leveler for Round Leg Table



Caster for Round Leg Table



Round Table Leg Assembly



Leg Support Cantilever

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-----------|-----------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTLVR | 2.13 x 2.13 x 2 | 70 | .20 | .01 | \$12 | N/A |

3/8" thread with black base. Leveler has 1" height adjustment range. Field retrofittable on round leg.

| | | | | | | |
|--------|----------------|----|-----|-----|------|-----|
| BRTLCR | 1.5 x 3 x 3.75 | 70 | .30 | .01 | \$38 | N/A |
|--------|----------------|----|-----|-----|------|-----|

Locking. 3" diameter with 3/8" -16 threaded stem. Field retrofittable on round leg.

| | | | | | | |
|-------|--------------|-----|----|------|-------|-----|
| BRTRL | 24 x 24 x 28 | 125 | 16 | 2.33 | \$909 | N/A |
|-------|--------------|-----|----|------|-------|-----|

Four leg assembly. Leveling Glides are standard. Locking casters are available. Specify (4) BRTLCR. Maximum table diameter is 42". Includes all connecting hardware.

| | | | | | | |
|--------|-----------|----|-----|-----|-------|-----|
| BRTLSC | 2 x 9 x 5 | 70 | .50 | .01 | \$158 | N/A |
|--------|-----------|----|-----|-----|-------|-----|

Provides stability for leg supports.

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Metal Finish (legs) | Casters (BRTRL) |

BEAM APPLICATIONS

D x W x H

Table supporting structures - BEAMS

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

STANDARD TABLE BEAM

Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.

End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).

Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.

TELESCOPIC TABLE BEAM (4)

Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to any-worksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.

STORAGE TABLE BEAM (5)


The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends).

STORAGE TABLE BEAM ADAPTER (6)

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.



| BEAMS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------|----------|--------------|---------------|---------|-----------|--------------|
| | BRTSB84C | 1 x 79 x 2 | 60 | 8.02 | .15 | \$339 |
| | BRTSB78C | 1 x 73 x 2 | 60 | 7.38 | .12 | \$332 |
| | BRTSB72C | 1 x 67 x 2 | 60 | 6.74 | .09 | \$322 |
| | BRTSB66C | 1 x 61 x 2 | 60 | 6.09 | .08 | \$309 |
| | BRTSB63C | 1 x 57.5 x 2 | 60 | 5.72 | .08 | \$305 |
| | BRTSB60C | 1 x 55 x 2 | 60 | 5.45 | .07 | \$299 |
| | BRTSB54C | 1 x 49 x 2 | 60 | 4.86 | .06 | \$287 |
| | BRTSB51C | 1 x 45.5 x 2 | 60 | 4.81 | .05 | \$280 |
| | BRTSB48C | 1 x 43 x 2 | 60 | 4.60 | .05 | \$268 |
| | BRTSB42C | 1 x 37 x 2 | 60 | 3.59 | .04 | \$257 |
| | BRTSB36C | 1 x 31 x 2 | 60 | 3.31 | .03 | \$254 |
| | BRTSB30C | 1 x 25 x 2 | 60 | 2.70 | .02 | \$253 |
| | BRTSB24C | 1 x 19 x 2 | 60 | 2.03 | .01 | \$245 |
| | BRTSB15C | 1 x 10 x 2 | 70 | 1.28 | .01 | \$196 |







Standard Table Beam




Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate **standard table beam, end of run and interconnecting table beam applications**. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.

Required Specifications

Metal Finish





| BEAMS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|-----------------|---------------|---------|-----------|------------|
|  | | D x W x H | | | | |
| | BRTBB84C | 1 x 79 x 2 | 60 | 10.32 | .15 | \$382 |
| | BRTBB78C | 1 x 73 x 2 | 60 | 9.68 | .12 | \$372 |
| | BRTBB72C | 1 x 67 x 2 | 60 | 9.04 | .09 | \$360 |
| | BRTBB66C | 1 x 61 x 2 | 60 | 8.40 | .09 | \$348 |
| | BRTBB60C | 1 x 55 x 2 | 60 | 7.75 | .08 | \$336 |
| | BRTBB54C | 1 x 49 x 2 | 60 | 7.11 | .07 | \$323 |
| | BRTBB48C | 1 x 43 x 2 | 60 | 6.74 | .07 | \$300 |
| | BRTBB42C | 1 x 37 x 2 | 60 | 5.83 | .06 | \$287 |
| | BRTBB36C | 1 x 31 x 2 | 60 | 5.19 | .05 | \$284 |
| Bottom Table Beam | Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps. | | | | | |
|  | BRTTB84C | 1 x 96.5 x 2 | 60 | 10.32 | .15 | \$520 |
| | BRTTB78C | 1 x 90.5 x 2 | 60 | 9.68 | .12 | \$511 |
| | BRTTB72C | 1 x 84.5 x 2 | 60 | 9.04 | .09 | \$500 |
| | BRTTB66C | 1 x 78.5 x 2 | 60 | 8.40 | .09 | \$488 |
| | BRTTB60C | 1 x 72.5 x 2 | 60 | 7.75 | .08 | \$477 |
| | BRTTB54C | 1 x 66.5 x 2 | 60 | 7.11 | .07 | \$460 |
| | BRTTB48C | 1 x 60.5 x 2 | 60 | 6.74 | .07 | \$434 |
| | BRTTB42C | 1 x 54.5 x 2 | 60 | 5.83 | .06 | \$417 |
| | BRTTB36C | 1 x 48.5 x 2 | 60 | 5.19 | .05 | \$391 |
| Telescopic Table Beam | Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length. | | | | | |
|  | BRTSTB84C | 1 x 80.75 x 2 | 60 | 8.64 | .09 | \$373 |
| | BRTSTB78C | 1 x 74.75 x 2 | 60 | 7.99 | .08 | \$364 |
| | BRTSTB72C | 1 x 68.75 x 2 | 60 | 7.35 | .08 | \$351 |
| | BRTSTB66C | 1 x 62.75 x 2 | 60 | 6.74 | .07 | \$339 |
| | BRTSTB60C | 1 x 54.75 x 2 | 60 | 5.85 | .06 | \$322 |
| | BRTSTB54C | 1 x 50.75 x 2 | 60 | 5.43 | .05 | \$299 |
| | BRTSTB48C | 1 x 44.75 x 2 | 60 | 4.78 | .05 | \$284 |
| | BRTSTB42C | 1 x 38.75 x 2 | 60 | 4.16 | .04 | \$280 |
| | BRTSTB36C | 1 x 32.75 x 2 | 60 | 3.50 | .03 | \$268 |
| Storage Table Beam | Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25"h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface. | | | | | |
|  | BRTSA21 | 1 x 15.2 x 6.5 | 60 | 2.15 | .05 | \$128 |
| | BRTSA25 | 1 x 15.2 x 2.75 | 60 | 4.30 | .02 | \$110 |
| Storage Table Beam Adapter | Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25"h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adaptor assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify BRTSA21 or BRTSA25 depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine. | | | | | |

Required Specifications
Metal Finish







| WORKSURFACES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|--|---------------|---------------|---------|-----------|--------------|--------------|
|  <p>Rectangular Worksurface</p> | D x W x H | | | | | | |
| | BRTWS2484 | 24 x 84 x 1 | 60 | 55 | 1.80 | \$532 | \$165 |
| | BRTWS2478 | 24 x 78 x 1 | 60 | 51 | 1.70 | \$490 | \$158 |
| | BRTWS2472 | 24 x 72 x 1 | 60 | 47 | 1.54 | \$460 | \$155 |
| | BRTWS2466 | 24 x 66 x 1 | 60 | 43 | 1.41 | \$438 | \$145 |
| | BRTWS2463 | 24 x 62.5 x 1 | 65 | 39 | 1.41 | \$431 | \$147 |
| | BRTWS2460 | 24 x 60 x 1 | 60 | 39 | 1.30 | \$420 | \$140 |
| | BRTWS2454 | 24 x 54 x 1 | 65 | 35 | 1.20 | \$379 | \$123 |
| | BRTWS2451 | 24 x 50.5 x 1 | 65 | 31 | 1.06 | \$383 | \$123 |
| | BRTWS2448 | 24 x 48 x 1 | 65 | 31 | 1.06 | \$320 | \$111 |
| | BRTWS2442 | 24 x 42 x 1 | 60 | 28 | .90 | \$268 | \$91 |
| | BRTWS2436 | 24 x 36 x 1 | 60 | 23 | .71 | \$205 | \$70 |
| | | | | | | | |
| | BRTWS3084 | 30 x 84 x 1 | 60 | 69 | 2.24 | \$572 | \$176 |
| | BRTWS3078 | 30 x 78 x 1 | 60 | 64 | 2.10 | \$515 | \$163 |
| | BRTWS3072 | 30 x 72 x 1 | 65 | 59 | 2 | \$485 | \$161 |
| | BRTWS3066 | 30 x 66 x 1 | 60 | 54 | 1.80 | \$455 | \$155 |
| | BRTWS3063 | 30 x 62.5 x 1 | 65 | 49 | 1.77 | \$445 | \$150 |
| | BRTWS3060 | 30 x 60 x 1 | 65 | 49 | 1.77 | \$438 | \$145 |
| | BRTWS3054 | 30 x 54 x 1 | 60 | 44 | 1.44 | \$408 | \$123 |
| | BRTWS3051 | 30 x 50.5 x 1 | 65 | 39 | 1.41 | \$402 | \$128 |
| | BRTWS3048 | 30 x 48 x 1 | 65 | 39 | 1.41 | \$379 | \$123 |
| | BRTWS3042 | 30 x 42 x 1 | 60 | 34 | 1.12 | \$356 | \$120 |
| | BRTWS3036 | 30 x 36 x 1 | 65 | 30 | 1.06 | \$254 | \$87 |
| | | | | | | | |
| | BRTWS3663 | 36 x 62.5 x 1 | 65 | 53 | 1.94 | \$666 | \$173 |
| | BRTWS3651 | 36 x 50.5 x 1 | 65 | 43 | 1.71 | \$593 | \$100 |
| Flat 3 mm edge profile on all sides. | | | | | | | |
|  <p>Rectangular Worksurface with Access Door</p> | BRTWSAA2484 | 24 x 84 x 1 | 60 | 51 | 1.70 | \$633 | \$308 |
| | BRTWSAA2478 | 24 x 78 x 1 | 60 | 47 | 1.54 | \$600 | \$275 |
| | BRTWSA2472 | 24 x 72 x 1 | 60 | 47 | 1.54 | \$551 | \$254 |
| | BRTWSA2466 | 24 x 66 x 1 | 60 | 43 | 1.41 | \$512 | \$220 |
| | BRTWSA2460 | 24 x 60 x 1 | 60 | 39 | 1.30 | \$471 | \$200 |
| | BRTWSA2454 | 24 x 54 x 1 | 65 | 35 | 1.20 | \$418 | \$191 |
| | BRTWSA2448 | 24 x 48 x 1 | 65 | 31 | 1.06 | \$379 | \$171 |
| | BRTWSA2442 | 24 x 42 x 1 | 60 | 28 | .90 | \$336 | \$150 |
| | | | | | | | |
| | BRTWSAA3084 | 30 x 84 x 1 | 60 | 64 | 2.10 | \$752 | \$372 |
| | BRTWSAA3078 | 30 x 78 x 1 | 65 | 59 | 2 | \$709 | \$349 |
| | BRTWSA3072 | 30 x 72 x 1 | 65 | 59 | 2 | \$655 | \$304 |
| | BRTWSA3066 | 30 x 66 x 1 | 60 | 54 | 1.80 | \$615 | \$273 |
| | BRTWSA3060 | 30 x 60 x 1 | 65 | 49 | 1.77 | \$551 | \$254 |
| | BRTWSA3054 | 30 x 54 x 1 | 60 | 44 | 1.44 | \$500 | \$231 |
| | BRTWSA3048 | 30 x 48 x 1 | 65 | 39 | 1.41 | \$448 | \$200 |
| | BRTWSA3042 | 30 x 42 x 1 | 60 | 34 | 1.12 | \$397 | \$179 |
| | Flat 3 mm edge profile on all sides. Worksurfaces 42" to 72" w have one access door. 78" w and 84" w worksurfaces have two access doors. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough. | | | | | | |
|  <p>Rectangular Boardroom Table Top Extension, Round Corners</p> | BRTWBE2451R | 24 x 50.5 x 1 | 65 | 31 | 1.06 | \$355 | \$123 |
| | BRTWBE2463R | 24 x 62.5 x 1 | 65 | 39 | 1.41 | \$411 | \$145 |
| | BRTWBE3051R | 30 x 50.5 x 1 | 65 | 39 | 1.41 | \$383 | \$123 |
| | BRTWBE3063R | 30 x 62.5 x 1 | 65 | 49 | 1.77 | \$427 | \$155 |
| Flat 3 mm edge profile on all sides. Boardroom table extensions convert existing 24" or 30" deep back-to-back Bridges table assembly into a boardroom table. 24" and 30" d rectangular top with round corner can only be supported by 34" double leg and extension beams. <i>No freestanding and mobile application.</i> | | | | | | | |

Required SpecificationsTop finish
Edge finish**Optional Specifications**

HP laminate

| WORKSURFACES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|---|-----------------|---------------|---------|-----------|------------|--------|
|  <p>Rectangular Worksurface with 2 Access Doors</p> | D x W x H | | | | | | |
| | BRTWSAA2484 | 24 x 84 x 1 | 60 | 51 | 1.70 | \$633 | \$308 |
| | BRTWSAA2478 | 24 x 78 x 1 | 60 | 47 | 1.54 | \$600 | \$275 |
| | BRTWSAA2472 | 24 x 72 x 1 | 60 | 43 | 1.41 | \$593 | \$274 |
| | BRTWSAA2466 | 24 x 66 x 1 | 60 | 39 | 1.30 | \$551 | \$241 |
| | BRTWSAA2460 | 24 x 60 x 1 | 65 | 35 | 1.20 | \$507 | \$217 |
| | BRTWSAA3084 | 30 x 84 x 1 | 60 | 64 | 2.10 | \$752 | \$372 |
| | BRTWSAA3078 | 30 x 78 x 1 | 65 | 59 | 2 | \$709 | \$349 |
| | BRTWSAA3072 | 30 x 72 x 1 | 60 | 54 | 1.80 | \$702 | \$329 |
| | BRTWSAA3066 | 30 x 66 x 1 | 65 | 49 | 1.77 | \$663 | \$290 |
| | BRTWSAA3060 | 30 x 60 x 1 | 60 | 44 | 1.44 | \$593 | \$274 |
| | Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Anodized aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84". | | | | | | |
|  <p>Meeting Table Top</p> | BRTWS2451 | 24 x 50.5 x 1 | 65 | 31 | 1.06 | \$383 | \$123 |
| | BRTWS3051 | 30 x 50.5 x 1 | 65 | 39 | 1.41 | \$402 | \$128 |
| | BRTWS3651 | 36 x 50.5 x 1 | 65 | 43 | 1.71 | \$593 | \$100 |
| | BRTWS4251 | 42 x 50.5 x 1 | 65 | 48 | 1.93 | \$655 | \$176 |
| | BRTWS4851 | 48 x 50.5 x 1 | 65 | 52 | 2.07 | \$745 | \$195 |
| | BRTWS5151 | 50.5 x 50.5 x 1 | 65 | 55 | 2.12 | \$797 | \$185 |
| | BRTWS5451 | 54 x 50.5 x 1 | 65 | 59 | 2.19 | \$861 | \$241 |
| | BRTWS6051 | 60 x 50.5 x 1 | 65 | 63 | 2.26 | \$979 | \$247 |
| | BRTWS2463 | 24 x 62.5 x 1 | 65 | 39 | 1.41 | \$431 | \$147 |
| | BRTWS3063 | 30 x 62.5 x 1 | 65 | 49 | 1.77 | \$445 | \$150 |
| | BRTWS3663 | 36 x 62.5 x 1 | 65 | 53 | 1.94 | \$666 | \$173 |
| | BRTWS4263 | 42 x 62.5 x 1 | 65 | 57 | 2.07 | \$797 | \$209 |
| | BRTWS4863 | 48 x 62.5 x 1 | 65 | 61 | 2.13 | \$957 | \$242 |
| | BRTWS5463 | 54 x 62.5 x 1 | 65 | 63 | 2.21 | \$1075 | \$272 |
| | BRTWS6063 | 60 x 62.5 x 1 | 65 | 67 | 2.34 | \$1198 | \$298 |
| | Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes. <ul style="list-style-type: none">• Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly• Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly | | | | | | |
|  <p>120° Worksurface</p> | BRTWAC120424224 | 24 x 42 x 1 | 65 | 31 | 1.06 | \$944 | \$310 |
| | BRTWAC120424230 | 30 x 42 x 1 | 65 | 39 | 1.41 | \$1028 | \$315 |
|  <p>120° Worksurface with Access Door</p> | BRTWAC120A424224 | 24 x 42 x 1 | 65 | 31 | 1.06 | \$1005 | \$337 |
| | BRTWAC120A424230 | 30 x 42 x 1 | 65 | 39 | 1.41 | \$1086 | \$421 |
| | 5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. | | | | | | |
| | 5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough. | | | | | | |

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Top finish | HP laminate |
| Edge finish | |

| WORKSURFACES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--|------------------|---------------|---------|-----------|---------------|--------------|
|  <p>Rectangular Meeting Table Top*</p> | | D x W x H | | | | | |
| | BRTMT5151 | 50.5 x 50.5 x 1 | 65 | 55 | 2.12 | \$749 | \$418 |
| | 50.5" long side matches 24"d back-to-back table assembly. | | | | | | |
|  <p>Round Meeting Table Top*</p> | BRTMTR42 | 42 x 42 x 1 | 65 | 40 | 1.76 | \$500 | \$127 |
|  <p>Flat Bracket</p> | BHBF01 | 4 x 3 | 70 | .50 | .01 | \$24 | |
| | Constructed of cold rolled steel. May be used to ensure alignment of neighboring worksurfaces. | | | | | | |
|  <p>Display Wall Table Top w/Scoop*</p> | BRTWS6051SCP | 60 x 50.5 x 1 | 60 | 75 | 1.75 | \$958 | \$243 |
| | BRTWS5451SCP | 54 x 50.5 x 1 | 60 | 68 | 1.58 | \$846 | \$237 |
| | BRTWS4863SCP | 48 x 62.5 x 1 | 60 | 75 | 1.74 | \$938 | \$238 |
|  <p>Monitor Facing Double Workstation**</p> | BRTWS6063SCP | 60 x 62.5 x 1 | 60 | 93 | 2.17 | \$1172 | \$290 |
| | BRTWS5463SCP | 54 x 62.5 x 1 | 60 | 84 | 1.95 | \$1057 | \$266 |
| | BRTWS4863SCP | 48 x 62.5 x 1 | 60 | 75 | 1.74 | \$938 | \$238 |
| | Display wall mounts to the end of back-to-back table assembly supported by rectangular legs. As opposed to two separate back-to-back worksurfaces, the display wall table top provides one continuous, uninterrupted surface with a scoop cutout next to the display wall (the scoop facilitates cable passage from below the table). Table top 50.5"w side matches 24"d back-to-back table assemblies. Meeting table tops 62.5"w side matches 30"d back-to-back table assemblies. | | | | | | |
|  <p>Monitor Facing Back of Double Workstation**</p> | BRTTVFT63 | 4 x 62.5 x 52 | 100 | 74 | 7.52 | \$1872 | |
| | BRTTVFT51 | 4 x 50.5 x 52 | 92.5 | 62 | 6.08 | \$1772 | |
| | <p>Display wall faces the double workstation; facilitates seated presentation area. Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify WHB to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.</p> <ul style="list-style-type: none"> • Included vertical cable manager passes through the gap between 2 back-to-back worksurfaces. Should you need one continuous, uninterrupted surface specify Display Wall Table Top with Scoop (BRTWSxxxxSCP). • Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w | | | | | | |
| | BRTTVBK63 | 4 x 62.5 x 52 | 100 | 74 | 7.52 | \$1872 | |
| | BRTTVBK51 | 4 x 50.5 x 52 | 92.5 | 62 | 6.08 | \$1772 | |
| | <p>Display wall support board mounts to end of back-to-back table assembly supported by rectangular legs. Display faces back of the double workstation (combine with collaborative seating). Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify WHB to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with Display Wall Table Top with Scoop (BRTWSxxxxSCP).</p> <ul style="list-style-type: none"> • Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w | | | | | | |

Required Specifications

Top finish
Edge finish

Optional Specifications

HP laminate

POWER DELIVERY / CABLE MANAGEMENT


D x W x H

At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

Wire Basket (1) connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. *Wire Basket is not to be used with power troughs.*

Cable Snake (2) Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit **Desk Top Power Data Modules (3)** deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.




Ceiling pole **BRTCPP (4)** manages power and data cables between ceiling and above or below worksurface power troughs.


Above and Below Worksurface Power/Data Troughs (5) can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)

NOTE: Specify **BRTHH58 (8)** to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.


Leg shroud (9) attaches to 34" w legs and manages power floor feed, as well as data cables from floor monument.



Single Sided Power/Data Troughs (6) can be installed to the underside of a single table.





Storage power/data box BRTVCM (7) attaches to storage units and provides access to one duplex/data terminal on top storage surface. Integrated single circuit module can be plugged to floor monument under the storage or to a wall outlet



4-2-2 Wiring Schematic

8-Wire Shared Neutral

"2 + 2" - 2 Utility Circuits, 2 Dedicated



8 Wires

4 Lines (12 ga.)
2 Neutrals (10 ga.)
2 Grounds (12 ga.)

4 Circuits

2 Utility circuits
2 Dedicated Circuits


Receptacles

Duplex - Up to 12 duplex receptacles per circuit
(Up to 48 per infeed)


Specifications

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

POWER DELIVERY / CABLE MANAGEMENT



42" - 72"

**Below Worksurface Single
Power/Data Trough**

42" - 72"

**Below Worksurface Double
Power/Data Trough**

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|---------------|-------------------------|---------------|----------|-----------|---------------|
| BRTEETB84SKIT | 11.6 x 78.34 x 2.5 | 100 | 12 | 1.31 | \$1203 |
| BRTEETB78SKIT | 11.6 x 72.34 x 2.5 | 100 | 11 | 1.21 | \$1152 |
| BRTEETB72SKIT | 11.6 x 66.34 x 2.5 | 100 | 9.80 | 1.11 | \$749 |
| BRTEETB66SKIT | 11.6 x 60.34 x 2.5 | 100 | 8.90 | 1.01 | \$725 |
| BRTEETB60SKIT | 11.6 x 54.34 x 2.5 | 100 | 8 | .91 | \$698 |
| BRTEETB54SKIT | 11.6 x 48.34 x 2.5 | 100 | 7.10 | .81 | \$684 |
| BRTEETB48SKIT | 11.6 x 42.34 x 2.5 | 100 | 6.20 | .71 | \$655 |
| BRTEETB42SKIT | 11.6 x 36.34 x 2.5 | 100 | 5.30 | .61 | \$605 |
| BRTEETB36SKIT | 11.6 x 30.34 x 2.5 | 125 | 4.50 | .59 | \$551 |

Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER
- For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black **BRTPDS** Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.


| | | | | | |
|---------------|------------------|------|------|-----|---------------|
| BRTEETB84DKIT | 8.5 x 78.3 x 2.5 | 92.5 | 9.80 | .96 | \$1553 |
| BRTEETB78DKIT | 8.5 x 72.3 x 2.5 | 92.5 | 9 | .88 | \$1531 |
| BRTEETB72DKIT | 8.5 x 66.3 x 2.5 | 92.5 | 8.30 | .81 | \$903 |
| BRTEETB66DKIT | 8.5 x 60.3 x 2.5 | 92.5 | 7.50 | .74 | \$883 |
| BRTEETB60DKIT | 8.5 x 54.3 x 2.5 | 92.5 | 6.80 | .66 | \$852 |
| BRTEETB54DKIT | 8.5 x 48.3 x 2.5 | 92.5 | 6 | .59 | \$830 |
| BRTEETB48DKIT | 8.5 x 42.3 x 2.5 | 92.5 | 5.30 | .52 | \$811 |
| BRTEETB42DKIT | 8.5 x 36.3 x 2.5 | 92.5 | 4.50 | .44 | \$778 |
| BRTEETB36DKIT | 8.5 x 30.3 x 2.5 | 92.5 | 3.80 | .37 | \$759 |

Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER
- BRTEETB84DKIT includes (2) BRTEETB42DKIT and (1) JUMPER
- For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black **BRTPDS** Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.

Required Specifications

Metal Finish (Power/Data Troughs)

| ELECTRICAL COMPONENTS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--------------|------------------|---------------|---------|-----------|---------------|
| | | | | | | |
|  36" | BRTEETA84KIT | 2.5 x 84 x 3.5 | 65 | 9.49 | .42 | \$1348 |
| | BRTEETA78KIT | 2.5 x 78 x 3.5 | 65 | 8.81 | .39 | \$1297 |
| | BRTEETA72KIT | 2.5 x 71.9 x 3.5 | 65 | 8.12 | .36 | \$852 |
| | BRTEETA66KIT | 2.5 x 65.9 x 3.5 | 65 | 7.45 | .33 | \$842 |
| | BRTEETA60KIT | 2.5 x 59.9 x 3.5 | 65 | 6.77 | .30 | \$778 |
| | BRTEETA54KIT | 2.5 x 53.9 x 3.5 | 65 | 6.09 | .27 | \$759 |
| | BRTEETA48KIT | 2.5 x 47.9 x 3.5 | 65 | 5.41 | .24 | \$718 |
| | BRTEETA42KIT | 2.5 x 41.9 x 3.5 | 65 | 4.73 | .21 | \$676 |
| | BRTEETA36KIT | 2.5 x 35.9 x 3.5 | 65 | 4.06 | .18 | \$625 |
| | | | | | | |

42" - 72"
Above Worksurface Power Trough

Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough side. **Specify jumpers between tables separately.** Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER
- BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER
- Specify above worksurface power trough end cap BRTEEC to finish open ends of the power trough
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.


Back-to-Back Storage Tower
Gap Filler Kit

| | | | | | |
|-------------|------------------|----|------|-----|--------------|
| BRTEST15KIT | 15.5 x 2.5 x 3.5 | 65 | 2 | .08 | \$562 |
| BRTEST24KIT | 24 x 2.5 x 3.5 | 70 | 2.50 | .12 | \$610 |
| BRTEST30KIT | 31 x 2.5 x 3.5 | 70 | 3.50 | .16 | \$650 |
| BRTEST48KIT | 48 x 2.5 x 3.5 | 70 | 4 | .24 | \$717 |

Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" legs or storage beam and storage towers.







- Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables.
- The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers
- The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage towers


Above Worksurface Power Trough

| | | | | | |
|--------|---------------|----|-----|-----|-------------|
| BRTEEC | .5 x 2.25 x 3 | 70 | .10 | .01 | \$12 |
|--------|---------------|----|-----|-----|-------------|

Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.


Required Specifications
Metal Finish (Power/Data Troughs)

| ELECTRICAL COMPONENTS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---|------------------|---------------|---------|-----------|--------------|
|  <p>Housing to Housing Harness</p> | | D x W x H | | | | |
| | BRTEHH28 | .5 x 28 x 2 | 70 | 1 | 1.17 | \$179 |
| | BRTEHH40 | .5 x 40.5 x 2 | 70 | 1.10 | 1.25 | \$191 |
| | BRTEHH44 | .5 x 44.5 x 2 | 70 | 1.5 | 1.17 | \$206 |
| | BRTEHH52 | .5 x 52.5 x 2 | 300 | 2.0 | 1.17 | \$217 |
| | BRTEHH58 | .5 x 58.5 x 2 | 300 | 2.2 | 1.17 | \$226 |
| | BRTEHH76 | .5 x 76.5 x 2 | 250 | 2.8 | 1.17 | \$252 |
|  <p>Base Feed</p> | <p>Distributes power between Power Distribution Housings.</p> <ul style="list-style-type: none"> • BRTEHH28 distributes power between back-to-back or single sided troughs in a straight run. • BRTEHH40 distributes power from back-to-back to single sided power troughs • BRTEHH44 distributes power between back-to-back power troughs separated by (1) pair of storage cabinets without wardrobes. Specify BRTEST15KIT separately. • BRTEHH52 distributes power from back-to-back power troughs separated by (1) pair of storage cabinets with wardrobes. Specify BRTEST24KIT separately. • BRTEHH58 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets without wardrobes. Specify BRTEST30KIT separately. • BRTEHH58 also distributes power from double-sided, back-to-back below worksurface power troughs to a single sided, below worksurface power trough at the end of a table run. • BRTEHH76 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets with wardrobes. Specify BRTEST48KIT separately. | | | | | |
| | BRTEBF | 6 x 4 x 72 | 250 | 4 | 2 | \$578 |
| | BRTEBF120 | 6 x 4 x 120 | 250 | 6 | 2 | \$805 |
|  <p>Base Feed - New York Electrical</p> | BRTEBF144 | 6 x 4 x 144 | 150 | 8 | 2 | \$865 |
| | <p>Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.</p> | | | | | |
|  <p>Ceiling Pole</p> | BRTEBFK | 6 x 4 x 100 | 250 | 4 | 2 | \$907 |
| | <p>Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.</p> | | | | | |
|  <p>Ceiling Feed</p> | BRTCPP | 1.5 x 4.75 x 99 | 65 | 13 | .48 | \$314 |
| | <p>Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.</p> | | | | | |
| | BRTECF120 | 6 x 6 x 120 | 250 | 5 | 2 | \$476 |
|  <p>Ceiling Feed</p> | BRTECF144 | 6 x 6 x 144 | 250 | 5 | 2 | \$530 |
| | <p>Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.</p> | | | | | |


Required Specifications

Metal Finish (BRTCPP)


ELECTRICAL COMPONENTS




Ceiling Feed - New York Electrical



Duplex Receptacles







Power/Data Cable Basket



34" Leg Shroud

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|-----------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| BRTECFK120 | 6 x 6 x 120 | 250 | 5 | 2 | \$712 |
| BRTECFK144 | 6 x 6 x 144 | 250 | 5 | 2 | \$790 |
| Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included. | | | | | |
| BRTE8D1 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$45 |
| BRTE8D2 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$45 |
| BRTE8DA | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$45 |
| BRTE8DB | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$45 |
| BRTE8DXW1 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$63 |
| BRTE8DXW2 | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$63 |
| BRTE8DXWA | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$63 |
| BRTE8DXWB | 1.25 x 4.63 x 2 | 70 | .10 | .01 | \$63 |
| Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black. | | | | | |
| <ul style="list-style-type: none">• BRTE8D1 / BRTE8DXW1 - Circuit #1 (utility circuit)• BRTE8D2 / BRTE8DXW2 - Circuit #2 (utility circuit)• BRTE8DA / BRTE8DXWA - Circuit A (dedicated circuit)• BRTE8DB / BRTE8DXWB - Circuit B (dedicated circuit) | | | | | |
| BRTCB76KIT | 8 x 34 x 1 | 70 | 1.56 | .15 | \$281 |
| BRTCB70 | 8 x 70 x 1 | 100 | 3.22 | .34 | \$204 |
| BRTCB64 | 8 x 64 x 1 | 92.5 | 2.94 | .29 | \$190 |
| BRTCB58 | 8 x 58 x 1 | 92.5 | 2.66 | .26 | \$184 |
| BRTCB52 | 8 x 52 x 1 | 100 | 2.39 | .24 | \$173 |
| BRTCB46 | 8 x 46 x 1 | 92.5 | 2.16 | .21 | \$163 |
| BRTCB40 | 8 x 40 x 1 | 70 | 1.80 | .18 | \$155 |
| BRTCB34 | 8 x 34 x 1 | 70 | 1.56 | .15 | \$149 |
| BRTCB28 | 8 x 28 x 1 | 70 | 1.20 | .13 | \$131 |
| BRTCB22 | 8 x 22 x 1 | 70 | 1.01 | .10 | \$123 |
| BRTCB16 | 8 x 16 x 1 | 70 | .73 | .07 | \$116 |
| BRTCB8 | 8 x 8 x 1 | 70 | .36 | .03 | \$104 |
| Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners. | | | | | |
| <ul style="list-style-type: none">• Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage cabinet spine assembly. | | | | | |
| BRTDLSHS34 | 5 x 30 x 29 | 92.5 | 62 | 5.25 | \$575 |
| A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish. | | | | | |




Required Specifications
Metal Finish (BRTDLSHS34)

| ELECTRICAL COMPONENTS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|------------|------------------|---------------|---------|-----------|---------------|
|  Cable Snake | | D x W x H | | | | |
| | BRTCS | 2 x 8 x 30 | 70 | 3 | .19 | \$162 |
| Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only. | | | | | | |
|  Wire Manager | BRTCM43 | 46 x 5 x 3 | 92.5 | 8 | .67 | \$67 |
| | BRTCM55 | 58 x 5 x 3 | 92.5 | 9 | .85 | \$77 |
| Replacement wire manager can be added. Wire Manager neatly organizes and stores electrical and communication cables. Two lengths: 46" for tops 60" and under; 58" for tops 72". Black Plastic only. | | | | | | |
|  Data/Comm Spacer | B RTPDS | .6 x 4.75 x 2.04 | 70 | .10 | .01 | \$63 |
| | B RTPDSW | .6 x 4.75 x 2.04 | 70 | .10 | .01 | \$63 |
| | B RTPDSS | .6 x 4.75 x 2.04 | 70 | .10 | .01 | \$63 |
| Data/Comm plate spacer extends the depth behind data/comm jacks by 0.6" in order to accommodate larger data/comm cable bending radius. B RTPDS is Black, B RTPDSW is White and B RTPDSS is Silver. | | | | | | |
|  Vertical Cable Manager* | BRTVCM2118 | 18 x 6 x 21 | 92.5 | 14 | 1.31 | \$1139 |
| | BRTVCM2518 | 18 x 6 x 25 | 92.5 | 17 | 1.56 | \$1162 |
| | BRTVCM2124 | 24 x 6 x 21 | 100 | 17 | 1.75 | \$1203 |
| | BRTVCM2524 | 24 x 6 x 25 | 92.5 | 22 | 2.08 | \$1222 |
| Facilitates power/data transfer from a floor monument under storage cabinets. The units can join other 18" or 24" deep storage units to form a storage spine. Removable top with a Below worksurface Power/Data Module provides easy access. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top, unfinished cut-out edges. Universal connecting hardware included. Below Worksurface Power/Data Module included. Provides power - two outlets; 72"L 3-prong power cord. White face plate, outlets and coupler & jack adapters; anodized aluminum bracket supports; thumb screws, black cord. Provides data - two coupler/jack ports; includes Voice/Data Adapter Kit to accept various couplers & jacks (Not Included). | | | | | | |

| ACCESSORIES / TABLE DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--------|------------|--------------------------|---|-----------|------------|
| | | D x W x H | BRACKET/EXTRUSION FINISH | | | |
| <ul style="list-style-type: none">• 9mm thick panels offered in 18 finishes• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly• Variation in fiber mix and color are inherent to the character of the product | | | BLK | Black | CHR | Charcoal |
| | | | DWT | Designer White | FOG | Fog |
| | | | NEV | Nevada | SIL | Silver |
| | | | TPE | Taupe | TUN | Tungsten |
| | | | ANO | Anodized Aluminum - upcharge applies. <i>Available on select models only. Refer to model for availability and upcharge.</i> | | |




FELT COLORS

| | |
|-----------------|------------------|
| (AMT) Amethyst | (APR) Apricot |
| (BLK) Black | (BSK) Blue Smoke |
| (BRI) Brick | (CNN) Carnation |
| (DEN) Denim | (EMD) Emerald |
| (GPH) Graphite | (HVT) Harvest |
| (LAP) Lapis | (MTS) Mist |
| (NVY) Navy | (PWT) Pewter |
| (RBY) Ruby | (SHR) Shamrock |
| (SFR) Sunflower | (WHT) White |

| FELT DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|---------------------|---------------|---------|-----------|--------------|
|  | BRTAFDD84 | 7.5 x 81 x 16.88 | 125 | 6.30 | 1 | \$757 |
| | BRTAFDD78 | 7.5 x 75 x 16.88 | 125 | 5.90 | .92 | \$722 |
| | BRTAFDD72 | 7.5 x 69 x 16.88 | 125 | 5.40 | .85 | \$687 |
| | BRTAFDD66 | 7.5 x 63 x 16.88 | 125 | 5 | .77 | \$651 |
| | BRTAFDD60 | 7.5 x 57 x 16.88 | 125 | 4.60 | .70 | \$615 |
| | BRTAFDD54 | 7.5 x 51 x 16.88 | 125 | 4.10 | .63 | \$582 |
| | BRTAFDD48 | 7.5 x 45 x 16.88 | 125 | 3.70 | .55 | \$409 |
| | BRTAFDD42 | 7.5 x 39 x 16.88 | 125 | 3.20 | .48 | \$363 |
| | BRTAFDD36 | 7.5 x 33 x 16.88 | 125 | 2.80 | .41 | \$325 |
| | Secures between two back-to-back tables; provides privacy, divides space. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. <ul style="list-style-type: none">• Anodized Aluminum extrusion - Add \$175 list upcharge | | | | | |
|  | BRTAFPPD30M | 6.5 x 30.24 x 16.85 | 100 | 2.60 | .27 | \$308 |
| | BRTAFPPD24M | 6.5 x 24.24 x 16.85 | 100 | 2.10 | .22 | \$273 |
|  | BRTAFPPD63S | 6.5 x 62.81 x 16.85 | 100 | 4.20 | .46 | \$639 |
| | BRTAFPPD51S | 6.5 x 50.81 x 16.85 | 100 | 4.20 | .46 | \$570 |
| | BRTAFPPD30S | 6.5 x 30.24 x 16.85 | 92.5 | 2.70 | .27 | \$316 |
| | BRTAFPPD24S | 6.5 x 24.24 x 16.85 | 92.5 | 2.30 | .22 | \$281 |
| <p>Perpendicular Side to Side Felt Divider</p> | Secures to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg; provides privacy, divides space. 9mm felt material is tackable. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. <ul style="list-style-type: none">• Anodized Aluminum extrusion - Add \$175 list upcharge | | | | | |

Required Specifications

- Top finish*
- Edge finish*
- Chassis finish*





| FELT DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|----------------------|---------------|---------|-----------|---------------|
|  | | D x W x H | | | | |
| | BRTAFEDN24 | 4.05 x 25.46 x 30.68 | 250 | 3.3 | 1.12 | \$472 |
| | BRTAFEDN30 | 4.05 x 31.46 x 30.68 | 250 | 3.98 | 1.29 | \$530 |
| | BRTAFEDN51 | 4.05 x 50.56 x 30.68 | 150 | 6.22 | 1.46 | \$972 |
| | BRTAFEDN63 | 4.05 x 62.56 x 30.68 | 150 | 7.57 | 1.63 | \$1107 |
| End of Run Felt Divider & Modesty Kit* | <p>Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p> | | | | | |
|  | BRTAFDSN84 | 4.05 x 78 x 30.68 | 125 | 9.24 | 1.2 | \$1322 |
| | BRTAFDSN78 | 4.05 x 72 x 30.68 | 125 | 8.57 | 1.11 | \$1259 |
| | BRTAFDSN72 | 4.05 x 69 x 30.68 | 125 | 7.89 | 1.02 | \$1198 |
| | BRTAFDSN66 | 4.05 x 63 x 30.68 | 125 | 7.21 | 0.93 | \$1043 |
| | BRTAFDSN60 | 4.05 x 57 x 30.68 | 125 | 6.54 | 0.84 | \$996 |
| | BRTAFDSN54 | 4.05 x 51 x 30.68 | 125 | 5.87 | 0.74 | \$936 |
| | BRTAFDSN48 | 4.05 x 45 x 30.68 | 125 | 5.19 | 0.65 | \$774 |
| | <p>Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p> <ul style="list-style-type: none"> • 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door. | | | | | |
|  | BRTAFMPSN84 | 4.17 x 77.75 x 13.82 | 65 | 31.12 | 1.2 | \$565 |
| | BRTAFMPSN78 | 4.17 x 71.75 x 13.82 | 65 | 28.72 | 1.11 | \$535 |
| | BRTAFMPSN72 | 4.17 x 65.75 x 13.82 | 65 | 26.32 | 1.02 | \$507 |
| | BRTAFMPSN66 | 4.17 x 59.75 x 13.82 | 65 | 23.92 | 0.93 | \$479 |
| | BRTAFMPSN60 | 4.17 x 53.75 x 13.82 | 65 | 21.51 | 0.84 | \$451 |
| | BRTAFMPSN54 | 4.17 x 47.75 x 13.82 | 65 | 19.11 | 0.74 | \$432 |
| | BRTAFMPSN48 | 4.17 x 41.75 x 13.82 | 65 | 16.71 | 0.65 | \$317 |
| Felt Modesty Panel | <p>Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p> <ul style="list-style-type: none"> • 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door. | | | | | |

Required Specifications






Felt color
Bracket/extrusion finish

Optional Specifications

Anodized extrusion

| TABLE DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|-----------------|---------------|---------|-----------|---------------|
|  <p>36" - 72"</p> <p>78" - 84"</p> <p>Table Divider - Glass</p> | D x W x H | | | | | |
| | BRTAGDD84 | .25 x 81 x 16 | 60 | 29 | .18 | \$925 |
| | BRTAGDD78 | .25 x 75 x 16 | 60 | 27 | .17 | \$873 |
| | BRTAGDD72 | .25 x 69 x 16 | 60 | 25 | .16 | \$749 |
| | BRTAGDD66 | .25 x 63 x 16 | 60 | 23 | .14 | \$698 |
| | BRTAGDD60 | .25 x 57 x 16 | 60 | 21 | .13 | \$644 |
| | BRTAGDD54 | .25 x 51 x 16 | 60 | 18 | .11 | \$615 |
| | BRTAGDD48 | .25 x 45 x 16 | 60 | 16 | .10 | \$565 |
| | BRTAGDD42 | .25 x 39 x 16 | 60 | 14 | .09 | \$521 |
| | BRTAGDD36 | .25 x 33 x 16 | 60 | 12 | .07 | \$471 |
| Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes. | | | | | | |
|  <p>36" - 72"</p> <p>78" - 84"</p> <p>Parallel Table Divider - Glass</p> | BRTAGDS84 | .25 x 81 x 32 | 60 | 55 | .35 | \$1763 |
| | BRTAGDS78 | .25 x 75 x 32 | 60 | 51 | .33 | \$1676 |
| | BRTAGDS72 | .25 x 69 x 32 | 60 | 47 | .30 | \$1403 |
| | BRTAGDS66 | .25 x 63 x 32 | 60 | 43 | .28 | \$1319 |
| | BRTAGDS60 | .25 x 57 x 32 | 60 | 39 | .25 | \$1234 |
| | BRTAGDS54 | .25 x 51 x 32 | 60 | 35 | .23 | \$1152 |
| | BRTAGDS48 | .25 x 45 x 32 | 60 | 31 | .20 | \$1065 |
| | BRTAGDS42 | .25 x 39 x 32 | 60 | 27 | .18 | \$981 |
| | BRTAGDS36 | .25 x 33 x 32 | 60 | 23 | .15 | \$899 |
| Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes. | | | | | | |
|  <p>36" - 72"</p> <p>78" - 84"</p> <p>Perpendicular End of Run Divider - Glass</p> | BRTAGED63 | .25 x 62.5 x 32 | 60 | 35 | .23 | \$1848 |
| | BRTAGED51 | .25 x 50.5 x 32 | 60 | 31 | .20 | \$1676 |
| | BRTAGED30 | .25 x 30 x 32 | 60 | 27 | .18 | \$940 |
| | BRTAGED24 | .25 x 24 x 32 | 60 | 23 | .15 | \$858 |
| | Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes. | | | | | |
|  <p>36" - 72"</p> <p>78" - 84"</p> <p>Shared Perpendicular Side to Side Divider, Middle - Glass, Rounded Corners</p> | BRTAGPPD24M | .25 x 24 x 16 | 60 | 9 | .06 | \$538 |
| | BRTAGPPD30M | .25 x 30 x 16 | 60 | 11.25 | .07 | \$566 |
| Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with rounded top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes. | | | | | | |

Required Specifications
Bracket finish

| TABLE DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--------------|---------------------|---------------|---------|-----------|---------------|
|  <p>Shared Perpendicular Side to Side Divider, Middle - Glass, Square Corners</p> | | D x W x H | | | | |
| | BRTAGPPD24MQ | .25 x 24 x 16 | 60 | 9 | .06 | \$538 |
| | BRTAGPPD30MQ | .25 x 30 x 16 | 60 | 11.25 | .07 | \$566 |
|  <p>Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners</p> | | | | | | |
| | BRTAGPPD24S | .25 x 24 x 16 | 60 | 9 | .05 | \$538 |
| | BRTAGPPD30S | .25 x 30 x 16 | 60 | 11.25 | .07 | \$566 |
|  <p>Shared Perpendicular Side to Side Divider, Seam - Glass, Square Corners</p> | | | | | | |
| | BRTAGPPD24SQ | .25 x 24 x 16 | 60 | 9 | .05 | \$538 |
| | BRTAGPPD30SQ | .25 x 30 x 16 | 60 | 11.25 | .07 | \$566 |
|  <p>Modesty Panel - Glass</p> <p>36" - 72"</p> <p>78" - 84"</p> | | | | | | |
| | BRTAGMPS84 | .25 x 77.75 x 13.25 | 60 | 24 | .14 | \$1152 |
| | BRTAGMPS78 | .25 x 71.75 x 13.25 | 60 | 22 | .13 | \$1110 |
| | BRTAGMPS72 | .25 x 65.75 x 13.25 | 60 | 20 | .12 | \$878 |
| | BRTAGMPS66 | .25 x 59.75 x 13.25 | 60 | 19 | .11 | \$835 |
| | BRTAGMPS60 | .25 x 53.75 x 13.25 | 60 | 17 | .10 | \$793 |
| | BRTAGMPS54 | .25 x 47.75 x 13.25 | 60 | 15 | .09 | \$752 |
| | BRTAGMPS48 | .25 x 41.75 x 13.25 | 60 | 11 | .06 | \$711 |
| | BRTAGMPS42 | .25 x 35.75 x 13.25 | 60 | 11 | .06 | \$666 |
| | BRTAGMPS36 | .25 x 29.75 x 13.25 | 60 | 9 | .05 | \$626 |
|  <p>Perpendicular Laminate Side to Side Divider - Extended*</p> | | | | | | |
| | BRTLPE36 | .75 x 36 x 16 | 60 | 11 | .25 | \$321 |
| | BRTLPE30 | .75 x 30 x 16 | 60 | 9 | .21 | \$280 |


Required Specifications

Chassis/Accent Finish*

Bracket finish

Edge finish*

TABLE DIVIDERS



Perpendicular Laminate Side to Side Double Divider - Extended






Table Divider - Laminate



High Table Divider - Laminate



High Perpendicular Side-to-Side Divider - Laminate

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------|---------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| BRTLDPSE75 | .75 x 75 x 16 | 60 | 22 | .52 | \$573 |
| BRTLDPSE63 | .75 x 63 x 16 | 60 | 18 | .44 | \$515 |

Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPPD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.

- Can ONLY be installed on-module between two BRTLPPD dividers.
- Specify BRTLDPSE63 for 24"d back-to-back worksurfaces and BRTLDPSE75 for 30"d back-to-back worksurfaces

| | | | | | |
|-----------|---------------|----|----|-----|--------------|
| BRTLPPD84 | .75 x 81 x 16 | 60 | 24 | .56 | \$697 |
| BRTLPPD78 | .75 x 75 x 16 | 60 | 23 | .52 | \$674 |
| BRTLPPD72 | .75 x 69 x 16 | 60 | 21 | .47 | \$537 |
| BRTLPPD66 | .75 x 63 x 16 | 60 | 19 | .43 | \$503 |
| BRTLPPD60 | .75 x 57 x 16 | 60 | 17 | .39 | \$480 |
| BRTLPPD54 | .75 x 51 x 16 | 60 | 15 | .35 | \$460 |
| BRTLPPD48 | .75 x 45 x 16 | 60 | 14 | .31 | \$434 |
| BRTLPPD42 | .75 x 39 x 16 | 60 | 12 | .27 | \$404 |
| BRTLPPD36 | .75 x 33 x 16 | 60 | 10 | .22 | \$367 |

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"- 72"wide dividers include 2 support brackets and one pass-through grommet. 78"and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.

- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

| | | | | | |
|-----------|---------------|----|----|------|---------------|
| BRTLPPS84 | .75 x 81 x 32 | 60 | 50 | 1.16 | \$1090 |
| BRTLPPS78 | .75 x 75 x 32 | 60 | 47 | 1.08 | \$1046 |
| BRTLPPS72 | .75 x 69 x 32 | 60 | 43 | 1 | \$856 |
| BRTLPPS66 | .75 x 63 x 32 | 60 | 40 | .91 | \$811 |
| BRTLPPS60 | .75 x 57 x 32 | 60 | 36 | .83 | \$765 |
| BRTLPPS54 | .75 x 51 x 32 | 60 | 32 | .75 | \$708 |
| BRTLPPS48 | .75 x 45 x 32 | 60 | 29 | .66 | \$674 |
| BRTLPPS42 | .75 x 39 x 32 | 60 | 25 | .56 | \$628 |
| BRTLPPS36 | .75 x 33 x 32 | 60 | 22 | .50 | \$514 |


Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36"- 72"wide dividers include 2 support brackets. 78"and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.

- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

| | | | | | |
|-----------|---------------|----|---|-----|--------------|
| BRTLPPD24 | .75 x 24 x 16 | 60 | 7 | .16 | \$255 |
| BRTLPPD30 | .75 x 30 x 16 | 60 | 9 | .20 | \$277 |

Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.


Required Specifications
Chassis/Accent finish
Bracket finish
Edge finish

| TABLE DIVIDERS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|----------|------------------|---------------|---------|-----------|--------------|
|  | | D x W x H | | | | |
| | BRTLPE24 | .75 x 24 x 32 | 60 | 7 | .16 | \$405 |
| | BRTLPE30 | .75 x 30 x 32 | 60 | 9 | .20 | \$434 |
| | BRTLPE51 | .75 x 50.5 x 32 | 60 | 15 | .35 | \$684 |
| | BRTLPE63 | .75 x 62.5 x 32 | 60 | 19 | .43 | \$776 |

Perpendicular End of Run Divider, Laminate*

Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTLPE51 divider matches 24" deep back-to-back assemblies
- BRTLPE63 divider matches 30" deep back-to-back assemblies





| MODESTY PANEL | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|----------|-----------------|---------------|---------|-----------|--------------|
|  | BRTMPS84 | .75 x 78.5 x 14 | 60 | 22 | .51 | \$615 |
| | BRTMPS78 | .75 x 72.5 x 14 | 60 | 20 | .47 | \$593 |
| | BRTMPS72 | .75 x 66.5 x 14 | 60 | 19 | .43 | \$572 |
| | BRTMPS66 | .75 x 60.5 x 14 | 60 | 17 | .40 | \$551 |
| | BRTMPS60 | .75 x 54.5 x 14 | 60 | 16 | .36 | \$532 |
| | BRTMPS54 | .75 x 48.5 x 14 | 60 | 14 | .32 | \$512 |
| | BRTMPS48 | .75 x 42.5 x 14 | 60 | 13 | .29 | \$489 |
| | BRTMPS42 | .75 x 36.5 x 14 | 60 | 11 | .25 | \$471 |
| | BRTMPS36 | .75 x 30.5 x 14 | 60 | 9 | .21 | \$448 |

Laminate Modesty Panel*

Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.

Required Specifications

Chassis/Accent finish
Bracket finish
Edge finish

| ACCESSORIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---|-------------------|---------------|---------|-----------|--------------|
|  <p>Laminate End of Run Gable*</p> | | D x W x H | | | | |
| | BRTPEG24 | .75 x 24 x 14 | 60 | 6 | .14 | \$264 |
| | BRTPEG24H21 | .75 x 24 x 20.5 | 60 | 9 | .21 | \$305 |
| | BRTPEG24H27 | .75 x 24 x 26.5 | 60 | 12 | .26 | \$356 |
| | BRTPEG30 | .75 x 30 x 14 | 60 | 8 | .18 | \$284 |
| | BRTPEG30H21 | .75 x 30 x 20.5 | 60 | 12 | .26 | \$324 |
| | BRTPEG30H27 | .75 x 30 x 26.5 | 60 | 15 | .33 | \$378 |
| | BRTPEG51 | .75 x 50.5 x 14 | 60 | 13 | .30 | \$460 |
| | BRTPEG51H21 | .75 x 50.5 x 20.5 | 60 | 20 | .43 | \$556 |
| | BRTPEG51H27 | .75 x 50.5 x 26.5 | 60 | 26 | .56 | \$644 |
| | BRTPEG63 | .75 x 62.5 x 14 | 60 | 16 | .38 | \$500 |
| | BRTPEG63H21 | .75 x 62.5 x 20.5 | 60 | 25 | .53 | \$595 |
| | BRTPEG63H27 | .75 x 62.5 x 26.5 | 60 | 32 | .69 | \$684 |
|  <p>Table End Gap Filler</p> | <p>Perpendicular end of a run gable. Secures to the side edge of a table/tables and legs; provides privacy, divides space. ¾" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.</p> <ul style="list-style-type: none"> • BRTPEG24, 30, 51 and 63 measure 15" below worksurface • BRTPEGxxH21 lines up with the bottom of storage cabinets • BRTPEGxxH27 reaches down 1" from the floor (creates full panel look) | | | | | |
| | BRTTEGF | 4.5 x 2.5 x 1 | 70 | .03 | .01 | \$18 |
|  <p>Single Table Accessory Rail</p> | <p>Injection molded block fills the gap finishing the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.</p> | | | | | |
| | BRLBST84 | 2.95 x 81 x 13.5 | 70 | 10.24 | .61 | \$584 |
| | BRLBST78 | 2.95 x 75 x 13.5 | 70 | 9.69 | .56 | \$567 |
| | BRLBST72 | 2.95 x 69 x 13.5 | 70 | 9.15 | .52 | \$550 |
| | BRLBST66 | 2.95 x 63 x 13.5 | 70 | 8.61 | .48 | \$532 |
| | BRLBST60 | 2.95 x 57 x 13.5 | 70 | 8.07 | .43 | \$514 |
| | BRLBST54 | 2.95 x 51 x 13.5 | 70 | 7.52 | .39 | \$503 |
| | BRLBST48 | 2.95 x 45 x 13.5 | 70 | 6.98 | .35 | \$485 |
| | BRLBST42 | 2.95 x 39 x 13.5 | 70 | 6.44 | .30 | \$468 |
| | BRLBST36 | 2.95 x 33 x 13.5 | 65 | 5.90 | .26 | \$445 |
|  <p>Back-To-Back Accessory Rail</p> | <p>Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.</p> | | | | | |
| | BRLBB2B84 | 7.50 x 81 x 13.5 | 65 | 17.69 | .74 | \$963 |
| | BRLBB2B78 | 7.50 x 75 x 13.5 | 65 | 16.61 | .69 | \$928 |
| | BRLBB2B72 | 7.50 x 69 x 13.5 | 65 | 15.52 | .63 | \$894 |
| | BRLBB2B66 | 7.50 x 63 x 13.5 | 65 | 14.44 | .58 | \$860 |
| | BRLBB2B60 | 7.50 x 57 x 13.5 | 65 | 13.36 | .53 | \$826 |
| | BRLBB2B54 | 7.50 x 51 x 13.5 | 65 | 12.27 | .48 | \$801 |
| | BRLBB2B48 | 7.50 x 45 x 13.5 | 65 | 11.19 | .42 | \$765 |
| | BRLBB2B42 | 7.50 x 39 x 13.5 | 65 | 10.10 | .37 | \$731 |
| | BRLBB2B36 | 7.50 x 33 x 13.5 | 65 | 9.02 | .32 | \$688 |
| <p>Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.</p> | | | | | | |

Required Specifications

Chassis/Accent finish*

Edge finish*

Bracket finish*

FRAMED DIVIDERS**Single Table Or Single Table Row Application; 16" and 30" high dividers**

D x W x H


Table Mounted Framed Divider for single table or single table row; recessed 1.5" at both ends, mounted to the table with 0.6" gap at the back.
 BRTMFD/BRTMLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.
 BRTMFD/BRTMLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Single Table End of Run Framed Divider;
 BREFD/BRELD 24" (21" actual for 24" deep work surfaces),
 BREFD/BRELD 30" (27" actual for 30" deep work surfaces),
 BREFD/BRELD 36" (33" actual for 36" deep work surfaces),

Two brackets secure the divider to the side edge of work surface. Flush with rear edge, 3" recessed from front work surface edge.

Perpendicular Shared Framed Divider;
 BRSPFD/BRSLD 24" (21" actual for 24" deep work surfaces),
 BRSPFD/BRSLD 30" (27" actual for 30" deep work surfaces),
 BRSPFD/BRSLD 36" (33" actual for 36" deep work surfaces),


Single bracket secures the divider to the rear edge of work surface; Can be mounted off-module or over the seam of two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surface edge.

**Back-To-Back Table Application; 16" dividers**

Perpendicular Back 2 Back Parallel Framed Divider secured between two back-to-back tables; recessed 1.5" at both ends; 0.6" gap between the divider and work surfaces.
 BRPFD/BRPLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.
 BRPFD/BRPLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Shared Frame Back 2 Back Framed Divider;
 BRSPFD/BRSLD 51" (45" actual for 24" deep back-to-back work surfaces)
 BRSPFD/BRSLD 63" (57" actual for 30" deep back-to-back work surfaces).
 One bracket secures the divider through the gap between work surfaces; two brackets locate top of the divider between two adjacent Parallel dividers.
 NOTE: cannot be used on its own without the two Parallel dividers.
 3" recessed from front work surface edges.

Perpendicular Back-To-Back End of Run Framed Divider;
 BREDFD/BREDLD 51" (45" actual for 24" deep back-to-back work surfaces)
 BREDFD/BREDLD 63" (57" actual for 30" deep back-to-back work surfaces).
 Three brackets secure the divider to both side edges of work surfaces.
 3" recessed from front work surface edges.





Perpendicular Shared Framed Divider;
 BRSPFD/BRSLD 24" (21" actual for 24" deep work surfaces).
 BRSPFD/BRSLD 30" (27" actual for 30" deep work surfaces).


Single bracket secures the divider to the rear edge of work surface; Can be mounted off-module or over the seam of the two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surfaces edge.


Perpendicular Single Table End of Run Framed Divider;
 BREFD/BRELD 24" (21" actual for 24" deep work surfaces).
 BREFD/BRELD 30" (27" actual for 30" deep work surfaces).

Two brackets secure the divider to the side edge of work surface. Flush with the rear edge, 3" recessed from front work surface edge.






| FRAMED DIVIDERS | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | | | |
|--|---|---------|----------------|---------------|---------|-----------|------------|--|--|--|
|  | Back-to-Back Parallel Framed Divider Fabric | | D x W x H | | | | | | | |
| | | BRPFD84 | 1.25 x 81 x 16 | 70 | 32 | 1.95 | \$966 | | | |
| | | BRPFD78 | 1.25 x 75 x 16 | 70 | 28 | 1.81 | \$917 | | | |
| | | BRPFD72 | 1.25 x 69 x 16 | 70 | 24 | 1.57 | \$906 | | | |
| | | BRPFD66 | 1.25 x 63 x 16 | 85 | 20 | 1.53 | \$871 | | | |
| | | BRPFD60 | 1.25 x 57 x 16 | 92.5 | 15 | 1.39 | \$821 | | | |
| | | BRPFD54 | 1.25 x 51 x 16 | 92.5 | 13 | 1.25 | \$692 | | | |
| | | BRPFD48 | 1.25 x 45 x 16 | 85 | 11 | .75 | \$655 | | | |
| | | BRPFD42 | 1.25 x 39 x 16 | 100 | 9 | .97 | \$569 | | | |
| | | BRPFD36 | 1.25 x 33 x 16 | 100 | 8 | .83 | \$556 | | | |
| Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | | | |
| • 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door | | | | | | | | | | |

| | | | | | | | | | | |
|---|---------------------------------------|---------|----------------|------|----|------|------------|--------|--------|--------|
|  | Back-to-Back Parallel Framed Divider* | | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
| | | BRPLD84 | 1.25 x 81 x 16 | 70 | 32 | 2.25 | \$679 | \$342 | \$777 | \$1969 |
| | | BRPLD78 | 1.25 x 75 x 16 | 70 | 28 | 2.08 | \$667 | \$309 | \$778 | \$1960 |
| | | BRPLD72 | 1.25 x 69 x 16 | 70 | 24 | 1.92 | \$660 | \$277 | \$777 | \$1945 |
| | | BRPLD66 | 1.25 x 63 x 16 | 85 | 20 | 1.75 | \$637 | \$288 | \$648 | \$1768 |
| | | BRPLD60 | 1.25 x 57 x 16 | 92.5 | 15 | 1.58 | \$615 | \$238 | \$657 | \$1652 |
| | | BRPLD54 | 1.25 x 51 x 16 | 92.5 | 13 | 1.42 | \$514 | \$209 | \$686 | \$1681 |
| | | BRPLD48 | 1.25 x 45 x 16 | 85 | 11 | 1.25 | \$441 | \$159 | \$307 | \$806 |
| | | BRPLD42 | 1.25 x 39 x 16 | 100 | 9 | 1.08 | \$391 | \$127 | \$261 | \$695 |
| | | BRPLD36 | 1.25 x 33 x 16 | 100 | 8 | .92 | \$372 | \$117 | \$234 | \$613 |
| Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | | | |
| • 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door | | | | | | | | | | |

| | | | | | | | | | | |
|---|--|---------|----------------|----|----|-----|------------|--|--|--|
|  | Perpendicular Single Table End of Run Framed Divider, Fabric | | | | | | LIST PRICE | | | |
| | | BREFD36 | 1.25 x 33 x 16 | 85 | 12 | .92 | \$490 | | | |
| | | BREFD30 | 1.25 x 27 x 16 | 85 | 11 | .75 | \$444 | | | |
| | | BREFD24 | 1.25 x 21 x 16 | 70 | 9 | .58 | \$431 | | | |
| Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | | | |

| | | | | | | | | | | |
|---|---|---------|----------------|----|----|-----|------------|--------|--------|--------|
|  | Perpendicular Single Table End of Run Framed Divider, Laminate* | | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
| | | BRELD36 | 1.25 x 33 x 16 | 70 | 20 | .92 | \$321 | \$118 | \$234 | \$364 |
| | | BRELD30 | 1.25 x 27 x 16 | 65 | 17 | .75 | \$310 | \$104 | \$178 | \$280 |
| | | BRELD24 | 1.25 x 21 x 16 | 65 | 14 | .58 | \$278 | \$87 | \$161 | \$244 |
| Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | | | |

| Required Specifications | Optional Specifications |
|-------------------------|--|
| Fabric | HP laminate* |
| Finish | Dry erase/dry erase magnetic whiteboard* |
| Bracket finish | |

| SHARED FRAMED DIVIDERS | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | | | |
|---|---|--|----------------|---------------|---------|-----------|------------|--------|--------|--------|
|  | Perpendicular Shared Framed Divider, Fabric | | D x W x H | | | | | | | |
| | | BRSFD36 | 1.25 x 33 x 16 | 85 | 12 | .92 | | | | \$479 |
| | | BRSFD30 | 1.25 x 27 x 16 | 85 | 11 | .75 | | | | \$431 |
| | | BRSFD24 | 1.25 x 21 x 16 | 70 | 9 | .58 | | | | \$418 |
| | | Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | |
|  | Perpendicular Shared Framed Divider, Laminate* | | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
| | | BRSLD36 | 1.25 x 33 x 16 | 70 | 20 | .92 | \$321 | \$118 | \$178 | \$667 |
| | | BRSLD30 | 1.25 x 27 x 16 | 65 | 17 | .75 | \$300 | \$104 | \$135 | \$594 |
| | | BRSLD24 | 1.25 x 21 x 16 | 65 | 14 | .58 | \$278 | \$77 | \$114 | \$444 |
| | | Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | |
|  | Perpendicular Back-to-Back End of Run Framed Divider, Fabric | | | | | | LIST PRICE | | | |
| | | BREDFD63 | 1.25 x 57 x 16 | 85 | 21 | 1.58 | \$758 | | | |
| | | BREDFD51 | 1.25 x 45 x 16 | 85 | 18 | 1.25 | \$668 | | | |
| | | Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | |
|  | Perpendicular Back-to-Back End of Run Framed Divider, Laminate* | | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
| | | BRELD63 | 1.25 x 57 x 16 | 70 | 32 | 1.58 | \$556 | \$238 | \$510 | \$990 |
| | | BRELD51 | 1.25 x 45 x 16 | 70 | 26 | 1.25 | \$452 | \$157 | \$243 | \$473 |
| | | Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | |
|  | Perpendicular Back-to-Back Shared Framed Divider, Fabric | | | | | | LIST PRICE | | | |
| | | BRSDFD63 | 1.25 x 57 x 16 | 85 | 20 | 1.58 | \$719 | | | |
| | | BRSDFD51 | 1.25 x 45 x 16 | 85 | 17 | 1.25 | \$629 | | | |
| | | Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes. | | | | | | | | |
| | | • Cannot be used on its own without the two parallel dividers | | | | | | | | |


Required Specifications

Fabric
Finish
Bracket finish

Optional Specifications

HP laminate*
Dry erase/dry erase magnetic whiteboard*

SHARED FRAMED DIVIDERS



Perpendicular Back-to-Back Shared Framed Divider, Laminate*




Table Mounted Framed Divider, Fabric*




Table Mounted Framed Divider, Laminate*



Ceiling Pole for Wellness Screens

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | | | |
|----------|-------------------------|---------------|---------|-----------|------------|--------|--------|--------|
| | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
| BRSDLD63 | 1.25 x 57 x 16 | 70 | 32 | 1.58 | \$533 | \$228 | \$502 | \$1818 |
| BRSDLD51 | 1.25 x 45 x 16 | 70 | 26 | 1.25 | \$432 | \$157 | \$233 | \$888 |

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

- Cannot be used on its own without the two parallel dividers

| | | | | | LIST PRICE | | | |
|----------|----------------|------|----|------|------------|--|--|--|
| BRTMFD84 | 1.25 x 81 x 30 | 70 | 43 | 4.22 | \$1096 | | | |
| BRTMFD78 | 1.25 x 75 x 30 | 70 | 40 | 3.91 | \$1020 | | | |
| BRTMFD72 | 1.25 x 69 x 30 | 70 | 37 | 3.59 | \$981 | | | |
| BRTMFD66 | 1.25 x 63 x 30 | 85 | 33 | 3.28 | \$948 | | | |
| BRTMFD60 | 1.25 x 57 x 30 | 92.5 | 30 | 2.97 | \$834 | | | |
| BRTMFD54 | 1.25 x 51 x 30 | 92.5 | 27 | 2.66 | \$744 | | | |
| BRTMFD48 | 1.25 x 45 x 30 | 85 | 25 | 2.34 | \$668 | | | |
| BRTMFD42 | 1.25 x 39 x 30 | 100 | 22 | 2.03 | \$594 | | | |
| BRTMFD36 | 1.25 x 33 x 30 | 100 | 20 | 1.90 | \$504 | | | |

Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

- 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

| | | | | | LIST PRICE | HP ADD | DE ADD | DM ADD |
|----------|----------------|------|----|------|------------|--------|--------|--------|
| BRTMLD84 | 1.25 x 81 x 30 | 70 | 83 | 4.22 | \$1387 | \$455 | \$1318 | \$3034 |
| BRTMLD78 | 1.25 x 75 x 30 | 70 | 77 | 3.91 | \$1366 | \$457 | \$1318 | \$3034 |
| BRTMLD72 | 1.25 x 69 x 30 | 70 | 71 | 3.59 | \$691 | \$307 | \$1772 | \$3686 |
| BRTMLD66 | 1.25 x 63 x 30 | 85 | 66 | 3.28 | \$660 | \$309 | \$1779 | \$3696 |
| BRTMLD60 | 1.25 x 57 x 30 | 92.5 | 60 | 2.97 | \$637 | \$219 | \$1787 | \$3696 |
| BRTMLD54 | 1.25 x 51 x 30 | 92.5 | 54 | 2.66 | \$605 | \$219 | \$1685 | \$3492 |
| BRTMLD48 | 1.25 x 45 x 30 | 85 | 48 | 2.34 | \$584 | \$219 | \$695 | \$1659 |
| BRTMLD42 | 1.25 x 39 x 30 | 100 | 42 | 2.03 | \$562 | \$219 | \$704 | \$1547 |
| BRTMLD36 | 1.25 x 33 x 30 | 100 | 38 | 1.90 | \$542 | \$219 | \$385 | \$1200 |

Parallel divider for single tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

- 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

| | | | | | |
|-----------|-----------------|----|----|-----|-------|
| BRTADPCPP | 1.5 x 4.75 x 99 | 65 | 13 | .48 | \$665 |
|-----------|-----------------|----|----|-----|-------|


Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

- Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this ceiling feed.

Required Specifications

Fabric
Finish
Bracket finish*

BACK-TO-BACK WELLNESS SCREENS




24"H Back-to-Back Wellness Screen

| MODEL# | D x W x H | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------|--------------------|------------|---------------|---------|-----------|------------|
| BRTADP5136H24 | 50.50 x 36 x 24.63 | 150 | 33 | 6.31 | \$1739 | |
| BRTADP5142H24 | 50.50 x 42 x 24.63 | 150 | 34.50 | 7.36 | \$1773 | |
| BRTADP5148H24 | 50.50 x 48 x 24.63 | 150 | 36 | 8.42 | \$1810 | |
| BRTADP5154H24 | 50.50 x 54 x 24.63 | 250 | 37.50 | 9.47 | \$1846 | |
| BRTADP5160H24 | 50.50 x 60 x 24.63 | 250 | 39 | 10.52 | \$1881 | |
| BRTADP5166H24 | 50.50 x 66 x 24.63 | 250 | 40.50 | 11.57 | \$1919 | |
| BRTADP5172H24 | 50.50 x 72 x 24.63 | 250 | 42 | 12.63 | \$1953 | |
| BRTADP5178H24 | 50.50 x 78 x 24.63 | 250 | 43.50 | 13.68 | \$1990 | |
| BRTADP5184H24 | 50.50 x 84 x 24.63 | 250 | 45 | 14.73 | \$2026 | |
| BRTADP6336H24 | 62.50 x 36 x 24.63 | 150 | 46.50 | 7.81 | \$1879 | |
| BRTADP6342H24 | 62.50 x 42 x 24.63 | 150 | 48 | 9.11 | \$1913 | |
| BRTADP6348H24 | 62.50 x 48 x 24.63 | 150 | 49.50 | 10.42 | \$1952 | |
| BRTADP6354H24 | 62.50 x 54 x 24.63 | 150 | 51 | 11.72 | \$1987 | |
| BRTADP6360H24 | 62.50 x 60 x 24.63 | 150 | 52.50 | 13.02 | \$2022 | |
| BRTADP6366H24 | 62.50 x 66 x 24.63 | 250 | 54 | 14.32 | \$2059 | |
| BRTADP6372H24 | 62.50 x 72 x 24.63 | 250 | 55 | 15.63 | \$2095 | |
| BRTADP6378H24 | 62.50 x 78 x 24.63 | 250 | 57.35 | 16.93 | \$2132 | |
| BRTADP6384H24 | 62.50 x 84 x 24.63 | 250 | 58.50 | 18.23 | \$2168 | |

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTAPD51xxH24 are for configurations with 24" deep surfaces.
- BRTAPD63xxH24 are for configurations with 30" deep surfaces.



30"H Back-to-Back Wellness Screen

| | | | | | |
|---------------|--------------------|-----|-------|-------|--------|
| BRTADP5136H30 | 50.50 x 36 x 30.63 | 150 | 35.50 | 6.31 | \$1926 |
| BRTADP5142H30 | 50.50 x 42 x 30.63 | 150 | 37 | 7.36 | \$1969 |
| BRTADP5148H30 | 50.50 x 48 x 30.63 | 150 | 38.50 | 8.42 | \$2008 |
| BRTADP5154H30 | 50.50 x 54 x 30.63 | 150 | 40 | 9.47 | \$2054 |
| BRTADP5160H30 | 50.50 x 60 x 30.63 | 250 | 41.50 | 10.52 | \$2094 |
| BRTADP5166H30 | 50.50 x 66 x 30.63 | 250 | 43 | 11.57 | \$2138 |
| BRTADP5172H30 | 50.50 x 72 x 30.63 | 250 | 44.50 | 12.63 | \$2177 |
| BRTADP5178H30 | 50.50 x 78 x 30.63 | 250 | 46 | 13.68 | \$2219 |
| BRTADP5184H30 | 50.50 x 84 x 30.63 | 250 | 47.50 | 14.73 | \$2261 |
| BRTADP6336H30 | 62.50 x 36 x 30.63 | 125 | 49 | 7.81 | \$2165 |
| BRTADP6342H30 | 62.50 x 42 x 30.63 | 150 | 50.50 | 9.11 | \$2206 |
| BRTADP6348H30 | 62.50 x 48 x 30.63 | 150 | 52 | 10.42 | \$2248 |
| BRTADP6354H30 | 62.50 x 54 x 30.63 | 150 | 53.50 | 11.72 | \$2289 |
| BRTADP6360H30 | 62.50 x 60 x 30.63 | 150 | 55 | 13.02 | \$2331 |
| BRTADP6366H30 | 62.50 x 66 x 30.63 | 250 | 56.50 | 14.32 | \$2373 |
| BRTADP6372H30 | 62.50 x 72 x 30.63 | 250 | 58 | 15.63 | \$2414 |
| BRTADP6378H30 | 62.50 x 78 x 30.63 | 250 | 59.50 | 16.93 | \$2456 |
| BRTADP6384H30 | 62.50 x 84 x 30.63 | 250 | 61 | 18.23 | \$2498 |

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP51xxH30 are for configurations with 24" deep surfaces.
- BRTADP63xxH30 are for configurations with 30" deep surfaces.

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP51xxH24 are for configurations with 24" deep surfaces.**
- **BRTADP63xxH24 are for configurations with 30" deep surfaces.**


Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADP63xxH30 are for configurations with 30" deep surfaces.**


Required Specifications

Frame finish

BACK-TO-BACK WELLNESS SCREENS



24”H Back-to-Back Wellness Screen Extension Kit



30”H Back-to-Back Wellness Screen Extension Kit

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|----------------|--------------------|---------------|----------|-----------|------------|
| D x W x H | | | | | |
| BRTADPE5136H24 | 50.50 x 36 x 24.63 | 150 | 26.35 | 6.31 | \$1178 |
| BRTADPE5142H24 | 50.50 x 42 x 24.63 | 250 | 27.85 | 7.36 | \$1214 |
| BRTADPE5148H24 | 50.50 x 48 x 24.63 | 250 | 29.35 | 8.42 | \$1250 |
| BRTADPE5154H24 | 50.50 x 54 x 24.63 | 250 | 30.85 | 9.47 | \$1284 |
| BRTADPE5160H24 | 50.50 x 60 x 24.63 | 250 | 32.35 | 10.52 | \$1322 |
| BRTADPE5166H24 | 50.50 x 66 x 24.63 | 250 | 33.85 | 11.57 | \$1358 |
| BRTADPE5172H24 | 50.50 x 72 x 24.63 | 250 | 35.35 | 12.63 | \$1398 |
| BRTADPE5178H24 | 50.50 x 78 x 24.63 | 250 | 36.85 | 13.68 | \$1432 |
| BRTADPE5184H24 | 50.50 x 84 x 24.63 | 250 | 38.35 | 14.73 | \$1467 |
| | | | | | |
| BRTADPE6336H24 | 62.50 x 36 x 24.63 | 150 | 39.85 | 7.81 | \$1249 |
| BRTADPE6342H24 | 62.50 x 42 x 24.63 | 150 | 41.35 | 9.11 | \$1283 |
| BRTADPE6348H24 | 62.50 x 48 x 24.63 | 150 | 42.85 | 10.42 | \$1320 |
| BRTADPE6354H24 | 62.50 x 54 x 24.63 | 250 | 44.35 | 11.72 | \$1357 |
| BRTADPE6360H24 | 62.50 x 60 x 24.63 | 250 | 45.85 | 13.02 | \$1394 |
| BRTADPE6366H24 | 62.50 x 66 x 24.63 | 250 | 47.35 | 14.32 | \$1432 |
| BRTADPE6372H24 | 62.50 x 72 x 24.63 | 250 | 48.85 | 15.63 | \$1465 |
| BRTADPE6378H24 | 62.50 x 78 x 24.63 | 250 | 50.35 | 16.93 | \$1502 |
| BRTADPE6384H24 | 62.50 x 84 x 24.63 | 250 | 51.85 | 18.23 | \$1539 |

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1”. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH24 are for configurations with 24” deep surfaces.
- BRTADPE63xxH24 are for configurations with 30” deep surfaces.

| | | | | | |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADPE5136H30 | 50.50 x 36 x 30.63 | 150 | 28.85 | 6.31 | \$1294 |
| BRTADPE5142H30 | 50.50 x 42 x 30.63 | 150 | 30.35 | 7.36 | \$1336 |
| BRTADPE5148H30 | 50.50 x 48 x 30.63 | 250 | 31.85 | 8.42 | \$1379 |
| BRTADPE5154H30 | 50.50 x 54 x 30.63 | 250 | 33.35 | 9.47 | \$1422 |
| BRTADPE5160H30 | 50.50 x 60 x 30.63 | 250 | 34.85 | 10.52 | \$1462 |
| BRTADPE5166H30 | 50.50 x 66 x 30.63 | 250 | 36.35 | 11.57 | \$1504 |
| BRTADPE5172H30 | 50.50 x 72 x 30.63 | 250 | 37.85 | 12.63 | \$1547 |
| BRTADPE5178H30 | 50.50 x 78 x 30.63 | 250 | 39.35 | 13.68 | \$1586 |
| BRTADPE5184H30 | 50.50 x 84 x 30.63 | 250 | 40.85 | 14.73 | \$1629 |
| | | | | | |
| BRTADPE6336H30 | 62.50 x 36 x 30.63 | 150 | 42.35 | 7.81 | \$1376 |
| BRTADPE6342H30 | 62.50 x 42 x 30.63 | 150 | 43.85 | 9.11 | \$1420 |
| BRTADPE6348H30 | 62.50 x 48 x 30.63 | 150 | 45.35 | 10.42 | \$1461 |
| BRTADPE6354H30 | 62.50 x 54 x 30.63 | 250 | 46.85 | 11.72 | \$1502 |
| BRTADPE6360H30 | 62.50 x 60 x 30.63 | 250 | 48.35 | 13.02 | \$1544 |
| BRTADPE6366H30 | 62.50 x 66 x 30.63 | 250 | 49.85 | 14.32 | \$1585 |
| BRTADPE6372H30 | 62.50 x 72 x 30.63 | 250 | 51.35 | 15.63 | \$1629 |
| BRTADPE6378H30 | 62.50 x 78 x 30.63 | 250 | 52.85 | 16.93 | \$1668 |
| BRTADPE6384H30 | 62.50 x 84 x 30.63 | 250 | 54.35 | 18.23 | \$1711 |

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1”. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH30 are for configurations with 24” deep surfaces.
- BRTADPE63xxH30 are for configurations with 30” deep surfaces.

Required Specifications
Frame finish

<

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADP30xxH24 are for configurations with 30" deep surfaces.**


Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADP30xxH30 are for configurations with 30" deep surfaces.**


Required Specifications

Frame finish

SINGLE TABLE WELLNESS SCREENS



24”H Single Table Wellness Screen Extension Kit



30”H Single Table Wellness Screen Extension Kit

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------|-------------------------|---------------|---------|-----------|------------|
| BRTADPE2436H24 | 31.75 x 36 x 24.63 | 150 | 21.05 | 3.97 | \$900 |
| BRTADPE2442H24 | 31.75 x 42 x 24.63 | 150 | 22.60 | 4.63 | \$989 |
| BRTADPE2448H24 | 31.75 x 48 x 24.63 | 150 | 24.15 | 5.29 | \$1026 |
| BRTADPE2454H24 | 31.75 x 54 x 24.63 | 150 | 25.70 | 5.95 | \$1061 |
| BRTADPE2460H24 | 31.75 x 60 x 24.63 | 150 | 27.25 | 6.61 | \$1096 |
| BRTADPE2466H24 | 31.75 x 66 x 24.63 | 250 | 28.80 | 7.28 | \$1134 |
| BRTADPE2472H24 | 31.75 x 72 x 24.63 | 250 | 30.35 | 7.94 | \$1170 |
| BRTADPE2478H24 | 31.75 x 78 x 24.63 | 250 | 31.90 | 8.60 | \$1206 |
| BRTADPE2484H24 | 31.75 x 84 x 24.63 | 250 | 33.45 | 9.26 | \$1240 |
| BRTADPE3036H24 | 37.75 x 36 x 24.63 | 125 | 35 | 4.72 | \$937 |
| BRTADPE3042H24 | 37.75 x 42 x 24.63 | 125 | 36.55 | 5.51 | \$1023 |
| BRTADPE3048H24 | 37.75 x 48 x 24.63 | 125 | 38.10 | 6.29 | \$1061 |
| BRTADPE3054H24 | 37.75 x 54 x 24.63 | 150 | 39.65 | 7.08 | \$1096 |
| BRTADPE3060H24 | 37.75 x 60 x 24.63 | 150 | 41.20 | 7.87 | \$1134 |
| BRTADPE3066H24 | 37.75 x 66 x 24.63 | 150 | 42.75 | 8.65 | \$1168 |
| BRTADPE3072H24 | 37.75 x 72 x 24.63 | 150 | 44.30 | 9.44 | \$1203 |
| BRTADPE3078H24 | 37.75 x 78 x 24.63 | 150 | 45.85 | 10.01 | \$1240 |
| BRTADPE3084H24 | 37.75 x 84 x 24.63 | 150 | 47.40 | 10.01 | \$1276 |

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH24 are for configurations with 24” deep surfaces.
- BRTADPE30xxH24 are for configurations with 30” deep surfaces.

| | | | | | |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADPE2436H30 | 31.75 x 36 x 30.63 | 150 | 22.85 | 3.97 | \$991 |
| BRTADPE2442H30 | 31.75 x 42 x 30.63 | 150 | 24.40 | 4.63 | \$1085 |
| BRTADPE2448H30 | 31.75 x 48 x 30.63 | 150 | 25.95 | 5.29 | \$1125 |
| BRTADPE2454H30 | 31.75 x 54 x 30.63 | 150 | 27.50 | 5.95 | \$1167 |
| BRTADPE2460H30 | 31.75 x 60 x 30.63 | 150 | 29.05 | 6.61 | \$1210 |
| BRTADPE2466H30 | 31.75 x 66 x 30.63 | 150 | 30.60 | 7.28 | \$1250 |
| BRTADPE2472H30 | 31.75 x 72 x 30.63 | 150 | 32.15 | 7.94 | \$1291 |
| BRTADPE2478H30 | 31.75 x 78 x 30.63 | 250 | 33.70 | 8.60 | \$1333 |
| BRTADPE2484H30 | 31.75 x 84 x 30.63 | 250 | 35.25 | 9.26 | \$1375 |
| BRTADPE3036H30 | 37.75 x 36 x 30.63 | 125 | 36.80 | 4.72 | \$1031 |
| BRTADPE3042H30 | 37.75 x 42 x 30.63 | 125 | 38.35 | 5.51 | \$1125 |
| BRTADPE3048H30 | 37.75 x 48 x 30.63 | 125 | 39.90 | 6.29 | \$1167 |
| BRTADPE3054H30 | 37.75 x 54 x 30.63 | 150 | 41.45 | 7.08 | \$1207 |
| BRTADPE3060H30 | 37.75 x 60 x 30.63 | 150 | 43 | 7.87 | \$1250 |
| BRTADPE3066H30 | 37.75 x 66 x 30.63 | 150 | 44.55 | 8.65 | \$1291 |
| BRTADPE3072H30 | 37.75 x 72 x 30.63 | 150 | 46.10 | 9.44 | \$1332 |
| BRTADPE3078H30 | 37.75 x 78 x 30.63 | 150 | 47.65 | 10.22 | \$1375 |
| BRTADPE3084H30 | 37.75 x 84 x 30.63 | 150 | 49.20 | 11.01 | \$1415 |

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH30 are for configurations with 24” deep surfaces.
- BRTADPE30xxH30 are for configurations with 30” deep surfaces.

Required Specifications
Frame finish

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTAPF51xxH24 are for configurations with 24" deep surfaces.**
- **BRTAPF63xxH24 are for configurations with 30" deep surfaces.**

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


- **BRTADF51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADF63xxH30 are for configurations with 30" deep surfaces.**

Required Specifications

Frame finish

BACK-TO-BACK FELT DIVIDER SCREENS

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------|--------------------|---------------|---------|-----------|------------|
| D x W x H | | | | | |
| BRTADFE5136H24 | 50.50 x 36 x 24.60 | 150 | 23.35 | 6.31 | \$935 |
| BRTADFE5142H24 | 50.50 x 42 x 24.60 | 250 | 24.85 | 7.36 | \$961 |
| BRTADFE5148H24 | 50.50 x 48 x 24.60 | 250 | 26.35 | 8.42 | \$988 |
| BRTADFE5154H24 | 50.50 x 54 x 24.60 | 250 | 27.85 | 9.47 | \$1014 |
| BRTADFE5160H24 | 50.50 x 60 x 24.60 | 250 | 29.35 | 10.52 | \$1040 |
| BRTADFE5166H24 | 50.50 x 66 x 24.60 | 250 | 30.85 | 11.57 | \$1067 |
| BRTADFE5172H24 | 50.50 x 72 x 24.60 | 250 | 32.35 | 12.63 | \$1093 |
| BRTADFE5178H24 | 50.50 x 78 x 24.60 | 250 | 33.85 | 13.68 | \$1121 |
| BRTADFE5184H24 | 50.50 x 84 x 24.60 | 250 | 35.35 | 14.73 | \$1174 |
| | | | | | |
| BRTADFE6336H24 | 62.50 x 36 x 24.60 | 150 | 36.85 | 7.81 | \$985 |
| BRTADFE6342H24 | 62.50 x 42 x 24.60 | 150 | 38.35 | 9.11 | \$1011 |
| BRTADFE6348H24 | 62.50 x 48 x 24.60 | 150 | 39.85 | 10.42 | \$1039 |
| BRTADFE6354H24 | 62.50 x 54 x 24.60 | 250 | 41.35 | 11.72 | \$1064 |
| BRTADFE6360H24 | 62.50 x 60 x 24.60 | 250 | 42.85 | 13.02 | \$1092 |
| BRTADFE6366H24 | 62.50 x 66 x 24.60 | 250 | 44.35 | 14.32 | \$1118 |
| BRTADFE6372H24 | 62.50 x 72 x 24.60 | 250 | 45.85 | 15.63 | \$1145 |
| BRTADFE6378H24 | 62.50 x 78 x 24.60 | 250 | 47.35 | 16.93 | \$1171 |
| BRTADFE6384H24 | 62.50 x 84 x 24.60 | 250 | 48.85 | 18.23 | \$1224 |




24"H Back-to-Back Felt Divider Screen Extension Kit

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADFE51xxH24 are for configurations with 24" deep surfaces.**
- **BRTADFE63xxH24 are for configurations with 30" deep surfaces.**

| | | | | | |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADFE5136H30 | 50.50 x 36 x 30.60 | 150 | 25.85 | 6.31 | \$932 |
| BRTADFE5142H30 | 50.50 x 42 x 30.60 | 150 | 27.35 | 7.36 | \$957 |
| BRTADFE5148H30 | 50.50 x 48 x 30.60 | 250 | 28.85 | 8.42 | \$982 |
| BRTADFE5154H30 | 50.50 x 54 x 30.60 | 250 | 30.35 | 9.47 | \$1007 |
| BRTADFE5160H30 | 50.50 x 60 x 30.60 | 250 | 31.85 | 10.52 | \$1031 |
| BRTADFE5166H30 | 50.50 x 66 x 30.60 | 250 | 33.35 | 11.57 | \$1057 |
| BRTADFE5172H30 | 50.50 x 72 x 30.60 | 250 | 34.85 | 12.63 | \$1081 |
| BRTADFE5178H30 | 50.50 x 78 x 30.60 | 250 | 36.35 | 13.68 | \$1106 |
| BRTADFE5184H30 | 50.50 x 84 x 30.60 | 250 | 37.85 | 14.73 | \$1163 |
| | | | | | |
| BRTADFE6336H30 | 62.50 x 36 x 30.60 | 150 | 39.35 | 7.81 | \$981 |
| BRTADFE6342H30 | 62.50 x 42 x 30.60 | 150 | 40.85 | 9.11 | \$1006 |
| BRTADFE6348H30 | 62.50 x 48 x 30.60 | 150 | 42.35 | 10.42 | \$1030 |
| BRTADFE6354H30 | 62.50 x 54 x 30.60 | 250 | 43.85 | 11.72 | \$1055 |
| BRTADFE6360H30 | 62.50 x 60 x 30.60 | 250 | 45.35 | 13.02 | \$1080 |
| BRTADFE6366H30 | 62.50 x 66 x 30.60 | 250 | 46.85 | 14.32 | \$1105 |
| BRTADFE6372H30 | 62.50 x 72 x 30.60 | 250 | 48.35 | 15.63 | \$1129 |
| BRTADFE6378H30 | 62.50 x 78 x 30.60 | 250 | 49.85 | 16.93 | \$1154 |
| BRTADFE6384H30 | 62.50 x 84 x 30.60 | 250 | 51.35 | 18.23 | \$1210 |



30"H Back-to-Back Felt Divider Screen Extension Kit


Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADFE51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADFE63xxH30 are for configurations with 30" deep surfaces.**

Required Specifications

Frame finish
Felt finish

SINGLE FELT DIVIDER SCREENS



24"H Single Table Felt Divider Screen

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|----------|-----------|------------|
|--------|------------|---------------|----------|-----------|------------|


D x W x H

| | | | | | |
|---------------|--------------------|-----|-------|------|---------------|
| BRTADF2436H24 | 31.50 x 36 x 24.60 | 125 | 22.55 | 3.94 | \$998 |
| BRTADF2442H24 | 31.50 x 42 x 24.60 | 125 | 24.10 | 4.59 | \$1024 |
| BRTADF2448H24 | 31.50 x 48 x 24.60 | 150 | 25.65 | 5.25 | \$1051 |
| BRTADF2454H24 | 31.50 x 54 x 24.60 | 150 | 27.20 | 5.91 | \$1076 |
| BRTADF2460H24 | 31.50 x 60 x 24.60 | 150 | 28.75 | 6.56 | \$1105 |
| BRTADF2466H24 | 31.50 x 66 x 24.60 | 150 | 30.30 | 7.22 | \$1130 |
| BRTADF2472H24 | 31.50 x 72 x 24.60 | 150 | 31.85 | 7.88 | \$1157 |
| BRTADF2478H24 | 31.50 x 78 x 24.60 | 150 | 33.40 | 8.53 | \$1184 |
| BRTADF2484H24 | 31.50 x 84 x 24.60 | 150 | 34.95 | 9.19 | \$1236 |

| | | | | | |
|---------------|--------------------|-----|-------|-------|---------------|
| BRTADF3036H24 | 37.75 x 36 x 24.60 | 100 | 36.50 | 4.72 | \$1031 |
| BRTADF3042H24 | 37.75 x 42 x 24.60 | 125 | 38.05 | 5.51 | \$1060 |
| BRTADF3048H24 | 37.75 x 48 x 24.60 | 125 | 39.60 | 6.29 | \$1086 |
| BRTADF3054H24 | 37.75 x 54 x 24.60 | 150 | 41.15 | 7.08 | \$1112 |
| BRTADF3060H24 | 37.75 x 60 x 24.60 | 150 | 41.70 | 7.87 | \$1139 |
| BRTADF3066H24 | 37.75 x 66 x 24.60 | 150 | 44.25 | 8.65 | \$1167 |
| BRTADF3072H24 | 37.75 x 72 x 24.60 | 150 | 45.80 | 9.44 | \$1190 |
| BRTADF3078H24 | 37.75 x 78 x 24.60 | 150 | 47.35 | 10.22 | \$1217 |
| BRTADF3084H24 | 37.75 x 84 x 24.60 | 150 | 48.90 | 11.01 | \$1271 |

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADF24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADF30xxH24 are for configurations with 30" deep surfaces.**



30"H Single Table Felt Divider Screen

| | | | | | |
|---------------|--------------------|-----|-------|------|---------------|
| BRTADF2436H30 | 31.50 x 36 x 30.60 | 125 | 24.85 | 3.97 | \$991 |
| BRTADF2442H30 | 31.50 x 42 x 30.60 | 125 | 26.40 | 4.59 | \$1017 |
| BRTADF2448H30 | 31.50 x 48 x 30.60 | 125 | 27.95 | 5.25 | \$1040 |
| BRTADF2454H30 | 31.50 x 54 x 30.60 | 150 | 29.50 | 5.91 | \$1064 |
| BRTADF2460H30 | 31.50 x 60 x 30.60 | 150 | 31.05 | 6.56 | \$1089 |
| BRTADF2466H30 | 31.50 x 66 x 30.60 | 150 | 32.60 | 7.22 | \$1113 |
| BRTADF2472H30 | 31.50 x 72 x 30.60 | 150 | 34.14 | 7.88 | \$1139 |
| BRTADF2478H30 | 31.50 x 78 x 30.60 | 150 | 34.70 | 8.53 | \$1163 |
| BRTADF2484H30 | 31.50 x 84 x 30.60 | 150 | 37.25 | 9.19 | \$1222 |

| | | | | | |
|---------------|--------------------|-----|-------|-------|---------------|
| BRTADF3036H30 | 37.75 x 36 x 30.60 | 100 | 38.80 | 4.72 | \$1039 |
| BRTADF3042H30 | 37.75 x 42 x 30.60 | 100 | 40.35 | 5.51 | \$1063 |
| BRTADF3048H30 | 37.75 x 48 x 30.60 | 125 | 41.90 | 6.29 | \$1088 |
| BRTADF3054H30 | 37.75 x 54 x 30.60 | 125 | 43.45 | 7.08 | \$1112 |
| BRTADF3060H30 | 37.75 x 60 x 30.60 | 125 | 45 | 7.87 | \$1139 |
| BRTADF3066H30 | 37.75 x 66 x 30.60 | 150 | 46.55 | 8.65 | \$1163 |
| BRTADF3072H30 | 37.75 x 72 x 30.60 | 150 | 48.10 | 9.44 | \$1187 |
| BRTADF3078H30 | 37.75 x 78 x 30.60 | 150 | 49.65 | 10.22 | \$1211 |
| BRTADF3084H30 | 37.75 x 84 x 30.60 | 150 | 51.20 | 11.01 | \$1269 |


Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADF24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADF30xxH30 are for configurations with 30" deep surfaces.**


Required Specifications

Frame finish
Felt finish

SINGLE TABLE FELT DIVIDER SCREENS



24”H Single Table Felt Divider Screen Extension Kit



30”H Single Table Felt Divider Screen Extension Kit

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------|-------------------------|---------------|---------|-----------|------------|
| BRTADFE2436H24 | 31.50 x 36 x 24.60 | 150 | 18.55 | 3.94 | \$756 |
| BRTADFE2442H24 | 31.50 x 42 x 24.60 | 150 | 20.10 | 4.59 | \$827 |
| BRTADFE2448H24 | 31.50 x 48 x 24.60 | 150 | 21.65 | 5.25 | \$855 |
| BRTADFE2454H24 | 31.50 x 54 x 24.60 | 150 | 23.20 | 5.91 | \$881 |
| BRTADFE2460H24 | 31.50 x 60 x 24.60 | 150 | 24.75 | 6.56 | \$908 |
| BRTADFE2466H24 | 31.50 x 66 x 24.60 | 250 | 26.30 | 7.22 | \$935 |
| BRTADFE2472H24 | 31.50 x 72 x 24.60 | 250 | 27.85 | 7.88 | \$961 |
| BRTADFE2478H24 | 31.50 x 78 x 24.60 | 250 | 29.40 | 8.53 | \$988 |
| BRTADFE2484H24 | 31.50 x 84 x 24.60 | 250 | 30.95 | 9.19 | \$1040 |
| BRTADFE3036H24 | 37.75 x 36 x 24.60 | 125 | 32.50 | 4.72 | \$783 |
| BRTADFE3042H24 | 37.75 x 42 x 24.60 | 125 | 34.05 | 5.51 | \$856 |
| BRTADFE3048H24 | 37.75 x 48 x 24.60 | 125 | 35.60 | 6.29 | \$883 |
| BRTADFE3054H24 | 37.75 x 54 x 24.60 | 150 | 37.15 | 7.08 | \$909 |
| BRTADFE3060H24 | 37.75 x 60 x 24.60 | 150 | 38.70 | 7.87 | \$937 |
| BRTADFE3066H24 | 37.75 x 66 x 24.60 | 150 | 40.25 | 8.65 | \$963 |
| BRTADFE3072H24 | 37.75 x 72 x 24.60 | 150 | 41.80 | 9.44 | \$990 |
| BRTADFE3078H24 | 37.75 x 78 x 24.60 | 150 | 43.35 | 10.01 | \$1017 |
| BRTADFE3084H24 | 37.75 x 84 x 24.60 | 150 | 44.90 | 10.01 | \$1070 |

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


- BRTADFE24xxH24 are for configurations with 24” deep surfaces.
- BRTADFE30xxH24 are for configurations with 30” deep surfaces.

| | | | | | |
|----------------|--------------------|-----|-------|-------|--------|
| BRTADFE2436H30 | 31.50 x 36 x 30.60 | 150 | 20.35 | 3.94 | \$792 |
| BRTADFE2442H30 | 31.50 x 42 x 30.60 | 150 | 21.90 | 4.59 | \$864 |
| BRTADFE2448H30 | 31.50 x 48 x 30.60 | 150 | 23.45 | 5.25 | \$888 |
| BRTADFE2454H30 | 31.50 x 54 x 30.60 | 150 | 25 | 5.91 | \$913 |
| BRTADFE2460H30 | 31.50 x 60 x 30.60 | 150 | 26.55 | 6.56 | \$938 |
| BRTADFE2466H30 | 31.50 x 66 x 30.60 | 150 | 28.10 | 7.22 | \$963 |
| BRTADFE2472H30 | 31.50 x 72 x 30.60 | 150 | 29.65 | 7.88 | \$988 |
| BRTADFE2478H30 | 31.50 x 78 x 30.60 | 250 | 31.20 | 8.53 | \$1011 |
| BRTADFE2484H30 | 31.50 x 84 x 30.60 | 250 | 32.75 | 9.19 | \$1070 |
| BRTADFE3036H30 | 37.75 x 36 x 30.60 | 125 | 34.30 | 4.72 | \$821 |
| BRTADFE3042H30 | 37.75 x 42 x 30.60 | 125 | 35.85 | 5.51 | \$897 |
| BRTADFE3048H30 | 37.75 x 48 x 30.60 | 125 | 37.40 | 6.29 | \$922 |
| BRTADFE3054H30 | 37.75 x 54 x 30.60 | 150 | 38.95 | 7.08 | \$948 |
| BRTADFE3060H30 | 37.75 x 60 x 30.60 | 150 | 40.50 | 7.87 | \$973 |
| BRTADFE3066H30 | 37.75 x 66 x 30.60 | 150 | 42.05 | 8.65 | \$998 |
| BRTADFE3072H30 | 37.75 x 72 x 30.60 | 150 | 43.60 | 9.44 | \$1023 |
| BRTADFE3078H30 | 37.75 x 78 x 30.60 | 150 | 45.15 | 10.22 | \$1047 |
| BRTADFE3084H30 | 37.75 x 84 x 30.60 | 150 | 46.70 | 11.01 | \$1105 |

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE24xxH30 are for configurations with 24” deep surfaces.
- BRTADFE30xxH30 are for configurations with 30” deep surfaces.


Required Specifications
Frame finish
Felt finish

| BACK-TO-BACK GLASS DIVIDER SCREENS | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|---|---------------|-------------------------|---------------|----------|-----------|---------------|--------------|
|  | BRTADG5136H24 | 50.50 x 36 x 24.60 | 150 | 28 | 6.31 | \$1540 | \$471 |
| | BRTADG5142H24 | 50.50 x 42 x 24.60 | 150 | 29.50 | 7.36 | \$2389 | \$485 |
| | BRTADG5148H24 | 50.50 x 48 x 24.60 | 150 | 31 | 8.42 | \$2445 | \$491 |
| | BRTADG5154H24 | 50.50 x 54 x 24.60 | 250 | 32.50 | 9.47 | \$2500 | \$506 |
| | BRTADG5160H24 | 50.50 x 60 x 24.60 | 250 | 34 | 10.52 | \$2554 | \$513 |
| | BRTADG5166H24 | 50.50 x 66 x 24.60 | 250 | 35.50 | 11.57 | \$2609 | \$527 |
| | BRTADG5172H24 | 50.50 x 72 x 24.60 | 250 | 37 | 12.63 | \$2665 | \$542 |
| | BRTADG5178H24 | 50.50 x 78 x 24.60 | 250 | 38.50 | 13.68 | \$2721 | \$547 |
| | BRTADG5184H24 | 50.50 x 84 x 24.60 | 250 | 40 | 14.73 | \$2776 | \$560 |
| | BRTADG6336H24 | 62.50 x 36 x 24.60 | 150 | 41.50 | 7.81 | \$2554 | \$513 |
| | BRTADG6342H24 | 62.50 x 42 x 24.60 | 150 | 43 | 9.11 | \$2603 | \$527 |
| | BRTADG6348H24 | 62.50 x 48 x 24.60 | 150 | 44.50 | 10.42 | \$2665 | \$542 |
| | BRTADG6354H24 | 62.50 x 54 x 24.60 | 150 | 46 | 11.72 | \$2714 | \$547 |
| | BRTADG6360H24 | 62.50 x 60 x 24.60 | 150 | 47.50 | 13.02 | \$2776 | \$560 |
| | BRTADG6366H24 | 62.50 x 66 x 24.60 | 250 | 49 | 14.32 | \$2830 | \$568 |
| | BRTADG6372H24 | 62.50 x 72 x 24.60 | 250 | 50.50 | 15.63 | \$2879 | \$582 |
| | BRTADG6378H24 | 62.50 x 78 x 24.60 | 250 | 52 | 16.93 | \$2941 | \$595 |
| | BRTADG6384H24 | 62.50 x 84 x 24.60 | 250 | 53.50 | 18.23 | \$2990 | \$603 |

24"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADG51xxH24 are for configurations with 24" deep surfaces.**
- **BRTADG63xxH24 are for configurations with 30" deep surfaces.**

| | | | | | | | |
|---|---------------|--------------------|-----|-------|-------|---------------|--------------|
|  | BRTADG5136H30 | 50.50 x 36 x 30.60 | 150 | 30.50 | 6.31 | \$2466 | \$498 |
| | BRTADG5142H30 | 50.50 x 42 x 30.60 | 150 | 32 | 7.36 | \$2528 | \$513 |
| | BRTADG5148H30 | 50.50 x 48 x 30.60 | 150 | 33.50 | 8.42 | \$2576 | \$520 |
| | BRTADG5154H30 | 50.50 x 54 x 30.60 | 150 | 35 | 9.47 | \$2639 | \$533 |
| | BRTADG5160H30 | 50.50 x 60 x 30.60 | 250 | 36.50 | 10.52 | \$2693 | \$542 |
| | BRTADG5166H30 | 50.50 x 66 x 30.60 | 250 | 38 | 11.57 | \$2748 | \$554 |
| | BRTADG5172H30 | 50.50 x 72 x 30.60 | 250 | 39.50 | 12.63 | \$2782 | \$560 |
| | BRTADG5178H30 | 50.50 x 78 x 30.60 | 250 | 41 | 13.68 | \$2865 | \$575 |
| | BRTADG5184H30 | 50.50 x 84 x 30.60 | 250 | 42.50 | 14.73 | \$2920 | \$589 |
| | BRTADG6336H30 | 62.50 x 36 x 30.60 | 125 | 44 | 7.81 | \$2768 | \$560 |
| | BRTADG6342H30 | 62.50 x 42 x 30.60 | 150 | 45.50 | 9.11 | \$2824 | \$568 |
| | BRTADG6348H30 | 62.50 x 48 x 30.60 | 150 | 47 | 10.42 | \$2879 | \$582 |
| | BRTADG6354H30 | 62.50 x 54 x 30.60 | 150 | 48.50 | 11.72 | \$2941 | \$595 |
| | BRTADG6360H30 | 62.50 x 60 x 30.60 | 150 | 50 | 13.02 | \$2996 | \$603 |
| | BRTADG6366H30 | 62.50 x 66 x 30.60 | 250 | 51.50 | 14.32 | \$3043 | \$616 |
| | BRTADG6372H30 | 62.50 x 72 x 30.60 | 250 | 53 | 15.63 | \$3087 | \$621 |
| | BRTADG6378H30 | 62.50 x 78 x 30.60 | 250 | 54.50 | 16.93 | \$3161 | \$637 |
| | BRTADG6384H30 | 62.50 x 84 x 30.60 | 250 | 56 | 18.23 | \$3224 | \$651 |

30"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADG51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADG63xxH30 are for configurations with 30" deep surfaces.**


Required specifications

Frame finish


Optional specifications

Frosted glass (FRST)

BACK-TO-BACK GLASS DIVIDER SCREENS



24"H Back-to-Back Glass Divider
Screen Extension Kit



30"H Back-to-Back Glass Divider
Screen Extension Kit

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|----------------|-------------------------|---------------|---------|-----------|------------|----------|
| BRTADGE5136H24 | 50.50 x 36 x 24.60 | 150 | 23.35 | 6.31 | \$1540 | \$311 |
| BRTADGE5142H24 | 50.50 x 42 x 24.60 | 250 | 24.85 | 7.36 | \$1597 | \$326 |
| BRTADGE5148H24 | 50.50 x 48 x 24.60 | 250 | 26.35 | 8.42 | \$1650 | \$334 |
| BRTADGE5154H24 | 50.50 x 54 x 24.60 | 250 | 27.85 | 9.47 | \$1707 | \$347 |
| BRTADGE5160H24 | 50.50 x 60 x 24.60 | 250 | 29.35 | 10.52 | \$1762 | \$355 |
| BRTADGE5166H24 | 50.50 x 66 x 24.60 | 250 | 30.85 | 11.57 | \$1816 | \$368 |
| BRTADGE5172H24 | 50.50 x 72 x 24.60 | 250 | 32.35 | 12.63 | \$1872 | \$382 |
| BRTADGE5178H24 | 50.50 x 78 x 24.60 | 250 | 33.85 | 13.68 | \$1926 | \$389 |
| BRTADGE5184H24 | 50.50 x 84 x 24.60 | 250 | 35.35 | 14.73 | \$1982 | \$403 |
| BRTADGE6336H24 | 62.50 x 36 x 24.60 | 150 | 36.85 | 7.81 | \$1650 | \$334 |
| BRTADGE6342H24 | 62.50 x 42 x 24.60 | 150 | 38.35 | 9.11 | \$1707 | \$347 |
| BRTADGE6348H24 | 62.50 x 48 x 24.60 | 150 | 39.85 | 10.42 | \$1762 | \$355 |
| BRTADGE6354H24 | 62.50 x 54 x 24.60 | 250 | 41.35 | 11.72 | \$1816 | \$368 |
| BRTADGE6360H24 | 62.50 x 60 x 24.60 | 250 | 42.85 | 13.02 | \$1863 | \$373 |
| BRTADGE6366H24 | 62.50 x 66 x 24.60 | 250 | 44.35 | 14.32 | \$1926 | \$389 |
| BRTADGE6372H24 | 62.50 x 72 x 24.60 | 250 | 45.85 | 15.63 | \$1982 | \$403 |
| BRTADGE6378H24 | 62.50 x 78 x 24.60 | 250 | 47.35 | 16.93 | \$2031 | \$408 |
| BRTADGE6384H24 | 62.50 x 84 x 24.60 | 250 | 48.85 | 18.23 | \$2093 | \$422 |

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).


- BRTADGE51xxH24 are for configurations with 24" deep surfaces.
- BRTADGE63xxH24 are for configurations with 30" deep surfaces.

| | | | | | | |
|----------------|--------------------|-----|-------|-------|--------|-------|
| BRTADGE5136H30 | 50.50 x 36 x 30.60 | 150 | 25.85 | 6.31 | \$1631 | \$334 |
| BRTADGE5142H30 | 50.50 x 42 x 30.60 | 150 | 27.35 | 7.36 | \$1678 | \$340 |
| BRTADGE5148H30 | 50.50 x 48 x 30.60 | 250 | 28.85 | 8.42 | \$1733 | \$355 |
| BRTADGE5154H30 | 50.50 x 54 x 30.60 | 250 | 30.35 | 9.47 | \$1796 | \$360 |
| BRTADGE5160H30 | 50.50 x 60 x 30.60 | 250 | 31.85 | 10.52 | \$1850 | \$373 |
| BRTADGE5166H30 | 50.50 x 66 x 30.60 | 250 | 33.35 | 11.57 | \$1913 | \$389 |
| BRTADGE5172H30 | 50.50 x 72 x 30.60 | 250 | 34.85 | 12.63 | \$1941 | \$396 |
| BRTADGE5178H30 | 50.50 x 78 x 30.60 | 250 | 36.35 | 13.68 | \$2018 | \$408 |
| BRTADGE5184H30 | 50.50 x 84 x 30.60 | 250 | 37.85 | 14.73 | \$2079 | \$422 |
| BRTADGE6336H30 | 62.50 x 36 x 30.60 | 150 | 39.35 | 7.81 | \$1733 | \$355 |
| BRTADGE6342H30 | 62.50 x 42 x 30.60 | 150 | 40.85 | 9.11 | \$1796 | \$360 |
| BRTADGE6348H30 | 62.50 x 48 x 30.60 | 150 | 42.35 | 10.42 | \$1850 | \$373 |
| BRTADGE6354H30 | 62.50 x 54 x 30.60 | 250 | 43.85 | 11.72 | \$1907 | \$389 |
| BRTADGE6360H30 | 62.50 x 60 x 30.60 | 250 | 45.35 | 13.02 | \$1961 | \$396 |
| BRTADGE6366H30 | 62.50 x 66 x 30.60 | 250 | 46.85 | 14.32 | \$2018 | \$408 |
| BRTADGE6372H30 | 62.50 x 72 x 30.60 | 250 | 48.35 | 15.63 | \$2058 | \$417 |
| BRTADGE6378H30 | 62.50 x 78 x 30.60 | 250 | 49.85 | 16.93 | \$2135 | \$430 |
| BRTADGE6384H30 | 62.50 x 84 x 30.60 | 250 | 51.35 | 18.23 | \$2189 | \$444 |

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).

- BRTADGE51xxH30 are for configurations with 24" deep surfaces.
- BRTADGE63xxH30 are for configurations with 30" deep surfaces.


| Required specifications | Optional specifications |
|-------------------------|-------------------------|
| Frame finish | Frosted glass (FRST) |

| SINGLE TABLE GLASS DIVIDER SCREENS | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|---|---------------|-------------------------|---------------|----------|-----------|---------------|--------------|
|  | BRTADG2436H24 | 31.50 x 36 x 24.60 | 125 | 22.55 | 3.94 | \$1685 | \$340 |
| | BRTADG2442H24 | 31.50 x 42 x 24.60 | 125 | 24.10 | 4.59 | \$1740 | \$355 |
| | BRTADG2448H24 | 31.50 x 48 x 24.60 | 150 | 25.65 | 5.25 | \$1796 | \$360 |
| | BRTADG2454H24 | 31.50 x 54 x 24.60 | 150 | 27.20 | 5.91 | \$1850 | \$373 |
| | BRTADG2460H24 | 31.50 x 60 x 24.60 | 150 | 28.75 | 6.56 | \$1907 | \$389 |
| | BRTADG2466H24 | 31.50 x 66 x 24.60 | 150 | 30.30 | 7.22 | \$1961 | \$396 |
| | BRTADG2472H24 | 31.50 x 72 x 24.60 | 150 | 31.85 | 7.88 | \$2018 | \$408 |
| | BRTADG2478H24 | 31.50 x 78 x 24.60 | 150 | 33.40 | 8.53 | \$2072 | \$417 |
| | BRTADG2484H24 | 31.50 x 84 x 24.60 | 150 | 34.95 | 9.19 | \$2127 | \$430 |
| | BRTADG3036H24 | 37.75 x 36 x 24.60 | 100 | 36.50 | 4.72 | \$1796 | \$360 |
| | BRTADG3042H24 | 37.75 x 42 x 24.60 | 125 | 38.05 | 5.51 | \$1845 | \$373 |
| | BRTADG3048H24 | 37.75 x 48 x 24.60 | 125 | 39.60 | 6.29 | \$1907 | \$389 |
| | BRTADG3054H24 | 37.75 x 54 x 24.60 | 125 | 41.15 | 7.08 | \$1955 | \$396 |
| | BRTADG3060H24 | 37.75 x 60 x 24.60 | 150 | 41.70 | 7.87 | \$2010 | \$408 |
| | BRTADG3066H24 | 37.75 x 66 x 24.60 | 150 | 44.25 | 8.65 | \$2066 | \$417 |
| | BRTADG3072H24 | 37.75 x 72 x 24.60 | 150 | 45.80 | 9.44 | \$2120 | \$430 |
| | BRTADG3078H24 | 37.75 x 78 x 24.60 | 150 | 47.35 | 10.22 | \$2174 | \$436 |
| | BRTADG3084H24 | 37.75 x 84 x 24.60 | 150 | 48.90 | 11.01 | \$2231 | \$451 |

24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADG24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADG30xxH24 are for configurations with 30" deep surfaces.**

| | | | | | | | |
|---|---------------|--------------------|-----|-------|-------|---------------|--------------|
|  | BRTADG2436H30 | 31.50 x 36 x 30.60 | 125 | 24.85 | 3.97 | \$1762 | \$355 |
| | BRTADG2442H30 | 31.50 x 42 x 30.60 | 125 | 26.40 | 4.59 | \$1810 | \$368 |
| | BRTADG2448H30 | 31.50 x 48 x 30.60 | 125 | 27.95 | 5.25 | \$1863 | \$373 |
| | BRTADG2454H30 | 31.50 x 54 x 30.60 | 150 | 29.50 | 5.91 | \$1926 | \$389 |
| | BRTADG2460H30 | 31.50 x 60 x 30.60 | 150 | 31.05 | 6.56 | \$1982 | \$403 |
| | BRTADG2466H30 | 31.50 x 66 x 30.60 | 150 | 32.60 | 7.22 | \$2044 | \$417 |
| | BRTADG2472H30 | 31.50 x 72 x 30.60 | 150 | 34.14 | 7.88 | \$2072 | \$417 |
| | BRTADG2478H30 | 31.50 x 78 x 30.60 | 150 | 34.70 | 8.53 | \$2148 | \$436 |
| | BRTADG2484H30 | 31.50 x 84 x 30.60 | 150 | 37.25 | 9.19 | \$2209 | \$444 |
| | BRTADG3036H30 | 37.75 x 36 x 30.60 | 100 | 38.80 | 4.72 | \$1863 | \$373 |
| | BRTADG3042H30 | 37.75 x 42 x 30.60 | 100 | 40.35 | 5.51 | \$1926 | \$389 |
| | BRTADG3048H30 | 37.75 x 48 x 30.60 | 125 | 41.90 | 6.29 | \$1982 | \$403 |
| | BRTADG3054H30 | 37.75 x 54 x 30.60 | 125 | 43.45 | 7.08 | \$2031 | \$408 |
| | BRTADG3060H30 | 37.75 x 60 x 30.60 | 125 | 45 | 7.87 | \$2093 | \$422 |
| | BRTADG3066H30 | 37.75 x 66 x 30.60 | 150 | 46.55 | 8.65 | \$2148 | \$436 |
| | BRTADG3072H30 | 37.75 x 72 x 30.60 | 150 | 48.10 | 9.44 | \$2189 | \$444 |
| | BRTADG3078H30 | 37.75 x 78 x 30.60 | 150 | 49.65 | 10.22 | \$2266 | \$457 |
| | BRTADG3084H30 | 37.75 x 84 x 30.60 | 150 | 51.20 | 11.01 | \$2314 | \$465 |

30"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**


- **BRTADG24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADG30xxH30 are for configurations with 30" deep surfaces.**

Required specifications
Frame finish

Optional specifications
Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|----------------|--------------------|---------------|---------|-----------|------------|----------|
| D x W x H | | | | | | |
| BRTADGE2436H24 | 31.50 x 36 x 24.60 | 150 | 18.55 | 3.94 | \$1210 | \$243 |
| BRTADGE2442H24 | 31.50 x 42 x 24.60 | 150 | 20.10 | 4.59 | \$1320 | \$272 |
| BRTADGE2448H24 | 31.50 x 48 x 24.60 | 150 | 21.65 | 5.25 | \$1367 | \$278 |
| BRTADGE2454H24 | 31.50 x 54 x 24.60 | 150 | 23.20 | 5.91 | \$1423 | \$292 |
| BRTADGE2460H24 | 31.50 x 60 x 24.60 | 150 | 24.75 | 6.56 | \$1479 | \$299 |
| BRTADGE2466H24 | 31.50 x 66 x 24.60 | 250 | 26.30 | 7.22 | \$1534 | \$311 |
| BRTADGE2472H24 | 31.50 x 72 x 24.60 | 250 | 27.85 | 7.88 | \$1588 | \$320 |
| BRTADGE2478H24 | 31.50 x 78 x 24.60 | 250 | 29.40 | 8.53 | \$1645 | \$334 |
| BRTADGE2484H24 | 31.50 x 84 x 24.60 | 250 | 30.95 | 9.19 | \$1699 | \$347 |
| | | | | | | |
| BRTADGE3036H24 | 37.75 x 36 x 24.60 | 125 | 32.50 | 4.72 | \$1265 | \$257 |
| BRTADGE3042H24 | 37.75 x 42 x 24.60 | 125 | 34.05 | 5.51 | \$1375 | \$278 |
| BRTADGE3048H24 | 37.75 x 48 x 24.60 | 125 | 35.60 | 6.29 | \$1429 | \$292 |
| BRTADGE3054H24 | 37.75 x 54 x 24.60 | 150 | 37.15 | 7.08 | \$1485 | \$299 |
| BRTADGE3060H24 | 37.75 x 60 x 24.60 | 150 | 38.70 | 7.87 | \$1540 | \$311 |
| BRTADGE3066H24 | 37.75 x 66 x 24.60 | 150 | 40.25 | 8.65 | \$1597 | \$326 |
| BRTADGE3072H24 | 37.75 x 72 x 24.60 | 150 | 41.80 | 9.44 | \$1650 | \$334 |
| BRTADGE3078H24 | 37.75 x 78 x 24.60 | 150 | 43.35 | 10.01 | \$1707 | \$347 |
| BRTADGE3084H24 | 37.75 x 84 x 24.60 | 150 | 44.90 | 10.01 | \$1762 | \$355 |



24"H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).


- **BRTADGE24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADGE30xxH24 are for configurations with 30" deep surfaces.**

Required specifications

Frame finish

Optional specifications

Frosted glass (FRST)

| SINGLE TABLE GLASS DIVIDER SCREENS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|---|----------------|--------------------|---------------|----------|-----------|---------------|--------------|
|  | | D x W x H | | | | | |
| | BRTADGE2436H30 | 31.50 x 36 x 30.60 | 150 | 20.35 | 3.94 | \$1265 | \$257 |
| | BRTADGE2442H30 | 31.50 x 42 x 30.60 | 150 | 21.90 | 4.59 | \$1375 | \$278 |
| | BRTADGE2448H30 | 31.50 x 48 x 30.60 | 150 | 23.45 | 5.25 | \$1429 | \$292 |
| | BRTADGE2454H30 | 31.50 x 54 x 30.60 | 150 | 25 | 5.91 | \$1491 | \$305 |
| | BRTADGE2460H30 | 31.50 x 60 x 30.60 | 150 | 26.55 | 6.56 | \$1547 | \$311 |
| | BRTADGE2466H30 | 31.50 x 66 x 30.60 | 150 | 28.10 | 7.22 | \$1610 | \$326 |
| | BRTADGE2472H30 | 31.50 x 72 x 30.60 | 150 | 29.65 | 7.88 | \$1637 | \$334 |
| | BRTADGE2478H30 | 31.50 x 78 x 30.60 | 250 | 31.20 | 8.53 | \$1713 | \$347 |
| | BRTADGE2484H30 | 31.50 x 84 x 30.60 | 250 | 32.75 | 9.19 | \$1775 | \$360 |
| | | | | | | | |
| | BRTADGE3036H30 | 37.75 x 36 x 30.60 | 125 | 34.30 | 4.72 | \$1327 | \$272 |
| | BRTADGE3042H30 | 37.75 x 42 x 30.60 | 125 | 35.85 | 5.51 | \$1429 | \$292 |
| | BRTADGE3048H30 | 37.75 x 48 x 30.60 | 125 | 37.40 | 6.29 | \$1491 | \$305 |
| | BRTADGE3054H30 | 37.75 x 54 x 30.60 | 150 | 38.95 | 7.08 | \$1547 | \$311 |
| | BRTADGE3060H30 | 37.75 x 60 x 30.60 | 150 | 40.50 | 7.87 | \$1610 | \$326 |
| | BRTADGE3066H30 | 37.75 x 66 x 30.60 | 150 | 42.05 | 8.65 | \$1659 | \$334 |
| | BRTADGE3072H30 | 37.75 x 72 x 30.60 | 150 | 43.60 | 9.44 | \$1693 | \$340 |
| | BRTADGE3078H30 | 37.75 x 78 x 30.60 | 150 | 45.15 | 10.22 | \$1775 | \$360 |
| | BRTADGE3084H30 | 37.75 x 84 x 30.60 | 150 | 46.70 | 11.01 | \$1831 | \$368 |

30" H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).

- **BRTADGE24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADGE30xxH30 are for configurations with 30" deep surfaces.**

Required specifications

Frame finish


Optional specifications

Frosted glass (FRST)

| STARTER BEAM | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------------|--------|------------|---------------|---------|-----------|------------|
|--------------|--------|------------|---------------|---------|-----------|------------|

D x W x H



| | | | | | |
|-----------|--------------|-----|-------|------|-------|
| BRPBS1824 | 24 x 24 x 18 | 250 | 20.23 | 6 | \$492 |
| BRPBS1830 | 24 x 30 x 18 | 250 | 21.83 | 7.5 | \$522 |
| BRPBS1836 | 24 x 36 x 18 | 250 | 23.14 | 9 | \$546 |
| BRPBS1842 | 24 x 42 x 18 | 250 | 24.46 | 10.5 | \$570 |
| BRPBS1848 | 24 x 48 x 18 | 250 | 25.77 | 12 | \$601 |
| BRPBS1854 | 24 x 54 x 18 | 250 | 27.08 | 13.5 | \$627 |
| BRPBS1860 | 24 x 60 x 18 | 300 | 28.39 | 15 | \$651 |
| BRPBS1866 | 24 x 66 x 18 | 300 | 29.7 | 16.5 | \$681 |
| BRPBS1872 | 24 x 72 x 18 | 300 | 31.01 | 18 | \$721 |
| BRPBS2624 | 24 x 24 x 26 | 250 | 21.24 | 8.7 | \$524 |
| BRPBS2630 | 24 x 30 x 26 | 250 | 22.84 | 10.8 | \$554 |
| BRPBS2636 | 24 x 36 x 26 | 300 | 24.15 | 13 | \$577 |
| BRPBS2642 | 24 x 42 x 26 | 300 | 25.47 | 15.2 | \$602 |
| BRPBS2648 | 24 x 48 x 26 | 300 | 26.77 | 17.3 | \$633 |
| BRPBS2654 | 24 x 54 x 26 | 300 | 28.09 | 19.5 | \$659 |
| BRPBS2660 | 24 x 60 x 26 | 300 | 29.4 | 21.7 | \$683 |
| BRPBS2666 | 24 x 66 x 26 | 300 | 30.7 | 23.8 | \$713 |
| BRPBS2672 | 24 x 72 x 26 | 300 | 32.02 | 26 | \$753 |
| BRPBS3424 | 24 x 24 x 34 | 300 | 22.25 | 11.3 | \$552 |
| BRPBS3430 | 24 x 30 x 34 | 300 | 23.85 | 14.2 | \$592 |
| BRPBS3436 | 24 x 36 x 34 | 300 | 25.16 | 17 | \$616 |
| BRPBS3442 | 24 x 42 x 34 | 300 | 26.47 | 19.8 | \$641 |
| BRPBS3448 | 24 x 48 x 34 | 300 | 27.78 | 22.7 | \$672 |
| BRPBS3454 | 24 x 54 x 34 | 300 | 29.09 | 25.5 | \$697 |
| BRPBS3460 | 24 x 60 x 34 | 300 | 30.4 | 28.3 | \$722 |
| BRPBS3466 | 24 x 66 x 34 | 300 | 31.71 | 31.2 | \$747 |
| BRPBS3472 | 24 x 72 x 34 | 400 | 33.02 | 34 | \$795 |



Starter Beam

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

Required Specifications
Paint finish


| TOP TRIM KITS | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD | |
|--|--|----------------|------------|---------------|---------|-----------|------------|----------|--|
|  | | | D x W x H | | | | | | |
| | BRPBEG0824 | 2.61 x 24 x 8 | 60 | 9.42 | 0.3 | \$152 | \$99 | | |
| | BRPBEG0830 | 2.61 x 30 x 8 | 60 | 11.79 | 0.4 | \$161 | \$99 | | |
| | BRPBEG0836 | 2.61 x 36 x 8 | 60 | 14.15 | 0.4 | \$170 | \$99 | | |
| | BRPBEG0842 | 2.61 x 42 x 8 | 60 | 16.52 | 0.5 | \$180 | \$99 | | |
| | BRPBEG0848 | 2.61 x 48 x 8 | 60 | 18.88 | 0.6 | \$198 | \$110 | | |
| | BRPBEG0854 | 2.61 x 54 x 8 | 60 | 19.52 | 0.7 | \$219 | \$124 | | |
| | BRPBEG0860 | 2.61 x 60 x 8 | 65 | 20.58 | 0.7 | \$240 | \$138 | | |
| | BRPBEG0866 | 2.61 x 66 x 8 | 65 | 21.55 | 0.8 | \$261 | \$151 | | |
| | BRPBEG0872 | 2.61 x 72 x 8 | 65 | 23.62 | 0.9 | \$289 | \$164 | | |
| | | | | | | | | | |
| | BRPBEG1624 | 2.61 x 24 x 16 | 70 | 9.81 | 0.6 | \$158 | \$99 | | |
| | BRPBEG1630 | 2.61 x 30 x 16 | 70 | 12.37 | 0.7 | \$194 | \$117 | | |
| | BRPBEG1636 | 2.61 x 36 x 16 | 70 | 14.85 | 0.9 | \$218 | \$148 | | |
| | BRPBEG1642 | 2.61 x 42 x 16 | 70 | 17.34 | 1 | \$247 | \$173 | | |
| | BRPBEG1648 | 2.61 x 48 x 16 | 70 | 19.82 | 1.2 | \$277 | \$198 | | |
| | BRPBEG1654 | 2.61 x 54 x 16 | 70 | 21.25 | 1.3 | \$307 | \$194 | | |
| | BRPBEG1660 | 2.61 x 60 x 16 | 70 | 23.62 | 1.5 | \$337 | \$247 | | |
| | BRPBEG1666 | 2.61 x 66 x 16 | 70 | 25.98 | 1.6 | \$367 | \$272 | | |
| | BRPBEG1672 | 2.61 x 72 x 16 | 70 | 28.35 | 1.7 | \$404 | \$296 | | |
| | Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass. | | | | | | | | |
| |  | | | | | | | | |
| BRPBEF0824 | | 2.61 x 24 x 8 | 70 | 1.32 | 0.3 | \$74 | | | |
| BRPBEF0830 | | 2.61 x 30 x 8 | 70 | 1.65 | 0.4 | \$79 | | | |
| BRPBEF0836 | | 2.61 x 36 x 8 | 70 | 1.99 | 0.4 | \$103 | | | |
| BRPBEF0842 | | 2.61 x 42 x 8 | 150 | 2.32 | 0.5 | \$108 | | | |
| BRPBEF0848 | | 2.61 x 48 x 8 | 150 | 2.65 | 0.6 | \$194 | | | |
| BRPBEF0854 | | 2.61 x 54 x 8 | 150 | 2.98 | 0.7 | \$199 | | | |
| BRPBEF0860 | | 2.61 x 60 x 8 | 150 | 3.32 | 0.7 | \$203 | | | |
| BRPBEF0866 | | 2.61 x 66 x 8 | 150 | 3.65 | 0.8 | \$208 | | | |
| BRPBEF0872 | | 2.61 x 72 x 8 | 150 | 3.98 | 0.9 | \$218 | | | |
| | | | | | | | | | |
| BRPBEF1624 | | 2.61 x 24 x 16 | 70 | 1.83 | 0.6 | \$74 | | | |
| BRPBEF1630 | | 2.61 x 30 x 16 | 250 | 2.3 | 0.7 | \$79 | | | |
| BRPBEF1636 | | 2.61 x 36 x 16 | 250 | 2.76 | 0.9 | \$103 | | | |
| BRPBEF1642 | | 2.61 x 42 x 16 | 250 | 3.22 | 1 | \$108 | | | |
| BRPBEF1648 | | 2.61 x 48 x 16 | 250 | 3.68 | 1.16 | \$194 | | | |
| BRPBEF1654 | | 2.61 x 54 x 16 | 250 | 4.14 | 1.3 | \$199 | | | |
| BRPBEF1660 | | 2.61 x 60 x 16 | 250 | 4.61 | 1.5 | \$203 | | | |
| BRPBEF1666 | | 2.61 x 66 x 16 | 250 | 5.07 | 1.6 | \$208 | | | |
| BRPBEF1672 | | 2.61 x 72 x 16 | 250 | 5.53 | 1.7 | \$218 | | | |
| Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors. | | | | | | | | | |

Required Specifications

Paint finish
Felt finish**

Optional Specifications


Frosted glass (FRST)*



Embedded Perforated PET Felt and Top Trim Kit

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------|----------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| BRPBEFP0824 | 2.61 x 24 x 8 | 70 | 1.32 | 0.3 | \$148 |
| BRPBEFP0830 | 2.61 x 30 x 8 | 70 | 1.65 | 0.4 | \$157 |
| BRPBEFP0836 | 2.61 x 36 x 8 | 70 | 1.99 | 0.4 | \$206 |
| BRPBEFP0842 | 2.61 x 42 x 8 | 150 | 2.32 | 0.5 | \$215 |
| BRPBEFP0848 | 2.61 x 48 x 8 | 150 | 2.65 | 0.6 | \$388 |
| BRPBEFP0854 | 2.61 x 54 x 8 | 150 | 2.98 | 0.7 | \$397 |
| BRPBEFP0860 | 2.61 x 60 x 8 | 150 | 3.32 | 0.7 | \$406 |
| BRPBEFP0866 | 2.61 x 66 x 8 | 150 | 3.65 | 0.8 | \$415 |
| BRPBEFP0872 | 2.61 x 72 x 8 | 150 | 3.98 | 0.9 | \$436 |
| | | | | | |
| BRPBEFP1624 | 2.61 x 24 x 16 | 70 | 1.83 | 0.6 | \$148 |
| BRPBEFP1630 | 2.61 x 30 x 16 | 250 | 2.3 | 0.7 | \$157 |
| BRPBEFP1636 | 2.61 x 36 x 16 | 250 | 2.76 | 0.9 | \$206 |
| BRPBEFP1642 | 2.61 x 42 x 16 | 250 | 3.22 | 1 | \$215 |
| BRPBEFP1648 | 2.61 x 48 x 16 | 250 | 3.68 | 1.2 | \$388 |
| BRPBEFP1654 | 2.61 x 54 x 16 | 250 | 4.14 | 1.3 | \$397 |
| BRPBEFP1660 | 2.61 x 60 x 16 | 250 | 4.61 | 1.5 | \$406 |
| BRPBEFP1666 | 2.61 x 66 x 16 | 250 | 5.07 | 1.6 | \$415 |
| BRPBEFP1672 | 2.61 x 72 x 16 | 250 | 5.53 | 1.7 | \$436 |

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, perforated PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.



Overpanel Frame


| | | | | | |
|------------|----------------|-----|----|------|--------------|
| BPX30P0824 | 2.61 x 24 x 8 | 100 | 4 | 0.44 | \$134 |
| BPX30P0830 | 2.61 x 30 x 8 | 125 | 4 | 0.66 | \$147 |
| BPX30P0836 | 2.61 x 36 x 8 | 150 | 4 | 0.71 | \$159 |
| BPX30P0842 | 2.61 x 42 x 8 | 150 | 5 | 0.88 | \$174 |
| BPX30P0848 | 2.61 x 48 x 8 | 150 | 5 | 0.93 | \$185 |
| BPX30P0854 | 2.61 x 54 x 8 | 150 | 6 | 1.04 | \$196 |
| BPX30P0860 | 2.61 x 60 x 8 | 150 | 6 | 1.2 | \$207 |
| BPX30P0866 | 2.61 x 66 x 8 | 150 | 7 | 1.31 | \$301 |
| BPX30P0872 | 2.61 x 72 x 8 | 150 | 8 | 1.42 | \$392 |
| | | | | | |
| BPX30P1624 | 2.61 x 24 x 16 | 125 | 5 | 0.73 | \$134 |
| BPX30P1630 | 2.61 x 30 x 16 | 150 | 5 | 1.09 | \$147 |
| BPX30P1636 | 2.61 x 36 x 16 | 150 | 5 | 1.19 | \$159 |
| BPX30P1642 | 2.61 x 42 x 16 | 150 | 6 | 1.46 | \$174 |
| BPX30P1648 | 2.61 x 48 x 16 | 250 | 6 | 1.55 | \$185 |
| BPX30P1654 | 2.61 x 54 x 16 | 150 | 7 | 1.73 | \$196 |
| BPX30P1660 | 2.61 x 60 x 16 | 250 | 7 | 2.01 | \$207 |
| BPX30P1666 | 2.61 x 66 x 16 | 150 | 9 | 2.17 | \$301 |
| BPX30P1672 | 2.61 x 72 x 16 | 150 | 10 | 2.37 | \$392 |

Attaches on top of beams to add privacy or divide space. Consists of extruded aluminum frame and bayonets connecting the frame to the top of the beam vertical leg. Any tile can be attached to either side to enclose the frame. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**) or PET felt and top trim kit (**BRPBEF**) separately.

- Maximum height of beam with overpanel is 42".

Required Specifications

Paint finish







Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.


A diagram showing a hand pulling a rectangular front grille away from a front panel. The grille has a series of horizontal slats. The front panel has a recessed area where the grille is attached.

Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

Fabric*

| REMOVABLE FACE TILES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|---|--|------------------|---------------|---------|-----------|------------|-----------|
|  | D x W x H | | | | | | |
| | BP3GT0824 | 2.61 x 24 x 8 | 70 | 3.1 | 0.2 | \$152 | \$42 |
| | BP3GT0830 | 2.61 x 30 x 8 | 70 | 3.9 | 0.2 | \$193 | \$42 |
| | BP3GT0836 | 2.61 x 36 x 8 | 70 | 4.7 | 0.3 | \$235 | \$39 |
| | BP3GT0842 | 2.61 x 42 x 8 | 70 | 5.5 | 0.3 | \$271 | \$44 |
| | BP3GT0848 | 2.61 x 48 x 8 | 70 | 6.3 | 0.3 | \$315 | \$40 |
| | BP3GT0854 | 2.61 x 54 x 8 | 70 | 7.1 | 0.4 | \$350 | \$44 |
| | BP3GT0860 | 2.61 x 60 x 8 | 70 | 7.8 | 0.4 | \$394 | \$41 |
| | BP3GT0866 | 2.61 x 66 x 8 | 70 | 8.6 | 0.5 | \$561 | \$42 |
| | BP3GT0872 | 2.61 x 72 x 8 | 70 | 9.4 | 0.5 | \$731 | \$41 |
| | BP3GT1624 | 2.61 x 24 x 16 | 70 | 5.8 | 0.3 | \$152 | \$42 |
| | BP3GT1630 | 2.61 x 30 x 16 | 70 | 7.2 | 0.4 | \$193 | \$42 |
| | BP3GT1636 | 2.61 x 36 x 16 | 70 | 8.7 | 0.5 | \$235 | No Match! |
| | BP3GT1642 | 2.61 x 42 x 16 | 70 | 10.2 | 0.6 | \$271 | \$44 |
| | BP3GT1648 | 2.61 x 48 x 16 | 70 | 11.6 | 0.7 | \$315 | \$40 |
| | BP3GT1654 | 2.61 x 54 x 16 | 70 | 13.1 | 0.8 | \$350 | \$44 |
| | BP3GT1660 | 2.61 x 60 x 16 | 70 | 14.6 | 0.8 | \$394 | \$41 |
| | BP3GT1666 | 2.61 x 66 x 16 | 70 | 16 | 0.9 | \$561 | \$42 |
| | BP3GT1672 | 2.61 x 72 x 16 | 70 | 17.5 | 1 | \$731 | \$41 |
| | Removable glass tile attaches to the overpanel frame to add visual accessibility and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard. Add 20% upcharge for frosted glass (FRST). | | | | | | |
|  | BRP3PS018 | 2.61 x 2.61 x 18 | 65 | 3 | 0.1 | \$59 | |
| | BRP3PS026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84 | |
| | BRP3PS034 | 2.61 x 2.61 x 34 | 65 | 4 | 0.1 | \$109 | |
| | Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way. | | | | | | |
|  | BRP3PS60018 | 2.61 x 2.61 x 18 | 65 | 3 | 0.1 | \$59 | |
| | BRP3PS60026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84 | |
| | BRP3PS60034 | 2.61 x 2.61 x 34 | 65 | 4 | 0.1 | \$109 | |
| | Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way. | | | | | | |
|  | BRP3PS45018 | 2.61 x 2.61 x 18 | 65 | 3 | 0.1 | \$59 | |
| | BRP3PS45026 | 2.61 x 2.61 x 26 | 65 | 3.6 | 0.1 | \$84 | |
| | BRP3PS45034 | 2.61 x 2.61 x 34 | 65 | 4 | 0.1 | \$109 | |
| | Post facilitates two beams at a 45° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way. | | | | | | |


| | |
|-------------------------|-------------------------|
| Required Specifications | Optional Specifications |
| Paint finish | Frosted glass (FRST)* |



Post Trim

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|------------------|---------------|---------|-----------|------------|
| D x W x H | | | | | |
| BRPVTRF18 | 2.61 x 2.61 x 18 | 70 | 0.5 | 0.01 | \$46 |
| BRPVTRF26 | 2.61 x 2.61 x 26 | 70 | 0.72 | 0.02 | \$67 |
| BRPVTRF34 | 2.61 x 2.61 x 34 | 70 | 0.94 | 0.03 | \$89 |
| BRPVTRF42 | 2.61 x 2.61 x 42 | 70 | 1.16 | 0.04 | \$130 |


Attaches to post. Consists of extruded aluminum post and one pair of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.



Overpanel End Trim

| | | | | | |
|-----------|------------------|----|-----|------|------|
| BA3VTEF8 | 0.13 x 2.61 x 8 | 70 | 0.2 | 0.01 | \$26 |
| BA3VTEF16 | 0.13 x 2.61 x 16 | 70 | 0.5 | 0.01 | \$55 |
| BA3VTEF32 | 0.13 x 2.61 x 32 | xx | 1.1 | 0.06 | \$82 |


Attaches to sides of overpanel extension frame. Consists of extruded aluminum post, die-cast corner and one pair of capture strip connectors. When specified as an add-on, use with overpanel frame. Alternatively, we recommend using the BRPVTRFxx of the appropriate size for a clean, seamless trim.



Round Disc Base for Post

| | | | | | |
|-------|-----------------|----|------|------|-------|
| BRPRB | 7.5 x 7.5 x 6.5 | 60 | 3.67 | 0.01 | \$285 |
|-------|-----------------|----|------|------|-------|

Attaches to the bottom of a **BRP3PS** post to provide stability at an intersection. Round metal plate is 1/4" thick.



Post Extension

| | | | | | |
|--------|------------------|----|---|-----|-------|
| BEPE81 | 2.61 x 2.61 x 81 | 65 | 9 | 0.4 | \$227 |
|--------|------------------|----|---|-----|-------|

Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only.
Post extension will accept:
- (75) 5.6mm dia. data cables
- (60) 5.6mm (0.22") dia. data cables with 1 power feed
- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds






Post Extension for Over Panels

| | | | | | |
|------------|------------------|---|---|------|-------|
| BH3PE008 | 2.61 x 2.61 x 8 | x | 1 | 0.03 | \$51 |
| BH3PE016 | 2.61 x 2.61 x 16 | x | 2 | 0.07 | \$62 |
| BH3PE032 | 2.61 x 2.61 x 32 | x | 4 | 0.14 | \$109 |
| BH3PE45016 | 2.61 x 2.61 x 16 | x | 2 | 0.07 | \$62 |
| BH3PE45032 | 2.61 x 2.61 x 32 | x | 4 | 0.14 | \$109 |
| BH3PE60016 | 2.61 x 2.61 x 16 | x | 2 | 0.07 | \$62 |
| BH3PE60032 | 2.61 x 2.61 x 32 | x | 4 | 0.14 | \$109 |

Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.


Required Specifications
Paint finish

| END OF RUN GALLERY PANELS | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|--|--|-------------------------|---------------|----------|-----------|---------------|
|  <p>End of Run Gallery Panel, T-config</p> | B3LEP4227NC | 1 x 26.5 x 42 | 60 | 29.49 | 0.64 | \$1020 |
| | B3LEP4251NC | 1 x 51 x 42 | 60 | 55.17 | 1.24 | \$1497 |
| | B3LEP4263NC | 1 x 63 x 42 | 60 | 68.01 | 1.53 | \$1677 |
| | B3LEP4275NC | 1 x 75 x 42 | 60 | 80.86 | 1.82 | \$1866 |
| | B3LEP5027NC | 1 x 26.5 x 50 | 60 | 35.25 | 0.77 | \$1190 |
| | B3LEP5051NC | 1 x 51 x 50 | 60 | 65.92 | 1.48 | \$1738 |
| | B3LEP5063NC | 1 x 63 x 50 | 60 | 81.27 | 1.82 | \$1959 |
| | B3LEP5075NC | 1 x 75 x 50 | 60 | 96.62 | 2.17 | \$2210 |
| | <p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. | | | | | |
| | | | | | | |
|  <p>Left End of Run Gallery Panel, L-config</p> | B3LSEPL4215NC | 1 x 14.25 x 42 | 60 | 16.64 | 0.35 | \$839 |
| | B3LSEPL4227NC | 1 x 27 x 42 | 60 | 29.47 | 0.66 | \$1142 |
| | B3LSEPL4233NC | 1 x 33 x 42 | 60 | 35.89 | 0.8 | \$1231 |
| | B3LSEPL4239NC | 1 x 39 x 42 | 60 | 42.32 | 0.95 | \$1294 |
| | B3LSEPL5015NC | 1 x 14.25 x 50 | 60 | 19.9 | 0.41 | \$956 |
| | B3LSEPL5027NC | 1 x 27 x 50 | 60 | 35.23 | 0.78 | \$1298 |
| | B3LSEPL5033NC | 1 x 33 x 50 | 60 | 42.9 | 0.95 | \$1406 |
| | B3LSEPL5039NC | 1 x 39 x 50 | 60 | 50.57 | 1.13 | \$1505 |
| | <p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. | | | | | |
| | | | | | | |
|  <p>Right End of Run Gallery Panel, L-config</p> | B3LSEPR4215NC | 1 x 14.25 x 42 | 60 | 16.64 | 0.35 | \$839 |
| | B3LSEPR4227NC | 1 x 27 x 42 | 60 | 29.47 | 0.66 | \$1142 |
| | B3LSEPR4233NC | 1 x 33 x 42 | 60 | 35.89 | 0.8 | \$1231 |
| | B3LSEPR4239NC | 1 x 39 x 42 | 60 | 42.32 | 0.95 | \$1294 |
| | B3LSEPR5015NC | 1 x 14.25 x 50 | 60 | 19.9 | 0.41 | \$956 |
| | B3LSEPR5027NC | 1 x 27 x 50 | 60 | 35.23 | 0.78 | \$1298 |
| | B3LSEPR5033NC | 1 x 33 x 50 | 60 | 42.9 | 0.95 | \$1406 |
| | B3LSEPR5039NC | 1 x 39 x 50 | 60 | 50.57 | 1.13 | \$1505 |
| | <p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. | | | | | |
| | | | | | | |

Required Specifications

Laminate finish
Edge finish
Paint finish

END OF RUN GALLERY PANELS



End of Run Gallery Panel, T-config



Left End of Run Gallery Panel, L-config



Right End of Run Gallery Panel, L-config

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

| | | | | | |
|-----------|-------------|----|-------|------|---------------|
| B3LEP4251 | 1 x 51 x 42 | 60 | 55.25 | 1.24 | \$1530 |
| B3LEP4263 | 1 x 63 x 42 | 60 | 68.1 | 1.53 | \$1708 |
| B3LEP4275 | 1 x 75 x 42 | 60 | 80.95 | 1.82 | \$1899 |
| B3LEP5051 | 1 x 51 x 50 | 60 | 66.01 | 1.48 | \$1771 |
| B3LEP5063 | 1 x 63 x 50 | 60 | 81.36 | 1.82 | \$1992 |
| B3LEP5075 | 1 x 75 x 50 | 60 | 96.71 | 2.17 | \$2244 |

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:

- Right side is compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.
- Left side is compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.
- Power beam and overpanel must add up to height of gallery panels.

| | | | | | |
|-------------|-------------|----|-------|------|---------------|
| B3LSEPL4227 | 1 x 27 x 42 | 60 | 29.51 | 0.66 | \$1157 |
| B3LSEPL4233 | 1 x 33 x 42 | 60 | 35.94 | 0.8 | \$1247 |
| B3LSEPL4239 | 1 x 39 x 42 | 60 | 42.36 | 0.95 | \$1309 |
| B3LSEPL5027 | 1 x 27 x 50 | 60 | 35.27 | 0.78 | \$1313 |
| B3LSEPL5033 | 1 x 33 x 50 | 60 | 42.94 | 0.95 | \$1425 |
| B3LSEPL5039 | 1 x 39 x 50 | 60 | 50.62 | 1.13 | \$1524 |

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the *left* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.

| | | | | | |
|-------------|-------------|----|-------|------|---------------|
| B3LSEPR4227 | 1 x 27 x 42 | 60 | 29.51 | 0.66 | \$1157 |
| B3LSEPR4233 | 1 x 33 x 42 | 60 | 35.94 | 0.8 | \$1247 |
| B3LSEPR4239 | 1 x 39 x 42 | 60 | 42.36 | 0.95 | \$1309 |
| B3LSEPR5027 | 1 x 27 x 50 | 60 | 35.27 | 0.78 | \$1313 |
| B3LSEPR5033 | 1 x 33 x 50 | 60 | 42.94 | 0.95 | \$1425 |
| B3LSEPR5039 | 1 x 39 x 50 | 60 | 50.62 | 1.13 | \$1524 |


With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the *right* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.


Required Specifications

Laminate finish
Edge finish
Paint finish

| GALLERY PANEL EXTENSIONS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------------------------|--------|------------|---------------|---------|-----------|------------|
|--------------------------|--------|------------|---------------|---------|-----------|------------|



Left Gallery Panel Extension



Right Gallery Panel Extension

| | D x W x H | | | | |
|------------|-------------|----|-------|------|--------|
| B3LXPL4224 | 1 x 24 x 42 | 60 | 25.83 | 0.58 | \$595 |
| B3LXPL4230 | 1 x 30 x 42 | 60 | 32.27 | 0.58 | \$685 |
| B3LXPL4236 | 1 x 36 x 42 | 60 | 38.68 | 0.88 | \$775 |
| B3LXPL4242 | 1 x 42 x 42 | 60 | 45.11 | 1.02 | \$863 |
| B3LXPL4248 | 1 x 48 x 42 | 60 | 51.53 | 1.17 | \$953 |
| B3LXPL5024 | 1 x 24 x 50 | 60 | 30.83 | 0.69 | \$709 |
| B3LXPL5030 | 1 x 30 x 50 | 60 | 38.51 | 0.87 | \$821 |
| B3LXPL5036 | 1 x 36 x 50 | 60 | 46.18 | 1.04 | \$931 |
| B3LXPL5042 | 1 x 42 x 50 | 60 | 53.86 | 1.22 | \$1039 |
| B3LXPL5048 | 1 x 48 x 50 | 60 | 61.53 | 1.39 | \$1151 |

With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).



- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with models: **B3LEPxxx**, **B3LSEPL**, **B3LMPxxx**, **B3LSMP** and **B3LXPLxxx** only.
- Left side is compatible with **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

| | | | | | |
|------------|-------------|----|-------|------|--------|
| B3LXPR4224 | 1 x 24 x 42 | 60 | 25.83 | 0.58 | \$595 |
| B3LXPR4230 | 1 x 30 x 42 | 60 | 25.83 | 0.58 | \$685 |
| B3LXPR4236 | 1 x 36 x 42 | 60 | 38.68 | 0.88 | \$775 |
| B3LXPR4242 | 1 x 42 x 42 | 60 | 45.11 | 1.02 | \$863 |
| B3LXPR4248 | 1 x 48 x 42 | 60 | 51.53 | 1.17 | \$953 |
| B3LXPR5024 | 1 x 24 x 50 | 60 | 30.83 | 0.69 | \$709 |
| B3LXPR5030 | 1 x 30 x 50 | 60 | 38.51 | 0.87 | \$821 |
| B3LXPR5036 | 1 x 36 x 50 | 60 | 46.18 | 1.04 | \$931 |
| B3LXPR5042 | 1 x 42 x 50 | 60 | 53.86 | 1.22 | \$1039 |
| B3LXPR5048 | 1 x 48 x 50 | 60 | 61.53 | 1.39 | \$1151 |

With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with **B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx** only.
- Left side is compatible with left hand panels **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

Required Specifications
Laminate finish
Edge finish
Paint finish

| GALLERY PANEL EXTENSIONS | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|-------------------------------|--|-------------|---------------|---------|-----------|------------|
|  | Left Gallery Panel Extension | | D x W x H | | | | |
| | | B3LXPL4212NC | 1 x 12 x 42 | 60 | 12.95 | 0.29 | \$348 |
| | | B3LXPL4224NC | 1 x 24 x 42 | 60 | 25.83 | 0.58 | \$580 |
| | | B3LXPL4230NC | 1 x 30 x 42 | 60 | 32.22 | 0.73 | \$669 |
| | | B3LXPL4236NC | 1 x 36 x 42 | 60 | 38.65 | 0.88 | \$756 |
| | | B3LXPL4242NC | 1 x 42 x 42 | 60 | 45.07 | 1.02 | \$849 |
| | | B3LXPL4248NC | 1 x 48 x 42 | 60 | 51.5 | 1.17 | \$935 |
| | | B3LXPL5012NC | 1 x 12 x 50 | 60 | 15.45 | 0.35 | \$435 |
| | | B3LXPL5024NC | 1 x 24 x 50 | 60 | 30.8 | 0.69 | \$695 |
| | | B3LXPL5030NC | 1 x 30 x 50 | 60 | 38.47 | 0.87 | \$803 |
| | | B3LXPL5036NC | 1 x 36 x 50 | 60 | 46.15 | 1.04 | \$912 |
| | | B3LXPL5042NC | 1 x 42 x 50 | 60 | 53.82 | 1.22 | \$1028 |
| | | B3LXPL5048NC | 1 x 48 x 50 | 60 | 61.5 | 1.39 | \$1137 |
| | | <p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none">• Power beam and overpanel must add up to height of gallery panels.• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only. | | | | | |
| | | | | | | | |
|  | Right Gallery Panel Extension | B3LXPR4212NC | 1 x 12 x 42 | 60 | 12.95 | 0.29 | \$348 |
| | | B3LXPR4224NC | 1 x 24 x 42 | 60 | 25.83 | 0.58 | \$580 |
| | | B3LXPR4230NC | 1 x 30 x 42 | 60 | 32.22 | 0.73 | \$669 |
| | | B3LXPR4236NC | 1 x 36 x 42 | 60 | 38.65 | 0.88 | \$756 |
| | | B3LXPR4242NC | 1 x 42 x 42 | 60 | 45.07 | 1.02 | \$849 |
| | | B3LXPR4248NC | 1 x 48 x 42 | 60 | 51.5 | 1.17 | \$935 |
| | | B3LXPR5012NC | 1 x 12 x 50 | 60 | 15.45 | 0.35 | \$435 |
| | | B3LXPR5024NC | 1 x 24 x 50 | 60 | 30.8 | 0.69 | \$695 |
| | | B3LXPR5030NC | 1 x 30 x 50 | 60 | 38.47 | 0.87 | \$803 |
| | | B3LXPR5036NC | 1 x 36 x 50 | 60 | 46.15 | 1.04 | \$912 |
| | | B3LXPR5042NC | 1 x 42 x 50 | 60 | 53.82 | 1.22 | \$1028 |
| | | B3LXPR5048NC | 1 x 48 x 50 | 60 | 61.5 | 1.39 | \$1137 |
| | | <p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none">• Power beam and overpanel must add up to height of gallery panels.• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only. | | | | | |
| | | | | | | | |
| | | | | | | | |

Required Specifications


- Laminate finish
- Edge finish
- Paint finish

| END OF RUN RETURNS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|------------|-------------|---------------|---------|-----------|---------------|
|  | D x W x H | | | | | |
| | B3L2PL4213 | 1 x 13 x 42 | 60 | 14.02 | 0.32 | \$378 |
| | B3L2PL4225 | 1 x 25 x 42 | 60 | 26.87 | 0.61 | \$669 |
| | B3L2PL4231 | 1 x 31 x 42 | 60 | 33.29 | 0.75 | \$756 |
| | B3L2PL4237 | 1 x 37 x 42 | 60 | 39.72 | 0.9 | \$821 |
| | B3L2PL5013 | 1 x 13 x 50 | 60 | 16.73 | 0.38 | \$471 |
| | B3L2PL5025 | 1 x 25 x 50 | 60 | 32.08 | 0.72 | \$803 |
| | B3L2PL5031 | 1 x 31 x 50 | 60 | 39.75 | 0.9 | \$912 |
| | B3L2PL5037 | 1 x 37 x 50 | 60 | 47.43 | 1.07 | \$1011 |

Left Gallery Panel End of Run Return

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.



Right Gallery Panel End of Run Return

| | | | | | |
|------------|-------------|----|-------|------|---------------|
| B3L2PR4213 | 1 x 13 x 42 | 60 | 14.02 | 0.32 | \$378 |
| B3L2PR4225 | 1 x 25 x 42 | 60 | 26.87 | 0.61 | \$669 |
| B3L2PR4231 | 1 x 31 x 42 | 60 | 33.29 | 0.75 | \$756 |
| B3L2PR4237 | 1 x 37 x 42 | 60 | 39.72 | 0.9 | \$821 |
| B3L2PR5013 | 1 x 13 x 50 | 60 | 16.73 | 0.38 | \$471 |
| B3L2PR5025 | 1 x 25 x 50 | 60 | 32.08 | 0.72 | \$803 |
| B3L2PR5031 | 1 x 31 x 50 | 60 | 39.75 | 0.9 | \$912 |
| B3L2PR5037 | 1 x 37 x 50 | 60 | 47.43 | 1.07 | \$1011 |


Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. ToThe total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPR**xxxx, **B3LMP**xxxx and **B3LXPR**xxxx only.


Required Specifications

Laminate finish
Edge finish
Paint finish

GALLERY PANEL - 3WAY RETURNS



Left End of Run 3-Way Return*



Right End of Run 3-Way Return*

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------|-------------|---------------|---------|-----------|------------|
| D x W x H | | | | | |
| B3L3PL4225 | 1 x 25 x 42 | 60 | 26.87 | 0.61 | \$561 |
| B3L3PL4249 | 1 x 49 x 42 | 60 | 52.57 | 1.19 | \$907 |
| B3L3PL4261 | 1 x 61 x 42 | 60 | 65.41 | 1.48 | \$1203 |
| B3L3PL4273 | 1 x 73 x 42 | 60 | 78.26 | 1.77 | \$1397 |
| B3L3PL5025 | 1 x 25 x 50 | 60 | 32.08 | 0.72 | \$703 |
| B3L3PL5049 | 1 x 49 x 50 | 60 | 62.77 | 1.42 | \$1246 |
| B3L3PL5061 | 1 x 61 x 50 | 60 | 78.12 | 1.77 | \$1464 |
| B3L3PL5073 | 1 x 73 x 50 | 60 | 93.47 | 2.11 | \$1718 |

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.


- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

| | | | | | |
|------------|-------------|----|-------|------|--------|
| B3L3PR4225 | 1 x 25 x 42 | 60 | 26.87 | 0.61 | \$561 |
| B3L3PR4249 | 1 x 49 x 42 | 60 | 52.57 | 1.19 | \$907 |
| B3L3PR4261 | 1 x 61 x 42 | 60 | 65.41 | 1.48 | \$1203 |
| B3L3PR4273 | 1 x 73 x 42 | 60 | 78.26 | 1.77 | \$1397 |
| B3L3PR5025 | 1 x 25 x 50 | 60 | 32.08 | 0.72 | \$703 |
| B3L3PR5049 | 1 x 49 x 50 | 60 | 62.77 | 1.42 | \$1246 |
| B3L3PR5061 | 1 x 61 x 50 | 60 | 78.12 | 1.77 | \$1464 |
| B3L3PR5073 | 1 x 73 x 50 | 60 | 93.47 | 2.11 | \$1718 |


Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPR**xxxx, **B3LMP**xxxx and **B3LXPR**xxxx only.

GALLERY PANEL ACCESSORIES



Gallery Panel Bottom Inline Bracket



Gallery Panel Corner Bracket

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-------------|---------------|---------|-----------|------------|
| B3HLPBB01 | 8 x 1.5 x 7 | 70 | 1 | 0.5 | \$81 |


Connects two gallery panels at the bottom with screws. Available in all Bridges II paint colors. Specify finish.

| | | | | | |
|-----------|-------------|-----|---|-----|------|
| B3HLPCB01 | 4 x 1.5 x 7 | 100 | 4 | 0.5 | \$79 |
|-----------|-------------|-----|---|-----|------|

Connects two gallery panels at 90 degrees with screws. Available in all Bridges II paint colors. Specify finish.

Required Specifications
Laminate finish*
Edge finish*
Paint finish


| PRIVACY GLASS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | FRST ADD |
|---------------|--------|------------|---------------|---------|-----------|------------|----------|
|---------------|--------|------------|---------------|---------|-----------|------------|----------|



Privacy Glass for 1" Laminate Panels*

| D x W x H | | | | | | |
|-------------|-------------|----|-------|------|-------|-------|
| B3PMP24G18W | 1 x 24 x 8 | 60 | 4.84 | 0.11 | \$457 | \$91 |
| B3PMP30G18W | 1 x 30 x 8 | 60 | 6.06 | 0.14 | \$496 | \$99 |
| B3PMP36G18W | 1 x 36 x 8 | 60 | 7.28 | 0.17 | \$528 | \$105 |
| B3PMP42G18W | 1 x 42 x 8 | 60 | 8.5 | 0.19 | \$551 | \$111 |
| B3PMP48G18W | 1 x 48 x 8 | 60 | 9.72 | 0.22 | \$581 | \$116 |
| | | | | | | |
| B3PMP24G16W | 1 x 24 x 16 | 60 | 8.92 | 0.22 | \$457 | \$91 |
| B3PMP30G16W | 1 x 30 x 16 | 60 | 11.17 | 0.28 | \$496 | \$99 |
| B3PMP36G16W | 1 x 36 x 16 | 60 | 13.43 | 0.33 | \$528 | \$105 |
| B3PMP42G16W | 1 x 42 x 16 | 60 | 15.68 | 0.39 | \$551 | \$111 |
| B3PMP48G16W | 1 x 48 x 16 | 60 | 17.92 | 0.44 | \$581 | \$116 |

Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). **Add 20% upcharge for frosted glass (FRST).**




Felt Divider for 1" Laminate Panels**

| | | | | | |
|------------|-------------|------|------|------|-------|
| B3PFD0824W | 1 x 24 x 8 | 70 | 1.32 | 0.11 | \$183 |
| B3PFD0830W | 1 x 30 x 8 | 70 | 1.65 | 0.14 | \$213 |
| B3PFD0836W | 1 x 36 x 8 | 70 | 1.99 | 0.17 | \$252 |
| B3PFD0842W | 1 x 42 x 8 | 85 | 2.32 | 0.19 | \$284 |
| B3PFD0848W | 1 x 48 x 8 | 85 | 2.65 | 0.22 | \$416 |
| B3PFD0854W | 1 x 54 x 8 | 92.5 | 2.98 | 0.25 | \$455 |
| B3PFD0860W | 1 x 60 x 8 | 92.5 | 3.32 | 0.28 | \$488 |
| B3PFD0866W | 1 x 66 x 8 | 92.5 | 3.65 | 0.31 | \$515 |
| B3PFD0872W | 1 x 72 x 8 | 85 | 3.98 | 0.33 | \$581 |
| B3PFD1624W | 1 x 24 x 16 | 70 | 1.83 | 0.22 | \$208 |
| B3PFD1630W | 1 x 30 x 16 | 100 | 2.3 | 0.28 | \$240 |
| B3PFD1636W | 1 x 36 x 16 | 100 | 2.76 | 0.33 | \$268 |
| B3PFD1642W | 1 x 42 x 16 | 100 | 3.22 | 0.39 | \$307 |
| B3PFD1648W | 1 x 48 x 16 | 100 | 3.68 | 0.44 | \$457 |
| B3PFD1654W | 1 x 54 x 16 | 100 | 4.14 | 0.5 | \$498 |
| B3PFD1660W | 1 x 60 x 16 | 100 | 4.61 | 0.56 | \$533 |
| B3PFD1666W | 1 x 66 x 16 | 100 | 5.07 | 0.61 | \$561 |
| B3PFD1672W | 1 x 72 x 16 | 100 | 5.53 | 0.67 | \$638 |


Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Paint finish | Frosted glass (FRST)* |
| Felt finish** | |


ELECTRICAL - POWER BEAM




I Connector




Duplex Receptacles



USB Receptacles



Power Distribution Housing Kit



Jumper Cable

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|-------------------------|---------------|---------|-----------|------------|
| BRTECI | 4.63 x 1.5 x 1.5 | 70 | 0.06 | 0.01 | \$119 |
| Inline coupler used to connect two BRTEHHxx pass-thru cables (sold separately; see page 433). | | | | | |
| BRT8D1 | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| BRT8D2 | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| BRT8DB | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| BRT8DA | 1.25 x 4.63 x 2 | 70 | 0.1 | 0.01 | \$37 |
| Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit. <ul style="list-style-type: none"> • BRT8D1 - Circuit #1 (utility circuit) • BRT8D2 - Circuit #2 (utility circuit) • BRT8DB - Circuit B (utility circuit) • BRT8DA - Circuit A (dedicated circuit) | | | | | |
| BRTEDU1B | 1.25 x 4.63 x 2 | 300 | 3.82 | 2 | \$424 |
| BRTEDU1W | 1.25 x 4.63 x 2 | 300 | 6.98 | 2 | \$424 |
| Snaps into Power Distribution Housing. USB charging module provides convenient charging power access though dual ports on face of receptacles. <ul style="list-style-type: none"> • Two USB ports. • 2 amp ouput, considered as circuit #1. | | | | | |
| BRTE3D24 | 2.6 x 9.25 x 2 | 70 | 0.83 | 1.2 | \$262 |
| BRTE3D30 | 2.6 x 15.25 x 2 | 70 | 1.28 | 1.2 | \$301 |
| BRTE3D36 | 2.6 x 21.25 x 2 | 70 | 1.62 | 1.7 | \$317 |
| BRTE3D42 | 2.6 x 27.25 x 2 | 300 | 2 | 2 | \$334 |
| BRTE3D48 | 2.6 x 33.25 x 2 | 400 | 2.32 | 2.5 | \$348 |
| BRTE3D54 | 2.6 x 39.25 x 2 | 400 | 2.66 | 3.2 | \$359 |
| BRTE3D60 | 2.6 x 45.25 x 2 | 400 | 3.04 | 3.2 | \$374 |
| BRTE3D66 | 2.6 x 51.25 x 2 | 300 | 3.76 | 3.3 | \$580 |
| BRTE3D72 | 2.6 x 57.25 x 2 | 300 | 3.76 | 3.3 | \$580 |
| Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. BRTE3D36 is for use with a 36" beam. <ul style="list-style-type: none"> • 24" wide beam allows for only one (1) duplex receptacle per beam side. | | | | | |
| BRTEJC16 | 0.5 x 16.75 x 2 | 70 | 0.66 | 1.2 | \$205 |
| BRTEJC20 | 0.5 x 20.75 x 2 | 70 | 0.78 | 1.2 | \$215 |
| Electrically connects two Power Distribution Housings. <ul style="list-style-type: none"> • BE8JC16 electrically connects two Power Beams positioned side by side. • BE8JC20 electrically connects two Power Beams separated by a post. • Wires are concealed in a flexible metal conduit. • Cannot go through a post in a corner application. Please use the Jumper Cable Mesh for this application. | | | | | |

Required Specifications

ELECTRICAL - POWER BEAM

MODEL#

DIMENSIONS


FREIGHT CLASS

WT./LBS.

CUBIC FT.

LIST PRICE

D x W x H




Jumper Cable Mesh

| | | | | | |
|-----------|---------------|----|------|-----|--------------|
| BRTEJMJ19 | 0.05 x 19 x 2 | 70 | 0.75 | 1.2 | \$170 |
| BRTEJMS20 | 0.05 x 19 x 2 | 70 | 0.75 | 1.2 | \$221 |

Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application.


- BRTEJMJ19 - Wires are covered with a durable nylon mesh.
- BRTEJMS20 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.



Housing to Housing Pass-Thru Cable

| | | | | | |
|-----------|----------------|-----|------|------|--------------|
| BRTEHH40 | .5 x 40.5 x 2 | 70 | 1.44 | 1.25 | \$191 |
| BRTEHH46 | .5 x 46.5 x 2 | 70 | 1.71 | 1.2 | \$270 |
| BRTEHH52 | .5 x 52.5 x 2 | 300 | 1.95 | 1.17 | \$217 |
| BRTEHH58 | .5 x 58.5 x 2 | 300 | 2.21 | 1.17 | \$226 |
| BRTEHH64 | .5 x 64.5 x 2 | 300 | 2.37 | 1.2 | \$306 |
| BRTEHH70 | .5 x 70.5 x 2 | 250 | 2.6 | 1.2 | \$317 |
| BRTEHH76 | .5 x 76.5 x 2 | 250 | 2.81 | 1.17 | \$252 |
| BRTEHH82 | .5 x 82.5 x 2 | 250 | 3.03 | 1.2 | \$339 |
| BRTEHH88 | .5 x 88.5 x 2 | 250 | 3.05 | 1.2 | \$350 |
| BRTEHH94 | .5 x 94.5 x 2 | 250 | 3.3 | 1.2 | \$363 |
| BRTEHH100 | .5 x 100.5 x 2 | 250 | 3.47 | 1.2 | \$374 |
| BRTEHH106 | .5 x 106.5 x 2 | 250 | 3.87 | 1.2 | \$389 |
| BRTEHH118 | .5 x 118.5 x 2 | 250 | 4.08 | 1.2 | \$410 |
| BRTEHH130 | .5 x 130.5 x 2 | 250 | 4.73 | 1.2 | \$433 |
| BRTEHH142 | .5 x 142.5 x 2 | 150 | 4.99 | 1.2 | \$457 |


Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.



Housing to Jumper Pass-Thru Cable

| | | | | | |
|-----------|--------------|-----|------|-----|--------------|
| BRTEHJ24 | .5 x 24 x 2 | 70 | 0.9 | 1.2 | \$197 |
| BRTEHJ30 | .5 x 30 x 2 | 70 | 1.3 | 1.2 | \$211 |
| BRTEHJ36 | .5 x 36 x 2 | 70 | 1.44 | 1.2 | \$221 |
| BRTEHJ42 | .5 x 42 x 2 | 70 | 1.71 | 1.2 | \$230 |
| BRTEHJ48 | .5 x 48 x 2 | 70 | 1.95 | 1.2 | \$241 |
| BRTEHJ54 | .5 x 54 x 2 | 300 | 2.21 | 1.2 | \$249 |
| BRTEHJ60 | .5 x 60 x 2 | 300 | 2.37 | 1.2 | \$257 |
| BRTEHJ72 | .5 x 72 x 2 | 250 | 2.81 | 1.2 | \$274 |
| BRTEHJ84 | .5 x 84 x 2 | 250 | 3.05 | 1.2 | \$300 |
| BRTEHJ96 | .5 x 96 x 2 | 250 | 3.3 | 1.2 | \$320 |
| BRTEHJ108 | .5 x 108 x 2 | 250 | 3.87 | 1.2 | \$339 |
| BRTEHJ120 | .5 x 120 x 2 | 250 | 4.08 | 1.2 | \$359 |
| BRTEHJ144 | .5 x 144 x 2 | 250 | 4.59 | 1.2 | \$381 |

Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.



Base Feed & Housing for Power Beam*





| | | | | | |
|------------|--------------|----|------|-----|--------------|
| BRTBPEFH18 | 2.5 x 6 x 18 | 85 | 2.7 | 0.2 | \$699 |
| BRTBPEFH26 | 2.5 x 6 x 26 | 65 | 5.41 | 0.2 | \$745 |
| BRTBPEFH34 | 2.5 x 6 x 34 | 65 | 7.03 | 0.3 | \$780 |

Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.





- Specify **BRTBPEFH18** for 18"H power beams; **BRTBPEFH26** for 26"H power beams; **BRTBPEFH34** for 34"H power beams.
- Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration.
- Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg.

Required Specifications

Paint finish*

| ELECTRICAL - POWER BEAM | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|------------------------------------|---|-------------|---------------|---------|-----------|------------|
|  | Ceiling Feed - Single | | D x W x H | | | | |
| | | BRTECF120 | 6 x 6 x 120 | 250 | 5.25 | 2 | \$476 |
| | | BRTECF144 | 6 x 6 x 144 | 250 | 6 | 2 | \$530 |
| | | Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. | | | | | |
|  | Ceiling Feed - Double | | | | | | |
| | | BRTECF1202 | 3 x 6 x 120 | 250 | 5.24 | 2 | \$995 |
| | | BRTECF1442 | 3 x 6 x 144 | 250 | 5.96 | 2 | \$1121 |
| | | Provides dual power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. <ul style="list-style-type: none">• For use in the middle of a run to distribute power in two directions OR at the beginning of a run where second Ceiling Feed harness is connected to BRTEHJxx and distributes power underneath Power Distribution Housing to pick up a second circuit grouping in a long panel run. | | | | | |
|  | Ceiling Feed - New York Electrical | | | | | | |
| | | BRTECFK120 | 6 x 6 x 120 | 250 | 5.25 | 2 | \$712 |
| | | BRTECFK144 | 6 x 6 x 144 | 250 | 6 | 2 | \$790 |
| | | Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. | | | | | |
|  | Hardwire Junction Box - Chicago | | | | | | |
| | | BRTECHJB | x | 70 | 5.25 | 0.01 | \$342 |
| | | Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. | | | | | |

Required Specifications





| STORAGE | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-------------|-------------------------|---------------|---------|-----------|---------------|--------------|
|  <p>File Pedestal</p> | BRT21BF18L | 18 x 15.5 x 21 | 70 | 58 | 3.39 | \$911 | \$68 |
| | BRT21BF24L | 24 x 15.5 x 21 | 85 | 64 | 4.52 | \$1059 | \$68 |
| | BRT21BF30L | 30 x 15.5 x 21 | 85 | 72 | 5.65 | \$1162 | \$88 |
| | BRT21BF18C | 18 x 15.5 x 21 | 70 | 58 | 3.39 | \$911 | \$68 |
| | BRT21BF24C | 24 x 15.5 x 21 | 85 | 64 | 4.52 | \$1139 | \$68 |
| | BRT21BF30C | 30 x 15.5 x 21 | 85 | 72 | 5.65 | \$1242 | \$88 |
| <p>Can join with other 21"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add \$91 list upcharge 18" deep storage components will not accept legal size paper | | | | | | | |
|  <p>Box/File Pedestal</p> | BRT25BF18L | 18 x 15.5 x 25 | 70 | 69 | 3.89 | \$1036 | \$68 |
| | BRT25BF24L | 24 x 15.5 x 25 | 85 | 74 | 5.02 | \$1203 | \$68 |
| | BRT25BF30L | 30 x 15.5 x 25 | 85 | 82 | 6.15 | \$1305 | \$88 |
| | BRT25BF18C | 18 x 15.5 x 25 | 70 | 69 | 3.89 | \$1119 | \$68 |
| | BRT25BF24C | 24 x 15.5 x 25 | 85 | 74 | 5.02 | \$1283 | \$68 |
| | BRT25BF30C | 30 x 15.5 x 25 | 85 | 82 | 6.15 | \$1387 | \$88 |
| <p>Can join with other 25"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add \$91 list upcharge 18" deep storage components will not accept legal size paper | | | | | | | |
|  <p>Sliding Door Storage</p> | BRT21LS30L | 18 x 30 x 21 | 100 | 53 | 6.56 | \$994 | \$88 |
| | BRT21LS36L | 18 x 36 x 21 | 125 | 60 | 7.87 | \$1100 | \$88 |
| | BRT21LS42L | 18 x 42 x 21 | 125 | 67 | 9.18 | \$1203 | \$88 |
| <p>Can join with other 21"h storage units of corresponding depth to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add \$91 list upcharge 18" deep storage components will not accept legal size paper | | | | | | | |
|  <p>Shared Sliding Door Storage</p> | BRT21LSS30L | 24 x 30 x 21 | 125 | 69 | 8.75 | \$1387 | \$88 |
| | BRT21LSS36L | 24 x 36 x 21 | 125 | 78 | 10.50 | \$1511 | \$110 |
| | BRT21LSS42L | 24 x 42 x 21 | 125 | 87 | 12.25 | \$1634 | \$128 |
| <p>Offers two 11" deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | | |

Required Specifications

Metal finish
 Top finish Edge finish
 Chassis finish
 Drawer/door front finish

Optional Specifications

Anodized Aluminum Leg
 HP laminate (tops only)
 Cable Basket

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--------------|--------------|---------------|---------|-----------|------------|--------|
|  Shared File/Open Storage* | | D x W x H | | | | | |
| | BRT21LSO42L | 24 x 42 x 21 | 100 | 124 | 14 | \$1861 | \$150 |
|  Shared Storage Unit* | | | | | | | |
| | BRT25LBF042L | 24 x 42 x 25 | 100 | 154 | 16.66 | \$2337 | \$128 |
| MODULAR STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|  21"H Lateral File Drawer, No Top | BRT21F3018U | 18 x 30 x 13 | 92.5 | 47 | 4.06 | \$1075 | n/a |
| | BRT21F3618U | 18 x 36 x 13 | 92.5 | 51 | 4.88 | \$1188 | n/a |
|  21"H Open Storage, No Top | BRT21F4218U | 18 x 42 x 13 | 100 | 56 | 5.69 | \$1379 | n/a |
| | BRT21F3024U | 24 x 30 x 13 | 100 | 51 | 5.42 | \$1101 | n/a |
| | BRT21F3624U | 24 x 36 x 13 | 100 | 55 | 6.5 | \$1226 | n/a |
| | BRT21F4224U | 24 x 42 x 13 | 125 | 60 | 7.58 | \$1441 | n/a |
| | BRT21LO3018U | 18 x 30 x 13 | 125 | 25 | 4.06 | \$339 | n/a |
| | BRT21LO3618U | 18 x 36 x 13 | 150 | 29 | 4.88 | \$504 | n/a |
| | BRT21LO4218U | 18 x 42 x 13 | 150 | 32 | 5.69 | \$548 | n/a |
| | BRT21LO3024U | 24 x 30 x 13 | 150 | 29 | 5.42 | \$352 | n/a |
| | BRT21LO3624U | 24 x 36 x 13 | 150 | 33 | 6.5 | \$524 | n/a |
| | BRT21LO4224U | 24 x 42 x 13 | 150 | 36 | 7.58 | \$569 | n/a |

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 21”h, 24”d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5” x 18”cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36”. Optional cable basket suspends off storage unit’s bottom and manages cables along the horizontal plane. 1” top; metal handles; powder coated aluminum or anodized aluminum legs.

- Anodized Aluminum Leg - Add **\$91** list upcharge

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 25”h, 24”d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5” x 18”cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36”. Optional cable basket suspends off storage unit’s bottom and manages cables along the horizontal plane. 1” top; metal handles; powder coated aluminum or anodized aluminum legs. Black pencil tray included.





- Anodized Aluminum Leg - Add **\$91** list upcharge
- 25” high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.

Fits below Bridges II tables. Can join with other 21”h storage units of corresponding depth to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One file drawer. **Top and legs to be ordered separately.** Metal handles.

- 18” deep storage components will not accept legal size paper

Open storage unit with no top. Positioned beside a Bridges II table assembly or between two adjacent workstations. Can join with other 21”h storage units to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening. **Top and legs to be ordered separately.**

| Required Specifications | | Optional Specifications |
|--------------------------|--------------|--------------------------|
| Metal finish* | | Anodized Aluminum Leg* |
| Top finish* | Edge finish* | HP laminate* (tops only) |
| Chassis finish | | Cable Basket |
| Drawer/door front finish | | Cushion (BRT21LSO42L) |


| MODULAR STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|--------------|---------------|----------|-----------|---------------|--------|
|  | D x W x H | | | | | | |
| | BRT25L03018U | 18 x 30 x 17 | 125 | 40 | 5.31 | \$501 | n/a |
| | BRT25L03618U | 18 x 36 x 17 | 125 | 46 | 6.38 | \$687 | n/a |
| | BRT25L04218U | 18 x 42 x 17 | 125 | 52 | 7.44 | \$710 | n/a |
| | BRT25L03024U | 24 x 30 x 17 | 125 | 44 | 7.08 | \$534 | n/a |
| | BRT25L03624U | 24 x 36 x 17 | 150 | 50 | 8.5 | \$714 | n/a |
| | BRT25L04224U | 24 x 42 x 17 | 150 | 56 | 9.92 | \$745 | n/a |
| | Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. Top and legs to be ordered separately. | | | | | | |
| | <ul style="list-style-type: none"> • 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough. | | | | | | |
| | | | | | | | |
|  | BRT25LBF3018U | 18 x 30 x 17 | 92.5 | 58 | 5.31 | \$1289 | n/a |
| | BRT25LBF3618U | 18 x 36 x 17 | 85 | 78 | 6.38 | \$1497 | n/a |
| | BRT25LBF4218U | 18 x 42 x 17 | 100 | 68 | 7.44 | \$1594 | n/a |
| | BRT25LBF3024U | 24 x 30 x 17 | 100 | 62 | 7.08 | \$1340 | n/a |
| | BRT25LBF3624U | 24 x 36 x 17 | 100 | 82 | 8.5 | \$1556 | n/a |
| | BRT25LBF4224U | 24 x 42 x 17 | 125 | 72 | 9.92 | \$1659 | n/a |
| | Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. Top and legs to be ordered separately. Metal handles. Black pencil tray included. | | | | | | |
| | <ul style="list-style-type: none"> • 18" deep storage components will not accept legal size paper • 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough. | | | | | | |
| | | | | | | | |
| | | | | | | | |
|  | BRT25L2D3018U | 18 x 30 x 17 | 125 | 39 | 5.31 | \$955 | n/a |
| | BRT25L2D3618U | 18 x 36 x 17 | 125 | 45 | 6.38 | \$1025 | n/a |
| | BRT25L2D4218U | 18 x 42 x 17 | 125 | 54 | 7.44 | \$1067 | n/a |
| | BRT25L2D3024U | 24 x 30 x 17 | 125 | 43 | 7.08 | \$1110 | n/a |
| | BRT25L2D3624U | 24 x 36 x 17 | 150 | 49 | 8.5 | \$1210 | n/a |
| | BRT25L2D4224U | 24 x 42 x 17 | 150 | 58 | 9.92 | \$1260 | n/a |
| | Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 16.5". Metal handles. | | | | | | |
| | <ul style="list-style-type: none"> • 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough. | | | | | | |
| | | | | | | | |
| | | | | | | | |
|  | BRT29L2D3018U | 18 x 30 x 21 | 125 | 49 | 6.56 | \$1089 | n/a |
| | BRT29L2D3618U | 18 x 36 x 21 | 125 | 55 | 7.88 | \$1137 | n/a |
| | BRT29L2D4218U | 18 x 42 x 21 | 125 | 64 | 9.19 | \$1187 | n/a |
| | BRT29L2D3024U | 24 x 30 x 21 | 125 | 53 | 8.75 | \$1277 | n/a |
| | BRT29L2D3624U | 24 x 36 x 21 | 150 | 59 | 10.5 | \$1335 | n/a |
| | BRT29L2D4224U | 24 x 42 x 21 | 150 | 68 | 12.25 | \$1365 | n/a |
| | Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29" h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. Top and legs to be ordered separately. Storage compartment internal height is 20.5". Metal handles. | | | | | | |
| | <ul style="list-style-type: none"> • 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough. | | | | | | |
| | | | | | | | |
| | | | | | | | |

Required Specifications

Chassis finish
Drawer/door front finish*

Optional Specifications


Cable Basket

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|----------------|--------------|---------------|---------|-----------|------------|--------|
|  | | D x W x H | | | | | |
| | BRT29LOBF3018U | 18 x 30 x 21 | 92.5 | 70 | 6.56 | \$1517 | n/a |
| | BRT29LOBF3618U | 18 x 36 x 21 | 100 | 78 | 7.88 | \$1711 | n/a |
| | BRT29LOBF4218U | 18 x 42 x 21 | 100 | 86 | 9.19 | \$1880 | n/a |
| | BRT29LOBF3024U | 24 x 30 x 21 | 100 | 74 | 8.75 | \$1579 | n/a |
| | BRT29LOBF3624U | 24 x 36 x 21 | 125 | 82 | 10.52 | \$1780 | n/a |
| | BRT29LOBF4224U | 24 x 42 x 21 | 125 | 90 | 12.25 | \$1955 | n/a |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

29”H Box/File/Open Storage, No Top

Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29”h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. **Top and legs to be ordered separately.** Storage compartment internal height: 3.9”. Metal handles. Black pencil tray included.


- 18” deep storage components will not accept legal size paper



Worksurface for Modular Storage*

| | | | | | | |
|-----------|-------------|----|----|------|-------|-------|
| BRTWU1830 | 18 x 30 x 1 | 60 | 15 | 0.5 | \$191 | \$68 |
| BRTWU1836 | 18 x 36 x 1 | 60 | 18 | 0.59 | \$218 | \$74 |
| BRTWU1842 | 18 x 42 x 1 | 60 | 21 | 0.68 | \$286 | \$97 |
| BRTWU1860 | 18 x 60 x 1 | 65 | 29 | 0.97 | \$451 | \$133 |
| BRTWU1866 | 18 x 66 x 1 | 65 | 32 | 1.1 | \$473 | \$150 |
| BRTWU1872 | 18 x 72 x 1 | 65 | 35 | 1.2 | \$493 | \$162 |
| BRTWU1878 | 18 x 78 x 1 | 65 | 38 | 1.3 | \$521 | \$171 |
| BRTWU1884 | 18 x 84 x 1 | 65 | 41 | 1.4 | \$571 | \$179 |
| BRTWU1890 | 18 x 90 x 1 | 65 | 44 | 1.5 | \$594 | \$185 |
| BRTWU1896 | 18 x 96 x 1 | 65 | 47 | 1.6 | \$618 | \$193 |
| BRTWU2430 | 24 x 30 x 1 | 60 | 20 | 0.65 | \$200 | \$61 |
| BRTWU2436 | 24 x 36 x 1 | 60 | 24 | 0.78 | \$222 | \$76 |
| BRTWU2442 | 24 x 42 x 1 | 60 | 28 | 0.9 | \$292 | \$96 |
| BRTWU2460 | 24 x 60 x 1 | 60 | 39 | 1.3 | \$461 | \$152 |
| BRTWU2466 | 24 x 66 x 1 | 60 | 43 | 1.41 | \$480 | \$157 |
| BRTWU2472 | 24 x 72 x 1 | 60 | 47 | 1.54 | \$501 | \$41 |
| BRTWU2478 | 24 x 78 x 1 | 60 | 51 | 1.7 | \$537 | \$172 |
| BRTWU2484 | 24 x 84 x 1 | 60 | 55 | 1.8 | \$582 | \$182 |
| BRTWU2490 | 24 x 90 x 1 | 60 | 59 | 1.9 | \$605 | \$187 |
| BRTWU2496 | 24 x 96 x 1 | 60 | 63 | 2 | \$629 | \$196 |

Flat 3mm profile on all sides. Worksurface provided with pilot holes for alignment purposes. Worksurfaces can be used for each modular unit or can span two to three units.




Modular Storage Leg**

| | | | | | | |
|-----------|--------------|-----|---|------|------|-----|
| BRT18LEGL | 18 x 2.5 x 8 | 150 | 8 | 1.34 | \$73 | n/a |
| BRT24LEGL | 24 x 2.5 x 8 | 150 | 8 | 1.34 | \$80 | n/a |

Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs.

- Anodized Aluminum leg - Add \$39 list upcharge

| Required Specifications | Optional Specifications |
|-------------------------|-----------------------------|
| Top finish* | HP laminate* (tops only) |
| Edge finish | Anodized Aluminum Leg** |
| Chassis finish | Cable Basket (storage unit) |
| Metal finish** | |



Shared Elevated Table Shelf




Table Supported Shared Overhead

| | D x W x H | | | | | |
|------------|--------------|-----|----|------|-------|-------|
| BRTBTS0836 | 12 x 36 x 8 | 100 | 16 | 2 | \$418 | \$88 |
| BRTBTS0842 | 12 x 42 x 8 | 100 | 19 | 2.33 | \$460 | \$88 |
| BRTBTS0848 | 12 x 48 x 8 | 125 | 21 | 2.66 | \$500 | \$128 |
| BRTBTS0854 | 12 x 54 x 8 | 125 | 23 | 3 | \$521 | \$150 |
| BRTBTS0860 | 12 x 60 x 8 | 125 | 26 | 3.33 | \$583 | \$171 |
| BRTBTS0866 | 12 x 66 x 8 | 125 | 28 | 3.66 | \$625 | \$191 |
| BRTBTS0872 | 12 x 72 x 8 | 125 | 30 | 4 | \$666 | \$191 |
| BRTBTS0878 | 12 x 78 x 8 | 125 | 32 | 4.33 | \$708 | \$211 |
| BRTBTS0884 | 12 x 84 x 8 | 125 | 35 | 4.66 | \$749 | \$231 |
| | | | | | | |
| BRTBTS1336 | 12 x 36 x 13 | 125 | 22 | 3.25 | \$500 | \$110 |
| BRTBTS1342 | 12 x 42 x 13 | 125 | 25 | 3.79 | \$565 | \$110 |
| BRTBTS1348 | 12 x 48 x 13 | 125 | 28 | 4.33 | \$605 | \$150 |
| BRTBTS1354 | 12 x 54 x 13 | 125 | 30 | 4.87 | \$666 | \$150 |
| BRTBTS1360 | 12 x 60 x 13 | 150 | 33 | 5.86 | \$708 | \$150 |
| BRTBTS1366 | 12 x 66 x 13 | 150 | 36 | 6.45 | \$725 | \$254 |
| BRTBTS1372 | 12 x 72 x 13 | 125 | 39 | 6.50 | \$830 | \$211 |
| BRTBTS1378 | 12 x 78 x 13 | 150 | 42 | 7.04 | \$893 | \$211 |
| BRTBTS1384 | 12 x 84 x 13 | 150 | 44 | 7.58 | \$955 | \$231 |
| | | | | | | |
| BRTBTS1636 | 12 x 36 x 16 | 125 | 25 | 4 | \$521 | \$88 |
| BRTBTS1642 | 12 x 42 x 16 | 125 | 28 | 4.66 | \$583 | \$128 |
| BRTBTS1648 | 12 x 48 x 16 | 150 | 31 | 5.33 | \$644 | \$128 |
| BRTBTS1654 | 12 x 54 x 16 | 150 | 34 | 6 | \$684 | \$171 |
| BRTBTS1660 | 12 x 60 x 16 | 150 | 38 | 6.66 | \$749 | \$171 |
| BRTBTS1666 | 12 x 66 x 16 | 150 | 41 | 7.33 | \$811 | \$171 |
| BRTBTS1672 | 12 x 72 x 16 | 150 | 44 | 8 | \$873 | \$191 |
| BRTBTS1678 | 12 x 78 x 16 | 150 | 47 | 8.66 | \$911 | \$211 |
| BRTBTS1684 | 12 x 84 x 16 | 150 | 50 | 9.33 | \$977 | \$231 |

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8" h provides additional storage space without obstructing view; reaches 16" module height when combined w/8" Binder shelf. Internal height: 6.6". 16" h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (**BRTESBBIN**) rests on top surface for enhanced privacy. 1" top.

- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

| | | | | | | |
|-----------|--------------|-----|----|---|--------------|--------------|
| BRTBAS048 | 12 x 48 x 21 | 125 | 54 | 7 | \$830 | \$128 |
|-----------|--------------|-----|----|---|--------------|--------------|

One compartment per side. White magnetic back wall. Lines up with 50" h floor standing storage. Fits over the gap between two parallel back-to-back Bridges tables. Fits over worksurface power/data trough. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (**BRTESBBIN**) rests on top surface for enhanced privacy. 1" top.




- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

Required Specifications

Top finish
Edge finish
Chassis/accent finish

Optional Specifications

HP laminate (tops only)
Elevated Shelf Binder Bin

| MODULAR STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|--------------|---------------|----------|-----------|---------------|--------------|
|  <p>Shared Elevated Overhead*</p> | D x W x H | | | | | | |
| | BRTBASL36 | 16 x 36 x 21 | 250 | 23.50 | 6.56 | \$2397 | \$161 |
| | BRTBASL42 | 16 x 42 x 21 | 250 | 27.50 | 7.65 | \$2564 | \$196 |
| | BRTBASL48 | 16 x 48 x 21 | 250 | 31.40 | 8.75 | \$2698 | \$232 |
| | BRTBASL54 | 16 x 54 x 21 | 250 | 35.30 | 9.84 | \$2903 | \$243 |
| | BRTBASL60 | 16 x 60 x 21 | 250 | 35.30 | 9.84 | \$3060 | \$251 |
| | BRTBASL66 | 16 x 66 x 21 | 250 | 43.20 | 12.03 | \$3453 | \$293 |
| | BRTBASL72 | 16 x 72 x 21 | 250 | 47.10 | 13.12 | \$3635 | \$327 |
| | BRTBASL78 | 16 x 78 x 21 | 250 | 51 | 14.21 | \$3826 | \$352 |
| | BRTBASL84 | 16 x 84 x 21 | 250 | 55 | 15.31 | \$3876 | \$485 |
| <p>Two compartments facing in opposite direction with locking, sliding laminate doors. Storage compartment internal height: 12.25". Shared elevated overhead fits over the gap between two parallel Bridges back-to-back tables. Integrated anodized aluminum accessory rail below the storage compartments. Fits over Above Worksurface Power/Data Troughs. Elevated Shelf Binder Bins DO NOT work with this overhead. 1" top.</p> <ul style="list-style-type: none"> • Note: In order to prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width as the supporting worksurface. • To prevent interference with Ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface. • Please refer to the Compatibility Guide on page 452 to determine available accessories | | | | | | | |
|  <p>45" High Shared Storage Divider**</p> | BRTSDS48 | 12 x 48 x 16 | 92.5 | 54 | 5.33 | \$666 | \$128 |
| | <p>Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.</p> | | | | | | |
|  <p>Open Single Sided Storage</p> | BRT21HO3616 | 16 x 36 x 21 | 100 | 81 | 9 | \$1194 | \$161 |
| | BRT21HO4216 | 16 x 42 x 21 | 100 | 81 | 9 | \$1282 | \$185 |
| | BRT21HO4816 | 16 x 48 x 21 | 250 | 31.40 | 8.75 | \$1367 | \$210 |
| | BRT21HO5416 | 16 x 54 x 21 | 250 | 35.30 | 9.84 | \$1452 | \$237 |
| | BRT21HO6016 | 16 x 60 x 21 | 250 | 35.30 | 9.84 | \$1547 | \$264 |
| | BRT21HO6616 | 16 x 66 x 21 | 250 | 43.20 | 12.03 | \$1646 | \$288 |
| | BRT21HO7216 | 16 x 72 x 21 | 250 | 47.10 | 13.12 | \$1707 | \$326 |
| | BRT21HO7816 | 16 x 78 x 21 | 250 | 51 | 14.21 | \$1835 | \$339 |
| | BRT21HO8416 | 16 x 84 x 21 | 250 | 55 | 15.31 | \$1909 | \$366 |
| <p>Table supported single sided open storage. Storage compartment internal height: 14". 1" top.</p> <ul style="list-style-type: none"> • Cannot be used in conjunction with above worksurface power trough. • To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface. • To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface. • Please refer to the Compatibility Guide on page 452 to determine available accessories | | | | | | | |

Required Specifications

Top finish
 Edge finish
 Chassis finish*
 Drawer/door front finish*

Optional Specifications


HP laminate (tops only)
 Elevated Shelf Binder Bin**

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|-------------|--------------|---------------|---------|-----------|------------|--------|
|  | | D x W x H | | | | | |
| | BRT21GS3616 | 16 x 36 x 21 | 100 | 87 | 9 | \$1878 | \$159 |
| | BRT21GS4216 | 16 x 42 x 21 | 100 | 103 | 10.50 | \$1974 | \$184 |
| | BRT21GS4816 | 16 x 48 x 21 | 100 | 108 | 12 | \$2058 | \$210 |
| | BRT21GS5416 | 16 x 54 x 21 | 100 | 133 | 13.50 | \$2454 | \$237 |
| | BRT21GS6016 | 16 x 60 x 21 | 100 | 144 | 15 | \$2550 | \$264 |
| | BRT21GS6616 | 16 x 66 x 21 | 100 | 155 | 16.50 | \$2670 | \$288 |
| | BRT21GS7216 | 16 x 72 x 21 | 100 | 164 | 18 | \$2761 | \$314 |
| | BRT21GS7816 | 16 x 78 x 21 | 100 | 174 | 19.50 | \$2908 | \$338 |
| | BRT21GS8416 | 16 x 84 x 21 | 100 | 181 | 21 | \$2993 | \$367 |

Open Single Sided Storage,
1 Glass Door

Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.


- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

| | | | | | | | |
|--|-------------|--------------|------|-----|-------|--------|-------|
|  | BRT21LS3616 | 16 x 36 x 21 | 92.5 | 94 | 9 | \$1824 | \$226 |
| | BRT21LS4216 | 16 x 42 x 21 | 92.5 | 111 | 10.50 | \$1912 | \$260 |
| | BRT21LS4816 | 16 x 48 x 21 | 100 | 117 | 12 | \$1996 | \$298 |
| | BRT21LS5416 | 16 x 54 x 21 | 92.5 | 143 | 13.50 | \$2080 | \$336 |
| | BRT21LS6016 | 16 x 60 x 21 | 92.5 | 155 | 15 | \$2408 | \$368 |
| | BRT21LS6616 | 16 x 66 x 21 | 92.5 | 167 | 16.50 | \$2508 | \$405 |
| | BRT21LS7216 | 16 x 72 x 21 | 100 | 177 | 18 | \$2578 | \$444 |
| | BRT21LS7816 | 16 x 78 x 21 | 100 | 188 | 19.50 | \$2695 | \$480 |
| | BRT21LS8416 | 16 x 84 x 21 | 100 | 198 | 21 | \$2768 | \$515 |
| | | | | | | | |

Open Single Sided Storage,
1 Laminate Door**

Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 452 to determine available accessories


| | | | | | | | |
|--|--------------|--------------|-----|-----|-------|--------|-------|
|  | BRT21HDO3616 | 16 x 36 x 21 | 100 | 81 | 9 | \$1238 | \$159 |
| | BRT21HDO4216 | 16 x 42 x 21 | 100 | 96 | 10.50 | \$1308 | \$185 |
| | BRT21HDO4816 | 16 x 48 x 21 | 100 | 100 | 12 | \$1370 | \$215 |
| | BRT21HDO5416 | 16 x 54 x 21 | 100 | 124 | 13.50 | \$1474 | \$238 |
| | BRT21HDO6016 | 16 x 60 x 21 | 100 | 134 | 15 | \$1552 | \$261 |
| | BRT21HDO6616 | 16 x 66 x 21 | 100 | 144 | 16.50 | \$1668 | \$287 |
| | BRT21HDO7216 | 16 x 72 x 21 | 100 | 152 | 18 | \$1722 | \$314 |
| | BRT21HDO7816 | 16 x 78 x 21 | 100 | 161 | 19.50 | \$1858 | \$339 |
| | BRT21HDO8416 | 16 x 84 x 21 | 100 | 168 | 21 | \$1910 | \$367 |

Open Double Sided Storage*

Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 452 to determine available accessories


| Required Specifications | Optional Specifications |
|----------------------------|---------------------------|
| Top finish | HP laminate (tops only) |
| Edge finish | Elevated Shelf Binder Bin |
| Chassis finish* | |
| Drawer/door front finish** | |

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--------------|------------------|---------------|----------|-----------|---------------|--------------|
|  | | D x W x H | | | | | |
| | BRT21GDS3616 | 16 x 36 x 21 | 92.5 | 94 | 9 | \$2437 | \$155 |
| | BRT21GDS4216 | 16 x 42 x 21 | 92.5 | 111 | 10.50 | \$2552 | \$185 |
| | BRT21GDS4816 | 16 x 48 x 21 | 100 | 117 | 12 | \$2608 | \$211 |
| | BRT21GDS5416 | 16 x 54 x 21 | 92.5 | 143 | 13.50 | \$3373 | \$237 |
| | BRT21GDS6016 | 16 x 60 x 21 | 92.5 | 155 | 15 | \$3433 | \$264 |
| | BRT21GDS6616 | 16 x 66 x 21 | 92.5 | 167 | 16.50 | \$3661 | \$287 |
| | BRT21GDS7216 | 16 x 72 x 21 | 100 | 177 | 18 | \$3742 | \$314 |
| | BRT21GDS7816 | 16 x 78 x 21 | 100 | 188 | 19.50 | \$3897 | \$338 |
| | BRT21GDS8416 | 16 x 84 x 21 | 100 | 196 | 21 | \$4148 | \$366 |

Double Sided Storage, Glass Door

Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.


- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

**Double Sided Storage, Laminate Door***

| | | | | | | |
|--------------|--------------|------|-----|-------|---------------|--------------|
| BRT21LDS3616 | 16 x 36 x 21 | 92.5 | 106 | 9 | \$2396 | \$159 |
| BRT21LDS4216 | 16 x 42 x 21 | 85 | 126 | 10.50 | \$2547 | \$185 |
| BRT21LDS4816 | 16 x 48 x 21 | 92.5 | 134 | 12 | \$2600 | \$210 |
| BRT21LDS5416 | 16 x 54 x 21 | 85 | 162 | 13.50 | \$3246 | \$237 |
| BRT21LDS6016 | 16 x 60 x 21 | 92.5 | 176 | 15 | \$3302 | \$264 |
| BRT21LDS6616 | 16 x 66 x 21 | 92.5 | 190 | 16.50 | \$3525 | \$288 |
| BRT21LDS7216 | 16 x 72 x 21 | 92.5 | 203 | 18 | \$3578 | \$314 |
| BRT21LDS7816 | 16 x 78 x 21 | 92.5 | 216 | 19.50 | \$3711 | \$338 |
| BRT21LDS8416 | 16 x 84 x 21 | 92.5 | 227 | 21 | \$3935 | \$366 |

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 452 to determine available accessories

**50"H Storage Tower w/Coat Storage***

| | | | | | | |
|------------|--------------|-----|-----|-------|---------------|--------------|
| BRTTW5024L | 24 x 24 x 50 | 100 | 142 | 16.66 | \$2254 | \$150 |
| BRTTW5024R | 24 x 24 x 50 | 100 | 142 | 16.66 | \$2254 | \$150 |
| BRTTW5030L | 30 x 24 x 50 | 125 | 163 | 20.83 | \$2501 | \$150 |
| BRTTW5030R | 30 x 24 x 50 | 125 | 163 | 20.83 | \$2501 | \$150 |

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

- Anodized Aluminum Leg - Add **\$91** list upcharge





Required Specifications

Top finish
Chassis finish
Drawer/door front finish
Metal finish (legs)





Edge finish

Optional Specifications





Anodized aluminum leg*
HP laminate
E-Lock*

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|---|----------------|---------------|---------|-----------|------------|--------|
|  | D x W x H | | | | | | |
| | BRTTW6624L | 24 x 24 x 66 | 125 | 170 | 22 | \$2988 | \$193 |
| | BRTTW6624R | 24 x 24 x 66 | 125 | 170 | 22 | \$2988 | \$193 |
| | BRTTW6630L | 30 x 24 x 66 | 125 | 195 | 27.50 | \$3315 | \$195 |
| | BRTTW6630R | 30 x 24 x 66 | 125 | 195 | 27.50 | \$3315 | \$234 |
| 66" H Storage Tower with Coat Storage | <p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | |
|  | BRTT5024L | 24 x 15.5 x 50 | 100 | 88 | 10.76 | \$1675 | \$110 |
| | BRTT5024R | 24 x 15.5 x 50 | 100 | 88 | 10.76 | \$1675 | \$110 |
| | BRTT5030L | 30 x 15.5 x 50 | 125 | 101 | 13.45 | \$1843 | \$128 |
| | BRTT5030R | 30 x 15.5 x 50 | 125 | 101 | 13.45 | \$1843 | \$128 |
| | <p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | |
|  | BRTT6624L | 24 x 15.5 x 66 | 100 | 106 | 12.91 | \$2221 | \$140 |
| | BRTT6624R | 24 x 15.5 x 66 | 100 | 106 | 12.91 | \$2221 | \$140 |
| | BRTT6630L | 30 x 15.5 x 66 | 125 | 121 | 16.14 | \$2441 | \$170 |
| | BRTT6630R | 30 x 15.5 x 66 | 125 | 121 | 16.14 | \$2441 | \$170 |
| | <p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | |
|  | BRTCS45BBFFL | 18 x 36 x 45 | 92.5 | 256 | 24 | \$3045 | \$159 |
| | BRTCS45BBFFR | 18 x 36 x 45 | 92.5 | 256 | 24 | \$3045 | \$159 |
| | <p>Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | |
| | | | | | | | |
| | | | | | | | |






| Required Specifications | Optional Specifications |
|--------------------------|-------------------------|
| Top finish | Anodized aluminum leg |
| Chassis finish | HP laminate |
| Drawer/door front finish | E-Lock* |
| Metal finish (legs) | |

| STORAGE | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|--|---|------------|---------------|---------|-----------|------------|--------|
|  | | | D x W x H | | | | | |
| | BRTCS45FFFOL | 18 x 36 x 45 | 92.5 | 256 | 24 | \$3120 | \$159 | |
| | BRTCS45FFFOR | 18 x 36 x 45 | 92.5 | 256 | 24 | \$3120 | \$159 | |
| | Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 3 locking file drawers with 2 locks. Open compartment (10.3" interior dimension). Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | | |
|  | | | | | | | | |
| | BRTCS45BBFOOL | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2979 | \$159 | |
| | BRTCS45BBFOOR | 18 x 36 x 45 | 92.5 | 256 | 24 | \$2979 | \$159 | |
| | Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. Locking file drawer. 2 pencil drawers (not locking). Open compartment (10.3" interior dimension) with adjustable glass shelf. 4 fixed open compartments; two above worksurfaces (6.7" interior dimension), two below (lower 12.2" interior dimension; upper 3.3" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. <ul style="list-style-type: none">Anodized Aluminum Leg - Add \$91 list upcharge | | | | | | | |
|  | | | | | | | | |
| | BRTDS2B2F | 16 x 18 x 36 | 125 | 85 | 14 | \$1866 | n/a | |
| Pier Storage, Box/File | | Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Two lockable file drawers, two box drawers. Black pencil tray included. | | | | | | |
|  | | | | | | | | |
| | BRTDSOP | 16 x 18 x 36 | 150 | 75 | 14 | \$1241 | n/a | |
| Pier Storage, Open w/Glass Shelves | | Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15" | | | | | | |

| Required Specifications | Optional Specifications |
|--------------------------|-------------------------|
| Top finish* | Anodized aluminum leg |
| Edge finish* | HP laminate (tops only) |
| Chassis finish | |
| Drawer/door front finish | |

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|---|--------------|---------------|---------|-----------|------------|--------|
|  | D x W x H | | | | | | |
| | BRTDS2D | 16 x 18 x 36 | 150 | 79 | 14 | \$1667 | n/a |
|  | Supports side-by-side divider with hinged, lockable door on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15" | | | | | | |
| | BRT21PHDO4216 | 16 x 42 x 21 | 100 | 96 | 10.50 | \$1080 | \$185 |
|  | BRT21PHDO4816 | 16 x 48 x 21 | 100 | 100 | 12 | \$1148 | \$215 |
| | BRT21PHDO5416 | 16 x 54 x 21 | 100 | 124 | 13.50 | \$1258 | \$237 |
|  | BRT21PHDO6016 | 16 x 60 x 21 | 100 | 134 | 15 | \$1330 | \$264 |
| | BRT21PHDO6616 | 16 x 66 x 21 | 100 | 144 | 16.50 | \$1441 | \$286 |
| | BRT21PHDO7216 | 16 x 72 x 21 | 100 | 152 | 18 | \$1518 | \$314 |
| | Pier and table supported side-by-side double-sided open storage. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top. | | | | | | |
| | BRT21PLDS4216 | 16 x 42 x 21 | 92.5 | 126 | 11 | \$2500 | \$185 |
| | BRT21PLDS4816 | 16 x 48 x 21 | 92.5 | 134 | 12 | \$2553 | \$211 |
| | BRT21PLDS5416 | 16 x 54 x 21 | 92.5 | 162 | 14 | \$3203 | \$237 |
| | BRT21PLDS6016 | 16 x 60 x 21 | 92.5 | 176 | 15 | \$3259 | \$264 |
| | BRT21PLDS6616 | 16 x 66 x 21 | 92.5 | 190 | 17 | \$3480 | \$288 |
| | BRT21PLDS7216 | 16 x 72 x 21 | 92.5 | 203 | 18 | \$3533 | \$314 |
| | Pier and table supported side-by-side double-sided storage with sliding laminate doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top. | | | | | | |
| | BRT21PGDS4216 | 16 x 42 x 21 | 92.5 | 110 | 10.50 | \$2525 | \$183 |
| | BRT21PGDS4816 | 16 x 48 x 21 | 100 | 116 | 12 | \$2581 | \$210 |
| | BRT21PGDS5416 | 16 x 54 x 21 | 92.5 | 141 | 13.50 | \$3347 | \$237 |
| | BRT21PGDS6016 | 16 x 60 x 21 | 92.5 | 153 | 15 | \$3406 | \$261 |
| | BRT21PGDS6616 | 16 x 66 x 21 | 92.5 | 165 | 16.50 | \$3634 | \$287 |
| | BRT21PGDS7216 | 16 x 72 x 21 | 100 | 175 | 18 | \$3716 | \$315 |
| | Pier and table supported side-by-side double-sided storage with sliding glass doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top. | | | | | | |



| Required Specifications | Optional Specifications |
|--|-------------------------|
| Top finish* | HP laminate* |
| Edge finish* | |
| Chassis finish | |
| Drawer/door front finish (excl. glass) | |

| ACCESSORIES | MODEL # | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|--|-----------|-------------------|---------------|---------|-----------|-------|--------------|-------|--------------|
|  <p>Cushion*</p> | D x W x H | | | | | | | | |
| | BRTC | 18 x 15.5 x 1.25 | 150 | 2 | .41 | 1 | \$272 | 7 | \$526 |
| | | | | | | 2 | \$311 | 8 | \$569 |
| | | | | | | 3 | \$341 | 9 | \$618 |
| | | | | | | 4 | \$375 | 10 | \$736 |
| | | | | | | 5 | \$427 | 11 | \$834 |
| | | | | | | 6 | \$476 | 12 | \$938 |
| <p>Optional seat cushion may be added to any storage component. Available in all Global seating fabrics.</p> <ul style="list-style-type: none"> • When added to 25"h storage units, unit will NOT fit under any table with a beam | | | | | | | | | |
|  <p>Glide Tray Adapter</p> | GAGTA01 | 2 x 9 x 2.5 | 70 | .50 | .03 | | \$123 | | |
| <p>Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of Bridges tables. Attaches to Glide Tracks of all Productivity Solutions Keyboard Mechanisms and Sliding CPU holders. Mounting hardware included. Available in Black only.</p> <ul style="list-style-type: none"> • Cannot be used with GACPU01. See Productivity Solutions for compatible keyboard mechanisms and sliding CPU holder. | | | | | | | | | |
|  <p>CPU Holder on Glide Track</p> | GACPU02 | 9.2 x 11.7 x 18.5 | 92.5 | 12.60 | 1.15 | | \$269 | | |
| <p>Accepts tower CPUs with a width range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. 12" glide track mounted and 360° swivel for easy access to rear of CPU. Manufactured from steel and engineered resin, providing rugged durability and support. Available in Black only.</p> | | | | | | | | | |
|  <p>Fixed Mount CPU Holder</p> | GACPU01 | 9.2 x 11.7 x 18.5 | 125 | 9 | 1.15 | | \$243 | | |
| <p>Fully adjustable clamping mechanism to accept tower CPUs with a height range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. Mounts directly to underside of desk surface. CPU Holder can also be mounted directly to an upright desk leg surface or wall via side mounting holes. Manufactured from Steel and Engineered Resin, providing rugged durability and support. Available in black only.</p> <ul style="list-style-type: none"> • Not compatible with GAGTA01 | | | | | | | | | |
|  <p>Hanging Bracket**</p> | BRTHB | 3.3 x 1.5 x 3.5 | 70 | .20 | .01 | | \$35 | | |
| <p>A formed steel bracket hooks over Bridges II table leg. Can be secured either on the inner or outer side of the leg. Specify metal paint finish.</p> | | | | | | | | | |

Required Specifications





Fabric*







Paint finish**

| ACCESSORIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|-----------|----------------|---------------|---------|-----------|------------|
|  Whiteboard | | D x W x H | | | | |
| | BRTWB0924 | 0.5 x 24 x 8.5 | 70 | 1 | .56 | \$272 |
| White dry-erase marker board surface on white powder coated steel backer. Fits 16" tall Bridges II dividers and single-sided shelves. White dry-erase surface attaches magnetically to the steel backer. When removed, the steel backer can be used as a magnetic board. Please refer to the Compatibility Guide (page 452) to determine available accessories. | | | | | | |
| • Available in Tungsten (TUN) or Designer White (DWT) Only | | | | | | |
|  Tackboard* | | | | | | |
| | BRTTB0924 | 0.5 x 24 x 8.5 | 70 | 1 | .56 | \$272 |
| Grey tackboard surface on white powder coated steel backer. Fits 16" tall Bridges II dividers and single-sided shelves. Please refer to the Compatibility Guide (page 452) to determine available accessories. | | | | | | |
| • Available in Tungsten (TUN) or Designer White (DWT) Only | | | | | | |





Required Specifications

Metal finish
Fabric*

| MONITOR ARMS | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE |
|---|-----------|-------------------------|---------------|----------|-----------|---------------|
|  <p>Single Screen Double Extension Arm</p> | GAMCSSDE | -- x -- x -- | 125 | 7.50 | 1.09 | \$609 |
|  <p>Single Screen Double Extension Arm with Height Adjustment</p> | GAMCSSDEH | -- x -- x -- | 125 | 8.20 | 1.09 | \$730 |
|  <p>Dual Screen Double Extension Arm</p> | GAMCDSDE | -- x -- x -- | 100 | 10.70 | 1.09 | \$1072 |
|  <p>Dual Screen Double Extension Arm with Height Adjustment</p> | GAMCDSDEH | -- x -- x -- | 92.5 | 12.2 | 1.09 | \$1316 |

| ACCESSORIES | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--|--------------------|---------------|---------|-----------|------------|
|  Binder Bin | | D x W x H | | | | |
| | BABB01 | 10.25 x 4 x 9 | 100 | 2 | .21 | \$75 |
| | Load bar/accessory rail mounted metal binder bin. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | |
| | | | | | | |
| | | | | | | |
|  Flip Sorter | BAFS01 | 9.25 x 2.75 x 9.25 | 70 | .06 | .14 | \$58 |
| Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |
|  Slant Sorter | BASS01L (Left) | 10.25 x 5 x 9.5 | 70 | 1 | .28 | \$47 |
| | BASS01R (Right) | 10.25 x 5 x 9.5 | 70 | 1 | .28 | \$47 |
| | Load bar/accessory rail mounted metal slant sorter. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | |
|  Letter/Legal Tray | BALT01 (Letter) | 9.25 x 13.5 x 2 | 70 | .05 | .15 | \$62 |
| | BALT01LGL (Legal) | 9.25 x 15 x 2 | 70 | .05 | .15 | \$76 |
| | Load bar/accessory rail mounted metal letter or legal tray. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | |
|  Media Bin | BAMB01 | 5.25 x 5.75 x 3 | 70 | .08 | .05 | \$62 |
| Load bar/accessory rail mounted metal media bin. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |
|  Utility Tray | BAUT01 | 3.75 x 5.75 x 3 | 70 | .05 | .02 | \$41 |
| Load bar/accessory rail mounted metal utility tray. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |

Required Specifications
Paint finish

| ACCESSORIES | MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|-----------|-------------------------|---------------|---------|-----------|--------------|
|  <p>Mail Box*</p> | BAPP01 | 2.75 x 16 x 9 | 100 | 2 | .25 | \$94 |
| Load bar/accessory rail mounted metal mail box. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |
|  <p>Telephone Holder*</p> | BATH01 | 10 x 9 x 2 | 125 | 2 | .26 | \$91 |
| Load bar/accessory rail mounted metal telephone holder. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |
|  <p>Elevated Shelf Binder Bin*</p> | BRTESBBIN | 12 x 12 x 8 | 100 | 6 | .66 | \$193 |
| Load bar/accessory rail mounted elevated shelf binder bin. • Please refer to the Compatibility Guide on page 452 to determine compatible storage components | | | | | | |
|  <p>Pencil Drawer</p> | PEEPD | 15 x 22.5 x 1.5 | 250 | 2 | 0.7 | \$174 |
| Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with drawer slides (included). Black ABS plastic only. | | | | | | |

Required Specifications

Paint finish*

ACCESSORIES

D x W x H

ACCESSORIES COMPATIBILITY GUIDE

| | DIVIDERS: BRTLPPD BRTLPPS BR2AFD BR2AHD | Elevated Shelves BRTSTS08 BRTBTS08 8" high | Elevated Shelves BRTSTS13 BRTBTS13 13" high | Elevated Shelves BRTSTS16 BRTBTS16 16" high | Shared Overhead BRTBAS048 12" deep | Shared Overhead with slid- ing doors BRTBASS 16" deep |
|---------------------------------------|---|---|--|--|---|--|
| Binder Bin BABB01 | yes | no | no | yes | no | no |
| Flip Sorter BAFS01 | yes | no | yes | no | no | no |
| Slant Sorter BASS01 | yes | no | yes | no | no | no |
| Letter Tray BALTO1 | yes | yes | yes | yes | yes | yes |
| Media Bin BAMBO1 | yes | yes | yes | yes | yes | yes |
| Utility Tray BAUTO1 | yes | yes | yes | yes | yes | yes |
| Mail Box BAPP01 | yes | no | no | yes | no | no |
| Phone Holder BVATH01 | yes | yes | yes | yes | yes | yes |
| Elevated Shelf Binder Bin BRTEBBIN | no | no | no | no | yes | no |
| Tackboard BRITB | yes | no | no | yes | no | no |
| Whiteboard BRTWB | yes | no | no | yes | no | no |

COLLABORATIVE SEATING**D x W x H**

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.




Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.

Bridges Collaborative Seating upholstery features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.


In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle. The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.

Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.

Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.



COLLABORATIVE SEATING




Low Table*

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|------------|-------------------------|---------------|---------|-----------|------------|--------|
| BRTST2460F | 24 x 60 x 17 | 150 | 83.60 | 14.17 | \$938 | \$348 |
| BRTST2448F | 24 x 48 x 17 | 125 | 69 | 11.33 | \$839 | \$253 |
| BRTST2424F | 24 x 24 x 17 | 125 | 40.70 | 5.67 | \$593 | \$104 |

Freestanding 17”h table. Central partition divides space under top surface into two 11” deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

- Anodized Aluminum Leg - Add **\$79** list upcharge
- To convert to mobile - Add an **M** at the end of the product code. Add **\$35** upcharge.

COLLABORATIVE SEATING




Lounge Seat

| | | | | | GRADE | LIST | GRADE | LIST |
|-----------|--------------|-----|-------|-------|-------|--------|-------|--------|
| BRTSE60NB | 24 x 60 x 17 | 250 | 47 | 14.17 | 1 | \$1767 | 7 | \$2370 |
| | | | | | 2 | \$1857 | 8 | \$2579 |
| | | | | | 3 | \$1925 | 9 | \$2740 |
| | | | | | 4 | \$2025 | 10 | \$2920 |
| | | | | | 5 | \$2172 | 11 | \$3285 |
| | | | | | 6 | \$2238 | 12 | \$3679 |
| BRTSE48NB | 24 x 48 x 17 | 250 | 36.90 | 11.33 | 1 | \$1527 | 7 | \$2012 |
| | | | | | 2 | \$1601 | 8 | \$2179 |
| | | | | | 3 | \$1655 | 9 | \$2306 |
| | | | | | 4 | \$1737 | 10 | \$2451 |
| | | | | | 5 | \$1851 | 11 | \$2746 |
| | | | | | 6 | \$1907 | 12 | \$3058 |
| BRTSE24NB | 24 x 24 x 17 | 150 | 22.70 | 5.57 | 1 | \$839 | 7 | \$1143 |
| | | | | | 2 | \$886 | 8 | \$1247 |
| | | | | | 3 | \$920 | 9 | \$1328 |
| | | | | | 4 | \$972 | 10 | \$1418 |
| | | | | | 5 | \$1044 | 11 | \$1600 |
| | | | | | 6 | \$1077 | 12 | \$1797 |

Fully upholstered armless lounge seat with metal base. Seats can be freestanding or linked with optional interlocking bracket kit.

- Anodized Aluminum Leg - Add **\$79** list upcharge






Lounge Seat, Full Backrest

| | | | | | | | | |
|------------|--------------|-----|-------|-------|---|--------|----|--------|
| BRTSE6060B | 24 x 60 x 29 | 250 | 70 | 24.17 | 1 | \$2822 | 7 | \$3906 |
| | | | | | 2 | \$2980 | 8 | \$4280 |
| | | | | | 3 | \$3103 | 9 | \$4568 |
| | | | | | 4 | \$3286 | 10 | \$4890 |
| | | | | | 5 | \$3545 | 11 | \$5554 |
| | | | | | 6 | \$3668 | 12 | \$6261 |
| BRTSE4848B | 24 x 48 x 29 | 250 | 55.50 | 19.33 | 1 | \$2435 | 7 | \$3277 |
| | | | | | 2 | \$2558 | 8 | \$3569 |
| | | | | | 3 | \$2654 | 9 | \$3794 |
| | | | | | 4 | \$2797 | 10 | \$4045 |
| | | | | | 5 | \$3001 | 11 | \$4561 |
| | | | | | 6 | \$3095 | 12 | \$5110 |
| BRTSE2424B | 24 x 24 x 29 | 250 | 33 | 9.57 | 1 | \$1320 | 7 | \$1864 |
| | | | | | 2 | \$1401 | 8 | \$2051 |
| | | | | | 3 | \$1463 | 9 | \$2196 |
| | | | | | 4 | \$1554 | 10 | \$2358 |
| | | | | | 5 | \$1684 | 11 | \$2690 |
| | | | | | 6 | \$1745 | 12 | \$3042 |

Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

- Anodized Aluminum Leg - Add **\$79** list upcharge

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Top finish* | Anodized Aluminum Leg |
| Edge finish* | HP laminate* |
| Chassis finish* | |
| Fabric | |
| Paint finish (legs) | |

| COLLABORATIVE SEATING | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|---|--------------------------|--------------|---------------|---------|-----------|-------|---------------|-------|---------------|
|  <p>Lounge Seat, 24" Offset Backrest</p> | D x W x H | | | | | | | | |
| | BRTSE2448BL | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2007 | 7 | \$2731 |
| | | | | | | 2 | \$2117 | 8 | \$2983 |
| | | | | | | 3 | \$2198 | 9 | \$3175 |
| | | | | | | 4 | \$2317 | 10 | \$3387 |
| | | | | | | 5 | \$2492 | 11 | \$3831 |
| | | | | | | 6 | \$2574 | 12 | \$4302 |
| | BRTSE2448BR (shown) | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2007 | 7 | \$2731 |
| | | | | | | 2 | \$2117 | 8 | \$2983 |
| | | | | | | 3 | \$2198 | 9 | \$3175 |
| | | | | | | 4 | \$2317 | 10 | \$3387 |
| | | | | | | 5 | \$2492 | 11 | \$3831 |
| | | | | | | 6 | \$2574 | 12 | \$4302 |
| Fully upholstered armless lounge seat with one backrest and metal base. Specify backrest as either left or right side. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. | | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | | |
|  <p>Lounge Seat, Two 24" Offset Backrests</p> | BRTSE2448BODL (shown) | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2488 | 7 | \$3452 |
| | | | | | | 2 | \$2629 | 8 | \$3786 |
| | | | | | | 3 | \$2738 | 9 | \$4041 |
| | | | | | | 4 | \$2902 | 10 | \$4330 |
| | | | | | | 5 | \$3132 | 11 | \$4919 |
| | | | | | | 6 | \$3241 | 12 | \$5545 |
| | BRTSE2448BODR | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2488 | 7 | \$3452 |
| | | | | | | 2 | \$2629 | 8 | \$3786 |
| | | | | | | 3 | \$2738 | 9 | \$4041 |
| | | | | | | 4 | \$2902 | 10 | \$4330 |
| | | | | | | 5 | \$3132 | 11 | \$4919 |
| | | | | | | 6 | \$3241 | 12 | \$5545 |
| Fully upholstered armless lounge seat with two offset backrests and metal base. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. | | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | | |
|  <p>Lounge Seat, 21" USB Backrest</p> | BRTSE2148EBL | 24 x 48 x 29 | 250 | 33 | 9.67 | 1 | \$2326 | 7 | \$3050 |
| | | | | | | 2 | \$2436 | 8 | \$3302 |
| | | | | | | 3 | \$2517 | 9 | \$3494 |
| | | | | | | 4 | \$2636 | 10 | \$3706 |
| | | | | | | 5 | \$2811 | 11 | \$4150 |
| | | | | | | 6 | \$2893 | 12 | \$4621 |
| | BRTSE2148EBR (shown) | 24 x 48 x 29 | 250 | 46.10 | 19.33 | 1 | \$2326 | 7 | \$3050 |
| | | | | | | 2 | \$2436 | 8 | \$3302 |
| | | | | | | 3 | \$2517 | 9 | \$3494 |
| | | | | | | 4 | \$2636 | 10 | \$3706 |
| | | | | | | 5 | \$2811 | 11 | \$4150 |
| | | | | | | 6 | \$2893 | 12 | \$4621 |
| Fully upholstered armless lounge seat with one backrest and metal base. 21" w backrest comes with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 4' long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets. | | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | | |


Required Specifications

Fabric
Paint finish (legs)


Optional Specifications

Anodized Aluminum Leg


COLLABORATIVE SEATING



Lounge Seat, Two 21" USB Backrests



Lounge Seat, Two Offset USB Backrests




Lounge Seat, 21" USB Backrest

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|---|--------------|---------------|---------|-----------|-------|--------|-------|--------|
| D x W x H | | | | | | | | |
| BRTSE2148E2B | 24 x 48 x 29 | 250 | 57 | 19.33 | 1 | \$3125 | 7 | \$4088 |
| | | | | | 2 | \$3266 | 8 | \$4422 |
| | | | | | 3 | \$3372 | 9 | \$4678 |
| | | | | | 4 | \$3536 | 10 | \$4964 |
| | | | | | 5 | \$3767 | 11 | \$5553 |
| | | | | | 6 | \$3878 | 12 | \$6181 |
| Fully upholstered armless lounge seat with two backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets. | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | |
| BRTSE2148EBODL (shown) | 24 x 48 x 29 | 250 | 57 | 19.33 | 1 | \$3125 | 7 | \$4088 |
| | | | | | 2 | \$3266 | 8 | \$4422 |
| | | | | | 3 | \$3372 | 9 | \$4678 |
| | | | | | 4 | \$3536 | 10 | \$4964 |
| | | | | | 5 | \$3767 | 11 | \$5553 |
| | | | | | 6 | \$3878 | 12 | \$6181 |
| BRTSE2148EBODR | 24 x 48 x 29 | 250 | 57 | 19.33 | 1 | \$3125 | 7 | \$4088 |
| | | | | | 2 | \$3266 | 8 | \$4422 |
| | | | | | 3 | \$3372 | 9 | \$4678 |
| | | | | | 4 | \$3536 | 10 | \$4964 |
| | | | | | 5 | \$3767 | 11 | \$5553 |
| | | | | | 6 | \$3878 | 12 | \$6181 |
| Fully upholstered armless lounge seat with two offset backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets. | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | |
| BRTSE2124EBL | 24 x 24 x 29 | 250 | 46.10 | 19.33 | 1 | \$1638 | 7 | \$2183 |
| | | | | | 2 | \$1719 | 8 | \$2370 |
| | | | | | 3 | \$1782 | 9 | \$2514 |
| | | | | | 4 | \$1872 | 10 | \$2676 |
| | | | | | 5 | \$2002 | 11 | \$3008 |
| | | | | | 6 | \$2066 | 12 | \$3360 |
| BRTSE2124EBR (shown) | 24 x 24 x 29 | 250 | 46.10 | 19.33 | 1 | \$1638 | 7 | \$2183 |
| | | | | | 2 | \$1719 | 8 | \$2370 |
| | | | | | 3 | \$1782 | 9 | \$2514 |
| | | | | | 4 | \$1872 | 10 | \$2676 |
| | | | | | 5 | \$2002 | 11 | \$3008 |
| | | | | | 6 | \$2066 | 12 | \$3360 |
| Fully upholstered armless lounge seat with one backrest and metal base. 21" w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets. | | | | | | | | |
| • Anodized Aluminum Leg - Add \$79 list upcharge | | | | | | | | |

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Fabric | Anodized Aluminum Leg |
| Metal Finish (legs) | |

COLLABORATIVE SEATING




Integrated Lounge Seat, Single-Sided

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT./LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|------------|-------------------------|---------------|----------|-----------|-------|--------|-------|--------|
| BRTSINT60S | 24 x 60 x 29 | 125 | 155 | 24.17 | 1 | \$5639 | 7 | \$6699 |
| | | | | | 2 | \$5776 | 8 | \$7074 |
| | | | | | 3 | \$5896 | 9 | \$7365 |
| | | | | | 4 | \$6081 | 10 | \$7686 |
| | | | | | 5 | \$6340 | 11 | \$8349 |
| | | | | | 6 | \$6464 | 12 | \$9055 |
| BRTSINT48S | 24 x 48 x 29 | 100 | 182 | 19.33 | 1 | \$5395 | 7 | \$6238 |
| | | | | | 2 | \$5519 | 8 | \$6530 |
| | | | | | 3 | \$5615 | 9 | \$6757 |
| | | | | | 4 | \$5759 | 10 | \$7006 |
| | | | | | 5 | \$5961 | 11 | \$7522 |
| | | | | | 6 | \$6056 | 12 | \$8073 |

Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The single-sided kit consists of 24"x 48" or 24"x 60" seat, full width back, three-sided below worksurface enclosure, 6" d worksurface module with access door, 30"x 48" or 30"x 60" w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• **Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs.** Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side

- Anodized Aluminum Leg - Add **\$79!** list upcharge
- High pressure laminate - Add **\$284** list upcharge



Integrated Lounge Seat, Double-Sided

| | | | | | | | | |
|------------|--------------|-----|-----|-------|---|--------|----|---------|
| BRTSINT60D | 24 x 60 x 29 | 125 | 155 | 24.17 | 1 | \$7320 | 7 | \$8404 |
| | | | | | 2 | \$7478 | 8 | \$8778 |
| | | | | | 3 | \$7601 | 9 | \$9066 |
| | | | | | 4 | \$7784 | 10 | \$9388 |
| | | | | | 5 | \$8043 | 11 | \$10052 |
| | | | | | 6 | \$8167 | 12 | \$10760 |
| BRTSINT48D | 24 x 48 x 29 | 100 | 182 | 19.33 | 1 | \$6548 | 7 | \$7390 |
| | | | | | 2 | \$6671 | 8 | \$7682 |
| | | | | | 3 | \$6767 | 9 | \$7907 |
| | | | | | 4 | \$6910 | 10 | \$8158 |
| | | | | | 5 | \$7114 | 11 | \$8674 |
| | | | | | 6 | \$7209 | 12 | \$9223 |

Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The double-sided kit consists of two 24"x 48" or 24"x 60" seats, full width backs, three-sided below worksurface enclosures, 6" d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• **Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs.** Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side.

- Anodized Aluminum Leg - Add **\$79** list upcharge
- High pressure laminate - Add **\$284** list upcharge


Required Specifications

Fabric
Laminate finish (enclosure)
Edge finish (enclosure)
Metal finish (legs)


Optional Specifications

Anodized Aluminum Leg
HP laminate (enclosure)


SEATING PARTITIONS




Seat Partitions




Seat Privacy Partitions



Square Table Block*



Square Table Block Ganging Bracket Kit



Ganging Bracket Kit

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | |
|-------------|----------------|---------------|---------|-----------|------------|--|
| D x W x H | | | | | | |
| BRTPP2448L1 | 28.7 x 53 x 25 | 300 | 41 | 22.01 | \$2068 | |
| BRTPP2424L1 | 28.7 x 29 x 25 | 250 | 32 | 12.04 | \$1547 | |

Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

| | | | | | | |
|-------------|----------------|-----|----|-------|--------|--|
| BRTPP2448L2 | 28.7 x 53 x 50 | 400 | 41 | 44.01 | \$2996 | |
| BRTPP2424L2 | 28.7 x 29 x 50 | 300 | 32 | 24.08 | \$2342 | |

Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50"h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

| | | | | | | |
|------------|--------------|-----|-------|-------|--------|------|
| BRTS2424B | 24 x 24 x 25 | 250 | 32 | 12.04 | \$660 | \$96 |
| BRTS2424BP | 24 x 24 x 25 | 125 | 59.30 | 8.33 | \$1312 | \$96 |

Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.

| | | | | | | |
|---------|---------------|----|-----|-----|------|-----|
| BRTSTBG | 2.4 x 5 x 1.1 | 70 | .05 | .01 | \$51 | n/a |
|---------|---------------|----|-----|-----|------|-----|

Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.

| | | | | | | |
|---------|--------------|----|-----|-----|------|-----|
| BRTSTSB | 1.3 x 6 x .1 | 70 | .03 | .01 | \$23 | n/a |
|---------|--------------|----|-----|-----|------|-----|

Two ganging brackets connect seat temporarily to adjacent in-line seat or 24"d bridges storage. Black powdercoat finish.


Required Specifications

Fabric
Laminate finish (enclosure)
Edge finish (enclosure)
Metal finish (legs)

Optional Specifications


Anodized Aluminum Leg
HP laminate (enclosure)

COLLABORATIVE SEATING



Inline 6" Block

BRTS2406B




Inline table - no power module or swivel arm

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|-------------|-------------|---------------|---------|-----------|------------|--------|
| D x W x H | | | | | | |
| BRTS2406B | 24 x 6 x 25 | 92.5 | 21 | 2.08 | \$566 | \$51 |
| BRTS2406BP | 24 x 6 x 25 | 92.5 | 23.30 | 2.08 | \$1219 | \$51 |
| BRTS2406B2P | 24 x 6 x 25 | 92.5 | 24.30 | 2.08 | \$1873 | \$51 |
| BRTS2406BT | 24 x 6 x 25 | 85 | 25.60 | 2.08 | \$1080 | \$51 |
| BRTS2406BPT | 24 x 6 x 25 | 92.5 | 24.30 | 2.08 | \$1733 | \$51 |

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two Bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side fo the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.


- BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

BRTS2406BP




Inline table w/front power module

BRTS2406B2P




Inline table w/front and rear power module

BRTS2406BT



Inline table w/swivel tablet arm

BRTS2406BPT



Inline table w/front power module and swivel tablet arm

Required Specifications

Top finish
Edge finish
Chassis/Accent finish
Fabric

Optional Specifications

HP laminate (top only)



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



Features and Benefits

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s)
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics

GENERAL INFORMATION

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
 - Divide posts - to support the partitions
 - Partitioning screens - a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
 - Transaction tops - laminate tops ideal for creating reception stations
- For environmental certifications, please visit globalfurnituregroup.com
- Model numbers reflect total width of panel and posts

DIVIDE POSTS


- Available in 6 standard heights:
 - 12" high - to create **semi-private** spaces and to support Transaction Tops
 - 18" high - to create **semi-private** spaces and to support Transaction Tops
 - 24" high - to create **semi-private** spaces
 - 30" high - to create **semi-private** spaces
 - 36" high - to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
 - 42" high - to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.

PARTITIONING SCREENS


- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
 - **Laminate:** available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom is Black (**BLK**) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as **SCP2** after model #. Woodgrain direction is horizontal for all sizes.
 - **Glazed:** choice of **ribbed** or **frosted** glazing. Frosted material is 3mm thick Acrylic P95; Ribbed material is 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through option.
 - **Fabric:** available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials.

TRANSACTION TOPS


- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge. Please specify (see right column).



A3 1" top, standard



AR 1" top, bicut edge



C3 1.5" top, standard



CR 1.5" top, bicut edge



CF 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
- Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

| | | | |
|-----|-----------------|-----|--------------------|
| ACJ | Absolute Acajou | FCL | First Class |
| ASN | Asian Night | NBL | Noce Biondo |
| AWC | Avant Cherry | NGL | Noce Grigio |
| AWH | Avant Honey | NEL | Noce Leggero |
| BLK | Black | NML | Noce Medio |
| BZD | Blizzard | QTM | Quartered Mahogany |
| BRC | Brushed Cobalt | SBY | Sheer Beauty |
| CMB | Clear Maple | SOG | Storm Grey |
| CGY | Custom Grey | SDT | Stonedust |
| DES | Dark Espresso | WHE | Walnut Heights |
| DWT | Designer White | WHC | White Chocolate |
| FAS | Fashionista | WCR | Winter Cherry |

FABRICS (fabric screens)


Fabric screens can be upholstered in the following fabrics only:

- Anchorage
- Imprint
- Lola
- Merge


D DIVIDE™ - NOTES

PLEASE NOTE:

- Divide screens cannot be centered between two back to back workspaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel



Correct Installation



Incorrect Installation

HOW TO ORDER DIVIDE SCREENS

example: DTB 1236 GN31

DTB 12 36* AN52

Fabric Code


Width* (of worksurface to be used on)

Height (of screen)

Style Code (fabric, glazed or laminate)

***NOTE:** Number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

PARTS AND COMPONENTS



INSTALLATION IS AS SIMPLE AS 1...2...3

- 1) Attach the threaded **Post Mounting Plate** with enclosed screws to the top side of the worksurface.
- 2) **Divider Post** is bolted to the Mounting Plate.
- 3) **Top Cap** is attached to the top of the Divide Post.

12"H System



12" panel



12" raised panel

18"H System



18" panel



18" raised panel


24"H System



24" panel




24" raised panel




(2) 12" panels

30"H System




12" panel + 18" panel


36"H System




36" panel



36" raised panel




(2) 18" panels




(3) 12" panels

42"H System




18" panel + 24" panel




(1) 18" panel
(2) 12" panels


FABRIC PANELS



Fabric Panel - 12" High



Fabric Panel - 18" High



Fabric Panel - 24" High

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GR.1 | GR.2 | GR.3 | GR.4 | GR.5 |
|-----------|-----------------|---------------|---------|-----------|-------|-------|-------|-------|-------|
| D x W x H | | | | | | | | | |
| DTB1220 | .68 x 14.8 x 12 | 92.5 | 3 | .30 | \$288 | \$324 | \$352 | \$395 | \$449 |
| DTB1224 | .68 x 18.9 x 12 | 85 | 4 | .30 | \$301 | \$337 | \$363 | \$399 | \$459 |
| DTB1229 | .68 x 24.5 x 12 | 92.5 | 4 | .40 | \$319 | \$358 | \$383 | \$426 | \$479 |
| DTB1230 | .68 x 24.8 x 12 | 85 | 5 | .40 | \$319 | \$358 | \$383 | \$426 | \$479 |
| DTB1236 | .68 x 30.8 x 12 | 85 | 5 | .40 | \$354 | \$391 | \$416 | \$455 | \$510 |
| DTB1242 | .68 x 36.8 x 12 | 85 | 6 | .50 | \$412 | \$449 | \$474 | \$510 | \$570 |
| DTB1248 | .68 x 42.8 x 12 | 92.5 | 7 | .60 | \$446 | \$481 | \$508 | \$543 | \$602 |
| DTB1260 | .68 x 54.8 x 12 | 85 | 9 | .70 | \$477 | \$514 | \$541 | \$580 | \$637 |
| DTB1266 | .68 x 60.8 x 12 | 85 | 10 | .80 | \$503 | \$539 | \$567 | \$604 | \$661 |
| DTB1272 | .68 x 66.8 x 12 | 85 | 11 | .80 | \$535 | \$572 | \$599 | \$636 | \$693 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

| | | | | | | | | | |
|---------|-----------------|------|----|------|-------|-------|-------|-------|-------|
| DTB1820 | .68 x 14.8 x 18 | 85 | 4 | .30 | \$319 | \$358 | \$383 | \$426 | \$479 |
| DTB1824 | .68 x 18.9 x 18 | 85 | 5 | .40 | \$335 | \$370 | \$397 | \$432 | \$491 |
| DTB1829 | .68 x 24.5 x 18 | 85 | 6 | .50 | \$354 | \$391 | \$416 | \$455 | \$510 |
| DTB1830 | .68 x 24.8 x 18 | 85 | 6 | .50 | \$354 | \$391 | \$416 | \$455 | \$510 |
| DTB1836 | .68 x 30.8 x 18 | 92.5 | 7 | .60 | \$412 | \$449 | \$474 | \$510 | \$570 |
| DTB1842 | .68 x 36.8 x 18 | 92.5 | 8 | .70 | \$450 | \$486 | \$511 | \$547 | \$604 |
| DTB1848 | .68 x 42.8 x 18 | 85 | 10 | .80 | \$477 | \$514 | \$541 | \$580 | \$637 |
| DTB1860 | .68 x 54.8 x 18 | 85 | 12 | .90 | \$503 | \$539 | \$567 | \$604 | \$661 |
| DTB1866 | .68 x 60.8 x 18 | 85 | 14 | 1 | \$535 | \$572 | \$599 | \$636 | \$693 |
| DTB1872 | .68 x 66.8 x 18 | 85 | 14 | 1.10 | \$599 | \$636 | \$663 | \$702 | \$759 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

| | | | | | | | | | |
|---------|-----------------|------|----|------|-------|-------|-------|-------|-------|
| DTB2420 | .68 x 14.8 x 24 | 92.5 | 4 | .40 | \$354 | \$391 | \$416 | \$455 | \$510 |
| DTB2424 | .68 x 18.9 x 24 | 100 | 4 | .50 | \$354 | \$391 | \$416 | \$455 | \$510 |
| DTB2429 | .68 x 24.5 x 24 | 92.5 | 6 | .60 | \$412 | \$449 | \$474 | \$510 | \$570 |
| DTB2430 | .68 x 24.8 x 24 | 92.5 | 6 | .60 | \$412 | \$449 | \$474 | \$510 | \$570 |
| DTB2436 | .68 x 30.8 x 24 | 92.5 | 7 | .70 | \$446 | \$481 | \$508 | \$543 | \$602 |
| DTB2442 | .68 x 36.8 x 24 | 92.5 | 8 | .80 | \$477 | \$514 | \$541 | \$580 | \$637 |
| DTB2448 | .68 x 42.8 x 24 | 92.5 | 9 | .90 | \$503 | \$539 | \$567 | \$604 | \$661 |
| DTB2460 | .68 x 54.8 x 24 | 92.5 | 11 | 1.10 | \$535 | \$572 | \$599 | \$636 | \$693 |
| DTB2466 | .68 x 60.8 x 24 | 92.5 | 12 | 1.20 | \$599 | \$636 | \$663 | \$702 | \$759 |
| DTB2472 | .68 x 66.8 x 24 | 92.5 | 14 | 1.40 | \$651 | \$688 | \$716 | \$752 | \$811 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.**


- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

Required Specifications

Fabric

Rail Finish

FABRIC PANELS



Fabric Panel - 36" High*


| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GR.1 | GR.2 | GR.3 | GR.4 | GR.5 |
|-----------|-----------------|---------------|---------|-----------|--------|--------|--------|--------|--------|
| D x W x H | | | | | | | | | |
| DTB3620 | .68 x 14.8 x 36 | 92.5 | 6 | .60 | \$436 | \$464 | \$485 | \$517 | \$563 |
| DTB3624 | .68 x 18.9 x 36 | 92.5 | 7 | .70 | \$436 | \$464 | \$485 | \$517 | \$563 |
| DTB3629 | .68 x 24.5 x 36 | 92.5 | 9 | .90 | \$588 | \$616 | \$637 | \$669 | \$715 |
| DTB3630 | .68 x 24.8 x 36 | 92.5 | 9 | .90 | \$588 | \$616 | \$637 | \$669 | \$715 |
| DTB3636 | .68 x 30.8 x 36 | 92.5 | 10 | 1 | \$664 | \$693 | \$715 | \$747 | \$792 |
| DTB3642 | .68 x 36.8 x 36 | 92.5 | 12 | 1.20 | \$712 | \$740 | \$761 | \$793 | \$839 |
| DTB3648 | .68 x 42.8 x 36 | 92.5 | 14 | 1.30 | \$830 | \$858 | \$879 | \$911 | \$957 |
| DTB3660 | .68 x 54.8 x 36 | 92.5 | 17 | 1.60 | \$968 | \$996 | \$1017 | \$1049 | \$1095 |
| DTB3666 | .68 x 60.8 x 36 | 92.5 | 19 | 1.80 | \$1078 | \$1107 | \$1129 | \$1161 | \$1206 |
| DTB3672 | .68 x 66.8 x 36 | 92.5 | 21 | 1.90 | \$1140 | \$1168 | \$1189 | \$1221 | \$1267 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS

LIST PRICE




Glazed Panel - 12" High**

| | | | | | |
|---------|-----------------|------|---|-----|-------|
| DGP1220 | .68 x 14.8 x 12 | 125 | 2 | .30 | \$283 |
| DGP1224 | .68 x 18.9 x 12 | 92.5 | 3 | .30 | \$301 |
| DGP1229 | .68 x 24.5 x 12 | 125 | 3 | .40 | \$357 |
| DGP1230 | .68 x 24.8 x 12 | 92.5 | 4 | .40 | \$357 |
| DGP1236 | .68 x 30.8 x 12 | 92.5 | 4 | .40 | \$415 |
| DGP1242 | .68 x 36.8 x 12 | 92.5 | 5 | .50 | \$471 |
| DGP1248 | .68 x 42.8 x 12 | 100 | 5 | .60 | \$556 |
| DGP1260 | .68 x 54.8 x 12 | 92.5 | 7 | .70 | \$651 |
| DGP1266 | .68 x 60.8 x 12 | 100 | 7 | .80 | \$712 |
| DGP1272 | .68 x 66.8 x 12 | 92.5 | 8 | .80 | \$770 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).



Glazed Panel - 12" High, Raised**

| | | | | | |
|----------|-----------------|----|---|-----|-------|
| DRGP1220 | .68 x 14.8 x 12 | 60 | 2 | .02 | \$252 |
| DRGP1224 | .68 x 18.9 x 12 | 60 | 3 | .03 | \$292 |
| DRGP1229 | .68 x 24.5 x 12 | 60 | 3 | .03 | \$343 |
| DRGP1230 | .68 x 24.8 x 12 | 60 | 4 | .03 | \$343 |
| DRGP1236 | .68 x 30.8 x 12 | 60 | 4 | .04 | \$402 |
| DRGP1242 | .68 x 36.8 x 12 | 60 | 5 | .05 | \$455 |
| DRGP1248 | .68 x 42.8 x 12 | 60 | 5 | .05 | \$540 |
| DRGP1260 | .68 x 54.8 x 12 | 60 | 7 | .07 | \$639 |
| DRGP1266 | .68 x 60.8 x 12 | 60 | 7 | .07 | \$698 |
| DRGP1272 | .68 x 66.8 x 12 | 60 | 8 | .08 | \$758 |


4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in BlacBlack (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).


Required Specifications

Fabric*
Glaze**
Rail Finish


GLAZED PANELS



Glazed Panel - 18" High



Glazed Panel - 18" High, Raised



Glazed Panel - 24" High

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-----------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| DGP1820 | .68 x 14.8 x 18 | 92.5 | 3 | .30 | \$316 |
| DGP1824 | .68 x 18.9 x 18 | 125 | 3 | .40 | \$341 |
| DGP1829 | .68 x 24.5 x 18 | 100 | 4 | .50 | \$399 |
| DGP1830 | .68 x 24.8 x 18 | 100 | 4 | .50 | \$399 |
| DGP1836 | .68 x 30.8 x 18 | 100 | 5 | .60 | \$461 |
| DGP1842 | .68 x 36.8 x 18 | 125 | 5 | .70 | \$514 |
| DGP1848 | .68 x 42.8 x 18 | 125 | 6 | .80 | \$616 |
| DGP1860 | .68 x 54.8 x 18 | 100 | 8 | .90 | \$736 |
| DGP1866 | .68 x 60.8 x 18 | 100 | 8 | 1 | \$796 |
| DGP1872 | .68 x 66.8 x 18 | 100 | 9 | 1.10 | \$860 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

| | | | | | |
|----------|-----------------|-----|---|------|--------------|
| DRGP1820 | .68 x 14.8 x 18 | 60 | 3 | .03 | \$292 |
| DRGP1824 | .68 x 18.9 x 18 | 60 | 3 | .04 | \$331 |
| DRGP1829 | .68 x 24.5 x 18 | 60 | 4 | .05 | \$383 |
| DRGP1830 | .68 x 24.8 x 18 | 60 | 4 | .05 | \$383 |
| DRGP1836 | .68 x 30.8 x 18 | 60 | 5 | .06 | \$450 |
| DRGP1842 | .68 x 36.8 x 18 | 60 | 5 | .06 | \$501 |
| DRGP1848 | .68 x 42.8 x 18 | 60 | 6 | .07 | \$600 |
| DRGP1860 | .68 x 54.8 x 18 | 60 | 8 | .09 | \$717 |
| DRGP1866 | .68 x 60.8 x 18 | 100 | 8 | 1 | \$777 |
| DRGP1872 | .68 x 66.8 x 18 | 100 | 9 | 1.10 | \$842 |

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

| | | | | | |
|---------|-----------------|-----|----|------|---------------|
| DGP2420 | .68 x 14.8 x 24 | 125 | 3 | .40 | \$341 |
| DGP2424 | .68 x 18.9 x 24 | 100 | 4 | .50 | \$382 |
| DGP2429 | .68 x 24.5 x 24 | 125 | 4 | .60 | \$457 |
| DGP2430 | .68 x 24.8 x 24 | 100 | 5 | .60 | \$457 |
| DGP2436 | .68 x 30.8 x 24 | 125 | 5 | .70 | \$528 |
| DGP2442 | .68 x 36.8 x 24 | 125 | 6 | .80 | \$599 |
| DGP2448 | .68 x 42.8 x 24 | 125 | 7 | .90 | \$703 |
| DGP2460 | .68 x 54.8 x 24 | 100 | 9 | 1.10 | \$854 |
| DGP2466 | .68 x 60.8 x 24 | 100 | 10 | 1.20 | \$931 |
| DGP2472 | .68 x 66.8 x 24 | 125 | 10 | 1.40 | \$1002 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.**


- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

Required Specifications


Glaze

Rail finish


GLAZED PANELS



Glazed Panel - 24" High, Raised



Glazed Panel - 36" High



Glazed Panel - 36" High, Raised

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-----------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| DRGP2420 | .68 x 14.8 x 24 | 60 | 3 | .04 | \$331 |
| DRGP2424 | .68 x 18.9 x 24 | 60 | 4 | .05 | \$371 |
| DRGP2429 | .68 x 24.5 x 24 | 60 | 4 | .06 | \$442 |
| DRGP2430 | .68 x 24.8 x 24 | 60 | 5 | .06 | \$442 |
| DRGP2436 | .68 x 30.8 x 24 | 60 | 5 | .07 | \$515 |
| DRGP2442 | .68 x 36.8 x 24 | 60 | 6 | .08 | \$586 |
| DRGP2448 | .68 x 42.8 x 24 | 60 | 7 | .09 | \$684 |
| DRGP2460 | .68 x 54.8 x 24 | 100 | 9 | 1.10 | \$837 |
| DRGP2466 | .68 x 60.8 x 24 | 100 | 10 | 1.20 | \$913 |
| DRGP2472 | .68 x 66.8 x 24 | 125 | 10 | 1.30 | \$987 |

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

| | | | | | |
|---------|-----------------|-----|----|------|---------------|
| DGP3620 | .68 x 14.8 x 36 | 125 | 4 | .60 | \$415 |
| DGP3624 | .68 x 18.9 x 36 | 150 | 4 | .70 | \$457 |
| DGP3629 | .68 x 24.5 x 36 | 150 | 5 | .90 | \$546 |
| DGP3630 | .68 x 24.8 x 36 | 125 | 6 | .90 | \$546 |
| DGP3636 | .68 x 30.8 x 36 | 125 | 7 | 1 | \$644 |
| DGP3642 | .68 x 36.8 x 36 | 125 | 8 | 1.20 | \$736 |
| DGP3648 | .68 x 42.8 x 36 | 125 | 9 | 1.30 | \$860 |
| DGP3660 | .68 x 54.8 x 36 | 125 | 11 | 1.60 | \$1038 |
| DGP3666 | .68 x 60.8 x 36 | 125 | 12 | 1.80 | \$1130 |
| DGP3672 | .68 x 66.8 x 36 | 125 | 13 | 1.90 | \$1220 |

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

| | | | | | |
|----------|-----------------|-----|----|------|---------------|
| DRGP3620 | .68 x 14.8 x 36 | 60 | 4 | .06 | \$402 |
| DRGP3624 | .68 x 18.9 x 36 | 60 | 4 | .07 | \$442 |
| DRGP3629 | .68 x 24.5 x 36 | 60 | 5 | .08 | \$534 |
| DRGP3630 | .68 x 24.8 x 36 | 60 | 6 | .08 | \$534 |
| DRGP3636 | .68 x 30.8 x 36 | 125 | 7 | 1 | \$632 |
| DRGP3642 | .68 x 36.8 x 36 | 125 | 8 | 1.10 | \$717 |
| DRGP3648 | .68 x 42.8 x 36 | 125 | 9 | 1.30 | \$842 |
| DRGP3660 | .68 x 54.8 x 36 | 125 | 11 | 1.60 | \$1012 |
| DRGP3666 | .68 x 60.8 x 36 | 125 | 12 | 1.70 | \$1104 |
| DRGP3672 | .68 x 66.8 x 36 | 125 | 13 | 1.90 | \$1195 |


4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).


Required Specifications

Glaze
Rail finish


LAMINATE PANELS



Laminate Panel - 12" High



Laminate Panel - 18" High



Laminate Panel - 24" High

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-----------------|---------------|---------|-----------|------------|
| D x W x H | | | | | |
| DLP1220 | .68 x 14.8 x 12 | 70 | 5 | .30 | \$94 |
| DLP1224 | .68 x 18.9 x 12 | 70 | 5 | .30 | \$111 |
| DLP1229 | .68 x 24.5 x 12 | 70 | 7 | .40 | \$140 |
| DLP1230 | .68 x 24.8 x 12 | 70 | 7 | .40 | \$140 |
| DLP1236 | .68 x 30.8 x 12 | 70 | 8 | .40 | \$154 |
| DLP1242 | .68 x 36.8 x 12 | 70 | 10 | .50 | \$175 |
| DLP1248 | .68 x 42.8 x 12 | 70 | 11 | .60 | \$196 |
| DLP1260 | .68 x 54.8 x 12 | 70 | 14 | .70 | \$212 |
| DLP1266 | .68 x 60.8 x 12 | 70 | 16 | .80 | \$234 |
| DLP1272 | .68 x 66.8 x 12 | 70 | 17 | .80 | \$264 |

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

| | | | | | |
|---------|-----------------|----|----|------|-------|
| DLP1820 | .68 x 14.8 x 18 | 65 | 7 | .30 | \$113 |
| DLP1824 | .68 x 18.9 x 18 | 70 | 8 | .40 | \$128 |
| DLP1829 | .68 x 24.5 x 18 | 70 | 10 | .50 | \$152 |
| DLP1830 | .68 x 24.8 x 18 | 70 | 10 | .50 | \$152 |
| DLP1836 | .68 x 30.8 x 18 | 70 | 12 | .60 | \$172 |
| DLP1842 | .68 x 36.8 x 18 | 70 | 15 | .70 | \$196 |
| DLP1848 | .68 x 42.8 x 18 | 70 | 17 | .80 | \$227 |
| DLP1860 | .68 x 54.8 x 18 | 65 | 21 | .90 | \$249 |
| DLP1866 | .68 x 60.8 x 18 | 65 | 23 | 1 | \$273 |
| DLP1872 | .68 x 66.8 x 18 | 65 | 25 | 1.10 | \$301 |

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.
- Divide panel **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.


| | | | | | |
|---------|-----------------|----|----|------|-------|
| DLP2420 | .68 x 14.8 x 24 | 65 | 9 | .40 | \$128 |
| DLP2424 | .68 x 18.9 x 24 | 70 | 11 | .50 | \$139 |
| DLP2429 | .68 x 24.5 x 24 | 70 | 13 | .60 | \$172 |
| DLP2430 | .68 x 24.8 x 24 | 70 | 13 | .60 | \$172 |
| DLP2436 | .68 x 30.8 x 24 | 65 | 16 | .70 | \$190 |
| DLP2442 | .68 x 36.8 x 24 | 65 | 19 | .80 | \$221 |
| DLP2448 | .68 x 42.8 x 24 | 65 | 22 | .90 | \$252 |
| DLP2460 | .68 x 54.8 x 24 | 65 | 28 | 1.10 | \$283 |
| DLP2466 | .68 x 60.8 x 24 | 65 | 30 | 1.20 | \$315 |
| DLP2472 | .68 x 66.8 x 24 | 65 | 33 | 1.40 | \$344 |

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on - see NOTES on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

Required Specifications
Laminate finish. Note: woodgrain finishes are horizontal on all sizes.

LAMINATE PANELS



Laminate Panel - 36" High*

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|-----------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| DLP3620 | .68 x 14.8 x 36 | 70 | 13 | .60 | \$156 |
| DLP3624 | .68 x 18.9 x 36 | 65 | 16 | .70 | \$172 |
| DLP3629 | .68 x 24.5 x 36 | 70 | 20 | .90 | \$210 |
| DLP3630 | .68 x 24.8 x 36 | 70 | 20 | .90 | \$210 |
| DLP3636 | .68 x 30.8 x 36 | 65 | 24 | 1 | \$242 |
| DLP3642 | .68 x 36.8 x 36 | 65 | 28 | 1.20 | \$280 |
| DLP3648 | .68 x 42.8 x 36 | 65 | 33 | 1.30 | \$315 |
| DLP3660 | .68 x 54.8 x 36 | 65 | 41 | 1.60 | \$362 |
| DLP3666 | .68 x 60.8 x 36 | 65 | 45 | 1.80 | \$399 |
| DLP3672 | .68 x 66.8 x 36 | 65 | 50 | 1.90 | \$438 |

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see *NOTES* on page 462 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

DIVIDE POSTS



Divide Post

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------|------------------|---------------|---------|-----------|--------------|
| DPOST12 | 1.68 x 1.68 x 12 | 70 | 2 | .10 | \$129 |
| DPOST18 | 1.68 x 1.68 x 18 | 70 | 2 | .10 | \$175 |
| DPOST24 | 1.68 x 1.68 x 24 | 60 | 3 | .10 | \$228 |
| DPOST30 | 1.68 x 1.68 x 30 | 60 | 4 | .10 | \$316 |
| DPOST36 | 1.68 x 1.68 x 36 | 70 | 4 | .20 | \$362 |
| DPOST42 | 1.68 x 1.68 x 42 | 65 | 5 | .20 | \$402 |

For supporting panels. Includes one post mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. Available in Black (**BLK**) or Tungsten (**TUN**), please specify.

- Requires 2 divide posts per panel
- Divide post is mounted 1.063" from worksurface edge.



Post-to-Wall Filler Strip

| | | | | | |
|-------|-----------------|-----|---|-----|-------------|
| DFS12 | 1.43 x .75 x 12 | 150 | 2 | .50 | \$72 |
| DFS18 | 1.43 x .75 x 18 | 150 | 2 | .50 | \$72 |
| DFS24 | 1.43 x .75 x 24 | 150 | 2 | .50 | \$72 |
| DFS30 | 1.43 x .75 x 30 | 150 | 2 | .50 | \$76 |
| DFS36 | 1.43 x .75 x 36 | 150 | 2 | .50 | \$76 |
| DFS42 | 1.43 x .75 x 42 | 150 | 3 | .60 | \$76 |

Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Ships 1 per carton. Black only.


Required Specifications

Laminate finish*. Note: woodgrain finishes are horizontal on all sizes.

TRANSACTION TOPS

D x W x H

- To order a radius end on one side of a transaction top, add the suffix “D” to the model number (ex. DATT30D). Add a **15% upcharge**.
- To order a radius end on both sides of a transaction top, add the suffix “DD” to the model number (ex. DATT30DD). Add a **20% upcharge**.
- Each radius end adds a 6” overhang per side (see illustrations below).




Transaction top is offset 6” from edge of worksurface in both directions.

Transaction top is offset 4” from the center of divider post towards the inside and 8” towards the outside.


Transaction Top Offset

- 4” from the center of the Divider Post to the inside of worksurface
- 8” from the center of the Divider Post to the outside of worksurface




Two Way Connector Transaction Top (DATT2W/DCTT2W)

Use with a corner worksurface to link transaction tops together.



Radius End Transaction Top - one side

Add suffix “D” to model number for radius end on one side.



Radius End Transaction Top - two sides

Add suffix “DD” to model number for radius end on both sides.

STRAIGHT TRANSACTION TOPS

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

DATT14

12 x 14 x 1

65

7

.30

\$282

DATT18

12 x 18 x 1

70

8

.40

\$282

DATT20

12 x 20 x 1

70

9

.50

\$282

DATT23

12 x 23 x 1

70

10

.50

\$320

DATT24

12 x 24 x 1

70

10

.50

\$320

DATT29

12 x 29 x 1

70

12

.60

\$342

DATT30

12 x 30 x 1

70

12

.60

\$342

DATT36

12 x 36 x 1

70

14

.70

\$362

DATT42

12 x 42 x 1

70

16

.80

\$382

DATT48

12 x 48 x 1

70

18

.90

\$382

DATT54

12 x 54 x 1

70

21

1

\$431

DATT60

12 x 60 x 1

70

23

1.10

\$431

DATT66

12 x 66 x 1

70

25

1.20

\$481

DATT72

12 x 72 x 1

70

27

1.30

\$481



Straight Transaction Top - 1” thick

12” deep x 1” thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.





- Add “D” to model number for radius end on one side, ADD **15% upcharge**.
- Add “DD” to model number for radius end on both sides, ADD **20% upcharge**.
- Each radius adds 6” overhang per side.

Required Specifications

Laminate Finish
Edge Detail

Optional Specifications

Radius End

| TRANSACTION TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---------|------------------|---------------|---------|-----------|---------------|
|  <p>Straight Transaction Top - 1½" thick</p> | | D x W x H | | | | |
| | DCTT14 | 12 x 14 x 1.5 | 60 | 9 | .30 | \$391 |
| | DCTT18 | 12 x 18 x 1.5 | 65 | 11 | .40 | \$391 |
| | DCTT20 | 12 x 14.8 x 1.5 | 65 | 12 | .50 | \$391 |
| | DCTT23 | 12 x 23 x 1.5 | 65 | 14 | .50 | \$454 |
| | DCTT24 | 12 x 18.9 x 1.5 | 65 | 14 | .50 | \$454 |
| | DCTT29 | 12 x 24.5 x 1.5 | 65 | 17 | .60 | \$483 |
| | DCTT30 | 12 x 30 x 1.5 | 65 | 17 | .60 | \$483 |
| | DCTT36 | 12 x 36 x 1.5 | 65 | 20 | .70 | \$506 |
| | DCTT42 | 12 x 42 x 1.5 | 65 | 23 | .80 | \$506 |
| | DCTT48 | 12 x 48 x 1.5 | 65 | 26 | .90 | \$506 |
| | DCTT54 | 12 x 54 x 1.5 | 65 | 29 | 1 | \$576 |
| | DCTT60 | 12 x 60 x 1.5 | 65 | 32 | 1.10 | \$576 |
| | DCTT66 | 12 x 66 x 1.5 | 65 | 35 | 1.20 | \$630 |
| | DCTT72 | 12 x 72 x 1.5 | 65 | 38 | 1.30 | \$630 |
| <p>12" deep x 1½" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Add "D" to model number for radius end on one side, ADD 15% upcharge. • Add "DD" to model number for radius end on both sides, ADD 20% upcharge. • Each radius adds 6" overhang per side. | | | | | | |
| GALLERY CORNER TRANSACTION TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|  <p>Gallery Corner Transaction Top - 1" thick</p> | DA1GC36 | 36 x 36 x 1 | 125 | 32 | 5 | \$859 |
| | DA1GC42 | 42 x 42 x 1 | 150 | 38 | 6.50 | \$859 |
| <p>One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs in one direction. | | | | | | |
|  <p>Gallery Corner Transaction Top - 1½" thick</p> | DC1GC36 | 36 x 36 x 1.5 | 100 | 43 | 5 | \$1069 |
| | DC1GC42 | 42 x 42 x 1.5 | 125 | 50 | 6.50 | \$1069 |
| <p>One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs in one direction. | | | | | | |
| 2 PIECE GALLERY CORNER TRANSACTION TOPS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|  <p>2 Piece Gallery Corner Transaction Top - 1" thick</p> | DA2GC36 | 36 x 36 x 1 | 70 | 29 | 1.90 | \$610 |
| | DA2GC42 | 42 x 42 x 1 | 70 | 33 | 1.90 | \$610 |
| <p>Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> • Woodgrain runs in two directions. | | | | | | |

| Required Specifications | Optional Specifications |
|-------------------------|--------------------------|
| Laminate Finish | Radius End (DCTT models) |
| Edge Detail | |

2 PIECE GALLERY CORNER TRANSACTION TOPS




2 Piece Gallery Corner
Transaction Top - 1½" thick

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------|---------------|---------------|---------|-----------|--------------|
| D x W x H | | | | | |
| DC2GC36 | 36 x 36 x 1.5 | 70 | 39 | 1.90 | \$818 |
| DC2GC42 | 42 x 42 x 1.5 | 65 | 45 | 1.90 | \$818 |

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs in two directions.

2-WAY CONNECTOR TRANSACTION TOPS




2-Way Connector
Transaction Top - 1" thick

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|-------------|---------------|---------|-----------|--------------|
| DATT2W | 12 x 12 x 1 | 70 | 6 | .30 | \$385 |

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.




2-Way Connector
Transaction Top - 1½" thick

| | | | | | |
|--------|---------------|----|---|-----|--------------|
| DCTT2W | 12 x 12 x 1.5 | 65 | 7 | .30 | \$450 |
|--------|---------------|----|---|-----|--------------|

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.

4-WAY CONNECTOR TRANSACTION TOPS




4-Way Connector
Transaction Top - 1" thick

| | | | | | |
|--------|-------------|----|---|-----|--------------|
| DATT4W | 12 x 12 x 1 | 65 | 8 | .30 | \$411 |
|--------|-------------|----|---|-----|--------------|

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.



4-Way Connector
Transaction Top - 1½" thick

| | | | | | |
|--------|---------------|----|----|-----|--------------|
| DCTT4W | 12 x 12 x 1.5 | 60 | 10 | .30 | \$527 |
|--------|---------------|----|----|-----|--------------|

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.

Required Specifications

Laminate Finish
Edge Detail

personal storage



Sidebar Storage

456



Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.

Features and Benefits

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting



Foot options



Stack-on storage



Low credenza storage with cushion

GENERAL INFORMATION

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time – please refer to model # for availability and pricing.
- For environmental certifications, please visit globalfurnituregroup.com

CONSTRUCTION

- Tops are 1" thick thermally fused laminate (**TFL**) or optional 1-1/16" thick high pressure laminate (**HPL**) available in a variety of edge details
- All finishes feature edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain)
- Constructed of 45 lb. density particleboard covered on both sides with high performance thermally fused laminate (**TFL**) or high pressure laminate surfaces (**HPL**)
- Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides
- Products specified with the high pressure laminate option (**HPL**) are finished on the underside of the surface with a kraft paper backing.

STORAGE

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box – 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- All shelves are fixed

FEET

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black [BLK] feet).
- If no handle selection is available, legs and feet are available in Tungsten (**TTU**) or Black (**TBL**)

LOCKS

- Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

SHIPPING

- Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops (upcharge applies)

3. SPECIFY FINISH

Top/Base/Door, Drawer and Cabinet Finishes:

| | | | |
|-----|-----------------|-----|--------------------|
| ACJ | Absolute Acajou | FCL | First Class |
| ASN | Asian Night | NBL | Noce Biondo |
| AWC | Avant Cherry | NGL | Noce Grigio |
| AWH | Avant Honey | NEL | Noce Leggero |
| BLK | Black | NML | Noce Medio |
| BZD | Blizzard | QTM | Quartered Mahogany |
| BRC | Brushed Cobalt | SBY | Sheer Beauty |
| CMB | Clear Maple | SDT | Stonedust |
| CGY | Custom Grey | SOG | Storm Grey |
| DES | Dark Espresso | WHE | Walnut Heights |
| DWT | Designer White | WHC | White Chocolate |
| FAS | Fashionista | WCR | Winter Cherry |

Edge:


| | |
|-----------|-----------------------------------|
| AB | Split color edge with Black Trim |
| AS | Split color edge with Silver Trim |
| A3 | Standard edge |
| AR | Bicut edge |

Feet:


Storage Feet are available in Tungsten (**TTU**) or Black (**TBL**).

4. SPECIFY OPTIONS

EDGE OPTIONS



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black

HANDLES

- Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be **factory installed**. Each handle is identified by the letters “**HU**”, “**HV**”, “**HW**”, “**HX**” “**HS**”, “**HZ**”, “**HO**”, “**HQ**”, and “**HR**”. To specify a handle, please specify the code after the model number. To order a handle as an option, please specify the code when ordering. List Price is **\$58**.



HS Flared Silver



HV Square Edge Silver



HO Crescent Black



HW Flared Brass



HU Square Edge Black



HZ Dimpled Nickel




HX Flared Black




HQ Bar Silver



HR Bar Black

| MOBILE PEDESTAL | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--|---------|--------------|---------------|---------|-----------|------------|--------|
|  Mobile Pedestal* | | D x W x H | | | | | |
| | S1619MP | 19 x 16 x 25 | 85 | 76 | 6 | \$1054 | n/a |
| | S1623MP | 23 x 16 x 25 | 92.5 | 82 | 7 | \$1095 | n/a |
| <p>Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.</p> <ul style="list-style-type: none">File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom. | | | | | | | |


| MOBILE PEDESTAL | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | GRADE | LIST | GRADE | LIST |
|---|---|---------------|---------------|---------|-----------|-------|-------|-------|--------|
|  | CU1517 | 17 x 15 x 1.5 | 125 | 6 | .90 | 1 | \$155 | 7 | \$442 |
| | | | | | | 2 | \$201 | 8 | \$541 |
| | | | | | | 3 | \$232 | 9 | \$618 |
| | | | | | | 4 | \$281 | 10 | \$701 |
| | | | | | | 5 | \$347 | 11 | \$874 |
| | | | | | | 6 | \$381 | 12 | \$1064 |
| | CU1520 | 20 x 15 x 1.5 | 70 | 1 | 1 | 1 | \$167 | 7 | \$452 |
| | | | | | | 2 | \$210 | 8 | \$552 |
| | | | | | | 3 | \$242 | 9 | \$628 |
| | | | | | | 4 | \$292 | 10 | \$712 |
| | | | | | | 5 | \$359 | 11 | \$886 |
| | | | | | | 6 | \$390 | 12 | \$1075 |
| | <p>Cushion for Mobile Pedestals**</p> <p>Cushion attaches with Velcro strips.</p> <ul style="list-style-type: none">CU1517 for use on S1619MP. CU1520 for use on S1623MP. | | | | | | | | |

Required Specifications

- Top finish*
- Drawer front finish*
- Handles*
- Fabric**

S


SIDEBAR STORAGE

| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---------|-----------------|---------------|---------|-----------|--------------|--------|
| | | D x W x H | | | | | |
|  | S3012A0 | 12 x 30 x 22.85 | 125 | 49 | 7 | \$659 | n/a |
| | S3612A0 | 12 x 36 x 22.85 | 125 | 61 | 8.25 | \$762 | n/a |

30" w36" w

Low Bookcase


Open bookcases accommodate binders in every cavity. One fixed shelf. 36" w units feature a fixed vertical divider.



30" w36" w

2 High Bookcase


Open bookcases accommodate binders in every cavity. Two fixed shelves. 36" w units feature a fixed vertical divider. Matches Tier 2.



30" w36" w - left36" w - right

3 High Bookcase


Open bookcases accommodate binders in every cavity. Three fixed shelves. 36" w units feature a fixed vertical divider. Matches Tier 3.



30" w36" w - left36" w - right

4 High Bookcase


Open bookcases accommodate binders in every cavity. Four fixed shelves. 36" w units feature a fixed vertical divider. Matches Tier 4.



2 High Lateral File

Two file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 2.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



3 High Lateral File





| | | | | | | |
|---------|-----------------|-----|-----|-------|---------------|-----|
| S3020DZ | 20 x 30 x 36.35 | 100 | 142 | 16.50 | \$1777 | n/a |
| S3024DZ | 24 x 30 x 36.35 | 125 | 149 | 19.50 | \$1875 | n/a |
| S3620DZ | 20 x 36 x 36.35 | 125 | 153 | 19.50 | \$1923 | n/a |
| S3624DZ | 24 x 36 x 36.35 | 125 | 168 | 23.35 | \$2026 | n/a |

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 3.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications

| | |
|-------------------------------------|-----------------------------|
| Top finish | Handles |
| Top/edge detail | Leg Finish (Bookcases only) |
| Base finish | Shelf Finish (Open Units) |
| Drawer Front Finish (Units w/doors) | |


| STORAGE | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---|---|-----------------|---------------|---------|-----------|---------------|--------|
|  3 High Lateral File - Open | D x W x H | | | | | | |
| | S3020HZ | 20 x 30 x 63.35 | 100 | 239 | 27.50 | \$2689 | n/a |
| | S3024HZ | 24 x 30 x 63.35 | 125 | 246 | 32.50 | \$2817 | n/a |
| | S3620HZ | 20 x 36 x 63.35 | 125 | 253 | 32.75 | \$2911 | n/a |
| | S3624HZ | 24 x 36 x 63.35 | 125 | 275 | 38.75 | \$3055 | n/a |
| Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4. • Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom. | | | | | | | |
|  2 High Storage Cabinet | S3020DX | 20 x 30 x 36.35 | 125 | 122 | 16.50 | \$1380 | n/a |
| | S3024DX | 24 x 30 x 36.35 | 125 | 139 | 19.50 | \$1486 | n/a |
| | S3620DX | 20 x 36 x 36.35 | 125 | 151 | 19.50 | \$1618 | n/a |
| | S3624DX | 24 x 36 x 36.35 | 125 | 173 | 23 | \$1764 | n/a |
| | Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2. | | | | | | |
|  3 High Storage Cabinet | S3020FX | 20 x 30 x 49.85 | 125 | 167 | 22 | \$1710 | n/a |
| | S3024FX | 24 x 30 x 49.85 | 125 | 190 | 26 | \$1845 | n/a |
| | S3620FX | 20 x 36 x 49.85 | 100 | 209 | 23.75 | \$2026 | n/a |
| | S3624FX | 24 x 36 x 49.85 | 125 | 238 | 30.75 | \$2218 | n/a |
| | Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3. | | | | | | |
|  4 High Storage Cabinet | S3020HX | 20 x 30 x 63.35 | 125 | 212 | 27.50 | \$2048 | n/a |
| | S3024HX | 24 x 30 x 63.35 | 125 | 241 | 32.50 | \$2222 | n/a |
| | Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4. | | | | | | |

| Required Specifications | |
|----------------------------|---------|
| Top finish | Handles |
| Top/edge detail | |
| Base finish | |
| Door / Drawer Front Finish | |


S

SIDEBAR STORAGE

LOW CREDENZAS



Low Credenza - Lateral Drawer



Low Credenza - Lateral Drawer

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|-------------------------|---------------|---------|-----------|------------|--------|
| S4220ASL | 20 x 42 x 22.85 | 125 | 110 | 15 | \$1326 | \$213 |
| S4224ASL | 24 x 42 x 22.85 | 125 | 123 | 17.50 | \$1422 | \$250 |
| S4820ASL | 20 x 48 x 22.85 | 125 | 121 | 17 | \$1435 | \$250 |
| S4824ASL | 24 x 48 x 22.85 | 125 | 136 | 20 | \$1534 | \$282 |

| | | | | | | |
|----------|-----------------|-----|-----|-------|--------|-------|
| S4220ASR | 20 x 42 x 22.85 | 125 | 110 | 15 | \$1326 | \$213 |
| S4224ASR | 24 x 42 x 22.85 | 125 | 123 | 17.50 | \$1422 | \$250 |
| S4820ASR | 20 x 48 x 22.85 | 125 | 121 | 17 | \$1435 | \$250 |
| S4824ASR | 24 x 48 x 22.85 | 125 | 136 | 20 | \$1534 | \$282 |

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42" w cabinet has a 30" w lateral drawer.
- 48" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


| | | | | | | |
|----------|-----------------|-----|-----|-------|--------|-------|
| S6020ASL | 20 x 60 x 22.85 | 125 | 138 | 21 | \$1581 | \$319 |
| S6024ASL | 24 x 60 x 22.85 | 125 | 156 | 24.75 | \$1692 | \$353 |
| S7220ASL | 20 x 72 x 22.85 | 125 | 159 | 20.75 | \$1764 | \$353 |
| S7224ASL | 24 x 72 x 22.85 | 125 | 179 | 25 | \$1879 | \$422 |

| | | | | | | |
|----------|-----------------|-----|-----|-------|--------|-------|
| S6020ASR | 20 x 60 x 22.85 | 125 | 138 | 21 | \$1581 | \$319 |
| S6024ASR | 24 x 60 x 22.85 | 125 | 156 | 24.75 | \$1692 | \$353 |
| S7220ASR | 20 x 72 x 22.85 | 125 | 159 | 20.75 | \$1764 | \$353 |
| S7224ASR | 24 x 72 x 22.85 | 125 | 179 | 25 | \$1879 | \$422 |


Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 60" w cabinet has a 30" w lateral drawer.
- 72" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MEDIUM CREDENZAS



Medium Credenza - Box/File



Medium Credenza w/Lateral File

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|----------------|---------------|---------|-----------|------------|--------|
| S3020BZ | 20 x 30 x 29.6 | 100 | 113 | 13.75 | \$1408 | \$178 |
| S3024BZ | 24 x 30 x 29.6 | 125 | 126 | 16.25 | \$1499 | \$178 |
| S3620BZ | 20 x 36 x 29.6 | 125 | 128 | 16.25 | \$1540 | \$178 |
| S3624BZ | 24 x 36 x 29.6 | 100 | 142 | 16.75 | \$1632 | \$213 |

Wide box and lateral file. Handles are standard. Lock secures both drawers.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| | | | | | | |
|---------|----------------|-----|-----|-------|--------|-------|
| S3020BY | 20 x 30 x 29.6 | 100 | 116 | 13.75 | \$1337 | \$178 |
| S3024BY | 24 x 30 x 29.6 | 100 | 131 | 16.25 | \$1443 | \$178 |
| S3620BY | 20 x 36 x 29.6 | 100 | 132 | 16.25 | \$1472 | \$178 |
| S3624BY | 24 x 36 x 29.6 | 100 | 149 | 16.75 | \$1581 | \$213 |

Open cavity and lateral file. Handles are standard. Standard with lock.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications


Top finish
Top/edge detail
Base finish
Door/drawer front finish

Handles


Optional Specifications

HP laminate

MEDIUM CRENZAS



Medium Credenza - Box/Lateral File



Medium Credenza - Mixed Drawers

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|-------------------------|---------------|---------|-----------|---------------|--------------|
| S4220BSL | 20 x 42 x 29.6 | 125 | 142 | 18.75 | \$1666 | \$213 |
| S4224BSL | 24 x 42 x 29.6 | 125 | 160 | 22 | \$1777 | \$250 |
| S4820BSL | 20 x 48 x 29.6 | 125 | 155 | 21.25 | \$1806 | \$250 |
| S4824BSL | 24 x 48 x 29.6 | 125 | 173 | 25 | \$1923 | \$282 |
| S4220BSR | 20 x 42 x 29.6 | 125 | 142 | 18.75 | \$1666 | \$213 |
| S4224BSR | 24 x 42 x 29.6 | 125 | 160 | 22 | \$1777 | \$250 |
| S4820BSR | 20 x 48 x 29.6 | 125 | 155 | 21.25 | \$1806 | \$250 |
| S4824BSR | 24 x 48 x 29.6 | 125 | 173 | 25 | \$1923 | \$282 |

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42" w credenza has a 30" w box/lateral file
- 48" w credenza has a 36" w box/lateral file
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

| | | | | | | |
|----------|----------------|-----|-----|-------|---------------|--------------|
| S4220BQL | 20 x 42 x 29.6 | 100 | 165 | 18.75 | \$2119 | \$213 |
| S4224BQL | 24 x 42 x 29.6 | 100 | 184 | 22 | \$2250 | \$250 |
| S4820BQL | 20 x 48 x 29.6 | 100 | 179 | 21.25 | \$2254 | \$250 |
| S4824BQL | 24 x 48 x 29.6 | 100 | 184 | 22 | \$2250 | \$282 |
| S4220BQR | 20 x 42 x 29.6 | 100 | 165 | 18.75 | \$2119 | \$213 |
| S4224BQR | 24 x 42 x 29.6 | 100 | 184 | 22 | \$2250 | \$250 |
| S4820BQR | 20 x 48 x 29.6 | 100 | 179 | 21.25 | \$2254 | \$250 |
| S4824BQR | 24 x 48 x 29.6 | 100 | 184 | 22 | \$2250 | \$282 |

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.

- 42" w credenza has a 30" w lateral drawer
- 48" w credenza has a 36" w lateral drawer
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications

Top finish
Top/edge detail
Base finish
Door/drawer front finish


Handles

Optional Specifications


HP laminate

S SIDEBAR STORAGE


STACK-ON STORAGE




Stack-On Bookcases




Stack-On Bookcase w/Collators**



Stack-On Bookcases



Stack-On Storage Cabinet*



Stack-On Mixed Storage Cabinet*

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|---------|-------------------------|---------------|---------|-----------|--------------|--------|
| S1214A0 | 14.3 x 12 x 13.5 | 92.5 | 23 | 2.20 | \$264 | n/a |
| S2414A0 | 14.3 x 24 x 13.5 | 100 | 37 | 4 | \$400 | n/a |
| S3014A0 | 14.3 x 30 x 13.5 | 100 | 41 | 5 | \$442 | n/a |
| S3614A0 | 14.3 x 36 x 13.5 | 125 | 46 | 5.90 | \$483 | n/a |

Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top.

- Sxx14A0 Stack-On bookcases add 1 tier when placed on any storage unit.

| | | | | | | |
|---------|-------------------|------|----|------|--------------|-----|
| S1214B0 | 14.3 x 12 x 20.25 | 92.5 | 35 | 3.10 | \$380 | n/a |
| S2414B0 | 14.3 x 24 x 20.25 | 92.5 | 59 | 5.75 | \$625 | n/a |
| S3014B0 | 14.3 x 30 x 20.25 | 100 | 68 | 7 | \$699 | n/a |
| S3614B0 | 14.3 x 36 x 20.25 | 100 | 77 | 8.50 | \$804 | n/a |

Designed to be placed on top credenzas. Open cavity with collator below. Unit rests directly on credenza top.

- Sxx14B0 Stack-On bookcases add 1.5 tiers when placed on any storage unit.

| | | | | | | |
|---------|----------------|------|----|------|--------------|-----|
| S1214D0 | 14.3 x 12 x 27 | 92.5 | 41 | 4 | \$428 | n/a |
| S2414D0 | 14.3 x 24 x 27 | 100 | 68 | 7.50 | \$671 | n/a |
| S3014D0 | 14.3 x 30 x 27 | 100 | 76 | 9.25 | \$736 | n/a |
| S3614D0 | 14.3 x 36 x 27 | 125 | 85 | 11 | \$817 | n/a |

Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top.

- Sxx14D0 Stack-On bookcases add 2 tiers when placed on any storage unit.

| | | | | | | |
|----------|--------------|------|-----|-------|---------------|-----|
| S1215DTL | 15 x 12 x 27 | 92.5 | 47 | 4.20 | \$561 | n/a |
| S1215DTR | 15 x 12 x 27 | 92.5 | 47 | 4.20 | \$561 | n/a |
| S2415DT | 15 x 24 x 27 | 92.5 | 79 | 7.75 | \$938 | n/a |
| S3015DT | 15 x 30 x 27 | 100 | 91 | 9.50 | \$1027 | n/a |
| S3615DT | 15 x 36 x 27 | 100 | 103 | 11.25 | \$1145 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12" w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.

| | | | | | | |
|----------|--------------|-----|-----|-------|---------------|-----|
| S2415DNL | 15 x 24 x 27 | 100 | 73 | 7.75 | \$804 | n/a |
| S3015DNL | 15 x 30 x 27 | 100 | 83 | 9.50 | \$882 | n/a |
| S3615DNL | 15 x 36 x 27 | 100 | 94 | 11.25 | \$986 | n/a |
| S4215DNL | 15 x 42 x 27 | 100 | 117 | 13 | \$1260 | n/a |
| S2415DNR | 15 x 24 x 27 | 100 | 73 | 7.75 | \$804 | n/a |
| S3015DNR | 15 x 30 x 27 | 100 | 83 | 9.50 | \$882 | n/a |
| S3615DNR | 15 x 36 x 27 | 100 | 94 | 11.25 | \$986 | n/a |
| S4215DNR | 15 x 42 x 27 | 100 | 117 | 13 | \$1260 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.


- Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.

Required Specifications


Top finish
Top/edge detail
Base finish
Door/drawer front finish*

Handles*
Collator finish**


STACK-ON STORAGE




Stack-On Bookcase w/Collators



**Stack-On Closed Storage*
Cabinet w/Collators**



**Stack-On Mixed Storage*
Cabinet w/Collators**



Stack-On Bookcases

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|--------|------------|---------------|---------|-----------|------------|--------|
|--------|------------|---------------|---------|-----------|------------|--------|

D x W x H

| | | | | | | |
|---------|-------------------|------|-----|-------|---------------|-----|
| S1214EO | 14.3 x 12 x 33.75 | 92.5 | 53 | 5 | \$554 | n/a |
| S2414EO | 14.3 x 24 x 33.75 | 100 | 90 | 9.25 | \$915 | n/a |
| S3014EO | 14.3 x 30 x 33.75 | 100 | 102 | 11.25 | \$1013 | n/a |
| S3614EO | 14.3 x 36 x 33.75 | 100 | 115 | 13.25 | \$1150 | n/a |

Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.

- Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.

| | | | | | | |
|----------|-----------------|------|----|------|--------------|-----|
| S1215ETL | 15 x 12 x 33.75 | 92.5 | 59 | 5.25 | \$685 | n/a |
| S1215ETR | 15 x 12 x 33.75 | 92.5 | 59 | 5.25 | \$685 | n/a |

| | | | | | | |
|---------|-----------------|------|-----|-------|---------------|-----|
| S2415ET | 15 x 24 x 33.75 | 92.5 | 102 | 9.50 | \$1173 | n/a |
| S3015ET | 15 x 30 x 33.75 | 100 | 117 | 11.75 | \$1298 | n/a |
| S3615ET | 15 x 36 x 33.75 | 100 | 133 | 14 | \$1472 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12\"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.

| | | | | | | |
|----------|-----------------|------|-----|-------|---------------|-----|
| S2415ENL | 15 x 24 x 33.75 | 92.5 | 96 | 9.50 | \$1041 | n/a |
| S3015ENL | 15 x 30 x 33.75 | 100 | 110 | 11.75 | \$1158 | n/a |
| S3615ENL | 15 x 36 x 33.75 | 100 | 124 | 14 | \$1312 | n/a |
| S4215ENL | 15 x 42 x 33.75 | 100 | 154 | 16 | \$1636 | n/a |

| | | | | | | |
|----------|-----------------|------|-----|-------|---------------|-----|
| S2415ENR | 15 x 24 x 33.75 | 92.5 | 96 | 9.50 | \$1041 | n/a |
| S3015ENR | 15 x 30 x 33.75 | 100 | 110 | 11.75 | \$1158 | n/a |
| S3615ENR | 15 x 36 x 33.75 | 100 | 124 | 14 | \$1312 | n/a |
| S4215ENR | 15 x 42 x 33.75 | 100 | 154 | 16 | \$1636 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.

| | | | | | | |
|---------|------------------|-----|-----|-------|---------------|-----|
| S1214FO | 14.3 x 12 x 40.5 | 100 | 59 | 6 | \$597 | n/a |
| S2414FO | 14.3 x 24 x 40.5 | 100 | 98 | 10.75 | \$930 | n/a |
| S3014FO | 14.3 x 30 x 40.5 | 100 | 110 | 13.25 | \$1019 | n/a |
| S3614FO | 14.3 x 36 x 40.5 | 125 | 123 | 15.75 | \$1130 | n/a |

Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top.

- Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.

Required Specifications


Top finish
Top/edge detail
Base finish
Door/drawer front finish*

Handles*
Collator finish


S

SIDEBAR STORAGE


STACK-ON STORAGE



Stack-On Storage Cabinet



Stack-On Mixed Storage Cabinet



Stack-On Wardrobe Cabinet

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE | HP ADD |
|----------|-------------------------|---------------|---------|-----------|------------|--------|
| S1215FTL | 15 x 12 x 40.5 | 92.5 | 68 | 6.25 | \$762 | n/a |
| S1215FTR | 15 x 12 x 40.5 | 92.5 | 68 | 6.25 | \$762 | n/a |
| S2415FT | 15 x 24 x 40.5 | 92.5 | 116 | 11.25 | \$1271 | n/a |
| S3015FT | 15 x 30 x 40.5 | 100 | 132 | 14 | \$1394 | n/a |
| S3615FT | 15 x 36 x 40.5 | 100 | 150 | 16.50 | \$1553 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.

| | | | | | | |
|----------|----------------|-----|-----|-------|--------|-----|
| S2415FNL | 15 x 24 x 40.5 | 100 | 107 | 11.25 | \$1102 | n/a |
| S3015FNL | 15 x 30 x 40.5 | 100 | 121 | 14 | \$1206 | n/a |
| S3615FNL | 15 x 36 x 40.5 | 100 | 137 | 16.50 | \$1347 | n/a |
| S4215FNL | 15 x 42 x 40.5 | 100 | 171 | 19 | \$1722 | n/a |
| S2415FNR | 15 x 24 x 40.5 | 100 | 107 | 11.25 | \$1102 | n/a |
| S3015FNR | 15 x 30 x 40.5 | 100 | 121 | 14 | \$1206 | n/a |
| S3615FNR | 15 x 36 x 40.5 | 100 | 137 | 16.50 | \$1347 | n/a |
| S4215FNR | 15 x 42 x 40.5 | 100 | 171 | 19 | \$1722 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.

| | | | | | | |
|----------|----------------|-----|----|------|-------|-----|
| S1224FTL | 24 x 12 x 40.5 | 100 | 83 | 9.50 | \$900 | n/a |
| S1224FTR | 24 x 12 x 40.5 | 100 | 83 | 9.50 | \$900 | n/a |

Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.

Required Specifications

Top finish
Top/edge detail
Base finish
Door/drawer front finish

Handles






wellness solutions



Wellness Solutions

402




| LAMINATE PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--------|------------|--|-----------------|-----------|--------------------|
| | | D x W x H | | | | |
| <ul style="list-style-type: none"> • Surface mounted wellness guard provides a physical divider • Acrylic glazing is clear and support rails are painted Designer White (DWT). • Kit includes all hardware to install on an existing surface • Aluminum extruded posts | | | Laminate Finishes (for GCBMSGxxxxLP): | | | |
| | | | ACJ | Absolute Acajou | DES | Dark Espresso |
| | | | ASN | Asian Night | DWT | Designer White |
| | | | AWC | Avant Cherry | QTM | Quartered Mahogany |
| | | | AWH | Avant Honey | SOG | Storm Grey |
| | | | BLK | Black | WHE | Walnut Heights |
| | | | BRC | Brushed Cobalt | WHC | White Chocolate |
| | | | CMB | Clear Maple | WCR | Winter Cherry |

| WELLNESS SCREENS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|-----------------|---------------|---------|-----------|------------|
|  | | D x W x H | | | | |
| | GCTCSG3636LP | 3 x 36 x 36 | 300 | 20.20 | 2.92 | \$648 |
| | GCTCSG3648LP | 3 x 48 x 36 | 300 | 22.80 | 3.98 | \$806 |
| | GCTCSG3636W | 3 x 36 x 36 | 300 | 20.20 | 2.92 | \$665 |
| | GCTCSG3648W | 3 x 48 x 36 | 300 | 22.80 | 3.98 | \$824 |
| Wellness Screen - Clamp Mount | Includes clamp mount brackets, for use with existing worksurface or transaction top. Select model ending in LP for tops up to 1-1/8" thick or W for tops up to 1 1/2" thick | | | | | |
|  | GCBMSG3636LP | 5 x 36 x 36 | 300 | 20.20 | 2.92 | \$648 |
| | GCBMSG3648LP | 5 x 48 x 36 | 300 | 22.80 | 3.98 | \$806 |
| Wellness Screen - Surface Mount | Includes flat face surface mounting brackets, for use with existing worksurface or transaction top. | | | | | |
|  | GCBMSG3636LP | 12 x 36 x 36 | 250 | 28.45 | 2.92 | \$718 |
| | GCBMSG3648LP | 12 x 48 x 36 | 250 | 34.17 | 3.98 | \$924 |
| Wellness Screen - Freestanding* | 12"D, board mounted. Available in all standard Global laminate finishes. | | | | | |
|  | GCAMSG3636LP | 2 x 36 x 36 | 300 | 20.20 | 2.92 | \$530 |
| | GCAMSG3648LP | 2 x 48 x 36 | 300 | 22.80 | 3.98 | \$688 |
| Wellness Screen - Under Mount | No mounting hardware included; drilling required. For use with existing worksurface or transaction top. | | | | | |
|  | Sold individually: | | | | | |
| | GCFSGS1618-1 | 15 x 18 x 15.75 | 150 | 5.15 | 0.97 | \$526 |
| | GCFSGA1923-1 | 15.75 x 23 x 19 | 92.5 | 7.30 | 0.67 | \$603 |
| | Sold in packs of 5: | | | | | |
| | GCFSGS1618-5 | 15 x 18 x 15.75 | 150 | 25.75 | 4.86 | \$2506 |
| GCFSGA1923-5 | 15.75 x 23 x 19 | 92.5 | 36.50 | 3.37 | \$2905 | |
| Wellness Screen - Tri-Fold | Self-supported tri-fold wellness screens create a physical divider. Lightweight and foldable for easy transport or storage. Acrylic glazing is 3mm with clear finish. Includes non-marring base bumpers and integrated handles. | | | | | |
| | <ul style="list-style-type: none">• Models ending in -1 are a single unit, individually packed• Models ending in -5 are a bundle of 5 units, bulk packed. | | | | | |

Required Specifications

Finish*

| FREESTANDING DIVIDERS - FELT | | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|-------------|------------|------------------|---------|-----------------|------------|
| | | | D x W x H | | | | |
| <ul style="list-style-type: none">• Divide space with flexibility.• Lightweight and easy to clean partitions• Minimal footprint for storage• Screens are surrounded by a 0.5" x 2.5" powder coated aluminum frame in Designer White (DWT) or Tungsten (TUN)• Charcoal soft touch radius end trim• 7" panel opening at panel bottom for easy cleaning and cable pass-through• Includes all connecting hardware and 1" leveling glide• Stations are 60" wide by 42" deep by 66" high. | | FELT COLORS | | | | | |
| | | | | (AMT) Amethyst | | (HVT) Harvest | |
| | | | | (APR) Apricot | | (LAP) Lapis | |
| | | | | (BLK) Black | | (MTS) Mist | |
| | | | | (BSK) Blue Smoke | | (NVY) Navy | |
| | | | | (BRI) Brick | | (PWT) Pewter | |
| | | | | (CNN) Carnation | | (RBY) Ruby | |
| | | | | (DEN) Denim | | (SHR) Shamrock | |
| | | | | (EMD) Emerald | | (SFR) Sunflower | |
| | | | | (GPH) Graphite | | (WHT) White | |

| | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|--|-----------------|---------------|---------|-----------|------------|
|  | GCUPFSF5442 | 20 x 42 x 51.75 | 400 | 21.8 | 25.16 | \$839 |
| | GCUPFSF5448 | 20 x 48 x 51.75 | 400 | 22.54 | 28.75 | \$852 |
| | GCUPFSF5460 | 20 x 60 x 51.75 | 400 | 24.03 | 35.94 | \$1045 |
| | GCUPFSF6042 | 20 x 42 x 57.75 | 400 | 22.57 | 28.07 | \$859 |
| | GCUPFSF6048 | 20 x 48 x 57.75 | 400 | 23.3 | 32.08 | \$865 |
| | GCUPFSF6060 | 20 x 60 x 57.75 | 400 | 24.87 | 40.1 | \$1059 |
| | GCUPFSF7242 | 20 x 42 x 69.75 | 400 | 24.06 | 33.91 | \$1051 |
| | GCUPFSF7248 | 20 x 48 x 69.75 | 400 | 24.88 | 38.75 | \$1064 |
| | GCUPFSF7260 | 20 x 60 x 69.75 | 400 | 29.79 | 48.44 | \$1334 |
| | Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle. | | | | | |
|  | GCUPMSF5442 | 20 x 42 x 52.05 | 400 | 22.98 | 25.3 | \$1134 |
| | GCUPMSF5448 | 20 x 48 x 52.05 | 400 | 23.72 | 28.92 | \$1148 |
| | GCUPMSF5460 | 20 x 60 x 52.05 | 400 | 25.21 | 36.15 | \$1327 |
| | GCUPMSF6042 | 20 x 42 x 58.05 | 400 | 23.75 | 28.22 | \$1155 |
| | GCUPMSF6048 | 20 x 48 x 58.05 | 400 | 24.51 | 32.25 | \$1169 |
| | GCUPMSF6060 | 20 x 60 x 58.05 | 400 | 26.05 | 40.31 | \$1348 |
| | GCUPMSF7242 | 20 x 42 x 70.05 | 400 | 25.24 | 34.05 | \$1340 |
| | GCUPMSF7248 | 20 x 48 x 70.05 | 400 | 26.06 | 38.92 | \$1348 |
| | GCUPMSF7260 | 20 x 60 x 70.05 | 400 | 30.97 | 48.65 | \$1597 |
| | Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle. | | | | | |
|  | GCUPSHF5448 | 20 x 48 x 53.57 | 400 | 18.06 | 29.76 | \$700 |
| | GCUPSHF5454 | 20 x 54 x 53.57 | 400 | 18.8 | 33.48 | \$796 |
| | GCUPSHF6048 | 20 x 48 x 59.57 | 400 | 18.84 | 33.09 | \$748 |
| | GCUPSHF6054 | 20 x 54 x 59.57 | 400 | 19.6 | 37.23 | \$982 |
| | Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extends 24" from the worksurface. Sits 24" or 30" above worksurface. | | | | | |
| | | | | | | |

Required Specifications

Frame/ foot finish
PET felt

FREESTANDING DIVIDERS - GLASS

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H




Glass Screen - Flat Feet

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPFSG5424 | 20 x 24 x 51.75 | 250 | 30.83 | 14.38 | \$955 |
| GCUPFSG5430 | 20 x 30 x 51.75 | 300 | 34.95 | 17.97 | \$1038 |
| GCUPFSG5436 | 20 x 36 x 51.75 | 300 | 39.07 | 21.56 | \$1119 |
| GCUPFSG5442 | 20 x 42 x 51.75 | 300 | 43.19 | 25.16 | \$1202 |
| GCUPFSG5448 | 20 x 48 x 51.75 | 300 | 47.31 | 28.75 | \$1285 |
| GCUPFSG5460 | 20 x 60 x 51.75 | 300 | 55.56 | 35.94 | \$1449 |

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPFSG6024 | 20 x 24 x 57.75 | 250 | 33.11 | 16.04 | \$1012 |
| GCUPFSG6030 | 20 x 30 x 57.75 | 300 | 37.74 | 20.05 | \$1102 |
| GCUPFSG6036 | 20 x 36 x 57.75 | 300 | 42.36 | 24.06 | \$1192 |
| GCUPFSG6042 | 20 x 42 x 57.75 | 300 | 46.99 | 28.07 | \$1283 |
| GCUPFSG6048 | 20 x 48 x 57.75 | 300 | 51.61 | 32.08 | \$1374 |
| GCUPFSG6060 | 20 x 60 x 57.75 | 300 | 60.86 | 40.1 | \$1554 |

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (**FRST**), add 20%.




Glass Screen - Casters

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPMSG5424 | 20 x 24 x 52.05 | 250 | 31.99 | 14.46 | \$1368 |
| GCUPMSG5430 | 20 x 30 x 52.05 | 300 | 36.11 | 18.07 | \$1450 |
| GCUPMSG5436 | 20 x 36 x 52.05 | 300 | 40.24 | 21.69 | \$1532 |
| GCUPMSG5442 | 20 x 42 x 52.05 | 300 | 44.36 | 25.3 | \$1614 |
| GCUPMSG5448 | 20 x 48 x 52.05 | 300 | 48.48 | 28.92 | \$1696 |
| GCUPMSG5460 | 20 x 60 x 52.05 | 300 | 56.72 | 36.15 | \$1861 |

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPMSG6024 | 20 x 24 x 58.05 | 250 | 34.28 | 16.13 | \$1424 |
| GCUPMSG6030 | 20 x 30 x 58.05 | 300 | 38.9 | 20.16 | \$1515 |
| GCUPMSG6036 | 20 x 36 x 58.05 | 300 | 43.53 | 24.19 | \$1604 |
| GCUPMSG6042 | 20 x 42 x 58.05 | 300 | 48.15 | 28.22 | \$1695 |
| GCUPMSG6048 | 20 x 48 x 58.05 | 300 | 52.78 | 32.25 | \$1785 |
| GCUPMSG6060 | 20 x 60 x 58.05 | 300 | 62.03 | 40.31 | \$1966 |

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (**FRST**), add 20%.



Shared Divider Glass Screen

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPSHG5448 | 20 x 48 x 53.57 | 300 | 36.17 | 29.76 | \$1054 |
| GCUPSHG5454 | 20 x 54 x 53.57 | 300 | 38.51 | 33.48 | \$1102 |

| | | | | | |
|-------------|-----------------|-----|-------|-------|---------------|
| GCUPSHG6048 | 20 x 48 x 59.57 | 300 | 40.52 | 33.09 | \$1140 |
| GCUPSHG6054 | 20 x 54 x 59.57 | 300 | 43.36 | 37.23 | \$1195 |

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extends 24" from the worksurface. Sits 24" or 30" above worksurface.





- For frosted glass (**FRST**), add 20%.

Required Specifications

Frame/foot finish

Optional Specifications

Frosted glass (FRST)



| LINKING PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|--|-----------------|---------------|---------|-----------|---------------|
| D x W x H | | | | | | |
| <ul style="list-style-type: none">• Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core• Minimal footprint for storage• Easy to connect• Easy to reconfigure• Easy to clean• Panels available in Designer White (DWT) or Absolute Acajou (ACJ) laminates• Frames available in Designer White (DWT) or Tungsten (TUN)• Width options: 36", 42", 48", 60" wide• 66" high• 1.3" thick. | | | | | | |
| LINKING PANELS - SEGMENTED | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|  | DLSP6636 | 1.3 x 36 x 66 | 92.5 | 35 | 3 | \$900 |
| | DLSP6642 | 1.3 x 42 x 66 | 92.5 | 41 | 3.46 | \$926 |
| | DLSP6648 | 1.3 x 48 x 66 | 92.5 | 47 | 3.93 | \$944 |
| | DLSP6660 | 1.3 x 60 x 66 | 85 | 59 | 4.90 | \$1449 |
| Segmented Linking Panel* | Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core. Minimal footprint for storage. Laminate core available in Designer White (DWT) or Absolute Acajou (ACJ). Aluminum extrusion comes in powder coated paint finish in Designer White (DWT) or Absolute Acajou (ACJ). Comes complete with hinge kits and levelers on both legs. | | | | | |
|  | DLSPWS1830SCPLP | 18 x 30 x 1 | 60 | 15 | .50 | \$210 |
| | Straight rectangular laminate worksurface, non handed, can be interchanged on site, and features a scoop for cable pass-through. Available in Designer White (DWT) or Absolute Acajou (ACJ). Edging available in Designer White (DWE) or Absolute Acajou (ACJ). | | | | | |
|  | DLSPHOMC | 12 x 3 x 21 | 100 | 4 | .42 | \$165 |
| | Installs on horizontal rails of panels to provide worksurface support. Frees up space under the worksurface. Powder coated paint finish in Designer White (DWT) or Tungsten (TUN). | | | | | |
|  | DLSPHBRKT | 3 x 2.25 x 0.75 | 70 | .10 | .05 | \$15 |
| | Extruded aluminum bracket that is bolted to the underside of the worksurface. Bracket supports worksurface at any location along the middle rail of the panel. Includes mounting hardware. Powder coated paint finish in Designer White (DWT) or Tungsten (TUN). | | | | | |

| LAMINATE LINKING PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H | | | | | | |




- Laminate linking panels provide privacy.
- Standard height of 54" or 66", width in 6" increments from 24" to 60".
- Aluminum extrusion comes in powder coated paint finish: Designer White (**DWT**) or Tungsten (**TUN**).
- Laminate core offered in Designer White (**DWT**) or Absolute Acajou (**ACJ**).
- Edge banded to match laminate finish.
- Panels come complete with hinge kits

Planning Diagrams

- When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'.
- When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'.






For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.

| LAMINATE LINKING PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--|---|---------------|---------------|---------|-----------|---------------|
|  | DPL5424 | 1.3 x 24 x 54 | 92.5 | 18 | 1.62 | \$684 |
| | DPL5430 | 1.3 x 30 x 54 | 92.5 | 23 | 2.08 | \$759 |
| | DPL5436 | 1.3 x 36 x 54 | 92.5 | 27 | 2.47 | \$834 |
| | DPL5442 | 1.3 x 42 x 54 | 92.5 | 32 | 2.85 | \$909 |
| | DPL5448 | 1.3 x 48 x 54 | 92.5 | 37 | 3.25 | \$983 |
| | DPL5454 | 1.3 x 54 x 54 | 92.5 | 42 | 3.63 | \$1060 |
| | DPL5460 | 1.3 x 60 x 54 | 92.5 | 47 | 4.02 | \$1135 |
| | DPL6624 | 1.3 x 24 x 66 | 92.5 | 23 | 2.04 | \$777 |
| | DPL6630 | 1.3 x 30 x 66 | 92.5 | 29 | 2.52 | \$859 |
| | DPL6636 | 1.3 x 36 x 66 | 92.5 | 35 | 3 | \$941 |
|  | DPL6642 | 1.3 x 42 x 66 | 92.5 | 41 | 3.46 | \$1023 |
| | DPL6648 | 1.3 x 48 x 66 | 92.5 | 47 | 3.93 | \$1107 |
| | DPL6654 | 1.3 x 54 x 66 | 92.5 | 53 | 4.40 | \$1190 |
| | DPL6660 | 1.3 x 60 x 66 | 92.5 | 59 | 4.90 | \$1271 |
| | Levelers on both legs. | | | | | |
| | DPLSCH5424 | 1.3 x 24 x 54 | 92.5 | 18 | 1.62 | \$819 |
| | DPLSCH5430 | 1.3 x 30 x 54 | 92.5 | 23 | 2.08 | \$899 |
| | DPLSCH5436 | 1.3 x 36 x 54 | 92.5 | 27 | 2.47 | \$978 |
| | DPLSCH5442 | 1.3 x 42 x 54 | 92.5 | 32 | 2.85 | \$1057 |
| | DPLSCH5448 | 1.3 x 48 x 54 | 92.5 | 37 | 3.25 | \$1135 |
|  | DPLSCH5454 | 1.3 x 54 x 54 | 92.5 | 42 | 3.63 | \$1214 |
| | DPLSCH5460 | 1.3 x 60 x 54 | 92.5 | 47 | 4.02 | \$1292 |
| | DPLSCH6624 | 1.3 x 24 x 66 | 92.5 | 23 | 2.04 | \$911 |
| | DPLSCH6630 | 1.3 x 30 x 66 | 92.5 | 29 | 2.52 | \$999 |
| | DPLSCH6636 | 1.3 x 36 x 66 | 92.5 | 35 | 3 | \$1087 |
| | DPLSCH6642 | 1.3 x 42 x 66 | 92.5 | 41 | 3.46 | \$1172 |
| | DPLSCH6648 | 1.3 x 48 x 66 | 92.5 | 47 | 3.93 | \$1257 |
| | DPLSCH6654 | 1.3 x 54 x 66 | 92.5 | 53 | 4.40 | \$1376 |
| | DPLSCH6660 | 1.3 x 60 x 66 | 92.5 | 59 | 4.90 | \$1432 |
| | Single locking caster on one leg, leveler on the other. | | | | | |

Required Specifications


Frame finish
Laminate finish

| LAMINATE LINKING PANELS | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---|---|---------------|---------------|---------|-----------|---------------|
|  | D x W x H | | | | | |
| | DPLDF5424 | 1.3 x 24 x 54 | 65 | 40.2 | 1.62 | \$807 |
| | DPLDF5430 | 1.3 x 30 x 54 | 65 | 47.6 | 2.08 | \$864 |
| | DPLDF5436 | 1.3 x 36 x 54 | 70 | 54.9 | 2.47 | \$920 |
| | DPLDF5442 | 1.3 x 42 x 54 | 70 | 62.3 | 2.85 | \$977 |
| | DPLDF5448 | 1.3 x 48 x 54 | 70 | 69.6 | 3.25 | \$1031 |
| | DPLDF5454 | 1.3 x 54 x 54 | 70 | 77 | 3.63 | \$1089 |
| | DPLDF5460 | 1.3 x 60 x 54 | 70 | 84.3 | 4.02 | \$1145 |
| | DPLDF6624 | 1.3 x 24 x 66 | 65 | 48.6 | 2.04 | \$875 |
| | DPLDF6630 | 1.3 x 30 x 66 | 65 | 57.9 | 2.52 | \$936 |
| | DPLDF6636 | 1.3 x 36 x 66 | 70 | 67.3 | 3 | \$998 |
| | DPLDF6642 | 1.3 x 42 x 66 | 70 | 76.6 | 3.46 | \$1059 |
| | DPLDF6648 | 1.3 x 48 x 66 | 70 | 85.9 | 3.93 | \$1121 |
| | DPLDF6654 | 1.3 x 54 x 66 | 70 | 95.2 | 4.40 | \$1183 |
| | DPLDF6660 | 1.3 x 60 x 66 | 70 | 104.5 | 4.90 | \$1245 |
| | Flat foot on both legs. Freestanding. | | | | | |
|  | DPLMN5424 | 1.3 x 24 x 54 | 65 | 18 | 1.62 | \$856 |
| | DPLMN5430 | 1.3 x 30 x 54 | 65 | 23 | 2.08 | \$930 |
| | DPLMN5436 | 1.3 x 36 x 54 | 65 | 27 | 2.47 | \$1006 |
| | DPLMN5442 | 1.3 x 42 x 54 | 70 | 32 | 2.85 | \$1078 |
| | DPLMN5448 | 1.3 x 48 x 54 | 70 | 37 | 3.25 | \$1154 |
| | DPLMN5454 | 1.3 x 54 x 54 | 70 | 42 | 3.63 | \$1228 |
| | DPLMN5460 | 1.3 x 60 x 54 | 70 | 47 | 4.02 | \$1301 |
| | DPLMN6624 | 1.3 x 24 x 66 | 65 | 23 | 2.04 | \$948 |
| | DPLMN6630 | 1.3 x 30 x 66 | 65 | 29 | 2.52 | \$1028 |
| | DPLMN6636 | 1.3 x 36 x 66 | 65 | 35 | 3 | \$1111 |
| | DPLMN6642 | 1.3 x 42 x 66 | 70 | 41 | 3.46 | \$1194 |
| | DPLMN6648 | 1.3 x 48 x 66 | 70 | 47 | 3.93 | \$1275 |
| | DPLMN6654 | 1.3 x 54 x 66 | 70 | 53 | 4.40 | \$1356 |
| | DPLMN6660 | 1.3 x 60 x 66 | 70 | 59 | 4.90 | \$1439 |
| | Double locking caster base on both legs. Freestanding. | | | | | |
|  | DPLDCMN5424 | 1.3 x 24 x 54 | 65 | 18 | 1.62 | \$805 |
| | DPLDCMN5430 | 1.3 x 30 x 54 | 70 | 23 | 2.08 | \$879 |
| | DPLDCMN5436 | 1.3 x 36 x 54 | 70 | 27 | 2.47 | \$947 |
| | DPLDCMN5442 | 1.3 x 42 x 54 | 70 | 32 | 2.85 | \$1020 |
| | DPLDCMN5448 | 1.3 x 48 x 54 | 70 | 37 | 3.25 | \$1090 |
| | DPLDCMN5454 | 1.3 x 54 x 54 | 70 | 42 | 3.63 | \$1158 |
| | DPLDCMN5460 | 1.3 x 60 x 54 | 70 | 47 | 4.02 | \$1234 |
| | DPLDCMN6624 | 1.3 x 24 x 66 | 65 | 23 | 2.04 | \$889 |
| | DPLDCMN6630 | 1.3 x 30 x 66 | 70 | 29 | 2.52 | \$969 |
| | DPLDCMN6636 | 1.3 x 36 x 66 | 70 | 35 | 3 | \$1046 |
| | DPLDCMN6642 | 1.3 x 42 x 66 | 70 | 41 | 3.46 | \$1124 |
| | DPLDCMN6648 | 1.3 x 48 x 66 | 70 | 47 | 3.93 | \$1201 |
| | DPLDCMN6654 | 1.3 x 54 x 66 | 70 | 53 | 4.40 | \$1280 |
| | DPLDCMN6660 | 1.3 x 60 x 66 | 70 | 59 | 4.90 | \$1338 |
| | Single locking caster on one leg and double locking caster base on the other. Freestanding. | | | | | |

Required Specifications

Frame finish
Laminate finish

LAMINATE PANELS



**Laminate Panel -
Leveler/Double Caster**

| MODEL# | DIMENSIONS D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------|-------------------------|---------------|---------|-----------|---------------|
| DPLDCHN5424 | 1.3 x 24 x 54 | 65 | 18 | 1.62 | \$759 |
| DPLDCHN5430 | 1.3 x 30 x 54 | 70 | 23 | 2.08 | \$826 |
| DPLDCHN5436 | 1.3 x 36 x 54 | 70 | 27 | 2.47 | \$900 |
| DPLDCHN5442 | 1.3 x 42 x 54 | 70 | 32 | 2.85 | \$971 |
| DPLDCHN5448 | 1.3 x 48 x 54 | 70 | 37 | 3.25 | \$1040 |
| DPLDCHN5454 | 1.3 x 54 x 54 | 70 | 42 | 3.63 | \$1112 |
| DPLDCHN5460 | 1.3 x 60 x 54 | 70 | 47 | 4.02 | \$1184 |
| DPLDCHN6624 | 1.3 x 24 x 66 | 65 | 23 | 2.04 | \$842 |
| DPLDCHN6630 | 1.3 x 30 x 66 | 70 | 29 | 2.52 | \$922 |
| DPLDCHN6636 | 1.3 x 36 x 66 | 70 | 35 | 3 | \$998 |
| DPLDCHN6642 | 1.3 x 42 x 66 | 70 | 41 | 3.46 | \$1074 |
| DPLDCHN6648 | 1.3 x 48 x 66 | 70 | 47 | 3.93 | \$1154 |
| DPLDCHN6654 | 1.3 x 54 x 66 | 70 | 53 | 4.40 | \$1234 |
| DPLDCHN6660 | 1.3 x 60 x 66 | 70 | 59 | 4.90 | \$1310 |

Leveler on one leg and double locking caster base on the other. Freestanding.


LINKING PANEL ACCESSORIES



Wall Connection

| | | | | | |
|---------|------------|----|-----|------|--------------|
| DPLWA54 | 2 x 2 x 54 | 70 | 2.3 | 0.13 | \$178 |
| DPLWA66 | 2 x 2 x 66 | 65 | 3.5 | 0.15 | \$203 |


Connects linking panels to walls. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of vertical extrusion, charcoal PVC cover and hinge kits.



Expanding Kit

| | | | | | |
|---------|-----------|----|---|-----|--------------|
| DPLEKIT | 2 x 2 x 3 | 70 | 1 | .05 | \$310 |
|---------|-----------|----|---|-----|--------------|


Connects two linking panels in a straight line. This kit will accommodate any special width by overlapping the panels. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of a top and bottom bracket and all necessary hardware.



Door and Door Catch Kit

| | | | | | |
|--------|-------------|----|---|-----|--------------|
| DPDC01 | 1.3 x 3 x 6 | 60 | 2 | .05 | \$195 |
|--------|-------------|----|---|-----|--------------|

Converts any linking panel into a door. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" caster.



PET Felt Over Panel

| | | | | | |
|---------|------------------|-----|------|------|--------------|
| DPLOP24 | 1.05 x 24 x 16.8 | 70 | 1.74 | .39 | \$161 |
| DPLOP30 | 1.05 x 30 x 16.8 | 150 | 2.20 | .49 | \$191 |
| DPLOP36 | 1.05 x 36 x 16.8 | 150 | 2.67 | .59 | \$223 |
| DPLOP42 | 1.05 x 42 x 16.8 | 150 | 3.14 | .70 | \$247 |
| DPLOP48 | 1.05 x 48 x 16.8 | 150 | 3.60 | .80 | \$368 |
| DPLOP54 | 1.05 x 54 x 16.8 | 150 | 4.07 | .90 | \$398 |
| DPLOP60 | 1.05 x 60 x 16.8 | 150 | 4.53 | 1.01 | \$431 |

For laminate panels. Sits atop laminate panel and bridges the gap between the 66"H laminate linking panel and top of the consultation booth. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit contains aluminum extrusion and felt insert.

Required Specifications

Finish