Desking + Tables

Effective January 1, 2023 USA Revised February 3, 2025





think global

THE GLOBAL EDGE

ERGONOMICS IN THE TOTAL OFFICE

- One stop shopping for a full range of office furniture.
- · Seating, desks, tables, files, modular furniture, panels and accessories.
- · Ergonomics, competitive pricing and built-in value.

STRENGTH AND STABILITY

- · Established in 1966.
- One of North America's largest office furniture manufacturers.
- · Manufacturing and showrooms worldwide.

QUICK SHIP - INSTOCK

· Hundreds of products in stock for immediate delivery.

STRONG LOCAL REPRESENTATION

· Service and expert advice where you are, when you need it!

MANUFACTURING CAPABILITY

- · Vertical integration ensures "start to finish" control.
- Ongoing research and investment in new, innovative production technology.

QUALITY ASSURANCE

- Quality Assurance Program is qualified by C.G.S.B. ISO9001 standards.
- · On-site furniture testing facility.
- · Product and components are tested to ANSI/BIFMA standards.

ENVIRONMENTAL COMMITMENT

- · Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

SYMBOL IDENTIFICATION



Global's Certified Products are in compliance with the stringent emission guidelines set by the GREENGUARD Environmental Institute and include all Upholstered Seating. To obtain a GREENGUARD Certificate for any product, please go to the product page on our website www.globalfurnituregroup.com and click on "View GREENGUARD Certificate".

level™ certification, based on the ANSI/BIFMA e3-2012 furniture sustainability standard, sets furniture manufacturers on a path toward greater sustainability over time. Based on environmental and social criteria set forth in the standard, a product's entire supply chain is assessed.



Certification assessment includes an evaluation of specific corporate policies and guidelines and an assessment of associated company manufacturing facilities. Products must meet quantifiable milestones of environmental and social performance at every step of development.

The quantitative assessment addresses four categories: material use, energy and atmosphere impacts, human and ecosystem health and social responsibility.

Manufacturers earn points in each of the four categories. The levelTM brand and its numeric rating of 1, 2 or 3 indicate what threshold of certification a product has achieved. levelTM 3 is the highest rating.

TABLE OF CONTENTS

WORKPLACE

LAMINATE DESKS	PRODUCTIVITY SOLUTIONS by Global	TABLES - TRAINING
Adaptabilities9	Productivity Solutions442	2 2gether tables490
Consumer Education6	FOLI Height Adjustable Tables444	Bungee tables513
Office Accessories467	FreeFit Height Adjustable Tables591	Bungee SL tables530
Desking Comparison Chart4	Keyboard Trays454	4 ConnecTABLES564
Genoa48	Manual Height Adjustable Tables443	3 Junction627
Laminate Desk Notes8	Monitor Arms445	9 Terina688
Princeton61	Office Accessories467	7
Zira109	Power/Data481	TABLES - RECEPTION + OCCASIONAL
Zira Boardroom + Reception258	Revo + Voyage Task Lights458	3 Citi tables704
		Coat trees705
SOFTPOD	STORAGE	Collaborative Spaces537
Softpod413	Sidebar Storage390	D Drift tables708
	Zira Lockers	3 Laminate occasional tables706
BENCHING		Lite Lift II folding tables712
Bridges II292	TABLES - CAFE, MEETING + BOARDROOM	River+ tables713
FreeFit591	Boardroom tables	2 Sirena tables716
	Collaborative Spaces537	7 Wind tables717
PANELS + COMPONENTS	Kadin Tables634	4
Divide376	Swap tables643	3
	Zira Boardroom + Reception258	3

TABLE OF CONTENTS

WORKPLACE

TABLE POWER + TECHNOLOGY SOLUTIONS

Table Power + Technology Solutions490

REFERENCE

Custom Grommet Location Form.....727

Terms + Conditions.....734

Warranty......736

Textiles + Finishes......720

WELLNESS SOLUTIONS

Linking Panels406

Wellness Screens402

ACOUSTIC SOLUTIONS

Priva pods......410

Softpod......413

EDUCATION

CLASSROOM	CLASSROOM (cont'd)	MEETING + COLLABORATIVE
2gether tables490	Edventure583	Kadin Tables634
Bungee tables513	Junction627	Swap tables643
Bungee SL tables530	Terina688	
ConnecTABLES564	Zook692	
Duet tables580		

DESKING COMPARISON CHART

	ADAPTABILITIES	BRIDGES II	GENOA
GENERAL FEATURES	Top over end panel design 400 color combinations Virtually no loose hardware Storage height is 66" 2 handle options	Beam-based benching system 8-wire, 4-circuit electrical Storage height is 21", 25" and 29"	Top over end panel design 3/4 pedestal standard Virtually no loose hardware Storage height is 66"
GOOD BETTER BEST	Better	Best	Good
STYLE	Transitional	Contemporary	Transitional
PRICE POINT (36 x 72 double pedestal desk)	\$1806	N/A	\$1376
WORKSURFACE THICKNESS	1"	1"	1"
SURFACE TYPE	High performance thermally laminate or HPL	High performance thermally laminate or HPL	High performance thermally laminate
EDGE THICKNESS	2mm	3mm	Self Edge
EDGE OPTIONS	Flat	N/A	N/A
HUTCH CLEARANCE (worksurface to underside of hutch)	17.75" to valance 20" to underside of hutch	N/A	20"
GREENGUARD CERTIFIED	Yes	Yes	Yes
BIFMA e3 LEVEL CERTIFIED	Level 3	Level 3	Level 3
USDA BIO-PREFERRED EDGING	Yes	No	Yes

DESKING COMPARISON CHART

	PRINCETON	ZIRA
GENERAL FEATURES	Freestanding, modular components with overlapping architectural elements 14 standard finishes; up to 3 color application on many components available Optional 6mm tempered glass on hutches and desktop storage. Storage height is 52" and 66"	 Top over end panel design 400+ color combinations Virtually no loose hardware Storage height is 42", 54", 66", 72" and 84" (nominal). 9 handle options 4 glazing options for storage doors and modesty panels
GOOD BETTER BEST	Best	Best
STYLE	Contemporary	Contemporary
PRICE POINT (36 x 72 double pedestal desk)	N/A	\$2465
WORKSURFACE THICKNESS	1"	1" or 1.5"
SURFACE TYPE	High performance thermally laminate or HPL	High performance thermally laminate or HPL
EDGE THICKNESS	2mm	2mm
EDGE OPTIONS	N/A	Flat, Fluted or Bicut
HUTCH CLEARANCE (Worksurface to underside of hutch)	15.75"	20.25" (23.5" Hutch) 17.75" (36" Hutch) 24.25" (42" Hutch) 24.25" (54" Hutch)
GREENGUARD CERTIFIED	Yes	Yes
BIFMA e3 LEVEL CERTIFIED	Level 3	Level 3
USDA BIO-PREFERRED EDGING	No	Yes

CONSUMER EDUCATION

How do I buy a desk?



Choose a non-reflective surface. Global uses colors that reduce glare to make your work easier to read while reducing eye strain.



Avoid tangles. Make sure your desk has at least one grommet hole to keep computer and telephone wires out of the way.



Get a desk that lets you look ahead. A modular desk is easy to set up initially and then reorganize or reconfigure later to adapt to future needs.



A hutch should have a sweep that manages computer and telephone wires.



Look for European connectors if you're buying ready-to-assemble furniture. Global makes assembly easy - all you need is a screwdriver.



Island worksurfaces let you meet with more than two people at once with ample leg room for all



Give your business an edge. Each Global desk comes with its own attractive edge



Choose one of Global's height/angle adjustable keyboard trays to go with your desk. Your arms can maintain a comfortable position, reducing shoulder, back and neck strain.

How do I select the right workstation?

When searching for the right workstation it is important to consider its purpose which will be decided by the nature of your tasks. It is best to look for products that have been designed and engineered to help make your workspace more productive.

This can be achieved in a variety of ways. As a guide, observe how your work flows through your office in a typical day. It is likely that you'll uncover a number of distinctive and repetitive task patterns.

Lighting - Protect yourself

- . If you have to setup near a window make sure your computer sits perpendicular to it, minimize eye-strain inducing glare on sunny
- . If you have fluorescent lights, try to position your set up between the
- Use "Parabolic louvers" to reduce the glare from fluorescent lights
- Use window blinds to control the light source through the day
- Panels or screens may be used to control glare
- Protect your eyes from Ultraviolet A (UVA) and Ultraviolet B (UVB) by using an anti-glare screen

Noise

Try to set up your office in a separate room if possible and away from the rest of the house

Chair

- · Comfort is personal but should be part of the selection
- Seat pan design; deep and wide enough
- Rounded front edge (waterfall)
- Adjustable slope seat
- Able to adjust your chair, to obtain appropriate height
- Sit back in your chair, with your thighs parallel to the floor
- Place feet flat on the floor, a footrocker may be required

- · A footrocker helps to prevent possible discomfort resulting from outstretched feet
- · The rocking motion creates light activity in the legs and feet and will help stimulate muscles to improve overall circulation

Kevboard

· Has a palm rest

determine the workspace you eventually select.

- Easily adjusts the angle of the keyboard
- · Easily adjusts the keyboard height

Once these patterns have been identified, organize them according to their intended use

and frequency of their use. Now you are ready to investigate the pertinent factors that will

Document Holder

- A curved back document holder reduces glare
- · Position document holder in line with the monitor to reduce eyestrain

Monitor

- . There should be a direct line from the center of monitor to the, "J" key on your keyboard which should line up with your belt buckle
- Position the monitor at arm's length
- Make sure that the top of your monitor screen is slightly below eve level
- A monitor stand may be used to achieve the desired height

Workstation

- · Adequate space beneath the worksurface for your legs
- · Depth of the worksurface depends on the task and equipment used to perform this responsibility
- · Try to place tasks that are performed regularly within arm's
- · Avoid unnecessary reaching and bending which leads to fatigue and possible muscle strains and can reduce efficiency
- Keep in mind other related tasks in your planning
- Establish your workflow then design the essential elements to meet your requirements

desking — laminate



LAMINATE DESK NOTES

The following applies to all series EXCEPT the Bridges II and Princeton series.

For information on the Bridges II series, please refer to page 292 and for the Princeton series, please refer to page 61.

- . Outside and surface panels are made from 1" thick 45 lb. density particle board and covered on both sides with high performance thermally fused laminate. Modesty panels are 11/16" thick.
- BOX AND FILE DRAWERS use FULL EXTENSION STEEL BALL BEARING SLIDES for smooth action.
- BOX AND FILE PEDESTALS are standard and are CONSTRUCTED INDEPENDENTLY of the chassis, with fully closed bottoms. This PICTURE FRAME CONSTRUCTION technique prevents racking, and provides a product that lasts for years.
- FILE DRAWERS file both legal and letter documents as standard (LETTER FILES will file in BOTH DIRECTIONS, as will LATERAL FILES), except 15"w Zira units (side to side only).
- . Drawers and END PANELS are **EDGE BANDED** on ALL FOUR SIDES to protect clothing and the floor covering.
- Locks are standard on all box and file pedestals, lateral files, storage cabinets and combination storage units.
- All locking components within each series can be keyed alike at no additional charge. Please specify the request at time of ordering.
- Drawers are opened with side pulls and are constructed 22" deep (Genoa 18"D) using French dovetail joints at the front and lap joints at the rear. Woodgrain enameled bottoms are routed into the woodgrain (MDF) sides on three edges.
- Full to the floor pedestal configurations can be switched for a 15% upcharge (Adaptabilities series ONLY).
- · Pencil tray included with each desk.
- LEVELING GLIDES are standard on ALL UNITS.
- All units are **shipped fully assembled** (except where noted) on 1" x 3" thick wood furniture skids with pedestal supports inside high quality cartons.
- ALL "L" SHAPED DESKS have flush backs on the return (modesty panels).
- Additional options available include (add suffix to item number):
 - **FM** = Full modesty panel. Available on any desk or credenza. Upcharge applies. See individual series notes.
- Desks with FULL TO FLOOR pedestals CANNOT have ¾ modesty panels
- Corners must have matching modesty panels (both sides must be either ¾ or full modesty panels).
- . Modesty panels on CORNERS will be 1" above the floor; Modesty panels on RETURNS are flush with the floor. It is recommended that corner units are used for corner spaces when configuring workstations so there is no visible difference if a corner is connected to a return.
- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units
- Global Furniture Group will consider custom, specials and product alterations on an individual basis.
- Desk series can only be made in Standard Global Laminates.
- PLEASE REFER TO SERIES FOR FINISHES AVAILABLE. The following desk finishes are offered:

WOODGRAINS:

Avant Cherry (AWC) Absolute Acajou (ACJ) Asian Night (ASN) Avant Honey (AWH) Clear Maple (CMB) Dark Espresso (DES) Fashionista (FAS) First Class (FCL) Noce Biondo Noce Grigio Noce Leggero Noce Medio Quartered Mahogany (QTM) Sheer Beauty (SBY) Walnut Heights (WHE) White Chocolate (WHC) Winter Cherry (WCR)

SOLIDS: Black (BLK) Designer White (DWT) Storm Grey (SOG) Blizzard (BZD) Custom Grey (CGY) Stonedust (SDT)

PATTERNS Brushed Cobalt (BRC)

See Productivity Solutions and Desk Accessories for additional options



With over 370 components available in 400 color combinations, Adaptabilities provides the ultimate in flexibility and modularity. Rich laminate colors coordinate easily with any office or home decor. All surfaces are constructed from Global's exclusive premium grade, high performance laminate and preferred matching edges.

Adaptabilities features an extensive range of versatile components which can be configured into multi-user workstations suitable for intensive task functions, or for private executive suites requiring stately elegance and work-force functions. All laminate filing cabinets have a safety mechanism that prevents two drawers from being opened at the same time. File drawers have fully progressive ball bearing suspensions and accommodate letter and legal filing. For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.



Tops are 1" thick and a top over side, edge panel design.



34 modesty panel available at no extra charge.



For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.

Features and Benefits

- 45lb. density particle board substructure with high performance thermally fused laminate
- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature 2mm edging in matching color.
- Full to floor or ¾ pedestals available on most components
- All desks are size (incrementally) accurate
- 11/16" thick full modesty panel is standard
- 11/16" thick 3/4 modesty panel is available on most components
- Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- Full progressive ball bearing suspension on file drawers
- All drawer fronts edge banded with side pull opening pedestals and standard with pedestal locks
- Compatible with **Divide** panel system for increased
 privacy and storage
 requirements

ADAPTABILITIES® - NOTES

GENERAL INFORMATION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Adaptabilities components are compatible with Divide transaction tops and partitioning panels. See page 376 for Divide specifications and prices.
- See pages 40-41 for keyboard drawers and additional accessory options.
- Adaptabilities desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- 1" thick high performance thermally fused laminate tops (TFL) sealed with Global's preferred edging in matching color. Woodgrain surfaces feature edging with matching printed woodgrain.
- High pressure tops (HPL) are available in all Adaptabilities laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused
- · Cabinets and wardrobes are 65" high to match overall height of a worksurface with hutch (worksurface 29" + hutch 36" = 65").
- 65" high end shelves are also available to match overall height.
- Models with monoposts are available with Black (TBL) or Tungsten (TTU) monoposts, please specify.
- Models with handles are available with Black (HX) or Silver (HS) handles, please specify.
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks.
- · Double wall pedestal housing with fully closed bottom.

MODESTY PANELS

- 11/16" thick full modesty panel is standard
- 11/16" thick \(\frac{3}{4} \) modesty panel available on most components
- ¾ height modesty panels available on most models at no additional charge. Please specify (3MP). Corners must have both modesty panels as ¾ or full.
- Note: Woodgrain modesty panels 60" wide and up will have the grain pattern in a horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in a vertical direction.

STORAGE

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction.
- · Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- · Triple progressive ball bearing suspension on file drawers

LOCKS

- Optional locks available for all straight hutch unit doors. Add \$126 each lock
- Front-to-back filing bars for all steel drawer files available separately. Order FBB file bars. See "FBB" on page 41.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Adaptabilities units with locks may be ordered with **CA** cap option and specific lock cores/kevs can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When **CA** option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code **SIL-**CORE-H-SHOE for Silver core/key sets or product code BLK-CORE-H-SHOE for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

SPECIAL SIZES

- Additional custom sized components available upon request.
- Secretarial height returns (26 ½") available at a 15% upcharge.
- Full to the floor pedestal configurations can be switched for a 15% upcharge.

Α

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops

3. SPECIFY FINISH

Top Finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Body Finishes (including pedestals):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


4. SPECIFY OPTIONS

Grommets

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: AG1, AG2 or AG3. Add \$96.




- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below.
 Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks (A3672SPL)



30 x 60 single pedestal left desks (A3060SPL)



36 x 72 single pedestal left bow top desks (A3672SLB)

- Grommets may be placed at non-standard locations.
 Order as: AGS Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.
- Components that come standard with grommet may be ordered without a grommet. **Add \$53.**
- Grommets are available on modesty panels of extended corners and 5-sided corners 6 ½" in where the two modesty panels meet at a 90° angle. Please specify FOGMPR for right grommet placement and FOGMPL for left grommet (placement is as shown on diagrams below). Cost is \$96.
- Modesty panels are 1" off of ground



Left Extended Corner Unit



Right Extended Corner Unit



5-Sided Corner Unit

Power Block

- A Power Block (model PMSPDM) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/ data module with one electrical duplex receptacle and includes two data (CAT5) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both
 the Power Block cut-out location and the Power Block
 model #. Order Power Block as PMSPDM, Add \$330.
 Power Blocks are available in standard worksurface
 locations (left, center or right). Order as E1, E2 or E3.
 Add \$96.



Power Block PMSPDM Add \$330



Specify location E1, E2 or E3 Add \$96



Double Pedestal Desk*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A3672DP	36 x 72 x 29.6	150	296	52.5	\$1806	\$532
A3072DP	29.69 x 72 x 29.6	6 125	263	43	\$1774	\$498
A3066DP	29.69 x 66 x 29.6	6 125	254	39.75	\$1759	\$498
A3060DP	29.69 x 60 x 29.6	6 125	247	36.25	\$1606	\$464

Standard with box/file pedestals on both sides. Pedestals lock. One pencil tray.



Double Pedestal Bow Top Desk*

A3672DPB	30-36 x 72 x 29.6	150	280	52.5	\$2151	\$532

Standard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.



Full to Floor Double Pedestal Desk

A3672D4	36 x 72 x 29.6	125	330	52.5	\$2301	\$532
A3072D4	30 x 72 x 29.6	125	295	41.15	\$2261	\$532
A3066D4	29.69 x 66 x 29.6	125	285	39.75	\$2251	\$498
A3060D4	29.69 x 60 x 29.6	125	276	36.25	\$2097	\$464

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a 15% upcharge.



Full to Floor Double Pedestal Bow Top Desk

SINGLE PEDESTAL DESKS

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Bow top. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a 15% upcharge.

_		<u></u>
	I	

Single Pedestal Desk - LEFT*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672SPL	36 x 72 x 29.6	150	245	52.5	\$1507	\$532
A3072SPL	29.69 x 72 x 29.6	150	216	43	\$1323	\$498
A3066SPL	29.69 x 66 x 29.6	150	207	39.75	\$1307	\$498
A3060SPL	29.69 x 60 x 29.6	150	197	36.25	\$1302	\$464
A3048SPL	29.69 x 48 x 29.6	125	177	29.25	\$1169	\$394
A2448SPL	24 x 48 x 29.6	125	150	24.25	\$1169	\$256

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the left.



Single Pedestal Desk - RIGHT*

A3672SPR	36 x 72 x 29.6	150	245	52.5	\$1507	\$532
A3072SPR	29.69 x 72 x 29.6	150	216	43	\$1323	\$498
A3066SPR	29.69 x 66 x 29.6	150	207	39.75	\$1307	\$498
A3060SPR	29.69 x 60 x 29.6	150	197	36.25	\$1302	\$464
A3048SPR	29.69 x 48 x 29.6	125	177	29.25	\$1169	\$394
A2448SPR	24 x 48 x 29.6	125	150	24.25	\$1169	\$256

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the right.

Optional

Req	uired	Speci	ficati	ions
Top	finish			

Base fini

h	Key #
ish	Grommet/power bloc
	HP laminate
	Modesty panel, 3/4*

Accessories
Power block
Keyboard tray
Pencil tray


Access
Power b
Keyboa
Pencil t

LE PEDESTAL DESKS	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A007001 D	D x W x H	450	000	F0 F	44045	4=00
	A3672SLB	30-36 x 72 x 29.6	150	233	52.5	\$1845	\$532
Pedestal Bow Top Desk - LEFT*	Standard with box	x/file pedestal on left and b	oow top. Ped	estal locks. O	ne pencil tray.		
	A3672SRB	30-36 x 72 x 29.6	150	233	52.5	\$1845	\$532
Pedestal Bow Top Desk - RIGHT*	Standard with box	x/file pedestal on right and	bow top. Pe	destal locks.	One pencil tray.		
	A3672S4L	26 v 72 v 20 6	150	261	52.5	\$175 <i>A</i>	¢E22
	A3072S4L A3072S4L	36 x 72 x 29.6 29.69 x 72 x 29.6	150 150	232	43.75	\$1754 \$1712	\$532 \$532
	A307254L A3066S4L	29.69 x 66 x 29.6	150	232	39.5	\$1712	\$332 \$498
	A3060S4L	29.69 x 60 x 29.6	150	211	36.25	\$1543	\$464
7	A3048S4L	29.69 x 48 x 29.6	125	191	29.5	\$1360	\$394
	A2448S4L	24 x 48 x 29.6	125	164	24.25	\$1360	\$256
LEFT		l to floor box/box/file pedes figurations can be switched			tray. Lower box	drawer and file	drawer loo
LEFT	A3672S4R A3072S4R A3072S4R A3066S4R	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 60 x 29.6	150 150 150 150	261 232 221	52.5 43.75 39.75	\$1754 \$1712 \$1701	\$532 \$532 \$498
LEFT	A3672S4R A3072S4R A3072S4R A3066S4R A3060S4R	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 66 x 29.6 29.69 x 60 x 29.6 29.69 x 60 x 29.6	150 150 150 150 150	261 232 221 211	52.5 43.75 39.75 36.25	\$1754 \$1712 \$1701 \$1543	\$532 \$532 \$498 \$464
LEFT	A3672S4R A3072S4R A3072S4R A3066S4R	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 60 x 29.6	150 150 150 150	261 232 221	52.5 43.75 39.75	\$1754 \$1712 \$1701	\$532 \$532 \$498
Floor Single Pedestal RIGHT	A3672S4R A3072S4R A3072S4R A3066S4R A3060S4R A3048S4R A2448S4R	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 66 x 29.6 29.69 x 66 x 29.6 29.69 x 60 x 29.6 29.69 x 48 x 29.6	150 150 150 150 150 150 125 125	261 232 221 211 191 164 wht. One pend	52.5 43.75 39.75 36.25 29.5 24.25	\$1754 \$1712 \$1701 \$1543 \$1360 \$1360	\$532 \$532 \$498 \$464 \$394 \$256
Floor Single Pedestal	A3672S4R A3072S4R A3072S4R A3066S4R A3060S4R A3048S4R A2448S4R	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 66 x 29.6 29.69 x 60 x 29.6 29.69 x 48 x 29.6 24 x 48 x 29.6 I to floor box/box/file pedes	150 150 150 150 150 150 125 125	261 232 221 211 191 164 wht. One pend	52.5 43.75 39.75 36.25 29.5 24.25	\$1754 \$1712 \$1701 \$1543 \$1360 \$1360	\$532 \$532 \$498 \$464 \$394 \$256
Floor Single Pedestal	A3672S4R A3072S4R A3072S4R A3060S4R A3060S4R A3048S4R A2448S4R Standard with full the floor pedestal	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 66 x 29.6 29.69 x 66 x 29.6 29.69 x 60 x 29.6 29.69 x 48 x 29.6 24 x 48 x 29.6 I to floor box/box/file pedes configurations can be swite	150 150 150 150 150 125 125 tal on the rig ched for a 15	261 232 221 211 191 164 wht. One pence 247	52.5 43.75 39.75 36.25 29.5 24.25 il tray. Lower b	\$1754 \$1712 \$1701 \$1543 \$1360 \$1360 ox drawer and fil	\$532 \$532 \$498 \$464 \$394 \$256 e drawer
Floor Single Pedestal	A3672S4R A3072S4R A3072S4R A3060S4R A3060S4R A3048S4R A2448S4R Standard with full the floor pedestal	36 x 72 x 29.6 29.69 x 72 x 29.6 29.69 x 66 x 29.6 29.69 x 60 x 29.6 29.69 x 60 x 29.6 29.69 x 48 x 29.6 24 x 48 x 29.6 It of floor box/box/file pedes configurations can be swite	150 150 150 150 150 125 125 tal on the rig ched for a 15	261 232 221 211 191 164 wht. One pence 247	52.5 43.75 39.75 36.25 29.5 24.25 il tray. Lower b	\$1754 \$1712 \$1701 \$1543 \$1360 \$1360 ox drawer and fil	\$532 \$532 \$498 \$464 \$394 \$256 e drawer

Optional Specifications
Key #
Grommet/power block cut-out
HP laminate
Modesty panel, 3/4*


Required Specifications
Top finish
Base finish

Accessories
Power block
Keyboard tray
Pencil tray



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2448FL	24 x 48 x 29.6	150	141	24	\$1102	\$273	
A2442FL	24 x 42 x 29.6	125	131	21.25	\$1079	\$227	
A2048FL	20 x 48 x 29.6	125	128	20.25	\$1036	\$227	
A2042FL	20 x 42 x 29.6	125	119	18	\$1016	\$227	

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the left.




A2448FR	24 x 48 x 29.6	150	141	24	\$1102	\$273
A2442FR	24 x 42 x 29.6	125	131	21.25	\$1079	\$227
A2048FR	20 x 48 x 29.6	125	128	20.25	\$1036	\$227
A2042FR	20 x 42 x 29.6	125	119	18	\$1016	\$227

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the right.



A2448L4	24 x 48 x 29.6	125	156	24.25	\$1347	\$273
A2442L4	24 x 42 x 29.6	125	146	21.5	\$1328	\$227
A2048L4	20 x 48 x 29.6	125	142	20.5	\$1284	\$227
A2042L4	20 x 42 x 29.6	125	133	18	\$1264	\$227


Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**. Full to the floor pedestal configurations can be switched for a **15% upcharge**.



A2448R4	24 x 48 x 29.6	125	156	24.25	\$1347	\$273
A2442R4	24 x 42 x 29.6	125	146	21.5	\$1328	\$227
A2048R4	20 x 48 x 29.6	125	142	20.5	\$1284	\$227
A2042R4	20 x 42 x 29.6	125	133	18	\$1264	\$227

Full to Floor Flush Return - RIGHT

Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**. Full to the floor pedestal configurations can be switched for a **15% upcharge**.



A2448EL	24 x 48 x 29.6	70	92	4.3	\$799	\$273
A2442EL	24 x 42 x 29.6	70	82	3.8	\$773	\$227
A2048EL	20 x 48 x 29.6	70	84	4.3	\$729	\$227
A2042EL	20 x 42 x 29.6	70	75	3.8	\$711	\$227

Flush Return - LEFT Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

• Cannot accept same depth storage shells due to 1" thick modesty

Flush Return - RIGHT

A2442EB 24 x 42 x 29.6 70	82	0.0		
712 112 ETX 12 X 20.0 70	02	3.8	\$773	\$227
A2048ER 20 x 48 x 29.6 70	84	4.3	\$729	\$227
A2042ER 20 x 42 x 29.6 70	75	3.8	\$711	\$227

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

• Cannot accept same depth storage shells due to 1" thick modesty

Req	ui	ir	ed	Specifications
T _	·			

Top finish Base finish

Optional Specifications

Key #*

Grommet/power block cut-out HP laminate

Accessories	
Power block	
Keyboard tray	
Pencil tray	

HP ADD

\$394

\$394

LIST PRICE

\$1169

RETURNS



Space Saver Return - LEFT



MODEL#

A3048FSL

DIMENSIONS

29.69 x 48 x 29.6

5-sided corner unit and 2466/2472 FNR or NNR extended corner unit.

DxWxH

Standard with box/file pedestal on the left , grommet in worksurface.	One pencil tray.	Pedestal locks.	Connects to 24"D
5-sided corner unit and 2466/2472 NFL or NNL extended corner unit. $ \\$			

Standard with box/file pedestal on the right, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D

WT/LBS.

148

CUBIC FT.

29





A3048FSR	29.69 x 48 x 29.6	150	148	29	\$1169	\$394

FREIGHT CLASS

150











Space Saver Return - LEFT

Standard with file/file pedestal on the left, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 NFL or NNL extended corner unit. Full to the floor pedestal configurations can be switched for a 15% upcharge.






	1414 \$394
--	------------

Space Saver Return - RIGHT

Standard with file/file pedestal on the right, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 FNR or NNR extended corner unit. Full to the floor pedestal configurations can be switched for a 15% upcharge.



FLUSH BRIDGE



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2448FB	24 x 48 x 29.6	70	75	4.3	\$601	\$273	
A2442FB	24 x 42 x 29.6	70	65	3.8	\$577	\$227	
A2436FB	24 x 36 x 29.6	70	58	3.3	\$577	\$172	
A2048FB	20 x 48 x 29.6	70	71	4.3	\$577	\$227	
A2042FB	20 x 42 x 29.6	70	54	3.3	\$553	\$227	
A2036FB	20 x 36 x 29.6	70	54	3.3	\$553	\$117	

Flush Bridge*

CREDENZAS

Top surface, back panel and hardware to connect two units. Grommet in worksurface. Shipped RTA (ready to assemble).

/	1	
	,	,
ľ		

Center	Storage	Credenza
OULLUI	otorugo	OLGUGIIZ

W	UDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU	
A2	2072C	20 x 72 x 29.6	100	243	30	\$2171	\$356	

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals and doors lock. One pencil tray.

Required Specifications	Optional Specifications	Accessories
Top finish	Key #	Power block
Base finish	Additional grommet position (not A2072C)	Keyboard tray*
Handles**	HP laminate	Pencil tray*
	Power block cut-out (not A2072C)	,






Kneespace Credenza

MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU
	DxWxH					
A2472CK	24 x 72 x 29.6	125	234	35.75	\$1817	\$372
A2466CK	24 x 66 x 29.6	125	225	32.75	\$1763	\$372
A2072CK	20 x 72 x 29.6	125	212	30.25	\$1659	\$356
A2066CK	20 x 66 x 29.6	125	204	27.75	\$1635	\$343
A2060CK	20 x 60 x 29.6	125	199	25.25	\$1593	\$314

Standard with box/file pedestals on both sides. Center is open. Pedestals lock. One pencil tray. Grommet in worksurface.



Full to Floor Kneespace Credenza

A2472D4	24 x 72 x 29.6	125	261	35.5	\$2302	\$372
A2466D4	24 x 66 x 29.6	125	252	33	\$2253	\$372
A2072D4	20 x 72 x 29.6	125	236	30	\$2151	\$356
A2066D4	20 x 66 x 29.6	100	228	27.75	\$2129	\$343
A2060D4	20 x 60 x 29.6	100	220	25.25	\$2118	\$314

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock on box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Grommet in worksurface.

• Full to the floor pedestal configurations can be switched for a 15% upcharge.



Single Pedestal Credenza - LEFT

A2472CSL	24 x 72 x 29.6	150	190	35.75	\$1539	\$372
A2466CSL	24 x 66 x 29.6	150	181	32.75	\$1487	\$372
A2072CSL	20 x 72 x 29.6	150	172	30.25	\$1388	\$356
A2066CSL	20 x 66 x 29.6	150	163	27.75	\$1366	\$343
A2060CSL	20 x 60 x 29.6	125	155	25.25	\$1320	\$314

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the left. Grommet in worksurface.



Single Pedestal Credenza - RIGHT

A2472CSR	24 x 72 x 29.6	150	190	35.75	\$1539	\$372
A2466CSR	24 x 66 x 29.6	150	181	32.75	\$1487	\$372
A2072CSR	20 x 72 x 29.6	150	171	30	\$1388	\$356
A2066CSR	20 x 66 x 29.6	150	163	27.75	\$1366	\$343
A2060CSR	20 x 60 x 29.6	125	155	25.25	\$1320	\$314

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the right. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- LEFT

A2472S4L	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S4L	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S4L	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S4L	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S4L	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor box/box/file pedestal on the left. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.

	$\overline{}$
	•

Full to Floor Single Pedestal Credenza- RIGHT

A2472S4R	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S4R	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S4R	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S4R	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S4R	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor box/box/file pedestal on the right. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.

Req	ui	r	ed	Spe	cific	cati	ons	

Top finish Base finish

Optional Specifications

Key #

Grommet/power block cut-out HP laminate

Accessories
Power block
Keyboard tray
Pencil tray




CREDENZAS


Full to Floor Single Pedestal Credenza- LEFT*



Full to Floor Single Pedestal Credenza- RIGHT*



Lateral File Credenza



Lateral File/Storage Cabinet Credenza



Kneespace Lateral File Credenza - LEFT*



Kneespace Lateral File Credenza - RIGHT*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A2472S2L	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S2L	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S2L	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S2L	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S2L	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor file/file pedestal on the left. Pedestal Locks. Grommet in worksurface.

A2472S2R	24 x 72 x 29.6	150	205	35.5	\$1754	\$372
A2466S2R	24 x 66 x 29.6	150	196	33	\$1701	\$372
A2072S2R	20 x 72 x 29.6	125	187	30	\$1543	\$356
A2066S2R	20 x 66 x 29.6	125	177	27.75	\$1516	\$356
A2060S2R	20 x 60 x 29.6	125	168	25.25	\$1478	\$314

Standard with full to floor file/file pedestal on the right. Pedestal locks. Grommet in worksurface.

A2472LF2	24 x 72 x 29.6	100	322	35.75	\$2652	\$372
A2072LF2	20 x 72 x 29.6	100	296	30.25	\$2599	\$356

Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LS	24 x 72 x 29.6	100	297	35.75	\$2374	\$372
A2072LS	20 x 72 x 29.6	100	267	30.25	\$2318	\$356

One 2-drawer lateral file and one storage cabinet. Locking doors/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LKL	24 x 72 x 29.6	125	239	35.75	\$2086	\$372
A2072LKL	20 x 72 x 29.6	125	216	30.25	\$2033	\$356

One 2-drawer lateral file on the **left**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2472LKR	24 x 72 x 29.6	125	239	35.75	\$2086	\$372
A2072LKR	20 x 72 x 29.6	125	216	30.25	\$2033	\$356

One 2-drawer lateral file on the **right**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications	Optional Specifications	Accessories
Top finish	Key #	Power block*
Base finish	Additional grommet	Keyboard tray*
Handles (not A2xxxS2L/A2xxxS2R)	HP laminate	Pencil tray*
	Power block cut-out*	•



Kneespace Storage Cabinet Credenza

- LEFT*

IT CLASS WT/LBS	S. CUBIC FT.	LIST PRICE	HP ADD
125 218	35.75	\$1647	\$372
125 188	30.25	\$1592	\$356
	25 218	25 218 35.75	25 218 35.75 \$1647

One storage cabinet on the left. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

• Black handles are standard. Silver is available at no charge, please specify as SI.



Kneespace Storage Cabinet Credenza

- RIGHT*

One storage cabinet on the right. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

• Black handles are standard. Silver is available at no charge, please specify as SI.

5-SIDED CORNERS	
	TT 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2


5-Sided Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A42245C	42 - 42 - 20 6	70	110	E 7E	\$1031	\$498	
A42245U	42 x 42 x 29.6	70	113	5.75	\$1031	3430	

Connects to 30"D space saver connectable surfaces, 24"D connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble). Not Freestanding.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

A42205C	42 x 42 x 29.6	70	110	5.75	\$1001	\$498




5-Sided Corner

Connects to 24"D space saver connectable surfaces, 20"D returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22-28" keyboard trays. Will not accept keyboard trays wider than 28". Shipped RTA (ready to assemble). Not freestanding.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

A36205C	36 x 36 x 29.6	70	94	4.8	\$886	\$321




5-Sided Corner

Connects to 24"D space saver connectable surfaces, 20"D returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble). Not freestanding.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

Required Specifications	Optional Specifications	Accessories	
Top finish	Key #	Power block	
Base finish	Additional grommet position	Keyboard tray	
Handles*	HP laminate	Pencil tray	
	Power block cut-out		

LEFT EXTENDED CORNERS



Left Extended Corner - Freestanding




Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FFL cannot accept pedestals.

	A2072FFL	20-36 x 72 x 29.6	70	147	7	\$1266	\$511
66° 72°	A2066FFL	20-36 x 66 x 29.6	70	141	7	\$1266	\$511
36"							

Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



Left Extended Corner


Left Extended Corner

A2472FNL	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466FNL	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FNL cannot accept pedestals.


A2072FNL	20-36 x 72 x 29.6	70	141	7	\$1220	\$511
A2066FNL	20-36 x 66 x 29.6	70	135	7	\$1220	\$511



Left Extended Corner

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. **Full end panel cannot be connected**. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




Left Extended Corner

A2472NFL	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466NFL	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NFL cannot accept pedestals.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	




Left Extended Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2072NFL	20-36 x 72 x 29.	6 70	141	7	\$1220	\$532
A2066NFL	20-36 x 66 x 29.	6 70	135	7	\$1220	\$511

Extended worksurface on right. Narrow end panel on left. Full end panel on right. Connects to 24"D space saver connectables and 20"D returns. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




Left Extended Corner

A2472NNL	24-36 x 72 x 29.6	70	140	7	\$1239	\$532
A2466NNL	24-36 x 66 x 29.6	70	134	7	\$1239	\$532

Extended worksurface on right. Narrow end panels on left and right. Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NNL cannot accept pedestals.



Left Extended Corner

RIGHT EXTENDED CORNERS

A2072NNL	20-36 x 72 x 29.6	70	136	7	\$1205	\$532
A2066NNL	20-36 x 66 x 29.6	70	130	7	\$1205	\$511

Extended worksurface on right. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.


		56° 72°	

Right Extended Corner - Freestanding

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2472FFR	24-36 x 72 x 29	.6 70	157	7	\$1323	\$532	
A2466FFR	24-36 x 66 x 29	.6 70	151	7	\$1323	\$532	

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FFR cannot accept pedestals.




Right Extended Corner

A2072FFR	20-36 x 72 x 29.6	70	147	7	\$1266	\$511
A2066FFR	20-36 x 66 x 29.6	70	141	7	\$1266	\$511

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate Power block cut-out	Keyboard tray Pencil tray	



Riaht	Extended	Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2472FNR	24-36 x 72 x 29.6	5 70	149	7	\$1281	\$548	
A2466FNR	24-36 x 66 x 29.6	5 70	142	7	\$1281	\$532	

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466FNR cannot accept pedestals.



Right Extended Corner

A2072FNR	20-36 x 72 x 29.6	70	141	7	\$1220	\$511
A2066FNR	20-36 x 66 x 29.6	70	135	7	\$1220	\$511

Extended worksurface on left. Narrow end panel on right. Full end panel on left. Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. Full end panel cannot be connected. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



Right Extended Corner

A2472NFR	24-36 x 72 x 29.6	70	149	7	\$1281	\$532
A2466NFR	24-36 x 66 x 29.6	70	142	7	\$1281	\$532

Extended worksurface on left. **Narrow end panel on left. Full end panel on right**. Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected**. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NFR cannot accept pedestals.



Right Extended Corner

A2072NFR	20-36 x 72 x 29.6	70	141	7	\$1220	\$532
A2066NFR	20-36 x 66 x 29.6	70	135	7	\$1220	\$511

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




Right Extended Corner

A2472NNR	24-36 x 72 x 29.6	70	140	7	\$1239	\$532
A2466NNR	24-36 x 66 x 29.6	70	133	7	\$1239	\$532

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- A2466NNR cannot accept pedestals.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	




Right Extended Corne	Riah	t Exte	nded	Corne	ŀ

FREESTANDING TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
A2072NNR	20-36 x 72 x 29	.6 70	136	7	\$1205	\$532
A2066NNR	20-36 x 66 x 29	.6 70	130	7	\$1205	\$511

Extended worksurface on left. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. Will not accept keyboard trays wider than 22". Shipped RTA (ready to assemble).


• Modesty Panel is 1" off of ground.



30" Deep Freestanding Table



Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble). • Modesty Panel is 1" off of ground



24" Deep Freestanding Table

CONNECTABLE TABLES - LEFT

A2472T	24 x 72 x 29.6	70	130	6	\$928	\$372
A2466T	24 x 66 x 29.6	70	123	6	\$928	\$372
A2460T	24 x 60 x 29.6	70	114	5.25	\$840	\$343
A2448T	24 x 48 x 29.6	65	99	4.3	\$754	\$273
A2442T	24 x 42 x 29.6	70	92	4.3	\$754	\$227
A2436T	24 x 36 x 29.6	70	84	4.2	\$667	\$172
A2430T	24 x 30 x 29.6	70	76	3.6	\$623	\$172


Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble). • Modesty Panel is 1" off of ground


22/4 27 40 40 40 40 777 vs

30" Deep Connectable Table - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072L	29.69 x 72 x 29.6	65	140	6	\$980	\$498
A3066L	29.69 x 66 x 29.6	6 70	132	6	\$980	\$498
A3060L	29.69 x 60 x 29.6	6 65	123	5.25	\$897	\$464
A3048L	29.69 x 48 x 29.6	6 65	105	4.3	\$807	\$394
A3042L	29.69 x 42 x 29.6	6 65	98	4.3	\$807	\$356
A3036L	29.69 x 36 x 29.6	6 70	88	4.2	\$719	\$321
A3030L	29.69 x 30 x 29.6	6 70	80	3.6	\$677	\$286

Full end panel on left. Right narrow end panel connects to 30"D center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).





24" Deep Connectable Table - LEFT

A2472L	24 x 72 x 29.6	70	121	6	\$897	\$372
A2466L	24 x 66 x 29.6	70	115	6	\$897	\$372
A2460L	24 x 60 x 29.6	70	106	5.25	\$807	\$343
A2448L	24 x 48 x 29.6	70	90	4.3	\$719	\$273
A2442L	24 x 42 x 29.6	70	82	3.8	\$719	\$227
A2436L	24 x 36 x 29.6	70	74	3.3	\$634	\$172
A2430L	24 x 30 x 29.6	70	68	3.6	\$589	\$172


Full end panel on left. Right narrow end panel connects to 24"D center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	Specifications
Top finish	
Base finish	1

Optional Specifications
Additional grommet position
HP laminate
Power block cut-out

Accessories	
Power block	
Keyboard tray	
Pencil tray	




30" Deep Connectable Table - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A3072R	29.69 x 72 x 29.6	65	140	6	\$980	\$498
A3066R	29.69 x 66 x 29.6	5 70	132	6	\$980	\$498
A3060R	29.69 x 60 x 29.6	65	123	5.25	\$897	\$464
A3048R	29.69 x 48 x 29.6	65	105	4.3	\$807	\$394
A3042R	29.69 x 42 x 29.6	65	98	4.3	\$807	\$356
A3036R	29.69 x 36 x 29.6	3 70	88	4.3	\$719	\$321
A3030R	29.69 x 30 x 29.6	3 70	80	3.6	\$677	\$286

Full end panel on **right**. Left narrow end panel connects to 30"D center/left connectable table, or at 90° angle to a freestanding table; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground




24" Deep Connectable Table - RIGHT

A2472R	24 x 72 x 29.6	70	121	6	\$897	\$384
A2466R	24 x 66 x 29.6	70	115	6	\$897	\$372
A2460R	24 x 60 x 29.6	70	105	5.25	\$807	\$343
A2448R	24 x 48 x 29.6	70	90	4.3	\$719	\$273
A2442R	24 x 42 x 29.6	70	82	3.8	\$719	\$227
A2436R	24 x 36 x 29.6	70	74	3.3	\$634	\$172
A2430R	24 x 30 x 29.6	70	67	3.6	\$589	\$172

Full end panel on **right**. Left narrow end panel connects to 24"D center/left connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground



30" Deep Connectable Table

CONNECTABLE TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
				_			
A3072N	29.69 x 72 x 29.6	5 70	131	6	\$950	\$498	
A3066N	29.69 x 66 x 29.6	5 70	124	6	\$950	\$498	
A3060N	29.69 x 60 x 29.6	5 70	114	5.25	\$859	\$464	
A3048N	29.69 x 48 x 29.6	65	97	4.3	\$773	\$394	
A3042N	29.69 x 42 x 29.6	65	89	3.8	\$773	\$356	
A3036N	29.69 x 36 x 29.6	65	80	3.3	\$686	\$321	
A3030N	29.69 x 30 x 29.6	5 70	71	3.6	\$642	\$286	

Narrow end panels on both sides connects to 30"D worksurfaces; "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground



24" Deep Connectable Table

A2472N	24 x 72 x 29.6	70	113	6	\$859	\$372
A2466N	24 x 66 x 29.6	70	105	6	\$859	\$372
A2460N	24 x 60 x 29.6	70	100	4.5	\$773	\$343
A2448N	24 x 48 x 29.6	70	82	4.3	\$686	\$273
A2442N	24 x 42 x 29.6	70	73	3.8	\$686	\$227
A2436N	24 x 36 x 29.6	70	66	3.3	\$601	\$172
A2430N	24 x 30 x 29.6	70	59	3.6	\$553	\$172

Narrow end panels on both sides connects to 24"D worksurfaces; "D" islands or"P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

	100 100 100 100 100 100 100 100 100 100
--	--

SPACE SAVER CONNECTABLE TABLES - LEFT

30" Deep Space Saver Connectable Table - LEFT


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072LK	29.69 x 72 x 29.6	5 70	133	6	\$991	\$498
A3066LK	29.69 x 66 x 29.6	5 70	126	6	\$991	\$498
A3060LK	29.69 x 60 x 29.6	5 70	117	5.25	\$906	\$464
A3048LK	29.69 x 48 x 29.6	65	100	4.3	\$817	\$394
A3042LK	29.69 x 42 x 29.6	65	92	3.8	\$817	\$356
A3036LK	29.69 x 36 x 29.6	5 70	83	4.3	\$729	\$321
A3030LK	29.69 x 30 x 29.6	5 70	74	3.6	\$686	\$286

Full end panel on left. Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

• Keyboard and pencil trays for use on units 42" and above

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	



24" Deep Space Saver Connectable **Table - LEFT**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2472LK	24 x 72 x 29.6	70	120	6	\$906	\$372
A2466LK	24 x 66 x 29.6	70	114	6	\$906	\$372
A2460LK	24 x 60 x 29.6	70	105	5.25	\$817	\$343
A2448LK	24 x 48 x 29.6	70	89	4.3	\$729	\$273
A2442LK	24 x 42 x 29.6	70	81	3.8	\$729	\$227
A2436LK	24 x 36 x 29.6	70	73	3.3	\$642	\$172
A2430LK	24 x 30 x 29.6	70	66	3.6	\$601	\$172

Full end panel on left. Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above

A-30' 30' 40' 40' 40' 40' 10' 70' 70	Į Į
--------------------------------------	--------


SPACE SAVER CONNECTABLE TABLES - RIGHT

30" Deep Space Saver Connectable Table - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A3072RK	29.69 x 72 x 29.6	70	133	6	\$991	\$498	
A3066RK	29.69 x 66 x 29.6	70	126	6	\$991	\$498	
A3060RK	29.69 x 60 x 29.6	70	117	5.25	\$906	\$464	
A3048RK	29.69 x 48 x 29.6	65	100	4.3	\$817	\$394	
A3042RK	29.69 x 42 x 29.6	65	91	3.8	\$817	\$356	
A3036RK	29.69 x 36 x 29.6	70	83	4.3	\$729	\$321	
A3030RK	29.69 x 30 x 29.6	70	74	3.6	\$686	\$286	

Full end panel on right. Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground
- Keyboard and pencil trays for use on units 42" and above



24" Deep Space Saver Connectable Table - RIGHT

SPACE SAVER CONNECTABLE TABLES

A2472RK	24 x 72 x 29.6	70	120	6	\$906	\$372
A2466RK	24 x 66 x 29.6	70	114	6	\$906	\$372
A2460RK	24 x 60 x 29.6	70	105	5.25	\$817	\$343
A2448RK	30 x 48 x 29.6	70	89	4.3	\$729	\$273
A2442RK	24 x 42 x 29.6	70	81	3.8	\$729	\$227
A2436RK	24 x 36 x 29.6	70	73	3.3	\$642	\$172
A2430RK	24 x 30 x 29.6	70	66	3.6	\$601	\$172

Full end panel on right. Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above

	1
--	---

30"	Deep	Spa	се	Sav	er
Con	necta	ble	Tal	ıle	

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A20721 N	20.007220.0	70	105	0	6004	6400
A3072LN A3066LN	29.69 x 72 x 29.6 29.69 x 66 x 29.6		125 117	6 6	\$961 \$961	\$498 \$498
A3060LN A3060LN	29.69 x 60 x 29.6		108	5.25	\$875	\$464
A3048LN	29.69 x 48 x 29.6		91	4.3	\$788	\$394
A3042LN	29.69 x 42 x 29.6		83	3.8	\$788	\$356
A3036LN	29.69 x 36 x 29.6	5 70	74	3.3	\$700	\$321
A3030LN	29.69 x 30 x 29.6	5 70	66	3.6	\$655	\$286

Narrow end panels on both sides. Connects the right end only to 24"D 5-sided corner unit. Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Keyboard and pencil trays for use on units 42" and above


Req	ui	ir	ed	Specifications	

Top finish Base finish **Optional Specifications** Additional grommet position HP laminate


Power block cut-out

Accessories Power block Keyboard tray Pencil tray


SPACE SAVER CONNECTABLE TABLES




24" Deep Space Saver Connectable Table



30" Deep Space Saver Connectable Table



24" Deep Space Saver Connectable Table



Narrow end panels on both sides. Connects the **right end only to 20"D 5-sided corner unit**. Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

• Keyboard and pencil trays for use on units 42" and above

A3072RN	29.69 x 72 x 29.6	70	125	6	\$961	\$498
A3066RN	29.69 x 66 x 29.6	70	117	6	\$961	\$498
A3060RN	29.69 x 60 x 29.6	70	108	5.25	\$875	\$464
A3048RN	29.69 x 48 x 29.6	70	91	4.3	\$788	\$394
A3042RN	29.69 x 42 x 29.6	70	83	3.8	\$788	\$356
A3036RN	29.69 x 36 x 29.6	70	74	3.3	\$700	\$321
A3030RN	29.69 x 30 x 29.6	70	66	3.6	\$655	\$286

Narrow end panels on both sides. Connects the left end only to 24"D 5-sided corner unit. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Keyboard and pencil trays for use on units 42" and above

A2472RN 24 x 72 x 29.6 70 112 6	\$875 \$372
A2466RN 24 x 66 x 29.6 70 105 6	\$875 \$372
A2460RN 24 x 60 x 29.6 70 96 5.25	\$788 \$343
A2448RN 24 x 48 x 29.6 70 81 4.3	\$700 \$273
A2442RN 24 x 42 x 29.6 70 72 3.8	\$700 \$227
A2436RN 24 x 36 x 29.6 70 59 3.3	\$614 \$172
A2430RN 24 x 30 x 29.6 85 53 3.6	\$570 \$172

Narrow end panels on both sides. Connects the left end only to 20"D 5-sided corner unit. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble)

• Modesty Panel is 1" off of ground.

• Keyboard and pencil trays for use on units 42" and above

"D" ISLANDS
0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0
"N" Island - Full End Panel


"D" Island - Full End Panel & Post (T-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672FI	36 x 72 x 29.6	85	124	8.5	\$1079	\$532
A3072FI	29.69 x 72 x 29.6		107	7.5	\$1048	\$499
A3066FI	29.69 x 66 x 29.6		102	7.5	\$991	\$498
A3060FI	29.69 x 60 x 29.6		96	6.76	\$939	\$464
A2466FI	24 x 66 x 29.6	85	90	7.5	\$883	\$372
A2460FI A2448FI	24 x 60 x 29.6 24 x 48 x 29.6	85 85	84 74	6.76 5.76	\$831 \$773	\$343 \$273
AZ448FI	24 X 48 X 29.0	80	74	0.70	\$//S	\$273

Connects to narrow end panel. Attaching hardware included. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
	Power block cut-out	Pencil tray	




"D" Island LEFT - Full Modesty Panel (H-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A3672FIL	36 x 72 x 29.6	70	139	7	\$991	\$532	
A3066FIL	29.69 x 66 x 29.6	5 70	116	6	\$883	\$498	
A3060FIL	29.69 x 60 x 29.6	5 70	106	5.25	\$831	\$464	

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"D" Island RIGHT - Full Modesty Panel (H-Base)

A3672FIR	36 x 72 x 29.6	70	139	7	\$991	\$532
A3066FIR	29.69 x 66 x 29.6	70	116	6	\$883	\$498
A3060FIR	29.69 x 60 x 29.6	70	106	5.25	\$831	\$464

Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"D" Island Center - Full Modesty Panel (H-Base)

A3672FIC	36 x 72 x 29.6	70	139	7	\$991	\$532
A3066FIC	29.69 x 66 x 29.6	70	116	6	\$883	\$498
A3060FIC	29.69 x 60 x 29.6	70	106	5.25	\$831	\$464

Connects in between two worksurfaces. Will not accommodate pedestals. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



Attachable "D" Island with Post*

EXTENDED CORNER ISLANDS

A3672I	36 x 72 x 29.6	92.5	88	8.5	\$939	\$532
A3066I	29.69 x 66 x 29.6	100	71	7.5	\$831	\$498
A3060I	29.69 x 60 x 29.6	100	65	6.76	\$773	\$464
A2466I	24 x 66 x 29.6	100	63	7.5	\$719	\$372
A2460I	24 x 60 x 29.6	100	57	6.76	\$667	\$343
A2448I	24 x 48 x 29.6	100	47	5.76	\$614	\$273

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

	72" T
	14-20"-≓ 14-24" -≓

IGHT*


MODEL#	DIMENSIONS FR	EIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU
A4272EIR	42-32 x 72 x 29.6	100	104	11.5	\$1294	\$710

Extended island worksurface on right. Connects to 20"D returns or 24"D space saver connectables on the left. Not freestanding. Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
Post finish*	Power block cut-out	Pencil tray	

EXTENDED CORNER ISLANDS



Extended Corner Island - LEFT*

P" ISLANDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
A4272EIL	42-32 x 72 x 29.6	100	104	11.5	\$1294	\$710	

Extended island worksurface on left. Connects to 20"D returns or 24"D space saver connectables on the right. **Not freestanding.** Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

 Post is shipped in separate carton 	Standard in Black (TRI): Tungsten is available at no charge	nlease specify (TTII)
- 1 OSt 13 SHIPPEU III SEPURALE CUITOII	. Otanuaru ili biack (TDI	i, rungston is available at no charge	, picase specify (I I O).


	36° 66° 72° 142°
U	

"P" Island LEFT - Full End Panel & Post (T-Base)*



Connects to left side of worksurface. Attaching hardware included. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).



"P" Island RIGHT - Full End Panel & Post (T-Base)*

A3672FPR	36-42 x 72 x 29.6	85	128	9.26	\$1267	\$710
A3666FPR	36-42 x 66 x 29.6	85	122	8.76	\$1157	\$710
A3660FPR	36-42 x 60 x 29.6	85	116	8	\$1102	\$603

Connects to right side of worksurface. Attaching hardware included. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).


"P" ISLANDS WITH	FULL MODESTY PANEL
	38° 42° 42° 42° 42° 42° 42° 42° 42° 42° 42

"P" Island LEFT - Full Modesty Panel (H-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672PL	36-42 x 72 x 29.	.6 70	143	7 75	\$1157	\$710
A3666PL	36-42 x 66 x 29.		136	7.25	\$1048	\$710
A3660PL	36-42 x 60 x 29.	.6 70	126	6.5	\$991	\$603

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




"P" Island RIGHT - Full Modesty Panel (H-Base)

A3672PR	36-42 x 72 x 29.6	70	143 7.75	\$1157	\$710
A3666PR	36-42 x 66 x 29.6	70	136 7.25	\$1048	\$710
A3660PR	36-42 x 60 x 29.6	70	126 6.5	\$991	\$603

Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position	Power block	
Base finish	HP laminate	Keyboard tray	
Post finish*	Power block cut-out	Pencil tray	



"P" Island LEFT with Post*



"P" Island RIGHT with Post*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
A3672IPL	36-42 x 72 x 29.6	100	92	9.26	\$1102	\$710	
A3666IPL	36-42 x 66 x 29.6	100	86	8.76	\$991	\$710	
A3660IPL	36-42 x 60 x 29.6	92.5	80	8	\$939	\$603	

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

A3672IPR	36-42 x 72 x 29.6	100	92	9.26	\$1102	\$710
A3666IPR	36-42 x 66 x 29.6	100	86	8.76	\$991	\$710
A3660IPR	36-42 x 60 x 29.6	92.5	80	8	\$939	\$603

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

RADIUS SPANNER ISLANDS				
	2" +-20"24"30"+ 1-20"24"30"+			
	1 '41			

Radius Spanner Island with Panel Cut-Out*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP AD	D
A62RS	31 x 62 x 29.6	100	59	6.76	\$1016 \$427	1
A50RS	25 x 50 x 29.6	125	46	5.76	\$883 \$356	;
A42RS	21 x 42 x 29.6	125	41	5.26	\$799 \$286	5

Used to connect two back-to-back units of same depth with a panel. Includes monopost. Requires "L" bracket (model MLB90) for connection to full end panels. Shipped RTA (ready to assemble).

- MLB90 must be ordered separately see page 470.
- Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).
- · Cannot accept keyboard trays or pencil tray



A60RS	29.69 x 60 x 29.6	100	56 5.76	\$1016	\$356
A48RS	24 x 48 x 29.6	125	43 5.76	\$883	\$286
A40RS	20 x 40 x 29.6	125	40 5.26	\$799	\$286

Used to connect two back-to-back units of same depth. Includes monopost. Requires "L" bracket (model MLB90) for connection to full end panels. Shipped RTA (ready to assemble).

- MLB90 must be ordered separately see page 470.
- Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).
- Cannot accept keyboard trays or pencil tray

RECEPTION DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	
	A3072RD	29.69 x 72 x 29.6	5 70	149	7	
L V						

Lower Desk Unit**

No pedestals. Two grommets in worksurface. Shipped RTA (ready to assemble).

· Cannot be used with Divide.



Single Pedestal Lower Desk Unit - LEFT**

A3072RDL	29.69 x 72 x 29.6	150	222	43.75	\$1593	\$498
A3060RDL	29.63 x 60 x 29	150	201	36	\$1376	\$464

Box/file pedestal on left with lock. Two grommets in worksurface.

· Cannot be used with Divide.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position*	Power block*	
Base finish (not radius spanner islands)	HP laminate*	Keyboard tray**	
Post finish*	Power block cut-out*	Pencil tray**	

LIST PRICE

\$1102

HP ADD

\$498

RECEPTION DESKS	М
	A:
Single Pedestal Lower Desk Unit - RIGHT	Во
	•
	A
Reception Return - LEFT	Во
	•
	A

Reception Return - F

Reception Return - RIGHT



Reception Return - LEFT



Reception Return - RIGHT



Transaction Counter



Bow Front Transaction Counter

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A3072RDR	29.69 x 72 x 29.6	150	222	43.75	\$1593	\$498
A3060RDR	29.63 x 60 x 29	150	201	36	\$1376	\$464

Box/file pedestal on right with lock. Two grommets in worksurface.

Cannot be used with Divide.

A2442RRL	24 x 42 x 29.6	125	131	21.25	\$1048	\$227

Box/file pedestal on **left** with lock. Grommet in worksurface.

- Cannot be used with Divide.
- Cannot accept keyboard trays or pencil tray

A2442RRR	24 x 42 x 29.6	125	131	21.25	\$1048	\$227

Box/file pedestal on right with lock. Grommet in worksurface.

- Cannot be used with Divide.
- Cannot accept keyboard trays or pencil tray

A2442KRL	24 x 42 x 29 6	70	83	3.8	\$773	\$227

No pedestal. Grommet in worksurface.

• Cannot be used with Divide.

A2442KRR	24 x 42 x 29.6	70	83	3.8	\$773	\$227

No pedestal. Grommet in worksurface.

• Cannot be used with Divide.

7	A3072URD	29.69 x 72 x 13.75	70	67	4.3	\$667	\$286
1	A3060URD	29.63 x 60 x 13.75	65	59	2.6	\$626	\$286

For main reception desk. Shipped RTA (ready to assemble). Depth of reception top is 12".

• Reception top units are to be used only with lower reception units. Tops have mini-fix fasteners to attach the reception top units.

A3072URB	29.69-36 x 72 x 13.75	70	72	4.3	\$904	\$356

For main reception desk. To be used on A3072RD, A3072RDL or A3072RDR. Shipped RTA (ready to assemble). Depth of reception bow top is 12-15".

• Reception top units are to be used only with desks listed. Tops have mini-fix fasteners to attach the reception top units.

Required Specifications	Optional Specifications	Accessories	
Top finish	Additional grommet position*	Power block*	
Base finish	HP laminate*	Keyboard tray*	
	Power block cut-out*	Pencil tray*	



D .	•	11 %	
Ketiirn	Screen	LINIT -	1 FF I



Return Screen Unit - RIGHT



Desk Top Organizer

MODEL# FREIGHT CLASS HP ADD **DIMENSIONS** WT/LBS. CUBIC FT. LIST PRICE DxWxH 2 A2442URL 27 \$337 24 x 42 x 12.75 85 N/A

To be used on top of left reception return (A2442RRL/KRL). Shipped RTA (ready to assemble).

• Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A2442URR	24 x 42 x 12.75	85	27	2	\$337	N/A
----------	-----------------	----	----	---	-------	-----

To be used on top of right reception return (A2442RRR/KRR). Shipped RTA (ready to assemble).

• Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A11720RD	11 x 52 x 6	100	22	2.6	\$226	N/A

To be used under transaction counter. Black (BK) finish only. Shipped RTA (ready to assemble).

WALL/PANEL MOUNT OVERSTORAGE UNITS

•	
Overstorage	Unit

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	COBIC FI.	LIST PRICE	HP AUU	
A00S60	15 x 60 x 16	70	86	5.25	\$829	N/A	
A00S48	15 x 48 x 16	70	70	4.3	\$677	N/A	
A00S42	15 x 42 x 16	70	62	3.8	\$667	N/A	
A00S36	15 x 36 x 16	70	56	3.3	\$589	N/A	
A00S30	15 x 30 x 16	70	48	3	\$551	N/A	

Standard with pre-mounted "J" bracket for wall mount applications. One fixed shelf, closed back. Uses standard Adaptabilities hutch doors. Shipped RTA (ready to assemble).

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting

OPEN HUTCHES

173/4	20	
ļ		į

Open Hutch with Closed Back*

MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	пр арр	
							Ξ
A72HOCB	15 x 72 x 36	125	175	28.25	\$1187	N/A	
A71HOCB	15 x 71.69 x 36	125	175	28.25	\$1187	N/A	
A66HOCB	15 x 66 x 36	125	164	26	\$1133	N/A	
A60H0CB	15 x 60 x 36	125	151	23.75	\$1048	N/A	

One fixed shelf and fixed shelf divider. Closed back features a grommet and flexible sweep for wire management. All hutches shipped pre-assembled. *A71H0CB for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.

- Clearance from worksurface to valance is 17 ¾"; clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.

173/4 20

173/4	20
	<u> </u>


Open Hutch with Closed Back

A48HOCB 1	5 x 48 x 36	125	124	19	\$831	N/A
A42H0CB 1	5 x 42 x 36	125	111	16.75	\$831	N/A
A36H0CB 1	5 x 36 x 36	125	99	14.5	\$719	N/A
A30H0CB 1	5 x 30 x 36	125	88	12.25	\$667	N/A

One fixed shelf. Closed back features a grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 17 ¾"; clearance from worksurface to hutch doors is 20".
- · Woodgrain runs horizontal on both the upper and lower back panels.

Required Specifications	Optional Specifications
Top finish	Doors*
Base finish	



PIGEON-HOLE STORAGE

Horizontal Pigeon-Hole Storage




For additional storage. Can be top or bottom mounted. For use inside hutch. Shipped RTA (ready to assemble).

• Cannot be used on AOOS and COOS Overstorage Units.

11.25 x 13.37 x 14.37 85

AVS14

• Black finish is standard. Brushed Cobalt is available at no charge, please specify as BRC.



Vertical Pigeon-Hole Storage

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used under or over horizontal unit. Shipped RTA (ready

13

0.9

\$436

N/A

Black finish is standard. Brushed Cobalt is available at no charge, please specify as BRC.

	 	_
		\Box
J	٦	

CORNER HUTCHES

Corner Hutch with Closed Back

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A42CH	15 x 42 x 36	65	144	6.25	\$1398	N/A
A36CH	15 x 36 x 36	65	125	4.8	\$1178	N/A

One fixed shelf. Closed back features a grommet in both back panels and flexible sweep for wire management. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.



RIGHT Corner Hutch with Closed Back

A3672CHR	15 x 36-72 x 36	65	186	7	\$1539	N/A
A3666CHR	15 x 36-66 x 36	65	177	7	\$1483	N/A

One fixed shelf and shelf divider on left side. Closed back features a grommet in both back panels and flexible sweep for wire management on the left side. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.



LEFT Corner Hutch with Closed Back

A3672CHL	15 x 36-72 x 36	65	186	7.25	\$1539	N/A
A3666CHL	15 x 36-66 x 36	65	177	7.25	\$1483	N/A

One fixed shelf and shelf divider on right side. Closed back features a grommet in both back panels and flexible sweep for wire management on the right side. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.

|--|

Optional Specifications

Top finish

Base finish



Four-Door Kit

For use on 72", 71", 66" and 60"W straight hutches and overstorage units. Hinges included. Locks available. Add \$137 each lock. Doors for units 60" wide or more require two locks.

	ADOOR48	.69 x 23.5 x 15	92.5	18	1.8	\$283	N/A
4 1/2	ADOOR42	.69 x 20.5 x 15	100	17	1.8	\$283	N/A
// %	ADOOR36	.69 x 17.5 x 15	100	15	1.8	\$283	N/A
	ADOOR30	.69 x 14.5 x 15	125	13	1.8	\$283	N/A
_							

For use on 48", 42" 36" and 30"W straight hutches and overstorage units. Hinges included. Locks available. Add \$137 each lock. Doors for units 48" wide or less require one lock.

ADOOR72C	.69 x 56.5 x 15	70	27	1.8	\$553	N/A
ADOOR66C	.69 x 50.5 x 15	85	25	1.8	\$505	N/A

Corner Hutch Four-Door Kit For use on 72" and 66"W corner hutches. Hinges included. Locks not available on corner hutch doors.

ADOOR42C	.69 x 26.5 x 15	92.5	20	1.8	\$480	N/A
ADOOR36C	.69 x 21.5 x 15	100	17	1.8	\$314	N/A

For use on 42" and 36"W corner hutches. Hinges included. Locks not available on corner hutch doors.

	36
	de
1=	2/13

Two-Door Kit



Corner Hutch Two-Door Kit

Required Specifications

Finish

_
Δ
\neg

TACKBOARDS FOR HUTCHES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABI	RIC GRADE L	IST PRICE	
				of the follow	ving fabrics:				
	ATB7016	1 x 70 x 15	92.5	7	0.65	1	\$442	7	\$104
						2	\$528	8	\$120
						3	\$588 \$688	9	\$138° \$1589
						5	\$790	11	\$182
						6	\$908	12	\$210
ackboard	For use on A72H	OCB straight hutch. In	cludes mounting so	crews and co	overs.				
	ATB6916	1 x 69.5 x 15	92.5	7	0.65	1	\$442	7	\$104
						2	\$528	8	\$120
						3	\$589	9	\$138
						4 5	\$688 \$790	10	\$158 \$182
						6	\$908	12	\$210
ackboard	For use on A71U	OCB straight hutch. Inc	ludge mounting ee	rows and so	vore				
ackboaru		-							
	ATB6416	1 x 64 x 15	100	6.4	0.65	1 2	\$435 \$510	7 8	\$98 \$113
						3	\$568	9	\$13
						4	\$651	10	\$150
						5	\$749	11	\$172
						6	\$862	12	\$198
ackboard	For use on A66H	OCB straight hutch. Inc	ludes mounting sc	rews and co	vers.				
	ATB5816	1 x 58 x 15	92.5	5.8	0.54	1	\$424	7	\$98
						2	\$499 \$554	8	\$112 \$129
						3	\$643	9	\$148
						5	\$740	11	\$17
						6	\$852	12	\$190
ackboard	For use on A60H	OCB straight hutch. Inc	ludes mounting sc	rews and co	vers.				
	ATB4616	1 x 46 x 15	92.5	4.6	0.43	1	\$295	7	\$70
						2	\$356	8	\$80
						3	\$398	9	\$92
						4 5	\$462 \$531	10 11	\$106 \$122
						6	\$610	12	\$140
ackboard	For use on A48H	OCB straight hutch. Inc	ludes mounting sc	rews and co	vers.				
	ATB4016	1 x 40 x 15	100	4	0.43	1	\$287	7	\$65
						2	\$337	8	\$75
						3	\$374	9	\$86
						4	\$432 \$405	10	\$99
						5 6	\$495 \$569	11 12	\$114 \$131

Required Specifications
Fabric

CKBOARDS FOR HUTCHES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABI	RIC GRADE L	IST PRICE	
	ATB3416	1 x 34 x 15	125	3.40	.43	1	\$278	7	\$633
						2	\$326	8	\$725
						3	\$364	9	\$835
						4	\$416	10	\$960
						5	\$480	11	\$1104
						6	\$550	12	\$1268
kboard	For use on A36H	OCB straight hutch. Inc	ludes mounting scr	ews and co	vers.				
	ATB2816	1 x 28 x 15	125	2.8	0.43	1	\$267	7	\$633
	AIDZOIO	1 X Z0 X 13	120	2.0	0.43	2		8	\$725
							\$307		
						3	\$336	9	\$835
						4	\$377	10	\$960
						5	\$434	11	\$110
						6	\$908	12	\$126
kboard	For use on A30H	OCB straight hutch. Inc	ludes mounting scr	rews and co	vers.				
KBOARDS FOR CORNER HUTCHES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	(GRADE LIS	T PRICE	
	ATB72CH	1 x 33-72 x 15	125	9.94	1.3	1	\$682	7	\$141
		70 w x 15¾ h				2	\$769	8	\$162
						3	\$830	9	\$186
						4	\$929	10	\$214
						5	\$1068	11	\$246
						6	\$1227	12	\$283
	ATB66CH	1 x 33-64 x 15 64 w x 15¾ h	125	9.4	1.3	1 2 3 4	\$671 \$746 \$808 \$890	7 8 9 10	\$135 \$155 \$178 \$205
						5	\$1024	11	\$236
						6	\$1177	12	\$271
kboard	For use on A366	6CHR/L corner hutch. I	ncludes mounting s	screws and o	covers.				
	ATB42CH	1 x 39-40 x 15	100	7.7	0.85	1	\$536	7	\$106
	. 110 12011	. 7 00 70 7 10	100	,.,	3.00	2	\$590	8	\$122
						3	\$639	9	\$141
						4	\$703	10	\$162
						5	\$809	11	\$186
						6	\$930	12	\$214
choard	For use on A42C	H corner hutch. Include	es mounting screws	s and covers					
	ATB36CH	1 x 33-34 x 15	125	6.6	0.85	1	\$513	7	\$102
	ырурсп	1 X 33-34 X 15	120	0.0	0.00	2	\$566		
								8	\$118
						3	\$602 \$675	9	\$135
						4	\$675	10	\$1562
						5	\$777	11	\$1797
						_	ėno.		\$aac.
						6	\$894	12	\$2065

Required Specifications
Fabric - Tackboards

Finish - Transaction Top



WALL MOUNTED TACKBOARDS

Wall Mounted Tackboard

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE LIST PRICE			
	D x W x H							
AWHT3019	1.25 x 30 x 19	125	6.3	1	1	\$343	7	\$791
					2	\$397	8	\$909
					3	\$457	9	\$1044
					4	\$523	10	\$1202
					5	\$601	11	\$1381
					6	\$689	12	\$1585

For use under **A00S30** overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT3619	1.25 x 36 x 19	125	7.6	1	1	\$382	7	\$883
					2	\$443	8	\$1011
					3	\$507	9	\$1161
					4	\$581	10	\$1335
					5	\$668	11	\$1534
					6	\$767	12	\$1762

For use under **A00S36** overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT4219	1.25 x 42 x 19	100	8.9	1	1	\$443	7	\$1023
					2	\$512	8	\$1176
					3	\$588	9	\$1350
					4	\$675	10	\$1552
					5	\$774	11	\$1783
					6	\$890	12	\$2049

For use under **A00S42** overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT4819	1.25 x 48 x 19	92.5	10.1	1	1	\$482	7	\$1111
					2	\$556	8	\$1275
					3	\$639	9	\$1464
					4	\$735	10	\$1683
					5	\$842	11	\$1935
					6	\$967	12	\$2227

For use under **A00S48** overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard



Wall Mounted Tackboard



Wall Mounted Tackboard

Required Specifications

Fabric

ADAPTABILITIES®

WALL MOUNTED TACKBOARDS



Wall Mounted Tackboard

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABI	RIC GRADE LI	ST PRICE	
	D x W x H							
AWHT6019	1.25 x 60 x 19	125	12.7	1.8	1	\$594	7	\$1374
					2	\$686	8	\$1578
					3	\$789	9	\$1814
					4	\$907	10	\$2085
					5	\$1039	11	\$2399
					6	\$1196	12	\$2758

For use under A00S60 overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT6619	1.25 x 66 x 19	125	13.9	1.8	1	\$632	7	\$1459
					2	\$731	8	\$1677
					3	\$838	9	\$1926
					4	\$963	10	\$2213
					5	\$1107	11	\$2545
					6	\$1269	12	\$2926

For use under multiple Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

\$1602	7	\$693	1	1.8	15.2	100	1.25 x 72 x 19	AWHT7219
\$1840	8	\$799	2					
\$2115	9	\$917	3					
\$2431	10	\$1055	4					
\$2794	11	\$1212	5					
\$3211	12	\$1392	6					

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

AWHT7819	1.25 x 78 x 19	100	16.5	1.8	1	\$732	7	\$1688
					2	\$844	8	\$1941
					3	\$968	9	\$2230
					4	\$1114	10	\$2563
					5	\$1278	11	\$2949
					6	\$1468	12	\$3388

For use under multiple Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard



Wall Mounted Tackboard



Wall Mounted Tackboard

Required Specifications



Wall Mounted Tackboard**

WALL MOUNTED TACKBOARD

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB	RIC GRD LIS	T PRICE	GRD
DxWxH							
1.25 x 84 x 19	100	17.7	1.8	1	\$791	7	\$1830
				2	\$914	8	\$2103
				3	\$1049	9	\$2419
				4	\$1205	10	\$2781
				5	\$1385	11	\$3194
				6	\$1592	12	\$3674
	DxWxH	D x W x H	D x W x H	D x W x H	DxWxH 1.25 x 84 x 19 100 17.7 1.8 1 2 3 4 5	D x W x H 1.25 x 84 x 19 100 17.7 1.8 1 \$791 2 \$914 3 \$1049 4 \$1205 5 \$1385	D x W x H 1.25 x 84 x 19 100 17.7 1.8 1 \$791 7 2 \$914 8 3 \$1049 9 4 \$1205 10 5 \$1385 11

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

^

ACCESSORY PIECES

Mixed Drawer Cabinet - LEFT*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2036MDL	20 x 36 x 29.6	92.5	162	15.5	\$2094	\$172	
A2436MDI	24 x 36 x 29 6	100	176	18.25	\$2126	\$172	

Two box drawers on **right**, one file drawer on **left** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



Mixed Drawer Cabinet - RIGHT*

A2036MDR	20 x 36 x 29.6	92.5	162	15.5	\$2094	\$172
A2436MDR	24 x 36 x 29.6	100	176	18.25	\$2126	\$172

Two box drawers on **left**, one file drawer on **right** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



Mixed Drawer Cabinet Shell - LEFT*

A2036MDLS	19.25 x 36 x 28.6	100	137	15	\$2041	N/A
A2436MDLS	23.25 x 36 x 28.6	100	150	18	\$2075	N/A

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Two box drawers on right, one file drawer on left and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MDLS. For 20" deep worksurfaces, order A2036MDLS.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

Required Specifications	Optional Specifications
Fabric**	Key # *
Top finish*	,
Handle finish*	
Page finish*	

ADAPTABILITIES®



Mixed Drawer Cabinet Shell - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2036MDRS	19.25 x 36 x 28.	.6 100	137	15	\$2041	N/A
A2436MDRS	23.25 x 36 x 28.	.6 100	150	18	\$2075	N/A

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Two box drawers on left, one file drawer on right and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MDRS. For 20" deep worksurfaces, order A2036MDRS.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

A2436MSC	24 x 36 x 29.6	100	163	18.25	\$1566	\$172
A2036MSC	20 x 36 x 29.6	100	147	15.5	\$1447	\$172

Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all locking. 1 pencil tray. Front-to-back filing bars.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2436MSCS	23.25 x 36 x 28	100	121	14.9	\$1527	N/A
A2036MSCS	19.25 x 36 x 28	125	136	17.45	\$1407	N/A



Mixed Storage Cabinet*

Mixed Storage Cabinet Shell

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back. Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all

• Black handles are standard. Silver is available at no charge, please specify as SI.

locking. 1 pencil tray. Front-to-back filing bars.

- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order A2436MSCS. For 20" deep worksurfaces, order A2036MSCS.

A2036LF	20 x 36 x 29.6	100	145	15.5	\$1294	\$172



2 Drawer Lateral File*

Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as SI.
- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

A2436S2	24 x 36 x 28.6	125	114	18	\$1717	N/A
A2036S2	20 x 36 x 28.5	125	104	14.75	\$1717	N/A



2 Drawer Lateral File Shell

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back.

Two full suspension locking drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- To prevent overloading, steel drawers do not include a back panel
- For 24" deep worksurfaces, order A2436S2. For 20" deep worksurfaces, order A2036S2.
- For front-to-back file bars order FBB, "FBB" on page 41.

Required Specifications	Optional Specifications
Top finish*	Key #
Base finish	HP laminate*
Handles	



2 Drawer Lateral File Top and Back*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
ALF24TB	24 x 36 x 29.6	65	82	3.3	\$537	\$215	
ALF20TB	20 x 36 x 29.6	65	78	3.3	\$537	\$215	

For use with Lateral File Shell. Counterweights included. Shipped RTA (ready to assemble).

• Use **ALF24TB** for model A2436S2. Use **ALF20TB** for model A2036S2.

A2036S3	20 x 36 x 37.75	92.5	219	20	\$2479	\$172

Three full suspension locking drawers with **steel drawer interior**. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For front-to-back file bars order FBB; See "FBB" on page 41.
- To prevent overloading, steel drawers do not include a back panel

	A2036S4	20 x 36 x 49.5	92.5	267	25.75	\$3142	\$172
--	---------	----------------	------	-----	-------	--------	-------

4 Drawer Lateral File*

3 Drawer Lateral File*

Four full suspension locking drawers with **steel drawer interior**. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For front-to-back file bars order **FBB**; See "FBB" on page 41.
- To prevent overloading, steel drawers do not include a back panel

A2036SC 20 x 36 x 29.6 125 121 15.5 \$991 \$172							
7200000 20 X 00 X 20.0 120 121 10.0 4001 4172	A2036SC	20 x 36 x 29 6	125	121	15.5	\$991	\$172
	71200000	20 X 00 X 20.0	120	121	10.0	Ψ551	Ψ17 2



Storage Cabinet*

Self-closing hinged doors cover one adjustable shelf. Standard with lock.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2436SCS	23.25 x 36 x 28.6	150	106	18	\$856	N/A
A2036SCS	19.25 x 36 x 28.6	125	91	14.75	\$856	N/A



Storage Cabinet Shell

For use under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back. Self-closing hinged doors cover one adjustable shelf. Standard with lock.

- Black handles are standard. Silver is available at no charge, please specify as SI.
- For 24" deep worksurfaces, order **A2436SCS**. For 20" deep worksurfaces, order **A2036SCS**.

ASC24TB	24 x 36 x 29.6	85	49	3.3	\$362	\$215
ASC20TB	20 x 36 x 29.6	85	45	3.3	\$362	\$215



Storage Cabinet Top and Back*

For use with Storage Cabinet Shell. Shipped RTA (ready to assemble).

• Use ASC24TB for model A2436SCS/MSCS; use ASC20TB for model A2036SCS/MSCS.

Required Specifications	Optional Specifications
Top finish*	Key #
Base finish	HP laminate*
Handles	

ADAPTABILITIES®



Full Leg

Personal Tower**

Personal Tower**

Credenza Top and Back*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2472TB	24 x 72 x 29.6	70	95	6	\$741	\$372
A2072TB	20 x 72 x 29.6	85	87	6	\$741	\$356

For use with the following: two Lateral File Shells, or two Storage Cabinet Shells, or two Mixed Storage Cabinet Shells, or any combination. May also be used with one Lateral File Shell plus one Full Leg, or one Storage Cabinet/ Mixed Storage Cabinet Shell plus one Full Leg. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **A2472TB**. For 20" deep worksurfaces, order **A2072TB**.
- Does not include hardware to attach to storage shells.

A24FL	23.4 x 1 x 28.6	92.5	20	1.7	\$261	N/A
A20FL	19.3 x 1 x 28.6	65	16	0.6	\$261	N/A

For use at either end of A24/2072TB Credenza Top and Back to create a kneespace. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **A24FL**. For 20" deep worksurfaces, order **A20FL**.
- Does not include hardware for installation.

A24PTFF	24 x 24 x 65.5	100	219	27	\$2580	N/A
A20PTFF	20 x 24 x 65.5	100	198	22.75	\$2580	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with two file drawers. Locks are keyed alike. Upper lock secures wardrobe and storwage section. Lower lock secures both file drawers.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A24PTBBF	24 x 24 x 65.5	125	213	27	\$2580	N/A
A20PTBBF	20 x 24 x 65.5	100	193	22.75	\$2580	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with box-box-file drawers. Locks are keyed alike. Upper lock secures wardrobe and storage section. Lower lock secures all drawers.

• Black handles are standard. Silver is available at no charge, please specify as SI.

A3665VSL	20 x 36 x 65.5	100	273	33	\$2412	N/A

Contains storage area with one adjustable shelf behind a self-closing hinged door, plus two full suspension file drawers. Lateral file drawers lock.

- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Black handles are standard. Silver is available at no charge, please specify as SI.

A2436DI	24 x 36 x 65.5	70	254	11.5	\$2982	N/A
A3665DI	20 x 36 x 65.5	70	237	11.5	\$2631	N/A

Includes 16" hanging rod on one side and four adjustable shelves on the other. Lock. Shipped RTA (ready to assemble).

Optional Specifications

• Black handles are standard. Silver is available at no charge, please specify as SI.

Storage Wardrobe Cabinet**

Vertical Storage/Lateral File Cabinet**

Required Specifications Top finish Base finish Handles (only personal towers)

Key #** HP laminate*





Storage Cabinet**



Wardrobe Cabinet**




Printer Table*




Magazine Table*



Pull-Out Keyboard



Counter Weight Kit



Front-to-Back Hanging File Bars

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
A2436SH	24 x 36 x 65.5	65	280	11.5	\$2626	N/A	
A3665SH	20 x 36 x 65.5	65	261	11.5	\$2302	N/A	

Includes four adjustable shelves. Lock. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2436ROD	24 x 36 x 65.5	70	205	11.5	\$2842	N/A
A3665ROD	20 x 36 x 65.5	70	198	11.5	\$2412	N/A

Includes full width hanging rod. Lock. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

A2430PT	24 x 30 x 29.6	65	108	4.3	\$991	\$172	
---------	----------------	----	-----	-----	-------	-------	--

Includes two fixed shelves, cut-back top shelf allows paper to fall onto lower shelf. Shipped RTA (ready to assemble).

A2248MT	22 x 48 x 18.5	85	61	4.3	\$553	\$245
A2222MT	22 x 22 x 18.5	85	40	3	\$447	\$130

Shipped RTA (ready to assemble).

APOKL28	17 x 28 x 3.5	85	13	0.9	\$337	N/A
APOKL22	17 x 22 x 3.5	85	12	0.9	\$305	N/A

Constructed of thermofused laminate. **APOKL28** will accommodate keyboard and mousepad. **APOKL28** will only fit on a single pedestal desk, freestanding table, or **A42205C**. Please specify color from available finishes listed on pg. 11.

• APOKL28 will not fit extended corners or A42245C, A36205C 5-sided corners.

LFCWKIT36	6 x 33 x 1	60	40	0.25	\$754	N/A

3 metal plates. Plates mount to the underside of any 36" wide Lateral File or Mixed Storage/Drawer cabinet. Includes mounting hardware. Must be ordered separately. Field installed.

• To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit MUST be used with the appropriate Lateral Files and Mixed Storage Cabinets.

FBB	x 15.2 x	70	1	0.01	\$30	N/A
FBB-50	x 15.2 x	60	50	0.5	\$910	N/A
FBB-100	x 15.2 x	60	100	2.71	\$1666	N/A

Includes two bars. Grey. FBB is one pair; FBB-50 is fifty pairs; FBB-100 is 100 pairs.

• Not recommended for "L" opening with receding door and roll-out shelves.

Required Specifications	Optional Specifications
Top finish	Key #**
Base finish	HP laminate*
Handles**	

A ADAPTABILITIES®

ABC72 One fixed heavy decomposition	D x W x H 12 x 36 x 72.5	125	170	23	\$1187	N/A
One fixed heavy d						
	uty shelf and three adju s	stable shelves.	Shipped fu	lly assembled.		
ABC65	12 x 36 x 65.5	125	150	21	\$1157	N/A
One fixed heavy d	uty shelf and two adjust	table shelves. S	Shipped fully	/ assembled.		
ABC48	12 x 36 x 48.5	125	116	15.75	\$883	N/A
Two adjustable	shelves. Shipped fully a	assembled.				
ABCSHELF	11 x 34 x 1	100	13	1.5	\$276	N/A
Extra shelf for boo	kcases. 1" thick.					
A3636TBC	15 x 36 x 36	125	111	17	\$759	N/A
AD00R3636	.69 x 36 x 36	125	35	4.5	\$384	N/A
 For a set of doo 	rs, order ADOOR3636 .		Two adjusta	ble shelves.		
ATBC36SH	13.25 x 34 x 1	100	16	1.7	\$212	N/A
Extra shelf for TAE	BLE TOP bookcases. 1" th	hick.				
	One fixed heavy do ABC48 Two adjustable and ABCSHELF Extra shelf for bood A3636TBC AD00R3636 To be placed on to For a set of dood Locks available ATBC36SH Extra shelf for TAE	One fixed heavy duty shelf and two adjust ABC48 12 x 36 x 48.5 Two adjustable shelves. Shipped fully at the shelf for bookcases. 1" thick. A3636TBC 15 x 36 x 36 ADOOR3636 59 x 36 x 36 To be placed on top of 36" w lateral file or solve for a set of doors, order ADOOR3636. Locks available on ADOOR3636. Add \$1 ATBC36SH 13.25 x 34 x 1 Extra shelf for TABLE TOP bookcases. 1" the straight of the shelf for TABLE TOP bookcases. 1" the shelf	One fixed heavy duty shelf and two adjustable shelves. Shelf and two adjustable shelves. Shipped fully assembled. Two adjustable shelves. Shipped fully assembled. ABCSHELF 11 x 34 x 1 100 Extra shelf for bookcases. 1" thick. A3636TBC 15 x 36 x 36 125 AD00R3636 .69 x 36 x 36 125 To be placed on top of 36"w lateral file or storage cabinet. • For a set of doors, order AD00R3636. • Locks available on AD00R3636. Add \$101 each lock. ATBC36SH 13.25 x 34 x 1 100 Extra shelf for TABLE TOP bookcases. 1" thick.	One fixed heavy duty shelf and two adjustable shelves . Shipped fully ABC48 12 x 36 x 48.5 125 116 Two adjustable shelves. Shipped fully assembled. ABCSHELF 11 x 34 x 1 100 13 Extra shelf for bookcases. 1" thick. A3636TBC 15 x 36 x 36 125 111 AD00R3636 .69 x 36 x 36 125 35 To be placed on top of 36"w lateral file or storage cabinet. Two adjusta • For a set of doors, order AD00R3636. • Locks available on AD00R3636. Add \$101 each lock. ATBC36SH 13.25 x 34 x 1 100 16 Extra shelf for TABLE TOP bookcases. 1" thick.	One fixed heavy duty shelf and two adjustable shelves . Shipped fully assembled. ABC48 12 x 36 x 48.5 125 116 15.75 Two adjustable shelves. Shipped fully assembled. ABCSHELF 11 x 34 x 1 100 13 1.5 Extra shelf for bookcases. 1" thick. A3636TBC 15 x 36 x 36 125 111 17 ADOOR3636 69 x 36 x 36 125 35 4.5 To be placed on top of 36" w lateral file or storage cabinet. Two adjustable shelves. • For a set of doors, order ADOOR3636. • Locks available on ADOOR3636. Add \$101 each lock. ATBC36SH 13.25 x 34 x 1 100 16 1.7 Extra shelf for TABLE TOP bookcases. 1" thick.	One fixed heavy duty shelf and two adjustable shelves . Shipped fully assembled. ABC48

Top finish*
Base finish*

					-	ADAP IA	ADILIII	LS
END SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS	. CUBIC FT.	LIST PRICE	HP ADD	
		D x W x H						
	A2465ESHL	24 x 24 x 65.5	65	136	5	\$1246	N/A	
	A2065ESHL	20 x 20 x 65.5	65	113	5	\$1048	N/A	
	A2465ESHR	24 x 24 x 65.5	65	136	5	\$1246	N/A	
	A2065ESHR	20 x 20 x 65.5	65	113	5	\$1048	N/A	
End Shelf - 65" High	For use at end of v	vardrobe/storage, ve	rtical storage ca	abinets , a	and personal tov	vers. Four fixed	shelves. Shippe	ed
	RTA (ready to asse	mble). Specify left or	rright.					
	• For 24" deep cal	binet, order A2465ESH	l. For 20" deep ca	abinet, orde	er A2065ESH .			
^								
	A1536ESHL	15 x 15 x 36	85	44	3.3	\$505	N/A	
大	A1536ESHR	15 x 15 x 36	85	44	3.3	\$505	N/A	
End Shelf - 36" High	For use at end of h	utches. Two fixed she	elves. To be used	on top of	A3029ESHL/R. A	2429ESHL/R or	A2029ESHL/R	Shipped
c cog		mble). Specify left or		o top o. .	,,,,			отпрроц
	Title (Today to asso	mbio). Opcomy for or	rigiit.					
	A3029ESHL	30 x 30 x 29.6	70	104	5.25	\$883	\$286	
$\widehat{}$	A2429ESHL	24 x 24 x 29.6	70	77	4.3	\$719	\$145	
	A2029ESHL	20 x 20 x 29.6	70	60	3.8	\$614	\$117	
	/ IZOZSEONE	20 X 20 X 20.0	70	00	0.0	ΨΟΙΤ	Ψ117	
	A3029ESHR	30 x 30 x 29.6	70	104	5.25	\$883	\$286	
	A2429ESHR	24 x 24 x 29.6	70	77	4.3	\$719	\$145	
	A2029ESHR	20 x 20 x 29.6	70	60	3.8	\$614	\$117	
						****	*	
End Shelf - 29" High	For use at end of v	vorksurfaces. Two fix	ed shelves Shinn	ned RTA (re	eady to assemble	Snecify left o	r riaht	
Liid Olicii - 25 Tiigii		orksurface, order A3029				-	i rigiit.	
	· ·	orksurface, order A2029 orksurface, order A2029		ep worksur	iace, order A242 3	JESII.		
	гот 20- иеер мс	irksuriace, uruer Azuzs	ESII.					
	A2049ESHL	20 x 20 x 49.5	65	94	3.8	\$924	N/A	
	A2049ESHR	20 x 20 x 49.5 20 x 20 x 49.5	65	94	3.8	\$924 \$924	N/A	
	AZU43LSIIII	20 X 20 X 43.3	03	34	3.0	4324	IN/A	
End Shelf - 49½" High	For use at end of F	\2036S4 4-high latera	I file . Four fixed	shelves. S	Shipped RTA (read	ly to assemble).	Specify left or	right.
_	100c==0:::					4		
	A2037ESHL	20 x 20 x 38.2	70	77	5	\$672	N/A	
	A2037ESHR	20 x 20 x 38.2	70	77	5	\$672	N/A	
End Shelf - 37¾" High	For use at end of A	\2036S3 3-high latera	I file . Three fixed	d shelves.	Shipped RTA (rea	ady to assemble).	Specify left (or right.
	Required Specifica	tione	Optional Specif	fications				

Required Specifications Top finish Base finish

Optional Specifications
HP Laminate (End Shelf, 29"h)


ADAPTABILITIES®



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
AFPBBF19	19 x 16 x 28.6	100	68	7.25	\$1079	N/A
AFPBBF22	22 x 16 x 28.6	100	72	8.25	\$1105	N/A
AFPBBF28	28 x 16 x 28.6	100	88	10.25	\$1151	N/A

top and unfinished back. Two box

nuse of the modesty on table units



top and unfinished back. Two file

nuse of the modesty on table units

AHPBF18 18 x 16 x 18 92.5 48 4.5 \$754 N					
	18 x 16 x 18	92.5 48	4.5	\$754 N/A	ı

top and unfinished back. One box

use of the modesty on table units

AMPBBF19	19 x 16 x 28	85	96	6.5	\$1128	\$215
AMPBBF22	23 x 16 x 28	92.5	92	7.75	\$1140	\$221
AMPBBF28	29 x 16 x 28	92.5	105	9.5	\$1183	\$223

oox and one file drawer. One pencil

AMPFF19	19 x 16 x 28	85	97	6.5	\$1214	\$215
AMPFF22	23 x 16 x 28	85	95	7.75	\$1231	\$223
AMPFF28	29 x 16 x 28	92.5	106	9.5	\$1294	\$223

le drawers. Locking. Includes

AMPBF19	19 x 16 x 22	85	77	5.25	\$991	\$215
AMPBF22	23 x 16 x 22	85	73	6	\$1016	\$223
AMPBF28	29 x 16 x 22	92.5	83	7.5	\$1043	\$223

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. One box and one file drawer. One pencil tray. Locking. 22" high. Includes counterweight to prevent tipping.

	AFPBBF19	19 x 16 x 28.6	100	68	7.25	\$
	AFPBBF22	22 x 16 x 28.6	100	72	8.25	\$
	AFPBBF28	28 x 16 x 28.6	100	88	10.25	\$
Freestanding Pedestal	For use under a f	reestanding worksurface (20". 24" or 30"): attaches to	worksurface to	n. No to
		ver. One pencil tray. File d				p. 110 to
		d with A2466 extend			· ·	
	• When used wi	th Connectable Tables (e.g	ı. A2472T) bottı	om rear of peo	destal will shov	v becaus
	AFPFF19	19 x 16 x 28.6	100	67	7.25	\$
	AFPFF22	22 x 16 x 28.6	100	75	8.25	Š
	AFPFF28	28 x 16 x 28.6	100	89	10.25	\$
Freestanding Pedestal		reestanding worksurface (:	20", 24" or 30"); attaches to	worksurface to	p. No to
	drawers. Locking	•	l			
		d with A2466 extend th Connectable Tables (e.g		om rear of peo	destal will shov	v becaus
	AUDDELO	40.40.40	00.5			
	AHPBF18	18 x 16 x 18	92.5	48	4.5	•
Hanging Pedestal	and one file draw	reestanding worksurface (: ver. One pencil tray. Lockin d with A2466 extend	g. 18" high.); attaches to	worksurface to	p. No to
	When used wi	th Connectable Tables (e.g	. A2472T) bott	om rear of peo	destal will shov	v becaus
	AMPBBF19	19 x 16 x 28	85	96	6.5	\$
	AMPBBF22	23 x 16 x 28	92.5	92	7.75	S
	AMPBBF28	29 x 16 x 28	92.5	105	9.5	\$
Mobile Pedestal*	tray. File drawer	ers. Front casters lock. Fit and lower box drawer are d with A2466 extend	locking. Includ			
	AMPFF19	19 x 16 x 28	85	97	6.5	¢
	AMPFF22	23 x 16 x 28	85	95	7.75	9
	AMPFF28	29 x 16 x 28	92.5	106	9.5	\$
Mobile Pedestal*		ers. Front casters lock. Fit	s under works	urfaces and is	easily moved.	Two file
	counterweight to • Cannot be use		led corners.			
	AMPBF19	19 x 16 x 22	85	77	5.25	,

	•
8	W 03

Mobile Pedestal*

Required Specifications
Top finish

Base finish*

Optional Specifications Key #

HP laminate (mobile pedestal) Handle

• A481	able with the stope used to be us	DIMENSIONS D x W x H 48 x 48 x 1.5 42 x 42 x 1.5 36 x 36 x 1.5 The Bicut edge at no up to with four monopost led with cross base A272 to with drum base A182 48 x 120 x 1.5 48 x 144 x 1.5 48 x 120 x 1.5	gs only, model ArXB only or cross base A2 70 65 65 65 ses, one panel ba 88120RE (two pi acharge. Please se "V" bases, one 60 60 70 bases, one doubl of for A4896B. acharge. Please se bases, one panel 60 60 70	95 73 54 Specify "CR". 5L. 2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 193 1e panel base Specify "CR". 26 base OR four 251 204	13 11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1593 \$1376 \$1079	\$1132 \$923 \$532 se and panel bas \$1344 \$1132 \$923
Boardroom Table - Round Top* Avait A481 A48120 A48	R to be used RE RE RE RE With two d RE	42 x 42 x 1.5 36 x 36 x 1.5 the Bicut edge at no up to with four monopost led with cross base A272 to with drum base A182 48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5 thrum bases, two "V" base Piece , except for A the Bicut Edge at no up to three drum bases, three "V" is in two pieces, except the Bicut Edge at no up to drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 120 x 1.5 48 x 120 x 1.5	85 92.5 Incharge. Please signs only, model Air XB only or cross base A2 70 65 65 65 Incharge. Please signs one panel bases, one double of for A4896B. Incharge. Please signs one panel bases, one panel of for A4896B. Incharge. Please signs one panel bases, one panel bases, one panel bases, one panel for A4896B. 60 60 70	73 54 specify "CR". 5L. 2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 le panel base Specify "CR". el base OR four 251 204	13 11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$614 \$447 \$1376 \$1048 \$773 drilled for "V" ba conoposts. \$1593 \$1376 \$1079	\$1132 \$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and panel sales
A36R • Avait • A481 •	R to be used RE RE RE RE With two d RE	the Bicut edge at no up di with four monopost led with cross base A272 di with drum base A182 48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5 48 x 96 x 1.5 48 x 144 x 1.5 48 x 120 x 1.5 48 x 144 x 1.5 48 x 120 x 1.5 48 x 144 x 1.5 48 x 15 48 x 15	92.5 Incharge. Please signs only, model Air XB only or cross base A2 70 65 65 65 Ideases, one panel bases, one panel bases, one double of for A4896B. Incharge. Please signs one panel bases, one panel of for A4896B. Incharge. Please signs one panel bases, one panel bases, one panel bases, one panel for A70	specify "CR". 5L. 2727XB 274 314 175 ase OR four mieces) Specify "CR". 237 198 193 le panel base Specify "CR". el base OR four 251 204	13 11.5 7 onoposts. Prec These OR six m 7.5 6.3 9.8 OR six monopo	\$1376 \$1048 \$773 drilled for "V" ba conoposts. \$1593 \$1376 \$1079	\$1132 \$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and panel sales
Boardroom Table - Round Top* • Avail • A481 • A481 • A48961 A48120 • Avail • A48144 • A48120 • A48161 A48121 • A48120 • Avail • A48144 • A48120 • A48161 • Avail • Avail • Avail • NOT where	R to be used RE RE RE RE With two d RE	the Bicut edge at no up the with four monopost led with cross base A272 and with drum base A182 48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5 Altrum bases, two "V" base piece, except for A the Bicut Edge at no up three drum bases, three drum bases, three "V" 48 x 120 x 1.5	charge. Please signs only, model All All All All All All All All All A	specify "CR". 2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 le panel base Specify "CR". 2bl base OR four 251 204	13 11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1376 \$1048 \$773 drilled for "V" ba conoposts. \$1593 \$1376 \$1079	\$1132 \$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and panel bas
• A481 • A421 • A361 A48120 A48966 A36726 Boardroom Table - Rectangular Top* For use Top co • Avai • A481 A48144 A48120 A48966 A48144 A48120 A48966 A36726 Boardroom Table - Racetrack Top* For use base. • Avai • A481 A48144 A48120 A48966 A36726 For use base. • Avai • A481 A48144 A48120 A48966 A36726 Boardroom Table - Racetrack Top*	R to be used RE RE RE RE With two d RE	d with four monopost led with cross base A272 d with drum base A18Z d with drum bases, two "V" base piece, except for A1 de Bicut Edge at no up three drum bases, three "V" in two pieces, except de Bicut Edge at no up to drum bases, two "V" d8 x 144 x 1.5 d8 x 120 x 1.5	gs only, model ArXB only or cross base A2 70 65 65 65 ses, one panel ba 88120RE (two pi acharge. Please se "V" bases, one 60 60 70 bases, one doubl of for A4896B. acharge. Please se bases, one panel 60 60 70	2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 le panel base Specify "CR". 2l base OR four 251 204	13 11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
• A481 • A421 • A361 A48120 A48966 A36726 Oardroom Table - Rectangular Top* For use Top co • Avai • A481 A48144 A48120 A48966 A48144 A48120 A48966 A36726 Oardroom Table - Racetrack Top* For use base. • Avai • A481 A48144 A48120 A48966 A36726 Oardroom Table - Racetrack Top* For use base. • Avai • A481 A48144 A48120 A48966 A36726 Oardroom Table - Racetrack Top*	R to be used RE RE RE RE With two d RE	d with four monopost led with cross base A272 d with drum base A18Z d with drum bases, two "V" base piece, except for A1 de Bicut Edge at no up three drum bases, three "V" in two pieces, except de Bicut Edge at no up to drum bases, two "V" d8 x 144 x 1.5 d8 x 120 x 1.5	gs only, model ArXB only or cross base A2 70 65 65 65 ses, one panel ba 88120RE (two pi acharge. Please se "V" bases, one 60 60 70 bases, one doubl of for A4896B. acharge. Please se bases, one panel 60 60 70	2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 le panel base Specify "CR". 2l base OR four 251 204	13 11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
• A421 • A361 A48120 A48966 A36726 For use Top co • Avai. • A481 A48144 A48120 A48966 A36726 For use base. • Avai. • A481 A48144 A48120 A48966 A36726 For use base. • Avai. • A481 A48144 A48120 A48966 A36726 For use base. • Avai. • A481 A48144 A48120 A48966 A36726 For use base. • Avai. • AVai. • NOT where	R to be used RE RE RE With two d Mass in one Rable with the RE	d with cross base A272 d with drum base A18Z 48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5 drum bases, two "V" base piece, except for Ash the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 drum bases, three "V" in two pieces, except he Bicut Edge at no up to drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5	7XB only or cross base A2 70 65 65 65 ses, one panel ba 88120RE (two pi acharge. Please se "V" bases, one 60 60 70 bases, one doubl of for A4896B. acharge. Please se bases, one panel 60 60 70	2727XB 274 314 175 ase OR four m ieces) Specify "CR". 237 198 193 le panel base Specify "CR". 2l base OR four 251 204	11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
• A36l A48120 A4896i A3672i For use Top co • Avai • A481 A48144 A48120 A4896i Oardroom Table - Boat Shape Top* For use base. • Avai • A481 A48144 A48120 A4896i A3672i Oardroom Table - Racetrack Top* For use base. • Avai • A481 A48144 A48120 A4896i A3672i Oardroom Table - Racetrack Top*	R to be used ORE RE With two d mes in one lable with th 120RE uses BB BB With three Top comes lable with th 166B uses th	48 x 120 x 1.5 48 x 96 x 1.5 36 x 72 x 1.5 48 repiece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 96 x 1.5 drum bases, three "V" in two pieces, except for A three drum bases, three "V" in two pieces, except for A three drum bases, three "V" 48 x 144 x 1.5 48 x 120 x 1.5	70 65 65 65 88es, one panel ba 88120RE (two pi acharge. Please of the two pi acharges, one double of for A4896B. acharge. Please of the two pi acharges one double of for A4896B. acharge. Please of the two pi acharges one panel 60 60 70	274 314 175 ase OR four mieces) Specify "CR". 237 198 193 le panel base Specify "CR". el base OR fou	11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
A48966 A36726 Boardroom Table - Rectangular Top* For use Top co • Avai. • A481 A48120 A48966 A48144 A48120 A48144 A48120 A48966 A36726 Boardroom Table - Racetrack Top* For use base. • • Avai. • A488 For use base. • • Avai. • A48144 A48120 A48966 A36726 For use base. • • Avai. • NOT where	with two d mes in one dable with th l20RE uses With three Fop comes dable with th l26B uses to	48 x 96 x 1.5 36 x 72 x 1.5 Irum bases, two "V" ba e piece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 drum bases, three "V" in two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 120 x 1.5	65 65 65 68es, one panel ba 88120RE (two pi acharge. Please of the pi 60 60 70 60 60 60 60 60 60 60 60 60 60 60 60 60	314 175 ase OR four mieces) Specify "CR". 237 198 193 de panel base Specify "CR". 2l base OR fou	11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
A48966 A36726 Doardroom Table - Rectangular Top* For use Top co • Avai. • A48120 A48966 Doardroom Table - Boat Shape Top* For use base. • Avai. • A48120 A48966 A36726 Doardroom Table - Racetrack Top* For use base. • Avai. • A48120 A48966 A36726 Doardroom Table - Racetrack Top*	with two d mes in one dable with th l20RE uses With three Fop comes dable with th l26B uses to	48 x 96 x 1.5 36 x 72 x 1.5 Irum bases, two "V" ba e piece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 drum bases, three "V" in two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 120 x 1.5	65 65 65 68es, one panel ba 88120RE (two pi acharge. Please of the pi 60 60 70 60 60 60 60 60 60 60 60 60 60 60 60 60	314 175 ase OR four mieces) Specify "CR". 237 198 193 de panel base Specify "CR". 2l base OR fou	11.5 7 onoposts. Prec base OR six m 7.5 6.3 9.8 OR six monopo	\$1048 \$773 drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 ssts. Predrilled for	\$923 \$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
A3672h oardroom Table - Rectangular Top* For use Top co Avai. A48144 A48120 A4896h oardroom Table - Boat Shape Top* For use base. Avai. A48144 A48120 A4896h A3672h oardroom Table - Racetrack Top* For use base. A48144 A48120 A4896h A3672h oardroom Table - Racetrack Top*	with two d mes in one lable with to 120RE uses BB BB With three Fop comes lable with to 166B uses to	Irum bases, two "V" ba e piece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5 drum bases, three "V" s in two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 120 x 1.5	ses, one panel ba 18120RE (two pi 1812	ase OR four mieces) Specify "CR". 237 198 193 le panel base Specify "CR". el base OR fou	7 onoposts. Prec T base OR six m 7.5 6.3 9.8 OR six monopo	\$773 drilled for "V" ba	\$532 se and panel bas \$1344 \$1132 \$923 or "V" base and p
Dardroom Table - Rectangular Top* For use Top co	with two d mes in one lable with to 120RE uses BB BB With three Fop comes lable with to 166B uses to	Irum bases, two "V" ba e piece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5 drum bases, three "V" s in two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	ses, one panel ba 18120RE (two pi 1812	ase OR four mieces) Specify "CR". double panel 237 198 193 le panel base Specify "CR". el base OR fou 251 204	onoposts. Pred base OR six m 7.5 6.3 9.8 OR six monopo	drilled for "V" ba nonoposts. \$1593 \$1376 \$1079 sts. Predrilled fo	\$1344 \$1132 \$923 or "V" base and p
Top co	mes in on all able with the second se	e piece, except for A the Bicut Edge at no up three drum bases, three 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5 drum bases, three "V" tin two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	ast20RE (two pincharge. Please of et "V" bases, one 60 60 70 bases, one double of for A4896B. acharge. Please of bases, one pane 60 60 70	ieces) Specify "CR". double panel 237 198 193 le panel base Specify "CR". el base OR fou 251 204	7.5 6.3 9.8 OR six monopo	\$1593 \$1376 \$1079 sts. Predrilled fo	\$1344 \$1132 \$923 or "V" base and p
A48144 A48120 A48966 Doardroom Table - Boat Shape Top* For use base. • Avai. • A48144 A48120 A48966 A36726 Doardroom Table - Racetrack Top* For use base. • Avai. • Avai. • Avai. • NOT where	with three Fop comes lable with the RT RT	48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5 drum bases, three "V" in two pieces, exce the Bicut Edge at no up two drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	60 60 70 bases, one doubl of for A4896B. ocharge. Please of bases, one pane	237 198 193 le panel base Specify "CR". el base OR fou 251 204	7.5 6.3 9.8 OR six monopo	\$1593 \$1376 \$1079 sts. Predrilled for	\$1132 \$923 or "V" base and p
A48120 A4896i Dardroom Table - Boat Shape Top* For use base. • Avai. • A48120 A48120 A4896i A3672i Dardroom Table - Racetrack Top* For use base. • Avai. • NOT where	with three Fop comes lable with the RT DRT	48 x 120 x 1.5 48 x 96 x 1.5 drum bases, three "V" in two pieces, exce the Bicut Edge at no up wo drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	60 70 bases, one doubl of for A4896B. ocharge. Please of bases, one pane 60 60 70	198 193 le panel base Specify "CR". el base OR fou 251 204	6.3 9.8 OR six monopo	\$1376 \$1079 sts. Predrilled for	\$1132 \$923 or "V" base and p
A48966 Dardroom Table - Boat Shape Top* For use base. • Avai. • A48144 A48120 A48966 A36726 Dardroom Table - Racetrack Top* For use base. • Avai. • NOT where	with three Fop comes lable with the BEB uses two	drum bases, three "V" in two pieces, exce the Bicut Edge at no up to drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	pases, one double of for A4896B. Incharge. Please of bases, one pane	193 le panel base Specify "CR". el base OR fou 251 204	9.8 OR six monopo or monoposts. 7.5	\$1079 ists. Predrilled fo	\$923 or "V" base and p
Dardroom Table - Boat Shape Top* For use base. Avai. A48144 A48120 A48961 A36721 Dardroom Table - Racetrack Top* For use base. Avai. NOT where	with three Fop comes lable with the GBB uses the HRT JRT	drum bases, three "V" in two pieces, exce the Bicut Edge at no up to drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	bases, one doubl of for A4896B. Incharge. Please of bases, one pane 60 60 70	le panel base Specify "CR". el base OR fou 251 204	OR six monopo or monoposts. 7.5	sts. Predrilled fo	or "V" base and p
base. • Avai. • A48144 A48120 A48966 A36726 pardroom Table - Racetrack Top* For use base. • Avai. • N01 where	Fop comes Jable with to Jable with to Jable wises two Jable wises two Jable wises Jable	tin two pieces, exce the Bicut Edge at no up to drum bases, two "V" 48 x 144 x 1.5 48 x 120 x 1.5 48 x 96 x 1.5	ot for A4896B. Incharge. Please of bases, one pane	Specify " CR ". el base OR fou 251 204	ır monoposts. 7.5	\$1593	\$1344
base. • Avai. • NOT where			70	200 112	9.8 5.8	\$1079 \$831	\$923 \$532
	Top comes lable with to E : 48" x 120 the two hal	drum bases, three "V" in two pieces excepthe Bicut Edge at no up 0" and 48" x 144" wood lyes meet. 13672RT use two drum	t for A4896RT a ocharge. Please o dgrain finish Adap	and A3672RT Specify "CR". ptabilities tab	les will not hav	ve a perfect mate	
A277277	В	27 x 27 x 29.6	70	63	3.6	\$412	N/A
oss Base Use as	the base fo	or 36" or 42" round to j	s (model A36R	or A42R) . St	nipped RTA (rea	ady to assemble)	
A1616\	1	16 x 16 x 28.6	60	39	1.1	\$351	N/A
A1616\		16 x 16 x 28.6	60	74	2.2	\$693	N/A
		r <mark>rectangular, boat s</mark> l	aped or racetra	ack tops. Sh	nipped RTA (rea	dy to assemble).	
• A16	16117 in -4'	pped 2 bases per cartor	-			-	

Optional Specifications
HP laminate*

Required Specifications Finish Edge detail*

ADAPTABILITIES®



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2488PB	24 x 88 x 29.6	70	119	6	\$1102	N/A
A2445PB	24 x 45 x 28.6	70	76	4.3	\$719	N/A

Panel Base

Use as the base for rectangular, boat shaped or racetrack tops. Shipped RTA (ready to assemble).

- Use A2488PB for 120 144" wide tops.
- Use A2445PB for 72 96" wide tops.

A18Z	18 x 18 x 28.6	250	29	7.5	\$773	N/A



Use as the base for 36" round top (model A36R) and 72", 96", 120" or 144" wide tops.

Available in Black finish only.

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand not included.

A5L	4 x 4 x 28.6	100	13	1.5	\$337	N/A



Use as the base for 48" (model A48R) round tops and 72", 96", 120" or 144" wide tops.

• Post is shipped in separate carton. Standard in Black (TBL); Tungsten is available at no charge, please specify (TTU).

BOARDROOM ACCESSORIES				

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
A2036SK	20 x 36 x 36.5	100	179	19	\$2302	\$172	

Serving Cart*

Includes two side opening, self-closing hinged doors, two box drawers, one slide-out tray and storage shelf. On casters.

- Available with the Bicut Edge at no upcharge. Please Specify "AR".
- Black handles are standard. Silver is available at no charge, please specify as SI.



A2020SK 20 x 20 x 36 92.5 114 11 \$1444 \$117

Serving Cart*

Includes one side opening, self-closing hinged door, one box drawer, one slide-out tray and storage shelf. On casters.

- Available with the **Bicut Edge** at no upcharge. Please Specify "CR".
- Black handles are standard. Silver is available at no charge, please specify as SI.



A2436AV 24 x 36 x 65.5 65 272 11.25 \$2631 N/A

Audio/Visual Cabinet*

Includes four side opening doors covering two adjustable and two fixed shelves. Wire access through one grommet on back panel. Holds up to 27"H TV monitor. Shipped RTA (ready to assemble).

• Black handles are standard. Silver is available at no charge, please specify as SI.

Required Specifications	Optional Specifications
Top finish *	Key #*
Base finish	HP laminate*
Handles*	

					A	DAPTA	ABILITIES®
BOARDROOM ACCESSORIES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	AVB4848	D x W x H 4 x 48 x 48	70	135	9	\$1650	N/A
Visual Board	door. Marker boa • NOTE: Care shi so may result in	ard and two side opening rd can be used for projec ould be taken to mount ti n collapse of the unit and based on wall material.	tion. he units. Units s subsequent pei	hould be mou rsonal injury.	nted to wall sto Mounting hard	uds using correct ware not include	fasteners. Failure to do d. Mounting hardware
Lectern*	A1844LC Features angled s	18 x 24 x 44	70 asters. Shipped	92 I RTA (ready to	4.8 o assemble).	\$883	\$117

Required Specifications Top finish Base finish

Optional Specifications
HP laminate*



The Genoa® series combines the value of laminate furniture with the contemporary styling of top over end panel design. This versatile offering of components and wide selection of laminate finish options is the perfect complement to any office environment.

For added security of confidential material, all desks and credenzas are equipped with one locking pedestal. Genoa's kneespace credenza easily accommodates a computer, books, binders and files to maximize space.

Genoa features quality construction with the added strength of dovetailed box and file drawers. Fully progressive ball bearing suspensions ensure years of smooth, trouble-free drawer service.

Genoa's classic styling and simplicity integrate easily with existing furnishings and any interior decor. For new offices or current office expansions, Genoa is clearly the affordable and practical choice.





Contemporary top-over-end panel design



Drawer fronts are edge banded on all sides

Features and Benefits

- 45lb. density particle board substructure with high performance thermally fused laminate
- · Available bow front desk provides extra legroom and work area for visitors
- ¾ modesty panel is standard
- Most components shipped fully assembled, 1 per carton
- · Pencil tray included in box drawer
- Box drawers mounted on 34 extension steel ball bearings
- All drawers feature French dovetail joint in front and lapjoint in back
- · Drawers open with side pull
- Compatible with Divide panel system for increased privacy and storage requirements

GENERAL INFORMATION

- Constructed of 45 lb. density particle board with high performance thermally fused laminate
- Genoa components are compatible with **Divide** partitioning panels.
- Large offering of extended corners, full to floor pedestals, islands and storage options
- Double wall pedestal housing
- Genoa desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com

CONSTRUCTION

- 1" worksurfaces constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Double wall pedestal housing
- Panel end style with top over side panel design
- 1" adjustable leveling glides standard on all units
- · Standard with locks

MODESTY PANELS

- Recessed ¾ height modesty panel is standard. Full modesty panel available. Add \$75.
- All full to floor units, bridges and returns are standard with a full modesty panel

STORAGE

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction
- Pencil tray included in box drawer
- All drawers feature French dovetail joint in front and lapjoint in back

FINISHES

LAMINATE FINISHES


ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SOG	Storm Grey
CMB	Clear Maple	WHE	Walnut Heights
DES	Dark Espresso	WHC	White Chocolate
DWT	Designer White	WCR	Winter Cherry

GROMMETS


- Grommets may be ordered on Genoa hutch back panel
- Additional grommets available in standard worksurface locations (left, center or right). Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep




 Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks (3672SPL)




30 x 60 single pedestal left desks (3060SPL)



36 x 72 single pedestal left bow top desks (3672SLB)

- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A
 drawing must be supplied with vertical and horizontal dimensions to the center of the
 cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
 in the back reference section.
- Components that come standard with grommet may be ordered without a grommet.
 Add \$53.
- Grommets are available on modesty panels of 5-sided corners 6 ½" in where the
 two modesty panels meet at a 90° angle. Please specify FOGMPR for right grommet
 placement and FOGMPL for left grommet (placement is as shown on diagrams
 below). Cost is \$96.
- *Modesty Panels are 1" off of ground



5-Sided Corner Unit


POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included.
 Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
 Power Blocks are available in standard worksurface locations (left, center or right).
 Order as E1, E2 or E3. Add \$96.





Power Block PMSPDM. Add \$330 Specify location E1, E2 or E3. Add \$96.



D x W x H 3672DP 36 x 72 x 29.4 150 286 50.5 \$1376 3072DP 29.63 x 72 x 29 150 245 43.75 \$1341 3066DP 29.69 x 66 x 29.4 150 235 39.25 \$1302 3060DP 29.69 x 60 x 29.4 125 226 35.5 \$1092 tandard with box/file pedestals on both sides. Pedestals lock. One pencil tray.	IODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
3072DP 29.63 x 72 x 29 150 245 43.75 \$1341 3066DP 29.69 x 66 x 29.4 150 235 39.25 \$1302 3060DP 29.69 x 60 x 29.4 125 226 35.5 \$1092		DxWxH	450			
3066DP 29.69 x 66 x 29.4 150 235 39.25 \$1302 3060DP 29.69 x 60 x 29.4 125 226 35.5 \$1092						
3060DP 29.69 x 60 x 29.4 125 226 35.5 \$1092						
· · · · · · · · · · · · · · · · · · ·						
tandard with box/file pedestals on both sides. Pedestals lock. One pencil tray.	3060DP	29.69 x 60 x 29.4	125	226	35.5	\$1092
	tandard with bo	x/file pedestals on both s	sides. Pedestals	lock. One pe	ncil tray.	
3672DPB 32-36 x 72 x 29.4 150 256 50.5 \$1687	3672DPB	32-36 x 72 x 29 4	150	256	50.5	\$1687
tandard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.	tandard with bo	x/file pedestals on both s	ides and bow top	o. Pedestals	lock. One penci	l tray.
tandard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.	tandard with bo	x/file pedestals on both s	iides and bow top	o. Pedestals	lock. One penci	l tray.
	tandard with bo					,
	3072D4	29.69 x 72 x 29	125	277	43.75	\$1755
3072D4 29.69 x 72 x 29 125 277 43.75 \$1755 tandard with full to floor box/box/file on right pedestal and file/file on left pedestal. Pedestals lock. One	3072D4 tandard with ful	29.69 x 72 x 29	125 right pedestal an	277 d file/file on	43.75 left pedestal. F	\$1755 Pedestals lock. One pencil
3072D4 29.69 x 72 x 29 125 277 43.75 \$1755 tandard with full to floor box/box/file on right pedestal and file/file on left pedestal. Pedestals lock. One 3672SPL 36 x 72 x 29.4 150 235 50.5 \$1251	3072D4 tandard with ful 3672SPL	29.69 x 72 x 29 I to floor box/box/file on 36 x 72 x 29.4	125 right pedestal an 150	277 d file/file on 235	43.75 left pedestal. F	\$1755 Pedestals lock. One pencil
3072D4 29.69 x 72 x 29 125 277 43.75 \$1755 tandard with full to floor box/box/file on right pedestal and file/file on left pedestal. Pedestals lock. One 3672SPL 36 x 72 x 29.4 150 235 50.5 \$1251	3072D4 tandard with ful	29.69 x 72 x 29 I to floor box/box/file on 36 x 72 x 29.4	125 right pedestal an 150	277 d file/file on 235	43.75 left pedestal. F	\$1755 Pedestals lock. One pencil
3072D4 29.69 x 72 x 29 125 277 43.75 \$1755 tandard with full to floor box/box/file on right pedestal and file/file on left pedestal. Pedestals lock. One 3672SPL 36 x 72 x 29.4 150 235 50.5 \$1251 3072SPL 30 x 72 x 29 150 192 43.75 \$1187	3072D4 tandard with ful 3672SPL	29.69 x 72 x 29 I to floor box/box/file on a 36 x 72 x 29.4 30 x 72 x 29	125 right pedestal an 150 150	277 d file/file on 235 192	43.75 left pedestal. F 50.5 43.75	\$1755 redestals lock. One pencil \$1251 \$1187



J	

Sinale	Pedestal	Row Ton	Desk -	I FFT

0007000		4=0	005		****
G3672SPL	36 x 72 x 29.4	150	235	50.5	\$1251
G3072SPL	30 x 72 x 29	150	192	43.75	\$1187
G3066SPL	29.69 x 66 x 29.4	150	192	39.25	\$1167
G3060SPL	29.69 x 60 x 29.4	150	183	35.5	\$965
G3048SPL	29.69 x 48 x 29.4	150	166	28.75	\$965
G2445SPL	24 x 45 x 29.4	150	137	23.5	\$754

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the left.

G3672SPR	36 x 72 x 29.4	150	235	50.5	\$1251
G3072SPR	30 x 72 x 29	150	192	43.75	\$1187
G3066SPR	29.69 x 66 x 29.4	150	192	39.25	\$1167
G3060SPR	29.69 x 60 x 29.4	150	183	35.5	\$965
G3048SPR	29.69 x 48 x 29.4	150	166	28.75	\$965
G2445SPR	24 x 45 x 29.4	150	137	23.5	\$754

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the right.

G3672SLB 36-36 x 72 x 29 150 270 50 \$1544							
	G3672SLB	36-36 x 72 x 29	150	270	50	\$1544	

Standard with box/file pedestal on left and bow top. Pedestal locks. One pencil tray.

Req	uired	Speci	ficati	ons
Finis	sh			

Optional Specifications Full modesty Grommet Key#

Accessories Power block Keyboard tray Pencil tray

TAL DESKS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	G3672SRB	D x W x H 36 x 72 x 29	150	270	50	\$1544
	0007.25.1.5	33 872 823		2,0		••••
Bow Top Desk - RIGHT	Standard with bo	x/file pedestal on right a	and bow top. Pec	destal locks.	One pencil tray.	
•			•		,	
	G2448SDL	24 x 48 x 26	150	137	23.5	\$777
	G2040SDL	20 x 40 x 26	125	111	17.5	\$754
EFT	Standard with bo	x/file pedestal and lower	26" height . Pe	destal locks.	Grommet in wo	orksurface. Pede
	G2448SDR	24 x 48 x 26	150	137	23.5	\$777
	G2040SDR	20 x 40 x 26	125	111	17.5	\$754
IGHT	Standard with bo	x/file pedestal and lower	26" height . Pe	destal locks.	Grommet in wo	orksurface. Pede
GHT 	G2454FL G2448FL G2442FL G2054FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29	150 125 150 150	127 142 111 114 107	27 23.5 21.5 23	\$943 \$837 \$807 \$943
HT	G2454FL G2448FL G2442FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29	150 125 150	127 142 111 114	27 23.5 21.5	\$943 \$837 \$807
GHT	G2454FL G2448FL G2442FL G2054FL G2048FL	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29	150 125 150 150	127 142 111 114 107	27 23.5 21.5 23 20.5	\$943 \$837 \$807 \$943 \$837
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2040FL G2036FL Standard with bo • For 24" deep w	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Poverksurfaces, order G24 pencil trays for use on unit	150 125 150 150 150 150 125 125 Pedestal locks. G	127 142 111 114 107 100 115 93 Grommet in weep worksurf	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pec	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order G24 pencil trays for use on unitary	150 125 150 150 150 150 125 125 125 Pedestal locks. G	127 142 111 114 107 100 115 93 Grommet in weep worksurf	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order G24 pencil trays for use on under the control of	150 125 150 150 150 150 150 125 125 125 Pedestal locks. G _FL. For 20" de its 42" and above 150 125	127 142 111 114 107 100 115 93 Frommet in weep worksurf e	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796 destal is on the lo
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order G24 pencil trays for use on unitary	150 125 150 150 150 150 125 125 125 Pedestal locks. G	127 142 111 114 107 100 115 93 Grommet in weep worksurf	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20	\$943 \$837 \$807 \$943 \$837 \$807 \$796 \$796
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and p	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order G24 20 cencil trays for use on unitary for use of	150 125 150 150 150 150 150 125 125 125 Pedestal locks. G _FL. For 20" de its 42" and above 150 125 150	127 142 111 114 107 100 115 93 Grommet in weep worksurf ee	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20 27 23.5 21.5	\$943 \$837 \$943 \$837 \$807 \$796 \$796 \$796 destal is on the lo
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and y G2454FR G2448FR G2442FR G2054FR G2048FR G2042FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 42 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order G24 pencil trays for use on unitary for use of u	150 125 150 150 150 150 150 125 125 125 Pedestal locks. G _FL. For 20" de its 42" and above 150 125 150 150	127 142 111 114 107 100 115 93 Grommet in weep worksurfee 127 142 111 114	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20 27 23.5 21.5 23	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the lo
GHT	G2454FL G2448FL G2442FL G2054FL G2048FL G2042FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and y G2454FR G2448FR G2442FR G2044FR G2044FR G2044FR G2042FR G2040FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order 624 24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 48 x 29 20 x 48 x 29 20 x 48 x 29 20 x 48 x 29 20 x 42 x 29	150 125 150 150 150 150 150 125 125 125 Pedestal locks. G FL. For 20" de its 42" and above 150 125 150 150 150 150 150 125	127 142 111 114 107 100 115 93 Grommet in weep worksurf ee	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20 27 23.5 21.5 23 20.5 18 17.5	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the lo
>	G2454FL G2448FL G2442FL G2054FL G2048FL G2040FL G2036FL Standard with bo • For 24" deep w • Keyboard and y G2454FR G2448FR G2442FR G2054FR G2048FR G2042FR	24 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 54 x 29 20 x 48 x 29 20 x 40 x 29.4 20 x 36 x 29 20 x/file drawer pedestal. Powerksurfaces, order 624 — pencil trays for use on union 124 x 54 x 29 24 x 48 x 29.4 24 x 42 x 29 20 x 48 x 29	150 125 150 150 150 150 150 125 125 125 Pedestal locks. G FL. For 20" de its 42" and above 150 125 150 150 150 150	127 142 111 114 107 100 115 93 Grommet in weep worksurfee 127 142 111 114 107 100	27 23.5 21.5 23 20.5 18 17.5 15.5 orksurface. Pecaces, order G20 27 23.5 21.5 23 20.5 18	\$943 \$837 \$943 \$837 \$807 \$796 \$796 destal is on the lo

Required	Specifications
Finish	

Finish

RETURNS



Full to Floor Flush Return - LEFT



Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the left.

- For 24" deep worksurfaces, order G24___BL4. For 20" deep worksurfaces, order G20___BL4.
- Keyboard and pencil trays for use on units 42" and above

G2448BR4	24 x 48 x 29.4	150	136	25	\$1215	
G2442BR4	24 x 42 x 29.4	150	128	21.5	\$1199	
G2436BR4	24 x 36 x 29.4	125	120	18	\$1174	
G2048BR4	20 x 48 x 29	150	121	20.5	\$1183	
G2042BR4	20 x 42 x 29	125	114	18	\$1154	
G2036BR4	20 x 36 x 29	125	108	15.5	\$1133	

Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the right.

- For 24" deep worksurfaces, order **G24___BR4**. For 20" deep worksurfaces, order **G20___BR4**.
- Keyboard and pencil trays for use on units 42" and above

G2448L4	24 x 48 x 29.4	150	132	25	\$1251
G2442L4	24 x 42 x 29.4	150	124	21.5	\$1227
G2436L4	24 x 36 x 29.4	125	116	18	\$1207
G2048L4	20 x 48 x 29	150	118	20.5	\$1215
G2042L4	20 x 42 x 29	125	111	18	\$1183
G2036L4	20 x 36 x 29	125	104	15.5	\$1167

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the left.

- For 24" deep worksurfaces, order **G24___L4**. For 20" deep worksurfaces, order **G20___L4**.
- Keyboard and pencil trays for use on units 42" and above

G2448R4	24 x 48 x 29.4	150	132	25	\$1251
G2442R4	24 x 42 x 29.4	150	124	21.5	\$1227
G2436R4	24 x 36 x 29.4	125	116	18	\$1207
G2048R4	20 x 48 x 29	150	118	20.5	\$1215
G2042R4	20 x 42 x 29	125	111	18	\$1183
G2036R4	20 x 36 x 29	125	104	15.5	\$1167

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the right.

- For 24" deep worksurfaces, order **G24**___**R4**. For 20" deep worksurfaces, order **G20**___**R4**.
- Keyboard and pencil trays for use on units 42" and above

G2454EL	24 x 54 x 29	70	87	5.25	\$777
G2448EL	24 x 48 x 29	70	96	4.5	\$672
G2442EL	24 x 42 x 29	70	71	3.8	\$672
G2054EL	20 x 54 x 29	85	78	5.25	\$737
G2048EL	20 x 48 x 29	70	70	4.2	\$693
G2042EL	20 x 42 x 29	70	56	3.3	\$672
G2040EL	20 x 40 x 29	70	78	4.5	\$648
G2036EL	20 x 36 x 29	70	56	3.3	\$648

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

• For 24" deep worksurfaces, order **G24___EL**. For 20" deep worksurfaces, order **G20___EL**.

Key #




Full to Floor Flush Return - LEFT

Full to Floor Flush Return - RIGHT



Full to Floor Flush Return - RIGHT



Flush Return - LEFT

Required Specifications


Optional Specifications Additional grommet

Accessories Power block Keyboard tray Pencil tray

RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	G2454ER	24 x 54 x 29	70	87	5.25	\$777	
	G2448ER G2442ER	24 x 48 x 29 24 x 42 x 29	70 70	96 71	4.5 3.8	\$672 \$672	
	G2054ER	20 x 54 x 29	85	78	5.25	\$737	
	G2048ER	20 x 48 x 29	70	70	4.2	\$693	
	G2042ER	20 x 42 x 29	70	63	3.8	\$672	
	G2040ER	20 x 40 x 29	70	78	4.5	\$648	
	G2036ER	20 x 36 x 29	70	56	3.3	\$648	
Flush Return - RIGHT	Return has no pede	stal. Grommet in work	surface. Shipped	RTA (ready 1	to assemble).		
	• For 24" deep wo	rksurfaces, order G24 _	ER . For 20" dee	ep worksurfa	aces, order G20)ER.	
FLUSH BRIDGE							
	G2448FB	24 x 48 x 29.4	70	78	3.5	\$511	
	G2442FB	24 x 42 x 29	70	65	3.06	\$494	
	G2436FB	24 x 36 x 29.4	70	58	3.5	\$492	
	G2048FB	20 x 48 x 29	70	71	3.3	\$511	
	G2042FB	20 x 42 x 29	70	61	4	\$494	
Flush Bridge	Top surface, back p	anel and hardware to d	connect two units.	Grommet in	n worksurface.	Shipped RTA (ready to	assemble).
		odels will connect 66"					
		odels will connect 60",	•			ded corners.	
CREDENZAS							
	G2066C	20 x 66 x 29	100	225	27	\$1492	
Center Storage Credenza*	Standard with hov	file pedestals on both s	sides and self class	ing hingod o	antar daare ca	varing and adjustable s	half Right
Genter Storage Greuenza		lock. One pencil tray.	sides alia sell-ciosi	ing milyeu c	enter doors cor	reiling one aujustable s	men. mynt
	pedestal allu doors	lock. One pench tray.					
	G2072CK	20 x 72 x 29.4	125	209	29.5	\$1376	
	G2066CK	20 x 66 x 29.4	125	201	27	\$1302	
	G2060CK	20 x 60 x 29	125	193	24.5	\$1207	
Kneespace Credenza*	Standard with box/	file pedestals on both s	sides. Center is op	en. Pedesta	als lock. One p	encil tray. Grommet in	worksurface.
	00070001	20 70 00 4	150	174	20.5	64407	
	G2072CSL G2066CSL	20 x 72 x 29.4	150	171	29.5	\$1167 \$1144	
	G2060CSL	20 x 66 x 29 20 x 60 x 29	150 125	163 155	27.75 24.5	\$1144 \$1007	
	UZUUUUSL	ZU X UU X Z3	120	100	۷4.5	φ100 <i>1</i>	
Single Pedestal Credenza - LEFT*	Standard with boy/	file pedestal. Pedestal	locks One nencil	tray Pedes	tal is on the lat	t Grommet in worken	rface
omgio i odostai orodoliza - LLi i	Otaniaara witii DUA/	mo podostal. I odostal	TOOKS. ONE PONEN	auy. i cucs	.a. 10 on tilo 161	Grommot in worksu	11466.
	G2072CSR	20 x 72 x 29.4	150	150	29.5	\$1167	
	G2066CSR	20 x 66 x 29	150	150	29.4	\$1144	
	G2060CSR	20 x 60 x 29	150	136	24.5	\$1007	
7							
Single Pedestal Credenza - RIGHT*	Standard with box/	file pedestal. Pedestal	locks. One pencil	tray. Pedest	al is on the rig l	ht . Grommet in workst	urface.
	Required Specification	ione	Ontional Space	nations		Accessarios	
	Required Specificat	ions	Optional Specific	cations		Accessories Power block	
		ions		cations	_		

GENOA®






	L /
C: C	

5-Sided Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
G42205C9	20 x 42 x 29	70	123	5.75	\$1048	
G36205C9	20 x 36 x 29	65	105	4.3	\$889	

Connects to lateral file, storage cabinet, single pedestal credenza with half end panel, and flush bridge. Grommet in worksurface. Full and narrow end panels supplied. Can be assembled left or right. Shipped RTA (ready to assemble)


• ¾ Modesty Panel is not available



~		
5-Sided	Corner	

Connects to 24" returns, bridges and other 24" units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

• ¾ Modesty Panel is not available



G42205C	42 x 42 x 29.4	70	108	5	\$1030
G36205C	36 x 36 x 29.4	70	92	4.75	\$912

Connects to 20" returns, bridges and other 20" units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

• ¾ Modesty Panel is not available

'D" ISLANDS



"D" Island - Full End Panel & Post

G3072FI	29.69 x 72 x 29.4	70	101	5	\$1016	
G3066FI	29.69 x 66 x 29.4	70	96	4.6	\$996	
G3060FI	29.69 x 60 x 29.4	70	91	4.2	\$925	


Connects to single pedestal credenza with half end panel or bridge to create a "T" grouping. Not freestanding. Connecting hardware for flush installation included. Shipped RTA (ready to assemble). Post is Black only.

Required Specifications

Optional Specifications

Grommet

Accessories Power Block Keyboard Tray Pencil Tray Doors*




Open Hutch with Closed Back*



One 1" thick fixed shelf and fixed shelf divider. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

- G71HOCB for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.
- **G69HOCB** for use when spanning 30" x 60/66" SPL/R and 20" x 40" FL/FR/EL/ER.
- Clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.



Open Hutch with Closed Back*

G48HOCB	15 x 48 x 36	65	100	4.2	\$807	
G42HOCB	15 x 42 x 36	65	91	3.8	\$807	
G40H0CB	15 x 40 x 36	65	88	3.8	\$807	
G36HOCB	15 x 36 x 36	65	82	3.3	\$712	

One 1" thick fixed shelf. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

- Clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.




Corner Hutch with Closed Back*

G4242CH	15 x 42 x 36	70	137	6.25	\$1284	
G3636CH	15 x 36 x 36	65	119	4.8	\$1167	

One 1" thick fixed shelf. Closed back features a flexible sweep for wire management on lower right panel. Available in single color only. Rectangular grommet available on back panel - Add \$96. Shipped RTA (ready to assemble).

• Woodgrain runs horizontal on both the upper and lower back panels.

PIGEON HOLE STORAGE




Horizontal Pigeon-Hole Storage

AHS72	11.25 x 70 x 5.62	85	41	3	\$698
AHS71	11.25 x 69 x 5.62	70	43.5	2.3	\$698
AHS66	11.25 x 64 x 5.62	85	38	2.8	\$698
AHS60	11.25 x 58 x 5.62	85	35	2.5	\$572
AHS48	11.25 x 46 x 5.62	85	28	2	\$423
AHS42	11.25 x 40 x 5.62	85	24	2	\$423
AHS36	11.25 x 34 x 5.62	92.5	22	2	\$346

For additional storage. Can be top or bottom mounted. For use inside straight hutch (end panels not finished). Shipped RTA (ready to assemble). Black finish only.

• Cannot be used on AOOS and COOS Overstorage Units.



Vertical Pigeon-Hole Storage

AVS14	11.25 x 13.37 x 14.37	85	13	.90	\$436

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used under or over horizontal unit. Shipped RTA (ready to assemble). Black finish only.

Required Specifications

Accessories

Doors*

GENOA®								
UTCH DOORS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		
	0000070	D x W x H	OF.	0.4	4.75	0400		
	GD00R72	.69 x 72 x 15	85	24	1.75	\$429		
The The	GDOORF0	0 x 17.5 x 15	85	24	1.75	\$429 \$420		
	GDOOR69	0 x 17 x 15	85	23 22	1.75	\$429 \$429		
	GDOOR66	.69 x 66 x 15	85		1.75			
	GDOOR60	.69 x 60 x 15	92.5	20	1.75	\$429		
-Door Kit		1", 69", 66" and 60"W r more require two locks		Hinges includ	led. Locks avai	lable. Add \$126 for	each lock	. Doors for
	GDOOR48	.69 x 48 x 15	100	17	1.75	\$270		
de	GD00R42	.69 x 42 x 15	100	16	1.75	\$270 \$270		
	GD00R40	.69 x 40 x 15	100	15	1.75	\$270		
	GD00R36	.69 x 36 x 15	100	14	1.75	\$270		
	abounso	.03 x 30 x 13	100	14	1.73	Ψ270		
Door Kit	For use on 48", 4 48" wide or less	2" 40" and 36"W straig require one lock.	ght hutches. Hinge	s included. L	ocks available.	Add \$126 for each	lock. Doo	rs for units
	GD00R42C	0 x 26.5 x 15	92.5	19	1.75	\$461		
_	GDOOR36C	0 x 21.5 x 15	100	16	1.75	\$300		
KBOARDS FOR HUTCHES	TACKDOADD N							
	TACKBUARD N	otes: Tackboards can b	oe upholstered in a	II of the follow	wing fabrics:			
	Grade 1: Jenny,	Quilt, Terrace, Urban, \	Naterfall					
	Grade 2: Imprin	t, Lola						
	Grade 3: Ancho	rane Merne						
	Grado S. 7 Mono	rago, morgo						
					FAE	RIC GRD LIST PRI	CE GRD	LIST
	TB7018	1 x 70 x 18	92.5	12	1.1	1 \$536	7	\$1189
						2 \$621	8	\$1366
						3 \$683	9	\$1569
						4 \$782	10	\$1803
						5 \$898	11	62072
						6 \$1031	12	\$2073
board								\$2385
เมบตาน	For use on C72U	OCB etraight hutch In	noludae mounting o	crowe and ac	wore			
	For use on G72H	OCB straight hutch. Ir	ncludes mounting s	crews and co	overs.			
	For use on G72H TB6918	OCB straight hutch. Ir	ncludes mounting s	crews and co	1.05	1 \$536	7	

Tackboard

For use on C71UCCD etraight butch	Includes mounting serous and source
For use on G/Inuch straight nutch.	Includes mounting screws and covers.

Required Specifications
Fabric (Tackboards)

\$621 \$683

\$782

\$898

\$1031

\$1366

\$1569

\$1803

\$2073

\$2385

9

10

11

12

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.C	JBIC FT.FABR	IC GRD	LIST PRICE	GRD	LIST
	TB6718	D x W x H 1 x 67.5 x 18	92.5	12	1.05	1	\$536	7	\$1189
	1507.10	1 / 0 / 10 / 10	02.0		1.00	2	\$621	8	\$1366
						3	\$683	9	\$1569
						4	\$782	10	\$1803
						5	\$898	11	\$2073
						6	\$1031	12	\$2385
Tackboard	For use on G69F	OCB straight hutch. Inc	ludes mounting s	crews and co	vers.				
	TB6418	1 x 64 x 18	92.5	11	1	1	\$482	7	\$1069
	100410	1 7 0 7 7 10	52.5	11	'	2	\$556	8	\$1227
						3	\$617	9	\$1412
						4	\$704	10	\$1623
						5	\$811	11	\$1866
						6	\$1031	12	\$2147
ackboard	For use on G66F	OCB straight hutch. Inc	ludes mounting s	crews and co	vers.				
	TB5818	1 x 58 x 18	92.5	10	0.9	1	\$445	7	\$979
	100010	1 X 30 X 10	52.5	10	0.0	2	\$512	8	\$1126
						3	\$568	9	\$1295
						4	\$643	10	\$1487
						5	\$740	11	\$1709
						6	\$852	12	\$1967
	TB4618	1 x 46 x 18	92.5	9	0.8	1 2 3 4	\$307 \$367 \$412 \$474	7 8 9	\$719 \$826 \$949 \$1092
						5	\$545	11	\$1032
						6	\$624	12	\$1444
kboard	For use on G48 F	OCB straight hutch. Inc	ludes mounting s	crews and co	/ers				
					.010.				
	TB4018	1 x 40 x 18	92.5	8		1	\$297	7	\$669
	TB4018	1 x 40 x 18	92.5	8	0.7	1 2	\$297 \$345	7 8	\$669 \$769
	TB4018	1 x 40 x 18	92.5	8			\$345	8	\$769
	TB4018	1 x 40 x 18	92.5	8		2			
	TB4018	1 x 40 x 18	92.5	8		2	\$345 \$384	8 9 10	\$769 \$884 \$1017
	TB4018	1 x 40 x 18	92.5	8		2 3 4	\$345 \$384 \$439	8	\$769 \$884
nckboard		1 x 40 x 18			0.7	2 3 4 5	\$345 \$384 \$439 \$506	8 9 10 11	\$769 \$884 \$1017 \$1169
ackboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583	8 9 10 11 12	\$769 \$884 \$1017 \$1169 \$1346
ackboard					0.7	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583	8 9 10 11 12	\$769 \$884 \$1017 \$1169 \$1346
ackboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583 \$297 \$344	8 9 10 11 12 7 8	\$769 \$884 \$1017 \$1169 \$1346 \$663 \$762
ckboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583 \$297 \$344 \$382	8 9 10 11 12 7 8 9	\$769 \$884 \$1017 \$1169 \$1346 \$663 \$762 \$879
ckboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583 \$297 \$344 \$382 \$436	8 9 10 11 12 7 8 9	\$769 \$884 \$1017 \$1169 \$1346 \$663 \$762 \$879 \$1009
ckboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583 \$297 \$344 \$382 \$436 \$503	8 9 10 11 12 7 8 9 10 11	\$769 \$884 \$1017 \$1169 \$1346 \$663 \$762 \$879 \$1009 \$1159
kkboard	For use on G42 F	OCB straight hutch. Inc	ludes mounting s	crews and co	0.7 //ers.	2 3 4 5 6	\$345 \$384 \$439 \$506 \$583 \$297 \$344 \$382 \$436	8 9 10 11 12 7 8 9	\$769 \$884 \$1017 \$1169 \$1346 \$663 \$762 \$879 \$1009

Required Specifications
Fabric

For use on G36H0CB straight hutch. Includes mounting screws and covers. TB42CH	2 \$333 8 \$741 3 \$372 9 \$850 4 \$425 10 \$978 5 \$486 11 \$1122 6 \$560 12 \$1292 For use on G36H0CB straight hutch. Includes mounting screws and covers. TB42CH
Sample S	3 \$372 9 \$850 4 \$425 10 \$378 5 \$486 11 \$1122 6 \$560 12 \$1292 For use on G36HOCB straight hutch. Includes mounting screws and covers. TB42CH
## S425 10	A
Same	TB42CH
For use on G36H0CB straight hutch. Includes mounting screws and covers. TB42CH	For use on G36H0CB straight hutch. Includes mounting screws and covers. TB42CH
TB42CH	TB42CH
TB42CH 1 x 40 x 15.75 70 16 0.85 1 \$536 7 2 \$590 8 3 \$639 9 4 \$703 10 5 \$809 11 6 \$930 12 For use on G4242CH corner hutch. Includes mounting screws and covers. TB36CH 1 x 34 x 15.25 85 12 0.85 1 \$513 7 2 \$566 8 3 \$602 9 4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers.	TB42CH 1 x 40 x 15:75 70 16 0.85 1 \$536 7 \$1068 2 \$590 8 \$1228 3 \$639 9 \$1410 4 \$703 10 \$1623 5 \$809 11 \$1865 6 \$930 12 \$2146
2 \$590 8 3 \$639 9 4 \$703 10 5 \$809 11 6 \$930 12	2
2 \$590 8 3 \$639 9 4 \$703 10 5 \$809 11 6 \$930 12	2
## S703 10	## S703 10 \$1623 5 \$809 11 \$1865 6 \$930 12 \$2146 For use on \$64242CH corner hutch. Includes mounting screws and covers. TB36CH
For use on G4242CH corner hutch. Includes mounting screws and covers. TB36CH	### Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. Table Two full suspension drawers Trunch Trunch
For use on G4242CH corner hutch. Includes mounting screws and covers. TB36CH	For use on G4242CH corner hutch. Includes mounting screws and covers. TB36CH
For use on G4242CH corner hutch. Includes mounting screws and covers. TB36CH	TB36CH 1 x 34 x 15.25 85 12 0.85 1 \$513 7 \$1026 TB36CH 1 x 34 x 15.25 85 12 0.85 1 \$513 7 \$1026 2 \$566 8 \$1180 3 \$602 9 \$1357 4 \$675 10 \$1562 5 \$777 11 \$1797 6 \$894 12 \$2065 For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
TB36CH 1 x 34 x 15.25 85 12 0.85 1 \$513 7 2 \$566 8 3 \$602 9 4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers.	TB36CH 1 x 34 x 15.25 85 12 0.85 1 \$513 7 \$1026 2 \$566 8 \$1180 3 \$602 9 \$1357 4 \$675 10 \$1562 5 \$777 11 \$1797 6 \$894 12 \$2065 For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES UST PRICE G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
2 \$566 8 3 \$602 9 4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers.	2 \$566 8 \$1180 3 \$602 9 \$1357 4 \$675 10 \$1562 5 \$777 11 \$1797 6 \$894 12 \$2065 For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
2 \$566 8 3 \$602 9 4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers.	2 \$566 8 \$1180 3 \$602 9 \$1357 4 \$675 10 \$1562 5 \$777 11 \$1797 6 \$894 12 \$2065 For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
3 \$602 9 4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers. LIST PRICE	3 \$602 9 \$1357 4 \$675 10 \$1562 5 \$777 11 \$1797 6 \$894 12 \$2065 For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
4 \$675 10 5 \$777 11 6 \$894 12 For use on G3636CH corner hutch. Includes mounting screws and covers. LIST PRICE	For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. Back of file is always Black. File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
For use on G3636CH corner hutch. Includes mounting screws and covers. LIST PRICE	For use on G3636CH corner hutch. Includes mounting screws and covers. RY PIECES G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
For use on G3636CH corner hutch. Includes mounting screws and covers. LIST PRICE	For use on G3636CH corner hutch. Includes mounting screws and covers. LIST PRICE G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
CESSORY PIECES LIST PRICE	Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
	G2036LF 20 x 36 x 29.4 100 145 15 \$1167 Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
G2036LF 20 x 36 x 29.4 100 145 15 \$1167	Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. • Back of file is always Black. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
	 To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used. Back of file is always Black. File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
 To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used Back of file is always Black. 	G2036SC 20 x 36 x 29.4 100 121 15 \$830
G2036SC 20 x 36 x 29.4 100 121 15 \$830	•
	Cabinet* Hinged doors cover one adjustable shelf. Standard with lock
Hinged doors cover one adjustable shelf. Standard with lock. ◆ Back of storage cabinet is always Black.	
● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300	● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300
Back of storage cabinet is always Black.	● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300
● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300	GPOKL28
Back of storage cabinet is always Black. GPOKL28	GPOKL28
 To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used Back of file is always Black. 	
● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300	● Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300
• Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300	• Back of storage cabinet is always Black. GPOKL28 17 x 28 x 3.5 85 13 0.9 \$300

						GENOA
ACCESSORIES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GVB4848	D x W x H 4 x 48 x 48	85	122	9.25	\$1695
Visual Board	door. Marker boar • NOTE: Care sho do so may resur	rd can be used for project could be taken to mount t It in collapse of the unit	ction. The units. Units sho and subsequent po	ould be mou ersonal injur	nted to wall st y. Mounting I	nd 50-sheet paper writing pad on left uds using correct fasteners. Failure to hardware not included. Mounting al for proper wall mounting.
	LFCWKIT36	6 x 33 x 1	60	40	0.25	\$754
Counter Weight Kit	mounting hardwar • To comply with	re. Must be ordered sep	arately. Field inst	talled.		orage/Drawer cabinet. Includes
	CD20	18 x 20 x 3	100	8	1	\$214
Center Drawer	Laminate drawer t desks.	front is attached to a 4-s	ided frame. Recor	mmended fo	r use on small	L-shaped units, and on 30" x 60" and

Required Specifications Finish (bookcases)

G GENOA®

GENOA®							
BOOKCASES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	GHBC84	D x W x H 12 x 36 x 84	125	198	26	\$1466	
Gookcase - 84" High	One fixed heavy d	uty shelf and four adjus	stable shelves	. Shipped fully	y assembled.		
	GHBC72	12 x 36 x 72	100	173	20	\$1223	
Bookcase - 72" High	One fixed heavy d	uty shelf and four adjus	stable shelves	. Shipped fully	y assembled.		
	GHBC48	12 x 36 x 48	100	118	13.7	\$899	
Bookcase - 48½" High	Two adjustable	heavy duty shelves. Shi	pped fully asser	nbled.			
	GHBCSHELF	11 x 34 x 1	100	13	1.60	\$276	
Bookcase Shelf	Extra shelf for boo	kcases. 1" thick.					

Required Specifications Finish

PRINCETON™



The design of Princeton reflects the personality of today's young, dynamic workforce. The freestanding, modular components build out from you and where you work. With over 500 available components, Princeton offers a flexible footprint that's simple to reconfigure. A variety of storage options allows you to do more with less space.

Princeton delivers contemporary design to the workplace; whether it be in Commercial and Corporate offices, Government offices, Small Businesses, Banking, Legal, Accounting, Hospitality or the professional home office. Every element, from the mix of materials and finishes to open storage pieces, floating modesties and overlapping surfaces, has been designed to provide visual appeal and intelligent function. Princeton is a freestanding and fully modular collection offering maximum flexibility; ease of installation and facilitates simple reconfigurations. The overlapping worksurface design also allows the footprint to adapt to smaller spaces by just a few inches.



Bench doubles as lateral filing



Pull out equipment shelf (printer not included)



Bookshelf with accessory hook

Features and Benefits

- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature Global's preferred edging in matching color
- Counterweights standard on all mobile pedestals, lateral files and credenzas
- Handles & pulls in satin anodized finish standard on all credenza, pedestal drawers and cabinet doors
- Monoposts and hutch supports standard in tungsten finish
- Benches double as lateral filing
- Pull-out equipment shelves on select credenzas
- Energy efficient LED lighting for overhead storage cabinets
- Grommets and power blocks to accommodate power/data needs
- Choose glass or fabric equipment screens

GENERAL INFORMATION

- Over 500 components are available
- No cubicles or panels needed for configurations
- Product can be added and reconfigured as needed
- Princeton desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit globalfurnituregroup.com.

WORKSURFACES

- 1" thick high performance thermally fused laminate tops (TFL) sealed with Global's preferred edging in matching color.
- High pressure tops (HPL) are available in all Princeton laminate finishes at an
 extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Worksurfaces with metal legs which have a span of 54" and over are standard with metal support channel. Support channels come in Black (BLK) only.
 24"D and 30"D - 1 - 2"H support channel
 - 36"D 2 2"H support channels

CONSTRUCTION

- Laminate end panel and metal leg products are not intended to be combined for the
 most visually compatible design. They are, however, interchangeable if required.
- All components have Global's preferred matching edge
- · Leveling glides are standard on all floor units.
- End panels are 1.5" thick on laminate end panel desks and credenzas. Cabinet end panels are 11/16" thick.
- 1" x 2" metal frame legs finished in Tungsten (TTU), Black (TBL) or Designer White (TDW) for desks and returns (closed 'O' style leg)
- 1" x 2.5" metal frame legs finished in Tungsten (TTU), Black (TBL) or Designer White (TDW) for freestanding tables (open 'U' style leg)
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- · Mobile pedestals and mobile lateral files come standard with front locking casters
- Counterweights are standard on all pedestals, lateral files, credenzas and cabinets
- Rolling table come standard with non-locking casters
- Laminate shelves are 11/16" thick and edged on all 4 sides.
- · Tempered glass is 6mm thick with satin-etched finish on one side.
- Credenzas come standard with file bars for side-to-side and front-to-back letter and legal filing capability.
- Handles and pulls in satin anodized finish are standard on all credenza, pedestal drawers and cabinet doors.
- · Pull-out equipment shelves are available on select credenzas.
- · Grommets and power blocks are available to accommodate power/data needs.

EDGE DETAILS

- All worksurfaces and components have Global's preferred matching edge detail on all sides
- · Edging cannot be specified separately. No substitutions.

STORAGE

- Mobile storage greater than 25.5"H may only be used with 29"H Princeton products
 with laminate end panels or gables. Princeton products with metal legs will not
 accommodate anything higher than 25.5".
- · Roll-out shelf on credenza holds up to 80 lbs
- All cabinets with side open shelf area that aligns with 29"H or 27"H credenzas fixed shelf is 1" thick
- Recycling/waste drawer accommodates 1 recycling basket and 1 waste basket

LAMINATE MODESTY PANELS

- Standard on all desks with laminate end panels, returns with laminate end panels and bridges for laminate end panel desks.
- · Flush on Freestanding Returns with laminate end panels
- Recessed 4"D on 24"D desks with laminate end panels, 5"D on 30"D desks with laminate end panels and 6"D on 36"D desks with laminate end panels.
- Recessed 4"D on 24"D, 5"D on 30"D, and 6"D on 36"D flush and overlapping returns with laminate end panels.
- Recessed 4" on 24"D and 5"D on 30"D flush and overlapping bridges with laminate end panels.
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of laminate modesty panel is 17 ¾" from floor.

GLASS DESKTOP PANELS

- Glass desktop panel is sold separately. See selection on page 77.
- · Available for installation onto desks, returns, bridges and conference tops
- Made of 6mm tempered glass with satin-etched finish on one side
- On-site installation is required. Installation instructions will be provided.

FABRIC DESKTOP/MODESTY PANELS

- Fabric desktop/fabric modesty panels are sold separately. See selection on page 77.
- · Available in:

Grade 2: Lola

Grade 3: Anchorage, Merge

- . On-site installation is required. Installation instructions included with product.
- Non-tackable
- Bottom of fabric modesty panel is 15.5" from floor

CREDENZAS

- Available in 29", 27" and 23" heights
- 29"H connect to flush returns, flush conference tops and flush bridges
- 27"H connect to overlapping returns, overlapping conference tops and overlapping bridges
- · Fixed drawer widths see individual models for details
- Upper adjustable shelf must be removed when products with laminate modesty panels are installed (i.e. PN2448RFR flush return with laminate end panel or PN2436BF flush bridge for laminate end panel desk)
- Connection of flush or overlapping surfaces to credenzas is only possible over full height opening
- · All credenza tops are 1" thick
- Grommet location is 2.5" from the back edge to the cut out edge

LOCKS

- Standard on all credenzas, storage cabinets, lateral files, pedestals & benches
- · Lock on all credenzas, cabinets and pedestals is always on the bottom drawer
- All components within a workstation or private office can be keyed alike. For up to 40 key numbers, the lead times are standard. For projects larger than 40 offices, additional lock numbers are available. Delivery will be extended an additional week at no upcharge.
- To order specified keying, tag each component of each workstation or office with a lock number between 401 and 440.
- Storage cabinets and pedestal with box/box/file drawer only five drawer and lower box drawer are locking. Credenza file drawer lock secures both drawers.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Princeton units with locks may be ordered with CA cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When CA option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code SIL-CORE-H-SHOE for Silver core/key sets. Specify quantity and lock number required.
 One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

HUTCHES & OVERHEAD STORAGE

- Available in 60", 72" and 84" widths
- Hutches with full back feature one small hole in each corner for wire pass through
- 15.75" height clearance between worksurface and underside of hutch
- · Overhead Storage Cabinets have full width lower storage with center divider
- Hutches feature 1" x 2" steel support frame in Black (TBL), Designer White (TDW) or Tungsten (TTU).
- · Laminate and tempered glass sliding doors available
- Hutches cannot be placed on desks with laminate end panels
- Wall hung mounting rails are provided; wall fastener hardware is <u>not</u> included.
- · Locks are not available
- Energy efficient LED lighting available (page 106)

TABLES

- 1" x 2.5" open metal frame leg. Available finish options: Black (TBL), Designer White (TDW) or Tungsten (TTU).
- Available with 1" thick thermally fused laminate (TFL) top or 1-1/16" thick high pressure laminate (HPL) top and Global's preferred edging in matching color.
- 120" and 144" wide table tops with center leg are shipped in two pieces
- Tables which have a span of 54" or wider are standard with 2"H metal support channel(s)
- Grommets and power block cutouts are available for most tables. Due to support channel location(s) for all 29" high tables, quote request required. Contact our Specials Department.
- Available standard with levelers or locking casters.
- · Locking casters available in grey finish only.
- · Casters prevent tables from sitting flush against each other, vertically or horizontally

KEYBOARDS

 Keyboard tray adapter kits are required to accommodate worksurface support channels on the following: freestanding desks with metal legs, returns with metal legs, bridges for desks and returns with metal legs, and returns with bookshelf.

TACKBOARDS

- Tackboards available for hutches and overhead units.
- Available to fit 60", 72" and 84" widths
- Available in:

Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall

Grade 2: Imprint, Lola

Grade 3: Anchorage, Merge

· Contact customer care for COM selection.

CUSHIONS

- · Sold separately.
- Cushions available in all Global seating fabrics. Contact customer care for COM selection and procedure.

CONNECTION

· Metal flat plates and wood screws are provided for connection between two units.

SPECIAL SIZES

- Custom widths, depths and heights are available, but require a custom quote.
 Please contact Customer Care for more information.
- Custom orders must indicate the "custom quote number" and list price as provided by Customer Care.
- Changes to a custom quote are not permissible. Any revisions will necessitate a new quotation.

TASK LIGHTS

- Optional, energy efficient LED task lights (ultra slim design) are available for mounting under hutches and overheads
- Hutches and overhead storage cabinets are pre-drilled for easy installation
- Available in 12", 20" and 40" widths

WIRE MANAGEMENT

- 2"W x 2"H
- · Plastic tray flexes to receive and hold electrical and data wires
- Quickly attaches with double-sided tape (included)

MONOPOST

- · Standard support for conference tops; support for select desks and returns
- 4" square post with 10" square base

PLANTERS

- · Plastic planter pots provided
- 8½" diameter x 8"H
- \bullet Available in Black ($\mbox{\bf BK})$ or White ($\mbox{\bf WT})$. Must specify at time of order.

SHIPPING

- Items are shipped R.T.A. (Ready To Assemble) unless otherwise noted
- · Shipped in 1 carton unless otherwise noted
- · Connecting hardware included

PRINCETON™ - HOW TO SPECIFY

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- . TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops

3. SPECIFY FINISHES

Laminate Finishes

Top/base/door, drawer and cabinet fronts:

ACJ Absolute Acaiou ASN Asian Night AWC Avant Cherry AWH Avant Honey BLK Black BZD Blizzard BRC **Brushed Cobalt** CMB Clear Maple CGY Custom Grey DES Dark Espresso **DWT** Designer White FAS Fashionista FCL First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio QTM Quartered Mahogany SBY Sheer Beauty SDT Stonedust WHE Walnut Heights WCR Winter Cherry

Monopost Finishes

4" square monopost is available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

Planters

Planter pots are standard in white. Available in Black (BK) at no upcharge. Must specify at time of order.

Metal Frame Desk Legs

1" x 2" metal frame legs are available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

Metal Frame Table Legs

1" x 2.5" metal frame legs are available in Tungsten (TTU), Black (TBL) or Designer White (TDW)

Metal Hutch Supports

1" x 2" metal supports are available in Tungsten (TTU),

Black (TBL) or Designer White (TDW)

For detailed finish specification guidelines, please download the Princeton Design Guide at www.globalfurnituregroup.com

4. SPECIFY OPTIONS

White Chocolate

GROMMETS


WHC

- One grommet in satin anodized finish is standard on many components, as specified
- · Additional grommets may be available in other standard worksurface locations (left, center or right)
- Order as: Left POG1, Center POG2 or Right POG3: Add \$96




- Worksurface Grommet hole dimensions are 3.22" W x 1.85"D
- · Standard grommet position is POG2 in desks, returns, bridges and conference tops
- Modesty panel pass through hole dimensions are 3.43"W x 2"H
- Grommets may be placed at non-standard locations. Order as PCSG Add \$96. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above)
- Components that come standard with grommet may be ordered without a grommet. Order as RSG - Add \$53.
- Grommet only available at POG2 on the following 48"W worksurfaces:
 - Desks: PN2448DK, PN3048DK, PN3648DK
 - Returns, flush: PN2448RFR, PN2448RFL









POWER BLOCK

- Power Block (model **PGDPS20**) with 1 power outlet, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Block (model **PGDPS21**) with 2 power outlets and 1 data opening, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Bar (model **PGDPS41**) with 4 power outlets and 1 data opening, 12 foot long power card, for mounting behind credenza pull-out shelf or at back of credenza openina
- Rectangular shape. Finished in Tungsten (TUN)
- Power Block dimensions:

PGDPS20: 2.5"D x 3.5"W x 2.25"H PGDPS21: 2.5"D x 6.75"W x 2.25"H

· Power Bar dimensions:

PGDPS41: 2.5"D x 10.25"W x 2.22"H



FREESTANDING DESKS - LAMINATE END PANELS

Freestanding Desk

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						_
PN2484DK	24 x 84 x 29	65	117	5	\$1033	\$120	
PN2478DK	24 x 78 x 29	70	111	5	\$1003	\$119	
PN2472DK	24 x 72 x 29	70	105	5	\$963	\$118	
PN2466DK	24 x 66 x 29	65	101	4	\$951	\$118	
PN2460DK	24 x 60 x 29	65	95	4	\$906	\$118	
PN2454DK	24 x 54 x 29	60	95	3	\$906	\$119	
PN2448DK	24 x 48 x 29	70	84	4	\$868	\$114	
PN3084DK	30 x 84 x 29	70	133	6.50	\$1049	\$123	
PN3078DK	30 x 78 x 29	70	127	6	\$1021	\$121	
PN3072DK	30 x 72 x 29	70	120	5.50	\$988	\$121	
PN3066DK	30 x 66 x 29	65	114	5	\$958	\$120	
PN3060DK	30 x 60 x 29	70	109	5	\$925	\$118	
PN3054DK	30 x 54 x 29	60	108	3.25	\$925	\$119	
PN3048DK	30 x 48 x 29	65	98	4	\$882	\$118	
PN3684DK	36 x 84 x 29	70	152	8	\$1104	\$137	
PN3678DK	36 x 78 x 29	70	145	7	\$1074	\$132	
PN3672DK	36 x 72 x 29	70	138	7	\$1055	\$129	
PN3666DK	36 x 66 x 29	70	130	6	\$1007	\$121	
PN3660DK	36 x 60 x 29	70	117	6	\$974	\$119	
PN3654DK	36 x 54 x 29	60	120	4	\$974	\$120	
PN3648DK	36 x 48 x 29	70	111.50	6.50	\$891	\$118	
				- · · ·			

Standard with inset end panel on both ends and 10"h modesty panel with pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface. Shipped in 2 cartons.

RETURNS - LAMINATE END PANELS

Freestanding Return- 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
DN 10 40 400D	04 04 00	0.5	404		*****	440=
PN248429R	24 x 84 x 29	65	131	5	\$1008	\$135
PN247829R	24 x 78 x 29	65	127	5	\$980	\$130
PN247229R	24 x 72 x 29	65	123	5	\$953	\$123
PN246629R	24 x 66 x 29	65	118	4	\$907	\$120
PN246029R	24 x 60 x 29	65	112	4	\$901	\$118

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface.



PN248427R	24 x 84 x 27	65	129	5	\$996	\$131
PN247827R	24 x 78 x 27	65	125	5	\$965	\$127
PN247227R	24 x 72 x 27	65	120	5	\$939	\$121
PN246627R	24 x 66 x 27	65	116	4	\$911	\$119
PN246027R	24 x 60 x 27	65	109	4	\$852	\$117

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Supports overlapping return with laminate end panel, overlapping bridge for laminate end panel desks, overlapping return with bookshelf, overlapping conference top. Can be placed under desk. Grommet in worksurface.

Required Specifications	
Top finish	
Base finish	

Optional Specifications	
HP laminate	
POG1, POG3 - additional grommet	
PCSG - custom grommet	

RSG - remove grommet

Accessories	
Power block	Wire manager
Keyboard tray	Desktop screen
Keyboard mechanism return)	(not available on 27"H

PRINCETON™



Flush Return - 29"H - LEFT




Return has no pedestal. Standard with inset end panel on left. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, 29"H Freestanding Returns and 29"H Credenzas. Grommet in worksurface.

/ /	
*	•

Flush Return - 29"H - RIGHT

PN2472RFR	24 x 72 x 29	70	95	5.50	\$834	\$129
PN2466RFR	24 x 66 x 29	70	90	5	\$805	\$123
PN2460RFR	24 x 60 x 29	70	84	4.50	\$759	\$119
PN2454RFR	24 x 54 x 29	70	88	4	\$739	\$120
PN2448RFR	24 x 48 x 29	70	72	4	\$706	\$117


Return has no pedestal. Standard with inset end panel on right. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, 29"H Freestanding Returns and 29"H Credenzas. Grommet in worksurface.



Overlapping Return - 29"H - LEFT

PN2484ROL	24 x 84 x 29	70	118	6	\$925	\$107
PN2478ROL	24 x 78 x 29	65	126	5	\$861	\$106
PN2472ROL	24 x 72 x 29	70	104	5	\$832	\$100

Standard with inset laminate end panel on left and 10"h modesty panel with pass-through grommet. Overlaps 27"H Credenza and 27"H Freestanding Returns. Grommet in worksurface. 1" spacer included.



Overlapping Return - 29"H - RIGHT

PN2484ROR	24 x 84 x 29	70	118	6	\$925	\$107
PN2478ROR	24 x 78 x 29	65	126	5	\$861	\$106
PN2472ROR	24 x 72 x 29	70	104	5	\$832	\$100

Standard with inset laminate end panel on right and 10"h modesty panel with pass-through grommet. Overlaps 27"H Credenza and 27"H Freestanding Returns. Grommet in worksurface. 1" spacer included.

Top finish Base finish


Optional Specifications

HP laminate


POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

١	C	C	e	S	s	0	r	ie);	3	

Power block Keyboard tray Desktop screen Wire manager Keyboard mechanism



Flush Bridge



Standard with 10"h modesty panel with pass-through grommet. Connects between any two: Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations or 29"H Credenzas opening. Subtop finish is Granite with black edge. Grommet in worksurface.

PN2478BOL	24 x 78 x 12	65	119	4	\$788	\$118
PN2472BOL	24 x 72 x 12	70	96	5	\$748	\$108
PN2466BOL	24 x 66 x 12	70	90	4.50	\$722	\$100
PN2460BOL	24 x 60 x 12	70	83	4.50	\$712	\$96

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations on one end, and overlaps 27"H Credenza or 27"H Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.

PN2478B	OR 24 x 7	8 x 12 65	119	4	\$788	\$118
PN2472B	OR 24 x 7	2 x 12 70	96	5	\$748	\$108
PN2466B	OR 24 x 6	6 x 12 70	90	4.50	\$722	\$100
PN2460B	OR 24 x 6	0 x 12 70	83	4.50	\$712	\$96

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, 29"H Freestanding Returns, Conference top for U configurations on one end, and overlaps 27"H Credenza or 27"H Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.



Overlapping Bridge - LEFT*



Overlapping Bridge - RIGHT*

Required Specifications

Top finish Base finish **Optional Specifications**

HP laminate POG1, POG3 - additional grommet*

PCSG - custom grommet RSG - remove grommet

Accessories Power block

Keyboard tray Desktop screen Wire manager Keyboard mechanism



Freestanding Desk with Metal Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2484DM	24 x 84 x 29	250	111	43.41	\$1595	\$253
PN2478DM	24 x 78 x 29	250	109	41.92	\$1475	\$236
PN2472DM	24 x 72 x 29	250	106	38.92	\$1293	\$208
PN2466DM	24 x 66 x 29	250	102	31.44	\$1281	\$206
PN2460DM	24 x 60 x 29	250	91	29.94	\$1253	\$202
PN2454DM	24 x 54 x 29	250	88	29.94	\$1217	\$197
PN2448DM	24 x 48 x 29	250	76	28.44	\$1077	\$175
PN3084DM	30 x 84 x 29	250	137	53.89	\$1659	\$262
PN3078DM	30 x 78 x 29	250	124	52.40	\$1542	\$247
PN3072DM	30 x 72 x 29	250	117	47.90	\$1382	\$221
PN3066DM	30 x 66 x 29	250	110	38.92	\$1335	\$213
PN3060DM	30 x 60 x 29	250	104	38.17	\$1293	\$208
PN3054DM	30 x 54 x 29	250	99	37.43	\$1267	\$205
PN3048DM	30 x 48 x 29	250	82	35.93	\$1119	\$182
PN3684DM	36 x 84 x 29	250	154	65.87	\$1883	\$297
PN3678DM	36 x 78 x 29	250	139	62.87	\$1725	\$273
PN3672DM	36 x 72 x 29	250	132	59.88	\$1679	\$264
PN3666DM	36 x 66 x 29	250	123	47.16	\$1471	\$235
PN3660DM	36 x 60 x 29	250	117	46.41	\$1422	\$226
PN3654DM	36 x 54 x 29	250	106	44.91	\$1343	\$214
PN3648DM	36 x 48 x 29	250	92	44.91	\$1215	\$197

Standard with two 1" x 2" metal open frame legs with support channel(s). Connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf and flush conference tops. Grommet in worksurface. Shipped in 3 cartons.



PN3060DBL	30 x 60 x 29	250	123	51.65	\$1402	\$236	
PN3066DBL	30 x 66 x 29	250	129	52.40	\$1549	\$258	
PN3072DBL	30 x 72 x 29	250	136	61.38	\$1595	\$261	
PN3078DBL	30 x 78 x 29	250	150	65.87	\$1724	\$283	
PN3084DBL	30 x 84 x 29	250	156	67.37	\$1817	\$319	
PN3672DBL	36 x 72 x 29	250	154	73.35	\$1657	\$261	
PN3678DBL	36 x 78 x 29	250	161	76.35	\$1799	\$283	
PN3684DBL	36 x 84 x 29	250	176	79.34	\$2027	\$319	

12"D Bookcase with adjustable shelf on left. One 1" x 2" metal open frame leg with support channel(s). Right side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.



PN3060DBR	30 x 60 x 29	250	123	51.65	\$1402	\$218	
PN3066DBR	30 x 66 x 29	250	129	52.40	\$1549	\$239	
PN3072DBR	30 x 72 x 29	250	136	61.38	\$1595	\$247	
PN3078DBR	30 x 78 x 29	250	150	65.87	\$1724	\$260	
PN3084DBR	30 x 84 x 29	250	156	67.37	\$1817	\$278	
PN3672DBR	36 x 72 x 29	250	154	73.35	\$1657	\$253	
PN3678DBR	36 x 78 x 29	250	161	76.35	\$1799	\$273	
PN3684DBR	36 x 84 x 29	250	176	79.34	\$2027	\$286	

12"D Bookcase with adjustable shelf on right. One 1" x 2" metal open frame leg with support channel(s). Left side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.

Required Specifications
Top finish
Base finish*
Leg finish*

Optional Specifications HP laminate


POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Acces	sories
OWER	hlock

Wire manager Keyboard tray Keyboard mechanism Desktop screen Keyboard tray mounting kit*







1" x 2" metal frame leg on left. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN2448FMR	24 x 48 x 29	150	56	12	\$744	\$114
PN2454FMR	24 x 54 x 29	150	68	13	\$893	\$137
PN2460FMR	24 x 60 x 29	150	71	13	\$937	\$144
PN2466FMR	24 x 66 x 29	150	82	14	\$974	\$151
PN2472FMR	24 x 72 x 29	150	86	20	\$1004	\$156
PN2478FMR	24 x 78 x 29	150	89	21	\$1118	\$170
PN3048FMR	30 x 48 x 29	150	61	7.50	\$790	\$121
PN3054FMR	30 x 54 x 29	150	78	16	\$931	\$142
PN3060FMR	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FMR	30 x 66 x 29	150	89	17	\$1008	\$156
PN3072FMR	30 x 72 x 29	150	96	23	\$1072	\$164
PN3078FMR	30 x 78 x 29	250	103	26	\$1172	\$180


1" x 2" metal frame leg on right. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.


PN3048FTL	30 x 48 x 29	150	61	15	\$780	\$120
PN3054FTL	30 x 54 x 29	150	78	16	\$921	\$142
PN3060FTL	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FTL	30 x 66 x 29	150	89	17	\$1029	\$158
PN3072FTL	30 x 72 x 29	150	96	23	\$1072	\$164


1" x 2" metal frame leg on left. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening Grommet in worksurface. Shipped in 2 cartons.

PN3048FTR	30 x 48 x 29	150	61	15	\$780	\$120
PN3054FTR	30 x 54 x 29	150	78	16	\$921	\$142
PN3060FTR	30 x 60 x 29	150	83	16.50	\$976	\$151
PN3066FTR	30 x 66 x 29	150	89	17	\$1029	\$158
PN3072FTR	30 x 72 x 29	150	96	23	\$1072	\$164

1" x 2" metal frame leg on right. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening Grommet in worksurface. Shipped in 2 cartons.







Required Specifications

Top finish Leg finish **Optional Specifications**

HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories

Power block Wire manager Keyboard tray Keyboard mechanism

Desktop screen Keyboard tray mounting kit **OVERLAPPING RETURNS WITH METAL LEGS**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN24600ML	24 x 60 x 29	150	71	13	\$835	\$129
PN24660ML	24 x 66 x 29	150	82	14	\$859	\$132
PN24720ML	24 x 72 x 29	150	86	20	\$889	\$137
PN24780ML	24 x 78 x 29	150	89	21	\$1059	\$162
PN24840ML	24 x 84 x 29	150	91	22	\$1225	\$187
PN30600ML	30 x 60 x 29	150	83	16.50	\$873	\$133
PN30660ML	30 x 66 x 29	150	89	17	\$904	\$139
PN30720ML	30 x 72 x 29	150	96	23	\$956	\$146
PN30780ML	30 x 78 x 29	250	103	26	\$1134	\$175
PN30840ML	30 x 84 x 29	150	116	27	\$1269	\$194

1" x 2" metal frame leg on left. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN24600MR	24 x 60 x 29	150	71	13
PN24660MR	24 x 66 x 29	150	82	14
PN24720MR	24 x 72 x 29	150	86	20
PN24780MR	24 x 78 x 29	150	89	21
PN24840MR	24 x 84 x 29	150	91	22
PN30600MR	30 x 60 x 29	150	83	16.50
PN30660MR	30 x 66 x 29	150	89	17
PN30720MR	30 x 72 x 29	150	96	23
PN30780MR	30 x 78 x 29	250	103	26
PN30840MR	30 x 84 x 29	150	137	27

1" x 2" metal frame leg on right. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN30600)TL	30 x 60 x 29	150	83	16.50	\$890	\$137
PN30660)TL	30 x 66 x 29	150	89	17	\$923	\$142
PN30720)TL	30 x 72 x 29	150	96	23	\$965	\$148
PN30780)TL	30 x 78 x 29	250	103	26	\$1154	\$177
PN30840)TL	30 x 84 x 29	150	116	27	\$1289	\$197

1" x 2" metal frame leg on left. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.


PN30600TR	30 x 60 x 29	150	83	16.50	\$890	\$137
PN30660TR	30 x 66 x 29	150	89	17	\$923	\$142
PN30720TR	30 x 72 x 29	150	96	23	\$965	\$148
PN30780TR	30 x 78 x 29	250	103	26	\$1154	\$177
PN30840TR	30 x 84 x 29	150	116	27	\$1289	\$197

1" x 2" metal frame leg on right. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.

^	
	RIGHT
Overlanning Return w/M	etal Lea

LECT
LEFT

Overlapping Wedge Return w/Metal Leg



RIGHT Overlapping Wedge Return w/Metal Leg

Required Specifications
Top finish

Leg finish

Optional Specifications

HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories

\$835

\$859

\$889

\$1059

\$1225

\$873

\$904

\$956

\$1134

\$1269

\$129

\$132

\$137

\$162

\$187

\$133

\$139

\$146

\$175

\$194

Power block Wire manager Keyboard tray Keyboard mechanism Desktop screen

Keyboard tray mounting kit



Overlapping Return w/Metal Leg and Spacer for 23"H Credenza

VERLAPPING RETURNS WITH METAL LEGS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
		D x W x H						
	PN2460SOL	24 x 60 x 29	250	83	23.95	\$1226	\$187	
	PN2466SOL	24 x 66 x 29	250	94	25.45	\$1264	\$194	
	PN2472SOL	24 x 72 x 29	250	98	34.43	\$1296	\$199	
	PN2478SOL	24 x 78 x 29	250	101	35.93	\$1409	\$214	
	PN2484SOL	24 x 84 x 29	250	103	37.43	\$1484	\$226	
	PN3060SOL	30 x 60 x 29	250	95	26.20	\$1304	\$200	
	PN3066SOL	30 x 66 x 29	250	101	26.95	\$1343	\$206	
	PN3072SOL	30 x 72 x 29	250	108	35.93	\$1376	\$209	
	PN3078SOL	30 x 78 x 29	250	115	40.42	\$1473	\$224	
	PN3084SOL	30 x 84 x 29	250	128	41.92	\$1571	\$239	
LEFT								

1" x 2" metal frame leg on left and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN2460SOR	24 x 60 x 29	250	83	23.95	\$1226	\$187
PN2466SOR	24 x 66 x 29	250	94	25.45	\$1264	\$194
PN2472SOR	24 x 72 x 29	250	98	34.43	\$1296	\$199
PN2478SOR	24 x 78 x 29	250	101	35.93	\$1409	\$214
PN2484SOR	24 x 84 x 29	250	103	37.43	\$1484	\$226
PN3060SOR	30 x 60 x 29	250	95	26.20	\$1304	\$200
PN3066SOR	30 x 66 x 29	250	101	26.95	\$1343	\$206
PN3072SOR	30 x 72 x 29	250	108	35.93	\$1376	\$209
PN3078SOR	30 x 78 x 29	250	115	40.42	\$1473	\$224
PN3084SOR	30 x 84 x 29	250	128	41.92	\$1571	\$239


1" x 2" metal frame leg on right and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSL	30 x 60 x 29	250	95	26.20	\$1281	\$197
PN3066TSL	30 x 66 x 29	250	101	26.95	\$1329	\$205
PN3072TSL	30 x 72 x 29	250	108	35.93	\$1363	\$208
PN3078TSL	30 x 78 x 29	250	115	40.42	\$1460	\$223
PN3084TSI	30 x 84 x 29	250	128	41 92	\$1544	\$236


1" x 2" metal frame leg on left and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSR	30 x 60 x 29	250	95	26.20	\$1281	\$197
PN3066TSR	30 x 66 x 29	250	101	26.95	\$1329	\$205
PN3072TSR	30 x 72 x 29	250	108	35.93	\$1363	\$208
PN3078TSR	30 x 78 x 29	250	115	40.42	\$1460	\$223
PN3084TSR	30 x 84 x 29	250	128	41.92	\$1544	\$236


1" x 2" metal frame leg on right and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.



Overlapping Return w/Metal Leg and Spacer for 23"H Credenza



Overlapping Wedge Return w/Metal Leg and Spacer for 23"H Credenza



Overlapping Wedge Return w/Metal Leg and Spacer for 23"H Credenza

Required Specifications

Top finish Leg finish **Optional Specifications**

HP laminate

POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories

Power block Wire manager Keyboard tray Keyboard mechanism

Desktop screen Keyboard tray mounting kit



Flush Bridge for Metal Leg Configurations

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2436BFM	24 x 36 x 1	70	31	2	\$351	\$80
PN2442BFM	24 x 42 x 1	70	40	2.50	\$358	\$83
PN2448BFM	24 x 48 x 1	85	44	3	\$376	\$85
PN2454BFM	24 x 54 x 1	70	51	3	\$511	\$113

Connects between any two: freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations, 29"H credenza opening. Grommet in worksurface.



Overlapping Bridge for Metal Leg Configurations

PN24600BL	24 x 60 x 2	70	51	3	\$489	\$102
PN24660BL	24 x 66 x 2	70	62	3.25	\$505	\$106
PN24720BL	24 x 72 x 2	92.5	66	6.50	\$515	\$107
PN24780BL	24 x 78 x 2	92.5	76	6.50	\$697	\$142

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.



Overlapping Bridge for Metal Leg Configurations

PN24600BR	24 x 60 x 2	70	51	3	\$489	\$102
PN24660BR	24 x 66 x 2	70	62	3.25	\$505	\$106
PN24720BR	24 x 72 x 2	92.5	66	6.50	\$515	\$107
PN24780BR	24 x 78 x 2	92 5	76	6 50	\$697	\$142

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.



Overlapping Bridge with Metal Spacer for 23"H Credenza*

PN24600SL	24 x 60 x 6	125	63	9	\$806	\$178
PN2466OSL	24 x 66 x 6	125	74	9.50	\$845	\$186
PN24720SL	24 x 72 x 6	150	78	16	\$874	\$193
PN24780SL	24 x 78 x 6	150	88	16	\$988	\$215

One 5"H metal frame spacer with support channel(s). Connects flush on right side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the left. Grommet in worksurface. Shipped in 2 cartons.



Overlapping Bridge with Metal Spacer for 23"H Credenza*

3 9 \$806 \$178
4 9.50 \$845 \$186
B 16 \$874 \$193
B 16 \$988 \$215

One 5"H metal frame spacer with support channel(s). Connects flush on left side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the **right**. Grommet in worksurface. Shipped in 2 cartons.

Req	uired	Specifications
Ton	finish	

Optional Specifications

HP laminate


POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories

Power block Keyboard tray Desktop screen Wire manager Keyboard mechanism

Keyboard tray mounting kit





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2460FBL	24 x 60 x 29	150	86	20	\$951	\$145
PN2466FBL	24 x 66 x 29	150	97	20.50	\$1082	\$165
PN2472FBL	24 x 72 x 29	250	101	27	\$1117	\$169
PN2478FBL	24 x 78 x 29	150	111	27	\$1182	\$182
PN2484FBL	24 x 84 x 29	250	106	29	\$1250	\$189
PN3060FBL	30 x 60 x 29	150	102	25.50	\$1007	\$156
PN3066FBL	30 x 66 x 29	150	108	26	\$1144	\$175
PN3072FBL	30 x 72 x 29	250	115	32	\$1180	\$181
PN3078FBL	30 x 78 x 29	250	129	35	\$1265	\$194
PN3084FBL	30 x 84 x 29	250	135	36	\$1385	\$210

12"D Bookcase with adjustable shelf on left. With support channel(s). Connects on right side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

2460FBR	24 x 60 x 29	150	86	20	\$951	\$145
2466FBR	24 x 66 x 29	150	97	20.50	\$1082	\$165
2472FBR	24 x 72 x 29	250	101	27	\$1117	\$169
2478FBR	24 x 78 x 29	150	111	27	\$1182	\$182
2484FBR	24 x 84 x 29	250	106	29	\$1250	\$189
3060FBR	30 x 60 x 29	150	102	25.50	\$1007	\$156
3066FBR	30 x 66 x 29	150	108	26	\$1144	\$175
3072FBR	30 x 72 x 29	250	115	32	\$1180	\$181
3078FBR	30 x 78 x 29	250	129	35	\$1265	\$194
3084FBR	30 x 84 x 29	250	135	36	\$1385	\$210

12"D Bookcase with adjustable shelf on right. With support channel(s). Connects on left side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.



Flush Return with Bookshelf

RIGHT

PN2484RBL	24 x 84 x 29	250	106	29	\$1231	\$187	
PN2490RBL	24 x 90 x 29	250	110	30	\$1369	\$209	
PN2496RBL	24 x 96 x 29	250	123	31	\$1440	\$219	
PN3084RBL	30 x 84 x 29	250	135	36	\$1281	\$197	
PN3090RBL	30 x 90 x 29	250	142	42	\$1402	\$213	
PN3096RBL	30 x 96 x 29	250	146	38.50	\$1478	\$225	

12"D Bookcase with adjustable shelf on left. With support channel(s). Right side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

PN2484RBR	24 x 84 x 29	250	106	29	\$1231	\$187
PN2490RBR	24 x 90 x 29	250	110	30	\$1369	\$209
PN2496RBR	24 x 96 x 29	250	123	31	\$1440	\$219
PN3084RBR	30 x 84 x 29	250	135	36	\$1281	\$197
PN3090RBR	30 x 90 x 29	250	142	42	\$1402	\$213
PN3096RBR	30 x 96 x 29	250	146	38.50	\$1478	\$225

12"D Bookcase with adjustable shelf on right. With support channel(s). Left side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

Overlanning Pet	RIGHT
Overlapping Kell	ırn with Bookshelf

Required Specifications Top finish

Base finish


Optional Specifications

HP laminate POG1, POG3 - additional grommet PCSG - custom grommet RSG - remove grommet

Accessories Power block Keyboard tray

Wire manager Keyboard mechanism

Desktop screen Keyboard tray mounting kit



Offset Conference Top, Flush


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN3066CFL	47 x 66 x 29	150	142	25	\$1223	\$159
PN3072CFL	47 x 72 x 29	92.5	52	5	\$1276	\$151
PNIOCOCOED	47 00 00	450	1.40	OF	04000	6450
PN3066CFR	47 x 66 x 29	150	142	25	\$1223	\$159
PN3072CFR	47 x 72 x 29	92 5	52	5	\$1276	\$151

Specify PNxxxxCFL for **LEFT** or PNxxxxCFR for **RIGHT**.

Standard with square monopost and base. Connects to freestanding desks with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2

Recommended Maximum Modesty Panel Size:

PN3066CFR/CFL: 36"W (PN3613DMF) PN3072CFR/CFL: 42"W (PN4213DMF)



LEFT
RIGHT


PN2448DFL	24 x 48 x 29	125	55	8.50	\$781	\$113
PN3048DFL	30 x 48 x 29	150	59	5.50	\$834	\$121
PN3060DFL	30 x 60 x 29	125	76	6	\$866	\$127
PN2448DFR	24 x 48 x 29	125	55	8.50	\$781	\$113
PN3048DFR	30 x 48 x 29	150	59	5.50	\$834	\$121
PN3060DFR	30 x 60 x 29	125	76	6	\$866	\$127

Specify PNxxxxDFL for LEFT or PNxxxxDFR for RIGHT.

Standard with square monopost with base. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN2448DFR/DFL: 30"W(PN3013DMF) PN3048DFR/DFL: 30"W (PN3013DMF) PN3060DFR/DFL: 36"W (PN3613DMF)



PN3048TFL	30 x 48 x 29	150	59	11	\$834	\$121
PN3060TFL	30 x 60 x 29	125	81	12.50	\$866	\$127
PN3048TFR	30 x 48 x 29	150	59	11	\$834	\$121
PN3060TFR	30 x 60 x 29	125	81	12.50	\$866	\$127

Specify PNxxxxTFL for LEFT or PNxxxxTFR for RIGHT.

Standard with square monopost with base. 30"D at connecting end, 24"D at monopost end. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN3048TFR/TFL: 30"W (PN3013DMF) PN3060TFR/TFL: 36"W (PN3013DMF)

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	Wire manager
Monopost finish	PCSG - custom grommet	Keyboard tray	Keyboard mechanis
	RSG - remove grommet	Desktop screen	
	· ·	Keyhoard tray mo	unting kit

HP ADD


\$148

\$157

\$148

\$157

CONFERENCE TOPS - OVERLAPPING



Offset Conference Top, Overlapping

TOPS - OVERLAPPING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
<u></u>	PN3090COL	47 x 90 x 29	150	174	32	\$1379
	PN3096COL	47 x 96 x 29	100	58.50	6.50	\$1393
~ LEFT						
	PN3090COR	47 x 90 x 29	150	174	32	\$1379
•	PN3096COR	47 x 96 x 29	100	58.50	6.50	\$1393
	Specify PNxxxxCOL for	LEFT or PNxxxxC	OR for RIGHT .			

Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons. **Recommended Maximum Modesty Panel Size:**

PN3090COR/COL: 36"W (PN3613DMF) PN3096COR/COL: 42"W (PN4213DMF)

PN3072DOL	30 x 72 x 29	150	94	19	\$1056	\$132
PN3078DOL	30 x 78 x 29	150	101	23	\$1076	\$133
PN3084DOL	30 x 84 x 29	92.5	44.50	4	\$1155	\$142
PN3072DOR	30 x 72 x 29	150	94	9.50	\$1056	\$132
PN3072DOR PN3078DOR	30 x 72 x 29 30 x 78 x 29	150 150	94 101	9.50 23	\$1056 \$1076	\$132 \$133

Standard with square monopost and base. Overlaps 27"H credenza opening or 27"H Freestanding Return. Subtop finish is

Specify PNxxxxDOL for LEFT or PNxxxxDOR for RIGHT.

Standard with square monopost and base. Overlaps 27"H credenza opening or 27"H Freestanding Return. Subtop finish is Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN3072DOR/DOL: 30"W (PN3013DMF) PN3078DOR/DOL: 30"W (PN3013DMF) PN3084D0R/D0L: 36"W (PN3613DMF)


PN3072TOL	30 x 72 x 29	150	94	19	\$1056	\$145
PN3084TOL	30 x 84 x 29	150	114	23	\$1155	\$160
PN3072TOR	30 x 72 x 29	150	94	19	\$1056	\$145
PN3084TOR	30 x 84 x 29	150	114	23	\$1050	\$160
	50 A 5 I A E 6				Ţ U	Ţ u

Specify PNxxxxDOL for LEFT or PNxxxxDOR for RIGHT.


Standard with square monopost and base. 30"d at overlapping end, 24"d at monopost end. Overlaps 27"H Credenza opening or 27"H Freestanding Return. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN3072TOR/TOL: 30"W (PN3013DMF) PN3084TOR/TOL: 36"W (PN3613DMF)




Conference Top, Overlapping



Wedge Shaped Overlapping Conference Top

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	Wire manager
Monopost finish	PCSG - custom grommet	Keyboard tray	Keyboard mechanism
	RSG - remove grommet	Desktop screen	
		Kayboard tray mou	inting kit

PRINCETON™



Offset Conference Top, for U Configurations*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN3090CUL	47 x 90 x 29	125	194	32	\$1458	\$201
PN3096CUL	47 x 96 x 29	125	195	32	\$1475	\$202

PN3090CUR	47 x 90 x 29	125	194	32	\$1458	\$201
PN3096CUR	47 x 96 x 29	125	195	32	\$1475	\$202

Specify PNxxxxCUL for LEFT or PNxxxxCUR for RIGHT.

Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN3090CUR/CUL: 60"W (PN6013DMF) PN3096CUR/CUL: 66"W (PN6613DMF)

PN3072DUL	30 x 72 x 29	125	114	19	\$1240	\$169
PN3084DUL	30 x 84 x 29	150	134	23	\$1457	\$201


PN3072DUR	30 x 72 x 29	125	114	19	\$1240	\$169
PN3084DUR	30 x 84 x 29	150	134	23	\$1457	\$201

Specify PNxxxxDUL for **LEFT** or PNxxxxDUR for **RIGHT**.

Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

Recommended Maximum Modesty Panel Size:

PN3072DUR/DUL: 48"W (PN4813DMF) PN3084DUR/DUL: 60"W (PN6013DMF)



DESKTOP/MODESTY PANELS

Laminate Modesty Panel

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN3013DML	.69 x 30 x 13	85	10	.75	\$407
PN3613DML	.69 x 36 x 13	70	12	.75	\$441
PN4213DML	.69 x 42 x 13	70	14	.75	\$475
PN4813DML	.69 x 48 x 13	70	16	1	\$494
PN5413DML	.69 x 54 x 13	70	18	1	\$553
PN6013DML	.69 x 60 x 13	70	20	1.50	\$648
PN6613DML	.69 x 66 x 13	70	22	1.50	\$668
PN7213DML	.69 x 72 x 13	70	24	1.50	\$691
PN7813DML	.69 x 78 x 13	70	26	1.70	\$810
PN8413DML	.69 x 84 x 13	70	28	1.70	\$1004

Attaches to worksurface with black "L" brackets. Laminate modesty panels up to 54"w include two brackets. Panels 60" and wider have three brackets. Specify a nominal size 6" shorter than worksurface size. If using modesty with overlapping worksurface or lower storage, contact Customer Care.

Required Specifications	Optional Specifications	Accessories
Top finish*	HP laminate*	Power block* Wire manager*
Base finish	POG1, POG3 - additional grommet*	Keyboard tray* Keyboard mechanism*
Monopost finish*	PCSG - custom grommet*	Desktop screen*
	RSG - remove grommet*	Keyboard tray mounting kit*

DESKTOP AND MODESTY PANELS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST PRICE
Fabric Desktop/Modesty Panel*	PN3013DMF	D x W x H .37 x 30 x 13	250	3	1	1	\$493
rablic Desktop/Modesty Pallel	LINOGLODIVIL	.3/ X 30 X 13	230	3	ı	2	\$531
						3	\$560
						4	\$603
	DNIOC4ODNAE	27 20 12	250	2.00	1	1	фГ04
	PN3613DMF	.37 x 36 x 13	250	3.60	1	1	\$521 \$568
						3	\$605
						4	\$656
							Ψοσο
	PN4213DMF	.37 x 42 x 13	150	4.20	1	1	\$547
						2	\$594
						3	\$631
						4	\$682
	PN4813DMF	.37 x 48 x 13	250	4.80	1.50	1	\$561
						2	\$619
						3	\$660
						4	\$723
	DNIE 412 DN 4E	27 v E4 v 12	250	E /10	1 50	1	¢E0¢
	PN5413DMF	.37 x 54 x 13	250	5.40	1.50	1 2	\$586 \$651
						3	\$700
						4	\$772
M						· ·	
	PN6013DMF	.37 x 60 x 13	150	6	1.50	1	\$621
						2	\$686
						3	\$735
						4	\$807
	PN6613DMF	.37 x 66 x 13	150	6.60	1.50	1	\$729
						2	\$802
						3	\$859
						4	\$943
	PN7213DMF	.37 x 72 x 13	150	7.20	1.75	1	\$776
	I IN/Z ISDIVII	.3/ x /2 x 13	130	7.20	1.75	2	\$860
						3	\$921
						4	\$1015
	PN7813DMF	.37 x 78 x 13	150	7.80	1.75	1	\$782
						2	\$872
						3 4	\$944 \$1047
						4	\$1047
		have two clamps. Pane		have three o	clamps. When	used as a mo	desty panel, specify
	nominal size 6" s	shorter than worksurf	ace size.				
	PN3013DG	.25 x 30 x 13	85	10	.75	\$384	
	PN3613DG	.25 x 36 x 13	70	14	.75	\$401	
	PN4213DG	.25 x 42 x 13	70	16	.75	\$436	
11 0	PN4813DG	.25 x 48 x 13	70	20	1	\$453	
11 11	PN5413DG	.25 x 54 x 13	70	22	1	\$510	
	PN6013DG	.25 x 60 x 13	70	24	1.50	\$598	
	PN6613DG	.25 x 66 x 13	70	26	1.50	\$616	
	PN7213DG	.25 x 72 x 13	70	28	1.50	\$634	
Frosted Glass Desktop Panel	Panale un to 54"···	have two clamps. Pane	le 60" and wider	have three s	lamne		
Lington diass nesktoh Lautei	raneis up to 54 W	nave two ciamps. Pane	is ou allu wider	nave tilleë (лапіръ.		
_							

Required Specifications
Fabric*

PRINCETON™

FELT PANELS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
•		DxWxH							
 9mm thick panels offered in 9 finishes 			FELT COL	ORS					
 Made from 100% PET (polyester) fiber with 	a high content (50%) of p	ost-recycled	BLK	Black		MTS	Mist		
material, free of added chemicals, binders ar	d adhesives		BRI	Brick		PWT	Pewter		
 Lightweight panels are tackable, impact and 	tear resistant, bacteria resis	tant,	DEN	Denim		SHR	Shamrock		
moisture resistant, and installation friendly			GPH	Graphite		WHT	White		
 Variation in fiber mix and color are inherent to 	o the character of the produc	ct	HVT	Harvest					
 Clamps are included. Available in satin anodi 	zed finish only.								

FELT DESKTOP/MODESTY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	PN3013PT9-1	.36 x 30 x 12.5	150	2.48	.57	\$198	
	PN3613PT9-1	.36 x 36 x 12.5	250	2.74	.69	\$208	
	PN4213PT9-1	.36 x 42 x 12.5	250	2.99	.80	\$282	
£01	PN4813PT9-1	.36 x 48 x 12.5	150	3.85	.91	\$294	
	PN5413PT9-1	.36 x 54 x 12.5	250	4.11	1.03	\$357	
	PN6013PT9-1	.36 x 60 x 12.5	250	4.36	1.14	\$367	
	PN6613PT9-1	.36 x 66 x 12.5	150	5.22	1.25	\$441	
	PN7213PT9-1	.36 x 72 x 12.5	150	5.48	1.36	\$450	
[/	PN7813PT9-1	.36 x 78 x 12.5	250	5.73	1.48	\$458	

PET Felt Desktop/Modesty Panel, 1 pk.

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

PN3013PT9-4	0.36 x 30 x 12.5	85	8.93	.60	\$754
PN3613PT9-4	0.36 x 36 x 12.5	85	9.86	.71	\$791
PN4213PT9-4	0.36 x 42 x 12.5	85	10.80	.83	\$1082
PN4813PT9-4	0.36 x 48 x 12.5	85	13.90	.98	\$1119
PN5413PT9-4	0.36 x 54 x 12.5	85	14.80	1.09	\$1369
PN6013PT9-4	0.36 x 60 x 12.5	85	15.70	1.20	\$1402
PN6613PT9-4	0.36 x 66 x 12.5	85	18.80	1.32	\$1692
PN7213PT9-4	0.36 x 72 x 12.5	85	19.70	1.43	\$1725
PN7813PT9-4	0.36 x 78 x 12.5	85	20.60	1.54	\$1759

PET Felt Desktop/Modesty Panel, 4 pk.

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

Required Specifications

Felt color



PET Felt Desktop/Modesty Panel, 12 pk.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
PN3013PT9-12	0.36 x 30 x 12.5	85	25.30	1.92	\$2213
PN3613PT9-12	0.36 x 36 x 12.5	85	27.90	2.26	\$2320
PN4213PT9-12	0.36 x 42 x 12.5	92.5	30.50	2.60	\$3181
PN4813PT9-12	0.36 x 48 x 12.5	85	39.30	3.05	\$3284
PN5413PT9-12	0.36 x 54 x 12.5	85	41.90	3.39	\$4029
PN6013PT9-12	0.36 x 60 x 12.5	92.5	44.50	3.72	\$4119
PN6613PT9-12	0.36 x 66 x 12.5	85	53.20	4.18	\$4983
PN7213PT9-12	0.36 x 72 x 12.5	85	55.90	4.51	\$5071
PN7813PT9-12	0.36 x 78 x 12.5	85	58.50	4.85	\$5163

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

Required Specifications
Felt color

PRINCETON[™]



29"H Credenza - LEFT

D x W x H	
PN2984CRL 24 x 84 x 29 100 320 33.83 \$2064	\$240
PN2972CRL 24 x 72 x 29 92.5 290 29 \$1956	\$236
PN2966CRL 24 x 66 x 29 100 265 31 \$1936	\$238
PN2960CRL 24 x 60 x 29 92.5 242 24.17 \$1906	\$223

Standard with locking 34"W box and lateral file drawer on left. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CRR	24 x 84 x 29	100	320	33.83	\$2064	\$240
PN2972CRR	24 x 72 x 29	92.5	290	29	\$1956	\$236
PN2966CRR	24 x 66 x 29	100	265	31	\$1936	\$238
PN2960CRR	24 x 60 x 29	92.5	242	24.17	\$1906	\$223

Standard with locking 34"W box and lateral file drawer on right. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPL	24 x 84 x 29	100	320	33.83	\$2331	\$253
PN2978CPL	24 x 78 x 29	100	310	36	\$2266	\$258
PN2972CPL	24 x 72 x 29	92.5	290	29	\$2211	\$250
PN2966CPL	24 x 66 x 29	100	270	31	\$2127	\$252
PN2960CPL	24 x 60 x 29	92.5	242	24.17	\$2073	\$229

Standard with locking 34"W box and lateral file drawer on left. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPR	24 x 84 x 29	100	320	33.83	\$2331	\$253
PN2978CPR	24 x 78 x 29	100	310	36	\$2266	\$258
PN2972CPR	24 x 72 x 29	92.5	290	29	\$2211	\$250
PN2966CPR	24 x 66 x 29	100	270	31	\$2127	\$252
PN2960CPR	24 x 60 x 29	92.5	242	24.17	\$2073	\$229

Standard with locking 34"W box and lateral file drawer on right. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.



29"H Credenza - RIGHT



29"H Credenza w/Pull-Out **Equipment Tray - LEFT**




29"H Credenza w/Pull-Out **Equipment Tray - RIGHT**

Required Specifications

Top finish Base finish Drawer front finish **Optional Specifications**

HP laminate

RSG - remove grommet



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN2954NCL	20 x 54 x 29	92.5	250	22	\$1885	\$259
PN2960NCL	20 x 60 x 29	92.5	260	24	\$1910	\$261
PN2954NCR	20 x 54 x 29	92.5	250	22	\$1885	\$259
PN2960NCR	20 x 60 x 29	92.5	260	24	\$1910	\$261

Specify PNxxxxNCL for LEFT or PNxxxxNCR for RIGHT.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. File bars included. Shipped Fully Assembled.

	PN2972MCL	24 x 72 x 29	125	252	34	\$1542	\$212
	PN2984MCL	24 x 84 x 29	125	268	39.50	\$1664	\$227
LEFT							-
	DNI2072NACD	$24 \times 72 \times 20$	125	252	2/	@1E//2	6212
	PN2972MCR	24 x 72 x 29	125	252	34	\$1542	\$212

Specify PNxxxxMCL for **LEFT** or PNxxxxMCR for **RIGHT**.

Standard with 42"w space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.

PN2972MPL	24 x 72 x 29	125	258	34	\$1764	\$240
PN2984MPL	24 x 84 x 29	125	274	39.50	\$1880	\$258
PN2972MPR	24 x 72 x 29	125	258	34	\$1764	\$240
PN2984MPR	24 x 84 x 29	125	274	39.50	\$1880	\$258
	PN2984MPL PN2972MPR	PN2984MPL 24 x 84 x 29 PN2972MPR 24 x 72 x 29	PN2984MPL 24 x 84 x 29 125 PN2972MPR 24 x 72 x 29 125	PN2984MPL 24 x 84 x 29 125 274 PN2972MPR 24 x 72 x 29 125 258	PN2984MPL 24 x 84 x 29 125 274 39.50 PN2972MPR 24 x 72 x 29 125 258 34	PN2984MPL 24 x 84 x 29 125 274 39.50 \$1880 PN2972MPR 24 x 72 x 29 125 258 34 \$1764

Specify PNxxxxMPL for LEFT or PNxxxxMPR for RIGHT.

Standard with 42"w space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Grommet in worksurface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.

PN2972LF	24 x 72 x 29	92.5	290	29	\$2327	\$300

Standard with four lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.

LEFT
RIGHT 29"H Credenza for Mobile Lateral File

	LEFT
20"11 0	RIGHT

29"H Credenza for Mobile Lateral File w/Pull-Out Equipment Tray*



29"H Lateral File Credenza*

Required Specifications

Top finish Base finish Drawer front finish* **Optional Specifications**

HP laminate RSG - remove grommet Grommet (PN2972LF)



29"H Single Lateral File Credenza*

DIMENSIONS

DxWxH

24 x 37 x 29

MODEL#

PN2937LFS

Standard with two lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.

WT/LBS.

155

CUBIC FT.

18

LIST PRICE

\$1578

HP ADD

\$215

PN2972CRD	24 x 72 x 29	92.5	290	29	\$2239	\$280

FREIGHT CLASS

100



29"H Double Credenza*


Standard with 34"w box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2937CRS	24 x 37 x 29	100	145	18	\$1578	\$215



29"H Single Credenza*

Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.



29"H Credenza w/Sliding Laminate Doors*

PN2960CLS	24 x 60 x 29	100	265	28.25	\$1826	\$250
PN2972CLS	24 x 72 x 29	100	289	34	\$1914	\$261
PN2984CLS	24 x 84 x 29	100	337	39.50	\$2089	\$285

Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.



29"H Credenza w/Sliding Glass Doors

PN2960CGS	24 x 60 x 29	100	265	28.25	\$2304	\$314
PN2972CGS	24 x 72 x 29	100	289	34	\$2549	\$348
PN2984CGS	24 x 84 x 29	100	337	39.50	\$2817	\$384

Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

		\backslash
/		
	X	
	\forall	

29"H Open Credenza

PN2960C0	24 x 60 x 29	92.5	296	28.25	\$1536	\$210
PN2972CO	24 x 72 x 29	100	316	34	\$1628	\$224
PN2984C0	24 x 84 x 29	100	336	39.50	\$1805	\$248

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled

Required Specifications	Optional Specifications
Top finish	HP laminate
Base finish	Grommet
Drawer front finish*	



29"H Single Open Credenza**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
PN2930CO	24 x 30 x 29	92.5	153	15	\$988	\$137	
PN2936CO	24 x 36 x 29	100	158	18	\$1033	\$142	


Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

21	пС	TEVE	VZA3	

27"H Credenza - LEFT *

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2760CRL	24 x 60 x 27	92.5	241	22.50	\$1887	\$214
PN2766CRL	24 x 66 x 27	100	262	29	\$1917	\$226
PN2772CRL	24 x 72 x 27	92.5	290	27	\$1936	\$226
PN2778CRL	24 x 78 x 27	100	290	34	\$1995	\$237
PN2784CRL	24 x 84 x 27	92.5	335	31.50	\$2045	\$235


Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza - RIGHT *

PN2760CRR	24 x 60 x 27	92.5	241	22.50	\$1887	\$214
PN2766CRR	24 x 66 x 27	100	262	29	\$1917	\$226
PN2772CRR	24 x 72 x 27	92.5	290	27	\$1936	\$226
PN2778CRR	24 x 78 x 27	100	290	34	\$1995	\$237
PN2784CRR	24 x 84 x 27	92.5	335	31.50	\$2045	\$235


Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - LEFT*

PN2760CPL	24 x 60 x 27	92.5	241	22.50	\$2052	\$224
PN2766CPL	24 x 66 x 27	100	267	29	\$2111	\$239
PN2772CPL	24 x 72 x 27	92.5	290	27	\$2194	\$242
PN2778CPL	24 x 78 x 27	100	300	34	\$2249	\$253
PN2784CPL	24 x 84 x 27	92.5	335	31.50	\$2312	\$255

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - RIGHT*

PN2760CPR	24 x 60 x 27	92.5	241	22.50	\$2052	\$224
PN2766CPR	24 x 66 x 27	100	267	29	\$2111	\$239
PN2772CPR	24 x 72 x 27	92.5	290	27	\$2194	\$242
PN2778CPR	24 x 78 x 27	100	300	34	\$2249	\$253
PN2784CPR	24 x 84 x 27	92.5	335	31.50	\$2312	\$255

Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.

Required	Cnaail	icationa
Keauirea	Specii	ications


Top finish
Base finish
Drawer/door front finish*

Optional Specifications

HP laminate Grommet** RSG - remove grommet*

P

PRINCETON™



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
PN2754NCL	20 x 54 x 27	92.5	250	22	\$1835	\$252
PN2760NCL	20 x 60 x 27	92.5	260	24	\$1859	\$255
PN2754NCR	20 x 54 x 27	92.5	250	22	\$1835	\$252
PN2760NCR	20 x 60 x 27	92.5	260	24	\$1859	\$255

Specify PNxxxxNCL for **LEFT** or PNxxxxNCR for **RIGHT**.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. File bars included. Shipped Fully Assembled.

	LEFT
	RIGHT
27"H Credenza for Mobile La	ateral File

24 x 72 x 27 24 x 84 x 27	125 125	252 268	31.75 37	\$1522 \$1644	\$209 \$225
24 x 84 x 27	125	268	37	\$1644	\$225
24 x 72 x 27	125	252	31.75	\$1522	\$209
24 x 84 x 27	125	268	37	\$1644	\$225

Specify PNxxxxMCL for LEFT or PNxxxxMCR for RIGHT.

Standard with 42"W space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.

	LEFT
27"H Credenza for Mobile La	RIGHT teral File

w/Pull-Out Equipment Tray

PN2772MPL	24 x 72 x 27	100	258	31.75	\$1748	\$239
PN2784MPL	24 x 84 x 27	125	274	37	\$1859	\$255
PN2772MPR	24 x 72 x 27	100	258	31.75	\$1748	\$239

Specify PNxxxxMPL for LEFT or PNxxxxMPR for RIGHT.

Standard with 42"W space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Wire management grommet in surface and internal pass-through at back of pull-out equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.

Req	ui	red	Spe	cific	ations

Top finish
Base finish
Drawer/door front finish*

Optional Specifications

HP laminate RSG - remove grommet



27"H CREDENZAS

27"H Double Credenza*

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH PN2772CRD 100 290 31.75 \$2197 \$280 24 x 72 x 27

Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2737CRS	24 x 37 x 27	100	145	18	\$1534	\$210

27"H Single Credenza* Standard with 34"W box and lateral file drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Shipped Fully Assembled.

PN2760CLS	24 x 60 x 27	92.5	265	26.50	\$1807	\$248
PN2772CLS	24 x 72 x 27	100	289	31.75	\$1896	\$260
PN2784CLS	24 x 84 x 27	100	337	37	\$2071	\$283

27"H Credenza w/Sliding Laminate Doors*

Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.



27"H Credenza w/Sliding Glass Doors

PN2760CGS	24 x 60 x 27	92.5	265	26.50	\$2285	\$312
PN2772CGS	24 x 72 x 27	100	289	31.75	\$2542	\$348
PN2784CGS	24 x 84 x 27	100	337	37	\$2797	\$381

Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.



27"H Open Credenza

PN2760C0	24 x 60 x 27	92.5	296	26.50	\$1536	\$210
PN2772CO	24 x 72 x 27	100	316	31.75	\$1628	\$224
PN2784C0	24 x 84 x 27	100	336	37	\$1805	\$248

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.

PN2730C0	24 x 30 x 27	92.5	153	14	\$969	\$133
PN2736CO	24 x 36 x 27	100	158	16	\$1015	\$142

Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Supports overlapping returns,


Required Specifications	Optional Specifications	_
Shipped Fully Assembled.		
bridges, and conference tops that have a 1'	' spacer (example: PN24600MR). Canno	t nest under 29"H products with metal legs

Required Specifications				
Top finish				
Base finish				
Drawer/door front finish*				

HP laminate Grommet

<u> </u>	\

27"H Single Open Credenza



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						Ξ
PN2360CRL	24 x 60 x 23	100	190	19.17	\$1574	\$199	
PN2366CRL	24 x 66 x 23	100	227	25	\$1610	\$208	
PN2372CRL	24 x 72 x 23	100	228	23	\$1635	\$206	
PN2378CRL	24 x 78 x 23	100	248	30	\$1671	\$213	
PN2384CRL	24 x 84 x 23	100	266	26.83	\$1705	\$213	
PN2360CRR	24 x 60 x 23	100	190	19.17	\$1574	\$199	
PN2366CRR	24 x 66 x 23	100	227	25	\$1610	\$208	
PN2372CRR	24 x 72 x 23	100	228	23	\$1635	\$206	
PN2378CRR	24 x 78 x 23	100	248	30	\$1671	\$213	
PN2384CRR	24 x 84 x 23	100	266	26.83	\$1705	\$213	

Standard with 34"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

	LEFT
23"H Credenza w/Pull-Out	RIGHT

							Ξ
PN2360CPL	24 x 60 x 23	100	190	19.17	\$1785	\$209	
PN2366CPL	24 x 66 x 23	100	233	25	\$1844	\$221	
PN2372CPL	24 x 72 x 23	100	228	23	\$1902	\$218	
PN2378CPL	24 x 78 x 23	100	254	30	\$1947	\$226	
PN2384CPL	24 x 84 x 23	100	266	26.83	\$1983	\$226	
PN2360CPR	24 x 60 x 23	100	190	19.17	\$1785	\$209	
PN2366CPR	24 x 66 x 23	100	233	25	\$1844	\$221	
PN2372CPR	24 x 72 x 23	100	228	23	\$1902	\$218	
PN2378CPR	24 x 78 x 23	100	254	30	\$1947	\$226	
PN2384CPR	24 x 84 x 23	100	266	26.83	\$1983	\$226	

Standard with 34"W box and lateral file drawer. Pull-out equipment shelf can support up to 80lbs. Adjustable 5 position shelf. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

|--|

Equipment Tray - RIGHT*

PN2354NCL	20 x 54 x 23	92.5	230	21	\$1539	\$210
PN2360NCL	20 x 60 x 23	92.5	240	23	\$1546	\$212

PN2354NCR	20 x 54 x 23	92.5	230	21	\$1539	\$210
PN2360NCR	20 x 60 x 23	92.5	240	23	\$1546	\$212

Specify PNxxxxNCL for LEFT or PNxxxxNCR for RIGHT.

RIGHT 23"H Narrow Credenza

LEFT

20"D. Standard with 30"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

Required	Specifications
Top finish	
Raco finish	,

Optional Specifications HP laminate

Accessories Cushion



23"H Double Credenza*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
PN2372CRD	24 x 72 x 23	92.5	275	27	\$2027	\$278	

Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2337CRS	24 x 37 x 23	100	125	15	\$1379	\$188


Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2360C0	24 x 60 x 23	85	276	23	\$1357	\$186
PN2372C0	24 x 72 x 23	92.5	296	27.50	\$1471	\$202
PN2384C0	24 x 84 x 23	100	316	32	\$1637	\$225

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.



23"H Single Credenza*



23"H Open Credenza

Required Specifications
Top finish

Base finish Drawer front finish* Optional Specifications
HP laminate

Grommet


Accessories

Cushion

P PRINCETON™

		D x W x H							
	PN2430CU	24 x 30 x 2.5	150	13	2.40	1	\$309	7	\$667
						2	\$367	8	\$814
						3	\$408	9	\$886
						4	\$469	10	\$1023
						5	\$557	11	\$1210
						6	\$590	12	\$1441
	PN2433CU	24 x 33 x 2.5	150	13	2.40	1	\$337	7	\$813
						2	\$410	8	\$1010
						3	\$466	9	\$1104
						4	\$550	10	\$1287
						5	\$669	11	\$1536
						6	\$709	12	\$1846
	PN2436CU	24 x 36 x 2.5	250	7	2	1	\$358	7	\$892
						2	\$441	8	\$1113
						3	\$503	9	\$1220
						4	\$596	10	\$1427
						5	\$729	11	\$1705
						6	\$775	12	\$2054
	DN12420CH	24 × 20 × 2 E	150	14	2.40	1	eana	7	¢010
	PN2439CU	24 x 39 x 2.5	150	14	2.40	1	\$382	7	\$916
						2	\$465	8	\$1137
						3	\$527	9	\$1244
						4	\$620	10	\$1451
						5	\$753	11	\$1729
•						6	\$799	12	\$2078
	PN2442CU	24 x 42 x 2.5	150	14	2.40	1	\$400	7	\$934
						2	\$483	8	\$1155
						3	\$545	9	\$1262
						4	\$638	10	\$1469
						5	\$771	11	\$1747
V						6	\$817	12	\$2096
hion for 23″H Credenzas	Cushion attaches	with Velcro strips. Fit	s 24"d credenzas.						
	PN2027CU	20 x 27 x 2.5	150	12	2.40	1	\$273	7	\$570
	111/20/2/00	۷.۷ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲ ۲	130	14	2.40	2	\$320	8	\$695
						3	\$356	9	\$755
						4	\$406	10	\$867
						5	\$481	11	\$1025
						6	\$508	12	\$1023
	PN2030CU	20 x 30 x 2.5	150	12	2.40	1	\$295	7	\$592
	111203000	ZU X JU X Z.J	130	12	Z.4U	2	\$295 \$342	8	\$717
						3			
						4	\$378 \$428	9	\$777 \$889
						4 5	\$428 \$503	11	\$1047
						6	\$530	12	\$1047
						U	φυσυ	12	φ1233
shion for 23"H Narrow Credenzas	Cushion attaches	with Velcro strips. Fit	s 20"d credenzas.						

Required Specifications
Fabric



Cushion for 23"H Single Credenza**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
PN2437CU	24 x 37 x 2.5	150	14	2.40	1	\$377	7	\$911
					2	\$460	8	\$1133
					3	\$522	9	\$1239
					4	\$615	10	\$1446
					5	\$748	11	\$1724
					6	\$794	12	\$2073

Cushion attaches with Velcro strips. Fits PN2337CRS credenza.

52"H STORAGE C	52"H STORAGE CABINETS						
LEFT	RIGHT						

52"H Tower Wardrobe w/Full Height Bookcase*



Specify PN52TWBL for LEFT or PN52TWBR for RIGHT.






LEFT RIGHT 52"H Wardrobe*

Locking wardrobe with full height bookcase. Three adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.

PN1652WDL	24 x 16 x 52	125	84	11.56	\$1075
PN1652WDR	24 x 16 x 52	125	84	11.56	\$1075

Specify PN1652WDL for LEFT or PN1652WDR for RIGHT.






52"H Storage Cabinet w/Bookshelf at 27"H*

Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57CSBFL	24 x 16 x 52	100	102	11.56	\$1543
PN57CSBFR	24 x 16 x 52	100	102	11.56	\$1543

Specify PN57CSBFL for LEFT or PN57CSBFR for RIGHT.



52"H Storage Cabinet w/Bookshelf at 29"H


52"H Storage Cabinet

w/Bookshelf at 29"H

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN59CSBFL	24 x 16 x 52	100	102	11.56	\$1566	
PN59CSBFR	24 x 16 x 52	100	102	11.56	\$1566	

Specify PN59CSBFL for LEFT or PN59CSBFR for RIGHT.



Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped fully assembled.

PN59CBBFL	24 x 16 x 52	100	102	11.56	\$1656	
PN59CBBFR	24 x 16 x 52	100	102	11.56	\$1656	


Specify PN59CBBFL for LEFT or PN59CBBFR for RIGHT.

Box/Box/File Drawer. Lock on upper box drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped fully assembled.


Required Specifications

Top finish* Base finish* Drawer/door front finish* Fabric**


PRINCETON™




LEFT **52"H Recycling Cabinet** w/Bookshelf at 27"H




LEFT RIGHT **52"H Recycling Cabinet** w/Bookshelf at 29"H




52"H Storage Cabinet w/Door at 27"H



52"H Storage Cabinet w/Door at 29"H



52"H Recycling Cabinet w/Door at 27"H



MODEL# DIMENSIONS FREIGHT CLASS CUBIC FT. LIST PRICE WT/LBS. DxWxH PN57RCSL 100 102 \$1447 24 x 16 x 52 11.56 PN57RCSR 100 11.56 \$1447 24 x 16 x 52 102

Specify PN57RCSL for LEFT or PN57RCSR for RIGHT.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN59RCSL	24 x 16 x 52	100	102	11.56	\$1464	
PN59RCSR	24 x 16 x 52	100	102	11.56	\$1464	

Specify PN59RCSL for LEFT or PN59RCSR for RIGHT.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN57DSBFL	24 x 16 x 52	100	102	11.56	\$1698	
PN57DSBFR	24 x 16 x 52	100	102	11.56	\$1698	

Specify PN57DSBFL for LEFT or PN57DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN59DSBFL	24 x 16 x 52	100	102	11.56	\$1731	
PN59DSBFR	24 x 16 x 52	100	102	11.56	\$1731	

Specify PN59DSBFL for LEFT or PN59DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Shipped Fully Assembled.

PN57DRCSL	24 x 16 x 52	100	102	11.56	\$1504	
PN57DRCSR	24 x 16 x 52	100	102	11.56	\$1504	

Specify PN57DRCSL for LEFT or PN57DRCSR for RIGHT.


Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN59DRCSL	24 x 16 x 52	100	102	11.56	\$1536	
PN59DRCSR	24 x 16 x 52	100	102	11.56	\$1536	


Specify PN59DRCSL for LEFT or PN59DRCSR for RIGHT.

Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with 29"H surfaces. Shipped Fully Assembled.


Required Specifications
Top finish Base finish Drawer/door front finish




LEFT RIGHT 52"H Storage Tower w/Wardrobe, Shelf and Bookshelf at 27"H




LEFT RIGHT 52"H Storage Tower w/Wardrobe, Shelf and Bookshelf at 29"H




LEFT RIGHT 52"H Storage Tower w/Wardrobe, and Bookshelf at 29"H



RIGHT 52"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 29"H



RIGHT 52"H Storage Tower w/Wardrobe, Shelf/Box/File and Door at 27"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN57TSBFL	24 x 24 x 52	92.5	225	21	\$1855	
PN57TSBFR	24 x 24 x 52	92.5	225	21	\$1855	

Specify PN57TSBFL for **LEFT** or PN57TSBFR for **RIGHT**.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PNISOTORFI	24 v 24 v 52	02.5	225	21	\$1570
INJUIDIL	24 X 24 X JZ	JZ.J	ZZJ	Z I	91J/U
PN59TSBFR	24 x 24 x 52	92.5	225	21	\$1570

Specify PN59TSBFL for LEFT or PN59TSBFR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN59TBBFL	24 x 24 x 52	92.5	250	21	\$2142	
PN59TBBFR	24 x 24 x 52	92.5	250	21	\$2142	

Specify PN59TBBFL for **LEFT** or PN59TBBFR for **RIGHT**.

Box/Box/File drawer. Lock on upper box drawer secures file and lower box drawer. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.

PN57RTSL	24 x 24 x 52	92.5	238	21	\$1991
PN57RTSR	24 x 24 x 52	92.5	238	21	\$1991

Specify PN57RTSL for LEFT or PN57RTSR for RIGHT.

Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59RTSL	24 x 24 x 52	92.5	238	21	\$1991	
PN59RTSR	24 x 24 x 52	92.5	238	21	\$1991	

Specify PN59RTSL for **LEFT** or PN59RTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57SBFTL	24 x 24 x 52	92.5	234	21	\$2085
PN57SBFTR	24 x 24 x 52	92.5	234	21	\$2085


Specify PN57SBFTL for LEFT or PN57SBFTR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

Required Specifications

Top finish Base finish Drawer/door front finish

PRINCETON™



52"H Storage Tower w/Wardrobe, Shelf/Box/File and Door at 29"H



Specify PN59SBFTL for **LEFT** or PN59SBFTR for **RIGHT**.

RIGHT **LEFT** 52"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Door at 29"H

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.


PN59BBFTL	24 x 24 x 52	92.5	234	21	\$2198
PN59BBFTR	24 x 24 x 52	92.5	234	21	\$2198

Specify PN59BBFTL for LEFT or PN59BBFTR for RIGHT.

Box/Box/File drawer. Lock on upper box drawer secures file and lower box drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 29"H surfaces. Locking wardrobe with coat rail. Shipped fully assembled.

PN57DRTSL	24 x 24 x 52	92.5	234	21	\$2122
PN57DRTSR	24 x 24 x 52	92.5	234	21	\$2122

Specify PN57DRTSL for LEFT or PN57DRTSR for RIGHT.




52"H Storage Tower w/Wardrobe, Shelf, Recycling and Door at 27"H

Drawer with one waste and one recycling bin Open shelf above. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with 27"H surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59DRTSL	24 x 24 x 52	92.5	234	21	\$2122	
PN59DRTSR	24 x 24 x 52	92.5	234	21	\$2122	

Specify PN59DRTSL for LEFT or PN59DRTSR for RIGHT.


Drawer with one waste and one recycling bin Open shelf above	e. Upper storage cabinet with locking door and one adjustable
laminate shelf inside. Door aligns with 29"H surfaces. Locking	wardrobe with coat rail. Shipped Fully Assembled.



52"H Storage Tower w/Wardrobe, Shelf, Recycling and Door at 29"H

Required Specifications
Top finish Base finish Drawer/door front finish







LEFT 66"H Tower Wardrobe w/Full **Height Bookcase**







LEFT 66"H Wardrobe



RIGHT







66"H Storage Cabinet w/Bookshelf at 27"H


	<	
29		

LEFT



66"H Storage Cabinet w/Bookshelf at 29"H





66"H Storage Cabinet w/Bookshelf at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN66TWBL	24 x 24 x 66	125	165	22	\$2094	
PN66TWBR	24 x 24 x 66	125	165	22	\$2094	

Specify PN66TWBL for LEFT or PN66TWBR for RIGHT.

Locking wardrobe and full height bookcase. Four adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.

PN1666WDL	24 x 16 x 66	125	106	14.67	\$1215	
PN1666WDR	24 x 16 x 66	125	106	14.67	\$1215	

Specify PN1666WDL for LEFT or PN1666WDR for RIGHT.

Locking wardrobe with coat rail and fixed shelf above. Shipped Fully Assembled.

PN67CSBFL	24 x 16 x 66	100	130	14.67	\$1659
PN67CSBFR	24 x 16 x 66	100	130	14.67	\$1659

Specify PN67CSBFL for LEFT or PN67CSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69CSBFL	24 x 16 x 66	100	130	14.67	\$1659	
PN69CSBFR	24 x 16 x 66	100	130	14.67	\$1659	

Specify PN69CSBFL for LEFT or PN69CSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69CBBFL	24 x 16 x 66	100	130	14.67	\$1774	
PN69CBBFR	24 x 16 x 66	100	130	14.67	\$1774	

Specify PN69CBBFL for LEFT or PN69CBBFR for RIGHT.


Box/Box/File Drawer. Lock on upper box drawer secures file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook. Shipped fully assembled.

Required Specifications


Top finish Base finish

Drawer/door front finish


P PRINCETON™




LEFT RIG 66"H Recycling Cabinet w/Bookshelf at 27"H




LEFT RIG 66"H Recycling Cabinet w/Bookshelf at 29"H



66"H Storage Cabinet w/Door at 27"H



66"H Storage Cabinet w/Door at 29"H



MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH PN67RCSL 100 130 \$1592 24 x 16 x 66 14.67 PN67RCSR 100 130 14.67 \$1592 24 x 16 x 66

Specify PN67RCSL for LEFT or PN67RCSR for RIGHT.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69RCSL	24 x 16 x 66	100	130	14.67	\$1592
PN69RCSR	24 x 16 x 66	100	130	14.67	\$1592

Specify PN69RCSL for LEFT or PN69RCSR for RIGHT.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN67DSBFL	24 x 16 x 66	100	130	14.67	\$1759	
PN67DSBFR	24 x 16 x 66	100	130	14.67	\$1759	

Specify PN67DSBFL for LEFT or PN67DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Shipped Fully Assembled.

PN69DSBFL	24 x 16 x 66	100	130	14.67	\$1820	
PN69DSBFR	24 x 16 x 66	100	130	14.67	\$1820	

Specify PN69DSBFL for LEFT or PN69DSBFR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.

PN69DBBFL	24 x 16 x 66	100	130	14.67	\$1932	
PN69DBBFR	24 x 16 x 66	100	130	14.67	\$1932	


Specify PN69DBBFL for LEFT or PN69DBBFR for RIGHT.

Box/Box/File Drawer. Lock on upper box drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.


Required Specifications

Top finish Base finish Drawer/door front finish


PRINCETON™




66"H Recycling Cabinet w/Door at 27"H




66"H Recycling Cabinet w/Door at 29"H




66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 27"H



66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 29"H



66"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Bookshelf at 29"H



66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
PN67DRCSL	24 x 16 x 66	100	130	14.67	\$1653
PN67DRCSR	24 x 16 x 66	100	130	14.67	\$1653

Specify PN67DRCSL for **LEFT** or PN67DRCSR for **RIGHT**.

Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with 27"H surfaces. Shipped Fully Assembled.

PN69DRCSL	24 x 16 x 66	100	130	14.67	\$1739
PN69DRCSR	24 x 16 x 66	100	130	14.67	\$1739

Specify PN69DRCSL for LEFT or PN69DRCSR for RIGHT.

Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with 29"H surfaces. Shipped fully assembled.

PN67TSBFL	24 x 24 x 66	92.5	260	26	\$2605	
PN67TSBFR	24 x 24 x 66	92.5	260	26	\$2605	

Specify PN67TSBFL for **LEFT** or PN67TSBFR for **RIGHT**.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.

PN69TSBFL	24 x 24 x 66	92.5	260	26	\$2605
PN69TSBFR	24 x 24 x 66	92.5	260	26	\$2605

Specify PN69TSBFL for LEFT or PN69TSBFR for RIGHT.

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN69TBBFL	24 x 24 x 66	92.5	262	26	\$2744	
PN69TBBFR	24 x 24 x 66	92.5	262	26	\$2744	

Specify PN69TBBFL for **LEFT** or PN69TBBFR for **RIGHT**.

Box/Box/File drawer. Lock on upper box drawer secures file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with 29"H surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.

PN67RTSL	24 x 24 x 66	92.5	260	26	\$2617	
PN67RTSR	24 x 24 x 66	92.5	260	26	\$2617	

Specify PN67RTSL for LEFT or PN67RTSR for RIGHT.


Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped fully assembled.

Required Specifications

Top finish Base finish Drawer/door front finish

P

PRINCETON™



66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN69RTSL	24 x 24 x 66	92.5	260	26	\$2617	
PN69RTSR	24 x 24 x 66	92.5	260	26	\$2617	

Specify PN69RTSL for LEFT or PN69RTSR for RIGHT.

Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN67SBFTL	24 x 24 x 66	100	257	26	\$2702
PN67SBFTR	24 x 24 x 66	100	257	26	\$2702

Specify PN67SBFTL for LEFT or PN67SBFTR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with 27"H surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69SBFTL	24 x 24 x 66	100	257	26	\$2702	
PN69SBFTR	24 x 24 x 66	100	257	26	\$2702	

Specify PN69SBFTL for LEFT or PN69SBFTR for RIGHT.

Open Shelf/Box/File Drawer. Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69BBFTL	24 x 24 x 66	100	257	26	\$2840	
PN69BBFTR	24 x 24 x 66	100	257	26	\$2840	


Specify PN69BBFTL for LEFT or PN69BBFTR for RIGHT.

Box/Box/File Drawer. Lock on upper box drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped fully assembled.


PN67DRTSL	24 x 24 x 66	100	230	26	\$2769	
PN67DRTSR	24 x 24 x 66	100	230	26	\$2769	

Specify PN67DRTSL for **LEFT** or PN67DRTSR for **RIGHT**.


Drawer with one waste and one recycling bin Open shelf above. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.




66"H Storage Tower w/Wardrobe, Shelf, Box/File and Door at 27"H



66"H Storage Tower w/Wardrobe, Shelf, Box/File and Door at 29"H



66"H Storage Tower w/Wardrobe, Box/Box/File and Door at 29"H




66"H Storage Tower w/Wardrobe, Large Shelf, Recycling and Door at 27"H

Required Specifications

Top finish Base finish

Drawer/door front finish



MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. LIST PRICE CUBIC FT. DxWxH PN69DRTSL 100 230 26 \$2769 24 x 24 x 66 PN69DRTSR 24 x 24 x 66 100 230 26 \$2769

Specify PN69DRTSL for **LEFT** or PN69DRTSR for **RIGHT**.

LEFT RIGHT 66"H Storage Tower w/Wardrobe, Large Shelf, Recycling and Door at 29"H		aste and one recyclingside. Door aligns wit						
MOBILE PEDESTALS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	PN22MBF	22 x 16 x 20.9	85	79	5.75	\$967	\$102	
20.9"H Mobile Pedestal	Box/File drawer.	Lock on box drawer s	ecures both drawe	ers. Front ca	sters are locking	J. Shipped Fully	Assembled.	
	PN25MSBF	22 x 16 x 25.4	92.5	80	7	\$1025	\$110	
25.4"H Mobile Pedestal	Open Shelf/Box/F	ile drawer . Lock on	file drawer secure	s both draw	ers. Front caster	rs are locking. Sl	nipped Fully A	ssembled.
	PN25MBBF	22 x 16 x 25.4	92.5	95	8	\$1080	\$131	
25.4"H Mobile Pedestal	Box/Box/File drav Assembled.	wer. Lock on file drav	ver secures file and	d lower box	drawer. Front ca	asters are lockinç	ı. Shipped Ful	ly
	PN27MFF	22 x 16 x 26.8	85	101	8	\$1058	\$121	



26.8"H Mobile Pedestal

/	

Pedestal Cushion*

File/File. Lock on lower file drawer secures both drawers. Front casters are locking. Shipped assembled in 1 carton.

• 26.8"H mobile storage can only be used with 29"H Princeton products that have laminate end panels/gables. 29"H units with HAT channels have underside clearance of only 25.9"H.

PN1622CU	21 x 16 x 2.5	125	6	.90	1	\$193	7	\$432
					2	\$231	8	\$532
					3	\$260	9	\$580
					4	\$301	10	\$670
					5	\$360	11	\$795
					6	\$380	12	\$948

For **PN22MBF** mobile pedestals.

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Pedestal cushion	
Base finish			
Drawer/door front finish			
Fabric*			



20.5"h Mobile Lateral File*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP AD	D
	D x W x H					
PN22MLBF	22 x 35.5 x 20.5	100	132	14	\$1524 \$20	19

Box/File drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H and 27"H credenzas for mobile lateral file with or without a cushion. Can fit under 23"H credenzas without cushion only.



25.5"h Mobile Lateral File

PN25MLSBF	22 x 35.5 x 25.5	100	138	16	\$1595	\$219

Open Shelf/Box/File drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file without cushion only.



27"H Mobile Lateral File

PN27MLFF	22 x 35.5 x 27	92.5	170	16	\$1664	\$227
----------	----------------	------	-----	----	--------	-------

File/File drawer. Lock on bottom file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file without

• 27"H mobile pedestals can only be used with 29"H Princeton products that have laminate end panels/gables. Princeton products with metal legs will not accommodate 27"H mobile units.

CUSHIONS FOR MOBILE LATERAL FILE

Mobile Lateral File Cushion**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
PN3622CU	21 x 35.5 x 2.5	150	14	2.40	1	\$387	7	\$863
114002200	21 X 00.0 X 2.0	130		2.40	2	\$460	8	\$1060
					3	\$516	9	\$1154
					4	\$600	10	\$1337
					5	\$719	11	\$1586
					6	\$759	12	\$1896

For PN22MLBF mobile lateral files.

Required Specifications
Fabric** Top finish (Mobile Laterals) Base finish (Mobile Laterals) Door/drawer front finish (Mobile Laterals)

Optional Specifications

HP laminate (Mobile Laterals)

Accessories

Cushion*

						FIXII	CETO
STOOLS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN1920ST	19 x 19 x 19.5	250	20	5.50	\$744	
Round Mobile Stool	• NOTE: Maximu	use with cushion. CAI m weight capacity ior carpet applications.	is 200 lbs.	VITHOUT C	USHION. Cu	ıshion sold separatel	y . Six casters.
CUSHION FOR MOBILE STOOL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE LIST	GRADE LIS
	SEAT-PN1920ST		150	8	1.60	1 \$266 2 \$299 3 \$322	7 \$47 8 \$54 9 \$59
						4 \$355 5 \$404 6 \$425	10 \$65 11 \$77 12 \$90
Cushion for Round Mobile Stool*	To be used with F	PN1920ST.					
PLANTERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN7229PL	12 x 72 x 29	100	124	14.50	\$1410	
ive Pot Planter**	Five plastic pots - s assembled.	pecify Black (BK) or V	Vhite (WT). Adjust	table 3 posit	ion laminate	shelves/open pass thro	ugh. Shipped f
	PN4229PL	12 x 42 x 29	92.5	86	8.46	\$1074	
Three Pot Planter**	Three plastic pots - assembled.	specify Black (BK) or	White (WT). Adju	stable 3 pos	sition laminat	te shelf/open pass throu	igh. Shipped fu
DIVIDER SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PN7229BGS	12 x 72 x 29	125	124	18	\$1167	
72"w Divider Shelf	Fixed laminate shel	lves/open pass throug	h. Shipped fully as	ssembled.			
	PN4229BGS	12 x 42 x 29	125	86	11	\$940	
42"w Divider Shelf	Fixed laminate shel	lf/open pass through.	Shipped fully asse	embled.			




BOOKSHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	PN2429BLS	12 x 24 x 29	70	37	2	\$717	\$114
	PN2452BLS	12 x 24 x 52	70	60	3	\$908	N/A
	PN2466BLS	12 x 24 x 66	70	74	4	\$998	N/A
	PN3029BLS	12 x 30 x 29	70	44	2	\$806	\$132
	PN3052BLS	12 x 30 x 52	65	68	3	\$941	N/A
	PN3066BLS	12 x 30 x 66	70	79	4	\$1038	N/A
	PN3629BLS	12 x 36 x 29	70	66	3	\$866	\$142
	PN3652BLS	12 x 36 x 52	70	80	4	\$991	N/A
	PN3666BLS	12 x 36 x 66	70	106	5	\$1091	N/A

Bookshelf w/Laminate Shelves

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.

PN2429BGS	12 x 24 x 29	70	37	2	\$747	\$114
PN2452BGS	12 x 24 x 52	70	60	3	\$1105	N/A
PN2466BGS	12 x 24 x 66	70	74	4	\$1316	N/A
PN3029BGS	12 x 30 x 29	70	44	2	\$863	\$132
PN3052BGS	12 x 30 x 52	65	68	3	\$1192	N/A
PN3066BGS	12 x 30 x 66	70	79	4	\$1373	N/A
PN3629BGS	12 x 36 x 29	70	66	3	\$862	\$142
PN3652BGS	12 x 36 x 52	70	80	4	\$1295	N/A
PN3666BGS	12 x 36 x 66	70	106	5	\$1520	N/A

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.



Bookshelf w/Glass Shelves

DESKTOP AND OVERHEAD STORAGE

Hutch w/Laminate Doors*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
PN3560LCH	16 x 60 x 35	125	131	18	\$1831	
PN3572LCH	16 x 72 x 35	125	135	21	\$1895	
PN3584LCH	16 x 84 x 35	150	145	25	\$2033	

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.



Hutch w/Glass Doors*

PN3560CH	16 x 60 x 35	125	120	19.44	\$2657	
PN3572CH	16 x 72 x 35	125	144	23.33	\$2857	
PN3584CH	16 x 84 x 35	150	145	25	\$3136	

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped partially assembled in 2 cartons. Glass doors shipped separately.


Required Specifications
Top finish

Optional Specifications HP laminate (29"H bookshelves)

Base finish

Door finish (laminate doors) Hutch support finish*





Open Hutch*

DESKTOP AND OVERHEAD STORAGE	MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	
		D x W x H					
	PN3560CH0	16 x 60 x 35	125	124	18	\$1598	
	PN3572CH0	16 x 72 x 35	125	128	21	\$1644	
	PN3584CHO	16 x 84 x 35	150	138	25	\$1775	

Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.

PN1160LDS	11 x 60 x 12	100	54	6.50	\$961	
PN1172LDS	11 x 72 x 12	100	62	7.75	\$1034	

Desktop Storage w/Laminate Doors

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

_	

Desktop Storage w/Glass Doors

PN1160DS	11 x 60 x 12	100	43	4.58	\$1543	
PN1172DS	11 x 72 x 12	100	51	5.50	\$1739	

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Recessed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.



Desktop Shelf - Two High w/Laminate Shelf

PN2423LDB	12 x 24 x 23	60	45	1.50	\$454	
PN3023LDB	12 x 30 x 23	60	49	1.50	\$496	
PN3623LDB	12 x 36 x 23	65	53	2	\$502	
PN2425LDB	12 x 24 x 25	60	47	1.50	\$454	
PN3025LDB	12 x 30 x 25	65	51	2	\$496	
PN3625LDB	12 x 36 x 25	65	55	2	\$502	

One multiple-position adjustable laminate shelf. Shipped Fully Assembled.

	<u></u>
/	
	\triangleleft

Desktop Shelf - Two High w/Glass Shelf


PN2423GDB	12 x 24 x 23	60	45	1.50	\$523	
PN3023GDB	12 x 30 x 23	60	49	1.50	\$572	
PN3623GDB	12 x 36 x 23	65	53	2	\$610	
PN2425GDB	12 x 24 x 25	60	47	1.50	\$523	
PN3025GDB	12 x 30 x 25	65	51	2	\$572	
PN3625GDB	12 x 36 x 25	65	55	2	\$610	

One multiple-position adjustable glass shelf. Shipped Fully Assembled.

Required Specifications
Top finish Base finish Door finish (laminate doors) Hutch support finish*

P


PRINCETON™



Desktop Shelf - Three High w/Laminate Shelves

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PN2437LDB	12 x 24 x 37	65	58	2	\$567	
PN3037LDB	12 x 30 x 37	70	64	3	\$603	
PN3637LDB	12 x 36 x 37	65	71	3	\$627	
PN2439LDB	12 x 24 x 39	65	58	2	\$567	
PN3039LDB	12 x 30 x 39	70	64	3	\$603	
PN3639LDB	12 x 36 x 39	65	71	3	\$627	


Two multiple-position adjustable laminate shelves. Shipped Fully Assembled.



Desktop Shelf - Three High w/Glass Shelves

PN2437GDB	12 x 24 x 37	65	58	2	\$732	
PN3037GDB	12 x 30 x 37	70	64	3	\$810	
PN3637GDB	12 x 36 x 37	65	71	3	\$843	
PN2439GDB	12 x 24 x 39	65	58	2	\$732	
PN3039GDB	12 x 30 x 39	70	64	3	\$810	
PN3639GDB	12 x 36 x 39	65	71	3	\$843	

Two multiple-position adjustable glass shelves. Shipped Fully Assembled.




Large Overhead Storage w/Laminate Doors, Wall-Mounted

PN1960LWH	16 x 60 x 19	100	119	13.25	\$1350	
PN1972LWH	16 x 72 x 19	100	138	16	\$1411	
PN1984LWH	16 x 84 x 19	100	158	19	\$1554	

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Large Overhead Storage w/Glass Doors Wall-Mounted

PN1960WH	16 x 60 x 19	100	101	10.56	\$2108	
PN1972WH	16 x 72 x 19	100	121	12.67	\$2361	
PN1984WH	16 x 84 x 19	100	158	19	\$2588	

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in two cartons. Glass doors shipped separately.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Large Overhead Storage w/Single Laminate Door, Wall-Mounted

PN1960LS	16 x 60 x 19	100	117	13.25	\$1255	
PN1972LS	16 x 72 x 19	100	136	16	\$1320	
PN1984LS	16 x 84 x 19	100	156	19	\$1449	

Sliding laminate door in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.


Required Specifications

Top finish

Base finish

Door finish (laminate doors)





Large Overhead Storage, Wall-Mounted

Small Overhead Storage w/Laminate

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PN1960WH0	16 x 60 x 19	100	112	13.25	\$1137	
PN1972WH0	16 x 72 x 19	100	131	16	\$1182	
PN1984WHO	16 x 84 x 19	125	151	19	\$1315	

Open storage with center divider. Shipped Fully Assembled.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260LWH	12 x 60 x 8	100	49	5.25	\$990	
PN1272LWH	12 x 72 x 8	100	56	6.25	\$1074	
PN1284LWH	12 x 84 x 8	100	64	8	\$1128	

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WH	12 x 60 x 8	100	31	3.33	\$1937
PN1272WH	12 x 72 x 8	100	38	4	\$2183
PN1284WH	12 x 84 x 8	100	64	8	\$2307



Doors, Wall-Mounted

Small Overhead Storage w/Glass Doors Wall-Mounted

Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WH0	12 x 60 x 8	100	45	5.25	\$760	
PN1272WH0	12 x 72 x 8	100	52	6.25	\$854	
PN1284WH0	12 x 84 x 8	125	60	8	\$928	




Small Overhead Storage, Wall-Mounted

Open storage shelf with center divider. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1260WHS	12 x 60 x 8	150	31	5.50	\$564	
PN1272WHS	12 x 72 x 8	125	37	6	\$611	
PN1284WHS	12 x 84 x 8	125	44	7	\$659	



Wall-Mounted Shelf

Open storage shelf with center divider. Shipped Fully Assembled.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Top finish Base finish

Door finish (laminate doors)

PRINCETON™

TACKBOARD NOTES

DxWxH

TACKBOARD Notes: Tackboards can be upholstered in all of the following fabrics:

Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall

Grade 2: Imprint, Lola

Grade 3: Anchorage, Merge

TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD.	LIST	GRD.	LIST
	DIMESOTOM		400	0.50			4		
	PN1556TBH	1 x 56 x 14.5	100	9.50	1	1	\$583	7	\$1531
						2	\$702	8	\$1761
						3	\$842	9	\$2021
						4	\$1006	10	\$2328
						5	\$1157	11	\$2675
						6	\$1328	12	\$3076
	PN1568TBH	1 x 68 x 14.5	92.5	11	1	1	\$606	7	\$1590
						2	\$730	8	\$1831
						3	\$873	9	\$2104
						4	\$1048	10	\$2418
						5	\$1203	11	\$2782
						6	\$1385	12	\$3200
	PN1580TBH	1 x 80 x 14.5	125	10	1.50	1	\$964	7	\$2536
						2	\$1160	8	\$2915
						3	\$1388	9	\$3351
						4	\$1666	10	\$3855
						5	\$1917	11	\$4431
						6	\$2203	12	\$5098
Tackboard for Hutches	Attaches with Velo	cro to Hutch backboard	d.						

Required Specifications
Fabric

PN1560TBW 1 x 60 x 14.5 85 14 1 1 \$596 7 2 \$716 8 3 \$859 9 4 4 \$1031 10 5 5 \$1185 11 6 \$1362 12 \$716 8 \$1362 12 \$716 8 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1362 12 \$716 \$1650 12 \$7162	\$27 \$37 \$26 \$27 \$37 \$31
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7	\$18 \$22 \$27 \$33 \$26 \$26 \$27 \$33 \$34 \$41 \$21
No. Section	\$20 \$22 \$33 \$24 \$24 \$33 \$33 \$42 \$11 \$22
PN1566TBW	\$22 \$33 \$24 \$24 \$33 \$34 \$42 \$11 \$22
PN1566TBW	\$22 \$33 \$22 \$22 \$33 \$34 \$42
PN1566TBW	\$20 \$20 \$22 \$33 \$30 \$42 \$11 \$2
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1148 9 4 \$1376 10 5 \$1580 11 6 \$1817 12 PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$24 \$27 \$37 \$30 \$42 \$18 \$27
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1148 9 4 \$1376 10 5 \$1580 11 6 \$1817 12 PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$24 \$27 \$37 \$30 \$42 \$18 \$27
N1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$27 \$37 \$36 \$42 \$18 \$27
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$3° \$30° \$42° \$18° \$2°
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$30 \$42 \$18 \$2
PN1572TBW 1 x 72 x 14.5 70 16.50 1 1 \$695 7 2 \$837 8 3 \$1003 9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$42 \$18 \$2
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$18 \$2
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	\$2
9 4 \$1202 10 5 \$1381 11 6 \$1589 12 PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	
PN1578TBW .62 x 78 x 14.4 100 14 1.50 1 \$1002 7 2 \$1207 8	
2 \$1207 8	\$30
2 \$1207 8	\$20
	\$30
3 \$1444 9	\$34
4 \$1733 10	
5 \$1991 11	
6 \$2289 12	
PN1584TBW .62 x 84 x 14.4 92.5 15 1.50 1 \$1090 7	\$28
2 \$1310 8	\$32
3 \$1572 9	\$37
4 \$1882 10	
5 \$2165 11	
6 \$2490 12	\$57
kboard for Overhead Storage Attaches with adhesive-backed Velcro.	

Required Specifications
Fabric

PRINCETON™							
ELECTRICAL / DATA	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PGDPS41	D x W x H 2.5 x 10.25 x 2.2	2 70	1.50	.02	\$234	
	1 05/ 04/	2.0 X 10.20 X 2.2.	. 10	1.50	.02	QEO 7	
4 Outlet, 1 Telecom Blank Plate		les and 1 telecom blank nish. 12 foot black cord.	•		ull-out shelf or o	open space credenza.	
	PGDPS20	2.5 x 3.58 x 2.22	70	1	.01	\$168	
2 Outlet Power Block	2 power receptac	les. For side mounted ir	nstallation. Tungs	ten (TUN) fin	ish. 12 foot bla	nck cord. UL listed: UL153	3.
	PGDPS21	2.5 x 6.75 x 2.22	70	1.25	.01	\$217	
2 Outlet, 1 Telecom Blank Plate	2 power receptac UL listed: UL153.	les and 1 telecom blank	plate. For side m	ounted insta	llation. Tungste	en (TUN) finish. 12 foot l	olack cord.
Hand to the state of the state	PLED30	1.5 x 15.5 x .5	150	2	.50	\$494	
	PLED50	1.5 x 23.5 x .5	150	2	.50	\$569	
	PLED100	1.5 x 43.5 x .5	125	3	.50	\$660	
LED Task Light	Energy efficient L UL listed: UL153.	ED. Ultra slim design. S	Suitable for hangir	ng under Hut	ch or Wallhung	units. 6' power cord.	
	PEWM5.5	2 x 66 x 2	70	.60	.10	\$198	
	PEWM5	2 x 60 x 2	70	.60	.10	\$166	
	PEWM4.5	2 x 54 x 2	70	.50	.10	\$148	
	PEWM4	2 x 48 x 2	70	.50	.10	\$135	
	PEWM3.5	2 x 42 x 2	70	.40	.10	\$116	
	PEWM3	2 x 36 x 2	70	.40	.10	\$104	

2 x 30 x 2

2 x 24 x 2

2 x 18 x 2

2 x 12 x 2

PEWM2.5

PEWM1.5

PEWM2

PEWM1

Wire Manager

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (BLK) only.

.30

.30

.20

.20

.10

.10

.10

.10

\$85

\$70

\$55

\$40

70

70

70

70



TABLES


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN242429	24 x 24 x 29	150	53	10	\$1028	\$144
PN482429	24 x 48 x 29	125	71	10.50	\$1097	\$156
PN542429	24 x 54 x 29	125	83	13	\$1302	\$183
PN602429	24 x 60 x 29	125	86	13	\$1323	\$186
PN662429	24 x 66 x 29	125	90	14	\$1352	\$188
PN722429	24 x 72 x 29	150	97	21	\$1361	\$189
PN782429	24 x 78 x 29	150	101	21	\$1492	\$209
PN842429	24 x 84 x 29	150	106	22	\$1612	\$225
PN902429	24 x 90 x 29	150	110	23	\$1694	\$237
PN962429	24 x 96 x 29	150	123	24	\$1754	\$245
PN303029	30 x 30 x 29	150	66	12	\$1131	\$159
PN483029	30 x 48 x 29	150	77	13	\$1205	\$168
PN543029	30 x 54 x 29	150	94	16	\$1419	\$199
PN603029	30 x 60 x 29	125	99	16.50	\$1428	\$200
PN663029	30 x 66 x 29	125	105	17	\$1468	\$206
PN723029	30 x 72 x 29	150	112	23	\$1492	\$209
PN783029	30 x 78 x 29	150	119	26	\$1630	\$227
PN843029	30 x 84 x 29	150	132	27	\$1749	\$245
PN903029	30 x 90 x 29	150	139	33	\$1830	\$256
PN963029	30 x 96 x 29	150	143	29.50	\$1874	\$261
PN363629	36 x 36 x 29	150	80	15	\$1203	\$168
PN603629	36 x 60 x 29	150	113	20	\$1638	\$227
PN663629	36 x 66 x 29	150	119	21	\$1692	\$236
PN723629	36 x 72 x 29	150	128	29	\$1718	\$239
PN783629	36 x 78 x 29	150	135	31	\$1694	\$237
PN843629	36 x 84 x 29	150	150	32	\$1812	\$253
PN903629	36 x 90 x 29	150	161	33.50	\$1947	\$273
PN963629	36 x 96 x 29	150	164	35	\$1968	\$274
PN424229	42 x 42 x 29	150	96	17	\$1388	\$195
PN604229	42 x 60 x 29	150	125	22	\$1712	\$239
PN664229	42 x 66 x 29	150	134	23	\$1767	\$248
PN724229	42 x 72 x 29	150	142	32	\$1802	\$252
PN784229	42 x 78 x 29	150	150	35	\$2002	\$280
PN844229	42 x 84 x 29	150	167	36	\$2184	\$303
PN904229	42 x 90 x 29	150	176	38	\$2340	\$327
PN964229	42 x 96 x 29	150	182	40	\$2387	\$332
PN484829	48 x 48 x 29	150	114	21	\$1434	\$201
PN604829	48 x 60 x 29	150	138	26	\$1775	\$248
PN664829	48 x 66 x 29	150	147	27	\$1836	\$256
PN724829	48 x 72 x 29	150	158	38	\$1861	\$260
PN784829	48 x 78 x 29	150	166	40	\$2106	\$294
PN844829	48 x 84 x 29	150	184	42	\$2285	\$319
PN904829	48 x 90 x 29	150	193	43	\$2439	\$337
PN964829	48 x 96 x 29	150	202	45	\$2478	\$346

Freestanding. 1" \times 2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.

Required Specifications
Top finish
Leg finish

Optional Specifications
HP laminate

Accessories Wire manager Desktop screen



29"H Table with Center Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN1203629	36 x 120 x 29	250	221	86.83	\$2995	\$416
PN1443629	36 x 144 x 29	250	246	97.31	\$3174	\$441
PN1204229	42 x 120 x 29	250	246	101.8	\$3116	\$431
PN1444229	42 x 144 x 29	250	287	110.7	\$3286	\$454
PN1204829	48 x 120 x 29	250	271	113.7	\$3300	\$456
PN1444829	48 x 144 x 29	250	291	116.7	\$3472	\$480

Freestanding. 1" x 2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). 120" and 144"W with 2 piece top. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 4 cartons.

PN242429C	24 x 24 x 29	92.5	53	4.50	\$1061	\$151
PN482429C	24 x 48 x 29	85	71	5.26	\$1126	\$159
PN542429C	24 x 54 x 29	85	83	6.50	\$1348	\$188
PN602429C	24 x 60 x 29	85	86	6.50	\$1373	\$193
PN662429C	24 x 66 x 29	85	90	7	\$1398	\$197
PN722429C	24 x 72 x 29	85	97	7	\$1421	\$200
PN303029C	30 x 30 x 29	92.5	66	6	\$1168	\$164
PN483029C	30 x 48 x 29	100	77	9.50	\$1232	\$174
PN543029C	30 x 54 x 29	92.5	94	8	\$1466	\$206
PN603029C	30 x 60 x 29	92.5	99	8.26	\$1478	\$207
PN663029C	30 x 66 x 29	85	105	8.50	\$1510	\$210
PN723029C	30 x 72 x 29	85	112	9	\$1561	\$218
PN363629C	36 x 36 x 29	92.5	80	7.50	\$1226	\$170
PN603629C	36 x 60 x 29	92.5	113	10	\$1546	\$215
PN663629C	36 x 66 x 29	92.5	119	10.50	\$1586	\$221
PN723629C	36 x 72 x 29	100	124	14.50	\$1812	\$253
PN424229C	42 x 42 x 29	92.5	96	8.50	\$1420	\$200
PN484829C	48 x 48 x 29	150	114	21	\$1469	\$206

Freestanding. 1" x 2.5" open metal frame legs with casters, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). All casters are locking. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.



Required Specifications
Top finish

Leg finish

Optional Specifications

HP laminate

Accessories Wire manager

Desktop screen



ZiraTM is a contemporary desking solution with extensive options to personalize your workspace. Components can be freestanding for single workstation configurations, or joined together to form multiple work groups. Create a work environment that meets your worksurface needs and storage requirements - then go ahead and personalize it!

Select from the following: hundreds of components for any size or shape office, storage components that can tower to 84" high, 20 laminate finishes, 5 edge options, 9 handle options in silver, black, nickel or brass finishes, 2 glazing options with 2 frame finishes on doors and modesty panels, and lastly, work surface grommets and power blocks for your electrical needs.

Zira is your most functional solution to work environment efficiency and organization.



Tops are available in a choice of 1" or 1 ½" thick with a variety of edge details and a top over side, edge panel design * Shown with 1.5" thick top and Bicut Edge (CR).



Optional Frosted or Ribbed glazing on doors and modesty panels. Available with Tungsten or Black frames.



Collator option is available for the convenient storage of day-to-day documents. Available in Black or Brushed Cobalt finish.

Features and Benefits

- 45 lb. density particle board substructure with high performance thermally fused laminate
- Top over side panel design
- Worksurfaces feature preferred edging in matching color
- Available in 1" or 1.5" thick top with a variety of edge details
- 11/16" thick full modesty panel is standard
- 11/16" thick ¾ modesty panel available on most components
- Pencil tray included in box drawer
- Lateral file drawers can accommodate legal or letter documents
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks
- Compatible with Divide partitioning system for increased privacy and storage requirements

GENERAL INFORMATION

- Modular collection with over 5000 different standard components available
- Zira components are compatible with **Divide** partitioning panels.
- Handles, lock finish and trim color (if applicable) MUST MATCH
- Dimensionally compatible with the Adaptabilities series.
- For environmental certification, please visit globalfurnituregroup.com

WORKSURFACES

- Available in 1" or 1.5" thick thermally fused laminate tops (TFL) or 1.1/6" or 1.5" thick high pressure laminate tops (HPL) with a variety of edge details
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain.
- High pressure (HPL) tops are available in all Zira laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the (**HPL**) option are finished on the underside of the surface with a kraft paper backing.

CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- All desks are size (incrementally) accurate
- Desk drawers/storage open with side pulls and feature a French dovetail joint in front, lap joint in back. Pulls are available for these units at an upcharge, see below.
 All other drawers/storage feature built-in pulls available in 9 different styles
- · Virtually no loose hardware
- Models with Monopost are standard with 4" Square Monopost. Optional 5" Round and 4" Round Monopost are available at no upcharge. Available in Black (TBL) or Tungsten (TTU) finish. Please Specify
- · Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks

HEIGHT ADJUSTABLE DESKS

- Zira height adjustable desks include a laminate chassis. Height adjustable base mechanism sold separately.
- Use FTZ52SFNL with all ZHxx60Fxx, ZHxx66Fxx, ZHxx72Fxx and ZHxx60NP models.
- Use FTZ52LFNL with all ZHxx84Fxx and ZHxx66NP, ZHxx72NP and ZH3684NP models.
- Use FTZ539FSLNL with all ZH60xx24L/R models.
- Steel constructed leg tubing and cross bar.
- Table frame designed with 3.15" x 1.97" rectangular outer leg with the larger tube attaching to a bracket within the pedestal.
- Powder coat finishes for bases is standard in Black (BLK) or Tungsten (TUN).
- Wire management channels available in Black (BLK) or Silver (SIL).
 Silver (SIL) complements Tungsten.
- Zira Height Adjustable desks have 2-stages and feature an adjustment range of 29.5"/30" – 49"/49.5".
- · Lifts 350 pounds.
- Operates at 1.5" per second.
- All bases feature a dual actuator system with a motor driving each leg.

STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

- · Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 800 N per column
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" 45.5" (18" travel).

DESK MOUNT FRAME

- All metal parts are Black
- Cantilever length: 21.7"
- · Includes all connecting hardware

CONTROL BOX

- Two leg tables come standard with a 200 W Control Box
- Mains voltage 230 VAC, 50 Hz, or 120 VAC, 60 Hz
- Ultra-compact; 8.25" long
- Lightweight control box; weight is approximately 1 lb.
- Common features for the (200 W and 300 W):
- Ultra-low; only 1.5" high
- Environment: Operation Storage
- Ambient temperature: 5 to 40 °C -10 to +50 °C
- Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
- Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
- · Compact high-power SMPS (Switch Mode Power Supply)
- Color: Black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- \bullet Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption only 0.1 W.
- Exchangeable standard mains cable

STANDARD HANDSET (S)

- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- · Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

DISPLAY HANDSET (D)

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-FreeTM, featuring ZEROTM. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- Specify (D), add \$59 list
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the S or D handset in the field. See page 627 for details and pricing.



Standard handset (S)



Display handset (D)

ANTI-COLLISION SENSOR

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- \bullet Just plug it in no mounting required
- ZERO™ power capable
- PVC-Free™

USAGE

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C
- Approved according to:
- EN 62133 (Battery safety testing)
- UL 1642 (Lithium cells, standard test)
- UN 38.3 (transportation of Lithium batteries)
- UL 2054 (Household and commercial batteries)
- EN 60335-1 with CBH Advanced

MODESTY PANELS

- Laminate full modesty panel is standard. Laminate ¼ modesty panel is available on select models at no additional charge. Please specify (3MP).
- Glazing options are available on the full modesty panel, ¾ modesty panel and the 12" modesty panel (where available). Please specify. See next page for options and codes.
- 11/16" thick full modesty panel is standard on most components
- 11/16" thick 34 modesty panel available on most components
- **Note:** Woodgrain modesty panels 60" wide and up will have the grain pattern in the horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in the vertical direction

CUSTOM WIDTHS

- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners.
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- · No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units.

STORAGE

- All lateral files feature a foolproof interlock device
- · Pencil tray included in box drawer
- · Lateral file drawers can accommodate legal or letter documents
- All drawers are locking unless otherwise noted
- Front-to-back filing bars for all steel drawer files available separately. Order FBB bars. See"FBB" on page 41.
- All desks, returns and credenzas with fixed storage are shipped standard with box/box/file, file/file or box/file 16" wide pedestals.
- Storage modules, wardrobe cabinets, personal towers, hutches and table top bookcases have 11/16" thick shelves
- End shelves, bookcases and table top end shelves have 1" thick shelves
- All shelves are 3 position fixed/height adjustable.
- Storage cabinets less than 30" wide are not intended to be freestanding and should be ganged or otherwise anchored. Ganging hardware and instructions are provided. Interior of all cabinets are pre-drilled for ganging connections; does require drill through on site.
- Adjustable shelves can be positioned to accept binder storage as follows:
 For units 29" to 53" H where applicable:
 - with one shelf cannot accommodate binder row
- with two shelves can accommodate one row of binders
- with three shelves can accommodate two rows of binders
- with four shelves can accommodate three rows of binders

For units 65.5" to 84.5" H where applicable:

- with one shelf can accommodate one row of binders
- with two shelves 65.5" and 72" H can accommodate one row of binders
 - 84" H can accommodate two rows of binders
- with three shelves can accommodate two rows of binders
- with four shelves can accommodate three rows of binders
- with five shelves can accommodate four rows of binders
- with six shelves can accommodate five rows of binders

LOCKS

- Locks are standard on all storage modules. Finish will coordinate with handles and/ or aluminum doors. For desk, return or table components, etc. please specify finish: Black (BK) or Silver (SI).
- Please note that Flared Brass (HW) handle defaults to Black locks, so trim options must be Black to match.
- . Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Zira units with locks may be ordered with CA cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When CA option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code SIL-CORE-H-SHOE for Silver core/key sets or product code BLK-CORE-H-SHOE for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. Must be ordered at the same time product is ordered with CA lock cap option specified.
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as REMOVE-K-H-SHOE.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

SHIPPING

 Shipped assembled, 1 per carton, unless otherwise noted. Other components are easy to assemble.

HUTCHES

- 71" hutches (actual width 71.69") are for use when a hutch is placed across the back of a 42"wide return and across the depth of a 30" deep surface top (actual depth 29.69").
- ZxxxxDK, ZxxxxDM and ZxxxxDML/DMR are exactly 30" deep. Therefore 72" hutches may be used.
- Hutches should not be placed on the approach side of any single pedestal and double pedestal desks with an overhang.

SPECIFICATIONS

 Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

Optional Glazing Specifications (doors and modesty panels)

- Frosted material is 3mm thick Acrylic P95
- Ribbed material is 4.3mm thick twin wall UV protected polycarbonate



Z1 frosted glazing, Tungsten (TUN) frame



Z3 ribbed glazing, Tungsten (TUN) frame



Z2 frosted glazing, Black (BLK) frame



Z4 ribbed glazing, Black (BLK) frame



Full modesty panel - **Z1** frosted glazing, Tungsten (TUN) frame ¾ modesty (shown) - **Z1 + 3MP ZA** - 12"H modesty (select models)



Full modesty panel - **Z2** frosted glazing, Black (BLK) frame ¾ modesty (shown) - **Z2 + 3MP ZB** - 12"H modesty (select models)



Full modesty panel - **Z3** ribbed glazing, Tungsten (TUN) frame 3⁄4 modesty (shown) - **Z3 + 3MP ZC** - 12"H modesty (select models)



Full modesty panel - **Z4** ribbed glazing, Black (BLK) frame ¾ modesty (shown) - **Z4 + 3MP ZD** - 12"H modesty (select models)

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops

3. SPECIFY FINISH AND TOP THICKNESS/EDGE DETAIL

- All units available in solid color (Top and Chassis matching) or Two-Tone combination except for the following units:
- Shells: One Tone in all standard finishes
- Collators: One Tone in Black (K) or Brushed Cobalt (T)
- Horizontal Pigeon Holes: One Tone in all standard finishes
- Vertical and Transitional Pigeon Holes: Two-Tone Chassis/Shell in all standard finishes, Collator Shelves in Black (K) or Brushed Cobalt (T).

Fi	nis	h	90
			62

	00			
Ä	ACJ	Absolute Acajou	FCL	First Class
ļ	ASN	Asian Night	NBL	Noce Biondo
ļ	AWC	Avant Cherry	NGL	Noce Grigio
ļ	AWH	Avant Honey	NEL	Noce Leggero
E	3LK	Black	NML	Noce Medio
E	BZD	Blizzard	MTD	Quartered Mahogany
E	BRC	Brushed Cobalt	SBY	Sheer Beauty
(CMB	Clear Maple	SOG	Storm Grey
(CGY	Custom Grey	SDT	Stonedust
[DES	Dark Espresso	WHE	Walnut Heights
[TWC	Designer White	WHC	White Chocolate
F	AS	Fashionista	WCR	Winter Cherry

Top Thickness/Edge Detail



A3 1" top, standard flat edge



AR 1" top, bicut edge



21 E" top standard CP 1





C3 1.5" top, standard flat edge


CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

4. SPECIFY OPTIONS


BOX DRAWERS for lateral file drawers (no upcharge)

• Specify B_ (Drawer Position 1-4 must be specified)



· Not available on drawers with steel interiors

MONOPOST




HANDLES


- Handles are standard on all lateral drawers and doors, and are included in the published list price. When ordering, please select handle from the list of options below.
- Integrated vertical finger pulls are the standard default for mobile pedestals, hanging
 pedestals, or where BBF or FF pedestals are part of a desk, return credenza or corner
 desk. Handles are optional on these units with a list upcharge of \$54. If a handle is
 not desired, specify lock finish: Black (BK) or Silver (SI).
- General guideline: when handles are shown in individual product line art within the price list, handles are included. When not shown in the individual product line art, a **list price upcharge of \$54** applies if a handle option is selected.
- To order handles, please specify corresponding code to image as below (HS, HO, HW, HX, HV, HU, HQ, HZ, or HR):




GROMMETS


- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: AG1, AG2 or AG3. Add \$96
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A
 drawing must be supplied with vertical and horizontal dimensions to the center of
 the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION
 FORM in the back reference section.
- Components that come standard with grommet as stated within the product descriptions or shown in the corresponding price list line art, may be ordered without a grommet. Add \$53.
- Option to remove standard grommet when required specify RSG Add \$53.
- Option to remove standard grommet position and add another position specify RSG and AG_ or AGS, upcharge applies. For RSG + AG_ combination, Add \$149. For RSG
- + AGS combination, Add \$149.






- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).







Straight Front, 36"- 42"D


Straight Front, 30"D





Bow Front




















- Grommets are available on modesty panels of extended corners and 5-sided corners 8" in where the two modesty panels meet at a 90° angle. Please specify FOGMP-R for right grommet placement and FOGMP-L for left grommet (placement is as shown on diagrams below). Cost is \$96.
 - ** Modesty Panels are 1" off of ground







Left Extended Corner Unit

Right Extended Corner Unit


5-Sided Corner Unit


POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
 Power Blocks are available in standard worksurface locations (left, center or right).
 Order as E1. E2 or E3. Add \$96.



Power Block PMSPDM Add \$330







Straight Front

Bow Front

Specify location E1, E2 or E3. Add \$96


Executive Height Adjustable Desks





Top conditions for Height Adjustable Desks

Top recesses are to minimize potential pinch points when adjacent to fixed surfaces.




Wall Panels

Weight capacities for wall panels


- When mounting customer supplied flat screen or other to a wall panel, total weight including mounting hardware **should not exceed 140 lbs**. in total. Not approved for use with articulating or extendable mounting arms.
- Wall panels with floating shelves:
 - 1 mm space between shelves when units side by side.
 - 24"W up to 50 lbs.; 30"W up to 65 lbs.; 36"W up to 75 lbs.; 42"W up to 90 lbs. per floating shelf
 - Note: weight should be evenly distributed over surface
- · Wall panels with overhead cabinet storage:
- Note: weight should be evenly distributed over surface
- 66"H 24"W: 30 lbs. top/55 lbs. inside bottom; 30"W: 40 lbs. top/70 lbs. inside bottom; 36"W: 45 lbs.top/85 lbs. inside bottom; 42"W: 55 lbs. top/95 lbs. inside bottom.
- 72"H 24"W: 30 lbs. top/65 lbs. inside bottom; 30"W: 40 lbs. top/80 lbs. inside bottom; 36"W: 50 lbs.top/95 lbs. inside bottom; 42"W: 60 lbs. top/100 lbs. inside bottom.
- 84"H 24"W: 30 lbs. top/65 lbs. shelf & inside bottom; 30"W: 40 lbs. top/80 lbs. shelf & inside bottom; 36"W: 50 lbs.top/95 lbs. shelf & inside bottom; 42"W: 60 lbs. top/100 lbs. shelf & inside bottom.

Wall Panels


*Grommet locations for wall panels




- AG1 grommet sits at 26-1/8" above the floor, just about 1-1/2 high storage, but below standard 29-1/2" storage
- AG2 grommet sits at 32" above the floor, above 29-1/2" storage
 - *Cove Mini power units are not for use in this application due to depth.
- When the wall with wire management access is specified, the wire management access opening will sit below all storage heights (see chart below).





Desks / Extended Corner Desks - available width: 60", 66", 72" 84"



















Extended Corners - available widths: 60", 66", 72", 84"




Shells - available width: 12", 15", 16", 18", 21", 30", 36" For Extended Corners, Space Saver Returns and Connectables




Space Saver Returns





Space Saver Connectables



Extended Corners









Extended Corner Islands - available width: 60", 66", 72" 84"


Modesty Treatments



Overhang Dimensions












Storage

















Wardrobe & Personal Towers






Drawer & Cavity Positions




Box Drawer Option

Lateral file drawers can be converted to box/box drawers in any of the four standard positions



B3 = 2 box drawers on 2nd position


B4 = 2 box drawers on 4th position





Example
File drawer converted to 2 box drawers on **4th** position


Please specify: Z36L54F - **B4**




Converting 2 or more drawers please contact customer service.

Collator Positions


All storage units can be specified with an optional collator on 2nd, 3rd and/or 4th position.




Collator on 2nd position Specify: 2K - Black or 2T - Brushed Cobalt



Collator on 3rd position Specify: 3K - Black or 3T - Brushed Cobalt



Collator on 4th position Specify: 4K - Black or 4T - Brushed Cobalt



Collator on 3rd & 4th positions Specify: 7K - Black or 7T - Brushed Cobalt




Collators do not fit behind doors

For 2K / 2T, 3K / 3T OR 4K / 4T - Add \$305

For 7K / 7T - Add \$538


Glazing

Glazing is available in the following options:




Tungsten Frame Frosted Glazing **Z1**

Please specify: Z36L6E - **Z1**




Black Frame Frosted Glazing **Z2**

Please specify: Z36L6E - **Z2**



Tungsten Frame Ribbed Glazing **Z3**

Please specify: Z36L6E - **Z3**




Black Frame Ribbed Glazing **Z4**


Please specify: Z36L6E - **Z4**

Filing Options - For Filing Components


On 16" deep files, drawer interiors are only 13" deep. On 20" and 24" deep files, drawer interiors are 16" deep.
Full to floor BBF, FF and FF pedestals are 16" wide with all pedestal desks, returns with pedestals and credenzas with pedestals.
Full to floor BBF and FF storage shells 15" wide x 28.5" high are required under 36" wide Space Saver Return with 16" deep connection top. re: Zxx3616Rx.
Filing hardware included with all laminate drawer models. Steel drawer models do NOT include FBB bars.

Side-To-Side





Drawer & Cavity Positions




Collator Positions


For 12" to 21" wide units

**If no collator is desired, must specify when placing order.

For 3K / 3T or 4K / 4T......Add \$305



Collator on 3rd position **Specify: 3K - Black or** 3T - Brushed Cobalt




Collator on 4th position Specify: 4K - Black or 4T - Brushed Cobalt

Specify: 7K - Black or 7T - Brushed Cobalt


For 7K / 7T.....Add \$538

Collator on 3rd & 4th position




Collators do not fit behind door


Table Top Bookcase





Hutches


Monitor clearance dimensions














Double Pedestal Desk for Height Adj. Base



Double Pedestal Desk for Height Adj. Base



Single Pedestal Desk for Height Adj. Base



Single Pedestal Desk for Height Adj. Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
ZH3684F23	36 x 84 x 29.5-4	9.5 85	362	26.68	\$3908	\$4140	\$642	\$685
ZH3672F23	36 x 72 x 29.5-4	9.5 85	335	26.68	\$3878	\$4084	\$550	\$587
ZH3666F23	36 x 66 x 29.5-4	9.5 85	321	25.18	\$3773	\$3959	\$495	\$538
ZH3660F23	36 x 60 x 29.5-4	9.5 85	307	24.70	\$3643	\$3829	\$532	\$489
ZH3084F23	30 x 84 x 29.5-4	9.5 85	347	25.69	\$4001	\$4201	\$642	\$567
ZH3072F23	30 x 72 x 29.5-4	9.5 85	321	24.70	\$3810	\$3985	\$550	\$489
ZH3066F23	30 x 66 x 29.5-4	9.5 85	309	24.19	\$3707	\$3869	\$495	\$451
ZH3060F23	30 x 60 x 29.5-4	9.5 85	296	23.68	\$3600	\$3744	\$538	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file (FF) pedestal on left and box/box/file (BBF) pedestal on right. 30"D: Top is recessed 1/2" on either side over chassis, flush on user and guest side. 36"D: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684F32	36 x 84 x 29.5-49.5	85	362	26.68	\$3908	\$4140	\$642	\$685
ZH3672F32	36 x 72 x 29.5-49.5	85	335	26.68	\$3878	\$4084	\$550	\$587
ZH3666F32	36 x 66 x 29.5-49.5	85	321	25.18	\$3773	\$3959	\$495	\$538
ZH3660F32	36 x 60 x 29.5-49.5	85	307	24.70	\$3643	\$3829	\$532	\$489
ZH3084F32	30 x 84 x 29.5-49.5	85	347	25.69	\$4001	\$4201	\$642	\$567
ZH3072F32	30 x 72 x 29.5-49.5	85	321	24.70	\$3810	\$3985	\$550	\$489
ZH3066F32	30 x 66 x 29.5-49.5	85	309	24.19	\$3707	\$3869	\$495	\$451
ZH3060F32	30 x 60 x 29.5-49.5	85	296	23.68	\$3600	\$3744	\$538	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file (BBF) pedestal on left and file/file (FF) pedestal on right. 30"D: Top is recessed 1/2" on either side over chassis, flush on user and guest side. 36"D: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684F3S	36 x 84 x 29.5-49.5	85	325	26.68	\$3558	\$3782	\$642	\$685
ZH3672F3S	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3508	\$3714	\$550	\$587
ZH3666F3S	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3405	\$3591	\$495	\$538
ZH3660F3S	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3274	\$3449	\$434	\$489
ZH3084F3S	30 x 84 x 29.5-49.5	85	310	25.69	\$3633	\$3833	\$642	\$567
ZH3072F3S	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3441	\$3616	\$550	\$489
ZH3066F3S	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3337	\$3499	\$495	\$451
ZH3060F3S	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3232	\$3376	\$439	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file pedestal on left. 30"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and quest side. 36"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).

ZH3684FS3	36 x 84 x 29.5-49.5	85	325	26.68	\$3558	\$3782	\$642	\$685
ZH3672FS3	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3508	\$3714	\$550	\$587
ZH3666FS3	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3405	\$3591	\$495	\$538
ZH3660FS3	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3274	\$3449	\$434	\$489
ZH3084FS3	30 x 84 x 29.5-49.5	85	310	25.69	\$3633	\$3833	\$642	\$567
ZH3072FS3	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3441	\$3616	\$550	\$489
ZH3066FS3	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3337	\$3499	\$495	\$451
ZH3060FS3	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3232	\$3376	\$439	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with box/box/file pedestal on right. 30"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. 36"D: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on quest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. Shipped RTA (ready to assemble).


Required Specifications

Top finish / Base finish Top/edge detail Wire management finish Default no handle, specify lock finish Must use with FTZ52SFNL or FTZ52LFNL (sold separately)


Optional Specifications HP laminate, Handles, Key # Glazed modesty / modesty type Grommet position or power block cut-out

Accessories


Power block / Pencil drawer



Single Pedestal Desk for Height Adj. Base**



Single Pedestal Desk for Height Adj. Base**



Height Adj. Desk - Freestanding



Height Adjustable Frame*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZH3684F2S	36 x 84 x 29.5-4	9.5 85	323	26.68	\$3508	\$3732	\$642	\$685
ZH3672F2S	36 x 72 x 29.5-4	9.5 92.5	296	26.68	\$3460	\$3660	\$550	\$587
ZH3666F2S	36 x 66 x 29.5-4	9.5 92.5	282	25.18	\$3348	\$3534	\$495	\$538
ZH3660F2S	36 x 60 x 29.5-4	9.5 92.5	268	24.70	\$3224	\$3392	\$434	\$489
ZH3084F2S	30 x 84 x 29.5-4	9.5 92.5	308	25.69	\$3583	\$3783	\$642	\$567
ZH3072F2S	30 x 72 x 29.5-4	9.5 92.5	283	24.70	\$3392	\$3560	\$550	\$489
ZH3066F2S	30 x 66 x 29.5-4	9.5 92.5	270	24.19	\$3288	\$3445	\$495	\$451
ZH3060F2S	30 x 60 x 29.5-4	9.5 92.5	258	23.68	\$3182	\$3326	\$434	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **left**. **30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*. Shipped RTA (ready to assemble).

ZH3684FS2	36 x 84 x 29.5-49.5	85	323	26.68	\$3508	\$3732	\$642	\$685
ZH3672FS2	36 x 72 x 29.5-49.5	92.5	296	26.68	\$3460	\$3660	\$550	\$587
ZH3666FS2	36 x 66 x 29.5-49.5	92.5	282	25.18	\$3348	\$3534	\$495	\$538
ZH3660FS2	36 x 60 x 29.5-49.5	92.5	268	24.70	\$3224	\$3392	\$434	\$489
ZH3084FS2	30 x 84 x 29.5-49.5	92.5	308	25.69	\$3583	\$3783	\$642	\$567
ZH3072FS2	30 x 72 x 29.5-49.5	92.5	283	24.70	\$3392	\$3560	\$550	\$489
ZH3066FS2	30 x 66 x 29.5-49.5	92.5	270	24.19	\$3288	\$3445	\$495	\$451
ZH3060FS2	30 x 60 x 29.5-49.5	92.5	258	23.68	\$3182	\$3326	\$434	\$409

• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **right**. **30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 115 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*. Shipped RTA (ready to assemble).

ZH3684NP	36 x 84 x 29.5-49.5	70	231	10.48	\$2427	\$2659	N/A	\$685
ZH3672NP	36 x 72 x 29.5-49.5	125	206	27.69	\$2389	\$2589	N/A	\$587
ZH3666NP	36 x 66 x 29.5-49.5	65	198	8.47	\$2315	\$2501	N/A	\$538
ZH3660NP	36 x 60 x 29.5-49.5	65	198	8.47	\$2261	\$2429	N/A	\$489
ZH3072NP	30 x 72 x 29.5-49.5	70	188	8.71	\$2273	\$2448	N/A	\$489
ZH3066NP	30 x 66 x 29.5-49.5	70	178	7.96	\$2198	\$2360	N/A	\$451
ZH3060NP	30 x 60 x 29.5-49.5	70	168	7.49	\$2162	\$2306	N/A	\$409

• Specify FTZ52SFNL for 60" wide desks and FTZ52LFNL for 66" - 84" wide desks.

Height adjustable frame sold separately. **30"D** - Top is recessed 1" on user and both sides over chassis; 2.9375" overhang on guest side. **36"D** - Top is recessed 1" on user and both sides over chassis; 3.25" overhang on guest side. Shipped RTA (ready to assemble). Unit has a stationary modesty only. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx*.


FTZ52SFNL	22 x x 26	60	67	1.47	\$1138	
FTZ52LFNL	22 x x 26	60	67	1.47	\$1138	

- For models ending in F23/F32/F3S/FS3/F2S/FS2, specify FTZ52SFNL for 60" 72" and FTZ52LFNL for 84" wide desks.
- For models ending in NP, specify FTZ52SFNL for 60" wide, and FTZ52LFNL for 66" 84" wide desks

For use with Zira height adjustable desks. Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble). Standard with up/down controller with 2 memory positions, reminder settings + Bluetooth capability, specify (**S**). For a display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (**D**), add **\$59** list.

Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In
addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table
assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools
is highly recommended.

Required Specifications	Optional Specifica	tions	Accessories		
Top finish Top/edge detail	HP laminate	Handles**	Power block		
Base finish*	Key #**	Modesty finish glazed**	Pencil drawer		
Wire management finish	Modesty Type				
Must use with base (sold separately)	Grommet position or	power block cut-out			



L Desk Shell for Height Adj. Base



Height Adjustable Frame*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
ZH608424L	60 x 84 x 29.5-4	9.5 70	294	14.48	\$3202	\$3457	N/A	\$876
ZH607224L	60 x 72 x 29.5-4	9.5 70	273	13.24	\$3059	\$3291	N/A	\$778
ZH608424R	60 x 84 x 29.5-4	9.5 70	294	14.48	\$3202	\$3457	N/A	\$876
ZH607224R	60 x 72 x 29.5-4	9.5 70	273	13.24	\$3059	\$3291	N/A	\$778

Specify FTZ539FSLNL separately.

Height adjustable frame sold separately. Specify ZH60xx24L for **LEFT** with return on the right side or ZH60xx24R for **RIGHT** with return on left side. Top on long return side is recessed 1" over chassis, 1/2" recessed on primary top (non-return side) and 2.9375" overhang on guest side. Return top is 24"D x 30"W. Shipped RTA (ready to assemble). *Not compatible with monitor arm models MONxxxx/M775xxx*.

FTZ539FSLNL	10 x x 26.8	60	101	1.47	\$1847	N/A	N/A	N/A

For use with Zira height adjustable L desks. Lifts 350 lbs. Available in Black, Designer White or Tungsten. Shipped RTA (ready to assemble).

Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In
addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table
assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools
is highly recommended.

71.1000.4TD	00 00 40 40 5	0.5	00	0.75	04004	64075	0000	AFCZ
ZH3084TB	29 x 82 x 16-16.5	85	99	6.75	\$1084	\$1375	\$680	\$567
ZH3072TB	29 x 70 x 16-16.5	85	85	6	\$956	\$1206	\$600	\$489
ZH3066TB	29 x 64 x 16-16.5	85	79	5.50	\$894	\$1126	\$556	\$451
ZH3060TB	29 x 58 x 16-16.5	85	71	5	\$796	\$1008	\$545	\$409
ZH3054TB	29 x 52 x 16-16.5	85	64	4.50	\$735	\$929	\$476	\$372
ZH3048TB	29 x 46 x 16-16.5	85	57	4	\$673	\$841	\$439	\$329
ZH3042TB	29 x 40 x 16-16.5	85	50	3.75	\$604	\$755	\$397	\$285
ZH2484TB	23 x 82 x 16-16.5	85	74	5	\$967	\$1203	\$580	\$457
ZH2472TB	23 x 70 x 16-16.5	70	86	5.50	\$857	\$1063	\$600	\$390
ZH2466TB	23 x 64 x 16-16.5	70	68	4.50	\$796	\$990	\$556	\$359
ZH2460TB	23 x 58 x 16-16.5	85	61	4.25	\$711	\$886	\$545	\$329
ZH2454TB	23 x 52 x 16-16.5	85	55	3.75	\$655	\$812	\$476	\$312
ZH2448TB	23 x 46 x 16-16.5	85	49	3.50	\$600	\$744	\$439	\$261
ZH2442TB	23 x 40 x 16-16.5	85	43	3	\$532	\$670	\$409	\$232



- Compatible with FreeFit + FOLI Height Adjustable bases (FOLI compatible with 48"w 72"w tops)
- Cannot be used with FTZ52SFNL or FTZ52LFNL

Top and Modesty Panel Kit

CONNECTABLE TABLES


24" Deep Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472L	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466L	24 x 66 x 29.5-30) 65	135	6	\$880	\$1015	N/A	\$384
Z2460L	24 x 60 x 29.5-30) 65	125	5.25	\$796	\$914	N/A	\$353
Z2448L	24 x 48 x 29.5-30) 65	106	4.30	\$725	\$827	N/A	\$281
Z2442L	24 x 42 x 29.5-30) 65	95	3.80	\$725	\$814	N/A	\$236
Z2436L	24 x 36 x 29.5-30) 65	86	3.30	\$637	\$710	N/A	\$178
Z2430L	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

Full end panel on left. Right narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Units 48" and under require storage for stability
- Modesty Panel is 1" off of ground.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Grommet position or power block cut-	out
Base finish		
Wire management finish		



BRIDGES COMPATIBLE W/ ZXXXXBBOL/R AND ZXX

24" Deep Connectable Table - Right

XXXBLFL/R CREDENZAS	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
	DxWxH								Ī
Z2472R	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384	
Z2466R	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384	
Z2460R	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353	
Z2448R	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281	
Z2442R	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236	
Z2436R	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178	
Z2430R	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178	

Full end panel on right. Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Units 48" and under require storage for stability
- Modesty Panel is 1" off of ground.



Bridge w/Full Laminate Modesty, Left

ZA2448RL	24 x 48 x 29.5-30	70	78	4.30	\$831	\$973	N/A	\$261
ZA2442RL	24 x 42 x 29.5-30	70	66	3.80	\$723	\$848	N/A	\$229
ZA2436RL	24 x 36 x 29.5-30	70	59	3.30	\$673	\$781	N/A	\$197
ZA2048RL	20 x 48 x 29.5-30	70	72	4.30	\$792	\$913	N/A	\$219
ZA2042RL	20 x 42 x 29.5-30	70	62	3.80	\$691	\$797	N/A	\$189
ZA2036RL	20 x 36 x 29.5-30	70	56	3.30	\$643	\$735	N/A	\$164

For use with height adjustable desks - single pedestal. Connects to credenza on left. Shipped RTA (ready to assemble).



Bridge w/Full Laminate Modesty, Right

ZA2448RR	24 x 48 x 29.5-30	70	78	4.30	\$831	\$973	N/A	\$261
ZA2442RR	24 x 42 x 29.5-30	70	66	3.80	\$723	\$848	N/A	\$229
ZA2436RR	24 x 36 x 29.5-30	70	59	3.30	\$673	\$781	N/A	\$197
ZA2048RR	20 x 48 x 29.5-30	70	72	4.30	\$792	\$913	N/A	\$219
ZA2042RR	20 x 42 x 29.5-30	70	62	3.80	\$691	\$797	N/A	\$189
ZA2036RR	20 x 36 x 29.5-30	70	56	3.30	\$643	\$735	N/A	\$164

For use with height adjustable desks - single pedestal. Connects to credenza on right. Shipped RTA (ready to assemble).



Credenza

2468 \$2601 N/A \$390
2216 \$2327 N/A \$327
2358 \$2469 N/A \$327
2141 \$2234 N/A \$273
2

Compatible with height adjustable bridges. Box/box/lateral file on **left** with open storage on the **right**. Connects to bridge on **right**. Adjustable shelf. Shipped assembled in 1 carton.



Z2472BBOR	24 x 72 x 29.5-30	125	261	35.75	\$2468	\$2601	N/A	\$390
Z2460BBOR	24 x 60 x 29.5-30	125	231	30	\$2216	\$2327	N/A	\$327
Z2072BBOR	20 x 72 x 29.5-30	125	234	30.25	\$2358	\$2469	N/A	\$327
Z2060BBOR	20 x 60 x 29.5-30	100	207	25.25	\$2141	\$2234	N/A	\$273

Compatible with height adjustable bridges. Box/box/lateral file on **right** with open storage on the **left**. Connects to bridge on **left**. Adjustable shelf. Shipped assembled in 1 carton.

Req	ui	r	ed	Specification	ns

Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out





		DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
_		DxWxH							
	Z2472BLFL	24 x 72 x 29.5-30	125	265	35.75	\$2430	\$2563	N/A	\$390
	Z2460BLFL	24 x 60 x 29.5-30	125	235	30	\$2191	\$2302	N/A	\$327
	Z2072BLFL	20 x 72 x 29.5-30	125	239	30.25	\$2320	\$2431	N/A	\$327
	Z2060BLFL	20 x 60 x 29.5-30	100	212	25.25	\$2112	\$2205	N/A	\$273

Compatible with height adjustable bridges. Two drawer lateral file on left with open storage on the right. Connects to bridge on right. Adjustable shelf. Shipped assembled in 1 carton.

Z2472BLFR	24 x 72 x 29.5-30	125	265	35.75	\$2430	\$2563	N/A	\$390
Z2460BLFR	24 x 60 x 29.5-30	125	235	30	\$2191	\$2302	N/A	\$327
Z2072BLFR	20 x 72 x 29.5-30	125	239	30.25	\$2320	\$2431	N/A	\$327
Z2060BLFR	20 x 60 x 29.5-30	100	212	25.25	\$2112	\$2205	N/A	\$273

Compatible with height adjustable bridges. Two drawer lateral file on right with open storage on the left. Connects to bridge on left. Adjustable shelf. Shipped assembled in 1 carton.

DOUBLE PEDESTAL DESKS

Double	Pedestal	Bow Tor) Desk

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD 1	HP ADD	ı
Z4284FB22	42 x 84 x 29.5-3	0 250	381.15	102.5	\$2843	\$3163	\$916	\$1015	
Z4272FB22	42 x 72 x 29.5-3	0 125	377	59	\$2734	\$3014	\$760	\$762	
Z3672FB22	36 x 72 x 29.5-3	0 125	317.10	50.75	\$2553	\$2801	\$760	\$573	
Z3666FB22	36 x 66 x 29.5-3	0 125	305.55	46.75	\$2502	\$2731	\$678	\$573	
Z3660FB22	36 x 60 x 29.5-3	0 125	295.05	42.50	\$2427	\$2637	\$600	\$477	

Standard with freestanding file/file pedestals on left and right. Pedestals lock. Bow top overhangs 2 ¼" at ends and 8" on

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.



Double Pedestal Bow Top Desk

Z4284FB32	42 x 84 x 29.5-30	250	379.05	102.5	\$2881	\$3201	\$916	\$1015
Z4272FB32	42 x 72 x 29.5-30	125	375	59	\$2770	\$3050	\$760	\$762
Z3672FB32	36 x 72 x 29.5-30	125	315	50.75	\$2586	\$2836	\$760	\$573
Z3666FB32	36 x 66 x 29.5-30	125	303.45	46.75	\$2535	\$2762	\$678	\$573
Z3660FB32	36 x 60 x 29.5-30	125	292.95	42.50	\$2465	\$2675	\$600	\$477

Standard with Freestanding file/file pedestal on right and box/box/file pedestal on left. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 1/4" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.



Double Pedestal Bow Top Desk

Z4284FB23	42 x 84 x 29.5-30	250	379.05	102.5	\$2881	\$3201	\$916	\$1015
Z4272FB23	42 x 72 x 29.5-30	125	375	59	\$2770	\$3050	\$760	\$762
Z3672FB23	36 x 72 x 29.5-30	125	315	50.75	\$2586	\$2836	\$760	\$573
Z3666FB23	36 x 66 x 29.5-30	125	303.45	46.75	\$2535	\$2762	\$678	\$573
Z3660FB23	36 x 60 x 29.5-30	125	292.95	42.50	\$2465	\$2675	\$600	\$477

Standard with Freestanding file/file pedestal on left and box/box/file pedestal on right. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.



Double Pedestal Bow Top Desk

Z4284FB33	42 x 84 x 29.5-30	250	381.15	102.5	\$2916	\$3236	\$916	\$1015
Z4272FB33	42 x 72 x 29.5-30	125	378	59	\$2805	\$3086	\$760	\$762
Z3672FB33	36 x 72 x 29.5-30	125	317.10	50.75	\$2624	\$2874	\$760	\$573
Z3666FB33	36 x 66 x 29.5-30	125	305.55	46.75	\$2573	\$2800	\$678	\$573
Z3660FB33	36 x 60 x 29.5-30	125	295.05	42.50	\$2507	\$2731	\$600	\$477

Standard with Freestanding box/box/file pedestals on left and right. File drawer and lower box drawer lock. Bow top overhangs 2 1/4" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.

Required Specifications	Optional Specifications		Accessories	
Top finish	HP laminate	Handles	Power block	
Top/edge detail	Key #	Modesty finish glazed	Keyboard	
Base finish	Modesty panel t	ype	Pencil drawer	
Lock finish	Grommet positio	n or power block cut-out		



DOUBLE PEDESTAL DESKS

Double Pedestal Desk



Standard with Freestanding file/file pedestals on left and right. Pedestals lock.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

Z4284F32	42 x 84 x 29.5-30	250	383.25	102.5	\$2780	\$3050	\$916	\$1015
Z4272F32	42 x 72 x 29.5-30	125	371	59	\$2679	\$2914	\$760	\$762
Z3684F32	36 x 84 x 29.5-30	250	364.54	176.6	\$2619	\$2855	\$916	\$762
Z3672F32	36 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3666F32	36 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3660F32	36 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2584	\$600	\$477
Z3072F32	29.69 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3066F32	29.7 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3060F32	29.7 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2582	\$600	\$477

Standard with Freestanding box/box/file pedestal on left and file/file pedestal on right. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- · Hutches may not be placed on this desk

Z4284F23	42 x 84 x 29.5-30	250	383.25	102.5	\$2780	\$3050	\$916	\$1015
Z4272F23	42 x 72 x 29.5-30	125	371	59	\$2679	\$2914	\$760	\$762
Z3684F23	36 x 84 x 29.5-30	250	364.54	176.6	\$2619	\$2855	\$916	\$762
Z3672F23	36 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3666F23	36 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3660F23	36 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2584	\$600	\$477
Z3072F23	29.7 x 72 x 29.5-30	125	324.43	50.75	\$2503	\$2709	\$760	\$573
Z3066F23	29.7 x 66 x 29.5-30	125	313.18	46.75	\$2455	\$2643	\$678	\$573
Z3060F23	29.7 x 60 x 29.5-30	125	267.10	42.50	\$2410	\$2582	\$600	\$477

Standard with Freestanding file/file pedestal on left and box/box/file pedestal on right. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- · Hutches may not be placed on this desk

Z4284F33	42 x 84 x 29.5-30	250	381.15	102.5	\$2817	\$3087	\$916	\$1015
Z4272F33	42 x 72 x 29.5-30	125	370	59	\$2717	\$2951	\$760	\$762
Z3684F33	36 x 84 x 29.5-30	300	341.25	176.6	\$2656	\$2892	\$916	\$762
Z3672F33	36 x 72 x 29.5-30	125	316.05	50.75	\$2536	\$2742	\$760	\$573
Z3666F33	36 x 66 x 29.5-30	125	304.50	46.75	\$2492	\$2680	\$678	\$573
Z3660F33	36 x 60 x 29.5-30	125	261.45	42.50	\$2447	\$2621	\$600	\$477
Z3072F33	29.7 x 72 x 29.5-30	125	316.05	50.75	\$2536	\$2742	\$760	\$573
Z3066F33	29.7 x 66 x 29.5-30	125	304.50	46.75	\$2492	\$2675	\$678	\$573
Z3060F33	29.69 x 60 x 29.5-30	125	261.45	42.50	\$2447	\$2621	\$600	\$477

Standard with Freestanding box/box/file pedestals on left and right. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- · Hutches may not be placed on this desk





Double Pedestal Desk



Double Pedestal Desk

Required Specifications
Top finish
Top/edge detail
Base finish
Lock finish

Optional Speci	fications
HP laminate	Handles
Key #	Modesty finish glazed
Modesty Type	
Grommet position	n or power block cut-out

Accessories	
Power block	
Keyboard	
Pencil drawer	



Single Pedestal Bow Top Desk - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z4284FB2L	42 x 84 x 29.5-30	125	322.35	43.50	\$2175	\$2495	\$916	\$1015
Z4272FB2L	42 x 72 x 29.5-30	150	315	59	\$2064	\$2345	\$760	\$762
Z3672FB2L	36 x 72 x 29.5-30	150	281.35	50.75	\$1914	\$2162	\$760	\$573
Z3666FB2L	36 x 66 x 29.5-30	150	274.68	46.75	\$1861	\$2090	\$678	\$573
Z3660FB2L	36 x 60 x 29.5-30	125	259.86	42.50	\$1792	\$2002	\$600	\$477

Standard with **Freestanding** file/file pedestal on **left** and faux pedestal **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB2R	42 x 84 x 29.5-30	125	322.35	43.50	\$2175	\$2495	\$916	\$1015
Z4272FB2R	42 x 72 x 29.5-30	150	315	59	\$2064	\$2345	\$760	\$762
Z3672FB2R	36 x 72 x 29.5-30	150	281.35	50.75	\$1914	\$2162	\$760	\$573
Z3666FB2R	36 x 66 x 29.5-30	150	274.68	46.75	\$1861	\$2090	\$678	\$573
Z3660FB2R	36 x 60 x 29.5-30	125	259.86	42.50	\$1792	\$2002	\$600	\$477

Standard with **Freestanding** faux pedestal **left** and file/file pedestal on **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - LEFT

Z4284FB3L	42 x 84 x 29.5-30	125	320.25	43.50	\$2212	\$2531	\$916	\$1015
Z4272FB3L	42 x 72 x 29.5-30	150	313	59	\$2099	\$2379	\$760	\$762
Z3672FB3L	36 x 72 x 29.5-30	150	279.77	50.75	\$1950	\$2200	\$760	\$573
Z3666FB3L	36 x 66 x 29.5-30	150	273.10	46.75	\$1900	\$2127	\$678	\$573
Z3660FB3L	36 x 60 x 29.5-30	125	258.27	42.50	\$1848	\$2061	\$600	\$477

Standard with **Freestanding** box/box/file pedestal on **left** and faux pedestal **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB3R	42 x 84 x 29.5-30	125	320.25	43.50	\$2212	\$2531	\$916	\$1015
Z4272FB3R	42 x 72 x 29.5-30	150	313	59	\$2099	\$2379	\$760	\$762
Z3672FB3R	36 x 72 x 29.5-30	150	279.77	50.75	\$1950	\$2200	\$760	\$573
Z3666FB3R	36 x 66 x 29.5-30	150	273.10	46.75	\$1900	\$2127	\$678	\$573
Z3660FB3R	36 x 60 x 29.5-30	125	258.27	42.50	\$1848	\$2061	\$600	\$477

Standard with **Freestanding** faux pedestal **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

• 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.




Single Pedestal Desk - LEFT

Z4284F2L	42 x 84 x 29.5-30	125	326.55	43.50	\$2074	\$2347	\$916	\$1015
Z4272F2L	42 x 72 x 29.5-30	150	327	59	\$1974	\$2209	\$760	\$762
Z3684F2L	36 x 84 x 29.5-30	250	290.85	118	\$1947	\$2183	\$916	\$762
Z3672F2L	36 x 72 x 29.5-30	150	265.65	50.75	\$1826	\$2032	\$760	\$573
Z3666F2L	36 x 66 x 29.5-30	150	254.10	46.75	\$1781	\$1969	\$678	\$573
Z3660F2L	36 x 60 x 29.5-30	150	243.60	42.50	\$1736	\$1911	\$600	\$477
Z3072F2L	29.69 x 72 x 29.5-30	150	265.65	50.75	\$1826	\$2032	\$760	\$573
Z3066F2L	29.7 x 66 x 29.5-30	150	254.10	46.75	\$1781	\$1968	\$678	\$573
Z3060F2L	29.7 x 60 x 29.5-30	150	243.60	42.50	\$1736	\$1911	\$600	\$477

Standard with Freestanding file/file pedestal on left and faux pedestal right. Pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Required Specifications	Optional Speci	fications	Accessories	
Top finish	HP laminate	Handles	Power block	
Top/edge detail	Key #	Modesty finish glazed	Keyboard	
Base finish	Modesty Type		Pencil drawer	
Lock finish	Grommet positio	n or power block cut-out		





Single Pedestal Desk - LEFT*

Z4284F3L	42 x 84 x 29.5-30	125	324.45	43.50	\$2112	\$2382	\$916	\$1015
Z4272F3L	42 x 72 x 29.5-30	150	324	59	\$2011	\$2246	\$760	\$762
Z3684F3L	36 x 84 x 29.5-30	250	288.75	118	\$1947	\$2183	\$916	\$762
Z3672F3L	36 x 72 x 29.5-30	150	263.55	50.75	\$1863	\$2069	\$760	\$573
Z3666F3L	36 x 66 x 29.5-30	150	252	46.75	\$1819	\$2007	\$678	\$573
Z3660F3L	36 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477
Z3072F3L	29.7 x 72 x 29.5-30	150	253.55	50.75	\$1863	\$2069	\$760	\$573
Z3066F3L	29.7 x 66 x 29.5-30	150	252	46.75	\$1819	\$2006	\$678	\$573
Z3060F3L	29.7 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477

Standard with Freestanding box/box/file pedestal on left and faux pedestal right. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284F3R	42 x 84 x 29.5-30	125	324.45	43.50	\$2112	\$2382	\$916	\$1015
Z4272F3R	42 x 72 x 29.5-30	150	324	59	\$2011	\$2246	\$760	\$762
Z3684F3R	36 x 84 x 29.5-30	250	288.75	118	\$1947	\$2183	\$916	\$762
Z3672F3R	36 x 72 x 29.5-30	150	263.55	50.75	\$1863	\$2069	\$760	\$573
Z3666F3R	36 x 66 x 29.5-30	150	252	46.75	\$1819	\$2007	\$678	\$573
Z3660F3R	36 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477
Z3072F3R	29.7 x 72 x 29.5-30	150	253.55	50.75	\$1863	\$2069	\$760	\$573
Z3066F3R	29.7 x 66 x 29.5-30	150	252	46.75	\$1819	\$2006	\$678	\$573
Z3060F3R	29.7 x 60 x 29.5-30	150	241.50	42.50	\$1750	\$1922	\$600	\$477



Single Pedestal Desk - RIGHT*

Standard with Freestanding faux pedestal on left and box/box/file pedestal right. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284NHD	42 x 84 x 29.5-30	65	267	9.5	\$1583 \$1893	n/a	\$796
Z3684NHD	36 x 84 x 29.5-30	70	182	8.3	\$1436 \$1697	n/a	\$685
Z3672NHD	36 x 72 x 29.5-30	70	159	7.2	\$1294 \$1517	n/a	\$587
Z3666NHD	36 x 66 x 29.5-30	65	152	6.7	\$1220 \$1432	n/a	\$538
Z3660NHD	36 x 60 x 29.5-30	65	143	6.1	\$1153 \$1347	n/a	\$489
Z3072NHD	29.7 x 72 x 29.5-30	65	140	6.2	\$1178 \$1364	n/a	\$489
Z3066NHD	29.7 x 66 x 29.5-30	65	133	5.7	\$1092 \$1273	n/a	\$451
Z3060NHD	29.7 x 60 x 29.5-30	65	124	5.2	\$1030 \$1186	n/a	\$409



Non-Handed Desk

Two laminate end panels + recessed full modesty panel (laminate only). Accepts all standard Zira storage shells. Shipped RTA (ready to assemble).

• Hutches may not be placed on this desk

Required Specifications	Optional Specifications		Accessories	
Top finish	HP laminate	Handles	Power block	
Top/edge detail	Key #	Modesty finish glazed	Keyboard	
Base finish	Modesty Type		Pencil drawer	
Lock finish	Grommet positio	n or power block cut-out		

	\angle
	\searrow

FREESTANDING DESKS

Freestanding Desk

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3684DK	36 x 84 x 29.5-30	70	168	8.25	\$1239	\$1494	\$957	\$681
Z3672DK	36 x 72 x 29.5-30	70	152	7.25	\$1133	\$1357	\$854	\$585
Z3666DK	36 x 66 x 29.5-30	70	144	6.75	\$1084	\$1290	\$780	\$537
Z3660DK	36 x 60 x 29.5-30	65	137	6	\$1036	\$1222	\$729	\$488
Z3072DK	30 x 72 x 29.5-30	70	130	6.25	\$1011	\$1197	\$854	\$488
Z3066DK	30 x 66 x 29.5-30	70	123	5.75	\$963	\$1149	\$780	\$448
Z3060DK	30 x 60 x 29.5-30	70	117	5.25	\$913	\$1099	\$729	\$407


Two full laminate end panels. 12"H laminate modesty panel. Shipped RTA (ready to assemble).

,	
	<1

Freestanding Desk - Metal Legs*

Z3684DM	36 x 84 x 29.5-30	100	167	18.44	\$2648	\$2909	\$734	\$681
Z3672DM	36 x 72 x 29.5-30	100	151	17.46	\$2549	\$2773	\$630	\$585
Z3666DM	36 x 66 x 29.5-30	100	143	16.95	\$2500	\$2706	\$556	\$488
Z3660DM	36 x 60 x 29.5-30	100	143	16.95	\$2500	\$2706	\$504	\$488
Z3072DM	30 x 72 x 29.5-30	100	133	14.70	\$2427	\$2613	\$630	\$488
Z3066DM	30 x 66 x 29.5-30	100	126	14.22	\$2378	\$2564	\$556	\$448
Z3060DM	30 x 60 x 29.5-30	100	120	13.95	\$2327	\$2513	\$504	\$407


Double metal legs. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Freestanding Desk - Metal Legs*

Z3684DML	36 x 84 x 29.5-30	85	167	13.50	\$1946	\$2201	\$840	\$681
Z3672DML	36 x 72 x 29.5-30	85	151	12.04	\$1847	\$2066	\$738	\$585
Z3666DML	36 x 66 x 29.5-30	85	144	11.74	\$1799	\$2005	\$664	\$537
Z3660DML	36 x 60 x 29.5-30	85	135	11.24	\$1749	\$1935	\$614	\$488
Z3072DML	30 x 72 x 29.5-30	85	131	10.50	\$1725	\$1911	\$738	\$488
Z3066DML	30 x 66 x 29.5-30	85	125	10	\$1676	\$1862	\$664	\$448
Z3060DML	30 x 60 x 29.5-30	85	118	9.50	\$1628	\$1814	\$614	\$407

Single metal leg on left and laminate end panel on right. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Freestanding Desk - Metal Legs*

Z3684DMR	36 x 84 x 29.5-30	85	167	13.50	\$1946	\$2201	\$840	\$681
Z3672DMR	36 x 72 x 29.5-30	85	151	12.04	\$1847	\$2066	\$738	\$585
Z3666DMR	36 x 66 x 29.5-30	85	144	11.74	\$1799	\$2005	\$664	\$537
Z3660DMR	36 x 60 x 29.5-30	85	135	11.24	\$1749	\$1935	\$614	\$488
Z3072DMR	30 x 72 x 29.5-30	85	131	10.50	\$1725	\$1911	\$738	\$488
Z3066DMR	30 x 66 x 29.5-30	85	125	10	\$1676	\$1862	\$664	\$448
Z3060DMR	30 x 60 x 29.5-30	85	118	9.50	\$1628	\$1814	\$614	\$407

Single metal leg on right and laminate end panel on left. 12"H laminate modesty panel. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).

Req	ui	ir	ed	Specifications

Top finish Top/edge detail Base finish Lock finish

Optional Specifications

HP laminate Handles Key # Modesty finish glazed* Modesty Type* Grommet position or power block cut-out

Accessories Power block Keyboard Pencil drawer

TRANSITIONAL TABLES





Metal open frame leg with support channels on **left**. To be placed on top of 23.75"/24.25" high units. Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).




RIGHT

Overlapping Table


Z36840MR 3	36 x 84 x 29.5-30	100	132	13.50	\$1780	\$2035	N/A	\$681
Z36720MR 3	36 x 72 x 29.5-30	100	120	12.24	\$1700	\$1955	N/A	\$585
Z36660MR 3	36 x 66 x 29.5-30	100	112	11.74	\$1663	\$1918	N/A	\$537
Z36600MR 3	36 x 60 x 29.5-30	100	105	11.24	\$1632	\$1882	N/A	\$488
Z30720MR 3	30 x 72 x 29.5-30	100	104	10.50	\$1609	\$1851	N/A	\$488
Z30660MR 3	30 x 66 x 29.5-30	100	97	10	\$1571	\$1821	N/A	\$448
Z30600MR 3	30 x 60 x 29.5-30	100	90	9.50	\$1541	\$1791	N/A	\$407

Metal open frame leg with support channels on **right**. To be placed on top of 23.75"/24.25" high units. Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Z3684SOL	36 x 84 x 29.5-30	92.5	139	13.50	\$1799	\$2054	N/A	\$681
Z3672SOL	36 x 72 x 29.5-30	92.5	126	12.24	\$1720	\$1975	N/A	\$585
Z3666SOL	36 x 66 x 29.5-30	92.5	118	11.74	\$1682	\$1937	N/A	\$537
Z3660SOL	36 x 60 x 29.5-30	100	110	11.24	\$1651	\$1901	N/A	\$488
Z3072SOL	30 x 72 x 29.5-30	92.5	108	10.50	\$1628	\$1870	N/A	\$488
Z3066SOL	30 x 66 x 29.5-30	92.5	100	10	\$1590	\$1840	N/A	\$448
Z3060SOL	30 x 60 x 29.5-30	92.5	96	9.50	\$1559	\$1809	N/A	\$407

Metal open frame leg with support channels on left. To be placed on top of 17.87"/18.37" high units. Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).



Overlapping Table

Z3684SOR	36 x 84 x 29.5-30	92.5	139	13.50	\$1799 \$2054	N/A	\$681
Z3672SOR	36 x 72 x 29.5-30	92.5	126	12.24	\$1720 \$1975	N/A	\$585
Z3666SOR	36 x 66 x 29.5-30	92.5	118	11.74	\$1682 \$1937	N/A	\$537
Z3660SOR	36 x 60 x 29.5-30	100	110	11.24	\$1651 \$1901	N/A	\$488
Z3072SOR	30 x 72 x 29.5-30	92.5	108	10.50	\$1628 \$1870	N/A	\$488
Z3066SOR	30 x 66 x 29.5-30	92.5	100	10	\$1590 \$1840	N/A	\$448
Z3060SOR	30 x 60 x 29.5-30	92.5	96	9.50	\$1559 \$1809	N/A	\$407

Metal open frame leg with support channels on right. To be placed on top of 17.87"/18.37" high units. Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN). Shipped RTA (ready to assemble).

Required	l Speci	fications


Top finish Top/edge detail Base finish Leg finish (BLK or TUN)

Optional Specifications

HP laminate

Grommet position or power block cut-out


Accessories Power block Keyboard Pencil drawer




Flush Return - LEFT*




Flush Return - RIGHT*




Flush Return - LEFT*



Flush Return - RIGHT**



Flush Return - LEFT



Flush Return - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2448FL	24 x 48 x 29.5-30	125	155	24	\$1015	\$1117	N/A	\$281
Z2442FL	24 x 42 x 29.5-30	125	144	21.25	\$1015	\$1104	N/A	\$236
Z2048FL	20 x 48 x 29.5-30	125	140	20.25	\$941	\$1030	N/A	\$236
Z2042FL	20 x 42 x 29.5-30	125	130	18	\$941	\$1030	N/A	\$236

Standard with **box/file** drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**. For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.

Z2448FR	24 x 48 x 29.5-30	125	155	24	\$1015	\$1117	N/A	\$281
Z2442FR	24 x 42 x 29.5-30	125	144	21.25	\$1015	\$1104	N/A	\$236
Z2048FR	20 x 48 x 29.5-30	125	140	20.25	\$941	\$1030	N/A	\$236
Z2042FR	20 x 42 x 29.5-30	125	130	18	\$941	\$1030	N/A	\$236

Standard with **box/file** drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**. For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.

Z2448EL	24 x 48 x 29.5-30	65	107	4.30	\$718	\$820	N/A	\$281
Z2442EL	24 x 42 x 29.5-30	65	96	3.80	\$718	\$807	N/A	\$236
Z2048EL	20 x 48 x 29.5-30	65	97	4.30	\$663	\$754	N/A	\$236
Z2042EL	20 x 42 x 29.5-30	65	86	3.80	\$663	\$754	N/A	\$236

Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.

Z2448ER	24 x 48 x 29.5-30	65	107	4.30	\$718	\$820	N/A	\$281
Z2442ER	24 x 42 x 29.5-30	65	96	3.80	\$718	\$807	N/A	\$236
Z2048ER	20 x 48 x 29.5-30	65	97	4.30	\$663	\$754	N/A	\$236
Z2042ER	20 x 42 x 29.5-30	65	86	3.80	\$663	\$754	N/A	\$236

Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.

Z1672RL	15.8 x 72 x 29.5-30	70	109.20	6	\$714	\$839	N/A	\$289
Z1666RL	15.8 x 66 x 29.5-30	70	101.85	5.75	\$684	\$801	N/A	\$289
Z1660RL	1w5.8 x 60 x 29.5-30	70	94.50	5.25	\$645	\$752	N/A	\$240
Z1654RL	15.8 x 54 x 29.5-30	70	87.15	5.25	\$611	\$711	N/A	\$240
Z1648RL	15.8 x 48 x 29.5-30	70	79.80	4.25	\$562	\$650	N/A	\$195
Z1642RL	15.8 x 42 x 29.5-30	70	70.35	4	\$503	\$584	N/A	\$195
Z1636RL	15.8 x 36 x 29.5-30	70	61.95	3.50	\$450	\$522	N/A	\$146

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat.

Z1672RR	15.8 x 72 x 29.5-30	70	109.20	6	\$714	\$839	N/A	\$289
Z1666RR	15.8 x 66 x 29.5-30	70	101.85	5.75	\$684	\$801	N/A	\$289
Z1660RR	15.8 x 60 x 29.5-30	70	94.50	5.25	\$645	\$752	N/A	\$240
Z1654RR	15.8 x 54 x 29.5-30	70	87.15	5.25	\$611	\$711	N/A	\$240
Z1648RR	15.8 x 48 x 29.5-30	70	79.80	4.25	\$562	\$650	N/A	\$195
Z1642RR	15.8 x 42 x 29.5-30	70	70.35	4	\$503	\$584	N/A	\$195
Z1636RR	15.8 x 36 x 29.5-30	70	61.95	3.50	\$450	\$522	N/A	\$146

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate Handles*	Power block
Top/edge detail	Key #	Keyboard
Base finish	Modesty Type	Pencil drawer
Lock finish*	Grommet position or power block cut-out	



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z2448NHR	24 x 48 x 29.5-30	70	83	4.3	\$740	\$852	N/A	\$261
Z2442NHR	24 x 42 x 29.5-30	70	75	3.8	\$642	\$761	N/A	\$232
Z2048NHR	20 x 48 x 29.5-30	70	75	4.3	\$673	\$780	N/A	\$219
Z2042NHR	20 x 42 x 29.5-30	70	67	3.8	\$617	\$693	N/A	\$194

Non-handed (reversible) return. 24"d returns accept all standard 23.4" storage shells. 20"d returns accept all standard 19.3" storage shells. Full modesty panel (laminate only). Shipped RTA (ready to assemble).

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z247216RL	24 x 72 x 29.5-30) 65	135.45	6	\$849	\$1033	N/A	\$384
Z246616RL	24 x 66 x 29.5-30	70	127.05	5.75	\$812	\$981	N/A	\$384
Z246016RL	24 x 60 x 29.5-30	70	117.60	5.25	\$761	\$919	N/A	\$319
Z245416RL	24 x 54 x 29.5-30	70	108.15	5.25	\$718	\$862	N/A	\$319
Z244816RL	24 x 48 x 29.5-30	65	99.75	4.25	\$659	\$789	N/A	\$258
Z244216RL	24 x 42 x 29.5-30	70	88.20	4	\$590	\$707	N/A	\$258
Z243616RL	24 x 36 x 29.5-30	70	77.70	3.50	\$536	\$641	N/A	\$195
Z207216RL	20 x 72 x 29.5-30	70	122.85	6	\$777	\$933	N/A	\$384
Z206616RL	20 x 66 x 29.5-30	70	114.45	5.75	\$740	\$882	N/A	\$384
Z206016RL	20 x 60 x 29.5-30	70	106.05	5.25	\$696	\$827	N/A	\$319
Z205416RL	20 x 54 x 29.5-30	70	97.65	5.25	\$655	\$774	N/A	\$319
Z204816RL	20 x 48 x 29.5-30	70	90.30	4.25	\$602	\$710	N/A	\$258
Z204216RL	20 x 42 x 29.5-30	70	79.80	4	\$540	\$640	N/A	\$258
Z203616RL	20 x 36 x 29.5-30	70	70.35	3.50	\$488	\$573	N/A	\$195

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat. Accepts same depth storage shells under worksurface.

Z247216RR	24 x 72 x 29.5-30	65	135.45	6	\$849	\$1033	N/A	\$384
Z246616RR	24 x 66 x 29.5-30	70	127.05	5.75	\$812	\$981	N/A	\$384
Z246016RR	24 x 60 x 29.5-30	70	117.60	5.25	\$761	\$919	N/A	\$319
Z245416RR	24 x 54 x 29.5-30	70	108.15	5.25	\$718	\$862	N/A	\$319
Z244816RR	24 x 48 x 29.5-30	65	99.75	4.25	\$659	\$789	N/A	\$258
Z244216RR	24 x 42 x 29.5-30	70	88.20	4	\$590	\$707	N/A	\$258
Z243616RR	24 x 36 x 29.5-30	70	77.70	3.50	\$536	\$641	N/A	\$195
Z207216RR	20 x 72 x 29.5-30	70	122.85	6	\$777	\$933	N/A	\$384
Z206616RR	20 x 66 x 29.5-30	70	114.45	5.75	\$740	\$882	N/A	\$384
Z206016RR	20 x 60 x 29.5-30	70	106.05	5.25	\$696	\$827	N/A	\$319
Z205416RR	20 x 54 x 29.5-30	70	97.65	5.25	\$655	\$774	N/A	\$319
Z204816RR	20 x 48 x 29.5-30	70	90.30	4.25	\$602	\$710	N/A	\$258
Z204216RR	20 x 42 x 29.5-30	70	79.80	4	\$540	\$640	N/A	\$258
Z203616RR	20 x 36 x 29.5-30	70	70.35	3.50	\$488	\$573	N/A	\$195

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat. Accepts same depth storage shells under worksurface.

Z2442NRL 24 x 42 x 29.5-30 150 123 21.25 \$1158 \$1250 N/A \$22 Z2048NRL 20 x 48 x 29.5-30 150 114 20.50 \$1102 \$1191 N/A \$21								
Z2048NRL 20 x 48 x 29.5-30 150 114 20.50 \$1102 \$1191 N/A \$21	Z2448NRL	24 x 48 x 29.5-30	150	127	24.25	\$1170 \$1276	N/A	\$261
	Z2442NRL	24 x 42 x 29.5-30	150	123	21.25	\$1158 \$1250	N/A	\$229
72042NBI 20 x 42 x 29 5-30 125 111 18 \$1076 \$1156 N/A \$18	Z2048NRL	20 x 48 x 29.5-30	150	114	20.50	\$1102 \$1191	N/A	\$219
20 12 11 10 4100 11/1 410	Z2042NRL	20 x 42 x 29.5-30	125	111	18	\$1076 \$1156	N/A	\$189

Return has no modesty. File/file pedestal on **left**. Pedestal locks.

	<u>Ι</u> 10" Γ
16' throat 24" SA 1	

Space Saver Return - RIGHT



Full to Floor Return, No Modesty - LEFT

Required Specifications
Top finish
Top/edge detail
Base finish
Lock finish

Optional Specifications
HP laminate Handles*
Key #
Modesty Type*
Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer

RETURNS	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
^	Z2448NRR	D x W x H 24 x 48 x 29.5-30	150	127	24.25	\$1170	\$1276	N/A	\$261
	Z2442NRR	24 x 46 x 29.5-30	150	127	21.25	\$1170	\$1250	N/A N/A	\$229
	Z2048NRR	20 x 48 x 29.5-30	150	114	20.50	\$1102	\$1191	N/A	\$219
	Z2042NRR	20 x 42 x 29.5-30	125	111	18	\$1076	\$1156	N/A	\$189
	ZZOTZINIII	20 X 42 X 20.0 00	120	111	10	ψ1070	ψ1130	IN/ A	\$103
ull to Floor Return, No Modesty - RIGHT	Return has no mod	esty. File/file pedestal or	n right . Pedesta	al locks.					
	Z2448BNRL	24 x 48 x 29.5-30	150	130	24.25	\$1170	\$1276	N/A	\$261
	Z2442BNRL	24 x 42 x 29.5-30	150	126	21.5	\$1158	\$1250	N/A	\$229
	Z2048BNRL	20 x 48 x 29.5-30	150	117	20.5	\$1102	\$1191	N/A	\$219
Market Control (1992)	Z2042BNRL	20 x 42 x 29.5-30	125	113	18	\$1076	\$1156	N/A	\$189
ull to Floor Return, No Modesty - LEFT	Return has no mod	esty. Box/box/file pedes	tal on left . Pede	estal locks.					
	Z2448BNRR	24 x 48 x 29.5-30	150	130	24.25	\$1170	\$1276	N/A	\$261
	Z2442BNRR	24 x 42 x 29.5-30	150	126	21.5	\$1178	\$1250	N/A	\$229
	Z2048BNRR	20 x 48 x 29.5-30	150	117	20.5	\$1102	\$1191	N/A	\$219
	Z2042BNRR	20 x 42 x 29.5-30	125	113	18	\$1076	\$1156	N/A	\$189
		20 X 12 X 2010 00	120			Ψ.σ.σ	41100	,,,	Ţ.00
ull to Floor Return, No Modesty - RIGHT	Return has no mod	esty. Box/box/file pedes	tal on right . Peo	destal locks.					
	Z2448SRL	24 x 48 x 29.5-30	150	135	24.25	\$1272	\$1378	N/A	\$261
	Z2442SRL	24 x 42 x 29.5-30	125	130	21.25	\$1251	\$1343	N/A	\$229
and the second s	Z2048SRL	20 x 48 x 29.5-30	125	123	20.5	\$1205	\$1294	N/A	\$219
	Z2042SRL	20 x 42 x 29.5-30	125	119	18	\$1169	\$1249	N/A	\$189
Full to Floor Return - LEFT	File/file pedestal o	n left . 12"H modesty par	nel. Pedestal lo	cks.					
	Z2448SRR	24 x 48 x 29.5-30	150	135	24.25	\$1272	\$1378	N/A	\$261
	Z2442SRR	24 x 42 x 29.5-30	125	130	21.25	\$1251	\$1343	N/A	\$229
	Z2048SRR	20 x 48 x 29.5-30	125	123	20.5	\$1205	\$1294	N/A	\$219
	Z2042SRR	20 x 42 x 29.5-30	125	119	18	\$1169	\$1249	N/A	\$189
Full to Floor Return - RIGHT	File/file pedestal o	n right . 12"H modesty pa	anel. Pedestal lo	cks.					
	Z2448BSRL	24 x 48 x 29.5-30	150	138	24.25	\$1272	\$1378	N/A	\$261
	Z2442BSRL	24 x 42 x 29.5-30	125	132	21.5	\$1251	\$1343	N/A	\$229
are restaurated to the second	Z2048BSRL	20 x 48 x 29.5-30	125	125	20.5	\$1205	\$1294	N/A	\$219
1	Z2042BSRL	20 x 42 x 29.5-30	125	121	18	\$1169	\$1249	N/A	\$189
Full to Floor Return - LEFT	Box/box/file pedes	tal on left . 12"H modest	y panel. Pedest	al locks.					
Full to Floor Return - LEFT	Box/box/file pedes	tal on left . 12"H modest	y panel. Pedest	al locks.	24.25	\$1272	\$1378	N/A	\$261
ull to Floor Return - LEFT					24.25 21.5	\$1272 \$1251	\$1378 \$1343	N/A N/A	\$261 \$229
ull to Floor Return - LEFT	Z2448BSRR	24 x 48 x 29.5-30	150	138					
Full to Floor Return - LEFT	Z2448BSRR Z2442BSRR	24 x 48 x 29.5-30 24 x 42 x 29.5-30	150 125	138 132	21.5	\$1251	\$1343	N/A	\$229
Full to Floor Return - LEFT Full to Floor Return - RIGHT	Z2448BSRR Z2442BSRR Z2048BSRR Z2042BSRR	24 x 48 x 29.5-30 24 x 42 x 29.5-30 20 x 48 x 29.5-30	150 125 125 125	138 132 125 121	21.5 20.5	\$1251 \$1205	\$1343 \$1294	N/A N/A	\$229 \$219
	Z2448BSRR Z2442BSRR Z2048BSRR Z2042BSRR Box/box/file pedes	24 x 48 x 29.5-30 24 x 42 x 29.5-30 20 x 48 x 29.5-30 20 x 42 x 29.5-30 tal on right . 12"H modes	150 125 125 125 125 sty panel. Pedest	138 132 125 121 121	21.5 20.5	\$1251 \$1205 \$1169	\$1343 \$1294 \$1249	N/A N/A	\$229 \$219
	Z2448BSRR Z2442BSRR Z2048BSRR Z2042BSRR	24 x 48 x 29.5-30 24 x 42 x 29.5-30 20 x 48 x 29.5-30 20 x 42 x 29.5-30 tal on right . 12"H modes	150 125 125 125	138 132 125 121 121	21.5 20.5	\$1251 \$1205	\$1343 \$1294 \$1249 sories	N/A N/A	\$229 \$219

ETURNS	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	70.47001	DxWxH	450	000	05.75	A4=00	44004	N1 /A	
	Z24722L	24 x 72 x 29.5-30	150	206	35.75	\$1528	\$1621	N/A	\$384
	Z24662L	24 x 66 x 29.5-30	150	195	32.75	\$1459	\$1551	N/A	\$384
	Z24602L	24 x 60 x 29.5-30	125	184	30	\$1389	\$1482	N/A	\$353
	Z24542L	24 x 54 x 29.5-30	150	165	29.75	\$1320	\$1413	N/A	\$353
	Z24482L	24 x 48 x 29.5-30	125	156	24.25	\$1250	\$1343	N/A	\$281
	Z20722L	20 x 72 x 29.5-30	150	169	30.25	\$1343	\$1436	N/A	\$384
<i>></i>	Z20662L	20 x 66 x 29.5-30	150	162	27.75	\$1320	\$1413	N/A	\$384
	Z20602L	20 x 60 x 29.5-30	125	153	25.25	\$1297	\$1389	N/A	\$319
	Z20542L	20 x 54 x 29.5-30	150	136	23	\$1274	\$1366	N/A	\$319
				100	20 5	\$1213	\$1297	N/A	\$236
$\downarrow \frown$	Z20482L	20 x 48 x 29.5-30	125	129	20.5	\$1213	\$1237	IV/A	4230
II to Floor Flush Return - LEFT		20 x 48 x 29.5-30 e/file pedestal on left. Gro						IV/A	\$2.50
Il to Floor Flush Return - LEFT	Standard with fil							N/A	ΨΣΟ
II to Floor Flush Return - LEFT	Standard with fil	e/file pedestal on left. Gro	ommet in works					,	·
Il to Floor Flush Return - LEFT	Standard with fil Does not acco	e/file pedestal on left . Grommodate storage shells.	ommet in workst	urface. One	pencil tray. P	edestal lo	cks. \$1841	N/A	\$384
II to Floor Flush Return - LEFT	Standard with fil Does not acco Z24723L Z24663L	e/file pedestal on left . Grommodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30	ommet in worksu 125 125	171 171	24.5 24.5	edestal lo	\$1841 \$1795	N/A N/A	\$384 \$384
II to Floor Flush Return - LEFT	Standard with fil Does not acco Z24723L Z24663L Z24603L	e/file pedestal on left . Grommodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30 24 x 60 x 29.5-30	125 125 125 125	171 171 171 171	24.5 24.5 24.5 24.5	\$1686 \$1656 \$1549	\$1841 \$1795 \$1682	N/A N/A N/A	\$384 \$384 \$353
I to Floor Flush Return - LEFT	Standard with fil Does not acco Z24723L Z24663L	e/file pedestal on left . Grommodate storage shells. 24 x 72 x 29.5-30 24 x 66 x 29.5-30	ommet in worksu 125 125	171 171	24.5 24.5	edestal lo	\$1841 \$1795	N/A N/A	\$384 \$384




Full to Floor Flush Return - LEFT

Z24723L	24 x 72 x 29.5-30	125	171	24.5	\$1686 \$1841	N/A	\$384
Z24663L	24 x 66 x 29.5-30	125	171	24.5	\$1656 \$1795	N/A	\$384
Z24603L	24 x 60 x 29.5-30	125	171	24.5	\$1549 \$1682	N/A	\$353
Z24543L	24 x 54 x 29.5-30	125	171	24.5	\$1496 \$1617	N/A	\$353
Z24483L	24 x 48 x 29.5-30	125	171	24.5	\$1411 \$1519	N/A	\$281
Z20723L	20 x 72 x 29.5-30	65	97	4.3	\$1543 \$1675	N/A	\$384
Z20663L	20 x 66 x 29.5-30	65	97	4.3	\$1492 \$1619	N/A	\$384
Z20603L	20 x 60 x 29.5-30	65	97	4.3	\$1466 \$1580	N/A	\$319
Z20543L	20 x 54 x 29.5-30	65	97	4.3	\$1406 \$1514	N/A	\$319
Z20483L	20 x 48 x 29.5-30	125	154	20.75	\$1373 \$1467	N/A	\$236

Standard with box/box/file pedestal on left. Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock.

• Does not accommodate storage shells.






Standard with file/file pedestal on right. Grommet in worksurface. One pencil tray. Pedestal locks.

• Does not accommodate storage shells.

Z24723R	24 x 72 x 29.5-30	125	171	24.5	\$1686 \$1841	N/A	\$384
Z24663R	24 x 66 x 29.5-30	125	171	24.5	\$1656 \$1795	N/A	\$384
Z24603R	24 x 60 x 29.5-30	125	171	24.5	\$1549 \$1682	N/A	\$353
Z24543R	24 x 54 x 29.5-30	125	171	24.5	\$1496 \$1617	N/A	\$353
Z24483R	24 x 48 x 29.5-30	125	171	24.5	\$1411 \$1519	N/A	\$281
Z20723R	20 x 72 x 29.5-30	65	97	4.3	\$1543 \$1675	N/A	\$384
Z20663R	20 x 66 x 29.5-30	65	97	4.3	\$1492 \$1619	N/A	\$384
Z20603R	20 x 60 x 29.5-30	65	97	4.3	\$1466 \$1580	N/A	\$319
Z20543R	20 x 54 x 29.5-30	65	97	4.3	\$1406 \$1514	N/A	\$319
Z20483R	20 x 48 x 29.5-30	125	154	20.75	\$1373 \$1467	N/A	\$236



Full to Floor Flush Return - RIGHT

Standard with box/box/file pedestal on right. Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock. • Does not accommodate storage shells.

Required Specifications	Optional Specifications	Accessories	
Top finish	HP laminate	Power block	
Top/edge detail	Key #	Keyboard	
Base finish	Grommet position or power block cut-out	Pencil drawer	
Handles			



METAL LEG RETURNS

Return w/Metal Legs - LEFT*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3672MRL	36 x 72 x 29	100	116	11.25	\$1101	\$1301	N/A	\$624
Z3072MRL	30 x 72 x 29	92.5	100	10	\$1008	\$1182	N/A	\$513
Z3066MRL	30 x 66 x 29	70	94	9.75	\$970	\$1125	N/A	\$513
Z3060MRL	30 x 60 x 29	70	88	9.25	\$925	\$1073	N/A	\$477
Z2472MRL	24 x 72 x 29	70	85	8.25	\$925	\$1064	N/A	\$384
Z2466MRL	24 x 66 x 29	70	80	8	\$890	\$1017	N/A	\$384
Z2460MRL	24 x 60 x 29	70	75	7.75	\$853	\$974	N/A	\$353
Z2448MRL	24 x 48 x 29	70	56	5.75	\$736	\$830	N/A	\$281

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN).

• Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

Z3672MRR	36 x 72 x 29	100	116	11.25	\$1101	\$1301	N/A	\$624
Z3072MRR	30 x 72 x 29	92.5	100	10	\$1008	\$1182	N/A	\$513
Z3066MRR	30 x 66 x 29	70	94	9.75	\$970	\$1125	N/A	\$513
Z3060MRR	30 x 60 x 29	70	88	9.25	\$925	\$1073	N/A	\$477
Z2472MRR	24 x 72 x 29	70	85	8.25	\$925	\$1064	N/A	\$384
Z2466MRR	24 x 66 x 29	70	80	8	\$890	\$1017	N/A	\$384
Z2460MRR	24 x 60 x 29	70	75	7.75	\$853	\$974	N/A	\$353
Z2448MRR	24 x 48 x 29	70	56	5.75	\$736	\$830	N/A	\$281

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). Not freestanding. Metal leg available in Black (BLK) or Tungsten (TUN).

• Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

Z72LMP	.69 x 66 x 18.1	70	28	1.25	\$291	N/A	N/A	N/A
Z66LMP	.69 x 60 x 18.1	65	26	1	\$278	N/A	N/A	N/A
Z60LMP	.69 x 54 x 18.1	65	23	1	\$259	N/A	N/A	N/A
Z48LMP	.69 x 42 x 18.1	65	19	.75	\$219	N/A	N/A	N/A

For returns with metal legs. Modular laminate modesty panel. Specify model # corresponding to worksurface length.



Return w/Metal Legs - RIGHT*




Melamine Modesty Panel

Flush Bridge*

Flush Bridge

BRIDGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	Z2448FB	24 x 48 x 29.5-30	70	91	4.30	\$627	\$729	N/A	\$258
\wedge	Z2442FB	24 x 42 x 29.5-30	70	79	3.80	\$580	\$669	N/A	\$258
	Z2436FB	24 x 36 x 29.5-30	70	69	3.30	\$580	\$669	N/A	\$195
/	Z2048FB	20 x 48 x 29.5-30	70	83	4.30	\$609	\$698	N/A	\$258
± 1436°42°	Z2042FB	20 x 42 x 29.5-30	70	72	3.80	\$564	\$653	N/A	\$258
20"24"	Z2036FB	20 x 36 x 29.5-30	70	63	3.30	\$564	\$653	N/A	\$195


Top surface, back panel and hardware to create a "U" shape by connecting two units with full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).



Z1648B	15.8 x 48 x 29.5-30	70	66.15	4.25	\$476	\$564	N/A	\$195
Z1642B	15.8 x 42 x 29.5-30	70	59.85	3.75	\$416	\$497	N/A	\$195

16" Throat. Top surface, back panel and hardware to create a "U" shape by connecting two units with a 16" throat and full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).


Required Specifica	tions	Optional Speci	fications	Accessories	
Top finish		HP laminate	Handles	Power block	
Top/edge detail		Key #		Pencil drawer	
Base finish	Lock finish	Modesty type			
Lea finish* (BLK or TI	INI)	Grommet position	n or nower block cut-ou	t	




Space Saver Bridge - LEFT




Space Saver Bridge - RIGHT



Overlapping Bridge - LEFT*



Overlapping Bridge - RIGHT*



Flush Bridge

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
	D x W x H						
Z244816BL	24 x 48 x 29.5-30	70	82	4.25	\$556	\$686	N/A \$258
Z244216BL	24 x 42 x 29.5-30	70	71	3.75	\$489	\$606	N/A \$258
Z214816BL	21 x 48 x 29.5-30	70	76	4.25	\$516	\$624	N/A \$258
Z214216BL	21 x 42 x 29.5-30	70	65	3.75	\$447	\$547	N/A \$258

16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16"throat. Grommet in worksurface. Shipped RTA (ready to assemble).

Z244816BR	24 x 48 x 29.5-30	70	82	4.25	\$556 \$686	N/A	\$258
Z244216BR	24 x 42 x 29.5-30	70	71	3.75	\$489 \$606	N/A	\$258
Z214816BR	21 x 48 x 29.5-30	70	76	4.25	\$516 \$624	N/A	\$258
Z214216BR	21 x 42 x 29.5-30	70	65	3.75	\$447 \$547	N/A	\$258

16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16"throat. Grommet in worksurface. Shipped RTA (ready to assemble).

Z2468TRL	24 x 68 x 5.9	85	64	5.25	\$590	\$745	N/A	\$370
Z2462TRL	24 x 62 x 5.9	85	59	4.70	\$550	\$690	N/A	\$336
Z2472TRL	24 x 72 x 5.9	85	64	5.25	\$600	\$755	N/A	\$390
Z2466TRL	24 x 66 x 5.9	85	62	4.70	\$564	\$706	N/A	\$358

For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on left.

- Use Z2462TRR and Z2468TRR for 20"D storage.
- Use Z2466TRR and Z2472TRR for 24"D storage.

Z2468TRR	24 x 68 x 5.9	85	64	5.25	\$590	\$745	N/A	\$370
Z2462TRR	24 x 62 x 5.9	85	59	4.70	\$550	\$690	N/A	\$336
Z2472TRR	24 x 72 x 5.9	85	64	5.25	\$600	\$755	N/A	\$390
Z2466TRR	24 x 66 x 5.9	85	62	4.70	\$564	\$706	N/A	\$358

For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on right.

- Use Z2462TRR and Z2468TRR for 20"D storage.
- Use Z2466TRR and Z2472TRR for 24"D storage.

Z24483BR	24 x 48 x 13-13.5	70	55	3.50	\$627	\$729	N/A	\$258
Z24423BR	24 x 42 x 13-13.5	70	48	3.10	\$580	\$705	N/A	\$229
Z24363BR	24 x 36 x 13-13.5	70	43	2.70	\$580	\$688	N/A	\$197
Z20483BR	20 x 48 x 13-13.5	70	48	3	\$609	\$728	N/A	\$219
Z20423BR	20 x 42 x 13-13.5	70	43	2.70	\$564	\$670	N/A	\$189
Z20363BR	20 x 36 x 13-13.5	70	38	2.40	\$564	\$656	N/A	\$164

12"H modesty panel.


Required Specifications

Top finish Top/edge detail Base finish Optional Specifications

HP laminate

Grommet position or power block cut-out

Accessories
Power block
Pencil drawer*



Transitional Bridge - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	D x W x H						
Z2148TRBL	21 x 48 x 29.5-30	70	75.83	4.25	\$537	\$645	N/A \$258
Z2142TRBL	21 x 42 x 29.5-30	70	64.78	3.75	\$469	\$569	N/A \$258


For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

	16" thoat 21"
\sim \sim \sim	

Transitional Bridge - RIGHT

Z2148TRBR	21 x 48 x 29.5-30	70	75.83	4.25	\$537	\$645	N/A	\$258
Z2142TRBR	21 x 42 x 29.5-30	70	64.78	3.75	\$469	\$569	N/A	\$258


For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).



Transitional Bridge - LEFT

Z1648TRBL	16 x 48 x 29.5-30	70	68.58	4.25	\$496	\$584	N/A	\$195
Z1642TRBL	16 x 42 x 29.5-30	70	58.96	3.75	\$438	\$521	N/A	\$195

For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).



Transitional Bridge - RIGHT

Z1648TRBR	16 x 48 x 29.5-30	70	68.58	4.25	\$496	\$584	N/A	\$195
Z1642TRBR	16 x 42 x 29.5-30	70	58.96	3.75	\$438	\$521	N/A	\$195

For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

	Required	Specifications
--	----------	-----------------------

Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Grommet position or power block cut-out Accessories Power block Pencil drawer*

	MODEL#	DIMENSIONS FREIGHT CLAS	S WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
\wedge	Z2472LOFL	24 x 72 x 17.87-18.37 125	181	22.75	\$1626	\$1759	N/A	\$390
	Z2460L0FL	24 x 60 x 17.87-18.37 100	160	19.25	\$1444	\$1555	N/A	\$327
	Z2072L0FL	20 x 72 x 17.87-18.37 100	164	19.25	\$1515	\$1626	N/A	\$327
	Z2060L0FL	20 x 60 x 17.87-18.37 100	143	16.25	\$1335	\$1427	N/A	\$273
							,	
al File Credenza - LEFT	1 high lateral file o	on the left , open storage on the right .						
_	Z2472LOFR	24 x 72 x 17.87-18.37 125	181	22.75	\$1626	\$1759	N/A	\$390
	Z2460L0FR	24 x 60 x 17.87-18.37 100	160	19.25	\$1444	\$1555	N/A	\$327
	Z2072L0FR	20 x 72 x 17.87-18.37 100	164	19.25	\$1515	\$1626	N/A	\$327
	Z2060LOFR	20 x 60 x 17.87-18.37 100	143	16.25	\$1335	\$1427	N/A	\$273
al File Credenza - RIGHT	1 high lateral file o	on the right , open storage on the left .						
	704701051	04 70 47 07 40 07 400	107	00.75	64005	*****	0400	4000
	Z2472LSFL Z2460LSFL	24 x 72 x 17.87-18.37 100	197	22.75	\$1895	\$2028	\$403	\$390
		24 x 60 x 17.87-18.37 100	174	19.25	\$1708	\$1819	\$359	\$327
	Z2072LSFL Z2060LSFL	20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100	178 155	19.25 16.25	\$1774 \$1592	\$1885 \$1684	\$403 \$359	\$327 \$273
al File Credenza - LEFT*	1 high lateral file	on the left , closed storage on the righ	t.					
	i nign laterar me v							
	Z2472LSFR	24 x 72 x 17.87-18.37 100	197	22.75	\$1895	\$2028	\$403	\$390
	Z2472LSFR Z2460LSFR	24 x 60 x 17.87-18.37 100	197 174	19.25	\$1708	\$1819	\$359	\$327
	Z2472LSFR Z2460LSFR Z2072LSFR	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 174 178	19.25 19.25	\$1708 \$1774	\$1819 \$1885	\$359 \$403	\$327 \$327
	Z2472LSFR Z2460LSFR	24 x 60 x 17.87-18.37 100	197 174	19.25	\$1708	\$1819	\$359	\$327
al File Credenza - RIGHT*	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 174 178 155	19.25 19.25	\$1708 \$1774	\$1819 \$1885	\$359 \$403	\$327 \$327
al File Credenza - RIGHT*	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef	197 174 178 155	19.25 19.25 16.25	\$1708 \$1774 \$1592	\$1819 \$1885 \$1684	\$359 \$403 \$359	\$327 \$327 \$273
al File Credenza - RIGHT*	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR Table 10	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef	197 174 178 155 t .	19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873	\$1819 \$1885 \$1684 \$2006	\$359 \$403 \$359 N/A	\$327 \$327 \$273 \$390
al File Credenza - RIGHT*	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the company of th	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100	197 174 178 155 t .	19.25 19.25 16.25 22.75 19.25	\$1708 \$1774 \$1592 \$1873 \$1709	\$1819 \$1885 \$1684 \$2006 \$1820	\$359 \$403 \$359 N/A N/A	\$327 \$327 \$273 \$390 \$327
al File Credenza - RIGHT*	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR Table 10	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef	197 174 178 155 t .	19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873	\$1819 \$1885 \$1684 \$2006	\$359 \$403 \$359 N/A	\$327 \$327 \$273 \$390
	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 174 178 155 t .	19.25 19.25 16.25 22.75 19.25 19.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865	\$359 \$403 \$359 N/A N/A N/A	\$327 \$327 \$273 \$390 \$327 \$327
	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100	197 174 178 155 t. 197 176 178 157	19.25 19.25 16.25 22.75 19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754 \$1595	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865 \$1688	\$359 \$403 \$359 N/A N/A N/A N/A	\$327 \$327 \$273 \$273 \$390 \$327 \$327 \$273
	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 vers on the left , open storage on the ri	197 174 178 155 t. 197 176 178 157	19.25 19.25 16.25 22.75 19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754 \$1595	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865 \$1688	\$359 \$403 \$359 N/A N/A N/A N/A	\$327 \$327 \$273 \$273 \$390 \$327 \$327 \$273
	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 vers on the left , open storage on the ri 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 24 x 72 x 17.87-18.37 100 24 x 72 x 17.87-18.37 100	197 174 178 155 t. 197 176 178 157 ght . 197	19.25 19.25 16.25 22.75 19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754 \$1595	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865 \$1688	\$359 \$403 \$359 N/A N/A N/A N/A	\$327 \$327 \$273 \$273 \$390 \$327 \$273
	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 vers on the left , open storage on the ri 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100	197 174 178 155 t . 197 176 178 157 ght .	19.25 19.25 16.25 22.75 19.25 19.25 16.25 22.75 19.25 19.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754 \$1595	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865 \$1688 \$2006 \$1819 \$1865	\$359 \$403 \$359 N/A N/A N/A N/A N/A	\$327 \$327 \$273 \$273 \$390 \$327 \$273 \$390 \$327 \$327
al File Credenza - RIGHT* d Storage Credenza - LEFT	Z2472LSFR Z2460LSFR Z2072LSFR Z2060LSFR 1 high lateral file of the second seco	24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 on the right , closed storage on the lef 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 20 x 72 x 17.87-18.37 100 20 x 60 x 17.87-18.37 100 vers on the left , open storage on the ri 24 x 72 x 17.87-18.37 100 24 x 60 x 17.87-18.37 100 24 x 72 x 17.87-18.37 100 24 x 72 x 17.87-18.37 100	197 174 178 155 t. 197 176 178 157 ght . 197	19.25 19.25 16.25 22.75 19.25 19.25 16.25	\$1708 \$1774 \$1592 \$1873 \$1709 \$1754 \$1595	\$1819 \$1885 \$1684 \$2006 \$1820 \$1865 \$1688	\$359 \$403 \$359 N/A N/A N/A N/A	\$327 \$327 \$273 \$273 \$390 \$327 \$273

Required	Specifications

Top finish
Top/edge detail
Base finish
Handles


Optional Specifications
HP laminate Key # Glazed doors* Box drawer - no upcharge

Z

	MODEL#		GHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HPA
^	Z2472HBFL	D x W x H 24 x 72 x 23.75-24.25	125	229	29.25	\$2037	\$2170	N/A	\$39
	Z2460HBFL	24 x 60 x 23.75-24.25		201	24.50	\$1805	\$1916	N/A	\$32
	Z2072HBFL	20 x 72 x 23.75-24.25		207	24.75	\$1919	\$2030	N/A	\$32
	Z2060HBFL	20 x 60 x 23.75-24.25		180	20.75	\$1691	\$1784	N/A	\$2
eral File Credenza - LEFT	1.5 high box/later	al file on the left , open stora	ge on the rig	ht.					
^	Z2472HBFR	24 x 72 x 23.75-24.25	125	229	29.25	\$2037	\$2170	N/A	\$3
	Z2460HBFR	24 x 60 x 23.75-24.25		201	24.50	\$1805	\$1916	N/A	\$3
	Z2072HBFR	20 x 72 x 23.75-24.25		207	24.75	\$1919	\$2030	N/A	\$3
	Z2060HBFR	20 x 60 x 23.75-24.25		180	20.75	\$1691	\$1784	N/A	\$2
oral File Credenza - RIGHT	Z2472HFSL Z2460HFSL Z2072HFSL Z2060HFSL	24 x 72 x 23.75-24.25 24 x 60 x 23.75-24.25 20 x 72 x 23.75-24.25 20 x 60 x 23.75-24.25	100 100 100	251 221 227 198	29.25 24.50 24.75 20.75	\$2384 \$2126 \$2239 \$2001	\$2517 \$2237 \$2350 \$2094	\$553 \$479 \$553 \$479	\$3 \$3 \$3 \$2
ral File Credenza - LEFT	1.5 high box/later	al file on the left , closed stor	age on the ri	ght.					
~	Z2472HFSR	24 x 72 x 23.75-24.25	100	251	29.25	\$2384	\$2517	\$553	\$3
	Z2460HFSR	24 x 60 x 23.75-24.25	100	221	24.50	\$2126	\$2237	\$479	\$3
	Z2072HFSR	20 x 72 x 23.75-24.25	100	227	24.75	\$2239	\$2350	\$553	\$3
	Z2060HFSR	20 x 60 x 23.75-24.25	100	198	20.75	\$2001	\$2094	\$479	\$2
			orage on the						

Required Specifications
Top finish
Top/edge detail
Base finish
Handles

Optional Specifications
HP laminate
Key # Glazed doors*
Box drawer - no upcharge



Center Storage Credenza**

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals
and doors lock, keyed alike. Two pencil trays.

WT/LBS.

286

CUBIC FT.

30

1"TOP

\$2059

\$2564

1.5" TOP GLAZE ADD HP ADD

\$677

\$384

FREIGHT CLASS

100

DIMENSIONS

D x W x H 20 x 72 x 29.5-30

MODEL#

Z2072C

M	<i>></i> • • •

Kneespace Credenza*

Z2472CK	24 x 72 x 29.5-30	125	262	35.50	\$1671	\$1954	N/A	\$384
Z2466CK	24 x 66 x 29.5-30	125	250	33	\$1671	\$1893	N/A	\$384
Z2072CK	20 x 72 x 29.5-30	125	235	30	\$1596	\$1758	N/A	\$384
Z2066CK	20 x 66 x 29.5-30	100	225	27.75	\$1596	\$1723	N/A	\$384
Z2060CK	20 x 60 x 29.5-30	100	219	25.25	\$1535	\$1637	N/A	\$319

Standard with box/file pedestals on both sides. Center is open. Pedestals lock, keyed alike. Two pencil trays. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- LEFT*

Z2472CS2L	24 x 72 x 29.5-30	100	228	25.75	\$1571	\$1731	N/A	\$384
Z2466CS2L	24 x 66 x 29.5-30	125	217	32.75	\$1542	\$1690	N/A	\$384
Z2072CS2L	20 x 72 x 29-29.5	125	203	30.25	\$1440	\$1573	N/A	\$384
72066CS2I	20 x 66 x 29-29 5	125	193	27 75	\$1386	\$1506	N/A	\$384

Standard with full to floor file/file pedestal on the left. Pedestal locks. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- RIGHT*

Z2472CS2R	24 x 72 x 29.5-30	100	228	25.75	\$1571	\$1731	N/A	\$384
Z2466CS2R	24 x 66 x 29.5-30	125	217	32.75	\$1542	\$1690	N/A	\$384
Z2072CS2R	20 x 72 x 29.5-30	125	203	30.25	\$1440	\$1573	N/A	\$384
72066CS2R	20 x 66 x 29 5-30	125	193	27 75	\$1386	\$1506	N/A	\$384

Standard with full to floor file/file pedestal on the right. Pedestal locks. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- LEFT*

Z2472CS4L	24 x 72 x 29-29.5	125	228	35.75	\$1635	\$1795	N/A	\$384
Z2466CS4L	24 x 66 x 29-29.5	125	217	32.75	\$1609	\$1757	N/A	\$384
Z2072CS4L	20 x 72 x 29-29.5	125	203	30.25	\$1492	\$1622	N/A	\$384
Z2066CS4L	20 x 66 x 29-29.5	125	193	25.75	\$1440	\$1567	N/A	\$384

Standard with full to floor box/box/file pedestal on the **left**. File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.



Full to Floor Single Pedestal Credenza- RIGHT*

Z2472CS4R	24 x 72 x 29-29.5	125	228	35.75	\$1635	\$1795	N/A	\$384
Z2466CS4R	24 x 66 x 29-29.5	125	217	32.75	\$1609	\$1757	N/A	\$384
Z2072CS4R	20 x 72 x 29-29.5	125	203	30.25	\$1492	\$1624	N/A	\$384
Z2066CS4R	20 x 66 x 29-29.5	125	193	25.75	\$1440	\$1567	N/A	\$384

Standard with full to floor box/box/file pedestal on the **right**. File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.

Required	Specifications
Top finish	
Top/edge	detail
Base finisl	h
Lock finish	1*

Optional Specifications						
HP laminate	Handles*					
Key #*	Glazed door**					
Modesty type (or	nly Z2xxxxCK)					
Crammat positio	Crammat pasition or parrow block out out					

Accessories
Keyboard**
Power block (not Z2072C)
Pencil drawer (Z2472S2L/R only)





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
	D x W x H								_
Z2472SCSC	24 x 72 x 29.5-3	30 100	345	35.75	\$2254	\$2410	\$1516	\$384	
Z2072SCSC	20 x 72 x 29.5-3	92.5	315	30.25	\$1981	\$2148	\$1516	\$384	

Storage Cabinet Credenza**

Two storage cabinets side-by-side. Hinged doors cover one adjustable shelf. Locking doors keyed alike.

Z2472LF2	24 x 72 x 29.5-30	100	345	35.75	\$2600	\$2966	N/A	\$384
Z2072LF2	20 x 72 x 29.5-30	92.5	315	30.25	\$2547	\$2963	N/A	\$384

Lateral File Credenza**

Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension





Z2472LS	24 x 72 x 29.5-30	100	321	35.75	\$2326	\$2679	\$760	\$384
Z2072LS	20 x 72 x 29.5-30	100	286	30.25	\$2273	\$2677	\$760	\$384

Lateral File/Storage Cabinet Credenza**

One 2-drawer lateral file and one storage cabinet. Locking door/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension.

• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.






Z482036BD	20 x 48 x 36	125	163	22.50	\$2209	\$2338	\$953	\$415

Buffet Credenza**

Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.



Z722036BD	20 x 72 x 36	125	242	33.50	\$3203	\$3360	\$1902	\$668
Z602036BD	20 x 60 x 36	125	188	28	\$2777	\$2919	\$1747	\$542

Glazed door option

Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.



Buffet Credenza*

Z2472LKL	24 x 72 x 29.5-30	125	262	35.75	\$2045 \$2	359 N/A	\$384
Z2072LKL	20 x 72 x 29.5-30	125	235	30.25	\$1993 \$2	360 N/A	\$384

Kneespace Lateral File Credenza - LEFT

One 2-drawer lateral file on the left. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications	Optional Speci	fications	Accessories
Top finish	HP laminate	Handles*	Keyboard**
Top/edge detail	Key #*	Glazed door**	Power block (not Z2072C)
Base finish	Modesty type (or	nly Z2xxxxCK)	Pencil drawer (Z2472S2L/R only)
Lock finish*	Grommet positio	n or power block cut-out	



V		File	0	DICHT	
Kneespace	Laterai	riie	Gredenza	- KIGH I	

MODEL# FREIGHT CLASS DIMENSIONS WT/LBS. CUBIC FT. 1"TOP 1.5" TOP GLAZE ADD HP ADD DxWxH Z2472LKR 262 24 x 72 x 29.5-30 125 35.75 N/A \$384 \$2045 \$2359 Z2072LKR 20 x 72 x 29.5-30 125 235 30.25 \$1993 \$2360 N/A \$384

One 2-drawer lateral file on the right. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Kneespace Storage	Cabinet
Credenza- LEFT**	

Z2472SKL	24 x 72 x 29.5-30	125	241	35.75	\$1612	\$1939	\$760	\$384
Z2072SKL	20 x 72 x 29.5-30	125	207	30.25	\$1559	\$1936	\$760	\$384

One storage cabinet on the left. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.





	Z2472SKR	24 x 72 x 29.5-30	125	241	35.75	\$1612	\$1939	\$760	\$384
Z2072SKR 20 x 72 x 29.5-30 125 207 30.25 \$1559 \$193	Z2072SKR	20 x 72 x 29.5-30	125	207	30.25	\$1559	\$1936	\$760	\$384

Kneespace Storage Cabinet Credenza- RIGHT**

One storage cabinet on the right. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

Required Specifications

Top finish Base finish Top/edge detail Handles* Lock finish*

Optional Specifications HP laminate Handles

Glazed door* Grommet position or power block cut-out Accessories

Power block


3-SIDED CORNERS	
	1 1 23.0-4 1 1 2 2.0-4 1 2 2

5-Sided Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z42245C	42 x 42 x 29.5-3	0 65	133	5.75	\$978	\$1187	N/A	\$513

Connects to **30"D** space saver connectable surfaces, **24"D** connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not Freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 20" Throat

2422050 42 x 42 x 29.5-30 /0 129 5.75 \$9/8 \$118/ N/A \$ 5	Z42205C		70	129	5.75	\$978	\$1187	N/A	\$513
---	---------	--	----	-----	------	-------	--------	-----	-------

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 16" Throat

Z42165C	42 x 42 x 29.5-30	70	124	5.75	\$1007	\$1159	N/A	\$510

Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge




5-Sided Corner, 20" Throat

Z36205C	36 x 36 x 29.5-30	65	109	4.80	\$827	\$947	N/A	\$332

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge



5-Sided Corner, 16" Throat

Z36165C	36 x 36 x 29.5-30	70	105	4.80	\$881	\$999	N/A	\$289


Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding*.

- Modesty Panel is 1" off of ground.
- Full End Panel(s) are available add 15% upcharge

K	eq	uired	S	peci	itica	tions
To	р	finish				
т.		/l		4 - 11		

Accessories
Power block
Keyboard (*Not available on Z36165C*)

Top finish Top/edge detail Base finish



Single Pedestal Bow Top Extended Corner Desk - LEFT*



Extended worksurface on right. Standard with Freestanding full to floor file/file pedestal on left and faux pedestal on right. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 21/4" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284EB3L	42 x 84 x 29.5-30	70	315	20.50	\$2106	\$2395	\$916	\$1015
Z4272EB3L	42 x 72 x 29.5-30	150	329	59	\$2083	\$2333	\$760	\$762
Z3672EB3L	36 x 72 x 29.5-30	150	270.90	50.75	\$1910	\$2129	\$760	\$573
Z3666EB3L	36 x 66 x 29.5-30	150	259.35	46.75	\$1856	\$2057	\$678	\$573
Z3660EB3L	36 x 60 x 29.5-30	125	255.15	42.50	\$1825	\$2008	\$600	\$477

Extended worksurface on right. Standard with Freestanding full to floor box/box/file pedestal on left and faux pedestal on right. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 21/4" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk.

Z4284E2L	42 x 84 x 29.5-30	70	321.30	20.50	\$2171	\$2447	\$916	\$1015
Z3684E2L	36 x 84 x 29.5-30	250	311.85	118	\$2082	\$2358	\$916	\$762
Z3672E2L	36 x 72 x 29.5-30	150	278.25	50.75	\$1867	\$2074	\$760	\$573
Z3666E2L	36 x 66 x 29.5-30	150	265.65	46.75	\$1817	\$2006	\$678	\$573
Z3660E2L	36 x 60 x 29.5-30	125	259.35	42.50	\$1786	\$1958	\$600	\$477


Extended worksurface on right. Standard with Freestanding full to floor file/file pedestal on left and faux pedestal on right. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk


Z4284E3L	42 x 84 x 29.5-30	70	318.15	20.50	\$2098	\$2374	\$916	\$1015
Z3684E3L	36 x 84 x 29.5-30	250	309.75	118	\$2115	\$2390	\$916	\$762
Z3672E3L	36 x 72 x 29.5-30	150	275.10	50.75	\$1905	\$2112	\$760	\$573
Z3666E3L	36 x 66 x 29.5-30	150	263.55	46.75	\$1853	\$2042	\$678	\$573
Z3660E3L	36 x 60 x 29.5-30	125	257.25	42.50	\$1821	\$1991	\$600	\$477

Extended worksurface on right. Standard with Freestanding full to floor box/box/file pedestal on left and faux pedestal on right. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 21/4".


- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk.



Single Pedestal Bow Top Extended Corner Desk - LEFT*



Single Pedestal Extended Corner Desk - LEFT*




Single Pedestal Extended Corner Desk - LEFT


Required Specifications Top finish Top/edge detail Lock finish Base finish

Optional Specifications HP laminate Handles Modesty panel type Grommet position or power block cut-out

Accessories Power block Keyboard Pencil drawer



Single Pedestal Bow Top Extended Corner Desk - RIGHT



Extended worksurface on right. Standard with faux pedestal on **left** and **Freestanding** full to floor file/file pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284EB3R	42 x 84 x 29.5-30	70	315	20.50	\$2106	\$2395	\$916	\$1015
Z4272EB3R	42 x 72 x 29.5-30	150	329	59	\$2083	\$2333	\$760	\$762
Z3672EB3R	36 x 72 x 29.5-30	150	270.90	50.75	\$1910	\$2129	\$760	\$573
Z3666EB3R	36 x 66 x 29.5-30	150	259.35	46.75	\$1856	\$2057	\$678	\$573
Z3660EB3R	36 x 60 x 29.5-30	125	255.15	42.50	\$1825	\$2008	\$600	\$477

Extended worksurface on right. Standard with faux pedestal on **left** and **Freestanding** full to floor box/box/file pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- · Hutches may not be placed on this desk.

Z4284E2R	42 x 84 x 29.5-30	70	321.30	20.50	\$2171	\$2447	\$916	\$1015
Z3684E2R	36 x 84 x 29.5-30	250	311.85	118	\$2082	\$2358	\$916	\$762
Z3672E2R	36 x 72 x 29.5-30	150	278.25	50.75	\$1867	\$2074	\$760	\$573
Z3666E2R	36 x 66 x 29.5-30	150	265.65	46.75	\$1817	\$2006	\$678	\$573
Z3660E2R	36 x 60 x 29.5-30	125	259.35	42.50	\$1786	\$1958	\$600	\$477


Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **right** and faux pedestal on **left**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk


Z4284E3R	42 x 84 x 29.5-30	70	318.15	20.50	\$2098	\$2374	\$916	\$1015
Z3684E3R	36 x 84 x 29.5-30	250	309.75	118	\$2115	\$2390	\$916	\$762
Z3672E3R	36 x 72 x 29.5-30	150	275.10	50.75	\$1905	\$2112	\$760	\$573
Z3666E3R	36 x 66 x 29.5-30	150	263.55	46.75	\$1853	\$2042	\$678	\$573
Z3660E3R	36 x 60 x 29.5-30	125	257.25	42.50	\$1821	\$1991	\$600	\$477

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **right** and faux pedestal on **left**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼".


- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.



Single Pedestal Bow Top Extended Corner Desk - RIGHT



Single Pedestal Extended Corner Desk - RIGHT



Single Pedestal Extended Corner Desk - RIGHT

 Required Specifications
 Optional Specifications
 Accessories

 Top finish
 HP laminate
 Handles
 Power block

 Top/edge detail
 Key #
 Modesty panel type
 Keyboard

 Lock finish
 Grommet position or power block cut-out
 Pencil drawer

 Base finish
 Page finish






Left Extended Corner, 24" Throat Freestanding



LEFT EXTENDED CORNERS (DOES NOT CONNECT)





Left Extended Corner, 20" Throat

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD DxWxH Z2472FFL 7 36 x 72 x 29.5-30 65 184 \$1247 \$1412 N/A \$548 Z2466FFL 36 x 66 x 29.5-30 65 175 7 \$1247 \$1406 N/A \$548


Extended worksurface on right. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FFL cannot accept pedestals

Z2072FFL	36 x 72 x 29.5-30	65	171	7	\$1212 \$1406	N/A	\$526
Z2066FFL	36 x 66 x 29.5-30	65	164	7	\$1212 \$1370	N/A	\$526

Extended worksurface on right. Full end panels on left and right. Can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.





Left Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
72472FNI	36 x 72 x 29.5-30	65	175	7	\$1212	\$1377	N/A \$	548
Z2466FNL	36 x 66 x 29.5-30		167	7	\$1212	\$1370	,	548

Extended worksurface on right. Narrow end panel on right. Full end panel on left. Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FNL cannot accept pedestals.





Left Extended Corner, 20" Throat

Z2072FNL	36 x 72 x 29.5-30	65	165	7	\$1176	\$1370	N/A	\$526
Z2066FNL	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A	\$526


Extended worksurface on right. Narrow end panel on right. Full end panel on left. Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- FNL end panels can be switched to make NFL.

Required Specifications	Optional Speci	Optional Specifications				
Top finish	HP laminate	Handles				
Top/edge detail	Key #	Modesty panel type				
Lock finish	Grommet position or power block cut-out					
Base finish						

Accessories Power block Keyboard Pencil drawer

LEFT EXTENDED CORNERS (CONNECTS ON THROAT SIE	DE



Left Extended Corner, 24" Throat



Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.


• Z2466NFL cannot accept pedestals.

Z2072NFL	36 x 72 x 29.5-30	65	165	7	\$1176	\$1370	N/A	\$548
Z2066NFL	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A	\$526

Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

NFL end panels can be switched to make FNL.



Extended worksurface on right. **No narrow end panel on left. Full end panel on right.** Connects to returns and bridges with 16" throat on the left. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers**. Shipped RTA (ready to assemble).





Left Extended Corner, 20" Throat







Left Extended Corner, 16" Throat


Required Specifications
Top finish
Ton/edge detail

Top finish
Top/edge detail
Lock finish
Base finish

Optional Specifications

HP laminate Handles
Key # Modesty panel type
Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AI	DD
	D x W x H							
Z2472NNL	36 x 72 x 29.5-3	0 65	166	7	\$1176	\$1341	N/A \$54	8
Z2466NNL	36 x 66 x 29.5-3	0 65	158	7	\$1176	\$1334	N/A \$54	8

Left Extended Corner, 24" Throat

Extended worksurface on right. Narrow end panels on left and right. Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases on either end. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NNL cannot accept pedestals.






Z2072NNL 36 x 72 x 29.5-30 65 160 \$1140 \$1334 N/A \$548 **Z2066NNL** 36 x 66 x 29.5-30 70 152 7 \$1140 \$1299 \$526 N/A

Left Extended Corner, 20" Throat

Extended worksurface on right. Narrow end panels on left and right. Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with 'T" or "H" bases one either end. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



<u> </u>	e.g. 28" = 72" - 44"
7	5A - Width mins 4' cp. 28" - 12" - 44"

Left Extended Corner, 16" Throat

Z2484ECNL	36 x 84 x 29.5-30	65	186.90	8	\$1180	\$1469	N/A	\$762
Z2472ECNL	36 x 72 x 29.5-30	70	168	7.50	\$1051	\$1306	N/A	\$573
Z2466ECNL	36 x 66 x 29.5-30	70	158.55	7.50	\$999	\$1233	N/A	\$573
Z2460ECNL	36 x 60 x 29.5-30	65	150.15	6	\$935	\$1144	N/A	\$477
Z2084ECNL	36 x 84 x 29.5-30	70	178.50	8	\$1176	\$1465	N/A	\$762
Z2072ECNL	36 x 72 x 29.5-30	70	161.70	7.50	\$1048	\$1300	N/A	\$573
Z2066ECNL	36 x 66 x 29.5-30	70	153.30	7.50	\$996	\$1230	N/A	\$573
Z2060ECNL	36 x 60 x 29.5-30	65	145.95	6	\$930	\$1140	N/A	\$477
Z2060ECNL	36 x 60 x 29.5-30	65	145.95	6	\$930	\$1140	N/A	\$4

Extended worksurface on right. No narrow end panel on left. Narrow end panel on right. Connects to returns and bridges with 16" throat on the left. Full end panel can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Does not accept pencil drawers. Shipped RTA (ready to assemble).

RIGHT EXTENDED CORNER	RS (DOES NOT CONNECT)
	5A 22" 36" SA 22" 36" SA 22" 36" SA - With nims 54", 'Throat e.g. 17\(x = 72" - 50)''.' Throat



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
Z2472FFR	36 x 72 x 29.5-30	0 65	184	7	\$1247	\$1412	N/A \$548
Z2466FFR	36 x 66 x 29.5-30	0 65	175	7	\$1247	\$1406	N/A \$548

Right Extended Corner, 24" Throat Freestanding

Extended worksurface on left. Full end panels on left and right. Cannot be connected on left or right, due to full end panel. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FFR cannot accept pedestals

66 72 20 32 35 35 36 36 37 37 37 37 37 37 37 37 37 37 37 37 37
--

\vee					
liaht	Fytondod	Corner	20"	Throat	

Z2072FFR	36 x 72 x 29.5-30	65	171	7	\$1212 \$1406	N/A	\$526
Z2066FFR	36 x 66 x 29.5-30	65	164	7	\$1212 \$1370	N/A	\$526

Extended worksurface on left. Full end panels on left and right. Can be placed next to lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Req	uir	ed	Sp	ecifi	cati	ions

Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out Accessories Power block

Keyboard (Not available on 16" throat) Pencil drawer (Not available on 16" throat)

RIGHT EXTENDED CORNERS (CONNECTS ON THROAT	r sid




\searrow	e.g. 17% = 72° - 54%"
Right Extended	Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z2472FNR	36 x 72 x 29.5-30	65	175	7	\$1212	\$1377	N/A	\$548
Z2466FNR	36 x 66 x 29.5-30	65	167	7	\$1212	\$1370	N/A	\$548

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466FNR cannot accept pedestals.




Right Extended Corner, 20" Throat

Z2072FNR	36 x 72 x 29.5-30	65	165	7	\$1176	\$1370	N/A	\$526
Z2066FNR	36 x 66 x 29.5-30	65	158	7	\$1176	\$1334	N/A	\$526

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- FNR end panels can be switched to make NFR.



Right Extended Corner, 16" Throat

704045050	00 04 00 5 00	OF.	400.05	0	04045	04500	NI /A	6700
Z2484ECFR	36 x 84 x 29.5-30	65	196.35	8	\$1215	\$1502	N/A	\$762
Z2472ECFR	36 x 72 x 29.5-30	65	176.40	7.50	\$1087	\$1339	N/A	\$573
Z2466ECFR	36 x 66 x 29.5-30	70	168	7.50	\$1034	\$1268	N/A	\$573
Z2460ECFR	36 x 60 x 29.5-30	65	158.55	6	\$983	\$1198	N/A	\$477
Z2084ECFR	36 x 84 x 29.5-30	65	184.80	8	\$1212	\$1501	N/A	\$762
Z2072ECFR	36 x 72 x 29.5-30	70	168	7.50	\$1082	\$1335	N/A	\$573
Z2066ECFR	36 x 66 x 29.5-30	70	159.60	7.50	\$1030	\$1265	N/A	\$573
Z2060ECFR	36 x 60 x 29.5-30	65	151.20	6	\$965	\$1175	N/A	\$477
Z1684ECFR	36 x 84 x 29.5-30	70	175.35	8	\$1207	\$1496	N/A	\$762
Z1672ECFR	36 x 72 x 29.5-30	70	159.60	7.50	\$1078	\$1331	N/A	\$573
Z1666ECFR	36 x 66 x 29.5-30	70	153.30	7.50	\$1026	\$1261	N/A	\$573
Z1660ECFR	36 x 60 x 29.5-30	65	147	6	\$957	\$1166	N/A	\$477

Extended worksurface on left. **No narrow end panel on right. Full end panel on left.** Connects to returns and bridges with 16" throat on the right. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers**. Shipped RTA (ready to assemble).


Required Specifications

Top finish Top/edge detail Base finish **Optional Specifications**

HP laminate Modesty panel type Grommet position or power block cut-out Accessories

Power block

Keyboard (Not available on 16" throat)
Pencil drawer (Not available on 16" throat)




Right Extended Corner, 24" T

DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD MODEL# DxWxH Z2472NFR 175 7 36 x 72 x 29.5-30 65 \$1212 \$1377 N/A \$548 Z2466NFR 36 x 66 x 29.5-30 65 167 7 \$1212 \$1370 N/A \$548

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables, or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NFR cannot accept pedestals.



Right Extended Corner, 20" Throat

Z2072NFR	36 x 72 x 29.5-30	65	165	7	\$1176 \$	1370	N/A	\$548
Z2066NFR	36 x 66 x 29.5-30	65	158	7	\$1176 \$	1334	N/A	\$526

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables, 20"D returns or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- NFR end panels can be switched to make FNR.


RIGHT EXTENDED CORNER	S (CONNECTS ON BOTH SIDE
	50 Cope floatiets 22' 24' 50 50 50 50 50 50 50 50 50 50 50 50 50

Left Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADI)
Z2472NNR	36 x 72 x 29.5-3	0 65	166	7	\$1176	\$1341	N/A \$548	
Z2466NNR	36 x 66 x 29.5-3	0 65	158	7	\$1176	\$1334	N/A \$548	

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns, 24"D connectable tables or "D" and "P" islands with 'T" or "H" bases on either end. Corner has one grommet. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.
- Z2466NNR cannot accept pedestals.



Right Extended Corner, 20" Throat

Z2072NNR	36 x 72 x 29.5-30	65	160	7	\$1140 \$1334	N/A	\$548
Z2066NNR	36 x 66 x 29.5-30	70	152	7	\$1140 \$1284	N/A	\$526

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with 'T" or "H" bases one either end. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	Specifications	

Top finish Top/edge detail Base finish


Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out Accessories
Power block
Keyboard
Pencil drawer

Right Extended Corner, 16" Throat

Extended worksurface on left. **No narrow end panel on right. Narrow end panel on left.** Connects to returns and bridges with 16" throat on the right. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers**. Shipped RTA (ready to assemble).

FREESTANDING TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
i 30°36′42′48° → 60°56′72′ → 1	Z3072T Z3066T Z3060T Z3048T Z3042T Z3036T Z3030T	29.7 x 72 x 29.5-3(29.7 x 66 x 29.5-3(29.7 x 60 x 29.5-3(29.7 x 48 x 29.5-3(29.7 x 42 x 29.5-3(29.7 x 36 x 29.5-3(29.7 x 30 x 29.5-3(65 60 65 65 65 65	176 166 159 135 125 111	6 6 5.25 5.25 5.25 4.30 3.60	\$1031 \$1031 \$941 \$852 \$852 \$753 \$706	\$1192 \$1183 \$1083 \$979 \$970 \$861 \$795	N/A N/A N/A N/A N/A N/A	\$513 \$513 \$477 \$404 \$367 \$332 \$296
30" Deep Freestanding Table	assemble).	nels. Cannot be connect	cted on left or i	right side.	Grommet in w	orksurfac	e. Shippe	d RTA (ready	to



24" Deep Freestanding Table

Z2472T	24 x 72 x 29.5-30	65	152	6	\$926	\$1078	N/A	\$384
Z2466T	24 x 66 x 29.5-30	65	144	6	\$926	\$1078	N/A	\$384
Z2460T	24 x 60 x 29.5-30	65	133	5.25	\$843	\$960	N/A	\$353
Z2448T	24 x 48 x 29.5-30	65	114	4.30	\$761	\$863	N/A	\$281
Z2442T	24 x 42 x 29.5-30	65	105	4.30	\$761	\$850	N/A	\$236
Z2436T	24 x 36 x 29.5-30	65	95	4.20	\$680	\$755	N/A	\$178
Z2430T	24 x 30 x 29.5-30	65	85	3.60	\$645	\$702	N/A	\$178

Two full end panels. Cannot be connected on left or right side. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

|--|

Top finish Top/edge detail Base finish

Optional Specifications


HP laminate Modesty panel type Grommet position or power block cut-out

Accessories

Power block

Keyboard (Not available on 16" throat)
Pencil drawer (Not available on 16" throat)

CONNECTABLE TABLES - LEFT




30" Deep Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z3072L	29.7 x 72 x 29.5	-30 65	168	6	\$996	\$1157	N/A	\$513
Z3066L	29.7 x 66 x 29.5	-30 65	158	6	\$996	\$1148	N/A	\$513
Z3060L	29.7 x 60 x 29.5	-30 65	150	5.25	\$906	\$1048	N/A	\$477
Z3048L	29.7 x 48 x 29.5	-30 65	124	4.30	\$815	\$942	N/A	\$404
Z3042L	29.7 x 42 x 29.5	-30 65	115	4.30	\$815	\$933	N/A	\$367
Z3036L	29.7 x 36 x 29.5	-30 65	103	4.20	\$718	\$828	N/A	\$332
Z3030L	29.7 x 30 x 29.5	-30 65	92	3.60	\$672	\$761	N/A	\$296

Full end panel on left. Right narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




24" Deep Connectable Table - Left

CONNECTABLE TABLES - RIGHT

Z2472L	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466L	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384
Z2460L	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353
Z2448L	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281
Z2442L	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236
Z2436L	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178
72430L	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

Full end panel on left. Right narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




30" Deep Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
700700	007 70 005	00 05	400	•	****	A4455	N1/A	A-40
Z3072R	29.7 x 72 x 29.5	-30 65	168	6	\$996	\$1157	N/A	\$513
Z3066R	29.7 x 66 x 29.5	-30 65	158	6	\$996	\$1148	N/A	\$513
Z3060R	29.7 x 60 x 29.5	-30 65	150	5.25	\$906	\$1048	N/A	\$477
Z3048R	29.7 x 48 x 29.5	-30 65	124	4.30	\$815	\$942	N/A	\$404
Z3042R	29.7 x 42 x 29.5	-30 65	115	4.30	\$815	\$933	N/A	\$367
Z3036R	29.7 x 36 x 29.5	-30 65	103	4.20	\$718	\$828	N/A	\$332
Z3030R	29.7 x 30 x 29.5	-30 65	92	3.60	\$672	\$761	N/A	\$296

Full end panel on right. Left narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Connectable Table - Right

Z2472R	24 x 72 x 29.5-30	65	144	6	\$880	\$1036	N/A	\$384
Z2466R	24 x 66 x 29.5-30	65	135	6	\$880	\$1015	N/A	\$384
Z2460R	24 x 60 x 29.5-30	65	125	5.25	\$796	\$914	N/A	\$353
Z2448R	24 x 48 x 29.5-30	65	106	4.30	\$725	\$827	N/A	\$281
Z2442R	24 x 42 x 29.5-30	65	95	3.80	\$725	\$814	N/A	\$236
Z2436R	24 x 36 x 29.5-30	65	86	3.30	\$637	\$710	N/A	\$178
Z2430R	24 x 30 x 29.5-30	70	77	3.60	\$600	\$658	N/A	\$178

Full end panel on right. Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	l Specifications	

Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out


Accessories
Power block
Keyboard
Pencil drawer

\$296

N/A

CONNECTABLE TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
			DxWxH							
		Z3072N	29.7 x 72 x 29.5	5-30 65	159	6	\$958	\$1120	N/A	\$513
		Z3066N	29.7 x 66 x 29.5	i-30 65	149	6	\$958	\$1114	N/A	\$513
		Z3060N	29.7 x 60 x 29.5	i-30 65	142	5.25	\$859	\$1003	N/A	\$477
/ >	30"36"42"48"	Z3048N	29.7 x 48 x 29.5	i-30 65	116	4.30	\$753	\$879	N/A	\$404
	⊬ 60″66″72″ → F 30″	Z3042N	29.7 x 42 x 29.5	i-30 65	106	3.80	\$753	\$870	N/A	\$367
		Z3036N	29.7 x 36 x 29.5	i-30 65	94	3.30	\$672	\$782	N/A	\$332

29.7 x 30 x 29.5-30



30" Deep Connectable Table

Narrow end panels on both sides connect to 30"D worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

83


3.60

\$637

\$726

65

Z3030N



24" Deep Connectable Table

Z2472N	24 x 72 x 29.5-30	65	135	6	\$835	\$987	N/A	\$384
Z2466N	24 x 66 x 29.5-30	70	127	6	\$835	\$968	N/A	\$384
Z2460N	24 x 60 x 29.5-30	65	116	4.50	\$753	\$870	N/A	\$353
Z2448N	24 x 48 x 29.5-30	65	97	4.30	\$680	\$782	N/A	\$281
Z2442N	24 x 42 x 29.5-30	65	87	3.80	\$680	\$764	N/A	\$236
Z2436N	24 x 36 x 29.5-30	65	77	3.30	\$589	\$662	N/A	\$178
Z2430N	24 x 30 x 29.5-30	70	68	3.60	\$553	\$610	N/A	\$178

Narrow end panels on both sides connect to 24"D worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

30"36"42"48" 1 60"66"72" ~- 1 30" 24"
T Copic Andread SA - Many many Sir Copic Andread Sa - Many many si

SPACE SAVER CONNECTABLE TABLES - LEFT

30" Deep Space Saver Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3072LK	29.7 x 72 x 29.5-	-30 65	161	6	\$1015	\$1189	N/A	\$513
Z3066LK	29.7 x 66 x 29.5-	-30 65	151	6	\$1015	\$1180	N/A	\$513
Z3060LK	29.7 x 60 x 29.5-	-30 65	144	5.25	\$926	\$1084	N/A	\$477
Z3048LK	29.7 x 48 x 29.5-	-30 65	118	4.30	\$835	\$973	N/A	\$404
Z3042LK	29.7 x 42 x 29.5-	-30 65	107	3.80	\$835	\$965	N/A	\$367
Z3036LK	29.7 x 36 x 29.5-	-30 70	96	4.30	\$736	\$856	N/A	\$332
Z3030LK	29.7 x 30 x 29.5-	-30 65	85	3.60	\$691	\$797	N/A	\$296

Full end panel on left. Narrow right end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

129	30"36"42"48" - 60"66"72"
-----	-----------------------------

24" Deep Space Saver Connectable Table - Left

Z2472LK	24 x 72 x 29.5-30	65	140	6	\$906 \$10	071 N/A	\$384
Z2466LK	24 x 66 x 29.5-30	70	134	6	\$906 \$10)54 N/A	\$384
Z2460LK	24 x 60 x 29.5-30	65	123	5.25	\$827 \$9	57 N/A	\$353
Z2448LK	24 x 48 x 29.5-30	65	104	4.30	\$753 \$8	65 N/A	\$281
Z2442LK	24 x 42 x 29.5-30	65	94	3.80	\$753 \$8	58 N/A	\$236
Z2436LK	24 x 36 x 29.5-30	65	85	3.30	\$663 \$7	50 N/A	\$178
Z2430LK	24 x 30 x 29.5-30	70	75	3.60	\$627 \$6	97 N/A	\$178

Full end panel on left. Narrow right end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required	Specifications


Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out

Accessories

Power block Keyboard Pencil drawer




SPACE SAVER CONNECTABLE TABLES - RIGHT

30" Deep Space Saver Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z3072RK	29.7 x 72 x 29.5	-30 65	161	6	\$1015	\$1189	N/A	\$513
Z3066RK	29.7 x 66 x 29.5	-30 65	151	6	\$1015	\$1180	N/A	\$513
Z3060RK	29.7 x 60 x 29.5	-30 65	144	5.25	\$926	\$1084	N/A	\$477
Z3048RK	29.7 x 48 x 29.5	-30 65	119	4.30	\$835	\$973	N/A	\$404
Z3042RK	29.7 x 42 x 29.5	-30 65	107	3.80	\$835	\$965	N/A	\$367
Z3036RK	29.7 x 36 x 29.5	-30 70	96	4.30	\$736	\$856	N/A	\$332
Z3030RK	29.7 x 30 x 29.5	-30 65	85	3.60	\$691	\$797	N/A	\$296

Full end panel on right. Narrow left end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




24" Deep Space Saver Connectable Table - Right

SPACE SAVER CONNECTABLE TABLES

Z2472RK	24 x 72 x 29.5-30	65	142	6	\$906	\$1071	N/A	\$384
Z2466RK	24 x 66 x 29.5-30	70	134	6	\$906	\$1054	N/A	\$384
Z2460RK	24 x 60 x 29.5-30	65	123	5.25	\$827	\$957	N/A	\$353
Z2448RK	24 x 48 x 29.5-30	65	104	4.30	\$753	\$865	N/A	\$281
Z2442RK	24 x 42 x 29.5-30	65	94	3.80	\$753	\$858	N/A	\$236
Z2436RK	24 x 36 x 29.5-30	65	85	3.30	\$663	\$750	N/A	\$178
Z2430RK	24 x 30 x 29.5-30	70	75	3.60	\$627	\$697	N/A	\$178

Full end panel on right. Narrow left end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.




30" Deep Space Saver Connectable Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
70070LN	20.77220.5	20 05	150	C	6070	64450	NI/A	ėг40
Z3072LN	29.7 x 72 x 29.5		153	6	\$978	\$1152	N/A	\$513
Z3066LN	29.7 x 66 x 29.5	-30 65	143	6	\$978	\$1143	N/A	\$513
Z3060LN	29.7 x 60 x 29.5	-30 65	136	5.25	\$880	\$1039	N/A	\$477
Z3048LN	29.7 x 48 x 29.5	-30 65	110	4.30	\$769	\$908	N/A	\$404
Z3042LN	29.7 x 42 x 29.5	-30 65	100	3.80	\$769	\$900	N/A	\$367
Z3036LN	29.7 x 36 x 29.5	-30 65	88	3.30	\$691	\$812	N/A	\$332
Z3030LN	29.7 x 30 x 29.5	-30 70	77	3.60	\$653	\$759	N/A	\$296

Narrow end panels on both sides. Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 30" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Space Saver Connectable Table

Z2472LN	24 x 72 x 29.5-30	70	134	6	\$859	\$1026	N/A	\$384
Z2466LN	24 x 66 x 29.5-30	70	125	6	\$859	\$1009	N/A	\$384
Z2460LN	24 x 60 x 29.5-30	70	115	5.25	\$780	\$919	N/A	\$353
Z2448LN	24 x 48 x 29.5-30	70	96	4.30	\$706	\$819	N/A	\$281
Z2442LN	24 x 42 x 29.5-30	70	85	3.80	\$706	\$812	N/A	\$236
Z2436LN	24 x 36 x 29.5-30	65	76	3.30	\$618	\$704	N/A	\$178
Z2430LN	24 x 30 x 29.5-30	70	67	3.60	\$580	\$651	N/A	\$178

Narrow end panels on both sides. Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 24" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Req	ui	ir	ed	Specifications

Top finish Top/edge detail Base finish

Optional Specifications

HP laminate
Modesty panel type
Grommet position or power block cut-out

Accessories
Power block
Keyboard
Pencil drawer

\sim	
	30"36"42"48

SPACE SAVER CONNECTABLE TABLES


3735'42'40' 0705'77' 24e SA Width mine	30"
e.g. 54" = 72'-	18"

30" Deep Space Saver Connectable Table


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3072RN	29.7 x 72 x 29.5	-30 65	153	6	\$978	\$1152	N/A	\$513
Z3066RN	29.7 x 66 x 29.5	-30 65	143	6	\$978	\$1143	N/A	\$513
Z3060RN	29.7 x 60 x 29.5	-30 65	136	5.25	\$880	\$1039	N/A	\$477
Z3048RN	29.7 x 48 x 29.5	-30 65	110	4.30	\$769	\$908	N/A	\$404
Z3042RN	29.7 x 42 x 29.5	-30 65	99	3.80	\$769	\$900	N/A	\$367
Z3036RN	29.7 x 36 x 29.5	-30 65	88	3.30	\$691	\$812	N/A	\$332
Z3030RN	29.7 x 30 x 29.5	-30 70	77	3.60	\$653	\$759	N/A	\$296

Narrow end panels on both sides. Connects the **left end only** to any corner unit with a 24" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Space Saver Connectable Table



Narrow end panels on both sides. Connects the **left end only** to any corner unit with a 20" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.


EXTENDED CORNER ISTANDS
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

Extended Corner Island - LEFT Full End Panel & Post (T-Base)*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4284EDTL	42 x 84 x 29.5-30	70	180.60	10.76	\$1227	\$1546	N/A	\$1015
Z4272EDTL	42 x 72 x 29.5-30	70	164.85	9.50	\$1154	\$1437	N/A	\$762
Z3672EDTL	36 x 72 x 29.5-30	70	139.65	8.76	\$1053	\$1252	N/A	\$573
Z3666EDTL	36 x 66 x 29.5-30	70	133.35	8.76	\$1008	\$1205	N/A	\$573
Z3660EDTL	36 x 60 x 29.5-30	70	127.05	6.50	\$961	\$1160	N/A	\$477

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton.



Extended Corner Island - RIGHT Full End Panel & Post (T-Base)*

Z4284EDTR	42 x 84 x 29.5-30	70	180.60	10.76	\$1227 \$1546	N/A	\$1015
Z4272EDTR	42 x 72 x 29.5-30	70	164.85	9.50	\$1154 \$1437	N/A	\$762
Z3672EDTR	36 x 72 x 29.5-30	70	139.65	8.76	\$1053 \$1252	N/A	\$573
Z3666EDTR	36 x 66 x 29.5-30	70	133.35	8.76	\$1008 \$1205	N/A	\$573
Z3660EDTR	36 x 60 x 29.5-30	70	127.05	6.50	\$961 \$1160	N/A	\$477

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the left. **Not freestanding**. Grommet in worksurface. Shipped RTA (ready to assemble).

Post is shipped in separate carton.

	Required	Spec	cifica	tions
--	----------	------	--------	-------


Top finish Top/edge detail Base finish

Optional Specifications

HP laminate Modesty panel type Grommet position or power block cut-out

Accessories Power block Keyboard


Power block Keyboard Pencil drawer



Extended Corner Island - LEFT Faux Pedestal and Post



Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the right is ideal for concealing a CPU. % modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Extended Corner Island - RIGHT Faux Pedestal and Post

Laminate Modesty		Glazed M	lodesty:					
Z4884EDFR	48 x 84 x 29.5-30	70	214.20	12	\$1535	\$1891	\$690	\$1015
Z4872EDFR	48 x 72 x 29.5-30	70	192.15	10.76	\$1423	\$1733	\$570	\$762
Z4284EDFR	42 x 84 x 29.5-30	70	186.90	10.76	\$1441	\$1760	\$690	\$1015
Z4272EDFR	42 x 72 x 29.5-30	70	168	8.76	\$1341	\$1619	\$570	\$762
Z4266EDFR	42 x 66 x 29.5-30	70	158.55	8.76	\$1288	\$1547	\$510	\$762

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the left is ideal for concealing a CPU. 34 modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:


	84,722,665,60°— 251 42',36'
Ψ	16*

EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY

Extended Corner Island - LEFT Recessed Modesty and Post

Y)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	74284EDRL	42 x 84 x 29.5-30	70	199	10.76	\$1361	\$1681	\$810	\$1015
	Z4272EDRL	42 x 72 x 29.5-30	• •	180	9.50	\$1278	\$1560	\$738	\$762
	Z3672EDRL	36 x 72 x 29.5-30	70	154	8.76	\$1132	\$1372	\$738	\$573
	Z3666EDRL	36 x 66 x 29.5-30	70	144	8.76	\$1091	\$1314	\$678	\$573
	Z3660EDRL	36 x 60 x 29.5-30	70	136	6.50	\$1048	\$1255	\$620	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard Shipped RTA (ready to assemble) in 2 cartons.



Extended Corner Island - RIGHT Recessed Modesty and Post

Laminate Modesty :		Glazed Modesty:						
74284EDRR	42 x 84 x 29.5-30	70	199	10.76	\$1361	\$1681	\$810	\$1015
Z4272EDRR	42 x 72 x 29.5-30	70	180	9.50	\$1301	\$1560	\$738	\$762
Z3672EDRR	36 x 72 x 29.5-30	70	154	8.76	\$1132	\$1372	\$738	\$573
Z3666EDRR	36 x 66 x 29.5-30	70	144	8.76	\$1091	\$1314	\$678	\$573
Z3660EDRR	36 x 60 x 29.5-30	70	136	6.50	\$1048	\$1255	\$620	\$477

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. % recessed modesty panel is standard Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:

Required Specification	1
Top finish	
Top/edge detail	
Base finish	

Monopost finish*

HP lamina	e	
Modesty p	anel type	
Grommet	osition or power block cut-or	u

Accessories	
Power block	
Keyboard	
Pencil drawer	


Extended Corner Island - LEFT Flush Modesty and Post




Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Extended Corner Island - RIGHT Flush Modesty and Post



Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. 34 flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.




Extended Corner "P" Island - LEFT Full End Panel & Post (T-Base)

Laminate Modesty:	f	Glazed N	lodesty:					
Z4284EPTL	42 x 84 x 29.5-30	70	178.50	10.76	\$1219	\$1538	N/A	\$1015
Z3684EPTL	36 x 84 x 29.5-30	100	153.30	19	\$1124	\$1407	N/A	\$762
Z3672EPTL	36 x 72 x 29.5-30	70	144.90	8.76	\$1036	\$1246	N/A	\$573
Z3666EPTL	36 x 66 x 29.5-30	70	138.60	8.76	\$994	\$1220	N/A	\$573
Z3660EPTL	36 x 60 x 29.5-30	70	129.15	6.50	\$957	\$1167	N/A	\$477

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

· Post is shipped in separate carton.



Extended Corner "P" Island - RIGHT Full End Panel & Post (T-Base)

Z4284EPTR	42 x 84 x 29.5-30	70	178.50	10.76	\$1219	1538	N/A	\$1015
Z3684EPTR	36 x 84 x 29.5-30	100	153.30	19	\$1124	\$1407	N/A	\$762
Z3672EPTR	36 x 72 x 29.5-30	70	144.90	8.76	\$1036	1246	N/A	\$573
Z3666EPTR	36 x 66 x 29.5-30	70	138.60	8.76	\$994	1220	N/A	\$573
Z3660EPTR	36 x 60 x 29.5-30	70	129.15	6.50	\$957	S1167	N/A	\$477

Extended island worksurface on right. Connects to returns or bridges with a 16" throat on the left. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

• Post is shipped in separate carton.

EXTENDED CORNER ISLANDS (WITH FAUX MODEST						
847,727,66° ———————————————————————————————————						

Extended Corner "P" Island - LEFT **Faux Pedestal and Post**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4884EPFL	48 x 84 x 29.5-30	70	217	12	\$1535	\$1888	\$690	\$1015
Z4872EPFL	48 x 72 x 29.5-30	70	194	10.50	\$1422	\$1731	\$570	\$762
Z4284EPFL	42 x 84 x 29.5-30	70	191	10.76	\$1441	\$1759	\$690	\$1015
Z4272EPFL	42 x 72 x 29.5-30	70	172	8.76	\$1340	\$1618	\$570	\$762
Z4266EPFL	42 x 66 x 29.5-30	70	160	8.76	\$1286	\$1544	\$510	\$762

Extended island worksurface on left. Connects to returns or bridges with a 16" throat on the right. Not freestanding. Faux pedestal on the right is ideal for concealing a CPU. ¾ modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:	L. Company

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Glazing - modesty panel	Keyboard
Base finish	Grommet position or power block cut-out	Pencil drawer
Monopost finish		



EXTENDED CORNER ISLANDS (WITH FAUX MODESTY)

Extended Corner "P" Island - RIGHT Faux Pedestal and Post

EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4884EPFR	48 x 84 x 29.5-30	70	217	12	\$1535	\$1888	\$690	\$1015
Z4872EPFR	48 x 72 x 29.5-30	70	194	10.50	\$1422	\$1731	\$570	\$762
Z4284EPFR	42 x 84 x 29.5-30	70	191	10.76	\$1441	\$1759	\$690	\$1015
Z4272EPFR	42 x 72 x 29.5-30	70	172	8.76	\$1340	\$1618	\$570	\$762
Z4266EPFR	42 x 66 x 29.5-30	70	160	8.76	\$1286	\$1544	\$510	\$762

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Faux pedestal on the **right** is ideal for concealing a CPU. **%** modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Glazed Modesty:

//	
	•

Extended Corner "P" Island - LEFT Recessed Modesty and Post

MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD	
Z4284EPRL	42 x 84 x 29.5-30	70	199.50	10.76	\$1358	\$1677	\$810	\$1015	
Z3684EPRL	36 x 84 x 29.5-30	70	173.25	9.50	\$1231	\$1543	\$810	\$762	
Z3672EPRL	36 x 72 x 29.5-30	70	156.45	8.76	\$1132	\$1372	\$738	\$573	
Z3666EPRL	36 x 66 x 29.5-30	70	149.10	8.76	\$1103	\$1330	\$678	\$573	
Z3660EPRL	36 x 60 x 29.5-30	70	140.70	6.50	\$1056	\$1266	\$620	\$477	

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Grommet in worksurface. **% recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.









Laminate Modesty:

Glazed Modesty:



Extended Corner "P" Island - RIGHT Recessed Modesty and Post

Z4284EPRR	42 x 84 x 29.5-30	70	199.50	10.76	\$1358	\$1677	\$810	\$1015
Z3684EPRR	36 x 84 x 29.5-30	70	173.25	9.50	\$1231	\$1543	\$810	\$762
Z3672EPRR	36 x 72 x 29.5-30	70	156.45	8.76	\$1132	\$1372	\$738	\$573
Z3666EPRR	36 x 66 x 29.5-30	70	149.10	8.76	\$1103	\$1330	\$678	\$573
Z3660EPRR	36 x 60 x 29.5-30	70	140.70	6.50	\$1056	\$1266	\$620	\$477

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Grommet in worksurface. **3/4 recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.









Laminate Modesty:

Glazed Modesty:



Z4284EPML 70 200 10.76 \$1015 42 x 84 x 29.5-30 \$1373 \$1692 \$810 Z3684EPML 36 x 84 x 29.5-30 70 172 9.50 \$1244 \$1527 \$810 \$762 Z3672EPML 36 x 72 x 29.5-30 70 \$1380 156 8.76 \$1141 \$738 \$573 36 x 66 x 29.5-30 70 \$1296 Z3666EPML 150 8.76 \$1096 \$678 \$573 Z3660EPML 36 x 60 x 29.5-30 70 141 6.50 \$1063 \$1272 \$620 \$477

Extended Corner "P" Island - LEFT Flush Modesty and Post

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Grommet in worksurface. **% flush** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.









Laminate Modesty:

Glazed Modesty:

Required Specifications

Top finish
Top/edge detail
Base finish
Monopost finish

Optional Specifications

HP laminate

Glazing - modesty panel Grommet position or power block cut-out Accessories

Power block Keyboard Pencil drawer

EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)

Extended Corner "P" Island - RIGHT Flush Modesty and Post

) MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4284EPMR	42 x 84 x 29.5-30	70	200	10.76	\$1373	\$1692	\$810	\$1015
Z3684EPMR	36 x 84 x 29.5-30	70	172	9.50	\$1244	\$1527	\$810	\$762
Z3672EPMR	36 x 72 x 29.5-30	70	156	8.76	\$1141	\$1380	\$738	\$573
Z3666EPMR	36 x 66 x 29.5-30	70	150	8.76	\$1096	\$1296	\$678	\$573
Z3660EPMR	36 x 60 x 29.5-30	70	141	6.50	\$1063	\$1272	\$620	\$477

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding**. Grommet in worksurface. **% flush** modesty panel is standard. Shipped RTA (ready to assemble) in 2 <u>car</u>tons.










Laminate Modesty:

Glazed Modesty:




"D" Island with Monopost

D" ISLANDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z3672I	36 x 72 x 29.5-3	0 70	144	8.50	\$789	\$1003	N/A	\$548
Z3066I	29.7 x 66 x 29.5	-30 70	115	7.50	\$736	\$905	N/A	\$513
Z3060I	29.7 x 60 x 29.5	-30 70	104	6.76	\$736	\$897	N/A	\$477
Z2466I	24 x 66 x 29.5-3	0 85	101	7.50	\$672	\$822	N/A	\$384
Z2460I	24 x 60 x 29.5-3	0 85	92	6.76	\$637	\$770	N/A	\$353
Z2448I	24 x 48 x 29.5-3	0 85	74	5.76	\$589	\$707	N/A	\$281

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble).

• Post is shipped in separate carton.




"D" Island - Full End Panel and Monopost (T-Base)

Z3672FI	36 x 72 x 29.5-30	85	123	8.50	\$967	\$1181	N/A	\$548
Z3072FI	29.7 x 72 x 29.5-30	85	106	7.50	\$967	\$1145	N/A	\$515
Z3066FI	29.7 x 66 x 29.5-30	85	101	7.50	\$880	\$1049	N/A	\$513
Z3060FI	29.7 x 60 x 29.5-30	85	94	6.76	\$827	\$988	N/A	\$477
Z2466FI	24 x 66 x 29.5-30	85	90	7.50	\$815	\$967	N/A	\$384
Z2460FI	24 x 60 x 29.5-30	85	84	6.76	\$780	\$915	N/A	\$353
Z2448FI	24 x 48 x 29.5-30	85	74	5.76	\$736	\$853	N/A	\$281

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. **Not freestanding.** Shipped RTA (ready to assemble).

• Post is shipped in separate carton.



"D" Island LEFT - Full Modesty Panel (H-Base)

Z3672FIL	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIL	29.7 x 66 x 29.5-30	65	140	6	\$815	\$1044	N/A	\$513
Z3060FIL	29.7 x 60 x 29.5-30	65	128	5.25	\$742	\$903	N/A	\$477

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).



"D" Island RIGHT - Full Modesty Panel (H-Base)


Z3672FIR	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIR	29.7 x 66 x 29.5-30	65	140	6	\$815	\$1044	N/A	\$513
Z3060FIR	29.7 x 60 x 29.5-30	65	128	5.25	\$742	\$903	N/A	\$477

Connects to the right side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).

- 1	Required Specification
1	Top finish
1	Top/edge detail
E	Base finish
1	Monopost finish

Optional Specifications
HP laminate
Glazing - modesty panel
Remove standard grommet (RSG)


Accessories
Power block
Keyboard
Pencil drawer



"D" Island CENTER - Full Modesty Panel (H-Base)

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z3672FIC	36 x 72 x 29.5-30	65	171	7	\$913	\$1127	N/A	\$548
Z3066FIC	29.7 x 66 x 29.5-	30 65	140	6	\$815	\$1044	N/A	\$513
Z3060FIC	29.7 x 60 x 29.5-	30 65	123	5.25	\$742	\$903	N/A	\$477

Connects in between two worksurfaces. Attaching hardware included. Will not accommodate pedestals. Includes grommet as shown. Shipped RTA (ready to assemble).



"P" Island LEFT with Post

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
Z3672IPL	42 x 72 x 29 5-30) 85	128	9.26	\$899	\$1118	N/A \$	731
Z3666IPL	42 x 72 x 29.5-30		119	8.76	\$899	\$1116	- '	731
Z3660IPL	42 x 60 x 29.5-30		110	8	\$815	\$984	,	623

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). · Post is shipped in separate carton.



"P" Island RIGHT with Post

Z3672IPR	42 x 72 x 29.5-30	85	128	9.26	\$899	\$1118	N/A	\$731
Z3666IPR	42 x 66 x 29.5-30	85	119	8.76	\$899	\$1068	N/A	\$731
Z3660IPR	42 x 60 x 29.5-30	85	110	8	\$815	\$984	N/A	\$623


Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). · Post is shipped in separate carton.



"P" Island LEFT - Full End Panel and Post (T-Base)

Z3672FPL	42 x 72 x 29.5-30	70	163	9.26	\$1077	\$1296	N/A	\$731
Z3666FPL	42 x 66 x 29.5-30	70	155	8.76	\$1077	\$1255	N/A	\$731
Z3660FPL	42 x 60 x 29.5-30	70	145	8	\$996	\$1165	N/A	\$623

Connects to left side of worksurface. Attaching hardware included. Not freestanding. Includes grommet as shown.





"P" Island RIGHT - Full End Panel and Post (T-Base)

Shipped RTA (ready to assemble). • Post is shipped in separate carton.

Z3672FPR	42 x 72 x 29.5-30	70	163	9.26	\$1077 \$1	296 N/A	\$731
Z3666FPR	42 x 66 x 29.5-30	70	155	8.76	\$1077 \$1	255 N/A	\$731
Z3660FPR	42 x 60 x 29.5-30	70	145	8	\$996 \$1	165 N/A	\$623

Connects to right side of worksurface. Attaching hardware included. Not freestanding. Includes grommet as shown. Shipped RTA (ready to assemble).






"P" Island LEFT - Full Modesty Panel (H-Base)

Z3672PL	42 x 72 x 29.5-30	65	178	7.75	\$1015	\$1233	N/A	\$731
Z3666PL	42 x 66 x 29.5-30	65	167	7.25	\$926	\$1095	N/A	\$731
Z3660PL	42 x 60 x 29.5-30	65	155	6.50	\$852	\$1022	N/A	\$623

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).



"P" Island RIGHT - Full Modesty Panel (H-Base)


Z3672PR	42 x 72 x 29.5-30	65	178	7.75	\$1015	\$1233	N/A	\$731
Z3666PR	42 x 66 x 29.5-30	65	167	7.25	\$926	\$1095	N/A	\$731
Z3660PR	42 x 60 x 29.5-30	65	155	6.50	\$852	\$1022	N/A	\$623

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).

Required Specifications	
Top finish	
Top/edge detail	
Base finish	
Monopost finish	

Optional Specifications
HP laminate
Remove standard grommet (RSG

Accessories Power block Keyboard Pencil drawer



RECTANGULAR ISLANDS

Rectangular Island w/Monopost

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3672RI	36 x 72 x 29.5-30	125	90	14.50	\$780	\$993	N/A	\$624
Z3066RI	30 x 66 x 29.5-30	150	72	12.50	\$728	\$895	N/A	\$513
Z3060RI	30 x 60 x 29.5-30	125	66	10.50	\$728	\$888	N/A	\$480
Z2466RI	24 x 66 x 29.5-30	150	63	15	\$664	\$820	N/A	\$384
Z2460RI	24 x 60 x 29.5-30	150	57	13	\$630	\$763	N/A	\$356
Z2448RI	24 x 48 x 29.5-30	150	47	11.50	\$586	\$706	N/A	\$285

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). Not freestanding.

• Post is shipped in separate carton.

Z3672RFIL	36 x 72 x 29.5-30	70	145	7.25	\$904	\$1117	N/A	\$624	
Z3084RFIL	29.69 x 84 x 29.5-30	70	146	7.25	\$900	\$1112	N/A	\$618	
Z3066RFIL	29.69 x 66 x 29.5-30	70	121	6.25	\$807	\$1040	N/A	\$513	
Z3060RFIL	29.69 x 60 x 29.5-30	70	110	5.25	\$736	\$896	N/A	\$480	
Z2472RFIL	24 x 72 x 29.5-30	70	116	6.25	\$691	\$856	N/A	\$390	
Z2466RFIL	24 x 66 x 29.5-30	70	109	5.75	\$656	\$823	N/A	\$384	
Z2460RFIL	24 x 60 x 29.5-30	70	99	5.25	\$624	\$757	N/A	\$356	
Z2448RFIL	24 x 48 x 29.5-30	70	85	4.20	\$590	\$694	N/A	\$285	


Connects to the **left** side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). Not freestanding.

Z3672RFIR	36 x 72 x 29.5-30	70	145	7.25	\$904	\$1117	N/A	\$624
Z3084RFIR	29.69 x 84 x 29.5-30	70	146	7.25	\$900	\$1112	N/A	\$618
Z3066RFIR	29.69 x 66 x 29.5-30	70	121	6.25	\$807	\$1040	N/A	\$513
Z3060RFIR	29.69 x 60 x 29.5-30	70	110	5.25	\$736	\$896	N/A	\$480
Z2472RFIR	24 x 72 x 29.5-30	70	116	6.25	\$691	\$856	N/A	\$390
Z2466RFIR	24 x 66 x 29.5-30	70	109	5.75	\$656	\$823	N/A	\$384
Z2460RFIR	24 x 60 x 29.5-30	70	99	5.25	\$624	\$757	N/A	\$356
Z2448RFIR	24 x 48 x 29.5-30	70	85	4.20	\$590	\$694	N/A	\$285

Connects to the right side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). Not freestanding.



Rectangular Island LEFT -Full Modesty Panel (H-Base)



Rectangular Island RIGHT -Full Modesty Panel (H-Base)

Req	uired	S	peci	ficat	ions
Top	finish				

NIVERSAL TOPS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZUT1696	16 x 96 x 1	100	42	5	\$556	\$742	N/A	\$334
	ZUT1690	16 x 90 x 1	100	39	4.75	\$525	\$700	N/A	\$310
	ZUT1684	16 x 84 x 1	100	37	4.50	\$476	\$637	N/A	\$291
	ZUT1678	16 x 78 x 1	100	34	4.25	\$457	\$607	N/A	\$274
	ZUT1672	16 x 72 x 1	85	31	2.25	\$427	\$565	N/A	\$250
	ZUT1666	16 x 66 x 1	85	29	2	\$397	\$522	N/A	\$232
	ZUT1660	16 x 60 x 1	85	26	1.75	\$367	\$479	N/A	\$212
	ZUT1654	16 x 54 x 1	85	24	1.75	\$329	\$436	N/A	\$186
	ZUT1648	16 x 48 x 1	85	21	1.50	\$299	\$392	N/A	\$168
	ZUT1642	16 x 42 x 1	85	18	1.25	\$267	\$350	N/A	\$151
	ZUT1636	16 x 36 x 1	85	16	1.25	\$232	\$302	N/A	\$126
	ZUT1630	16 x 30 x 1	85	13	1	\$200	\$257	N/A	\$107
	ZUT1896	18 x 96 x 1	100	47	5.50	\$567	\$749	N/A	\$372
	ZUT1890	18 x 90 x 1	100	44	5.25	\$538	\$706	N/A	\$353
	ZUT1884	18 x 84 x 1	100	41	4.75	\$501	\$663	N/A	\$329
	ZUT1878	18 x 78 x 1	100	38	4.50	\$470	\$614	N/A	\$303
	ZUT1872	18 x 72 x 1	70	35	2.25	\$439	\$577	N/A	\$280
	ZUT1866	18 x 66 x 1	85	32	2.25	\$401	\$527	N/A	\$261
	ZUT1860	18 x 60 x 1	85	29	2	\$372	\$485	N/A	\$236
	ZUT1854	18 x 54 x 1	85	26	1.75	\$334	\$441	N/A	\$212
	ZUT1848	18 x 48 x 1	85	23	1.75	\$310	\$403	N/A	\$186
	ZUT1842	18 x 42 x 1	85	20	1.50	\$280	\$363	N/A	\$168
	ZUT1836	18 x 36 x 1	85	18	1.25	\$236	\$306	N/A	\$144
	ZUT1830	18 x 30 x 1	85	15	1.25	\$206	\$264	N/A	\$119
	ZUT2096	20 x 96 x 1	100	52	6	\$575	\$761	N/A	\$415
	ZUT2090	20 x 90 x 1	100	49	5.50	\$545	\$720	N/A	\$390
	ZUT2084	20 x 84 x 1	100	45	5.25	\$507	\$668	N/A	\$367
	ZUT2078	20 x 78 x 1	100	42	4.75	\$447	\$597	N/A	\$341
	ZUT2072	20 x 72 x 1	70	39	2.50	\$447	\$585	N/A	\$310
	ZUT2066	20 x 66 x 1	70	36	2.25	\$409	\$540	N/A	\$285
	ZUT2060	20 x 60 x 1	85	32	2.25	\$377	\$489	N/A	\$261
	ZUT2054	20 x 54 x 1	85	29	2	\$348	\$449	N/A	\$236
	ZUT2048	20 x 48 x 1	85	26	1.75	\$318	\$405	N/A	\$212
	ZUT2042	20 x 42 x 1	70	23	1.50	\$285	\$361	N/A	\$186
	ZUT2036	20 x 36 x 1	85	20	1.50	\$242	\$312	N/A	\$157
	ZUT2030	20 x 30 x 1	85	16	1.25	\$212	\$270	N/A	\$132
	ZUT2496	24 x 96 x 1	100	62	6.75	\$661	\$879	N/A	\$495
	ZUT2490	24 x 90 x 1	100	58	6.25	\$624	\$830	N/A	\$465
	ZUT2484	24 x 84 x 1	100	55	6	\$580	\$773	N/A	\$434
	ZUT2478	24 x 78 x 1	100	51	5.50	\$545	\$773	N/A	\$401
	ZUT2470 ZUT2472	24 x 72 x 1	100	47	5.25	\$507	\$664	N/A	\$372
	ZUT2466	24 x 66 x 1	100	43	4.75	\$470	\$627	N/A	\$341
\sim	ZUT2460 ZUT2460	24 x 60 x 1	100	39	4.73	\$434	\$571	N/A	\$310
	ZUT2454	24 x 54 x 1	100	35	4.50	\$397	\$522	N/A	\$280
/ /	ZUT2448	24 x 34 x 1	70	31	2	\$357	\$471	N/A	\$250
	ZUT2448 ZUT2442	24 x 42 x 1	70	27	1.75	\$318	\$471	N/A N/A	\$219
	ZUT2436 ZUT2430	24 x 36 x 1 24 x 30 x 1	70 85	23 20	1.50 1.50	\$280 \$242	\$368 \$312	N/A N/A	\$186 \$157



- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Required Specifications
Top finish
Top/edge detail
Leg finish

UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUT3096	29.7 x 96 x 1	100	77	8	\$778	\$1056	N/A	\$617
	ZUT3090	29.7 x 90 x 1	100	72	7.50	\$735	\$996	N/A	\$580
	ZUT3084	29.7 x 84 x 1	100	67	7.25	\$692	\$934	N/A	\$545
	ZUT3078	29.7 x 78 x 1	100	62	6.75	\$642	\$866	N/A	\$507
	ZUT3072	29.7 x 72 x 1	100	58	6.25	\$624	\$834	N/A	\$465
	ZUT3066	29.7 x 66 x 1	100	53	5.75	\$556	\$742	N/A	\$427
	ZUT3060	29.7 x 60 x 1	100	48	5.25	\$513	\$681	N/A	\$390
	ZUT3054	29.7 x 54 x 1	100	43	4.75	\$470	\$620	N/A	\$353
	ZUT3048	29.7 x 48 x 1	70	38	2.50	\$422	\$566	N/A	\$310
	ZUT3042	29.7 x 42 x 1	70	34	2.25	\$377	\$496	N/A	\$274
	ZUT3036	29.7 x 36 x 1	85	29	2	\$329	\$436	N/A	\$236
	ZUT3030	29.7 x 30 x 1	85	24	1.75	\$285	\$373	N/A	\$200
	ZUT3696	36 x 96 x 1	92.5	93	9.25	\$907	\$1235	N/A	\$740
	ZUT3690	36 x 90 x 1	100	87	8.75	\$852	\$1162	N/A	\$698
	ZUT3684	36 x 84 x 1	100	81	8.25	\$785	\$1076	N/A	\$648
	ZUT3678	36 x 78 x 1	100	76	7.75	\$748	\$1013	N/A	\$604
	ZUT3672	36 x 72 x 1	100	70	7.25	\$698	\$946	N/A	\$556
	ZUT3666	36 x 66 x 1	100	64	6.75	\$630	\$853	N/A	\$513
	ZUT3660	36 x 60 x 1	100	58	6.25	\$587	\$793	N/A	\$465
	ZUT3654	36 x 54 x 1	100	52	5.50	\$545	\$726	N/A	\$422
	ZUT3648	36 x 48 x 1	100	47	5	\$489	\$657	N/A	\$372
	ZUT3642	36 x 42 x 1	100	41	4.50	\$439	\$583	N/A	\$329
	ZUT3636	36 x 36 x 1	100	35	4	\$385	\$510	N/A	\$280
	ZUT3630	36 x 30 x 1	100	29	3.50	\$329	\$436	N/A	\$236
	ZUT4296	42 x 96 x 1	92.5	108	10	\$1024	\$1408	N/A	\$864
	ZUT4290	42 x 90 x 1	92.5	102	10	\$967	\$1326	N/A	\$815
	ZUT4284	42 x 84 x 1	92.5	95	9.50	\$888	\$1222	N/A	\$760
	ZUT4278	42 x 78 x 1	92.5	88	8.75	\$852	\$1162	N/A	\$704
	ZUT4272	42 x 72 x 1	100	81	8.25	\$790	\$1081	N/A	\$648
	ZUT4266	42 x 66 x 1	92.5	75	7.50	\$735	\$996	N/A	\$600
	ZUT4260	42 x 60 x 1	100	68	7	\$673	\$915	N/A	\$545
	ZUT4254	42 x 54 x 1	100	61	6.25	\$613	\$831	N/A	\$489
	ZUT4248	42 x 48 x 1	100	54	5.75	\$556	\$750	N/A	\$434
	ZUT4242	42 x 42 x 1	100	48	5.25	\$495	\$663	N/A	\$385
	ZUT4236	42 x 36 x 1	100	41	4.50	\$422	\$608	N/A	\$329
	ZUT4230	42 x 30 x 1	100	34	4	\$341	\$467	N/A	\$274
	ZUT4896	48 x 96 x 1	92.5	124	11.25	\$1153	\$1592	N/A	\$987
	ZUT4890	48 x 90 x 1	92.5	116	10.50	\$1092	\$1500	N/A	\$926
	ZUT4884	48 x 84 x 1	92.5	108	10.50	\$1018	\$1402	N/A	\$864
	ZUT4878	48 x 78 x 1	92.5	101	10	\$950	\$1303	N/A	\$802
	ZUT4872	48 x 72 x 1	92.5	93	9.25	\$888	\$1217	N/A	\$740
	ZUT4866	48 x 66 x 1	92.5	85	8.50	\$819	\$1122	N/A	\$680
	ZUT4860	48 x 60 x 1	92.5	77	7.25	\$760	\$1034	N/A	\$617
	ZUT4854	48 x 54 x 1	100	70	7.25	\$692	\$940	N/A	\$556
	ZUT4848	48 x 48 x 1	100	62	6.50	\$617	\$841	N/A	\$495
	ZUT4842	48 x 42 x 1	100	54	5.75	\$556	\$750	N/A	\$434
	ZUT4836	48 x 36 x 1	100	47	5	\$489	\$651	N/A	\$372
	ZUT4830	48 x 30 x 1	100	36	4.25	\$415	\$553	N/A	\$310



Laminate Tops

Laminate tops for placement over Zira storage.

- Contact Global for pricing on special size tops.
- No drilling or hardware included.


Required	Snecifi	ications

Top finish
Top/edge detail

Optional Specifications HP laminate

Grommet position or power block cut-out

UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
		D x W x H							
	ZUT5496	54 x 96 x 1	92.5	139	12.50	\$1281	\$1770	N/A	\$111
	ZUT5490	54 x 90 x 1	92.5	131	11.75	\$1208	\$1672	N/A	\$1043
	ZUT5484	54 x 84 x 1	92.5	122	11	\$1141	\$1573	N/A	\$976
	ZUT5478	54 x 78 x 1	92.5	113	10.25	\$1074	\$1470	N/A	\$907
	ZUT5472	54 x 72 x 1	92.5	105	9.50	\$999	\$1371	N/A	\$832
	ZUT5466	54 x 66 x 1	92.5	96	9.50	\$931	\$1265	N/A	\$760
	ZUT5460	54 x 60 x 1	100	87	8.75	\$857	\$1166	N/A	\$698
	ZUT5454	54 x 54 x 1	100	78	8	\$766	\$1044	N/A	\$630
	ZUT5448	54 x 48 x 1	100	70	7.25	\$692	\$940	N/A	\$556
	ZUT5442	54 x 42 x 1	100	61	6.25	\$613	\$831	N/A	\$489
	ZUT5436	54 x 36 x 1	100	52	5.50	\$470	\$651	N/A	\$422
	ZUT5430	54 x 30 x 1	100	44	4.75	\$470	\$627	N/A	\$353
	ZUT6096	60 x 96 x 1	92.5	155	14	\$1411	\$1954	N/A	\$123
	ZUT6090	60 x 90 x 1	92.5	145	13	\$1330	\$1843	N/A	\$115
	ZUT6084	60 x 84 x 1	92.5	135	12.25	\$1251	\$1733	N/A	\$107
	ZUT6078	60 x 78 x 1	92.5	126	11.50	\$1178	\$1623	N/A	\$100
	ZUT6072	60 x 72 x 1	92.5	116	10.50	\$1079	\$1487	N/A	\$920
	ZUT6066	60 x 66 x 1	92.5	106	9.75	\$999	\$1376	N/A	\$85
\sim	ZUT6060	60 x 60 x 1	92.5	97	8.75	\$926	\$1267	N/A	\$772
	ZUT6054	60 x 54 x 1	100	87	8.75	\$857	\$1166	N/A	\$698
	ZUT6048	60 x 48 x 1	100	77	7.75	\$760	\$1034	N/A	\$617
	ZUT6042	60 x 42 x 1	100	68	7	\$673	\$915	N/A	\$545
	ZUT6036	60 x 36 x 1	100	58	6.25	\$617	\$823	N/A	\$465
	ZUT6030	60 x 30 x 1	100	49	5.25	\$513	\$681	N/A	\$390



7DU AT0070	00 70 4	400	00	4.5	A E04	4000	N1 / A	40.40
ZPHAT2370	23 x 70 x 1	100	39	4.5	\$501	\$663	N/A	\$348
ZPHAT2364	23 x 64 x 1	100	39	4.5	\$457	\$614	N/A	\$322
ZPHAT2358	23 x 58 x 1	70	35	2.25	\$422	\$560	N/A	\$291
ZPHAT2352	23 x 52 x 1	70	32	2	\$385	\$510	N/A	\$261
ZPHAT2346	23 x 46 x 1	85	29	2	\$348	\$460	N/A	\$232
ZPHAT2340	23 x 40 x 1	85	25	1.75	\$310	\$403	N/A	\$200
ZPHAT2334	23 x 34 x 1	85	21	1.5	\$274	\$357	N/A	\$175
ZPHAT2970	29 x 70 x 1	100	43	5	\$593	\$799	N/A	\$439
ZPHAT2964	29 x 64 x 1	100	49	5.5	\$550	\$735	N/A	\$801
ZPHAT2958	29 x 58 x 1	100	45	5	\$501	\$676	N/A	\$367
ZPHAT2952	29 x 52 x 1	70	40	2.5	\$457	\$614	N/A	\$329
ZPHAT2946	29 x 46 x 1	70	35	2.25	\$415	\$553	N/A	\$291
ZPHAT2940	29 x 40 x 1	70	31	2	\$367	\$492	N/A	\$255
ZPHAT2934	29 x 34 x 1	85	26	1.75	\$322	\$429	N/A	\$219

Laminate tops for placement over height adjustable tables.

- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Required	l Speci	fications

Top finish
Top/edge detail

Optional Specifications HP laminate

Grommet position or power block cut-out

UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUFT1896	18.11 x 96.10 x 1	100	47	5.50	\$567	\$749	N/A	\$377
	ZUFT1890	18.11 x 90.12 x 1	100	44	5.25	\$538	\$706	N/A	\$353
	ZUFT1884	18.11 x 84.09 x 1	100	41	4.75	\$501	\$663	N/A	\$329
	ZUFT1878	18.11 x 78.11 x 1	100	38	4.50	\$470	\$614	N/A	\$310
	ZUFT1872	18.11 x 72.13 x 1	70	35	2.25	\$439	\$577	N/A	\$285
	ZUFT1866	18.11 x 66.10 x 1	85	32	2.25	\$401	\$527	N/A	\$261
	ZUFT1860	18.11 x 60.12 x 1	85	29	2	\$372	\$485	N/A	\$236
	ZUFT1854	18.11 x 54.09 x 1	70	27	1.75	\$334	\$441	N/A	\$219
	ZUFT1848	18.11 x 48.11 x 1	85	24	1.75	\$299	\$400	N/A	\$194
	ZUFT1842	18.11 x 42.13 x 1	85	21	1.50	\$267	\$354	N/A	\$168
	ZUFT1836	18.11 x 36.10 x 1	85	18	1.25	\$236	\$294	N/A	\$144
	ZUFT1830	18.11 x 30.12 x 1	85	15	1.25	\$206	\$264	N/A	\$119
	ZUFT1996	19.25 x 96.10 x 1	100	50	5.75	\$575	\$761	N/A	\$401
	ZUFT1990	19.25 x 90.12 x 1	100	47	5.50	\$545	\$720	N/A	\$377
	ZUFT1984	19.25 x 84.09 x 1	100	44	5	\$507	\$668	N/A	\$353
	ZUFT1978	19.25 x 78.11 x 1	100	41	4.75	\$476	\$626	N/A	\$329
	ZUFT1972	19.25 x 72.13 x 1	70	38	2.50	\$447	\$585	N/A	\$303
	ZUFT1966	19.25 x 66.10 x 1	70	34	2.25	\$409	\$535	N/A	\$280
	ZUFT1960	19.25 x 60.12 x 1	70	31	2	\$377	\$489	N/A	\$255
	ZUFT1954	19.25 x 54.09 x 1	85	27	2	\$348	\$449	N/A	\$232
	ZUFT1948	19.25 x 48.11 x 1	85	25	1.75	\$310	\$403	N/A	\$206
¥	ZUFT1942	19.25 x 42.13 x 1	85	22	1.50	\$280	\$363	N/A	\$182
Harrier Control of the Control of th	ZUFT1936	19.25 x 36.10 x 1	70	19	1.25	\$242	\$312	N/A	\$157
	ZUFT1930	19.25 x 30.12 x 1	85	16	1.25	\$212	\$270	N/A	\$132
								,	

Lateral File Tops

Laminate tops for placement over 1900 Series Lateral Files + Storage. **No drilling or hardware included.**


• Contact Global for pricing on special size tops.

Required Specifications
Top finish
Top/edge detail

Optional Specifications
HP laminate

Grommet position or power block cut-out

FILE TOPS - BACK TO BACK	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUFT3696	36.14 x 96.10 x 1	100	93	9.50	\$907	\$1235	N/A	\$748
	ZUFT3690	36.14 x 90.12 x 1	92.5	88	8.75	\$852	\$1162	N/A	\$704
	ZUFT3684	36.14 x 84.09 x 1	92.5	82	7.75	\$785	\$1076	N/A	\$654
	ZUFT3678	36.14 x 78.11 x 1	100	76	7.75	\$748	\$1013	N/A	\$613
	ZUFT3672	36.14 x 72.13 x 1	100	70	7.25	\$698	\$920	N/A	\$563
	ZUFT3666	36.14 x 66.10 x 1	100	64	6.75	\$630	\$853	N/A	\$513
	ZUFT3660	36.14 x 60.12 x 1	100	59	6.25	\$587	\$793	N/A	\$470
	ZUFT3654	36.14 x 54.09 x 1	100	53	5.50	\$545	\$726	N/A	\$422
	ZUFT3648	36.14 x 48.11 x 1	100	47	5	\$489	\$657	N/A	\$377
	ZUFT3642	36.14 x 42.13 x 1	100	41	4.50	\$439	\$583	N/A	\$329
	ZUFT3636	36.14 x 36.10 x 1	70	35	2.25	\$385	\$510	N/A	\$285
	ZUFT3630	36.14 x 30.12 x 1	85	29	2	\$334	\$436	N/A	\$236
	ZUFT3896	38.62 x 96.10 x 1	92.5	100	10	\$1011	\$1395	N/A	\$796
	ZUFT3890	38.62 x 90.12 x 1	100	94	9.50	\$950	\$1309	N/A	\$748
<u>.</u>	ZUFT3884	38.62 x 84.09 x 1	100	87	8.75	\$894	\$1228	N/A	\$698
	ZUFT3878	38.62 x 78.11 x 1	100	81	8.25	\$832	\$1150	N/A	\$648
	ZUFT3872	38.62 x 72.13 x 1	100	75	7.75	\$778	\$1063	N/A	\$600
	ZUFT3866	38.62 x 66.10 x 1	100	69	7	\$717	\$982	N/A	\$550
	ZUFT3860	38.62 x 60.12 x 1	100	62	6.50	\$661	\$901	N/A	\$501
	ZUFT3854	38.62 x 54.09 x 1	100	56	6	\$604	\$816	N/A	\$451
	ZUFT3848	38.62 x 48.11 x 1	100	50	5.25	\$545	\$738	N/A	\$401
	ZUFT3842	38.62 x 42.13 x 1	100	44	4.75	\$483	\$657	N/A	\$353
	ZUFT3836	38.62 x 36.10 x 1	100	38	4.25	\$427	\$569	N/A	\$303
	ZUFT3830	38.62 x 30.12 x 1	100	31	3.75	\$367	\$492	N/A	\$255



Lateral File Tops - Back to Back

Laminate tops for placement over back-to-back metal filing + storage. No drilling or hardware included.

- Use ZUFT36xx models for 18"D laterals back-to-back
- Use ZUFT38xx models for 19.25"D laterals back-to-back
- Contact Global for pricing on special size tops.

Required Specifications
Top finish

Top/edge detail

Optional Specifications
HP laminate

Grommet position or power block cut-out

	ZMPFF28	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5 TUP	GLAZE AUL	HP ADI
		29 x 16 x 28	92.5	106	10.25	\$1286	N/A	N/A	\$223
	ZMPFF22	23 x 16 x 28	92.5	95	8.25	\$1221	N/A	N/A	\$223
Nobile Pedestal with Overhang*		on fully progressive ba ang with built-in grip fo are locking.							
	ZMPFF19	19 x 16 x 28	85	97	7.25	\$1155	N/A	N/A	\$223
Nobile Pedestal*		on fully progressive ba t casters are locking.	II bearing slides, a	accommodate	e letter and le	egal size ha	inging files	. Drawers	are
	ZMPBBF28	29 x 16 x 28	92.5	105	10.25	\$1179	N/A	N/A	\$223
	ZMPBBF22	23 x 16 x 28	92.5	92	8.25	\$1173	N/A	N/A	\$223
	D /D /F'!	6.11							
Nobile Pedestal with Overhang*	features 1" overh	awers on fully progress ang with built-in grip fo cking. Only front caste							
Mobile Pedestal with Overhang*	features 1" overh	ang with built-in grip fo	r ease of mobility.						nd lowe
Mobile Pedestal with Overhang* Mobile Pedestal*	features 1" overh box drawer are lo ZMPBBF19 Box/Box/File dr.	ang with built-in grip fo cking. Only front caste	r ease of mobility. rs are locking. 85	96 des, accomm	7.25	\$1076	ipping. Fil	e drawer a	\$223
	features 1" overh box drawer are lo ZMPBBF19 Box/Box/File dr.	ang with built-in grip fo cking. Only front caste 19 x 16 x 28 awers on fully progress	r ease of mobility. rs are locking. 85	96 des, accomm	7.25	\$1076	ipping. Fil	e drawer a	\$223
	features 1" overh box drawer are lo ZMPBBF19 Box/Box/File dr. and lower box dra	ang with built-in grip fo cking. Only front caste 19 x 16 x 28 awers on fully progress wer are locking. Only	r ease of mobility. rs are locking. 85 ive ball bearing sli	96 des, accomm	7.25	\$1076	N/A ize hanging	e drawer a	\$223 drawer
	features 1" overh box drawer are lo ZMPBBF19 Box/Box/File drawers ZMPBF28 ZMPBF22 Box/File drawers	ang with built-in grip focking. Only front caste 19 x 16 x 28 awers on fully progress awer are locking. Only focking. Only focking. Only focking. Only focking focking. Only focking focking. Only focking focking focking focking focking focking focking focking focking.	r ease of mobility. rs are locking. 85 ive ball bearing slifter are locking step of the second sec	96 des, accommodate 83 73	7.25 nodate letter 8.25 6.75	\$1076 and legal s \$1036 \$1010	N/A ize hanging N/A N/A anging files	e drawer a N/A N/A g files. File N/A N/A N/A	\$223 drawer \$223 \$223

Mobile Pedestal*



Hanging Pedestal

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Drawers are locking. Only front casters are locking.

ZHPBF18	19 x 16 x 18	92.5	48	4.50	\$706	N/A	N/A	N/A

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Drawers are locking.

Required Specifications	Optional Specifications
Top finish	HP laminate*
Base finish	Handles
Lock finish	



Open Storage Shell




Lateral File Shell






Closed Storage Shell**



Split Drawer Storage Shell* - LEFT



Split Drawer Storage Shell* - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP AD	D
	D x W x H							
Z36L21SNS	24 x 36 x 16.87	150	62	11.25	\$639	N/A	N/A N/A	
Z30L21SNS	24 x 30 x 16.87	150	55	9.50	\$573	N/A	N/A N/A	
Z36M21SNS	20 x 36 x 16.87	150	56	9.50	\$589	N/A	N/A N/A	
Z30M21SNS	20 x 30 x 16.87	125	49	8	\$526	N/A	N/A N/A	

For use under Zxxxx1TB 17.37"H top and back kit. No top or back.

Z36L21ES	24 x 36 x 16.87	125	82	11.25	\$935	N/A	N/A	N/A
Z30L21ES	24 x 30 x 16.87	100	77	9.50	\$816	N/A	N/A	N/A
Z36M21ES	20 x 36 x 16.87	100	78	9.50	\$901	N/A	N/A	N/A
Z30M21ES	20 x 30 x 16.87	100	73	8	\$780	N/A	N/A	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L21SHS	24 x 36 x 16.87	125	71	11.25	\$850	N/A	\$407	N/A
Z30L21SHS	24 x 30 x 16.87	125	62	9.50	\$767	N/A	\$362	N/A
Z36M21SHS	20 x 36 x 16.87	125	65	9.50	\$801	N/A	\$407	N/A
Z30M21SHS	20 x 30 x 16.87	125	57	8	\$722	N/A	\$361	N/A

For use **under Zxxxx1TB 17.37"H** top and back kit. **No top or back**. Laminate doors are standard. Standard with lock.

Z36L21XSL	24 x 36 x 16.87	125	81	11.25	\$866	N/A	N/A	N/A
Z30L21XSL	24 x 30 x 16.87	125	72	9.50	\$790	N/A	N/A	N/A
Z36M21XSL	20 x 36 x 16.87	100	78	9.50	\$831	N/A	N/A	N/A
Z30M21XSL	20 x 30 x 16.87	100	69	8	\$756	N/A	N/A	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. Pull out drawer includes filing space on left and storage on right. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L21XSR	24 x 36 x 16.87	125	81	11.25	\$866	N/A	N/A	N/A
Z30L21XSR	24 x 30 x 16.87	125	72	9.50	\$790	N/A	N/A	N/A
Z36M21XSR	20 x 36 x 16.87	100	78	9.50	\$831	N/A	N/A	N/A
Z30M21XSR	20 x 30 x 16.87	100	69	8	\$756	N/A	N/A	N/A

For use under Zxxxx1TB 17.37"H top and back kit. No top or back. Pull out drawer includes filing space on right and storage on left. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Reauired	Specifications	

Base finish Handles*

Optional Specifications Key #*

Glazed doors**

TOP AND BACK KITS FOR 16.87"H SHELLS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z24961TB	24 x 96 x 17.37-17		104	6.75	\$802	\$979	N/A	\$520
	Z24901TB	24 x 90 x 17.37-17	.87 70	97	6.25	\$762	\$927	N/A	\$488
	Z24841TB	24 x 84 x 17.37-17	.87 70	91	6	\$717	\$873	N/A	\$454
	Z24781TB	24 x 78 x 17.37-17	.87 70	86	5.50	\$672	\$814	N/A	\$423
	Z24721TB	24 x 72 x 17.37-17	.87 85	78	5.25	\$624	\$757	N/A	\$390
	Z24661TB	24 x 66 x 17.37-17	.87 70	72	4.75	\$577	\$700	N/A	\$358
	Z24601TB	24 x 60 x 17.37-17	.87 85	66	4.50	\$529	\$640	N/A	\$327
	Z24541TB	24 x 54 x 17.37-17	.87 85	59	4	\$479	\$580	N/A	\$294
	Z24481TB	24 x 48 x 17.37-17	.87 85	55	3.75	\$441	\$530	N/A	\$261
	Z24421TB	24 x 42 x 17.37-17	.87 85	47	3.25	\$390	\$470	N/A	\$229
	Z24361TB	24 x 36 x 17.37-17	.87 85	40	3	\$337	\$406	N/A	\$197
	Z24301TB	24 x 30 x 17.37-17	.87 85	34	2.50	\$291	\$348	N/A	\$164
	Z20961TB	20 x 96 x 17.37-17	.87 70	93	6	\$739	\$885	N/A	\$434
	Z20901TB	20 x 90 x 17.37-17	.87 70	86	5.50	\$693	\$831	N/A	\$407
	Z20841TB	20 x 84 x 17.37-17	.87 70	76	4.75	\$652	\$782	N/A	\$378
	Z20781TB	20 x 78 x 17.37-17	.87 70	80	5.25	\$616	\$736	N/A	\$353
	Z20721TB	20 x 72 x 17.37-17	.87 70	69	4.50	\$570	\$681	N/A	\$327
	Z20661TB	20 x 66 x 17.37-17	.87 70	64	4.25	\$526	\$628	N/A	\$299
	Z20601TB	20 x 60 x 17.37-17	.87 70	58	3.75	\$484	\$577	N/A	\$273
	Z20541TB	20 x 54 x 17.37-17	.87 70	53	3.50	\$442	\$527	N/A	\$246
	Z20481TB	20 x 48 x 17.37-17	.87 70	50	3.25	\$407	\$482	N/A	\$219
	Z20421TB	20 x 42 x 17.37-17	.87 70	42	2.75	\$358	\$424	N/A	\$189
	Z20361TB	20 x 36 x 17.37-17	.87 85	35	2.50	\$309	\$366	N/A	\$164
	Z20301TB	20 x 30 x 17.37-17	.87 85	28	2.25	\$265	\$312	N/A	\$138
								•	



Credenza Top and Back Kit

For use with 16.87" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.

Required Specifications
Top finish
Top/edge detail Base finish

Optional Specifications
HP laminate

STORAGE SHELLS - 2



1.5H Open Storage Shell

	D x W x H							
Z36L2HSHNS	24 x 36 x 22.75	150	83	14.50	\$791	N/A	N/A	N/A
Z30L2HSHNS	24 x 30 x 22.75	125	75	12.25	\$715	N/A	N/A	N/A
Z24L2HSHNS	24 x 24 x 22.75	125	66	10	\$636	N/A	N/A	N/A
Z36M2HSHNS	20 x 36 x 22.75	150	73	12.25	\$722	N/A	N/A	N/A
Z30M2HSHNS	20 x 30 x 22.75	125	64	10.50	\$645	N/A	N/A	N/A
Z24M2HSHNS	20 x 24 x 22.75	125	55	8.50	\$576	N/A	N/A	N/A
	Z30L2HSHNS Z24L2HSHNS Z36M2HSHNS Z30M2HSHNS	Z36L2HSHNS 24 x 36 x 22.75 Z30L2HSHNS 24 x 30 x 22.75 Z24L2HSHNS 24 x 24 x 22.75 Z36M2HSHNS 20 x 36 x 22.75 Z30M2HSHNS 20 x 30 x 22.75	Z36L2HSHNS 24 x 36 x 22.75 150 Z30L2HSHNS 24 x 30 x 22.75 125 Z24L2HSHNS 24 x 24 x 22.75 125 Z36M2HSHNS 20 x 36 x 22.75 150 Z30M2HSHNS 20 x 30 x 22.75 125	Z36L2HSHNS 24 x 36 x 22.75 150 83 Z30L2HSHNS 24 x 30 x 22.75 125 75 Z24L2HSHNS 24 x 24 x 22.75 125 66 Z36M2HSHNS 20 x 36 x 22.75 150 73 Z30M2HSHNS 20 x 30 x 22.75 125 64	Z36L2HSHNS 24 x 36 x 22.75 150 83 14.50 Z30L2HSHNS 24 x 30 x 22.75 125 75 12.25 Z24L2HSHNS 24 x 24 x 22.75 125 66 10 Z36M2HSHNS 20 x 36 x 22.75 150 73 12.25 Z30M2HSHNS 20 x 30 x 22.75 125 64 10.50	Z36L2HSHNS 24 x 36 x 22.75 150 83 14.50 \$791 Z30L2HSHNS 24 x 30 x 22.75 125 75 12.25 \$715 Z24L2HSHNS 24 x 24 x 22.75 125 66 10 \$636 Z36M2HSHNS 20 x 36 x 22.75 150 73 12.25 \$722 Z30M2HSHNS 20 x 30 x 22.75 125 64 10.50 \$645	Z36L2HSHNS 24 x 36 x 22.75 150 83 14.50 \$791 N/A Z30L2HSHNS 24 x 30 x 22.75 125 75 12.25 \$715 N/A Z24L2HSHNS 24 x 24 x 22.75 125 66 10 \$636 N/A Z36M2HSHNS 20 x 36 x 22.75 150 73 12.25 \$722 N/A Z30M2HSHNS 20 x 30 x 22.75 125 64 10.50 \$645 N/A	Z36L2HSHNS 24 x 36 x 22.75 150 83 14.50 \$791 N/A N/A Z30L2HSHNS 24 x 30 x 22.75 125 75 12.25 \$715 N/A N/A Z24L2HSHNS 24 x 24 x 22.75 125 66 10 \$636 N/A N/A Z36M2HSHNS 20 x 36 x 22.75 150 73 12.25 \$722 N/A N/A Z30M2HSHNS 20 x 30 x 22.75 125 64 10.50 \$645 N/A N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back.

Z36L2HFS	24 x 36 x 22.75	125	102	14.50	\$1087	N/A	N/A	N/A
Z30L2HFS	24 x 30 x 22.75	125	97	12.25	\$957	N/A	N/A	N/A
Z36M2HFS	20 x 36 x 22.75	125	95	12.25	\$1034	N/A	N/A	N/A
Z30M2HFS	20 x 30 x 22.75	100	88	10.50	\$900	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf and lateral file storage. For filing capablities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HES	24 x 36 x 22.75	125	103	14.50	\$1143	N/A	N/A	N/A
Z30L2HES	24 x 30 x 22.75	100	99	12.25	\$1015	N/A	N/A	N/A
Z36M2HES	20 x 36 x 22.75	100	98	12.25	\$1105	N/A	N/A	N/A
Z30M2HES	20 x 30 x 22.75	100	92	10.50	\$969	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Box drawer and lateral file storage. For filing capablities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXSL	24 x 36 x 22.75	125	110	14.50	\$1232	N/A	N/A	N/A
Z30L2HXSL	24 x 30 x 22.75	100	105	12.25	\$1104	N/A	N/A	N/A
Z36M2HXSL	20 x 36 x 22.75	100	104	12.25	\$1164	N/A	N/A	N/A
Z30M2HXSL	20 x 30 x 22.75	100	97	10.50	\$1030	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on right, box drawer on left and lateral file storage below. For filing capabilties, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXSR	24 x 36 x 22.75	125	110	14.50	\$1232	N/A	N/A	N/A
Z30L2HXSR	24 x 30 x 22.75	100	105	12.25	\$1104	N/A	N/A	N/A
Z36M2HXSR	20 x 36 x 22.75	100	104	12.25	\$1164	N/A	N/A	N/A
Z30M2HXSR	20 x 30 x 22.75	100	97	10.50	\$1030	N/A	N/A	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on left, box drawer on right and lateral file storage below. For filing capablities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HSHS	24 x 36 x 22.75	125	96	14.50	\$1044	N/A	\$505	N/A
Z30L2HSHS	24 x 30 x 22.75	125	86	12.25	\$943	N/A	\$449	N/A
Z36M2HSHS	20 x 36 x 22.75	125	86	12.25	\$976	N/A	\$505	N/A
Z30M2HSHS	20 x 30 x 22.75	125	75	10.50	\$873	N/A	\$449	N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Laminate doors are standard. Standard with lock.



1.5H Open/Lateral File Shell*



1.5H Box/Lateral File Shell*



1.5H Mixed Storage Shell - LEFT*



1.5H Mixed Storage Shell - RIGHT*





1.5H Closed Storage Shell**

Required Specifications Base finish

Handles*

Optional Specifications

Key #*

Glazed doors**


STORAGE SHE	LLS - 22.75" HIGH

1.5H Split Drawer Storage Shell* - LEFT

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z36L2HCSL 24 x 36 x 22.75 125 N/A 110 14.50 \$1174 N/A N/A Z30L2HCSL 24 x 30 x 22.75 100 101 12.25 \$1095 N/A N/A N/A Z36M2HCSL 20 x 36 x 22.75 100 104 12.25 \$1104 N/A N/A N/A Z30M2HCSL 100 10.50 20 x 30 x 22.75 92 \$1019 N/A N/A N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on right, box drawer on left. Pull out drawer includes filing space on left and storage on right. Front-to-back letter capability.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



1.5H Split Drawer Storage Shell* - RIGHT

Z36L2HCSR 24 x 36 x 22.75 125 110 14.50 \$1174 N/A N/A N/A Z30L2HCSR 24 x 30 x 22.75 100 101 12.25 \$1095 N/A N/A N/A Z36M2HCSR 20 x 36 x 22.75 100 104 12.25 \$1104 N/A N/A N/A Z30M2HCSR 20 x 30 x 22.75 100 92 10.50 \$1019 N/A N/A N/A

For use under ZxxxxHTB 23.25"H top and back kit. No top or back. Open shelf on left, box drawer on right. Pull out drawer includes filing space on right and storage on left. Front-to-back letter capability.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

AND BACK KITS FOR 22.75"H SHELLS	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	Z2496HTB	24 x 96 x 23.25-23.7	5 70	114	6.75	\$849	\$1026	N/A	\$520
	Z2490HTB	24 x 90 x 23.25-23.7	5 70	107	6.25	\$806	\$971	N/A	\$488
	Z2484HTB	24 x 84 x 23.25-23.7	5 70	100	6	\$756	\$912	N/A	\$454
	Z2478HTB	24 x 78 x 23.25-23.7	5 70	94	5.50	\$710	\$854	N/A	\$42
	Z2472HTB	24 x 72 x 23.25-23.7	5 70	87	5.25	\$659	\$792	N/A	\$39
	Z2466HTB	24 x 66 x 23.25-23.7	5 70	80	4.75	\$610	\$733	N/A	\$35
	Z2460HTB	24 x 66 x 23.25-23.7	5 70	72	4.50	\$561	\$672	N/A	\$32
	Z2454HTB	24 x 54 x 23.25-23.7	5 70	65	4	\$507	\$608	N/A	\$29
	Z2448HTB	24 x 48 x 23.25-23.7	5 85	55	3.75	\$463	\$552	N/A	\$26
	Z2442HTB	24 x 42 x 23.25-23.7	5 70	51	3.25	\$411	\$491	N/A	\$22
	Z2436HTB	24 x 36 x 23.25-23.7	5 85	44	3	\$357	\$426	N/A	\$19
	Z2430HTB	24 x 30 x 23.25-23.7	5 85	37	2.50	\$309	\$366	N/A	\$10
	Z2096HTB	20 x 96 x 23.25-23.7	5 70	103	6.25	\$793	\$939	N/A	\$43
	Z2090HTB	20 x 90 x 23.25-23.7	5 70	97	6	\$750	\$888	N/A	\$4
	Z2084HTB	20 x 84 x 23.25-23.7		91	5.75	\$705	\$835	N/A	\$3
	Z2078HTB	20 x 78 x 23.25-23.7	5 70	86	5.25	\$660	\$780	N/A	\$3
	Z2072HTB	20 x 72 x 23.25-23.7	5 70	78	5	\$616	\$727	N/A	\$3
	Z2066HTB	20 x 66 x 23.25-23.7	5 70	71	4.50	\$564	\$666	N/A	\$2
	Z2060HTB	20 x 66 x 23.25-23.7	5 70	65	4.25	\$520	\$612	N/A	\$2
	72054HTB	20 x 54 x 23.25-23.7		59	3.75	\$474	\$559	N/A	\$2
	Z2048HTB	20 x 48 x 23.25-23.7		55	3.50	\$434	\$509	N/A	\$2
	Z2042HTB	20 x 42 x 23.25-23.7		47	3	\$384	\$450	N/A	\$18
	Z2036HTB	20 x 36 x 23.25-23.7		40	2.75	\$331	\$388	N/A	\$10
	Z2030HTB	20 x 30 x 23.25-23.7		33	2.25	\$286	\$333	N/A	\$13



Credenza Top and Back Kit**

For use with 22.75" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.

Req	uired	Sp	eci	fica	tions

Top finish** Top/edge detail** Base finish Handles*

Optional Specifications

HP laminate*



STORAGE SHELLS - 28" HIGH



Storage Shell*

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z36L2SHS 100 \$762 N/A 23.4 x 36 x 28-28.5 150 18.50 \$978 N/A Z30L2SHS 23.4 x 30 x 28-28.5 150 88 15.50 \$873 N/A \$699 N/A Z36M2SHS \$856 19.3 x 36 x 28-28.5 150 89 15.50 N/A \$762 N/A Z30M2SHS 78 \$699 19.3 x 30 x 28-28.5 150 13.25 \$777 N/A N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.





Storage Shell - LEFT*

Z21L2SHSL	23.4 x 21 x 28-28.5	125	70	11	\$674	N/A	\$432	N/A
Z18L2SHSL	23.4 x 18 x 28-28.5	125	64	9.75	\$646	N/A	\$395	N/A
Z16L2SHSL	23.4 x 16 x 28-28.5	125	60	9	\$607	N/A	\$386	N/A
Z15L2SHSL	23.4 x 15 x 28-28.5	125	59	8.25	\$587	N/A	\$348	N/A
Z12L2SHSL	23.4 x 12 x 28-28.5	125	53	6.75	\$548	N/A	\$314	N/A
Z21M2SHSL	19.3 x 21 x 28-28.5	125	61	9.50	\$577	N/A	\$432	N/A
Z18M2SHSL	19.3 x 18 x 28-28.5	125	56	8.25	\$551	N/A	\$395	N/A
Z16M2SHSL	19.3 x 16 x 28-28.5	125	52	7	\$523	N/A	\$386	N/A
Z15M2SHSL	19.3 x 15 x 28-28.5	125	52	6.75	\$495	N/A	\$348	N/A
Z12M2SHSL	19.3 x 12 x 28-28.5	100	47	5.75	\$465	N/A	\$314	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.






Storage Shell - RIGHT*

Z21L2SHSR	23.4 x 21 x 28-28.5	125	70	11	\$674	N/A	\$432	N/A
Z18L2SHSR	23.4 x 18 x 28-28.5	125	64	9.75	\$646	N/A	\$395	N/A
Z16L2SHSR	23.4 x 16 x 28-28.5	125	60	9	\$607	N/A	\$386	N/A
Z15L2SHSR	23.4 x 15 x 28-28.5	125	59	8.25	\$587	N/A	\$348	N/A
Z12L2SHSR	23.4 x 12 x 28-28.5	125	53	6.75	\$548	N/A	\$314	N/A
Z21M2SHSR	19.3 x 21 x 28-28.5	125	61	9.50	\$577	N/A	\$432	N/A
Z18M2SHSR	19.3 x 18 x 28-28.5	125	56	8.25	\$551	N/A	\$395	N/A
Z16M2SHSR	19.3 x 16 x 28-28.5	125	52	7	\$523	N/A	\$386	N/A
Z15M2SHSR	19.3 x 15 x 28-28.5	125	52	6.75	\$495	N/A	\$348	N/A
Z12M2SHSR	19.3 x 12 x 28-28.5	100	47	5.75	\$465	N/A	\$314	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.



File/File Shell

Z36L2ES	23.4 x 36 x 28-28.5	125	121	18.50	\$1469	N/A	N/A	N/A
Z30L2ES	23.4 x 30 x 28-28.5	125	110	15.50	\$1347	N/A	N/A	N/A
Z16L2ES	23.4 x 16 x 28-28.5	100	75	9	\$812	N/A	N/A	N/A
Z15L2ES	23.4 x 15 x 28-28.5	100	75	8.25	\$791	N/A	N/A	N/A
Z36M2ES	19.3 x 36 x 28-28.5	125	114	15.50	\$1353	N/A	N/A	N/A
Z30M2ES	19.3 x 30 x 28-28.5	125	102	13.25	\$1265	N/A	N/A	N/A
Z16M2ES	19.3 x 16 x 28-28.5	100	69	7	\$741	N/A	N/A	N/A
Z15M2ES	19.3 x 15 x 28-28.5	92.5	68	6.75	\$723	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. Two file drawers.** Lock secures all drawers. For filing capabilities, see page 121.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications

Base finish Handles **Optional Specifications**

Glazed doors - storage shell doors*

Key #




Box/Box/File Shell*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	ADD
	DxWxH							
Z16L2BFS	23.4 x 16 x 28-28	B.5 100	77	9	\$935	N/A	N/A N/	/A
Z15L2BFS	23.4 x 15 x 28-28	B.5 100	77	8.25	\$915	N/A	N/A N/	/A
Z16M2BFS	19.3 x 16 x 28-28	8.5 92.5	71	7	\$847	N/A	N/A N/	/A
Z15M2BFS	19.3 x 15 x 28-28	8.5 92.5	71	6.75	\$831	N/A	N/A N/	/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. Two box and one file drawer. One pencil tray. Lock secures all drawers.

• 15" wide models have only side-to side filing capability





File Shell with Open Shelf*

Z36L2FS	23.4 x 36 x 28-28.5	150	109	18.50	\$1144	N/A	N/A	N/A
Z30L2FS	23.4 x 30 x 28-28.5	125	98	15.50	\$1028	N/A	N/A	N/A
Z16L2FS	23.4 x 16 x 28-28.5	125	68	9	\$684	N/A	N/A	N/A
Z15L2FS	23.4 x 15 x 28-28.5	100	67	8.25	\$675	N/A	N/A	N/A
Z36M2FS	19.3 x 36 x 28-28.5	125	99	15.50	\$1018	N/A	N/A	N/A
Z30M2FS	19.3 x 30 x 28-28.5	125	89	13.25	\$937	N/A	N/A	N/A
Z16M2FS	19.3 x 16 x 28-28.5	100	59	7	\$576	N/A	N/A	N/A
Z15M2FS	19.3 x 15 x 28-28.5	100	57	6.75	\$564	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One file drawer. Lock secures file drawer. For filing capabilties, see page 121.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Open Shelving Shell

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. One adjustable shelf.



Mixed Storage Shell - LEFT*

Z36L2XSL	23.4 x 36 x 28-28.5	100	152	18.50	\$1770	N/A	N/A	N/A
Z30L2XSL	23.4 x 30 x 28-28.5	100	136	15.50	\$1619	N/A	N/A	N/A
Z36M2XSL	19.3 x 36 x 28-28.5	100	139	15.50	\$1668	N/A	N/A	N/A
Z30M2XSL	19.3 x 30 x 28-28.5	100	124	13.25	\$1550	N/A	N/A	N/A

For use under 29"H returns, extended corners, freestanding and connectable tables of the same depth. No top or back. Two box drawers on left, one file drawer on right accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures one file drawer, the left lock secures two box and the lateral file. One pencil tray. For filing capablities, see page 121.


- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

Required Specifications

Base finish Handles*


Optional Specifications

Box Drawer Option (no upcharge - not available on Open Shelving Shell) Key #



STORAGE SHELLS - 28" HIGH

Mixed Storage Shell - RIGHT**




For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back**. Two box drawers on **right**, one file drawer on **left** accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 121.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

	:	Z36L2XNSL	23.4 x 36 x 28.5	125	133	18.50	\$1495	N/A	N/A
		Z30L2XNSL	23.4 x 30 x 28.5	125	121	15.50	\$1361	N/A	N/A
*		Z36M2XNSL	19.3 x 36 x 28.5	125	121	15.50	\$1393	N/A	N/A
		Z30M2XNSL	19.3 x 30 x 28.5	100	109	13.25	\$1296	N/A	N/A
\exists									
	* Accepts collator								

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **left**, one open shelf on **right** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Mixed Storage Shell with Open Shelf - RIGHT*

Mixed Storage Shell with

Open Shelf - LEFT*

Z36L2XNSR	23.4 x 36 x 28-28.5	125	133	18.50	\$1495	N/A	N/A	N/A
Z30L2XNSR	23.4 x 30 x 28-28.5	125	121	15.50	\$1361	N/A	N/A	N/A
Z36M2XNSR	19.3 x 36 x 28-28.5	125	121	15.50	\$1393	N/A	N/A	N/A
Z30M2XNSR	19.3 x 30 x 28-28.5	100	109	13.25	\$1296	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **right**, one open shelf on **left** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications

Base finish

Handles

Optional Specifications

Box drawer - no upcharge Collator (open shelves) N/A

N/A

N/A

N/A

TOP AND BACK KITS FOR 28"H STORAGE SHELLS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z2496TB	24 x 96 x 29-29.5	• •	126	7.75	\$930	\$1107	N/A	\$520
	Z2490TB	24 x 90 x 29-29.5	70	118	7.25	\$877	\$1042	N/A	\$488
	Z2484TB	24 x 84 x 29-29.5	70	111	6.75	\$827	\$983	N/A	\$454
	Z2478TB	24 x 78 x 29-29.5	70	104	6.25	\$769	\$913	N/A	\$423
	Z2472TB	24 x 72 x 29-29.5	70	117	5.90	\$681	\$842	N/A	\$384
	Z2466TB	24 x 66 x 29-29.5	70	117	5.90	\$656	\$804	N/A	\$384
	Z2460TB	24 x 60 x 29-29.5	70	117	5.90	\$598	\$731	N/A	\$319
	Z2454TB	24 x 54 x 29-29.5	70	72	4.50	\$550	\$651	N/A	\$294
	Z2448TB	24 x 48 x 29-29.5	70	66	4	\$503	\$592	N/A	\$261
	Z2442TB	24 x 42 x 29-29.5	70	57	3.75	\$449	\$529	N/A	\$229
	Z2436TB	24 x 36 x 29-29.5	70	49	3.25	\$378	\$447	N/A	\$197
	Z2430TB	24 x 30 x 29-29.5	85	41	2.75	\$336	\$393	N/A	\$164
	Z2096TB	20 x 96 x 29-29.5	85	116	7.75	\$877	\$1023	N/A	\$434
	Z2090TB	20 x 90 x 29-29.5	70	102	6.75	\$828	\$966	N/A	\$407
	Z2084TB	20 x 84 x 29-29.5	70	102	6.75	\$778	\$908	N/A	\$378
	Z2078TB	20 x 78 x 29-29.5	70	95	6.25	\$725	\$845	N/A	\$353
	Z2072TB	20 x 72 x 29-29.5	70	106	6	\$656	\$789	N/A	\$384
	Z2066TB	20 x 66 x 29-29.5	70	106	6	\$643	\$756	N/A	\$384
	Z2060TB	20 x 60 x 29-29.5	70	106	6	\$564	\$684	N/A	\$319
	Z2054TB	20 x 54 x 29-29.5	85	66	4.50	\$521	\$606	N/A	\$246
	Z2048TB	20 x 48 x 29-29.5	70	61	4	\$475	\$550	N/A	\$219
	Z2042TB	20 x 42 x 29-29.5	85	52	3.75	\$424	\$490	N/A	\$189
	Z2036TB	20 x 36 x 29-29.5	85	45	3.25	\$358	\$415	N/A	\$164
	Z2030TB	20 x 30 x 29-29.5	85	38	2.75	\$319	\$366	N/A	\$138



Top and Back Kits - 29"H

For use with 28" high storage shells. Shipped RTA (ready to assemble).

• Does not include hardware to attach to storage shells.



Z24FL	23.4 x 1 x 28.5	92.5	20	1.70	\$261	N/A	N/A	N/A
Z20FL	19.3 x 1 x 28.5	65	16	.60	\$261	N/A	N/A	N/A


For use at either end of 29"H top and back kits. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **Z24FL**.
- For 20" deep worksurfaces, order **Z20FL**.
- Does not include hardware for installation.

Required Specif	ications
-----------------	----------

Top finish Top/edge detail Base finish

Optional Specifications
HP laminate



Open Storage



Lateral File*






Storage Cabinet*



Split Drawer Storage* - LEFT



Split Drawer Storage* - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L21SHN	24 x 36 x 17.87	-18.37 125	82	11.75	\$753	\$822	N/A	\$197
Z30L21SHN	24 x 30 x 17.87	-18.37 125	74	10	\$691	\$748	N/A	\$164
Z36M21SHN	20 x 36 x 17.87	-18.37 125	71	10	\$683	\$740	N/A	\$164
Z30M21SHN	20 x 30 x 17.87	-18.37 125	62	8.50	\$615	\$662	N/A	\$138

Open Shelf.

Z36L21E	24 x 36 x 17.87-18.37 100	103	11.75	\$1112 \$1181	N/A	\$197
Z30L21E	24 x 30 x 17.87-18.37 100	97	10	\$950 \$1007	N/A	\$164
Z36M21E	20 x 36 x 17.87-18.37 100	95	10	\$1056 \$1113	N/A	\$164
Z30M21E	20 x 30 x 17.87-18.37 92.5	88	8.50	\$887 \$934	N/A	\$138

One file drawer. Lock secures drawer. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21SH	24 x 36 x 17.87-18.37 125	90	11.75	\$964	\$1033	\$407	\$197
Z30L21SH	24 x 30 x 17.87-18.37 100	81	10	\$886	\$943	\$361	\$164
Z36M21SH	20 x 36 x 17.87-18.37 100	80	10	\$893	\$950	\$407	\$164
Z30M21SH	20 x 30 x 17.87-18.37 100	69	8.50	\$810	\$857	\$361	\$138

Laminate doors are standard. Standard with lock.

Z36L21XHL	24 x 36 x 17.87-18.37 100	102	11.75	\$1045	\$1114	N/A	\$197
Z30L21XHL	24 x 30 x 17.87-18.37 100	92	10	\$928	\$985	N/A	\$164
Z36M21XHL	20 x 36 x 17.87-18.37 100	95	10	\$989	\$1046	N/A	\$164
Z30M21XHL	20 x 30 x 17.87-18.37 100	83	8.50	\$866	\$913	N/A	\$138

Pull out drawer includes filing space on left and storage on right. Lock secures drawer. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21XHR	24 x 36 x 17.87-18.37 100	102	11.75	\$1045 \$1114	N/A	\$197
Z30L21XHR	24 x 30 x 17.87-18.37 100	92	10	\$928 \$985	N/A	\$164
Z36M21XHR	20 x 36 x 17.87-18.37 100	95	10	\$989 \$1046	N/A	\$164
Z30M21XHR	20 x 30 x 17.87-18.37 100	83	8.50	\$866 \$913	N/A	\$138

Pull out drawer includes filing space on right and storage on left. Lock secures drawer. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Required	Specifications

Top finish
Top/edge detail
Base finish
Handles*

Optional Specifications

HP laminate Key #

\$197

\$164

\$164

\$138


GLAZE ADD HP ADD

N/A

N/A

N/A

N/A



1.5H Open Storage



1.5H Open/Lateral File Storage*



1.5H Box/Lateral File Storage*†



1.5H Mixed Storage - LEFT*



1.5H Mixed Storage - RIGHT*



Closed Storage**



One adjustabl	le :	shelf

MODEL#

Z36L2HSHN

Z30L2HSHN

Z36M2HSHN

Z30M2HSHN

Z36L2HFN 24 x 36 x 23.75-24.25 100 127 15 \$1284 \$1353 N/A \$197 Z30L2HFN 118 12.75 \$1154 N/A \$164 24 x 30 x 23.75-24.25 100 \$1097 20 x 36 x 23.75-24.25 100 116 Z36M2HFN 12.75 \$1207 \$1264 N/A \$164 Z30M2HFN 20 x 30 x 23.75-24.25 100 106 10.75 \$1020 \$1067 N/A \$138

WT/LBS.

106

94

92

80

CUBIC FT.

15

12.75

12.75

10.75

1.5" TOP

\$995

\$896

\$891

\$796

1"TOP

\$926

\$839

\$834

\$749

Open shelf on top. Lateral file below. Lock secures drawer. For filing capabilities, see page 121.

FREIGHT CLASS

DIMENSIONS

DxWxH

24 x 36 x 23.75-24.25 125

24 x 30 x 23.75-24.25 125

20 x 36 x 23.75-24.25 125

20 x 30 x 23.75-24.25 125

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HE	24 x 36 x 23.75-24.25 100	126	15	\$1357 \$1426	N/A	\$197
Z30L2HE	24 x 30 x 23.75-24.25 100	118	12.75	\$1357 \$1414	N/A	\$164
Z36M2HE	20 x 36 x 23.75-24.25 100	118	12.75	\$1295 \$1352	N/A	\$164
Z30M2HE	20 x 30 x 23.75-24.25 92.5	108	10.75	\$1102 \$1149	N/A	\$138

Box drawer on top. Lateral file below. Lock secures both drawers. For filing capabilties, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXNL	24 x 36 x 23.75-24.25 100	132	15	\$1401 \$1470	N/A	\$197
Z30L2HXNL	24 x 30 x 23.75-24.25 100	123	12.75	\$1217 \$1274	N/A	\$164
Z36M2HXNL	20 x 36 x 23.75-24.25 100	121	12.75	\$1328 \$1385	N/A	\$164
Z30M2HXNL	20 x 30 x 23.75-24.25 92.5	111	10.75	\$1142 \$1189	N/A	\$138

Open shelf on right, box drawer on left and lateral file storage below. Lock secures both drawers. For filing capabilities, see

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXNR	24 x 36 x 23.75-24.25 100	132	15	\$1401	\$1470	N/A	\$197
Z30L2HXNR	24 x 30 x 23.75-24.25 100	123	12.75	\$1217	\$1274	N/A	\$164
Z36M2HXNR	20 x 36 x 23.75-24.25 100	121	12.75	\$1328	\$1385	N/A	\$164
Z30M2HXNR	20 x 30 x 23.75-24.25 92.5	111	10.75	\$1142	\$1189	N/A	\$138

Open shelf on left, box drawer on right and lateral file storage below. Lock secures both drawers. For filing capabilities, see

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HSH	24 x 36 x 23.75-24.25	125	119	15	\$1177	\$1246	\$505	\$197
Z30L2HSH	24 x 30 x 23.75-24.25	100	105	12.75	\$1066	\$1123	\$449	\$164
Z36M2HSH	20 x 36 x 23.75-24.25	100	105	12.75	\$1086	\$1143	\$505	\$164
Z30M2HSH	20 x 30 x 23.75-24.25	100	91	10.75	\$977	\$1024	\$449	\$138


Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Required	Spec	cifica	tions

Top finish Top/edge detail Base finish Handles*

Optional Specifications

HP laminate Key# Glazed doors** Box drawer* - no upcharge



1.5H Split Drawer Storage - LEFT

MODEL# DII	MENSIONS FREI	GHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ı	D x W x H							
Z36L2HXHL 24	x 36 x 23.75-24.25	100	132	15	\$1345	\$1414	N/A	\$197
Z30L2HXHL 24	x 30 x 23.75-24.25	100	118	12.75	\$1207	\$1264	N/A	\$164
Z36M2HXHL 20	x 36 x 23.75-24.25	100	121	12.75	\$1272	\$1329	N/A	\$164
Z30M2HXHL 20	x 30 x 23.75-24.25	100	107	10.75	\$1132	\$1179	N/A	\$138

Open shelf on right, box drawer on left. Pull out drawer includes filing space on left and storage on right.



1.5H Split Drawer Storage - RIGHT

STORAGE MODULES - 29.5" / 30" HIGH

Z36L2HXHR	24 x 36 x 23.75-24.25 100	132	15	\$1345	\$1414	N/A	\$197
Z30L2HXHR	24 x 30 x 23.75-24.25 100	118	12.75	\$1207	\$1264	N/A	\$164
Z36M2HXHR	20 x 36 x 23.75-24.25 100	121	12.75	\$1272	\$1329	N/A	\$164
Z30M2HXHR	20 x 30 x 23.75-24.25 100	107	10.75	\$1132	\$1179	N/A	\$138

Open shelf on left, box drawer on right. Pull out drawer includes filing space on right and storage on left.





Storage Cabinet with Doors*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
7001 0011	04 00 00 00	105	1.40.00	10.50	0400 F	64005	A700	6405
Z36L2SH	24 x 36 x 29.5-30		142.80	18.50	\$1305	\$1385	\$762	\$195
Z30L2SH	24 x 30 x 29.5-30	125	123.90	15.50	\$1174	\$1241	\$699	\$162
Z36M2SH	20 x 36 x 29.5-30	100	126	15.50	\$1197	\$1267	\$762	\$195
Z30M2SH	20 x 30 x 29.5-30	100	109.20	13.25	\$1086	\$1144	\$699	\$162
Z36S2SH	16 x 36 x 29.5-30	100	110.25	12.50	\$1105	\$1172	\$762	\$146
Z30S2SH	16 x 30 x 29.5-30	100	93.45	10.50	\$976	\$1022	\$699	\$131

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.





Storage Cabinet with Door - LEFT*

24 x 21 x 29.5-30	100	94.50	11	\$957	\$1013	\$432	\$131	
24 x 18 x 29.5-30	100	85.05	9.75	\$903	\$950	\$395	\$101	
24 x 16 x 29.5-30	100	79.80	9	\$866	\$912	\$386	\$76	
24 x 15 x 29.5-30	100	76.65	8.25	\$801	\$839	\$348	\$76	
24 x 12 x 29.5-30	92.5	68.25	6.75	\$759	\$792	\$314	\$69	
20 x 21 x 29.5-30	100	84	9.50	\$849	\$896	\$432	\$101	
20 x 18 x 29.5-30	100	75.60	8.25	\$804	\$847	\$395	\$101	
20 x 16 x 29.5-30	100	69.30	7	\$762	\$804	\$386	\$76	
20 x 15 x 29.5-30	100	66.15	6.75	\$725	\$760	\$348	\$69	
20 x 12 x 29.5-30	92.5	60	5.75	\$675	\$705	\$314	\$69	
16 x 21 x 29.5-30	100	71.40	7.50	\$777	\$814	\$432	\$69	
16 x 18 x 29.5-30	100	64.05	6.75	\$742	\$780	\$395	\$69	
16 x 16 x 29.5-30	100	58.80	6	\$711	\$749	\$386	\$69	
16 x 15 x 29.5-30	100	56.70	5.75	\$671	\$704	\$348	\$69	
16 x 12 x 29.5-30	92.5	50.40	4.75	\$624	\$654	\$314	\$69	
	24 x 18 x 29.5-30 24 x 16 x 29.5-30 24 x 15 x 29.5-30 24 x 12 x 29.5-30 20 x 21 x 29.5-30 20 x 18 x 29.5-30 20 x 16 x 29.5-30 20 x 15 x 29.5-30 20 x 12 x 29.5-30 16 x 21 x 29.5-30 16 x 18 x 29.5-30 16 x 16 x 29.5-30 16 x 15 x 29.5-30	24 x 18 x 29.5-30 100 24 x 16 x 29.5-30 100 24 x 15 x 29.5-30 100 24 x 12 x 29.5-30 92.5 20 x 21 x 29.5-30 100 20 x 18 x 29.5-30 100 20 x 16 x 29.5-30 100 20 x 15 x 29.5-30 100 20 x 12 x 29.5-30 100 16 x 18 x 29.5-30 100 16 x 18 x 29.5-30 100 16 x 18 x 29.5-30 100 16 x 16 x 29.5-30 100 16 x 15 x 29.5-30 100	24 x 18 x 29.5-30 100 85.05 24 x 16 x 29.5-30 100 79.80 24 x 15 x 29.5-30 100 76.65 24 x 12 x 29.5-30 92.5 68.25 20 x 21 x 29.5-30 100 84 20 x 18 x 29.5-30 100 75.60 20 x 16 x 29.5-30 100 69.30 20 x 15 x 29.5-30 100 66.15 20 x 12 x 29.5-30 92.5 60 16 x 21 x 29.5-30 100 71.40 16 x 18 x 29.5-30 100 64.05 16 x 16 x 29.5-30 100 58.80 16 x 15 x 29.5-30 100 56.70	24 x 18 x 29.5-30 100 85.05 9.75 24 x 16 x 29.5-30 100 79.80 9 24 x 15 x 29.5-30 100 76.65 8.25 24 x 12 x 29.5-30 92.5 68.25 6.75 20 x 21 x 29.5-30 100 84 9.50 20 x 18 x 29.5-30 100 75.60 8.25 20 x 16 x 29.5-30 100 69.30 7 20 x 15 x 29.5-30 100 66.15 6.75 20 x 12 x 29.5-30 92.5 60 5.75 16 x 21 x 29.5-30 100 71.40 7.50 16 x 18 x 29.5-30 100 64.05 6.75 16 x 16 x 29.5-30 100 58.80 6 16 x 15 x 29.5-30 100 56.70 5.75	24 x 18 x 29.5-30 100 85.05 9.75 \$903 24 x 16 x 29.5-30 100 79.80 9 \$866 24 x 15 x 29.5-30 100 76.65 8.25 \$801 24 x 12 x 29.5-30 92.5 68.25 6.75 \$759 20 x 21 x 29.5-30 100 84 9.50 \$849 20 x 18 x 29.5-30 100 75.60 8.25 \$804 20 x 16 x 29.5-30 100 69.30 7 \$762 20 x 15 x 29.5-30 100 66.15 6.75 \$725 20 x 12 x 29.5-30 92.5 60 5.75 \$675 16 x 21 x 29.5-30 100 71.40 7.50 \$777 16 x 18 x 29.5-30 100 64.05 6.75 \$742 16 x 16 x 29.5-30 100 58.80 6 \$711 16 x 15 x 29.5-30 100 56.70 5.75 \$671	24 x 18 x 29.5-30 100 85.05 9.75 \$903 \$950 24 x 16 x 29.5-30 100 79.80 9 \$866 \$912 24 x 15 x 29.5-30 100 76.65 8.25 \$801 \$839 24 x 12 x 29.5-30 92.5 68.25 6.75 \$759 \$792 20 x 21 x 29.5-30 100 84 9.50 \$849 \$896 20 x 18 x 29.5-30 100 75.60 8.25 \$804 \$847 20 x 16 x 29.5-30 100 69.30 7 \$762 \$804 20 x 15 x 29.5-30 100 66.15 6.75 \$725 \$760 20 x 12 x 29.5-30 92.5 60 5.75 \$675 \$705 16 x 21 x 29.5-30 100 71.40 7.50 \$777 \$814 16 x 18 x 29.5-30 100 64.05 6.75 \$742 \$780 16 x 16 x 29.5-30 100 58.80 6 \$711 \$749 16 x 15 x 29.5-30 100 56.70 5.75 \$671 \$704	24 x 18 x 29.5-30 100 85.05 9.75 \$903 \$950 \$395 24 x 16 x 29.5-30 100 79.80 9 \$866 \$912 \$386 24 x 15 x 29.5-30 100 76.65 8.25 \$801 \$839 \$348 24 x 12 x 29.5-30 92.5 68.25 6.75 \$759 \$792 \$314 20 x 21 x 29.5-30 100 84 9.50 \$849 \$896 \$432 20 x 18 x 29.5-30 100 75.60 8.25 \$804 \$847 \$395 20 x 16 x 29.5-30 100 69.30 7 \$762 \$804 \$386 20 x 15 x 29.5-30 100 66.15 6.75 \$725 \$760 \$348 20 x 12 x 29.5-30 92.5 60 5.75 \$675 \$705 \$314 16 x 21 x 29.5-30 100 71.40 7.50 \$777 \$814 \$432 16 x 18 x 29.5-30 100 64.05 6.75 \$742 \$780 \$395 16 x 16 x 29.5-30 100 58.80 6 \$711 \$749 \$38	24 x 18 x 29.5-30 100 85.05 9.75 \$903 \$950 \$395 \$101 24 x 16 x 29.5-30 100 79.80 9 \$866 \$912 \$386 \$76 24 x 15 x 29.5-30 100 76.65 8.25 \$801 \$839 \$348 \$76 24 x 12 x 29.5-30 92.5 68.25 6.75 \$759 \$792 \$314 \$69 20 x 21 x 29.5-30 100 84 9.50 \$849 \$896 \$432 \$101 20 x 18 x 29.5-30 100 75.60 8.25 \$804 \$847 \$395 \$101 20 x 16 x 29.5-30 100 69.30 7 \$762 \$804 \$386 \$76 20 x 15 x 29.5-30 100 66.15 6.75 \$725 \$760 \$348 \$69 20 x 12 x 29.5-30 92.5 60 5.75 \$675 \$705 \$314 \$69 16 x 21 x 29.5-30 100 71.40 7.50 \$777 \$814 \$432 \$69 16 x 18 x 29.5-30 100 64.05 6.75 \$742 <td< td=""></td<>

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Required Specifications
Top finish

Top finish Handles Top/edge detail Base finish **Optional Specifications**


Glazed doors* HP laminate Key #

									Z	'IRA
STORAGE MODULES - 29.5" / 3	30" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
,			D x W x H							
		Z21L2SHR	24 x 21 x 29.5-30	100	94.50	11	\$957	\$1013	\$432	\$131
		Z18L2SHR	24 x 18 x 29.5-30	100	85.05	9.75	\$903	\$950	\$395	\$101
		Z16L2SHR	24 x 16 x 29.5-30	100	79.80	9	\$866	\$912	\$386	\$76
		Z15L2SHR	24 x 15 x 29.5-30	100	76.65	8.25	\$801	\$839	\$348	\$76
		Z12L2SHR	24 x 12 x 29.5-30	92.5	68.25	6.75	\$759	\$792	\$314	\$69
		Z21M2SHR	20 x 21 x 29.5-30	100	84	9.50	\$849	\$896	\$432	\$101
		Z18M2SHR	20 x 18 x 29.5-30	100	75.60	8.25	\$804	\$847	\$395	\$101
		Z16M2SHR	20 x 16 x 29.5-30	100	69.30	7	\$762	\$804	\$386	\$76
		Z15M2SHR	20 x 15 x 29.5-30	100	66.15	6.75	\$725	\$760	\$348	\$69
		Z12M2SHR	20 x 12 x 29.5-30	92.5	60	5.75	\$675	\$705	\$314	\$69
		Z21S2SHR	16 x 21 x 29.5-30	100	71.40	7.50	\$777	\$814	\$432	\$69
		Z18S2SHR	16 x 18 x 29.5-30	100	64.05	6.75	\$742	\$780	\$395	\$69
1		Z16S2SHR	16 x 16 x 29.5-30	100	58.80	6	\$711	\$749	\$386	\$69
45555 = = = = = =		Z15S2SHR	16 x 15 x 29.5-30	100	56.70	5.75	\$671	\$704	\$348	\$69
G	azed door option	Z12S2SHR	16 x 12 x 29.5-30	92.5	50.40	4.75	\$624	\$654	\$314	\$69
Storage Cabinet with Doo	or - RIGHT**	Laminate doors are	e standard. Includes o	ne adjustable s	helf . Stand	ard with lock				
		Z36L2SHN	24 x 36 x 29.5-30	125	127	18.50	\$1029	\$1109	N/A	\$195
		Z30L2SHN	24 x 30 x 29.5-30	125	111	15.50	\$925	\$994	N/A	\$162
		Z21L2SHN	24 x 21 x 29.5-30	125	86	11	\$804	\$860	N/A	\$131
		Z18L2SHN	24 x 18 x 29.5-30	100	78	9.75	\$760	\$807	N/A	\$101
		Z16L2SHN	24 x 16 x 29.5-30	100	73	9	\$725	\$771	N/A	\$76





Open Storage Cabinet



File Module with Open Shelf*

Z36L2SHN	24 x 36 x 29.5-30	125	127	18.50	\$1029	\$1109	N/A	\$195
Z30L2SHN	24 x 30 x 29.5-30	125	111	15.50	\$925	\$994	N/A	\$162
Z21L2SHN	24 x 21 x 29.5-30	125	86	11	\$804	\$860	N/A	\$131
Z18L2SHN	24 x 18 x 29.5-30	100	78	9.75	\$760	\$807	N/A	\$101
Z16L2SHN	24 x 16 x 29.5-30	100	73	9	\$725	\$771	N/A	\$76
Z15L2SHN	24 x 15 x 29.5-30	100	71	8.25	\$673	\$711	N/A	\$69
Z12L2SHN	24 x 12 x 29.5-30	100	63	6.75	\$638	\$671	N/A	\$69
Z36M2SHN	20 x 36 x 29.5-30	125	111.95	15.50	\$918	\$987	N/A	\$146
Z30M2SHN	20 x 30 x 29.5-30	125	97.14	13.25	\$835	\$895	N/A	\$131
Z21M2SHN	20 x 21 x 29.5-30	125	74.40	9.50	\$696	\$743	N/A	\$101
Z18M2SHN	20 x 18 x 29.5-30	100	67.53	8.25	\$660	\$703	N/A	\$84
Z16M2SHN	20 x 16 x 29.5-30	100	62.59	7	\$623	\$665	N/A	\$69
Z15M2SHN	20 x 15 x 29.5-30	100	60.65	6.75	\$596	\$631	N/A	\$69
Z12M2SHN	20 x 12 x 29.5-30	100	55	5.75	\$552	\$583	N/A	\$69
Z36S2SHN	16 x 36 x 29.5-30	125	96.24	12.50	\$829	\$896	N/A	\$146
Z30S2SHN	16 x 30 x 29.5-30	125	82.82	10.50	\$723	\$769	N/A	\$131
Z21S2SHN	16 x 21 x 29.5-30	100	62.70	7.50	\$623	\$660	N/A	\$101
Z18S2SHN	16 x 18 x 29.5-30	100	55.99	6.75	\$601	\$643	N/A	\$84
Z16S2SHN	16 x 16 x 29.5-30	100	52.22	6	\$572	\$610	N/A	\$69
Z15S2SHN	16 x 15 x 29.5-30	100	50.34	5.75	\$540	\$572	N/A	\$69
Z12S2SHN	16 x 12 x 29.5-30	100	44.68	4.75	\$502	\$532	N/A	\$69

One	adi	ineta	hle	she	lf
UIIC	au	เนอเล	มเธ	2116	H.

Z36L2FN	24 x 36 x 29.5-30	100	153.30	18.50	\$1473	\$1552	N/A	\$195
Z30L2FN	24 x 30 x 29.5-30	100	134.40	15.50	\$1330	\$1399	N/A	\$162
Z16L2FN	24 x 16 x 29.5-30	100	87.15	9	\$930	\$976	N/A	\$101
Z15L2FN	24 x 15 x 29.5-30	92.5	82.95	8.25	\$876	\$914	N/A	\$84
Z36M2FN	20 x 36 x 29.5-30	100	135.45	15.50	\$1361	\$1430	N/A	\$195
Z30M2FN	20 x 30 x 29.5-30	100	118.65	13.25	\$1252	\$1310	N/A	\$162
Z16M2FN	20 x 16 x 29.5-30	92.5	75.60	7	\$830	\$872	N/A	\$101
Z15M2FN	20 x 15 x 29.5-30	92.5	72.45	6.75	\$793	\$828	N/A	\$84
Z36S2FN	16 x 36 x 29.5-30	100	114.45	12.50	\$1231	\$1298	N/A	\$146
Z30S2FN	16 x 30 x 29.5-30	100	97.65	10.50	\$1091	\$1137	N/A	\$131
Z16S2FN	16 x 16 x 29.5-30	92.5	63	6	\$769	\$807	N/A	\$76
Z15S2FN	16 x 15 x 29.5-30	92.5	60.90	5.75	\$736	\$768	N/A	\$69

Open shelf and one file drawer on bottom. Lock secures file drawer. For filing capabilities, see page 121.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom


Required Specifications	Optional Specifications	
Top finish	Glazed doors**	Box drawer [†] - no upcharge (30"- 36" wide
Handles*	HP laminate	models only)
Top/edge detail Base finish	Key #	

STORAGE MODULES - 29.5" / 30" HIGH





Two File Module[†]



Two file drawers. Lock secures all drawers. For filing capablities, see page 121.

- 15" wide models have only side-to side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2SE	24 x 36 x 29.5-30	100	180	18.50	\$2183	\$2262	N/A	\$195
Z36M2SE	20 x 36 x 29.5-30	92.5	164	15.50	\$2038	\$2108	N/A	\$195

Two lateral file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 121.

- Front-to-back filing bars sold separately. Order **FBB** bars. See "FBB" on page 41.
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- To prevent overloading, steel drawers do not include a back panel

Z16L2BF	24 x 16 x 29.5-30	92.5	97.65	0	\$1197 \$1243	N/A	¢101
				9	T		\$101
Z15L2BF	24 x 15 x 29.5-30	92.5	93.45	8.25	\$1142 \$1180	N/A	\$101
Z16M2BF	20 x 16 x 29.5-30	85	87.15	7	\$1097 \$1139	N/A	\$101
Z15M2BF	20 x 15 x 29.5-30	85	84	6.75	\$1069 \$1104	N/A	\$101
Z16S2BF	16 x 16 x 29.5-30	85	73.50	6	\$1023 \$1061	N/A	\$76
Z15S2BF	16 x 15 x 29.5-30	85	71.40	5.75	\$977 \$1010	N/A	\$76

Two box and one file drawer. One pencil tray. Lock secures all drawers.

Z36L2XL	24 x 36 x 29.5-30	92.5	187	18.50	\$2058	\$2130	N/A	\$195
Z30L2XL	24 x 30 x 29.5-30	92.5	166	15.50	\$1876	\$1945	N/A	\$162
Z36M2XL	20 x 36 x 29.5-30	92.5	177	15.50	\$1933	\$2002	N/A	\$195
Z30M2XL	20 x 30 x 29.5-30	92.5	152	13.25	\$1779	\$1839	N/A	\$162
Z36S2XL	16 x 36 x 29.5-30	92.5	145	12.50	\$1658	\$1720	N/A	\$146
Z30S2XL	16 x 30 x 29.5-30	92.5	124	10.50	\$1485	\$1539	N/A	\$131

Two box drawers on **left**, one file drawer on **right** which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures one file drawer, the left lock secures two box and lateral file. One pencil tray. For filing capabilities, see page 121.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

-	
	_

Two File Module[†]



Box/Box/File Module[†]



Mixed Storage Cabinet - LEFT[†]

Required Specifications

Top finish
Top/edge detail
Handles
Base finish

Optional Specifications

HP laminate Key #

Box drawer* - no upcharge (30"- 36" wide models only)





Mixed Storage Cabinet - RIGHT



Two box drawers on right, one file drawer on left which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 121.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.





Mixed Drawer Cabinet with Open Shelf - LEFT*

Z36L2XNL	24 x 36 x 29.5-30	100	176.40	18.50	\$1781	\$1861	N/A	\$195
Z30L2XNL	24 x 30 x 29.5-30	92.5	155.40	15.50	\$1636	\$1705	N/A	\$162
Z36M2XNL	20 x 36 x 29.5-30	92.5	157.50	15.50	\$1667	\$1736	N/A	\$195
Z30M2XNL	20 x 30 x 29.5-30	92.5	138.60	13.25	\$1542	\$1602	N/A	\$162
Z36S2XNL	16 x 36 x 29.5-30	92.5	128.10	12.50	\$1494	\$1552	N/A	\$146
Z30S2XNL	16 x 30 x 29.5-30	92.5	114.45	10.50	\$1354	\$1396	N/A	\$131

Two box drawers on left, open shelf on right and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom





Mixed Drawer Cabinet with Open Shelf - RIGHT*

Z36L2XNR	24 x 36 x 29.5-30	100	176.40	18.50	\$1781	\$1861	N/A	\$195
Z30L2XNR	24 x 30 x 29.5-30	92.5	155.40	15.50	\$1636	\$1705	N/A	\$162
Z36M2XNR	20 x 36 x 29.5-30	92.5	157.50	15.50	\$1667	\$1736	N/A	\$195
Z30M2XNR	20 x 30 x 29.5-30	92.5	138.60	13.25	\$1542	\$1602	N/A	\$162
Z36S2XNR	16 x 36 x 29.5-30	92.5	128.10	12.50	\$1494	\$1552	N/A	\$146
Z30S2XNR	16 x 30 x 29.5-30	92.5	114.45	10.50	\$1354	\$1396	N/A	\$131

Two box drawers on right, open shelf on left and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 121.

Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Required Specifications

Top finish Top/edge detail Base finish Handles

Optional Specifications

HP laminate Key # Collator





Storage Cabinet with Doors**

STORAGE MODULES - 41.3"/41.8" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD	
	DxWxH								_
Z36L4SH	24 x 36 x 41.3-41	.8 125	185.85	25	\$1591	\$1671	\$1016	\$195	
Z30L4SH	24 x 30 x 41.3-41	.8 125	161.70	21.25	\$1457	\$1524	\$887	\$162	
Z36M4SH	20 x 36 x 41.3-41	.8 125	165.90	21.25	\$1485	\$1555	\$1016	\$195	
Z30M4SH	20 x 30 x 41.3-41	.8 125	143.85	18	\$1344	\$1404	\$887	\$162	
Z36S4SH	16 x 36 x 41.3-41	.8 100	142.80	17.50	\$1345	\$1412	\$1016	\$146	
Z30S4SH	16 x 30 x 41.3-41	.8 100	121.80	14.50	\$1207	\$1253	\$887	\$84	

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Z21L4SHL	24 x 21 x 41.3-41.8	100	123.90	15.25	\$1180	\$1237	\$560	\$131
Z18L4SHL	24 x 18 x 41.3-41.8	100	112.35	13.25	\$1112	\$1158	\$503	\$101
Z16L4SHL	24 x 16 x 41.3-41.8	100	105	12	\$1045	\$1092	\$496	\$101
Z15L4SHL	24 x 15 x 41.3-41.8	100	100.80	11.25	\$1002	\$1039	\$441	\$101
Z12L4SHL	24 x 12 x 41.3-41.8	100	89.25	9.25	\$928	\$961	\$398	\$69
Z21M4SHL	20 x 21 x 41.3-41.8	100	116.55	13	\$1064	\$1111	\$560	\$131
Z18M4SHL	20 x 18 x 41.3-41.8	100	98.70	11.25	\$1007	\$1049	\$503	\$101
Z16M4SHL	20 x 16 x 41.3-41.8	100	91.35	10.25	\$945	\$987	\$496	\$84
Z15M4SHL	20 x 15 x 41.3-41.8	100	88.20	9.50	\$906	\$939	\$441	\$84
Z12M4SHL	20 x 12 x 41.3-41.8	100	78.75	8	\$842	\$872	\$398	\$69
Z21S4SHL	16 x 21 x 41.3-41.8	100	94.50	10.50	\$951	\$989	\$560	\$101
Z18S4SHL	16 x 18 x 41.3-41.8	100	84	9.50	\$912	\$950	\$503	\$84
Z16S4SHL	16 x 16 x 41.3-41.8	100	76.65	8.50	\$855	\$893	\$496	\$84
Z15S4SHL	16 x 15 x 41.3-41.8	100	73.50	8	\$809	\$842	\$441	\$84
Z12S4SHL	16 x 12 x 41.3-41.8	92.5	65.10	6.50	\$749	\$778	\$398	\$69





Storage Cabinet with Door - LEFT*

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Z21L4SHR	24 x 21 x 41.3-41.8	100	123.90	15.25	\$1180	\$1237	\$560	\$131
Z18L4SHR	24 x 18 x 41.3-41.8	100	112.35	13.25	\$1112	\$1158	\$503	\$101
Z16L4SHR	24 x 16 x 41.3-41.8	100	105	12	\$1045	\$1092	\$496	\$101
Z15L4SHR	24 x 15 x 41.3-41.8	100	100.80	11.25	\$1002	\$1039	\$441	\$101
Z12L4SHR	24 x 12 x 41.3-41.8	100	89.25	9.25	\$928	\$961	\$398	\$69
Z21M4SHR	20 x 21 x 41.3-41.8	100	116.55	13	\$1064	\$1111	\$560	\$131
Z18M4SHR	20 x 18 x 41.3-41.8	100	98.70	11.25	\$1007	\$1049	\$503	\$101
Z16M4SHR	20 x 16 x 41.3-41.8	100	91.35	10.25	\$945	\$987	\$496	\$84
Z15M4SHR	20 x 15 x 41.3-41.8	100	88.20	9.50	\$906	\$939	\$441	\$84
Z12M4SHR	20 x 12 x 41.3-41.8	100	78.75	8	\$842	\$872	\$398	\$69
Z21S4SHR	16 x 21 x 41.3-41.8	100	94.50	10.50	\$951	\$989	\$560	\$101
Z18S4SHR	16 x 18 x 41.3-41.8	100	84	9.50	\$912	\$950	\$503	\$84
Z16S4SHR	16 x 16 x 41.3-41.8	100	76.65	8.50	\$855	\$893	\$496	\$84
Z15S4SHR	16 x 15 x 41.3-41.8	100	73.50	8	\$809	\$842	\$441	\$84
Z12S4SHR	16 x 12 x 41.3-41.8	92.5	65.10	6.50	\$749	\$778	\$398	\$69





Storage Cabinet with Door - RIGHT*

Laminate doors are standard. Includes two 3-position fixed/height adjustable shelves. Standard with lock.

Required Specifications
Top finish

Top finish
Top/edge detail
Handles*
Base finish


Optional Specifications

HP laminate Glazed doors** Key #

STORAGE MODULES - 41.3"/41.8" HIGH	MODEL#	DIMENSIONS FRE	IGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z36L4SHN	24 x 36 x 41.3-41.8	125	162.55	25	\$1253	\$1332	N/A	\$195
	Z30L4SHN	24 x 30 x 41.3-41.8	125	142.46	21.25	\$1155	\$1224	N/A	\$162
	Z21L4SHN	24 x 21 x 41.3-41.8	125	111.80	15.25	\$991	\$1047	N/A	\$131
	Z18L4SHN	24 x 18 x 41.3-41.8	125	101.23	13.25	\$937	\$984	N/A	\$101
	Z16L4SHN	24 x 16 x 41.3-41.8	125	94.53	12	\$874	\$920	N/A	\$101
	Z15L4SHN	24 x 15 x 41.3-41.8	100	91.70	11.25	\$845	\$883	N/A	\$101
	Z12L4SHN	24 x 12 x 41.3-41.8	100	81.13	9.25	\$786	\$819	N/A	\$69
	Z36M4SHN	20 x 36 x 41.3-41.8	125	141.59	21.25	\$1147	\$1216	N/A	\$195
*	Z30M4SHN	20 x 30 x 41.3-41.8	125	123.94	18	\$1043	\$1103	N/A	\$162
	Z21M4SHN	20 x 21 x 41.3-41.8	125	102.19	13	\$876	\$923	N/A	\$131
	Z18M4SHN	20 x 18 x 41.3-41.8	125	86.54	11.25	\$835	\$877	N/A	\$101
	Z16M4SHN	20 x 16 x 41.3-41.8	125	81.01	10.25	\$773	\$815	N/A	\$101
21",18",16",15" & 12"	Z15M4SHN	20 x 15 x 41.3-41.8	100	78.24	9.50	\$750	\$783	N/A	\$101
	Z12M4SHN	20 x 12 x 41.3-41.8	100	69.95	8	\$698	\$728	N/A	\$69
	Z36S4SHN	16 x 36 x 41.3-41.8	125	119.57	17.50	\$1004	\$1073	N/A	\$146
	Z30S4SHN	16 x 30 x 41.3-41.8	125	111.72	14.50	\$906	\$953	N/A	\$131
	Z21S4SHN	16 x 21 x 41.3-41.8	125	81.04	10.50	\$762	\$799	N/A	\$101
**	Z18S4SHN	16 x 18 x 41.3-41.8	125	72.91	9.50	\$738	\$780	N/A	\$84
	Z16S4SHN	16 x 16 x 41.3-41.8	125	67.49	8.50	\$683	\$721	N/A	\$84
A According all their 13 Mar 13 Mar 14	Z15S4SHN	16 x 15 x 41.3-41.8	100	64.78	8	\$653	\$685	N/A	\$84
* Accepts collator 11*high ** Accepts collator 11.3*high	Z12S4SHN	16 x 12 x 41.3-41.8	100	57.71	6.50	\$604	\$634	N/A	\$69
36" & 30"	2120101114	10 X 12 X 11.0 11.0	100	07.71	0.00	4001	ψου.	11,71	400
Open Storage Cabinet**	Includes two 3- ₁	position fixed/height adju	stable shel	ves.					
	Z36L4EN	24 x 36 x 41.3-41.8	125	199.50	25	\$2025	\$2104	N/A	\$195
**	Z30L4EN	24 x 30 x 41.3-41.8	100	178.50	21.25	\$1934	\$2001	N/A	\$162
	Z16L4EN	24 x 16 x 41.3-41.8	100	116.55	12	\$1215	\$1262	N/A	\$101
	Z15L4EN	24 x 15 x 41.3-41.8	100	112.35	11.25	\$1181	\$1219	N/A	\$101
	Z36M4EN	20 x 36 x 41.3-41.8	100	182	21.25	\$1932	\$2001	N/A	\$195
- 36" & 30"	Z30M4EN	20 x 30 x 41.3-41.8	100	163	18	\$1831	\$1889	N/A	\$162
	Z16M4EN	20 x 16 x 41.3-41.8	92.5	105	10.25	\$1118	\$1160	N/A	\$101
	Z15M4EN	20 x 15 x 41.3-41.8	92.5	101	9.50	\$1087	\$1120	N/A	\$101
 *	Z36S4EN	16 x 36 x 41.3-41.8	100	153.30	17.50	\$1771	\$1838	N/A	\$146
	Z30S4EN	16 x 30 x 41.3-41.8	100	131.25	14.50	\$1612	\$1658	N/A	\$131
* Accepts collator 11"high	Z16S4EN	16 x 16 x 41.3-41.8	92.5	85.05	8.50	\$1026	\$1064	N/A	\$84
** Accepts collator 11.3* high	Z15S4EN	16 x 15 x 41.3-41.8	92.5	82.95	8	\$1001	\$1033	N/A	\$84
Two File Module with Open Shelf*†	•	nd two file drawers on botto ver construction is for accon			-				om.
	Z36L43F	24 x 36 x 41.3-41.8	100	210	25	\$2380	\$2459	N/A	\$195
	Z30L43F	24 x 30 x 41.3-41.8	100	190.05	21.25	\$2261	\$2330	N/A	\$162
	Z16L43F	24 x 16 x 41.3-41.8	92.5	126	12	\$1398	\$1444	N/A	\$84
	Z15L43F	24 x 15 x 41.3-41.8	92.5	120.75	11.25	\$1360	\$1398	N/A	\$84
	Z36M43F	20 x 36 x 41.3-41.8	100	198.45	21.25	\$2316	\$2385	N/A	\$195
- 36″ & 30″ ⁻	Z30M43F	20 x 30 x 41.3-41.8	100	177.45	18	\$2163	\$2223	N/A	\$162
	Z16M43F	20 x 16 x 41.3-41.8	92.5	114.45	10.25	\$1304	\$1346	N/A	\$84
	Z15M43F	20 x 15 x 41.3-41.8	92.5	110.25	9.50	\$1271	\$1304	N/A	\$84
	Z36S43F	16 x 36 x 41.3-41.8	100	165.90	17.50	\$2090	\$2157	N/A	\$146
	Z30S43F	16 x 30 x 41.3-41.8	92.5	148.05	14.50	\$1925	\$1972	N/A	\$131
	Z16S43F	16 x 16 x 41.3-41.8	92.5	94.50	8.50	\$1233	\$1271	N/A	\$84
	Z15S43F	16 x 15 x 41.3-41.8	92.5	91.35	8	\$1193	\$1226	N/A	\$84
16″€15″	2100 101	10 % 10 % 71.0	32.0	01.00		ψ.100	4.220	14//1	491
Three File Module [†]		Lock secures all drawers. ver construction is for accon				ng materia	als on the d	rawer bott	om.

Required Specifications
Top finish
Top/edge detail
Handles*
Base finish

Optional Specifications
Glazed door*
HP laminate
Collator**



Collator*

Handles Base finish

STORAGE MODULES - 53" / 53.5" HIGH	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z36L5SHN	24 x 36 x 53-53.5	125	198.49	31.25	\$1493	\$1573	N/A	\$195
	Z30L5SHN	24 x 30 x 53-53.5	125	173.45	27	\$1395	\$1464	N/A	\$162
	Z21L5SHN	24 x 21 x 53-53.5	125	136.43	19.50	\$1147	\$1204	N/A	\$131
	Z18L5SHN	24 x 18 x 53-53.5	125	124.44	17	\$1102	\$1149	N/A	\$101
	Z16L5SHN	24 x 16 x 53-53.5	125	116.10	15.50	\$1030	\$1076	N/A	\$101
	Z15L5SHN	24 x 15 x 53-53.5	125	112.45	14.25	\$996	\$1034	N/A	\$101
	Z12L5SHN	24 x 12 x 53-53.5	100	100.46	11.75	\$930	\$963	N/A	\$69
	Z36M5SHN	20 x 36 x 53-53.5	125	172.27	27	\$1359	\$1429	N/A	\$195
**	Z30M5SHN	20 x 30 x 53-53.5	125	158.08	22.75	\$1215	\$1275	N/A	\$162
*	Z21M5SHN	20 x 21 x 53-53.5	125	123.68	16.50	\$1026	\$1073	N/A	\$131
	Z18M5SHN	20 x 18 x 53-53.5	125	106.61	14.25	\$980	\$1023	N/A	\$101
	Z16M5SHN	20 x 16 x 53-53.5	125	99.43	13	\$916	\$958	N/A	\$101
- 36" & 30"	Z15M5SHN	20 x 15 x 53-53.5	125	95.84	12.25	\$885	\$920	N/A	\$101
	Z12M5SHN	20 x 12 x 53-53.5	100	85.07	10	\$822	\$853	N/A	\$69
	Z36S5SHN	16 x 36 x 53-53.5	125	145.01	21.75	\$1187	\$1254	N/A	\$146
	Z30S5SHN	16 x 30 x 53-53.5	125	126.96	18.50	\$1069	\$1115	N/A	\$131
	Z21S5SHN	16 x 21 x 53-53.5	125	98.33	13.25	\$902	\$940	N/A	\$101
	Z18S5SHN	16 x 18 x 53-53.5	125	88.78	11.50	\$864	\$906	N/A	\$84
	Z16S5SHN	16 x 16 x 53-53.5	125	82.76	10.50	\$807	\$845	N/A	\$84
* Accepts collator 11" high	Z15S5SHN	16 x 15 x 53-53.5	100	78.18	9.75	\$794	\$826	N/A	\$84
** Accepts collator 11.3* high	Z12S5SHN	16 x 12 x 53-53.5	100	69.69	8.25	\$736	\$766	N/A	\$69
21″,18″,16″,15″a12″									
Open Storage Cabinet*	Includes three 3-	position fixed/height a	idjustable she	lves					
	Z36L5E	24 x 36 x 53-53.5	100	250.95	31.25	\$2602	\$2682	\$762	\$195





Two File Module with Doors*†

Z3bL5E	24 X 36 X 53-53.5	100	250.95	31.25	\$2602	\$2682	\$/62	\$195
Z30L5E	24 x 30 x 53-53.5	100	222.60	27	\$2427	\$2496	\$668	\$162
Z36M5E	20 x 36 x 53-53.5	100	229.95	27	\$2482	\$2552	\$792	\$195
Z30M5E	20 x 30 x 53-53.5	100	201.60	22.75	\$2261	\$2321	\$699	\$162
Z36S5E	16 x 36 x 53-53.5	100	193.20	21.75	\$2190	\$2257	\$792	\$146
Z30S5E	16 x 30 x 53-53.5	100	170.10	18.50	\$2015	\$2061	\$699	\$131

Two lateral file drawers on bottom. Laminate doors are standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Two File Module with Door - LEFT

Z16L5EL	24 x 16 x 53-53.5	100	144.90	15.50	\$1512	\$1558	\$387	\$101
Z15L5EL	24 x 15 x 53-53.5	100	139.65	14.25	\$1456	\$1494	\$348	\$101
Z16M5EL	20 x 16 x 53-53.5	92.5	130.20	13	\$1406	\$1448	\$386	\$101
Z15M5EL	20 x 15 x 53-53.5	92.5	126	12.25	\$1350	\$1385	\$348	\$101
Z16S5EL	16 x 16 x 53-53.5	92.5	109.20	10.50	\$1290	\$1328	\$386	\$84
Z15S5EL	16 x 15 x 53-53.5	92.5	105	9.75	\$1266	\$1299	\$348	\$84

Two file drawers on bottom. Laminate door is standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

Z16L5ER	24 x 16 x 53-53.5	100	144.90	15.50	\$1512	\$1558	\$387	\$101
Z15L5ER	24 x 15 x 53-53.5	100	139.65	14.25	\$1456	\$1494	\$348	\$101
Z16M5ER	20 x 16 x 53-53.5	92.5	130.20	13	\$1406	\$1448	\$386	\$101
Z15M5ER	20 x 15 x 53-53.5	92.5	126	12.25	\$1350	\$1385	\$348	\$101
Z16S5ER	16 x 16 x 53-53.5	92.5	109.20	10.50	\$1290	\$1328	\$386	\$84
Z15S5ER	16 x 15 x 53-53.5	92.5	105	9.75	\$1266	\$1299	\$348	\$84

Two file drawers on bottom. Laminate door is standard. Includes one 3-position fixed/height adjustable shelf. Upper lock secures storage compartment. Lower lock secures two file drawers.

Req	uired	Sp	eci	fica	tions

Top finish Top/edge detail Handles Base finish

Optional Specifications

HP laminate

Box drawer* - no upcharge (30"- 36" wide models only) Collator*












STORAGE MODULES - 53" / 53.5" HIGH



Two open shelves and two file drawers on bottom. **Includes one 3-position fixed/height adjustable shelf**. Lock secures all drawers. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.





Four File Module[†]

7001 5 4 5	04 00 50505	100	050.00	04.05	00004	00040	NI /A	0405
Z36L54F	24 x 36 x 53-53.5	100	256.20	31.25	\$2934	\$3013	N/A	\$195
Z30L54F	24 x 30 x 53-53.5	100	234.15	27	\$2814	\$2883	N/A	\$162
Z16L54F	24 x 16 x 53-53.5	92.5	155.40	15.50	\$1684	\$1730	N/A	\$101
Z15L54F	24 x 15 x 53-53.5	92.5	148.05	14.25	\$1628	\$1666	N/A	\$101
Z36M54F	20 x 36 x 53-53.5	100	239.40	27	\$2843	\$2912	N/A	\$195
Z30M54F	20 x 30 x 53-53.5	100	218.40	22.75	\$2670	\$2730	N/A	\$162
Z16M54F	20 x 16 x 53-53.5	92.5	141.75	13	\$1590	\$1632	N/A	\$101
Z15M54F	20 x 15 x 53-53.5	92.5	136.50	12.25	\$1535	\$1568	N/A	\$101
Z36S54F	16 x 36 x 53-53.5	100	205	21.75	\$2544	\$2611	N/A	\$146
Z30S54F	16 x 30 x 53-53.5	100	180	18.50	\$2318	\$2364	N/A	\$131
Z16S54F	16 x 16 x 53-53.5	92.5	122	10.50	\$1562	\$1600	N/A	\$84
Z15S54F	16 x 15 x 53-53.5	92.5	116	9.75	\$1505	\$1538	N/A	\$84

Four file drawers. Lock secures all drawers. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Four File Module

Z36L5S4F	24 x 36 x 53-53.5	100	286	31.25	\$3508	\$3587	N/A	\$195
Z36M5S4F	20 x 36 x 53-53.5	100	269	27	\$3582	\$3652	N/A	\$195

Four file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 121.

- Front-to-back filing bars sold separately. Order FBB bars. See "FBB" on page 41.
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- To prevent overloading, steel drawers do not include a back panel





Storage Cabinet with Doors**

Z36L6SH	24 x 36 x 65.5-66	125	273	39	\$2273	\$2353	\$1475	N/A
Z30L6SH	24 x 30 x 65.5-66	125	238.35	32.75	\$1987	\$2056	\$1276	N/A
Z36M6SH	20 x 36 x 65.5-66	125	246.75	33.25	\$2109	\$2179	\$1475	N/A
Z30M6SH	20 x 30 x 65.5-66	125	212.10	27.75	\$1840	\$1898	\$1276	N/A
Z36S6SH	16 x 36 x 65.5-66	125	210	26.50	\$1908	\$1975	\$1475	N/A
Z30S6SH	16 x 30 x 65.5-66	100	183.75	22.50	\$1640	\$1687	\$1276	N/A

Laminate doors are standard. Includes four 3-position fixed/height adjustable shelves. Standard with lock.


Req	ui	r	ed	Sp	ec	ifi	ca	tions	S

Top finish
Top/edge detail
Handles
Base finish

Optional Specifications

HP laminate Collator* Glazed doors**

STORAGE MODULES - 53" / 53.5" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	7041.00111	DxWxH	105	105.05	00.50	04000	04000	0047	NI/A
	Z21L6SHL	24 x 21 x 65.5-66		185.85	23.50	\$1629	\$1686	\$817	N/A
	Z18L6SHL	24 x 18 x 65.5-66		168	20.50	\$1521	\$1568	\$736	N/A
	Z16L6SHL	24 x 16 x 65.5-66		156.45	18.75	\$1434	\$1480	\$728	N/A
	Z15L6SHL	24 x 15 x 65.5-66		149.10	17.50	\$1390	\$1428	\$637	N/A
	Z12L6SHL	24 x 12 x 65.5-66		133.35	14.50	\$1263	\$1298	\$572	N/A
	Z21M6SHL	20 x 21 x 65.5-66		170.10	20	\$1457	\$1504	\$817	N/A
	Z18M6SHL	20 x 18 x 65.5-66		148.05	17.25	\$1390	\$1432	\$736	N/A
	Z16M6SHL	20 x 16 x 65.5-66		137.55	15.75	\$1308	\$1350	\$728	N/A
	Z15M6SHL	20 x 15 x 65.5-66		133.35	14.75	\$1247	\$1282	\$637	N/A
	Z12M6SHL	20 x 12 x 65.5-66		116.55	12.25	\$1155	\$1186	\$572	N/A
	Z21S6SHL	16 x 21 x 65.5-66		140.70	16	\$1344	\$1381	\$817	N/A
	Z18S6SHL	16 x 18 x 65.5-66		126	14	\$1245	\$1283	\$736	N/A
	Z16S6SHL	16 x 16 x 65.5-66	100	116.55	13	\$1170	\$1208	\$728	N/A
	Z15S6SHL	16 x 15 x 65.5-66	100	111.30	12	\$1112	\$1145	\$637	N/A
	Z12S6SHL	16 x 12 x 65.5-66	100	96.60	10	\$1020	\$1050	\$572	N/A
Glazed door option									
Storage Cabinet with Door - LEFT**	Laminate doors are	standard. Includes f	our 3-position fi	xed/height	adjustable :	shelves.	Standard	with lock.	
	Z21L6SHR	24 x 21 x 65.5-66	125	185.85	23.50	\$1629	\$1686	\$817	N/A
	Z18L6SHR Z16L6SHR	24 x 18 x 65.5-66 24 x 16 x 65.5-66		168 156.45	20.50 18.75	\$1521 \$1434	\$1568 \$1480	\$736 \$728	N/A
									N/A
	Z15L6SHR	24 x 15 x 65.5-66		149.10	17.50	\$1390	\$1428	\$637	N/A
	Z12L6SHR	24 x 12 x 65.5-66		133.35	14.50	\$1263	\$1298	\$572	N/A
	Z21M6SHR	20 x 21 x 65.5-66		170.10	20	\$1457	\$1504	\$817	N/A
	Z18M6SHR	20 x 18 x 65.5-66		148.05	17.25	\$1390	\$1432	\$736	N/A
	Z16M6SHR	20 x 16 x 65.5-66		137.55	15.75	\$1308	\$1350	\$728	N/A
	Z15M6SHR	20 x 15 x 65.5-66	100	133.35	14.75	\$1247	\$1282	\$637	N/A
	Z12M6SHR	20 x 12 x 65.5-66	100	116.55	12.25	\$1155	\$1186	\$572	N/A
	Z21S6SHR	16 x 21 x 65.5-66	100	140.70	16	\$1344	\$1381	\$817	N/A
NIII : 1100	Z18S6SHR	16 x 18 x 65.5-66	100	126	14	\$1245	\$1283	\$736	N/A
	Z16S6SHR	16 x 16 x 65.5-66	100	116.55	13	\$1170	\$1208	\$728	N/A
	Z15S6SHR	16 x 15 x 65.5-66		111.30	12	\$1112	\$1145	\$637	N/A
Min. sala	Z12S6SHR	16 x 12 x 65.5-66		96.60	10	\$1020	\$1050	\$572	N/A
Glazed door option						*	******		,
Storage Cabinet with Door - RIGHT**	Laminate doors are	standard. Includes f	our 3-position fi	xed/height	adjustable	shelves.	Standard	with lock.	
	Z36L6SHN	24 x 36 x 65.5-66	125	234.42	39	\$1761	\$1841	N/A	N/A
	Z30L6SHN	24 x 30 x 65.5-66		205.50	32.75	\$1560	\$1629	N/A	N/A
				163.17	23.50	\$1354	\$1411	N/A	N/A
	Z21L6SHN	24 x 21 x 65.5-66							
	Z18L6SHN	24 x 18 x 65.5-66		148.71	20.50	\$1271	\$1318	N/A	N/A
	Z16L6SHN	24 x 16 x 65.5-66		139.77	18.75	\$1183	\$1229	N/A	N/A
	Z15L6SHN	24 x 15 x 65.5-66		134.25	17.50	\$1171	\$1209	N/A	N/A
	Z12L6SHN	24 x 12 x 65.5-66		119.79	14.50	\$1063	\$1096	N/A	N/A
	Z36M6SHN	20 x 36 x 65.5-66		206.11	33.25	\$1593	\$1662	N/A	N/A
	Z30M6SHN	20 x 30 x 65.5-66		178.58	27.75	\$1410	\$1468	N/A	N/A
*	Z21M6SHN	20 x 21 x 65.5-66		146.22	20	\$1183	\$1230	N/A	N/A
*	Z18M6SHN	20 x 18 x 65.5-66	125	127.73	17.25	\$1142	\$1185	N/A	N/A
	Z16M6SHN	20 x 16 x 65.5-66	125	119.95	15.75	\$1061	\$1103	N/A	N/A
	Z15M6SHN	20 x 15 x 65.5-66		116.59	14.75	\$1029	\$1064	N/A	N/A
- 36" à 30" 1	Z12M6SHN	20 x 12 x 65.5-66		102.30	12.25	\$957	\$987	N/A	N/A
	Z36S6SHN	16 x 36 x 65.5-66		172.54	26.50	\$1397	\$1464	N/A	N/A
	Z30S6SHN	16 x 30 x 65.5-66		151.66	22.50	\$1213	\$1260	N/A	N/A
	Z21S6SHN	16 x 21 x 65.5-66		117.71	16	\$1068	\$1106	N/A	N/A
	Z18S6SHN	16 x 18 x 65.5-66		105.70	14	\$996	\$1034	N/A	N/A
	Z16S6SHN	16 x 16 x 65.5-66		99.09	13	\$926	\$964	N/A	N/A
	Z15S6SHN			94.73	12	\$893	\$926	N/A N/A	
* Accepts collator 11" high	Z12S6SHN	16 x 15 x 65.5-66 16 x 12 x 65.5-66		83.76	10	\$822	\$920 \$852	N/A N/A	N/A N/A
21'187'16'15'%12"					10	Ų OLL	Ų00L	14/71	14/71
Open Storage Cabinet	Includes four 3-po	osition fixed/height a	ght adjustable shelves.						
	Required Specificat	ions	Optional Specif	ications					
	Top finish		HP laminate						
	Top/edge detail		Collator*						
	Handles		Glazed doors**						
	Base finish								
	<u> </u>								





Two File Module with Doors*†

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L6E	24 x 36 x 65.5-66	125	294	39	\$2867	\$2947	\$1021	N/A
Z30L6E	24 x 30 x 65.5-66	125	260.40	32.75	\$2621	\$2690	\$893	N/A
Z36M6E	20 x 36 x 65.5-66	100	269.85	33.25	\$2745	\$2814	\$1021	N/A
Z30M6E	20 x 30 x 65.5-66	100	236.25	27.75	\$2482	\$2542	\$893	N/A
Z36S6E	16 x 36 x 65.5-66	100	225	26.50	\$2349	\$2418	\$1021	N/A
Z30S6E	16 x 30 x 65.5-66	100	197	22.50	\$2247	\$2293	\$893	N/A

Two lateral file drawers on bottom. Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 121.

•	Lateral file drawer co	netruction is for accou	mmodatina hanain	a files NOT for stacking	g materials on the drawer bottom.
•	Laterai ille uravvei cu	11311 UCLIUII 13 101 ACCUI	IIIIIUualiilu Ilailuili	u iiies ivo i ioi statkiii	u matenais un me mavvei uutum.





Two File Module with Door - LEFT

Z16L6EL	24 x 16 x 65.5-66	100	171.15	18.75	\$1698	\$1745	\$499	N/A
Z15L6EL	24 x 15 x 65.5-66	100	163.80	17.50	\$1658	\$1696	\$444	N/A
Z16M6EL	20 x 16 x 65.5-66	100	153.30	15.75	\$1579	\$1621	\$499	N/A
Z15M6EL	20 x 15 x 65.5-66	92.5	148.05	14.75	\$1521	\$1556	\$444	N/A
Z16S6EL	16 x 16 x 65.5-66	100	129.15	13	\$1442	\$1480	\$499	N/A
Z15S6EL	16 x 15 x 65.5-66	92.5	123.90	12	\$1397	\$1430	\$444	N/A

Two file drawers on bottom. Laminate door is standard. **Includes two 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

Z16L6ER	24 x 16 x 65.5-66	100	171.15	18.75	\$1698	\$1745	\$499	N/A
Z15L6ER	24 x 15 x 65.5-66	100	163.80	17.50	\$1658	\$1696	\$444	N/A
Z16M6ER	20 x 16 x 65.5-66	100	153.30	15.75	\$1579	\$1621	\$499	N/A
Z15M6ER	20 x 15 x 65.5-66	92.5	148.05	14.75	\$1521	\$1556	\$444	N/A
Z16S6ER	16 x 16 x 65.5-66	100	129.15	13	\$1442	\$1480	\$499	N/A
Z15S6ER	16 x 15 x 65.5-66	92.5	123.90	12	\$1397	\$1430	\$444	N/A

Two file drawers on bottom. Laminate door is standard. **Includes three 3-position fixed/height adjustable shelves**. Upper lock secures storage compartment. Lower lock secures two file drawers.







Two File Module with Open Shelves[†]

Z36L6EN	24 x 36 x 65.5-66	125	271.38	39	\$2504	\$2584	N/A	N/A
Z30L6EN	24 x 30 x 65.5-66	125	240.85	32.75	\$2295	\$2364	N/A	N/A
Z16L6EN	24 x 16 x 65.5-66	100	161.56	18.75	\$1524	\$1570	N/A	N/A
Z15L6EN	24 x 15 x 65.5-66	100	155.60	17.50	\$1503	\$1541	N/A	N/A
Z36M6EN	20 x 36 x 65.5-66	125	243.07	33.25	\$2381	\$2450	N/A	N/A
Z30M6EN	20 x 30 x 65.5-66	125	213.93	27.75	\$2158	\$2218	N/A	N/A
Z16M6EN	20 x 16 x 65.5-66	100	142.80	15.75	\$1407	\$1449	N/A	N/A
Z15M6EN	20 x 15 x 65.5-66	100	137.94	14.75	\$1365	\$1400	N/A	N/A
Z36S6EN	16 x 36 x 65.5-66	125	202.15	26.50	\$1983	\$2052	N/A	N/A
Z30S6EN	16 x 30 x 65.5-66	125	177.56	22.50	\$1921	\$1967	N/A	N/A
Z16S6EN	16 x 16 x 65.5-66	100	118.78	13	\$1267	\$1305	N/A	N/A
Z15S6EN	16 x 15 x 65.5-66	100	113.98	12	\$1242	\$1275	N/A	N/A

Three open shelves and two file drawers on bottom. **Includes two 3-position fixed/height adjustable shelves**. Lock secures all drawers. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications
Top finish

Top finish
Top/edge detail
Handles
Base finish

Optional Specifications

HP laminate Collator* Glazed doors** Box drawer* - no upcharge (30"- 36" wide models only)

	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP A
		D x W x H							
<u> </u>	Z36L6WA	24 x 36 x 65.5-66	150	216.30	39	\$1947	\$2026	N/A	N/A
.	Z30L6WA	24 x 30 x 65.5-66	150	192.15	32.75	\$1753	\$1822	N/A	N/A
	Z36M6WA	20 x 36 x 65.5-66	125	200.55	33.25	\$1865	\$1934	N/A	N/A
	Z30M6WA	20 x 30 x 65.5-66	125	173.25	27.75	\$1651	\$1711	N/A	N/A
/ardrobe Cabinet	Laminato doore ar	e standard. Full length ha	naina rod inclus	lad Standa	rd with lock				
valuione canillei	Laiiiiiate uoois ai	e standard. Tun lengtir na	nging rou includ	ieu. Stallua	iu willi lock.				
	Z24L6WAL	24 x 24 x 65.5-66	125	165.90	26.75	\$1608	\$1665	N/A	N/A
	Z21L6WAL	24 x 21 x 65.5-66	125	152.25	23.50	\$1480	\$1536	N/A	N/A
	Z18L6WAL	24 x 18 x 65.5-66	125	139.65	20.50	\$1314	\$1361	N/A	N/A
	Z16L6WAL	24 x 16 x 65.5-66	125	132.30	18.75	\$1286	\$1333	N/A	N/
	Z15L6WAL	24 x 15 x 65.5-66	125	128.10	17.50	\$1233	\$1271	N/A	N/
	Z12L6WAL	24 x 12 x 65.5-66	125	115.50	14.50		\$1173	N/A	N/
						\$1140			
	Z24M6WAL	20 x 24 x 65.5-66	125	149.10	22.50	\$1383	\$1430	N/A	N/A
o pá	Z21M6WAL	20 x 21 x 65.5-66	125	143.85	20	\$1341	\$1387	N/A	N/A
	Z18M6WAL	20 x 18 x 65.5-66	125	124.95	17.25	\$1214	\$1256	N/A	N/
1	Z16M6WAL	20 x 16 x 65.5-66	125	116.55	15.75	\$1183	\$1225	N/A	N/A
	Z15M6WAL	20 x 15 x 65.5-66	125	113.40	14.75	\$1113	\$1148	N/A	N/A
	Z12M6WAL	20 x 12 x 65.5-66	100	102.90	12.25	\$1061	\$1091	N/A	N/
/ardrobe Cabinet - LEFT	Laminate doors ar	e standard. Full length ha	nging rod includ	ded. Standa	rd with lock.				
	70 41 014 / A D	04 04 05 5 00	405	405.00	00.75	44000	0400	N1 /A	N1 /
	Z24L6WAR	24 x 24 x 65.5-66	125	165.90	26.75	\$1608	\$1665	N/A	N/
	Z21L6WAR	24 x 21 x 65.5-66	125	152.25	23.50	\$1480	\$1536	N/A	N/A
	Z18L6WAR	24 x 18 x 65.5-66	125	139.65	20.50	\$1314	\$1361	N/A	N/A
	Z16L6WAR	24 x 16 x 65.5-66	125	132.30	18.75	\$1286	\$1333	N/A	N/A
	Z15L6WAR	24 x 15 x 65.5-66	125	128.10	17.50	\$1233	\$1271	N/A	N/
	Z12L6WAR	24 x 12 x 65.5-66	125	115.50	14.50	\$1140	\$1173	N/A	N/A
	Z24M6WAR	20 x 24 x 65.5-66	125	149.10	22.50	\$1383	\$1430	N/A	N/A
	Z21M6WAR	20 x 21 x 65.5-66	125	143.85	20	\$1341	\$1387	N/A	N//
caroli	Z18M6WAR	20 x 18 x 65.5-66	125	124.95	17.25	\$1214	\$1256	N/A	N/
	ZIOIVIOVVAII	20 X 10 X 00.0 00		116.55			\$1225	N/A	N/
,	71 C \ (C \ \ (\ \ (\ \ \ \ \ \ \ \ \ \	20 / 10 / 05 5 6							11//
0	Z16M6WAR	20 x 16 x 65.5-66	125		15.75	\$1183			
)	Z15M6WAR	20 x 15 x 65.5-66	125	113.40	14.75	\$1113	\$1148	N/A	N/A
									N/
/ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR	20 x 15 x 65.5-66	125 100	113.40 102.90	14.75 12.25	\$1113	\$1148	N/A	N/A
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR	20 x 15 x 65.5-66 20 x 12 x 65.5-66	125 100	113.40 102.90	14.75 12.25	\$1113	\$1148	N/A	N//
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length ha	125 100 nging rod includ	113.40 102.90 ded. Standa	14.75 12.25 rd with lock.	\$1113 \$1061 \$2325	\$1148 \$1091	N/A N/A	N// N//
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length ha 24 x 36 x 65.5-66 24 x 30 x 65.5-66	125 100 nging rod includ 125 125	113.40 102.90 ded. Standa 269.85 240.45	14.75 12.25 rd with lock. 39 32.75	\$1113 \$1061 \$2325 \$2060	\$1148 \$1091 \$2405 \$2127	N/A N/A \$1475 \$1276	N// N// N//
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length ha 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66	125 100 nging rod includ 125 125 125	113.40 102.90 ded. Standa 269.85 240.45 208.95	14.75 12.25 rd with lock. 39 32.75 26.75	\$1113 \$1061 \$2325 \$2060 \$1922	\$1148 \$1091 \$2405 \$2127 \$1980	N/A N/A \$1475 \$1276 \$1153	N// N// N// N// N//
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66	125 100 nging rod include 125 125 125 100	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20	14.75 12.25 rd with lock. 39 32.75 26.75 23.50	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805	\$1148 \$1091 \$2405 \$2127 \$1980 \$1862	N/A N/A \$1475 \$1276 \$1153 \$1142	N/A N/A N/A N/A N/A
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66	125 100 nging rod include 125 125 125 100 125	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187	\$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256	N/A N/A \$1475 \$1276 \$1153 \$1142 \$1475	N/2 N/2 N/2 N/2 N/2 N/2 N/2
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66	125 100 nging rod include 125 125 125 100 125 100	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910	\$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970	N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276	N/A N/A N/A N/A N/A N/A
ardrobe Cabinet - RIGHT	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL Z24M6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66	125 100 nging rod include 125 125 125 100 125 100 100	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713	\$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760	N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153	N/A N/A N/A N/A N/A N/A N/A
	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL	20 x 15 x 65.5-66 20 x 12 x 65.5-66 re standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66	125 100 nging rod include 125 125 125 100 125 100	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910	\$1148 \$1091 \$2405 \$2127 \$1980 \$1862 \$2256 \$1970	N/A N/A S1475 \$1276 \$1153 \$1142 \$1475 \$1276	N/ N/ N/ N/ N/ N/ N/ N/ N/ N/ N/
Glazed door option	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z36M6DIL Z30M6DIL Z24M6DIL Z21M6DIL Laminate doors ar	20 x 15 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length has 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 24 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66	125 100 nging rod include 125 125 125 100 125 100 100 100	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A \$1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/ N/ N/ N/ N/ N/ N/ N/
Glazed door option	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z31L6DIL Z36M6DIL Z30M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Raminate doors ar Wardrobe compar	20 x 15 x 65.5-66 20 x 12 x 65.5-66 20 x 12 x 65.5-66 e standard. Full length ha 24 x 36 x 65.5-66 24 x 30 x 65.5-66 24 x 21 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66 20 x 21 x 65.5-66 e standard. Storage compartment on right includes ha	125 100 nging rod include 125 125 125 100 125 100 100 100 arrtment on left enging rod. Two	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A \$1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/+
Glazed door option	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z21L6DIL Z30M6DIL Z30M6DIL Z24M6DIL Z21M6DIL Z4M6DIL Z4M6DIL Z50M6DIL Z50M6DIL Z70M6DIL Z70M6	20 x 15 x 65.5-66 20 x 12 x 65.5-66 20 x 12 x 65.5-66 24 x 36 x 65.5-66 24 x 24 x 65.5-66 24 x 24 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66 20 x 24 x 65.5-66 20 x 27 x 65.5-66 20 x 10 x 65.5-66	125 100 nging rod included and	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A \$1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/+
/ardrobe Cabinet - RIGHT //ardrobe Cabinet/Shelving Combo ith Doors - LEFT*	Z15M6WAR Z12M6WAR Laminate doors ar Z36L6DIL Z30L6DIL Z24L6DIL Z31L6DIL Z36M6DIL Z30M6DIL Z24M6DIL Z21M6DIL Z21M6DIL Raminate doors ar Wardrobe compar	20 x 15 x 65.5-66 20 x 12 x 65.5-66 20 x 12 x 65.5-66 24 x 36 x 65.5-66 24 x 24 x 65.5-66 24 x 24 x 65.5-66 20 x 36 x 65.5-66 20 x 30 x 65.5-66 20 x 24 x 65.5-66 20 x 24 x 65.5-66 20 x 27 x 65.5-66 20 x 10 x 65.5-66	125 100 nging rod include 125 125 125 100 125 100 100 100 arrtment on left enging rod. Two	113.40 102.90 ded. Standa 269.85 240.45 208.95 193.20 243.60 226.80 184.80 171.15	14.75 12.25 rd with lock. 39 32.75 26.75 23.50 33.25 27.75 22.50 20	\$1113 \$1061 \$2325 \$2060 \$1922 \$1805 \$2187 \$1910 \$1713 \$1664	\$2405 \$2127 \$1980 \$1862 \$2256 \$1970 \$1760 \$1711	N/A N/A \$1475 \$1276 \$1153 \$1142 \$1475 \$1276 \$1153 \$1142	N/#







WARDROBE MODULES - 65.5" / 66" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L6DIR	24 x 36 x 65.5-66	125	269.85	39	\$2325	\$2405	\$1475	N/A
Z30L6DIR	24 x 30 x 65.5-66	125	240.45	32.75	\$2060	\$2127	\$1276	N/A
Z24L6DIR	24 x 24 x 65.5-66	125	208.95	26.75	\$1922	\$1980	\$1153	N/A
Z21L6DIR	24 x 21 x 65.5-66	100	193.20	23.50	\$1805	\$1862	\$1142	N/A
Z36M6DIR	20 x 36 x 65.5-66	125	243.60	33.25	\$2187	\$2256	\$1475	N/A
Z30M6DIR	20 x 30 x 65.5-66	100	226.80	27.75	\$1910	\$1970	\$1276	N/A
Z24M6DIR	20 x 24 x 65.5-66	100	184.80	22.50	\$1713	\$1760	\$1153	N/A
Z21M6DIR	20 x 21 x 65.5-66	100	171.15	20	\$1664	\$1711	\$1142	N/A

Laminate doors are standard. Storage compartment on right includes four 3-position fixed/height adjustable shelves Wardrobe compartment on left includes hanging rod. Two locks secure storage and wardrobe compartments.

Z36L6DINL	24 x 36 x 65.5-66	125	251.50	39	\$2077	\$2157	\$737	N/A
Z30L6DINL	24 x 30 x 65.5-66	125	224.46	32.75	\$1856	\$1925	\$638	N/A
Z24L6DINL	24 x 24 x 65.5-66	125	196.37	26.75	\$1750	\$1807	\$573	N/A
Z21L6DINL	24 x 21 x 65.5-66	125	183.37	23.50	\$1633	\$1690	\$570	N/A
Z36M6DINL	20 x 36 x 65.5-66	125	223.19	33.25	\$1943	\$2013	\$737	N/A
Z30M6DINL	20 x 30 x 65.5-66	125	197.54	27.75	\$1707	\$1767	\$638	N/A
Z24M6DINL	20 x 24 x 65.5-66	125	174.14	22.50	\$1542	\$1589	\$573	N/A
Z21M6DINL	20 x 21 x 65.5-66	125	159.07	20	\$1492	\$1539	\$570	N/A

Laminate door is standard. Storage compartment on left includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Single lock secures storage and wardrobe compartments.


Z36L6DINR	24 x 36 x 65.5-66	125	251.50	39	\$2077	\$2157	\$737	N/A
Z30L6DINR	24 x 30 x 65.5-66	125	224.46	32.75	\$1856	\$1925	\$638	N/A
Z24L6DINR	24 x 24 x 65.5-66	125	196.37	26.75	\$1750	\$1807	\$573	N/A
Z21L6DINR	24 x 21 x 65.5-66	125	183.37	23.50	\$1633	\$1690	\$570	N/A
Z36M6DINR	20 x 36 x 65.5-66	125	223.19	33.25	\$1943	\$2013	\$737	N/A
Z30M6DINR	20 x 30 x 65.5-66	125	197.54	27.75	\$1707	\$1767	\$638	N/A
Z24M6DINR	20 x 24 x 65.5-66	125	174.14	22.50	\$1542	\$1589	\$573	N/A
Z21M6DINR	20 x 21 x 65.5-66	125	159.07	20	\$1492	\$1539	\$570	N/A

Laminate door is standard. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Single lock secures storage and wardrobe compartments.





Wardrobe Cabinet/Open Shelving Combo - LEFT*



Wardrobe Cabinet/Open Shelving Combo DICUT

COIIIDO - IIIG	
PERSONAL TO	WERS - 65.5" / 66" HIGH





Personal Tower with Doors - LEFT

MODEL# D	IMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
7001.001	4 20 05 5 00	105	200.05	20	60554	60000	64000	NI/A
	4 x 36 x 65.5-66		290.85	39	\$2551	\$2630	\$1239	N/A
Z30L6EL 2-	4 x 30 x 65.5-66	100	266.70	32.75	\$2360	\$2429	\$1128	N/A
Z24L6EL 2-	4 x 24 x 65.5-66	100	243.24	26.75	\$2263	\$2320	\$988	N/A
Z36M6EL 2	0 x 36 x 65.5-66	125	256.20	33.25	\$2414	\$2483	\$1239	N/A
Z30M6EL 2	0 x 30 x 65.5-66	100	229.95	27.75	\$2205	\$2265	\$1128	N/A
Z24M6EL 2	0 x 24 x 65.5-66	100	217	22.50	\$2114	\$2161	\$988	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Z36L6ER	24 x 36 x 65.5-66	125	290.85	39	\$2551	\$2630	\$1239	N/A
Z30L6ER	24 x 30 x 65.5-66	100	266.70	32.75	\$2360	\$2429	\$1128	N/A
Z24L6ER	24 x 24 x 65.5-66	100	243.24	26.75	\$2263	\$2320	\$988	N/A
Z36M6ER	20 x 36 x 65.5-66	125	256.20	33.25	\$2414	\$2483	\$1239	N/A
Z30M6ER	20 x 30 x 65.5-66	100	229.95	27.75	\$2205	\$2265	\$1128	N/A
Z24M6ER	20 x 24 x 65.5-66	100	217	22.50	\$2114	\$2161	\$988	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes four 3-position fixed/ height adjustable shelves. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





Personal Tower with Doors - RIGHT

Required Specifications

Top finish Top/edge detail Handles Base finish

Optional Specifications

Collator Glazed doors*

N/A

N/A

N/A

N/A

N/A

N/A

GLAZE ADD HP ADD

\$1181

\$1074

\$931

\$1181

\$1074

\$931

PERSONAL TOWERS - 65.5" / 66" HIGH





Personal Tower with Doors and cavity - LEFT*



MODEL#

Z36L6ECL

Z30L6ECL

Z24L6ECL

Z36M6ECL

Z30M6ECL

Z24M6ECL

DIMENSIONS

DxWxH

24 x 36 x 65.5-66

24 x 30 x 65.5-66

24 x 24 x 65.5-66

20 x 36 x 65.5-66

20 x 30 x 65.5-66

20 x 24 x 65.5-66

FREIGHT CLASS

125

100

100

125

100

100

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed,	
height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged do	r,
and one lower lock secures drawers, all keyed alike.	

WT/LBS.

288.74

264.24

239.24

252.03

226.82

213

CUBIC FT.

39

32.75

26.75

33.25

27.75

22.50

1.5" TOP

\$2598

\$2397

\$2289

\$2440

\$2218

\$2132

1"TOP

\$2518

\$2328

\$2232

\$2371

\$2160

\$2085







Z36L6ECR	24 x 36 x 65.5-66	125	288.74	39	\$2518	\$2598	\$1181	N/A
Z30L6ECR	24 x 30 x 65.5-66	100	264.24	32.75	\$2328	\$2397	\$1074	N/A
Z24L6ECR	24 x 24 x 65.5-66	100	239.24	26.75	\$2232	\$2289	\$931	N/A
Z36M6ECR	20 x 36 x 65.5-66	125	252.03	33.25	\$2371	\$2440	\$1181	N/A
Z30M6ECR	20 x 30 x 65.5-66	100	226.82	27.75	\$2160	\$2218	\$1074	N/A
Z24M6ECR	20 x 24 x 65.5-66	100	213	22.50	\$2085	\$2132	\$931	N/A

Personal Tower with Doors and cavity - RIGHT*

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Open Shelves - LEFT*

Z36L6ENL	24 x 36 x 65.5-66	125	280.48	39	\$2380	\$2459	\$741	N/A
Z30L6ENL	24 x 30 x 65.5-66	125	257.36	32.75	\$2187	\$2256	\$634	N/A
Z24L6ENL	24 x 24 x 65.5-66	100	230.24	26.75	\$2094	\$2151	\$492	N/A
Z36M6ENL	20 x 36 x 65.5-66	125	243.77	33.25	\$2230	\$2299	\$741	N/A
Z30M6ENL	20 x 30 x 65.5-66	125	219.94	27.75	\$2020	\$2080	\$634	N/A
Z24M6ENL	20 x 24 x 65.5-66	100	204	22.50	\$1915	\$1978	\$492	N/A

Two file drawers on bottom. Laminate doors are standard on wardrobe section. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.







Personal Tower with Open*

Z36L6ENR	24 x 36 x 65.5-66	125	280.48	39	\$2380	\$2459	\$741	N/A
Z30L6ENR	24 x 30 x 65.5-66	125	257.36	32.75	\$2187	\$2256	\$634	N/A
Z24L6ENR	24 x 24 x 65.5-66	100	230.24	26.75	\$2094	\$2151	\$492	N/A
Z36M6ENR	20 x 36 x 65.5-66	125	243.77	33.25	\$2230	\$2299	\$741	N/A
Z30M6ENR	20 x 30 x 65.5-66	125	219.94	27.75	\$2020	\$2080	\$634	N/A
Z24M6ENR	20 x 24 x 65.5-66	100	204	22.50	\$1915	\$1978	\$492	N/A

Two file drawers on bottom. Laminate doors is standard on wardrobe section. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.





Personal Tower with Doors - LEFT

Z36L6BFL	24 x 36 x 65.5-66	125	294	39	\$2682	\$2761	\$1239	N/A
Z30L6BFL	24 x 30 x 65.5-66	100	268.80	32.75	\$2492	\$2561	\$1128	N/A
Z24L6BFL	24 x 24 x 65.5-66	100	244.24	26.75	\$2368	\$2426	\$988	N/A
Z36M6BFL	20 x 36 x 65.5-66	125	258.30	33.25	\$2554	\$2623	\$1239	N/A
Z30M6BFL	20 x 30 x 65.5-66	100	232.05	27.75	\$2343	\$2403	\$1128	N/A
Z24M6BFL	20 x 24 x 65.5-66	100	218	22.50	\$2222	\$2269	\$988	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Required Specifications

Top finish Top/edge detail Handles Base finish

Optional Specifications

Collator* Glazed doors*

Box drawer* - no upcharge (30"- 36" wide models only)





Personal Tower with Doors - RIGHT

PERSONAL TOWERS - 65.5" / 66" HIGH



Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Doors*

Z36L6BFCL	24 x 36 x 65.5-66	125	291.89	39	\$2652	\$2732	\$1181	N/A
Z30L6BFCL	24 x 30 x 65.5-66	100	266.34	32.75	\$2462	\$2531	\$1074	N/A
Z24L6BFCL	24 x 24 x 65.5-66	100	240.24	26.75	\$2338	\$2396	\$931	N/A
Z36M6BFCL	20 x 36 x 65.5-66	125	254.13	33.25	\$2503	\$2572	\$1181	N/A
Z30M6BFCL	20 x 30 x 65.5-66	100	228.92	27.75	\$2290	\$2350	\$1074	N/A
Z24M6BFCL	20 x 24 x 65.5-66	100	214	22.50	\$2191	\$2238	\$931	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Doors and Cavity - RIGHT*

Z36L6BFCR	24 x 36 x 65.5-66	125	291.89	39	\$2652	\$2732	\$1181	N/A
Z30L6BFCR	24 x 30 x 65.5-66	100	266.34	32.75	\$2462	\$2531	\$1074	N/A
Z24L6BFCR	24 x 24 x 65.5-66	100	240.24	26.75	\$2338	\$2396	\$931	N/A
Z36M6BFCR	20 x 36 x 65.5-66	125	254.13	33.25	\$2503	\$2572	\$1181	N/A
Z30M6BFCR	20 x 30 x 65.5-66	100	228.92	27.75	\$2290	\$2350	\$1074	N/A
Z24M6BFCR	20 x 24 x 65.5-66	100	214	22.50	\$2191	\$2238	\$931	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelf. Wardrobe compartment on right includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Open Shelves - LEFT*

Z36L6BFNL	24 x 36 x 65.5-66	125	280	39	\$2513	\$2592	\$741	N/A
Z30L6BFNL	24 x 30 x 65.5-66	125	257	32.75	\$2322	\$2391	\$634	N/A
Z24L6BFNL	24 x 24 x 65.5-66	100	232	26.75	\$2202	\$2259	\$492	N/A
Z36M6BFNL	20 x 36 x 65.5-66	125	242	33.25	\$2383	\$2452	\$741	N/A
Z30M6BFNL	20 x 30 x 65.5-66	125	219	27.75	\$2172	\$2232	\$634	N/A
Z24M6BFNL	20 x 24 x 65.5-66	100	206	22.50	\$2072	\$2119	\$492	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.







Personal Tower with Open Shelves - RIGHT*

Z24L6BFNR 24 x 24 x 65.5-66 100 232 \$2259 \$492 26.75 \$2202 N/A 20 x 36 x 65.5-66 125 242 33.25 \$2452 Z36M6BFNR \$2383 \$741 N/A Z30M6BFNR 219 \$2232 20 x 30 x 65.5-66 125 27.75 \$2172 \$634 N/A Z24M6BFNR 20 x 24 x 65.5-66 100 206 22.50 \$2072 \$2119 \$492 N/A

280

257

39

32.75

\$2513

\$2322

\$2592

\$2391

\$741

\$634

N/A

N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.

Required Specifications

Top finish Top/edge detail Handles Base finish

Z36L6BFNR

Z30L6BFNR

Optional Specifications

Collator Glazed doors

125

125

24 x 36 x 65.5-66

24 x 30 x 65.5-66

Box drawer - no upcharge* (30"-36" wide models only)

STORAGE MODULES - 65.5" / 66" HIGH	MODEL#	DIMENSIONS FRI	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxWxH							
	Z36L7SH	24 x 36 x 71.9-72.4	125	295.05	43.25	\$2374	\$2453	\$1590	N/A
***************************************	Z30L7SH	24 x 30 x 71.9-72.4	125	253.05	36.25	\$2072	\$2141	\$1376	N/A
	Z36M7SH	20 x 36 x 71.9-72.4	125	261.45	36.75	\$2204	\$2273	\$1590	N/A
	Z30M7SH	20 x 30 x 71.9-72.4	125	225.75	30.50	\$1910	\$1968	\$1376	N/A
	Z36S7SH	16 x 36 x 71.9-72.4	125	225.75	29.50	\$1976	\$2043	\$1590	N/A
the same with	Z30S7SH	16 x 30 x 71.9-72.4	125	195.30	25	\$1736	\$1782	\$1376	N/A
Glazed door option									
Storage Cabinet with Doors	Laminate doors are	e standard. Includes four	3-position fi	xed/height	adjustable s	shelves.	Standard	with lock.	
	Z21L7SHL	24 x 21 x 71.9-72.4	125	196.35	26	\$1716	\$1773	\$883	N/A
	Z18L7SHL	24 x 18 x 71.9-72.4	125	178.50	22.75	\$1600	\$1647	\$792	N/A
	Z16L7SHL	24 x 16 x 71.9-72.4	100	166.95	20.75	\$1504	\$1551	\$787	N/A
	Z15L7SHL	24 x 15 x 71.9-72.4	100	160.65	19.25	\$1439	\$1477	\$683	N/A
	Z12L7SHL	24 x 12 x 71.9-72.4	100	136.50	16	\$1321	\$1356	\$614	N/A
	Z21M7SHL	20 x 21 x 71.9-72.4	100	174.30	21.25	\$1535	\$1581	\$883	N/A
	Z18M7SHL	20 x 18 x 71.9-72.4	100	156.45	19.25	\$1465	\$1508	\$792	N/A
	Z16M7SHL	20 x 16 x 71.9-72.4	100	147	17.50	\$1376	\$1418	\$787	N/A
	Z15M7SHL	20 x 15 x 71.9-72.4	100	139.65	16.25	\$1313	\$1346	\$683	N/A
	Z12M7SHL	20 x 12 x 71.9-72.4	100	123.90	13.25	\$1205	\$1235	\$614	N/A
	Z21S7SHL		100	150.15	18	\$1416	\$1454	\$883	N/A
***************************************		16 x 21 x 71.9-72.4							
restation (Z18S7SHL	16 x 18 x 71.9-72.4	100	134.40	15.50	\$1316	\$1358	\$792	N/A
	Z16S7SHL	16 x 16 x 71.9-72.4	100	124.95	14	\$1263	\$1301	\$787	N/A
	Z15S7SHL	16 x 15 x 71.9-72.4	100	118.65	12.50	\$1214	\$1246	\$683	N/A
Glazed door option	Z12S7SHL	16 x 12 x 71.9-72.4	100	103.95	11	\$1066	\$1096	\$614	N/A
Storage Cabinet with Door - LEFT	Laminato doore are	e standard. Includes four	3_nocition fi	vad/hainht	adiuetable	chalvac	Standard	with lock	
Storage Cabinet With Door - LEFT	Laillilate uoois ait	e Stanuaru. Iliciuues Ioui	3-hosinon ii	xeu/iieiyiii	aujustavie	SHEIVES.	Stanuaru	WILII IUCK.	
	7041 70110	24 21 71 0 72 4	105	100.05	20	64740	64770	ėnna	NI/A
	Z21L7SHR	24 x 21 x 71.9-72.4	125	196.35	26	\$1716	\$1773	\$883	N/A
	Z18L7SHR	24 x 18 x 71.9-72.4	125	178.50	22.75	\$1600	\$1647	\$792	N/A
	Z16L7SHR	24 x 16 x 71.9-72.4	100	166.95	20.75	\$1504	\$1551	\$787	N/A
	Z15L7SHR	24 x 15 x 71.9-72.4	100	160.65	19.25	\$1439	\$1477	\$683	N/A
	Z12L7SHR	24 x 12 x 71.9-72.4	100	136.50	16	\$1321	\$1356	\$614	N/A
	Z21M7SHR	20 x 21 x 71.9-72.4	100	174.30	21.25	\$1535	\$1581	\$883	N/A
	Z18M7SHR	20 x 18 x 71.9-72.4	100	156.45	19.25	\$1465	\$1508	\$792	N/A
	Z16M7SHR	20 x 16 x 71.9-72.4	100	147	17.50	\$1376	\$1418	\$787	N/A
	Z15M7SHR	20 x 15 x 71.9-72.4	100	139.65	16.25	\$1313	\$1346	\$683	N/A
	Z12M7SHR	20 x 12 x 71.9-72.4	100	123.90	13.25	\$1205	\$1235	\$614	N/A
***************************************	Z21S7SHR	16 x 21 x 71.9-72.4	100	150.15	18	\$1416	\$1454	\$883	N/A
	Z18S7SHR	16 x 18 x 71.9-72.4	100	134.40	15.50	\$1316	\$1358	\$792	N/A
rectalizate	Z16S7SHR	16 x 16 x 71.9-72.4	100	124.95	14	\$1263	\$1301	\$787	N/A
	Z15S7SHR	16 x 15 x 71.9-72.4	100	118.65	12.50	\$1214	\$1246	\$683	N/A
Million III	Z12S7SHR	16 x 12 x 71.9-72.4	100	103.95	11	\$1066	\$1096	\$614	N/A
Glazed door option									
Storage Cabinet with Door - RIGHT	Laminate doors are	e standard. Includes four	3-position fi	xed/heiaht	adiustable s	shelves	Standard	with lock	
	zammato dooro are	o otamaana. Inioidado Ioai	o position in	,	,		o tanaana		
_									

Required Specifications
Top finish
Top/edge detail
Handles
Base finish

Optional Specifications
Collator*
Glazed doors**
Box drawer* - no upcharge (30"- 36" wide models only)

TORAGE MODULES - 72"/72.5" HIGH	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	Z36L7SHN	D x W x H 24 x 36 x 71.9-72.	4 150	249.61	43.25	\$1855	\$1935	N/A	N/A
	Z30L7SHN	24 x 30 x 71.9-72.		216.23	36.25	\$1644	\$1713	N/A	N/A
	Z21L7SHN	24 x 21 x 71.9-72.		171.94	26	\$1424	\$1713	N/A	N/A
	Z18L7SHN	24 x 18 x 71.9-72.		156.83	22.75	\$1340	\$1387	N/A	N/A
	Z16L7SHN	24 x 16 x 71.9-72.		147.10	20.75	\$1244	\$1290	N/A	N/A
	Z15L7SHN	24 x 15 x 71.9-72.		147.10	19.25	\$1244	\$1245	N/A	N/A
,	Z12L7SHN	24 x 12 x 71.9-72.		121.35	16	\$1207	\$1245	N/A	N/A
*									
	Z36M7SHN Z30M7SHN	20 x 36 x 71.9-72. 20 x 30 x 71.9-72.		217.09 188.26	36.75 30.50	\$1684 \$1482	\$1753 \$1542	N/A N/A	N/A
	Z21M7SHN	20 x 21 x 71.9-72.		148.69	21.25	\$1128	\$1174	N/A	N/A
	Z18M7SHN	20 x 21 x 71.9-72.		134.80	19.25	\$1120	\$1174	N/A	
- 36° & 30° ·	Z16M7SHN	20 x 16 x 71.9-72.		134.80	17.50	\$1200	\$1155	N/A	N/A
	Z15M7SHN								
		20 x 15 x 71.9-72.		121.96	16.25	\$1080	\$1115	N/A	N/A
	Z12M7SHN	20 x 12 x 71.9-72.		109.11	13.25	\$999	\$1029	N/A	N/A
	Z36S7SHN	16 x 36 x 71.9-72.		181.43	29.50	\$1457	\$1526	N/A	N/A
	Z30S7SHN	16 x 30 x 71.9-72.		158.19	25	\$1309	\$1355	N/A	N/A
	Z21S7SHN	16 x 21 x 71.9-72.		124.38	18	\$1125	\$1162	N/A	N/A
工:	Z18S7SHN	16 x 18 x 71.9-72.		112.77	15.50	\$1055	\$1097	N/A	N/A
	Z16S7SHN	16 x 16 x 71.9-72.		105.37	14	\$999	\$1037	N/A	N/A
* Accepts collator 11" high	Z15S7SHN	16 x 15 x 71.9-72.		100.10	12.50	\$985	\$1017	N/A	N/A
7.16°,15°&12"	Z12S7SHN	16 x 12 x 71.9-72.	4 100	89.53	11	\$861	\$891	N/A	N/A
en Storage Cabinet	Four adjustable	shelves.							
	Z36L7E	24 x 36 x 71.9-72.		316.05	43.25	\$3028	\$3107	\$1252	N/A
	Z30L7E	24 x 30 x 71.9-72.	4 125	276.15	36.25	\$2765	\$2834	\$1091	N/A
partition of the same of the s									
	Z36M7E	20 x 36 x 71.9-72.	4 125	285.60	36.75	\$2866	\$2935	\$1252	N/A
	Z36M7E Z30M7E		4 125	285.60 249.90			\$2935 \$2673	\$1252 \$1091	
		20 x 36 x 71.9-72.	4 125 4 100		36.75	\$2866			N/A
Gland doc ention	Z30M7E	20 x 36 x 71.9-72. 20 x 30 x 71.9-72.	4 125 4 100 4 100	249.90	36.75 30.50	\$2866 \$2613	\$2673	\$1091	N/A
Glazed door option	Z30M7E Z36S7E Z30S7E	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72.	4 125 4 100 4 100 4 100	249.90 244.65 213.15	36.75 30.50 29.50 25	\$2866 \$2613 \$2619 \$2361	\$2673 \$2688 \$2407	\$1091 \$1252 \$1091	N/A N/A
	Z30M7E Z36S7E Z30S7E Two lateral file dra compartment. Lov	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72.	4 125 4 100 4 100 4 100 re standard. Inc drawers.For filin	249.90 244.65 213.15 cludes two	36.75 30.50 29.50 25 adjustable s	\$2866 \$2613 \$2619 \$2361 Shelves.	\$2673 \$2688 \$2407 Upper lock	\$1091 \$1252 \$1091 x secures sto	N/A N/A N/A
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acc	4 125 4 100 4 100 4 100 ore standard. Inc drawers.For filin commodating had	249.90 244.65 213.15 Eludes two g capablities	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin	\$2866 \$2613 \$2619 \$2361 Shelves.	\$2673 \$2688 \$2407 Upper lock	\$1091 \$1252 \$1091 s secures sto	N/A N/A N/A rage
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance.	4 125 4 100 4 100 4 100 ore standard. Inc drawers.For filin commodating had	249.90 244.65 213.15 Eludes two g capablities nging files N	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin	\$2866 \$2613 \$2619 \$2361 Sihelves. 21. ang material	\$2673 \$2688 \$2407 Upper lock als on the	\$1091 \$1252 \$1091 s secures sto drawer botto \$617	N/A N/A N/A rage
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL Z15L7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance of the construction is acceptanc	4 125 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100	249.90 244.65 213.15 Eludes two g capablities <i>nging files N</i> 181.65 176.40	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25	\$2866 \$2613 \$2619 \$2361 \$100 \$21. \$1786 \$1716	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754	\$1091 \$1252 \$1091 s secures sto drawer botto \$617 \$542	N/A N/A N/A rage
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 17 x 71.9-72. 24 x 16 x 71.9-72. 20 x 16 x 71.9-72.	4 125 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100	249.90 244.65 213.15 Eludes two g capablities <i>nging files N</i> 181.65 176.40 162.75	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50	\$2866 \$2613 \$2619 \$2361 \$164elves. 21. ang materia \$1786 \$1716 \$1659	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617	N/A N/A N/A rage om.
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file drawn Z16L7EL Z15L7EL Z16M7EL Z15M7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance of the construction in	4 125 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100	249.90 244.65 213.15 Eludes two g capablities <i>nging files N</i> 181.65 176.40 162.75 155.40	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25	\$2866 \$2613 \$2619 \$2361 \$2361 \$21. ang materio \$1786 \$1716 \$1659 \$1593	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542	N/A N/A N/A rage om. N/A N/A N/A
	Z30M7E Z36S7E Z30S7E Two lateral file dra compartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z16S7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance of the construction in	4 125 4 100 4 100	249.90 244.65 213.15 213.15 213.15 213.15 3 capablities 181.65 176.40 162.75 155.40 137.55	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25 14	\$2866 \$2613 \$2619 \$2361 \$2361 \$21. ang materio \$1786 \$1716 \$1659 \$1593 \$1544	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617	N// N// N// rage om. N// N// N//
	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file drawn Z16L7EL Z15L7EL Z16M7EL Z15M7EL	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance of the construction in	4 125 4 100 4 100	249.90 244.65 213.15 Eludes two g capablities <i>nging files N</i> 181.65 176.40 162.75 155.40	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25	\$2866 \$2613 \$2619 \$2361 \$2361 \$21. ang materio \$1786 \$1716 \$1659 \$1593	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542	N/A N/A N/A N/A N/A N/A N/A N/A
o File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z16S7EL Z15S7EL Two file drawers of	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. wers. Laminate doors a ver lock secures two file ver construction is for acceptance of the construction in	4 125 4 100 4 100 4 100 4 100 4 100 drawers.For filin commodating had 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100	249.90 244.65 213.15 21	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25 14 12.50	\$2866 \$2613 \$2619 \$2361 \$2361 \$164 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617 \$542	N/A N/A N/A N/A N/A N/A N/A
o File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z16S7EL Z15S7EL Two file drawers of	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 20 x 16 x 71.9-72. 21 x 16 x 71.9-72. 22 x 16 x 71.9-72. 20 x 16 x 71.9-72. 20 x 15 x 71.9-72. 21 x 15 x 71.9-72. 21 x 15 x 71.9-72. 22 x 15 x 71.9-72. 23 x 15 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72.	4 125 4 100 4 100 4 100 dre standard. Inc drawers.For filin commodating had 4 100 4 100 4 100 4 100 4 100 4 100 4 100 4 100 5 ris standard. In lock secures two	249.90 244.65 213.15 21	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25 14 12.50	\$2866 \$2613 \$2619 \$2361 \$2361 \$164 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617 \$542	N/A N/A N/A N/A N/A N/A N/A N/A N/A N/A
o File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dracompartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z16S7EL Z15S7EL Two file drawers of lock secures stores	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 20 x 16 x 71.9-72. 21 x 16 x 71.9-72. 22 x 16 x 71.9-72. 20 x 16 x 71.9-72. 20 x 15 x 71.9-72. 21 x 15 x 71.9-72. 21 x 15 x 71.9-72. 22 x 15 x 71.9-72. 23 x 15 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72. 27 x 15 x 15 x 71.9-72. 28 x 15 x 71.9-72. 29 x 15 x 71.9-72. 20 x 15 x 71.9-72. 20 x 15 x 71.9-72. 20 x 15 x 71.9-72. 21 x 15 x 71.9-72. 22 x 15 x 71.9-72. 23 x 15 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72. 27 x 15 x 71.9-72. 28 x 15 x 71.9-72. 29 x 15 x 71.9-72. 20 x 15 x 71.9-72.	4 125 4 100 4 100 4 100 4 100 dre standard. Inc drawers.For filin commodating had 4 100	249.90 244.65 213.15 Eludes two g capablities nging files A 181.65 176.40 162.75 155.40 137.55 132.30	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25 14 12.50 3-position f s.	\$2866 \$2613 \$2619 \$2361 \$100 \$100 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 \$16xed/height	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 ght adjus	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617 \$542 \$617 \$542	N/A N/A N/A N/A rage N/A N/A N/A N/A N/A
File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dra compartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z15S7EL Two file drawers of lock secures storage.	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 20 x 16 x 71.9-72. 21 x 16 x 71.9-72. 22 x 16 x 71.9-72. 23 x 16 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72. 27 x 16 x 16 x 71.9-72. 28 x 16 x 71.9-72. 29 x 16 x 16 x 71.9-72. 20 x 16 x 16 x 71.9-72. 20 x 16 x 16 x 71.9-72. 20 x 16 x 16 x 71.9-72. 21 x 15 x 71.9-72. 22 x 16 x 17.9-72. 23 x 16 x 17.9-72. 24 x 16 x 71.9-72. 25 x 17.9-72. 26 x 16 x 71.9-72.	4 125 4 100	249.90 244.65 213.15 213.15 213.15 213.15 213.15 213.15 213.16 21	36.75 30.50 29.50 25 adjustable s s, see page 12 IOT for stackin 20.75 19.25 17.50 16.25 14 12.50 3-position f s.	\$2866 \$2613 \$2619 \$2361 \$2361 \$1861 \$1786 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 \$1544 \$1510	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 ght adjus	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617 \$542 table shelve	N/A N/A N/A N/A N/A
File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dra compartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z15M7EL Z15S7EL Two file drawers of lock secures storal Z16L7ER Z15L7ER Z16M7ER	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 20 x 16 x 71.9-72. 21 x 16 x 71.9-72. 22 x 16 x 71.9-72. 20 x 16 x 71.9-72. 20 x 15 x 71.9-72. 21 x 15 x 71.9-72. 22 x 15 x 71.9-72. 23 x 15 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72. 27 x 16 x 15 x 71.9-72. 28 x 15 x 71.9-72. 29 x 15 x 71.9-72. 20 x 15 x 71.9-72. 20 x 15 x 71.9-72. 20 x 15 x 71.9-72. 21 x 15 x 71.9-72.	4 125 4 100	249.90 244.65 213.15 213.15 213.15 213.15 213.15 213.15 213.16 21	36.75 30.50 29.50 25 adjustable s s, see page 12 07 for stackin 20.75 19.25 17.50 16.25 14 12.50 3-position f s.	\$2866 \$2613 \$2619 \$2361 \$100 \$100 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 \$1786 \$1786 \$1716	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 ght adjus \$1833 \$1754	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$617 \$542 table shelve	N/A N/A N/A N/A rage N/A N/A N/A N/A N/A N/A N/A
To File Module with Doors*	Z30M7E Z36S7E Z30S7E Two lateral file dra compartment. Lov • Lateral file draw Z16L7EL Z15L7EL Z16M7EL Z15M7EL Z15S7EL Two file drawers of lock secures storate Z16L7ER Z15L7ER	20 x 36 x 71.9-72. 20 x 30 x 71.9-72. 16 x 36 x 71.9-72. 16 x 30 x 71.9-72. 16 x 30 x 71.9-72. 20 x 16 x 71.9-72. 21 x 16 x 71.9-72. 22 x 16 x 71.9-72. 23 x 16 x 71.9-72. 24 x 15 x 71.9-72. 25 x 15 x 71.9-72. 26 x 15 x 71.9-72. 27 x 16 x 15 x 71.9-72. 28 x 15 x 71.9-72. 29 x 15 x 71.9-72. 20 x 16 x 71.9-72. 20 x 16 x 17.9-72. 20 x 16 x 71.9-72. 21 x 16 x 17.9-72. 22 x 16 x 71.9-72. 24 x 16 x 71.9-72. 24 x 16 x 71.9-72. 26 x 16 x 71.9-72.	4 125 4 100	249.90 244.65 213.15 213.15 213.15 213.15 213.15 213.15 213.16 21	36.75 30.50 29.50 25 adjustable s s, see page 12 07 for stackin 20.75 19.25 17.50 16.25 14 12.50 3-position f s. 20.75 19.25 17.50 17.50	\$2866 \$2613 \$2619 \$2361 \$2361 \$164 \$1786 \$1716 \$1659 \$1593 \$1544 \$1510 \$1786 \$1716 \$1786 \$1716 \$1786 \$1716	\$2673 \$2688 \$2407 Upper lock als on the \$1833 \$1754 \$1701 \$1628 \$1582 \$1542 ght adjus \$1833 \$1754 \$1701	\$1091 \$1252 \$1091 \$ secures sto drawer botto \$617 \$542 \$617 \$542 \$table shelve \$617 \$542 \$617 \$542	N/A N/A N/A N/A rage N/A N/A N/A N/A N/A N/A N/A





Two File Module with Door - RIGHT

Two file drawers on bottom. Laminate door is standard. Includes two 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.


Required	Specifications
T C . I	

Top finish Top/edge detail Handles Base finish

Optional Specifications Collator*

Glazed doors**

Box drawer* - no upcharge (30"- 36" wide models only)



Two File Module with Open Shelves*

Three open shelves and two file drawers on bottom. Includes two 3-position fixed/height adjustable shelves. Lock secures all drawers. For filing capabilties, see page 121.

hanging files NOT for stacking materials on the drawer bettem

	 Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom. 										
WARDROBE CABINETS - 72"/72.5" HIGH	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD		
Superinterior	Z36L7WA	24 x 36 x 71.9-72.4	150	252	43.25	\$2158	\$2237	N/A	N/A		
	Z30L7WA	24 x 30 x 71.9-72.4		218.40	36.25	\$2015	\$2084	N/A	N/A		
xu	Z36M7WA	20 x 36 x 71.9-72.4		226.80	36.75	\$2029	\$2098	N/A	N/A		
	Z30M7WA	20 x 30 x 71.9-72.4		196.35	30.50	\$1801	\$1861	N/A	N/A		
Wardrobe Cabinet		e standard. Full length ha	anging rod inclu	ded. Includ	es one 3-pos	sition fix	ed/height	adjustable	shelf		
	above nanging roc	i. Standard With lock.									
	Z24L7WAL	24 x 24 x 71.9-72.4	125	191.10	29.75	\$1635	\$1692	N/A	N/A		
	Z21L7WAL	24 x 21 x 71.9-72.4		178.50	26	\$1577	\$1634	N/A	N/A		
	Z18L7WAL	24 x 18 x 71.9-72.4		158.55	22.75	\$1448	\$1495	N/A	N/A		
	Z16L7WAL	24 x 16 x 71.9-72.4		149.10	20.75	\$1390	\$1436	N/A	N/A		
	Z15L7WAL	24 x 15 x 71.9-72.4	125	144.90	19.25	\$1322	\$1360	N/A	N/A		
	Z12L7WAL	24 x 12 x 71.9-72.4		130.20	16	\$1232	\$1265	N/A	N/A		
	Z24M7WAL	20 x 24 x 71.9-72.4		171.15	25.25	\$1512	\$1561	N/A	N/A		
Account of the control of the contro	Z21M7WAL	20 x 21 x 71.9-72.4		154.35	21.25	\$1449	\$1496	N/A	N/A		
	Z18M7WAL	20 x 18 x 71.9-72.4		139.65	19.25	\$1340	\$1382	N/A	N/A		
	Z16M7WAL	20 x 16 x 71.9-72.4		131.25	17.50	\$1278	\$1320	N/A	N/A		
	Z15M7WAL	20 x 15 x 71.9-72.4		126	16.25	\$1214	\$1249	N/A	N/A		
	Z12M7WAL	20 x 12 x 71.9-72.4		113.40	13.25	\$1139	\$1169	N/A	N/A		
Wardrobe Cabinet - LEFT		e standard. Full length ha I. Standard with lock.	anging rod inclu	ded. Includ	es one 3-po	sition fix	ed/height	adjustable	shelf		
	Z24L7WAR	24 x 24 x 71.9-72.4	125	191.10	29.75	\$1635	\$1692	N/A	N/A		
	Z21L7WAR	24 x 21 x 71.9-72.4	125	178.50	26	\$1577	\$1634	N/A	N/A		
	Z18L7WAR	24 x 18 x 71.9-72.4	125	158.55	22.75	\$1448	\$1495	N/A	N/A		
	Z16L7WAR	24 x 16 x 71.9-72.4	125	149.10	20.75	\$1390	\$1436	N/A	N/A		
	Z15L7WAR	24 x 15 x 71.9-72.4		144.90	19.25	\$1322	\$1360	N/A	N/A		
	Z12L7WAR	24 x 12 x 71.9-72.4		130.20	16	\$1232	\$1265	N/A	N/A		
	Z24M7WAR	20 x 24 x 71.9-72.4		171.15	25.25	\$1512	\$1561	N/A	N/A		
Security Sec	Z21M7WAR	20 x 21 x 71.9-72.4		154.35	21.25	\$1449	\$1496	N/A	N/A		
	Z18M7WAR	20 x 18 x 71.9-72.4		139.65	19.25	\$1340	\$1382	N/A	N/A		
	Z16M7WAR	20 x 16 x 71.9-72.4		131.25	17.50	\$1278	\$1320	N/A	N/A		
	Z15M7WAR	20 x 15 x 71.9-72.4		126	16.25	\$1214	\$1249	N/A	N/A		
	Z12M7WAR	20 x 12 x 71.9-72.4		113.40	13.25	\$1139	\$1169	N/A	N/A		
Wardrobe Cabinet - RIGHT	Laminate doors ar	e standard. Full length ha	anging rod inclu	ded. Includ	es one 3-po:	sition fix	ed/height	adjustable	shelf		

Wardrobe	Cabinet -	RIGHT

above hanging rod. Standard with lock.

Required Specifications	Option
Top finish	Glazed
Top/edge detail	
Handles	
Base finish	

nal Specifications

doors







Wardrobe Cabinet/Shelving Combo with Doors - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L7DIL	24 x 36 x 71.9-7	2.4 125	300.30	43.25	\$2544	\$2624	\$1590	N/A
Z30L7DIL	24 x 30 x 71.9-7	2.4 125	262.50	36.25	\$2223	\$2292	\$1376	N/A
Z24L7DIL	24 x 24 x 71.9-7	2.4 125	232.05	29.75	\$2022	\$2079	\$1239	N/A
Z21L7DIL	24 x 21 x 71.9-7	2.4 125	200.55	26	\$1963	\$2019	\$1228	N/A
Z36M7DIL	20 x 36 x 71.9-7	2.4 125	276.15	36.75	\$2388	\$2457	\$1590	N/A
Z30M7DIL	20 x 30 x 71.9-7	2.4 125	241.50	30.50	\$2073	\$2133	\$1376	N/A
Z24M7DIL	20 x 24 x 71.9-7	2.4 100	214.20	25.25	\$1901	\$1948	\$1239	N/A
Z21M7DIL	20 x 21 x 71.9-7	2.4 100	196.35	21.25	\$1825	\$1872	\$1228	N/A

Laminate doors are standard. Storage compartment on left includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.





Glazed do	or option


Wardrobe Cabinet/Shelving Combo with Doors - RIGHT

Z36L7DIR	24 x 36 x 71.9-72.4	125	300.30	43.25	\$2544	\$2624	\$1590	N/A
Z30L7DIR	24 x 30 x 71.9-72.4	125	262.50	36.25	\$2223	\$2292	\$1376	N/A
Z24L7DIR	24 x 24 x 71.9-72.4	125	232.05	29.75	\$2022	\$2079	\$1239	N/A
Z21L7DIR	24 x 21 x 71.9-72.4	125	200.55	26	\$1963	\$2019	\$1228	N/A
Z36M7DIR	20 x 36 x 71.9-72.4	125	276.15	36.75	\$2388	\$2457	\$1590	N/A
Z30M7DIR	20 x 30 x 71.9-72.4	125	241.50	30.50	\$2073	\$2133	\$1376	N/A
Z24M7DIR	20 x 24 x 71.9-72.4	100	214.20	25.25	\$1901	\$1948	\$1239	N/A
Z21M7DIR	20 x 21 x 71.9-72.4	100	196.35	21.25	\$1825	\$1872	\$1228	N/A

Laminate doors are standard. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.




Combo - LEFT



Wardrobe Cabinet/Open Shelving

Z36L7DINL	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2295	\$2375	\$793	N/A
Z30L7DINL	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2020	\$2089	\$686	N/A
Z24L7DINL	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1840	\$1897	\$617	N/A
Z21L7DINL	24 x 21 x 71.9-72.4	125	189.33	26	\$1777	\$1834	\$611	N/A
Z36M7DINL	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2139	\$2208	\$793	N/A
Z30M7DINL	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1868	\$1928	\$686	N/A
Z24M7DINL	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1716	\$1763	\$617	N/A
Z21M7DINL	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1641	\$1688	\$611	N/A

Laminate door is standard on wardrobe section. Storage compartment on left includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.







Wardrobe Cabinet/Open Shelving Combo - RIGHT

Z36L7DINR	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2295	\$2375	\$793	N/A
						*	7	,
Z30L7DINR	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2020	\$2089	\$686	N/A
Z24L7DINR	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1840	\$1897	\$617	N/A
Z21L7DINR	24 x 21 x 71.9-72.4	125	189.33	26	\$1777	\$1834	\$611	N/A
Z36M7DINR	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2139	\$2208	\$793	N/A
Z30M7DINR	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1868	\$1928	\$686	N/A
Z24M7DINR	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1716	\$1763	\$617	N/A
Z21M7DINR	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1641	\$1688	\$611	N/A

Laminate door is standard on wardrobe section. Storage compartment on right includes four 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.

Req	ui	r	ed	Spe	cific	cati	ons	

Top finish Top/edge detail Handles Base finish

Optional Specifications

Collator* Glazed doors

PERSONAL TOWERS - 72"/72.5" HIGH





Personal Tower with Doors - LEFT



Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





Personal Tower with Doors - RIGHT

Z36L7ER	24 x 36 x 71.9-72.4	125	324.45	43.25	\$2788	\$2867	\$1410	N/A
Z30L7ER	24 x 30 x 71.9-72.4	125	289.80	36.25	\$2557	\$2626	\$1294	N/A
Z24L7ER	24 x 24 x 71.9-72.4	100	260.76	29.75	\$2436	\$2494	\$1145	N/A
Z36M7ER	20 x 36 x 71.9-72.4	125	288.75	36.75	\$2607	\$2677	\$1410	N/A
Z30M7ER	20 x 30 x 71.9-72.4	100	259.35	30.50	\$2391	\$2451	\$1294	N/A
Z24M7ER	20 x 24 x 71.9-72.4	100	231.65	25.25	\$2276	\$2323	\$1145	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Doors and cavity - LEFT

Z36L7ECL	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2770	\$2850	\$1284	N/A
Z30L7ECL	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2541	\$2610	\$1166	N/A
Z24L7ECL	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2410	\$2467	\$1016	N/A
Z36M7ECL	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2565	\$2634	\$1284	N/A
Z30M7ECL	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2351	\$2409	\$1166	N/A
Z24M7ECL	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2233	\$2280	\$1016	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Personal Tower with Doors and cavity - RIGHT

Z36L7ECR	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2770	\$2850	\$1284	N/A
Z30L7ECR	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2541	\$2610	\$1166	N/A
Z24L7ECR	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2410	\$2467	\$1016	N/A
Z36M7ECR	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2565	\$2634	\$1284	N/A
Z30M7ECR	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2351	\$2409	\$1166	N/A
Z24M7ECR	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2233	\$2280	\$1016	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/ height adjustable shelf. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





Personal Towe	er with Open	Shelves -	LEF1

Z36L7ENL	24 x 36 x 71.9-72.4	125	309.60	43.25	\$2630	\$2710	\$799	N/A
Z30L7ENL	24 x 30 x 71.9-72.4	125	278.48	36.25	\$2405	\$2474	\$681	N/A
Z24L7ENL	24 x 24 x 71.9-72.4	100	247.90	29.75	\$2286	\$2343	\$533	N/A
Z36M7ENL	20 x 36 x 71.9-72.4	125	274.99	36.75	\$2439	\$2508	\$799	N/A
Z30M7ENL	20 x 30 x 71.9-72.4	100	247.36	30.50	\$2226	\$2286	\$681	N/A
Z24M7ENL	20 x 24 x 71.9-72.4	100	218.79	25.25	\$2124	\$2173	\$533	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.

Required	Specif	ications

Top finish Top/edge detail Handles Base finish

Optional Specifications

Collator¹ Glazed doors



Personal Tower with Open Shelves - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L7ENR	24 x 36 x 71.9-7	2.4 125	309.60	43.25	\$2630	\$2710	\$799	N/A
Z30L7ENR	24 x 30 x 71.9-7	2.4 125	278.48	36.25	\$2405	\$2474	\$681	N/A
Z24L7ENR	24 x 24 x 71.9-7	2.4 100	247.90	29.75	\$2286	\$2343	\$533	N/A
Z36M7ENR	20 x 36 x 71.9-7	2.4 125	274.99	36.75	\$2439	\$2508	\$799	N/A
Z30M7ENR	20 x 30 x 71.9-7	2.4 100	247.36	30.50	\$2226	\$2286	\$681	N/A
Z24M7ENR	20 x 24 x 71.9-7	2.4 100	218.79	25.25	\$2124	\$2173	\$533	N/A

Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.





	7001 7051	04 00 74 0 70 4	405	200 ==	40.05		***	****	
	Z36L7BFL	24 x 36 x 71.9-72.4	125	326.55	43.25	\$2928	\$3007	\$1410	N/A
	Z30L7BFL	24 x 30 x 71.9-72.4	100	292.95	36.25	\$2704	\$2773	\$1294	N/A
	Z24L7BFL	24 x 24 x 71.9-72.4	100	262.10	29.75	\$2544	\$2601	\$1145	N/A
	Z36M7BFL	20 x 36 x 71.9-72.4	125	291.90	36.75	\$2745	\$2814	\$1410	N/A
	Z30M7BFL	20 x 30 x 71.9-72.4	100	262.50	30.50	\$2562	\$2620	\$1219	N/A
	Z24M7BFL	20 x 24 x 71.9-72.4	100	232.98	25.25	\$2383	\$2430	\$1145	N/A
ed door option									

Personal Tower with Doors - LEFT

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.





Z36L7BFR	24 x 36 x 71.9-72.4	125	326.55	43.25	\$2928	\$3007	\$1410	N/A
Z30L7BFR	24 x 30 x 71.9-72.4	100	292.95	36.25	\$2704	\$2773	\$1294	N/A
Z24L7BFR	24 x 24 x 71.9-72.4	100	262.10	29.75	\$2544	\$2601	\$1145	N/A
Z36M7BFR	20 x 36 x 71.9-72.4	125	291.90	36.75	\$2745	\$2814	\$1410	N/A
Z30M7BFR	20 x 30 x 71.9-72.4	100	262.50	30.50	\$2562	\$2620	\$1219	N/A
Z24M7BFR	20 x 24 x 71.9-72.4	100	232.98	25.25	\$2383	\$2430	\$1145	N/A

Personal Tower with Doors - RIGHT

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.







Z36L7BFCL	24 x 36 x 71.9-72.4	125	317.68	43.25	\$2895	\$2942	\$1284	N/A
Z30L7BFCL	24 x 30 x 71.9-72.4	125	287	36.25	\$2675	\$2713	\$1166	N/A
Z24L7BFCL	24 x 24 x 71.9-72.4	100	258.59	29.75	\$2503	\$2560	\$1016	N/A
Z36M7BFCL	20 x 36 x 71.9-72.4	125	288.78	36.75	\$2695	\$2764	\$1284	N/A
Z30M7BFCL	20 x 30 x 71.9-72.4	100	259.37	30.50	\$2509	\$2569	\$1166	N/A

100

Personal Tower with Doors and Cavity - LEFT

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

229.45

25.25

\$2339

\$2386

\$1016

N/A







Personal Tower with Doors and Cavity - RIGHT

Z36L7BFCR	24 x 36 x 71.9-72.4	125	317.68	43.25	\$2895	\$2942	\$1284	N/A
Z30L7BFCR	24 x 30 x 71.9-72.4	125	287	36.25	\$2675	\$2713	\$1166	N/A
Z24L7BFCR	24 x 24 x 71.9-72.4	100	258.59	29.75	\$2503	\$2560	\$1016	N/A
Z36M7BFCR	20 x 36 x 71.9-72.4	125	288.78	36.75	\$2695	\$2764	\$1284	N/A
Z30M7BFCR	20 x 30 x 71.9-72.4	100	259.37	30.50	\$2509	\$2569	\$1166	N/A
Z24M7BFCR	20 x 24 x 71.9-72.4	100	229.45	25.25	\$2339	\$2386	\$1016	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes one 3-position fixed/height adjustable shelves Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Required	Specifications	

Top finish Top/edge detail Handles Base finish

Z24M7BFCL

Optional Specifications

Collator⁵ Glazed doors

20 x 24 x 71.9-72.4


PERSONAL TOWERS - 72"/72.5" HIGH



Personal Tower with Open Shelves - LEFT

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1.5" TOP GLAZE ADD HP ADD 1"TOP DxWxH Z36L7BFNL 24 x 36 x 71.9-72.4 309 N/A 125 43.25 \$2762 \$2816 \$799 24 x 30 x 71.9-72.4 125 277 36.25 \$2535 \$2577 \$681 Z30L7BFNL N/A \$2392 Z24L7BFNL 24 x 24 x 71.9-72.4 100 249.24 29.75 \$2335 \$533 N/A Z36M7BFNL 20 x 36 x 71.9-72.4 125 274 36.75 \$2553 \$2623 \$799 N/A Z30M7BFNL 20 x 30 x 71.9-72.4 246 30.50 \$2366 \$2426 \$681 100 N/A Z24M7BFNL \$2220 20 x 24 x 71.9-72.4 100 220.12 25.25 \$2173 \$533 N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



Personal Tower with Open Shelves - RIGHT

STORAGE MODULES - 84.5"/85" HIGH

Z36L7BFNR 24 x 36 x 71.9-72.4 125 309 43.25 \$2762 \$2816 \$799 N/A Z30L7BFNR 24 x 30 x 71.9-72.4 125 277 36.25 \$2535 \$2577 \$681 N/A Z24L7BFNR 24 x 24 x 71.9-72.4 100 249.24 29.75 \$2335 \$2392 \$533 N/A Z36M7BFNR 20 x 36 x 71.9-72.4 125 274 36.75 \$2553 \$2623 \$799 N/A Z30M7BFNR 20 x 30 x 71.9-72.4 100 246 30.50 \$2366 \$2426 \$681 N/A Z24M7BFNR 20 x 24 x 71.9-72.4 100 220.12 25.25 \$2173 \$2220 \$533 N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.


	:::::::
maga:	(1777) (1777)
2555	10
mi,	
Vi11	ann dite



Storage Cabinet with Doors

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z36L8SH	24 x 36 x 84.4-8	4.9 125	332.85	50	\$2716	\$2796	\$1934	N/A
Z30L8SH	24 x 30 x 84.4-8	4.9 125	290.85	42	\$2409	\$2478	\$1655	N/A
Z36M8SH	20 x 36 x 84.4-8	4.9 125	299.25	42.25	\$2504	\$2573	\$1934	N/A
Z30M8SH	20 x 30 x 84.4-8	4.9 125	259.35	35.50	\$2239	\$2299	\$1655	N/A
Z36S8SH	16 x 36 x 84.4-8	4.9 125	259.35	34	\$2256	\$2323	\$1934	N/A
Z30S8SH	16 x 30 x 84.4-8	4.9 125	224.70	29	\$2011	\$2058	\$1655	N/A

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.



Z21L8SHL	24 x 21 x 84.4-84.9	125	226.80	30.25	\$1965	\$2022	\$1079	N/A
Z18L8SHL	24 x 18 x 84.4-84.9	125	205.80	26.25	\$1848	\$1895	\$964	N/A
Z16L8SHL	24 x 16 x 84.4-84.9	125	186.90	24	\$1734	\$1780	\$957	N/A
Z15L8SHL	24 x 15 x 84.4-84.9	100	181.65	22.50	\$1711	\$1749	\$823	N/A
Z12L8SHL	24 x 12 x 84.4-84.9	100	163.80	18.50	\$1593	\$1626	\$736	N/A
Z21M8SHL	20 x 21 x 84.4-84.9	125	201.60	25.50	\$1774	\$1820	\$1079	N/A
Z18M8SHL	20 x 18 x 84.4-84.9	100	180.60	22.25	\$1700	\$1742	\$964	N/A
Z16M8SHL	20 x 16 x 84.4-84.9	100	169.05	20.25	\$1593	\$1635	\$957	N/A
Z15M8SHL	20 x 15 x 84.4-84.9	100	162.75	19	\$1527	\$1560	\$823	N/A
Z12M8SHL	20 x 12 x 84.4-84.9	100	144.90	15.75	\$1415	\$1445	\$736	N/A
Z21S8SHL	16 x 21 x 84.4-84.9	100	172.20	21	\$1622	\$1659	\$1079	N/A
Z18S8SHL	16 x 18 x 84.4-84.9	100	154.35	18	\$1518	\$1556	\$964	N/A
Z16S8SHL	16 x 16 x 84.4-84.9	100	142.80	16.50	\$1423	\$1461	\$957	N/A
Z15S8SHL	16 x 15 x 84.4-84.9	100	137.55	15.50	\$1357	\$1389	\$823	N/A
Z12S8SHL	16 x 12 x 84.4-84.9	100	120.75	13	\$1252	\$1281	\$736	N/A

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.

Required Specifications

Top finish Top/edge detail Handles Base finish

Optional Specifications

Collator¹ Glazed doors

STORAGE MODULES - 84.5"/85" HIGH	H MODEL#	DIMEN	ISIONS FR	EIGHT CLAS	S WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
		DxW	/ x H							
	Z21L8SH	R 24 x 2	1 x 84.4-84.9	125	226.80	30.25	\$1965	\$2022	\$1079	N/A
	Z18L8SH	R 24 x 18	8 x 84.4-84.9	125	205.80	26.25	\$1848	\$1895	\$964	N/A
	Z16L8SH	R 24 x 16	6 x 84.4-84.9	125	186.90	24	\$1734	\$1780	\$957	N/A
	Z15L8SH	R 24 x 1	5 x 84.4-84.9	100	181.65	22.50	\$1711	\$1749	\$823	N/A
	Z12L8SH	R 24 x 12	2 x 84.4-84.9	100	163.80	18.50	\$1593	\$1626	\$736	N/A
	Z21M8S	HR 20 x 2	1 x 84.4-84.9	125	201.60	25.50	\$1774	\$1820	\$1079	N/A
	Z18M8S	HR 20 x 18	8 x 84.4-84.9	100	180.60	22.25	\$1700	\$1742	\$964	N/A
	Z16M8S	HR 20 x 16	6 x 84.4-84.9	100	169.05	20.25	\$1593	\$1635	\$957	N/A
	Z15M8S	HR 20 x 15	5 x 84.4-84.9	100	162.75	19	\$1527	\$1560	\$823	N/A
	Z12M8S	HR 20 x 12	2 x 84.4-84.9	100	144.90	15.75	\$1415	\$1445	\$736	N/A
	Z21S8SF	R 16 x 2	1 x 84.4-84.9	100	172.20	21	\$1622	\$1659	\$1079	N/A
	Z18S8SF	R 16 x 18	8 x 84.4-84.9	100	154.35	18	\$1518	\$1556	\$964	N/A
	Z16S8SF	IR 16 x 16	6 x 84.4-84.9	100	142.80	16.50	\$1423	\$1461	\$957	N/A
	Z15S8SF	IR 16 x 15	5 x 84.4-84.9	100	137.55	15.50	\$1357	\$1389	\$823	N/A
	Z12S8SH	IR 16 x 12	2 x 84.4-84.9	100	120.75	13	\$1252	\$1281	\$736	N/A
Glazed door o	pption									

Storage Cabinet with Door - RIGHT

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.









Open Storage Cabinet





Two File Module with Doors*

Z36L8SHN	24 x 36 x 84.4-84.9	150	281.34	50	\$2111	\$2190	N/A	N/A
Z30L8SHN	24 x 30 x 84.4-84.9	150	247.23	42	\$1880	\$1949	N/A	N/A
Z21L8SHN	24 x 21 x 84.4-84.9	125	227.72	30.25	\$1626	\$1682	N/A	N/A
Z18L8SHN	24 x 18 x 84.4-84.9	125	206.74	26.25	\$1541	\$1588	N/A	N/A
Z16L8SHN	24 x 16 x 84.4-84.9	125	189.25	24	\$1430	\$1477	N/A	N/A
Z15L8SHN	24 x 15 x 84.4-84.9	100	182.61	22.50	\$1407	\$1445	N/A	N/A
Z12L8SHN	24 x 12 x 84.4-84.9	100	164.78	18.50	\$1350	\$1385	N/A	N/A
Z36M8SHN	20 x 36 x 84.4-84.9	150	245.68	42.25	\$1898	\$1967	N/A	N/A
Z30M8SHN	20 x 30 x 84.4-84.9	125	215.06	35.50	\$1711	\$1771	N/A	N/A
Z21M8SHN	20 x 21 x 84.4-84.9	125	170.18	25.50	\$1437	\$1484	N/A	N/A
Z18M8SHN	20 x 18 x 84.4-84.9	125	154.86	22.25	\$1390	\$1433	N/A	N/A
Z16M8SHN	20 x 16 x 84.4-84.9	125	145.71	20.25	\$1291	\$1333	N/A	N/A
Z15M8SHN	20 x 15 x 84.4-84.9	125	140.60	19	\$1257	\$1290	N/A	N/A
Z12M8SHN	20 x 12 x 84.4-84.9	100	126.34	15.75	\$1171	\$1201	N/A	N/A
Z36S8SHN	16 x 36 x 84.4-84.9	125	206.87	34	\$1651	\$1718	N/A	N/A
Z30S8SHN	16 x 30 x 84.4-84.9	125	180.79	29	\$1483	\$1529	N/A	N/A
Z21S8SHN	16 x 21 x 84.4-84.9	125	141.67	21	\$1285	\$1322	N/A	N/A
Z18S8SHN	16 x 18 x 84.4-84.9	125	127.58	18	\$1152	\$1190	N/A	N/A
Z16S8SHN	16 x 16 x 84.4-84.9	125	119.59	16.50	\$1118	\$1156	N/A	N/A
Z15S8SHN	16 x 15 x 84.4-84.9	125	115.59	15.50	\$1088	\$1120	N/A	N/A
Z12S8SHN	16 x 12 x 84.4-84.9	125	102.56	13	\$1007	\$1037	N/A	N/A

Five adjustable shelves.

Z36L8E	24 x 36 x 84.4-84.9	125	365.40	50	\$3369	\$3448	\$1443	N/A
Z30L8E	24 x 30 x 84.4-84.9	125	306.60	42	\$3068	\$3135	\$1246	N/A
Z36M8E	20 x 36 x 84.4-84.9	125	323.40	42.25	\$3167	\$3236	\$1443	N/A
Z30M8E	20 x 30 x 84.4-84.9	100	284.55	35.50	\$2916	\$2976	\$1246	N/A
Z36S8E	16 x 36 x 84.4-84.9	100	285	34	\$2892	\$2961	\$1443	N/A
Z30S8E	16 x 30 x 84.4-84.9	100	244.65	29	\$2614	\$2660	\$1246	N/A

Two lateral file drawers. Laminate doors are standard. Includes three adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications Finishes

Top/Edge Detail Handles

Optional Specifications
Glazing - Doors Collator (Open Shelves)

П				
~~~				
	iiien			
ati;	iiin			
	-			
_	Н			



Two File Module with Door - LEFT

STORAGE MODULES - 84.5"/85" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z16L8EL	24 x 16 x 84.4-8	4.9 100	205.80	24	\$2006	\$2053	\$712	N/A
Z15L8EL	24 x 15 x 84.4-8	4.9 100	192.15	22.50	\$1950	\$1988	\$620	N/A
Z16M8EL	20 x 16 x 84.4-8	4.9 100	185.85	20.25	\$1880	\$1922	\$712	N/A
Z15M8EL	20 x 15 x 84.4-8	4.9 100	179.55	19	\$1807	\$1842	\$620	N/A
Z16S8EL	16 x 16 x 84.4-8	4.9 100	156.45	16.50	\$1708	\$1746	\$712	N/A
Z15S8EL	16 x 15 x 84.4-8	4.9 100	149.10	15.50	\$1653	\$1685	\$620	N/A

Two file drawers on bottom. Laminate door is standard. Includes three 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.





Two File Module with Door - RIGHT

Z16L8ER	24 x 16 x 84.4-84.9	100	205.80	24	\$2006	\$2053	\$712	N/A
Z15L8ER	24 x 15 x 84.4-84.9	100	192.15	22.50	\$1950	\$1988	\$620	N/A
Z16M8ER	20 x 16 x 84.4-84.9	100	185.85	20.25	\$1880	\$1922	\$712	N/A
Z15M8ER	20 x 15 x 84.4-84.9	100	179.55	19	\$1807	\$1842	\$620	N/A
Z16S8ER	16 x 16 x 84.4-84.9	100	156.45	16.50	\$1708	\$1746	\$712	N/A
Z15S8ER	16 x 15 x 84.4-84.9	100	149.10	15.50	\$1653	\$1685	\$620	N/A

Two file drawers on bottom. Laminate door is standard. Includes three 3-position fixed/height adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers.







Two File Module with Open Shelves*

Z36L8EN	24 x 36 x 84.4-84.9	125	329.85	50	\$2888	\$2967	N/A	N/A
Z30L8EN	24 x 30 x 84.4-84.9	125	276.28	42	\$2644	\$2713	N/A	N/A
Z16L8EN	24 x 16 x 84.4-84.9	125	191.52	24	\$1762	\$1809	N/A	N/A
Z15L8EN	24 x 15 x 84.4-84.9	125	177.51	22.50	\$1736	\$1774	N/A	N/A
Z36M8EN	20 x 36 x 84.4-84.9	125	285.79	42.25	\$2685	\$2754	N/A	N/A
Z30M8EN	20 x 30 x 84.4-84.9	125	253.56	35.50	\$2497	\$2557	N/A	N/A
Z16M8EN	20 x 16 x 84.4-84.9	100	169.60	20.25	\$1636	\$1678	N/A	N/A
Z15M8EN	20 x 15 x 84.4-84.9	100	164.05	19	\$1592	\$1627	N/A	N/A
Z36S8EN	16 x 36 x 84.4-84.9	125	247	34	\$2232	\$2299	N/A	N/A
Z30S8EN	16 x 30 x 84.4-84.9	125	213	29	\$2014	\$2060	N/A	N/A
Z16S8EN	16 x 16 x 84.4-84.9	100	139.28	16.50	\$1465	\$1503	N/A	N/A
Z15S8EN	16 x 15 x 84.4-84.9	100	133.79	15.50	\$1437	\$1469	N/A	N/A

Four open shelves and two file drawers on bottom. Includes two 3-position fixed/height adjustable shelves. Lock secures all drawers. For filing capabilties, see page 121.

• Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Base finish Top/edge detail Handles

### **Optional Specifications**

Glazing - Doors Collator (Open Shelves)

WARDROBE CABINETS - 84.5"/85" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
in annual and a second	70010144	DxWxH	0 450	222.25		*	*****		
K127 211111 W 1 PP	Z36L8WA	24 x 36 x 84.4-84.		290.85	50	\$2519	\$2598	N/A	N/A
	Z30L8WA	24 x 30 x 84.4-84.		256.20	42	\$2262	\$2331	N/A	N/A
³³	Z36M8WA	20 x 36 x 84.4-84.		264.60	42.25	\$2354	\$2423	N/A	N/A
	Z30M8WA	20 x 30 x 84.4-84.	.9 125	231	35.50	\$2127	\$2187	N/A	N/A
Vardrobe Cabinet	Laminate doors ar	e standard. Full length h	nanging rod includ	ded. <b>One ac</b>	ljustable sh	elf above	hanging roo	d. Standard	d with loc
	Z24L8WAL	24 x 24 x 84.4-84.		220.50	34.25	\$1888	\$1945	N/A	N/A
	Z21L8WAL	24 x 21 x 84.4-84.		192.15	30.25	\$1819	\$1875	N/A	N/A
	Z18L8WAL	24 x 18 x 84.4-84.		184.80	26.25	\$1695	\$1742	N/A	N/A
	Z16L8WAL	24 x 16 x 84.4-84.	.9 125	172.20	24	\$1617	\$1663	N/A	N/A
	Z15L8WAL	24 x 15 x 84.4-84.	.9 125	161.70	22.50	\$1571	\$1609	N/A	N/A
	Z12L8WAL	24 x 12 x 84.4-84.	.9 100	150.15	18.50	\$1444	\$1479	N/A	N/A
	Z24M8WAL	20 x 24 x 84.4-84.	.9 125	197.40	28.50	\$1759	\$1806	N/A	N/A
2000	Z21M8WAL	20 x 21 x 84.4-84.	.9 125	182.70	25.50	\$1694	\$1741	N/A	N/A
	Z18M8WAL	20 x 18 x 84.4-84.		164.85	22.25	\$1570	\$1612	N/A	N/A
	Z16M8WAL	20 x 16 x 84.4-84.		154.35	20.25	\$1496	\$1538	N/A	N/A
	Z15M8WAL	20 x 15 x 84.4-84.		149.10	19	\$1436	\$1471	N/A	N/A
	Z12M8WAL	20 x 12 x 84.4-84.		133.35	15.75	\$1341	\$1371	N/A	N/A
/ardrobe Cabinet - LEFT	Laminate doors ar	e standard. Full length h	nanging rod includ	ded. <b>One a</b> d	ljustable sh	elf above	hanging roo	d. Standard	d with loc
	724L0\A/A D	24 × 24 × 94 4 94	0 125	220 E0	24.25	¢1000	\$10/E	NI/A	NI/A
	Z24L8WAR	24 x 24 x 84.4-84.		220.50	34.25	\$1888	\$1945	N/A	N/A
	Z21L8WAR	24 x 21 x 84.4-84.		192.15	30.25	\$1819	\$1875	N/A	N/A
	Z18L8WAR	24 x 18 x 84.4-84.		184.80	26.25	\$1695	\$1742	N/A	N/A
	Z16L8WAR	24 x 16 x 84.4-84.		172.20	24	\$1617	\$1663	N/A	N/A
	Z15L8WAR	24 x 15 x 84.4-84.	.9 125	161.70	22.50	\$1571	\$1609	N/A	N/A
	Z12L8WAR	24 x 12 x 84.4-84.	.9 100	150.15	18.50	\$1444	\$1479	N/A	N/A
	Z24M8WAR	20 x 24 x 84.4-84.	.9 125	197.40	28.50	\$1759	\$1806	N/A	N/A
2008	Z21M8WAR	20 x 21 x 84.4-84.	.9 125	182.70	25.50	\$1694	\$1741	N/A	N/A
	Z18M8WAR	20 x 18 x 84.4-84.	.9 125	164.85	22.25	\$1570	\$1612	N/A	N/A
,	Z16M8WAR	20 x 16 x 84.4-84.		154.35	20.25	\$1496	\$1538	N/A	N/A
	Z15M8WAR	20 x 15 x 84.4-84.		149.10	19	\$1436	\$1471	N/A	N/A
	Z12M8WAR	20 x 12 x 84.4-84.		133.35	15.75	\$1341	\$1371	N/A	N/A
/ardrobe Cabinet - RIGHT	Laminate doors are	e standard. Full length h	nanging rod includ	ded. One ac	ljustable sh	elf above	hanging roo	d. Standard	d with loc
	Z36L8DIL	24 x 36 x 84.4-84.	.9 125	339	50	\$2913	\$2992	\$1934	N/A
	Z30L8DIL	24 x 30 x 84.4-84.	.9 125	301	42	\$2557	\$2626	\$1655	N/A
	Z24L8DIL	24 x 24 x 84.4-84.	.9 125	269	34.25	\$2313	\$2370	\$1518	N/A
		Z4 X Z4 X 04.4-04.	.5 125						
GOT IND	Z21L8DIL	24 x 24 x 84.4-84.		252	30.25	\$2239	\$2272	\$1505	N/A
de de	Z21L8DIL	24 x 21 x 84.4-84.	.9 100	252					
	Z21L8DIL Z36M8DIL	24 x 21 x 84.4-84. 20 x 36 x 84.4-84.	.9 100 .9 125	252 306	42.25	\$2742	\$2811	\$1934	N/A
TITING TO THE TITING THE TITING TO THE TITIN	Z21L8DIL Z36M8DIL Z30M8DIL	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84.	.9 100 .9 125 .9 125	252 306 266	42.25 35.50	\$2742 \$2416	\$2811 \$2476	\$1934 \$1655	N/A N/A
	Z21L8DIL Z36M8DIL	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84.	.9 100 .9 125 .9 125 .9 100	252 306 266 233	42.25 35.50 28.50	\$2742	\$2811	\$1934	N/A N/A N/A
Glazed door option	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84. 20 x 21 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100	252 306 266 233 215	42.25 35.50 28.50 25.50	\$2742 \$2416 \$2180 \$2072	\$2811 \$2476 \$2229 \$2130	\$1934 \$1655 \$1518 \$1505	N/A N/A N/A N/A
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors an	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100	252 306 266 233 215	42.25 35.50 28.50 25.50 ve adjustab	\$2742 \$2416 \$2180 \$2072	\$2811 \$2476 \$2229 \$2130 ss. Wardrol	\$1934 \$1655 \$1518 \$1505 be compart	N/A N/A N/A N/A
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Z21M8DIL Laminate doors an	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b>	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b>	252 306 266 233 215 t includes fi	42.25 35.50 28.50 25.50 25.50 Eve adjustab	\$2742 \$2416 \$2180 \$2072 ble shelve storage an	\$2811 \$2476 \$2229 \$2130 ss. Wardrold	\$1934 \$1655 \$1518 \$1505 be compart	N/A N/A N/A N/A ment on
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf abov	252 306 266 233 215 t includes fi ve rod. Two	42.25 35.50 28.50 25.50 ive adjustab locks secure	\$2742 \$2416 \$2180 \$2072 ble shelve storage an	\$2811 \$2476 \$2229 \$2130 s. Wardrold d wardrobe	\$1934 \$1655 \$1518 \$1505 be compart	N/A N/A N/A N/A ment on
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han Z36L8DIR Z30L8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf abov	252 306 266 233 215 a <b>includes fi</b> ye rod. Two l	42.25 35.50 28.50 25.50 26.50 25.50 25.50 25.50 26.50 27.50 28.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 29.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50 20.50	\$2742 \$2416 \$2180 \$2072 ble shelve storage an \$2913 \$2557	\$2811 \$2476 \$2229 \$2130 ss. Wardrold d wardrobe \$2992 \$2626	\$1934 \$1655 \$1518 \$1505 be compart 3. \$1934 \$1655	N/A N/A N/A N/A ment on
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han Z36L8DIR Z30L8DIR Z24L8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf above	252 306 266 233 215 ** includes fi ve rod. Two 339 301 269	42.25 35.50 28.50 25.50 ive adjustab locks secure 50 42 34.25	\$2742 \$2416 \$2180 \$2072 ble shelve storage an \$2913 \$2557 \$2313	\$2811 \$2476 \$2229 \$2130 ss. Wardrold d wardrobe \$2992 \$2626 \$2370	\$1934 \$1655 \$1518 \$1505 be compart 2. \$1934 \$1655 \$1518	N/A N/A N/A N/A ment on N/A N/A N/A
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han Z36L8DIR Z30L8DIR Z24L8DIR Z21L8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf above .9 125 .9 125 .9 125 .9 100	252 306 266 233 215 ** includes fi ve rod. Two 339 301 269 252	42.25 35.50 28.50 25.50 ive adjustab locks secure 50 42 34.25 30.25	\$2742 \$2416 \$2180 \$2072 storage an \$2913 \$2557 \$2313 \$2239	\$2811 \$2476 \$2229 \$2130 ss. Wardrold d wardrobe \$2992 \$2626 \$2370 \$2272	\$1934 \$1655 \$1518 \$1505 be compart 2. \$1934 \$1655 \$1518 \$1505	N/A N/A N/A N/A Ment on  N/A N/A N/A N/A N/A
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han Z36L8DIR Z30L8DIR Z24L8DIR Z21L8DIR Z36M8DIR Z36M8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84. 24 x 21 x 84.4-84. 20 x 36 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf above .9 125 .9 125 .9 125 .9 125 .9 125	252 306 266 233 215 a includes fi ve rod. Two 339 301 269 252 306	42.25 35.50 28.50 25.50 ive adjustab locks secure 50 42 34.25 30.25 42.25	\$2742 \$2416 \$2180 \$2072 storage an \$2913 \$2557 \$2313 \$2239 \$2742	\$2811 \$2476 \$2229 \$2130 s. Wardrold d wardrobe \$2992 \$2626 \$2370 \$2272 \$2811	\$1934 \$1655 \$1518 \$1505 be compart 2. \$1934 \$1655 \$1518 \$1505 \$1934	N/A N/A N/A N/A N/A Ment on  N/A N/A N/A N/A N/A N/A
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors an right includes han Z36L8DIR Z30L8DIR Z24L8DIR Z21L8DIR Z36M8DIR Z36M8DIR Z30M8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84. 24 x 21 x 84.4-84. 20 x 36 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf above .9 125 .9 125 .9 125 .9 125 .9 125 .9 125	252 306 266 233 215 ** includes fi ve rod. Two 339 301 269 252 306 266	42.25 35.50 28.50 25.50 ive adjustab locks secure 50 42 34.25 30.25 42.25 35.50	\$2742 \$2416 \$2180 \$2072 storage an \$2913 \$2557 \$2313 \$2239 \$2742 \$2416	\$2811 \$2476 \$2229 \$2130 s. Wardrold d wardrobe \$2992 \$2626 \$2370 \$2272 \$2811 \$2476	\$1934 \$1655 \$1518 \$1505 be compart 2. \$1934 \$1655 \$1518 \$1505 \$1934 \$1655	N/A N/A N/A N/A N/A Ment on  N/A N/A N/A N/A N/A N/A N/A
/ardrobe Cabinet/Shelving Combo iith Doors - LEFT	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Laminate doors arright includes han Z36L8DIR Z30L8DIR Z30L8DIR Z24L8DIR Z21L8DIR Z36M8DIR Z30M8DIR Z30M8DIR Z30M8DIR Z34M8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84. 20 x 36 x 84.4-84. 20 x 36 x 84.4-84. 20 x 30 x 84.4-84. 20 x 30 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 npartment on <b>left</b> stable shelf above .9 125 .9 125 .9 125 .9 125 .9 125 .9 125 .9 125 .9 125	252 306 266 233 215 2 includes fi ve rod. Two 339 301 269 252 306 266 233	42.25 35.50 28.50 25.50 ive adjustab locks secure 50 42 34.25 30.25 42.25 35.50 28.50	\$2742 \$2416 \$2180 \$2072 storage an \$2913 \$2557 \$2313 \$2239 \$2742 \$2416 \$2180	\$2811 \$2476 \$2229 \$2130 s. Wardrold d wardrobe \$2992 \$2626 \$2370 \$2272 \$2811 \$2476 \$2229	\$1934 \$1655 \$1518 \$1505 be compart 2. \$1934 \$1655 \$1518 \$1505 \$1934 \$1655 \$1518	N/A N/A N/A N/A Ment on  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/
ardrobe Cabinet/Shelving Combo	Z21L8DIL Z36M8DIL Z30M8DIL Z24M8DIL Z21M8DIL Z21M8DIL Laminate doors are right includes han Z36L8DIR Z30L8DIR Z30L8DIR Z24L8DIR Z21L8DIR Z36M8DIR Z30M8DIR Z24M8DIR Z21M8DIR Z21M8DIR	24 x 21 x 84.4-84. 20 x 36 x 84.4-84. 20 x 20 x 24 x 84.4-84. 20 x 21 x 84.4-84. 20 x 21 x 84.4-84. e standard. Storage cominging rod and <b>one adjus</b> 24 x 36 x 84.4-84. 24 x 30 x 84.4-84. 24 x 24 x 84.4-84. 24 x 21 x 84.4-84. 20 x 36 x 84.4-84.	.9 100 .9 125 .9 125 .9 100 .9 100 mpartment on <b>left</b> above	252 306 266 233 215 <b>a includes fi</b> we rod. Two 339 301 269 252 306 266 233 215	42.25 35.50 28.50 25.50 <b>ive adjustah</b> locks secure 50 42 34.25 30.25 42.25 35.50 28.50 25.50	\$2742 \$2416 \$2180 \$2072 storage and \$2913 \$2557 \$2313 \$2239 \$2742 \$2416 \$2180 \$2072	\$2811 \$2476 \$2229 \$2130 ss. Wardrold d wardrobe \$2992 \$2626 \$2370 \$2272 \$2811 \$2476 \$2229 \$2130	\$1934 \$1655 \$1518 \$1505 be compart 3. \$1934 \$1655 \$1518 \$1505 \$1934 \$1655 \$1518 \$1505	N/A N/A N/A N/A Ment on  N/A N/A N/A N/A N/A N/A N/A N/A N/A N/

Required Specifications
Top finish

Base finish Top/Edge Detail Handles

Optional Specifications
Glazing - Doors
Collator (Open Shelves)


Box drawer* - no upcharge (30"- 36" wide models only)

N/A

N/A

\$1530

\$1320







Wardrobe Cabinet/Open Shelving Combo - LEFT



Laminate door is standard on wardrobe section. Storage compartment on left includes five adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.







Wardrobe Cabinet/Open Shelving Combo - RIGHT

PERSONAL TOWERS - 84.5"/85" HIGH

Z36L8DINR	24 x 36 x 84.4-84.9	125	312	50	\$2608	\$2687	\$964	N/A
Z30L8DINR	24 x 30 x 84.4-84.9	125	278	42	\$2289	\$2358	\$823	N/A
Z24L8DINR	24 x 24 x 84.4-84.9	125	245	34.25	\$2095	\$2152	\$736	N/A
Z21L8DINR	24 x 21 x 84.4-84.9	125	236	30.25	\$2041	\$2066	\$731	N/A
Z36M8DINR	20 x 36 x 84.4-84.9	125	275	42.25	\$2436	\$2505	\$964	N/A
Z30M8DINR	20 x 30 x 84.4-84.9	125	243	35.50	\$2153	\$2213	\$823	N/A
Z24M8DINR	20 x 24 x 84.4-84.9	125	215	28.50	\$1962	\$2009	\$736	N/A
Z21M8DINR	20 x 21 x 84.4-84.9	125	199	25.50	\$1875	\$1922	\$731	N/A

Laminate door is standard on wardrobe section. Storage compartment on right includes five adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.





M	IODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z	36L8EL	24 x 36 x 84.4-84	1.9 125	368.55	50	\$3112	\$3192	\$1676	N/A
Z	30L8EL	24 x 30 x 84.4-84	1.9 125	334.95	42	\$2841	\$2910	\$1530	N/A
Z	24L8EL	24 x 24 x 84.4-84	1.9 100	299.24	34.25	\$2746	\$2804	\$1320	N/A
Z	36M8EL	20 x 36 x 84.4-84	1.9 125	332.85	42.25	\$2941	\$3010	\$1676	N/A

298.20

266

35.50

29

\$2712

\$2586

\$2772

\$2633

**Personal Tower with Doors - LEFT** 

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes three adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

100

100

20 x 30 x 84.4-84.9

20 x 24 x 84.4-84.9





-			
Personal	Tower with	Doors -	RIGHT

Z36L8ER	24 x 36 x 84.4-84.9	125	368.55	50	\$3112	\$3192	\$1676	N/A
Z30L8ER	24 x 30 x 84.4-84.9	125	334.95	42	\$2841	\$2910	\$1530	N/A
Z24L8ER	24 x 24 x 84.4-84.9	100	299.24	34.25	\$2746	\$2804	\$1320	N/A
Z36M8ER	20 x 36 x 84.4-84.9	125	332.85	42.25	\$2941	\$3010	\$1676	N/A
Z30M8ER	20 x 30 x 84.4-84.9	100	298.20	35.50	\$2712	\$2772	\$1530	N/A
Z24M8ER	20 x 24 x 84.4-84.9	100	266	29	\$2586	\$2633	\$1320	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes three adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.







**Personal Tower with Doors** and cavity - LEFT

Z36L8ECL	24 x 36 x 84.4-84.9	125	366.44	50	\$3082	\$3161	\$1583	N/A
Z30L8ECL	24 x 30 x 84.4-84.9	125	332.49	42	\$2812	\$2881	\$1436	N/A
Z24L8ECL	24 x 24 x 84.4-84.9	100	295.24	34.25	\$2705	\$2762	\$1227	N/A
Z36M8ECL	20 x 36 x 84.4-84.9	125	328.68	42.25	\$2895	\$2964	\$1583	N/A
Z30M8ECL	20 x 30 x 84.4-84.9	100	295.07	35.50	\$2667	\$2725	\$1436	N/A
Z24M8ECL	20 x 24 x 84.4-84.9	100	263	29	\$2544	\$2591	\$1227	N/A

Two file drawers on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/ height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

# **Required Specifications**

Top finish Base finish Top/Edge Detail Handles

Z30M8EL


Z24M8EL

# **Optional Specifications**

Glazing - Doors Collator (Open Shelves)


Box drawer - no upcharge* (30"-36" wide models only)





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36L8ECR	24 x 36 x 84.4-84	1.9 125	366.44	50	\$3082	\$3161	\$1583	N/A
Z30L8ECR	24 x 30 x 84.4-84	1.9 125	332.49	42	\$2812	\$2881	\$1436	N/A
Z24L8ECR	24 x 24 x 84.4-84	1.9 100	295.24	34.25	\$2705	\$2762	\$1227	N/A
Z36M8ECR	20 x 36 x 84.4-84	1.9 125	328.68	42.25	\$2895	\$2964	\$1583	N/A
Z30M8ECR	20 x 30 x 84.4-84	1.9 100	295.07	35.50	\$2667	\$2725	\$1436	N/A
Z24M8ECR	20 x 24 x 84.4-84	1.9 100	263	29	\$2544	\$2591	\$1227	N/A


Two file drawers on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.



**Personal Tower with Open Shelves - LEFT** 

Z36L8ENL	24 x 36 x 84.4-84.9	125	351.72	50	\$2914	\$2993	\$969	N/A
Z30L8ENL	24 x 30 x 84.4-84.9	125	320.22	42	\$2643	\$2712	\$819	N/A
Z24L8ENL	24 x 24 x 84.4-84.9	100	283.24	34.25	\$2507	\$2564	\$613	N/A
Z36M8ENL	20 x 36 x 84.4-84.9	125	313.96	42.25	\$2729	\$2798	\$964	N/A
Z30M8ENL	20 x 30 x 84.4-84.9	125	282.80	35.50	\$2502	\$2560	\$823	N/A
Z24M8ENL	20 x 24 x 84.4-84.9	100	249	29	\$2349	\$2396	\$613	N/A


Two file drawers on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



Personal Tower with Open Shelves - RIGHT

Z36L8ENR	24 x 36 x 84.4-84.9	125	351.72	50	\$2914	\$2993	\$969	N/A
Z30L8ENR	24 x 30 x 84.4-84.9	125	320.22	42	\$2643	\$2712	\$819	N/A
Z24L8ENR	24 x 24 x 84.4-84.9	100	283.24	34.25	\$2507	\$2564	\$613	N/A
Z36M8ENR	20 x 36 x 84.4-84.9	125	313.96	42.25	\$2729	\$2798	\$964	N/A
Z30M8ENR	20 x 30 x 84.4-84.9	125	282.80	35.50	\$2502	\$2560	\$823	N/A
Z24M8ENR	20 x 24 x 84.4-84.9	100	249	29	\$2349	\$2396	\$613	N/A

**Two file drawers** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **right includes three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.





**Personal Tower with Doors - LEFT** 

Z36L8BFL	24 x 36 x 84.4-84.9	125	371.70	50	\$3258	\$3337	\$1676	N/A
Z30L8BFL	24 x 30 x 84.4-84.9	100	337.05	42	\$3001	\$3070	\$1530	N/A
Z24L8BFL	24 x 24 x 84.4-84.9	100	301.24	34.25	\$2856	\$2913	\$1320	N/A
Z36M8BFL	20 x 36 x 84.4-84.9	125	334.95	42.25	\$3074	\$3143	\$1676	N/A
Z30M8BFL	20 x 30 x 84.4-84.9	100	300.30	35.50	\$2856	\$2916	\$1530	N/A
Z24M8BFL	20 x 24 x 84.4-84.9	100	268	29	\$2695	\$2742	\$1320	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.





**Personal Tower with Doors - RIGHT** 

Z36L8BFR	24 x 36 x 84.4-84.9	125	371.70	50	\$3258	\$3337	\$1676	N/A
Z30L8BFR	24 x 30 x 84.4-84.9	100	337.05	42	\$3001	\$3070	\$1530	N/A
Z24L8BFR	24 x 24 x 84.4-84.9	100	301.24	34.25	\$2856	\$2913	\$1320	N/A
Z36M8BFR	20 x 36 x 84.4-84.9	125	334.95	42.25	\$3074	\$3143	\$1676	N/A
Z30M8BFR	20 x 30 x 84.4-84.9	100	300.30	35.50	\$2856	\$2916	\$1530	N/A
Z24M8BFR	20 x 24 x 84.4-84.9	100	268	29	\$2695	\$2742	\$1320	N/A

Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Required	Specifications	

Top finish
Base finish
Top/Edge Detail
Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves)

Box drawer* - no upcharge (30"- 36" wide

models only)

# PERSONAL TOWERS - 84.5"/85" HIGH





**Personal Tower with Doors** and Cavity - LEFT




Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on left includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

general de la constant de la constan	Accessor (2003)	_		
		1	*	





**Personal Tower with Doors** and Cavity - RIGHT



Two box and one file drawer on bottom. Laminate doors are standard. Storage compartment on right includes two 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.







Z36L8BFNL	24 x 36 x 84.4-84.9	125	354.87	50	\$3044	\$3124	\$969	N/A
Z30L8BFNL	24 x 30 x 84.4-84.9	125	322.32	42	\$2790	\$2859	\$819	N/A
Z24L8BFNL	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2616	\$2673	\$613	N/A
Z36M8BFNL	20 x 36 x 84.4-84.9	125	316.06	42.25	\$2861	\$2944	\$964	N/A
Z30M8BFNL	20 x 30 x 84.4-84.9	100	287	35.50	\$2643	\$2703	\$823	N/A
Z24M8BFNL	20 x 24 x 84.4-84.9	100	251	29	\$2454	\$2501	\$613	N/A

Personal Tower with Open Shelves - LEFT

Two box and one file drawer on bottom. Laminate door is standard on wardrobe section. Storage compartment on left includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on right includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.









Personal Tower with Open Shelves - RIGHT

**CLOSED FRONT OVERHEAD STORAGE - 33"H** 

Z36L8BFNR	24 x 36 x 84.4-84.9	125	354.87	50	\$3044	\$3124	\$969	N/A
Z30L8BFNR	24 x 30 x 84.4-84.9	125	322.32	42	\$2790	\$2859	\$819	N/A
Z24L8BFNR	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2616	\$2673	\$613	N/A
Z36M8BFNR	20 x 36 x 84.4-84.9	125	316.06	42.25	\$2861	\$2944	\$964	N/A
Z30M8BFNR	20 x 30 x 84.4-84.9	100	287	35.50	\$2643	\$2703	\$823	N/A
Z24M8BFNR	20 x 24 x 84.4-84.9	100	251	29	\$2454	\$2501	\$613	N/A

Two box and one file drawer on bottom. Laminate door is standard on wardrobe section. Storage compartment on right includes three 3-position fixed/height adjustable shelves. Wardrobe compartment on left includes hanging rod and one adjustable shelf above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

33'/38.5'	
84"/85"	

Glazed door option

**Closed Front Overhead Storage** with Doors - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z42S330S	16 x 42 x 32.5-33	3 100	135.98	16.25	\$1140	\$1216	\$1105	N/A
Z36S33OS	16 x 36 x 32.5-33	3 100	119.70	14	\$1034	\$1101	\$998	N/A
Z30S330S	16 x 30 x 32.5-33	3 100	104.42	11.75	\$926	\$969	\$870	N/A
72453305	16 x 24 x 32 5-33	R 100	81 13	9.75	¢830	\$276	\$761	NI/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications** 

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Collator (Open Shelves)







Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H





Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H





Overhead Storage, 2 Outer Doors with Pigeon Hole - 32.5"/33"H





Overhead Storage, 2 Center Doors with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z42S330P	16 x 42 x 32.5-33	3 100	140	16.25	\$1455	\$1534	\$729	N/A
Z36S330P	16 x 36 x 32.5-33	3 100	122	14	\$1257	\$1328	\$664	N/A
Z30S330P	16 x 30 x 32.5-33	3 100	105	12	\$1126	\$1184	\$590	N/A
Z24S330P	16 x 24 x 32.5-33	3 100	88	9.75	\$1011	\$1065	\$537	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330S	16 x 72 x 32.5-33	100	230	26	\$2356	\$2460	\$1329	N/A
Z66S33OS	16 x 66 x 32.5-33	100	215	24	\$2264	\$2358	\$1305	N/A
Z60S330S	16 x 60 x 32.5-33	100	199	22	\$2088	\$2175	\$1182	N/A
Z54S330S	16 x 54 x 32.5-33	100	184	21	\$1984	\$2067	\$1158	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33SOS	16 x 72 x 32.5-33	100	215	26	\$2131	\$2235	\$666	N/A
Z66S33SOS	16 x 66 x 32.5-33	100	201	24	\$2035	\$2129	\$654	N/A
Z60S33S0S	16 x 60 x 32.5-33	100	187	22	\$1912	\$1999	\$642	N/A
Z54S33SOS	16 x 54 x 32.5-33	100	173	21	\$1779	\$1862	\$580	N/A

6 compartments. **Doors on outer compartments only**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330S0	16 x 72 x 32.5-33	100	214	26	\$2090 \$2	194 \$666	N/A
Z66S33OSO	16 x 66 x 32.5-33	100	200	24	\$2000 \$2	094 \$654	N/A
Z60S330S0	16 x 60 x 32.5-33	100	186	22	\$1876 \$1	963 \$593	N/A
Z54S33OSO	16 x 54 x 32.5-33	100	172	21	\$1774 \$1	857 \$580	N/A

6 compartments. **Doors on inner compartments only**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSL	16 x 36 x 32.5-33	100	119	14	\$1177	\$1248	\$333	N/A
Z30S330SL	16 x 30 x 32.5-33	100	104	11.75	\$1074	\$1132	\$297	N/A
Z24S330SL	16 x 24 x 32.5-33	100	88	9.75	\$964	\$1018	\$260	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on right.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required	l Speci	fications

Top finish Base finish Top/Edge Detail Handles **Optional Specifications** 

Glazing - Doors





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H*





Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H*





Overhead Storage, 1 Door - RIGHT with Pigeon Hole - 32.5"/33"H*



**Overhead Storage, Glass Doors** with Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HE	ADD
	D x W x H							
Z36S33OSR	16 x 36 x 32.5-33	3 100	119	14	\$1177	\$1248	\$333	N/A
Z30S330SR	16 x 30 x 32.5-33	3 100	104	11.75	\$1074	\$1132	\$297	N/A
Z24S330SR	16 x 24 x 32.5-33	3 100	88	9.75	\$964	\$1018	<b>\$260</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S330SL	16 x 48 x 32.5-33	100	135	16.25	\$1522	\$1605	\$375	N/A
Z42S33OSL	16 x 42 x 32.5-33	100	135	16.25	\$1354	\$1433	\$367	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on right.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners, Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S330SR	16 x 48 x 32.5-33	100	135	16.25	\$1522	\$1605	\$375	N/A
Z42S33OSR	16 x 42 x 32.5-33	100	135	16.25	\$1354	\$1433	\$367	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSL	16 x 72 x 32.5-33	125	207	26	\$2047	\$2151	\$665	N/A
Z66S33OSL	16 x 66 x 32.5-33	100	193	24	\$1953	\$2047	\$656	N/A
Z60S330SL	16 x 60 x 32.5-33	100	179	22	\$1809	\$1896	\$596	N/A
Z54S33OSL	16 x 54 x 32.5-33	125	166	21	\$1711	\$1794	\$578	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on right.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S330SR	16 x 72 x 32.5-33	125	207	26	\$2047 \$2151	\$665	N/A
Z66S33OSR	16 x 66 x 32.5-33	100	193	24	\$1953 \$2047	\$656	N/A
Z60S330SR	16 x 60 x 32.5-33	100	179	22	\$1809 \$1896	\$596	N/A
Z54S33OSR	16 x 54 x 32.5-33	125	166	21	\$1711 \$1794	\$578	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on left.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSD	16 x 36 x 32.5-33	100	127	14	\$2497	\$2568	N/A	N/A
Z30S330SD	16 x 30 x 32.5-33	100	110	12	\$2197	\$2255	N/A	N/A
Z24S33OSD	16 x 24 x 32.5-33	100	91	9.75	\$1947	\$2001	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

|--|

Top finish Base finish Top/Edge Detail Handles

#### **Optional Specifications**

Glazing - Doors Key #*



Overhead Storage, Glass Doors with Pigeon Hole - 32.5"/33"H



Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z42S200S	16 x 42 x 20-20.5	100	93.99	10.50	\$815	\$890	\$789	N/A
Z36S200S	16 x 36 x 20-20.5	100	82.70	9	\$747	\$814	\$721	N/A
Z30S200S	16 x 30 x 20-20.5	100	72.42	7.50	\$674	\$717	\$640	N/A
Z24S200S	16 x 24 x 20-20.5	100	56.13	6.25	\$633	\$680	\$572	N/A

Includes steel hanging rail for wall mount applications. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S200SL	16 x 48 x 20-20.5	125	95	12.50	\$926	\$1009	\$321	N/A
Z42S200SL	16 x 42 x 20-20.5	100	85	10.50	\$818	\$897	\$297	N/A
Z36S200SL	16 x 36 x 20-20.5	100	76	9	\$750	\$821	\$273	N/A
Z30S200SL	16 x 30 x 20-20.5	100	67	7.60	\$687	\$745	\$234	N/A
Z24S200SL	16 x 24 x 20-20.5	100	58	6.50	\$637	\$691	\$214	N/A

Door on **left**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S200SR	16 x 48 x 20-20.5	125	95	12.50	\$926	\$1009	\$321	N/A
Z42S200SR	16 x 42 x 20-20.5	100	85	10.50	\$818	\$897	\$297	N/A
Z36S200SR	16 x 36 x 20-20.5	100	76	9	\$750	\$821	\$273	N/A
Z30S200SR	16 x 30 x 20-20.5	100	67	7.60	\$687	\$745	\$234	N/A
Z24S200SR	16 x 24 x 20-20.5	100	58	6.50	\$637	\$691	\$214	N/A

Door on **right**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.


NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S200S	16 x 72 x 20-20.5	100	149	18	\$1560	\$1664	\$1076	N/A
Z66S200S	16 x 66 x 20-20.5	100	139	16.50	\$1487	\$1581	\$1052	N/A
Z60S200S	16 x 60 x 20-20.5	100	129	15	\$1372	\$1459	\$963	N/A
Z54S200S	16 x 54 x 20-20.5	100	119	13.75	\$1307	\$1390	\$938	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

hardware used should be based on wall material. Consult an installation profe						
Demoised Considerations	0-4					
Required Specifications	Optional Specifications					
Top finish	Glazed doors*					
Base finish	Key #*					
Top/Edge Detail	,					
Handles						



Closed Front Overhead Storage with Doors - 20"/20.5"H*





Overhead Storage w/1 door - LEFT* 20"/20.5"H





Overhead Storage w/1 door - RIGHT 20"/20.5"H*





Closed Front Overhead Storage w/Center Divider- 20/20.5"H*

OVERHEAD STORAGE





Overhead Storage w/2 Outer Doors 20/20.5"H*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	IP ADD
	D x W x H							
Z72S20S0S	16 x 72 x 20-20.	5 125	137	18	\$1341	\$1445	\$543	N/A
Z66S20SOS	16 x 66 x 20-20.	5 125	128	16.50	\$1269	\$1363	\$530	N/A
Z60S20S0S	16 x 60 x 20-20.	5 100	120	15	\$1194	\$1281	\$520	N/A
Z54S20S0S	16 x 54 x 20-20.	5 100	110	13.75	\$1113	\$1196	\$474	N/A

4 compartments. Doors on outer compartments only. Includes steel hanging rail for wall mount applications. Doors lock.
 NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Overhead Storage w/2 Inner Doors 20/20.5"H*

Z72S200S0	16 x 72 x 20-20.5	125	137	18	\$1357	\$1461	\$539	N/A
Z66S20OSO	16 x 66 x 20-20.5	125	128	16.50	\$1286	\$1380	\$526	N/A
Z60S200S0	16 x 60 x 20-20.5	100	120	15	\$1209	\$1296	\$483	N/A
Z54S200S0	16 x 54 x 20-20.5	100	110	13.75	\$1129	\$1212	\$470	N/A

4 compartments. **Doors on inner compartments only**. Includes steel hanging rail for wall mount applications. Doors lock.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.





Overhead Storage w/2 Doors - LEFT 20/20.5"H*

Z72S200SL	16 x 72 x 20-20.5	125	132	18	\$1301	\$1405	\$540	N/A
Z66S200SL	16 x 66 x 20-20.5	125	123	16.50	\$1230	\$1324	\$528	N/A
Z60S200SL	16 x 60 x 20-20.5	125	114	15	\$1137	\$1224	\$484	N/A
Z54S200SL	16 x 54 x 20-20.5	125	105	13.75	\$1074	\$1157	\$471	N/A

2 doors on left cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.





Overhead Storage w/2 Doors - RIGHT 20/20.5"H*

Z72S200SR	16 x 72 x 20-20.5	125	132	18	\$1301	\$1405	\$540	N/A
Z66S20OSR	16 x 66 x 20-20.5	125	123	16.50	\$1230	\$1324	\$528	N/A
Z60S200SR	16 x 60 x 20-20.5	125	114	15	\$1137	\$1224	\$484	N/A
754S200SR	16 x 54 x 20-20 5	125	105	13 75	\$1074	\$1157	\$471	N/A

2 doors on **right** cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S20OSD	16 x 72 x 20-20.5	100	145	18	\$3291	\$3395	N/A	N/A
Z66S20OSD	16 x 66 x 20-20.5	100	135	16	\$3064	\$3158	N/A	N/A
Z60S20OSD	16 x 60 x 20-20.5	100	125	15	\$2826	\$2913	N/A	N/A
Z54S20OSD	16 x 54 x 20-20.5	100	115	13.75	\$2704	\$2787	N/A	N/A
Z48S200SD	16 x 48 x 20-20.5	100	104	12.50	\$2391	\$2474	N/A	N/A
Z42S20OSD	16 x 42 x 20-20.5	100	93	10.50	\$2136	\$2215	N/A	N/A
Z36S20OSD	16 x 36 x 20-20.5	100	83	9	\$1888	\$1959	N/A	N/A
Z30S200SD	16 x 30 x 20-20.5	100	75	7.60	\$1691	\$1749	N/A	N/A
Z24S200SD	16 x 24 x 20-20.5	100	63	6.40	\$1566	\$1620	N/A	N/A

Includes steel hanging rail for wall mount applications. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.


	<b>\</b>

Overhead Storage, w/Glass Doors 20/20.5"H


**Required Specifications** 

Top finish Base finish Top/Edge Detail Handles Optional Specifications

Glazed doors
Key #*



Closed Front Overhead Storage* with Doors - 16"/16.5"H*



Closed Front Overhead Storage* with Doors - 16"/16.5" High, 60" Wide

**OVERHEAD STORAGE W/OPEN FRONTS - 33"** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	IP ADD
	D x W x H							
Z48S160S	15 x 48 x 16-16.	5 92.5	98.63	9.25	\$813	\$884	\$761	N/A
Z42S16OS	15 x 42 x 16-16.	5 92.5	87.42	7.75	\$705	\$767	\$737	N/A
Z36S16OS	15 x 36 x 16-16.	5 92.5	77.22	6.75	\$643	\$699	\$665	N/A
Z30S160S	15 x 30 x 16-16.	5 92.5	64.02	5.75	\$587	\$634	\$584	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z60S160S	15 x 60 x 16-16.5	92.5	118.03	11	\$1068 \$1153	\$1159	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
Z42S330PN	16 x 42 x 32.5-33	3 125	116	16.25	\$1117	\$1196	N/A	N/A
Z36S330PN	16 x 36 x 32.5-33	3 125	101	14	\$951	\$1022	N/A	N/A
Z30S330PN	16 x 30 x 32.5-33	3 125	88	12	\$854	\$912	N/A	N/A
724S330PN	16 x 24 x 32 5-33	3 125	74	9 75	\$762	\$816	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

Z72S330N	16 x 72 x 32.5-33	125	194	26	\$1846 \$1940	N/A	N/A
Z66S330N	16 x 66 x 32.5-33	125	181	24	\$1734 \$1821	N/A	N/A
Z60S330N	16 x 60 x 32.5-33	125	169	22	\$1608 \$1691	N/A	N/A
Z54S330N	16 x 54 x 32.5-33	125	157	21	\$1507 \$1590	N/A	N/A

6 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Open Front Overhead Storage w/Pigeon Hole - 32.5"/33"H

Z72S33OSN	16 x 72 x 32.5-33	125	187	26	\$1739 \$1833	B N/A	N/A
Z66S33OSN	16 x 66 x 32.5-33	125	174	24	\$1651 \$1738	B N/A	N/A
Z60S330SN	16 x 60 x 32.5-33	125	162	22	\$1542 \$162	i N/A	N/A
Z54S330SN	16 x 54 x 32.5-33	125	149	21	\$1441 \$1524	N/A	N/A

4 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.


• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Req	uired	Specifications
Top	finish	

Top finish
Base finish
Top/Edge Detail
Handles

#### **Optional Specifications**

Glazed doors Key #*



**Open Front Overhead Storage** 33"/33.5"H

OVERHEAD STORAGE W/OPEN FRONTS - 33"

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H		_				_	
Z42S33OSN	16 x 42 x 32.5-33	3 125	108.98	16.25	\$772	\$848	N/A	N/A
Z36S33OSN	16 x 36 x 32.5-33	3 125	96.70	14	\$700	\$767	N/A	N/A
Z30S330SN	16 x 30 x 32.5-33	3 125	84.42	11.75	\$627	\$670	N/A	N/A
Z24S330SN	16 x 24 x 32.5-33	3 125	67.20	9.75	\$578	\$625	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

20.5"/	<del>.</del> 21″
	½" /72½" -

**Open Front Overhead Storage** 20"/20.5" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD F	IP ADD
Z42S200SN	16 x 42 x 20-20.	5 125	77.98	10.50	\$539	\$615	N/A	N/A
Z36S200SN	16 x 36 x 20-20.	5 125	69.70	9	\$489	\$556	N/A	N/A
Z30S200SN	16 x 30 x 20-20.	5 100	60.42	7.50	\$439	\$482	N/A	N/A
Z24S20OSN	16 x 24 x 20-20.	5 125	48.13	6.25	\$397	\$444	N/A	N/A

Includes steel hanging rail for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Open Front Overhead Storage** 20/20.5"H

Z72S200N	16 x 72 x 20-20.5	125	122	18	\$1083	\$1187	N/A	N/A	
Z66S200N	16 x 66 x 20-20.5	125	114	16.50	\$1015	\$1109	N/A	N/A	
Z60S200N	16 x 60 x 20-20.5	125	106	15	\$945	\$1032	N/A	N/A	
Z54S200N	16 x 54 x 20-20.5	125	99	13.75	\$883	\$966	N/A	N/A	

4 compartments. Includes steel hanging rail for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Open Front Overhead Storage** w/Center Divider - 20"/20.5"H

OVERHEAD STORAGE W/OPEN FRONTS - 16"H

Z72S200SN	16 x 72 x 20-20.5	125	117	18	\$1046	\$1150	N/A	N/A
Z66S200SN	16 x 66 x 20-20.5	125	109	16.50	\$976	\$1070	N/A	N/A
Z60S200SN	16 x 60 x 20-20.5	125	101	15	\$906	\$993	N/A	N/A
Z54S200SN	16 x 54 x 20-20.5	125	94	13.75	\$843	\$926	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

16"/16.5"
65"/66"

**Open Front Overhead Storage** 16"/16.5"H


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
740040001	45 40 40 40	- 400	70.00		4			
Z48S16OSN	15 x 48 x 16-16.5	5 100	79.63	9.25	\$539	\$610	N/A	N/A
Z42S16OSN	15 x 42 x 16-16.5	5 100	70.42	7.75	\$470	\$533	N/A	N/A
Z36S16OSN	15 x 36 x 16-16.5	5 100	63.22	6.75	\$432	\$488	N/A	N/A
Z30S160SN	15 x 30 x 16-16.5	5 100	54.02	5.75	\$395	\$441	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

#### **Required Specifications**

Top finish Base finish Top/Edge Detail



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z60S160SN	15 x 60 x 16-16.	5 100	98.03	11	\$665	\$750	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD			
Z84S23HN	15 x 84 x 23-23.5	5 150	129	23	\$974	\$1091	N/A	N/A			
Z72S23HN	15 x 72 x 23-23.5	5 150	114	19.75	\$854	\$968	N/A	N/A			
Z71S23HN	15 x 71.7 x 23-23	3.5 150	113	19.75	\$854	\$956	N/A	N/A			
Z66S23HN	15 x 66 x 23-23.5	5 150	106	18.25	\$785	\$876	N/A	N/A			
Z60S23HN	15 x 60 x 23-23.5	5 125	99	16.50	\$693	\$779	N/A	N/A			
Z48S23HN	15 x 48 x 23-23.5	5 125	84	13.50	\$600	\$671	N/A	N/A			
Z42S23HN	15 x 42 x 23-23.5	5 125	76	11.75	\$558	\$620	N/A	N/A			
Z36S23HN	15 x 36 x 23-23.5	5 125	68	10.25	\$515	\$572	N/A	N/A			
Z30S23HN	15 x 30 x 23-23.5	5 125	61	8.50	\$477	\$531	N/A	N/A			
Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.  • Clearance from worksurface to valance is 20.25".  • Woodgrain runs horizontal on both the upper and lower back panels.											
Z84S36HN	15 x 84 x 35.5-36	6 125	206	33	\$1263	\$1380	N/A	N/A			



Open Hutch w/Closed Back - 36"H

Z84S36HN	15 x 84 x 35.5-36	125	206	33	\$1263	\$1380	N/A	N/A
Z72S36HN	15 x 72 x 35.5-36	125	181	28.25	\$1156	\$1258	N/A	N/A
Z71S36HN	15 x 71.7 x 35.5-36	125	173	28.25	\$1145	\$1249	N/A	N/A
Z66S36HN	15 x 66 x 35.5-36	125	161	26	\$1082	\$1176	N/A	N/A
Z60S36HN	15 x 60 x 35.5-36	125	150	23.75	\$1014	\$1099	N/A	N/A
Z54S36HN	15 x 54 x 35.5-36	125	128	21	\$1014	\$1099	N/A	N/A

One fixed shelf **and fixed shelf divider**. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S36HN	15 x 48 x 35.5-36	125	123	19	\$836	\$907	N/A	N/A
Z42S36HN	15 x 42 x 35.5-36	125	112	16.75	\$773	\$835	N/A	N/A
Z36S36HN	15 x 36 x 35.5-36	125	100	14.50	\$709	\$765	N/A	N/A
Z30S36HN	15 x 30 x 35.5-36	125	89	12.25	\$646	\$692	N/A	N/A



Open Hutch w/Closed Back - 36"H

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S36OHN	15 x 72 x 35.5-36	150	162	27.75	\$1332	\$1439	N/A	N/A
Z66S36OHN	15 x 66 x 35.5-36	150	152	25.50	\$1264	\$1364	N/A	N/A
Z60S360HN	15 x 60 x 35.5-36	125	142	23.25	\$1188	\$1277	N/A	N/A
Z54S36OHN	15 x 54 x 35.5-36	125	133	21	\$1113	\$1196	N/A	N/A



Open Hutch w/Closed Back - 36"H

Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

R	equired Specifications
To	p finish
Ва	ase finish
To	n/Edge Detail

Accessories Tackboard Pigeon-hole storage



**OPEN HUTCHES** 

Open Hutch w/Closed Back - 42.4"H

Open Hutch w/Closed Back - 42.4"H

Open Hutch w/Closed Back - 42.4"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z84S42HN	15 x 84 x 41.9-4	2.4 150	223	38.50	\$1346	\$1463	N/A	N/A
Z72S42HN	15 x 72 x 41.9-4	2.4 150	196	33	\$1246	\$1348	N/A	N/A
Z71S42HN	15 x 71.7 x 41.9	-42.4 150	188	33	\$1239	\$1341	N/A	N/A
Z66S42HN	15 x 66 x 41.9-4	2.4 150	175	30.75	\$1166	\$1257	N/A	N/A
Z60S42HN	15 x 60 x 41.9-4	2.4 150	164	27.75	\$1091	\$1176	N/A	N/A
Z54S42HN	15 x 54 x 41.9-4	2.4 150	140	24.50	\$1091	\$1176	N/A	N/A

One fixed shelf and fixed shelf divider. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S420HN	15 x 72 x 41.9-42.4	150	177	32.50	\$1487	\$1585	N/A	N/A
Z66S42OHN	15 x 66 x 41.9-42.4	150	166	29.75	\$1363	\$1452	N/A	N/A
Z60S420HN	15 x 60 x 41.9-42.4	150	155	27.25	\$1281	\$1364	N/A	N/A
Z54S420HN	15 x 54 x 41.9-42.4	150	145	24.50	\$1201	\$1273	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S42HN	15 x 48 x 41.9-42.4	125	134	22.25	\$906	\$977	N/A	N/A
Z42S42HN	15 x 42 x 41.9-42.4	125	123	19.50	\$836	\$899	N/A	N/A
Z36S42HN	15 x 36 x 41.9-42.4	125	110	17	\$766	\$822	N/A	N/A
Z30S42HN	15 x 30 x 41.9-42.4	125	105	14.25	\$694	\$741	N/A	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped preassembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z84S55HN	15 x 84 x 54.4-54.9	150	306	62.37	\$2208	\$2328	N/A	N/A
Z72S55HN	15 x 72 x 54.4-54.9	150	272	53.65	\$2060	\$2166	N/A	N/A
Z71S55HN	15 x 71.7 x 54.4-54.9	150	271	53.65	\$2049	\$2156	N/A	N/A
Z66S55HN	15 x 66 x 54.4-54.9	150	254	49.40	\$1980	\$2085	N/A	N/A
Z60S55HN	15 x 60 x 54.4-54.9	150	238	45.15	\$1772	\$1860	N/A	N/A
Z54S55HN	15 x 54 x 54.4-54.9	100	190	19.75	\$2278	\$2366	N/A	N/A

One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S55HN	15 x 48 x 54.4-54.9	150	183	36	\$1334	\$1405	N/A	N/A
Z42S55HN	15 x 42 x 54.4-54.9	150	168	31.50	\$1233	\$1296	N/A	N/A
Z36S55HN	15 x 36 x 54.4-54.9	150	149	27.26	\$1124	\$1180	N/A	N/A
Z30S55HN	15 x 30 x 54.4-54.9	150	132	23	\$1020	\$1069	N/A	N/A

One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

<b>→</b> 7 7	
54.9"/55.4"	
84" /85"	


54.9"/55.4"H

Open Hutch w/Closed Back 54.9"/55.4"H

Open Hutch w/Closed Back

**Required Specifications** 

Top finish Base finish Top/Edge Detail Accessories Tackboard Pigeon-hole storage



Open Hutch w/Closed Back 54.9"/55.4"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z72S550HN	15 x 72 x 54.4-5	4.9 100	242	26	\$2191	\$2295	N/A	N/A
Z66S55OHN	15 x 66 x 54.4-5	4.9 100	228	24	\$2064	\$2158	N/A	N/A
Z60S550HN	15 x 60 x 54.4-5	4.9 100	214	22	\$1943	\$2029	N/A	N/A
Z54S550HN	15 x 54 x 54.4-5	4.9 92.5	199	19.76	\$1824	\$1903	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management.

Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

CLOSED HUTCHES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		Z72S36H0H	15 x 72 x 35.5-36	6 125	172	27.75	\$1561	\$1668	\$471	N/A
		Z66S36H0H	15 x 66 x 35.5-36	6 125	161	25.50	\$1492	\$1592	\$458	N/A
		Z60S36H0H	15 x 60 x 35.5-36	6 125	151	23.25	\$1397	\$1488	\$423	N/A
		Z54S36H0H	15 x 54 x 35.5-36	6 125	140	21	\$1320	\$1403	\$410	N/A
	Glazed door option									

Hutch w/2 Outer Doors - 36"H* 4 compartments. Doors on outer compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S36OHO	15 x 72 x 35.5-36	125	173	27.75	\$1559	\$1672	\$476	N/A
Z66S36OHO	15 x 66 x 35.5-36	125	162	25.50	\$1494	\$1594	\$464	N/A
Z60S36OHO	15 x 60 x 35.5-36	125	151	23.25	\$1416	\$1505	\$447	N/A
Z54S36OHO	15 x 54 x 35.5-36	125	141	21	\$1323	\$1406	\$415	N/A

4 compartments. Doors on inner compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S36HSL	15 x 72 x 35.5-36	125	169	27.75	\$1529 \$	31635 <b>\$</b> 470	N/A
Z66S36HSL	15 x 66 x 35.5-36	125	157	25.50	\$1456	31556 <b>\$</b> 454	N/A
Z60S36HSL	15 x 60 x 35.5-36	125	146	23.25	\$1363	1454 \$424	N/A
Z54S36HSL	15 x 54 x 35.5-36	125	135	21	\$1286	1370 \$411	N/A

4 compartments. Doors on left side, open storage on right. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S36HSR	15 x 72 x 35.5-36	125	169	27.75	\$1529	\$1635	\$470	N/A
Z66S36HSR	15 x 66 x 35.5-36	125	157	25.50	\$1456	\$1556	\$454	N/A
Z60S36HSR	15 x 60 x 35.5-36	125	146	23.25	\$1363	\$1454	\$424	N/A
Z54S36HSR	15 x 54 x 35.5-36	125	135	21	\$1286	\$1370	\$411	N/A

4 compartments. Doors on right side, open storage on left. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Hutch v	v/2 Inner



r Doors - 36"H*





Hutch w/2 Doors - LEFT, 36"H*





Hutch w/2 Doors - RIGHT, 36"H*

**Required Specifications** 

**Optional Specifications** Glazing - Doors

Accessories Tackboard Pigeon-hole storage

Top finish Base finish Top/Edge Detail



**CLOSED HUTCHES** 

Hutch w/Sliding Glass Doors - 36"H



Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z84S36H	15 x 84 x 35.5-36	125	231	33	\$1731	\$1849	\$1386	N/A
Z72S36H	15 x 72 x 35.5-36	125	201	28.25	\$1612	\$1716	\$1266	N/A
Z71S36H	15 x 71.7 x 35.5-36	125	193	28.25	\$1598	\$1702	\$1264	N/A
Z66S36H	15 x 66 x 35.5-36	125	179	26	\$1519	\$1613	\$1205	N/A
Z60S36H	15 x 60 x 35.5-36	125	167	23.75	\$1416	\$1501	\$1132	N/A


One fixed shelf **and fixed shelf divider**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z48S36H	15 x 48 x 35.5-36	125	136	19	\$1110	\$1181	\$719	N/A
Z42S36H	15 x 42 x 35.5-36	125	124	16.75	\$1007	\$1070	\$696	N/A
Z36S36H	15 x 36 x 35.5-36	125	110	14.50	\$923	\$979	\$637	N/A
Z30S36H	15 x 30 x 35.5-36	100	98	12.25	\$840	\$887	\$570	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.



Closed Hutch with Doors - 36"H*

Closed Hutch with Doors - 36"H*





Glazed door option

Hutch w/2 Outer Doors - 42.4"H*

Z72S42H0H	15 x 72 x 41.9-42.4	150	187	32.50	\$1718	\$1816	\$471	N/A
Z66S42H0H	15 x 66 x 41.9-42.4	150	176	29.75	\$1590	\$1679	\$458	N/A
Z60S42H0H	15 x 60 x 41.9-42.4	125	164	27.25	\$1493	\$1576	\$423	N/A
Z54S42H0H	15 x 54 x 41.9-42.4	125	153	24.50	\$1410	\$1483	\$410	N/A

4 compartments. Doors on outer compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Inner Doors - 42.4"H*

Z72S420H0	15 x 72 x 41.9-42.4	150	188	32.50	\$1721	\$1819	\$476	N/A
Z66S420H0	15 x 66 x 41.9-42.4	150	176	29.75	\$1592	\$1681	\$464	N/A
Z60S420H0	15 x 60 x 41.9-42.4	125	165	27.25	\$1510	\$1591	\$447	N/A
Z54S420H0	15 x 54 x 41.9-42.4	125	153	24.50	\$1414	\$1487	\$415	N/A

4 compartments. Doors on inner compartments only. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

R	Required	<b>Specification</b>
T	op finish	
R	lase finish	n

Top/Edge Detail

|--|

Glazing - Doors*

Accessories Tackboard Pigeon-hole storage





Glazed door option

Hutch w/2 Doors - LEFT, 42.4"H*

Hutch w/2 Doors - RIGHT, 42.4"H*

Hutch w/Sliding Glass Doors - 42.4"H



4 compartments. Doors on left side, open storage on right. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S42HSR	15 x 72 x 41.9-42.4	150	184	32.50	\$1683	\$1781	\$470	N/A
Z66S42HSR	15 x 66 x 41.9-42.4	150	171	29.75	\$1554	\$1645	\$454	N/A
Z60S42HSR	15 x 60 x 41.9-42.4	150	159	27.25	\$1457	\$1538	\$424	N/A
Z54S42HSR	15 x 54 x 41.9-42.4	125	148	24.50	\$1373	\$1446	\$411	N/A

4 compartments. Doors on right side, open storage on left. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25"
- Woodgrain runs horizontal on both the upper and lower back panels.

Z72S42HSD	15 x 72 x 41.9-42.4	150	193	32.50	\$3480	\$3578	N/A	N/A
Z66S42HSD	15 x 66 x 41.9-42.4	125	180	29.75	\$3208	\$3297	N/A	N/A
Z60S42HSD	15 x 60 x 41.9-42.4	125	168	27.25	\$2979	\$3062	N/A	N/A
Z54S42HSD	15 x 54 x 41.9-42.4	125	156	24.50	\$2759	\$2831	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 24.25".
- · Woodgrain runs horizontal on both the upper and lower back panels.

70404011	45 04 44 0 40 4	105	0.47	00.50	64000	00044	64000	N1 / A
Z84S42H	15 x 84 x 41.9-42.4	125	247	38.50	\$1923	\$2041	\$1386	N/A
Z72S42H	15 x 72 x 41.9-42.4	125	217	33	\$1706	\$1808	\$1266	N/A
Z71S42H	15 x 71.7 x 41.9-42.4	125	207	33	\$1694	\$1796	\$1264	N/A
Z66S42H	15 x 66 x 41.9-42.4	125	194	30.75	\$1600	\$1694	\$1205	N/A
Z60S42H	15 x 60 x 41.9-42.4	125	180	27.75	\$1494	\$1579	\$1132	N/A

One fixed shelf and fixed shelf divider. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- · Woodgrain runs horizontal on both the upper and lower back panels.

Z48S42H	15 x 48 x 41.9-42.4	125	148	22.25	\$1180	\$1251	\$719	N/A
Z42S42H	15 x 42 x 41.9-42.4	125	134	19.50	\$1069	\$1132	\$696	N/A
Z36S42H	15 x 36 x 41.9-42.4	125	120	17	\$978	\$1035	\$637	N/A
Z30S42H	15 x 30 x 41.9-42.4	125	106	14.25	\$899	\$945	\$570	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- · Clearance from worksurface to valance is 24.25".
- · Woodgrain runs horizontal on both the upper and lower back panels.

	777
II	42.4"
	711/2"
4	



Closed Hutch with Doors - 42.4" High

Closed Hutch with Doors - 42.4" High

**Required Specifications** Top finish Base finish

Top/Edge Detail

**Optional Specifications** 

Glazing - Doors

Accessories Tackboard Pigeon-hole storage





Hutch w/2 Outer Doors - 55"H*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HI	PADD
	D x W x H							
Z72S55H0H	15 x 72 x 54.4-5	54.9 92.5	262	26	\$2502	\$2604	\$674	N/A
Z66S55H0H	15 x 66 x 54.4-5	54.9 92.5	246	24	\$2372	\$2466	\$661	N/A
Z60S55H0H	15 x 60 x 54.4-5	54.9 92.5	229	22	\$2217	\$2373	\$600	N/A
Z54S55H0H	15 x 54 x 54.4-5	54.9 92.5	213	19.76	\$2095	\$2240	\$588	N/A

4 compartments. **Doors on outer compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Inner Doors - 55"H*

Z72S550H0	15 x 72 x 54.4-54.9	92.5	263	26	\$2504	\$2608	\$677	N/A
Z66S550H0	15 x 66 x 54.4-54.9	92.5	247	24	\$2375	\$2469	\$665	N/A
Z60S550H0	15 x 60 x 54.4-54.9	92.5	230	22	\$2251	\$2337	\$603	N/A
Z54S550H0	15 x 54 x 54.4-54.9	92.5	214	19.76	\$2097	\$2176	\$590	N/A

4 compartments. **Doors on inner compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - LEFT, 55"H*

Z72S55HSL	15 x 72 x 54.4-54.9	100	258	26	\$2416	\$2520	\$651	N/A
Z66S55HSL	15 x 66 x 54.4-54.9	100	237	24	\$2307	\$2401	\$639	N/A
Z60S55HSL	15 x 60 x 54.4-54.9	92.5	221	22	\$2141	\$2228	\$600	N/A
Z54S55HSL	15 x 54 x 54.4-54.9	92.5	204	19.76	\$2031	\$2111	\$588	N/A

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.





Hutch w/2 Doors - RIGHT, 55"H*

Z72S55HSR	15 x 72 x 54.4-54.9	100	258	26	\$2416	\$2520	\$651	N/A
Z66S55HSR	15 x 66 x 54.4-54.9	100	237	24	\$2307	\$2401	\$639	N/A
Z60S55HSR	15 x 60 x 54.4-54.9	92.5	221	22	\$2141	\$2228	\$600	N/A
Z54S55HSR	15 x 54 x 54.4-54.9	92.5	204	19.76	\$2031	\$2111	\$588	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Hutch w/Sliding Glass Doors - 55"H

Z72S55HSD	15 x 72 x 54.4-54.9	92.5	271	26	\$4729	\$4831	N/A	N/A
Z66S55HSD	15 x 66 x 54.4-54.9	92.5	253	24	\$4421	\$4514	N/A	N/A
Z60S55HSD	15 x 60 x 54.4-54.9	92.5	235	22	\$4092	\$4178	N/A	N/A
Z54S55HSD	15 x 54 x 54.4-54.9	92.5	217	19.75	\$3789	\$3868	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 3 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Rec	quired	<b>Specifications</b>
Top	finish	

Top finish Base finish Top/Edge Detail

### **Optional Specifications**

Glazing - Doors*

Accessories Tackboard

Tackboard Pigeon-hole storage



**CLOSED HUTCHES** 



Closed Hutch w/Doors - 55"H



One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.



PIGEON-HOLE STORAGE

Closed Hutch w/Doors - 55"H



Z48S55H	15 x 48 x 54.4-54.9	150	207	36	\$1695	\$1752	\$1112	N/A
Z42S55H	15 x 42 x 54.4-54.9	150	188	31.50	\$1545	\$1608	\$1008	N/A
Z36S55H	15 x 36 x 54.4-54.9	125	167	27.26	\$1408	\$1464	\$912	N/A
Z30S55H	15 x 30 x 54.4-54.9	125	148	23	\$1273	\$1319	\$799	N/A

One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- · Woodgrain runs horizontal on both the upper and lower back panels.

	managements.	
خينشت		
Maria Ma	MARKA	
1		




**Horizontal Pigeon-Hole Storage** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
ZHS84	12 x 82 x 5.66	70	49	3	\$840	N/A	N/A N/A
ZHS72	12 x 70 x 5.66	70	49	3	\$756	N/A	N/A N/A
ZHS71	12 x 69.6 x 5.66	70	49	3	\$756	N/A	N/A N/A
ZHS66	12 x 63.9 x 5.66	70	46	2.80	\$715	N/A	N/A N/A
ZHS60	12 x 58 x 5.66	70	42	2.50	\$683	N/A	N/A N/A
ZHS48	12 x 45.9 x 5.66	70	33	2	\$511	N/A	N/A N/A
ZHS42	12 x 40 x 5.66	85	29	2	\$479	N/A	N/A N/A
ZHS36	12 x 33.9 x 5.66	85	26	2	\$450	N/A	N/A N/A

For additional storage. Can be top or bottom mounted. For use inside hutch. Shipped RTA (ready to assemble).

- Cannot be used on overstorage units.
- Available in all standard laminate finishes (see page 113).



**Vertical Pigeon-Hole Storage** 

ZVS21	11.8 x 13.42 x 20.75	70	30	1.80	\$377	N/A	N/A	N/A
ZVS14	11.8 x 13.42 x 14.3	85	24	1.80	\$307	N/A	N/A	N/A

For use in conjunction with the horizontal pigeon-hole storage. Can be used **under** or **over** horizontal unit. Not freestanding. Shipped RTA (ready to assemble).

Vertical pigeon-hole shell - available in all standard laminate finishes (see page 113).

- Collator shelves available in Black (K) or Brushed Cobalt (T) finish. Please specify. Use Brushed Cobalt to match Silver finish handles.
- When used together with tackboard and hutch, reduce tackboard width by 12.5"

**Required Specifications** 

Top finish Base/door finish Wall finish Top/Edge Detail Handles*

**Optional Specifications** Glazing - Doors*

Grommet position Key # End filler cap

\$2014

\$1820

\$1799

\$1713

\$1593


N/A


N/A

N/A

N/A

N/A





**Vertical Pigeon-Hole Storage** 

TRANSI

40.8" / 41

Used alone with a hutch. **Not freestanding**. Shipped easy to assemble in 1 carton.

- Vertical pigeon-hole shell available in all standard laminate finishes (see page 113).
- Collator shelves available in Black (K) or Brushed Cobalt (T) finish. Please specify.
   Use Brushed Cobalt to match Silver finish handles.
- When used together with tackboard and hutch, reduce tackboard width by 12.5"
- Removal of valance required.


SITIONAL PIGEON-HOLE STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z24L12PH	24 x 24 x 11.25	-11.75 65	63	2.70	\$747	\$823	N/A	N/A
	Z20L12PH	24 x 20 x 11.25	-11.75 70	56	2.70	\$659	\$725	N/A	N/A
	Z16L12PH	24 x 16 x 11.25	-11.75 65	46	1.60	\$603	\$660	N/A	N/A
	Z24M12PH	20 x 24 x 11.25	-11.75 70	55	2.70	\$659	\$725	N/A	N/A
	Z20M12PH	20 x 20 x 11.25	-11.75 70	48	2.70	\$585	\$639	N/A	N/A
11.75"	Z16M12PH	20 x 16 x 11.25	-11.75 65	40	1.60	\$530	\$576	N/A	N/A
11.3"	Z24S12PH	16 x 24 x 11.25	-11.75 65	43	1.60	\$607	\$663	N/A	N/A
	Z20S12PH	16 x 20 x 11.25	-11.75 65	38	1.60	\$533	\$578	N/A	N/A
SE E	Z16S12PH	16 x 16 x 11.25	-11.75 70	33	1.60	\$499	\$537	N/A	N/A

Transitional Pigeon-Hole Storage 11.75"H

Designed to fit on top of returns and transition worksurface to match 40.8"/41.3" high storage modules. Pigeon-hole shell and four collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell Available in all standard laminate finishes (page 113).
- Collator Shelves Available in Black (K) or Brushed Cobalt (T) finish. Please Specify.
   Use Brushed Cobalt to match silver finish handles.

Z24L23PH	24 x 24 x 23-23.5	60	101	2.70	\$1344 \$14	120 N/A	N/A
Z20L23PH	24 x 20 x 23-23.5	60	88	2.70	\$1176 \$12	2 <b>39</b> N/A	N/A
Z16L23PH	24 x 16 x 23-23.5	65	76	2.70	\$1103 \$1	1 <b>60</b> N/A	N/A
Z24M23PH	20 x 24 x 23-23.5	60	87	2.70	\$1179 \$12	2 <b>42</b> N/A	N/A
Z20M23PH	20 x 20 x 23-23.5	65	76	2.70	\$1031 \$10	<b>085</b> N/A	N/A
Z16M23PH	20 x 16 x 23-23.5	60	64	1.60	\$948 \$9	<b>94</b> N/A	N/A
Z24S23PH	16 x 24 x 23-23.5	65	74	2.70	\$1115 \$1°	1 <b>71</b> N/A	N/A
Z20S23PH	16 x 20 x 23-23.5	65	65	2.70	\$974 \$10	<b>)20</b> N/A	N/A
Z16S23PH	16 x 16 x 23-23.5	60	54	1.60	\$890 \$9	<b>32</b> N/A	N/A



Transitional Pigeon-Hole Storage 23.5"H

Designed to fit on top of returns and transition worksurface to match 52.5''/53'''' high storage modules. Pigeon-hole shell and eight collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell Available in all standard laminate finishes (page 113).
- Collator Shelves Available in Black (K) or Brushed Cobalt (T) finish. Please Specify.
   Use Brushed Cobalt to match silver finish handles.

|--|

Top finish Wall finish Top/Edge Detail Shelf finish

### **Optional Specifications**

ZIRA™
FLOATING SHELVES
Floating Shelf - 20"H

Double Floating Shelf - 32.5"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZFS4220	14.25 x 42 x 20	70	55	2.75	\$610	\$648	N/A	N/A
ZFS3620	14.25 x 36 x 20	70	47	2.40	\$548	\$582	N/A	N/A
ZFS3020	14.25 x 30 x 20	70	39	2	\$466	\$496	N/A	N/A
ZFS2420	14.25 x 24 x 20	70	33	1.90	\$411	\$441	N/A	N/A

To match 71.9/72.4"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4232	14.25 x 42 x 32.5	65	85	3.30	\$870	\$908	N/A	N/A
ZF2S3632	14.25 x 36 x 32.5	65	73	2.90	\$779	\$813	N/A	N/A
ZF2S3032	14.25 x 30 x 32.5	65	60	2.50	\$664	\$694	N/A	N/A
ZF2S2432	14.25 x 24 x 32.5	70	50	2.40	\$588	\$618	N/A	N/A

To match 84.4/84.9"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to

	,	It in collapse of the unit an should be based on wall m		,	,	•			ınting
WALLS W/OVERHEAD STORAGE	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z4266WS	16 x 42 x 65.5-66	85	122	8.26	\$1465	\$1528	\$515	N/A
	Z3666WS	16 x 36 x 65.5-66	85	113	8.80	\$1233	\$1289	\$474	N/A
	Z3066WS	16 x 30 x 65.5-66	85	97	7.50	\$1233	\$1269	\$424	N/A
	Z2466WS	16 x 24 x 65.5-66	92.5	79	6.60	\$1088	\$1126	\$382	N/A
Vall w/Closed Storage - 66″H*	units. End cap so • NOTE: Care sh do so may resu	e-mounted "J" bracket for v Id separately, see page 227 ould be taken to mount the It in collapse of the unit an should be based on wall m	7. units. Units sh d subsequent p	nould be mou personal injur	nted to wall y. <b>Mountin</b>	studs using	g correct fa re not inc	steners. Fai	ilure to
	Z4266WSO	16 x 42 x 65.5-66	125	112	18.60	\$1562	\$1625	\$515	N/A
	Z3666WS0	16 x 36 x 65.5-66	125	100	16.20	\$1302	\$1025	\$474	N/A
	Z3066WS0	16 x 30 x 65.5-66	125	85	13.50	\$1421	\$1290	\$424	N/A
	Z2466WS0	16 x 24 x 65.5-66	92.5	70	6.20	\$1099	\$1230	\$382	N/A
/all w/Closed Storage - 66"H*	access to electric	e-mounted "J" bracket for val. End cap required at the ould be taken to mount the	end of a run of	wall units. I	End cap sold	l separately	, see page	227.	
	do so may resu	It in collapse of the unit and should be based on wall m	d subsequent p	oersonal injur	y. <b>Mountin</b>	ıg hardwa	re not inc	luded. Mou	
	Z4272WS	16 x 42 x 71.9-72.4	85	134	10.20	\$1562	\$1641	\$590	N/A
	Z3672WS	16 x 36 x 71.9-72.4	85	119	9.46	\$1505	\$1575	\$539	N/A
	Z3072WS	16 x 30 x 71.9-72.4	85	102	8.10	\$1322	\$1380	\$483	N/A
	Z2472WS	16 x 24 x 71.9-72.4	85	84	6.60	\$1159	\$1207	\$439	N/A
Wall w/Closed Storage - 72"H*		e-mounted "J" bracket for v ld separately, see page 227		olications. Do	ors lock. End	d cap requir	ed at the e	nd of a run	of wall


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications							
Top finish	Base/door finish*						
Wall finish	Handles*						
Top/Edge De	tail						
Shalf finish							


**Optional Specifications** End filler cap Key #* Grommet position Glazed doors*



Wall w/Closed Storage - 72"H*



Wall w/Closed Storage - 84"H*



Wall w/Closed Storage - 84"H*



Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WS	16 x 42 x 84.4-84.9	85	134	10.20	\$1932	\$2011	\$819	N/A
Z3684WS	16 x 36 x 84.4-84.9	85	119	9.46	\$1835	\$1918	\$748	N/A
Z3084WS	16 x 30 x 84.4-84.9	85	102	8.10	\$1613	\$1671	\$664	N/A
Z2484WS	16 x 24 x 84.4-84.9	85	84	6.60	\$1421	\$1469	\$603	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WS0	16 x 42 x 84.4-84.9	85	120	9.30	\$1946	\$2025	\$819	N/A
Z3684WS0	16 x 36 x 84.4-84.9	85	105	8.66	\$1848	\$1931	\$748	N/A
Z3084WS0	16 x 30 x 84.4-84.9	85	91	7.50	\$1625	\$1683	\$664	N/A
Z2484WS0	16 x 24 x 84.4-84.9	92.5	74	6.20	\$1430	\$1478	\$603	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

WALLS W/FLOATING SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZF1S4266	14.25 x 42 x 65	.5-66 70	117	7.50	\$1141	\$1179	N/A	N/A
	ZF1S3666	14.25 x 36 x 65	.5-66 70	103	6.60	\$994	\$1028	N/A	N/A
	ZF1S3066	14.25 x 30 x 65	.5-66 70	86	5.70	\$857	\$891	N/A	N/A
	ZF1S2466	14.25 x 24 x 65	.5-66 85	69	4.70	\$735	\$764	N/A	N/A
Wall w/Floating Shelf* - 66"H		e-mounted "J" bracket arately, see page 227.	for wall mount app	lications. En	d cap require	d at the e	nd of a run	of floating s	shelves.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF1S42660	14.25 x 42 x 65.5-66	85	110	7.50	\$1153	\$1191	N/A	N/A
ZF1S36660	14.25 x 36 x 65.5-66	85	97	6.60	\$1005	\$1039	N/A	N/A
ZF1S30660	14.25 x 30 x 65.5-66	85	81	5.70	\$864	\$898	N/A	N/A
ZF1S24660	14.25 x 24 x 65.5-66	85	66	4.70	\$740	\$769	N/A	N/A

ess to wall for access to 227

ct fasteners. Failure to included. Mounting all mounting.

Vall w/Floating Shelf* - 66"H	Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct acces electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 2  • NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not in hardware used should be based on wall material. Consult an installation professional for proper wall					
	Required Specifications  Top finish Base/door finish*  Wall finish Handles*  Top/Edge Detail	Optional Specifications End filler cap Grommet*				

Shelf finish

ZIRA™
WALLS W/FLOATING SHELVES
Wall w/Floating Shelf* - 72"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZF1S4272	14.25 x 42 x 71	.9-72.4 70	127	8	\$1201	\$1239	N/A	N/A
ZF1S3672	14.25 x 36 x 71	.9-72.4 70	110	7.10	\$1049	\$1083	N/A	N/A
ZF1S3072	14.25 x 30 x 71	.9-72.4 70	92	6.10	\$926	\$960	N/A	N/A
ZF1S2472	14.25 x 24 x 71	.9-72.4 85	74	5	\$785	\$814	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF1S42720	14.25 x 42 x 71.9-72.4 70	120	8	\$1215 \$1253	N/A	N/A
ZF1S36720	14.25 x 36 x 71.9-72.4 85	104	7.10	\$1061 \$1095	N/A	N/A
ZF1S30720	14.25 x 30 x 71.9-72.4 85	87	6.10	\$938 \$972	N/A	N/A
ZF1S24720	14.25 x 24 x 71.9-72.4 85	71	5	\$790 \$819	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4284	14.25 x 42 x 84.4-84.9 70	158	9.50	\$1411 \$1449	N/A	N/A
ZF2S3684	14.25 x 36 x 84.4-84.9 70	136	8.40	\$1215 \$1261	N/A	N/A
ZF2S3084	14.25 x 30 x 84.4-84.9 70	113	7.10	\$1074 \$1103	N/A	N/A
ZF2S2484	14.25 x 24 x 84.4-84.9 85	91	6.25	\$931 \$960	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S42840	14.25 x 42 x 84.4-84.9 70	148	9.50	\$1423 \$1461	N/A	N/A
ZF2S36840	14.25 x 36 x 84.4-84.9 70	128	8.40	\$1232 \$1270	N/A	N/A
ZF2S30840	14.25 x 30 x 84.4-84.9 85	106	7.10	\$1166 \$1195	N/A	N/A
ZF2S24840	14.25 x 24 x 84.4-84.9 85	86	6.25	\$938 \$967	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4266	14.25 x 42 x 65.5-66	70	132	7.50	\$1177 \$1215	N/A	N/A
ZF2S3666	14.25 x 36 x 65.5-66	70	115	6.60	\$1021 \$1055	N/A	N/A
ZF2S3066	14.25 x 30 x 65.5-66	70	96	5.70	\$887 \$917	N/A	N/A
ZF2S2466	14.25 x 24 x 65.5-66	70	77	4.70	\$759 \$789	N/A	N/A


Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall w/F	Floating	Shelf*	- 72″H

3

Wall w/Floating Shelves - 84"H



Wall w/Floating Shelves - 84"H



Wall w/Floating Shelves - 66"H

**Required Specifications** 

Top finish Wall finish Top/Edge Detail Shelf finish

**Optional Specifications** 



Wall w/Floating Shelves - 66"H

MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	TTOP	1.5" TUP	GLAZE ADD	HP AUU
	D x W x H							
ZF2S42660	14.25 x 42 x 65	.5-66 70	125	7.50	\$1192	\$1230	N/A	N/A
ZF2S36660	14.25 x 36 x 65	.5-66 70	109	6.60	\$1033	\$1067	N/A	N/A
ZF2S30660	14.25 x 30 x 65	.5-66 70	91	5.70	\$899	\$929	N/A	N/A
ZF2S24660	14.25 x 24 x 65	.5-66 70	74	4.70	\$766	\$796	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S4272	14.25 x 42 x 71.9-72.4 70	142	8	\$1239	\$1277	N/A	N/A
ZF2S3672	14.25 x 36 x 71.9-72.4 70	122	7.10	\$1077	\$1111	N/A	N/A
ZF2S3072	14.25 x 30 x 71.9-72.4 70	102	6.10	\$954	\$984	N/A	N/A
ZF2S2472	14.25 x 24 x 71.9-72.4 70	82	5	\$807	\$837	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF2S42720	14.25 x 42 x 71.9-72.4 70	135	8	\$1253	\$1291	N/A	N/A
ZF2S36720	14.25 x 36 x 71.9-72.4 70	116	7.10	\$1091	\$1125	N/A	N/A
ZF2S30720	14.25 x 30 x 71.9-72.4 70	97	6.10	\$965	\$995	N/A	N/A
ZF2S24720	14.25 x 24 x 71.9-72.4 70	79	5	\$815	\$845	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF3S4284	14.25 x 42 x 84.4-84.9 70	173	9.50	\$1447 \$1477	N/A	N/A
ZF3S3684	14.25 x 36 x 84.4-84.9 70	148	8.40	\$1253 \$1287	N/A	N/A
ZF3S3084	14.25 x 30 x 84.4-84.9 70	116	7.10	\$1102 \$1132	N/A	N/A
ZF3S2484	14.25 x 24 x 84.4-84.9 70	99	6.25	\$956 \$986	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF3S42840	14.25 x 42 x 84.4-84.9	70	163	9.50	\$1462	\$1500	N/A	N/A
ZF3S36840	14.25 x 36 x 84.4-84.9	70	140	8.40	\$1267	\$1301	N/A	N/A
ZF3S30840	14.25 x 30 x 84.4-84.9	70	116	7.10	\$1196	\$1226	N/A	N/A
ZF3S24840	14.25 x 24 x 84.4-84.9	70	94	6.25	\$962	\$992	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.


• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Wall w/Floating Shelves - 72"H



Wall w/Floating Shelves - 72"H



Wall w/Floating Shelves - 84"H





Wall w/Floating Shelves - 84"H

**Required Specifications** 

Top finish Wall finish Top/Edge Detail Shelf finish

**Optional Specifications** 





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HE	ADD
	D x W x H							
ZWHP4266	3.5 x 42 x 65.5-	66 85	99	7.50	\$1011	\$1049	N/A I	N/A
ZWHP3666	3.5 x 36 x 65.5-	66 85	90	6.60	\$804	\$838	N/A I	N/A
ZWHP3066	3.5 x 30 x 65.5-	66 85	75	5.70	\$697	\$727	N/A I	N/A
ZWHP2466	3.5 x 24 x 65.5-	66 85	61	4.70	\$597	\$627	N/A I	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42660	3.5 x 42 x 65.5-66	85	90	7.50	\$1026 \$1064	N/A	N/A
ZWHP36660	3.5 x 36 x 65.5-66	85	82	6.60	\$816 \$850	N/A	N/A
ZWHP30660	3.5 x 30 x 65.5-66	85	69	5.70	\$709 \$739	N/A	N/A
ZWHP24660	3.5 x 24 x 65.5-66	92.5	56	4.70	\$603 \$633	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4272	3.5 x 42 x 71.9-72.4	85	113	8	\$988	\$1026	N/A	N/A
ZWHP3672	3.5 x 36 x 71.9-72.4	85	97	7.10	\$861	\$895	N/A	N/A
ZWHP3072	3.5 x 30 x 71.9-72.4	85	81	6.10	\$765	\$795	N/A	N/A
ZWHP2472	3.5 x 24 x 71.9-72.4	85	67	5	\$645	\$675	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42720	3.5 x 42 x 71.9-72.4	85	104	8	\$1003	\$1041	N/A	N/A
ZWHP36720	3.5 x 36 x 71.9-72.4	85	89	7.10	\$873	\$907	N/A	N/A
ZWHP30720	3.5 x 30 x 71.9-72.4	85	75	6.10	\$776	\$806	N/A	N/A
ZWHP24720	3.5 x 24 x 71.9-72.4	85	62	5	\$653	\$683	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4284	3.5 x 42 x 84.4-84.9	85	128	9.50	\$1053	\$1091	N/A	N/A
ZWHP3684	3.5 x 36 x 84.4-84.9	85	111	8.40	\$928	\$962	N/A	N/A
ZWHP3084	3.5 x 30 x 84.4-84.9	85	92	7.10	\$827	\$857	N/A	N/A
ZWHP2484	3.5 x 24 x 84.4-84.9	85	75	6.25	\$713	\$743	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 227.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Fastening hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Req	uir	ed	Spe	cifica	ations

Top finish Wall finish Top/Edge Detail **Optional Specifications** 

WALL PANELS	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
		DxWxH	0.5				****		
	ZWHP42840	3.5 x 42 x 84.4-84.9		119	9.50	\$1068	\$1106	N/A	N/A
	ZWHP36840	3.5 x 36 x 84.4-84.9		103	8.40	\$940	\$974	N/A	N/A
	ZWHP30840	3.5 x 30 x 84.4-84.9	85	92	7.10	\$836	\$866	N/A	N/A
	ZWHP24840	3.5 x 24 x 84.4-84.9		70	6.25	\$721	\$751	N/A	N/A
Wall Panel - 84"H	<ul><li>electrical. End cap</li><li>NOTE: Care sho do so may result</li></ul>	-mounted "J" bracket for water required at the end of a rubuld be taken to mount the tin collapse of the unit and should be based on wall m	in of floating sh units. Units sh d subsequent p	nelves. End o ould be mou ersonal injur	cap sold sepa nted to wall ry. <b>Fastenin</b>	arately, se studs usin <b>g hardwa</b>	e page 227 g correct fa re not inc	7. asteners. Fa c <b>luded</b> . Mo	ilure to
END FILLER CAPS	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP AD
	ZEFC19	.75 x 2.5 x 17	70	1.50	.25	\$168	N/A	N/A	N/A
∐ End Cap	For ZFSxxxx 20"H	floating shelf.							
	ZEFC32	.75 x 2.5 x 30	300	2	2	\$274	N/A	N/A	N/A
End Cap	For ZF2Sxxxx 32.5'	"H floating shelf.							
	ZEFC49	.75 x 2.5 x 47	250	3	1.20	\$359	N/A	N/A	N/A
End Cap	For Zxx66WS/Zxx6	56WSO 65.5/66"H walls w	ith overhead.	4	1.30	\$385	N/A	N/A	N/A
End Cap		72WSO/Zxx84WS/Zxx84W							
			· 						
	ZEFC66	.75 x 2.5 x 64	300	4	4	\$470	N/A	N/A	N/A
End Cap	For ZF1Sxx66/ZF1S	Sxx660/ZF2Sxx66/ZF2Sxx6	60/ZWHPxx66	/ZWHPxx66	0 65.5/66"H	wall pane	ls, with or	without she	lves.
End Cap	For ZF1Sxx66/ZF18	Sxx66U/ZF2Sxx66/ZF2Sxx6	6U/ZWHPxx66	/ZWHPxx66	U 65.5/66  H	wall pane	ls, with or	without she	lves
	Required Specifica		Optional Specification	ications			_	_	_
	<b>Required Specifica</b> Top finish Wall finish	E	Optional Specifi and filler cap Grommet	ications		_	_	_	_

# **Z** ZIRA[™]

FILLER CAPS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	ZEFC72	.75 x 2.5 x 70.5	300	4	4	\$507	N/A	N/A	N/A
ар	For 7F1 Syy72 / 7F	1Sxx720/ZF2Sxx72/ZF2S	xx720/7\WHPxx72	/7\M/HPyy72	በ 71 ዓ/7 <i>2                                    </i>	H wall nan	els with o	r without sl	nelves
м	101 21 10// 2/21	1000/20/21/2000/2/21/20	^^/20/2 <b>\\</b>		0 71.0/72.4			- Without Si	
	ZEFC84	.75 x 2.5 x 83	300	5	4.50	\$593	N/A	N/A	N/A
Cap	For ZF1Sxx84/ZF	1Sxx840/ZF2Sxx84/ZF2S	xx840/ZWHPxx84,	/ZWHPxx84	0 84.4/84.9"	H wall par	iels, with d	r without sl	nelves.

Required Specifications
Finish

Grade 2: Imprint Grade 3: Anchor MODEL# ZTB8217	rage, Merge	EIGHT CLASS	<b>WT/LBS.</b> 8.20	CUBIC FT.	FAB GRD  1 2 3 4 5	\$773 \$930 \$1112 \$1329	7 8 9	LIST \$2015 \$2319
Grade 3: Anchor MODEL#  ZTB8217  For use on Z84S2	rage, Merge  DIMENSIONS FR  .62 x 82 x 16.5-17	150			1 2 3 4	\$773 \$930 \$1112	7	\$2015 \$2319
Grade 3: Anchor MODEL#  ZTB8217  For use on Z84S2	rage, Merge  DIMENSIONS FR  .62 x 82 x 16.5-17	150			1 2 3 4	\$773 \$930 \$1112	7	\$2015 \$2319
MODEL#  ZTB8217  For use on <b>Z84S2</b>	DIMENSIONS FR .62 x 82 x 16.5-17	150			1 2 3 4	\$773 \$930 \$1112	7	\$2015 \$2319
For use on <b>Z84S2</b>			8.20	2	2 3 4	\$930 \$1112	8	\$2319
For use on <b>Z84S2</b>		ina screws.			3 4	\$930 \$1112		
	3HN hutch. Includes mount	ina screws.			4		9	00000
	3HN hutch. Includes mount	ina screws.				C1220		\$2668
	3HN hutch. Includes mount	ina screws.					10	\$3066
	3HN hutch. Includes mount	ina screws.			6	\$1527 \$1754	11 12	\$3524 \$4050
7TD7017		3						
	.62 x 70 x 16.5-17	150	7	1.30	1	\$513	7	\$1342
210/01/	.02 X 70 X 10.3-17	100	,	1.50	2	\$619	8	\$1542
					3	\$741	9	\$1773
					4	\$882	10	\$2040
					5		11	\$2344 \$2697
For use on <b>Z72S2</b>	3HN hutch. Includes mount	ing screws.				<b>V</b> 1107	12	Ψ2007
ZTB6917	.62 x 69 x 16.5-17	150	7	1.30	1	\$510	7	\$1330
2.500.7	102 X 00 X 1010 17		•	1.00	2	\$616	8	\$1531
					3	\$738	9	\$1761
					4			\$2024
								\$2329
					b	\$115/	1Z	\$2678
For use on <b>Z71S2</b>	3HN hutch. Includes mount	ing screws.						
ZTB6417	.62 x 64 x 16.5-17	150	6.40	1.30	1	\$506	7	\$1313
								\$1511
						i		\$1737
								\$1999 \$2297
					6	\$1143	12	\$2643
For use on <b>Z66S2</b>	3HN hutch. Includes mount	ing screws.						
ZTB5817	.62 x 58 x 16.5-17	150	5.80	1.08	1	\$493	7	\$1286
					2	\$593	8	\$1478
					3	\$712	9	\$1702
					4			\$1956
					5 6	\$975 \$1120	11 12	\$2251 \$2588
For use on <b>Z60S2</b>	3HN hutch. Includes mount	ing screws.						
	ZTB6917  For use on <b>Z71S2</b> ZTB6417  For use on <b>Z66S2</b> ZTB5817  For use on <b>Z60S2</b>	ZTB6917 .62 x 69 x 16.5-17  For use on <b>Z71S23HN</b> hutch. Includes mount  ZTB6417 .62 x 64 x 16.5-17  For use on <b>Z66S23HN</b> hutch. Includes mount  ZTB5817 .62 x 58 x 16.5-17  For use on <b>Z60S23HN</b> hutch. Includes mount	For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ZTB6417 .62 x 64 x 16.5-17 150  For use on <b>Z66S23HN</b> hutch. Includes mounting screws.  ZTB5817 .62 x 58 x 16.5-17 150  For use on <b>Z60S23HN</b> hutch. Includes mounting screws.	ZTB6917 .62 x 69 x 16.5-17 150 7  For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ZTB6417 .62 x 64 x 16.5-17 150 6.40  For use on <b>Z66S23HN</b> hutch. Includes mounting screws.  ZTB5817 .62 x 58 x 16.5-17 150 5.80  For use on <b>Z60S23HN</b> hutch. Includes mounting screws.	TTB6917 .62 x 69 x 16.5-17 150 7 1.30  For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ZTB6417 .62 x 64 x 16.5-17 150 6.40 1.30  For use on <b>Z66S23HN</b> hutch. Includes mounting screws.  ZTB5817 .62 x 58 x 16.5-17 150 5.80 1.08	For use on <b>Z72S23HN</b> hutch. Includes mounting screws.  ZTB6917	## S882   5   \$1016   6   \$1167  For use on <b>Z72S23HN</b> hutch. Includes mounting screws.  ## ZTB6917	### S882 10 5 \$1016 11 12   ### For use on <b>Z72S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z72S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z71S23HN</b> hutch. Includes mounting screws.  ### For use on <b>Z66S23HN</b> hutch. Includes mounting screws.  #### For use on <b>Z66S23HN</b> hutch. Includes mounting screws.  #### For use on <b>Z66S23HN</b> hutch. Includes mounting screws.

TACKBOARDS FOR HUTCHES

poard	ZTB4617  For use on <b>Z48S</b> 2  ZTB4017	<b>D x W x H</b> .62 x 46 x 16.5-17 <b>23HN</b> hutch. Includes moun .62 x 40 x 16.5-17	150	4.60	.85	1 2 3 4 5	\$331 \$400 \$477 \$566	7 8 9 10	\$861 \$987 \$1136 \$1305
board	For use on <b>Z48S</b> 2	<b>23HN</b> hutch. Includes moun				2 3 4 5	\$400 \$477 \$566	8 9	\$987 \$1136
board			ting screws.			3 4 5	\$477 \$566	9	\$1136
board			ting screws.			4 5	\$566		
poard			ting screws.			5			3 I.3U3
poard			ting screws.				\$649	11	\$1499
poard			ting screws.			6	\$746	12	\$1724
ooard			ting screws.				Ų, 10	12	Ų.,,,
	ZTB4017	.62 x 40 x 16.5-17							
			150	4	.85	1	\$318	7	\$824
						2	\$383	8	\$948
						3	\$458	9	\$1089
						4	\$541	10	\$1252
						5	\$623	11	\$1441
						6	\$715	12	\$1657
oard	For use on <b>Z42S</b> 2	<b>23HN</b> hutch. Includes moun	ting screws.						
	ZTB3417	.62 x 34 x 16.5-17	150	3.40	.85	1	\$308	7	\$793
						2	\$373	8	\$912
						3	\$445	9	\$1048
						4	\$523	10	\$1207
						5	\$601	11	\$1386
						6	\$692	12	\$1593
oard	For use on <b>726</b> 5	<b>23HN</b> hutch. Includes moun	ting corouse						
varu			-						
	ZTB2817	.62 x 28 x 16.5-17	250	2.80	.85	1	\$295	7	\$767
						2	\$359	8	\$882
						3	\$428	9	\$1015
						4	\$507	10	\$1167
						5	\$582	11	\$1342
						6	\$667	12	\$1544
oard	For use on <b>Z30S</b> 2	23HN hutch. Includes moun	ting screws.						
BOARDS FOR HUTCHES - 36" / 36.5" HIGH	Н					FABRI	C GRADE	LIST PRICE	
	ZTB8216	.62 x 82 x 15-15.5	150	8.20	2	1	\$773	7	\$2015
	Z1D0Z10	.UZ X OZ X 13-13.5	100	0.20		1		8	
						2	\$930		\$2319
						3	\$1112	9	\$2668
						4	\$1329	10	\$3066
						5	\$1527	11	\$3524
						6	\$1754	12	\$4050
oard	For use on <b>Z84S</b> :	36H and Z84S36HN hutche	s.Includes mo	ounting screw	S.				
	ZTB7016	.62 x 70 x 15-15.5	150	7	1.30	1	\$513	7	\$1342
	210/010	C.C1-C1 X D1 X 20.	100	,	1.30	2	\$619	8	\$1542
						3	\$741	9	\$1773
						4	\$882	10	\$2040
						5	\$1016	11	\$2344
						6	\$1167	12	\$2697
ooard	For use on <b>Z72S</b> 3	<b>36xxx</b> hutches. Includes m	ounting screw	/S.					

TACKBOARDS - 36" / 36.5" HIGH	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB6916	<b>D x W x H</b> .62 x 69.5 x 15-15	5.5 150	7	1.30	1	\$510	7	\$1330
	2100310	.02 X 03.3 X 13-13	0.0 100	,	1.30	2	\$616	8	\$1531
						3	\$738	9	\$1761
						4	\$877	10	\$2024
						5	\$1006	11	\$2329
						6	\$1157	12	\$2678
Tackboard	For use on <b>Z71S</b>	<b>36H and Z71S36HN</b> hutcl	hes. Includes mou	unting screw	S.	0	ψ1137	12	<b>\$2070</b>
	ZTB6416	.62 x 64 x 15-15.5	150	6.40	1.30	1	\$506	7	\$1313
						2	\$609	8	\$1511
						3	\$725	9	\$1737
						4	\$864	10	\$1999
						5	\$994	11	\$2297
						6	\$1143	12	\$2643
Tackboard	For use on <b>Z66S</b>	<b>36xxx</b> hutches. Includes r	nounting screws.						
	ZTB5816	.62 x 58 x 15-15.5	5 150	5.80	1.08	1	\$493	7	\$1286
						2	\$593	8	\$1478
						3	\$712	9	\$1702
						4	\$848	10	\$1956
						5	\$975	11	\$2251
						6	\$1120	12	\$2588
Tackboard	For use on <b>Z60S</b>	<b>36xxx</b> hutches. Includes r	nounting screws.						
	TTD 4040	00 40 45 45	450	1.00	05		4004		4004
	ZTB4616	.62 x 46 x 15-15.5	150	4.60	.85	1	\$331	7	\$861
						2	\$400	8	\$987
						3	\$477	9	\$1136
						4	\$566	10	\$1305
						5	\$649	11	\$1499
						6	\$746	12	\$1724
Tackboard	For use on <b>Z48S</b>	36H and Z48S36HN hutc	hes. Includes mou	unting screw	S.				
	ZTB4016	.62 x 40 x 15-15.5	5 150	4	.85	1	\$318	7	\$824
						2	\$383	8	\$948
						3	\$458	9	\$1089
						4	\$541	10	\$1252
						5	\$623	11	\$1441
						6	\$715	12	\$1657
Tackboard	For use on <b>Z42S</b>	36H and Z42S36HN hutc	h. Includes mou	nting screws					
	ZTB3416	.62 x 34 x 15-15.5	5 150	3.40	.85	1	\$308	7	\$793
						2	\$373	8	\$912
						3	\$445	9	\$1048
						4	\$523	10	\$1207
						5	\$601	11	\$1386
						5 6	\$601 \$692	11 12	\$1386 \$1593
Tackboard		36H and Z36S36HN hutc				5 6	\$601 \$692	11 12	\$1386 \$1593

	ZTB2816	<b>D x W x H</b> .62 x 28 x 15-15.5	250	2.80	.85	1	\$295	7	<b>*</b> 707
							<b>7</b>	,	\$767
						2	\$359	8	\$882
						3	\$428	9	\$1015
						4	\$507	10	\$1167
<del>-</del>						5	\$582	11	\$1342
						6	\$667	12	\$1544
Fackboard Fackboard	For use on <b>Z30S3</b>	36H and Z30S36HN hutch. I	ncludes moun	ting screws.					
	ZTB8221	.62 x 82 x 20.5-21	150	12.80	2.30	1	\$941	7	\$2455
						2	\$1127	8	\$2824
						3	\$1353	9	\$3246
						4	\$1615	10	\$3734
						5	\$1855	11	\$4294
						6	\$2135	12	\$4937
ackboard	For use on <b>Z84S</b> 4	12H, Z84S42HN, Z84S55H a	and Z84S55H	<b>N</b> hutches. In	ncludes mour	nting screws	3.		
	ZTB7021	.62 x 70 x 20.5-21	125	11	1.50	1	\$633	7	\$1644
						2	\$757	8	\$1891
						3	\$908	9	\$2172
						4	\$1081	10	\$2501
						5	\$1244	11	\$2876
						6	\$1429	12	\$3304
	ZTB6921	.62 x 69 x 20.5-21	125	10.70	1.50	1 2 3 4 5	\$620 \$749 \$895 \$1067 \$1226	7 8 9 10 11	\$1623 \$1865 \$2145 \$2467 \$2838
						6		12	
ackboard	For use on <b>Z71S</b> 4	12H, Z71S42HN, Z71S55H a	and Z71S55H	<b>N</b> hutches. In	ncludes mour		<b>\$1410</b> s.	1Z	\$3262
	ZTB6421	.62 x 64 x 20.5-21	125	10	1.50	1	\$586	7	\$1530
						2	\$706	8	\$1763
						3	\$848	9	\$2024
						4	\$1008	10	\$2331
						5	\$1158	11	\$2678
						6	\$1330	12	\$3079
ackboard	For use on <b>Z66S4</b>	12xxx and Z66S55xxx hutc	hes. Includes	mounting sc	rews.				
	ZTB5821	.62 x 58 x 20.5-21	125	9	1.50	1	\$582	7	\$1516
						2	\$705	8	\$1742
						3	\$842	9	\$2005
						4	\$998	10	\$2304
						5	\$1148	11	\$2650
						6	\$1319	12	\$3044
Tackboard	For use on <b>Z60S4</b>	12xxx and Z60S55xxx hutc	hes. Includes	mounting sc	rews.				

ACKBOARDS - 42.4", 42.9" & 54.9", 55.4" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
		D x W x H							
	ZTB4621	.62 x 46 x 20.5-2	125	7.20	1	1	\$360 \$435	7 8	\$93
						3	\$435 \$519	9	\$107 \$123
						4	\$616	10	\$142
						5	\$707	11	\$163
						6	\$814	12	\$188
ckboard	For use on <b>Z48S42</b>	H, Z48S42HN, Z48S5	5H and Z48S55H	<b>N</b> hutches. I	ncludes mour	nting screws	S.		
	ZTB4021	.62 x 40 x 20.5-2	1 125	6.20	1	1	\$347	7	\$90
	2104021	.02 X 40 X 20.3-2	.1 123	0.20	ı	2	\$419	8	\$104
						3	\$505	9	\$120
						4	\$595	10	\$137
						5	\$686	11	\$158
						6	\$789	12	\$182
ckboard	For use on <b>Z42S42</b>	H, Z42S42HN, Z42S5	5H and Z42S55H	<b>N</b> hutches. I	ncludes mour	nting screws	S.		
_	ZTB3421	.62 x 34 x 20.5-2	1 150	5.30	1	1	\$343	7	\$88
	2100421	.02 X 34 X 20.3-2	.1 130	0.30	ı	2	\$413	8	\$102
						3	\$496	9	\$117
						4	\$585	10	\$135
						5	\$674	11	\$155
						6	\$775	12	\$178
	ZTB2821	.62 x 28 x 20.5-2	1 150	4.50	1	1 2 3 4 5	\$339 \$408 \$486 \$578 \$662	7 8 9 10 11	\$87 \$101 \$115 \$133 \$153
kkboard	For use on <b>Z30S42</b>	H, Z30S42HN, Z30S5	5H and Z30S55H	<b>N</b> hutches. I	ncludes mour	6 nting screws	\$763	12	\$170
WALL-MOUNTED TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.			FAB GRD	LIS
	ZWHT3014	1.25 x 30 x 13.5-	14 150	4.70	1	1	\$333	7	\$76
						2	\$386	8	\$87
						3	\$443	9	\$101
						4	\$507	10	\$116
						5	\$581	11	\$133
						6	\$668	12	\$153
all Mounted Tackboard	<ul><li>bracket for wall me</li><li>NOTE: Care sho do so may result</li></ul>	S200S/OSN/OSD/OSI bunt applications. uld be taken to mount in collapse of the unit should be based on wal	the units. Units sh and subsequent p	nould be mou personal inju	inted to wall ry. <b>Mountin</b>	studs using <b>g hardwar</b>	correct fa	asteners. Fa	ilure to



4" WALL-MOUNTED TACKBOARDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT3614	1.25 x 36 x 13.5	5-14 150	5.60	1	1	\$367	7	\$849
					2	\$427	8	\$973
					3	\$487	9	\$1119
					4	\$561	10	\$1285
					5	\$642	11	\$1478
					6	\$738	12	\$1697

For use under **Z36S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4214	1.25 x 42 x 13.5-14	125	6.50	1	1	\$430	7	\$988
					2	\$496	8	\$1135
					3	\$569	9	\$1304
					4	\$652	10	\$1498
					5	\$748	11	\$1720
					6	\$862	12	\$1979

For use under **Z42S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4814	1.25 x 48 x 13.5-14	125	7.50	1	1	\$464	7	\$1069
					2	\$536	8	\$1229
					3	\$614	9	\$1414
					4	\$706	10	\$1623
					5	\$810	11	\$1865
					6	\$930	12	\$2143

For use under **Z48S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6014	1.25 x 60 x 13.5-14	150	9.30	1.80	1	\$578	7	\$1333
					2	\$666	8	\$1531
					3	\$765	9	\$1760
					4	\$880	10	\$2024
					5	\$1010	11	\$2325
					6	\$1161	12	\$2673

For use under **Z60S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 

Fabri



14" WALL-MOUNTED TACKBOARDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT6614	1.25 x 66 x 13.5	5-14 150	10.30	1.80	1	\$614	7	\$1418
					2	\$707	8	\$1628
					3	\$812	9	\$1868
					4	\$932	10	\$2149
					5	\$1071	11	\$2470
					6	\$1233	12	\$2839

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z	WHT7214	1.25 x 72 x 13.5-14	125	11.20	1.80	1	\$673	7	\$1555
						2	\$778	8	\$1785
						3	\$892	9	\$2054
						4	\$1027	10	\$2358
						5	\$1178	11	\$2711
						6	\$1354	12	\$3119

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7814	1.25 x 78 x 13.5-14	125	12.10	1.80	1	\$710	7	\$1639
					2	\$820	8	\$1883
					3	\$943	9	\$2163
					4	\$1079	10	\$2487
					5	\$1242	11	\$2858
					6	\$1425	12	\$3284

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8414	1.25 x 84 x 13.5-14	125	13.10	1.80	1	\$767	7	\$1775
					2	\$886	8	\$2041
					3	\$1019	9	\$2345
					4	\$1171	10	\$2696
					5	\$1344	11	\$3097
					6	\$1544	12	\$3563

For use under ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



#### **Wall Mounted Tackboard**



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 



18" WALL-MOUNTED TACKBOARDS


MODEL#

ZWHT3018

DIMENSIONS

DxWxH

1.25 x 30 x 17.5-18

For use under **Z30S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

WT/LBS.

6

FREIGHT CLASS

125

CUBIC FT.

1

FAB GRD

2

3

4

5

LIST

\$343

\$399

\$457

\$525

\$602

\$689

FAB GRD

8

9

10

11

12

LIST

\$791

\$909

\$1045

\$1202

\$1381

\$1585

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3618	1.25 x 36 x 17.5-18	125	7.20	1	1	\$381	7	\$876
					2	\$442	8	\$1008
					3	\$506	9	\$1158
					4	\$580	10	\$1332
					5	\$667	11	\$1530
					6	\$766	12	\$1757

For use under **Z36S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4218	1.25 x 42 x 17.5-18	100	8.40	1	1	\$442	7	\$1020
					2	\$511	8	\$1173
					3	\$585	9	\$1346
					4	\$674	10	\$1545
					5	\$773	11	\$1775
					6	\$886	12	\$2042

For use under **Z42S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4818	1.25 x 48 x 17.5-18	100	9.60	1	1	\$481	7	\$1108
					2	\$555	8	\$1272
					3	\$639	9	\$1462
					4	\$733	10	\$1680
					5	\$841	11	\$1930
					6	\$965	12	\$2216

For use under **Z48S16OS/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 

Fabrio



18" WALL-MOUNTED TACKBOARDS

ſ	

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H							
ZWHT6018	1.25 x 60 x 17.5	5-18 125	12	1.80	1	\$591	7	\$1367
					2	\$681	8	\$1571
					3	\$785	9	\$1803
					4	\$900	10	\$2073
					5	\$1034	11	\$2386
					6	\$1188	12	\$2740

For use under Z60S160S/0SN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6618	1.25 x 66 x 17.5-18	125	13.20	1.80	1	\$630	7	\$1456
					2	\$728	8	\$1672
					3	\$837	9	\$1921
					4	\$961	10	\$2208
					5	\$1102	11	\$2538
					6	\$1267	12	\$2917

For use under ZxxS160S/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7218	1.25 x 72 x 17.5-18	100	14.40	1.80	1	\$692	7	\$1598
					2	\$799	8	\$1834
					3	\$915	9	\$2111
					4	\$1053	10	\$2424
					5	\$1208	11	\$2788
					6	\$1388	12	\$3206

For use under ZxxS160S/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7818	1.25 x 78 x 17.5-18	100	15.60	1.80	1	\$729	7	\$1682
					2	\$842	8	\$1932
					3	\$965	9	\$2220
					4	\$1111	10	\$2554
					5	\$1273	11	\$2935
					6	\$1464	12	\$3373

For use under ZxxS16OS/OSN for a finished height of 65"/65.5". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications** 



**Wall Mounted Tackboard** 

18" WALL-MOUNTED TACKBOARDS

DxWxH       ZWHT8418     1.25 x 84 x 17.5-18     100     16.80     1.80     1     \$789     7     \$1824       2     \$909     8     \$2096       3     \$1047     9     \$2409       4     \$1202     10     \$2769       5     \$1380     11     \$3184       6     \$1585     12     \$3660	MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	LIST	FAB GRD	ri21
2       \$909       8       \$2096         3       \$1047       9       \$2409         4       \$1202       10       \$2769         5       \$1380       11       \$3184		D x W x H							
3 \$1047 9 \$2409 4 \$1202 10 \$2769 5 \$1380 11 \$3184	ZWHT8418	1.25 x 84 x 17.5	5-18 100	16.80	1.80	1	\$789	7	\$1824
4 \$1202 10 \$2769 5 \$1380 11 \$3184						2	\$909	8	\$2096
5 <b>\$1380</b> 11 <b>\$3184</b>						3	\$1047	9	\$2409
						4	\$1202	10	\$2769
6 <b>\$1585</b> 12 <b>\$3660</b>						5	\$1380	11	\$3184
						6	\$1585	12	\$3660

For use under **ZxxS160S/0SN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3021	1.25 x 30 x 20.5-21	125	7	1	1	\$351	7	\$808
					2	\$408	8	\$929
					3	\$466	9	\$1066
					4	\$535	10	\$1226
					5	\$614	11	\$1409
					6	\$706	12	\$1617

For use under **Z30S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z30S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3621	1.25 x 36 x 20.5-21	100	8.40	1	1	\$388	7	\$895
					2	\$451	8	\$1029
					3	\$514	9	\$1181
					4	\$593	10	\$1357
					5	\$680	11	\$1561
					6	\$781	12	\$1794

For use under **Z36S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z36S330S/OSN** for a finished height of **84"/84.5"** 

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4221	1.25 x 42 x 20.5-21	100	9.80	1	1	\$448	7	\$1037
					2	\$518	8	\$1190
					3	\$595	9	\$1370
					4	\$684	10	\$1573
					5	\$785	11	\$1808
					6	\$903	12	\$2078

For use under **Z42S21OS/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z42S33OS/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4821	1.25 x 48 x 20.5-21	92.5	11.20	1	1	\$488	7	\$1126
					2	\$563	8	\$1294
					3	\$647	9	\$1489
					4	\$744	10	\$1706
					5	\$854	11	\$1964
					6	\$980	12	\$2256

For use under **Z48S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z48S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

**Required Specifications** 

Fabric



21" WALL-MOUNTED TACKBOARDS

**Wall Mounted Tackboard** 

WIODLL#	DIMILIASIONS	THEIGHT CLASS	WI/LDS.	CODIC FI.	IAD UND	LIST	TAD GND	LIST
	D x W x H							
ZWHT6021	1.25 x 60 x 20.5	-21 125	14	1.80	1	\$604	7	\$1394
					2	\$696	8	\$1605
					3	\$801	9	\$1842
					4	\$920	10	\$2116
					5	\$1057	11	\$2433
					6	\$1214	12	\$2798
					-	T		Ψ21

For use under **Z60S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z60S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

71.1.1.T.0.0.1	4.05 00 00 5.4	400		4.00		****		****
ZWHT6621	1.25 x 66 x 20.5-21	100	15.40	1.80	1	\$641	/	\$1481
					2	\$741	8	\$1702
					3	\$850	9	\$1957
					4	\$977	10	\$2250
					5	\$1124	11	\$2587
					6	\$1288	12	\$2973

For use under Z66S210S/OSN/OSD/OSR/OSL/OSO/SOS for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount applications. For use under Z66S330S/OSN for a finished height of 84"/84.5"

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7221	1.25 x 72 x 20.5-21	100	16.80	1.80	1	\$704	7	\$1626
	11.E0 X 7 E X E0.10 E1	.00			2	\$812	8	\$1865
					3	\$932	9	\$2146
					4	\$1071	10	\$2466
					5	\$1232	11	\$2834
					6	\$1415	12	\$3259

For use under **Z72S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z72S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7821	1.25 x 78 x 20.5-21	92.5	18.20	1.80	1	\$740	7	\$1709
					2	\$854	8	\$1968
					3	\$982	9	\$2261
					4	\$1128	10	\$2598
					5	\$1296	11	\$2987
					6	\$1489	12	\$3435

For use under **Z78S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z78S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8421	1.25 x 84 x 20.5-21	92.5	19.60	1.80	1	\$806	7	\$1861
					2	\$929	8	\$2137
					3	\$1068	9	\$2457
					4	\$1223	10	\$2825
					5	\$1409	11	\$3247
					6	\$1619	12	\$3731

For use under **Z84S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z84S330S/OSN** for a finished height of **84"/84.5"** 

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

Required Specifications

Fabric



25" WALL-MOUNTED TA

**Wall Mounted Tackboard** 

ACKBUAKD2	MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	TI21	FAB GKD	LI91
		D x W x H					· ·		
	ZWHT3025	1.25 x 30 x 24.5-	-25 100	8.30	1	1	\$361	7	\$831
						2	\$419	8	\$955
						3	\$479	9	\$1097
						4	\$548	10	\$1263
						5	\$630	11	\$1449
						6	\$725	12	\$1665
	[	C4COC/OCN	L	" / <b>"</b> O+	والمارين المراجات		1"   1		

For use under **Z30S160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3625	1.25 x 36 x 24.5-25	92.5	10	1	1	\$400	7	\$924
					2	\$464	8	\$1061
					3	\$532	9	\$1218
					4	\$612	10	\$1402
					5	\$699	11	\$1609
					6	\$805	12	\$1849

For use under **Z36S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4225	1.25 x 42 x 24.5-25	92.5	11.70	1	1	\$464	7	\$1069
					2	\$536	8	\$1229
					3	\$614	9	\$1414
					4	\$706	10	\$1623
					5	\$810	11	\$1865
					6	\$930	12	\$2143

For use under **Z42S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4825	1.25 x 48 x 24.5-25	85	13.30	1	1	\$504	7	\$1164
					2	\$582	8	\$1336
					3	\$669	9	\$1534
					4	\$767	10	\$1763
					5	\$882	11	\$2026
					6	\$1012	12	\$2329

For use under **Z48S16OS/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

• **NOTE**: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included**. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6025	1.25 x 60 x 24.5-25	100	16.70	1.80	1	\$621	7	\$1434
					2	\$715	8	\$1649
					3	\$823	9	\$1895
					4	\$943	10	\$2178
					5	\$1086	11	\$2502
					6	\$1248	12	\$2878

For use under **Z60S160S/0SN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to
do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting
hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 

#### **Required Specifications**

Fabric



**Wall Mounted Tackboard** 

25" WALL-MOUNTED TACKBOARDS

MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	FAB GKD	FI21	FAB GKD	ri91
	D x W x H			•				
ZWHT6625	1.25 x 66 x 24.5-2	5 92.5	18.30	1.80	1	\$661	7	\$1525
					2	\$764	8	\$1753
					3	\$876	9	\$2015
					4	\$1005	10	\$2317
					5	\$1155	11	\$2662
					6	\$1327	12	\$3061
F	C4COC/OCN 4 4:	- J    -    -    -    -    -    -    -	"" C+	ما المالية ا		1"  1		

For use under ZxxS160S/0SN for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7225	1.25 x 72 x 24.5-25	92.5	20	1.80	1	\$725	7	\$1675
					2	\$837	8	\$1923
					3	\$960	9	\$2208
					4	\$1103	10	\$2541
					5	\$1267	11	\$2919
					6	\$1457	12	\$3356

For use under ZxxS160S/OSN for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT7825	1.25 x 78 x 24.5-25	85	21.70	1.80	1	\$763	7	\$1765
					2	\$881	8	\$2026
					3	\$1010	9	\$2331
					4	\$1160	10	\$2678
					5	\$1334	11	\$3079
					6	\$1534	12	\$3539

For use under ZxxS160S/0SN for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT8425	1.25 x 84 x 24.5-25	85	23.30	1.80	1	\$829	7	\$1912
					2	\$955	8	\$2198
					3	\$1096	9	\$2526
					4	\$1261	10	\$2904
					5	\$1448	11	\$3336
					6	\$1663	12	\$3837

For use under ZxxS160S/0SN for a finished height of 71.5"/72". Standard with pre-mounted "J" bracket for wall mount applications.

• NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall Mounted Tackboard** 



**Wall Mounted Tackboard** 




**Wall Mounted Tackboard** 

**Required Specifications** 


	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZHBC72	<b>D x W x H</b> 12 x 36 x 71.9-72.4	125	176	23	\$1150	\$1217	N/A	N/A
Bookcase - 72" High	One fixed shelf.								
	ZHBC65	12 x 36 x 65.5-66	125	156	21	\$1113	\$1179	N/A	N/A
Bookcase - 65.5" High	One fixed shelf and tw	o adjustable shelves.							
	ZHBC48	12 x 36 x 48.5-49	125	122	15.75	\$843	\$909	N/A	N/A
Bookcase - 48.5" High	Two adjustable shelves	S.							
	ZHSHELF	11 x 34 x .5-1	100	13	1.50	\$295	N/A	N/A	N/A
	F	4" 11. 1							
Bookcase Shelf	Extra shelf for bookcas	es. I tnick.							
	Extra shelf for bookcas		ELY FASTENED	TO THE WALL	. OR GANGED	TO AN AD	JACENT U	NIT 30"W O	R WIDER
TABLE TOP BOOKCASES  11.75" 12.25" 1 40.8" /41.8"			75 100	<b>TO THE WALL</b> 44.91 39.33	5.25 4.30	\$336 \$308	\$403 \$366	N/A N/A N/A	N/A N/A
TABLE TOP BOOKCASES  11.75" 12.25"	NOTE: UNITS UNDER 30	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11.	75 100 75 100	44.91 39.33	5.25 4.30	\$336 \$308	\$403 \$366	N/A N/A	N/A N/A
TABLE TOP BOOKCASES  11.75" 12.25"  1 40.8"/41.8"	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 29"/29.5" high unit i" final height.	75 100 75 100 s to achieve 4	44.91 39.33 40.8"/41.8" fi 28.87	5.25 4.30 nal height or	\$336 \$308 r placed o	\$403 \$366 In top of 40 \$304	N/A N/A .8"/41.3" I	N/A N/A
11.75"/12.25" 1 40.8"/41.8"  [Table Top Bookcase 11.75"/12.25" High	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 21 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13	5.25 4.30 nal height of 3.10 2.70	\$336 \$308 r placed o \$258 \$247	\$403 \$366 In top of 40 \$304 \$289	N/A N/A .8"/41.3" I N/A N/A	N/A N/A nigh unit
11.75" 12.25" 11.75" 12.25" 11.75" 12.25" 11.75" 12.25" High	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5 Z21S12TN Z18S12TN Z16S12TN	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 18 x 11.25-11. 16 x 16 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13 24.57	5.25 4.30 nal height of 3.10 2.70 2.40	\$336 \$308 r placed o \$258 \$247 \$235	\$403 \$366 In top of 40 \$304 \$289 \$273	N/A N/A .8"/41.3" I N/A N/A N/A	N/A N/A high unit
11.75" 12.25" 11.75" 12.25" 11.75" 12.25" 11.75" 12.25" High	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 21 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5 75 92.5 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13	5.25 4.30 nal height of 3.10 2.70	\$336 \$308 r placed o \$258 \$247	\$403 \$366 In top of 40 \$304 \$289	N/A N/A .8"/41.3" I N/A N/A	N/A N/A nigh unit
TABLE TOP BOOKGASES  11.75" 12.25" 1 40.8"/41.8"  Table Top Bookcase 11.75"/12.25" High	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5 Z21S12TN Z18S12TN Z16S12TN Z15S12TN	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 21 x 11.25-11. 16 x 18 x 11.25-11. 16 x 15 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5 75 92.5 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13 24.57 24.34	5.25 4.30 nal height of 3.10 2.70 2.40 2.30	\$336 \$308 r placed o \$258 \$247 \$235 \$225	\$403 \$366 In top of 40 \$304 \$289 \$273 \$258	N/A N/A .8"/41.3" I N/A N/A N/A N/A	N/A N/A nigh unit
TABLE TOP BOOKCASES  11.75" 12.25"  1 40.8" /41.8"  11.75" 12.25"  11.75" 12.25"  52.5" /53.5"  11.75" 140.8" /41.8"	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5 Z21S12TN Z18S12TN Z16S12TN Z15S12TN	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 21 x 11.25-11. 16 x 18 x 11.25-11. 16 x 15 x 11.25-11. 16 x 12 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5 75 92.5 75 92.5 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13 24.57 24.34 21.55	5.25 4.30 nal height of 3.10 2.70 2.40 2.30 1.90	\$336 \$308 T placed of \$258 \$247 \$235 \$225 \$213	\$403 \$366 In top of 40 \$304 \$289 \$273 \$258 \$242	N/A N/A .8"/41.3" I N/A N/A N/A N/A	N/A N/A nigh unit N/A N/A N/A N/A
TABLE TOP BOOKCASES    11.75"   12.25"   40.8"   /41.8"	Z36S12TN Z30S12TN To be placed on top of to achieve 52.5"/53.5 Z21S12TN Z18S12TN Z16S12TN Z15S12TN Z12S12TN Z15S12TN To be placed on top of	16 x 36 x 11.25-11. 16 x 30 x 11.25-11. 16 x 30 x 11.25-11. 16 x 21 x 11.25-11. 16 x 18 x 11.25-11. 16 x 16 x 11.25-11. 16 x 15 x 11.25-11. 16 x 12 x 11.25-11.	75 100 75 100 s to achieve 4 75 100 75 92.5 75 92.5 75 92.5 75 92.5	44.91 39.33 40.8"/41.8" fi 28.87 27.13 24.57 24.34 21.55	5.25 4.30 nal height of 3.10 2.70 2.40 2.30 1.90	\$336 \$308 T placed of \$258 \$247 \$235 \$225 \$213	\$403 \$366 In top of 40 \$304 \$289 \$273 \$258 \$242	N/A N/A .8"/41.3" I N/A N/A N/A N/A	N/A N/A nigh unit N/A N/A N/A N/A

TABLE TUP BUUKCASES	
	lazed door option


# **Closed Table Top Bookcase** 47.7" High




**Closed Table Top Bookcase** 41" High



### **Closed Table Top Bookcase** 54" High



# **Closed Table Top Bookcase** 48" High



**Closed Table Top Bookcase** 61" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36S48T	16 x 36 x 47.2-47	7.7 125	149	20.25	\$1370	\$1437	\$1443	N/A
Z30S48T	16 x 30 x 47.2-47	7.7 125	130	17	\$1251	\$1309	\$1246	N/A

Designed to be placed on top of 17.87"/18.37" high units to achieve 65.5"/66" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S41T	16 x 36 x 41.35-41.85 125	128	17.75	\$1126	\$1193	\$1252	N/A
Z30S41T	16 x 30 x 41.35-41.85 125	111	15	\$1179	\$1237	\$1091	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 65.5"/66" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S54T	16 x 36 x 53.63-54.13 125	163	22.75	\$1617	\$1684	\$1443	N/A
Z30S54T	16 x 30 x 53.63-54.13 125	142	19	\$1251	\$1309	\$1246	N/A

Designed to be placed on top of 17.87"/18.37" high units to achieve 71.9"/72.4" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S49T	16 x 36 x 47.76-48.26	125	141	20.25	\$1437	\$1504	\$952	N/A
Z30S49T	16 x 30 x 47.76-48.26	125	123	17.25	\$1289	\$1346	\$850	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 71.9"/72.4" final height. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z36S61T	16 x 36 x 60.25-60.75 125	176	25.25	\$1697	\$1764	\$1132	N/A
Z30S61T	16 x 30 x 60.25-60.75 125	153	21.25	\$1517	\$1574	\$1010	N/A

Designed to be placed on top of 23.75"/24.25" high units to achieve 84.4"/84.9" final height.

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 

Glazed doors



Table Top Bookcase 23.5"/24" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
	DxWxH							
Z36S23T	16 x 36 x 23-23.	5 100	87.45	9.50	\$804	\$871	<b>\$792</b> N	I/A
Z30S23T	16 x 30 x 23-23.5	5 100	75.78	8	\$732	\$790	<b>\$699</b> N	I/A

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

23.5"/24" 1 52.5"/53.5"	azed door option
----------------------------	------------------

**Table Top Bookcase with Door - LEFT** 23.5"/24" High

Z21S23TL	16 x 21 x 23-23.5	92.5	58.83	5.75	\$573	\$618	\$432	N/A
Z18S23TL	16 x 18 x 23-23.5	92.5	54.65	5	\$552	\$590	\$395	N/A
Z16S23TL	16 x 16 x 23-23.5	92.5	46.71	4.50	\$490	\$528	\$386	N/A
Z15S23TL	16 x 15 x 23-23.5	92.5	46.06	4.20	\$465	\$498	\$348	N/A
Z12S23TL	16 x 12 x 23-23.5	92.5	40.77	3.50	\$434	\$463	\$314	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.





Z21S23TR	16 x 21 x 23-23.5	92.5	58.83	5.75	\$573	\$618	\$432	N/A
Z18S23TR	16 x 18 x 23-23.5	92.5	54.65	5	\$552	\$590	\$395	N/A
Z16S23TR	16 x 16 x 23-23.5	92.5	46.71	4.50	\$490	\$528	\$386	N/A
Z15S23TR	16 x 15 x 23-23.5	92.5	46.06	4.20	\$465	\$498	\$348	N/A
Z12S23TR	16 x 12 x 23-23.5	92.5	40.77	3.50	\$434	\$463	\$314	N/A

Table Top Bookcase with Door - RIGHT 23.5"/24" High

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes one adjustable shelf**. Standard with lock.



Z36S23TN
Z30S23TN

Z36S23TN	16 x 36 x 23-23.5	125	69.06	9.50	\$526	\$593	N/A	N/A
Z30S23TN	16 x 30 x 23-23.5	125	60.33	8	\$483	\$540	N/A	N/A

Table Top Bookcase 23.5"/24" High

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Includes one adjustable shelf.



	,	N/A
716C22TN 16 v 16 v 22 22 5 100 20 22 4 50 <b>\$242 \$201</b>		
2103231N 10 x 10 x 23-23.5 100 36.22 4.50 <b>3343 3361</b> 1	N/A	N/A
Z15S23TN 16 x 15 x 23-23.5 100 37 4.20 <b>\$329 \$361</b> !	N/A	N/A
Z12S23TN 16 x 12 x 23-23.5 100 34.15 3.50 <b>\$307 \$337</b> 1	N/A	N/A

Table Top Bookcase 23.5"/24" High*

Designed to be placed on top of 29"/29.5" high units to achieve 52.5"/53.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Includes one adjustable shelf.





Z36S36T	16 x 36 x 35.5-36	100	124.30	14.25	\$1033	\$1100	\$1021	N/A
Z30S36T	16 x 30 x 35.5-36	100	106.67	12	\$894	\$951	\$893	N/A

**Table Top Bookcase with Doors** 36"/36.5" High

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

**Optional Specifications** 

Keq	luired	Spe	eciti	cat	ions
Top	finish				
Dag	ام استما				

Collato	r*
Glazed	door

Base finish Top/Edge Detail

N/A

N/A

N/A

N/A

N/A

GLAZE ADD HP ADD

\$561

\$507

\$499

\$444

\$400

\$902

\$786

\$501

\$451

\$444

N/A

N/A

N/A

N/A

N/A

<b>36"</b> / <b>3</b> 6.5" 65"/66"
]

TABLE TOP BOOKCASES



MODEL#

Z21S36TL

Z18S36TL

Z16S36TL

Z15S36TL

Z12S36TL

Z36S36TC

Z30S36TC

Z21S36TCL

Z18S36TCL

Z16S36TCL

DIMENSIONS

DxWxH

16 x 21 x 35.5-36

16 x 18 x 35.5-36

16 x 16 x 35.5-36

16 x 15 x 35.5-36

16 x 12 x 35.5-36

Includes two adjustable shelves. Standard with lock.

Includes two adjustable shelves. Standard with lock.

Includes one adjustable shelf. Standard with lock.

16 x 36 x 35.5-36

16 x 30 x 35.5-36

16 x 21 x 35.5-36

16 x 18 x 35.5-36

16 x 16 x 35.5-36

FREIGHT CLASS

100

100

92.5

92.5

92.5

100

100

100

100

100

**Table Top Bookcase with Doors** 36"/36.5" High - LEFT



Z21S36TR	16 x 21 x 35.5-36	100	82.99	8.75	\$732	\$778	\$561	N/A
Z18S36TR	16 x 18 x 35.5-36	100	74.72	7.50	\$700	\$738	\$507	N/A
Z16S36TR	16 x 16 x 35.5-36	92.5	67.82	6.75	\$640	\$678	\$499	N/A
Z15S36TR	16 x 15 x 35.5-36	92.5	66.46	6.50	\$609	\$642	\$444	N/A
Z12S36TR	16 x 12 x 35.5-36	92.5	59.30	5.25	\$565	\$594	\$400	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard.

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate doors are standard.

116.98

100.58

78.72

71.07

64.57

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard.

WT/LBS.

82.99

74.72

67.82

66.46

59.30

CUBIC FT.

8.75

7.50

6.75

6.50

5.25

14.25

12

8.75

7.50

6.75

1.5" TOP

\$778

\$738

\$678

\$642

\$594

1"TOP

\$732

\$700

\$640

\$609

\$565

\$976

\$845

\$697

\$672

\$610

\$1043

\$903

\$743

\$714

\$648

**Table Top Bookcase with Doors** 36"/36.5" High - RIGHT

65"/66"





**Table Top Bookcase with Doors and** Cavity - 36"/36.5" High







Table Top Bookcase with Doors and* Cavity - 36"/36.5" High - LEFT







Table Top Bookcase with Doors and* Cavity - 36"/36.5" High - RIGHT



Table Top Bookcase 36"/36.5" High

Z15S36TCL	16 x 15 x 35.5-36	100	63.42	6.50	\$586	\$618	\$394	N/A
Z12S36TCL	16 x 12 x 35.5-36	92.5	56.87	5.25	\$545	\$575	\$353	N/A
0 1	ed <b>on top of 29"/29.5" h</b> I <b>stable shelf</b> . Standard v	•	to achieve 65″/6	66" final h	<b>eight.</b> Lam	inate door	is standard	

Z21S36TCR	16 x 21 x 35.5-36	100	78.72	8.75	\$697	\$743	\$501	N/A
Z18S36TCR	16 x 18 x 35.5-36	100	71.07	7.50	\$672	\$714	\$451	N/A
Z16S36TCR	16 x 16 x 35.5-36	100	64.57	6.75	\$610	\$648	\$444	N/A
Z15S36TCR	16 x 15 x 35.5-36	100	63.42	6.50	\$586	\$618	\$394	N/A
Z12S36TCR	16 x 12 x 35.5-36	92.5	56.87	5.25	\$545	\$575	\$353	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z36S36TN	16 x 36 x 35.5-36	125	95.31	14.25	\$694	\$763	N/A	N/A
Z30S36TN	16 x 30 x 35.5-36	125	82.38	12	\$591	\$649	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Includes two adjustable shelves

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 

Collator¹ Glazed doors



Table Top Bookcase 36"/36.5" High*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z21S36TN	16 x 21 x 35.5-36	125	65.62	8.75	\$537	\$583	N/A	N/A
Z18S36TN	16 x 18 x 35.5-36	125	59.68	7.50	\$523	\$565	N/A	N/A
Z16S36TN	16 x 16 x 35.5-36	100	56	6.75	\$463	\$501	N/A	N/A
Z15S36TN	16 x 15 x 35.5-36	100	53.74	6.50	\$448	\$481	N/A	N/A
Z12S36TN	16 x 12 x 35.5-36	125	48.85	6.25	\$418	\$447	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 65"/66" final height. Includes two adjustable shelves

16 x 36 x 23.75-24.25 100

16 x 30 x 23.75-24.25 100

<b>24.25"</b> /24.75"	/
65"/66"	(
	/



Z36S24T

Z30S24T

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5
HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

89.26

77.47

10


8.25

\$806

\$736

\$873

\$793







Z21S24TL	16 x 21 x 23.75-24.25 100	59.24	6	\$573	\$619	\$501	N/A
Z18S24TL	16 x 18 x 23.75-24.25 92.5	56.11	5.25	\$553	\$591	\$451	N/A
Z16S24TL	16 x 16 x 23.75-24.25 92.5	48.13	4.60	\$491	\$529	\$444	N/A
Z15S24TL	16 x 15 x 23.75-24.25 92.5	46.35	4.30	\$466	\$499	\$394	N/A
Z12S24TL	16 x 12 x 23.75-24.25 85	44.32	3.60	\$435	\$464	\$353	N/A

**Table Top Bookcase with Door - LEFT** 

24.25"/24.75" High





16 x 21 x 23.75-24.25 100 Z21S24TR 59.24 6 \$573 \$619 \$501 N/A 16 x 18 x 23.75-24.25 92.5 56.11 5.25 \$553 \$591

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5

HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z18S24TR \$451 N/A \$444 Z16S24TR 16 x 16 x 23.75-24.25 92.5 48.13 4.60 \$491 \$529 N/A Z15S24TR 16 x 15 x 23.75-24.25 92.5 46.35 4.30 \$466 \$499 \$394 N/A 16 x 12 x 23.75-24.25 85 44.32 3.60 \$435 \$464 \$353 Z12S24TR N/A

Table Top Bookcase with Door - RIGHT 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.



Z36S24TN	16 x 36 x 23.75-24.25 125	70.11	10	\$526	\$595	N/A	N/A
Z30S24TN	16 x 30 x 23.75-24.25 125	61.38	8.25	\$483	\$541	N/A	N/A

**Table Top Bookcase** 24.25"/24.75" High





HIGH UNITS. Includes one adjustable shelf.

Z21S24TN	16 x 21 x 23.75-24.25	125	47.77	6	\$411	\$457	N/A	N/A
Z18S24TN	16 x 18 x 23.75-24.25	100	46.03	5.25	\$404	\$446	N/A	N/A
Z16S24TN	16 x 16 x 23.75-24.25	100	39.27	4.60	\$344	\$382	N/A	N/A
Z15S24TN	16 x 15 x 23.75-24.25	100	37.99	4.30	\$329	\$362	N/A	N/A
Z12S24TN	16 x 12 x 23.75-24.25	92.5	37.30	3.60	\$308	\$337	N/A	N/A

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5

Table Top Bookcase* 24.25"/24.75" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf.

Required	Specifications

Top finish Base finish Top/Edge Detail

## **Optional Specifications**

Collator⁵ Glazed doors N/A

N/A

\$902

\$786




71.5"/72.5'

TABLE TOP BOOKCASES



<b>Table Top Bookcase with</b>	Doors
42 4"/42 9" High	





**Table Top Bookcase with Door - LEFT** 42.4"/42.9" High





**Table Top Bookcase with Door - RIGHT** 42.4"/42.9" High





**Table Top Bookcase with Doors and** Cavity 42.4"/42.9" High





Table Top Bookcase with Door and* Cavity 42.4"/42.9" High - LEFT




Table Top Bookcase with Door and* Cavity 42.4"/42.9" High - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36S42T	16 x 36 x 41.9-42	2.4 100	137.40	16.75	\$1126	\$1193	\$1252	N/A
Z30S42T	16 x 30 x 41.9-42	2.4 100	119.06	14	\$983	\$1041	\$1091	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Z21S42TL	16 x 21 x 41.9-42.4	300	119	70	\$798	\$844	\$693	N/A
Z18S42TL	16 x 18 x 41.9-42.4	85	117	8.75	\$766	\$804	\$623	N/A
Z16S42TL	16 x 16 x 41.9-42.4	300	112	62	\$691	\$729	\$617	N/A
Z15S42TL	16 x 15 x 41.9-42.4	250	109	54	\$655	\$687	\$542	N/A
Z12S42TL	16 x 12 x 41.9-42.4	250	105	49	\$609	\$639	\$489	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z21S42TR	16 x 21 x 41.9-42.4	300	119	70	\$798	\$844	\$693	N/A
Z18S42TR	16 x 18 x 41.9-42.4	85	117	8.75	\$766	\$804	\$623	N/A
Z16S42TR	16 x 16 x 41.9-42.4	300	112	62	\$691	\$729	\$617	N/A
Z15S42TR	16 x 15 x 41.9-42.4	250	109	54	\$655	\$687	\$542	N/A
Z12S42TR	16 x 12 x 41.9-42.4	250	105	49	\$609	\$639	\$489	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

Z36S42TC	16 x 36 x 41.9-42.4	125	130.09	16.75	\$1091	\$1158	\$985	N/A
Z30S42TC	16 x 30 x 41.9-42.4	100	112.97	14	\$953	\$1011	\$857	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

Z21S42TCL	16 x 21 x 41.9-42.4	100	87.84	10	\$780	\$825	\$547	N/A
Z18S42TCL	16 x 18 x 41.9-42.4	100	79.83	8.75	\$749	\$787	\$492	N/A
Z16S42TCL	16 x 16 x 41.9-42.4	100	73.75	8	\$672	\$710	\$488	N/A
Z15S42TCL	16 x 15 x 41.9-42.4	100	70.71	7.50	\$640	\$672	\$429	N/A
Z12S42TCL	16 x 12 x 41.9-42.4	92.5	62.70	6	\$593	\$623	\$386	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Z21S42TCR	16 x 21 x 41.9-42.4	100	87.84	10	\$780	\$825	\$547	N/A
Z18S42TCR	16 x 18 x 41.9-42.4	100	79.83	8.75	\$749	\$787	\$492	N/A
Z16S42TCR	16 x 16 x 41.9-42.4	100	73.75	8	\$672	\$710	\$488	N/A
Z15S42TCR	16 x 15 x 41.9-42.4	100	70.71	7.50	\$640	\$672	\$429	N/A
712S42TCR	16 x 12 x 41 9-42 4	92 5	62 70	6	\$593	\$623	\$386	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 71.5"/72.5" final height. DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.

Rear	iired	Sne	cific	atin	n

Top finish Base finish Top/Edge Detail

# **Optional Specifications**



Table Top Bookcase 42.4"/42.9" High





Table Top Bookcase* 42.4"/42.9" High





Table Top Bookcase with Doors 30.7"/31.2" High





Table Top Bookcase with Door 30.7"/31.2" High - LEFT





Table Top Bookcase with Door 30.7"/31.2" High - RIGHT



Table Top Bookcase 30.7"/31.2" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP	ADD
	DxWxH							
Z36S42TN	16 x 36 x 41.9-42	2.4 125	103.71	16.75	\$756	\$823	N/A N	N/A
Z30S42TN	16 x 30 x 41.9-42	2.4 125	90.78	14	\$658	\$716	N/A N	V/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves**. Standard with lock.

Z21S42TN	16 x 21 x 41.9-42.4	125	71.92	10	\$586	\$632	N/A	N/A
Z18S42TN	16 x 18 x 41.9-42.4	125	65.98	8.75	\$573	\$611	N/A	N/A
Z16S42TN	16 x 16 x 41.9-42.4	125	61.32	8	\$495	\$533	N/A	N/A
Z15S42TN	16 x 15 x 41.9-42.4	125	58.99	7.50	\$483	\$516	N/A	N/A
Z12S42TN	16 x 12 x 41.9-42.4	100	53.05	6	\$450	\$479	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves**. Standard with lock.

Z36S31T	16 x 36 x 30.2-30.7	100	104.19	12.25	\$886	\$953	\$985	N/A
Z30S31T	16 x 30 x 30.2-30.7	100	89.36	10.50	\$793	\$851	\$857	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TL	16 x 21 x 30.2-30.7	100	69.88	7.50	\$634	\$680	\$547	N/A
Z18S31TL	16 x 18 x 30.2-30.7	92.5	65.22	6.50	\$580	\$618	\$492	N/A
Z16S31TL	16 x 16 x 30.2-30.7	92.5	59.18	5.75	\$553	\$591	\$488	N/A
Z15S31TL	16 x 15 x 30.2-30.7	92.5	56.15	5.50	\$528	\$560	\$429	N/A
Z12S31TL	16 x 12 x 30.2-30.7	92.5	50.39	4.40	\$492	\$522	\$386	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TR	16 x 21 x 30.2-30.7	100	69.88	7.50	\$634	\$680	\$547	N/A
Z18S31TR	16 x 18 x 30.2-30.7	92.5	65.22	6.50	\$580	\$618	\$492	N/A
Z16S31TR	16 x 16 x 30.2-30.7	92.5	59.18	5.75	\$553	\$591	\$488	N/A
Z15S31TR	16 x 15 x 30.2-30.7	92.5	56.15	5.50	\$528	\$560	\$429	N/A
Z12S31TR	16 x 12 x 30.2-30.7	92.5	50.39	4.40	\$492	\$522	\$386	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z36S31TN	16 x 36 x 30.2-30.7	125	79.56	12.25	\$577	\$644	N/A	N/A
Z30S31TN	16 x 30 x 30.2-30.7	125	68.73	10.50	\$520	\$577	N/A	N/A

Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Includes one adjustable shelf.

Required	l Speci	fications

Top finish Base finish Top/Edge Detail

#### **Optional Specifications**

TABLE TOP BOOKCASES



Table Top Bookcase* 30.7"/31.2" High





**Table Top Bookcase with Doors** 54.9"/55.4" High





**Table Top Bookcase with Door - LEFT** 54.9"/55.4" High





**Table Top Bookcase with Door - RIGHT** 54.9"/55.4" High





**Table Top Bookcase with Doors** and Cavity 54.9"/55.4" High







**Table Top Bookcase with Door - LEFT** and Cavity 54.9"/55.4" High*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z21S31TN	16 x 21 x 30.2-3	0.7 125	55.12	7.50	\$454	\$499	N/A	N/A
Z18S31TN	16 x 18 x 30.2-3	0.7 100	52.33	6.50	\$416	\$454	N/A	N/A
Z16S31TN	16 x 16 x 30.2-3	0.7 100	47.67	5.75	\$394	\$432	N/A	N/A
Z15S31TN	16 x 15 x 30.2-3	0.7 100	45.34	5.50	\$381	\$413	N/A	N/A
Z12S31TN	16 x 12 x 30.2-3	0.7 100	41.50	4.40	\$354	\$383	N/A	N/A

Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Includes one adjustable shelf.

Z36S55T	16 x 36 x 54.4-54.9	100	174.25	21.50	\$1370	\$1437	\$1443	N/A
Z30S55T	16 x 30 x 54.4-54.9	100	152.16	18	\$1251	\$1309	\$1246	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves. Standard with lock.

Z21S55TL	16 x 21 x 54.4-54.9	100	116.26	13	\$972	\$1018	\$804	N/A
Z18S55TL	16 x 18 x 54.4-54.9	100	104.66	11.25	\$913	\$955	\$719	N/A
Z16S55TL	16 x 16 x 54.4-54.9	100	97.67	10	\$870	\$908	\$712	N/A
Z15S55TL	16 x 15 x 54.4-54.9	100	94.17	9.50	\$830	\$862	\$620	N/A
Z12S55TL	16 x 12 x 54.4-54.9	92.5	83.67	7.75	\$769	\$798	\$553	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z21S55TR	16 x 21 x 54.4-54.9	100	116.26	13	\$972	\$1018	\$804	N/A
Z18S55TR	16 x 18 x 54.4-54.9	100	104.66	11.25	\$913	\$955	\$719	N/A
Z16S55TR	16 x 16 x 54.4-54.9	100	97.67	10	\$870	\$908	\$712	N/A
Z15S55TR	16 x 15 x 54.4-54.9	100	94.17	9.50	\$830	\$862	\$620	N/A
Z12S55TR	16 x 12 x 54.4-54.9	92.5	83.67	7.75	\$769	\$798	\$553	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z36S55TC	16 x 36 x 54.4-54.9	125	166.94	21.50	\$1334	\$1401	\$1257	N/A
Z30S55TC	16 x 30 x 54.4-54.9	100	146.06	18	\$1219	\$1277	\$1095	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Z21S55TCL	16 x 21 x 54.4-54.9	100	112	13	\$939	\$984	\$696	N/A
Z18S55TCL	16 x 18 x 54.4-54.9	100	101.01	11.25	\$885	\$923	\$625	N/A
Z16S55TCL	16 x 16 x 54.4-54.9	100	94.42	10	\$837	\$879	\$618	N/A
Z15S55TCL	16 x 15 x 54.4-54.9	100	91.12	9.50	\$799	\$832	\$545	N/A
Z12S55TCL	16 x 12 x 54.4-54.9	92.5	81.24	7.75	\$742	\$771	\$491	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 




Table Top Bookcase with Door - RIGHT and Cavity - 54.9"/55.4" High*

		WT/LBS.	CUBIC FT.	1"T0P	1.5 101	GLAZE ADD	NP AUU
DxWxH							
Z21S55TCR 16 x 21 x 54	1.4-54.9 100	112	13	\$939	\$984	\$696	N/A
Z18S55TCR 16 x 18 x 54	1.4-54.9 100	101.01	11.25	\$885	\$923	\$625	N/A
Z16S55TCR 16 x 16 x 54	1.4-54.9 100	94.42	10	\$837	\$879	\$618	N/A
Z15S55TCR 16 x 15 x 54	1.4-54.9 100	91.12	9.50	\$799	\$832	\$545	N/A
Z12S55TCR 16 x 12 x 54	1.4-54.9 92.5	81.24	7.75	\$742	\$771	\$491	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Laminate door is standard. Includes two adjustable shelves. Standard with lock.

	Z36S55TN	16 x 36 x 54.4-54.9	125	129.96	21.50	\$912	\$979	N/A	N/A
54.9"/\$5.4"	Z30S55TN	16 x 30 x 54.4-54.9	125	114.93	18	\$849	\$906	N/A	N/A
84"/85"									

**Table Top Bookcase** 54.9"/55.4" High





54.9"/55.4" High





Table Top Bookcase*



**Table Top Bookcase with Doors** 43.2"/43.7" High





**Table Top Bookcase with Door** 43.2"/43.7" High





**Table Top Bookcase with Door** 43.2"/43.7" High

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves

Z21S55TN	16 x 21 x 54.4-54.9	125	89.77	13	\$711	\$756	N/A	N/A
Z18S55TN	16 x 18 x 54.4-54.9	125	81.73	11.25	\$677	\$715	N/A	N/A
Z16S55TN	16 x 16 x 54.4-54.9	125	77.07	10	\$633	\$671	N/A	N/A
Z15S55TN	16 x 15 x 54.4-54.9	125	74.74	9.50	\$618	\$651	N/A	N/A
Z12S55TN	16 x 12 x 54.4-54.9	100	67.75	7.75	\$577	\$606	N/A	N/A

Designed to be placed on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves

Z36S43T	16 x 36 x 42.7-43.2	100	139.22	17	\$1151	\$1218	\$1257	N/A
Z30S43T	16 x 30 x 42.7-43.2	100	120.76	14.50	\$983	\$1041	\$1095	N/A

Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. Laminate doors are standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Z21S43TL	16 x 21 x 42.7-43.2	100	93.62	10.25	\$815	\$860	\$696	N/A
Z18S43TL	16 x 18 x 42.7-43.2	100	84.94	9	\$780	\$818	\$625	N/A
Z16S43TL	16 x 16 x 42.7-43.2	100	78.42	8	\$699	\$737	\$618	N/A
Z15S43TL	16 x 15 x 42.7-43.2	92.5	75.16	7.50	\$658	\$690	\$545	N/A
Z12S43TL	16 x 12 x 42.7-43.2	92.5	66.48	6.25	\$610	\$640	\$491	N/A

Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Z21S43TR	16 x 21 x 42.7-43.2	100	93.62	10.25	\$815	\$860	\$696	N/A
Z18S43TR	16 x 18 x 42.7-43.2	100	84.94	9	\$780	\$818	\$625	N/A
Z16S43TR	16 x 16 x 42.7-43.2	100	78.42	8	\$699	\$737	\$618	N/A
Z15S43TR	16 x 15 x 42.7-43.2	92.5	75.16	7.50	\$658	\$690	\$545	N/A
Z12S43TR	16 x 12 x 42.7-43.2	92.5	66.48	6.25	\$610	\$640	\$491	N/A

Designed to be placed on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height. Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Required	l Speci	fications

Top finish Base finish Top/Edge Detail

# **Optional Specifications**



TABLE TOP BOOKCASES



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z36S43TC	16 x 36 x 42.7-4	13.2 125	131.91	17	\$1113	\$1180	\$989	N/A
Z30S43TC	16 x 30 x 42.7-4	13.2 125	114.67	14.50	\$974	\$1031	\$843	N/A

**Table Top Bookcase with Doors** and Cavity - 43.2"/43.7" High*

**Table Top Bookcase with Door** 


and Cavity - 43.2"/43.7" High - LEFT**





DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves. Standard with lock.

Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. Laminate doors are standard.



Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf. Standard with lock.







Z21S43TCR	16 x 21 x 42.7-43.2	100	89.36	10.25	\$793	\$839	\$546	N/A
Z18S43TCR	16 x 18 x 42.7-43.2	100	81.29	9	\$761	\$799	\$491	N/A
Z16S43TCR	16 x 16 x 42.7-43.2	100	75.17	8	\$681	\$719	\$486	N/A
Z15S43TCR	16 x 15 x 42.7-43.2	100	72.11	7.50	\$642	\$674	\$428	N/A
Z12S43TCR	16 x 12 x 42.7-43.2	92.5	64.05	6.25	\$596	\$626	\$386	N/A

**Table Top Bookcase with Door** and Cavity - 43.2"/43.7" High - RIGHT** Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf. Standard with lock.



Z36S43TN	16 x 36 x 42.7-43.2	125	104.76	17	\$779	\$846	N/A	N/A
Z30S43TN	16 x 30 x 42.7-43.2	125	91.83	14.50	\$675	\$733	N/A	N/A

**Table Top Bookcase** 43.2"/43.7" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves.





Z21S43TN	16 x 21 x 42.7-43.2	125	72.97	10.25	\$601	\$647	N/A	N/A
Z18S43TN	16 x 18 x 42.7-43.2	125	67.03	9	\$585	\$623	N/A	N/A
Z16S43TN	16 x 16 x 42.7-43.2	125	62.37	8	\$503	\$541	N/A	N/A
Z15S43TN	16 x 15 x 42.7-43.2	100	60.04	7.50	\$484	\$517	N/A	N/A
Z12S43TN	16 x 12 x 42.7-43.2	100	54.10	6.25	\$451	\$480	N/A	N/A

Table Top Bookcase* 43.2"/43.7" High

Designed to be placed on top of 40.8"/41.3" high units to achieve 84"/85" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves.

**Required Specifications** 

Top finish Base finish Top/Edge Detail **Optional Specifications** 



**END SHELVES** 

End Shelf - LEFT 29"/29.5" High*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP A	DD
	DxWxH							
Z24L2ESHL	24 x 24 x 29.5-3	0 70	99.75	4.75	\$667	\$724	N/A <b>\$13</b>	1
Z20M2ESHL	20 x 20 x 29.5-3	0 70	76.65	3.75	\$553	\$596	N/A <b>\$8</b> 4	4
Z16S2ESHL	16 x 16 x 29.5-3	0 65	53.55	2.25	\$470	\$508	N/A <b>\$8</b> 4	4

For use at **LEFT end of 29"/29.5"H units**. **One adjustable shelf**. Shipped RTA (ready to assemble).

King.	*******
-	

End Shelf - RIGHT 29"/29.5" High*

Z24L2ESHR	24 x 24 x 29.5-30	70	99.75	4.75	\$667	\$724	N/A	\$131
Z20M2ESHR	20 x 20 x 29.5-30	70	76.65	3.75	\$553	\$596	N/A	\$84
Z16S2ESHR	16 x 16 x 29.5-30	65	53.55	2.25	\$470	\$508	N/A	\$84

For use at RIGHT end of 29"/29.5"H units. One adjustable shelf. Shipped RTA (ready to assemble).





End Shelf -	<b>IFFT</b>	40 8"/41	3"	Hinh**
Liiu Siicii -	LLII	70.0 /71		HIIYII

Z24L4ESHL	24 x 24 x 41.3-41.8	65	130.20	4.75	\$856	\$914	N/A	N/A
Z20M4ESHL	20 x 20 x 41.3-41.8	60	101	3.25	\$719	\$762	N/A	N/A
Z16S4ESHL	16 x 16 x 41.3-41.8	65	73.87	2.50	\$611	\$649	N/A	N/A

For use at **LEFT end of 40.8"/41.3"H units**. Two adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S4ESHL





End Shelf - RIGHT 40.8"/41.3" High**

Z24L4ESHR	24 x 24 x 41.3-41.8	65	130.20	4.75	\$856	\$914	N/A	N/A
Z20M4ESHR	20 x 20 x 41.3-41.8	60	101	3.25	\$719	\$762	N/A	N/A
Z16S4ESHR	16 x 16 x 41.3-41.8	65	73.87	2.50	\$611	\$649	N/A	N/A

For use at RIGHT end of 40.8"/41.3"H units. Two adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S4ESHR





End Shelf - LEFT 52.5"/53" High**

Z24L5ESHL	24 x 24 x 53-53.5	60	162.75	4.75	\$1061	\$1118	N/A	N/A
Z20M5ESHL	20 x 20 x 53-53.5	60	125.69	4	\$875	\$918	N/A	N/A
Z16S5ESHL	16 x 16 x 53-53.5	65	91.35	3.25	\$738	\$780	N/A	N/A

For use at **LEFT end of 52.5"/53"H units**. Three adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S5ESHL





End Shelf - RIGHT 52.5"/53" High**

Z24L5ESHR	24 x 24 x 53-53.5	60	162.75	4.75	\$1061	1118	N/A	N/A
Z20M5ESHR	20 x 20 x 53-53.5	60	125.69	4	\$875	\$918	N/A	N/A
Z16S5ESHR	16 x 16 x 53-53.5	65	91.35	3.25	\$738	\$780	N/A	N/A

For use at RIGHT end of 52.5"/53"H units. Three adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S5ESHR

**Required Specifications** 

Top finish Base finish Top/Edge Detail Optional Specifications
Collator**

Glazed doors*

N/A

N/A

N/A

GLAZE ADD HP ADD

N/A

N/A

N/A



**END SHELVES** 



End Shelf - LEFT 65"/65.5" High



MODEL#

For use at LEFT end of 65"/65.5"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

FREIGHT CLASS

60

60

65

• Collator only available on Z16S6ESHL

DIMENSIONS





End Shelf -	RIGHT	65"/65.5	" High
-------------	-------	----------	--------

Z24L6ESHR	24 x 24 x 65.5-66	60	196	6	\$1240	\$1298	N/A	N/A
Z20M6ESHR	20 x 20 x 65.5-66	60	152	5	\$1031	\$1074	N/A	N/A
Z16S6ESHR	16 x 16 x 65.5-66	65	111.30	4.25	\$880	\$918	N/A	N/A

WT/LBS.

196

152

111.30

CUBIC FT.

6

5

4.25

1"TOP

\$1240

\$1031

\$880

1.5" TOP

\$1298

\$1074

\$918

For use at RIGHT end of 65"/65.5"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S6ESHR





End Shelf -	LEFT 71.5".	/72" Hiah

7041750111				0.50				
Z24L7ESHL	24 x 24 x 71.9-72.4	60	206.85	6.50	\$1302	\$1359	N/A	N/A
Z20M7ESHL	20 x 20 x 71.9-72.4	65	160.65	5.75	\$1087	\$1130	N/A	N/A
Z16S7ESHL	16 x 16 x 71.9-72.4	65	117.60	4.75	\$925	\$963	N/A	N/A

For use at LEFT end of 71.5"/72"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S7ESHL





End Shelf - RIGHT 71.5"/72" High

Z24L7ESHR	24 x 24 x 71.9-72.4	60	206.85	6.50	\$1302	\$1359	N/A	N/A
Z20M7ESHR	20 x 20 x 71.9-72.4	65	160.65	5.75	\$1087	\$1130	N/A	N/A
Z16S7ESHR	16 x 16 x 71.9-72.4	65	117.60	4.75	\$925	\$963	N/A	N/A

For use at RIGHT end of 71.5"/72"H units. Four adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S7ESHR





End Shelf - LEFT 84"/84.5" High

Z24L8ESHL	24 x 24 x 84.4-84.9	60	241.50	7.75	\$1494	\$1551	N/A	N/A
Z20M8ESHL	20 x 20 x 84.4-84.9	65	185.85	6.50	\$1246	\$1289	N/A	N/A
Z16S8ESHL	16 x 16 x 84.4-84.9	65	136.50	5.50	\$1058	\$1096	N/A	N/A

For use at **LEFT end of 84"/84.5"H units. Five adjustable shelves**. Shipped RTA (ready to assemble).

• Collator only available on Z16S8ESHL

None and a second	Trans.	
Property of the last of the la		
Mago	~ >	
	$\sim$	
1000		
	- 1	
	$\sim$	
200	-	
	$\sim$	
1		- *
200	-	
	$\sim$	
		- *
	-	
	$\sim$	
100	$\sim$	
	K - 1	
A commence	1 11	
	$\sim$ 1.1	



End Shelf - RIGHT 84"/84.5" High

Z24L8ESHR	24 x 24 x 84.4-84.9	60	241.50	7.75	\$1494	\$1551	N/A	N/A
Z20M8ESHR	20 x 20 x 84.4-84.9	65	185.85	6.50	\$1246	\$1289	N/A	N/A
Z16S8ESHR	16 x 16 x 84.4-84.9	65	136.50	5.50	\$1058	\$1096	N/A	N/A

For use at RIGHT end of 84"/84.5"H units. Five adjustable shelves. Shipped RTA (ready to assemble).

• Collator only available on Z16S8ESHR

**Required Specifications** 

**Optional Specifications** Collator

Top finish Base finish Top/Edge Detail

TABLE TOP END SHELVES

11.75*/12.25 [†] 40.8"/41.8"  * Accepts collator 11" high
--------------------------------------------------------------------

MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	1 IUP	1.5 TUP	GLAZE ADD	HP AUU
	D x W x H							
Z16S12DL	16 x 16 x 11.25	-11.75 70	26	1.60	\$239	\$277	N/A	N/A

Table Top End Shelf - LEFT 11.75"/12.25" High

To be placed on top of 29"/29.5" units. For use at LEFT end of 40.8"/41.8"H units. Shipped RTA (ready to assemble).



	Z16S12DR	16 x 16 x 11.25-11.75 70	26	1.60	\$239	\$277	N/A	N/A
--	----------	--------------------------	----	------	-------	-------	-----	-----

Table Top End Shelf - RIGHT 11.75"/12.25" High


To be placed on top of 29"/29.5" units. For use at RIGHT end of 40.8"/41.8"H units. Shipped RTA (ready to assemble).



Z16S23DL 16 x 16 x 23-23.5 65 42 1.60 **\$367 \$409** N/A N/A

Table Top End Shelf - LEFT 23.5"/24" High


To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 52.5"/53"H units.** Shipped RTA (ready to assemble). **One adjustable shelf**.



Z16S23DR	16 x 16 x 23-23.5	65	42	1.60	\$367	\$409	N/A	N/A

Table Top End Shelf - RIGHT 23.5"/24" High


To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 52.5"/53"H units.** Shipped RTA (ready to assemble). **One adjustable shelf**.



Z16S36DL	16 x 16 x 35.5-36	70	62.84	2.80	\$511	\$549	N/A	N/A

Table Top End Shelf - LEFT 36"/36.5" High

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 65"/65.5"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.



Z16S36DR 16 x 16 x 35.5-36 70 62.84 2.80 <b>\$511 \$549</b> N/A N/							
	Z16S36DR	10 / 10 / 25 5 20	70	2.80	\$549	N/A	N/A

Table Top End Shelf - RIGHT 36"/36.5" High

To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 65"/65.5"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.

Required Specifications	
Top finish	
Base finish	

Top/Edge Detail

Optional Specifications

Collator

N/A

GLAZE ADD HP ADD

N/A

TABLE TOP END SHELVES	
42.4*/42.9*	* Accepts collator 11" high

MODEL#

Z16S42DL

Two adjustable shelves.

Table Top End Shelf - LEFT* 42.4"/42.9" High

Z16S42DR	16-36 x 16 x 41.9-42.4 65	70	2.80	\$552	\$590	N/A	N/A

To be placed on top of 29"/29.5" units. For use at LEFT end of 71.5"/72"H units. Shipped RTA (ready to assemble).

WT/LBS.

70

CUBIC FT.

2.80

1"TOP

\$552

1.5" TOP

\$590

FREIGHT CLASS

DIMENSIONS

DxWxH

16-36 x 16 x 41.9-42.4 65




Table Top End Shelf - RIGHT* 42.4"/42.9" High





Table Top End Shelf - LEFT* 54.9"/55.4" High





Table Top End Shelf - RIGHT* 54.9"/55.4" High

To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 71.5"/72"H units.** Shipped RTA (ready to assemble). **Two adjustable shelves**.

	Z16S55DL	16-36 x 16 x 54.4-54.9 60	89	2.80	\$681	\$723	N/A	N/A
--	----------	---------------------------	----	------	-------	-------	-----	-----

To be placed **on top of 29"/29.5" units.** For use at **LEFT end of 84"/84.5"H units.** Shipped RTA (ready to assemble). **Three adjustable shelves**.

Z16S55DR	16-36 x 16 x 54.4-54.9 60	89	2.80	\$681	\$723	N/A	N/A

To be placed **on top of 29"/29.5" units.** For use at **RIGHT end of 84"/84.5"H units.** Shipped RTA (ready to assemble). **Three adjustable shelves**.

**Required Specifications** 

Optional Specifications
Collator

Top finish Base finish Top/Edge Detail

ZIRA [™]							
ACCESSORIES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	APOKL28	<b>D x W x H</b> 17 x 28 x 3.5	85	13	.90	\$337	
	APOKL22	17 x 22 x 3.5	85	12	.90	\$305	
Pull-Out Keyboard	APOKL28 will ac Z42205C.	ccommodate keyboard and	mousepad. <b>AP</b>	OKL28 will	only fit on a s	single pedestal	desk, freestanding table,
	W1518PDR	18 x 15 x 2.25	92.5	4	0.4	\$274	
Pencil Drawer		c. Provides space for writing vorksurface with included r					thes to underside of any
Bracket		orksurfaces to end panels.	76	'	.01	400	
	Z1425SKL ( <b>left</b> )	13.9-36 x 25 x 3.2-3	3.7 100	13	1.50	\$137	
NOUT NOUT	Z1425SKR ( <b>right</b> )	13.9-36 x 25 x 3.2-3	3.7 100	13	1.50	\$137	
LEFT RIGHT Skateboard	Mobile CPU hold	er designed to fit inside 'fa	ux' pedestals of	f a single pe	destal desk.		
	CD20	18 x 20 x 3	100	8	1	\$214	
Center Drawer	Laminate drawer desks.	front is attached to a 4-sid	ed frame. Reco	mmended fo	r use on sma	all L-shaped uni	its, and on 30" x 60" and

Required Specifications
Finish

# zira boardroom + reception



Zira Boardroom + Reception


258


#### **TOP AND BASE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	ОТМ	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
СМВ	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **BASE TRIM FINISHES**

BRC	Brushed Cobal
RIK	Black







**TOP THICKNESS/EDGE DETAIL** 







C3 1.5" top, standard

CR 1.5" top, bicut edge


CF 1.5" top, fluted edge

#### **BASES**


- 2 doors on base for wire management access from both sides
- Because of base sizes, custom width less than 96" cannot be accommodated.

#### TOPS

- 1.5" thick tops are made of 45 lb. density particleboard core with thermally fused laminate surfaces (TFL) or optional high pressure laminate surface (HPL) with kraft paper bottom surfaces.
- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**
- Tops 120", 144" and 168" are standard with three bases
- Tops 192" and larger are standard with four bases
- Four top shapes: boat shaped, bow end, rectangular and racetrack



#### POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS



#### PRODUCT CODE DIAGRAM


**PMSPDM** 




PRTMCS401B PRTMCS401T PRTMCS401W PRTMCS421B PRTMCS421T PRTMCS421W









#### **CUT-OUTS**

- Boardroom and collaborative tables offer optional cut-outs for in-surface mounted power modules in three standard locations (left, center or right) as shown above for all table shapes excluding square boardroom tables.
- Order as E1, M1, R1, T1, V1, etc. Add \$96 for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only. Order as E2, M2, R2, T2, or V2. Add \$96 for each cut-out.
- Cut-out options for **media tables** in position 1 only. Order as **E1**, **M1**, **R1**, **T1**, or **V1**. Add \$96 for each cut-out.
- Select power block from **Productivity Solutions**, beginning on page 491.
- Match power block desired with cut-out code and location from above grid.
- Optional custom sized cut-out available in standard locations (left, center or right) for all table shapes. Submit appropriate form beginning on page 727 with order. Add \$294 for each cut-out.

#### **AUDIOVISUAL**

Three components: **Multimedia Cart** 









Base trim

Lectern









Visual Board









**Multimedia Cart and Lectern:** 

- Available in all standard laminates
- · Color of casters will match base trim
- Offered in the following top thickness and edge details:





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

#### **Visual Board:**

- · Available in all laminates listed above
- Push Bar available in Black (BLK) or Tungsten (TUN)
- · Color of casters and aluminum trim will match push bar
- · Visual Board comes standard in white color

#### **BUFFET**

#### Three components: Buffet Carts, Buffets and Serving Carts

- Top and/or base available in all laminates
- Push Bar on Buffet Carts and Serving Carts and Aluminum Trim on Open and Mixed Buffets available in Black (BLK) or Tungsten (TUN)
- Optional glazing available on Serving Carts with doors and Buffets with doors

#### **Buffet Carts**









**Serving Cart with Doors** 









**Serving Cart - Open** 










**Buffet - Open** 











**Buffet with Doors** 







**Buffet - Mixed** 





Top





Glazing (Doors - Serving Cart and Buffets)





Z1 frosted glazing, Tungsten (TUN) frame Z2 frosted glazing, Black (BLK) frame



**Z3** ribbed glazing, Tungsten (TUN) frame **Z4** ribbed glazing, Black (BLK) frame

#### **Handles**

• Handles are standard on models with doors. Each handle is identified by the letters "HU", "HV", "HW", "HX" "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code after the model number.



• Use the following for determining the size of a table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Rectangular	Bow End	Boat	Racetrack
48x96	6-8	6-8	6-8	6-8
48x120	8-10	8-10	8-10	8-10
48x144	10-12	10-12	10-12	10-12
48x168	12-14	12-14	12-14	12-14
48x192	14-16	14-16	14-16	14-16
48x216	16-18	16-18	16-18	16-18
48x240	18-20	18-20	18-20	18-20
48x264	20-22	20-22	20-22	20-22
48x288	22-24	22-24	22-24	22-24

globalfurnituregroup.com global

ZIRA™BOAR
BOARDROOM TABLES
Boardroom Table - Square

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z3636SQ	36 x 36 x 30	85	129	10	N/A	\$2405	N/A	\$356
Z4242SQ	42 x 42 x 30	85	165.50	13.50	N/A	\$2738	N/A	\$488
Z4848SQ	48 x 48 x 30	85	190	14.24	N/A	\$2966	N/A	\$630
Z5454SQ	54 x 54 x 30	85	262	21.24	N/A	\$3318	N/A	\$799
Z6060SQ	60 x 60 x 30	85	300	22.74	N/A	\$3546	N/A	\$982

Square Table includes ONE BASE with wire access doors on each side of base. Shipped in 2 cartons.

74896RF	48 x 96 x 30	70	342	21.95	N/A	\$3920	N/A	\$967

**Boardroom Table - Boat Shaped** Boat Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

	Z6096BE	60 x 96 x 30	85	432	35.39	N/A	\$6361	N/A	\$1571	
--	---------	--------------	----	-----	-------	-----	--------	-----	--------	--

Boat Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

Z48120BE	48 x 120 x 30	70	452	23.48	N/A	\$5635	N/A	\$1208
Z48144BE	48 x 144 x 30	70	502	25.72	N/A	\$5690	N/A	\$1448
Z48168BE	48 x 168 x 30	85	557	37.25	N/A	\$7593	N/A	\$1831

Boat Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144BE and Z48120BE shipped in 4 cartons. Z48168BE shipped in 5 cartons.

Z60120BE	60 x 120 x 30	85	599	48.50	N/A	\$9643	N/A	\$1961
Z60144BE	60 x 144 x 30	85	664.65	53.25	N/A	\$10321	N/A	\$2354
Z60168BE	60 x 168 x 30	85	741.30	58	N/A	\$11129	N/A	\$2745

Boat Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.

Z48192BE	48 x 192 x 30	70	688	45.66	N/A	\$9483	N/A	\$2091
Z48216BE	48 x 216 x 30	70	746	48.67	N/A	\$9929	N/A	\$2354
Z48240BE	48 x 240 x 30	70	803	51.68	N/A	\$10556	N/A	\$2614
Z48264BE	48 x 264 x 30	70	855	54.69	N/A	\$11181	N/A	\$2875
Z48288BE	48 x 288 x 30	70	906	57.69	N/A	\$11181	N/A	\$3136


ardroom Table - Boat Shaped	Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.							
	Required Specifications Top finish Top/edge detail Base finish Base trim finish	Optional Specifications HP laminate Additional grommet	Accessories Power block					
2 1154			global globalfurnituregroup.com					




**Boardroom Table - Boat Shaped** 




**Boardroom Table - Boat Shaped** 



**Boardroom Table - Boat Shaped** 



Board



**Boardroom Table - Boat Shaped** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD 1	IP ADD
	D x W x H (1.5" TOP)							
Z60192BE	60 x 192 x 30	85	912.45	71.19	N/A	\$13999	N/A	\$3136
Z60216BE	60 x 216 x 30	85	980.70	75.94	N/A	\$14784	N/A	\$3526
Z60240BE	60 x 240 x 30	85	1062.60	80.98	N/A	\$15419	N/A	\$3920
Z60264BE	60 x 264 x 30	85	1129.80	85.73	N/A	\$16031	N/A	\$4311
Z60288BE	60 x 288 x 30	85	1198.05	90.49	N/A	\$17007	N/A	\$4704

Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.

Z4896RTE	48 x 96 x 30	70	336	21.95	N/A	\$3811	N/A	\$967

Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

Z6096RTE	60 x 96 x 30	92.5	417	35.39	N/A	\$6361	N/A	\$1571

Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

Z48120RTE	48 x 120 x 30	70	453	28.28	N/A	\$5299	N/A	\$1208
Z48144RTE	48 x 144 x 30	70	506	25.72	N/A	\$5648	N/A	\$1448
Z48168RTE	48 x 168 x 30	70	563	37.25	N/A	\$7639	N/A	\$1297

Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped in 4 cartons. Z48168RTE shipped in 5 cartons.

Z60120RTE	60 x 120 x 30	85	585.90	48.50	N/A	\$9643	N/A	\$1961
Z60144RTE	60 x 144 x 30	85	656.25	53.25	N/A	\$10321	N/A	\$2354
Z60168RTE	60 x 168 x 30	85	737.10	58	N/A	\$11129	N/A	\$2745

Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.



**Boardroom Table - Racetrack** 



**Boardroom Table - Racetrack** 



**Boardroom Table - Racetrack** 



**Boardroom Table - Racetrack** 

Required Specifications
Top finish

Top/edge detail Base finish Base trim finish Optional Specifications

HP laminate Additional grommet Accessories


## **ZIRA™ BOARDROOM**



**Boardroom Table - Racetrack** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z48192RTE	48 x 192 x 30	70	689	45.45	N/A	\$9530	N/A	\$2091
Z48216RTE	48 x 216 x 30	70	749	48.95	N/A	\$9974	N/A	\$2354
Z48240RTE	48 x 240 x 30	70	809	51.75	N/A	\$10601	N/A	\$2614
Z48264RTE	48 x 264 x 30	70	862	54.55	N/A	\$11227	N/A	\$2875
Z48288RTE	48 x 288 x 30	70	917	58.04	N/A	\$11227	N/A	\$3136


Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Racetrack** 

Z60192RTE	60 x 192 x 30	85	901.95	71.19	N/A	\$13999	N/A	\$3136
Z60216RTE	60 x 216 x 30	85	972.30	75.94	N/A	\$14784	N/A	\$3526
Z60240RTE	60 x 240 x 30	85	1057.35	80.98	N/A	\$15419	N/A	\$3920
Z60264RTE	60 x 264 x 30	85	1127.70	85.73	N/A	\$16031	N/A	\$4311
Z60288RTE	60 x 288 x 30	85	1198.05	90.49	N/A	\$17007	N/A	\$4704

Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Rectangular** 

Z4896REE	48 x 96 x 30	70	356	21.95	N/A	\$3900	N/A	\$967


Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



Boardroom Table - Rectangular

76096RFF	60 v 96 v 30	85	1/18	35 30	N/Δ	\$5831	N/A	\$1571	

Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



**Boardroom Table - Rectangular** 

Z48120REE	48 x 120 x 30	70	472	23.48	N/A	\$5281	N/A	\$1208
Z48144REE	48 x 144 x 30	70	525	25.72	N/A	\$5653	N/A	\$1448
Z48168REE	48 x 168 x 30	70	583	37.25	N/A	\$7527	N/A	\$1831


Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped in 4 cartons. Z48168REE shipped in 5 cartons.

Required Specifications
Top finish

Top finish
Top/edge detail
Base finish
Base trim finish

Optional Specifications


HP laminate Additional grommet Accessories



**Boardroom Table - Rectangular** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	D x W x H (1.5" TOP)						
Z60120REE	60 x 120 x 30	85	618	48.50	N/A	\$8839	N/A \$1961
Z60144REE	60 x 144 x 30	85	688	53.25	N/A	\$9460	N/A <b>\$2354</b>
Z60168REE	60 x 168 x 30	85	769	58	N/A	\$10188	N/A <b>\$2745</b>


Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.



**Boardroom Table - Rectangular** 

Z48192REE	48 x 192 x 30	70	708	45.45	N/A	\$9419	N/A	\$2091
Z48216REE	48 x 216 x 30	70	768	48.95	N/A	\$9864	N/A	\$2354
Z48240REE	48 x 240 x 30	70	828	51.75	N/A	\$10489	N/A	\$2614
Z48264REE	48 x 264 x 30	70	882	54.55	N/A	\$11117	N/A	\$2875
Z48288REE	48 x 288 x 30	70	936	58.04	N/A	\$11117	N/A	\$3136

Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Rectangular** 

Z60192REE	60 x 192 x 30	85	941.85	71.12	N/A	\$12833	N/A	\$3136
Z60216REE	60 x 216 x 30	85	1003.80	75.94	N/A	\$13544	N/A	\$3526
Z60240REE	60 x 240 x 30	85	1088.85	80.98	N/A	\$14125	N/A	\$3920
Z60264REE	60 x 264 x 30	85	1159.20	85.73	N/A	\$14680	N/A	\$4311
Z60288REE	60 x 288 x 30	85	1229.55	90.49	N/A	\$15568	N/A	\$4704

Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Bow End** 

Z4896BW	48 x 96 x 30	85	329	21.95	N/A	\$4039	N/A	\$967

Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.



**Boardroom Table - Bow End** 

Z6096BW	60 x 96 x 30	85	436	35.39	N/A	\$6361	N/A	\$1571	

Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.

Required Specifications
Top finish

Top finish
Top/edge detail
Base finish
Base trim finish

**Optional Specifications** 


HP laminate Additional grommet Accessories



Boardroom Table - Bow End

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD F	IP ADD
	D x W x H (1.5" TOP)							
Z48120BW	48 x 120 x 30	70	476	29.35	N/A	\$5378	N/A	\$1208
Z48144BW	48 x 144 x 30	70	513	25.72	N/A	\$5759	N/A	\$1448
Z48168BW	48 x 168 x 30	70	573	37.25	N/A	\$7560	N/A	\$1831


Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped in 4 cartons. Z48168BW shipped in 5 cartons.



**Boardroom Table - Bow End** 

Z60120BW	60 x 120 x 30	85	602	48.50	N/A	\$9643	N/A	\$1961
Z60144BW	60 x 144 x 30	85	673	53.25	N/A	\$10321	N/A	\$2354
Z60168BW	60 x 168 x 30	85	753	58	N/A	\$11129	N/A	\$2745


Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.



**Boardroom Table - Bow End** 

Z48192BW	48 x 192 x 30	70	698	45.45	N/A	\$9454	N/A	\$2091
Z48216BW	48 x 216 x 30	70	758	48.95	N/A	\$9895	N/A	\$2354
Z48240BW	48 x 240 x 30	70	818	51.75	N/A	\$10522	N/A	\$2614
Z48264BW	48 x 264 x 30	70	872	54.55	N/A	\$11150	N/A	\$2875
Z48288BW	48 x 288 x 30	70	926	58.04	N/A	\$11150	N/A	\$3136

Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Bow End** 

Z60192BW	60 x 192 x 30	85	917.70	71.19	N/A	\$13999	N/A	\$3136
Z60216BW	60 x 216 x 30	85	988.05	75.94	N/A	\$14784	N/A	\$3526
Z60240BW	60 x 240 x 30	85	1073.10	80.98	N/A	\$15419	N/A	\$3920
Z60264BW	60 x 264 x 30	85	1143.45	85.73	N/A	\$16031	N/A	\$4311
Z60288BW	60 x 288 x 30	85	1213.80	90.49	N/A	\$17007	N/A	\$4704

Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.



**Boardroom Table - Wedge** 

Z6096WE	60 x 96 x 30	70	398	26.17	N/A	\$6361	N/A	\$1571


Wedge Table includes TWO BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Required Specifications Top finish

Top finish
Top/edge detail
Base finish
Base trim finish

Optional Specifications


HP laminate Additional grommet Accessories



**Boardroom Table - Wedge** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADD
	D x W x H (1.5" TOP)						
Z60120WE	60 x 120 x 30	85	544.95	36.50	N/A	\$9643	N/A \$1961
Z60144WE	60 x 144 x 30	70	603.75	39.50	N/A	\$10321	N/A <b>\$2354</b>
Z60168WE	60 x 168 x 30	70	673.05	42.50	N/A	\$11129	N/A <b>\$2745</b>

Wedge Table includes THREE BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 5 cartons.



Boardroom Table - Wedge	

Z60192WE	60 x 192 x 30	85	824.25	63.71	N/A	\$13999	N/A	\$3136
Z60216WE	60 x 216 x 30	85	884.10	68.25	N/A	\$14784	N/A	\$3526
Z60240WE	60 x 240 x 30	85	948.15	72.94	N/A	\$15419	N/A	\$3920
Z60264WE	60 x 264 x 30	85	1006.95	77.48	N/A	\$16031	N/A	\$4311
Z60288WE	60 x 288 x 30	85	1065.75	81.96	N/A	\$17007	N/A	\$4704

Wedge Table includes FOUR BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 7 cartons.



Media Table - D Island

Z4860DMIL	48 x 60 x 30	70	267	17.69	N/A	\$3965	N/A	\$788
Z4872DMIL	48 x 72 x 30	70	298.20	19.67	N/A	\$4251	N/A	\$943
Z4884DMIL	48 x 84 x 30	70	326.55	21.44	N/A	\$4528	N/A	\$1101
Z4896DMIL	48 x 96 x 30	85	347.55	23.41	N/A	\$4795	N/A	\$1255

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - D Island

Z6060DMIL	60 x 60 x 30	85	323.93	23.17	N/A	\$4756	N/A	\$982
Z6072DMIL	60 x 72 x 30	85	359.10	25.66	N/A	\$5094	N/A	\$1179
Z6084DMIL	60 x 84 x 30	85	397.95	27.90	N/A	\$5433	N/A	\$1376
Z6096DMIL	60 x 96 x 30	85	433.65	30.39	N/A	\$5754	N/A	\$1571

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - D Wedge

Z6060WMIL	60 x 60 x 30	85	306.60	20.69	N/A	\$4756	N/A	\$982
Z6072WMIL	60 x 72 x 30	85	338.10	22.90	N/A	\$5094	N/A	\$1179
Z6084WMIL	60 x 84 x 30	85	374.85	25.42	N/A	\$5433	N/A	\$1376
Z6096WMIL	60 x 96 x 30	85	407.40	27.90	N/A	\$5754	N/A	\$1571

Wedge Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Required	Specifications
Top finish	

Top/edge detail Base finish Base trim finish

## **Optional Specifications**

HP laminate Additional grommet

#### Accessories

## **ZIRA™ BOARDROOM**

$\sim$
$^{\prime}$

**MEDIA TABLES** 

Media Table - Rectangular Island

	_	
	/ \	_
_		
		>
/		

Media Table - Rectangular Island



Media Table - D Island, 36"H



Media Table - D Island, 36"H



Media Table - D Wedge, 36"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP	ADD
	D x W x H (1.5" TOP)							
Z4860RMIL	48 x 60 x 30	70	279.30	17.69	N/A	\$3651	N/A <b>\$</b>	788
Z4872RMIL	48 x 72 x 30	70	307.65	19.67	N/A	\$3913	N/A <b>\$</b>	943
Z4884RMIL	48 x 84 x 30	70	337.05	21.44	N/A	\$4163	N/A <b>\$</b> *	1101
Z4896RMIL	48 x 96 x 30	70	357	23.41	N/A	\$4403	N/A <b>\$</b> 1	1255

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060RMIL	60 x 60 x 30	70	339.15	22.22	N/A	\$4368	N/A	\$982
Z6072RMIL	60 x 72 x 30	85	373.80	25.66	N/A	\$4677	N/A	\$1179
Z6084RMIL	60 x 84 x 30	85	414.75	27.90	N/A	\$4984	N/A	\$1376
Z6096RMIL	60 x 96 x 30	85	449.40	30.39	N/A	\$5276	N/A	\$1571

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z4860DMIM	48 x 60 x 36.5	70	291.90	19.19	N/A	\$4339	N/A	\$788
Z4872DMIM	48 x 72 x 36.5	70	321.30	21.17	N/A	\$4625	N/A	\$943
Z4884DMIM	48 x 84 x 36.5	70	349.65	22.90	N/A	\$4893	N/A	\$1101
Z4896DMIM	48 x 96 x 36.5	85	370.65	24.91	N/A	\$5166	N/A	\$1255

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060DMIM	60 x 60 x 36.5	85	352.28	25.42	N/A	\$5128	N/A	\$982
Z6072DMIM	60 x 72 x 36.5	85	386.40	27.66	N/A	\$5460	N/A	\$1179
Z6084DMIM	60 x 84 x 36.5	85	426.30	30.15	N/A	\$5800	N/A	\$1376
Z6096DMIM	60 x 96 x 36.5	85	462	32.63	N/A	\$6119	N/A	\$1571

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Z6060WMIM	60 x 60 x 36.5	85	331.80	22.16	N/A	\$5128	N/A	\$982
Z6072WMIM	60 x 72 x 36.5	85	364.35	24.67	N/A	\$5460	N/A	\$1179
Z6084WMIM	60 x 84 x 36.5	70	424.20	26.92	N/A	\$5800	N/A	\$1376
Z6096WMIM	60 x 96 x 36.5	85	424.20	29.40	N/A	\$6119	N/A	\$1571

Wedge Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Req	uired	Specifications
Top	finish	

Top finish
Top/edge detail
Base finish
Base trim finish

#### **Optional Specifications**

HP laminate Additional grommet Accessories



Media Table - Rectangular Island, 36"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z4860RMIM	48 x 60 x 36.5	70	301.35	19.19	N/A	\$3985	N/A	\$788
Z4872RMIM	48 x 72 x 36.5	70	330.75	21.17	N/A	\$4247	N/A	\$943
Z4884RMIM	48 x 84 x 36.5	70	360.15	22.90	N/A	\$4493	N/A	\$1101
Z4896RMIM	48 x 96 x 36.5	70	380.10	24.91	N/A	\$4742	N/A	\$1255

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

	^	_
$\searrow$		

Media Table - Rectangular Island, 36"H

Z6060RMIM	60 x 60 x 36.5	85	367.50	25.42	N/A	\$4704	N/A	\$982
Z6072RMIM	60 x 72 x 36.5	85	402.15	27.66	N/A	\$5004	N/A	\$1179
Z6084RMIM	60 x 84 x 36.5	85	442.05	30.15	N/A	\$5315	N/A	\$1376
Z6096RMIM	60 x 96 x 36.5	85	477.75	32.63	N/A	\$5609	N/A	\$1571

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - D Island, 42"H

Z4860DMIH	48 x 60 x 42.5	70	312.90	20.69	N/A	\$4612	N/A	\$788
Z4872DMIH	48 x 72 x 42.5	70	342.30	22.66	N/A	\$4898	N/A	\$943
Z4884DMIH	48 x 84 x 42.5	70	371.70	24.40	N/A	\$5174	N/A	\$1101
Z4896DMIH	48 x 96 x 42.5	85	391.65	26.41	N/A	\$5440	N/A	\$1255

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - D Island, 42"H

Z6060DMIH	60 x 60 x 42.5	85	378	27.40	N/A	\$5399	N/A	\$982
Z6072DMIH	60 x 72 x 42.5	85	413.70	29.91	N/A	\$5733	N/A	\$1179
Z6084DMIH	60 x 84 x 42.5	85	453.60	32.40	N/A	\$6080	N/A	\$1376
Z6096DMIH	60 x 96 x 42.5	85	488.25	34.88	N/A	\$6392	N/A	\$1571

D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - Wedge, 42"H

Z6060WMIH	60 x 60 x 42.5	85	355	23.92	N/A	\$5399	N/A	\$982
Z6072WMIH	60 x 72 x 42.5	85	387	26.17	N/A	\$5733	N/A	\$1179
Z6084WMIH	60 x 84 x 42.5	85	424	28.65	N/A	\$6080	N/A	\$1376
Z6096WMIH	60 x 96 x 42.5	85	457	31.14	N/A	\$6392	N/A	\$1571

Wedge Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.

Rec	uired	<b>Specifications</b>

Top finish
Top/edge detail
Base finish
Base trim finish

## **Optional Specifications**

HP laminate Additional grommet

#### Accessories

## ZIRA™ BOARDROOM

COLLABORATIVE TABLES

Media Table - Rectangular Island, 42"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD H	IP ADD
	D x W x H (1.5" TOP)							
Z4860RMIH	48 x 60 x 42.5	70	324	20.69	N/A	\$4239	N/A	\$788
Z4872RMIH	48 x 72 x 42.5	70	353	22.66	N/A	\$4500	N/A	\$943
Z4884RMIH	48 x 84 x 42.5	70	382	24.40	N/A	\$4747	N/A	\$1101
Z4896RMIH	48 x 96 x 42.5	70	402	26.41	N/A	\$4991	N/A	\$1255

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.

Media Table - Rectangular Island, 42"H

Z6060RMIH	60 x 60 x 42.5	85	394	27.40	N/A	\$4957	N/A	\$982
Z6072RMIH	60 x 72 x 42.5	85	429	29.91	N/A	\$5257	N/A	\$1179
Z6084RMIH	60 x 84 x 42.5	85	469	32.40	N/A	\$5571	N/A	\$1376
Z6096RMIH	60 x 96 x 42.5	85	504	34.88	N/A	\$5856	N/A	\$1571

Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.



Media Table - Base Cover

Z60BEC	12.2 x 34.5 x 4.3	250	5	1.50	\$551
Z48BEC	12.2 x 22.5 x 4.3	250	5	1.50	\$505


For use on Zira Media Tables, but can be used on any Zira Boardroom table of corresponding width. Acts as a "cap" at the upper part of a base to hide any wire or power block that may be visible to users. Available in Black or Tungsten finish.



Collaborative Table - 29"H

Z367229BT	36 x 72 x 30	70	237	12.93	N/A	\$1961	N/A	\$709
Z368429BT	36 x 84 x 30	70	237	14.70	N/A	\$2280	N/A	\$828
Z369629BT	36 x 96 x 30	70	289	16.44	N/A	\$2472	N/A	\$943

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.



Collaborative Table - 29"H

Z487229BT	48 x 72 x 30	70	302	13.95	N/A	\$2464	N/A	\$943
Z488429BT	48 x 84 x 30	70	335	15.69	N/A	\$2654	N/A	\$1101
Z489629BT	48 x 96 x 30	70	360	17.43	N/A	\$2868	N/A	\$1255

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.



Collaborative Table - 36"H

Z367236BT	36 x 72 x 36.5	70	249	13.20	N/A	\$2034	N/A	\$709
Z368436BT	36 x 84 x 36.5	70	275	14.94	N/A	\$2360	N/A	\$828
Z369636BT	36 x 96 x 36.5	70	301	16.68	N/A	\$2549	N/A	\$943

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.

Required Specification	İ
Top finish	
Top/edge detail	
Base finish	

Base trim finish

Accessories Power block

HP laminate Additional grommet



Collaborative Table - 36"H

ILLADUNATIVE TABLES	MODEL#	DIMIENSIONS	FREIGHT GLASS	WI/LDS.	CUDIC FI.	I IUF	1.5 101	GLAZE ADD I	TIF AUU
$\sim$		D x W x H (1.5" TOP)							
	Z487236BT	48 x 72 x 36.5	70	319	14.43	N/A	\$2555	N/A	\$943
	Z488436BT	48 x 84 x 36.5	70	351	16.20	N/A	\$2752	N/A	\$1101
	Z489636BT	48 x 96 x 36.5	70	376	17.93	N/A	\$2966	N/A	\$1255

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.

$\overline{}$
7

Collaborative Table - 42"H

Z367242BT	36 x 72 x 42.5	70	283	14.19	N/A	\$2276	N/A	\$709
Z368442BT	36 x 84 x 42.5	70	312	15.93	N/A	\$2627	N/A	\$828
Z369642BT	36 x 96 x 42.5	70	342	17.93	N/A	\$2842	N/A	\$943

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.



Collaborative Table - 42"H

Z487242BT	48 x 72 x 42.5	65	356	15.45	N/A	\$2816	N/A	\$943
Z488442BT	48 x 84 x 42.5	70	392	17.43	N/A	\$3032	N/A	\$1101
Z489642BT	48 x 96 x 42.5	70	421	19.19	N/A	\$3279	N/A	\$1255

Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.

**Required Specifications** 

Top finish Top/edge detail Base finish Base trim finish

**Optional Specifications** 

HP laminate Additional grommet Accessories

**Multimedia Cart*** 



Lectern



Serving Cart with Doors**



Serving Cart*



**Buffet Cart*** 



Visual Board*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)							
Z2822MCE	22.25 x 28 x 29.5	5 125	86	13.50	\$928	\$1001	N/A	\$184

Multimedia cart features one non-locking hinged door on the back. Includes 3 fixed shelves, 1 grommet on top and 1 grommet in bottom panel for wire pass thru. 4 locking casters included.

Z2444LEC	18 x 24 x 44.3	150	100	17	\$902	\$962	N/A	\$184

Features angled stand and storage with 2 fixed shelves. 2 locking casters included.

Z361836KD	18 x 36 x 36	125	150	20	\$1885	N/A	\$453	N/A
Z361829KD	18 x 36 x 29	125	113	16	\$1595	N/A	\$382	N/A

Cart features 2 doors with lock and 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Unique push handles are standard on both sides of the cart. 4 locking casters included.

Z361836KO	18 x 36 x 36	125	121	20	\$2045	N/A	N/A	N/A
Z361829KO	18 x 36 x 29	125	108	16	\$1710	N/A	N/A	N/A

Cart features 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf. Unique push handles are standard on both sides of the cart. 4 locking casters included.

Z261836BK	18 x 26 x 36	150	79	15	\$1944	N/A	N/A	\$184

Cart features 1 fixed shelf. Top is recessed within side and end panels to act as a tray. Unique push handles are standard. Decorative aluminum trim is standard on the lip of each shelf. Locking casters included. Height aligns with 36" buffets.

Z361872VB	18 x 36 x 72.4	100	187	19.25	\$2954	N/A	N/A	N/A
-----------	----------------	-----	-----	-------	--------	-----	-----	-----


Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped RTA (ready to assemble).

• Wallmounted Visual Boards are available in Desk Accessories section.

Required S	pecifications
Top finish	Push bar finish*
Base finish	Handles
Top/edge de	tail*
Race trim fin	ish (not 73618vvKD)

Optional Specifications
HP laminate
Glazed door (only Z3618xxKD)
Key #**

1"TOP 1.5" TOP GLAZE ADD HP ADD



**ACCESSORIES** 

	D X 17 X II (1.5 101 /							
Z481836BO	18 x 48 x 36	125	152.50	22.50	\$1799	N/A	N/A	\$246
Z481829B0	18 x 48 x 29	125	135	18	\$1659	N/A	N/A	\$246
Z361836BO	18 x 36 x 36	125	126	18	\$1483	N/A	N/A	\$184
Z361829B0	18 x 36 x 29	100	112	14	\$1365	N/A	N/A	\$184

FREIGHT CLASS

DIMENSIONS

MODEL#

Buffet features 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf.

Z481836BD	18 x 48 x 36	125	171	22.50	\$1872	N/A	\$398	\$246
Z481829BD	18 x 48 x 29	100	148	18	\$1672	N/A	\$454	\$246
Z361836BD	18 x 36 x 36	125	138.50	18	\$1664	N/A	\$453	\$184
Z361829BD	18 x 36 x 29	100	119	14	\$1399	N/A	\$382	\$184

WT/LBS.

CUBIC FT.

Buffet features 2 doors with lock and 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a

Z721836BU	18 x 72 x 36	125	242	33.50	\$2769	N/A	\$548	\$366
Z721829BU	18 x 72 x 29	125	211	27	\$2503	N/A	\$453	\$453
Z601836BU	18 x 60 x 36	125	188	28	\$2487	N/A	\$453	\$305
Z601829BU	18 x 60 x 29	125	163	22.50	\$2278	N/A	\$382	\$305

Buffet features 3 separate compartments. The two outer compartments come standard with locking doors and each features 1 fixed height adjustable shelf. The center compartment is open with 1 fixed height adjustable shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray.

Z482036BD	20 x 48 x 36	100	199	24.70	\$2209 \$2338	\$953	\$415

Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

Z722036BD	20 x 72 x 36	125	265	36.50	\$3203	\$3360	\$1902	\$668
Z602036BD	20 x 60 x 36	125	228	30.75	\$2777	\$2919	\$1747	\$542

Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.

$\geq$


**Buffet with Doors**** 



**Buffet with Doors**** 



**Buffet Credenza**** 



**Buffet Credenza**** 

**Required Specifications** Top finish Top/edge detail*

Base finish Handles

Aluminum trim finish (only ZxxxxxBO/BU)

**Optional Specifications** 

**HP** laminate Glazed door** Key #*

# Interconnecting Cables - Common Cable Lengths (in inches)

Female/Female	42FF-86\$188	42FM-41\$139
42FF-27\$116	42FF-97\$216	42FM-50\$151
42FF-38\$129	42FF-98\$216	42FM-63\$167
42FF-41\$133	42FF-100\$205	42FM-75\$181
42FF-50\$145	42FF-110\$219	42FM-82\$190
42FF-53\$149		42FM-86\$195
42FF-63\$159	Female/Male	42FM-97\$216
42FF-75\$175	42FM-12\$104	42FM-98\$216
42FF-76\$176	42FM-27\$121	42FM-100\$230
42FF-82\$184	42FM-38\$134	42FM-110\$230

## VILLA DAISYLINK OR OASIS MINI CABLE LENGTHS NEEDED FOR DAISY-CHAINING

Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cutout Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
Infeed Position	Left or Right	Center	Left or Right	Center	Left or Right	Center
Reference	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED

#### **RECEPTION DESKS AND RETURNS**

- Offered with Straight and Bow front
- Transactional tops available in 1" or 1 ½" thick top with a variety of edge details
- Worksurface available in 1" thickness with A3 edge only


#### **TOP AND BASE FINISHES**

•	,, with 1	DAGE I IIIIOIIEG		
	ACJ	Absolute Acajou	FCL	First Class
	ASN	Asian Night	NBL	Noce Biondo
	AWC	Avant Cherry	NGL	Noce Grigio
	AWH	Avant Honey	NEL	Noce Leggero
	BLK	Black	NML	Noce Medio
	BZD	Blizzard	QTM	Quartered Mahogany
	BRC	Brushed Cobalt	SBY	Sheer Beauty
	CMB	Clear Maple	SOG	Storm Grey
	CGY	Custom Grey	SDT	Stonedust
	DES	Dark Espresso	WHE	Walnut Heights
	DWT	Designer White	WHC	White Chocolate
	FAS	Fashionista	WCR	Winter Cherry

#### **Reception Desks:**








#### **Reception Returns:**







#### TRANSACTION TOP THICKNESS/EDGE DETAIL





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

#### **GLAZING (Center Panels)**





**Z1** frosted glazing, Tungsten (TUN) frame **Z2** frosted glazing, Black (BLK) frame




**GROMMETS - RECEPTION DESKS ONLY** 



Z3 ribbed glazing, Tungsten (TUN) frame Z4 ribbed glazing, Black (BLK) frame

#### • Two grommets are standard in position AG1 and AG3

- · Standard grommets can be removed at an upcharge
- Optional grommets available in AG2







• Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.

#### **POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on transaction tops.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330. Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.






Power Block PMSPDM Add \$330

Specify location E1, E2 or E3 Add \$96

#### **TASK LIGHT**

- Illuminates worksurface and optional glazed center panel
- Specify LED task light separately. Use PLED50 for 60", 66" and 72" wide reception units. Use PLED50 or PLED100 for 84" and 96" wide units. See page 452 for details.



#### **RECEPTION RETURNS - PIGEON**

- Available in all laminates
- Worskurface available in 1" thickness with A3 edge only
- Collator shelves offered in Black (BLK) or Brushed Cobalt (BRC)
- One grommet is standard in position AG3
- Standard grommet can be removed at an upcharge
- Optional grommet available in position AG2, see upcharges above
- Power blocks are available in positions E2 and E3








#### **RECEPTION RETURNS - BOOKCASE**


- · Available in all laminates listed above
- · Worksurface available in 1" thickness with A3 edge only
- One grommet is standard in position AG2
- · Standard grommet can be removed at an upcharge
- Optional grommet available in position AG3 for 54", 60" and 72" wide units only
- Power blocks are available in positions E2 and E3 for 54", 60" and 72" wide units only



MODEL#	DIMENSIONS	FREIG	HT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH								
Z3096RDS	35.5 x 96 x 42.8-4	3.3	70	385	23.23	\$3581	\$3782	\$749	\$847
Z3084RDS	35.5 x 89.4 x 42.	8-43.3	70	351	20.48	\$3182	\$3363	\$646	\$741
Z3072RDS	35.5 x 77.4 x 42.	8-43.3	70	315	17.99	\$2935	\$3091	\$542	\$637
Z3066RDS	35.5 x 71.4 x 42.	8-43.3	70	298	16.98	\$2788	\$2939	\$490	\$585
Z3060RDS	35.5 x 65.4 x 42.	8-43.3	70	280	15.48	\$2657	\$2795	\$438	\$530
Z2496RDS	30 x 96 x 42.8-43	3.3	70	353	21.98	\$3375	\$3576	\$749	\$725
Z2484RDS	30 x 89.4 x 42.8-	43.3	70	320	19.49	\$3008	\$3189	\$646	\$637
Z2472RDS	30 x 77.4 x 42.8-	43.3	70	287	16.98	\$2770	\$2930	\$542	\$546
Z2466RDS	30 x 71.4 x 42.8-	43.3	70	272	15.99	\$2625	\$2776	\$490	\$501
Z2460RDS	30 x 65.4 x 42.8-	43.3	70	256	15	\$2502	\$2640	\$438	\$454

**Z24xxRDS units are not freestanding; they must be connected to a return. Z30xxRDS** units can be specified as freestanding. Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

• Zxx96RDS units feature a 90"w worksurface



70000000	055 00 400 400 70	000	00.00	<b>00504 007</b>	00 6740	0047
Z3096RDB	35.5 x 96 x 42.8-43.3 70	382	23.23	\$3581 \$37	82 \$749	\$847
Z3084RDB	35.5 x 89.4 x 42.8-43.3 70	348	20.48	\$3182 \$33	63 \$646	\$741
Z3072RDB	35.5 x 77.4 x 42.8-43.3 70	312	17.99	\$2935 \$30	91 \$542	\$637
Z3066RDB	35.5 x 71.4 x 42.8-43.3 70	295	16.98	\$2788 \$29	39 \$490	\$585
Z3060RDB	35.5 x 65.4 x 42.8-43.3 70	277	15.99	\$2657 \$27	95 \$438	\$530
Z2496RDB	30 x 96 x 42.8-43.3 70	350	21.98	\$3375 \$35	56 \$749	\$725
Z2484RDB	30 x 89.4 x 42.8-43.3 70	317	19.49	\$3008 \$31	89 \$646	\$637
Z2472RDB	30 x 77.4 x 42.8-43.3 70	284	16.98	\$2770 \$29	30 \$542	<b>\$</b> 546
Z2466RDB	30 x 71.4 x 42.8-43.3 70	269	15.99	\$2625 \$27	76 \$490	\$501
Z2460RDB	30 x 65.4 x 42.8-43.3 70	253	15	\$2502 \$26	40 \$438	\$454

**Z24xxRDB** units are not freestanding; they must be connected to a return. **Z30xxRDB** units can be specified as freestanding. Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

• Zxx96RDB units feature a 90"w worksurface

Required Specifications
Top finish

Top finish Top/edge detail Base/surround finish Transaction top finish Optional Specifications
HP laminate

HP laminate Additional grommet Glazed center panel Accessories



HIGH RECEPTION RETURNS

**High Reception Return - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD HP ADI	D
	DxWxH							
Z2472HRRL	25 x 75.7 x 39.8	70	151	8.2	\$1340	N/A	N/A <b>\$366</b>	
Z2460HRRL	25 x 63.7 x 39.8	70	131.2	7	\$1171	N/A	N/A \$305	
Z2454HRRL	25 x 57.7 x 39.8	70	120.9	5.75	\$1063	N/A	N/A <b>\$275</b>	
Z2448HRRL	25 x 51.7 x 39.8	70	110.9	5.25	\$987	N/A	N/A <b>\$246</b>	
Z2442HRRL	25 x 45.7 x 39.8	70	100.8	4.8	\$910	N/A	N/A <b>\$214</b>	
Z2436HRRL	25 x 39.7 x 39.8	70	90.7	4.3	\$832	N/A	N/A <b>\$184</b>	

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072HRRL	20.9 x 75.7 x 39.8	70	139	8.2	\$1181	N/A	N/A	\$305
Z2060HRRL	20.9 x 63.7 x 39.8	70	121	7	\$1030	N/A	N/A	\$256
Z2054HRRL	20.9 x 57.7 x 39.8	70	111	5.75	\$929	N/A	N/A	\$229
Z2048HRRL	20.9 x 51.7 x 39.8	70	102	5.25	\$863	N/A	N/A	\$206
Z2042HRRL	20.9 x 45.7 x 39.8	70	92	4.8	\$792	N/A	N/A	\$180
Z2036HRRL	20.9 x 39.7 x 39.8	70	83	4.3	\$722	N/A	N/A	\$156

**Not freestanding**, **must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2472HRRR 25 x 75.7 x 39.8 70 151 8.2 <b>\$1340</b> N/A N/A	eacc
22 17 21 11 11 11 11 11 11 11 11 11 11 11 11	\$366
Z2460HRRR 25 x 63.7 x 39.8 70 131.2 7 <b>\$1171</b> N/A N/A	\$305
Z2454HRRR 25 x 57.7 x 39.8 70 120.9 5.75 <b>\$1063</b> N/A N/A	\$275
Z2448HRRR 25 x 51.7 x 39.8 70 110.9 5.25 <b>\$987</b> N/A N/A	\$246
Z2442HRRR 25 x 45.7 x 39.8 70 100.8 4.8 <b>\$910</b> N/A N/A	\$214
Z2436HRRR 25 x 39.7 x 39.8 70 90.7 4.3 <b>\$832</b> N/A N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072HRRR	20.9 x 75.7 x 39.8	70	139	8.2	\$1181	N/A	N/A	\$305
Z2060HRRR	20.9 x 63.7 x 39.8	70	121	7	\$1030	N/A	N/A	\$256
Z2054HRRR	20.9 x 57.7 x 39.8	70	111	5.75	\$929	N/A	N/A	\$229
Z2048HRRR	20.9 x 51.7 x 39.8	70	102	5.25	\$863	N/A	N/A	\$206
Z2042HRRR	20.9 x 45.7 x 39.8	70	92	4.8	\$792	N/A	N/A	\$180
Z2036HRRR	20.9 x 39.7 x 39.8	70	83	4.3	\$722	N/A	N/A	\$156

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**High Reception Return - LEFT** 



**High Reception Return - RIGHT** 




**High Reception Return - RIGHT** 

Required Specifications

Top finish Top/edge detail Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories

# **ZIRA™ RECEPTION**



LOW RECEPTION RETURNS

**Low Reception Return - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2472LRRL	25 x 75.7 x 29.1	70	141	6.75	\$1302	N/A	N/A	\$366
Z2460LRRL	25 x 63.7 x 29.1	70	122	5.75	\$1124	N/A	N/A	\$305
Z2454LRRL	25 x 57.7 x 29.1	70	112.9	5.5	\$1029	N/A	N/A	\$275
Z2448LRRL	25 x 51.7 x 29.1	70	103.4	5	\$954	N/A	N/A	\$246
Z2442LRRL	25 x 45.7 x 29.1	70	94	4.5	\$877	N/A	N/A	\$214
Z2436LRRL	25 x 39.7 x 29.1	70	84.3	4	\$799	N/A	N/A	\$184

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRL	20.9 x 75.7 x 29.1	70	128.8	6.75	\$1145	N/A	N/A	\$305
Z2060LRRL	20.9 x 63.7 x 29.1	70	111.3	5.75	\$983	N/A	N/A	\$256
Z2054LRRL	20.9 x 57.7 x 29.1	70	102.8	5.5	\$900	N/A	N/A	\$229
Z2048LRRL	20.9 x 51.7 x 29.1	70	94.1	5	\$832	N/A	N/A	\$206
Z2042LRRL	20.9 x 45.7 x 29.1	70	85.3	4.5	\$763	N/A	N/A	\$180
Z2036LRRL	20.9 x 39.7 x 29.1	70	76.3	4	\$694	N/A	N/A	\$156

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2472LRRR	25 x 75.7 x 29.1	70	141	6.75	\$1302	N/A	N/A	\$366
Z2460LRRR	25 x 63.7 x 29.1	70	122	5.75	\$1124	N/A	N/A	\$305
Z2454LRRR	25 x 57.7 x 29.1	70	112.9	5.5	\$1029	N/A	N/A	\$275
Z2448LRRR	25 x 51.7 x 29.1	70	103.4	5	\$954	N/A	N/A	\$246
Z2442LRRR	25 x 45.7 x 29.1	70	94	4.5	\$877	N/A	N/A	\$214
Z2436LRRR	25 x 39.7 x 29.1	70	84.3	4	\$799	N/A	N/A	\$184

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRR	20.9 x 75.7 x 29.1	70	128.8	6.75	\$1145	N/A	N/A	\$305
Z2060LRRR	20.9 x 63.7 x 29.1	70	111.3	5.75	\$983	N/A	N/A	\$256
Z2054LRRR	20.9 x 57.7 x 29.1	70	102.8	5.5	\$900	N/A	N/A	\$229
Z2048LRRR	20.9 x 51.7 x 29.1	70	94.1	5	\$832	N/A	N/A	\$206
Z2042LRRR	20.9 x 45.7 x 29.1	70	85.3	4.5	\$763	N/A	N/A	\$180
Z2036LRRR	20.9 x 39.7 x 29.1	70	76.3	4	\$694	N/A	N/A	\$156


Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Low Reception Return - LEFT** 



Low Reception Return - RIGHT



**Required Specifications** 

Top finish Top/edge detail Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories



TRANSACTIONAL RETURNS

Transactional Return - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	DxWxH							
Z2472TSRL	29.7 x 75.7 x 36	.5-37 70	166	9.75	\$1593	\$1719	N/A	\$366
Z2460TSRL	29.7 x 63.7 x 36	.5-37 70	144	8.75	\$1376	\$1484	N/A	\$305
Z2454TSRL	29.7 x 57.7 x 36	.5-37 70	132	7.5	\$1250	\$1351	N/A	\$275
Z2448TSRL	29.7 x 51.7 x 36	.5-37 70	121	7	\$1150	\$1238	N/A	\$246
Z2442TSRL	29.7 x 45.7 x 36	.5-37 70	109	6.25	\$1055	\$1136	N/A	\$214
Z2436TSRL	29.7 x 39.7 x 36	.5-37 70	96	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z	22072TSRL	25.6 x 75.7 x 36.5-37	70	153	8.25	\$1434	\$1560	N/A	\$305
Z	Z2060TSRL	25.6 x 63.7 x 36.5-37	70	132	7.25	\$1231	\$1339	N/A	\$256
Z	22054TSRL	25.6 x 57.7 x 36.5-37	70	120	6.25	\$1115	\$1216	N/A	\$229
Z	22048TSRL	25.6 x 51.7 x 36.5-37	70	110	5.5	\$1023	\$1111	N/A	\$206
Z	Z2042TSRL	25.6 x 45.7 x 36.5-37	70	100	5	\$931	\$1012	N/A	\$180
Z	Z2036TSRL	25.6 x 39.7 x 36.5-37	70	89	4.4	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z	2472TSRR	29.7 x 75.7 x 36.5-37	70	166	9.75	\$1593	\$1719	N/A	\$366
Z	2460TSRR	29.7 x 63.7 x 36.5-37	70	144	8.75	\$1376	\$1484	N/A	\$305
Z	2454TSRR	29.7 x 57.7 x 36.5-37	70	132	7.5	\$1250	\$1351	N/A	\$275
Z	2448TSRR	29.7 x 51.7 x 36.5-37	70	121	7	\$1150	\$1238	N/A	\$246
Z	2442TSRR	29.7 x 45.7 x 36.5-37	70	109	6.25	\$1055	\$1136	N/A	\$214
Z	2436TSRR	29.7 x 39.7 x 36.5-37	70	96	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072TSRR	25.6 x 75.7 x 36.5-37	70	153	8.25	\$1434	\$1560	N/A	\$305
Z2060TSRR	25.6 x 63.7 x 36.5-37	70	132	7.25	\$1231	\$1339	N/A	\$256
Z2054TSRR	25.6 x 57.7 x 36.5-37	70	120	6.25	\$1115	\$1216	N/A	\$229
Z2048TSRR	25.6 x 51.7 x 36.5-37	70	110	5.5	\$1023	\$1111	N/A	\$206
Z2042TSRR	25.6 x 45.7 x 36.5-37	70	100	5	\$931	\$1012	N/A	\$180
Z2036TSRR	25.6 x 39.7 x 36.5-37	70	89	4.4	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2472TBRL	32.7 x 75.7 x 36.5-37	70	168.2	9.75	\$1593	\$1719	N/A	\$366
Z2460TBRL	32.7 x 63.7 x 36.5-37	70	145.3	8.5	\$1376	\$1484	N/A	\$305
Z2454TBRL	32.7 x 57.7 x 36.5-37	70	134.4	7.5	\$1250	\$1351	N/A	\$275
Z2448TBRL	32.7 x 51.7 x 36.5-37	70	122.2	7	\$1150	\$1238	N/A	\$246
Z2442TBRL	32.7 x 45.7 x 36.5-37	70	110.9	6.25	\$1055	\$1136	N/A	\$214
Z2436TBRL	32.7 x 39.7 x 36.5-37	70	98.4	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



**Transactional Return - LEFT** 



**Transactional Return - RIGHT** 



**Transactional Return - RIGHT** 



**Transactional Return, Bow Front - LEFT** 

Required Specifications
Top finish

Base/surround finish Transaction top finish Optional Specifications

HP laminate Additional grommet Accessories Power block

om global



TRANSACTIONAL RETURNS

**Transactional Return, Bow Front - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2072TBRL	28.6 x 75.7 x 36	6.5-37 70	155.6	8.25	\$1434	\$1560	N/A	\$305
Z2060TBRL	28.6 x 63.7 x 36	6.5-37 70	134.2	7.5	\$1231	\$1339	N/A	\$256
Z2054TBRL	28.6 x 57.7 x 36	6.5-37 70	124	6.5	\$1115	\$1216	N/A	\$229
Z2048TBRL	28.6 x 51.7 x 36	6.5-37 70	112.6	6	\$1023	\$1111	N/A	\$206
Z2042TBRL	28.6 x 45.7 x 36	6.5-37 70	101.9	5.25	\$931	\$1012	N/A	\$180
Z2036TBRL	28.6 x 39.7 x 36	6.5-37 70	90.1	4.7	\$845	\$916	N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

•

**Transactional Return, Bow Front - RIGHT** 

Z2472TBRR	32.7 x 75.7 x 36.5-37	70	168.2	9.75	\$1593	\$1719	N/A	\$366
Z2460TBRR	32.7 x 63.7 x 36.5-37	70	145.3	8.5	\$1376	\$1484	N/A	\$305
Z2454TBRR	32.7 x 57.7 x 36.5-37	70	134.4	7.5	\$1250	\$1351	N/A	\$275
Z2448TBRR	32.7 x 51.7 x 36.5-37	70	122.2	7	\$1150	\$1238	N/A	\$246
Z2442TBRR	32.7 x 45.7 x 36.5-37	70	110.9	6.25	\$1055	\$1136	N/A	\$214
Z2436TBRR	32.7 x 39.7 x 36.5-37	70	98.4	5.5	\$956	\$1027	N/A	\$184

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



**Transactional Return, Bow Front - RIGHT** 

Z2072TBRR 28.6 x 75.7 x 36.5-37 70 155.6 8.25 <b>\$1434 \$1560</b> N/A	\$305
Z2060TBRR 28.6 x 63.7 x 36.5-37 70 134.2 7.5 <b>\$1231 \$1339</b> N/A	\$256
Z2054TBRR 28.6 x 57.7 x 36.5-37 70 124 6.5 <b>\$1115 \$1216</b> N/A	\$229
Z2048TBRR 28.6 x 51.7 x 36.5-37 70 112.6 6 <b>\$1023 \$1111</b> N/A	\$206
Z2042TBRR 28.6 x 45.7 x 36.5-37 70 101.9 5.25 <b>\$931 \$1012</b> N/A	\$180
Z2036TBRR 28.6 x 39.7 x 36.5-37 70 90.1 4.7 <b>\$845 \$916</b> N/A	\$156

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Required Specifications Top finish

Transaction top finish Base/surround finish **Optional Specifications** 

HP laminate Additional grommet Accessories



Pigeon Reception Return - LEFT*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
	D x W x H						
Z2472PRRL	31 x 75.7 x 39.8	70	171.3	9.75	\$1805	N/A	N/A <b>\$366</b>
Z2460PRRL	31 x 63.7 x 39.8	70	149	8.25	\$1586	N/A	N/A <b>\$305</b>
Z2454PRRL	31 x 57.7 x 39.8	70	136.4	7.5	\$1475	N/A	N/A <b>\$275</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072PRRL	26.9 x 75.7 x 39.8	70	159	9.75	\$1650	N/A	N/A	\$305
Z2060PRRL	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1444	N/A	N/A	\$256
Z2054PRRL	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1342	N/A	N/A	\$229

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2472PRRR	31 x 75.7 x 39.8	70	171.3	9.75	\$1805	N/A	N/A	\$366
Z2460PRRR	31 x 63.7 x 39.8	70	149	8.25	\$1586	N/A	N/A	\$305
Z2454PRRR	31 x 57.7 x 39.8	70	136.4	7.5	\$1475	N/A	N/A	\$275

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.

Z2072PRRR	26.9 x 75.7 x 39.8	70	159	9.75	\$1650	N/A	N/A	\$305
Z2060PRRR	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1444	N/A	N/A	\$256
Z2054PRRR	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1342	N/A	N/A	\$229

**Not freestanding, must be connected to a reception desk**. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.



Pigeon Reception Return - LEFT*



Pigeon Reception Return - RIGHT*



Pigeon Reception Return - RIGHT*


Required Specifications
Top finish
Base/surround finish
Pigeon hole finish

Collator finish

Optional Specifications
HP laminate
Additional grommet

Accessories

## **ZIRA™ RECEPTION**



**BOOKCASE RETURNS** 

**Bookcase Reception Return - LEFT** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD H	IP ADD
	D x W x H							
Z1272BRRL	13.7 x 75.7 x 39	.8 70	158	7.5	\$1443	N/A	N/A	\$184
Z1260BRRL	13.7 x 63.7 x 39	.8 70	139	6.25	\$1276	N/A	N/A	\$156

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

**Bookcase Reception Return - LEFT** 

Z1254BRRL	13.7 x 57.7 x 39.8	65	131	5.75	\$1181	N/A	N/A	\$139
Z1248BRRL	13.7 x 51.7 x 39.8	70	114	5.25	\$1051	N/A	N/A	\$125
Z1242BRRL	13.7 x 45.7 x 39.8	65	106	4.6	\$988	N/A	N/A	\$110
Z1236BRRL	13.7 x 39.7 x 39.8	65	98	4.1	\$926	N/A	N/A	\$94

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT** 

Z1272BRRR	13.7 x 75.7 x 39.8	70	158	7.5	\$1443	N/A	N/A	\$184
Z1260BRRR	13.7 x 63.7 x 39.8	70	139	6.25	\$1276	N/A	N/A	\$156

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT** 

RECEPTION DESK VERTICAL STORAGE

Z1254BRRR	13.7 x 57.7 x 39.8	65	131	5.75	\$1181	N/A	N/A	\$139
Z1248BRRR	13.7 x 51.7 x 39.8	70	114	5.25	\$1051	N/A	N/A	\$125
Z1242BRRR	13.7 x 45.7 x 39.8	65	106	4.6	\$988	N/A	N/A	\$110
Z1236BRRR	13.7 x 39.7 x 39.8	65	98	4.1	\$926	N/A	N/A	\$94

Not freestanding, must be connected to a reception desk. Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

	_		
	<u></u>	\	
		<u>`</u>	7
<b>K</b>			
1	//	4	ノ

**Reception Desk - Vertical Storage*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	GLAZE ADD HP ADD
ZRDVS13	8.6 x 13.4 x 12.2	2 70	12.50	.80	\$237	N/A	N/A N/A

Collator shelves for use under Zira Reception transaction top. Shipped assembled in 1 carton.

Required Specification
Top finish
Base/surround finish
Pigeon hole finish*
Collator finish*

**Optional Specifications HP** laminate Additional grommet

Accessories

#### **GENERAL INFORMATION**

- Comprehensive range of personal storage in a variety of sizes and configurations starting at 27.5"/28"H single column widths up to 66.5"/67"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared work spaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Available in two depths with door front in thermally fused laminate to add warmth and complement desking products or millwork.
- Multiple door pull options to match Global Desking series
- Units have internal drill points for optional ganging.
- Ships fully assembled.

#### CONSTRUCTION

- Tops are available in 1" or 1.5" thick thermally fused laminate tops with a variety of edge details
- Side panels utilize 1" thick material
- Shelves and backs utilize 11/16" thick material.
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Virtually no loose hardware
- · Leveling glides are standard

#### LOCKS

- Locks are standard on all lockers. Finish will coordinate with handles and/or aluminum doors.
- Please note that Flared Brass (HW) handle defaults to Black locks

#### SHIPPING

• Shipped assembled, 1 per carton, unless otherwise noted.

#### PRODUCT CODE BREAKDOWN:

- **ZL** indicates Zira locker
- ## 3rd & 4th position indicates height
- ## 5th & 6th position indicates width
- **F** indicates 18"D overall / **L** indicates 24"D overall
- # 8th position indicates the number of columns side to side
- # 9th position indicates the number of rows top to bottom
- L or R indicates doors installed for left or right hand hinge

#### **FINISH OPTIONS**

• Must specify finish for top, case and doors separately

#### Thermally fused laminate finish options

h	ermally	tused laminate finish options:		
_	ACJ	Absolute Acajou	FCL	First Class
	ASN	Asian Night	NBL	Noce Biondo
	AWC	Avant Cherry	NGL	Noce Grigio
	AWH	Avant Honey	NEL	Noce Leggero
	BLK	Black	NML	Noce Medio
	BZD	Blizzard	MTD	Quartered Mahogany
	BRC	Brushed Cobalt	SBY	Sheer Beauty
	CMB	Clear Maple	SOG	Storm Grey
	CGY	Custom Grey	SDT	Stonedust
	DES	Dark Espresso	WHE	Walnut Heights
	DWT	Designer White	WHC	White Chocolate
	FAS	Fashionista	WCR	Winter Cherry

#### Top Thickness/Edge Detail





A3 1" top, standard flat edge

AR 1" top, bicut edge







C3 1.5" top, standard flat edge

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

#### **HANDLES**

 To order handles, please specify corresponding code to image as below (HS, H0, HW, HX, HV, HU, H0, HZ, or HR):




## INTERIOR SHELF AND HANGING OPTIONS

- Hooks and hat shelves are standard in certain units. See individual product description for details
- When standard, hat shelf is 11/16" thick and includes 9" of clearance.
- A chrome coat hook is affixed to the left or right side wall of the opening (based on left and right handed units) on single row lockers 40.5" and up, and on double row lockers 53.5"h and up.
- When standard, a chrome coat hook is affixed to the door.

#### GANGING

- All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.
- Units ship factory ready for ganging and include pre-drills on cabinet interiors as well as the necessary hardware to connect unit to unit.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	
	D x W x H						Ī
ZL2712F11L	18 x 12 x 27.5-28	92.5	52	5	\$702	\$720	
ZL2712F11R	18 x 12 x 27.5-28	92.5	52	5	\$702	\$720	

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ZL4012F11L	18 x 12 x 40.5-41	92.5	71	7.09	\$907	\$942
ZL4015F11L	18 x 15 x 40.5-41	100	74	8.75	\$980	\$1015
ZL4018F11L	18 x 18 x 40.5-41	100	86	10.25	\$1071	\$1106
ZL4012L11L	24 x 12 x 40.5-41	100	89	9.35	\$997	\$1032
ZL4015L11L	24 x 15 x 40.5-41	100	97	11.25	\$1088	\$1106
ZL4018L11L	24 x 18 x 40.5-41	125	105	13.25	\$1179	\$1218
ZL4012F11R	18 x 12 x 40.5-41	92.5	71	7.09	\$907	\$942
ZL4015F11R	18 x 15 x 40.5-41	100	74	8.75	\$980	\$1015
ZL4018F11R	18 x 18 x 40.5-41	100	86	10.25	\$1071	\$1106
ZL4012L11R	24 x 12 x 40.5-41	100	89	9.35	\$997	\$1032
ZL4015L11R	24 x 15 x 40.5-41	100	97	11.25	\$1088	\$1106
ZL4018L11R	24 x 18 x 40.5-41	125	105	13.25	\$1179	\$1218



• 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

18 x 12 x 53.5-54	100	92	9.25	\$1161	\$1179
18 x 15 x 53.5-54	100	101	11.25	\$1275	\$1309
18 x 18 x 53.5-54	100	111	13	\$1399	\$1456
24 x 12 x 53.5-54	100	115	12	\$1275	\$1309
24 x 15 x 53.5-54	100	126	14.5	\$1366	\$1400
24 x 18 x 53.5-54	100	136	17	\$1495	\$1546
18 x 12 x 53.5-54	100	92	9.25	\$1161	\$1179
18 x 15 x 53.5-54	100	101	11.25	\$1275	\$1309
18 x 18 x 53.5-54	100	111	13	\$1399	\$1456
24 x 12 x 53.5-54	100	115	12	\$1275	\$1309
24 x 15 x 53.5-54	100	126	14.5	\$1366	\$1400
24 v 10 v 52 5 54	100	126	17	\$1495	\$1546
	18 x 15 x 53.5-54 18 x 18 x 53.5-54 24 x 12 x 53.5-54 24 x 15 x 53.5-54 24 x 18 x 53.5-54 18 x 12 x 53.5-54 18 x 15 x 53.5-54 18 x 18 x 53.5-54 24 x 12 x 53.5-54 24 x 15 x 53.5-54	18 x 15 x 53.5-54 100 18 x 18 x 53.5-54 100 24 x 12 x 53.5-54 100 24 x 15 x 53.5-54 100 24 x 18 x 53.5-54 100 24 x 18 x 53.5-54 100  18 x 12 x 53.5-54 100 18 x 15 x 53.5-54 100 18 x 18 x 53.5-54 100 24 x 12 x 53.5-54 100 24 x 12 x 53.5-54 100 24 x 15 x 53.5-54 100	18 x 15 x 53.5-54     100     101       18 x 18 x 53.5-54     100     111       24 x 12 x 53.5-54     100     115       24 x 15 x 53.5-54     100     126       24 x 18 x 53.5-54     100     136       18 x 12 x 53.5-54     100     92       18 x 15 x 53.5-54     100     101       18 x 18 x 53.5-54     100     111       24 x 12 x 53.5-54     100     115       24 x 15 x 53.5-54     100     126	18 x 15 x 53.5-54     100     101     11.25       18 x 18 x 53.5-54     100     111     13       24 x 12 x 53.5-54     100     115     12       24 x 15 x 53.5-54     100     126     14.5       24 x 18 x 53.5-54     100     136     17       18 x 12 x 53.5-54     100     92     9.25       18 x 15 x 53.5-54     100     101     11.25       18 x 18 x 53.5-54     100     111     13       24 x 12 x 53.5-54     100     115     12	18 x 15 x 53.5-54       100       101       11.25       \$1275         18 x 18 x 53.5-54       100       111       13       \$1399         24 x 12 x 53.5-54       100       115       12       \$1275         24 x 15 x 53.5-54       100       126       14.5       \$1366         24 x 18 x 53.5-54       100       136       17       \$1495         18 x 12 x 53.5-54       100       92       9.25       \$1161         18 x 15 x 53.5-54       100       101       11.25       \$1275         18 x 18 x 53.5-54       100       111       13       \$1399         24 x 12 x 53.5-54       100       115       12       \$1275         24 x 15 x 53.5-54       100       126       14.5       \$1366

- Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One Colu		t shown w - 40.5/41"H
One Colu	iiii, uiie Ko	IW - 4U.3/41 H

One Colu	mn. Or	Left shown ne Row - 53.5/	54"H

**Required Specifications** Top Finish Base Finish Door Finish Top/Edge Detail

Handles


**Optional Specifications** 

Accessories

Key #

SINGLE COLUMN LOCKERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		D x W x H					
	ZL6612F11L	18 x 12 x 66.5-67	7 100	111	11.5	\$1326	\$1349
	ZL6615F11L	18 x 15 x 66.5-67	7 100	122	13.75	\$1422	\$1456
	ZL6618F11L	18 x 18 x 66.5-67	125	127	16.25	\$1586	\$1620
	ZL6612L11L	24 x 12 x 66.5-67	7 100	139	15	\$1473	\$1513
	ZL6615L11L	24 x 15 x 66.5-67	7 100	151	18	\$1569	\$1620
	ZL6618L11L	24 x 18 x 66.5-67	125	163	22	\$1717	\$1768
	ZL6612F11R	18 x 12 x 66.5-67	7 100	111	11.5	\$1326	\$1349
	ZL6615F11R	18 x 15 x 66.5-67	7 100	122	13.75	\$1422	\$1456
	ZL6618F11R	18 x 18 x 66.5-67	125	127	16.25	\$1586	\$1620
	ZL6612L11R	24 x 12 x 66.5-67	7 100	139	15	\$1473	\$1513
	ZL6615L11R	24 x 15 x 66.5-67	7 100	151	18	\$1569	\$1620
	ZL6618L11R	24 x 18 x 66.5-67	7 125	163	22	\$1717	\$1768

COLUMN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
	ZL2712F12L	18 x 12 x 27.5-28	92.5	55	5	\$833	\$862
	ZL2712F12R	18 x 12 x 27.5-28	92.5	55	5	\$833	\$862
Left shown							
	• Coloct cuffix (I)	for loft hand //D) for righ	t hand anoning				
Column, Two Rows - 27.5/28"H		for <b>left</b> hand / ( <b>R</b> ) for <b>righ</b>		with ANSI/	RIFMA X5.6 stora	ane standards	3
		for <b>left</b> hand / ( <b>R</b> ) for <b>righ</b> s to be ganged or anchore		with ANSI/	BIFMA X5.6 stora	age standards	S.
			d for compliance				
	• 12" wide locker	s to be ganged or anchore		112 135	BIFMA X5.6 stora 11.5 16.25	age standards \$1478 \$1727	\$1508 \$1773
	• 12" wide locker ZL6612F12L	s to be ganged or anchore 18 x 12 x 66.5-67	d for compliance	112	11.5	\$1478	\$1508
	• 12" wide locker:  ZL6612F12L ZL6618F12L	18 x 12 x 66.5-67 18 x 18 x 66.5-67	d for compliance	112 135	11.5 16.25	\$1478 \$1727	\$1508 \$1773
<b>V</b>	• 12" wide locker:  ZL6612F12L ZL6618F12L ZL6612L12L	18 x 12 x 66.5-67 18 x 18 x 66.5-67 24 x 12 x 66.5-67	100 100 100	112 135 140	11.5 16.25 15	\$1478 \$1727 \$1619	\$1508 \$1773 \$1654 \$1932
<b>W</b>	• 12" wide locker:  ZL6612F12L ZL6618F12L ZL6612L12L ZL6618L12L	18 x 12 x 66.5-67 18 x 18 x 66.5-67 24 x 12 x 66.5-67 24 x 18 x 66.5-67	100 100 100 100 125	112 135 140 165	11.5 16.25 15 21.25	\$1478 \$1727 \$1619 \$1881	\$1508 \$1773 \$1654 \$1932
	• 12" wide lockers  ZL6612F12L  ZL6618F12L  ZL6612L12L  ZL6618L12L	18 x 12 x 66.5-67 18 x 18 x 66.5-67 24 x 12 x 66.5-67 24 x 18 x 66.5-67 18 x 12 x 66.5-67	100 100 100 100 125	112 135 140 165	11.5 16.25 15 21.25	\$1478 \$1727 \$1619 \$1881 \$1478	\$1508 \$1773 \$1654 \$1932 \$1508




- ullet Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifica	tions	Optional Specifications	Accessories
Top Finish	Base Finish	Key #	
Door Finish			
Top/Edge Detail			
Handles			


## **ZIRA™ LOCKERS**

ONE COLUMN LOCKERS, THREE ROWS



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	D x W x H					
ZL5312F13L	18 x 12 x 53.5-5	4 92.5	96	9.25	\$1308	\$1337
ZL5318F13L	18 x 18 x 53.5-5	4 100	118	13.25	\$1563	\$1603
ZL5312L13L	24 x 12 x 53.5-5	4 100	121	12.25	\$1427	\$1462
ZL5318L13L	24 x 18 x 53.5-5	4 100	145	17.25	\$1694	\$1801
ZL5312F13R	18 x 12 x 53.5-5	4 92.5	96	9.25	\$1308	\$1337
ZL5318F13R	18 x 18 x 53.5-5	4 100	118	13.25	\$1563	\$1603
ZL5312L13R	24 x 12 x 53.5-5	4 100	121	12.25	\$1427	\$1462
ZL5318L13R	24 x 18 x 53.5-5	4 100	145	17.25	\$1694	\$1801

- Select suffix (L) for left hand / (R) for right hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



ZL6612F13L	18 x 12 x 66.5-67	92.5	115	11.5	\$1478	\$1508
ZL6618F13L	18 x 18 x 66.5-67	100	140	16.25	\$1750	\$1807
ZL6612L13L	24 x 12 x 66.5-67	100	144	15	\$1614	\$1649
ZL6618L13L	24 x 18 x 66.5-67	100	171	21.25	\$1909	\$1960
ZL6612F13R	18 x 12 x 66.5-67	92.5	115	11.5	\$1478	\$1508
ZL6618F13R	18 x 18 x 66.5-67	100	140	16.25	\$1750	\$1807
ZL6612L13R	24 x 12 x 66.5-67	100	144	15	\$1614	\$1649
ZL6618L13R	24 x 18 x 66.5-67	100	171	21.25	\$1909	\$1960

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, FOUR ROWS
Left shown
One Column, Four Rows - 66.5/67"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL6612F14L	18 x 12 x 66.5-67	92.5	119	11.5	\$1642	\$1672
ZL6612L14L	24 x 12 x 66.5-67	100	149	15	\$1784	\$1819
ZL6612F14R	18 x 12 x 66.5-67	92.5	119	11.5	\$1642	\$1672
ZL6612L14R	24 x 12 x 66.5-67	100	149	15	\$1784	\$1819

- Select suffix (L) for left hand / (R) for right hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications					
Top Finish	Base Finish				
Door Finish					
Top/Edge Detail					

Optional	Specifications
Key #	

Accessories

Handles


TWO COLUMN LOCKERS, ONE ROW	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	
		DxWxH						_
	ZL4024F21L	18 x 24 x 40.5-41		118	13.25	\$1535	\$1591	
	ZL4030F21L	18 x 30 x 40.5-41		133	16.5	\$1659	\$1728	
	ZL4024L21L	24 x 24 x 40.5-41 24 x 30 x 40.5-41		149 166	17.25 21.25	\$1687 \$1818	\$1750 \$1897	
	ZL4030L21L	24 X 30 X 40.5-41	125	100	21.20	\$1010	\$109/	
	ZL4024F21R	18 x 24 x 40.5-41	100	118	13.25	\$1535	\$1591	
	ZL4030F21R	18 x 30 x 40.5-41		133	16.5	\$1659	\$1728	
	ZL4024L21R	24 x 24 x 40.5-41		149	17.25	\$1687	\$1750	
	ZL4030L21R	24 x 30 x 40.5-41	125	166	21.25	\$1818	\$1897	
Left shown								
Two Columns, One Row - 40.5/41"H	<ul> <li>Select suffix (L) for I</li> </ul>	left hand / (R) for rig	ght hand opening.	. Includes co	oat hook in each	n opening		
TWO COLUMN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	
	71.070.45001	40 04 07 5 00	100	0.4	0.5	04.407	04.470	_
	ZL2724F22L ZL2724F22R	18 x 24 x 27.5-28 18 x 24 x 27.5-28		94 94	9.5 9.5	\$1427 \$1427	\$1478 \$1478	
	ZLZ/Z4FZZN	18 X Z4 X Z7.3-Z8	100	94	9.5	\$1427	\$14/6	
Left shown								
Two Columns, Two Rows - 27.5/28"H	• Select suffix (L) for I	left hand / (R) for rig	ght hand opening.					
								_
	ZL4024F22L	18 x 24 x 40.5-41		125	13.25	\$1677	\$1728	
	ZL4030F22L	18 x 30 x 40.5-41		142	16.25	\$1818	\$1881	
	ZL4024L22L ZL4030L22L	24 x 24 x 40.5-41 24 x 30 x 40.5-41		158 178	17.25 21.25	\$1841 \$1993	\$1904 \$2073	
	ZL4U3ULZZL	24 X 30 X 40.3-41	100	1/0	21.20	\$1333	\$2073	
	ZL4024F22R	18 x 24 x 40.5-41	100	125	13.25	\$1677	\$1728	
	ZL4030F22R	18 x 30 x 40.5-41		142	16.25	\$1818	\$1881	
	ZL4024L22R	24 x 24 x 40.5-41	100	158	17.25	\$1841	\$1904	
	ZL4030L22R	24 x 30 x 40.5-41	100	178	21.25	\$1993	\$2073	
Left shown								
Two Columns, Two Rows - 40.5/41"H	Select suffix (L) for I	left hand / (R) for rig	ght hand opening.					
_								_
	ZL6624F22L	18 x 24 x 66.5-67	100	187	21.25	\$2503	\$2554	
	ZL6636F22L	18 x 36 x 66.5-67	125	235	31	\$2939	\$3013	
	ZL6636L22L	24 x 36 x 66.5-67	125	283	40	\$3159	\$3250	
	ZL6624F22R	18 x 24 x 66.5-67		187	21.25	\$2503	\$2554	
	ZL6636F22R ZL6636L22R	18 x 36 x 66.5-67 24 x 36 x 66.5-67		235 283	31 40	\$2939 \$3159	\$3013 \$3250	
	ZL0030LZZN	24 X 30 X 00.3-07	125	283	40	\$3139	\$3230	
Left shown								
Two Columns, Two Rows - 66.5/67"H	Select suffix (L) for I	left hand / (R) for ric	ght hand opening.	. Includes co	at hook in each	n opening and or	each door.	
	. ,	, , ,						
								_
	Required Specification	ış.	Optional Specifi	icatione		Accessories		
	Top Finish	Base Finish	Key #	ivativils		ACCESSIIES		_
	Door Finish							
	Top/Edge Detail Handles							
	Hanules							

TWO COLUMN LOCKERS, THREE ROWS	MODEL#	DIMENSIONS FF	EIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP
		D x W x H					
	ZL5324F23L	18 x 24 x 53.5-54	100	163	17.25	\$2237	\$2294
	ZL5330F23L	18 x 30 x 53.5-54	100	185	21.25	\$2429	\$2492
	ZL5336F23L	18 x 36 x 53.5-54	100	207	25.25	\$2662	\$2741
	ZL5324L23L	24 x 24 x 53.5-54	100	205	22.5	\$2447	\$2509
	ZL5330L23L	24 x 30 x 53.5-54	100	230	27.5	\$2650	\$2730
	ZL5336L23L	24 x 36 x 53.5-54	125	252	32.75	\$2887	\$2978
	ZL5324F23R	18 x 24 x 53.5-54	100	163	17.25	\$2237	\$2294
	ZL5330F23R	18 x 30 x 53.5-54	100	185	21.25	\$2429	\$2492
	ZL5336F23R	18 x 36 x 53.5-54	100	207	25.25	\$2662	\$2741
	ZL5324L23R	24 x 24 x 53.5-54	100	205	22.5	\$2447	\$2509
	ZL5330L23R	24 x 30 x 53.5-54	100	230	27.5	\$2650	\$2730
	ZL5336L23R	24 x 36 x 53.5-54	125	252	32.75	\$2887	\$2978
Left shown							



- Select suffix (L) for left hand / (R) for right hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

\$2548	\$2497	21.25	194	100	18 x 24 x 66.5-67	ZL6624F23L
\$2775	\$2712	26	219	100	18 x 30 x 66.5-67	ZL6630F23L
\$3064	\$2985	31	246	125	18 x 36 x 66.5-67	ZL6636F23L
\$2792	\$2730	27.5	243	100	24 x 24 x 66.5-67	ZL6624L23L
\$3036	\$2962	33.75	271	100	24 x 30 x 66.5-67	ZL6630L23L
\$3319	\$3228	40	297	125	24 x 36 x 66.5-67	ZL6636L23L
\$2548	\$2497	21.25	194	100	18 x 24 x 66.5-67	ZL6624F23R
\$2775	\$2712	26	219	100	18 x 30 x 66.5-67	ZL6630F23R
\$3064	\$2985	31	246	125	18 x 36 x 66.5-67	ZL6636F23R
\$2792	\$2730	27.5	243	100	24 x 24 x 66.5-67	ZL6624L23R
\$3036	\$2962	33.75	271	100	24 x 30 x 66.5-67	ZL6630L23R
\$3319	\$3228	40	297	125	24 x 36 x 66.5-67	ZL6636L23R



- Select suffix (L) for left hand / (R) for right hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.


TWO COLUMN LOCKERS, FOUR ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP
	ZL6624F24L	18 x 24 x 66.5-67	100	201	21.25	\$2826	\$2877
	ZL6624L24L	24 x 24 x 66.5-67	100	252	27.5	\$3069	\$3138
	ZL6624F24R	18 x 24 x 66.5-67	100	201	21.25	\$2826	\$2877
	ZL6624L24R	24 x 24 x 66.5-67	100	252	27.5	\$3069	\$3138
Left shown							
Two Columns, Four Rows - 66.5/67"H	<ul> <li>Select suffix (L) t</li> </ul>	for <b>left</b> hand / ( <b>R</b> ) for <b>rig</b>	<b>jht</b> hand opening.				

		$\mathbb{Z}$	Left shown	
Τv	vo Col	umns, Fo	ur Rows - 66.5/67" h	ł

Required Specifications	
Top Finish	Base Finish
Door Finish	
Top/Edge Detail	
Handles	

Optional	Specifications
Key #	

Accessories




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	DxWxH					
ZL4036F31L	18 x 36 x 40.5-4	1 100	165	19.5	\$2129	\$2209
ZL4036L31L	24 x 36 x 40.5-4	1 100	203	25.25	\$2305	\$2395
ZL4036F31R	18 x 36 x 40.5-4	1 100	165	19.5	\$2129	\$2209
ZL4036L31R	24 x 36 x 40.5-4	1 100	203	25.25	\$2305	\$2395

• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening



ZL5336F31L	18 x 36 x 53.5-54	100	215	25.25	\$2627	\$2707
ZL5336L31L	24 x 36 x 53.5-54	100	265	32.75	\$2882	\$2973
ZL5336F31R	18 x 36 x 53.5-54	100	215	25.25	\$2627	\$2707
ZL5336L31R	24 x 36 x 53.5-54	100	265	32.75	\$2882	\$2973

• Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.



ZL6636F31L	18 x 36 x 66.5-67	100	258	31	\$2985	\$3059
ZL6636L31L	24 x 36 x 66.5-67	125	317	40	\$3267	\$3357
ZL6636F31R	18 x 36 x 66.5-67	100	258	31	\$2985	\$3059
ZL6636L31R	24 x 36 x 66.5-67	125	317	40	\$3267	\$3357


• Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.

	Left shown
Three Columns. Two	

THREE COLUMN LOCKERS, TWO ROWS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"T0P	1.5" TOP	
ZL4036F32L	18 x 36 x 40.5-41	100	176	19.5	\$2339	\$2413	
ZL4036L32L	24 x 36 x 40.5-41	100	218	25.25	\$2537	\$2627	
ZL4036F32R	18 x 36 x 40.5-41	100	176	19.5	\$2339	\$2413	
ZL4036L32R	24 x 36 x 40.5-41	100	218	25.25	\$2537	\$2627	

• Select suffix (L) for left hand / (R) for right hand opening.



ZL5336F32L	18 x 36 x 53.5-54	100	219	25.25	\$3159	\$3233
ZL5336L32L	24 x 36 x 53.5-54	100	269	32.75	\$3392	\$3482
ZL5336F32R	18 x 36 x 53.5-54	100	219	25.25	\$3159	\$3233
ZL5336L32R	24 x 36 x 53.5-54	100	269	32.75	\$3392	\$3482

• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening and on each door.

Required Specifications	<u> </u>
Top Finish	Base Finish
Door Finish	
Top/Edge Detail	
Handles	

Optional Specifications
Key #

Accessories

# **Z** ZIRA™LOCKERS

Three Columns, Two Rows - 66.5/67"H

Three Columns, Three Rows - 66.5/67"H

THREE COLUMN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		DxWxH					
	ZL6636F32L	18 x 36 x 66.5-67	7 100	262	31	\$3556	\$3630
	ZL6636L32L	24 x 36 x 66.5-67	100	322	40	\$3833	\$3923
	ZL6636F32R	18 x 36 x 66.5-67	7 100	262	31	\$3556	\$3630
	ZL6636L32R	24 x 36 x 66.5-67	7 100	322	40	\$3833	\$3923
Left shown							

• Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening and on each door.

THREE COLUMN LOCKERS, THREE ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
	ZL5336F33L	18 x 36 x 53.5-54	100	229	25.25	\$3154	\$3228
	ZL5336L33L	24 x 36 x 53.5-54	100	283	32.75	\$3402	\$3493
	ZL5336F33R	18 x 36 x 53.5-54	100	229	25.25	\$3154	\$3228
	ZL5336L33R	24 x 36 x 53.5-54	100	283	32.75	\$3402	\$3493
Left shown Three Columns, Three Rows - 53.5/54"H	• Select suffix (L)	for left hand / (R) for rig	<b>ht</b> hand opening.				
•	ZL6636F33L	18 x 36 x 66.5-67	100	272	31	\$3550	\$3624 \$3044
•				272 336	31 40	\$3550 \$3850	\$3624 \$3941
•	ZL6636F33L	18 x 36 x 66.5-67	100				

• Select suffix (L) for left hand / (R) for right hand opening.

Required Specifications		Optional Specifications	Accessories	
Top Finish	Base Finish	Key #		
Door Finish				
Top/Edge Detail				
Handlag				

# benching



Bridges II

292







Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.









Round Leg

# **Features and Benefits**

- · High performance thermally fused laminate tops are 1"
- · High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all
- · Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- · Leg Options: Height adjustable round legs Fixed height rectangular legs

## **GENERAL INFORMATION**

# Flexible Building components

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

**Easy to customize and reconfigure** to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

# **Compatible with various environments**

 Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

# Choice of two functionally and visually different leg supports

- Casters or levelers
- · Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

# Various power/data delivery levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- Horizontal cable management under storage units with optional wire basket

**Interconnected storage units** can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

• For environmental certifications, please visit globalfurnituregroup.com.

# В

# BRIDGES II™ - NOTES

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

#### **TABLES**

- · All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- · Worksurfaces provided with pilot holes for alignment purposes

#### CODES

 This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP

BRT = Bridges II

WS = Type of Worksurface

2472 = Size: Depth x Width

AWC = High Pressure Laminate

HP = Finish

#### **RECTANGULAR LEG**

- · For single and shared worksurface support
- Bridges II Rectangular legs are available with: Locking Casters (BRTLCS) or Levelers (BRTLVS)





- Casters and Levelers CANNOT be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White

#### **ROUND LEG**

- · For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" 32" in 1" increments with levelers and 27" - 35" with casters
- Bridges II Round legs are available with:
   Locking Casters (BRTLCR) or Levelers (BRTLVR)







- Casters and Levelers CAN be retrofitted
- Levelers have a 1" height range, with 3/8-16" thread
- · Levelers are available in Chrome only
- · Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- Paint finish is a durable, environmentally friendly epoxy powder coating

#### **FINISHES**

#### **Metal Frame Finishes:**

BLK	Black
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
TDE	<b>-</b>

TPE Taupe TUN Tungsten

ANO* Anodized Aluminum - Upcharge applies. Refer to models for upcharge.

# **Laminate Top Finishes:**

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey

BLK Black - Coordinates with BLK Metal Frame Finish

BZD Blizzard

BRC Brushed Cobalt - Coordinates with TUN Metal Frame Finish

CMB Clear Maple

CGY Custom Grey - Coordinates with SIL Metal Frame Finish

DES Dark Espresso

DWT Designer White - Coordinates with DWT Metal Frame Finish

FAS Fashionista
FCL First Class
NBL Noce Biondo
NGL Noce Grigio
NEL Noce Leggero

NML Noce Medio

QTM Quartered Mahogany

SBY Sheer Beauty SDT Stonedust

SOG Storm Grey - Coordinates with CHR Metal Frame Finish

WHE Walnut Heights
WHC White Chocolate
WCR Winter Cherry

^{*}ANO is a process, not a paint finish.

#### **Edgeband Finishes:**

- AAE Absolute Acajou
- ASE Asian Night
- ACE Avant Cherry
- AHE Avant Honey
- BLK Black
- BRC Brushed Cobalt
- BZD Blizzard
- CHR Charcoal (use w/SOG)
- CGY Custom Grey -
- out oustoillaley
- CME Clear Maple
- DEE Dark Espresso
- DWE Designer White
- FAS Fashionista
- FCL First Class
- NEV Nevada
- QTM Quartered Mahogany
- SBY Sheer Beauty
- SIL Silver
- SDT Stonedust
- TPE Taupe
- WHE Walnut Heights
- CBE White Chocolate
- WCE Winter Cherry

# **Chassis/Accent Finishes:**

- ACJ Absolute Acajou
- ASN Asian Night
- AWC Avant Cherry
- AWH Avant Honey
- BLK Black Coordinates with BLK Metal Frame Finish
- BRC Brushed Cobalt Coordinates with TUN Metal Frame Finish
- BZD Blizzard
- CGY Custom Grey Coordinates with SIL Metal Frame Finish
- CMB Clear Maple
- DES Dark Espresso
- DWT Designer White Coordinates with DWT Metal Frame Finish
- FAS Fashionista
- FCL First Class
- NBL Noce Biondo
- NGL Noce Grigio
- NEL Noce Leggero
- NML Noce Medio
- QTM Quartered Mahogany
- SBY Sheer Beauty
- SOG Storm Grey Coordinates with CHR Metal Frame Finish
- SDT Stonedust
- STG String Coordinates with NEV Metal Frame Finish
- WHC White Chocolate
- WHE Walnut Heights
- WCR Winter Cherry

# **Metal Beam Finishes:**

- BLK Black
- CHR Charcoal
- DWT Designer White
- FOG Fog
- NEV Nevada
- SIL Silver
- TPE Taupe
- TUN Tungsten

## **FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONS**

Bridges II Fabric Table Dividers are available in: Anchorage, Lola, Merge

## **COLLABORATIVE SEATING**

· All standard seating fabrics and grades apply.

# 30"W UNITS STORAGE CAPACITY CHART

Side to Side




Side to Side Letter/Front to Back Legal



# **36"W UNITS STORAGE CAPACITY CHART**

Side to Side Letter



LETTER LETTER

Side to Side Legal




LETTER LEGAL

Side to Side Letter/Front to Back Legal



RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRTS1P2484L	24 x 84 x 29	70	75	4.92	\$1584	\$154
	BRTS1P2478L	24 x 78 x 29	85	72	4.82	\$1538	\$148
	BRTS1P2472L	24 x 72 x 29	85	69	4.73	\$1484	\$153
	BRTS1P2466L	24 x 66 x 29	85	66	4.65	\$1468	\$136
	BRTS1P2463L	24 x 62.5 x 29	85	63	4.57	\$1457	\$132
	BRTS1P2460L	24 x 60 x 29	85	60	4.48	\$1441	\$131
	BRTS1P2454L	24 x 54 x 29	85	57	4.4	\$1391	\$114
	BRTS1P2451L	24 x 50.5 x 29	85	54	4.3	\$1353	\$109
	BRTS1P2448L	24 x 48 x 29	85	51	4.2	\$1317	\$104
	BRTS1P2442L	24 x 42 x 29	92.5	48	4.1	\$1260	\$85
	BRTS1P2436L	24 x 36 x 29	92.5	45	4	\$1181	\$73
	BRTS1P3084L	30 x 84 x 29	70	84	5.2	\$1661	\$165
	BRTS1P3078L	30 x 78 x 29	70	81	5.1	\$1597	\$153
	BRTS1P3072L	30 x 72 x 29	70	78	5.01	\$1559	\$151
	BRTS1P3066L	30 x 66 x 29	70	75	4.9	\$1522	\$145
	BRTS1P3063L	30 x 62.5 x 29	70	72	4.8	\$1510	\$140
	BRTS1P3060L	30 x 60 x 29	85	69	4.73	\$1495	\$136
	BRTS1P3054L	30 x 54 x 29	85	66	4.6	\$1461	\$113
	BRTS1P3051L	30 x 50.5 x 29	85	63	4.5	\$1434	\$119
	BRTS1P3048L	30 x 48 x 29	85	60	4.41	\$1410	\$114
	BRTS1P3042L	30 x 42 x 29	85	57	4.3	\$1379	\$112
'	BRTS1P3036L	30 x 36 x 29	85	54	4.2	\$1274	\$77



Single Line 1 Person Pod with Levelers

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

• Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications
Top finish

Edge finish Metal finish (legs) Beam finish

Optional Specifications
Anodized Aluminum Leg HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTS1P2484C	24 x 84 x 29	70	75	4.92	\$1661	\$154
	BRTS1P2478C	24 x 78 x 29	85	72	4.82	\$1615	\$148
	BRTS1P2472C	24 x 72 x 29	85	69	4.73	\$1571	\$145
	BRTS1P2466C	24 x 66 x 29	85	66	4.65	\$1546	\$136
	BRTS1P2463C	24 x 62.5 x 29	85	63	4.57	\$1533	\$132
	BRTS1P2460C	24 x 60 x 29	85	60	4.48	\$1520	\$131
	BRTS1P2454C	24 x 54 x 29	85	57	4.4	\$1468	\$114
	BRTS1P2451C	24 x 50.5 x 29	85	54	4.3	\$1432	\$109
	BRTS1P2448C	24 x 48 x 29	85	51	4.2	\$1394	\$104
	BRTS1P2442C	24 x 42 x 29	92.5	48	4.1	\$1335	\$85
	BRTS1P2436C	24 x 36 x 29	92.5	45	4	\$1261	\$73
	BRTS1P3084C	30 x 84 x 29	70	84	5.2	\$1753	\$153
	BRTS1P3078C	30 x 78 x 29	70	81	5.1	\$1674	\$153
	BRTS1P3072C	30 x 72 x 29	70	78	5.01	\$1636	\$129
	BRTS1P3066C	30 x 66 x 29	70	75	4.9	\$1600	\$145
	BRTS1P3063C	30 x 62.5 x 29	70	72	4.8	\$1588	\$140
	BRTS1P3060C	30 x 60 x 29	85	69	4.73	\$1572	\$136
	BRTS1P3054C	30 x 54 x 29	85	66	4.6	\$1539	\$113
	BRTS1P3051C	30 x 50.5 x 29	85	63	4.5	\$1512	\$119
	BRTS1P3048C	30 x 48 x 29	85	60	4.41	\$1487	\$114
	BRTS1P3042C	30 x 42 x 29	85	57	4.3	\$1458	\$112
. []	BRTS1P3036C	30 x 36 x 29	85	54	4.2	\$1352	\$77

Anodized Aluminum Leg - Add \$154. list upcharge

Required Specifications
Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications
Anodized Aluminum Leg
HP laminate


RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRTS2P2484L	24 x 168 x 29	70	149	7.41	\$2775	\$306
	BRTS2P2478L	24 x 156 x 29	70	140	7.27	\$2681	\$291
	BRTS2P2472L	24 x 144 x 29	70	131	7.13	\$2598	\$283
	BRTS2P2466L	24 x 132 x 29	70	122	6.95	\$2543	\$267
	BRTS2P2460L	24 x 120 x 29	70	113	6.71	\$2488	\$260
	BRTS2P2454L	24 x 108 x 29	70	104	6.45	\$2386	\$226
	BRTS2P2448L	24 x 96 x 29	70	95	6.21	\$2240	\$203
^							
	BRTS2P3084L	30 x 168 x 29	70	173	8.25	\$2911	\$329
	BRTS2P3078L	30 x 156 x 29	70	164	7.97	\$2783	\$303
	BRTS2P3072L	30 x 144 x 29	70	155	7.69	\$2725	\$294
	BRTS2P3066L	30 x 132 x 29	70	140	7.41	\$2633	\$283
0	BRTS2P3060L	30 x 120 x 29	70	131	7.13	\$2581	\$267
¶	BRTS2P3054L	30 x 108 x 29	70	122	6.85	\$2507	\$226
ш	BRTS2P3048L	30 x 96 x 29	70	113	6.57	\$2406	\$226
V							



Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$228. list upcharge

BRTS3P2484L	24 x 252 x 29	70	219	9.74	\$3969	\$457
BRTS3P2478L	24 x 234 x 29	70	206	9.53	\$3828	\$434
BRTS3P2472L	24 x 216 x 29	70	192	9.32	\$3701	\$423
BRTS3P2466L	24 x 198 x 29	70	179	9.11	\$3617	\$401
BRTS3P2460L	24 x 180 x 29	70	165	8.89	\$3539	\$368
BRTS3P2454L	24 x 162 x 29	70	152	8.68	\$3386	\$335
BRTS3P2448L	24 x 144 x 29	70	138	8.47	\$3165	\$301
BRTS3P3084L	30 x 252 x 29	65	263	11.59	\$4163	\$492
BRTS3P3078L	30 x 234 x 29	70	246	11.16	\$3970	\$454
BRTS3P3072L	30 x 216 x 29	70	229	10.72	\$3854	\$442
BRTS3P3066L	30 x 198 x 29	70	212	10.3	\$3743	\$423
BRTS3P3060L	30 x 180 x 29	70	195	9.87	\$3666	\$401
BRTS3P3054L	30 x 162 x 29	70	178	9.44	\$3557	\$335
BRTS3P3048L	30 x 144 x 29	70	161	9.01	\$3406	\$335




Single Line 3 Person Pod with Levelers

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$305. list upcharge

BRTS4P2484L	24 x 336 x 29	70	291	13.67	\$5157	\$610	
BRTS4P2478L	24 x 312 x 29	70	273	13.18	\$4972	\$578	
BRTS4P2472L	24 x 288 x 29	70	254	12.69	\$4832	\$571	
BRTS4P2466L	24 x 264 x 29	70	236	12.2	\$4693	\$532	
BRTS4P2460L	24 x 240 x 29	70	217	11.71	\$4585	\$516	
BRTS4P2454L	24 x 216 x 29	70	199	11.22	\$4384	\$446	
BRTS4P2448L	24 x 192 x 29	70	180	10.73	\$4089	\$401	
BRTS4P3084L	30 x 336 x 29	65	345	14.87	\$5410	\$655	
BRTS4P3078L	30 x 312 x 29	65	323	14.3	\$5155	\$600	
BRTS4P3072L	30 x 288 x 29	70	301	13.73	\$5001	\$586	
BRTS4P3066L	30 x 264 x 29	70	279	13.16	\$4854	\$561	
BRTS4P3060L	30 x 240 x 29	70	257	12.59	\$4754	\$532	
BRTS4P3054L	30 x 216 x 29	70	235	12.02	\$4605	\$446	
BRTS4P3048L	30 x 192 x 29	70	213	11.45	\$4404	\$446	



Single Line 4 Person Pod with Levelers

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

• Anodized Aluminum Leg - Add \$382. list upcharge

Kequired	Specification
Top finish	
Edge finish	

Optional Specifications
Anodized Aluminum Leg
HP laminate

Edge finish Metal finish (legs) Beam finish



**Back-to-Back 2 Person Pod with Levelers** 

MODEL#         DIMENSIONS         FREIGHT CLASS         WT/LBS.         CUBIC FT.         LIST PRICE         HP ADD           BRTBAR2P2484L         50.5 x 84 x 29         70         146         9.4         \$2621         \$306           BRTBAR2P2478L         50.5 x 78 x 29         85         137         9.2         \$2526         \$291           BRTBAR2P2472L         50.5 x 72 x 29         85         128         9.02         \$2442         \$283           BRTBAR2P2466L         50.5 x 66 x 29         85         119         8.76         \$2386         \$267           BRTBAR2P2460L         50.5 x 60 x 29         85         110         8.56         \$2335         \$260           BRTBAR2P3084L         62.5 x 84 x 29         70         174         10.4         \$2699         \$329           BRTBAR2P3078L         62.5 x 78 x 29         70         163         9.8         \$2579         \$291           BRTBAR2P3072L         62.5 x 72 x 29         70         152         9.54         \$2496         \$291           BRTBAR2P3066L         62.5 x 66 x 29         70         141         9.25         \$2420         \$283           BRTBAR2P3060L         62.5 x 60 x 29         85         130         9							
BRTBAR2P2484L         50.5 x 84 x 29         70         146         9.4         \$2621         \$306           BRTBAR2P2478L         50.5 x 78 x 29         85         137         9.2         \$2526         \$291           BRTBAR2P2472L         50.5 x 72 x 29         85         128         9.02         \$2442         \$283           BRTBAR2P2466L         50.5 x 66 x 29         85         119         8.76         \$2386         \$267           BRTBAR2P2460L         50.5 x 60 x 29         85         110         8.56         \$2335         \$260           BRTBAR2P3084L         62.5 x 84 x 29         70         174         10.4         \$2699         \$329           BRTBAR2P3078L         62.5 x 78 x 29         70         163         9.8         \$2579         \$291           BRTBAR2P3072L         62.5 x 72 x 29         70         152         9.54         \$2496         \$291           BRTBAR2P3066L         62.5 x 66 x 29         70         141         9.25         \$2420         \$283	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR2P2478L         50.5 x 78 x 29         85         137         9.2         \$2526         \$291           BRTBAR2P2472L         50.5 x 72 x 29         85         128         9.02         \$2442         \$283           BRTBAR2P2466L         50.5 x 66 x 29         85         119         8.76         \$2386         \$267           BRTBAR2P2460L         50.5 x 60 x 29         85         110         8.56         \$2335         \$260           BRTBAR2P3084L         62.5 x 84 x 29         70         174         10.4         \$2699         \$329           BRTBAR2P3078L         62.5 x 78 x 29         70         163         9.8         \$2579         \$291           BRTBAR2P3072L         62.5 x 72 x 29         70         152         9.54         \$2496         \$291           BRTBAR2P3066L         62.5 x 66 x 29         70         141         9.25         \$2420         \$283		DxWxH					
BRTBAR2P2472L         50.5 x 72 x 29         85         128         9.02         \$2442         \$283           BRTBAR2P2466L         50.5 x 66 x 29         85         119         8.76         \$2386         \$267           BRTBAR2P2460L         50.5 x 60 x 29         85         110         8.56         \$2335         \$260           BRTBAR2P3084L         62.5 x 84 x 29         70         174         10.4         \$2699         \$329           BRTBAR2P3078L         62.5 x 78 x 29         70         163         9.8         \$2579         \$291           BRTBAR2P3072L         62.5 x 72 x 29         70         152         9.54         \$2496         \$291           BRTBAR2P3066L         62.5 x 66 x 29         70         141         9.25         \$2420         \$283	BRTBAR2P2484L	50.5 x 84 x 29	70	146	9.4	\$2621	\$306
BRTBAR2P2466L       50.5 x 66 x 29       85       119       8.76       \$2386       \$267         BRTBAR2P2460L       50.5 x 60 x 29       85       110       8.56       \$2335       \$260         BRTBAR2P3084L       62.5 x 84 x 29       70       174       10.4       \$2699       \$329         BRTBAR2P3078L       62.5 x 78 x 29       70       163       9.8       \$2579       \$291         BRTBAR2P3072L       62.5 x 72 x 29       70       152       9.54       \$2496       \$291         BRTBAR2P3066L       62.5 x 66 x 29       70       141       9.25       \$2420       \$283	BRTBAR2P2478L	50.5 x 78 x 29	85	137	9.2	\$2526	\$291
BRTBAR2P2460L       50.5 x 60 x 29       85       110       8.56       \$2335       \$260         BRTBAR2P3084L       62.5 x 84 x 29       70       174       10.4       \$2699       \$329         BRTBAR2P3078L       62.5 x 78 x 29       70       163       9.8       \$2579       \$291         BRTBAR2P3072L       62.5 x 72 x 29       70       152       9.54       \$2496       \$291         BRTBAR2P3066L       62.5 x 66 x 29       70       141       9.25       \$2420       \$283	BRTBAR2P2472L	50.5 x 72 x 29	85	128	9.02	\$2442	\$283
BRTBAR2P3084L       62.5 x 84 x 29       70       174       10.4       \$2699       \$329         BRTBAR2P3078L       62.5 x 78 x 29       70       163       9.8       \$2579       \$291         BRTBAR2P3072L       62.5 x 72 x 29       70       152       9.54       \$2496       \$291         BRTBAR2P3066L       62.5 x 66 x 29       70       141       9.25       \$2420       \$283	BRTBAR2P2466L	50.5 x 66 x 29	85	119	8.76	\$2386	\$267
BRTBAR2P3078L       62.5 x 78 x 29       70       163       9.8       \$2579       \$291         BRTBAR2P3072L       62.5 x 72 x 29       70       152       9.54       \$2496       \$291         BRTBAR2P3066L       62.5 x 66 x 29       70       141       9.25       \$2420       \$283	BRTBAR2P2460L	50.5 x 60 x 29	85	110	8.56	\$2335	\$260
BRTBAR2P3078L       62.5 x 78 x 29       70       163       9.8       \$2579       \$291         BRTBAR2P3072L       62.5 x 72 x 29       70       152       9.54       \$2496       \$291         BRTBAR2P3066L       62.5 x 66 x 29       70       141       9.25       \$2420       \$283							
BRTBAR2P3072L         62.5 x 72 x 29         70         152         9.54         \$2496         \$291           BRTBAR2P3066L         62.5 x 66 x 29         70         141         9.25         \$2420         \$283	BRTBAR2P3084L	62.5 x 84 x 29	70	174	10.4	\$2699	\$329
BRTBAR2P3066L 62.5 x 66 x 29 70 141 9.25 <b>\$2420 \$283</b>	BRTBAR2P3078L	62.5 x 78 x 29	70	163	9.8	\$2579	\$291
511.57 W.E. 00002 02.0 X 00 X 20 70 111 0.20 42.00 42.00	BRTBAR2P3072L	62.5 x 72 x 29	70	152	9.54	\$2496	\$291
BRTBAR2P3060L 62.5 x 60 x 29 85 130 9 <b>\$2368 \$267</b>	BRTBAR2P3066L	62.5 x 66 x 29	70	141	9.25	\$2420	\$283
	BRTBAR2P3060L	62.5 x 60 x 29	85	130	9	\$2368	\$267

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams

• Anodized Aluminum Leg - Add \$154. list upcharge



Back-to-Back 2 Person Pod with Access Door and Levelers

BRTBAR2PA2484L	50.5 x 84 x 29	70	146	9.4	\$2755	\$547
BRTBAR2PA2478L	50.5 x 78 x 29	85	137	9.2	\$2678	\$489
BRTBAR2PA2472L	50.5 x 72 x 29	85	128	9.02	\$2621	\$469
BRTBAR2PA2466L	50.5 x 66 x 29	85	119	8.76	\$2524	\$411
BRTBAR2PA2460L	50.5 x 60 x 29	85	110	8.56	\$2427	\$372
BRTBAR2PA3084L	62.5 x 84 x 29	70	174	10.4	\$3008	\$664
BRTBAR2PA3078L	62.5 x 78 x 29	70	163	9.8	\$2911	\$625
BRTBAR2PA3072L	62.5 x 72 x 29	70	152	9.54	\$2853	\$568
BRTBAR2PA3066L	62.5 x 66 x 29	70	141	9.25	\$2755	\$508
BRTBAR2PA3060L	62.5 x 60 x 29	85	130	9	\$2621	\$469

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Anodized Aluminum Leg - Add \$154. list upcharge



Back-to-Back 2 Person Pod with Access Doors and Levelers

BRTBAR2PDA2484L	50.5 x 84 x 29	70	146	9.4	\$2973	\$586	
BRTBAR2PDA2478L	50.5 x 78 x 29	85	137	9.2	\$2890	\$525	
BRTBAR2PDA2472L	50.5 x 72 x 29	85	128	9.02	\$2827	\$504	
BRTBAR2PDA2466L	50.5 x 66 x 29	85	119	8.76	\$2724	\$442	
BRTBAR2PDA2460L	50.5 x 60 x 29	85	110	8.56	\$2620	\$399	
BRTBAR2PDA3084L	62.5 x 84 x 29	70	174	10.4	\$3244	\$712	
BRTBAR2PDA3078L	62.5 x 78 x 29	70	163	9.8	\$3140	\$670	
BRTBAR2PDA3072L	62.5 x 72 x 29	70	152	9.54	\$3079	\$607	
BRTBAR2PDA3066L	62.5 x 66 x 29	70	141	9.25	\$2973	\$542	
BRTBAR2PDA3060L	62.5 x 60 x 29	85	130	9	\$2827	\$504	

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$154. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 

RECTANGULAR LEG PACKAGES




**Back-to-Back 4 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						Ξ
BRTBAR4P2484L	50.5 x 168 x 29	70	272	15.66	\$4693	\$610	
BRTBAR4P2478L	50.5 x 156 x 29	70	256	15.2	\$4507	\$578	
BRTBAR4P2472L	50.5 x 144 x 29	70	240	14.74	\$4339	\$561	
BRTBAR4P2466L	50.5 x 132 x 29	70	224	14.28	\$4229	\$532	
BRTBAR4P2460L	50.5 x 120 x 29	70	208	13.82	\$4120	\$516	
BRTBAR4P3084L	62.5 x 168 x 29	70	333	16.86	\$4888	\$655	
BRTBAR4P3078L	62.5 x 156 x 29	70	313	16.32	\$4631	\$600	
BRTBAR4P3072L	62.5 x 144 x 29	70	293	15.78	\$4476	\$586	
BRTBAR4P3066L	62.5 x 132 x 29	70	273	15.24	\$4330	\$561	
BRTBAR4P3060L	62.5 x 120 x 29	70	253	14.7	\$4229	\$532	

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

• Anodized Aluminum Leg - Add \$228. list upcharge




Back-to-Back 4 Person Pod with Access Door and Levelers

50.5 x 168 x 29	70	272	15.66	\$4965	\$1091
50.5 x 156 x 29	70	256	15.2	\$4810	\$972
50.5 x 144 x 29	70	240	14.74	\$4693	\$933
50.5 x 132 x 29	70	224	14.28	\$4499	\$819
50.5 x 120 x 29	70	208	13.82	\$4305	\$742
62.5 x 168 x 29	70	333	16.86	\$5430	\$1320
62.5 x 156 x 29	70	313	16.32	\$5236	\$1243
62.5 x 144 x 29	70	293	15.78	\$5122	\$1129
62.5 x 132 x 29	70	273	15.24	\$4926	\$1012
62 E v 120 v 20	70	252	1/17	\$4656	\$933
	50.5 x 156 x 29 50.5 x 144 x 29 50.5 x 132 x 29 50.5 x 120 x 29 62.5 x 168 x 29 62.5 x 156 x 29 62.5 x 144 x 29 62.5 x 132 x 29	50.5 x 156 x 29 70 50.5 x 144 x 29 70 50.5 x 132 x 29 70 50.5 x 120 x 29 70 62.5 x 168 x 29 70 62.5 x 156 x 29 70 62.5 x 144 x 29 70 62.5 x 132 x 29 70	50.5 x 156 x 29 70 256 50.5 x 144 x 29 70 240 50.5 x 132 x 29 70 224 50.5 x 132 x 29 70 208 62.5 x 168 x 29 70 333 62.5 x 156 x 29 70 313 62.5 x 144 x 29 70 293 62.5 x 132 x 29 70 273	50.5 x 156 x 29     70     256     15.2       50.5 x 144 x 29     70     240     14.74       50.5 x 132 x 29     70     224     14.28       50.5 x 120 x 29     70     208     13.82       62.5 x 168 x 29     70     333     16.86       62.5 x 156 x 29     70     313     16.32       62.5 x 144 x 29     70     293     15.78	50.5 x 156 x 29       70       256       15.2       \$4810         50.5 x 144 x 29       70       240       14.74       \$4693         50.5 x 132 x 29       70       224       14.28       \$4499         50.5 x 120 x 29       70       208       13.82       \$4305         62.5 x 168 x 29       70       333       16.86       \$5430         62.5 x 156 x 29       70       313       16.32       \$5236         62.5 x 144 x 29       70       293       15.78       \$5122         62.5 x 132 x 29       70       273       15.24       \$4926

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$228. list upcharge



Back-to-Back 4 Person Pod with Access Door and Levelers

В	RTBAR4PDA2484L	50.5 x 168 x 29	70	272	15.66	\$5357	\$1171
В	RTBAR4PDA2478L	50.5 x 156 x 29	70	256	15.2	\$5189	\$1044
В	RTBAR4PDA2472L	50.5 x 144 x 29	70	240	14.74	\$5063	\$1005
В	RTBAR4PDA2466L	50.5 x 132 x 29	70	224	14.28	\$4857	\$875
В	RTBAR4PDA2460L	50.5 x 120 x 29	70	208	13.82	\$4644	\$794
В	RTBAR4PDA3084L	62.5 x 168 x 29	70	333	16.86	\$5860	\$1418
В	RTBAR4PDA3078L	62.5 x 156 x 29	70	313	16.32	\$5649	\$1337
В	RTBAR4PDA3072L	62.5 x 144 x 29	70	293	15.78	\$5525	\$1210
В	RTBAR4PDA3066L	62.5 x 132 x 29	70	273	15.24	\$5315	\$1087
В	RTBAR4PDA3060L	62.5 x 120 x 29	70	253	14.7	\$5024	\$1001

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$228. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 




**Back-to-Back 6 Person Pod with Levelers** 

MODEL#         DIMENSIONS         FREIGHT CLASS         WT/LBS.         CUBIC FT.         LIST PRICE         HP ADD           BRTBAR6P2484L         50.5 x 252 x 29         70         434         22.88         \$6768         \$910           BRTBAR6P2478L         50.5 x 234 x 29         70         409         22.1         \$6487         \$865           BRTBAR6P2472L         50.5 x 216 x 29         70         359         21.32         \$6233         \$843           BRTBAR6P2466L         50.5 x 198 x 29         70         329         20.54         \$6070         \$795           BRTBAR6P2460L         50.5 x 180 x 29         70         308         19.76         \$5869         \$770           BRTBAR6P3084L         62.5 x 252 x 29         70         493         24.53         \$7040         \$982           BRTBAR6P3078L         62.5 x 234 x 29         70         462         23.75         \$6655         \$899           BRTBAR6P3072L         62.5 x 216 x 29         70         431         22.86         \$6424         \$877           BRTBAR6P3066L         62.5 x 198 x 29         70         400         21.97         \$6201         \$843           BRTBAR6P3060L         62.5 x 180 x 29         70         369 <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>							
BRTBAR6P2484L         50.5 x 252 x 29         70         434         22.88         \$6768         \$910           BRTBAR6P2478L         50.5 x 234 x 29         70         409         22.1         \$6487         \$865           BRTBAR6P2472L         50.5 x 216 x 29         70         359         21.32         \$6233         \$843           BRTBAR6P2466L         50.5 x 198 x 29         70         329         20.54         \$6070         \$795           BRTBAR6P2460L         50.5 x 180 x 29         70         308         19.76         \$5869         \$770           BRTBAR6P3084L         62.5 x 252 x 29         70         493         24.53         \$7040         \$982           BRTBAR6P3078L         62.5 x 234 x 29         70         462         23.75         \$6655         \$899           BRTBAR6P3072L         62.5 x 216 x 29         70         431         22.86         \$6424         \$877           BRTBAR6P3066L         62.5 x 198 x 29         70         400         21.97         \$6201         \$843	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR6P2478L         50.5 x 234 x 29         70         409         22.1         \$6487         \$865           BRTBAR6P2472L         50.5 x 216 x 29         70         359         21.32         \$6233         \$843           BRTBAR6P2466L         50.5 x 198 x 29         70         329         20.54         \$6070         \$795           BRTBAR6P2460L         50.5 x 180 x 29         70         308         19.76         \$5869         \$770           BRTBAR6P3084L         62.5 x 252 x 29         70         493         24.53         \$7040         \$982           BRTBAR6P3078L         62.5 x 234 x 29         70         462         23.75         \$6655         \$899           BRTBAR6P3072L         62.5 x 216 x 29         70         431         22.86         \$6424         \$877           BRTBAR6P3066L         62.5 x 198 x 29         70         400         21.97         \$6201         \$843		DxWxH					
BRTBAR6P2472L       50.5 x 216 x 29       70       359       21.32       \$6233       \$843         BRTBAR6P2466L       50.5 x 198 x 29       70       329       20.54       \$6070       \$795         BRTBAR6P2460L       50.5 x 180 x 29       70       308       19.76       \$5869       \$770         BRTBAR6P3084L       62.5 x 252 x 29       70       493       24.53       \$7040       \$982         BRTBAR6P3078L       62.5 x 234 x 29       70       462       23.75       \$6655       \$899         BRTBAR6P3072L       62.5 x 216 x 29       70       431       22.86       \$6424       \$877         BRTBAR6P3066L       62.5 x 198 x 29       70       400       21.97       \$6201       \$843	BRTBAR6P2484L	50.5 x 252 x 29	70	434	22.88	\$6768	\$910
BRTBAR6P2466L       50.5 x 198 x 29       70       329       20.54       \$6070       \$795         BRTBAR6P2460L       50.5 x 180 x 29       70       308       19.76       \$5869       \$770         BRTBAR6P3084L       62.5 x 252 x 29       70       493       24.53       \$7040       \$982         BRTBAR6P3078L       62.5 x 234 x 29       70       462       23.75       \$6655       \$899         BRTBAR6P3072L       62.5 x 216 x 29       70       431       22.86       \$6424       \$877         BRTBAR6P3066L       62.5 x 198 x 29       70       400       21.97       \$6201       \$843	BRTBAR6P2478L	50.5 x 234 x 29	70	409	22.1	\$6487	\$865
BRTBAR6P2460L       50.5 x 180 x 29       70       308       19.76       \$5869       \$770         BRTBAR6P3084L       62.5 x 252 x 29       70       493       24.53       \$7040       \$982         BRTBAR6P3078L       62.5 x 234 x 29       70       462       23.75       \$6655       \$899         BRTBAR6P3072L       62.5 x 216 x 29       70       431       22.86       \$6424       \$877         BRTBAR6P3066L       62.5 x 198 x 29       70       400       21.97       \$6201       \$843	BRTBAR6P2472L	50.5 x 216 x 29	70	359	21.32	\$6233	\$843
BRTBAR6P3084L 62.5 x 252 x 29 70 493 24.53 <b>\$7040 \$982</b> BRTBAR6P3078L 62.5 x 234 x 29 70 462 23.75 <b>\$6655 \$899</b> BRTBAR6P3072L 62.5 x 216 x 29 70 431 22.86 <b>\$6424 \$877</b> BRTBAR6P3066L 62.5 x 198 x 29 70 400 21.97 <b>\$6201 \$843</b>	BRTBAR6P2466L	50.5 x 198 x 29	70	329	20.54	\$6070	\$795
BRTBAR6P3078L       62.5 x 234 x 29       70       462       23.75       \$6655       \$899         BRTBAR6P3072L       62.5 x 216 x 29       70       431       22.86       \$6424       \$877         BRTBAR6P3066L       62.5 x 198 x 29       70       400       21.97       \$6201       \$843	BRTBAR6P2460L	50.5 x 180 x 29	70	308	19.76	\$5869	\$770
BRTBAR6P3078L       62.5 x 234 x 29       70       462       23.75       \$6655       \$899         BRTBAR6P3072L       62.5 x 216 x 29       70       431       22.86       \$6424       \$877         BRTBAR6P3066L       62.5 x 198 x 29       70       400       21.97       \$6201       \$843							
BRTBAR6P3072L         62.5 x 216 x 29         70         431         22.86         \$6424         \$877           BRTBAR6P3066L         62.5 x 198 x 29         70         400         21.97         \$6201         \$843	BRTBAR6P3084L	62.5 x 252 x 29	70	493	24.53	\$7040	\$982
BRTBAR6P3066L 62.5 x 198 x 29 70 400 21.97 <b>\$6201 \$843</b>	BRTBAR6P3078L	62.5 x 234 x 29	70	462	23.75	\$6655	\$899
5.11.57.11.01.00.002	BRTBAR6P3072L	62.5 x 216 x 29	70	431	22.86	\$6424	\$877
BRTBAR6P3060L 62.5 x 180 x 29 70 369 21.08 <b>\$6012 \$795</b>	BRTBAR6P3066L	62.5 x 198 x 29	70	400	21.97	\$6201	\$843
	BRTBAR6P3060L	62.5 x 180 x 29	70	369	21.08	\$6012	\$795

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.

• Anodized Aluminum Leg - Add \$305. list upcharge



Back-to-Back 6 Person Pod with Access Door and Levelers

BRTBAR6PA2484L	50.5 x 252 x 29	70	434	22.88	\$7176	\$1633
BRTBAR6PA2478L	50.5 x 234 x 29	70	409	22.1	\$6944	\$1458
BRTBAR6PA2472L	50.5 x 216 x 29	70	359	21.32	\$6768	\$1399
BRTBAR6PA2466L	50.5 x 198 x 29	70	329	20.54	\$6477	\$1225
BRTBAR6PA2460L	50.5 x 180 x 29	70	308	19.76	\$6148	\$1107
BRTBAR6PA3084L	62.5 x 252 x 29	70	493	24.53	\$7854	\$1980
BRTBAR6PA3078L	62.5 x 234 x 29	70	462	23.75	\$7563	\$1865
BRTBAR6PA3072L	62.5 x 216 x 29	70	431	22.86	\$7388	\$1690
BRTBAR6PA3066L	62.5 x 198 x 29	70	400	21.97	\$7098	\$1516
BRTBAR6PA3060L	62.5 x 180 x 29	70	369	21.08	\$6652	\$1399

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$305. list upcharge



Back-to-Back 6 Person Pod with Access Door and Levelers

BRTBAR6PDA2484L	50.5 x 252 x 29	70	434	22.88	\$7742	\$1748
BRTBAR6PDA2478L	50.5 x 234 x 29	70	409	22.1	\$7491	\$1566
BRTBAR6PDA2472L	50.5 x 216 x 29	70	359	21.32	\$7303	\$1505
BRTBAR6PDA2466L	50.5 x 198 x 29	70	329	20.54	\$6988	\$1256
BRTBAR6PDA2460L	50.5 x 180 x 29	70	308	19.76	\$6632	\$1191
BRTBAR6PDA3084L	62.5 x 252 x 29	70	493	24.53	\$8475	\$2128
BRTBAR6PDA3078L	62.5 x 234 x 29	70	462	23.75	\$8158	\$2001
BRTBAR6PDA3072L	62.5 x 216 x 29	70	431	22.86	\$7971	\$1813
BRTBAR6PDA3066L	62.5 x 198 x 29	70	400	21.97	\$7656	\$1625
BRTBAR6PDA3060L	62.5 x 180 x 29	70	369	21.08	\$7178	\$1502

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$305. list upcharge

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 

**RECTANGULAR LEG PACKAGES** 



**Back-to-Back 8 Person Pod with Levelers** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
BRTBAR8P2484L	50.5 x 336 x 29	70	556	28.30	\$8842	\$1215	
BRTBAR8P2478L	50.5 x 312 x 29	70	520	27.30	\$8470	\$1151	
BRTBAR8P2472L	50.5 x 288 x 29	70	484	26.30	\$8128	\$1120	
BRTBAR8P2466L	50.5 x 264 x 29	70	448	25.30	\$7912	\$1058	
BRTBAR8P2460L	50.5 x 240 x 29	70	412	24.42	\$7732	\$1027	
BRTBAR8P3084L	62.5 x 336 x 29	70	669	30.58	\$9190	\$1308	
BRTBAR8P3078L	62.5 x 312 x 29	70	625	29.48	\$8678	\$1197	
BRTBAR8P3072L	62.5 x 288 x 29	70	581	28.38	\$8370	\$1166	
BRTBAR8P3066L	62.5 x 264 x 29	70	536	27.28	\$8074	\$1120	
BRTBAR8P3060L	62.5 x 240 x 29	70	492	26.18	\$7871	\$1058	

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.

• Anodized Aluminum Leg - Add \$382. list upcharge



Back-to-Back 8 Person Pod with Access Door and Levelers

BRTBAR8PA2484L	50.5 x 336 x 29	70	556	28.30	\$9383	\$2174
BRTBAR8PA2478L	50.5 x 312 x 29	70	520	27.30	\$9073	\$1941
BRTBAR8PA2472L	50.5 x 288 x 29	70	484	26.30	\$8842	\$1865
BRTBAR8PA2466L	50.5 x 264 x 29	70	448	25.30	\$8453	\$1633
BRTBAR8PA2460L	50.5 x 240 x 29	70	412	24.42	\$8106	\$1476
BRTBAR8PA3084L	62.5 x 336 x 29	70	669	30.58	\$10277	\$2639
BRTBAR8PA3078L	62.5 x 312 x 29	70	625	29.48	\$9886	\$2484
BRTBAR8PA3072L	62.5 x 288 x 29	70	581	28.38	\$9655	\$2252
BRTBAR8PA3066L	62.5 x 264 x 29	70	536	27.28	\$9268	\$2019
BRTBAR8PA3060L	62.5 x 240 x 29	70	492	26.18	\$8725	\$1865

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$382. list upcharge



Back-to-Back 8 Person Pod with Access Door and Levelers

BRTBAR8PDA2484L	50.5 x 336 x 29	70	556	28.30	\$10125	\$2336
BRTBAR8PDA2478L	50.5 x 312 x 29	70	520	27.30	\$9787	\$2086
BRTBAR8PDA2472L	50.5 x 288 x 29	70	484	26.30	\$9539	\$2005
BRTBAR8PDA2466L	50.5 x 264 x 29	70	448	25.30	\$9121	\$1754
BRTBAR8PDA2460L	50.5 x 240 x 29	70	412	24.42	\$8744	\$1587
BRTBAR8PDA3084L	62.5 x 336 x 29	70	669	30.58	\$11087	\$2636
BRTBAR8PDA3078L	62.5 x 312 x 29	70	625	29.48	\$10666	\$2671
BRTBAR8PDA3072L	62.5 x 288 x 29	70	581	28.38	\$10415	\$2422
BRTBAR8PDA3066L	62.5 x 264 x 29	70	536	27.28	\$10001	\$2166
BRTBAR8PDA3060L	62.5 x 240 x 29	70	492	26.18	\$9413	\$2005

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

• Anodized Aluminum Leg - Add \$382. list upcharge

Required	Specifications

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRT36P2484C	24 x 84 x 36	70	120.68	6.42	\$3326	\$184
BRT36P2478C	24 x 78 x 36	70	114.16	6.13	\$3243	\$171
BRT36P2472C	24 x 72 x 36	70	107.64	5.83	\$3160	\$164
BRT36P2466C	24 x 66 x 36	70	101.12	5.62	\$3098	\$160
BRT36P2460C	24 x 60 x 36	70	94.60	5.41	\$3031	\$152
BRT36P2454C	24 x 54 x 36	70	88.08	5.19	\$2936	\$132
BRT36P2448C	24 x 48 x 36	70	81.56	4.98	\$2788	\$120
BRT36P2442C	24 x 42 x 36	70	76.04	4.76	\$2690	\$102
BRT36P2436C	24 x 36 x 36	70	68.52	4.55	\$2607	\$82
BRT36P3084C	30 x 84 x 36	70	148.11	7.32	\$3801	\$197
BRT36P3078C	30 x 78 x 36	70	139.96	6.95	\$3694	\$178
BRT36P3072C	30 x 72 x 36	70	131.81	6.59	\$3602	\$171
BRT36P3066C	30 x 66 x 36	70	123.66	6.32	\$3514	\$171
BRT36P3060C	30 x 60 x 36	70	115.51	6.06	\$3442	\$160
BRT36P3054C	30 x 54 x 36	70	107.36	5.79	\$3351	\$132
BRT36P3048C	30 x 48 x 36	70	99.21	5.53	\$3206	\$132
BRT36P3042C	30 x 42 x 36	70	91.06	5.26	\$3134	\$125
BRT36P3036C	30 x 36 x 36	70	83.91	5	\$3001	\$93
BRT36P3684C	36 x 84 x 36	70	161.97	8.91	\$4256	\$223
BRT36P3678C	36 x 78 x 36	70	152.82	8.50	\$4149	\$211
BRT36P3672C	36 x 72 x 36	70	144.67	8.10	\$4029	\$197
BRT36P3666C	36 x 66 x 36	70	135.52	7.79	\$3919	\$184
BRT36P3660C	36 x 60 x 36	70	126.37	7.48	\$3798	\$164
BRT36P3654C	36 x 54 x 36	70	118.22	7.18	\$3677	\$152
BRT36P3648C	36 x 48 x 36	70	109.07	6.87	\$3512	\$132
BRT36P3642C	36 x 42 x 36	70	99.92	6.56	\$3399	\$120



RECTANGULAR LEG PACKAGES

36"H Single Table with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
   Anodized Aluminum Leg Add \$154. list upcharge

BRT36P2484L	24 x 84 x 36	70	120.20	6.42	\$3216	\$184
BRT36P2478L	24 x 78 x 36	70	113.68	6.13	\$3137	\$171
BRT36P2472L	24 x 72 x 36	70	107.16	5.83	\$3050	\$164
BRT36P2466L	24 x 66 x 36	70	100.64	5.62	\$2991	\$160
BRT36P2460L	24 x 60 x 36	70	94.12	5.41	\$2921	\$152
BRT36P2454L	24 x 54 x 36	70	87.60	5.19	\$2826	\$132
BRT36P2448L	24 x 48 x 36	70	81.08	4.98	\$2678	\$120
BRT36P2442L	24 x 42 x 36	70	75.56	4.76	\$2581	\$102
BRT36P2436L	24 x 36 x 36	85	68.04	4.55	\$2497	\$82
BRT36P3084L	30 x 84 x 36	70	147.63	7.32	\$3691	\$197
BRT36P3078L	30 x 78 x 36	70	139.48	6.96	\$3586	\$178
BRT36P3072L	30 x 72 x 36	70	131.33	6.59	\$3493	\$171
BRT36P3066L	30 x 66 x 36	70	123.18	6.32	\$3407	\$171
BRT36P3060L	30 x 60 x 36	70	115.03	6.06	\$3332	\$160
BRT36P3054L	30 x 54 x 36	70	106.88	5.79	\$3240	\$132
BRT36P3048L	30 x 48 x 36	70	98.73	5.53	\$3098	\$132
BRT36P3042L	30 x 42 x 36	70	90.58	5.26	\$3024	\$125
BRT36P3036L	30 x 36 x 36	70	83.43	5	\$2893	\$93
BRT36P3684L	36 x 84 x 36	70	161.49	8.91	\$4150	\$223
BRT36P3678L	36 x 78 x 36	70	152.34	8.50	\$4039	\$211
BRT36P3672L	36 x 72 x 36	70	144.19	8.10	\$3922	\$197
BRT36P3666L	36 x 66 x 36	70	135.04	7.79	\$3808	\$184
BRT36P3660L	36 x 60 x 36	70	125.89	7.48	\$3690	\$164
BRT36P3654L	36 x 54 x 36	70	117.74	7.18	\$3566	\$152
BRT36P3648L	36 x 48 x 36	70	108.59	6.87	\$3406	\$132
BRT36P3642L	36 x 42 x 36	70	99.44	6.56	\$3291	\$120



36"H Single Table with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg Add \$154. list upcharge

# Required Specifications Top finish

Edge finish Metal finish (legs)

# **Optional Specifications**

ECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRT36A2484L	24 x 84 x 36	70	106.36	4.74	\$2600	\$184
	BRT36A2478L	24 x 78 x 36	70	99.84	4.45	\$2523	\$171
	BRT36A2472L	24 x 72 x 36	70	93.32	4.15	\$2437	\$164
	BRT36A2466L	24 x 66 x 36	70	86.80	3.94	\$2378	\$160
	BRT36A2460L	24 x 60 x 36	70	80.28	3.73	\$2307	\$152
	BRT36A2454L	24 x 54 x 36	70	73.76	3.51	\$2211	\$132
	BRT36A2448L	24 x 48 x 36	70	67.24	3.30	\$2065	\$120
	BRT36A2442L	24 x 42 x 36	70	61.72	3.08	\$1968	\$102
	BRT36A2436L	24 x 36 x 36	70	54.20	2.87	\$1884	\$82
	BRT36A3084L	30 x 84 x 36	65	131.77	5.56	\$3040	\$197
	BRT36A3078L	30 x 78 x 36	65	123.62	5.19	\$2933	\$178
	BRT36A3072L	30 x 72 x 36	65	115.47	4.83	\$2841	\$171
	BRT36A3066L	30 x 66 x 36	65	107.32	4.56	\$2754	\$171
	BRT36A3060L	30 x 60 x 36	65	99.17	4.30	\$2678	\$160
	BRT36A3054L	30 x 54 x 36	65	91.02	4.03	\$2588	\$132
	BRT36A3048L	30 x 48 x 36	70	82.87	3.77	\$2445	\$132
	BRT36A3042L	30 x 42 x 36	70	74.72	3.50	\$2370	\$125
	BRT36A3036L	30 x 36 x 36	70	67.57	3.24	\$2240	\$93
	BRT36A3684L	36 x 84 x 36	70	143.70	6.65	\$3405	\$223
	BRT36A3678L	36 x 78 x 36	70	134.55	6.24	\$3293	\$211
	BRT36A3672L	36 x 72 x 36	70	126.40	5.84	\$3175	\$197
	BRT36A3666L	36 x 66 x 36	70	117.25	5.53	\$3063	\$184
	BRT36A3660L	36 x 60 x 36	70	108.10	5.22	\$2944	\$164
<b>*</b> ///	BRT36A3654L	36 x 54 x 36	70	99.95	4.92	\$2821	\$152
	BRT36A3648L	36 x 48 x 36	70	90.80	4.61	\$2658	\$132
<del>-</del>	DDTCCACC	00 10 00	70	04.05	4.00	405.55	****



36"H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

81.65

4.30

\$2545

\$120

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

70

• Anodized Aluminum Leg - Add \$77. list upcharge

36 x 42 x 36

BRT36A3642L

\$184	\$3384	6.98	122.58	70	24 x 84 x 42	BRT42P2484C
\$171	\$3306	6.69	116.06	70	24 x 78 x 42	BRT42P2478C
\$164	\$3220	6.39	109.54	70	24 x 72 x 42	BRT42P2472C
\$160	\$3160	6.18	103.02	70	24 x 66 x 42	BRT42P2466C
\$152	\$3090	5.97	96.50	70	24 x 60 x 42	BRT42P2460C
\$132	\$2996	5.75	89.98	70	24 x 54 x 42	BRT42P2454C
\$120	\$2848	5.54	83.46	70	24 x 48 x 42	BRT42P2448C
\$102	\$2752	5.32	77.94	85	24 x 42 x 42	BRT42P2442C
\$82	\$2668	5.11	70.42	85	24 x 36 x 42	BRT42P2436C
	*****					DT 10000010
\$197	\$3861	7.92	150.01	70	30 x 84 x 42	3RT42P3084C
\$178	\$3755	7.55	141.86	70	30 x 78 x 42	3RT42P3078C
\$171	\$3662	7.19	133.71	70	30 x 72 x 42	3RT42P3072C
\$171	\$3575	6.92	125.56	70	30 x 66 x 42	BRT42P3066C
\$160	\$3503	6.66	117.41	70	30 x 60 x 42	BRT42P3060C
\$132	\$3409	6.39	109.26	70	30 x 54 x 42	BRT42P3054C
\$132	\$3269	6.13	101.11	70	30 x 48 x 42	BRT42P3048C
\$125	\$3194	5.86	92.96	70	30 x 42 x 42	BRT42P3042C
\$93	\$3063	5.60	85.81	70	30 x 36 x 42	BRT42P3036C
\$223	\$4318	9.69	163.87	70	36 x 84 x 42	BRT42P3684C
\$211	\$4208	9.28	154.72	70	36 x 78 x 42	BRT42P3678C
\$117	\$4200	8.88	146.57	70	36 x 72 x 42	BRT42P3672C
\$197 \$184	\$4090 \$3977	8.57	137.42	70	36 x 66 x 42	BRT42P3666C
\$184 \$164	\$3859	8.26	137.42	70	36 x 60 x 42	BRT42P3660C
					36 x 50 x 42	BRT42P3654C
\$152	\$3737	7.96	120.12	70	******	
\$132	\$3573	7.65	110.97	85	36 x 48 x 42	BRT42P3648C
\$120	\$3459	7.34	101.82	85	36 x 42 x 42	BRT42P3642C



42"H Pod with Casters

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg Add \$154. list upcharge

# Required Specifications Top finish

Edge finish Metal finish (legs)

# **Optional Specifications**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRT42P2484L	24 x 84 x 42	70	122.10	6.98	\$3277	\$184
BRT42P2478L	24 x 78 x 42	70	115.58	6.69	\$3197	\$171
BRT42P2472L	24 x 72 x 42	70	109.06	6.39	\$3112	\$164
BRT42P2466L	24 x 66 x 42	70	102.54	6.18	\$3050	\$160
BRT42P2460L	24 x 60 x 42	70	96.02	5.97	\$2984	\$152
BRT42P2454L	24 x 54 x 42	70	89.50	5.75	\$2887	\$132
BRT42P2448L	24 x 48 x 42	85	82.98	5.54	\$2739	\$120
BRT42P2442L	24 x 42 x 42	85	77.46	5.32	\$2642	\$102
BRT42P2436L	24 x 36 x 42	85	69.94	5.11	\$2559	\$82
BRT42P3084L	30 x 84 x 42	70	149.53	7.92	\$3756	\$197
BRT42P3078L	30 x 78 x 42	70	141.38	7.55	\$3649	\$178
BRT42P3072L	30 x 72 x 42	70	133.23	7.19	\$3557	\$171
BRT42P3066L	30 x 66 x 42	70	125.08	6.92	\$3470	\$171
BRT42P3060L	30 x 60 x 42	70	116.93	6.66	\$3396	\$160
BRT42P3054L	30 x 54 x 42	70	108.78	6.39	\$3304	\$132
BRT42P3048L	30 x 48 x 42	70	100.63	6.13	\$3163	\$132
BRT42P3042L	30 x 42 x 42	70	92.48	5.86	\$3088	\$125
BRT42P3036L	30 x 36 x 42	70	85.33	5.60	\$2958	\$93
BRT42P3684L	36 x 84 x 42	70	163.39	9.69	\$4211	\$223
BRT42P3678L	36 x 78 x 42	70	154.24	9.28	\$4100	\$211
BRT42P3672L	36 x 72 x 42	70	146.09	8.88	\$3981	\$197
BRT42P3666L	36 x 66 x 42	70	136.94	8.57	\$3871	\$184
BRT42P3660L	36 x 60 x 42	70	127.79	8.26	\$3750	\$164
BRT42P3654L	36 x 54 x 42	70	119.64	7.96	\$3628	\$152
BRT42P3648L	36 x 48 x 42	85	110.49	7.65	\$3464	\$132
BRT42P3642L	36 x 42 x 42	85	101.34	7.34	\$3353	\$120



RECTANGULAR LEG PACKAGES

42"H Pod with Levelers

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

• Anodized Aluminum Leg - Add \$154. list upcharge

DDT 40 4 0 4 0 4 1	04 04 40	70	107.01	F 00	00004	0404
BRT42A2484L	24 x 84 x 42	70	107.31	5.02	\$2631	\$184
BRT42A2478L	24 x 78 x 42	70	100.79	4.73	\$2551	\$171
BRT42A2472L	24 x 72 x 42	70	94.27	4.43	\$2470	\$164
BRT42A2466L	24 x 66 x 42	70	87.75	4.22	\$2406	\$160
BRT42A2460L	24 x 60 x 42	70	81.23	4.01	\$2339	\$152
BRT42A2454L	24 x 54 x 42	70	74.71	3.79	\$2243	\$132
BRT42A2448L	24 x 48 x 42	70	68.19	3.58	\$2097	\$120
BRT42A2442L	24 x 42 x 42	70	62.67	3.36	\$1910	\$102
BRT42A2436L	24 x 36 x 42	70	55.15	3.15	\$1832	\$82
BRT42A3084L	30 x 84 x 42	65	132.72	5.86	\$3071	\$197
BRT42A3078L	30 x 78 x 42	65	124.57	5.49	\$2964	\$178
BRT42A3072L	30 x 72 x 42	65	116.42	5.13	\$2870	\$171
BRT42A3066L	30 x 66 x 42	70	108.27	4.86	\$2785	\$171
BRT42A3060L	30 x 60 x 42	70	100.12	4.60	\$2712	\$160
BRT42A3054L	30 x 54 x 42	70	91.97	4.33	\$2620	\$132
BRT42A3048L	30 x 48 x 42	70	83.82	4.07	\$2477	\$132
BRT42A3042L	30 x 42 x 42	70	75.67	3.80	\$2403	\$125
BRT42A3036L	30 x 36 x 42	70	68.52	3.54	\$2271	\$93
BRT42A3684L	36 x 84 x 42	70	114.65	7.04	\$3432	\$223
BRT42A3678L	36 x 78 x 42	70	135.50	6.63	\$3326	\$211
BRT42A3672L	36 x 72 x 42	70	127.35	6.23	\$3205	\$197
BRT42A3666L	36 x 66 x 42	70	118.20	5.92	\$3095	\$184
BRT42A3660L	36 x 60 x 42	70	109.05	5.61	\$2973	\$164
BRT42A3654L	36 x 54 x 42	70	100.90	5.31	\$2852	\$152
BRT42A3648L	36 x 48 x 42	70	91.75	5	\$2689	\$132
BRT42A3642L	36 x 42 x 42	70	82.60	4.69	\$2574	\$120



Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.

- Anodized Aluminum Leg Add \$77. list upcharge

# Required Specifications Top finish

Edge finish Metal finish (legs)

# Optional Specifications

ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTS1P2484LR	24 x 84 x 29	70	75	4.92	\$1632	\$154
	BRTS1P2478LR	24 x 78 x 29	85	72	4.82	\$1584	\$148
	BRTS1P2472LR	24 x 72 x 29	85	69	4.73	\$1543	\$145
	BRTS1P2466LR	24 x 66 x 29	85	66	4.65	\$1514	\$136
	BRTS1P2463LR	24 x 62.5 x 29	85	63	4.57	\$1502	\$132
	BRTS1P2460LR	24 x 60 x 29	85	60	4.48	\$1487	\$131
	BRTS1P2454LR	24 x 54 x 29	85	57	4.40	\$1457	\$94
	BRTS1P2451LR	24 x 50.5 x 29	85	54	4.30	\$1399	\$88
	BRTS1P2448LR	24 x 48 x 29	85	51	4.20	\$1364	\$104
	BRTS1P2442LR	24 x 42 x 29	92.5	48	4.10	\$1307	\$65
	BRTS1P2436LR	24 x 36 x 29	92.5	45	4	\$1263	\$46
	BRTS1P3084LR	30 x 84 x 29	70	75	4.92	\$1668	\$165
	BRTS1P3078LR	30 x 78 x 29	85	72	4.82	\$1606	\$153
	BRTS1P3072LR	30 x 72 x 29	85	69	4.73	\$1566	\$129
	BRTS1P3066LR	30 x 66 x 29	85	66	4.65	\$1531	\$145
	BRTS1P3063LR	30 x 62.5 x 29	85	63	4.57	\$1520	\$140
	BRTS1P3060LR	30 x 60 x 29	85	60	4.48	\$1505	\$115
	BRTS1P3054LR	30 x 54 x 29	85	57	4.40	\$1468	\$114
	BRTS1P3051LR	30 x 50.5 x 29	85	54	4.30	\$1443	\$119
// 11 H	BRTS1P3048LR	30 x 48 x 29	85	51	4.20	\$1397	\$114
β	BRTS1P3042LR	30 x 42 x 29	92.5	48	4.10	\$1369	\$112
H	BRTS1P3036LR	30 x 36 x 29	92.5	45	4	\$1225	\$81

Single Line 1 Person Pod with Levelers **Round Leg** 

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

BRTS1P2484CR	24 x 84 x 29	70	75	4.92	\$1723	\$154
BRTS1P2478CR	24 x 78 x 29	85	72	4.82	\$1678	\$148
BRTS1P2472CR	24 x 72 x 29	85	69	4.73	\$1635	\$145
BRTS1P2466CR	24 x 66 x 29	85	66	4.65	\$1609	\$136
BRTS1P2463CR	24 x 62.5 x 29	85	63	4.57	\$1597	\$132
BRTS1P2460CR	24 x 60 x 29	85	60	4.48	\$1581	\$131
BRTS1P2454CR	24 x 54 x 29	85	57	4.40	\$1548	\$94
BRTS1P2451CR	24 x 50.5 x 29	85	54	4.30	\$1493	\$88
BRTS1P2448CR	24 x 48 x 29	85	51	4.20	\$1457	\$104
BRTS1P2442CR	24 x 42 x 29	92.5	48	4.10	\$1397	\$65
BRTS1P2436CR	24 x 36 x 29	92.5	45	4	\$1357	\$46
BRTS1P3084CR	30 x 84 x 29	70	75	4.92	\$1762	\$165
BRTS1P3078CR	30 x 78 x 29	85	72	4.82	\$1698	\$153
BRTS1P3072CR	30 x 72 x 29	85	69	4.73	\$1663	\$127
BRTS1P3066CR	30 x 66 x 29	85	66	4.65	\$1622	\$145
BRTS1P3063CR	30 x 62.5 x 29	85	63	4.57	\$1611	\$140
BRTS1P3060CR	30 x 60 x 29	85	60	4.48	\$1597	\$115
BRTS1P3054CR	30 x 54 x 29	85	57	4.40	\$1561	\$114
BRTS1P3051CR	30 x 50.5 x 29	85	54	4.30	\$1534	\$119
BRTS1P3048CR	30 x 48 x 29	85	51	4.20	\$1492	\$114
BRTS1P3042CR	30 x 42 x 29	92.5	48	4.10	\$1461	\$112
BRTS1P3036CR	30 x 36 x 29	92.5	45	4	\$1318	\$81

Single Line 1 Person Pod with Casters **Round Leg** 

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

Required Specifications
Top finish

Edge finish Metal finish (legs) Beam finish

Optional Specifications
Anodized Aluminum Leg

HP laminate

CKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTS2P2484LR	24 x 168 x 29	70	149	7.41	\$2862	\$291
	BRTS2P2478LR	24 x 156 x 29	70	140	7.27	\$2752	\$291
	BRTS2P2472LR	24 x 144 x 29	70	131	7.13	\$2667	\$283
	BRTS2P2466LR	24 x 132 x 29	70	122	6.95	\$2621	\$260
	BRTS2P2460LR	24 x 120 x 29	70	113	6.71	\$2559	\$260
	BRTS2P2454LR	24 x 108 x 29	70	104	6.45	\$2457	\$226
	BRTS2P2448LR	24 x 96 x 29	70	95	6.21	\$2309	\$203
^							
	BRTS2P3084LR	30 x 168 x 29	70	173	8.25	\$2922	\$329
	BRTS2P3078LR	30 x 156 x 29	70	164	7.97	\$2794	\$303
	BRTS2P3072LR	30 x 144 x 29	70	155	7.69	\$2716	\$294
T H	BRTS2P3066LR	30 x 132 x 29	70	140	7.41	\$2643	\$283
8	BRTS2P3060LR	30 x 120 x 29	70	131	7.13	\$2594	\$267
H	BRTS2P3054LR	30 x 108 x 29	70	122	6.85	\$2521	\$226
8	BRTS2P3048LR	30 x 96 x 29	70	113	6.57	\$2420	\$226

Single Line 2 Person Pod with Levelers **Round Leg** 

ROUND LEG PA

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

BRTS3P2484LR	24 x 252 x 29	70	219	9.74	\$4061	\$457
BRTS3P2478LR	24 x 234 x 29	70	206	9.53	\$3921	\$434
BRTS3P2472LR	24 x 216 x 29	70	192	9.32	\$3793	\$423
BRTS3P2466LR	24 x 198 x 29	70	179	9.11	\$3712	\$401
BRTS3P2460LR	24 x 180 x 29	70	165	8.89	\$3630	\$388
BRTS3P2454LR	24 x 162 x 29	70	152	8.68	\$3479	\$335
BRTS3P2448LR	24 x 144 x 29	70	138	8.47	\$3259	\$301
BRTS3P3084LR	30 x 263 x 29	65	263	11.59	\$4176	\$492
BRTS3P3078LR	30 x 234 x 29	70	246	11.16	\$3984	\$454
BRTS3P3072LR	30 x 216 x 29	70	229	10.72	\$3869	\$442
BRTS3P3066LR	30 x 198 x 29	70	212	10.30	\$3758	\$423
BRTS3P3060LR	30 x 180 x 29	70	195	9.87	\$3682	\$401
BRTS3P3054LR	30 x 162 x 29	70	178	9.44	\$3572	\$335
BRTS3P3048LR	30 x 144 x 29	70	161	9.01	\$3420	\$335



Single Line 3 Person Pod with Levelers **Round Leg** 

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

BRTS4P2484LR	24 x 336 x 29	70	291	13.67	\$5276	\$610
BRTS4P2478LR	24 x 312 x 29	70	273	13.18	\$5089	\$578
BRTS4P2472LR	24 x 288 x 29	70	254	12.69	\$4920	\$561
BRTS4P2466LR	24 x 264 x 29	70	236	12.20	\$4810	\$532
BRTS4P2460LR	24 x 240 x 29	70	217	11.71	\$4686	\$532
BRTS4P2454LR	24 x 216 x 29	70	199	11.22	\$4499	\$446
BRTS4P2448LR	24 x 192 x 29	70	180	10.73	\$4158	\$446
BRTS4P3084LR	30 x 336 x 29	65	345	14.87	\$5430	\$655
BRTS4P3078LR	30 x 312 x 29	65	323	14.30	\$5176	\$600
BRTS4P3072LR	30 x 288 x 29	70	301	13.73	\$5020	\$586
BRTS4P3066LR	30 x 264 x 29	70	279	13.16	\$4871	\$561
BRTS4P3060LR	30 x 240 x 29	70	257	12.59	\$4770	\$532
BRTS4P3054LR	30 x 216 x 29	70	235	12.02	\$4624	\$446
BRTS4P3048LR	30 x 192 x 29	70	213	11.45	\$4422	\$446

Single Line 4 Person Pod with Levelers **Round Leg** 

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

|--|

Top finish Edge finish Metal finish (legs) Beam finish

# **Optional Specifications**

**ROUND LEG PACKAGES** 



Back-to-Back 2 Person Pod with Levelers Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
BRTBAR2P2484LR	50.5 x 84 x 29	70	146	9.40	\$2662	\$306	
BRTBAR2P2478LR	50.5 x 78 x 29	85	137	9.20	\$2590	\$291	
BRTBAR2P2472LR	50.5 x 72 x 29	85	128	9.02	\$2504	\$283	
BRTBAR2P2466LR	50.5 x 66 x 29	85	119	8.76	\$2448	\$267	
BRTBAR2P2460LR	50.5 x 60 x 29	85	110	8.56	\$2396	\$260	
BRTBAR2P3084LR	62.5 x 84 x 29	70	174	10.40	\$2761	\$329	
BRTBAR2P3078LR	62.5 x 78 x 29	70	163	9.80	\$2633	\$303	
BRTBAR2P3072LR	62.5 x 72 x 29	70	152	9.54	\$2554	\$283	
BRTBAR2P3066LR	62.5 x 66 x 29	70	141	9.25	\$2481	\$283	
BRTBAR2P3060LR	62.5 x 60 x 29	85	130	9	\$2228	\$469	

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg

BRTBAR2PA2484LR	50.5 x 84 x 29	70	146	9.40	\$2799	\$547
BRTBAR2PA2478LR	50.5 x 78 x 29	85	137	9.20	\$2739	\$489
BRTBAR2PA2472LR	50.5 x 72 x 29	85	128	9.02	\$2681	\$469
BRTBAR2PA2466LR	50.5 x 66 x 29	85	119	8.76	\$2584	\$411
BRTBAR2PA2460LR	50.5 x 60 x 29	85	110	8.56	\$2488	\$372
BRTBAR2PA3084LR	62.5 x 84 x 29	70	174	10.40	\$3032	\$664
BRTBAR2PA3078LR	62.5 x 78 x 29	70	163	9.80	\$2936	\$625
BRTBAR2PA3072LR	62.5 x 72 x 29	70	152	9.54	\$2874	\$568
BRTBAR2PA3066LR	62.5 x 66 x 29	70	141	9.25	\$2778	\$508
BRTBAR2PA3060LR	62.5 x 60 x 29	85	130	9	\$2643	\$469

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg

BRTBAR2PDA2484LR	50.5 x 84 x 29	70	146	9.40	\$3019	\$588	
BRTBAR2PDA2478LR	50.5 x 78 x 29	85	137	9.20	\$2958	\$524	
BRTBAR2PDA2472LR	50.5 x 72 x 29	85	128	9.02	\$2892	\$504	
BRTBAR2PDA2466LR	50.5 x 66 x 29	85	119	8.76	\$2790	\$440	
BRTBAR2PDA2460LR	50.5 x 60 x 29	85	110	8.56	\$2687	\$402	
BRTBAR2PDA3084LR	62.5 x 84 x 29	70	174	10.40	\$3270	\$712	
BRTBAR2PDA3078LR	62.5 x 78 x 29	70	163	9.80	\$3166	\$670	
BRTBAR2PDA3072LR	62.5 x 72 x 29	70	152	9.54	\$3100	\$611	
BRTBAR2PDA3066LR	62.5 x 66 x 29	70	141	9.25	\$2998	\$546	
BRTBAR2PDA3060LR	62.5 x 60 x 29	85	130	9	\$2851	\$505	

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

\$610	\$4826	15.66	272	70	50.5 x 168 x 29	BRTBAR4P2484LR
\$578	\$4639	15.20	256	70	50.5 x 156 x 29	BRTBAR4P2478LR
\$561	\$4469	14.74	240	70	50.5 x 144 x 29	BRTBAR4P2472LR
\$532	\$4361	14.28	224	70	50.5 x 132 x 29	BRTBAR4P2466LR
\$516	\$4252	13.82	208	70	50.5 x 120 x 29	BRTBAR4P2460LR
\$655	\$4982	16.86	333	70	62.5 x 168 x 29	BRTBAR4P3084LR
\$600	\$4725	16.32	313	70	62.5 x 156 x 29	BRTBAR4P3078LR
\$586	\$4571	15.78	293	70	62.5 x 144 x 29	BRTBAR4P3072LR
\$561	\$4384	15.24	273	70	62.5 x 132 x 29	BRTBAR4P3066LR
\$532	\$4361	14.70	253	70	62.5 x 120 x 29	BRTBAR4P3060LR
	¥					

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.

Ŋ	

Back-to-Back 4 Person Pod with Levelers Round Leg

**Required Specifications** 

Top finish
Edge finish
Metal finish (legs)
Beam finish

Optional Specifications



Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR4PA2484LR	50.5 x 168 x 29	70	272	15.66	\$4965	\$1091
BRTBAR4PA2478LR	50.5 x 156 x 29	70	256	15.20	\$4810	\$972
BRTBAR4PA2472LR	50.5 x 144 x 29	70	240	14.74	\$4693	\$933
BRTBAR4PA2466LR	50.5 x 132 x 29	70	224	14.28	\$4499	\$819
BRTBAR4PA2460LR	50.5 x 120 x 29	70	208	13.82	\$4305	\$742
BRTBAR4PA3084LR	62.5 x 168 x 29	70	333	16.86	\$5430	\$1320
BRTBAR4PA3078LR	62.5 x 156 x 29	70	313	16.32	\$5236	\$1243
BRTBAR4PA3072LR	62.5 x 144 x 29	70	293	15.78	\$5122	\$1129
BRTBAR4PA3066LR	62.5 x 132 x 29	70	273	15.24	\$4926	\$1012
BRTBAR4PA3060LR	62.5 x 120 x 29	70	253	14.70	\$4656	\$933

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

" I
-----

Back-to-Back 4 Person Pod with Access Door and Levelers, Round Leg

BRTBAR4PDA2484LR	50.5 x 168 x 29	70	272	15.66	\$5498	\$1171
BRTBAR4PDA2478LR	50.5 x 156 x 29	70	256	15.20	\$5331	\$1045
BRTBAR4PDA2472LR	50.5 x 144 x 29	70	240	14.74	\$5205	\$1004
BRTBAR4PDA2466LR	50.5 x 132 x 29	70	224	14.28	\$5089	\$879
BRTBAR4PDA2460LR	50.5 x 120 x 29	70	208	13.82	\$4788	\$795
BRTBAR4PDA3084LR	62.5 x 168 x 29	70	333	16.86	\$5958	\$1421
BRTBAR4PDA3078LR	62.5 x 156 x 29	70	313	16.32	\$5749	\$1337
BRTBAR4PDA3072LR	62.5 x 156 x 29 62.5 x 144 x 29	70 70	313 293	16.32 15.78	\$5749 \$5623	\$1337 \$1210
	02.0 % 100 % 20				*	*
BRTBAR4PDA3072LR	62.5 x 144 x 29	70	293	15.78	\$5623	\$1210

Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 6 Person Pod with Levelers Round Leg

BRTBAR6P2484LR	50.5 x 252 x 29	70	434	22.88	\$6969	\$910
BRTBAR6P2478LR	50.5 x 234 x 29	70	409	22.10	\$6690	\$865
BRTBAR6P2472LR	50.5 x 216 x 29	70	359	21.32	\$6435	\$843
BRTBAR6P2466LR	50.5 x 198 x 29	70	329	20.54	\$6270	\$795
BRTBAR6P2460LR	50.5 x 180 x 29	70	308	19.76	\$6110	\$783
BRTBAR6P3084LR	62.5 x 252 x 29	70	493	24.53	\$7215	\$968
BRTBAR6P3078LR	62.5 x 234 x 29	70	462	23.75	\$6818	\$899
BRTBAR6P3072LR	62.5 x 216 x 29	70	431	22.86	\$6585	\$877
BRTBAR6P3066LR	62.5 x 198 x 29	70	400	21.97	\$6363	\$843
BRTBAR6P3060LR	62.5 x 180 x 29	70	369	21.08	\$6213	\$795

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish Optional Specifications

**ROUND LEG PACKAGES** 



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBAR6PA2484LR	50.5 x 252 x 29	70	434	22.88	\$7376	\$1633
BRTBAR6PA2478LR	50.5 x 234 x 29	70	409	22.10	\$7143	\$1458
BRTBAR6PA2472LR	50.5 x 216 x 29	70	359	21.32	\$6969	\$1399
BRTBAR6PA2466LR	50.5 x 198 x 29	70	329	20.54	\$6677	\$1225
BRTBAR6PA2460LR	50.5 x 180 x 29	70	308	19.76	\$6387	\$1107
BRTBAR6PA3084LR	62.5 x 252 x 29	70	493	24.53	\$8016	\$1980
BRTBAR6PA3078LR	62.5 x 234 x 29	70	462	23.75	\$7726	\$1865
BRTBAR6PA3072LR	62.5 x 216 x 29	70	431	22.86	\$7551	\$1690
BRTBAR6PA3066LR	62.5 x 198 x 29	70	400	21.97	\$7260	\$1516
BRTBAR6PA3060LR	62.5 x 180 x 29	70	369	21.08	\$6853	\$1399

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

	A	

Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg

BRTBAR6PDA2484LR	50.5 x 252 x 29	70	434	22.88	\$7959	\$1752	
BRTBAR6PDA2478LR	50.5 x 234 x 29	70	409	22.10	\$7706	\$1565	
BRTBAR6PDA2472LR	50.5 x 216 x 29	70	359	21.32	\$7519	\$1502	
BRTBAR6PDA2466LR	50.5 x 198 x 29	70	329	20.54	\$7202	\$1318	
BRTBAR6PDA2460LR	50.5 x 180 x 29	70	308	19.76	\$6894	\$1190	
BRTBAR6PDA3084LR	62.5 x 252 x 29	70	493	24.53	\$8648	\$2128	
BRTBAR6PDA3078LR	62.5 x 234 x 29	70	462	23.75	\$8334	\$1999	
BRTBAR6PDA3072LR	62.5 x 216 x 29	70	431	22.86	\$8148	\$1813	
BRTBAR6PDA3066LR	62.5 x 198 x 29	70	400	21.97	\$7830	\$1630	
BRTBAR6PDA3060LR	62.5 x 180 x 29	70	369	21.08	\$7395	\$1501	

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 8 Person Pod with Levelers Round Leg

BRTBAR8P2484LR	50.5 x 336 x 29	70	556	28.30	\$9127	\$1197
BRTBAR8P2478LR	50.5 x 312 x 29	70	520	27.30	\$8741	\$1151
BRTBAR8P2472LR	50.5 x 288 x 29	70	484	26.30	\$8399	\$1120
BRTBAR8P2466LR	50.5 x 264 x 29	70	448	25.30	\$8181	\$1058
BRTBAR8P2460LR	50.5 x 240 x 29	70	412	24.42	\$7964	\$1027
BRTBAR8P3084LR	62.5 x 336 x 29	70	669	30.58	\$9422	\$1308
BRTBAR8P3078LR	62.5 x 312 x 29	70	625	29.48	\$8910	\$1197
BRTBAR8P3072LR	62.5 x 288 x 29	70	581	28.38	\$8601	\$1166
BRTBAR8P3066LR	62.5 x 264 x 29	70	536	27.28	\$8307	\$1120
BRTBAR8P3060LR	62.5 x 240 x 29	70	492	26.18	\$8106	\$1058

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

**Required Specifications** 

Top finish Edge finish Metal finish (legs) Beam finish **Optional Specifications** 



Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg

MODEL#         DIMENSIONS         FREIGHT CLASS         WT/LBS.         CUBIC FT.         LIST PRICE         HP ADD           BRTBAR8PA2484LR         50.5 x 336 x 29         70         556         28.30         \$9655         \$2174           BRTBAR8PA2478LR         50.5 x 312 x 29         70         520         27.30         \$9345         \$1941           BRTBAR8PA2472LR         50.5 x 288 x 29         70         484         26.30         \$9113         \$1865           BRTBAR8PA2466LR         50.5 x 264 x 29         70         448         25.30         \$8725         \$1633           BRTBAR8PA2460LR         50.5 x 240 x 29         70         412         24.42         \$8336         \$1476           BRTBAR8PA3084LR         62.5 x 336 x 29         70         669         30.58         \$10509         \$2639           BRTBAR8PA3078LR         62.5 x 312 x 29         70         625         29.48         \$10119         \$2484           BRTBAR8PA3072LR         62.5 x 288 x 29         70         581         28.38         \$9886         \$2252           BRTBAR8PA3066LR         62.5 x 264 x 29         70         536         27.28         \$9500         \$2019           BRTBAR8PA3060LR         62.5 x 240 x 29							
BRTBAR8PA2484LR         50.5 x 336 x 29         70         556         28.30         \$9655         \$2174           BRTBAR8PA2478LR         50.5 x 312 x 29         70         520         27.30         \$9345         \$1941           BRTBAR8PA2472LR         50.5 x 288 x 29         70         484         26.30         \$9113         \$1865           BRTBAR8PA2466LR         50.5 x 264 x 29         70         448         25.30         \$8725         \$1633           BRTBAR8PA2460LR         50.5 x 240 x 29         70         412         24.42         \$8336         \$1476           BRTBAR8PA3084LR         62.5 x 336 x 29         70         669         30.58         \$10509         \$2639           BRTBAR8PA3078LR         62.5 x 312 x 29         70         625         29.48         \$10119         \$2484           BRTBAR8PA3072LR         62.5 x 288 x 29         70         581         28.38         \$9886         \$2252           BRTBAR8PA3066LR         62.5 x 264 x 29         70         536         27.28         \$9500         \$2019	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR8PA2478LR         50.5 x 312 x 29         70         520         27.30         \$9345         \$1941           BRTBAR8PA2472LR         50.5 x 288 x 29         70         484         26.30         \$9113         \$1865           BRTBAR8PA2466LR         50.5 x 264 x 29         70         448         25.30         \$8725         \$1633           BRTBAR8PA2460LR         50.5 x 240 x 29         70         412         24.42         \$8336         \$1476           BRTBAR8PA3084LR         62.5 x 336 x 29         70         669         30.58         \$10509         \$2639           BRTBAR8PA3078LR         62.5 x 312 x 29         70         625         29.48         \$10119         \$2484           BRTBAR8PA3072LR         62.5 x 288 x 29         70         581         28.38         \$9886         \$2252           BRTBAR8PA3066LR         62.5 x 264 x 29         70         536         27.28         \$9500         \$2019		DxWxH					
BRTBAR8PA2472LR       50.5 x 288 x 29       70       484       26.30       \$9113       \$1865         BRTBAR8PA2466LR       50.5 x 264 x 29       70       448       25.30       \$8725       \$1633         BRTBAR8PA2460LR       50.5 x 240 x 29       70       412       24.42       \$8336       \$1476         BRTBAR8PA3084LR       62.5 x 336 x 29       70       669       30.58       \$10509       \$2639         BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019	BRTBAR8PA2484LR	50.5 x 336 x 29	70	556	28.30	\$9655	\$2174
BRTBAR8PA2466LR       50.5 x 264 x 29       70       448       25.30       \$8725       \$1633         BRTBAR8PA2460LR       50.5 x 240 x 29       70       412       24.42       \$8336       \$1476         BRTBAR8PA3084LR       62.5 x 336 x 29       70       669       30.58       \$10509       \$2639         BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019	BRTBAR8PA2478LR	50.5 x 312 x 29	70	520	27.30	\$9345	\$1941
BRTBAR8PA2460LR       50.5 x 240 x 29       70       412       24.42       \$8336       \$1476         BRTBAR8PA3084LR       62.5 x 336 x 29       70       669       30.58       \$10509       \$2639         BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019	BRTBAR8PA2472LR	50.5 x 288 x 29	70	484	26.30	\$9113	\$1865
BRTBAR8PA3084LR       62.5 x 336 x 29       70       669       30.58       \$10509       \$2639         BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019	BRTBAR8PA2466LR	50.5 x 264 x 29	70	448	25.30	\$8725	\$1633
BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019	BRTBAR8PA2460LR	50.5 x 240 x 29	70	412	24.42	\$8336	\$1476
BRTBAR8PA3078LR       62.5 x 312 x 29       70       625       29.48       \$10119       \$2484         BRTBAR8PA3072LR       62.5 x 288 x 29       70       581       28.38       \$9886       \$2252         BRTBAR8PA3066LR       62.5 x 264 x 29       70       536       27.28       \$9500       \$2019							
BRTBAR8PA3072LR         62.5 x 288 x 29         70         581         28.38         \$9886         \$2252           BRTBAR8PA3066LR         62.5 x 264 x 29         70         536         27.28         \$9500         \$2019	BRTBAR8PA3084LR	62.5 x 336 x 29	70	669	30.58	\$10509	\$2639
BRTBAR8PA3066LR 62.5 x 264 x 29 70 536 27.28 <b>\$9500 \$2019</b>	BRTBAR8PA3078LR	62.5 x 312 x 29	70	625	29.48	\$10119	\$2484
	BRTBAR8PA3072LR	62.5 x 288 x 29	70	581	28.38	\$9886	\$2252
BRTBAR8PA3060LR 62.5 x 240 x 29 70 492 26.18 <b>\$8957 \$1865</b>	BRTBAR8PA3066LR	62.5 x 264 x 29	70	536	27.28	\$9500	\$2019
	BRTBAR8PA3060LR	62.5 x 240 x 29	70	492	26.18	\$8957	\$1865

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

•	1	

Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg

BRTBAR8PDA2484LR	50.5 x 336 x 29	70	556	28.30	\$10415	\$2336
BRTBAR8PDA2478LR	50.5 x 312 x 29	70	520	27.30	\$10081	\$2085
BRTBAR8PDA2472LR	50.5 x 288 x 29	70	484	26.30	\$9832	\$1999
BRTBAR8PDA2466LR	50.5 x 264 x 29	70	448	25.30	\$9413	\$1754
BRTBAR8PDA2460LR	50.5 x 240 x 29	70	412	24.42	\$8995	\$1587
BRTBAR8PDA3084LR	62.5 x 336 x 29	70	669	30.58	\$11336	\$2835
BRTBAR8PDA3084LR BRTBAR8PDA3078LR	62.5 x 336 x 29 62.5 x 312 x 29	70 70	669 625	30.58 29.48	\$11336 \$10916	\$2835 \$2671
					• • • • • • • • • • • • • • • • • • • •	
BRTBAR8PDA3078LR	62.5 x 312 x 29	70	625	29.48	\$10916	\$2671
BRTBAR8PDA3078LR BRTBAR8PDA3072LR	62.5 x 312 x 29 62.5 x 288 x 29	70 70	625 581	29.48 28.38	\$10916 \$10666	\$2671 \$2422

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

#### **RETURNS**



Rail Sliding Table Kit - Rectangular Legs

	BRTSLDT72C	72 x 48 x 29	92.5	28.50	2.40	\$779	N/A
--	------------	--------------	------	-------	------	-------	-----

Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included**. Legs are for 24"d worksurfaces. 40mm dia. locking casters with 8mm thread, white body and grey tires. Maximum length of sliding table surface is 48". *Cannot be used on single line pods with rectangular legs*.

• Anodized Aluminum Leg - Add \$56. list upcharge

BRTSLDT72CR	72 x 48 x 29	92.5	28.50	2.40	\$779	N/A



Rail Sliding Table Kit - Round Legs

Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. **Worksurface not included**. Legs are for 24"d worksurfaces. 3" dia. locking casters are standard. Maximum length of sliding table surface is 48".

Required Specifications
-------------------------

Top finish Edge finish Metal finish (legs) Beam finish

# Optional Specifications

**MEETING TABLES** 



Boardroom Table with Rectangular Leg and Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTBRDP276L	52.5 x 276 x 29	70	474	23.42	\$8481	\$1062
BRTBRDP240L	52.5 x 240 x 29	70	408	22.64	\$8156	\$994
BRTBRDP204L	52.5 x 204 x 29	70	340	20.74	\$6610	\$783
BRTBRDP180L	52.5 x 180 x 29	70	308	19.82	\$6391	\$736
BRTBRDP132L	52.5 x 132 x 29	70	228	15.02	\$4754	\$504
BRTBRDP120L	52.5 x 120 x 29	85	210	14.56	\$4642	\$481

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables



Boardroom Table with Rectangular Leg, Access Door and Levelers

BRTBRDPA276L	52.5 x 276 x 29	70	474	23.42	\$9016	\$1621
BRTBRDPA240L	52.5 x 240 x 29	70	408	22.64	\$8706	\$1026
BRTBRDPA204L	52.5 x 204 x 29	70	340	20.74	\$6963	\$845
BRTBRDPA180L	52.5 x 180 x 29	70	308	19.82	\$6577	\$961
BRTBRDPA132L	52.5 x 132 x 29	70	228	15.02	\$4892	\$689
BRTBRDPA120L	52.5 x 120 x 29	85	210	14.56	\$4697	\$591

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg Add \$305 list upcharge
- BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables



Square Meeting Table with Rectangular Legs

BRTSQ42L	42 x 42 x 29	70	85	4.20	\$1468	\$160
BRTSQ42C	42 x 42 x 29	70	85	4.20	\$1546	\$160

3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters.

• Anodized Aluminum Leg - Add \$154 list upcharge

W	∥ ^Ψ

Round Meeting Table with Rectangular Legs

BRTR42L	42 x 42 x 29	70	65	3.90	\$1468	\$160
BRTR42C	42 x 42 x 29	70	65	3.90	\$1546	\$160

3mm edging. Select BRTR42L for levelers or BRTR42C for casters.

• Anodized Aluminum Leg - Add \$154 list upcharge

	_		
Required	Spe	citic	ations

Top finish Edge finish Metal finish (legs) Beam finish

# **Optional Specifications**

HP laminate
Anodized aluminum leg
Table-edge mounted power module (Meeting
Tables)

Below worksurface power trough with power distribution module (Meeting Tables)





LEG ASSEMBLIES

Single Rectangular Leg Assembly with Casters



Single Rectangular Leg Assembly with Levelers



Back-to-Back Rectangular Leg Assembly with Levelers



Single H Leg Assembly with Casters



Single H Leg Assembly with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTSL24C	24 x 2.5 x 28	150	8	1.34	\$523	N/A
BRTSL30C	30 x 2.5 x 28	150	8	1.41	\$527	N/A
BRTSL36C	36 x 2.5 x 28	150	8	1.81	\$642	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTSL24L	24 x 2.5 x 28	150	8	1.34	\$473	N/A
BRTSL30L	30 x 2.5 x 28	150	8	1.34	\$493	N/A
BRTSL36L	36 x 2.5 x 28	125	9	1.50	\$434	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

- Anodized Aluminum Leg Add \$77 list upcharge
- Please specify two beams when using BRTSL36L

BRTBA34L	34 x 2.5 x 28	150	10	2.47	\$469	N/A
BRTBA51L	50.5 x 2.5 x 28	150	12	2.96	\$508	N/A
BRTBA63L	62.5 x 2.5 x 28	150	13	3.21	\$530	N/A

Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTHL3624C	24 x 2.5 x 35	100	14	1.68	\$673	N/A
BRTHL3630C	30 x 2.5 x 35	100	16	1.76	\$711	N/A
BRTHL3636C	36 x 2.5 x 35	125	18	2.26	\$805	N/A
BRTHL4224C	24 x 2.5 x 41	125	15	1.96	\$703	N/A
BRTHL4230C	30 x 2.5 x 41	100	17	2.06	\$742	N/A
BRTHL4236C	36 x 2.5 x 41	125	19	2.65	\$833	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required:

- $\bullet$  24"D legs 4 beams (3 under the surface and one at the bottom)
- 30"D/36"D legs 5 beams (4 under the surface and one at the bottom)
- Anodized Aluminum Leg Add \$77 list upcharge

BRTHL3624L	24 x 2.5 x 35	100	14	1.68	\$619	N/A
BRTHL3630L	30 x 2.5 x 35	100	16	1.76	\$657	N/A
BRTHL3636L	36 x 2.5 x 35	125	18	2.26	\$751	N/A
BRTHL4224L	24 x 2.5 x 41	125	15	1.96	\$648	N/A
BRTHL4230L	30 x 2.5 x 41	100	17	2.06	\$688	N/A
BRTHL4236L	36 x 2.5 x 41	125	19	2.65	\$780	N/A

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required:

- 24"D legs 4 beams (3 under the surface and one at the bottom)
- 30"D/36"D legs 5 beams (4 under the surface and one at the bottom)
- Anodized Aluminum Leg Add \$77 list upcharge

Required Specifications	Optional Specifications
Metal finish (legs)	Anodized aluminum leg



Single Loop Leg



Back-to-Back Loop Leg



120° Rectangular Corner Leg Kit



Leveler for Rectangular Leg Table



**Caster for Rectangular Leg Table** 



Single Table Round Leg Assembly

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRTSLL24L	24 x 2.5 x 28	92.5	11	1.01	\$446	N/A	
BRTSLL30L	30 x 2.5 x 28	92.5	13.75	1.26	\$478	N/A	
BRTSLL36L	36 x 2.5 x 28	92.5	16.50	1.51	\$512	N/A	

Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

BRTBALL51L	50.5 x 2.5 x 28	92.5	23.14	2.12	\$619	N/A
BRTBALL63L	62.5 x 2.5 x 28	92.5	28.64	2.62	\$647	N/A

Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$77 list upcharge

	BRT120L42	34 x 2.5 x 28	250	6.60	2.80	\$896	N/A
--	-----------	---------------	-----	------	------	-------	-----

One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxx A 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs.

• Anodized Aluminum Leg - Add \$46 list upcharge

BRTLVS 1 x 1 x 2.5 70 .03 .01 <b>\$11</b> N/.	4
-----------------------------------------------	---

5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site.

BRTLCS	2.6 x 2.7 x 2.5	70	.06	.01	\$35	N/A

Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site.

BRTSL	24 x 3 x 28	125	8	1.25	\$415	N/A

Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling Glides are standard. Locking casters are available on single tables. Specify BRTLCR

**Required Specifications** 

Top finish Edge finish Metal finish (legs) **Optional Specifications** 

						ВІ	RIDGI	ES II
G ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
		D x W x H						
	BRTFSL	24 x 2.5 x 28	150	5	.97	\$355	N/A	
\\								
V								





# **Double Table Round Leg Assembly**



**Double Table Round Leg Assembly, Fixed Height** 



# 120° Round Corner Leg Assembly



## 120° Fixed Height Corner Leg Assembly

Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

BRTDL 50 x 3 x 28 150 12 2.81 <b>\$538</b>	N/A
--------------------------------------------	-----

Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Backto-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

BRTFDL	50 x 2.5 x 28	250	8	2.03	\$483	N/A

Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Backto-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.

DDTCDL42 1/	C v 10 v 20	00 5	4 =	4 50	***	B I / A
BRTCRL47 11	6 V 18 V 78		15	1 511	CX74	NI/A
	U A 1U A ZU	JZ.J	10	1.50	ΨU2J	IN/A

Provides support for worksurfaces connected at 120°. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.

• When joining to an existing table, the beam extends to reach the shared leg.


BRTFCRL42	16 x 18 x 28	92.5	13	1.50	\$770	N/A
-----------	--------------	------	----	------	-------	-----

Provides support for worksurfaces connected at 120°, supported by fixed height legs. Single leg and beam assembly for 120° worksurface planning. Works with BRTWAC120xxxxx or BRTWAC120xxxxA 120° worksurfaces. For a single application, two BRTFSL (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.

• When joining to an existing table, the beam extends to reach the shared leg.

**Required Specifications** 

Metal finish (legs)



Required Specifications Metal Finish (legs)

Optional Specifications
Casters (BRTRL)

## **BEAM APPLICATIONS**

#### DxWxH

#### **Table supporting structures - BEAMS**

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

# STANDARD TABLE BEAM

## Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.



## End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).



# Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.


# **TELESCOPIC TABLE BEAM (4)**

Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to anyworksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.



#### **STORAGE TABLE BEAM (5)**

The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends.



# **STORAGE TABLE BEAM ADAPTER (6)**

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.


BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTSB84C	1 x 79 x 2	60	8.02	.15	\$318
	BRTSB78C	1 x 73 x 2	60	7.38	.12	\$311
	BRTSB72C	1 x 67 x 2	60	6.74	.09	\$302
	BRTSB66C	1 x 61 x 2	60	6.09	.08	\$290
	BRTSB63C	1 x 57.5 x 2	60	5.72	.08	\$286
	BRTSB60C	1 x 55 x 2	60	5.45	.07	\$280
	BRTSB54C	1 x 49 x 2	60	4.86	.06	\$269
	BRTSB51C	1 x 45.5 x 2	60	4.81	.05	\$262
	BRTSB48C	1 x 43 x 2	60	4.60	.05	\$251
	BRTSB42C	1 x 37 x 2	60	3.59	.04	\$241
	BRTSB36C	1 x 31 x 2	60	3.31	.03	\$238
	BRTSB30C	1 x 25 x 2	60	2.70	.02	\$237
	BRTSB24C	1 x 19 x 2	60	2.03	.01	\$230
	BRTSB15C	1 x 10 x 2	70	1.28	.01	\$184

Standard Table Beam

Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate **standard table beam, end of run and interconnecting table beam applications**. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.

**Required Specifications** 

Metal Finish



**Bottom Table Beam** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTBB84C	1 x 79 x 2	60	10.32	.15	\$358	
BRTBB78C	1 x 73 x 2	60	9.68	.12	\$349	
BRTBB72C	1 x 67 x 2	60	9.04	.09	\$338	
BRTBB66C	1 x 61 x 2	60	8.40	.09	\$326	
BRTBB60C	1 x 55 x 2	60	7.75	.08	\$315	
BRTBB54C	1 x 49 x 2	60	7.11	.07	\$303	
BRTBB48C	1 x 43 x 2	60	6.74	.07	\$281	
BRTBB42C	1 x 37 x 2	60	5.83	.06	\$269	
BRTBR36C	1 x 31 x 2	60	5 19	05	\$266	

Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps.

BRTTB84C	1 x 96.5 x 2	60	10.32	.15	\$488
BRTTB78C	1 x 90.5 x 2	60	9.68	.12	\$479
BRTTB72C	1 x 84.5 x 2	60	9.04	.09	\$469
BRTTB66C	1 x 78.5 x 2	60	8.40	.09	\$458
BRTTB60C	1 x 72.5 x 2	60	7.75	.08	\$447
BRTTB54C	1 x 66.5 x 2	60	7.11	.07	\$431
BRTTB48C	1 x 60.5 x 2	60	6.74	.07	\$407
BRTTB42C	1 x 54.5 x 2	60	5.83	.06	\$391
BRTTB36C	1 x 48.5 x 2	60	5.19	.05	\$367

Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length.

BRTSTB84C       1 x 80.75 x 2       60       8.64       .09       \$350         BRTSTB78C       1 x 74.75 x 2       60       7.99       .08       \$341         BRTSTB72C       1 x 68.75 x 2       60       7.35       .08       \$329         BRTSTB66C       1 x 62.75 x 2       60       6.74       .07       \$318         BRTSTB60C       1 x 54.75 x 2       60       5.85       .06       \$302         BRTSTB54C       1 x 50.75 x 2       60       5.43       .05       \$280
BRTSTB72C       1 x 68.75 x 2       60       7.35       .08       \$329         BRTSTB66C       1 x 62.75 x 2       60       6.74       .07       \$318         BRTSTB60C       1 x 54.75 x 2       60       5.85       .06       \$302
BRTSTB66C       1 x 62.75 x 2       60       6.74       .07       \$318         BRTSTB60C       1 x 54.75 x 2       60       5.85       .06       \$302
BRTSTB60C 1 x 54.75 x 2 60 5.85 .06 <b>\$302</b>
BRTSTB54C 1 x 50.75 x 2 60 5.43 .05 <b>\$280</b>
BRTSTB48C 1 x 44.75 x 2 60 4.78 .05 <b>\$266</b>
BRTSTB42C 1 x 38.75 x 2 60 4.16 .04 <b>\$262</b>
BRTSTB36C 1 x 32.75 x 2 60 3.50 .03 <b>\$251</b>

Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25"h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface.

BRTSA21	1 x 15.2 x 6.5	60	2.15	.05	\$120
BRTSA25	1 x 15.2 x 2.75	60	4.30	.02	\$103

Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25"h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adapter assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify BRTSA21 or BRTSA25 depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.



**Telescopic Table Beam** 



**Storage Table Beam** 



**Storage Table Beam Adapter** 

Required Specifications

Metal Finish

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DDTI LIOO 10 1	DxWxH					
	BRTWS2484	24 x 84 x 1	60	55	1.80	\$499	\$154
	BRTWS2478	24 x 78 x 1	60	51	1.70	\$460	\$148
	BRTWS2472	24 x 72 x 1	60	47	1.54	\$431	\$145
	BRTWS2466	24 x 66 x 1	60	43	1.41	\$411	\$136
	BRTWS2463	24 x 62.5 x 1	65	39	1.41	\$404	\$138
	BRTWS2460	24 x 60 x 1	60	39	1.30	\$394	\$131
	BRTWS2454	24 x 54 x 1	65	35	1.20	\$355	\$115
	BRTWS2451	24 x 50.5 x 1	65	31	1.06	\$359	\$115
	BRTWS2448	24 x 48 x 1	65	31	1.06	\$300	\$104
	BRTWS2442	24 x 42 x 1	60	28	.90	\$251	\$85
	BRTWS2436	24 x 36 x 1	60	23	.71	\$192	\$65
	BRTWS3084	30 x 84 x 1	60	69	2.24	\$537	\$165
	BRTWS3078	30 x 78 x 1	60	64	2.10	\$483	\$153
	BRTWS3072	30 x 70 x 1	65	59	2.10	\$455	\$151
	BRTWS3066	30 x 66 x 1	60	54	1.80	\$427	\$145
	BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$417	\$140
	BRTWS3060	30 x 60 x 1	65	49	1.77	\$411	\$136
	BRTWS3054	30 x 54 x 1	60	44	1.44	\$383	\$115
	BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$377	\$120
	BRTWS3048	30 x 48 x 1	65	39	1.41	\$355	\$115
	BRTWS3042	30 x 42 x 1	60	34	1.12	\$334	\$112
	BRTWS3036	30 x 36 x 1	65	30	1.06	\$238	\$81
	BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$625	\$162
	BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$556	\$93
	BRTWSAA2484 BRTWSAA2478	24 x 84 x 1 24 x 78 x 1	60 60	51 47	1.70 1.54	\$594 \$563	\$289 \$258
	BRTWSA2472	24 x 72 x 1	60	47	1.54	\$517	\$238
	BRTWSA2466	24 x 66 x 1	60	43	1.41	\$480	\$206
	BRTWSA2460	24 x 60 x 1	60	39	1.30	\$442	\$187
	BRTWSA2454	24 x 54 x 1	65	35	1.20	\$392	\$179
	BRTWSA2448	24 x 48 x 1	65	31	1.06	\$355	\$160
	BRTWSA2442	24 x 42 x 1	60	28	.90	\$315	\$140
	DDT\A/C A A 200 4	00 04 4					
	BRTWSAA3084	30 x 84 x 1	60	64	2.10	\$706	\$349
	BRTWSAA3078	30 x 84 x 1 30 x 78 x 1	65	59	2	\$706 \$665	\$327
	BRTWSAA3078	30 x 78 x 1	65	59	2	\$665	\$327
	BRTWSAA3078 BRTWSA3072 BRTWSA3066	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1	65 65	59 59	2 2	\$665 \$615	\$327 \$285
	BRTWSA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1	65 65 60 65	59 59 54 49	2 2 1.80 1.77	\$665 \$615 \$577 \$517	\$327 \$285 \$256 \$238
	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1	65 65 60 65 60	59 59 54 49 44	2 2 1.80 1.77 1.44	\$665 \$615 \$577 \$517 \$469	\$327 \$285 \$256 \$238 \$216
	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054 BRTWSA3048	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 48 x 1	65 65 60 65 60	59 59 54 49 44 39	2 1.80 1.77 1.44 1.41	\$665 \$615 \$577 \$517	\$327 \$285 \$256 \$238 \$216 \$187
· ·	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 42 x 1 de on all sides. Wo so door is offset 13.5 a trough below wor	65 65 60 65 60 65 60 rksurfaces 42" to 72	59 59 54 49 44 39 34 2"w have or	2 2 1.80 1.77 1.44 1.41 1.12 ne access door.	\$665 \$615 \$577 \$517 \$469 \$420 \$372 78"w and 84"w v luminum worksui	\$327 \$285 \$256 \$238 \$216 \$187 \$168 worksurfaces
ctangular Worksurface th Access Door	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054 BRTWSA3048 BRTWSA3042  Flat 3 mm edge profi access doors. Acces access to power/dat worksurface power	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 42 x 1 de on all sides. Wo so door is offset 13.5 a trough below wor	65 65 60 65 60 65 60 rksurfaces 42" to 72 " from either side of ksurface. Worksurf	59 59 54 49 44 39 34 2"w have or	2 2 1.80 1.77 1.44 1.41 1.12 ne access door.	\$665 \$615 \$577 \$517 \$469 \$420 \$372 78"w and 84"w v luminum worksui	\$327 \$285 \$256 \$238 \$216 \$187 \$168 worksurfaces rface door prid with above
· ·	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054 BRTWSA3048 BRTWSA3042  Flat 3 mm edge profi access doors. Acces access to power/dat worksurface power to the second secon	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 42 x 1 le on all sides. Wo stoor is offset 13.5 a trough below wortrough.	65 65 60 65 60 65 60 rksurfaces 42" to 72 " from either side of ksurface. Worksurf	59 59 54 49 44 39 34 2"w have or of worksurfa	2 2 1.80 1.77 1.44 1.41 1.12 ne access door. ace. Anodized a	\$665 \$615 \$577 \$517 \$469 \$420 \$372 78"w and 84"w v luminum worksui INOT be combine	\$327 \$285 \$256 \$238 \$216 \$187 \$168 worksurfaces rface door prid with above
· ·	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054 BRTWSA3048 BRTWSA3042  Flat 3 mm edge profi access doors. Acces access to power/dat worksurface power to the second secon	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 42 x 1 le on all sides. Wo stoor is offset 13.5 a trough below wortrough.	65 65 60 65 60 65 60 rksurfaces 42" to 72 " from either side of ksurface. Worksurf	59 59 54 49 44 39 34 2"w have or of worksurface with ac	2 2 1.80 1.77 1.44 1.41 1.12 ne access door. ace. Anodized a access doors CAN	\$665 \$615 \$577 \$517 \$469 \$420 \$372 78"w and 84"w v luminum worksui INOT be combine \$355 \$411	\$327 \$285 \$256 \$238 \$216 \$187 \$168 worksurfaces rface door prid with above
•	BRTWSAA3078 BRTWSA3072 BRTWSA3066 BRTWSA3060 BRTWSA3054 BRTWSA3048 BRTWSA3042  Flat 3 mm edge profi access doors. Acces access to power/dat worksurface power to the second secon	30 x 78 x 1 30 x 72 x 1 30 x 66 x 1 30 x 60 x 1 30 x 54 x 1 30 x 42 x 1 le on all sides. Wo stoor is offset 13.5 a trough below wortrough.	65 65 60 65 60 65 60 rksurfaces 42" to 72 " from either side of ksurface. Worksurf	59 59 54 49 44 39 34 2"w have or of worksurfa	2 2 1.80 1.77 1.44 1.41 1.12 ne access door. ace. Anodized a	\$665 \$615 \$577 \$517 \$469 \$420 \$372 78"w and 84"w v luminum worksui INOT be combine	\$327 \$285 \$256 \$238 \$216 \$187 \$168 worksurfaces rface door prid with above

Required Specifications
Top finish
Edge finish

Optional Specifications
HP laminate

leg and extension beams. *No freestanding and mobile application.* 

WORKSURFACES

	^	
		$/ \nearrow$

# **Rectangular Worksurface** with 2 Access Doors

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTWSAA2484	24 x 84 x 1	60	51	1.70	\$594	\$289
BRTWSAA2478	24 x 78 x 1	60	47	1.54	\$563	\$258
BRTWSAA2472	24 x 72 x 1	60	43	1.41	\$556	\$257
BRTWSAA2466	24 x 66 x 1	60	39	1.30	\$517	\$226
BRTWSAA2460	24 x 60 x 1	65	35	1.20	\$476	\$203
BRTWSAA3084	30 x 84 x 1	60	64	2.10	\$706	\$349
BRTWSAA3078	30 x 78 x 1	65	59	2	\$665	\$327
BRTWSAA3072	30 x 72 x 1	60	54	1.80	\$659	\$308
BRTWSAA3066	30 x 66 x 1	65	49	1.77	\$622	\$272
BRTWSAA3060	30 x 60 x 1	60	44	1 44	\$556	\$257

Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Anodized aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84".

BRTWS2451	24 x 50.5 x 1	65	31	1.06	\$359	\$115
BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$377	\$120
BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$556	\$93
BRTWS4251	42 x 50.5 x 1	65	48	1.93	\$615	\$165
BRTWS4851	48 x 50.5 x 1	65	52	2.07	\$699	\$183
BRTWS5151	50.5 x 50.5 x 1	65	55	2.12	\$748	\$173
BRTWS5451	54 x 50.5 x 1	65	59	2.19	\$808	\$226
BRTWS6051	60 x 50.5 x 1	65	63	2.26	\$919	\$231
BRTWS2463	24 x 62.5 x 1	65	39	1.41	\$404	\$138
BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$417	\$140
BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$625	\$162
BRTWS4263	42 x 62.5 x 1	65	57	2.07	\$748	\$196
BRTWS4863	48 x 62.5 x 1	65	61	2.13	\$898	\$227
BRTWS5463	54 x 62.5 x 1	65	63	2.21	\$1009	\$255
BRTWS6063	60 x 62.5 x 1	65	67	2.34	\$1124	\$279



**Meeting Table Top** 

Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes.

- Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly
- Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly

BRTWAC120424224	24 x 42 x 1	65	31	1.06	\$886	\$291
BRTWAC120424230	30 x 42 x 1	65	39	1.41	\$965	\$295



120° Worksurface

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation.

RRTWΔC120Δ424230 30 x 42 x 1 65 39 1.41 <b>\$1019</b>	RTWAC120A424224	24 x 42 x 1	65	31	1.06	\$943	\$316
BITT W 10120 1424200 00 X 42 X 1 00 00 1.41 W1010	RTWAC120A424230	30 x 42 x 1	65	39	1.41	\$1019	\$395




120° Worksurface with Access Door

5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

Req	uir	ed	Spe	ecifi	cations

Top finish Edge finish **HP** laminate


**Optional Specifications** 



Rectangu		Mastina	Table	T*
nectanou	ıar	weeuma	rabie	IOD"



Round Meeting Table Top*



Flat Bracket



Display Wall Table Top w/Scoop*



Monitor Facing Double Workstation**



Monitor Facing Back of Double Workstation**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRTMT5151	50.5 x 50.5 x 1	65	55	2.12	\$703	\$392	

50.5"long side matches 24"d back-to-back table assembly.

	BRTMTR42	42 x 42 x 1	65	40	1.76	\$469	\$119
--	----------	-------------	----	----	------	-------	-------

BHBF01 4 x 3 70 .50 .01 <b>\$22</b>						
	BHBF01	4 x 3	70	.50	.01	\$22

Constructed of cold rolled steel. May be used to ensure alignment of neighboring worksurfaces.

BRTWS6051SCP	60 x 50.5 x 1	60	75	1.75	\$899	\$228
BRTWS5451SCP	54 x 50.5 x 1	60	68	1.58	\$794	\$222
BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	\$880	\$223
BRTWS6063SCP	60 x 62.5 x 1	60	93	2.17	\$1100	\$272
BRTWS5463SCP	54 x 62.5 x 1	60	84	1.95	\$992	\$249
BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	\$880	\$223

Display wall mounts to the end of back-to-back table assembly supported by rectangular legs. As opposed to two separate back-to-back worksurfaces, the display wall table top provides one continuous, uninterrupted surface with a scoop cutout next to the display wall (the scoop facilitates cable passage from below the table). Table top 50.5"w side matches 24"d back-to-back table assemblies. Meeting table tops 62.5"w side matches 30"d back-to-back table assemblies.

BRTTVFT63	4 x 62.5 x 52	100	74	7.52	\$1757	
BRTTVFT51	4 x 50.5 x 52	92.5	62	6.08	\$1663	

Display wall faces the double workstation; facilitates seated presentation area. Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify **WHB** to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.

- Included vertical cable manager passes through the gap between 2 back-to-back worksurfaces. Should you need one
  continuous, uninterrupted surface specify BRTWSxxxxSCP Display Wall Table Top with Scoop.
- Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w

BRTTVBK63	4 x 62.5 x 52	100	74	7.52	\$1757	
BRTTVBK51	4 x 50.5 x 52	92.5	62	6.08	\$1663	

Display wall support board mounts to end of back-to-back table assembly supported by rectangular legs. Display faces back of the double workstation (combine with collaborative seating). Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify **WHB** to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side.Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.

• Add \$1036 for white, dry erase on 51"w model, and \$1383 for 63"w

|--|

Top finish Edge finish

# **Optional Specifications**

HP laminate

## **POWER DELIVERY / CABLE MANAGEMENT**

#### DxWxH

At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

**Wire Basket (1)** connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. *Wire Basket is not to be used with power troughs*.

Cable Snake (2) Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit **Desk Top Power Data Modules (3)** deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.




Ceiling pole **BRTCPP (4)** manages power and data cables between ceiling and above or below worksurface power troughs.


**Above and Below Worksurface Power/Data Troughs (5)** can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)

**NOTE**: Specify **BRTHH58 (8)** to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.

**Leg shroud (9)** attaches to 34"w legs and manages power floor feed, as well as data cables from floor monument.

Single Sided Power/Data Troughs (6) can be installed to the underside of a single table.






**Storage power/data box BRTVCM (7)** attaches to storage units and provides access to one duplex/data terminal on top storage surface. Integrated single circuit module can be plugged to floor monument under the storage or to a wall outlet

# 4-2-2 Wiring Schematic 8-Wire Shared Neutral

# "2 + 2" - 2 Utility Circuits, 2 Dedicated



	120/208V 3 ph		
CIR. 1 CIR. 2 DUPLEX DUPLEX		CIR. A CIR. B DUPLEX DUPLE	×
			-
BLACK J	PINK		シ
	WHITE/BLACK GREEN OR BARE	WHITE/RED GREEN/YELLOW	
	RED ÷	•	

**Specifications** 

4 Lines (12 ga.)
2 Neutrals (10 ga.)
2 Grounds (12 ga.)

8 Wires

4 Circuits
2 Utility circuits
2 Dedicated Circuits

Receptacles


Duplex - Up to 12 duplex receptacles per circuit
(Up to 48 per infeed)

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

## **POWER DELIVERY / CABLE MANAGEMENT**



Below Worksurface Single Power/Data Trough



Below Worksurface Double
Power/Data Trough

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTEETB84SKIT	11.6 x 78.34 x 2.	5 100	12	1.31	\$1129	
BRTEETB78SKIT	11.6 x 72.34 x 2.	5 100	11	1.21	\$1081	
BRTEETB72SKIT	11.6 x 66.34 x 2.	5 100	9.80	1.11	\$703	
BRTEETB66SKIT	11.6 x 60.34 x 2.	5 100	8.90	1.01	\$680	
BRTEETB60SKIT	11.6 x 54.34 x 2.	5 100	8	.91	\$655	
BRTEETB54SKIT	11.6 x 48.34 x 2.	5 100	7.10	.81	\$642	
BRTEETB48SKIT	11.6 x 42.34 x 2.	5 100	6.20	.71	\$615	
BRTEETB42SKIT	11.6 x 36.34 x 2.	5 100	5.30	.61	\$568	
BRTEETB36SKIT	11.6 x 30.34 x 2.	5 125	4.50	.59	\$517	

Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER
- For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6".
   White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

BRTEETB84DKIT	8.5 x 78.3 x 2.5	92.5	9.80	.96	\$1458
BRTEETB78DKIT	8.5 x 72.3 x 2.5	92.5	9	.88	\$1437
BRTEETB72DKIT	8.5 x 66.3 x 2.5	92.5	8.30	.81	\$847
BRTEETB66DKIT	8.5 x 60.3 x 2.5	92.5	7.50	.74	\$829
BRTEETB60DKIT	8.5 x 54.3 x 2.5	92.5	6.80	.66	\$800
BRTEETB54DKIT	8.5 x 48.3 x 2.5	92.5	6	.59	\$779
BRTEETB48DKIT	8.5 x 42.3 x 2.5	92.5	5.30	.52	\$761
BRTEETB42DKIT	8.5 x 36.3 x 2.5	92.5	4.50	.44	\$730
BRTEETB36DKIT	8.5 x 30.3 x 2.5	92.5	3.80	.37	\$712

Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETD42SKIT and (1) JUMPER
- For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120xx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6".
   White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.

# **Required Specifications**

Metal Finish (Power/Data Troughs)

# В

# **BRIDGES II™**

**ELECTRICAL COMPONENTS** 

# 36"

42" - 72"

**Above Worksurface Power Trough** 



Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. Covers for duplex openings are not supplied. 36" trough side. **Specify jumpers between tables separately**. Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER
- BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER
- Specify above worksurface power trough end cap BRTETEC to finish open ends of the power trough
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for \$59 list, see BRTPDS.



Back-to-Back Storage Tower Gap Filler Kit

BRTEST15KIT	15.5 x 2.5 x 3.5	65	2	.08	\$527
BRTEST24KIT	24 x 2.5 x 3.5	70	2.50	.12	\$572
BRTEST30KIT	31 x 2.5 x 3.5	70	3.50	.16	\$610
BRTEST48KIT	48 x 2.5 x 3.5	70	4	.24	\$673

Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" leas or storage beam and storage towers.

- Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables.
- The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers
- The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage towers

Å			
	DE TOTAL		
4		<b>—</b> W	

**Above Worksurface Power Trough** 

BRTETEC	.5 x 2.25 x 3	70	.10	.01	\$11	

Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.

**Required Specifications** 

Metal Finish (Power/Data Troughs)



#### **Housing to Housing Harness**

**ELECTRICAL COMPONENTS** 



Distributes power between Power Distribution Housings.

- BRTEHH28 distributes power between back-to-back or single sided troughs in a straight run.
- BRTEHH40 distributes power from back-to-back to single sided power troughs
- BRTEHH44 distributes power between back-to-back power troughs separated by (1) pair of storage cabinets without wardrobes. Specify BRTEST15KIT separately.
- BRTEHH52 distributes power from back-to-back power troughs separated by (1) pair of storage cabinets with wardrobes. Specify BRTEST24KIT separately.
- BRTEHH58 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets without wardrobes. Specify BRTEST30KIT separately.
- BRTEHH58 also distributes power from double-sided, back-to-back below worksurface power troughs to a single sided, below worksurface power trough at the end of a table run.
- BRTEHH76 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets with wardrobes. Specify BRTEST48KIT separately.

BRTEBF	6 x 4 x 72	250	4	2	\$542
BRTEBF120	6 x 4 x 120	250	6	2	\$755
BRTEBF144	6 x 4 x 144	150	8	2	\$812

Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.

BRTEBFK	6 x 4 x 100	250	4	2	\$851	

Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.

BRTCPP	1.5 x 4.75 x 99	65	13	.48	\$294

Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

BRTECF120	6 x 6 x 120	250	5	2	\$476
BRTECF144	6 x 6 x 144	250	5	2	\$530

Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.



**Base Feed** 



**Base Feed - New York Electrical** 




**Ceiling Pole** 



**Required Specifications** 

Metal Finish (BRTCPP)



**Ceiling Feed - New York Electrical** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTECFK120	6 x 6 x 120	250	5	2	\$712	
BRTECFK144	6 x 6 x 144	250	5	2	\$790	

Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.

BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DXW1	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXW2	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWA	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWB	1.25 x 4.63 x 2	70	.10	.01	\$59	

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black.

- BRTE8D1 / BRTE8DXW1 Circuit #1 (utility circuit)
- BRTE8D2 / BRTE8DXW2 Circuit #2 (utility circuit)
- BRTE8DA / BRTE8DXWA Circuit A (dedicated circuit)
- BRTE8DB / BRTE8DXWB Circuit B (dedicated circuit)

BRTCB76KIT	8 x 34 x 1	70	1.56	.15	\$263
BRTCB70	8 x 70 x 1	100	3.22	.34	\$191
BRTCB64	8 x 64 x 1	92.5	2.94	.29	\$178
BRTCB58	8 x 58 x 1	92.5	2.66	.26	\$172
BRTCB52	8 x 52 x 1	100	2.39	.24	\$162
BRTCB46	8 x 46 x 1	92.5	2.16	.21	\$153
BRTCB40	8 x 40 x 1	70	1.80	.18	\$145
BRTCB34	8 x 34 x 1	70	1.56	.15	\$139
BRTCB28	8 x 28 x 1	70	1.20	.13	\$123
BRTCB22	8 x 22 x 1	70	1.01	.10	\$115
BRTCB16	8 x 16 x 1	70	.73	.07	\$108
BRTCB8	8 x 8 x 1	70	.36	.03	\$97

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.

 Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage cabinet spine assembly.

BRTDLSHS34	5 x 30 x 29	92.5	62	5.25	\$539

A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish.



**Duplex Receptacles** 




Power/Data Cable Basket




34" Leg Shroud

**Required Specifications** 

Metal Finish (BRTDLSHS34)



**Cable Snake** 



Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

BRTCM43	46 x 5 x 3	92.5	8	.67	\$62	
BRTCM55	58 x 5 x 3	92.5	9	.85	\$72	

Replacement wire manager can be added. Wire Manager neatly organizes and stores electrical and communication cables. Two lengths: 46" for tops 60" and under; 58" for tops 72". Black Plastic only.

BRTPDS	.6 x 4.75 x 2.04	70	.10	.01	\$59
BRTPDSW	.6 x 4.75 x 2.04	70	.10	.01	\$59
BRTPDSS	.6 x 4.75 x 2.04	70	.10	.01	\$59

Data/Comm plate spacer extends the depth behind data/comm jacks by 0.6" in order to accommodate larger data/comm cable bending radius. BRTPDS is Black, BRTPDSW is White and BRTPDSS is Silver.

BRTVCM2118	18 x 6 x 21	92.5	14	1.31	\$1069	
BRTVCM2518	18 x 6 x 25	92.5	17	1.56	\$1091	
BRTVCM2124	24 x 6 x 21	100	17	1.75	\$1129	
BRTVCM2524	24 x 6 x 25	92.5	22	2.08	\$1147	

Facilitates power/data transfer from a floor monument under storage cabinets. The units can join other 18" or 24" deep storage units to form a storage spine. Removable top with a Below worksurface Power/Data Module provides easy access. Optional cable basket supsends off storage unit's bottom and manages cables along the horizontal plane. 1" top, unfinished cut-out edges. Universal connecting hardware included. Below Worksurface Power/Data Module included. Provides power - two outlets; 72"L 3-prong power cord. White face plate, outlets and coupler & jack adapters; anodized aluminum bracket supports; thumb screws, black cord. Provides data - two coupler/jack ports; includes Voice/Data Adapter Kit to accept various couplers & jacks (Not Included).



Wire Manager



**Data/Comm Spacer** 



Vertical Cable Manager*

**ACCESSORIES / TABLE DIVIDERS** MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. DxWxH

- 9mm thick panels offered in 9 finishes
- Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives
- Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly
- Variation in fiber mix and color are inherent to the character of the product

#### **FELT COLORS**

BLK	Black	MTS	Mist
BRI	Brick	PWT	Pewter
DEN	Denim	SHR	Shamrock
GPH	Graphite	WHT	White
HVT	Harvest		

#### **BRACKET/EXTRUSION FINISH**

BLK	Black
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
TPE	Taupe
TUN	Tungsten
ANIO	A A I :

Anodized Aluminum - upcharge applies. Available on select models only. ANO

LIST PRICE

Refer to model for availability and upcharge.

FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAFDD84	7.5 x 81 x 16.88	125	6.30	1	\$710
	BRTAFDD78	7.5 x 75 x 16.88		5.90	.92	\$677
	BRTAFDD72	7.5 x 69 x 16.88	125	5.40	.85	\$645
	BRTAFDD66	7.5 x 63 x 16.88	125	5	.77	\$611
	BRTAFDD60	7.5 x 57 x 16.88	125	4.60	.70	\$577
	BRTAFDD54	7.5 x 51 x 16.88	125	4.10	.63	\$546
	BRTAFDD48	7.5 x 45 x 16.88	125	3.70	.55	\$384
	BRTAFDD42	7.5 x 39 x 16.88	125	3.20	.48	\$340
	BRTAFDD36	7.5 x 33 x 16.88	125	2.80	.41	\$305



Secures between two back-to-back tables; provides privacy, divides space. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. 36"-72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3.

• Anodized Aluminum extrusion - Add \$164 list upcharge

BRTAFPPD30M	6.5 x 30.24 x 16.85	100	2.60	.27	\$289
BRTAFPPD24M	6.5 x 24.24 x 16.85	100	2.10	.22	\$256

Perpendicular Side to Side Secures off module to front and back edges of a table; provides privacy, divides space. 9mm felt material is tackable. 24M and Off Module Felt Divider 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

BRTAFPPD63S	6.5 x 62.81 x 16.85	100	4.20	.46	\$600
BRTAFPPD51S	6.5 x 50.81 x 16.85	100	4.20	.46	\$535
BRTAFPPD30S	6.5 x 30.24 x 16.85	92.5	2.70	.27	\$296
BRTAFPPD24S	6.5 x 24.24 x 16.85	92.5	2.30	.22	\$263

#### Perpendicular Side to Side Felt Divider

Secures to the front edge of both worksurfaces, regardless of type of leg support - supporting backets can straddle over shared leg; provides privacy, divides space. 9mm felt material is tackable. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• Anodized Aluminum extrusion - Add \$164 list upcharge


Required Specifications	Optional Specifications
Felt color	Anodized extrusion
Bracket/extrusion finish	



End of Run Felt Divider & Modesty Kit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTAFEDN24	4.05 x 25.46 x 3	0.68 250	3.3	1.12	\$443	
BRTAFEDN30	4.05 x 31.46 x 3	0.68 250	3.98	1.29	\$497	
BRTAFEDN51	4.05 x 50.56 x 3	0.68 150	6.22	1.46	\$912	
BRTAFEDN63	4.05 x 62.56 x 3	0.68 150	7.57	1.63	\$1039	

Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.



Felt Divider & Modesty Panel Kit*

BRTAFDSN84	4.05 x 78 x 30.68	125	9.24	1.2	\$1241
BRTAFDSN78	4.05 x 72 x 30.68	125	8.57	1.11	\$1182
BRTAFDSN72	4.05 x 69 x 30.68	125	7.89	1.02	\$1124
BRTAFDSN66	4.05 x 63 x 30.68	125	7.21	0.93	\$979
BRTAFDSN60	4.05 x 57 x 30.68	125	6.54	0.84	\$935
BRTAFDSN54	4.05 x 51 x 30.68	125	5.87	0.74	\$878
BRTAFDSN48	4.05 x 45 x 30.68	125	5.19	0.65	\$726

Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.



**Felt Modesty Panel** 

BRTAFMPSN84	4.17 x 77.75 x 13.82	65	31.12	1.2	\$530
BRTAFMPSN78	4.17 x 71.75 x 13.82	65	28.72	1.11	\$502
BRTAFMPSN72	4.17 x 65.75 x 13.82	65	26.32	1.02	\$476
BRTAFMPSN66	4.17 x 59.75 x 13.82	65	23.92	0.93	\$449
BRTAFMPSN60	4.17 x 53.75 x 13.82	65	21.51	0.84	\$423
BRTAFMPSN54	4.17 x 47.75 x 13.82	65	19.11	0.74	\$405
BRTAFMPSN48	4.17 x 41.75 x 13.82	65	16.71	0.65	\$297

Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.

• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.

**Required Specifications** 

Felt color

Bracket/extrusion finish

**Optional Specifications** 

Anodized extrusion





Table Divider - Glass



**Parallel Table Divider - Glass** 



Perpendicular End of Run Divider - Glass



Shared Perpendicular Side to Side Divider, Middle - Glass, Rounded Corners

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DxWxH					
05 04 40			4.0	***	
.25 x 81 x 16	60	29	.18	\$868	
.25 x 75 x 16	60	27	.17	\$819	
.25 x 69 x 16	60	25	.16	\$703	
.25 x 63 x 16	60	23	.14	\$655	
.25 x 57 x 16	60	21	.13	\$604	
.25 x 51 x 16	60	18	.11	\$577	
.25 x 45 x 16	60	16	.10	\$530	
.25 x 39 x 16	60	14	.09	\$489	
.25 x 33 x 16	60	12	.07	\$442	
	25 x 81 x 16 .25 x 75 x 16 .25 x 69 x 16 .25 x 63 x 16 .25 x 57 x 16 .25 x 57 x 16 .25 x 51 x 16 .25 x 45 x 16 .25 x 39 x 16	D x W x H  .25 x 81 x 16 60  .25 x 75 x 16 60  .25 x 69 x 16 60  .25 x 63 x 16 60  .25 x 57 x 16 60  .25 x 57 x 16 60  .25 x 51 x 16 60  .25 x 45 x 16 60  .25 x 45 x 16 60	D x W x H       .25 x 81 x 16     60     29       .25 x 75 x 16     60     27       .25 x 69 x 16     60     25       .25 x 63 x 16     60     23       .25 x 57 x 16     60     21       .25 x 51 x 16     60     18       .25 x 45 x 16     60     16       .25 x 39 x 16     60     14	D x W x H       .25 x 81 x 16     60     29     .18       .25 x 75 x 16     60     27     .17       .25 x 69 x 16     60     25     .16       .25 x 63 x 16     60     23     .14       .25 x 57 x 16     60     21     .13       .25 x 51 x 16     60     18     .11       .25 x 45 x 16     60     16     .10       .25 x 39 x 16     60     14     .09	D x W x H         .25 x 81 x 16       60       29       .18       \$868         .25 x 75 x 16       60       27       .17       \$819         .25 x 69 x 16       60       25       .16       \$703         .25 x 63 x 16       60       23       .14       \$655         .25 x 57 x 16       60       21       .13       \$604         .25 x 51 x 16       60       18       .11       \$577         .25 x 45 x 16       60       16       .10       \$530         .25 x 39 x 16       60       14       .09       \$489

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72"wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGDS84	.25 x 81 x 32	60	55	.35	\$1655
BRTAGDS78	.25 x 75 x 32	60	51	.33	\$1573
BRTAGDS72	.25 x 69 x 32	60	47	.30	\$1317
BRTAGDS66	.25 x 63 x 32	60	43	.28	\$1238
BRTAGDS60	.25 x 57 x 32	60	39	.25	\$1158
BRTAGDS54	.25 x 51 x 32	60	35	.23	\$1081
BRTAGDS48	.25 x 45 x 32	60	31	.20	\$1000
BRTAGDS42	.25 x 39 x 32	60	27	.18	\$921
BRTAGDS36	.25 x 33 x 32	60	23	.15	\$844

Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36"-72"wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGED63	.25 x 62.5 x 32	60	35	.23	\$1735
BRTAGED51	.25 x 50.5 x 32	60	31	.20	\$1573
BRTAGED30	.25 x 30 x 32	60	27	.18	\$882
BRTAGED24	.25 x 24 x 32	60	23	.15	\$805

Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGPPD24M	.25 x 24 x 16	60	9	.06	\$505
BRTAGPPD30M	.25 x 30 x 16	60	11.25	.07	\$531

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with **rounded** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

#### **Required Specifications**

Bracket finish

`	$\searrow$	$\overline{}$	
			ŀ

TABLE DIVIDERS

**Shared Perpendicular Side to Side** Divider, Middle - Glass, Square Corners

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
BRTAGPPD24MQ	.25 x 24 x 16	60	9	.06	\$505
BRTAGPPD30MQ	.25 x 30 x 16	60	11.25	.07	\$531

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with recessed legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with square top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGPPD24S	.25 x 24 x 16	60	9	.05	\$505	
BRTAGPPD30S	.25 x 30 x 16	60	11.25	.07	\$531	



**Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners** 

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth rectangular leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with rounded top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGPPD24SQ	.25 x 24 x 16	60	9	.05	\$505	
BRTAGPPD30SQ	.25 x 30 x 16	60	11.25	.07	\$531	




**Shared Perpendicular Side to Side** Divider, Seam - Glass, Square Corners

Provides privacy, divides space while not obstructing available light. 24S and 30S kits are designed to be installed in the middle or over a seam of two adjacent worksurfaces supported by a shared, full depth rectangular leg. 24S and 30S kits consist of two wide rear brackets, wide front bracket, tempered glass with square top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Brackets are available in all standard Bridges II paint finishes.

BRTAGMPS84	.25 x 77.75 x 13.25	60	24	.14	\$1081
BRTAGMPS78	.25 x 71.75 x 13.25	60	22	.13	\$1042
BRTAGMPS72	.25 x 65.75 x 13.25	60	20	.12	\$824
BRTAGMPS66	.25 x 59.75 x 13.25	60	19	.11	\$784
BRTAGMPS60	.25 x 53.75 x 13.25	60	17	.10	\$744
BRTAGMPS54	.25 x 47.75 x 13.25	60	15	.09	\$706
BRTAGMPS48	.25 x 41.75 x 13.25	60	11	.06	\$667
BRTAGMPS42	.25 x 35.75 x 13.25	60	11	.06	\$625
BRTAGMPS36	.25 x 29.75 x 13.25	60	9	.05	\$587

Secures to the rear edge of a single table, between table legs; provides privacy, Installed divider reaches 15" below the worksurface. 36"-72" wide modesty panels include 2 mounting brackets. 78" and 84" wide modesty panels include 3 mounting brackets. Tempered glass, acid etched on one side (similar to frosted), and satin chrome disc fasteners. Brackets are available in all standard Bridges II paint finishes.

BRTLPSE36	.75 x 36 x 16	60	11	.25	\$301
BRTLPSE30	.75 x 30 x 16	60	9	.21	\$262



**Modesty Panel - Glass** 

Perpendicular Laminate Side to Side Divider - Extended*

Protrudes by 6" beyond the front worksurface edge for added privacy. Secures off-module or on-module to the front and back edge of worksurface, regardless of type of leg support - supporting brackets can straddle over shared leg. 3/4" LP PVC edge boards. Brackets are available in all standard Bridges II paint finishes.

• Specify BRTLPSE30 for 24"d worksurfaces and BRTLPSE36 for 30"d worksurfaces


#### **Required Specifications**

Chassis/Accent Finish* Bracket finish Edge finish*


# **BRIDGES II™**



Perpendicular Laminate Side to Side Double Divider - Extended



**Table Divider - Laminate** 



**High Table Divider - Laminate** 



High Perpendicular Side-to-Side Divider - Laminate

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTLPDSE75	.75 x 75 x 16	60	22	.52	\$538	
BRTLPDSE63	.75 x 63 x 16	60	18	.44	\$483	

Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPDD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.

- · Can ONLY be installed on-module between two BRTLPDD dividers.
- Specify BRTLPDSE63 for 24"d back-to-back worksurfaces and BRTLPDSE75 for 30"d back-to-back worksurfaces

BRTLPDD84	.75 x 81 x 16	60	24	.56	\$654
BRTLPDD78	.75 x 75 x 16	60	23	.52	\$632
BRTLPDD72	.75 x 69 x 16	60	21	.47	\$504
BRTLPDD66	.75 x 63 x 16	60	19	.43	\$472
BRTLPDD60	.75 x 57 x 16	60	17	.39	\$450
BRTLPDD54	.75 x 51 x 16	60	15	.35	\$431
BRTLPDD48	.75 x 45 x 16	60	14	.31	\$407
BRTLPDD42	.75 x 39 x 16	60	12	.27	\$379
BRTLPDD36	.75 x 33 x 16	60	10	.22	\$344

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"-72"wide dividers include 2 support brackets and one pass-through grommet. 78"and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.

• Please refer to the Compatibility Guide on page 368 to determine available accessories

BRTLPDS84	.75 x 81 x 32	60	50	1.16	\$1023
BRTLPDS78	.75 x 75 x 32	60	47	1.08	\$982
BRTLPDS72	.75 x 69 x 32	60	43	1	\$803
BRTLPDS66	.75 x 63 x 32	60	40	.91	\$761
BRTLPDS60	.75 x 57 x 32	60	36	.83	\$718
BRTLPDS54	.75 x 51 x 32	60	32	.75	\$664
BRTLPDS48	.75 x 45 x 32	60	29	.66	\$632
BRTLPDS42	.75 x 39 x 32	60	25	.56	\$589
BRTLPDS36	.75 x 33 x 32	60	22	.50	\$482

Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36"-72"wide dividers include 2 support brackets. 78"and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.

• Please refer to the **Compatibility Guide** on page 368 to determine available accessories

BRTLPPD24	.75 x 24 x 16	60	7	.16	\$239	
BRTLPPD30	.75 x 30 x 16	60	9	.20	\$260	

Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.

#### **Required Specifications**

Chassis/Accent finish Bracket finish Edge finish

TAB	LE DIVIDE
	10
(P)	

Perpendicular End of Run Divider, Laminate*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTLPED24	.75 x 24 x 32	60	7	.16	\$380	
BRTLPED30	.75 x 30 x 32	60	9	.20	\$407	
BRTLPED51	.75 x 50.5 x 32	60	15	.35	\$642	
BRTLPED63	.75 x 62.5 x 32	60	19	.43	\$728	

Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTLPED51 divider matches 24" deep back-to-back assemblies
- BRTLPED63 divider matches 30" deep back-to-back assemblies

MODESTY PANEL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTMPS84	.75 x 78.5 x 14	60	22	.51	\$577
	BRTMPS78	.75 x 72.5 x 14	60	20	.47	\$556
	BRTMPS72	.75 x 66.5 x 14	60	19	.43	\$537
	BRTMPS66	.75 x 60.5 x 14	60	17	.40	\$517
	BRTMPS60	.75 x 54.5 x 14	60	16	.36	\$499
M .	BRTMPS54	.75 x 48.5 x 14	60	14	.32	\$480
	BRTMPS48	.75 x 42.5 x 14	60	13	.29	\$459
	BRTMPS42	.75 x 36.5 x 14	60	11	.25	\$442
v	BRTMPS36	.75 x 30.5 x 14	60	9	.21	\$420



**Laminate Modesty Panel*** 


Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.

**Required Specifications** 

Chassis/Accent finish Bracket finish Edge finish



**ACCESSORIES** 



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTPEG24	.75 x 24 x 14	60	6	.14	\$247	
BRTPEG24H21	.75 x 24 x 20.5	60	9	.21	\$286	
BRTPEG24H27	.75 x 24 x 26.5	60	12	.26	\$334	
BRTPEG30	.75 x 30 x 14	60	8	.18	\$266	
BRTPEG30H21	.75 x 30 x 20.5	60	12	.26	\$304	
BRTPEG30H27	.75 x 30 x 26.5	60	15	.33	\$354	
BRTPEG51	.75 x 50.5 x 14	60	13	.30	\$431	
BRTPEG51H21	.75 x 50.5 x 20.5	60	20	.43	\$522	
BRTPEG51H27	.75 x 50.5 x 26.5	60	26	.56	\$604	
BRTPEG63	.75 x 62.5 x 14	60	16	.38	\$469	
BRTPEG63H21	.75 x 62.5 x 20.5	60	25	.53	\$558	
BRTPEG63H27	.75 x 62.5 x 26.5	60	32	.69	\$642	

Perpendicular end of a run gable. Secures to the side edge of a table/tables and legs; provides privacy, divides space. ¾" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.


- BRTPEG24, 30, 51 and 63 measure 15" below worksurface
- BRTPEGxxH21 lines up with the bottom of storage cabinets
- BRTPEGxxH27 reaches down 1" from the floor (creates full panel look)



**Table End Gap Filler** 

BRTTEGF	4.5 x 2.5 x 1	70	.03	.01	\$16

Injection molded block fills the gap finishing the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.



**Single Table Accessory Rail** 

BRLBST84	2.95 x 81 x 13.5	70	10.24	.61	\$548
BRLBST78	2.95 x 75 x 13.5	70	9.69	.56	\$532
BRLBST72	2.95 x 69 x 13.5	70	9.15	.52	\$516
BRLBST66	2.95 x 63 x 13.5	70	8.61	.48	\$499
BRLBST60	2.95 x 57 x 13.5	70	8.07	.43	\$482
BRLBST54	2.95 x 51 x 13.5	70	7.52	.39	\$472
BRLBST48	2.95 x 45 x 13.5	70	6.98	.35	\$455
BRLBST42	2.95 x 39 x 13.5	70	6.44	.30	\$439
BRLBST36	2.95 x 33 x 13.5	65	5.90	.26	\$417

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.



**Back-To-Back Accessory Rail** 

BRLBB2B84	7.50 x 81 x 13.5	65	17.69	.74	\$904
BRLBB2B78	7.50 x 75 x 13.5	65	16.61	.69	\$871
BRLBB2B72	7.50 x 69 x 13.5	65	15.52	.63	\$839
BRLBB2B66	7.50 x 63 x 13.5	65	14.44	.58	\$807
BRLBB2B60	7.50 x 57 x 13.5	65	13.36	.53	\$775
BRLBB2B54	7.50 x 51 x 13.5	65	12.27	.48	\$752
BRLBB2B48	7.50 x 45 x 13.5	65	11.19	.42	\$718
BRLBB2B42	7.50 x 39 x 13.5	65	10.10	.37	\$686
BRLBB2B36	7.50 x 33 x 13.5	65	9.02	.32	\$646

Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.

## **Required Specifications**

Chassis/Accent finish* Edge finish* Bracket finish* D x W x H

## Single Table Or Single Table Row Application; 16" and 30" high dividers

Table Mounted Framed Divider for single table or single table row; recessed 1.5" at both ends, mounted to the table with 0.6" gap at the back. BRTMFD/BRTMLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets. BRTMFD/BRTMLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets. Perpendicular Single Table End of Run Framed Divider; BREFD/BRELD 30" (27" actual for 30" deep worksurfaces), BREFD/BRELD 36" (33" actual for 36" deep worksurfaces), BREFD/BRELD 36" (33" actual for 36" deep worksurfaces), BREFD/BRSLD 36" (21" actual for 24" deep worksurfaces), BRSFD/BRSLD 30" (21" actual for 24" deep worksurfaces), BRSFD/BRSLD 30" (21" actual for 30" deep worksurfaces), BRSFD/BRSLD 36" (33" actual for 30" deep worksurfaces), BRSFD/BRSLD 36" (33" actual for 36" deep worksurfaces),

# Back-To-Back Table Application; 16" dividers

edge, 3" recessed from front worksurface edge.

Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of two adjacent worksurfaces. Flush with the rear

Perpendicular Back-To-Back End of Run Framed Divider: Perpendicular Back 2 Back Parallel Framed Divider secured between two back-to-back BREDFD/BREDLD 51" (45" actual for 24" deep back-to-back worksurfaces) tables; recessed 1.5" at both ends; 0.6" gap between the divider and work surfaces. BREDFD/BREDLD 63" (57" actual for 30" deep back-to-back worksurfaces). BRPFD/BRPLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets. Three brackets secure the divider to both side edges of worksurfaces. BRPFD/BRPLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets. 3" recessed from front worksurface edges. Perpendicular Shared Frame Back 2 Back Framed Divider; BRSDFD/BRSDLD 51" (45" actual for 24" deep back-to-back work surfaces) BRSDFD/BRSDLD 63" (57" actual for 30" deep back-to-back work surfaces). One bracket secures the divider through the gap between work surfaces; two brackets locate top of the divider between two adjacent Parallel dividers. NOTE: cannot be used on its own without the two Parallel dividers. 3" recessed from front worksurface edges. Perpendicular Shared Framed Divider; BRSFD/BRSLD 24" (21" actual for 24" deep work surfaces). BRSFD/BRSLD 30" (27" actual for 30" deep work surfaces). Single bracket secures the divider to the rear edge of worksurface; Can be mounted off-module or over the seam of the two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surfaces edge. Perpendicular Single Table End of Run Framed Divider; BREFD/BRELD 24" (21" actual for 24" deep work surfaces). BREFD/BRELD 30" (27" actual for 30" deep work surfaces).

Two brackets secure the divider to the side edge of work surface. Flush with the rear edge, 3" recessed from front

work surface edge.

FRAMED DIVIDERS



Back-to-Back Parallel Framed Divider Fabric

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRPFD84	1.25 x 81 x 16	70	32	1.95	\$907	
BRPFD78	1.25 x 75 x 16	70	28	1.81	\$861	
BRPFD72	1.25 x 69 x 16	70	24	1.57	\$850	
BRPFD66	1.25 x 63 x 16	85	20	1.53	\$817	
BRPFD60	1.25 x 57 x 16	92.5	15	1.39	\$770	
BRPFD54	1.25 x 51 x 16	92.5	13	1.25	\$649	
BRPFD48	1.25 x 45 x 16	85	11	.75	\$615	
BRPFD42	1.25 x 39 x 16	100	9	.97	\$534	
BRPFD36	1.25 x 33 x 16	100	8	.83	\$522	

Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRPLD84	1.25 x 81 x 16	70	32	2.25	\$637	\$321	\$729	\$1848
BRPLD78	1.25 x 75 x 16	70	28	2.08	\$626	\$290	\$730	\$1840
BRPLD72	1.25 x 69 x 16	70	24	1.92	\$619	\$260	\$729	\$1826
BRPLD66	1.25 x 63 x 16	85	20	1.75	\$598	\$270	\$608	\$1660
BRPLD60	1.25 x 57 x 16	92.5	15	1.58	\$577	\$223	\$616	\$1551
BRPLD54	1.25 x 51 x 16	92.5	13	1.42	\$482	\$196	\$644	\$1578
BRPLD48	1.25 x 45 x 16	85	11	1.25	\$414	\$149	\$288	\$756
BRPLD42	1.25 x 39 x 16	100	9	1.08	\$367	\$119	\$245	\$652
BRPLD36	1.25 x 33 x 16	100	8	.92	\$349	\$109	\$219	\$575

Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

					LIST PRICE
BREFD36	1.25 x 33 x 16	85	12	.92	\$460
BREFD30	1.25 x 27 x 16	85	11	.75	\$416
BREFD24	1.25 x 21 x 16	70	9	.58	\$404

Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRELD36	1.25 x 33 x 16	70	20	.92	\$301	\$110	\$219	\$341
BRELD30	1.25 x 27 x 16	65	17	.75	\$291	\$97	\$167	\$262
BRELD24	1.25 x 21 x 16	65	14	.58	\$261	\$81	\$151	\$229

Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (**DM**) is specified it is applied user side ONLY and dry erase whiteboard (**DE**) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.



**Back-to-Back Parallel Framed Divider*** 



Perpendicular Single Table End of Run Framed Divider, Fabric




Perpendicular Single Table End of Run Framed Divider, Laminate*

Required Specifications
Fabric

Finish Bracket finish **Optional Specifications** 

HP laminate

Dry erase/dry erase magentic whiteboard*



Perpendicular Shared Framed Divider, Fabric



Perpendicular Shared Framed Divider, Laminate*



Perpendicular Back-to-Back End of Run Framed Divider, Fabric



Perpendicular Back-to-Back End of Run Framed Divider, Laminate*



Perpendicular Back-to-Back Shared Framed Divider. Fabric

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRSFD36	1.25 x 33 x 16	85	12	.92	\$449	
BRSFD30	1.25 x 27 x 16	85	11	.75	\$404	
BRSFD24	1.25 x 21 x 16	70	9	.58	\$392	

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRSLD36	1.25 x 33 x 16	70	20	.92	\$301	\$110	\$178	\$626
BRSLD30	1.25 x 27 x 16	65	17	.75	\$281	\$97	\$135	\$557
BRSLD24	1.25 x 21 x 16	65	14	.58	\$261	\$72	\$114	\$416

Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE
BREDFD63	1.25 x 57 x 16	85	21	1.58	\$711
BREDFD51	1.25 x 45 x 16	85	18	1.25	\$627

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	HP ADD	DE ADD	DM ADD
BREDLD63	1.25 x 57 x 16	70	32	1.58	\$522	\$223	\$510	\$929
BREDLD51	1.25 x 45 x 16	70	26	1.25	\$424	\$147	\$243	\$444

Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (**DM**) is specified it is applied user side ONLY and dry erase whiteboard (**DE**) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.

					LIST PRICE	
BRSDFD63	1.25 x 57 x 16	85	20	1.58	\$675	
BRSDFD51	1.25 x 45 x 16	85	17	1.25	\$590	

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

• Cannot be used on its own without the two parallel dividers

Req	uired	Sp	eci	fica	tions

Fabric Finish Bracket finish

#### **Optional Specifications**

HP laminate*

Dry erase/dry erase magentic whiteboard*

# BRIDGES II™

SHARED FRAMED DI
100
•

Perpendicular Back-to-Back Shared Framed Divider, Laminate*

/IDERS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST	PRICE		
	DxWxH				LIST PRICE	HP ADD	DF ADD	DM ADD
BRSDLD63	1.25 x 57 x 16	70	32	1.58	\$500	\$214	\$502	\$1707
BRSDLD51	1.25 x 45 x 16	70	26	1.25	\$405	\$147	\$233	\$833

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

· Cannot be used on its own without the two parallel dividers

					LIST PRICE
BRTMFD84	1.25 x 81 x 30	70	43	4.22	\$1029
BRTMFD78	1.25 x 75 x 30	70	40	3.91	\$957
BRTMFD72	1.25 x 69 x 30	70	37	3.59	\$921
BRTMFD66	1.25 x 63 x 30	85	33	3.28	\$890
BRTMFD60	1.25 x 57 x 30	92.5	30	2.97	\$783
BRTMFD54	1.25 x 51 x 30	92.5	27	2.66	\$698
BRTMFD48	1.25 x 45 x 30	85	25	2.34	\$627
BRTMFD42	1.25 x 39 x 30	100	22	2.03	\$557
BRTMFD36	1.25 x 33 x 30	100	20	1.90	\$473

Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

					LIST PRICE	HP ADD	DE ADD	DM ADI
BRTMLD84	1.25 x 81 x 30	70	83	4.22	\$1302	\$427	\$1318	\$2848
BRTMLD78	1.25 x 75 x 30	70	77	3.91	\$1282	\$429	\$1318	\$2848
BRTMLD72	1.25 x 69 x 30	70	71	3.59	\$648	\$288	\$1772	\$3461
BRTMLD66	1.25 x 63 x 30	85	66	3.28	\$619	\$290	\$1779	\$3470
BRTMLD60	1.25 x 57 x 30	92.5	60	2.97	\$598	\$205	\$1787	\$3470
BRTMLD54	1.25 x 51 x 30	92.5	54	2.66	\$568	\$205	\$1685	\$3278
BRTMLD48	1.25 x 45 x 30	85	48	2.34	\$548	\$205	\$695	\$1557
BRTMLD42	1.25 x 39 x 30	100	42	2.03	\$527	\$205	\$704	\$1452
BRTMLD36	1.25 x 33 x 30	100	38	1.90	\$508	\$205	\$385	\$1126

Parallel divider for single tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

• 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

BRTADPCPP	1.5 x 4.75 x 99	65	13	.48	\$624	

Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this
ceiling feed.

_		1
	/	

Table Mounted Framed Divider, Fabric*



Table Mounted Framed Divider, Laminate*



**Ceiling Pole for Wellness Screens** 


#### **Required Specifications**

Fabric

Finish

Bracket finish*

CK-TO-BACK WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	BRTADP5136H24	50.50 x 36 x 24.6	3 150	33	6.31	\$1632
	BRTADP5142H24	50.50 x 42 x 24.6	3 150	34.50	7.36	\$1664
	BRTADP5148H24	50.50 x 48 x 24.6	3 150	36	8.42	\$1699
	BRTADP5154H24	50.50 x 54 x 24.6	3 250	37.50	9.47	\$1733
	BRTADP5160H24	50.50 x 60 x 24.6	3 250	39	10.52	\$1766
	BRTADP5166H24	50.50 x 66 x 24.6	3 250	40.50	11.57	\$1801
	BRTADP5172H24	50.50 x 72 x 24.6	3 250	42	12.63	\$1833
	BRTADP5178H24	50.50 x 78 x 24.6	3 250	43.50	13.68	\$1868
	BRTADP5184H24	50.50 x 84 x 24.6	3 250	45	14.73	\$1902
	BRTADP6336H24	62.50 x 36 x 24.6	3 150	46.50	7.81	\$1764
	BRTADP6342H24	62.50 x 42 x 24.6	3 150	48	9.11	\$1796
	BRTADP6348H24	62.50 x 48 x 24.6	3 150	49.50	10.42	\$1832
	BRTADP6354H24	62.50 x 54 x 24.6	3 150	51	11.72	\$1865
	BRTADP6360H24	62.50 x 60 x 24.6	3 150	52.50	13.02	\$1898
	BRTADP6366H24	62.50 x 66 x 24.6	3 250	54	14.32	\$1933
	BRTADP6372H24	62.50 x 72 x 24.6	3 250	55	15.63	\$1967
	BRTADP6378H24	62.50 x 78 x 24.6	3 250	57.35	16.93	\$2001
	BRTADP6384H24	62.50 x 84 x 24.6	3 250	58.50	18.23	\$2035




24"H Back-to-Back Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTAPD51xxH24 are for configurations with 24" deep surfaces.
- BRTAPD63xxH24 are for configurations with 30" deep surfaces.

BRTADP5136H30	50.50 x 36 x 30.63	150	35.50	6.31	\$1808
BRTADP5142H30	50.50 x 42 x 30.63	150	37	7.36	\$1848
BRTADP5148H30	50.50 x 48 x 30.63	150	38.50	8.42	\$1885
BRTADP5154H30	50.50 x 54 x 30.63	150	40	9.47	\$1928
BRTADP5160H30	50.50 x 60 x 30.63	250	41.50	10.52	\$1966
BRTADP5166H30	50.50 x 66 x 30.63	250	43	11.57	\$2007
BRTADP5172H30	50.50 x 72 x 30.63	250	44.50	12.63	\$2044
BRTADP5178H30	50.50 x 78 x 30.63	250	46	13.68	\$2083
BRTADP5184H30	50.50 x 84 x 30.63	250	47.50	14.73	\$2123
BRTADP6336H30	62.50 x 36 x 30.63	125	49	7.81	\$2032
BRTADP6342H30	62.50 x 42 x 30.63	150	50.50	9.11	\$2071
BRTADP6348H30	62.50 x 48 x 30.63	150	52	10.42	\$2110
BRTADP6354H30	62.50 x 54 x 30.63	150	53.50	11.72	\$2149
BRTADP6360H30	62.50 x 60 x 30.63	150	55	13.02	\$2188
BRTADP6366H30	62.50 x 66 x 30.63	250	56.50	14.32	\$2228
BRTADP6372H30	62.50 x 72 x 30.63	250	58	15.63	\$2266
BRTADP6378H30	62.50 x 78 x 30.63	250	59.50	16.93	\$2306
BRTADP6384H30	62.50 x 84 x 30.63	250	61	18.23	\$2345



30"H Back-to-Back Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP51xxH30 are for configurations with 24" deep surfaces.
- BRTADP63xxH30 are for configurations with 30" deep surfaces.

## **Required Specifications**

DACK TO DACK WELLNING CODEFNS	MODEL#	DIMENCIONS	EDELCHT CLASS	M/T/LDC	CUDIC ET	LICT DDICE
BACK-TO-BACK WELLNESS SCREENS	MIUDEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTADPE5136H24	<b>D x W x H</b> 50.50 x 36 x 24.6	3 150	26.35	6.31	\$1106
	BRTADPE5142H24	50.50 x 42 x 24.6		27.85	7.36	\$1139
	BRTADPE5148H24	50.50 x 48 x 24.6		29.35	8.42	\$1173
	BRTADPE5154H24	50.50 x 54 x 24.6	3 250	30.85	9.47	\$1205
	BRTADPE5160H24	50.50 x 60 x 24.6	3 250	32.35	10.52	\$1241
	BRTADPE5166H24	50.50 x 66 x 24.6	3 250	33.85	11.57	\$1275
	BRTADPE5172H24	50.50 x 72 x 24.6	3 250	35.35	12.63	\$1312
	BRTADPE5178H24	50.50 x 78 x 24.6	3 250	36.85	13.68	\$1344
	BRTADPE5184H24	50.50 x 84 x 24.6	3 250	38.35	14.73	\$1377
	BRTADPE6336H24	62.50 x 36 x 24.6	3 150	39.85	7.81	\$1172
	BRTADPE6342H24	62.50 x 42 x 24.6	3 150	41.35	9.11	\$1204
	BRTADPE6348H24	62.50 x 48 x 24.6	3 150	42.85	10.42	\$1239
	BRTADPE6354H24	62.50 x 54 x 24.6	3 250	44.35	11.72	\$1274
	BRTADPE6360H24	62.50 x 60 x 24.6	3 250	45.85	13.02	\$1308
	BRTADPE6366H24	62.50 x 66 x 24.6	3 250	47.35	14.32	\$1344
	BRTADPE6372H24	62.50 x 72 x 24.6	3 250	48.85	15.63	\$1375



24"H Back-to-Back Wellness Screen Extension Kit

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

50.35

51.85

250

250

16.93

18.23

\$1410

\$1445


• BRTADPE51xxH24 are for configurations with 24" deep surfaces.

62.50 x 78 x 24.63

62.50 x 84 x 24.63

• BRTADPE63xxH24 are for configurations with 30" deep surfaces.

BRTADPE5136H30	50.50 x 36 x 30.63	150	28.85	6.31	\$1215
BRTADPE5142H30	50.50 x 42 x 30.63	150	30.35	7.36	\$1254
BRTADPE5148H30	50.50 x 48 x 30.63	250	31.85	8.42	\$1294
BRTADPE5154H30	50.50 x 54 x 30.63	250	33.35	9.47	\$1335
BRTADPE5160H30	50.50 x 60 x 30.63	250	34.85	10.52	\$1372
BRTADPE5166H30	50.50 x 66 x 30.63	250	36.35	11.57	\$1412
BRTADPE5172H30	50.50 x 72 x 30.63	250	37.85	12.63	\$1452
BRTADPE5178H30	50.50 x 78 x 30.63	250	39.35	13.68	\$1489
BRTADPE5184H30	50.50 x 84 x 30.63	250	40.85	14.73	\$1529
BRTADPE6336H30	62.50 x 36 x 30.63	150	42.35	7.81	\$1292
BRTADPE6342H30	62.50 x 42 x 30.63	150	43.85	9.11	\$1333
BRTADPE6348H30	62.50 x 48 x 30.63	150	45.35	10.42	\$1371
BRTADPE6354H30	62.50 x 54 x 30.63	250	46.85	11.72	\$1410
BRTADPE6360H30	62.50 x 60 x 30.63	250	48.35	13.02	\$1449
BRTADPE6366H30	62.50 x 66 x 30.63	250	49.85	14.32	\$1488
BRTADPE6372H30	62.50 x 72 x 30.63	250	51.35	15.63	\$1529
BRTADPE6378H30	62.50 x 78 x 30.63	250	52.85	16.93	\$1566
BRTADPE6384H30	62.50 x 84 x 30.63	250	54.35	18.23	\$1606



30"H Back-to-Back Wellness Screen Extension Kit

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).


- BRTADPE51xxH30 are for configurations with 24" deep surfaces.
- BRTADPE63xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

BRTADPE6378H24

BRTADPE6384H24

	110DEL#	DIMENIONO	EDELOUE OLAGO	14/5// 00	011010 57	LIOT DRIOT
SINGLE TABLE WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	BRTADP2436H24	31.75 x 36 x 24.	63 125	26.55	3.97	\$1126
	BRTADP2442H24	31.75 x 42 x 24.	63 125	28.10	4.63	\$1162
	BRTADP2448H24	31.75 x 48 x 24.	63 150	29.65	5.29	\$1194
	BRTADP2454H24	31.75 x 54 x 24.	63 150	31.20	5.95	\$1229
	BRTADP2460H24	31.75 x 60 x 24.	63 150	32.75	6.61	\$1263
	BRTADP2466H24	31.75 x 66 x 24.	63 150	34.30	7.28	\$1295
	BRTADP2472H24	31.75 x 72 x 24.	63 150	35.85	7.94	\$1331
	BRTADP2478H24	31.75 x 78 x 24.	63 150	37.40	8.60	\$1366
	BRTADP2484H24	31.75 x 84 x 24.	63 150	38.95	9.26	\$1399
	BRTADP3036H24	37.75 x 36 x 24.	63 100	40.50	4.72	\$1205
	BRTADP3042H24	37.75 x 42 x 24.	63 125	42.05	5.51	\$1241
	BRTADP3048H24	37.75 x 48 x 24.	63 125	43.60	6.29	\$1275
	BRTADP3054H24	37.75 x 54 x 24.	63 150	42.15	7.08	\$1312
	BRTADP3060H24	37.75 x 60 x 24.	63 150	46.70	7.87	\$1344
	BRTADP3066H24	37.75 x 66 x 24.	63 150	48.25	8.65	\$1377
	BRTADP3072H24	37.75 x 72 x 24.	63 150	49.80	9.44	\$1412
	BRTADP3078H24	37.75 x 78 x 24.	63 150	51.35	10.22	\$1446
	BRTADP3084H24	37.75 x 84 x 24.	63 150	52.90	11.01	\$1481




24"H Single Table Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP24xxH24 are for configurations with 24" deep surfaces.
- BRTADP30xxH24 are for configurations with 30" deep surfaces.

BRTADP2436H30	31.75 x 36 x 30.63	125	28.85	3.97	\$1263
BRTADP2442H30	31.75 x 42 x 30.63	125	30.40	4.63	\$1304
BRTADP2448H30	31.75 x 48 x 30.63	125	31.95	5.29	\$1344
BRTADP2454H30	31.75 x 54 x 30.63	150	33.50	5.95	\$1382
BRTADP2460H30	31.75 x 60 x 30.63	150	35.05	6.61	\$1422
BRTADP2466H30	31.75 x 66 x 30.63	150	36.60	7.28	\$1460
BRTADP2472H30	31.75 x 72 x 30.63	150	38.15	7.94	\$1500
BRTADP2478H30	31.75 x 78 x 30.63	150	39.70	8.60	\$1538
BRTADP2484H30	31.75 x 84 x 30.63	150	41.25	9.26	\$1578
BRTADP3036H30	37.75 x 36 x 30.63	100	42.80	4.72	\$1340
BRTADP3042H30	37.75 x 42 x 30.63	100	44.35	5.51	\$1382
BRTADP3048H30	37.75 x 48 x 30.63	125	45.90	6.29	\$1421
BRTADP3054H30	37.75 x 54 x 30.63	125	47.45	7.08	\$1457
BRTADP3060H30	37.75 x 60 x 30.63	125	49	7.87	\$1496
BRTADP3066H30	37.75 x 66 x 30.63	150	50.55	8.65	\$1537
BRTADP3072H30	37.75 x 72 x 30.63	150	52.10	9.44	\$1573
BRTADP3078H30	37.75 x 78 x 30.63	150	53.65	10.22	\$1615
BRTADP3084H30	37.75 x 84 x 30.63	150	55.20	11.01	\$1655



30"H Single Table Wellness Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADP24xxH30 are for configurations with 24" deep surfaces.
- BRTADP30xxH30 are for configurations with 30" deep surfaces.

### **Required Specifications**

SINGLE TABLE WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
		DxWxH					
	BRTADPE2436H24	31.75 x 36 x 24.6	63 150	21.05	3.97	\$845	
	BRTADPE2442H24	31.75 x 42 x 24.6	63 150	22.60	4.63	\$928	
	BRTADPE2448H24	31.75 x 48 x 24.6	63 150	24.15	5.29	\$963	
	BRTADPE2454H24	31.75 x 54 x 24.6	63 150	25.70	5.95	\$996	
	BRTADPE2460H24	31.75 x 60 x 24.6	63 150	27.25	6.61	\$1029	
	BRTADPE2466H24	31.75 x 66 x 24.6	63 250	28.80	7.28	\$1064	
	BRTADPE2472H24	31.75 x 72 x 24.6	63 250	30.35	7.94	\$1098	
	BRTADPE2478H24	31.75 x 78 x 24.6	63 250	31.90	8.60	\$1132	
	BRTADPE2484H24	31.75 x 84 x 24.6	63 250	33.45	9.26	\$1164	
	BRTADPE3036H24	37.75 x 36 x 24.6	63 125	35	4.72	\$879	
	BRTADPE3042H24	37.75 x 42 x 24.6	63 125	36.55	5.51	\$960	
	BRTADPE3048H24	37.75 x 48 x 24.6	63 125	38.10	6.29	\$996	
	BRTADPE3054H24	37.75 x 54 x 24.6	63 150	39.65	7.08	\$1029	
	BRTADPE3060H24	37.75 x 60 x 24.6	63 150	41.20	7.87	\$1064	
	BRTADPE3066H24	37.75 x 66 x 24.6	63 150	42.75	8.65	\$1096	
	BRTADPE3072H24	37.75 x 72 x 24.6	63 150	44.30	9.44	\$1129	
	BRTADPE3078H24	37.75 x 78 x 24.6	63 150	45.85	10.01	\$1164	
	BRTADPE3084H24	37.75 x 84 x 24.6	63 150	47.40	10.01	\$1198	




24"H Single Table Wellness Screen **Extension Kit** 

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH24 are for configurations with 24" deep surfaces.
- BRTADPE30xxH24 are for configurations with 30" deep surfaces.

	<del>-</del>		-		
BRTADPE2436H30	31.75 x 36 x 30.63	150	22.85	3.97	\$930
BRTADPE2442H30	31.75 x 42 x 30.63	150	24.40	4.63	\$1018
BRTADPE2448H30	31.75 x 48 x 30.63	150	25.95	5.29	\$1056
BRTADPE2454H30	31.75 x 54 x 30.63	150	27.50	5.95	\$1095
BRTADPE2460H30	31.75 x 60 x 30.63	150	29.05	6.61	\$1136
BRTADPE2466H30	31.75 x 66 x 30.63	150	30.60	7.28	\$1173
BRTADPE2472H30	31.75 x 72 x 30.63	150	32.15	7.94	\$1212
BRTADPE2478H30	31.75 x 78 x 30.63	250	33.70	8.60	\$1251
BRTADPE2484H30	31.75 x 84 x 30.63	250	35.25	9.26	\$1291
BRTADPE3036H30	37.75 x 36 x 30.63	125	36.80	4.72	\$968
BRTADPE3042H30	37.75 x 42 x 30.63	125	38.35	5.51	\$1056
BRTADPE3048H30	37.75 x 48 x 30.63	125	39.90	6.29	\$1095
BRTADPE3054H30	37.75 x 54 x 30.63	150	41.45	7.08	\$1133
BRTADPE3060H30	37.75 x 60 x 30.63	150	43	7.87	\$1173
BRTADPE3066H30	37.75 x 66 x 30.63	150	44.55	8.65	\$1212
BRTADPE3072H30	37.75 x 72 x 30.63	150	46.10	9.44	\$1250
BRTADPE3078H30	37.75 x 78 x 30.63	150	47.65	10.22	\$1291
BRTADPE3084H30	37.75 x 84 x 30.63	150	49.20	11.01	\$1328




30"H Single Table Wellness Screen **Extension Kit** 

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH30 are for configurations with 24" deep surfaces.
- BRTADPE30xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

CK-TO-BACK FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTADF5136H24	50.50 x 36 x 24.0	60 150	28	6.31	\$1287
	BRTADF5142H24	50.50 x 42 x 24.0	60 150	29.50	7.36	\$1309
	BRTADF5148H24	50.50 x 48 x 24.0	60 150	31	8.42	\$1335
	BRTADF5154H24	50.50 x 54 x 24.	60 250	32.50	9.47	\$1356
	BRTADF5160H24	50.50 x 60 x 24.0	60 250	34	10.52	\$1385
	BRTADF5166H24	50.50 x 66 x 24.0	60 250	35.50	11.57	\$1410
	BRTADF5172H24	50.50 x 72 x 24.0	60 250	37	12.63	\$1435
	BRTADF5178H24	50.50 x 78 x 24.0	60 250	38.50	13.68	\$1462
	BRTADF5184H24	50.50 x 84 x 24.	60 250	40	14.73	\$1509
	BRTADF6336H24	62.50 x 36 x 24.	60 150	41.50	7.81	\$1385
	BRTADF6342H24	62.50 x 42 x 24.1	60 150	43	9.11	\$1410
	BRTADF6348H24	62.50 x 48 x 24.1	60 150	44.50	10.42	\$1435
	BRTADF6354H24	62.50 x 54 x 24.0	60 150	46	11.72	\$1460
	BRTADF6360H24	62.50 x 60 x 24.	60 150	47.50	13.02	\$1484
	BRTADF6366H24	62.50 x 66 x 24.	60 250	49	14.32	\$1509
	BRTADF6372H24	62.50 x 72 x 24.	60 250	50.50	15.63	\$1534
<b>*</b>	BRTADF6378H24	62.50 x 78 x 24.1	60 250	52	16.93	\$1559
	BRTADF6384H24	62.50 x 84 x 24.0	60 250	53.50	18.23	\$1608




24"H Back-to-Back Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTAPF51xxH24 are for configurations with 24" deep surfaces.
- BRTAPF63xxH24 are for configurations with 30" deep surfaces.

BRTADF5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$1282
BRTADF5142H30	50.50 x 42 x 30.60	150	32	7.36	\$1306
BRTADF5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$1329
BRTADF5154H30	50.50 x 54 x 30.60	150	35	9.47	\$1352
BRTADF5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$1375
BRTADF5166H30	50.50 x 66 x 30.60	250	38	11.57	\$1397
BRTADF5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$1422
BRTADF5178H30	50.50 x 78 x 30.60	250	41	13.68	\$1447
BRTADF5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$1500
BRTADF6336H30	62.50 x 36 x 30.60	125	44	7.81	\$1440
					1
BRTADF6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$1462
BRTADF6342H30 BRTADF6348H30	62.50 x 42 x 30.60 62.50 x 48 x 30.60	150 150	45.50 47	9.11	\$1462 \$1484
				****	
BRTADF6348H30	62.50 x 48 x 30.60	150	47	10.42	\$1484
BRTADF6348H30 BRTADF6354H30	62.50 x 48 x 30.60 62.50 x 54 x 30.60	150 150	47 48.50	10.42 11.72	\$1484 \$1507
BRTADF6348H30 BRTADF6354H30 BRTADF6360H30	62.50 x 48 x 30.60 62.50 x 54 x 30.60 62.50 x 60 x 30.60	150 150 150	47 48.50 50	10.42 11.72 13.02	\$1484 \$1507 \$1531
BRTADF6348H30 BRTADF6354H30 BRTADF6360H30 BRTADF6366H30	62.50 x 48 x 30.60 62.50 x 54 x 30.60 62.50 x 60 x 30.60 62.50 x 66 x 30.60	150 150 150 250	47 48.50 50 51.50	10.42 11.72 13.02 14.32	\$1484 \$1507 \$1531 \$1555
BRTADF6348H30 BRTADF6354H30 BRTADF6360H30 BRTADF6366H30 BRTADF6372H30	62.50 x 48 x 30.60 62.50 x 54 x 30.60 62.50 x 60 x 30.60 62.50 x 66 x 30.60 62.50 x 72 x 30.60	150 150 150 250 250	47 48.50 50 51.50 53	10.42 11.72 13.02 14.32 15.63	\$1484 \$1507 \$1531 \$1555 \$1578



30"H Back-to-Back Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADF51xxH30 are for configurations with 24" deep surfaces.
- BRTADF63xxH30 are for configurations with 30" deep surfaces.

## **Required Specifications**

BACK-TO-BACK FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	BRTADFE5136H24	50.50 x 36 x 24.6	60 150	23.35	6.31	\$877
	BRTADFE5142H24	50.50 x 42 x 24.6	60 250	24.85	7.36	\$902
	BRTADFE5148H24	50.50 x 48 x 24.6	60 250	26.35	8.42	\$927
	BRTADFE5154H24	50.50 x 54 x 24.6	60 250	27.85	9.47	\$952
	BRTADFE5160H24	50.50 x 60 x 24.6	60 250	29.35	10.52	\$976
	BRTADFE5166H24	50.50 x 66 x 24.6	60 250	30.85	11.57	\$1001
	BRTADFE5172H24	50.50 x 72 x 24.6	60 250	32.35	12.63	\$1026
	BRTADFE5178H24	50.50 x 78 x 24.6	60 250	33.85	13.68	\$1052
	BRTADFE5184H24	50.50 x 84 x 24.6	60 250	35.35	14.73	\$1102
	BRTADFE6336H24	62.50 x 36 x 24.6	60 150	36.85	7.81	\$924
	BRTADFE6342H24	62.50 x 42 x 24.6	60 150	38.35	9.11	\$949
	BRTADFE6348H24	62.50 x 48 x 24.6	60 150	39.85	10.42	\$975
	BRTADFE6354H24	62.50 x 54 x 24.6	60 250	41.35	11.72	\$999
	BRTADFE6360H24	62.50 x 60 x 24.6	60 250	42.85	13.02	\$1025
	BRTADFE6366H24	62.50 x 66 x 24.6	60 250	44.35	14.32	\$1049
	BRTADFE6372H24	62.50 x 72 x 24.6	60 250	45.85	15.63	\$1075
	BRTADFE6378H24	62.50 x 78 x 24.6	60 250	47.35	16.93	\$1099



24"H Back-to-Back Felt Divider Screen **Extension Kit** 

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

48.85

18.23

\$1149


• BRTADFE51xxH24 are for configurations with 24" deep surfaces.

62.50 x 84 x 24.60

250

• BRTADFE63xxH24 are for configurations with 30" deep surfaces.

BRTADFE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$875
BRTADFE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$898
BRTADFE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$922
BRTADFE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$945
BRTADFE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$968
BRTADFE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$992
BRTADFE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1015
BRTADFE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1038
BRTADFE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1092
BRTADFE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$921
BRTADFE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$944
BRTADFE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$967
BRTADFE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$990
BRTADFE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1014
BRTADFE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1037
BRTADFE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1060
BRTADFE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$1083
BRTADFE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$1136



30"H Back-to-Back Felt Divider Screen **Extension Kit** 

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH30 are for configurations with 24" deep surfaces.
- BRTADFE63xxH30 are for configurations with 30" deep surfaces.


#### **Required Specifications**

BRTADFE6384H24

Frame finish

Felt finish

INGLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTADF2436H24	31.50 x 36 x 24.6	60 125	22.55	3.94	\$937
	BRTADF2442H24	31.50 x 42 x 24.6	60 125	24.10	4.59	\$961
	BRTADF2448H24	31.50 x 48 x 24.6	60 150	25.65	5.25	\$986
	BRTADF2454H24	31.50 x 54 x 24.6	60 150	27.20	5.91	\$1010
	BRTADF2460H24	31.50 x 60 x 24.6	60 150	28.75	6.56	\$1037
	BRTADF2466H24	31.50 x 66 x 24.6	60 150	30.30	7.22	\$1061
	BRTADF2472H24	31.50 x 72 x 24.6	60 150	31.85	7.88	\$1086
	BRTADF2478H24	31.50 x 78 x 24.6	60 150	33.40	8.53	\$1111
	BRTADF2484H24	31.50 x 84 x 24.6	60 150	34.95	9.19	\$1160
	BRTADF3036H24	37.75 x 36 x 24.6	60 100	36.50	4.72	\$968
	BRTADF3042H24	37.75 x 42 x 24.6	60 125	38.05	5.51	\$995
	BRTADF3048H24	37.75 x 48 x 24.6	60 125	39.60	6.29	\$1019
	BRTADF3054H24	37.75 x 54 x 24.6	60 150	41.15	7.08	\$1044
	BRTADF3060H24	37.75 x 60 x 24.6	60 150	41.70	7.87	\$1069
	BRTADF3066H24	37.75 x 66 x 24.6	60 150	44.25	8.65	\$1095
	BRTADF3072H24	37.75 x 72 x 24.6	60 150	45.80	9.44	\$1117
*	BRTADF3078H24	37.75 x 78 x 24.6	60 150	47.35	10.22	\$1142
	BRTADF3084H24	37.75 x 84 x 24.6	60 150	48.90	11.01	\$1193




24"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR), 9mm PET felt material is tackable and available in 9 colors.

- BRTADF24xxH24 are for configurations with 24" deep surfaces.
- BRTADF30xxH24 are for configurations with 30" deep surfaces.

BRTADF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$930
BRTADF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$954
BRTADF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$976
BRTADF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$999
BRTADF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1022
BRTADF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1045
BRTADF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1069
BRTADF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1092
BRTADF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1147
BRTADF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$975
BRTADF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$998
BRTADF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1021
BRTADF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1044
BRTADF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1069
BRTADF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1092
BRTADF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1114
BRTADF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1137
BRTADF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1191



30"H Single Table Felt Divider Screen


Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR), 9mm PET felt material is tackable and available in 9 colors.

- BRTADF24xxH30 are for configurations with 24" deep surfaces.
- BRTADF30xxH30 are for configurations with 30" deep surfaces.

#### **Required Specifications**

Frame finish Felt finish

SINGLE TABLE FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	BRTADFE2436H24	31.50 x 36 x 24.6	60 150	18.55	3.94	\$709
	BRTADFE2442H24	31.50 x 42 x 24.6	60 150	20.10	4.59	\$776
	BRTADFE2448H24	31.50 x 48 x 24.6	60 150	21.65	5.25	\$802
	BRTADFE2454H24	31.50 x 54 x 24.6	60 150	23.20	5.91	\$827
	BRTADFE2460H24	31.50 x 60 x 24.6	60 150	24.75	6.56	\$852
	BRTADFE2466H24	31.50 x 66 x 24.6	60 250	26.30	7.22	\$877
	BRTADFE2472H24	31.50 x 72 x 24.6	60 250	27.85	7.88	\$902
	BRTADFE2478H24	31.50 x 78 x 24.6	60 250	29.40	8.53	\$927
	BRTADFE2484H24	31.50 x 84 x 24.6	60 250	30.95	9.19	\$976
	BRTADFE3036H24	37.75 x 36 x 24.6	60 125	32.50	4.72	\$735
	BRTADFE3042H24	37.75 x 42 x 24.6	60 125	34.05	5.51	\$803
	BRTADFE3048H24	37.75 x 48 x 24.6	60 125	35.60	6.29	\$829
	BRTADFE3054H24	37.75 x 54 x 24.6	60 150	37.15	7.08	\$853
	BRTADFE3060H24	37.75 x 60 x 24.6	60 150	38.70	7.87	\$879
	BRTADFE3066H24	37.75 x 66 x 24.6	60 150	40.25	8.65	\$904
	BRTADFE3072H24	37.75 x 72 x 24.6	60 150	41.80	9.44	\$929
	BRTADFE3078H24	37.75 x 78 x 24.6	60 150	43.35	10.01	\$954
	BRTADFE3084H24	37.75 x 84 x 24.6	60 150	44.90	10.01	\$1004




24"H Single Table Felt Divider Screen **Extension Kit** 

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- BRTADFE24xxH24 are for configurations with 24" deep surfaces.
- BRTADFE30xxH24 are for configurations with 30" deep surfaces.

BRTADFE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$743
BRTADFE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$811
BRTADFE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$833
BRTADFE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$857
BRTADFE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$880
BRTADFE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$904
BRTADFE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$927
BRTADFE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$949
BRTADFE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1004
BRTADFE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$770
BRTADFE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$842
BRTADFE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$865
BRTADFE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$890
BRTADFE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$913
BRTADFE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$937
BRTADFE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$960
BRTADFE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$983
BRTADFE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1037



30"H Single Table Felt Divider Screen **Extension Kit** 

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- BRTADFE24xxH30 are for configurations with 24" deep surfaces.
- BRTADFE30xxH30 are for configurations with 30" deep surfaces

#### **Required Specifications**

Frame finish Felt finish


CK-TO-BACK GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	BRTADG5136H24	50.50 x 36 x 24.	60 150	28	6.31	\$1446	\$442
	BRTADG5142H24	50.50 x 42 x 24.	60 150	29.50	7.36	\$2243	\$455
	BRTADG5148H24	50.50 x 48 x 24.	60 150	31	8.42	\$2295	\$461
	BRTADG5154H24	50.50 x 54 x 24.	60 250	32.50	9.47	\$2347	\$475
	BRTADG5160H24	50.50 x 60 x 24.	60 250	34	10.52	\$2398	\$481
	BRTADG5166H24	50.50 x 66 x 24.	60 250	35.50	11.57	\$2449	\$494
	BRTADG5172H24	50.50 x 72 x 24.	60 250	37	12.63	\$2502	\$508
	BRTADG5178H24	50.50 x 78 x 24.	60 250	38.50	13.68	\$2554	\$513
	BRTADG5184H24	50.50 x 84 x 24.	60 250	40	14.73	\$2606	\$525
	BRTADG6336H24	62.50 x 36 x 24.	60 150	41.50	7.81	\$2398	\$481
	BRTADG6342H24	62.50 x 42 x 24.	60 150	43	9.11	\$2444	\$494
	BRTADG6348H24	62.50 x 48 x 24.	60 150	44.50	10.42	\$2502	\$508
	BRTADG6354H24	62.50 x 54 x 24.	60 150	46	11.72	\$2548	\$513
	BRTADG6360H24	62.50 x 60 x 24.	60 150	47.50	13.02	\$2606	\$525
	BRTADG6366H24	62.50 x 66 x 24.	60 250	49	14.32	\$2657	\$533
	BRTADG6372H24	62.50 x 72 x 24.	60 250	50.50	15.63	\$2703	\$546
.4	BRTADG6378H24	62.50 x 78 x 24.	60 250	52	16.93	\$2761	\$558
	BRTADG6384H24	62.50 x 84 x 24.	60 250	53.50	18.23	\$2807	\$566

24"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass .Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG51xxH24 are for configurations with 24" deep surfaces.
- BRTADG63xxH24 are for configurations with 30" deep surfaces.

BRTADG5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$2315	\$467
BRTADG5142H30	50.50 x 42 x 30.60	150	32	7.36	\$2373	\$481
BRTADG5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$2418	\$488
BRTADG5154H30	50.50 x 54 x 30.60	150	35	9.47	\$2477	\$500
BRTADG5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$2528	\$508
BRTADG5166H30	50.50 x 66 x 30.60	250	38	11.57	\$2580	\$520
BRTADG5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$2612	\$525
BRTADG5178H30	50.50 x 78 x 30.60	250	41	13.68	\$2690	\$539
BRTADG5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$2741	\$553
BRTADG6336H30	62.50 x 36 x 30.60	125	44	7.81	\$2599	\$525
BRTADG6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$2651	\$533
BRTADG6348H30	62.50 x 48 x 30.60	150	47	10.42	\$2703	\$546
BRTADG6354H30	62.50 x 54 x 30.60	150	48.50	11.72	\$2761	\$558
BRTADG6360H30	62.50 x 60 x 30.60	150	50	13.02	\$2813	\$566
BRTADG6366H30	62.50 x 66 x 30.60	250	51.50	14.32	\$2857	\$578
BRTADG6372H30	62.50 x 72 x 30.60	250	53	15.63	\$2898	\$583
BRTADG6378H30	62.50 x 78 x 30.60	250	54.50	16.93	\$2968	\$598
BRTADG6384H30	62.50 x 84 x 30.60	250	56	18.23	\$3027	\$611



30"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG51xxH30 are for configurations with 24" deep surfaces.
- BRTADG63xxH30 are for configurations with 30" deep surfaces.

**Required specifications** 


Frame finish

**Optional specifications** 

Frosted glass (FRST)

BACK-TO-BACK GLA

LASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		D x W x H					
	BRTADGE5136H24	50.50 x 36 x 24.6	60 150	23.35	6.31	\$1446	\$292
	BRTADGE5142H24	50.50 x 42 x 24.6	0 250	24.85	7.36	\$1499	\$306
	BRTADGE5148H24	50.50 x 48 x 24.6	60 250	26.35	8.42	\$1549	\$313
	BRTADGE5154H24	50.50 x 54 x 24.6	60 250	27.85	9.47	\$1602	\$325
	BRTADGE5160H24	50.50 x 60 x 24.6	60 250	29.35	10.52	\$1654	\$333
	BRTADGE5166H24	50.50 x 66 x 24.6	60 250	30.85	11.57	\$1705	\$345
	BRTADGE5172H24	50.50 x 72 x 24.6	60 250	32.35	12.63	\$1757	\$358
	BRTADGE5178H24	50.50 x 78 x 24.6	60 250	33.85	13.68	\$1808	\$365
	BRTADGE5184H24	50.50 x 84 x 24.6	60 250	35.35	14.73	\$1861	\$378
	BRTADGE6336H24	62.50 x 36 x 24.6	0 150	36.85	7.81	\$1549	\$313
	BRTADGE6342H24	62.50 x 42 x 24.6	60 150	38.35	9.11	\$1602	\$325
	BRTADGE6348H24	62.50 x 48 x 24.6	0 150	39.85	10.42	\$1654	\$333
	BRTADGE6354H24	62.50 x 54 x 24.6	0 250	41.35	11.72	\$1705	\$345
	BRTADGE6360H24	62.50 x 60 x 24.6	60 250	42.85	13.02	\$1749	\$350
	BRTADGE6366H24	62.50 x 66 x 24.6	60 250	44.35	14.32	\$1808	\$365
	BRTADGE6372H24	62.50 x 72 x 24.6	60 250	45.85	15.63	\$1861	\$378
	BRTADGE6378H24	62.50 x 78 x 24.6	60 250	47.35	16.93	\$1907	\$383
<b>M</b>	BRTADGE6384H24	62.50 x 84 x 24.6	60 250	48.85	18.23	\$1965	\$396



24"H Back-to-Back Glass Divider Screen Extension Kit

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADGE51xxH24 are for configurations with 24" deep surfaces.
- BRTADGE63xxH24 are for configurations with 30" deep surfaces

BRTADGE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$1531	\$313
BRTADGE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$1575	\$319
BRTADGE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$1627	\$333
BRTADGE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1686	\$338
BRTADGE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1737	\$350
BRTADGE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1796	\$365
BRTADGE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1822	\$371
BRTADGE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1894	\$383
BRTADGE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1952	\$396
BRTADGE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$1627	\$333
BRTADGE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1686	\$338
BRTADGE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1737	\$350
BRTADGE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1790	\$365
BRTADGE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1841	\$371
BRTADGE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1894	\$383
BRTADGE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1932	\$391
BRTADGE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$2004	\$403
BRTADGE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$2055	\$416



30"H Back-to-Back Glass Divider Screen Extension Kit

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

- BRTADGE51xxH30 are for configurations with 24" deep surfaces.
- BRTADGE63xxH30 are for configurations with 30" deep surfaces

 Required specifications
 Optional specifications

 Frame finish
 Frosted glass (FRST)


SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	BRTADG2436H24	31.50 x 36 x 24	60 125	22.55	3.94	\$1582	\$319
	BRTADG2442H24	31.50 x 42 x 24	60 125	24.10	4.59	\$1633	\$333
	BRTADG2448H24	31.50 x 48 x 24	60 150	25.65	5.25	\$1686	\$338
	BRTADG2454H24	31.50 x 54 x 24	60 150	27.20	5.91	\$1737	\$350
	BRTADG2460H24	31.50 x 60 x 24	60 150	28.75	6.56	\$1790	\$365
	BRTADG2466H24	31.50 x 66 x 24	60 150	30.30	7.22	\$1841	\$371
	BRTADG2472H24	31.50 x 72 x 24.	60 150	31.85	7.88	\$1894	\$383
	BRTADG2478H24	31.50 x 78 x 24	60 150	33.40	8.53	\$1945	\$391
	BRTADG2484H24	31.50 x 84 x 24	60 150	34.95	9.19	\$1997	\$403
	BRTADG3036H24	37.75 x 36 x 24	60 100	36.50	4.72	\$1686	\$338
	BRTADG3042H24	37.75 x 42 x 24	60 125	38.05	5.51	\$1732	\$350
	BRTADG3048H24	37.75 x 48 x 24.	60 125	39.60	6.29	\$1790	\$365
	BRTADG3054H24	37.75 x 54 x 24	60 125	41.15	7.08	\$1835	\$371
	BRTADG3060H24	37.75 x 60 x 24	60 150	41.70	7.87	\$1887	\$383
	BRTADG3066H24	37.75 x 66 x 24	60 150	44.25	8.65	\$1939	\$391
	BRTADG3072H24	37.75 x 72 x 24	60 150	45.80	9.44	\$1990	\$403
	BRTADG3078H24	37.75 x 78 x 24.	60 150	47.35	10.22	\$2041	\$409
	BRTADG3084H24	37.75 x 84 x 24	60 150	48.90	11.01	\$2094	\$423

24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADG24xxH24 are for configurations with 24" deep surfaces.
- BRTADG30xxH24 are for configurations with 30" deep surfaces.

BRTADG2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$1654	\$333
BRTADG2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$1699	\$345
BRTADG2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$1749	\$350
BRTADG2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$1808	\$365
BRTADG2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1861	\$378
BRTADG2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1919	\$391
BRTADG2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1945	\$391
BRTADG2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$2016	\$409
BRTADG2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$2074	\$416
BRTADG3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$1749	\$350
BRTADG3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$1808	\$365
BRTADG3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1861	\$378
BRTADG3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1907	\$383
BRTADG3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1965	\$396
BRTADG3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$2016	\$409
BRTADG3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$2055	\$416
BRTADG3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$2127	\$429
BRTADG3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$2172	\$436



30"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADG24xxH30 are for configurations with 24" deep surfaces.
- BRTADG30xxH30 are for configurations with 30" deep surfaces.


**Required specifications** 

Frame finish

**Optional specifications** 

Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	BRTADGE2436H24	31.50 x 36 x 24.6	60 150	18.55	3.94	\$1136	\$228
	BRTADGE2442H24	31.50 x 42 x 24.6	30 150	20.10	4.59	\$1239	\$255
	BRTADGE2448H24	31.50 x 48 x 24.6	60 150	21.65	5.25	\$1283	\$261
	BRTADGE2454H24	31.50 x 54 x 24.6	60 150	23.20	5.91	\$1336	\$274
	BRTADGE2460H24	31.50 x 60 x 24.6	30 150	24.75	6.56	\$1388	\$280
	BRTADGE2466H24	31.50 x 66 x 24.6	60 250	26.30	7.22	\$1440	\$292
	BRTADGE2472H24	31.50 x 72 x 24.6	60 250	27.85	7.88	\$1491	\$300
	BRTADGE2478H24	31.50 x 78 x 24.6	60 250	29.40	8.53	\$1544	\$313
	BRTADGE2484H24	31.50 x 84 x 24.6	60 250	30.95	9.19	\$1595	\$325
	BRTADGE3036H24	37.75 x 36 x 24.6	60 125	32.50	4.72	\$1187	\$241
	BRTADGE3042H24	37.75 x 42 x 24.6	60 125	34.05	5.51	\$1291	\$261
	BRTADGE3048H24	37.75 x 48 x 24.6	60 125	35.60	6.29	\$1341	\$274
	BRTADGE3054H24	37.75 x 54 x 24.6	60 150	37.15	7.08	\$1394	\$280
	BRTADGE3060H24	37.75 x 60 x 24.6	60 150	38.70	7.87	\$1446	\$292
	BRTADGE3066H24	37.75 x 66 x 24.6	60 150	40.25	8.65	\$1499	\$306
	BRTADGE3072H24	37.75 x 72 x 24.6	60 150	41.80	9.44	\$1549	\$313
	BRTADGE3078H24	37.75 x 78 x 24.6	60 150	43.35	10.01	\$1602	\$325
<b>1</b>	BRTADGE3084H24	37.75 x 84 x 24.6	60 150	44.90	10.01	\$1654	\$333




24"H Single Table Glass Divider Screen **Extension Kit** 

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADGE24xxH24 are for configurations with 24" deep surfaces.
- BRTADGE30xxH24 are for configurations with 30" deep surfaces

BRTADGE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$1187	\$241
BRTADGE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$1291	\$261
BRTADGE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$1341	\$274
BRTADGE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$1400	\$286
BRTADGE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$1452	\$292
BRTADGE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$1511	\$306
BRTADGE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$1537	\$313
BRTADGE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$1608	\$325
BRTADGE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1666	\$338
BRTADGE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$1246	\$255
BRTADGE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$1341	\$274
BRTADGE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$1400	\$286
BRTADGE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$1452	\$292
BRTADGE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$1511	\$306
BRTADGE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$1557	\$313
BRTADGE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$1589	\$319
BRTADGE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$1666	\$338
BRTADGE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1719	\$345



30"H Single Table Glass Divider Screen **Extension Kit** 

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- BRTADGE24xxH30 are for configurations with 24" deep surfaces.
- BRTADGE30xxH30 are for configurations with 30" deep surfaces

**Required specifications Optional specifications** Frosted glass (FRST) Frame finish



File Pedestal



Can join with other 21"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

BRT25BF18L	18 x 15.5 x 25	70	69	3.89	\$972	\$63
BRT25BF24L	24 x 15.5 x 25	85	74	5.02	\$1129	\$63
BRT25BF30L	30 x 15.5 x 25	85	82	6.15	\$1225	\$82
BRT25BF18C	18 x 15.5 x 25	70	69	3.89	\$1050	\$63
BRT25BF24C	24 x 15.5 x 25	85	74	5.02	\$1204	\$63
BRT25BF30C	30 x 15 5 x 25	85	82	6.15	\$1302	\$82
DI1123DI 300	30 X 13.3 X 23	00	UZ.	0.10	ψ130 <u>2</u>	ΨUZ

Can join with other 25"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included.

- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

BRT21LS30L	18 x 30 x 21	100	53	6.56	\$933	\$82
BRT21LS36L	18 x 36 x 21	125	60	7.87	\$1032	\$82
BRT21LS42L	18 x 42 x 21	125	67	9.18	\$1129	\$82

Can join with other 21"h storage units of corresponding depth to form a spine. Optional 15.5" x 18"cushion. Storage compartment internal height: 12.36" Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.


- Anodized Aluminum Leg Add \$85 list upcharge
- 18" deep storage components will not accept legal size paper

Edge finish

BRT21LSS30L	24 x 30 x 21	125	69	8.75	\$1302	\$82
BRT21LSS36L	24 x 36 x 21	125	78	10.50	\$1418	\$103
BRT21LSS42L	24 x 42 x 21	125	87	12.25	\$1534	\$120

Offers two 11"deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine. Optional 15.5" x 18"cushion. Storage compartment internal height: 12.36" Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.

• Anodized Aluminum Leg - Add \$85 list upcharge



**Box/File Pedestal** 



**Sliding Door Storage** 



**Shared Sliding Door Storage** 

Required Specifications

Metal finish Top finish Chassis finish Drawer/door front finish Optional Specifications

Anodized Aluminum Leg HP laminate (tops only) Cable Basket



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BRT21LSO42L	24 x 42 x 21	100	124	14	\$1747	\$140	

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18"cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.

• Anodized Aluminum Leg - Add \$85 list upcharge



BRT25LBF042L	24 x 42 x 25	100	154	16.66	\$2194	\$120

Offers storage compartments on either side. For use between two adjacent workstations. Can join with other 25"h, 24"d storage units to form a spine or serve as an additional return worksurface or ad-hoc guest seating with optional 15.5" x 18"cushion. One locking file drawer, One open compartment per side. Storage compartment internal height without shelf: 12.36". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Black pencil tray included.

- Anodized Aluminum Leg Add \$85 list upcharge
- 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.

**MODULAR STORAGE** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRT21F3018U	18 x 30 x 13	92.5	47	4.06	\$1009	n/a
BRT21F3618U	18 x 36 x 13	92.5	51	4.88	\$1115	n/a
BRT21F4218U	18 x 42 x 13	100	56	5.69	\$1294	n/a
BRT21F3024U	24 x 30 x 13	100	51	5.42	\$1033	n/a
BRT21F3624U	24 x 36 x 13	100	55	6.5	\$1151	n/a
BRT21F4224U	24 x 42 x 13	125	60	7.58	\$1353	n/a

21"H Lateral File Drawer, No Top

Fits below Bridges II tables. Can join with other 21"h storage units of corresponding depth to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One file drawer. **Top and legs to be ordered separately**. Metal handles.

• 18" deep storage components will not accept legal size paper



BRT21L03018U	18 x 30 x 13	125	25	4.06	\$318	n/a
BRT21L03618U	18 x 36 x 13	150	29	4.88	\$473	n/a
BRT21L04218U	18 x 42 x 13	150	32	5.69	\$514	n/a
BRT21L03024U	24 x 30 x 13	150	29	5.42	\$330	n/a
BRT21L03624U	24 x 36 x 13	150	33	6.5	\$492	n/a
BRT21L04224U	24 x 42 x 13	150	36	7.58	\$534	n/a

21"H Open Storage, No Top

Open storage unit with no top. Positioned beside a Bridges II table assembly or between two adjacent workstations. Can join with other 21"h storage units to form a spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening. **Top and legs to be ordered separately**.

Required Specification	s	Optional Specifications	
Metal finish*		Anodized Aluminum Leg*	
Top finish*	Edge finish*	HP laminate* (tops only)	
Chassis finish		Cable Basket	
Drawer/door front finish		Cushion (BRT21LSO42L)	

	>	
$\bigvee$		

MODULAR STORAGE

25"H Open Storage, Glass Shelf, No Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRT25L03018U	18 x 30 x 17	125	40	5.31	\$470	n/a
BRT25L03618U	18 x 36 x 17	125	46	6.38	\$645	n/a
BRT25L04218U	18 x 42 x 17	125	52	7.44	\$666	n/a
BRT25L03024U	24 x 30 x 17	125	44	7.08	\$501	n/a
BRT25L03624U	24 x 36 x 17	150	50	8.5	\$670	n/a
BRT25L04224U	24 x 42 x 17	150	56	9.92	\$699	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. **Top and legs to be ordered separately.** 

25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
 Storage will not fit under the trough.

BRT25LBF3018U       18 x 30 x 17       92.5       58       5.31       \$1210       n/s         BRT25LBF3618U       18 x 36 x 17       85       78       6.38       \$1405       n/s         BRT25LBF4218U       18 x 42 x 17       100       68       7.44       \$1496       n/s	
	3
BRT25LBF4218U 18 x 42 x 17 100 68 7.44 <b>\$1496</b> n/a	3
	3
BRT25LBF3024U 24 x 30 x 17 100 62 7.08 <b>\$1258</b> n/s	3
BRT25LBF3624U 24 x 36 x 17 100 82 8.5 <b>\$1461</b> n/s	3
BRT25LBF4224U 24 x 42 x 17 125 72 9.92 <b>\$1557</b> n/s	3

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. **Top and legs to be ordered separately**. Metal handles. Black pencil tray included.

- 18" deep storage components will not accept legal size paper
- 25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
   Storage will not fit under the trough.

BRT25L2D3018U	18 x 30 x 17	125	39	5.31	\$896	n/a
BRT25L2D3618U	18 x 36 x 17	125	45	6.38	\$962	n/a
BRT25L2D4218U	18 x 42 x 17	125	54	7.44	\$1001	n/a
BRT25L2D3024U	24 x 30 x 17	125	43	7.08	\$1042	n/a
BRT25L2D3624U	24 x 36 x 17	150	49	8.5	\$1136	n/a
BRT25L2D4224U	24 x 42 x 17	150	58	9.92	\$1183	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25"h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. **Top and legs to be ordered separately.** Storage compartment internal height is 16.5". Metal handles.

25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
 Storage will not fit under the trough.

BRT29L2D3018U	18 x 30 x 21	125	49	6.56	\$1022	n/a
BRT29L2D3618U	18 x 36 x 21	125	55	7.88	\$1067	n/a
BRT29L2D4218U	18 x 42 x 21	125	64	9.19	\$1114	n/a
BRT29L2D3024U	24 x 30 x 21	125	53	8.75	\$1199	n/a
BRT29L2D3624U	24 x 36 x 21	150	59	10.5	\$1253	n/a
BRT29L2D4224U	24 x 42 x 21	150	68	12.25	\$1281	n/a

Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. **Top and legs to be ordered separately.** Storage compartment internal height is 20.5". Metal handles.

25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough.
 Storage will not fit under the trough.

$\setminus \mid$	

Lateral Box/File Storage, No Top*



25"H Storage Cabinet, No Top*



29"H Storage Cabinet, No Top*

**Required Specifications** 

Chassis finish

Drawer/door front finish*

Optional Specifications

Cable Basket



MODULAR STORAGE

29"H Box/File/Open Storage, No Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRT29L0BF3018U	18 x 30 x 21	92.5	70	6.56	\$1424	n/a
BRT29L0BF3618U	18 x 36 x 21	100	78	7.88	\$1606	n/a
BRT29L0BF4218U	18 x 42 x 21	100	86	9.19	\$1765	n/a
BRT29L0BF3024U	24 x 30 x 21	100	74	8.75	\$1482	n/a
BRT29L0BF3624U	24 x 36 x 21	125	82	10.52	\$1671	n/a
BRT29L0BF4224U	24 x 42 x 21	125	90	12.25	\$1835	n/a

Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. **Top and legs to be ordered separately.** Storage compartment internal height: 3.9". Metal handles. Black pencil tray included.

• 18" deep storage components will not accept legal size paper

BRTWU1830	18 x 30 x 1	60	15	0.5	\$179	\$63
BRTWU1836	18 x 36 x 1	60	18	0.59	\$204	\$69
BRTWU1842	18 x 42 x 1	60	21	0.68	\$268	\$91
BRTWU1860	18 x 60 x 1	65	29	0.97	\$423	\$124
BRTWU1866	18 x 66 x 1	65	32	1.1	\$444	\$140
BRTWU1872	18 x 72 x 1	65	35	1.2	\$462	\$152
BRTWU1878	18 x 78 x 1	65	38	1.3	\$489	\$160
BRTWU1884	18 x 84 x 1	65	41	1.4	\$536	\$168
BRTWU1890	18 x 90 x 1	65	44	1.5	\$557	\$173
BRTWU1896	18 x 96 x 1	65	47	1.6	\$580	\$181
BRTWU2430	24 x 30 x 1	60	20	0.65	\$187	\$57
BRTWU2436	24 x 36 x 1	60	24	0.78	\$208	\$71
BRTWU2442	24 x 42 x 1	60	28	0.9	\$274	\$90
BRTWU2460	24 x 60 x 1	60	39	1.3	\$432	\$142
BRTWU2466	24 x 66 x 1	60	43	1.41	\$450	\$147
BRTWU2472	24 x 72 x 1	60	47	1.54	\$470	\$38
BRTWU2478	24 x 78 x 1	60	51	1.7	\$504	\$161
BRTWU2484	24 x 84 x 1	60	55	1.8	\$546	\$170
BRTWU2490	24 x 90 x 1	60	59	1.9	\$568	\$175
BRTWU2496	24 x 96 x 1	60	63	2	\$590	\$184

Flat 3mm profile on all sides. Worksurface provided with pilot holes for alignment purposes. Worksurfaces can be used for each modular unit or can span two to three units.

BRT18LEGL	18 x 2.5 x 8	150	8	1.34	\$68	n/a
BRT24LEGL	24 x 2.5 x 8	150	8	1.34	\$75	n/a

Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs.

• Anodized Aluminum leg - Add \$36 list upcharge



#### Worksurface for Modular Storage*



Modular Storage Leg**

**Required Specifications** 

Top finish*
Edge finish
Chassis finish
Metal finish**

Optional Specifications

HP laminate* (tops only)
Anodized Aluminum Leg**
Cable Basket (storage unit)

MODUL	AN STUNAUL	
	$\sim$	
_		≽
	4	

**Center Mount Shelf*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRTCMS36	12 x 36 x 6.75	100	15.20	1.69	\$372	n/a
BRTCMS30	12 x 30 x 6.75	100	12.60	1.41	\$262	n/a

Open, shared center mount shelf "floats" 6.75" above the gap formed by two back-to-back worksurfaces. Accepts BRTESBBIN Elevated Shelf Binder Bin - The 30"w shelf accommodates two; 36"w shelf accommodates up to three. Shelves overhang the support structure by 6" on either side. Aluminum/die cast structure attaches to the underside of both worksurfaces.

- Not compatible with BRTEETA Above Worksurface Power Trough and Worksurfaces with Access Doors
- Anodized Aluminum support structure Add \$85 list upcharge

BRTTES24	15.5 x 24 x 15	100	29	3.22	\$722	\$63
BRTTES30	15.5 x 30 x 15	100	34	4.03	\$790	\$71
BRTTES51	15.5 x 50.5 x 15	100	57	6.79	\$1302	\$129
BRTTES63	15.5 x 62.5 x 15	100	68	8.40	\$1430	\$167


Single or double open shelf/extended worksurface. Secured to the end of single or back-to-back Bridges table. All mounting hardware included. Storage compartment internal height: 13.25". 1" top.

BRTSTS0824	12 x 24 x 8	92.5	14	1.33	\$256	\$82
BRTSTS0830	12 x 30 x 8	100	16	1.66	\$294	\$82
BRTSTS0851	12 x 50.5 x 8	100	25	2.80	\$469	\$120
BRTSTS0863	12 x 62.5 x 8	100	28	3.47	\$530	\$179
BRTSTS1324	12 x 24 x 13	100	18	2.16	\$277	\$82
BRTSTS1330	12 x 30 x 13	125	21	2.70	\$315	\$82
BRTSTS1351	12 x 50.5 x 13	125	32	4.55	\$469	\$120
BRTSTS1363	12 x 62.5 x 13	125	38	5.64	\$547	\$160
BRTSTS1624	12 x 24 x 16	125	19	2.66	\$315	\$82
BRTSTS1630	12 x 30 x 16	100	29	3.33	\$372	\$82
BRTSTS1651	12 x 50.5 x 16	150	33	5.61	\$547	\$140
BRTSTS1663	12 x 62.5 x 16	150	39	6.94	\$625	\$179

Secured perpendicularly to the single or back-to-back Bridges table. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 8"h provides additional storage space without obstructing view and reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6".

• Please refer to the Compatibility Guide on page 368 to determine available accessories

**Table Mounted End Shelf*** 



Single Sided Elevated Table Shelf*

**Required Specifications** 

Top finish Edge finish Chassis/Accent Finish **Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		DxWxH					
	BRTBTS0836	12 x 36 x 8	100	16	2	\$392	\$82
	BRTBTS0842	12 x 42 x 8	100	19	2.33	\$431	\$82
	BRTBTS0848	12 x 48 x 8	125	21	2.66	\$469	\$120
	BRTBTS0854	12 x 54 x 8	125	23	3	\$489	\$140
	BRTBTS0860	12 x 60 x 8	125	26	3.33	\$547	\$160
	BRTBTS0866	12 x 66 x 8	125	28	3.66	\$586	\$179
	BRTBTS0872	12 x 72 x 8	125	30	4	\$625	\$179
	BRTBTS0878	12 x 78 x 8	125	32	4.33	\$664	\$198
	BRTBTS0884	12 x 84 x 8	125	35	4.66	\$703	\$216
	BRTBTS1336	12 x 36 x 13	125	22	3.25	\$469	\$103
	BRTBTS1342	12 x 42 x 13	125	25	3.79	\$530	\$103
	BRTBTS1348	12 x 48 x 13	125	28	4.33	\$568	\$140
	BRTBTS1354	12 x 54 x 13	125	30	4.87	\$625	\$140
	BRTBTS1360	12 x 60 x 13	150	33	5.86	\$664	\$140
	BRTBTS1366	12 x 66 x 13	150	36	6.45	\$680	\$238
	BRTBTS1372	12 x 72 x 13	125	39	6.50	\$779	\$198
	BRTBTS1378	12 x 78 x 13	150	42	7.04	\$838	\$198
	BRTBTS1384	12 x 84 x 13	150	44	7.58	\$896	\$216
	BRTBTS1636	12 x 36 x 16	125	25	4	\$489	\$82
	BRTBTS1642	12 x 42 x 16	125	28	4.66	\$547	\$120
	BRTBTS1648	12 x 48 x 16	150	31	5.33	\$604	\$120
	BRTBTS1654	12 x 54 x 16	150	34	6	\$642	\$160
	BRTBTS1660	12 x 60 x 16	150	38	6.66	\$703	\$160
	BRTBTS1666	12 x 66 x 16	150	41	7.33	\$761	\$160
	BRTBTS1672	12 x 72 x 16	150	44	8	\$819	\$179
	BRTBTS1678	12 x 78 x 16	150	47	8.66	\$855	\$198
	BRTBTS1684	12 x 84 x 16	150	50	9.33	\$917	\$216
<b>4</b> /				- <del>-</del>	- · · <del>-</del>	*	

**Shared Elevated Table Shelf** 

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8"h provides additional storage space without obstructing view; reaches 16" module height when combined w/8"h Binder shelf. Internal height: 6.6". 16"h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

• Please refer to the Compatibility Guide on page 368 to determine available accessories

**Table Supported Shared Overhead** 

BRTBASO48	12 x 48 x 21	125	54	7	\$779	\$120

One compartment per side. White magnetic back wall. Lines up with 50"h floor standing storage. Fits over the gap between two parallel back-to-back Bridges tables. Fits over worksurface power/data trough. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top.

• Please refer to the **Compatibility Guide** on page 368 to determine available accessories

**Required Specifications** 

Top finish Edge finish Chassis/accent finish **Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin

	$\sim$

Shared Elevated Overhead*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
BRTBASL36	16 x 36 x 21	250	23.50	6.56	\$2250	\$151	
BRTBASL42	16 x 42 x 21	250	27.50	7.65	\$2407	\$184	
BRTBASL48	16 x 48 x 21	250	31.40	8.75	\$2533	\$217	
BRTBASL54	16 x 54 x 21	250	35.30	9.84	\$2725	\$228	
BRTBASL60	16 x 60 x 21	250	35.30	9.84	\$2873	\$235	
BRTBASL66	16 x 66 x 21	250	43.20	12.03	\$3242	\$275	
BRTBASL72	16 x 72 x 21	250	47.10	13.12	\$3413	\$307	
BRTBASL78	16 x 78 x 21	250	51	14.21	\$3592	\$330	
BRTBASL84	16 x 84 x 21	250	55	15.31	\$3639	\$455	

Two compartments facing in opposite direction with locking, sliding laminate doors. Storage compartment internal height: 12.25". Shared elevated overhead fits over the gap between two parallel Bridges back-to-back tables. Integrated anodized aluminum accessory rail below the storage compartments. Fits over Above Worksurface Power/Data Troughs. Elevated Shelf Binder Bins DO NOT work with this overhead. 1" top.

- Note: In order to prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width as the supporting worksurface.
- To prevent interference with Ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories

BRTSDS48	12 x 48 x 16	92.5	54	5.33	\$625	\$120



45" High Shared Storage Divider**

Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.

BRT21H03616	16 x 36 x 21	100	81	9	\$1121	\$151
BRT21H04216	16 x 42 x 21	100	81	9	\$1203	\$173
BRT21H04816	16 x 48 x 21	250	31.40	8.75	\$1283	\$197
BRT21H05416	16 x 54 x 21	250	35.30	9.84	\$1363	\$222
BRT21H06016	16 x 60 x 21	250	35.30	9.84	\$1452	\$247
BRT21H06616	16 x 66 x 21	250	43.20	12.03	\$1545	\$270
BRT21H07216	16 x 72 x 21	250	47.10	13.12	\$1602	\$306
BRT21H07816	16 x 78 x 21	250	51	14.21	\$1723	\$318
BRT21H08416	16 x 84 x 21	250	55	15.31	\$1792	\$343



**Open Single Sided Storage** 

Table supported single sided open storage. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories

**Required Specifications** 

Top finish Edge finish Chassis finish* Drawer/door front finish* **Optional Specifications** 

HP laminate (tops only)
Elevated Shelf Binder Bin**

Open Single Sided Storage, 1 Glass Door

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRT21GS3616	16 x 36 x 21	100	87	9	\$1763	\$149
BRT21GS4216	16 x 42 x 21	100	103	10.50	\$1853	\$172
BRT21GS4816	16 x 48 x 21	100	108	12	\$1932	\$197
BRT21GS5416	16 x 54 x 21	100	133	13.50	\$2304	\$222
BRT21GS6016	16 x 60 x 21	100	144	15	\$2394	\$247
BRT21GS6616	16 x 66 x 21	100	155	16.50	\$2507	\$270
BRT21GS7216	16 x 72 x 21	100	164	18	\$2592	\$294
BRT21GS7816	16 x 78 x 21	100	174	19.50	\$2730	\$317
BRT21GS8416	16 x 84 x 21	100	181	21	\$2810	\$344

Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories

BRT21LS3616	16 x 36 x 21	92.5	94	9	\$1712	\$212
BRT21LS4216	16 x 42 x 21	92.5	111	10.50	\$1795	\$244
BRT21LS4816	16 x 48 x 21	100	117	12	\$1874	\$279
BRT21LS5416	16 x 54 x 21	92.5	143	13.50	\$1953	\$315
BRT21LS6016	16 x 60 x 21	92.5	155	15	\$2261	\$345
BRT21LS6616	16 x 66 x 21	92.5	167	16.50	\$2354	\$380
BRT21LS7216	16 x 72 x 21	100	177	18	\$2420	\$416
BRT21LS7816	16 x 78 x 21	100	188	19.50	\$2530	\$450
BRT21LS8416	16 x 84 x 21	100	198	21	\$2599	\$483

Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories

BRT21HD03616	16 x 36 x 21	100	81	9	\$1162	\$149
BRT21HD04216	16 x 42 x 21	100	96	10.50	\$1228	\$173
BRT21HD04816	16 x 48 x 21	100	100	12	\$1286	\$201
BRT21HD05416	16 x 54 x 21	100	124	13.50	\$1384	\$223
BRT21HD06016	16 x 60 x 21	100	134	15	\$1457	\$245
BRT21HD06616	16 x 66 x 21	100	144	16.50	\$1566	\$269
BRT21HD07216	16 x 72 x 21	100	152	18	\$1616	\$294
BRT21HD07816	16 x 78 x 21	100	161	19.50	\$1744	\$318
BRT21HD08416	16 x 84 x 21	100	168	21	\$1793	\$344

Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 368 to determine available accessories



Open Single Sided Storage, 1 Laminate Door**



Open Double Sided Storage*

**Required Specifications** 

Top finish Edge finish Chassis finish* Drawer/door front finish** **Optional Specifications** 

HP laminate (tops only) Elevated Shelf Binder Bin

		_	>
/			
	$\rightarrow$		

**Double Sided Storage, Glass Door** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BRT21GDS3616	16 x 36 x 21	92.5	94	9	\$2288	\$145
BRT21GDS4216	16 x 42 x 21	92.5	111	10.50	\$2396	\$173
BRT21GDS4816	16 x 48 x 21	100	117	12	\$2448	\$198
BRT21GDS5416	16 x 54 x 21	92.5	143	13.50	\$3167	\$222
BRT21GDS6016	16 x 60 x 21	92.5	155	15	\$3223	\$247
BRT21GDS6616	16 x 66 x 21	92.5	167	16.50	\$3437	\$269
BRT21GDS7216	16 x 72 x 21	100	177	18	\$3513	\$294
BRT21GDS7816	16 x 78 x 21	100	188	19.50	\$3659	\$317
BRT21GDS8416	16 x 84 x 21	100	196	21	\$3894	\$343

Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories



Double Sided Storage, Laminate Door*

BRT21LDS3616	16 x 36 x 21	92.5	106	9	\$2249	\$149
BRT21LDS4216	16 x 42 x 21	85	126	10.50	\$2391	\$173
BRT21LDS4816	16 x 48 x 21	92.5	134	12	\$2441	\$197
BRT21LDS5416	16 x 54 x 21	85	162	13.50	\$3047	\$222
BRT21LDS6016	16 x 60 x 21	92.5	176	15	\$3100	\$247
BRT21LDS6616	16 x 66 x 21	92.5	190	16.50	\$3309	\$270
BRT21LDS7216	16 x 72 x 21	92.5	203	18	\$3359	\$294
BRT21LDS7816	16 x 78 x 21	92.5	216	19.50	\$3484	\$317
BRT21LDS8416	16 x 84 x 21	92.5	227	21	\$3694	\$343

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the Compatibility Guide on page 368 to determine available accessories



50"H Storage Tower w/Coat Storage*

BRTTW5024L	24 x 24 x 50	100	142	16.66	\$2116	\$140
BRTTW5024R	24 x 24 x 50	100	142	16.66	\$2116	\$140
BRTTW5030L	30 x 24 x 50	125	163	20.83	\$2348	\$140
BRTTW5030R	30 x 24 x 50	125	163	20.83	\$2348	\$140

Provides storage and privacy at the end of a table. Box + file drawers, open compartment with adjustable glass shelf (50"h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

Required	Spe	ecific	ations

Edge finish Top finish Chassis finish Drawer/door front finish Metal finish (legs)

#### **Optional Specifications**

Anodized aluminum leg* HP laminate E-Lock*

### BRIDGES II™

STORAGE

66"H Storage Tower with Coat Storage

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						Ī
BRTTW6624L	24 x 24 x 66	125	170	22	\$2805	\$181	
BRTTW6624R	24 x 24 x 66	125	170	22	\$2805	\$181	
BRTTW6630L	30 x 24 x 66	125	195	27.50	\$3112	\$183	
BRTTW6630R	30 x 24 x 66	125	195	27.50	\$3112	\$219	

Provides storage and privacy at the end of a table. Box + file drawers, open compartment with 2 adjustable glass shelves (66"h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

	BRTT5024L	24 x 15.5 x 50	100	88	10.76	\$1572	\$103
	BRTT5024R	24 x 15.5 x 50	100	88	10.76	\$1572	\$103
	BRTT5030L	30 x 15.5 x 50	125	101	13.45	\$1730	\$120
	BRTT5030R	30 x 15.5 x 50	125	101	13.45	\$1730	\$120
1 /1							

Provides storage and privacy at the end of a table. Box + file drawers, open compartment with adjustable glass shelf (50"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

• Anodized Aluminum Leg - Add \$85 list upcharge

BRTT6624L	24 x 15.5 x 66	100	106	12.91	\$2085	\$131
BRTT6624R	24 x 15.5 x 66	100	106	12.91	\$2085	\$131
BRTT6630L	30 x 15.5 x 66	125	121	16.14	\$2292	\$159
BRTT6630R	30 x 15.5 x 66	125	121	16.14	\$2292	\$159

Provides storage and privacy at the end of a table. Box + file drawers, open compartment with 2 adjustable glass shelves (66"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

· Anodized Aluminum Leg - Add \$85 list upcharge


BRTCS45BBFFL	18 x 36 x 45	92.5	256	24	\$2859	\$149
BRTCS45BBFFR	18 x 36 x 45	92.5	256	24	\$2859	\$149

Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum


· Anodized Aluminum Leg - Add \$85 list upcharge



50"H Storage Tower



66"H Storage Tower



Cantilever Storage*

**Required Specifications** 

Top finish Edge finish Chassis finish Drawer/door front finish **Optional Specifications** Anodized aluminum leg

E-Lock* HP laminate

STORAGE	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTCS45FFFOR BRTCS45FFFOR	18 x 36 x 45 18 x 36 x 45	92.5 92.5	256 256	24 24	\$2929 \$2929	\$149 \$149
Cantilever Storage*	portion to cantileve Three fixed open co Left or Right hande 1" top; metal hand	mpartments; two abov	e. 3 locking file e worksurfaces ( et suspends off s minum or anodiz	drawers with 6.7" interior o storage unit's	2 locks. Open dimension), one bottom and ma	compartment (1 below (3.7" inte	et allows the upper 0.3" interior dimension) erior dimension). Speci ong the horizontal plane
	BRTCS45BBFOOL BRTCS45BBFOOR	18 x 36 x 45 18 x 36 x 45	92.5 92.5	256 256	24 24	\$2797 \$2797	\$149 \$149
Cantilever Storage*	portion to cantileve interior dimension) two below (lower 1 suspends off storag aluminum or anodiz	2.2" interior dimension ge unit's bottom and ma	e. Locking file d helf. 4 fixed ope ; upper 3.3" inte nages cables al	rawer. 2 penc en compartme rior dimension	cil drawers (not ents; two above n). Specify Left	locking). Open o worksurfaces (& t or Right handed	compartment (10.3" 6.7" interior dimension), d. Optional cable baske
	BRTDS2B2F	16 x 18 x 36	125	85	14	\$1752	n/a
Pier Storage, Box/File	Supports side-by-si drawers. Black pen	de divider with Box/Filo cil tray included.	e on opposite sic	des for side-by	y-side application	on. Two lockabli	e file drawers, two box
	BRTDSOP	16 x 18 x 36	150	75	14	\$1165	n/a
Pier Storage, Open w/Glass Shelves	Supports side-by-si without adjustable	de divider with Box/Fili shelf: 15"	e on opposite sic	des for side-by	y-side application	on. Storage com	npartment internal heig
	Required Specificat Top finish* Edge finish* Chassis finish Drawer/door front finis		Optional Speci Anodized alumin				


## **BRIDGES II™**

STORAGE + ACCESSORIES

Diar Storaga	Door w/Glace	Chalvac

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTDS2D	16 x 18 x 36	150	79	14	\$1565	n/a
						, .


Supports side-by-side divider with hinged, lockable door on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"



Side-by-Side Storage, Open*

BRT21PHD04216	16 x 42 x 21	100	96	10.50	\$1014	\$173
BRT21PHD04816	16 x 48 x 21	100	100	12	\$1077	\$201
BRT21PHD05416	16 x 54 x 21	100	124	13.50	\$1181	\$222
BRT21PHD06016	16 x 60 x 21	100	134	15	\$1248	\$247
BRT21PHD06616	16 x 66 x 21	100	144	16.50	\$1353	\$268
BRT21PHD07216	16 x 72 x 21	100	152	18	\$1425	\$294

Pier and table supported side-by-side double-sided open storage. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.



Side-by-Side Storage, Laminate Doors*

BRT21PLDS4216	16 x 42 x 21	92.5	126	11	\$2347	\$173
BRT21PLDS4816	16 x 48 x 21	92.5	134	12	\$2397	\$198
BRT21PLDS5416	16 x 54 x 21	92.5	162	14	\$3007	\$222
BRT21PLDS6016	16 x 60 x 21	92.5	176	15	\$3060	\$247
BRT21PLDS6616	16 x 66 x 21	92.5	190	17	\$3267	\$270
BRT21PLDS7216	16 x 72 x 21	92.5	203	18	\$3317	\$294

Pier and table supported side-by-side double-sided storage with sliding laminate doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.




Side-by-Side Storage, Glass Doors*

BRT21PGDS4216	16 x 42 x 21	92.5	110	10.50	\$2370	\$171
BRT21PGDS4816	16 x 48 x 21	100	116	12	\$2423	\$197
BRT21PGDS5416	16 x 54 x 21	92.5	141	13.50	\$3142	\$222
BRT21PGDS6016	16 x 60 x 21	92.5	153	15	\$3198	\$245
BRT21PGDS6616	16 x 66 x 21	92.5	165	16.50	\$3412	\$269
BRT21PGDS7216	16 x 72 x 21	100	175	18	\$3489	\$295

Pier and table supported side-by-side double-sided storage with sliding glass doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.

**Required Specifications** 

Laminate finish* Beam finish*



**ACCESSORIES** 

Cushion**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
BRTC	18 x 15.5 x 1.25	150	2	.41	1	\$255	7	\$493
					2	\$291	8	\$533
					3	\$319	9	\$579
					4	\$351	10	\$690
					5	\$400	11	\$782
					6	\$446	12	\$880

Optional seat cushion may be added to any storage component. Available in all Global seating fabrics.

70

• When added to 25"h storage units, unit will NOT fit under any table with a beam

2 x 9 x 2.5



**Glide Tray Adapter** 

Assumedates the placement of cliding keyboard mechanisms and CPLI holders below the gross beam of Pridges tables

Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of Bridges tables. Attaches to Glide Tracks of all Productivity Solutions Keyboard Mechanisms and Sliding CPU holders. Mounting hardware included. Available in black only.

.50

.03

\$115





**CPU Holder on Glide Track** 

GACPU02	9.2 x 11.7 x 18.5	92.5	12.60	1.15	\$252

Accepts tower CPUs with a width range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. 12" glide track mounted and 360° swivel for easy access to rear of CPU. Manufactured from steel and engineered resin, providing rugged durability and support. Available in black only.



**Fixed Mount CPU Holder** 

GACPU01	9.2 x 11.7 x 18.5	125	9	1.15	\$228

Fully adjustable clamping mechanism to accept tower CPUs with a height range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. Mounts directly to underside of desk surface. CPU Holder can also be mounted directly to an upright desk leg surface or wall via side mounting holes. Manufactured from Steel and Engineered Resin, providing rugged durability and support. Available in black only.

Not compatible with GAGTA01

GAGTA01



**Hanging Bracket** 

BRTHB	3.3 x 1.5 x 3.5	70	.20	.01	\$32

A formed steel bracket hooks over Bridges II table leg. Can be secured either on the inner or outer side of the leg. Specify frame finish.

#### **Required Specifications**


Metal finish (hanging bracket) Fabric (cushion)

## BRIDGES II™

CCESSORIES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTWB0924	<b>D x W x H</b> 0.5 x 24 x 8.5	70	1	.56	\$255
hiteboard	shelves. White dr magnetic board. <i>F</i>		magnetically to	the steel bac (page 368) to	ker. When rem	all Bridges II dividers and single-sided noved, the steel backer can be used as a <i>ilable accessories</i> .
	BRTTB0924	0.5 x 24 x 8.5	70	1	.56	\$255
ackboard*	Please refer to the	face on white powder c <b>Compatibility Guide</b> ( gsten (TUN) or Designer	page 368) to de	termine availa		viders and single-sided shelves. 5.

Required Specifications
Metal finish
Fabric*

\$685



Single Screen	Double	<b>Extension</b>	Arm
---------------	--------	------------------	-----

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GAMCSSDE	x x	125	7.50	1.09	\$571	

Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

8.20


1.09

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.

125

-- X -- X --

extension arm and hides all cables. Minor assembly required.




GAMCSSDEH

Single Screen Double Extension Arm with Height Adjustment


Counterbalanced arm provides an additional 13" of height adjustment. Double extension allows 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.




**Dual Screen Double Extension Arm** 

GAMCDSDE x x	100	10.70	1.09	\$1006	
--------------	-----	-------	------	--------	--



• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.



Dual Screen Double Extension Arm with Height Adjustment

GAMCDSDEH	X X	92.5	12.2	1.09	\$1247

For dual monitor applications. Counterbalanced arms provide an additional 13" of height adjustment. Double extension arms allow 19" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required.

• To use arm in conjunction with below worksurface power troughs, thru-surface mount must be used. Cannot be clamp mounted when using power troughs.

## B BRIDGES II™


ACCESSORIES




**Binder Bin** 



Flip Sorter



**Slant Sorter** 



Letter/Legal Tray



Media Bin



**Utility Tray** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BABB01	10.25 x 4 x 9	100	2	.21	\$70	

Load bar/accessory rail mounted metal binder bin.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BAFS01	9.25 x 2.75 x 9.25	70	.06	.14	\$54

Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BASS01L	10.25 x 5 x 9.5	70	1	.28	\$44	
(Left)						
BASS01R	10.25 x 5 x 9.5	70	1	.28	\$44	
(Right)						

Load bar/accessory rail mounted metal slant sorter.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BALT01	9.25 x 13.5 x 2	70	.05	.15	\$58	
(Letter)						
BALT01LGL	9.25 x 15 x 2	70	.05	.15	\$71	
(Legal)						

Load bar/accessory rail mounted metal letter or legal tray.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

BAMB01	5.25 x 5.75 x 3	70	.08	.05	\$58

Load bar/accessory rail mounted metal media bin.

• Please refer to the Compatibility Guide on page 368 to determine compatible storage components

BAUT01	3.75 x 5.75 x 3	70	.05	.02	\$38

Load bar/accessory rail mounted metal utility tray.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

**Required Specifications** 

Fabric (Cushion)

Metal Finish (hanging bracket, whiteboard,

tackboard)

ACCES	SORIES

**Mail Box** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
BAPP01	2.75 x 16 x 9	100	2	.25	\$88

Load bar/accessory rail mounted metal mail box.

BATH01

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components

125

2

.26

\$85

/	

Telephone Holder

10 x 9 x 2

Load bar/accessory rail mounted metal telephone holder.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components



**Elevated Shelf Binder Bin** 

BRTESBBIN	12 x 12 x 8	100	6	.66	\$181

Load bar/accessory rail mounted elevated shelf binder bin.

• Please refer to the **Compatibility Guide** on page 368 to determine compatible storage components



#### **Pencil Drawer**

PEEPD	15 x 22.5 x 1.5	250	2	0.7	\$164

Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with drawer slides (included). Black ABS plastic only.

# **B** BRIDGES II™

## ACCESSORIES

DxWxH

## **ACCESSORIES COMPATIBILITY GUIDE**

	DIVIDERS: BRTLPDD BRTLPDS BR2AFD BR2AHD	Elevated Shelves BRTSTS08 BRTBTS08 8" high	Elevated Shelves BRTSTS13 BRTBTS13 13" high	Elevated Shelves BRTSTS16 BRTBTS16 16" high	Shared Overhead BRTBASO48 12" deep	Shared Overhead with slid- ing doors BRTBASS 16" deep
Binder Bin BABB01	yes	no	no	yes	no	no
Flip Sorter BAFS01	yes	no	yes	no	no	no
Slant Sorter BASS01	yes	no	yes	no	no	no
Letter Tray BALT01	yes	yes	yes	yes	yes	yes
Media Bin BAMB01	yes	yes	yes	yes	yes	yes
Utility Tray BAUT01	yes	yes	yes	yes	yes	yes
Mail Box BAPP01	yes	no	no	yes	no	no
Phone Holder BVATH01	yes	yes	yes	yes	yes	yes
Elevated Shelf Binder Bin BRTESBBIN	no	no	no	no	yes	no
Tackboard BRTTB	yes	no	no	yes	no	no
Whitehoard BRTWR	VPS	nn	no	VPS	no	no

#### **COLLABORATIVE SEATING**

#### DxWxH

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.

Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.


**Bridges Collaborative Seating upholstery** features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.

In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle.


The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.

Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.


Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.



24" square table block



6" In-line table block





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						Ī
BRTST2460F	24 x 60 x 17	150	83.60	14.17	\$880	\$326	
BRTST2448F	24 x 48 x 17	125	69	11.33	\$787	\$237	
BRTST2424F	24 x 24 x 17	125	40.70	5.67	\$556	\$97	

Freestanding 17"h table. Central partition divides space under top surface into two 11" deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

- Anodized Aluminum Leg Add \$74. list upcharge
- To convert to mobile Add an **M** at the end of the product code. Add **\$35.** list upcharge.

EATING						GRADE	LIST	GRADE	LIST
	BRTSE60NB	24 x 60 x 17	250	47	14.17	1	\$1659	7	\$2225
						2	\$1743	8	\$2421
						3	\$1807	9	\$2572
						4	\$1901	10	\$2741
						5	\$2039	11	\$3084
						6	\$2101	12	\$3454
	BRTSE48NB	24 x 48 x 17	250	36.90	11.33	1	\$1433	7	\$1888
						2	\$1502	8	\$2045
						3	\$1553	9	\$2164
						4	\$1630	10	\$2300
						5	\$1737	11	\$2577
						6	\$1789	12	\$2870
	BRTSE24NB	24 x 24 x 17	150	22.70	5.57	1	\$787	7	\$1072
						2	\$831	8	\$1170
						3	\$863	9	\$1246
						4	\$911	10	\$1330
						5	\$979	11	\$1501
						6	\$1010	12	\$1686
		rmless lounge seat with num Leg - Add <b>\$74</b> list u		ats can be free	standing or li				
				ats can be free	standing or li	nked with o	optional inte	rlocking br	acket kit. \$3666
	Anodized Alumin	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797	rlocking br	\$3666 \$4018
	Anodized Alumin	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912	rlocking br	\$3666 \$4018 \$4288
	Anodized Alumin	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912 \$3084	7 8 9 10	\$3666 \$4018 \$4288 \$4590
	Anodized Alumin	num Leg - Add <b>\$74</b> list u	pcharge			nked with o	\$2649 \$2797 \$2912	rlocking br	\$3666 \$4018 \$4288
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443	7 8 9 10 11	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878
	Anodized Alumin	num Leg - Add <b>\$74</b> list u	pcharge			1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443	7 8 9 10 11 12	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401	7 8 9 10 11 12	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491	7 8 9 10 11 12 7 8 9	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 4	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625	7 8 9 10 11 12 7 8 9	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 3	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491	7 8 9 10 11 12 7 8 9	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562
	Anodized Alumin     BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797 \$4282 \$4797
	Anodized Alumin     BRTSE6060B	num Leg - Add <b>\$74</b> list u _l 24 x 60 x 29	pcharge 250	70	24.17	1 2 3 4 5 6 1 2 3 4 5 5	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11 11	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797 \$4282
	Anodized Alumin     BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 1 2 3 4 5 6 1	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11 12 7 7	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797 \$4282 \$4797 \$1749 \$1925
	Anodized Alumin     BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 3 4 5 6 6 1 2 3 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905 \$1339 \$1315 \$1373	7 8 9 10 11 12 7 8 9 10 11 12 7 8 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797 \$4282 \$4797 \$1749 \$1925 \$2061
	Anodized Alumin     BRTSE6060B  BRTSE4848B	24 x 60 x 29  24 x 48 x 29	250 250 250	70 55.50	24.17	1 2 3 4 5 6 6 1 2 2 3 4 5 6 6	\$2649 \$2797 \$2912 \$3084 \$3327 \$3443 \$2286 \$2401 \$2491 \$2625 \$2817 \$2905	7 8 9 10 11 12 7 8 9 10 11 12 7 8 8 9 8 9 10 11 12 8 9 10 11 12 8 8 9 10 11 12 8 8 9 10 11 12 8 8 9 10 11 12 8 8 9 10 11 12 8 8 9 10 11 12 8 8 9 10 10 11 12 8 8 9 10 10 11 12 8 8 9 10 10 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 11 11 11 12 8 8 9 10 10 10 10 10 10 10 10 10 10 10 10 10	\$3666 \$4018 \$4288 \$4590 \$5214 \$5878 \$3076 \$3350 \$3562 \$3797 \$4282 \$4797 \$1749 \$1925



Lounge Seat, Full Backrest

Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

Required Specificati	ons	Optional Specifications
Top finish*	Edge finish*	Anodized Aluminum Leg
Chassis finish*		HP laminate*
Fabric		
Metal Finish (legs)		

COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
		D x W x H							
	BRTSE2448BL	24 x 48 x 29	250	46.10	19.33	1	\$1884	7	\$2563
						2	\$1987	8	\$2800
						3	\$2063	9	\$2980
						4	\$2175	10	\$3179
						5	\$2339	11	\$3596
						6	\$2416	12	\$4038
	BRTSE2448BR	24 x 48 x 29	250	46.10	19.33	1	\$1884	7	\$2563
	(shown)					2	\$1987	8	\$2800
						3	\$2063	9	\$2980
						4	\$2175	10	\$3179
						5	\$2339	11	\$3596
						6	\$2416	12	\$4038

Lounge Seat, 24" Offset Backrest

Fully upholstered armless lounge seat with one backrest and metal base. Specify backrest as either left or right side. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2448BODL	24 x 48 x 29	250	46.10	19.33	1	\$2336	7	\$3241
	24 X 40 X 23	230	40.10	13.33				
shown)					2	\$2468	8	\$3554
					3	\$2570	9	\$3794
					4	\$2724	10	\$4065
					5	\$2940	11	\$4618
					6	\$3043	12	\$5206
BRTSE2448BODR	24 x 48 x 29	250	46.10	19.33	1	\$2336	7	\$3241
					2	\$2468	8	\$3554
					3	\$2570	9	\$3794
					4	\$2724	10	\$4065
					5	\$2940	11	\$4618
					6	\$3043	12	\$5206



Lounge Seat, Two 24" Offset Backrests

Fully upholstered armless lounge seat with two offset backrests and metal base. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2148EBL	24 x 48 x 29	250	33	9.67	1	\$2184	7	\$2863
					2	\$2287	8	\$3100
					3	\$2363	9	\$3280
					4	\$2475	10	\$3479
					5	\$2639	11	\$3896
					6	\$2716	12	\$4338
BRTSE2148EBR	24 x 48 x 29	250	46.10	19.33	1	\$2184	7	\$2863
(shown)					2	\$2287	8	\$3100
					3	\$2363	9	\$3280
					4	\$2475	10	\$3479
					5	\$2639	11	\$3896
					6	\$2716	12	\$4338



Lounge Seat, 21" USB Backrest

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 4' long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications Optional Specifications** Fabric Anodized Aluminum Leg

Metal Finish (legs)



Lounge Seat, Two 21" USB Backrests

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	D x W x H							
BRTSE2148E2B	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803

Fully upholstered armless lounge seat with two backrests and metal base. Both 21"w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2148EBODL	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
(shown)					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803
BRTSE2148EBODR	24 x 48 x 29	250	57	19.33	1	\$2934	7	\$3838
					2	\$3066	8	\$4151
					3	\$3165	9	\$4392
					4	\$3319	10	\$4660
					5	\$3536	11	\$5213
					6	\$3641	12	\$5803



Lounge Seat, Two Offset USB Backrests

Fully upholstered armless lounge seat with two offset backrests and metal base. Both 21"w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

BRTSE2124EBL	24 x 24 x 29	250	46.10	19.33	1	\$1538	7	\$2049
					2	\$1614	8	\$2225
					3	\$1673	9	\$2360
					4	\$1757	10	\$2512
					5	\$1879	11	\$2824
					6	\$1939	12	\$3154
BRTSE2124EBR	24 x 24 x 29	250	46.10	19.33	1	\$1538	7	\$2049
(shown)					2	\$1614	8	\$2225
					3	\$1673	9	\$2360
					4	\$1757	10	\$2512
					5	\$1879	11	\$2824
					6	\$1939	12	\$3154



Lounge Seat, 21" USB Backrest

Fully upholstered armless lounge seat with one backrest and metal base. 21"w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.

• Anodized Aluminum Leg - Add \$74 list upcharge

**Required Specifications** 

Fabric

Metal Finish (legs)

Optional Specifications

Anodized Aluminum Leg

12

\$7579

COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
		D x W x H							
	BRTSINT60S	24 x 60 x 29	125	155	24.17	1	\$5294	7	\$6289
						2	\$5422	8	\$6641
						3	\$5535	9	\$6914
						4	\$5709	10	\$7216
						5	\$5952	11	\$7838
						6	\$6068	12	\$8501
	BRTSINT48S	24 x 48 x 29	100	182	19.33	1	\$5065	7	\$5856
						2	\$5181	8	\$6130
						3	\$5271	9	\$6343
						4	\$5406	10	\$6577
						5	\$5596	11	\$7062



**Integrated Lounge Seat, Single-Sided** 

Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5"d back-toback linear table assembly. The single-sided kit consists of 24"x 48" or 24"x 60" seat, full width back, three-sided below worksurface enclosure, 6"d worksurface module with access door, 30"x 48" or 30"x 60"w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

6

\$5685

• Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24"d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side

- Anodized Aluminum Leg Add \$74 list upcharge
- · High pressure laminate Add \$266 list upcharge

24 x 60 x 29 125 155 24.17	1 <b>\$6873</b>	7	\$7890
217.00 / 20 120 100 21.17	2 <b>\$7021</b>	8	\$8242
	3 <b>\$7136</b>	9	\$8512
	4 <b>\$7308</b>	10	\$8814
	5 <b>\$7551</b>	11	\$9438
	6 <b>\$7668</b>	12	\$10103
24 x 48 x 29 100 182 19.33	1 <b>\$6148</b>	7	\$6938
	2 <b>\$6263</b>	8	\$7212
	3 <b>\$6353</b>	9	\$7424
	4 <b>\$6487</b>	10	\$7659
	5 <b>\$6679</b>	11	\$8144
	6 <b>\$6768</b>	12	\$8659



**Integrated Lounge Seat, Double-Sided** 

Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5"d back-to-back linear table assembly. The double-sided kit consists of two 24"x 48" or 24"x 60" seats, full width backs, three-sided below worksurface enclosures, 6"d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6"d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

- Only compatible with back-to-back 30"d worksurfaces (62.5" total depth) supported by Bridges rectangular legs. Not compatible with round legs, 24"d worksurfaces; not compatible with single line table assemblies 24" and 30"d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side.
- Anodized Aluminum Leg Add \$74 list upcharge
- High pressure laminate Add \$266 list upcharge

<b>Required Specifications</b>	
Fabric	
Laminate finish (enclosure)	
Edge finish (enclosure)	
Metal finish (legs)	

**Optional Specifications** Anodized Aluminum Leg HP laminate (enclosure)



**Seat Partitions** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTPP2448L1	28.7 x 53 x 25	300	41	22.01	\$1941	
BRTPP2424L1	28.7 x 29 x 25	250	32	12.04	\$1452	


Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

//	

**Seat Privacy Partitions** 

BRTPP2448L2	28.7 x 53 x 50	400	41	44.01	\$2813
BRTPP2424L2	28.7 x 29 x 50	300	32	24.08	\$2199


Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50"h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.



Square Table Block*

BRTS2424B	24 x 24 x 25	250	32	12.04	\$619	\$90
BRTS2424BP	24 x 24 x 25	125	59.30	8.33	\$1231	\$90

Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.



**Square Table Block Ganging Bracket Kit** 

BRTSTBG	2.4 x 5 x 1.1	70	.05	.01	\$47	n/a

Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.

.03

.01

\$21



**Ganging Bracket Kit** 

70

Two ganging brackets connect seat temporarily to adjacent in-line seat or 24"d bridges storage. Black powdercoat finish.

#### **Required Specifications**

1.3 x 6 x .1

Fabrio

BRTSTSB

n/a



Inline 6" Block

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BRTS2406B	24 x 6 x 25	92.5	21	2.08	\$531	\$47
BRTS2406BP	24 x 6 x 25	92.5	23.30	2.08	\$1144	\$47
BRTS2406B2P	24 x 6 x 25	92.5	24.30	2.08	\$1758	\$47
BRTS2406BT	24 x 6 x 25	85	25.60	2.08	\$1014	\$47
BRTS2406BPT	24 x 6 x 25	92.5	24.30	2.08	\$1627	\$47

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side fo the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.


• BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

#### BRTS2406B




Inline table - no power module or swivel arm

#### BRTS2406BP



Inline table w/front power module

#### BRTS2406B2P



Inline table w/front and rear power module

#### BRTS2406BT



Inline table w/swivel tablet arm



Inline table w/front power module and swivel tablet arm

## **Required Specifications**



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



#### **Features and Benefits**

- · Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s)
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics

#### **GENERAL INFORMATION**

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts to support the partitions
  - Partitioning screens a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
  - Transaction tops laminate tops ideal for creating reception stations
- For environmental certifications, please visit globalfurnituregroup.com
- Model numbers reflect total width of panel and posts

#### **DIVIDE POSTS**

- Available in 6 standard heights:
- 12" high to create **semi-private** spaces and to support Transaction Tops
- 18" high to create **semi-private** spaces and to support Transaction Tops
- 24" high to create semi-private spaces
- 30" high to create semi-private spaces
- 36" high to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
- 42" high to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate,
   1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut).
   2 divide posts are required per partitioning panel.
- Available in Black (BLK) or Tungsten (TUN) finish, please specify.

#### PARTITIONING SCREENS

- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
- Laminate: available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom is Black (BLK) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as SCP2 after model #. Woodgrain direction is horizontal for all sizes.
- Glazed: choice of ribbed or frosted glazing. Frosted material is 3mm thick Acrylic
  P95; Ribbed material is 10mm thick multiwall UV protected polycarbonate. Top and
  bottom rail are optional in Black (BLK) or Tungsten (TUN) finish, please specify.
   Top rail is designed to accommodate off-desk accessories. Glazed panels are also
  available with 4" raised bottom for pass-through option.
- Fabric: available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (BLK) or Tungsten (TUN), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only.
   For pricing, contact Specials.

#### TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge. Please specify (see right column).





A3 1" top, standard

AR 1" top, bicut edge







C3 1.5" top, standard

CR 1.5" top, bicut edge

CF 1.5" top, fluted edge

- · Includes all necessary flat mounting plates and joining plates.
- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
- · Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside
  of the surface with a kraft paper backing.

#### LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## FABRICS (fabric screens)

Fabric screens can be upholstered in the following fabrics only:

- Anchorage
- Imprint
- Lola
- Merge

## D DIVIDE™ - NOTES

#### **PLEASE NOTE:**

- Divide screens cannot be centered between two back to back worksurfaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel






**Correct Installation** 


Incorrect Installation

#### **HOW TO ORDER DIVIDE SCREENS**




^{*}NOTE: Number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

#### PARTS AND COMPONENTS



#### **INSTALLATION IS AS SIMPLE AS 1...2...3**

- 1) Attach the threaded **Post Mounting Plate** with enclosed screws to the top side of the worksurface.
- 2) **Divider Post** is bolted to the Mounting Plate.
- 3) Top Cap is attached to the top of the Divide Post.



## DIVIDE™

**FABRIC PANELS** 




Fabric Panel - 12" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
	D x W x H								
DTB1220	.68 x 14.8 x 12	92.5	3	.30	\$270	\$303	\$330	\$370	\$421
DTB1224	.68 x 18.9 x 12	85	4	.30	\$282	\$315	\$340	\$374	\$430
DTB1229	.68 x 24.5 x 12	92.5	4	.40	\$299	\$335	\$359	\$399	\$449
DTB1230	.68 x 24.8 x 12	85	5	.40	\$299	\$335	\$359	\$399	\$449
DTB1236	.68 x 30.8 x 12	85	5	.40	\$332	\$366	\$390	\$426	\$478
DTB1242	.68 x 36.8 x 12	85	6	.50	\$386	\$420	\$444	\$478	\$534
DTB1248	.68 x 42.8 x 12	92.5	7	.60	\$418	\$450	\$476	\$509	\$564
DTB1260	.68 x 54.8 x 12	85	9	.70	\$447	\$481	\$507	\$543	\$597
DTB1266	.68 x 60.8 x 12	85	10	.80	\$472	\$505	\$532	\$566	\$620
DTB1272	.68 x 66.8 x 12	85	11	.80	\$502	\$536	\$562	\$596	\$650

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB1820	.68 x 14.8 x 18	85	4	.30	\$299	\$335	\$359	\$399	\$449
DTB1824	.68 x 18.9 x 18	85	5	.40	\$314	\$346	\$372	\$405	\$460
DTB1829	.68 x 24.5 x 18	85	6	.50	\$332	\$366	\$390	\$426	\$478
DTB1830	.68 x 24.8 x 18	85	6	.50	\$332	\$366	\$390	\$426	\$478
DTB1836	.68 x 30.8 x 18	92.5	7	.60	\$386	\$420	\$444	\$478	\$534
DTB1842	.68 x 36.8 x 18	92.5	8	.70	\$422	\$455	\$479	\$513	<b>\$566</b>
DTB1848	.68 x 42.8 x 18	85	10	.80	\$447	\$481	\$507	\$543	\$597
DTB1860	.68 x 54.8 x 18	85	12	.90	\$472	\$505	\$532	\$566	\$620
DTB1866	.68 x 60.8 x 18	85	14	1	\$502	\$536	\$562	\$596	\$650
DTB1872	.68 x 66.8 x 18	85	14	1.10	\$562	\$596	\$622	\$658	\$712



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB2420	.68 x 14.8 x 24	92.5	4	.40	\$332	\$366	\$390	\$426	\$478
DTB2424	.68 x 18.9 x 24	100	4	.50	\$332	\$366	\$390	\$426	\$478
DTB2429	.68 x 24.5 x 24	92.5	6	.60	\$386	\$420	\$444	\$478	\$534
DTB2430	.68 x 24.8 x 24	92.5	6	.60	\$386	\$420	\$444	\$478	\$534
DTB2436	.68 x 30.8 x 24	92.5	7	.70	\$418	\$450	\$476	\$509	\$564
DTB2442	.68 x 36.8 x 24	92.5	8	.80	\$447	\$481	\$507	\$543	\$597
DTB2448	.68 x 42.8 x 24	92.5	9	.90	\$472	\$505	\$532	\$566	\$620
DTB2460	.68 x 54.8 x 24	92.5	11	1.10	\$502	\$536	\$562	\$596	\$650
DTB2466	.68 x 60.8 x 24	92.5	12	1.20	\$562	\$596	\$622	\$658	\$712
DTB2472	.68 x 66.8 x 24	92.5	14	1.40	\$611	\$645	\$672	\$705	\$761

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

	11
ľ	10

Fabric Panel - 18" High

Fabric Panel - 24" High

**Required Specifications** 

Fabric

Rail Finish

**FABRIC PANELS** 


Fabric Panel - 36" High*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR. 3	GR. 4	GR. 5
	D x W x H								
DTB3620	.68 x 14.8 x 36	92.5	6	.60	\$409	\$435	\$455	\$485	\$528
DTB3624	.68 x 18.9 x 36	92.5	7	.70	\$409	\$435	\$455	\$485	\$528
DTB3629	.68 x 24.5 x 36	92.5	9	.90	\$552	\$578	\$598	\$628	\$671
DTB3630	.68 x 24.8 x 36	92.5	9	.90	\$552	\$578	\$598	\$628	\$671
DTB3636	.68 x 30.8 x 36	92.5	10	1	\$623	\$650	\$670	\$700	\$743
DTB3642	.68 x 36.8 x 36	92.5	12	1.20	\$668	\$694	\$714	\$744	\$787
DTB3648	.68 x 42.8 x 36	92.5	14	1.30	\$779	\$805	\$825	\$855	\$898
DTB3660	.68 x 54.8 x 36	92.5	17	1.60	\$908	\$934	\$954	\$984	\$1027
DTB3666	.68 x 60.8 x 36	92.5	19	1.80	\$1012	\$1039	\$1059	\$1089	\$1132
DTB3672	.68 x 66.8 x 36	92.5	21	1.90	\$1070	\$1096	\$1116	\$1146	\$1189

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS						LIST PRICE	
	DGP1220	.68 x 14.8 x 12	125	2	.30	\$265	
	DGP1224	.68 x 18.9 x 12	92.5	3	.30	\$282	
	DGP1229	.68 x 24.5 x 12	125	3	.40	\$335	
	DGP1230	.68 x 24.8 x 12	92.5	4	.40	\$335	
AA	DGP1236	.68 x 30.8 x 12	92.5	4	.40	\$389	
	DGP1242	.68 x 36.8 x 12	92.5	5	.50	\$442	
	DGP1248	.68 x 42.8 x 12	100	5	.60	\$522	
	DGP1260	.68 x 54.8 x 12	92.5	7	.70	\$611	
	DGP1266	.68 x 60.8 x 12	100	7	.80	\$668	
	DGP1272	.68 x 66.8 x 12	92.5	8	.80	\$723	



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

DRGP1220	.68 x 14.8 x 12	60	2	.02	\$236
DRGP1224	.68 x 18.9 x 12	60	3	.03	\$274
DRGP1229	.68 x 24.5 x 12	60	3	.03	\$322
DRGP1230	.68 x 24.8 x 12	60	4	.03	\$322
DRGP1236	.68 x 30.8 x 12	60	4	.04	\$377
DRGP1242	.68 x 36.8 x 12	60	5	.05	\$427
DRGP1248	.68 x 42.8 x 12	60	5	.05	\$507
DRGP1260	.68 x 54.8 x 12	60	7	.07	\$600
DRGP1266	.68 x 60.8 x 12	60	7	.07	\$655
DRGP1272	.68 x 66.8 x 12	60	8	.08	\$711




- Top and bottom rail optional in BlacBlack (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

Required	Specifications

Fabric* Glaze**

Rail Finish




Glazed Panel - 12" High**

Glazed Panel - 12" High, Raised**

## DIVIDE™

**GLAZED PANELS** 



Glazed Panel - 18" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
DGP1820	.68 x 14.8 x 18	92.5	3	.30	\$296	
DGP1824	.68 x 18.9 x 18	125	3	.40	\$320	
DGP1829	.68 x 24.5 x 18	100	4	.50	\$374	
DGP1830	.68 x 24.8 x 18	100	4	.50	\$374	
DGP1836	.68 x 30.8 x 18	100	5	.60	\$432	
DGP1842	.68 x 36.8 x 18	125	5	.70	\$482	
DGP1848	.68 x 42.8 x 18	125	6	.80	\$578	
DGP1860	.68 x 54.8 x 18	100	8	.90	\$691	
DGP1866	.68 x 60.8 x 18	100	8	1	\$747	
DGP1872	.68 x 66.8 x 18	100	9	1.10	\$807	

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

DRGP1820	.68 x 14.8 x 18	60	3	.03	\$274	
DRGP1824	.68 x 18.9 x 18	60	3	.04	\$310	
DRGP1829	.68 x 24.5 x 18	60	4	.05	\$359	
DRGP1830	.68 x 24.8 x 18	60	4	.05	\$359	
DRGP1836	.68 x 30.8 x 18	60	5	.06	\$422	
DRGP1842	.68 x 36.8 x 18	60	5	.06	\$470	
DRGP1848	.68 x 42.8 x 18	60	6	.07	\$563	
DRGP1860	.68 x 54.8 x 18	60	8	.09	\$673	
DRGP1866	.68 x 60.8 x 18	100	8	1	\$729	
DRGP1872	.68 x 66.8 x 18	100	9	1.10	\$790	



- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).

	DGP2420	.68 x 14.8 x 24	125	3	.40	\$
	DGP2424	.68 x 18.9 x 24	100	4	.50	\$
	DGP2429	.68 x 24.5 x 24	125	4	.60	\$
	DGP2430	.68 x 24.8 x 24	100	5	.60	\$
	DGP2436	.68 x 30.8 x 24	125	5	.70	\$
	DGP2442	.68 x 36.8 x 24	125	6	.80	\$
	DGP2448	.68 x 42.8 x 24	125	7	.90	\$
	DGP2460	.68 x 54.8 x 24	100	9	1.10	5
	DGP2466	.68 x 60.8 x 24	100	10	1.20	\$
	DGP2472	.68 x 66.8 x 24	125	10	1.40	\$
<i>" </i>						

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).



Glazed Panel - 18" High, Raised

Glazed Panel - 24" High

**Required Specifications** 

Glaze

Rail finish

\$320 \$358 \$429 \$429 \$495 \$562 \$660 \$801 \$874


**GLAZED PANELS** 

Glazed Panel - 24" High, Raised

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
DRGP2420	.68 x 14.8 x 24	60	3	.04	\$310
DRGP2424	.68 x 18.9 x 24	60	4	.05	\$348
DRGP2429	.68 x 24.5 x 24	60	4	.06	\$415
DRGP2430	.68 x 24.8 x 24	60	5	.06	\$415
DRGP2436	.68 x 30.8 x 24	60	5	.07	\$483
DRGP2442	.68 x 36.8 x 24	60	6	.08	\$550
DRGP2448	.68 x 42.8 x 24	60	7	.09	\$642
DRGP2460	.68 x 54.8 x 24	100	9	1.10	\$785
DRGP2466	.68 x 60.8 x 24	100	10	1.20	\$857
DRGP2472	.68 x 66.8 x 24	125	10	1.30	\$926

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).




Glazed Panel - 36" High

DGP3620	.68 x 14.8 x 36	125	4	.60	\$389	
DGP3624	.68 x 18.9 x 36	150	4	.70	\$429	
DGP3629	.68 x 24.5 x 36	150	5	.90	\$512	
DGP3630	.68 x 24.8 x 36	125	6	.90	\$512	
DGP3636	.68 x 30.8 x 36	125	7	1	\$604	
DGP3642	.68 x 36.8 x 36	125	8	1.20	\$691	
DGP3648	.68 x 42.8 x 36	125	9	1.30	\$807	
DGP3660	.68 x 54.8 x 36	125	11	1.60	\$974	
DGP3666	.68 x 60.8 x 36	125	12	1.80	\$1061	
DGP3672	.68 x 66.8 x 36	125	13	1.90	\$1145	

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).



Glazed Panel - 36" High, Raised

DRGP3620	.68 x 14.8 x 36	60	4	.06	\$377
DRGP3624	.68 x 18.9 x 36	60	4	.07	\$415
DRGP3629	.68 x 24.5 x 36	60	5	.08	\$501
DRGP3630	.68 x 24.8 x 36	60	6	.08	\$501
DRGP3636	.68 x 30.8 x 36	125	7	1	\$593
DRGP3642	.68 x 36.8 x 36	125	8	1.10	\$673
DRGP3648	.68 x 42.8 x 36	125	9	1.30	\$790
DRGP3660	.68 x 54.8 x 36	125	11	1.60	\$950
DRGP3666	.68 x 60.8 x 36	125	12	1.70	\$1036
DRGP3672	.68 x 66.8 x 36	125	13	1.90	\$1122

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).


#### **Required Specifications**

Glaze

Rail finish

## DIVIDE™

LAMINATE PANELS



Laminate Panel - 12" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
DLP1220	.68 x 14.8 x 12	70	5	.30	\$88	
DLP1224	.68 x 18.9 x 12	70	5	.30	\$104	
DLP1229	.68 x 24.5 x 12	70	7	.40	\$131	
DLP1230	.68 x 24.8 x 12	70	7	.40	\$131	
DLP1236	.68 x 30.8 x 12	70	8	.40	\$144	
DLP1242	.68 x 36.8 x 12	70	10	.50	\$164	
DLP1248	.68 x 42.8 x 12	70	11	.60	\$184	
DLP1260	.68 x 54.8 x 12	70	14	.70	\$199	
DLP1266	.68 x 60.8 x 12	70	16	.80	\$219	
DLP1272	.68 x 66.8 x 12	70	17	.80	\$247	

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

DLP1820	.68 x 14.8 x 18	65	7	.30	\$106	
DLP1824	.68 x 18.9 x 18	70	8	.40	\$120	
DLP1829	.68 x 24.5 x 18	70	10	.50	\$142	
DLP1830	.68 x 24.8 x 18	70	10	.50	\$142	
DLP1836	.68 x 30.8 x 18	70	12	.60	\$161	
DLP1842	.68 x 36.8 x 18	70	15	.70	\$184	
DLP1848	.68 x 42.8 x 18	70	17	.80	\$213	
DLP1860	.68 x 54.8 x 18	65	21	.90	\$233	
DLP1866	.68 x 60.8 x 18	65	23	1	\$256	
DLP1872	.68 x 66.8 x 18	65	25	1.10	\$282	

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

DLP2420	.68 x 14.8 x 24	65	9	.40	\$120	
DLP2424	.68 x 18.9 x 24	70	11	.50	\$130	
DLP2429	.68 x 24.5 x 24	70	13	.60	\$161	
DLP2430	.68 x 24.8 x 24	70	13	.60	\$161	
DLP2436	.68 x 30.8 x 24	65	16	.70	\$178	
DLP2442	.68 x 36.8 x 24	65	19	.80	\$207	
DLP2448	.68 x 42.8 x 24	65	22	.90	\$236	
DLP2460	.68 x 54.8 x 24	65	28	1.10	\$265	
DLP2466	.68 x 60.8 x 24	65	30	1.20	\$295	
DLP2472	.68 x 66.8 x 24	65	33	1.40	\$323	

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post MUST be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.

/	الر

Laminate Panel - 18" High

Laminate Panel - 24" High

**Required Specifications** 

Laminate finish. Note: woodgrain finishes are horizontal on all sizes.

Laminate Panel - 36" High*

LAMINATE PANELS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
DLP3620	.68 x 14.8 x 36	70	13	.60	\$146
DLP3624	.68 x 18.9 x 36	65	16	.70	\$161
DLP3629	.68 x 24.5 x 36	70	20	.90	\$197
DLP3630	.68 x 24.8 x 36	70	20	.90	\$197
DLP3636	.68 x 30.8 x 36	65	24	1	\$227
DLP3642	.68 x 36.8 x 36	65	28	1.20	\$262
DLP3648	.68 x 42.8 x 36	65	33	1.30	\$295
DLP3660	.68 x 54.8 x 36	65	41	1.60	\$339
DLP3666	.68 x 60.8 x 36	65	45	1.80	\$374
DLP3672	.68 x 66.8 x 36	65	50	1.90	\$411

Includes matching filler panel. Scoop option (SCP2) available, Add \$42. Ships 1 set per carton. Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface.

- Model # depicts size of worksurface to be used on see NOTES on page 378 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (BLK) only.


	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DPOST12	1.68 x 1.68 x 12	70	2	.10	\$121	
6	DPOST18	1.68 x 1.68 x 18	70	2	.10	\$164	
	DPOST24	1.68 x 1.68 x 24	60	3	.10	\$214	
	DPOST30	1.68 x 1.68 x 30	60	4	.10	\$296	
	DPOST36	1.68 x 1.68 x 36	70	4	.20	\$339	
	DPOST42	1.68 x 1.68 x 42	65	5	.20	\$377	
	•	ide posts per panel mounted 1.063" from wo	rksurface edge.				
	Divide post is	mounted 1.063" from wo			F0	407	
	Divide post is  DFS12	mounted 1.063" from wo	150	2	.50	\$67	
	Divide post is  DFS12 DFS18	1.43 x .75 x 12 1.43 x .75 x 18	150 150	2	.50	\$67	
	• Divide post is  DFS12 DFS18 DFS24	1.43 x .75 x 12 1.43 x .75 x 18 1.43 x .75 x 24	150 150 150	2	.50 .50	\$67 \$67	
	• Divide post is  DFS12 DFS18 DFS24 DFS30	1.43 x .75 x 12 1.43 x .75 x 18 1.43 x .75 x 24 1.43 x .75 x 30	150 150 150 150	2 2 2	.50 .50 .50	\$67 \$67 \$71	
	• Divide post is  DFS12 DFS18 DFS24	1.43 x .75 x 12 1.43 x .75 x 18 1.43 x .75 x 24	150 150 150	2	.50 .50	\$67 \$67	

Required Specifications
Laminate finish*. Note: woodgrain finishes are horizontal on all sizes.

#### TRANSACTION TOPS

#### DxWxH

- To order a radius end on one side of a transaction top, add the suffix "D" to the model number (ex. DATT30D). Add a 15% upcharge.
- To order a radius end on both sides of a transaction top, add the suffix "DD" to the model number (ex. DATT30DD). Add a 20% upcharge.
- Each radius end adds a 6" overhang per side (see illustrations below).




Transaction top is offset 6" from edge of worksurface in both directions.

Transaction top is offset 4" from the center of divider post towards the inside and 8" towards the outside.


#### **Transaction Top Offset**

- 4" from the center of the Divider Post to the inside of worksurface
- 8" from the center of the Divider Post to the outside of worksurface




#### Two Way Connector Transaction Top (DATT2W/DCTT2W)

Use with a corner worksurface to link transaction tops together.



#### Radius End Transaction Top - one side

Add suffix "D" to model number for radius end on one side.



#### Radius End Transaction Top - two sides

Add suffix "DD" to model number for radius end on both sides.

STRAIGHT TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
<u> </u>							
	DATT14	12 x 14 x 1	65	7	.30	\$264	
	DATT18	12 x 18 x 1	70	8	.40	\$264	
	DATT20	12 x 20 x 1	70	9	.50	\$264	
	DATT23	12 x 23 x 1	70	10	.50	\$300	
	DATT24	12 x 24 x 1	70	10	.50	\$300	
	DATT29	12 x 29 x 1	70	12	.60	\$321	
	DATT30	12 x 30 x 1	70	12	.60	\$321	
	DATT36	12 x 36 x 1	70	14	.70	\$339	
	DATT42	12 x 42 x 1	70	16	.80	\$358	
	DATT48	12 x 48 x 1	70	18	.90	\$358	
	DATT54	12 x 54 x 1	70	21	1	\$404	
	DATT60	12 x 60 x 1	70	23	1.10	\$404	
	DATT66	12 x 66 x 1	70	25	1.20	\$451	
	DATT72	12 x 72 x 1	70	27	1.30	\$451	



Straight Transaction Top - 1" thick

12" deep x 1" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Add "D" to model number for radius end on one side, ADD 15% upcharge.
- Add "DD" to model number for radius end on both sides, ADD 20% upcharge.
- Each radius adds 6" overhang per side.

Req	uired	S	pe	cifi	cat	ions

Laminate Finish Edge Detail

**Optional Specifications** 

Radius End

		1	
	1		/

TRANSACTION TOPS

Straight Transaction Top - 11/2" thick

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DCTT14	12 x 14 x 1.5	60	9	.30	\$367	
DCTT18	12 x 18 x 1.5	65	11	.40	\$367	
DCTT20	12 x 14.8 x 1.5	65	12	.50	\$367	
DCTT23	12 x 23 x 1.5	65	14	.50	\$426	
DCTT24	12 x 18.9 x 1.5	65	14	.50	\$426	
DCTT29	12 x 24.5 x 1.5	65	17	.60	\$453	
DCTT30	12 x 30 x 1.5	65	17	.60	\$453	
DCTT36	12 x 36 x 1.5	65	20	.70	\$475	
DCTT42	12 x 42 x 1.5	65	23	.80	\$475	
DCTT48	12 x 48 x 1.5	65	26	.90	\$475	
DCTT54	12 x 54 x 1.5	65	29	1	\$540	
DCTT60	12 x 60 x 1.5	65	32	1.10	\$540	
DCTT66	12 x 66 x 1.5	65	35	1.20	\$591	
DCTT72	12 x 72 x 1.5	65	38	1.30	\$591	

12" deep x 1½" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Add "D" to model number for radius end on one side, ADD 15% upcharge.
- Add "DD" to model number for radius end on both sides, ADD 20% upcharge.
- Each radius adds 6" overhang per side.

GALLERY CORNER TRANSACTIO
3612

Gallery Corner Transaction Top - 1" thick

N TOPS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DA1GC36	36 x 36 x 1	125	32	5	\$806	
DA1GC42	42 x 42 x 1	150	38	6.50	\$806	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

• Woodgrain runs in one direction.



Gallery Corner Transaction Top - 11/2" thick

DC1GC36	36 x 36 x 1.5	100	43	5	\$1003	
DC1GC42	42 x 42 x 1.5	125	50	6.50	\$1003	

One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

• Woodgrain runs in one direction.

2 PIECE GALLERY CORNER TRANSACTION T	OPS

2 Piece Gallery Corner	
Transaction Top - 1" thic	k

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DA2GC36	36 x 36 x 1	70	29	1.90	\$572	
DA2GC42	42 x 42 x 1	70	33	1.90	\$572	

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.


• Woodgrain runs in two directions.

Required	Specifications
Laminate F	inish

**Optional Specifications** Radius End (DCTT models)

Edge Detail

## DIVIDE™



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DC2GC36	36 x 36 x 1.5	70	39	1.90	\$768	
DC2GC42	42 x 42 x 1.5	65	45	1.90	\$768	

#### 2 Piece Gallery Corner Transaction Top - 11/2" thick

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

· Woodgrain runs in two directions.

2-WAY CONNECTOR TRANSACTION TOPS

#### 2-Way Connector Transaction Top - 1" thick

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE 6 \$361 DATT2W 12 x 12 x 1 70 .30

necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton. · Woodgrain runs diagonally.

65

7

.30

\$422

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all

12 x 12 x 1.5

DCTT2W




2-Way Connector Transaction Top - 11/2" thick

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all

necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

· Woodgrain runs diagonally.

### 4-WAY CONNECTOR TRANSACTION TOPS




4-Way Connector Transaction Top - 1" thick

DATT4W	12 x 12 x 1	65	8	.30	\$385	

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

· Woodgrain runs diagonally.



4-Way Connector Transaction Top - 11/2" thick

DCTT4W 12 x 12 x 1.5 60 10 .30 \$494

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

· Woodgrain runs diagonally.

#### **Required Specifications**

Laminate Finish Edge Detail


# personal storage



Sidebar Storage

456





Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.

#### **Features and Benefits**

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting



Foot options



Stack-on storage



Low credenza storage with cushion

#### **GENERAL INFORMATION**

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time please refer to model # for availability and pricing.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick thermally fused laminate (TFL) or optional 1-1/16" thick high pressure laminate (HPL) available in a variety of edge details
- All finishes feature edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain)
- Constructed of 45 lb. density particleboard covered on both sides with high
  performance thermally fused laminate (TFL) or high pressure laminate surfaces (HPL)
- · Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides
- Products specified with the high pressure laminate option (HPL) are finished on the underside of the surface with a kraft paper backing.

#### **STORAGE**

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- All shelves are fixed

#### FEET

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black (BLK) feet).
- If no handle selection is available, legs and feet are available in Tungsten (TTU) or Black (TBL)

#### LOCKS

 Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

#### SHIPPING

 Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

globalfurnituregroup.com globa

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops (upcharge applies)

#### 3. SPECIFY FINISH

Top/Base/Door, Drawer and Cabinet Finishes:						
ACJ	Absolute Acajou	FCL	First Class			
ASN	Asian Night	NBL	Noce Biondo			
AWC	Avant Cherry	NGL	Noce Grigio			
AWH	Avant Honey	NEL	Noce Leggero			
BLK	Black	NML	Noce Medio			
BZD	Blizzard	QTM	Quartered Mahogany			
BRC	Brushed Cobalt	SBY	Sheer Beauty			
CMB	Clear Maple	SDT	Stonedust			
CGY	Custom Grey	SOG	Storm Grey			
DES	Dark Espresso	WHE	Walnut Heights			
DWT	Designer White	WHC	White Chocolate			
FAS	Fashionista	WCR	Winter Cherry			

#### Edge:

AB Split color edge with Black Trim AS Split color edge with Silver Trim А3 Standard edge

AR Bicut edge

#### Feet:

Storage Feet are available in Tungsten (TTU) or Black (TBL).

#### 4. SPECIFY OPTIONS

#### **EDGE OPTIONS**



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black

• Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be **factory installed**. Each handle is identified by the letters "HU", "HV", "HW", "HX" "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code after the model number. To order a handle as an option, please specify the code when ordering. List Price is \$47.



**HV** Square Edge Silver



**HU** Square Edge Black



**HQ** Bar Silver

**HR** Bar Black

**HX** Flared Black



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
S1619MP	19 x 16 x 25	85	76	6	\$989	n/a	
S1623MP	23 x 16 x 25	92.5	82	7	\$1028	n/a	

Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.

• File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MOBILE PEDESTAL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	CU1517	17 x 15 x 1.5	125	6	.90	1	\$145	7	\$414
						2	\$188	8	\$507
						3	\$217	9	\$579
						4	\$263	10	\$657
						5	\$325	11	\$820
						6	\$357	12	\$998
	CU1520	20 x 15 x 1.5	70	1	1	1	\$156	7	\$423
						2	\$196	8	\$517
						3	\$226	9	\$588
						4	\$273	10	\$667
						5	\$336	11	\$831
<b>\</b>						6	\$365	12	\$1008




Cushion attaches with Velcro strips. • CU1517 for use on S1619MP. CU1520 for use on S1623MP.


# Required Specifications Top finish*

Drawer front finish* Handles* Fabric**


## **S** SIDEBAR STORAGE




	_	
Low	Boo	kcase



2 High Bookcase



3 High Bookcase



4 High Bookcase



2 High Lateral File



3 High Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
S3012A0	12 x 30 x 22.85	125	49	7	\$618	n/a	
S3612A0	12 x 36 x 22.85	125	61	8.25	\$715	n/a	

Open bookcases accommodate binders in every cavity. One fixed shelf. 36"w units feature a fixed vertical divider.

S3012D0	12 x 30 x 36.35	125	77	10.50	\$853	n/a
S3612D0	12 x 36 x 36.35	125	94	12.50	\$989	n/a

Open bookcases accommodate binders in every cavity. Two fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 2

S3012F0	12 x 30 x 49.85	125	102	14	\$1028	n/a
S3612F0L	12 x 36 x 49.85	125	127	16.50	\$1218	n/a
S3612FOR	12 x 36 x 49.85	125	127	16.50	\$1218	n/a

Open bookcases accommodate binders in every cavity. Three fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 3

S3012H0	12 x 30 x 63.35	125	129	17.50	\$1218	n/a
S3612H0L	12 x 36 x 63.35	125	161	20.75	\$1467	n/a
S3612HOR	12 x 36 x 63.35	125	161	20.75	\$1467	n/a

Open bookcases accommodate binders in every cavity. Four fixed shelves. 36"w units feature a fixed vertical divider. Matches Tigr 4

S3020DZ	20 x 30 x 36.35	100	142	16.50	\$1668	n/a
S3024DZ	24 x 30 x 36.35	125	149	19.50	\$1760	n/a
S3620DZ	20 x 36 x 36.35	125	153	19.50	\$1805	n/a
S3624DZ	24 x 36 x 36.35	125	168	23.35	\$1902	n/a

Two file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 2.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S3020FZ	20 x 30 x 49.85	100	191	22	<b>\$2051</b> n/a	
S3024FZ	24 x 30 x 49.85	125	198	26	<b>\$2158</b> n/a	
S3620FZ	20 x 36 x 49.85	125	203	26	<b>\$2223</b> n/a	
S3624FZ	24 x 36 x 49.85	125	221	31	<b>\$2340</b> n/a	

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 3.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

#### **Required Specifications**

Top finish
Top/edge detail
Base finish
Drawer Front Finish (Units w/doors)

Handles Leg Finish (Bookcases only) Shelf Finish (Open Units)



3 High Lateral File - Open

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
S3020HZ	20 x 30 x 63.35	100	239	27.50	\$2524	n/a	
S3024HZ	24 x 30 x 63.35	125	246	32.50	\$2645	n/a	
S3620HZ	20 x 36 x 63.35	125	253	32.75	\$2733	n/a	
S3624HZ	24 x 36 x 63.35	125	275	38.75	\$2868	n/a	

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S3020DX	20 x 30 x 36.35	125	122	16.50	\$1295	n/a
S3024DX	24 x 30 x 36.35	125	139	19.50	\$1395	n/a
S3620DX	20 x 36 x 36.35	125	151	19.50	\$1519	n/a
S3624DX	24 x 36 x 36.35	125	173	23	\$1656	n/a

S3020HX	20 x 30 x 63.35	125	212	27.50	\$1923	n/a
S3024HX	24 x 30 x 63.35	125	241	32.50	\$2086	n/a

Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2. S3020FX 125 167 22 \$1605 20 x 30 x 49.85 n/a S3024FX \$1732 24 x 30 x 49.85 125 190 26 n/a S3620FX 20 x 36 x 49.85 100 209 23.75 \$1902 n/a 125 \$2082 S3624FX 24 x 36 x 49.85 238 30.75 n/a Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3.

S3020HX	20 x 30 x 63.35	125	212	27.50	\$1923	n/a
S3024HX	24 x 30 x 63.35	125	241	32.50	\$2086	n/a


Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4.

	^
<	
Sol	B

2 High Storage Cabinet



3 High Storage Cabinet




**4 High Storage Cabinet** 

**Required Specifications** 

Top finish Top/edge detail Base finish Door / Drawer Front Finish Handles

## SIDEBAR STORAGE



Low Credenza - Lateral Drawer

left

right

Low Credenza - Lateral Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S4220ASL	20 x 42 x 22.85	125	110	15	\$1245	\$200
S4224ASL	24 x 42 x 22.85	125	123	17.50	\$1335	\$234
S4820ASL	20 x 48 x 22.85	125	121	17	\$1347	\$234
S4824ASL	24 x 48 x 22.85	125	136	20	\$1440	\$264
S4220ASR	20 x 42 x 22.85	125	110	15	\$1245	\$200
S4224ASR	24 x 42 x 22.85	125	123	17.50	\$1335	\$234
S4820ASR	20 x 48 x 22.85	125	121	17	\$1347	\$234
S4824ASR	24 x 48 x 22.85	125	136	20	\$1440	\$264

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42"w cabinet has a 30"w lateral drawer.
- 48"w cabinet has a 36"w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S6020ASL	20 x 60 x 22.85	125	138	21	\$1484	\$299
S6024ASL	24 x 60 x 22.85	125	156	24.75	\$1588	\$331
S7220ASL	20 x 72 x 22.85	125	159	20.75	\$1656	\$331
S7224ASL	24 x 72 x 22.85	125	179	25	\$1764	\$396
S6020ASR	20 x 60 x 22.85	125	138	21	\$1484	\$299
S6024ASR	24 x 60 x 22.85	125	156	24.75	\$1588	\$331
S7220ASR	20 x 72 x 22.85	125	159	20.75	\$1656	\$331
S7224ASR	24 x 72 x 22.85	125	179	25	\$1764	\$396

Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 60"w cabinet has a 30"w lateral drawer.
- 72"w cabinet has a 36"w lateral drawer.
- · Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MEDIUM CREDENZAS

Medium Credenza - Box/File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
S3020BZ	20 x 30 x 29.6	100	113	13.75	\$1322	\$167	
S3024BZ	24 x 30 x 29.6	125	126	16.25	\$1407	\$167	
S3620BZ	20 x 36 x 29.6	125	128	16.25	\$1446	\$167	
S3624BZ	24 x 36 x 29.6	100	142	16.75	\$1532	\$200	

Wide box and lateral file. Handles are standard. Lock secures both drawers.

• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



Medium Credenza w/Lateral File

S3020BY	20 x 30 x 29.6	100	116	13.75	\$1255	\$167
S3024BY	24 x 30 x 29.6	100	131	16.25	\$1354	\$167
S3620BY	20 x 36 x 29.6	100	132	16.25	\$1382	\$167
S3624BY	24 x 36 x 29.6	100	149	16.75	\$1484	\$200

Handles

Open cavity and lateral file. Handles are standard. Standard with lock.


• Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required	Specifications	

Top finish
Top/edge detail
Base finish
Door/drawer front finish

Optional Specifications

HP laminate




Medium Credenza - Box/Lateral File

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S4220BSL	20 x 42 x 29.6	125	142	18.75	\$1564	\$200
S4224BSL	24 x 42 x 29.6	125	160	22	\$1668	\$234
S4820BSL	20 x 48 x 29.6	125	155	21.25	\$1695	\$234
S4824BSL	24 x 48 x 29.6	125	173	25	\$1805	\$264
S4220BSR	20 x 42 x 29.6	125	142	18.75	\$1564	\$200
S4224BSR	24 x 42 x 29.6	125	160	22	\$1668	\$234
S4820BSR	20 x 48 x 29.6	125	155	21.25	\$1695	\$234
S4824BSR	24 x 48 x 29.6	125	173	25	\$1805	\$264

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42"w credenza has a 30"w box/lateral file
- 48"w credenza has a 36"w box/lateral file
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.



**Medium Credenza - Mixed Drawers** 

S4220BQL	20 x 42 x 29.6	100	165	18.75	\$1989	\$200
S4224BQL	24 x 42 x 29.6	100	184	22	\$2112	\$234
S4820BQL	20 x 48 x 29.6	100	179	21.25	\$2116	\$234
S4824BQL	24 x 48 x 29.6	100	184	22	\$2112	\$264
S4220BQR	20 x 42 x 29.6	100	165	18.75	\$1989	\$200
S4224BQR	24 x 42 x 29.6	100	184	22	\$2112	\$234
S4820BQR	20 x 48 x 29.6	100	179	21.25	\$2116	\$234
S4824BQR	24 x 48 x 29.6	100	184	22	\$2112	\$264

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.

- 42"w credenza has a 30"w lateral drawer
- 48"w credenza has a 36"w lateral drawer
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


Handles

|--|

Top finish Top/edge detail Base finish Door/drawer front finish **Optional Specifications** 

HP laminate

## SIDEBAR STORAGE



Stack-On Bookcase w/Collators**

24" - 36"w

24" - 36"w

24" - 36"w

Stack-On Bookcases

MUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	HP AUU	
	DxWxH						Ξ
S1214A0	14.3 x 12 x 13.5	92.5	23	2.20	\$247	n/a	
S2414A0	14.3 x 24 x 13.5	100	37	4	\$375	n/a	
S3014A0	14.3 x 30 x 13.5	100	41	5	\$415	n/a	
S3614A0	14.3 x 36 x 13.5	125	46	5.90	\$453	n/a	

Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top.

• Sxx14AO Stack-On bookcases add 1 tier when placed on any storage unit.

S1214B0	14.3 x 12 x 20.25	92.5	35	3.10	\$356	n/a
S2414B0	14.3 x 24 x 20.25	92.5	59	5.75	\$586	n/a
S3014B0	14.3 x 30 x 20.25	100	68	7	\$656	n/a
S3614B0	14.3 x 36 x 20.25	100	77	8.50	\$754	n/a


Designed to be placed on top credenzas. Open cavitiy with collator below. Unit rests directly on credenza top.

• Sxx14BO Stack-On bookcases add 1.5 tiers when placed on any storage unit.

S1214D0	14.3 x 12 x 27	92.5	41	4	\$401	n/a
S2414D0	14.3 x 24 x 27	100	68	7.50	\$630	n/a
S3014D0	14.3 x 30 x 27	100	76	9.25	\$691	n/a
S3614D0	14.3 x 36 x 27	125	85	11	\$767	n/a

Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top.

• Sxx14D0 Stack-On bookcases add 2 tiers when placed on any storage unit.



Stack-On Storage Cabinet*


12"w

Stack-On Bookcases

S1215DTL	15 x 12 x 27	92.5	47	4.20	\$526	n/a
S1215DTR	15 x 12 x 27	92.5	47	4.20	\$526	n/a
S2415DT	15 x 24 x 27	92.5	79	7.75	\$880	n/a
S3015DT	15 x 30 x 27	100	91	9.50	\$964	n/a
S3615DT	15 x 36 x 27	100	103	11.25	\$1075	n/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12"w units specify left or right handled. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.



Stack-On Mixed Storage Cabinet*

S2415DNL	15 x 24 x 27	100	73	7.75	\$754	n/a
S3015DNL	15 x 30 x 27	100	83	9.50	\$828	n/a
S3615DNL	15 x 36 x 27	100	94	11.25	\$925	n/a
S4215DNL	15 x 42 x 27	100	117	13	\$1183	n/a
S2415DNR	15 x 24 x 27	100	73	7.75	\$754	n/a
S3015DNR	15 x 30 x 27	100	83	9.50	\$828	n/a
S3615DNR	15 x 36 x 27	100	94	11.25	\$925	n/a
S4215DNR	15 x 42 x 27	100	117	13	\$1183	n/a


Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.

	Required	l Speci	ifications
--	----------	---------	------------

Top finish
Top/edge detail
Base finish
Door/drawer front finish*

Handles* Collator finish**




Stack-On Bookcase w/Collators

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
S1214E0	14.3 x 12 x 33.7	5 92.5	53	5	\$520	n/a	
S2414E0	14.3 x 24 x 33.7	5 100	90	9.25	\$859	n/a	
S3014E0	14.3 x 30 x 33.7	5 100	102	11.25	\$951	n/a	
S3614E0	14.3 x 36 x 33.7	5 100	115	13.25	\$1079	n/a	

Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.

• Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.




Stack-On Closed Storage*
Cabinet w/Collators

S1215ETL	15 x 12 x 33.75	92.5	59	5.25	\$643	n/a
S1215ETR	15 x 12 x 33.75	92.5	59	5.25	\$643	n/a
S2415ET	15 x 24 x 33.75	92.5	102	9.50	\$1101	n/a
S3015ET	15 x 30 x 33.75	100	117	11.75	\$1218	n/a
S3615ET	15 x 36 x 33.75	100	133	14	\$1382	n/a

Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.




Stack-On Mixed Storage*
Cabinet w/Collators

004455811	45 04 00 75	00.5	00	0.50	4077	,
S2415ENL	15 x 24 x 33.75	92.5	96	9.50	\$977	n/a
S3015ENL	15 x 30 x 33.75	100	110	11.75	\$1087	n/a
S3615ENL	15 x 36 x 33.75	100	124	14	\$1231	n/a
S4215ENL	15 x 42 x 33.75	100	154	16	\$1536	n/a
S2415ENR	15 x 24 x 33.75	92.5	96	9.50	\$977	n/a
S3015ENR	15 x 30 x 33.75	100	110	11.75	\$1087	n/a
S3615ENR	15 x 36 x 33.75	100	124	14	\$1231	n/a
S4215ENR	15 x 42 x 33.75	100	154	16	\$1536	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf.

Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.



Stack-On Bookcases

S1214F0	14.3 x 12 x 40.5	100	59	6	\$560	n/a
S2414F0	14.3 x 24 x 40.5	100	98	10.75	\$873	n/a
S3014F0	14.3 x 30 x 40.5	100	110	13.25	\$956	n/a
S3614F0	14.3 x 36 x 40.5	125	123	15.75	\$1061	n/a

Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top.


• Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.

## **Required Specifications**


Top finish
Top/edge detail
Base finish
Door/drawer front finish*

Handles* Collator finish


# **S** SIDEBAR STORAGE



**Stack-On Storage Cabinet** 



**Stack-On Mixed Storage Cabinet** 



**Stack-On Wardrobe Cabinet** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
S1215FTL	15 x 12 x 40.5	92.5	68	6.25	\$715	n/a
S1215FTR	15 x 12 x 40.5	92.5	68	6.25	\$715	n/a
S2415FT	15 x 24 x 40.5	92.5	116	11.25	\$1193	n/a
S3015FT	15 x 30 x 40.5	100	132	14	\$1308	n/a
S3615FT	15 x 36 x 40.5	100	150	16.50	\$1458	n/a

Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.

S2415FNL	15 x 24 x 40.5	100	107	11.25	\$1034	n/a
S3015FNL	15 x 30 x 40.5	100	121	14	\$1132	n/a
S3615FNL	15 x 36 x 40.5	100	137	16.50	\$1264	n/a
S4215FNL	15 x 42 x 40.5	100	171	19	\$1616	n/a
S2415FNR	15 x 24 x 40.5	100	107	11.25	\$1034	n/a
S3015FNR	15 x 30 x 40.5	100	121	14	\$1132	n/a
S3615FNR	15 x 36 x 40.5	100	137	16.50	\$1264	n/a
S4215FNR	15 x 42 x 40.5	100	171	19	\$1616	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.

S1224FTL	24 x 12 x 40.5	100	83	9.50	\$845	n/a
S1224FTR	24 x 12 x 40.5	100	83	9.50	\$845	n/a
31224FIN	Z4 X 1Z X 4U.5	100	83	9.50	<b>Ģ</b> 040	II/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

• S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.

**Required Specifications** 

Top finish Top/edge detail Base finish Door/drawer front finish Handles

# wellness solutions



Wellness Solutions

402



# **WELLNESS SCREENS**

## **WELLNESS SOLUTIONS**

LAMINATE PANELS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
Surface mounted wellness guard provi	des a physical divider	DxWxH	Lamina	ate Finish	es (for GCI	BMSGxxxxLF	P):
• Acrylic glazing is clear and support rai	ls are painted Designer White (DV	VT).	ACJ	Absolute	e Acajou	DES	Dark Espresso
Kit includes all hardware to install on	an existing surface		ASN	Asian N	ight	DWT	Designer White
Aluminum extruded posts			AWC	Avant C	herry	MTD	Quartered Mahogany
			AWH	Avant H	oney	SOG	Storm Grey
			BLK	Black		WHE	Walnut Heights
			BRC	Brushed	l Cobalt	WHC	White Chocolate
			CMB	Clear M	aple	WCR	Winter Cherry

WELLNESS SCREENS

## **Wellness Screen - Clamp Mount**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GCTCSG3636LP	3 x 36 x 36	300	20.20	2.92	\$608	
GCTCSG3648LP	3 x 48 x 36	300	22.80	3.98	\$756	
GCTCSG3636W	3 x 36 x 36	300	20.20	2.92	\$624	
GCTCSG3648W	3 x 48 x 36	300	22.80	3.98	\$773	

Includes clamp mount brackets, for use with existing worksurface or transaction top. Select model ending in **LP** for tops up to 1-1/8" thick or **W** for tops up to  $1 \frac{1}{2}$ " thick

GCBRMSG3636LP	5 x 36 x 36	300	20.20	2.92	\$608
GCBRMSG3648LP	5 x 48 x 36	300	22.80	3.98	\$756



**Wellness Screen - Surface Mount** 

Includes flat face surface mounting brackets, for use with existing worksurface or transaction top.



Wellness Screen - Freestanding*

GCBMSG3636LP	12 x 36 x 36	250	28.45	2.92	\$674
GCBMSG3648LP	12 x 48 x 36	250	34.17	3.98	\$867

12"D, board mounted. Available in all standard Global laminate finishes.



**Wellness Screen - Under Mount** 

GCAMSG3636LP	2 x 36 x 36	300	20.20	2.92	\$497	
GCAMSG3648LP	2 x 48 x 36	300	22.80	3.98	\$646	

No mounting hardware included; drilling required. For use with existing worksurface or transaction top.



Wellness Screen - Tri-Fold

Sold individually:						
GCFSGS1618-1	15 x 18 x 15.75	150	5.15	0.97	\$493	
GCFSGA1923-1	15.75 x 23 x 19	92.5	7.30	0.67	\$566	
Sold in packs of 5:						
<b>Sold in packs of 5</b> : GCFSGS1618-5	15 x 18 x 15.75	150	25.75	4.86	\$2353	

Self-supported tri-fold wellness screens create a physical divider. Lightweight and foldable for easy transport or storage.

- Acrylic glazing is 3mm with clear finish. Includes non-marring base bumpers and integrated handles.
- Models ending in -1 are a single unit, individually packed
- Models ending in -5 are a bundle of 5 units, bulk packed.

## **Required Specifications**

Finish


W

FREESTANDING DIVIDERS - FELT MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- · Divide space with flexibility.
- Lightweight and easy to clean partitions
- Minimal footprint for storage
- Fluted solid white polypropylene screens are surrounded by a 0.5" x 2.5" powder coated aluminum frame in Designer White (DWT) or Tungsten (TUN)
- Charcoal soft touch radius end trim
- 7" panel opening at panel bottom for easy cleaning and cable pass-through
- Includes all connecting hardware and 1" leveling glide
- Stations are 60" wide by 42" deep by 66" high.



Felt Screen - Flat Feet



**Felt Screen - Casters** 



Shared Divider Felt Screen

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
GCUPFSF5442	20 x 42 x 51.75	400	21.8	25.16	\$787	
GCUPFSF5448	20 x 48 x 51.75	400	22.54	28.75	\$800	
GCUPFSF5460	20 x 60 x 51.75	400	24.03	35.94	\$981	
GCUPFSF6042	20 x 42 x 57.75	400	22.57	28.07	\$806	
GCUPFSF6048	20 x 48 x 57.75	400	23.3	32.08	\$812	
GCUPFSF6060	20 x 60 x 57.75	400	24.87	40.1	\$994	
GCUPFSF7242	20 x 42 x 69.75	400	24.06	33.91	\$986	
GCUPFSF7248	20 x 48 x 69.75	400	24.88	38.75	\$999	
GCUPFSF7260	20 x 60 x 69.75	400	29.79	48.44	\$1252	

Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle.

GCUPMSF5442	20 x 42 x 52.05	400	22.98	25.3	\$1064	
GCUPMSF5448	20 x 48 x 52.05	400	23.72	28.92	\$1077	
GCUPMSF5460	20 x 60 x 52.05	400	25.21	36.15	\$1246	
GCUPMSF6042	20 x 42 x 58.05	400	23.75	28.22	\$1084	
GCUPMSF6048	20 x 48 x 58.05	400	24.51	32.25	\$1097	
GCUPMSF6060	20 x 60 x 58.05	400	26.05	40.31	\$1265	
GCUPMSF7242	20 x 42 x 70.05	400	25.24	34.05	\$1258	
GCUPMSF7248	20 x 48 x 70.05	400	26.06	38.92	\$1265	
GCUPMSF7260	20 x 60 x 70.05	400	30.97	48.65	\$1499	

Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle.

GCUPSHF5448	20 x 48 x 53.57	400	18.06	29.76	\$657
GCUPSHF5454	20 x 54 x 53.57	400	18.8	33.48	\$747
GCUPSHF6048	20 x 48 x 59.57	400	18.84	33.09	\$702
GCUPSHF6054	20 x 54 x 59.57	400	19.6	37.23	\$922


Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.

**Required Specifications** 

Frame/ foot finish PET felt

## FREESTANDING DIVIDERS

## UNIVERSAL PRIVACY PANELS



FREESTANDING DIVIDERS - GLASS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
GCUPFSG5424	20 x 24 x 51.75	250	30.83	14.38	\$896
GCUPFSG5430	20 x 30 x 51.75	300	34.95	17.97	\$974
GCUPFSG5436	20 x 36 x 51.75	300	39.07	21.56	\$1050
GCUPFSG5442	20 x 42 x 51.75	300	43.19	25.16	\$1128
GCUPFSG5448	20 x 48 x 51.75	300	47.31	28.75	\$1206
GCUPFSG5460	20 x 60 x 51.75	300	55.56	35.94	\$1360
GCUPFSG6024	20 x 24 x 57.75	250	33.11	16.04	\$950
GCUPFSG6030	20 x 30 x 57.75	300	37.74	20.05	\$1034
GCUPFSG6036	20 x 36 x 57.75	300	42.36	24.06	\$1119
GCUPFSG6042	20 x 42 x 57.75	300	46.99	28.07	\$1204
GCUPFSG6048	20 x 48 x 57.75	300	51.61	32.08	\$1290
GCUPFSG6060	20 x 60 x 57.75	300	60.86	40.1	\$1459

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.



**Glass Screen - Casters** 

GCUPMSG5424	20 x 24 x 52.05	250	31.99	14.46	\$1284	
GCUPMSG5430	20 x 30 x 52.05	300	36.11	18.07	\$1361	
GCUPMSG5436	20 x 36 x 52.05	300	40.24	21.69	\$1438	
GCUPMSG5442	20 x 42 x 52.05	300	44.36	25.3	\$1515	
GCUPMSG5448	20 x 48 x 52.05	300	48.48	28.92	\$1592	
GCUPMSG5460	20 x 60 x 52.05	300	56.72	36.15	\$1747	
GCUPMSG6024	20 x 24 x 58.05	250	34.28	16.13	\$1337	
GCUPMSG6030	20 x 30 x 58.05	300	38.9	20.16	\$1422	
GCUPMSG6036	20 x 36 x 58.05	300	43.53	24.19	\$1506	
GCUPMSG6042	20 x 42 x 58.05	300	48.15	28.22	\$1591	
GCUPMSG6048	20 x 48 x 58.05	300	52.78	32.25	\$1676	
GCUPMSG6060	20 x 60 x 58.05	300	62.03	40.31	\$1846	

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

• For frosted glass (FRST), add 20%.



**Shared Divider Glass Screen** 

GCUPSHG5448	20 x 48 x 53.57	300	36.17	29.76	\$989
GCUPSHG5454	20 x 54 x 53.57	300	38.51	33.48	\$1034
GCUPSHG6048	20 x 48 x 59.57	300	40.52	33.09	\$1070
GCUPSHG6054	20 x 54 x 59.57	300	43.36	37.23	\$1122

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extendes 24" from the worksurface. Sits 24" or 30" above worksurface.

• For frosted glass (FRST), add 20%.

**Required Specifications** 

Frame/foot finish

**Optional Specifications** 

Frosted glass (FRST)

LINKING PANELS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH

- Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core
- Minimal footprint for storage
- · Easy to connect
- Easy to reconfigure
- Easy to clean
- Panels available in Designer White (DWT) or Absolute Acajou (ACJ) laminates
- Frames available in Designer White (**DWT**) or Tungsten (**TUN**)
- Width options: 36", 42", 48", 60" wide
- 66" high
- 1.3" thick

LINKING PANELS - SEGMENTED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DLSP6636	1.3 x 36 x 66	92.5	35	3	\$845
	DLSP6642	1.3 x 42 x 66	92.5	41	3.46	\$869
	DLSP6648 DLSP6660	1.3 x 48 x 66 1.3 x 60 x 66	92.5 85	47 59	3.93 4.90	\$886 \$1360
	DEGI GGGG	1.3 x 00 x 00	00	33	4.30	\$1300
Segmented Linking Panel*	footprint for storage	. Laminate core avail int finish in Designer	able in Designer W	/hite ( <b>DWT</b> )	or Absolute Ac	ssed on a lightweight core. Minimajou ( <b>ACJ</b> ). Aluminum extrusion on the complete with hinge kits and
	DLSPWS1830SCPLP	18 x 30 x 1	60	15	.50	\$197
Vorksurface, for Segmented Panel**		n Designer White ( <b>D</b>			-	nd features a scoop for cable pas ole in Designer White ( <b>DWE</b> ) or
	DLSPHOMC	12 x 3 x 21	100	4	.42	\$154
Vorksurface Off-Module Cantilever*	Installs on horizonta paint finish in Design			support. Fre	es up space und	der the worksurface. Powder coat
Θ	DLSPHBRKT	3 x 2.25 x 0.75	70	.10	.05	\$14

# Required Specifications Frame finish*

Laminate finish**



LAMINATE LINKING PANELS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- · Laminate linking panels provide privacy.
- Standard height of 54" or 66", width in 6" increments from 24" to 60".
- Aluminum extrusion comes in powder coated paint finish: Designer White (DWT) or Tungsten (TUN).
- Laminate core offered in Designer White (DWT) or Absolute Acajou (ACJ).
- Edge banded to match laminate finish.
- Panels come complete with hinge kits

## **Planning Diagrams**

- When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'.
- When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'.




For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.

	DPL5424	1.3 x 24 x 54	92.5	18	1.62	\$642
	DPL5430	1.3 x 30 x 54	92.5	23	2.08	\$712
	DPL5436	1.3 x 36 x 54	92.5	27	2.47	\$783
	DPL5442	1.3 x 42 x 54	92.5	32	2.85	\$853
A	DPL5448	1.3 x 48 x 54	92.5	37	3.25	\$923
	DPL5454	1.3 x 54 x 54	92.5	42	3.63	\$995
	DPL5460	1.3 x 60 x 54	92.5	47	4.02	\$1065
	DPL6624	1.3 x 24 x 66	92.5	23	2.04	\$729
	DPL6630	1.3 x 30 x 66	92.5	29	2.52	\$806
	DPL6636	1.3 x 36 x 66	92.5	35	3	\$883
	DPL6642	1.3 x 42 x 66	92.5	41	3.46	\$960
	DPL6648	1.3 x 48 x 66	92.5	47	3.93	\$1039
	DPL6654	1.3 x 54 x 66	92.5	53	4.40	\$1117
	DPL6660	1.3 x 60 x 66	92.5	59	4.90	\$1193
	DPLSCH5424	1.3 x 24 x 54	92.5	18	1.62	\$769
	DPLSCH5424 DPLSCH5430	1.3 x 24 x 54 1.3 x 30 x 54	92.5	23	2.08	\$844
	DPLSCH5436	1.3 x 36 x 54	92.5	27	2.47	\$918
	DPLSCH5442	1.3 x 42 x 54	92.5	32	2.47	\$992
	DPLSCH5448	1.3 x 48 x 54	92.5	37	3.25	\$1065
	DPLSCH5454	1.3 x 54 x 54	92.5	42	3.63	\$1139
	DPLSCH5460	1.3 x 60 x 54	92.5	47	4.02	\$1213
				**		<del>+</del>
	DPLSCH6624	1.3 x 24 x 66	92.5	23	2.04	\$855
	DPLSCH6630	1.3 x 30 x 66	92.5	29	2.52	\$938
	DPLSCH6636	1.3 x 36 x 66	92.5	35	3	\$1020
	DPLSCH6642	1.3 x 42 x 66	92.5	41	3.46	\$1100
	DPLSCH6648	1.3 x 48 x 66	92.5	47	3.93	\$1180
	DPLSCH6654	1.3 x 54 x 66	92.5	53	4.40	\$1292
	DPLSCH6660	1.3 x 60 x 66	92.5	59	4.90	\$1344
8						
Laminate Panel - Caster/Leveler	Single locking cast	er on one leg, leveler	on the other.			


Required Specifications

Frame finish Laminate finish



**Required Specifications** 

Frame finish Laminate finish



LAMINATE PANELS

Laminate Panel -Leveler/Double Caster

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
DPLDCHN5424	1.3 x 24 x 54	65	18	1.62	\$712
DPLDCHN5430	1.3 x 30 x 54	70	23	2.08	\$775
DPLDCHN5436	1.3 x 36 x 54	70	27	2.47	\$845
DPLDCHN5442	1.3 x 42 x 54	70	32	2.85	\$911
DPLDCHN5448	1.3 x 48 x 54	70	37	3.25	\$976
DPLDCHN5454	1.3 x 54 x 54	70	42	3.63	\$1044
DPLDCHN5460	1.3 x 60 x 54	70	47	4.02	\$1111
DPLDCHN6624	1.3 x 24 x 66	65	23	2.04	\$790
DPLDCHN6630	1.3 x 30 x 66	70	29	2.52	\$865
DPLDCHN6636	1.3 x 36 x 66	70	35	3	\$937
DPLDCHN6642	1.3 x 42 x 66	70	41	3.46	\$1008
DPLDCHN6648	1.3 x 48 x 66	70	47	3.93	\$1083
DPLDCHN6654	1.3 x 54 x 66	70	53	4.40	\$1158
DPLDCHN6660	1.3 x 60 x 66	70	59	4.90	\$1230

Leveler on one leg and double locking caster base on the other. Freestanding.

1.3 x 3 x 6

LINKING PANEL ACCESSORIES
Wall Connection

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DPLWA54	2 x 2 x 54	70	2.3	0.13	\$167	
DPLWA66	2 x 2 x 66	65	3.5	0.15	\$190	

Connects linking panels to walls. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of vertical extrusion, charcoal PVC cover and hinge kits.



**Expanding Kit** 

DPLEKIT	2 x 2 x 3	70	1	.05	\$291

60

Connects two linking panels in a straight line. This kit will accommodate any special width by overlapping the panels. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of a top and bottom bracket and all necessary hardware.

2

.05

\$183



**Door and Door Catch Kit** 

Converts any linking panel into a door. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" caster.

DPI 0P24 1 05 x 24 x 16 8 70 1 74 39 \$151



DPLUP24	1.U3 X Z4 X 10.8	70	1./4	.39	9131
DPLOP30	1.05 x 30 x 16.8	150	2.20	.49	\$179
DPLOP36	1.05 x 36 x 16.8	150	2.67	.59	\$209
DPLOP42	1.05 x 42 x 16.8	150	3.14	.70	\$231
DPLOP48	1.05 x 48 x 16.8	150	3.60	.80	\$345
DPLOP54	1.05 x 54 x 16.8	150	4.07	.90	\$373
DPLOP60	1.05 x 60 x 16.8	150	4.53	1.01	\$404

For laminate panels. Sits atop laminate panel and bridges the gap between the 66"H laminate linking panel and top of the consultation booth. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit contains aluminum extrusion and felt insert.

## **Required Specifications**

Finish

DPDC01

# acoustic solutions



Priva 410



Softpod 413



Priva acoustic pods provide a place for personal privacy, focus and online collaboration, away from the noise of the open office. Integrated ventilation and low-voltage LED lighting are motion-sensor activated to reduce energy consumption. The tempered glass entrance door, in combination with optional glass back panel, reduces the sense of confinement. Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.


A laptop shelf, two AC outlets and two USB-A charging ports support the range of today's electronic and communication devices. The exterior is available in a variety of laminate finishes to coordinate with other furnishings. The interior can be finished in laminate or PET, for industry-leading sound absorption. Hinge and handle trim is available in Black or anodized Silver. Mechanical fasteners to affix the pod to the floor are available.



Two AC outlets and two USB-A charging ports, plus laminate touch-down shelf



Easy to clean



Ventilation fan and LED lights





#### **Features and Benefits**

- Quiet and private
- Plug-and-play
- Internal frame is comprised of 14-gauge steel beams
- Easily clean high touch surfaces
- Slim, modern design
- Optional PET interior for greater acoustic properties
- Fixed touch-down shelf with power unit
- Special rectractable casters enable Priva to be relocated easily

## **GENERAL INFORMATION**

- Priva is the culmination of 2 years of research and development of an acoustic phone booth that inhibits sound transmission between the interior and exterior creating a private room-in-room for workplace applications.
- Assembles in less than 90 minutes. Once complete, simply plug in and get to work!
- Priva has been tested and complies with all BIFMA mechanical tests.
- For environmental certification, please visit globalfurnituregroup.com.


#### CONSTRUCTION

- Exterior is clad in ¾" thermally fused laminate with a 10mm tempered glass door and glass (POD1G) or laminate back panel (POD1L).
- Exterior corner details are made of extruded aluminum
- Internal frame is comprised of 14 gauge steel beams
- Interior is clad in PET (recommended for greater acoustic properties)
- · Laminate interior is optional.
- · Pod ceiling is Designer White laminate
- Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.
- Laminate touch-down shelf is standard in Designer White (DWT) laminate.


#### DIMENSIONS

- Exterior: 44"w x 38"d x 88"h
- Interior: 36"w x 36"d x 80"h
- Door: 32"w x 88"h
- Shelf: 24"w x 8"d x 40"h


#### **Exterior Dimensions**



#### Interior Dimensions - Side View



Interior Dimensions - Front View



#### **POWER + CONNECTIVITY**

- Two AC outlets and two charging USB-A ports, coupled with an occupancy sensor controlling two 12V DC fans and an LED light circuit, ensure comfort in even the smallest of enclosed spaces, while keeping power consumption at a minimum.
- One 10 foot power cord with 3-prong plug

#### **ACOUSTIC RATINGS**

• NIC-36, STI .24

#### **AIRFLOW SPECIFICATIONS**

• CFM 55

#### FINISHES

SBY

SOG

WHE

WHC

WCR

Exterio	r Finishes:	Exterior Frame Finis		
ACJ	Absolute Acajou	BK	Black	
ASN	Asian Night	CR	Charcoal	
BLK	Black	DW	Designer White	
BRC	Brushed Cobalt	TU	Tungsten	
CMB	Clear Maple			
DES	DES Dark Espresso			
DWT Designer White				
FAS Fashionista				
FCL	First Class			
NBL	Noce Biondo			
NGL	Noce Grigio			
NEL	Noce Leggero			
NML	Noce Medio			

#### **Interior Finishes - select Laminate or PET**

Sheer Beauty

Walnut Heights


White Chocolate


Winter Cherry

Storm Grey

PEI:		Laminate:		
	GPH	Graphite	BLK	Black
	MTS	Mist	DWT	Designer White
	PWT	Pewter	SOG	Storm Grev

## Hardware Finishes (Handle + Hinge)






MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
POD1G	38 x 44 x 88	65	1323	44.80	\$25441	

## Single User Pod - Glass Back Panel

Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a **glass back panel**.



POD1L	38 x 44 x 88	65	1323	44.80	\$25441

Single User Pod - Laminate Back Panel

Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a **laminate back panel**.

Required specifications

Exterior laminate finish Exterior frame finish Hardware finish Interior finish



Introducing **Softpod** - where flexibility meets focus.

Softpod™ responds to the changing landscape of today's workplace, providing an alternative to conventional workstations and cubicles. As an adjunct to collaborative and community spaces, Softpod supports activities that require individual focus and engagement. Softpod facilitates hybrid schedules that require unassigned workspaces as people move between the office and home.



Hanging shelf with dry erase board



Under worksurface casual storage unit



Optional coat/bag hook

#### **Features and Benefits**

- Freestanding hexagon shape allows for on/off grid 120-degree planning
- Single, standalone (private) workspace or "pod" that can be loosely fit in a floorplan
- PET felt + aluminum construction
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of recycled soundabsorbing PET felt
- Easily clean high touch surfaces
- User can easily add/remove privacy + accessory elements
- Casual storage options and accessories support hybrid schedules
- Pods can be equipped with power and data solutions

## **GENERAL INFORMATION**

- Available as 3, 4 and 5-sided pods in a range of colors.
- Easy to specify and install.
- Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- Softpod panels can be specified in a range of color options to suit a range of styles. The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.

	7
,	١

Products specified with the high pressure laminate option are finished on the underside
of the surface with a kraft paper backing.

#### **FINISHES**

#### **Metal Leg Finishes:**

CHR Charcoal
DWT Designer White

#### **PET Felt Colors**

BLK	Black			
BRI	Brick			
DEN	Denim			
GPH	Graphite			
HVT	Harvest			
MTS	Mist			
PWT	Pewter			
SHR	Shamrock			
WHT	White			

#### LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	MTD	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## **EDGE FINISHES (Laminate Surfaces Only)**

Absolute Acajou	FCL	First Class
Asian Night	NBL	Noce Biondo
Avant Cherry	NGL	Noce Grigio
Avant Honey	NEL	Noce Leggero
Black	NML	Noce Medio
Brushed Cobalt	QTM	Quartered Mahogany
Charcoal (use w/SOG)	SBY	Sheer Beauty
Clear Maple	SIL	Silver
Custom Grey	TPE	Taupe
Dark Espresso	WHE	Walnut Heights
Designer White	CBE	White Chocolate
Fashionista	WCE	Winter Cherry
	Asian Night Avant Cherry Avant Honey Black Brushed Cobalt Charcoal (use w/SOG) Clear Maple Custom Grey Dark Espresso Designer White	Asian Night NBL Avant Cherry NGL Avant Honey NEL Black NML Brushed Cobalt QTM Charcoal (use w/SOG) SBY Clear Maple SIL Custom Grey TPE Dark Espresso WHE Designer White CBE

#### Divider:

- PET felt / aluminum composition
- Channel edge allows for add-on privacy

## **PET Felt features:**


- Tackable acoustic material
- Soft form capability

#### Electrical:

- Simple interconnect / direct plug-in
- Hard wire formats

## Storage:

• Solution based



HX4P5472SW

and Worksurface

softPOD with 4 Dividers

#### Softpods

HX3P5472SW softPOD with 3 Dividers and Worksurface



**Extensions** 

HXPAEFE End PET Felt Extension Divider Add-on



**HXPACFE** Corner PET Felt Extension Divider Add-on



HX4P5472L/RW softPOD with 4 Dividers and Wraparound Worksurface



**HXPATCFE** Top Corner PET Felt Extension Divider Add-on



#### HX5P5472L/RW softPOD with 5 Dividers and Wraparound Worksurface



HXP5430AP Single J-divider



**Electrical** 

PS3525057/5002 Clamp Mount module Undermount module Under Worksurface Access Door



PS3526057/6002 HXEUWC

Edge USB charger





PSDPC22W

Slim Desktop Power

Module, 2 Duplex



**GAADCT** Access Door Module with Cable Tray

PSDPC32W

Slim Desktop Power

Module, 3 Duplex



HX5P5472SW

and Worksurface

softPOD with 5 Dividers

PMDSA10 ModPower Starter Unit



PMDCA3 ModPower Middle Mounted Unit



PMDEA3 ModPower End Mounted Unit



**PMDCLIPS** ModPower cable management clips

PMDJ36BK ModPower interconnecting jumper







**HXECS** Cable Shroud



HXEPPJ Station to Station



HXECF Ceiling Feed



**HXEBF** Base Feed



**HXECFP** Ceiling Feed Pole



HXEPGK Divider Grommet



**HXEPGCS** Divider Grommet Connector / Spacer



## Accessories

**HXEPK** 

Power Kit

Station 2-Circuit

LINLAMPS LED Single Arm Lamp



**HXARWS** Rear Wall Shelf



LINLAMPD LED Double Arm Lamp



**HXACHS** Coat/Bag Hook for Dividers



**RNDLAMPS** LED Single Arm Lamp



**HXACHT** Coat/Bag Hook for Dividers Edge







HXABH **Under Surface** Bag Hook



**HXAHS** Hanging Shelf



**HXNP** Name Plate



**HXAHSWB** Hanging Shelf with Dry Erase Board



## Storage


**HXSCSO** Under Worksurface Casual Storage Unit



FFP0 Pantry Storage




## **FOOTPRINT**



## **OFF GRID PLANNING**


The flexible format of Softpod offers a variety of planning options and encourages off grid layouts. From a single or cluster of Softpods this versatile system adapts to your needs.




## **OFF GRID PLANNING**

#### Agile

The freestanding, single softPOD can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low. Easy to specify and keep inventory counts low.







#### Scalable

The adaptable dividers give the ability to address the level of privacy needed on a station by station basis.

## softPOD PRIVACY









Less Privacy

**More Privacy** 

## **Extensions - PRIVACY**








**Less Privacy** 

**More Privacy** 

## **POWER CONNECTIONS**

## Plug In


Simple casual wire - Direct plug-in or hard wired.



## **Daisy Chain Interconnect System**

Plug-in power supply and interlinked, pre-determined, universal modules. If specified, one module is shipped with the station and interconnected on site.


Integrating additional station ( $\bf C$ ) requires disconnecting  $\bf A$  from  $\bf B$  and plugging in the  $\bf C$  on site.



**Dual Circuit Power** 

Outlets mounted below worksurfaces.







Single Pod with 4 Dividers



Single Pod with 4 Dividers and Wrap Around Surface




Single Pod with 5 Dividers




Single Pod with 5 Dividers and Wrap Around Surface





in-between spaces

## **SPACE PLANNING**




## **POD FORMATS**

Align units in cluster plan Option unit type & orientation


(A) Worksurfaces must have opposing alignment


Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.




Power/ data is delivered through screen walls via grommet

Grommet tethers units together








Density Touchdown

Around Column


## **PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS**



Cluster of 2 softPODs

Cluster of 3 softPODs


## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 softPODs

Cluster of 3 softPODs

## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT





Cluster of 3 softPODs


Cluster of 4 softPODs


## PRIVACY EXTENSIONS

Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.











## End PET Felt Extension Divider Add-on

Height: 25.5" Depht: 9mm Width: 9.5" PET Felt

- solid



#### Top Corner PET Felt Extension Divider Add-on

Height: 37" Depht: 9mm Width: 19.5"

PET Felt - solid

- perforated



#### Corner PET Felt Extension Divider Add-on

Height: 11.5" Depht: 9mm

Width: 38.5"


PET Felt

- solid

- perforated


## PRIVACY EXTENSIONS


PET Felt - Solid






PET Felt - Perforated






## PET FELT COLOR PROGRAMMING




## **WORKSURFACE DIMENSIONS AND GRAIN DIRECTION**




## Standard Worksurface

- A single worksurface to be used within softPOD dividers.
- The surface is non handed with pre-determined mounting points.




- A single wrap around worksurface to be used within softPOD dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- $\bullet$  Compatible only with 4 or 5 divider station configurations.




#### **ELECTRICAL**


- Power and data lines can enter softPOD via floor, ceiling, or through grommet in the divider. The grommet opening is built into every softPOD divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single softPOD can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through softPOD dividers into adjacent softPODs.
- Orientation of worksurfaces plays an important role when planning softPOD cluster layouts with the need to pass cables between individual softPODs as the cables are best hidden underneath.
- Worksurfaces must have opposing alignment.
- Align units in cluster plan
- Option unit type & orientation.




(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the softPOD is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling fee pole location outside of the POD (because cables pass through the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between soft-PODs (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent softPOD, under worksurface.
- In either case, the cables enter or exit the softPOD through the divider grommet.






## **ELECTRICAL OPTIONS**


Direct Plug In

• Direct or floor monument outlet plug-in



Daisy Chain Interconnect System

• Direct or floor monument outlet plug-in



**Dual Circuit Power** 

 Hardwired Floor Feed Ceiling Feed 0 0

## **ELECTRICAL**

## 2 Circuit, 4 Wire Power Distribution

contoured recess.

The 4-wire, 2-circuit electrical components are housed in a metal trough, mounted under worksurface, immediately adjacent to the worksurface PET Felt shroud organizes harnesses and cables under worksurface. Power Trough Duplex 3.125"x1.5" Opening for standard data plate Base feed Worksurface contoured recess Grommet Ceiling feed or Passthrough connecting adjacent power distribution trough

## **STORAGE**

For hanging small items like earphones.

#### Shelf


PET Felt liner with rear hole to direct power cords for charging.

#### **Rear Access**

Tuck valuable items out of sight

## Bag Drop


Area for storing personal items.



## **Pantry Storage**


Multifunction, customizable storage

## **ACCESSORIES**



HXNP Name Plate Height: 3.5" Depth: 0.5" . Width: 11"


• Two sided white dry erase surface.



# **Hanging Shelf**

Height: 16" Depth: 3" Width: 23.5"

• Optional dry erase board available




## **HXARWS**

## **Rear Wall Shelf**


Height: 3/4" Depth: 4.5" Width: 32.5"

• Laminate


NOTE: Not compatible with Ceiling Feed Pole or any monitor mounts.



**HXABG Under Surface Bag Hook** 



HXACHT Coat, Bag Hook for horizontal divider edge





MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
HX3P5472SW	30 x 72 x 54	70	141	22.92	\$4056	\$533

SoftPOD w/3 Dividers and Worksurface

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- · Extensions, electrical, storage and accessories are specified separately.



HX4P5472SW 65 x 72 x 54 125 170 25.41 \$5092 \$533

SoftPOD w/4 Dividers and Worksurface

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice ofthermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.



SoftPOD w/4 Dividers and Wraparound Worksurface

right shown

Left:						
HX4P5472LW	65 x 72 x 54	125	185	25.41	\$5543	\$751
Diaht:						
Right:	CF 70 F4	100	105	OF 41	ecc 40	6754
HX4P5472RW	65 x 72 x 54	125	185	25.41	\$5543	\$751

Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Required specifications	Optional specifications	
PET felt interior finish	HP laminate	
PET felt exterior finish	Grommet option	
Laminate finish		
Edge finish / Leg finish		

Accessories


Kevboard trav

Power block

## **ACOUSTIC SOLUTIONS**

 MODEL#
 DIMENSIONS
 FREIGHT CLASS
 WT/LBS.
 CUBIC FT.
 LIST PRICE
 HP ADD

 D x W x H
 HX5P5472SW
 65 x 72 x 54
 125
 198
 25.41
 \$6218
 \$534



Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-dividers can be installed both on left or right side or one on each side.
- Extensions, electrical, storage and accessories are specified separately.



Left:						
HX5P5472LW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750
Right:						
HX5P5472RW	65 x 72 x 54	100	213.36	25.41	\$6604	\$750

Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard wraparound worksurface. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Metal legs are powder coated paint, available in Charcoal (CHR) or Designer White (DWT).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- J-divider may be installed on the left or right.
- Extensions, electrical, storage and accessories are specified separately.



Sinal	e.	l-di	ivid	ler


HXP5430AP	6 x 30 x 54	300	28.3	16.17	\$1161

To be ordered as an add-on to a previously ordered 3-divider or 4-divider pod. A single divider is curved; non-handed; symmetrical along the horizontal axis. J-dividers are surfaced with PET felt. Interior PET felt color may be different than the outer. Installed pod measures 54"h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.

- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- J-divider comes complete with top connector kit, shared leg kit and trim.
- If a single J-divider is ordered as an add-on to a previous order, the PET felt finish may or may not match based on dyelot and fading.
- J-divider is not freestanding.

Required specifications	Optional specifications	Accessories	
PET felt interior finish	HP laminate	Keyboard tray	
PET felt exterior finish	Grommet option	Power block	
Laminate finish			
Edge finish / Leg finish			

## **ACOUSTIC SOLUTIONS**




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
HXPAEFE	0.35 x 9.3 x 25.4	70	0.63	0.05	\$56	

**End PET Felt Extension Divider Add-on** 

Designed to add 8.7" of additional depth privacy at the end of the divider. Fits into the base perimeter reveal and placement is user oriented.

- PET felt divider surface is tackable.
- Not available with perforated pattern.




 HXPACFE
 0.35 x 38.3 x 11.69
 70
 1.16
 0.09
 \$99

 HXPACFEP
 0.35 x 38.3 x 11.69
 70
 1.16
 0.09
 \$296

Corner PET Felt Extension Divider Add-on

Designed to add 11.1" of additional height privacy at the top corner of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.



Top Corner PET Felt Extension Divider Add-on

HXPATCFE	0.35 x 19.5 x 37.1	70	1.25	0.15	\$108
HXPATCFEP	0.35 x 19.5 x 37.1	70	1.25	0.15	\$258

Designed to add 8.7" of additional height privacy at the top of the divider and 11.1" depth at the end of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.

- PET felt divider surface is tackable.
- Perforated pattern option available, shown with "P' at the end of the code.

**Required specifications** 

PET felt color





POWER/DATA

DPC Slim Desktop 2 Power/USB-A and -C

Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.

PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.05	\$405



DPC Slim Desktop 3 Power/USB-A and -C

Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.

HXEUWC 4 x 3 x 1 70 0.31 0.01 <b>\$512</b>	
--------------------------------------------	--



**Under Worksurface/Edge USB Charger** 

Under surface table-mounted module with dual USB-A & -C charging ports. Consists of one 15 watt USB-C charging outlet and one 2.1 amp USB-A charging outlet. Unit has white housing, white powder coated mounting bracket and white electrical cord.



Cable Shroud*

HXECS 9.73 x 23.5 x 20.85 70 1.62 2.87 <b>\$106</b>
-----------------------------------------------------

Secures to the bottom of the worksurface and clips to the bottom of straight section of any divider. Includes all connecting hardware. Specify PET felt color.





Divider Grommet Kit**

Facilitates passage of wires through any softPOD divider. Can be located either below or above the worksurface. Installed on site; no need to order special dividers. Powder coated die-cast aluminum divider grommet - specify Charcoal (CHR) or White (DWT). Can be installed on a single panel or to connect two panels when used in conjunction with the Divider Grommet Connector/Spacer.

HXEPGCS	2.75 x 5.5 x 3.25	70	0.04	0.01	\$19



**Divider Grommet Connector/Spacer** 

Converts any divider grommet kit into a connector. Clamps two dividers together through the divider grommet opening Can be located above or below the worksurface at pre-determined locations. Specify with the Divider Grommet Kit or use with the Divider Grommet Kit included in the Station 2-Circuit Power Kit. Made of injection molded ABS in Charcoal (CHR).

## **Required specifications**

PET felt color* Grommet finish**


## **S** SOFTPOD

## **ACOUSTIC SOLUTIONS**

GAADG	GAADGDH

#### **Access Door Module**

**ACCESS DOOR MODULES** 



Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.

GAADCT	5.54 x 10.09 x 5.07	 4	0.19	\$145	
GAADCTDH	5.54 x 10.09 x 5.07	 4	0.19	\$153	

Access Door Module w/Cable Tray

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes.

GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.





GAADCTPDDH 5.54 x 10.09 x 6.96 4 0.20 <b>\$316</b>	GAADCTPD	5.54 x 10.09 x 6.96	 4	0.20	\$307
	GAADCTPDDH	5.54 x 10.09 x 6.96	 4	0.20	\$316

Access Door Module w/Cable Tray and Power Bar

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. SoftPOD can only accommodate one grommet per worksurface.


**Required specifications** 

POWER/DATA MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.

N SOLUTION

- UL listed to UL962A SD, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.



MODPOWER DAISY-CHA

#### ModPower On-Surface Starter Unit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
PMDSA10WH	1.75 x 6.13 x 2.5		4.33	1	\$551	

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant

receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL Listed: UL 962A.

PMDCA3MG 1.75 x 6.13 x 2.5 250 3.33 1 \$521



ModPower On-Surface Middle Unit*

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	<b>\$521</b>	
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521	

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL Listed: UL 962A.



ModPower On-Surface End Unit*

PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$459
PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$459

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL Listed: UL 962A.



## **ModPower Cable Management Clips**

PMDCLIPS	2.5 x 2.6 x .6	70	0.03	0.02	\$92	



## ModPower Interconnecting Jumper

Package of 10 clips.

PMDJ36BK	x 36 x	70	1.38	0.09	\$308	

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL Listed: UL 962A.

## **ACOUSTIC SOLUTIONS**

ELECTRICAL	
The state of the s	
P	

Station	2-Circ	uit Do	WOr	Kit*
SIMILOU	Z-6.116	IIII PO	wei	VII.

D x W x H           HXEPK11         9.73 x 23.5 x 20.85         300         3.92         2.76         \$434	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/I RS	CUBIC FT.	LIST PRICE	
HXEPK11 9.73 x 23.5 x 20.85 300 3.92 2.76 <b>\$434</b>	WIODELW		IILIUIII ULAGO	WI/LDS.	CODICTI.	LISTTINGE	
	LIVEDI/11		200	2.02	2.76	ė424	
						T	
HXEPK12 9.73 x 23.5 x 20.85 300 3.92 2.76 <b>\$434</b>	HXEPK12	9.73 x 23.5 x 20.85	5 300	3.92	2.76	\$434	
HXEPK22 9.73 x 23.5 x 20.85 300 3.92 2.76 <b>\$434</b>	HXEPK22	9.73 x 23.5 x 20.85	300	3.92	2.76	\$434	

Station 2-Circuit power kit consists of two duplexes, trough, cable shroud and divider grommet. Accommodates up to two standard data plates (data plates not included). Accommodates center mount single or dual screen monitor arm. Facilitates 2-circuit power delivery. Facilitates power connection between stations. Specify Station to Station Jumper. Specify duplex circuit #1, #2 or combination of #1+2. Ceiling or base feed not included - specify separately. Trough is powder coated metal in Charcoal (CHR). Includes all connecting hardware, supporting brackets and through divider grommet.

<b>~</b>	
Milital	

**Station to Station Jumper** 

HXEPPJ	2 x 60 x 2	60	5	0.13	\$168

Facilitates power connection between stations (through divider grommet, under the worksurface).



**Base Feed** 

HXEBE	2 x 72 x 2	60	5.6	0.06	\$367

Provides single power entry from floor into 2-Circuit Power Kit under worksurface. 6' long liquid tight whip plugs into the side of the left or right duplex. Must be hard wired to the building power supply by a licensed electrician. Base feed jumper included.



**Ceiling Feed** 

HXECF	2 x 144 x 2	60	5.6	0.06	\$249

Ceiling feed plugs into side of left or right duplex mounted within the 2-Circuit Power Kit. 10' long metal conduit, ready to be hardwired to building power supply. Strain relief fitting provided; junction box is not included. To be used with HXECFP - Ceiling Feed Pole.



HXECFP		85		0.38	\$210
	1.5 x 6 x 116		5/19		
II/\LUII	1.3 X 0 X 110	UU	J. <del>4</del> J	0.00	32 IU

Manages power and data cables between ceiling and worksurface. Aluminum extrusion with PVC cover secures to the divider grommet and passes below worksurface through the worksurface contoured recess. Includes mounting hardware and ceiling bezel. Hardware for securing the pole above ceiling tile is not included. Specify paint finish. Ceiling Feed HXECF must be ordered separately. PVC cover is standard in Charcoal (CHR). Cover can be removed to access cabling inside.

**Required specifications** 

PET felt color

Paint finish**



**Under Worksurface Casual** Storage Unit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
HXSCS0	24 x 8 x 21	150	20.18	4.22	\$456	n/a	

Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner. 24"D. Secures to bottom of worksurface. Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).

FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Pantry Storage**	Left (NL) shown

	1		
	J		
	Left (NL) shown		
Pantry Storage - w/USB**			

**Required specifications** 

Paint finish⁴ Laminate finish** TASK LIGHTING

DxWxH

## **Mounting Options for Voyage and Revo Lights:**

Freestanding Base (FS)

Freestanding Base with USB charge port (FSUSB) - Add \$104.

Surface Mount (SM)

Clamp Mount (CM)



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



LINLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688
	0 11 0 11 21 10	00			7000

Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78



KNDLAMPS 6 X 6 X 14.1 60 2.66 .U1 \$6/2	RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	
-----------------------------------------	----------	--------------	----	------	-----	-------	--

Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

Occupancy Sensor (OS) - Add \$78



RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688

**Optional Specifications** 


Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

• Occupancy Sensor (OS) - Add \$78

**Required Specifications** Finish

Occupancy Sensor

Mount



**Name Plate** 

Sits inside the divider top reveal. Two-sided white dry erase surface laminated to 1/2" PET felt. Can be mounted horizontally or vertically.

Required specifications
Doint finish*

**Optional Specifications** HP laminate⁴

Laminate finish**



**Productivity Solutions™ by Global** is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism

## Features and Benefits

- Manual height adjustable table has counterbalanced spring mechanism
- Five keyboard support mechanisms
- Four keyboard trays
- · Monitor arm options
- Wire management and power/data options
- Meets ANSI-BIFMA, Greenguard Indoor Air Quality, Greenguard Gold Certified



Foli electric height adjustable table



Manual height adjustable desk

### MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism
- Exceptional ergonomic alternative to traditional desking
- Sit-Stand design promotes increased circulation, improving performance and comfort
- Can be used alone or in conjunction with Global desks.

Please note: Global desks are 1" or 1.5" thick.

• Meets ANSI/BIFMA requirements

#### **TOP FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### CONSTRUCTION

 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate

### **DIMENSIONS**

 When designing workstations, leave 1" clearance on either side to prevent finger pinch

### **EDGE**

Preferred matching edge

#### BASE

- Heavy duty steel formed legs with radius detail are available in Black only
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish.
   Black only
- Black plastic leveling glides offer 0.5" adjustability

#### **GROMMETS**

- Grommets available in standard worksurface locations (left, center or right)
- Order as: AG1, AG2 or AG3. Add \$96.




• Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep

#### **MECHANISM**

- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26"
- 7 year warranty

### **SHIPPING**

- Shipped RTA (Ready to Assemble)
- Easy to assemble with Phillips or Robertson screwdriver



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
Rectangular Tops:					
HTM3058T	30 x 58 x 1	70	50	2.50	\$553
HTM3046T	30 x 46 x 1	70	40	2	\$463
HTM2458T	24 x 58 x 1	70	40	2	\$424
HTM2446T	24 x 46 x 1	70	32	1.50	\$394
Base:					
KEZLIFT	24 x 34.5 x 26-4	6 70	88	5.40	\$2961

Paddle activated height adjustable base. Height adjustable from 26" to 46". Keyboard tray and mechanism not necessary

• Specify base separately from top

**Required Specifications** 

Top Finish

### **FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES**

#### ) x W x H

- Electric height adjustment allows for easy movement from sitting to standing and back throughout the day. Foli's work surface moves with you and your work without interruption.
- Foli offers a universal freestanding design and finish options to easily integrate with existing Global workstation configurations, becoming a natural part of your office snace
- Whether in a private or general office, touch-down space, collaborative area or home
  office, Foli supports a more active and healthy work style
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick.

#### **TOP FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **EDGE**

· Preferred matching edge

#### CONSTRUCTION

- Tops are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick.
- · Steel constructed leg tubing, feet and cross bar
- 108" 3-prong power cord
- Table frame designed with 3.15" x 2.35" rectangular outer leg with large tubing facing down
- $\bullet$  "T" leg, flat foot design with adjustable glides
- Expandable cross bars for table widths of 48", 54", 60", 66" and 72"
- · Available table depths of 23" and 29"
- Products specified with the high pressure laminate option are finished on the underside
  of the surface with a kraft paper backing.
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.


#### BASE

- · 3-stage steel constructed leg tubing, feet and cross bar
- Dual motors are concealed within column.
- Provides height adjustment from 22.6" to 48.6" (26" adjustability with 1" top)
- · Leveling glides offer 1" adjustability
- Operates at 1.3" per second
- Lifts 265 lbs.
- Shadow power draw 0.5 watts
- Base available in a Silver powder coated finish, will never mar during adjustment
- Open front cross bar to accomodate articulating keyboard platforms.
- · Easy to use, push button controller with digital readout.
- · Anti-collision feature standard

#### **GROMMETS**


- Grommets available in standard table top locations (left, center or right). Order as:
   AG1, AG2 or AG3 Add \$96.
- Return tops: cut-out available in center only (AG2)
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A
  drawing must be supplied with vertical and horizontal dimensions to the center of the
  cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM
  in the back reference section.

## **Grommet hole dimensions:**



#### **Grommet:**

#### **Grommet Locations:**



#### **POWER BLOCK**

- A power block (model PMSPDM) may be installed on all Foli tables
- The power block module includes one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord with NEMA plug. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- Power block cutout dimensions are 2.75"D x 6"W.
- Specify the power block cut-out location when ordering the table. The power block
  is ordered separately. Order power block separately as PMSPDM, Add \$330. Power
  blocks are available in standard worksurface locations (left, center or right). Specify

#### E1, E2 or E3 cutout location. Add \$96.

Return tops: cut-out available in center only (E2)





Power Block PMSPDM. Add \$330

Specify location E1, E2 or E3. Add \$96

#### SHIPPING

- Shipped unassembled in 1 carton
- · Easy to assemble.

CUBIC FT.

LIST PRICE

**HP ADD** 






Тор



Foli Rectangular Table



WT/LBS.

height adjustment. Leg assembly tubing, feet and upper structure assemblies constructed of steel. Table frame designed with 3.15" x 2.36" rectangular outer leg with the large tube facing down. Flat foot design with adjustable glides. I-profile crossbars that are expandable in fixed steps to create a variety of size table widths. Height range is 22.6" to 48.6" (26" adjustability with 1" top). Operates at 1.3" per second. Shadow power draw is 0.5 watts. Maximum power draw is 1.5A. Base finish in Silver powder coat only.

- Specify base separately from top
- Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.

Return Tops:						
PHAR2947T	29 x 47 x 1	65	44	1.8	\$512	\$256
PHAR2941T	29 x 41 x 1	65	41	1.6	\$507	\$254
PHAR2935T	29 x 35 x 1	65	35	1.4	\$507	\$254
PHAR2347T	23 x 47 x 1	60	44	1.4	\$431	\$216
PHAR2341T	23 x 41 x 1	65	32	1.2	\$411	\$206
PHAR2335T	23 x 35 x 1	65	27	1.1	\$372	\$186
Third Leg Kit:						
PH3TLK6601	10 x x 26.8	85	19	1.3	\$861	n/a

Third leg kit to be used with a Foli freestanding table to create an electric height adjustable L station. Post leg with return kit replaces one of the T-legs on freestanding table; the T-leg from the freestanding table is then moved to support one side of the return top. Cross bar is included to connect and support the return top to the freestanding table top. May be configured for left or right hand returns. All three legs plug into the freestanding table's controller and the three motors will electronically synchronize. The overall footprint with a return kit is not to exceed 72"W x 72"D. The 48"W return kit is only to be used with a 24"D primary table. 36" and 42"W return kits may be used with either 24"D or 30"D primary tables.

P79100014	- x - x 1.5	60	2	0.4	\$77	N/A



MODEL#

DIMENSIONS

FREIGHT CLASS

**Return Kit** 

1.5" Dual Wheel Casters

Pack of four casters, two locking and two non-locking. Interchangeable on site with levelers on Foli electric height adjustable table PHATxxxx models only.

• Cannot be used with Third Leg Kit

|--|

Top Finish


**Optional Specifications** 

High Pressure Laminate Grommet

## PET FELT PANELS PRIVACY SCREEN AND MODESTY PANELS

- PET felt privacy screens and modesty panels add seated privacy to open plan desking or tables.
- 9mm thick panels offered in nine finishes: Black (BLK), Brick (BRI), Denim (DEN), Harvest (HVT), Graphite (GPH), Mist (MTS), Pewter (PWT), Shamrock (SHR) and White (WHT).
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting
- Privacy screen upmount brackets adapt to 1" thick TFL or 11/16" thick HPL tops and do not mar the top surface.
- Clamps are included. Available in satin anodized finish only.

PET FELT PRIVACY SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		
		D x W x H						
	PT9PP3013-1	.36 x 30 x 12.5	250	2.12	.57	\$180		
	PT9PP3613-1	.36 x 36 x 12.5	250	2.38	.69	\$190		
	PT9PP4213-1	.36 x 42 x 12.5	250	2.63	.80	\$255		
	PT9PP4813-1	.36 x 48 x 12.5	250	3.31	.91	\$264		
	PT9PP5413-1	.36 x 54 x 12.5	250	3.57	1.03	\$330		
	PT9PP6013-1	.36 x 60 x 12.5	250	3.82	1.14	\$340		
	PT9PP6613-1	.36 x 66 x 12.5	250	4.50	1.25	\$405		
	PT9PP7213-1	.36 x 72 x 12.5	250	4.76	1.36	\$415		
	PT9PP7813-1	.36 x 78 x 12.5	250	5.01	1.48	\$424		
	available in satin a  • Up to 42"w - 2 c  • 48"-60"w - 3 cla  • 66"-78"w - 4 cla	amps per panel	vacy screen clamp	os for use or	n 1" surfaces onl	ly.		
	PT9PP3013-4	0.36 x 30 x 12.5	85	7.64	.60	\$679		
	PT9PP3613-4	0.36 x 36 x 12.5	85	8.56	.71	\$719		
	PT9PP4213-4	0.36 x 42 x 12.5	92.5	9.48	.83	\$971		
	PT9PP4813-4	0.36 x 48 x 12.5	85	11.90	.98	\$1008		
	PT9PP5413-4	0.36 x 54 x 12.5	92.5	12.80	1.09	\$1263		
	PT9PP6013-4	0.36 x 60 x 12.5	92.5	13.80	1.20	\$1296		
	PT9PP6613-4	0.36 x 66 x 12.5	85	16.20	1.32	\$1548		
	PT9PP7213-4	0.36 x 72 x 12.5	92.5	17.10	1.43	\$1584		
	PT9PP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	\$1616		
PET Felt Privacy Screen - 4 pk.  PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.  • Up to 42"w - 2 clamps per panel  • 48"-60"w - 3 clamps per panel  • 66"-78"w - 4 clamps per panel								
	PT9PP3013-12	0.36 x 30 x 12.5	92.5	21.60	1.92	\$1994		
	PT9PP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	\$2101		
	PT9PP4213-12	0.36 x 42 x 12.5	60	26.90	.80	\$2847		
	PT9PP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	\$2951		
	PT9PP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	\$3711		
	PT9PP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	\$3803		
	PT9PP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	\$4550		
	PT9PP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	\$4642		
4411[C \square	PT9PP7813-12	0.36 x 78 x 12.5	92.5	51.10	4.85	\$4736		




PET Felt Privacy Screen - 12 pk.

PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

## **Required Specifications**

## PET FELT MODESTY PANELS



PET Felt Modesty Panel - 1 pk.

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PT9MP3013-1	.36 x 30 x 12.5	250	2.12	.57	\$159	
PT9MP3613-1	.36 x 36 x 12.5	250	2.38	.69	\$168	
PT9MP4213-1	.36 x 42 x 12.5	250	2.63	.80	\$222	
PT9MP4813-1	.36 x 48 x 12.5	250	3.31	.91	\$231	
PT9MP5413-1	.36 x 54 x 12.5	250	3.57	1.03	\$300	
PT9MP6013-1	.36 x 60 x 12.5	250	3.82	1.14	\$307	
PT9MP6613-1	.36 x 66 x 12.5	250	4.50	1.25	\$360	
PT9MP7213-1	.36 x 72 x 12.5	250	4.76	1.36	\$372	
PT9MP7813-1	.36 x 78 x 12.5	250	5.01	1.48	\$381	

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

	PT9MP3013-4	0.36 x 30 x 12.5	85	7.64	.60	\$594
	PT9MP3613-4	0.36 x 36 x 12.5	85	8.56	.71	\$632
	PT9MP4213-4	0.36 x 42 x 12.5	92.5	9.48	.83	\$841
m la	PT9MP4813-4	0.36 x 48 x 12.5	85	11.90	.98	\$878
/* I/h	PT9MP5413-4	0.36 x 54 x 12.5	92.5	12.80	1.09	\$1133
<i>S</i> ////	PT9MP6013-4	0.36 x 60 x 12.5	92.5	13.80	1.20	\$1166
	PT9MP6613-4	0.36 x 66 x 12.5	85	16.20	1.32	\$1373
³ ////	PT9MP7213-4	0.36 x 72 x 12.5	92.5	17.10	1.43	\$1410
	PT9MP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	\$1443

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.


- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

PT9MP3013-12	0.36 x 30 x 12.5	92.5	21.60	1.92	\$1732	
PT9MP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	\$1840	
PT9MP4213-12	0.36 x 42 x 12.5	92.5	26.90	2.60	\$2456	
PT9MP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	\$2559	
PT9MP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	\$3318	
PT9MP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	\$3410	
PT9MP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	\$4026	
PT9MP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	\$4120	
PT9MP7813-12	0.36 x 78 x 12 5	92 5	51 10	4 85	\$4212	

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Specify a nominal size 6" shorter than worksurface size.

- Up to 42"w 2 clamps per panel
- 48"-60"w 3 clamps per panel
- 66"-78"w 4 clamps per panel

PET Felt Modesty Panel - 4 pk.



PET Felt Modesty Panel - 12 pk.

**Required Specifications** 

PET TRI-FOLD SCREENS	MODEL#	DIMENSIONS	FREIGH	T CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		
D x W x H									
<ul> <li>9mm thick panels offered in 9 finishes</li> </ul>		I	ELT COL	ORS					
Made from 100% PET (polyester) fiber v	with a high content (50%) of	post-recycled	BLK	Black		MTS	Mist		
material, free of added chemicals, binder	s and adhesives		BRI	Brick		PWT	Pewter		
<ul> <li>Lightweight panels are tackable, impact a</li> </ul>	and tear resistant, bacteria re	sistant,	DEN	Denim		SHR	Shamrock		
moisture resistant, and installation friend	ly		GPH	Graphite	9	WHT	White		
<ul> <li>Variation in fiber mix and color are inhere</li> </ul>	nt to the character of the prod	duct.	HVT	Harvest					

T TRI-FOLD SCREENS	MODEL#	DIMENSIONS FI	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PSDTP3224	15.5 x 31.5 x 23.5	85	7	0.5	\$306	
T Felt Desktop Partition						s space. 9mm thick PET Felt, a puzzle-like joint. Easy to a	
	PSFSP3260	15.5 x 31.5 x 60	92.5	13	1.2	\$692	-
Felt Floor Partition		standing floor partition. Mo Is flat for storage when not				ace. 9mm thick PET Felt, no ke joint. Easy to assemble.	hardwar

Required Specifications
Finish

## G7 MONITOR ARMS

- Free up valuable space on surfaces
- Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide
- Built-in cable management on arm and at the back of the base.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishes: Black (BLK), Designer White (DWT), Tungsten (TUN).

G7 MONITOR ARMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PSMA1	5.5 x x 21	85	6.6	0.47	\$350
Monitor Arm, Single	20.5" extension -90° to 45° tilt a • Available in B		back of monitor, for function. Maximun te ( <b>DWT</b> ) and Tun	lds to 4.5". N n monitor wi	Monitor can rota dth of 34". Som	e floating fingertip control. Maxim Ite for portrait or landscape viewi e assembly required.
	PSMA2	5.5 x x 21	85	11.44	0.8	\$580
7 Monitor Arm, Double	20.5" extension -90° to 45° tilt a • Available in B	from rear of the desk to b	pack of monitor, for function. Maximun te ( <b>DWT</b> ) and Tun	lds to 4.5". N n monitor wi	Nonitor can rota dth of 34" (per	e floating fingertip control. Maxim Ite for portrait or landscape viewin arm). Some assembly required.
	PSMS	6 x 11 x 4.5	92.5	3.3	0.29	\$115
G7 Mini Slide Monitor Arm	positioning when	n used side by side. Somo lack ( <b>BLK</b> ), Designer Whi order (1)	e assembly require	ed. Loading c	apacity of 13.2	for the monitor and allows for be lbs. Quick release VESA plate.

**Required Specifications** 

MONITOR ARMS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

- Free up valuable space on surfaces
- Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- 9" vertical height adjustment on 12" post
- For use in grommets up to 3.5" wide
- · Built-in cable management
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)

DIMENSIONS

-- X -- X --

-- X -- X --

• Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.

MODEL#

MON1SSE

· Available finishes: Silver (SIL) standard; Black (BLK) and White (WTE) where noted otherwise.

MONITOR ARMS, SINGLE SCREEN
180°
Single Screen Pole Position



WT/LBS.

6.20

CUBIC FT.

1.20

\$456

\$569




### **Single Screen Single Extension Arm**

No extension arms. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

150

9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° sideto-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.



## **Single Screen Single Extension Arm** with Height Adjustment

MON1SSEH	X X	125	7.20	1.10	\$583	

125

Counterbalanced arm provides an additional 13" of height adjustment. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. 9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

7.50

1.20




## **Single Screen Double Extension Arm**

Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

## **Required Specifications**


MON1SDE



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
MON1SDEH	29.3 x 9.5 x 12.5	125	8.20	1.10	\$684

# Single Screen Double Extension Arm w/Height Adjustment

Counterbalanced arm provides an additional 12.4" of height adjustment. Double extension allows 24.5" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.




M7750LD 5.5 x -- x -- 100 10.34 1.12 **\$782** 

# Single Screen Double Extension Arm - Light Duty

For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in Black finish #M7750LDB or White finish #M7750LDW.



M7755MD 5.5 x -- x -- 100 10.34 1.12 **\$834** 

# Single Screen Double Extension Arm - Medium Duty

For use with monitors weighing 10 to 30 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width. • Also available in **Black finish** #M7755MDB or **White finish** #M7755MDW.

MONITOR ARN	AS, DUAL SCREEN
180°	30.8" adjustment
I	80° \

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
M7760DSS	26 x 8.4-30.75	¢ 24.4 92.5	14.75	1.3	\$1081	

#### **Dual Screen Double Extension Arm**


For use with monitors weighing 6 to 28 lbs. total and maximum width of 24" diagonal. Adjustable counterbalance provides free floating fingertip control. Maximum of 30.8" extension from rear of desk to back of monitor; folds to 8.4". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7760DSB or **White finish** #M7760DSW.

**Required Specifications** 

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL



**Dual Screen Double Extension Arm** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
MON2SDE	x x 12.5	100	10.70	1.20	\$1006	

For dual monitor applications. 32" maximum monitor width. Supports a 20lb. load capacity per screen. Double extension arms reach out up to 19". Top of mounting pole is 12.5" from worksurface. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

12.4" ht. adjustmer	it
180°	9"
23.5" adjustment	
180°√	l

Dual Screen Double Extension Arm with Height Adjustment

MON2SDEH	x x 12.5	150	6	1.20	\$1247	

For dual monitor applications. 35" maximum monitor width. Supports a 20 lb. load capacity per screen. Counterbalanced arms provide an additional 12.4" of height adjustment. Double extension arms reach out up to 23.5". Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Both arms can be set at the same height. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity.

	L

MONITOR ARMS, QUAD SCREEN

Parabolic Quad Screen Beam Mount

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
MONQSBM	X X	65	18.30	.70	\$1630	

Supports four monitors. Two outside single extension arms tilt 180° and swing 180° side-to-side. All displays can be rotated from landscape to portrait. Beam is 63.9″w. Minor assembly required. Supports 20 lb. load capacity. 21″ maximum monitor width. Bracket for grommet mount only included.

**Required Specifications** 

SIT-STAND WORKSTATIONS



Single Screen Sit-Stand Workstation with Keyboard Tray and Shelf

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
M6011WS	28 x x	125	36	4.8	\$3314	

Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Monitor weight limit from 5 to 25 lbs. Silver/Grey (SG) finish. Assembly required.

• Also available in Black/Black (B/B) finish #M6011WSBB or White/Grey (WG) finish #M6011WSWG.




**Dual Screen Sit-Stand Workstation** with Keyboard Tray and Shelf

M6021WS	28 x x	100	42	4.8	\$3670

Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Accommodates most 24" monitors weighing up to 8 lbs. each and offers independent screen adjustments. Silver/Grey (SG) finish. Assembly required.

• Also available in Black/Black (B/B) finish #M6021WSBB or White/Grey (WG) finish #M6021WSWG.

**Required Specifications** 



**Tray with Sliding Mouse Support** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
KT01	10.5 x 21.3 x 2	70	7	.40	\$277	

Mouse surface slides below support for left or right mouse positioning. Keyboard surface is 21"w x 11"d. Mouse surface extends 9" beyond the side of the tray. Compatible with all Global keyboard mechanisms. ABS plastic tray and sliding mouse tray.

• Specify mechanism separately (see next page)




27" HDPE Tray

KT27M02	11.5 x 27.5 x .38	70	6	.40	\$357	

Allows mouse to be easily positioned at the same height as, and to the left or right of, the keyboard. Palm rest is easily removable. Includes anti-slip strips. High Density Polyethylene (HDPE) surface material. SSU palm rest. Compatible with all Global keyboard mechanisms.

## • Specify mechanism separately (see next page)




Tray with Height Adjustable Mouse Support - Black

KTMT03	11.5 x 23 x 2.8	100	5.80	.60	\$385	

Low profile tray with highly adjustable Mouse Support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes Mouse Fence with Cable Manager and anti-slip strips. Keyboard tray is 20.5"w x 11"d and mouse support is 11" in diameter. Tray support material is a compact phenolic panel; mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.

## • Specify mechanism separately (see next page)




**Soft Touch Keyboard Support Mechanism** 

KSM01-21	23.8 x 9 x 4.3	85	9.20	.70	\$275	
KSM01-18	19.7 x 7.4 x 3.6	85	7.60	.60	\$275	
KSM01-12	13 x 5 x 2.4	85	5.10	.40	\$275	

Soft Touch knob for simultaneous height and tilt adjustment. Spring-assist mechanism. Compatible with all Global keyboard mechanisms. Good for single users who do not adjust their keyboard often.

- KSM01-21 requires 21.75" of depth clearance under the surface for installation.
- KSM01-18 requires 18" of depth clearance under the surface for installation.
- KSM01-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




Lift-N-Lock Keyboard Support Mechanism


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
KSM02-21	23.8 x 9 x 9.7	85	9.70	.70	\$361	
KSM02-18	19.7 x 7.4 x 8.2	85	8	.60	\$361	
KSM02-12	13 x 5 x 5.4	85	5.40	.40	\$361	

Knobless height adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions or for multiple users.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




Slim Fit Keyboard Support Mechanism



Super slim profile accommodates leg clearance requirements of more users. Knobless height adjustment and independent tilt adjustment. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)




Trackless Keyboard Support Mechanism

Black:					
KSTRKLS-B	14.5 x 7.5 x 5.25	70	6	0.3	\$506

Super slim profile trackless keyboard mechanism designed to fit worksurfaces such as height adjustable tables and benching systems, where space is limited and conventional track mounted keyboard mechanisms will not fit. Knobless height adjustment and independent tilt adjustment. Compatible with all Global keyboard trays.

### • Specify keyboard tray separately (see previous page)



Lift-N-Lock Sit-Stand Mechanism


KSM03-21	23.8 x 9 x 9.7	85	11.80	.90	\$579	
KSM03-18	19.7 x 7.4 x 8	85	9.70	.70	\$579	
KSM03-12	13 x 5 x 5.3	85	6.50	.50	\$579	

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Compatible with all Global keyboard mechanisms. Recommended for single users who alternate between sitting and standing.

- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- Specify keyboard tray separately (see previous page)

## P

SSORIES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	PCPU-HC	<b>D x W x H</b> 15 x 5 x 10.37	70	8	.45	\$190	
er on Casters	Adjusts 5" - 9" in CPU is 15". Black	width. Front locking caste conly.	ers. Assembly	hardware inclu	uded. Height v	vithout CPU is 10.4".	Depth without
	РСРИ-НО	15 x 5-11 x 18	92.5	11.50	1.06	\$166	
ırk CPU Holder	Desk mounted CF CPU is 15". Black	PU Holder. Adjusts 5" - 11" k only.	' in width. Mo	ounting hardwa	re included. H	eight without CPU is 1	8″. Depth withou
	PCPU-GT	X X	100	12.60	1.40	\$412	
U							
ler on Glide Track		PUs with widths from 3.5" CPU. Steel and engineered			" to 22.5". 17	glide track and 360° s	swivel for easy



**LED Task Light** 

TASK LIGHTING

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PLED30	1.5 x 15.5 x .5	150	2	.50	\$494	
PLED50	1.5 x 23.5 x .5	150	2	.50	\$569	
PLED100	1.5 x 43.5 x .5	125	3	.50	\$660	

Energy efficient LED. Ultra slim design. Suitable for hanging under hutch or wallhung units. 6' power cord. UL listed: UL 153.



PLEDS240	0.94 x 22.9 x .79	70	2.5	0.13	\$243
PLEDS360	0.94 x 33.5 x .79	70	2.8	0.16	\$280
PLEDS480	0.94 x 45.5 x .79	70	3.2	0.21	\$311

Undercabinet slim profile LED linear light fixture with lens and On/Off switch. May be used as stand-alone or extended with add-on section below (PLEDAxxx). Plug-in power supply with 72" cord length plus 78" DC cable. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

	PLEDS240	PLEDS360	PLEDS480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18



PLEDA240	0.94 x 22.9 x .79	70	2.5	0.13	\$199
PLEDA360	0.94 x 33.5 x .79	70	2.8	0.16	\$236
PLEDA480	0.94 x 45.5 x .79	70	3.2	0.21	\$267

Undercabinet slim profile LED linear add-on light fixture with lens. Daisy chain unit with 39" linking cable, no power supply. Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

0.40


0.01

\$98

	PLEDA240	PLEDA360	PLEDA480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18

	Nominal size	24"W	36"W	48"W
	Number of LEDs	36	54	72
	Total light output (lumens)	580	780	1150
	Power input per light (watts)	9	13.5	18
_				

70



Inline add-on controller for dimming and occupancy sensor. UL listed: UL153.

0.93 x 4.4 x 1.3

**Required Specifications** 

**Optional Specifications** 

Finish

Mount

**PLEDOS** 

Occupancy Sensor

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	Freestanding Bas	se with USB charge port (		\$104.			
VO + VOYAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$672	
yage - Single Arm	Brightness adjus consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	o. 18 fractional le in Black (BLK)	LEDs, 337 lume ), White (WHT)	ns, 3500K color and Silver (SLV	ty, with auto shut-off after r temperature. 85 CRI. 94 ). Mounting accessories e devices. UL listed: UL 1	% post sold separate
	LINLAMPD	6 x 6 x 21.6	60	2.66	.01	\$688	
yage - Double Arm	Brightness adjus consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	b. 18 fractional le in Black (BLK)	LEDs, 337 lume ), White (WHT)	ns, 3500K colo and Silver (SLV	ity, with auto shut-off aft r temperature. 85 CRI. 94 ). Mounting accessories e devices. UL listed: UL 1 \$672	% post sold separate
//							
yo - Single Arm	Brightness adjus consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab	o. 18 fractional le in Black (BLK)	LEDs, 294 lume ), White (WHT)	ns, 3500K color and Silver (SLV	ty, with auto shut-off after r temperature. 85 CRI. 94 ). Mounting accessories e devices. UL listed: UL 1	% post sold separate
vo - Single Arm	Brightness adjus consumer recycla (see above). Opti	tment from 100% to 15% ability by weight. Availab onal integrated USB port	o. 18 fractional le in Black (BLK)	LEDs, 294 lume ), White (WHT)	ns, 3500K color and Silver (SLV	r temperature. 85 CRI. 94 ). Mounting accessories	% post sold separate
Revo - Single Arm	Brightness adjus consumer recycle (see above). Opti • Occupancy Ser  RNDLAMPD  Fully articulating Brightness adjus consumer recycle	tment from 100% to 15% shillity by weight. Available onal integrated USB port insor ( <b>0S</b> ) - <b>Add \$78</b> 6 x 6 x 21.6  body with double arm. 6 tment from 100% to 15% shillity by weight. Available	. 18 fractional le in Black (BLK) in base ( <b>FSUSI</b> 60 ' power cord. To b. 18 fractional le in Black (BLK)	LEDs, 294 lume ), White (WHT)  3) allows for ch  2.66  uch and hold di LEDs, 294 lume ), White (WHT)	ns, 3500K color and Silver (SLV arging of mobil .01	r temperature. 85 CRI. 94 ). Mounting accessories e devices. UL listed: UL 1  \$688  ity, with auto shut-off after temperature. 85 CRI. 94 ). Mounting accessories	% post sold separa 153:2014.  er 10 hours. % post sold separa
	Brightness adjus consumer recycle (see above). Opti  Occupancy Ser  RNDLAMPD  Fully articulating Brightness adjus consumer recycle (see above). Opti	tment from 100% to 15% shillity by weight. Available onal integrated USB port insor ( <b>0S</b> ) - <b>Add \$78</b> 6 x 6 x 21.6  body with double arm. 6 tment from 100% to 15% shillity by weight. Available	. 18 fractional le in Black (BLK) in base ( <b>FSUSI</b> 60 ' power cord. To b. 18 fractional le in Black (BLK)	LEDs, 294 lume ), White (WHT)  3) allows for ch  2.66  uch and hold di LEDs, 294 lume ), White (WHT)	ns, 3500K color and Silver (SLV arging of mobil .01	r temperature. 85 CRI. 94 ). Mounting accessories e devices. UL listed: UL 1 \$688  ity, with auto shut-off after temperature. 85 CRI. 94	% post sold separate 153:2014. er 10 hours. % post sold separate


Mount



**Cable Snake** 

A	
H	

**Cable Snake Extension** 



Power/Data Block



Mini Adapt Power Module



DPC Slim Desktop 2 Power/USB-A and -C



DPC Slim Desktop 3 Power/USB-A and -C

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PCSN01	2 x 3 x 31.25	92.5	2.10	.20	\$135	

Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Silver (SIL) plastic only.

PCSN01E	- X - X -	92.5	2.1	0.2	\$108

Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.

PMSPDM	3.5 x 6.5 x 2.75	70	2	.10	\$330	
--------	------------------	----	---	-----	-------	--

Worksurface power and data module. Two power receptacles and two data receptacles. 9' black cord included. Specify position and add \$96 for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black only. Cut-out dimensions: 5.95" x 2.75". UL listed: UL 1363.

	PEUTEM	3 x 3.8 x 2	70	1	.18	\$221	
--	--------	-------------	----	---	-----	-------	--

Two power receptacles. Attaches to edge of table or desk through grommet hole. 6' black cord. Black only.

PSDPC22W	2.25 x 4.88 x 2.25	60	2.5	0.5	\$307

Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.

PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.5	\$405
----------	-----------------	----	-----	-----	-------

Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.



**Isle Power Tower** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PTISL96GB	18 x 18 x 25.5	92.5	68	6.50	\$3760	
PTISL96GW	18 x 18 x 25.5	92.5	68	6.50	\$3760	
PTISL96SP	18 x 18 x 25.5	92.5	68	6.50	\$3760	

Includes three standard duplexes each with (2) 110V power outlets, and three USB A+C duplexes each with (2) 110V power outlets, (1) 55W USB-C power delivery port and (1) 1.5A, 5V USB-A port; total of (12) 110V power outlets, (3) USB-C and (3) USB-A ports. 9' cord with molded plug.


Available in Gloss Black (GB), Gloss White (GW) and Silver Pearl (SP) as indicated by last letter of model number.



**Vesta Portable Power Tower** 

PPVST3WF	12 x 12 x 28.25	250	10	4.30	\$1580

Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.




Cove Mini - Charging USB

COV-SM-U108	70	1.5	.25	\$378
-------------	----	-----	-----	-------

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.

- Replace _ with S for Silver



Cove Mini - Power & Charging USB

<ul> <li>This unit</li> </ul>	ıtilizes the entire grommet, eliminating available wire pass thru	
<ul> <li>Replace</li> </ul>	with B for Black	

COV-SM-1U-_-108 \$402



Cove Mini - Power

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes one power outlet and two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.

- This unit utilizes the entire grommet, eliminating available wire pass thru
- Replace _ with B for Black
- Replace _ with S for Silver

COV-SM-2108	 70	1.5	.25	\$249

Retrofits into any AG or POG grommet cutout (grommet cover must be removed). Includes two power outlets. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.

- This unit utilizes the entire grommet, eliminating available wire pass thru
- Replace _ with B for Black
- Replace _ with S for Silver

## **Required Specifications**



Clamp Mount 2 Power/USB-A&C

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PS3525057	3.2 x 5.5 x 3	60	3.01	0.2	\$500	
PS3525002	3.2 x 5.5 x 3	60	3.01	0.2	\$500	

Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3525057 White module with Silver bracket.
- PS3525002 Black module with Silver bracket

	1	
TU		

**Under Mount 2 Power/USB-A&C** 

PS3526057	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	
PS3526002	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.

- PS3526057 White module with Silver bracket
- PS3526002 Black module with Silver bracket.



Clamp Mount 3 Power/USB-A&C

PS3526957	3.2 x 5.5 x 3	60	3.01	0.2	\$575
PS3526902	3.2 x 5.5 x 3	60	3.01	0.2	\$575

Ashley Trio clamp mount power module with three 15-amp 120 Volt AC receptacles; 2.4-amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. NOTE: HDMI, RJ45 and VGA connectors are not included. UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS305217 White module with Silver bracket.
- PS305212 Black module with Silver bracket

**Required Specifications** 

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL

POV	VER/	DAT	A	

**Single Sided Recessed Power Block** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PRTMCS401B	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	
PRTMCS401T	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	
PRTMCS401W	4.22 x 10.78 x 4	1.86 100	4.3	0.51	\$456	

Single-sided recessed power block with **one regular duplex and one telecom knockout on top**; **one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 479. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey. Corresponding cut-out options are **R1**, **R2** or **R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".

Single Sided Recessed Power Block
- USB-A + USB-C

PRTMCS421B	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599
PRTMCS421T	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599
PRTMCS421W	4.22 x 10.78 x 4.86	100	4.3	0.51	\$599

Single-sided recessed power block with **one power/USB-A/USB-C duplex and one telecom knockout on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 479. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **R1**, **R2** or **R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".



**Double Sided Recessed Power Block** 

PRTMCD602B	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521
PRTMCD602T	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521
PRTMCD602W	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$521

Double-sided recessed power block with **two regular power duplexes and two telecom knockouts on top**; **one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 479. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey. Corresponding cutout options are **T1**, **T2** or **T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".



Double Sided Recessed Power Block
- USB-A + USB-C

PRTMCD622B	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656	
PRTMCD622T	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656	
PRTMCD622W	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$656	

Double-sided recessed power block with one regular power duplex, one power/USB-A/USB-C duplex and two telecom knockouts on top; one power duplex on bottom. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 479. Available in Black (B), Tungsten (T) or Designer White (W) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are T1, T2 or T3. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".



Double Sided Recessed Power Block
- USB-A + USB-C

PRTMCD642B	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790
PRTMCD642T	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790
PRTMCD642W	6.22 x 10.78 x 4.86	85	6.3	0.51	\$790

Double-sided recessed power block with **two power/USB-A/USB-C duplexes and two telecom knockouts on top**; **one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 479. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1**, **T2** or **T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".

**Required Specifications** 


TELECOM PLATES	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	PTEL01	<b>D x W x H</b> - X - X -	70	0.01	0.05	\$164
Telecom Plate - 2 x 6		i cat 6 data jacks. Black t xx power blocks with data		be hardwired	l by data contrac	ctor. For use only with PRTMCS4xxxx
	PTEL12	- X - X -	70	1	0.01	\$207
Telecom Plate - 2 x 6		te with (2) RJ45 cat 6 dat ower blocks with data.	a jacks. To be hai	rdwired by da	ata contractor. F	or use only with PRTMCS4xxxx and
	PTEL02	- X - X -	70	0.01	0.05	\$222
Telecom Plate - 3 x 6		cat 6 data and 1 RJ11 c d PRTMCD6xxxx power b		elecom plate	e. To be hardwir	ed by data contractor. For use only with
	PTEL03	- X - X -	70	0.01	0.05	\$340
Telecom Plate - 4 x 6		cat 6 data. Black teleco	m plate. To be ha	ardwired by o	data contractor.	For use only with PRTMCS4xxxx and
	PTEL13	- X - X -	70	1	0.01	\$375
Telecom Plate - 4 x 6		te with (4) RJ45 cat 6 dat ower blocks with data.	a jacks. To be ha	ırdwired by d	ata contractor. F	For use only with PRTMCS4xxxx and
	PTEL04	- X - X -	70	0.01	0.05	\$290
Telecom Plate - 3TSV		cat 6 data, mini stereo a PRTMCS4xxxx and PRTN				ne hardwired by data contractor.
	PTEL05	- X - X -	70	0.01	0.05	\$401
Telecom Plate - 3SVH		reo, 15 pin HD VGA and I PRTMCS4xxxx and PRTM			data.	
	PTEL14	2 x 3.25 x -	70	1	0.01	\$483
Telecom Plate - SVH	· · ·	te with mini stereo, 15 pi For use only with PRTMC				le and HDMI with female to female data.
	PTEL08	- X - X -	70	1	0.01	\$176
Telecom Plate - 1 USB-C, 1 USB-A		te with (1) USB-C port w/ red separately. For use o				tail; requires powered USB transformer wer blocks with data.

Required Specifications Finish

	<b>D x W x H</b> - x - x - sformer, 25w, 100-24C PRTMCS4xxxx and PRT - x - x -	TMCD6xxxx power			\$117 ports - provides power	for PTEL08.
se only with I	PRTMCS4xxxx and PR	TMCD6xxxx power			ports - provides power	for PTEL08.
09	- X - X -	70				
		70	1	0.01	\$236	
	e with (2) USB-A ports PRTMCS4xxxx and PRT			data.		
10	- X - X -	70	1	0.01	\$485	
					male/female gender c	hanger include
11	- X - X -	70	1	0.01	\$386	
Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.						
15	- X - X -	70	1	0.10	\$445	
				data		
	telecom plate se only with F  telecom plate se only with F  telecom plate se only with F	se only with PRTMCS4xxxx and PR  10 -x-x-  telecom plate with (2) RJ45 cat 6 d se only with PRTMCS4xxxx and PR  11 -x-x-  telecom plate with (1) HDMI femal se only with PRTMCS4xxxx and PR  15 -x-x-  telecom plate with (1) HDMI femal	se only with PRTMCS4xxxx and PRTMCD6xxxx power  10 -x-x- 70  telecom plate with (2) RJ45 cat 6 data connectors, (1 se only with PRTMCS4xxxx and PRTMCD6xxxx power  11 -x-x- 70  telecom plate with (1) HDMI female/female w/36" page only with PRTMCS4xxxx and PRTMCD6xxxx power  15 -x-x- 70  telecom plate with (1) HDMI female/female with 36"	se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one of the lecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36 se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with one only with PRTMCS4xxxx and PRTMCD6xxxx power blocks	se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.  10 -x-x- 70 1 0.01  telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; fe se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.  11 -x-x- 70 1 0.01  telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 7 se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.  15 -x-x- 70 1 0.10  telecom plate with (1) HDMI female/female with 36" patchcord.	se only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.  10 -x-x- 70 1 0.01 \$485  telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender of see only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.  11 -x-x- 70 1 0.01 \$386  telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord. see only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.

### POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows
  users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to UL962A SD, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard C22.2 No. 203-16.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify MPS for a single centered cut-out on the approcah side of the table or MPD for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Cut-outs are available on the following series: 2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Edventure study carrels and Zook rectangular and flip-top tables. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION

## **ModPower In-Surface Starter Unit**

1	
Children of the Control of the Contr	

ModPower In-Surface Middle Unit



**ModPower In-Surface End Unit** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
PMDSF10MG	2.75 x 7.63 x 2.6	3 250	3.44	1	\$521
PMDSF10WH	2.75 x 7.63 x 2.6	3 250	3.44	1	\$521

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

PMDCF3MG	2.75 x 7.63 x 2.63	250	2.44	1	\$490
PMDCF3WH	2.75 x 7.63 x 2.63	250	2.44	1	\$490

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

PMDEF3MG	2.75 x 7.63 x 2.63	70	1.85	1	\$429	
PMDEF3WH	2.75 x 7.63 x 2.63	70	1.85	1	\$429	

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL

MUDPOWER MODULES

## **ModPower On-Surface Starter Unit**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$551	
PMDSA10WH	1.75 x 6.13 x 2.5	150	4.33	1	\$551	

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

	300
	0
10	2
-	

ModPower On-Surface Middle Unit

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$521
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$521

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



**ModPower On-Surface End Unit** 

PMDEA3N		1.75 x 6.13 x 2.5	250	2.75	1	\$459
PMDEA3V	VH	1.75 x 6.13 x 2.5	250	2.75	1	\$459

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower Cable Management Clips

PMDCLIPS	2.5 x 2.6 x .6	70	0.03	0.02	\$92





## ModPower Interconnecting Jumper

PMDJ36BK	x 36 x	70	1.38	0.09	\$308

Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.

**Required Specifications** 



OFFICE ACCESSORIES

## Power/Data Cable Basket

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BRTCB76KIT	8 x 34 x 1	70	1.56	0.15	\$263	
BRTCB70	8 x 70 x 1	100	3.22	0.34	\$191	
BRTCB64	8 x 64 x 1	92.5	2.94	0.29	\$178	
BRTCB58	8 x 58 x 1	92.5	2.66	0.26	\$172	
BRTCB52	8 x 52 x 1	100	2.39	0.24	\$162	
BRTCB46	8 x 46 x 1	92.5	2.16	0.21	\$153	
BRTCB40	8 x 40 x 1	70	1.8	0.18	\$145	
BRTCB34	8 x 34 x 1	70	1.56	0.15	\$139	
BRTCB28	8 x 28 x 1	70	1.2	0.13	\$123	
BRTCB22	8 x 22 x 1	70	1.01	0.1	\$115	
BRTCB16	8 x 16 x 1	70	0.73	0.07	\$108	
BRTCB8	8 x 8 x 1	70	0.36	0.03	\$97	

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.

PEWM5.5       2 x 66 x 2       70       .60       .10       \$198         PEWM5       2 x 60 x 2       70       .60       .10       \$166         PEWM4.5       2 x 54 x 2       70       .50       .10       \$148         PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55         PEWM1       2 x 12 x 2       70       .20       .10       \$40						
PEWM4.5       2 x 54 x 2       70       .50       .10       \$148         PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM5.5	2 x 66 x 2	70	.60	.10	\$198
PEWM4       2 x 48 x 2       70       .50       .10       \$135         PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM5	2 x 60 x 2	70	.60	.10	\$166
PEWM3.5       2 x 42 x 2       70       .40       .10       \$116         PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM4.5	2 x 54 x 2	70	.50	.10	\$148
PEWM3       2 x 36 x 2       70       .40       .10       \$104         PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM4	2 x 48 x 2	70	.50	.10	\$135
PEWM2.5       2 x 30 x 2       70       .30       .10       \$85         PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM3.5	2 x 42 x 2	70	.40	.10	\$116
PEWM2       2 x 24 x 2       70       .30       .10       \$70         PEWM1.5       2 x 18 x 2       70       .20       .10       \$55	PEWM3	2 x 36 x 2	70	.40	.10	\$104
PEWM1.5 2 x 18 x 2 70 .20 .10 <b>\$55</b>	PEWM2.5	2 x 30 x 2	70	.30	.10	\$85
	PEWM2	2 x 24 x 2	70	.30	.10	\$70
PEWM1 2 x 12 x 2 70 .20 .10 <b>\$40</b>	PEWM1.5	2 x 18 x 2	70	.20	.10	\$55
	PEWM1	2 x 12 x 2	70	.20	.10	\$40

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (BLK) only.

PEVWM	2 x 22 x 2	70	.30	.10	\$68	

From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black (BLK)



Wire Manager



**Vertical Wire Manager** 

**Required Specifications** 

only. Attaches with two strips of double-sided tape.

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL



**Coat Tree** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
PCOS2	25 x 25 x 60	300	8	4.67	\$501	
PCOS3	25 x 25 x 60	300	8	4.67	\$501	

Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS. 3 per carton • PCOS2 is finished in Black. PCOS3 is finished in Chrome.



Coat Tree*

PCT	25 x 25 x 65	250	6	3	\$642

Square tube. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Absolute (AAM), Black (BKM), Cherry (ACM), Cherry Latte (CLM), Cocoa Vanilla (CVM), English Oak (EOM), Fruitwood (TFM), Honey (AHM), Gray (HGM), Mahogany (TMM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Sandy Beach (SBM), Walnut (TWM), White (WHM) and Winter Cherry (WCM). Ships UPS. 1 per carton.



**Anti-Fatigue Mat** 

PAFM3018	29.4 x 17.63 x .75	85	4.4	0.3	\$172
PAFM4820	48 x 20 x .75	85	7.7	0.59	\$276

Polyurethane anti-fatigue mat offers increased comfort and helps reduce strain while standing. Tapered, no-curl edges prevent tripping hazards. Anti-slip backing is suitable for low pile carpet or hard flooring. Black only.

**Required Specifications** 

Finish

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL P

**Visual Board**  *Visual Board**  *Visual Board**  **Visual Board	BOARDROOM ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
Available finishes: ACJ Absolute Acajou BRC Brushed Cobalt BRC Brushed Cobalt DES Dark Espresso DWT Designer White OTM Quartered Mahogany SOG Storm Grey WHC White Chocolate WCR Winter Cherry WHC White Chocolate  GVRA948 4 x 48 x 48 85 122 9.25 \$1695 AVB4948 4 x 48 x 48 70 135 9 \$1650  Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing part door. Marker board can be used for projection. Set of 4 dry markers and eraser included. • NOTE: Care should be taken to mount the units. Units sould be mounted to utilise using correct fasteners. Fit do so may result in collapse of the intelligence of the own and subsequent personal injury. Mounting hardware not included Marker used should be based on wall material. Consult an installation professional for proper wall mounting.  Z36187ZVB 36 x 18 x 72 250 187 38 50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Lacking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  ENCIL DRAWERS  MODEL4  DISCAPPORT 16 x 24 x 2 25 92.5 5 5.00 3862 W1518PDR 18 x 15 x 2.5 9 2.5 4 4.00 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164								
ASN Asian Night AWC Avant Cherry AWH Avant Honey BIK Black BRC Brushed Cobalt DES Dark Espresso DWT Designer White OTM Ouartered Mahogany SOG Strom Grey WHC White Chocolate WCR Winter Cherry  GVB4848 4 x 48 x 48 85 122 9.25 \$1695  AVB4848 4 x 48 x 48 70 135 9 \$1650  Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing part door. Marker board can be used for projection. Set of 4 dry markers and eraser included. • NOTE: Care should be taken to mount the units. Units should be mounted to wall study using correct fasteners. Fet do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mardware used should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 x 18 x 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  W1624PDR 16 x 24 x 2 25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2 25 92.5 4 .40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164	g							
BRC Storm Grey WHC White Chocolate WCR WIRE Cherry  GVB4848 4 x 48 x 48 85 122 9.25 \$1695  AVB4948 4 x 48 x 48 70 135 9 \$1650  Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing part door. Marker board can be used for projection. Set of 4 dry markers and eraser included.  • NOTE: Care should be taken to mount the units. Units. Units. Should be mounted to wall study using correct fasteners. Factors are set of the study of the standard on the units. Units. Should be mounted to wall study using correct fasteners. Factors are set of the study of the standard on the units. Units. Units. Should be mounted to wall study using correct fasteners. Factors are set of the standard on the units. Units. Should be mounted to wall study using correct fasteners. Factors are should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 x 18 x 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  MODELF DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. UST PRICE  W1624PDR 16 x 24 x 2 25 92.5 5 5.50 \$362  W1518PDR 18 x 15 x 2.25 92.5 4 4.0 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164		ASN Asian Night	AWC	Avant Cherry	/	AWH	Avant Honey	
GVB4848 4 x 48 x 48 85 122 9.25 \$1695  AVB4948 4 x 48 x 48 70 135 9 \$1650  Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing pact door. Marker board can be used for projection. Set of 4 dry markers and eraser included.  • NOTE: Care should be taken to mount the units. Units should be mart or wall studies using correct fasteners. Fa do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Me hardware used should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 x 18 x 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  MODEL® DIMENSIONS FREIGHT CLASS WT/LBS: CUBIC FT. LIST PRICE  W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2.25 92.5 4 40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D workspurface with included roller slides. Shipped RTA (ready to assemble).  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164	,	· ·		,			•	
Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing part door. Marker board can be used for projection. Set of 4 dry markers and eraser included.  • NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Fado so may result in collapse of the unit and subsequent personal righty. Mounting hardware not included. Me hardware used should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 × 18 × 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  **MODEL** DIMENSIONS** FREIGHT CLASS** WT/LBS** CUBIC FT.** UST PRICE** W1624PDR 16 × 24 × 2.25 92.5 5.50 \$362 W1518PDR 18 × 15 × 2.25 92.5 4.40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  **May be used with all casegoods.**  PEEPD 15 × 22.5 × 1.5 250 2 0.7 \$164	QTM Quartered Mahogany	SOG Storm Grey	WHC	White Choco	olate	WCR	Winter Cherry	
Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing pad door. Marker board can be used for projection. Set of 4 dry markers and eraser included.  • NOTE: Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Fado so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Me hardware used should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 x 18 x 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  **NOIL DRAWERS**  MODELE**  DIMENSIONS**  FREIGHT CLASS**  WY/LBS**  CUBIC FT.*  LIST PRICE**  W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362*  W1518PDR 18 x 15 x 2.25 92.5 4 .A0 \$274*  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"0 and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164*  Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface.			4 x 48 x 48			9.25	\$1695	
door. Marker board can be used for projection. Set of 4 dry markers and eraser included.  • NOTE: Care should be taken to mount the units. Units should be mounted to wall stude using correct fasteners. Fa do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Minhardware used should be based on wall material. Consult an installation professional for proper wall mounting.  Z361872VB 36 x 18 x 72 250 187 38.50 \$2954  Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE  W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2.25 92.5 4 .40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164		AVB4848	4 x 48 x 48	70	135	9	\$1650	
Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2.25 92.5 4 .40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164	sual Board*	door. Marker board ca • NOTE: Care should	an be used for proje be taken to mount	ection. Set of 4 dry the units. Units sh	markers ar ould be mou	nd eraser included. <i>unted to wall studs</i>	using correct fasteners. Fail	ilure t
Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  **NGILDRAWERS**  **MODEL***  **DIMENSIONS**  **FRIGHT CLASS**  **W7/LBS.**  **CUBIC FT.**  **UST PRICE**  W1624PDR  16 x 24 x 2.25 92.5 5 .50 \$362  W1518PDR  18 x 15 x 2.25 92.5 4 .40 \$274  **Dimensions**  **Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  **May be used with all casegoods.**  PEEPD  15 x 22.5 x 1.5 250 2 0.7 \$164  Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with included roller slides.**  PEEPD  15 x 22.5 x 1.5 250 2 0.7 \$164			•		-			untinį
Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).  MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE  W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2.25 92.5 4 .40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164		Z361872VB	36 x 18 x 72	250	187	38.50	\$2954	
Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buff Shipped RTA (ready to assemble).    MODEL#   DIMENSIONS   FREIGHT CLASS   WT/LBS.   CUBIC FT.   LIST PRICE								
W1624PDR 16 x 24 x 2.25 92.5 5 .50 \$362 W1518PDR 18 x 15 x 2.25 92.5 4 .40 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164  Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with all casegoods.		Locking casters includ Shipped RTA (ready to	led. Decorative alu assemble).	minum trim is stan	dard on the	lip of each shelf. I	Height aligns with 36" buffet	
W1518PDR 18 x 15 x 2.25 92.5 440 \$274  Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164  Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with all casegoods.	ENCIL DRAWERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).  • May be used with all casegoods.  PEEPD 15 x 22.5 x 1.5 250 2 0.7 \$164  Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with included roller slides. Shipped RTA (ready to assemble).								
Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface were considered to the control of the cont	encil Drawer	24"D and 30"D works	urface with include					f any
		PEEPD	15 x 22.5 x 1.5	250	2	0.7	\$164	
	encil Drawer	_	-	and small items at	the worksu	rface. Attaches to (	underside of worksurface wi	ith d

Required Specifications
Laminate finish

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
1/000	DxWxH	00.5	40	4	4005	
KS20	11 x 20 x 3.5	92.5	10	1	\$265	

#### **Keyboard Shelf**

Pull-out laminate shelf. Specify finish from list available in each series.

• Not available on StreamLINE or Adaptabilities Series - see page 41 for comparable Adaptabilities option.



MPOKL 11 x 24 x 3.5 92.5 10 1 **\$274** 

#### **Keyboard Drawer**

Pull-out laminate drawer. Specify finish from list available in each series.

• Not available on StreamLINE or Adaptabilities Series - see page 41 for comparable Adaptabilities option.

ACCESSORIES	MODEL#	DIMENSIONS FR	EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
AG1 AG2 AG3 TOP VIEW	AG1 AG2 AG3	1.875 d x 3.25 w	100			\$96	
3.25"							
Wire Manager Grommet						icate position - left ( <b>AG1</b> ), ce t cover only, please specify <b>G</b>	
	MLB90	4.5 x 1.5	70	1	.01	\$60	
L Bracket	Used to attach wo	orksurfaces to end panels. I	Black only.				
	CST318	4.5 x 3	70	1	.01	\$56	
Flat Bracket	Used as a mendir	g plate to give additional v	vorksurface su	pport. Black o	only.		

## CENTER DRAWERS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

#### **CENTER DRAWER NOTES**

• Center drawers must be dealer or end user installed. Drawers do not fill entire center space opening. Approximate kneespace widths are:

30" x 60" DP	25½"	30" x 66" DP	31½
30" x 72" DP	37½"	30" x 66"/20" x 40" L	22½
30" x 66"/24" x 48" L	24½"	36" x 72"/24" x 48" L	30½



CD20	18 x 20 x 3	100	8	1	\$214	

#### Center Drawer*

Laminate drawer front is attached to a 4-sided frame. Recommended for use on small L-shaped units, and on 30" x 60" and 66" desks.

Re	q	u	ir	ed	S	pe	ci	fi	C	a	tic	0	n	S

Finish*

HANDLES	
HANDLES	
Silver Handle (HV)	

Matte Black Handle (HU)



Flared Brass Handle (HW)



Flared Black Handle (HX)



Flared Silver Handle (HS)



Dimpled Nickel Handle (HZ)



Crescent Black Handle (H0)

D x W x H	
GEN225-SIL x 5 x 70 1 .01 <b>\$3</b>	

Silver finish, square edge handle style. For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on **Zira** desks, credenzas and returns, see series notes for option code and price.

GEN225-BLK	x 5 x	70	1	.01	\$34	
------------	-------	----	---	-----	------	--

Black matte finish, square edge handle style. For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on **Zira** desks, credenzas and returns, see series notes for option code and price.

GEN217	x 5.25 x	70	1	.01	\$34

Satin brass finish, flared handle style. For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns, see series notes for option code and price.

GEN165	x 5 25 x	70	1	Λ1	\$34	
GLIVIOO	X 0.20 X	, 0		.01	ΨO.	

Black matte finish, flared handle style For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on **Zira** desks, credenzas and returns, see series notes for option code and price.

GEN189-HS	x 4 5 x	70	1	Π1	\$34	
GETT100 110	λ 1.0 λ	, 0		.0 1	Ψ0.	

Silver finish, flared handle style. For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns, see series notes for option code and price.

GEN190	x 4.9 x	70	1	.01	\$34	

Nickel matte finish, dimpled handle style. For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option
  on Zira desks, credenzas and returns, see series notes for option code and price.

GEN256	x 4.75 x	70	1	.01	\$34

Black matte finish, crescent handle style For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns only, see series notes for option code and price.

#### **Required Specifications**

Finish (Drawers)

## P

## PRODUCTIVITY SOLUTIONS™ BY GLOBAL



Bar Silver Handle (HQ)

HANDLES



Silver finish, bar handle style For use on pedestals and all lateral files.

- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on Zira desks, credenzas and returns only, see series notes for option code and price.

CS0003-BLK	x 4.6 x	70	1	.01	\$34	

Black finish, bar handle style For use on pedestals and all lateral files.


- This handle has a measurement of 96mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on **Zira desks, credenzas and returns only**, see series notes for option code and price.

BRH1 x 6.37	75 x 70	1	.01	\$35

Silver Finish, square edged handle style. For use on all pedestals and storage cabinets with handles.

- This handle has a measurement of 128mm center to center.
- Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option
  on Bridges II pedestals and cabinets only, see series notes for option code and price.





**Bridges II Handle** 

# table power + technology solutions

## TABLE POWER + TECHNOLOGY SOLUTIONS™ - NOTES

- Global is pleased to offer a range of sophisticated electrical and technology options for training and conference tables.
- Worksurface cut-outs for units must be specified separately, please see appropriate product note pages for details.
- Daisy chaining is generally defined as having multiple power units connect to one another from a single electrical infeed source.
- The daisy-chain units below utilize a 4-wire, 2 circuit system (when hardwired by a licensed electrician to a building power source) or can run a single circuit (when utilizing the 42AP1-72 plug and play infeed).
- The following maximums are to National Electric Code (NEC) some local codes vary from NEC code – it is the customer's responsibility to follow all applicable local codes and guidelines.

Max units per circuit
8 units per circuit
4 units per circuit
8 units per circuit
3 units per circuit
3 units per circuit

#### **Electrical System**


4-2 Wiring Schematic

4-Wire Shared Neutral

Complies with National Electric Code

**UL** Listed

All circuits rated for 20 AMP



#### **VILLA I, VILLA II AND VILLA USB DETAILS**

- Each Villa unit is available two ways. Corded units includes three-prong plugs to connect directly into a standard outlet. DaisyLink kits can be specified separately to daisy-chain multiple units off of a single infeed. Infeeds are specified separately.
- Villa I units include two power outlets and either two knockouts or two data ports included, all accessible at the surface.
- Villa II units include two power outlets and either two knockouts for data or two data ports included accessible at the surface. Another two power outlets are accessible below the surface.
- Villa USB includes two power outlets, two 2.1 AMP charging USB ports and either two data knockouts or two data ports included, all accessible at the surface.

#### **OASIS MINI DETAILS**


- Each Oasis Mini (except for Chicago Mini Oasis) is available two ways. Corded units
  includes three-prong plugs to connect directly into a standard outlet. DaisyLink units
  must have interconnecting cords specified separately to daisy-chain multiple units off
  of a single infeed. Infeeds are specified separately.
- Oasis Mini A units includes six power outlets and two telecom plate knockouts
- Oasis Mini B units includes four power outlets and three telecom plate knockouts
- Oasis Mini USB units include six power outlets, two 2.1 AMP charging USB ports and one telecom plate knockouts

#### **TELECOM PLATE DETAILS**


 Telecom plates are for use on Oasis Mini units only, providing a means to provide different types of telephone, data and audio visual connections to the worksurface.
 For every telecom plate knockout on a Oasis Mini unit, please specify one telecom plate. If telecom plates are not required, it is recommended blank telecom plates are specified - see page 484 for details.

#### **EXAMPLE LAYOUTS - TRAINING TABLES**

- Single Power Block Kits Available on training tables 36" 72" (must specify V2 cut-out on table):
- Each single block kit includes 1 Power Block and 1 Grommet Cover, 1 Female/Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.




- Double Power Block Kits Available on 60", 66" and 72" (must specify V1 and V3 cut-out on table):
- Each double block kit includes 2 Power Blocks and 2 Grommet Covers, 2 Female/ Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.



#### **VILLA CUT-OUTS**

- Optional Villa cut-out available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3. Add \$96 for each cutout
- Villa cut-outs may be placed at non-standard locations. Please contact customer service




#### **OASIS MINI CUT-OUTS**

- Optional Oasis Mini cut-out available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: M1, M2 or M3. Add \$96 for each cut-out.
- Oasis Mini cut-outs may be placed at non-standard locations. Please contact customer care
- Oasis Mini is only available on Zira Boardroom Tables



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
VIF-41-DK0_72SK		70	9	.45	\$496	
VIF-41-DK0_66SK		70	9	.45	\$496	
VIF-41-DKO_60SK		70	9	.45	\$496	
VIF-41-DKO54K		70	9	.45	\$496	
VIF-41-DKO48K		70	9	.45	\$496	
VIF-41-DKO42K		70	9	.45	\$496	
VIF-41-DKO36K		70	9	.45	\$496	







Cable Clamps



Villa Flush Lid

Villa Power Base

VILLA I, CENTER POSITION- DAISYLINK KITS

Data Knockouts, No Data Ports


Includes **one power block** with **two power receptacles** and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

VIF-41-D72SK	 70	9	.45	\$648
VIF-41-D66SK	 70	9	.45	\$648
VIF-41-D60SK	 70	9	.45	\$648
VIF-41-D54K	 70	9	.45	\$648
VIF-41-D48K	 70	9	.45	\$648
VIF-41-D42K	 70	9	.45	\$648
VIF-41-D36K	 70	9	.45	\$648

42 FF Cable





Cable Clamps





Data Knockouts, Data Ports Included

Includes one power block with two power receptacles and two RJ45 Cat 6 Data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. V2 cut-out must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with **B** for **Black**
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

#### **Required Specifications**

Finish Power Infeed Cut-out location


### T

### TABLE POWER + TECHNOLOGY SOLUTIONS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
VIF-41-UDKO36K		70	10	.45	\$679
VIF-41-UDKO42K		70	10	.45	\$679
VIF-41-UDKO48K		70	10	.45	\$679
VIF-41-UDKO54K		70	10	.45	\$679
VIF-41-UDKO_60SK		70	10	.45	\$679
VIF-41-UDKO_66SK		70	10	.45	\$679
VIF-41-UDKO_72SK		70	10	.45	\$679

A2 FF





Cable Clamps

Villa Power Base

Villa Flush Lid

**VILLA I, CENTER POSITION- DAISYLINK KITS** 


Villa I USB Data Knockouts, *No Data Ports* 


Includes one power block with two power receptacles, two 2.1 AMP USB charging ports and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. V2 cut-out must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

VIF-41-UD36K	 70	10	.45	\$831	
VIF-41-UD42K	 70	10	.45	\$831	
VIF-41-UD48K	 70	10	.45	\$831	
VIF-41-UD54K	 70	10	.45	\$831	
VIF-41-UD_60SK	 70	10	.45	\$831	
VIF-41-UD_66SK	 70	10	.45	\$831	
VIF-41-UD_72SK	 70	10	.45	\$831	

42 FF Cable





Cable Clamps



Villa Power Base



Villa Flush Lid



Villa I USB

Data Knockouts, Data Ports Included

Includes **one power block** with **two power receptacles**, **two 2.1 AMP USB charging ports** and two RJ45 Cat 6 for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service.

UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

#### **Required Specifications**

Finish

Power Infeed Cutout location

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
VIF2-41-DK0_72SK		65	12	.45	\$585	
VIF2-41-DK0_66SK		65	12	.45	\$585	
VIF2-41-DK0_60SK		65	12	.45	\$585	
VIF2-41-DK0_54K		65	12	.45	\$585	
VIF2-41-DK0_48K		65	12	.45	\$585	
VIF2-41-DK0_42K		65	12	.45	\$585	
VIF2-41-DK0_36K		65	12	.45	\$585	




**VILLA II, CENTER POSITION - DAISYLINK KITS** 


Villa II Flush Lid



Data Knockouts, No Data Ports

42 FF Cable





Cable Clamps



Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with **B** for **Black**
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

VIF2-41-D72SK VIF2-41-D66SK	 65	12	.45	\$740
VIEW AT D. GGCK			· · · <del>-</del>	Ψ, .υ
VII 2-41-D003K	 65	12	.45	\$740
VIF2-41-D60SK	 65	12	.45	\$740
VIF2-41-D54K	 65	12	.45	\$740
VIF2-41-D48K	 65	12	.45	\$740
VIF2-41-D42K	 65	12	.45	\$740
VIF2-41-D36K	 65	12	.45	\$740

42 FF Cable







Cable Clamps



Villa II Flush Lid

Villa II Power Base

Data Knockouts, Data Ports Included

Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 Data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

#### **Required Specifications**

Finish
Power Infeed
Cutout location


Villa Power Base	I
	E
Aby Aby	١.

VILLA I, LEFT & RIGHT POSITION - DAISYLINK KITS


Data Knockouts, No Data Ports








Data Knockouts, Data Ports Included





Villa I USB

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GL-VIF41KO_72DK		60	18	.23	\$924	
GL-VIF41KO_66DK		60	18	.23	\$924	
GL-VIF41KO_60DK		60	18	.23	\$924	






Includes two power blocks with two power receptacles and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace with B for Black
- Replace with S for Silver Pearl
- Villa DaisvLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

GL-VIF41D_72DK	 60	18	.23	\$955
GL-VIF41D_66DK	 60	18	.23	\$955
GL-VIF41D_60DK	 60	18	.23	\$955






Includes two power blocks with two power receptacles and two RJ45 Cat 6 data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom tables

GL-VIF41UKO_72DK	 60	23	.23	\$1294
GL-VIF41UKO_66DK	 60	23	.23	\$1294
GL-VIF41UKO_60DK	 60	23	.23	\$1294



Cable Clamps



Includes two power blocks with two power receptacles, two 2.1 AMP USB charging ports and two knockouts for data, grommet cover, two female/female interconnecting cables, one female/male interconnecting cable and four cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

#### **Required Specifications**

Finish

Power infeed

Cut-out location

.23

.23

\$986 \$986

22

22

#### 

60

60





Data Knockouts, No Data Ports



GLVIF241KO_66DK






Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

GL-VIF241D_72DK	 60	22	.23	\$1294	
GL-VIF241D_66DK	 60	22	.23	\$1294	
GL-VIF241D_60DK	 60	22	.23	\$1294	
42 FF Cablo					



Cable Clamps



Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 485). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables


Villa Flush Lid

Villa II Power Base

Data Knockouts, Data Ports Included

**Required Specifications** 

Finish
Power Infeed
Cut-out location



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
VIL-C-DKO108	3.25 x 8.75 x 2.2	25 100	4	.45	\$249	
VIL-C-DKO72	3.25 x 8.75 x 2.2	25 100	4	.45	\$249	

Data Knockouts, No Data Ports

Villa I with 3-prong plug. Includes **two power receptacles** and two knockouts for data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see page 481). UL listed: UL 962A and CUL listed.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Compatible with Zira Collaborative tables
- -108 models include a 108" long cord. -72 models include a 72" long cord.



 VIL-C-D-_-108
 3.25 x 8.75 x 2.25
 100
 4
 .45
 \$402

 VIL-C-D-_-72
 3.25 x 8.75 x 2.25
 100
 4
 .45
 \$402

Data Knockouts, Data Ports Included

Villa I with 3-prong plug. Includes **two power receptacles** and **two RJ45** Cat 6 data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see page 481). UL listed: UL 962A and CUL listed.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- · Compatible with Zira Collaborative tables

<b>F</b>	
The state of the s	


**VILLA II - CORDED UNITS** 

MODEL# DIMENSION	ONS FREIGHT CLASS	S WT/LBS. CUBI	C FT. LIST PRICE	
VIL2-C2-DK0 -108 3.25 x 11	x 2.25 85	6 .4	5 <b>\$340</b>	
VIL2-C2-DK072 3.25 x 11	x 2.25 85	6 .4	5 <b>\$340</b>	

Data Knockouts, No Data Ports

Villa II with 3-prong plug. Includes **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data. A fifth convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see below). UL listed: UL 962A and CUL listed.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Not compatible with Zira Collaborative tables



VIL2-C2-D108	3.25 x 11 x 2.25	85	6	.45	\$496
VIL2-C2-D72	3.25 x 11 x 2.25	85	6	.45	\$496

Data Knockouts. Data Ports Included

Villa II with 3-prong plug. Includes **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 data. A fifth convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see below). UL listed: UL 962A and CUL listed.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl
- Not compatible with Zira Collaborative tables

#### **Required Specifications**

Finish Power Infeed

Cutout location



Villa I, DaisyLink

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
VIL-4-1-DKO		100	4	.45	\$218	

Villa I for use in hardwire or DaisyLink applications. Includes two power receptacles and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed required and sold separate (see page 485). Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

VIL2-4-1-DKO 85	6 .45	\$310
-----------------	-------	-------



Villa II, DaisyLink

Villa II for use in hardwire or DaisyLink applications. Includes four power receptacles (two worksurface accessible, two below worksurface) and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed and connecting cables sold separate (see page 485). Please see our **Daisy-Chain guide** on page 486 for appropriate cable lengths and important notes.

Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables





Villa USB, DaisyLink

Villa USB for use in hardwire or DaisyLink applications. Includes two power receptacles, two 2.1 AMB USB charging ports, and two knockouts for data in each block. V1, V2 or V3 cut-out(s) must be specified on table (see product notes section for more details and cut-out upcharge). Power infeed and connecting cables sold separate (see page 485). Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. Grommet cover is required and sold separate (see page 481). UL listed: UL 183 and CSA Certified.

- Replace _ with B for Black or S for Silver Pearl
- Villa DaisyLink kits are not recommended for use on 2gether tables
- Not compatible with Zira Collaborative tables, Terina tables or Junction wire managers (JNECxx)
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

VILLA GROMMET COVERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.
	VIL-GROM-F	3.5 x 5.75 x .94	70	1	.08
		7			



**Villa Grommet Cover** 

Powder coated flush metal grommet to be used with Villa I and Villa II corded series power blocks. Cut-outs in tables must be specified separately. V1, V2 or V3 cut-out(s) must be specified on training table (see product notes section for more details and cut-out upcharge). Grommet cover remains open while in use.

- Cannot be used with PMSPDM.
- Replace with B for Black or S for Silver Pearl


Required Specification	on
------------------------	----

Finish Power Infeed Cutout location LIST PRICE

\$126

## T

### TABLE POWER + TECHNOLOGY SOLUTIONS



Oasis Mini A, Corded




Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (telecom plates sold separate, see page 484) and two 108" 3-prong plugs. M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). Cut-out dimensions: 14.12"x 8.25". UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace _ with B for Black
- Replace _ with S for Silver Pearl



Oasis Mini A, DaisyLink Version



For hardwire and daisy chain applications. Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl



Oasis Mini B, Corded

OAM-B-PC	15 x 9 x 5.25	92.5	16	1.53	\$1826	

Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (**telecom plates sold separate**, see page 484) and one 108" 3-prong plug. **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace _ with B for Black
- Replace _ with S for Silver Pearl



Oasis Mini B, DaisyLink Version

OAM-B-PC-4-1	15 x 9 x 5.25	92.5	16	1.53	\$2091	

For hardwire and daisy chain applications. Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace _ with B for Black
- $\bullet$  Replace  $_$  with  $\boldsymbol{S}$  for  $\boldsymbol{Silver\ Pearl}$

**Required Specifications** 

Finish

Power Infeed

Cut-out location



Oasis Mini USB, Corded

**OASIS MINI** 

DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
DxWxH					
15 x 9 x 5.25	92.5	16	1.53	\$2044	
	DxWxH	D x W x H	D x W x H	D x W x H	D x W x H

Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 484) and two 108" 3-prong plugs. M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace _ with B for Black

Replace _ with S for Silver Pearl

OAM-U-PC-4-1	15 x 9 x 5.25	92.5	16	1.53	\$2307
	]				

For hardwire and daisy chain applications. Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 484). Power infeed sold separate (see page 485). M1, M2 or M3 cut-out(s) must be specified on conference table (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. Please see our Daisy-Chain guide on page 486 for appropriate cable lengths and important notes. UL Listed: UL 183.

- Replace _ with B for Black
- Replace _ with S for Silver Pearl



Oasis Mini USB, DaisyLink Version

Oasis Mini, Chicago Code

Mini Oasis for Chicago code includes electrical trough with (2) separate hardwire inserts. Each insert includes (3) simplex outlets and (1) telecom plate cut-out (**telecom plates sold separate**, see page 484). **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). Each component is UL Listed: UL 962A.

- Cannot be daisy-chained.
- Replace _ with B for Black
- Replace _ with S for Silver Pearl

**Required Specifications** 

Finish Power Infeed Cut-out location

TOP TELECOM PLATES  NOT COMPATIBLE WIT	H VILLA UNITS	D x W x H	
TOP TELECOM PLATE	MODEL	CONFIGURATION	LIST PRICE
	AA-B	Telecom plate with RJ11 Cat 3 Phone and RJ45 Cat 6 Data	\$108
	AB-B	(2) RJ45 Cat 6 Connectors	\$141
	AB-B-B	(3) RJ45 Cat 6 Connectors	\$206
	AB-B-B-B	(4) RJ45 Cat 6 Connectors	\$274
• ****	AB-C51-L	RJ45 Cat 6 Data, Mini-Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$244
· 8000 ·	AB-B-C51	(2) RJ45 Cat 6 Data and (1) 15 pin HD VGA Female/Female with 72" patch cord attached.	\$254
	AA-B-102	RJ11 Cat 3 phone, RJ45 Cat 6 Data and USB with 72" patch cord attached.	\$244
-	AB	RJ45 Cat 6 Data	\$76
∘ <b>‱</b>	AC51-L	Mini Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$191
***	ACRDMINDER	Cordminder Plate - 2 5/8" holes and 1 7/8" holes	\$43
• <del>• •</del>	AC45-C51-L	HDMI Female/Female with 36" patch cord attached. Mini Stereo Inline and 15 Pin HD VGA Female/Female with 72" patch cord attached.	\$333

Finish Power Infeed Cut-out location

TOP TELECOM PLATES			D x W x H						
TOP TELECOM PLATE	MODEL	CONFIGURATION						LIST PRIC	
<b>∌</b>	AC45	HDMI Female/Fema	HDMI Female/Female with 36" patch cord attached.						
	AA-B-B	(1) RJ11 Cat 3 Phone	e and (2) RJ45 Cat 6 d	ata.				\$178	
	A	Blank telecom plate						\$27	
÷	A102	USB with 72" patch	cord attached.					\$76	
o <b>W.W.</b> o	AC51	15 pin HD VGA Fema	ale/Female with 72" p	oatch cord attached				\$123	
		• Replace _ with • Replace _ with							
OWER INFEEDS									
		42AP1-72					\$245		
lug and Play Infeed			AMP Power Infeed w					mounted standar	
		42SB2-108 42SB2-72 42SB2-36	  	  		  	\$203 \$158 \$115		
Multi-Circut Hardwire I	Power Infeed	Multi-Circuit Hardwire Infeed (up to 20 AMPS per circuit), two circuits. Provides single power entry from floo building power supply. Connects to Oasis Mini or Villa units that require a power infeed. <b>TO BE HARDWIR LICENSED ELECTRICIAN.</b> UL Listed: UL 183.							
		DAISY-T		70	1	1	\$187		
Way Power Splitter		Daisy-T power m UL Listed: UL 183	anager includes two i 3.	male and one femal	e connection.	For use in splitt	ting a power source	two ways.	
		Required Specific	cations	-					
		Power Infeed Cut-out location							

### T


## TABLE POWER + TECHNOLOGY SOLUTIONS




#### Interconnecting Cables - Common Cable Lengths (in inches)

ΓI-/ΓI-	_	•		FI-/84-I-	
Female/Female				Female/Male	
42FF-27	\$116	42FF-97	\$216	42FM-12	\$104
42FF-38	\$129	42FF-98	\$216	42FM-27	\$121
42FF-41	\$133	42FF-100	\$205	42FM-38	\$134
42FF-50	\$145	42FF-101	\$208	42FM-41	\$139
42FF-53	\$149	42FF-103	\$208	42FM-50	\$151
42FF-63	\$159	42FF-110	\$219	42FM-63	\$167
42FF-65	\$163	42FF-113	\$225	42FM-75	\$181
42FF-75	\$175			42FM-82	\$190
42FF-76	\$176			42FM-85	\$164
42FF-77	\$177			42FM-86	\$195
42FF-82	\$184			42FM-97	\$216
42FF-85	\$187			42FM-98	\$216
42FF-86	\$188			42FM-100	\$230
42FF-89	\$193			42FM-110	\$230


#### **DRAWING 1A - OASIS MINI A & OASIS MINI USB**




#### **DRAWING 1B - OASIS MINI B**



#### **DRAWING 2A - OASIS MINI A & OASIS MINI USB**







#### DRAWING 3 - OASIS MINI A & OASIS MINI USB




#### DRAWING 4 - OASIS MINI A & OASIS MINI USB



#### **DRAWING 5 - OASIS MINI B**



#### **DRAWING 6 - OASIS MINI B**



## T TABLE POWER + TECHNOLOGY SOLUTIONS - NOTES

## OASIS MINI A, B & USB CABLE LENGTHS NEEDED FOR DAISY-CHAINING

Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cut-out Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
Infeed Position	Left or Right	Center	Left or Right	Center	Left or Right	Center
Reference	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED

# tables and accessories

## café, meeting and conference

Boardroom	492	Kadin	634
Collaborative Spaces	537	Swap	643

## training

2gether	490	Edventure	583
Bungee	513	FreeFit	591
Bungee SL	530	Junction	627
Connectables	564	Terina	688
Duet	580	Zook	692

## reception and occasional

Citi	704	River+ tables	713
Drift tables	708	Sirena tables	716
Lite Lift II	712	Wind	717
Occasional tables	706	Work tables	718



#### **GENERAL INFORMATION**

- 2gether is a series of multi-purpose flip-top tables for collaboration, classroom, training and conference applications.
- "Easy Touch" mechanism allows you to flip the tables up or down with maximum ease
- Adjustable leveling casters provide smooth mobility
- Offset "Y" sculpted legs allow for parallel space-saving table nesting, to minimize footprint required for storage
- Optional modesty panels with integrated wire troughs are available
- Grommets are available on 24" deep worksurfaces
- Available sizes: 18"D x 60"W, 24"D x 60"W and 72"W
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit globalfurnituregroup.com

#### WORKSURFACES

• 1" thick tops are constructed of 45 lb. density particleboard with high performance thermally fused laminate

#### CONSTRUCTION

- "Easy touch" lever located at both sides of table for flip-top operation from either side
- · Global's preferred matching edge
- Tops are pre-drilled with threaded steel inserts
- Tops 60" and 72" wide feature a built-in support bar
- 14.25" high optional articulating modesty panel attaches to underside of flip-top
- Bumpers on legs and undercarriage prevent tables from being damaged while nested
- · Grommets optional on 24" deep tops only
- · Champagne base finish
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **GANGING PLATES**

- · Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

#### **GROMMETS**


- · Available only on 24" deep worksurfaces
- Additional grommets available in standard worksurface locations (left, center or right). Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



Grommets may be placed at non-standard locations. Order as: AGS - Add \$96 A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
in the back reference section.

#### **POWER BLOCK**


- Available only on 24" deep worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- A Power Block (model PMSPDM) may be ordered for 24" Deep Tables in place of standard grommets.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right).
   Order as E1, E2 or E3. Add \$96.



Power Block PMSPDM, Add \$330 Specify location E1, E2 or E3, Add \$96

#### **VILLA CUT-OUTS**

- Available only on 24" deep worksurfaces
- A Villa Power Block is available for daisy-chaining or corded for use on individual tables (see page 475 for Villa details). Villa Power Block dimensions vary by model.
   Villa cutout dimensions are 3" deep x 5 ¼" wide.
- Villa DaisyLink kits are not for use on 2gether tables.
- A Villa cutout may be ordered for 24" Deep Tables. Order as V1, V2 or V3, Add \$96 for each cutout.
- Order Villa Power Block and Villa Grommet Cover separately, see page 475 for pricing and details



#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to 2gether tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- To be used with rectangular tables IT2460RX and IT2472RX only.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side). Add \$96
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on approach side. Add \$192.




Rectangular Table - Flip-Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
IT2472RX	24 x 72 x 29	92.5	97.20	8.68	\$2237	\$274
IT2460RX	24 x 60 x 29	92.5	86	7.68	\$2092	\$242
IT1860RX	18 x 60 x 29	92.5	75	6.98	\$2014	\$214

Flip-top table on four adjustable leveling casters, two locking. Easy-touch lever located at both ends of the table allows for activation on either side of the table; offset Y leg accommodates in-line nesting for space-saving storage. Nested dimensions: first 18D tables: 22.2" + 5.6" per additional table nested; first 24D tables: 25.1" + 5.6" per additional table nested. Wire management channel included. Champagne finish leg. Black/dark grey casters. Optional articulating modesty panel available. Shipped easy to assemble in 3 cartons.

IT72MP	2.75 x 63 x 14.25	125	13.20	2	\$328	
IT60MP	2.75 x 51 x 14.25	125	11.40	1.60	\$302	

70



**Modesty Panel** 

Articulating modesty for use with flip-top 2gether tables. Champagne finish.

5 x 2.5 x 1.13





**CNGFP** 

plate. Sold individually.

Gano	ina	Connector
uany	шц	CUIIIICCIUI

Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this

.20

.10

\$69

**Required Specifications** 

Top Finish

Accessories

Modesty Panel



Sturdy and economically priced, Global boardroom tables are excellent choices. All tables are made from thermally fused, high performance laminate and are easy to maintain.

Choose from four attractive table edges: Bullnose, T-mold, Self-edge, or Built-up Self-edge. Available in a variety of colors, all edge options are durable and wear-resistant.

Table tops are offered in five shapes - rectangular, racetrack, boat-shaped, square and round, and a variety of bases including slab, drum and arch. Add to this an impressive variety of laminate finishes that may be mixed and matched and you'll find Global can satisfy any and every business need.

From small meeting rooms to large boardrooms, from traditional to contemporary, Global's incredible range of table components, shapes, sizes and colors will enhance any office decor.

#### **Features and Benefits**

- One-piece tops can be cut to 2 pieces for an upcharge
- Tables 96" to 144" in length special ordered with two piece tops must have a third base
- All tops are premarked as to base location
- All tops are 1 1/8" thick a 1¾" built-up self edge is available on all models
- Tops and bases boxed as appropriate
- Custom finish laminate tables available as special order
- Bullnose edges available in Black or Grey
- T-Mold edge available in Black, Grey or coordinating laminate finish.
- Self-edge and built-up self edge available in same color as laminate finish.
- All edges available on all tables

#### **GENERAL INFORMATION**

- All tables are 29" high
- Tops are thermally fused laminate with 45 lb. density particle board core.
- Multiple base styles available in thermallly fused laminate or metal.
- Tables 144" or less are standard in one piece. All tops over 144" are standard in two pieces.
- Five top shapes: rectangular, racetrack, boat, square and round and four edge options: self edge, bullnose, T-mold or built-up self edge.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- All tables are 29" high. Tops are made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate. Table width is nominal.
- · All tables with cross bases use Blum fasteners
- Round and square tops up to 60" dia. are 1" thick; all other tops are 1.125" thick.
- Tops with BU edge have a 1.75" built-up self edge.
- Tops are crated and bases boxed or crated as appropriate
- Table tops of 144" or less in length are standard as one piece. 1 piece tops can be cut to 2
  piece tops, Add \$289; however, an additional base will be required. Tables 96" to 144" in
  length special ordered with 2 piece tops must have a third base.
- All tops are PRE-MARKED as to base location, and the slot and hook assembly method (on selected tables) allows for easy installation.
- All racetrack, boat and rectangular tables 144" and under are standard with two drum, slab, arch, 2-legged, or tubular bases and are priced accordingly. For 3 bases, Add \$506 list per table for a drum, and add \$333 list per table for the slab. Arch base tables will require a special 3" thick slab at a list price of \$448 per table. Add \$430 list per table for 2-legged base, and add \$448 list per table for tubular.
- Custom size tables are priced at next size table price, not to exceed width or length. Example:
   44" x 108" would be priced at the 48" x 120" price. Contact Customer Care for pricing of tables over 48" in width. Custom tables less than the smallest size must be quoted.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### **EDGE OPTIONS**

- Self, built-up, bullnose and T-mold edges are available on all models. Corners of rectangular, square and boat shaped tables ordered with T-mold or bullnose will be rounded.
- Bullnose edge is available in Black (BK) or Grey (GR) only.
- T-mold edge is available in Black (BK), Grey (GR) or coordinating laminate finish (ME)
- Self edge and built-up edges are same color as laminate finish.

#### **METAL BASE FINISHES**

 Available on all round and square GCARxx, GTCRxx, GCRRxx, GCASxx, GTCSxx, and GCRSxx tables.

#### **Paint finishes**

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TM0	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

#### Plated finishes - upcharge applies

CHM	Polished Chrome	BCH	Brushed Chrome
ACO	Antique Copper	SBR	Satin Brass

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

- Fashionista (FAS), First Class (FCL), Sheer Beauty (SBY) + White Chocolate (WHC) not available on 10 & 12 foot tables. Must be cut in two pieces and specify third base.
- Fashionista (FAS), First Class (FCL), Sheer Beauty (SBY) + White Chocolate (WHC) not available on 20', 22' & 24' tables. Tables must be quoted to be in three pieces with appropriate bases. Please contact Customer Care.
- The above laminate finishes are available in **High Pressure**. Upcharge varies by model.
- Tables in woodgrain finishes over 12' in length will not have a perfect match of grain at the center where the two halves meet.
- All tables with Drum Bases & Pedestal require approx. 125 lb. of sand in each base for adequate stability. Sand is not included with Drum Bases.
- If other than a Global standard laminate finish is preferred, contact your customer care Representative. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.

#### BASE SIZE CHART (Table width is nominal)

#### **Round or Square Tops:**

Тор	Slab	Drum	Arch	Cross	4 Leg	Trumpet	4 Tube
36"	n/a	n/a	n/a	n/a	32"	24"	30"
42"	n/a	18"	n/a	30"	32"	24"	30"
48"	n/a	24"	n/a	30"	32"	n/a	30"
60"	n/a	30"	n/a	36"	n/a	n/a	n/a

#### **Rectangular, Boat or Racetrack Tops:**

Тор	Slab	Drum	Arch	Cross	2 Leg	Trumpet	2/3 Tube
36" x 72"	24"	18"	24"	n/a	32"	n/a	30"
48" x 96"	28"	18"	28"	n/a	32"	n/a	30"
48" x 120"	28"	24"	28"	n/a	32"	n/a	30"
48" x 144"	28"	24"	28"	n/a	32"	n/a	30"

#### **GROMMETS**

- Grommets available in standard table top locations (left, center or right).
   Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



· Actual grommet locations will vary according to base selection.

#### **POWER BLOCK**

- A Power Block (model PMSPDM) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- Actual Power Block locations vary according to base selection. The locations will be left
  (AG1, E1), center (AG2, E2), and right (AG3, E3). **Example**: 8' table with drum base does not
  have a modesty panel, so the grommet (AG2) and power block (E2) can be perfectly centered
  in the table. An 8' table with a slab base has the modesty panel, so the grommet (AG2) and
  power block (E2) will be offset alongside the modesty panel.

## В

## **BOARDROOM TABLES**

To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
 Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.





Power Block PMSPDM - Add \$330


Specify location E1, E2 or E3 - Add \$96

#### TABLE NOTES - ESTIMATED CAPACITY

• Use the following for determining the size of a round table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Round	Square	Rectangular	Boat	Racetrack	Elliptical
30x30	3	3	N/A	N/A	N/A	N/A
36x36	4	4	N/A	N/A	N/A	N/A
42x42	4	4	N/A	N/A	N/A	N/A
48x48	4	4	N/A	N/A	N/A	N/A
60x60	5	6	N/A	N/A	N/A	N/A
30x60	N/A	N/A	4-6	4-6	4-6	4
36x72	N/A	N/A	4-6	4-6	4-6	4
44x84	N/A	N/A	6-8	6-8	6-8	6
48x96	N/A	N/A	6-8	6-8	6-8	6
48x120	N/A	N/A	8-10	8-10	8-10	8
48x144	N/A	N/A	10-12	10-12	10-12	10
48x168	N/A	N/A	12-14	12-14	12-14	12
48x192	N/A	N/A	14-16	14-16	14-16	14
48x216	N/A	N/A	16-18	16-18	16-18	16
48x240	N/A	N/A	18-20	18-20	18-20	18
48x264	N/A	N/A	20-22	20-22	20-22	20
48x288	N/A	N/A	22-24	22-24	22-24	22

Racetrack



**Boat** 

Rectangular

Square

Round

## BOARDROOM TABLES **B**

BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			DxWxH					
_	self edge	G42CZ	42 x 42 x 29	92.5	89	8.50	\$915	\$461
	bullnose edge	G42CZBN	42 x 42 x 29	92.5	86	8.50	\$915	\$461
	T-mold edge	G42CZTM	42 x 42 x 29	92.5	90	8.50	\$915	\$461
	built-up self edge	G42CZBU	42 x 42 x 29	92.5	96	9.40	\$1016	\$510
	self edge	G48CZ	48 x 48 x 29	125	106	13.60	\$1059	\$532
	bullnose edge	G48CZBN	48 x 48 x 29	100	117	13.60	\$1059	\$532
	T-mold edge	G48CZTM	48 x 48 x 29	100	121	13.60	\$1059	\$532
	built-up self edge	G48CZBU	48 x 48 x 29	100	133	14.90	\$1180	\$591
	self edge	G60CZ	60 x 60 x 29	100	171	21	\$1327	\$665
	bullnose edge	G60CZBN	60 x 60 x 29	100	171	21	\$1327	\$665
	T-mold edge	G60CZTM	60 x 60 x 29	100	171	21	\$1327	\$665
	built-up self edge	G60CZBU	60 x 60 x 29	125	174	23.20	\$1560	\$781

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.

ROUND TOP - CROSS BASE

self edge	G42CH	42 x 42 x 29	70	97	5	\$852	\$428	
bullnose edge	G42CHBN	42 x 42 x 29	70	94	5	\$852	\$428	
T-mold edge	G42CHTM	42 x 42 x 29	70	98	5	\$852	\$428	
built-up self edge	G42CHBU	42 x 42 x 29	70	104	5.70	\$915	\$461	
self edge	G48CH	48 x 48 x 29	70	101	6	\$992	\$496	
bullnose edge	G48CHBN	48 x 48 x 29	70	112	6	\$992	\$496	
T-mold edge	G48CHTM	48 x 48 x 29	70	116	6	\$992	\$496	
built-up self edge	G48CHBU	48 x 48 x 29	70	128	6.60	\$1138	\$571	
self edge	G60CH	60 x 60 x 29	70	174	9	\$1271	\$637	
bullnose edge	G60CHBN	60 x 60 x 29	125	64	9	\$1271	\$637	
T-mold edge	G60CHTM	60 x 60 x 29	125	64	9	\$1271	\$637	
built-up self edge	G60CHBU	60 x 60 x 29	70	190	9.70	\$1497	\$751	



	MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	CHM/BCH	ACO/SBR
161	CCADOC	20 20 20	250	40	10	<b>6047</b>	ėzoo	ėna	ėnna
self edge	GCAR36	36 x 36 x 29	250	48	13	\$617	\$309	\$92	\$332
bullnose edge	GCAR36BN	36 x 36 x 29	150	55	13	\$617	\$309	\$92	\$332
T-mold edge	GCAR36TM	36 x 36 x 29	250	48	13	\$617	\$309	\$92	\$332
built-up self edge	GCAR36BU	36 x 36 x 29	150	68	13	\$686	\$346	\$92	\$332
self edge	GCAR42	42 x 42 x 29	150	59	14	\$736	\$369	\$92	\$332
bullnose edge	GCAR42BN	42 x 42 x 29	150	68	14	\$736	\$369	\$92	\$332
T-mold edge	GCAR42TM	42 x 42 x 29	150	61	14	\$736	\$369	\$92	\$332
built-up self edge	GCAR42BU	42 x 42 x 29	150	78	14	\$813	\$408	\$92	\$332
self edge	GCAR48	48 x 48 x 29	150	72	15	\$863	\$434	\$92	\$332
bullnose edge	GCAR48BN	48 x 48 x 29	150	83	15	\$863	\$434	\$92	\$332
T-mold edge	GCAR48TM	48 x 48 x 29	150	87	15	\$863	\$434	\$92	\$332
built-up self edge	GCAR48BU	48 x 48 x 29	125	99	15	\$958	\$482	\$92	\$332

Required Specifications Top finish Base finish Edge color, if applicable

### **BOARDROOM TABLES**

UND TOP - TRUMPET BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR
			D	x W x H						
	self edge	GTCR36	36 x 36 x 29	250	54	19	\$863	\$434	\$89	\$363
	bullnose edge	GTCR36BN	36 x 36 x 29	250	61	18	\$863	\$434	\$89	\$363
	T-mold edge	GTCR36TM	36 x 36 x 29	250	54	18	\$863	\$434	\$89	\$363
	built-up self edge	GTCR36BU	36 x 36 x 29	150	74	18	\$958	\$482	\$89	\$363
	self edge	GTCR42	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363
	bullnose edge	GTCR42BN	42 x 42 x 29	250	74	19	\$968	\$486	\$89	\$363
	T-mold edge	GTCR42TM	42 x 42 x 29	150	78	19	\$968	\$486	\$89	\$363
	built-up self edge	GTCR42BU	42 x 42 x 29	150	84	19	\$1078	\$542	\$89	\$363
UND TOP - TUBULAR BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR
	self edge	GCRR36	36 x 36 x 29	250	50	18	\$744	\$373	\$92	\$398
	bullnose edge	GCRR36BN	36 x 36 x 29	250	57	19	\$744	\$373	\$92	\$398
	T-mold edge	GCRR36TM	36 x 36 x 29	250	50	19	\$744	\$373	\$92	\$398
	built-up self edge	GCRR36BU	36 x 36 x 29	250	70	19	\$830	\$415	\$92	\$398
	self edge	GCRR42	42 x 42 x 29	250	61	19	\$863	\$434	\$92	\$398
	bullnose edge	GCRR42BN	42 x 42 x 29	250	70	19	\$863	\$434	\$92	\$398
	T-mold edge	GCRR42TM	42 x 42 x 29	250	63	19	\$863	\$434	\$92	\$398
	built-up self edge	GCRR42BU	42 x 42 x 29	150	80	19	\$958	\$482	\$92	\$398
	self edge	GCRR48	48 x 48 x 29	250	74	20	\$992	\$496	\$92	\$398
	bullnose edge	GCRR48BN	48 x 48 x 29	150	85	20	\$992	\$496	\$92	\$398
	T-mold edge	GCRR48TM	48 x 48 x 29	150	89	20	\$992	\$496	\$92	\$398
	built-up self edge	GCRR48BU	48 x 48 x 29	150	101	20	\$1099	\$551	\$92	\$398
UARE TOP - DRUM BASE							LIST PRICE	HP ADD		
	self edge	G42SZ	42 x 42 x 29	100	89	9	\$915	\$461		
	bullnose edge	G42SZBN	42 x 42 x 29	100	89	9	\$915	\$461		
	T-mold edge	G42SZTM	42 x 42 x 29	100	89	9	\$915	\$461		
	built-up self edge	G42SZBU	42 x 42 x 29	92.5	106	9.40	\$1016	\$510		
	self edge	G48SZ	48 x 48 x 29	100	121	13.40	\$1059	\$532		
	bullnose edge	G48SZBN	48 x 48 x 29	100	121	13.40	\$1059	\$532		
	T-mold edge	G48SZTM	48 x 48 x 29	100	121	13.60	\$1059	\$532		
	built-up self edge	G48SZBU	48 x 48 x 29	100	133	14.90	\$1180	\$591		

• All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.

100

100

100

125

21

21

21

23.20

\$1327

\$1327

\$1327

\$1560

\$665

\$665

\$665


\$781

171

171

171

174



60 x 60 x 29

**Required Specifications** 

G60SZ

G60SZBN

G60SZTM

G60SZBU

self edge bullnose edge

T-mold edge

built-up self edge

Top finish Base finish

Edge color, if applicable

Optional Specifications

HP laminate



## BOARDROOM TABLES **B**

SQUARE TOP - 4 LEG BASE		MODEL#	DIMENSIONS	FRT. CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	BCH/CHM	ACO/SBR
			D>	к W x H						
	self edge	GCAS36	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
<del></del>	bullnose edge	GCAS36BN	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
	T-mold edge	GCAS36TM	36 x 36 x 29	150	63	13	\$617	\$309	\$92	\$332
	built-up self edge	GCAS36BU	36 x 36 x 29	150	67	13	\$686	\$346	\$92	\$332
	self edge	GCAS42	42 x 42 x 29	150	71	14	\$736	\$369	\$92	\$332
	bullnose edge	GCAS42BN	42 x 42 x 29	150	78	14	\$736	\$369	\$92	\$332
	T-mold edge	GCAS42TM	42 x 42 x 29	150	78	14	\$736	\$369	\$92	\$332
	built-up self edge	GCAS42BU	42 x 42 x 29	125	86	14	\$813	\$408	\$92	\$332

										-
self edge	GTCS36	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363	
bullnose edge	GTCS36BN	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363	
T-mold edge	GTCS36TM	36 x 36 x 29	250	69	18	\$863	\$434	\$89	\$363	
built-up self edge	GTCS36BU	36 x 36 x 29	150	76	18	\$958	\$482	\$89	\$363	
self edge	GTCS42	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363	
bullnose edge	GTCS42BN	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363	
T-mold edge	GTCS42TM	42 x 42 x 29	150	77	19	\$968	\$486	\$89	\$363	
built-up self edge	GTCS42BU	42 x 42 x 29	150	84	19	\$1078	\$542	\$89	\$363	

SQUARE TOP - TUBULAR BASE	

self edge	GCRS36	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398
bullnose edge	GCRS36BN	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398
T-mold edge	GCRS36TM	36 x 36 x 29	250	65	18	\$744	\$373	\$92	\$398
built-up self edge	GCRS36BU	36 x 36 x 29	250	69	18	\$830	\$415	\$92	\$398
self edge	GCRS42	42 x 42 x 29	250	73	19	\$863	\$434	\$92	\$398
bullnose edge	GCRS42BN	42 x 42 x 29	150	80	19	\$863	\$434	\$92	\$398
T-mold edge	GCRS42TM	42 x 42 x 29	150	80	19	\$863	\$434	\$92	\$398
built-up self edge	GCRS42BU	42 x 42 x 29	150	88	19	\$958	\$482	\$92	\$398

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
HP laminate

ULAR TOP - SLAB BASE			MODEL#	DIMENSIONS FI	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
					WxH				
	5 foot	self edge	GCT5RX	30 x 60 x 29	70	131	6	\$1074	\$538
		bullnose edge	GCT5RXBN	30 x 60 x 60	70	131	6	\$1074	\$538
		T-mold edge	GCT5RXTM	30 x 60 x 29	70	131	6	\$1074	\$538
		built-up self edge	GCT5RXBU	30 x 60 x 29	70	134	7	\$1187	\$594
		built up boil bugo	001011/120	00 X 00 X 20	70	101	•	ψ	4001
	6 foot	self edge	GCT6RX	36 x 72 x 29	70	174	11.38	\$1203	\$603
	0.000	bullnose edge	GCT6RXBN	36 x 72 x 29	70	174	11.38	\$1203	\$603
		T-mold edge	GCT6RXTM	36 x 72 x 29	70	174	11.38	\$1203	\$603
		built-up self edge	GCT6RXBU	36 x 72 x 29	85	177	13.32	\$1341	\$672
		built-up sell euge	GCTOHADO	30 X / Z X Z 3	00	177	13.32	\$1341	\$U1Z
	7 foot	self edge	GCT7RX	44 x 84 x 29	85	199	14.94	\$1549	\$776
	7 1001	bullnose edge	GCT7RXBN	44 x 84 x 29	85	199	14.94	\$1549	\$776
		T-mold edge	GCT7RXTM	44 x 84 x 84	85	199	14.94	\$1549	\$776
		built-up self edge	GCT7RXBU	44 x 84 x 84	92.5	203	17.93	\$1748	\$875
	0.6		0.07014/01/						*
	8 foot	self edge	GCT8WRX	48 x 96 x 29	70	218	11.29	\$1549	\$776
		bullnose edge	GCT8WRXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
		T-mold edge	GCT8WRXTM	48 x 96 x 29	70	218	11.29	\$1549	\$776
		built-up self edge	GCT8WRXBU	48 x 96 x 29	70	249	13.53	\$1748	\$875
	10 foot	self edge	GCT10WRX2	48 x 120 x 29	70	272	13.53	\$1795	\$900
		bullnose edge	GCT10WRX2BN	48 x 120 x 29	70	272	13.53	\$1795	\$900
		T-mold edge	GCT10WRX2TM	48 x 120 x 29	70	272	13.53	\$1795	\$900
		built-up self edge	GCT10WRX2BU	48 x 120 x 29	70	291	16.20	\$2124	\$1062
	12 foot	self edge	GCT12WRX2	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		bullnose edge	GCT12WRX2BN	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		T-mold edge	GCT12WRX2TM	48 x 144 x 29	70	309	15.54	\$2105	\$1055
		built-up self edge	GCT12WRX2BU	48 x 144 x 29	70	348	18.77	\$2472	\$1237
		built up son cugo	GOTTZVVIINZBO	40 X 144 X 25	70	010	10.77	Ψ <b>Σ</b> -17 <b>Σ</b>	<b>41207</b>
	14 foot	self edge	GCT14WRX2	48 x 168 x 29	70	419	22.50	\$3044	\$1524
	111000	bullnose edge	GCT14WRX2BN	48 x 168 x 29	70	419	22.50	\$3044	\$1524
		T-mold edge	GCT14WRX2TM	48 x 168 x 29	65	419	18	\$3044	\$1524
		built-up self edge	GCT14WRX2BU	48 x 168 x 29	70	425	20	\$3398	\$1701
		built-up sell euge	GC114VVIIAZDO	40 X 100 X Z3	70	423	20	<b>\$3330</b>	\$17UI
	16 foot	self edge	GCT16WRX2	48 x 192 x 29	70	460	22.72	\$3172	\$1588
	10 1001	bullnose edge	GCT16WRX2BN	48 x 192 x 29	70	460	22.72	\$3172	\$1588
		T-mold edge	GCT16WRX2TM	48 x 192 x 29	70	460	22.70	\$3172	\$1588
		built-up self edge	GCT16WRX2BU	48 x 192 x 29	70	466	27.20	\$3542	\$1772
	10 f+	aalf ada-	CCT10\A/D\/o	40 v 210 ·· 20	70	E01	24.00	62040	¢1076
	18 foot	self edge	GCT18WRX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		bullnose edge	GCT18WRX2BN	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		T-mold edge	GCT18WRX2TM		70	521	24.60	\$3948	\$1976
		built-up self edge	GCT18WRX2BU	48 x 216 x 29	70	528	29.80	\$4425	\$2216
	00.6		0.07001: '7'		70			****	****
	20 foot	self edge	GCT20WRX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		bullnose edge	GCT20WRX2BN	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		T-mold edge	GCT20WRX2TM	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		built-up self edge	GCT20WRX2BU	48 x 240 x 29	70	580	32.50	\$4489	\$2246
	22 foot	self edge	GCT22WRX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		bullnose edge	GCT22WRX2BN	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		T-mold edge	GCT22WRX2TM	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		built-up self edge	GCT22WRX2BU	48 x 264 x 29	70	620	35.10	\$5141	\$2572
		<u>.</u>							
	24 foot	self edge	GCT24WRX2	48 x 288 x 29	70	673	31.20	\$4786	\$2396
		bullnose edge	GCT24WRX2BN	48 x 288 x 29	70	673	31.20	\$4786	\$2396
		T-mold edge	GCT24WRX2TM	48 x 288 x 29	70	673	31.20	\$4786	\$2396
		i iiioia oago							
		huilt-un salf adac	GCT24/A/RY2RLL	<u> 18 x 288 v 20</u>	70	627	37 7N	\$57QE	\$2650
		built-up self edge	GCT24WRX2BU		70 Woodgrain la	682	37.70	\$5295	<b>\$2650</b> Where the two tops join.

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
Grommet

HP laminate



## BOARDROOM TABLES **B**

NGULAR TOP - DRUM BASE			MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	6 foot	self edge	GCT6RZ	36 x 72 x 29	<b>N x H</b> 100	154	17.50	\$1626	\$814
/ /	0 1001	bullnose edge	GCT6RZBN	36 x 72 x 29	100	167	17.50	\$1626	\$814
		T-mold edge	GCT6RZTM	36 x 72 x 29	100	167	17.50	\$1626	\$814
		built-up self edge	GCT6RZBU	36 x 72 x 29	100	177	18.80	\$1819	\$911
		built up don dago	GOTOTIZBO	00 X 72 X 20	100	17,	10.00	<b>41010</b>	<b>4011</b>
	7 foot	self edge	GCT7RZ	44 x 84 x 29	125	196	29.04	\$1883	\$943
		bullnose edge	GCT7RZBN	44 x 84 x 29	125	196	29.04	\$1883	\$943
		T-mold edge	GCT7RZTM	44 x 84 x 29	125	196	29.04	\$1883	\$943
		built-up self edge	GCT7RZBU	44 x 84 x 29	125	199	31.66	\$2075	\$1039
	8 foot	self edge	GCT8WRZ	48 x 96 x 29	125	219	31.82	\$1883	\$943
		bullnose edge	GCT8WRZBN	48 x 96 x 29	125	219	31.82	\$1883	\$943
		T-mold edge	GCT8WRZTM	48 x 96 x 29	125	219	31.82	\$1883	\$943
		built-up self edge	GCT8WRZBU	48 x 96 x 29	125	250	35.18	\$2075	\$1039
	10 foot	self edge	GCT10WRZ2	48 x 120 x 29	100	295	33	\$2206	\$1104
		bullnose edge	GCT10WRZ2BN	48 x 120 x 29	100	295	33	\$2206	\$1104
		T-mold edge	GCT10WRZ2TM	48 x 120 x 29	100	295	33.02	\$2206	\$1104
		built-up self edge	GCT10WRZ2BU	48 x 120 x 29	100	314	35.72	\$2432	\$1217
	12 foot	self edge	GCT12WRZ2	48 x 144 x 29	100	328	35.10	\$2466	\$1234
		bullnose edge	GCT12WRZ2BN	48 x 144 x 29	100	328	35.10	\$2466	\$1234
		T-mold edge	GCT12WRZ2TM	48 x 144 x 29	250	97	35.10	\$2466	\$1234
		built-up self edge	GCT12WRZ2BU	48 x 144 x 29	250	367	96	\$2737	\$1371
	14 foot	self edge	GCT14WRZ2	48 x 168 x 29	92.5	441	39	\$3304	\$1654
	14 1001	bullnose edge	GCT14WRZ2BN	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		T-mold edge	GCT14WRZ2TM	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		built-up self edge	GCT14WRZ2BU	48 x 168 x 29	92.5	447	42	\$3664	\$1834
		built up son eage	GOTTHWINZEDO	40 X 100 X 20	02.0	777	72	ψ0001	ψ1004
	16 foot	self edge	GCT16WRZ2	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		bullnose edge	GCT16WRZ2BN	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		T-mold edge	GCT16WRZ2TM	48 x 192 x 29	92.5	482	42.50	\$3433	\$1718
		built-up self edge	GCT16WRZ2BU	48 x 192 x 29	92.5	488	47	\$3788	\$1897
	18 foot	self edge	GCT18WRZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		bullnose edge	GCT18WRZ2BN	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		T-mold edge	GCT18WRZ2TM	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		built-up self edge	GCT18WRZ2BU	48 x 216 x 29	100	550	59	\$5018	\$2511
	20 f+	anlf ada-	CCT20\4/D72	40 v 240 ·· 20	100	EC.4	66.00	¢4F00	égge
	20 foot	self edge	GCT20WRZ2	48 x 240 x 29	100 100	564 564	66.20 66.20	\$4529 \$4529	\$2266 \$2266
		bullnose edge T-mold edge	GCT20WRZ2BN	48 x 240 x 29					
		built-up self edge	GCT20WRZ2TM GCT20WRZ2BU	48 x 240 x 29 48 x 240 x 29	100 100	564 572	66.20 70.60	\$4529 \$5084	\$2266 \$2545
		built-up sell euge	GCTZUVVNZZBU	40 X Z40 X Z9	100	372	70.00	<b>\$3004</b>	\$2040
	22 foot	self edge	GCT22WRZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
	44 IUUL	bullnose edge	GCT22WRZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523 \$2523
		T-mold edge	GCT22WRZ2TM	48 x 264 x 29	100	604	68.20	\$5044 \$5044	\$2523 \$2523
		built-up self edge	GCT22WRZ2BU	48 x 264 x 29	100	612	73.68	\$5635	\$2819
		Dunt up sen euge	GOTZZVVIIZZDO	70 A 204 A 23	100	UIL	70.00	ψυθυ	ψ£U I J
	24 foot	self edge	GCT24WRZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		bullnose edge	GCT24WRZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		T-mold edge	GCT24WRZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		built-up self edge	GCT24WRZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet

HP laminate

		MODEL#	DIMENSIONS F	REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 fo	ot self edge	GCT5RA	30 x 60 x 29	85	131	9	\$1430	\$717
<b>9</b>	bullnose edge	GCT5RABN	30 x 60 x 29	85	131	9	\$1430	\$717
	T-mold edge	GCT5RATM	30 x 60 x 29	85	131	9	\$1430	\$717
	built-up self edge	GCT5RABU	30 x 60 x 29	85	134	10	\$1625	\$814
C 4-	-4161	COTODA	20 72 20	100	157	24.04	<b>64.40C</b>	ėzro
6 fo	U	GCT6RA	36 x 72 x 29	125	157	24.64	\$1496	\$750
	bullnose edge	GCT6RABN	36 x 72 x 29	125	157	24.64	\$1496	\$750
	T-mold edge built-up self edge	GCT6RATM GCT6RABU	36 x 72 x 29 36 x 72 x 29	70 100	157 167	8.24 17.96	\$1496 \$1777	\$750 \$889
	built-up sell euge	detellade	30 x 72 x 23	100	107	17.30	φ1///	<b>4003</b>
7 fo	ot self edge	GCT7RA	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
	bullnose edge	GCT7RABN	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
	T-mold edge	GCT7RATM	44 x 84 x 29	92.5	203	19.43	\$1820	\$912
	built-up self edge	GCT7RABU	44 x 84 x 29	100	206	20.90	\$2060	\$1033
8 fo	ot self edge	GCT8WRA	48 x 96 x 29	100	220	22.40	\$1820	\$912
0 10	U							
	bullnose edge	GCT8WRABN	48 x 96 x 29	100	220	22.40	\$1820 \$1820	\$912
	T-mold edge built-up self edge	GCT8WRATM GCT8WRABU	48 x 96 x 29 48 x 96 x 29	100 92.5	220 251	22.40 23.89	\$1820	\$912 \$1033
	built-up sell euge	dCTOWNADU	40 X 90 X 29	92.0	201	23.09	<b>\$2000</b>	\$1033
10 f		GCT10WRA	48 x 120 x 29	70	274	16.95	\$2076	\$1041
	bullnose edge	GCT10WRABN	48 x 120 x 29	70	274	16.95	\$2076	\$1041
	T-mold edge	GCT10WRATM	48 x 120 x 29	70	274	16.95	\$2076	\$1041
	built-up self edge	GCT10WRABU	48 x 120 x 29	70	293	18.92	\$2448	\$1227
12 f	self edge	GCT12WRA	48 x 144 x 29	70	311	19.94	\$2400	\$1201
12 1	bullnose edge	GCT12WRABN	48 x 144 x 29	70	311	19.94	\$2400	\$1201
	T-mold edge	GCT12WNADN	48 x 144 x 29	70	311	19.94	\$2400	\$1201
	built-up self edge	GCT12WRABU	48 x 144 x 29	70	350	21.92	\$2801	\$1402
		0074 414/04						
14 f	U	GCT14WRA	48 x 168 x 29	70	423	26	\$3692	\$1848
	bullnose edge	GCT14WRABN	48 x 168 x 29	70	423	26	\$3692	\$1848
	T-mold edge	GCT14WRATM	48 x 168 x 29	70	423	26	\$3692	\$1848
	built-up self edge	GCT14WRABU	48 x 168 x 29	70	429	28	\$4114	\$2058
16 f	oot self edge	GCT16WRA	48 x 192 x 29	70	474	30	\$3884	\$1944
	bullnose edge	GCT16WRABN	48 x 192 x 29	70	474	30	\$3884	\$1944
	T-mold edge	GCT16WRATM	48 x 192 x 29	70	474	30	\$3884	\$1944
	built-up self edge	GCT16WRABU	48 x 192 x 29	70	480	32	\$4342	\$2173
18 f	oot self edge	GCT18WRA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
101	bullnose edge	GCT18WRABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	T-mold edge	GCT18WRATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	built-up self edge	GCT18WRABU	48 x 216 x 29	70	532	33.89	\$5349	\$2676
		33377111.130	.5 2 10 20		502	55.00	<b>440 10</b>	
20 f		GCT20WRA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	bullnose edge	GCT20WRABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	T-mold edge	GCT20WRATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	built-up self edge	GCT20WRABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
22.6	oot self edge	CCT22\A/DA	10 v 261 v 20	70	626	26 00	¢5/27	\$271 <i>C</i>
22 f		GCT22WRA	48 x 264 x 29	70	626	36.89	\$5427 \$5427	\$2716
	bullnose edge	GCT22WRABN	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	T-mold edge built-up self edge	GCT22WRATM GCT22WRABU	48 x 264 x 29 48 x 264 x 29	70 70	626 634	36.89 37.90	\$5427 \$6068	\$2716 \$3036
		33.22*****	.5 25 1 20		501	57.00	+- <b></b>	+-000
24 f		GCT24WRA	48 x 288 x 29	70	678	40	\$5558	\$2780
	bullnose edge	GCT24WRABN	48 x 288 x 29	70	678	40	\$5558	\$2780
	T-mold edge	GCT24WRATM	48 x 288 x 29	70	678	40	\$5558	\$2780
	built-up self edge	GCT24WRABU	48 x 288 x 29	70	687	42	\$6193	\$3099

- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



## BOARDROOM TABLES **B**

	5 foot	self edge	GCT5R	30 x 60 x 29	<b>V х Н</b> 125	88	13	\$1263	\$634
	3 1001	bullnose edge	GCT5RBN	30 x 60 x 29	125	88	13	\$1263	\$634
		T-mold edge	GCT5RTM	30 x 60 x 29	125	88	13	\$1263	\$634
		built-up self edge	GCT5RBU	30 x 60 x 29	125	91	14	\$1203	\$708
	6 foot	self edge	GCT6R	36 x 72 x 29	125	115	15	\$1407	\$705
8		bullnose edge	GCT6RBN	36 x 72 x 29	92.5	152	15	\$1407	\$705
		T-mold edge	GCT6RTM	36 x 72 x 29	92.5	152	15	\$1407	\$705
		built-up self edge	GCT6RBU	36 x 72 x 29	92.5	162	16	\$1562	\$782
	7 foot	self edge	GCT7R	44 x 84 x 29	100	155	17	\$1626	\$814
	7 1000	bullnose edge	GCT7RBN	44 x 84 x 29	100	155	17	\$1626	\$814
		T-mold edge	GCT7RTM	44 x 84 x 29	100	155	17	\$1626	\$814
		built-up self edge	GCT7RBU	44 x 84 x 29	100	158	19.02	\$1821	\$912
	8 foot	self edge	GCT8WR	48 x 96 x 29	92.5	194	19.04	\$1626	\$814
	0.001	bullnose edge	GCT8WRBN	48 x 96 x 29	100	180	19.02	\$1626	\$814
		T-mold edge	GCT8WRTM	48 x 96 x 29	100	180	19.02	\$1626	\$814
		built-up self edge	GCT8WRBU	48 x 96 x 29	92.5	211	21	\$1821	\$912
		μ							
	10 foot	self edge	GCT10WR	48 x 120 x 29	92.5	214	20.93	\$2258	\$1131
		bullnose edge	GCT10WRBN	48 x 120 x 29	92.5	237	21	\$2258	\$1131
		T-mold edge	GCT10WRTM	48 x 120 x 29	92.5	237	21	\$2258	\$1131
		built-up self edge	GCT10WRBU	48 x 120 x 29	125	256	34.37	\$2526	\$1264
	12 44	self edge	CCT12M/D	40 v 144 v 20	02 E	270	22	62E44	¢4979
	12 foot		GCT12WR	48 x 144 x 29	92.5	270	23	\$2541	\$1272
		bullnose edge	GCT12WRBN	48 x 144 x 29	85	270	21	\$2541	\$1272
		T-mold edge	GCT12WRTM	48 x 144 x 29	92.5	270	22.90	\$2541	\$1272
		built-up self edge	GCT12WRBU	48 x 144 x 29	85	309	24.91	\$2830	\$1419
	14 foot	self edge	GCT14WR	48 x 168 x 29	100	326	34	\$2914	\$1460
	17 1000	bullnose edge	GCT14WRBN	48 x 168 x 29	100	326	34	\$2914	\$1460
		T-mold edge built-up self edge	GCT14WRTM GCT14WRBU	48 x 168 x 29 48 x 168 x 29	100 100	326 332	34 38	\$2914 \$3220	\$1460 \$1612
		built up boil bugo	dominibo	10 X 100 X 20	100	002	00	<b>VOLLO</b>	V.0.12
	16 foot	self edge	GCT16WR	48 x 192 x 29	100	367	38	\$3044	\$1524
		bullnose edge	GCT16WRBN	48 x 192 x 29	100	367	38	\$3044	\$1524
		T-mold edge	GCT16WRTM	48 x 192 x 29	100	367	38	\$3044	\$1524
		built-up self edge	GCT16WRBU	48 x 192 x 29	100	373	40	\$3297	\$1651
	18 foot	16	CCT10M/D	40 210 20	00.5	400	40	60007	ė404C
	18 100t	self edge bullnose edge	GCT18WR GCT18WRBN	48 x 216 x 29 48 x 216 x 29	92.5 92.5	408 408	40 40	\$3627 \$3627	\$1816 \$1816
		T-mold edge	GCT18WRTM	48 x 216 x 29	92.5	408	40	\$3627	\$1816
		built-up self edge		48 x 216 x 29	100	416	40	\$4044	\$2025
		zame ap oon oago	333771150	.5 % 2 10 % 20		110		Ţ. <b>V</b> II	
	20 foot	self edge	GCT20WR	48 x 240 x 29	92.5	449	42	\$3756	\$1880
		bullnose edge	GCT20WRBN	48 x 240 x 29	92.5	449	42	\$3756	\$1880
		T-mold edge	GCT20WRTM	48 x 240 x 29	92.5	449	42	\$3756	\$1880
		built-up self edge	GCT20WRBU	48 x 240 x 29	92.5	457	44	\$4167	\$2086
	22 foot	self edge	GCT22WR	48 x 264 x 29	92.5	489	44	\$4140	\$2073
		bullnose edge	GCT22WRBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
		T-mold edge	GCT22WRTM	48 x 264 x 29	92.5	489	44	\$4140	\$2073
		built-up self edge	GCT22WRBU	48 x 264 x 29	92.5	497	46	\$4662	\$\$2332
	24 foot	self edge	GCT24WR	10 v 200 v 20	92.5	531	46	\$4268	\$2135
	24 IUUL			48 x 288 x 29					
		bullnose edge	GCT24WRBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
		T-mold edge	GCT24WRTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
		built-up self edge	GCT24WRBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
		<ul> <li>All tops 12</li> </ul>	0", 144", and 168"	rd in two pieces. \ ' are SHIPPED WIT 'ITH 4 LEG BASES.			iishes will	NOT align v	where the two tops join.

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

E		MODEL#	DIMENSIONS FF	REIGHT CLASS V x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GCR5R	30 x 60 x 29	150	94	21	\$1303	\$654
	bullnose edge	GCR5RBN	30 x 60 x 29	150	94	21	\$1303	\$654
	T-mold edge	GCR5RTM	30 x 60 x 29	150	94	21	\$1303	\$654
	built-up self edge	GCR5RBU	30 x 60 x 29	150	97	23	\$1454	\$731
6 foot	self edge	GCR6R	36 x 72 x 29	150	107	23	\$1447	\$725
	bullnose edge	GCR6RBN	36 x 72 x 29	150	107	23	\$1447	\$725
	T-mold edge	GCR6RTM	36 x 72 x 29	150	107	23	\$1447	\$725
	self edge bullnose edge T-mold edge bullnose edge T-mold edge built-up self edge self edge bullnose edge T-mold edge built-up self edge self edge bullnose edge T-mold edge bullnose edge T-mold edge bullnose edge T-mold edge bullnose edge T-mold edge bullt-up self edge	GCR6RBU	36 x 72 x 29	150	117	25	\$1610	\$806
7 foot	salf adaa	GCR7R	44 x 84 x 29	125	161	25	\$1667	\$834
7 1000		GCR7RBN	44 x 84 x 29	125	161	25	\$1667	\$834
		GCR7RTM			161	25	\$1667	\$834
		GCR7RBU	44 x 84 x 29 44 x 84 x 29	125 125	164	27	\$1865	\$933
	built-up sell euge	dell/fibo	44 X 04 X ZJ	123	104	21	<b>\$1003</b>	4333
8 foot		GCR8WR	48 x 96 x 29	125	177	27	\$1667	\$834
		GCR8WRBN	48 x 96 x 29	125	177	27	\$1667	\$834
	T-mold edge	GCR8WRTM	48 x 96 x 29	125	177	27	\$1667	\$834
		GCR8WRBU	48 x 96 x 29	125	208	29	\$1865	\$933
10 foot	self edne	GCR10WR	48 x 120 x 29	125	221	28.92	\$2281	\$1142
		GCR10WRBN	48 x 120 x 29	125	221	28.92	\$2281	\$1142
		GCR10WRTM	48 x 120 x 29	125	221	29	\$2281	\$1142
		GCR10WRBU	48 x 120 x 29	125	239	32	\$2560	\$1281
	built-up sell euge	delitoviibo	40 X 120 X 23	123	200	JZ	φ <b>2</b> 300	\$1201
12 foot		GCR12WR	48 x 144 x 29	100	270	30.96	\$2570	\$1287
		GCR12WRBN	48 x 144 x 29	100	270	30.96	\$2570	\$1287
		GCR12WRTM	48 x 144 x 29	100	270	30.96	\$2570	\$1287
	built-up self edge	GCR12WRBU	48 x 144 x 29	100	293	33.89	\$2869	\$1436
14 foot	self edge	GCR14WR	48 x 168 x 29	125	330	50	\$2952	\$1479
	bullnose edge	GCR14WRBN	48 x 168 x 29	125	330	50	\$2952	\$1479
		GCR14WRTM	48 x 168 x 29	125	330	50	\$2952	\$1479
		GCR14WRBU	48 x 168 x 29	125	336	54	\$3260	\$1631
16 foot	self edne	GCR16WR	48 x 192 x 29	125	371	54	\$3082	\$1542
10 1000		GCR16WRBN	48 x 192 x 29	125	371	54	\$3082	\$1542
	T-mold edge	GCR16WRTM	48 x 192 x 29	125	371	54	\$3082	\$1542
	built-up self edge	GCR16WRBU	48 x 192 x 29	125	377	58	\$3384	\$1695
		00040140		405				4
18 foot	self edge	GCR18WR	48 x 216 x 29	125	412	56	\$3651	\$1827
	bullnose edge	GCR18WRBN	48 x 216 x 29	125	412	56	\$3651	\$1827
	T-mold edge	GCR18WRTM	48 x 216 x 29	125	412	56	\$3651	\$1827
	built-up self edge	GCR18WRBU	48 x 216 x 29	125	419	60	\$4077	\$2042
20 foot	self edge	GCR20WR	48 x 240 x 29	125	453	58	\$3780	\$1894
	bullnose edge	GCR20WRBN	48 x 240 x 29	125	453	58	\$3780	\$1894
	T-mold edge	GCR20WRTM	48 x 240 x 29	125	453	58	\$3780	\$1894
	built-up self edge	GCR20WRBU	48 x 240 x 29	125	461	62	\$4214	\$2108
22 foot	self edge	GCR22WR	48 x 264 x 29	100	493	60	\$4206	\$2104
££ 1001	bullnose edge	GCR22WRBN	48 x 264 x 29	100	493	60	\$4206	\$2104
	T-mold edge	GCR22WRTM	48 x 264 x 29	100	493	60	\$4206	\$2104
	built-up self edge	GCR22WRBU	48 x 264 x 29	125	501	64	\$4697	\$2352
24.5	solf od		40 ,, 200 00	100	F0F	00	<b>#</b> 4000	62474
24 foot	self edge	GCR24WR	48 x 288 x 29	100	535	62	\$4338	\$2171
	bullnose edge	GCR24WRBN	48 x 288 x 29	100	535	62	\$4338	\$2171
	i mald adaa	GCR24WRTM	48 x 288 x 29	100	535	62	\$4338	\$2171
	T-mold edge built-up self edge	GCR24WRBU	48 x 288 x 29	100	544	66	\$4821	\$2413

• All tops 216", 240", 264" and 288" are SHIPPED WITH 6 TUBULAR BASES.

Required Specifications
Top finish

Base finish Edge color, if applicable Optional Specifications Grommet

HP laminate



## BOARDROOM TABLES **B**

		MODEL#		REIGHT CLASS	, , ,			
				V x H				
5 foot	self edge	GCT5BX	30 x 60 x 29	70	131	6	\$1074	\$538
7	bullnose edge	GCT5BXBN	30 x 60 x 29	70	131	6	\$1074	\$538
	T-mold edge	GCT5BXTM	30 x 60 x 29	70	131	7	\$1074	\$538
	built-up self edge	GCT5BXBU	30 x 60 x 29	125	114	17	\$1187	\$594
6 foot	self edge	GCT6BX	36 x 72 x 29	70	138	7.60	\$1203	\$603
0 1001								
	bullnose edge	GCT6BXBN	36 x 72 x 29	70	138	7.60	\$1203	\$603
	T-mold edge	GCT6BXTM	36 x 72 x 29	70	147	7.60	\$1203	\$603
	built-up self edge	GCT6BXBU	36 x 72 x 29	70	157	8.90	\$1341	\$672
7 foot	self edge	GCT7BX	44 x 84 x 29	70	199	9.94	\$1549	\$776
	bullnose edge	GCT7BXBN	44 x 84 x 29	70	199	9.94	\$1549	\$776
	T-mold edge	GCT7BXTM	44 x 84 x 29	70	199	9.94	\$1549	\$776
	built-up self edge	GCT7BXBU	44 x 84 x 29	70	203	11.95	\$1748	\$875
		OOTOLA (D)	10 00 00					
8 foot	self edge	GCT8WBX	48 x 96 x 29	70	218	11.29	\$1549	\$776
	bullnose edge	GCT8WBXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
	T-mold edge	GCT8WBXTM	48 x 96 x 29	70	218	11.29	\$1549	\$776
	built-up self edge	GCT8WBXBU	48 x 96 x 29	70	218	13.53	\$1748	\$875
10 foot	self edge	GCT10WBX2	48 x 120 x 29	70	249	13.53	\$1795	\$900
10 1000	bullnose edge	GCT10WBX2BN	48 x 120 x 29	70	249	13.53	\$1795	\$900
					249	13.53	\$1795	\$900
	T-mold edge	GCT10WBX2TM		70				
	built-up self edge	GCT10WBX2BU	48 x 120 x 29	70	294	16.20	\$2124	\$1062
12 foot	self edge	GCT12WBX2	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	bullnose edge	GCT12WBX2BN	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	T-mold edge	GCT12WBX2TM	48 x 144 x 29	70	308	15.54	\$2105	\$1055
	built-up self edge	GCT12WBX2BU	48 x 144 x 29	70	338	18.83	\$2472	\$1237
44.44	161	CCT14M/DV2	40 100 20	CE	410	10	62044	64504
14 foot	self edge	GCT14WBX2	48 x 168 x 29	65	419	18	\$3044	\$1524
	bullnose edge	GCT14WBX2BN	48 x 168 x 29	65	419	18	\$3044	\$1524
	T-mold edge	GCT14WBX2TM		65	419	18	\$3044	\$1524
	built-up self edge	GCT14WBX2BU	48 x 168 x 29	65	425	16	\$3398	\$1701
16 foot	self edge	GCT16WBX2	48 x 192 x 29	70	460	22.70	\$3172	\$1588
10 1000	bullnose edge	GCT16WBX2BN	48 x 192 x 29	70	460	22.70	\$3172	\$1588
	T-mold edge	GCT16WBX2TM		70	460	22.70	\$3172	\$1588
	built-up self edge	GCT16WBX21W	48 x 192 x 29 48 x 192 x 29	70	466	27.20	\$3172 \$3542	\$1772
18 foot	self edge	GCT18WBX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	bullnose edge	GCT18WBX2BN	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	T-mold edge	GCT18WBX2TM	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	built-up self edge	GCT18WBX2BU	48 x 216 x 29	70	528	29.80	\$4425	\$2216
20 foot	self edge	GCT20WBX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
20 IUUL								
	bullnose edge	GCT20WBX2BN		70	572	26.60	\$4011	\$2007
	T-mold edge	GCT20WBX2TM		70	572	26.60	\$4011	\$2007
	built-up self edge	GCT20WBX2BU	48 X Z4U X Z9	70	580	32.50	\$4489	\$2246
22 foot	self edge	GCT22WBX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
	bullnose edge	GCT22WBX2BN		70	612	28.90	\$4655	\$2328
	T-mold edge	GCT22WBX2TM		70	612	28.90	\$4655	\$2328
	built-up self edge	GCT22WBX2HVI		70	620	35.10	\$5141	\$2572
		0.070 (1) (7)						
24 foot	self edge	GCT24WBX2	48 x 288 x 29	70	673	31.20	\$4786	\$2396
	bullnose edge	GCT24WBX2BN		70	673	31.20	\$4786	\$2396
	T-mold edge	GCT24WBX2TM	48 x 288 x 29	70	673	31.20	\$4786	\$2396
	built-up self edge	GCT24WBX2BU	48 x 288 x 29	70	682	37.70	\$5295	\$2650

• All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

DRUM BASE			MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	6 foot	self edge	GCT6BZ	36 x 72 x 29	100	162	17.50	\$1626	\$814
	) 01001	bullnose edge	GCT6BZBN	36 x 72 x 29	100	153	17.50	\$1626	\$814
		T-mold edge	GCT6BZTM	36 x 72 x 29	100	162	17.50	\$1626	\$814
		built-up self edge	GCT6BZBU	36 x 72 x 29	100	172	18.90	\$1819	\$911
		built-up sell euge	dcTobZbo	30 X 72 X 23	100	172	10.30	\$101J	φ311
	7 foot	self edge	GCT7BZ	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
		bullnose edge	GCT7BZBN	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
		T-mold edge	GCT7BZTM	44 x 84 x 29	92.5	196	19.40	\$1846	\$925
		built-up self edge	GCT7BZBU	44 x 84 x 29	100	199	21.20	\$2075	\$1039
	8 foot	self edge	GCT8WBZ	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
		bullnose edge	GCT8WBZBN	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
		T-mold edge	GCT8WBZTM	48 x 96 x 29	92.5	219	21.20	\$1883	\$943
		built-up self edge	GCT8WBZBU	48 x 96 x 29	92.5	250	23.50	\$2075	\$1039
	40.6	16	0.074.0\A/D70	40 400 00	400	070	00.00	****	***
	10 foot	self edge	GCT10WBZ2	48 x 120 x 29	100	272	33.30	\$2206	\$1104
		bullnose edge	GCT10WBZ2BN	48 x 120 x 29	100	272	33.30	\$2206	\$1104
		T-mold edge	GCT10WBZ2TM	48 x 120 x 29	100	272	33.22	\$2206	\$1104
		built-up self edge	GCT10WBZ2BU	48 x 120 x 29	100	317	35.70	\$2432	\$1217
	12 foot	self edge	GCT12WBZ2	48 x 144 x 29	100	327	35.30	\$2466	\$1234
	12 1001								
		bullnose edge	GCT12WBZ2BN	48 x 144 x 29	100	327	35.30	\$2466	\$1234
		T-mold edge	GCT12WBZ2TM	48 x 144 x 29	100	327	35.30	\$2466	\$1234
		built-up self edge	GCT12WBZ2BU	48 x 144 x 29	100	357	38.40	\$2737	\$1371
	14 foot	self edge	GCT14WBZ2	48 x 168 x 29	92.5	441	39	\$3304	\$1654
	141000	bullnose edge	GCT14WBZ2BN	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		T-mold edge	GCT14WBZ2TM	48 x 168 x 29	92.5	441	39	\$3304	\$1654
		built-up self edge	GCT14WBZ2BU	48 x 168 x 29	92.5	447	42	\$3664	\$1834
									*****
	16 foot	self edge	GCT16WBZ2	48 x 192 x 29	92.5	482	42.52	\$3433	\$1718
		bullnose edge	GCT16WBZ2BN	48 x 192 x 29	92.5	482	42.52	\$3433	\$1718
		T-mold edge	GCT16WBZ2TM	48 x 192 x 29	92.5	482	42.52	\$3433	\$1718
		built-up self edge	GCT16WBZ2BU	48 x 192 x 29	92.5	488	47	\$3788	\$1897
			0.074.014/0.70		400				
	18 foot	self edge	GCT18WBZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		bullnose edge	GCT18WBZ2BN	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		T-mold edge	GCT18WBZ2TM	48 x 216 x 29	100	523	54.40	\$4464	\$2233
		built-up self edge	GCT18WBZ2BU	48 x 216 x 29	100	550	59	\$5018	\$2511
	20 foot	self edge	GCT20WBZ2	48 x 240 x 29	100	564	66.20	\$4529	\$2266
	20 1001	bullnose edge	GCT20WBZ2BN	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		T-mold edge built-up self edge	GCT20WBZ2TM GCT20WBZ2BU	48 x 240 x 29 48 x 240 x 29	100 100	564 572	66.20 70.60	\$4529 \$5084	\$2266 \$2545
		built-up sell euge	GCTZUVVBZZBO	40 X 240 X 23	100	372	70.00	<b>\$3004</b>	<b>42343</b>
	22 foot	self edge	GCT22WBZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		bullnose edge	GCT22WBZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		T-mold edge	GCT22WBZ2TM	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		built-up self edge	GCT22WBZ2BU	48 x 264 x 29	100	612	73.68	\$5635	\$2819
	24 foot	self edge	GCT24WBZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		bullnose edge	GCT24WBZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		T-mold edge	GCT24WBZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		built-up self edge	GCT24WBZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet

HP laminate



## BOARDROOM TABLES **B**

		MODEL#		REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GCT5BA	30 x 60 x 29	85	131	9	\$1430	\$717
3 1000	bullnose edge	GCT5BABN	30 x 60 x 29	85	131	9	\$1430	\$717
	T-mold edge	GCT5BATM	30 x 60 x 29	85	131	9	\$1430	\$717
	built-up self edge	GCT5BAHVI GCT5BABU	30 x 60 x 29	85	134	10	\$1625	\$814
	built up sell euge	dolababo	30 X 00 X 23	00	104	10	ψ1023	Ψ01 <del>1</del>
6 foot	self edge	GCT6BA	36 x 72 x 29	85	152	11	\$1496	\$750
	bullnose edge	GCT6BABN	36 x 72 x 29	85	152	11	\$1496	\$750
	T-mold edge	GCT6BATM	36 x 72 x 29	85	152	11	\$1496	\$750
	built-up self edge	GCT6BABU	36 x 72 x 29	85	162	12	\$1777	\$889
7 foot	self edge	GCT7BA	44 x 84 x 29	70	203	12.96	\$1820	\$912
	bullnose edge	GCT7BABN	44 x 84 x 29	70	203	12.96	\$1820	\$912
	T-mold edge	GCT7BATM	44 x 84 x 29	70	203	12.96	\$1820	\$912
	built-up self edge	GCT7BABU	44 x 84 x 29	85	206	13.98	\$2060	\$1033
	1 0							
8 foot	self edge	GCT8WBA	48 x 96 x 29	70	228	14.97	\$1820	\$912
	bullnose edge	GCT8WBABN	48 x 96 x 29	85	220	14.97	\$1820	\$912
	T-mold edge	GCT8WBATM	48 x 96 x 29	85	220	14.97	\$1820	\$912
	built-up self edge	GCT8WBABU	48 x 96 x 29	85	220	15.96	\$2060	\$1033
40.5	16	0074014754	40 400 0-	0.5	6=1	40.00	40	A40
10 foot	self edge	GCT10WBA	48 x 120 x 29	85	251	16.96	\$2076	\$1041
	bullnose edge	GCT10WBABN	48 x 120 x 29	85	251	16.95	\$2076	\$1041
	T-mold edge	GCT10WBATM	48 x 120 x 29	85	251	16.95	\$2076	\$1041
	built-up self edge	GCT10WBABU	48 x 120 x 29	70	296	18.92	\$2448	\$1227
12 foot	aalf adaa	CCT12\A/DA	40 v 144 v 20	70	200	20	62400	\$1201
12 1000	self edge bullnose edge	GCT12WBA GCT12WBABN	48 x 144 x 29 48 x 144 x 29	70 70	306 310	20 19.94	\$2400 \$2400	\$1201
	T-mold edge	GCT12WBATM	48 x 144 x 29	70	310	19.94	\$2400	\$1201
	built-up self edge	GCT12WBABU	48 x 144 x 29	70	340	21.89	\$2801	\$1402
14 foot	self edge	GCT14WBA	48 x 168 x 29	70	423	25.93	\$3692	\$1848
141000	bullnose edge	GCT14WBABN	48 x 168 x 29	70	423	25.93	\$3692	\$1848
	T-mold edge							
	U	GCT14WBATM	48 x 168 x 29	70	423	25.93	\$3692	\$1848
	built-up self edge	GCT14WBABU	48 x 168 x 29	70	429	27.90	\$4114	\$2058
16 foot	self edge	GCT16WBA	48 x 192 x 29	70	474	29.94	\$3884	\$1944
10 1001	bullnose edge	GCT16WBABN	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	T-mold edge	GCT16WBATM	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	built-up self edge	GCT16WBAHVI	48 x 192 x 29	70	480	31.92	\$4342	\$2173
	Sant up son ougo	30110000	10 X 102 X 20	, ,	100	01.02	Ψ.U12	Ψ <b>-</b> ./0
18 foot	self edge	GCT18WBA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	bullnose edge	GCT18WBABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	T-mold edge	GCT18WBATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	built-up self edge	GCT18WBABU	48 x 216 x 29	70	532	33.89	\$5349	\$2676
		0.07001::7:	40 0:-					***
20 foot	self edge	GCT20WBA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	bullnose edge	GCT20WBABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	T-mold edge	GCT20WBATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	built-up self edge	GCT20WBABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
20.1-	oolf od	CCT20\A/D A	40 v 204 - 20	70	000	20.00	фглот	ėga4e
22 foot	self edge	GCT22WBA GCT22WBABN	48 x 264 x 29	70	626	36.89	\$5427 \$5427	\$2716
	bullnose edge		48 x 264 x 29	70	626	36.89	\$5427	\$2716
	T-mold edge	GCT22WBATM	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	built-up self edge	GCT22WBABU	48 x 264 x 29	70	634	37.90	\$6068	\$3036
24 foot	self edge	GCT24WBA	48 x 288 x 29	70	678	40	\$5558	\$2780
27 IUUL	bullnose edge	GCT24WBABN	48 x 288 x 29	70	678	40	\$5558	\$2780
	T-mold edge	GCT24WBATM	48 x 288 x 29	70	678	40	\$5558	\$2780
	built-up self edge	GCT24WBABU	48 x 288 x 29	65	687	25.10	\$6193	\$3099

- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

ASE		MODEL#	DIMENSIONS FF	REIGHT CLASS V x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GCT5B	30 x 60 x 29	125	88	13	\$1263	\$634
	bullnose edge	GCT5BBN	30 x 60 x 29	125	88	13	\$1263	\$634
	T-mold edge	GCT5BTM	30 x 60 x 29	125	88	13	\$1263	\$634
	built-up self edge	GCT5BBU	30 x 60 x 29	125	91	14	\$1410	\$708
6 foot	self edge	GCT6B	36 x 72 x 29	100	123	15	\$1407	\$705
	bullnose edge	GCT6BBN	36 x 72 x 29	125	114	15	\$1407	\$705
	T-mold edge	GCT6BTM	36 x 72 x 29	100	123	15	\$1407	\$705
	built-up self edge	GCT6BBU	36 x 72 x 29	100	133	16	\$1562	\$782
7 foot	self edge	GCT7B	44 x 84 x 29	100	155	16.98	\$1626	\$814
71000	bullnose edge	GCT7BBN	44 x 84 x 29	100	155	16.98	\$1626	\$814
	T-mold edge	GCT7BDN GCT7BTM	44 x 84 x 29	100	155	16.98	\$1626	\$814
	built-up self edge	GCT7BTWI GCT7BBU	44 x 84 x 29	100	158	18.98	\$1020	\$912
		0.07014/D		400	400			
8 foot	self edge	GCT8WB	48 x 96 x 29	100	188	19	\$1626	\$814
	bullnose edge	GCT8WBBN	48 x 96 x 29	100	180	19	\$1626	\$814
	T-mold edge	GCT8WBTM	48 x 96 x 29	100	180	18.98	\$1626	\$814
	built-up self edge	GCT8WBBU	48 x 96 x 29	100	180	21	\$1821	\$912
10 foot	self edge	GCT10WB	48 x 120 x 29	92.5	214	21	\$2258	\$1131
	bullnose edge	GCT10WBBN	48 x 120 x 29	92.5	214	20.98	\$2258	\$1131
	T-mold edge	GCT10WBTM	48 x 120 x 29	92.5	214	20.93	\$2258	\$1131
	built-up self edge	GCT10WBBU	48 x 120 x 29	92.5	259	22.93	\$2526	\$1264
12 foot	self edge	GCT12WB	48 x 144 x 29	92.5	265	22.80	\$2541	\$1272
12 1000	bullnose edge	GCT12WBBN	48 x 144 x 29	92.5	269	22.69	\$2541	\$1272
	T-mold edge	GCT12WBTM	48 x 144 x 29	92.5	269	22.69	\$2541	\$1272
	built-up self edge	GCT12WBHVI	48 x 144 x 29	92.5	299	25.69	\$2832	\$1419
44.5	16	00T4 4\A/D	40 400 00	100	000	0.4	00044	04.400
14 foot	self edge	GCT14WB	48 x 168 x 29	100	326	34	\$2914	\$1460
	bullnose edge	GCT14WBBN	48 x 168 x 29	100	326	34	\$2914	\$1460
	T-mold edge	GCT14WBTM	48 x 168 x 29	100	326	34	\$2914	\$1460
	built-up self edge	GCT14WBBU	48 x 168 x 29	100	332	38	\$3220	\$1612
16 foot	self edge	GCT16WB	48 x 192 x 29	100	367	38	\$3044	\$1524
	bullnose edge	GCT16WBBN	48 x 192 x 29	100	367	38	\$3044	\$1524
	T-mold edge	GCT16WBTM	48 x 192 x 29	100	367	38	\$3044	\$1524
	built-up self edge	GCT16WBBU	48 x 192 x 29	100	373	40	\$3297	\$1651
18 foot	self edge	GCT18WB	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	bullnose edge	GCT18WBBN	48 x 216 x 29	92.5	408	40	\$3627	\$1816
	T-mold edge	GCT18WBTM	48 x 216 x 29	92.5	408	40	\$3627	\$1815
	built-up self edge	GCT18WBBU	48 x 216 x 29	100	416	42	\$4044	\$2025
20 foot	self edge	GCT20WB	10 v 210 v 20	92.5	449	42	\$3756	\$1880
20 1001		GCT20VVB GCT20WBBN	48 x 240 x 29					
	bullnose edge		48 x 240 x 29	92.5	449	42	\$3756	\$1880
	T-mold edge built-up self edge	GCT20WBTM GCT20WBBU	48 x 240 x 29 48 x 240 x 29	92.5 92.5	449 457	42 44	\$3756 \$4167	\$1880 \$2086
	built up sell euge	GOIZOVVDDO	TU A 240 A 23	JL.J	TU/	7*1	Ψ-107	<b>42000</b>
22 foot	self edge	GCT22WB	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	bullnose edge	GCT22WBBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	T-mold edge	GCT22WBTM	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	built-up self edge	GCT22WBBU	48 x 264 x 29	92.5	497	46	\$4662	\$2332
24 foot	self edge	GCT24WB	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	bullnose edge	GCT24WBBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	T-mold edge	GCT24WBTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	built-up self edge	GCT24WBBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
	All tops 12	0", 144", and 168'	ard in two pieces. V are SHIPPED WIT ITH 4 LEG BASES.			ishes will	NOT align v	where the two top

• All tops 216", 240", 264" and 288" are SHIPPED WITH 6 LEG BASES.

Required Specifications
Top finish

Base finish Edge color, if applicable Optional Specifications
Grommet

HP laminate



## BOARDROOM TABLES **B**

TOP - TUBULAR BASE			MODEL#	DIMENSIONS FF		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		16	00050		V x H			****	
	5 foot	self edge	GCR5B	30 x 60 x 29	150	94	21	\$1303	\$654
		bullnose edge	GCR5BBN	30 x 60 x 29	150	94	21	\$1303	\$654
		T-mold edge	GCR5BTM	30 x 60 x 29	150	94	21	\$1303	\$654
		built-up self edge	GCR5BBU	30 x 60 x 29	150	97	23	\$1454	\$731
	6 foot	self edge	GCR6B	36 x 72 x 29	150	107	23	\$1447	\$725
	0 1001								
		bullnose edge	GCR6BBN	36 x 72 x 29	150	107	23	\$1447	\$725
		T-mold edge	GCR6BTM	36 x 72 x 29	150	107	23	\$1447	\$725
		built-up self edge	GCR6BBU	36 x 72 x 29	150	117	25	\$1610	\$806
	7 foot	self edge	GCR7B	44 x 84 x 29	125	161	25	\$1667	\$834
		bullnose edge	GCR7BBN	44 x 84 x 29	125	161	25	\$1667	\$834
		T-mold edge	GCR7BTM	44 x 84 x 29	125	161	25	\$1667	\$834
		built-up self edge	GCR7BBU	44 x 84 x 29	150	164	29	\$1865	\$933
	8 foot	self edge	GCR8WB	48 x 96 x 29	125	184	27	\$1667	\$834
		bullnose edge	GCR8WBBN	48 x 96 x 29	125	177	27	\$1667	\$834
		T-mold edge	GCR8WBTM	48 x 96 x 29	125	177	27	\$1667	\$834
		built-up self edge	GCR8WBBU						
		punt-up sen eage	UGGAAQUO	48 x 96 x 29	125	208	29	\$1865	\$933
	10 foot	self edge	GCR10WB	48 x 120 x 29	125	221	29	\$2281	\$1142
		bullnose edge	GCR10WBBN	48 x 120 x 29	125	221	29	\$2281	\$1142
		T-mold edge	GCR10WBTM	48 x 120 x 29	125	221	29	\$2281	\$1142
		built-up self edge	GCR10WBBU	48 x 120 x 29	125	239	32	\$2560	\$1436
		bunt-up sen euge	delliovabbo	40 X 120 X 23	123	200	JZ	<b>\$2,300</b>	φ1750
	12 foot	self edge	GCR12WB	48 x 144 x 29	100	270	31	\$2570	\$1287
		bullnose edge	GCR12WBBN	48 x 144 x 29	100	270	31	\$2570	\$1287
		T-mold edge	GCR12WBTM	48 x 144 x 29	100	270	30.78	\$2570	\$1287
		built-up self edge	GCR12WBBU	48 x 144 x 29	100	293	34	\$2869	\$1436
	14 foot	self edge	GCR14WB	48 x 168 x 29	125	330	50	\$2952	\$1479
		bullnose edge	GCR14WBBN	48 x 168 x 29	125	330	50	\$2952	\$1479
		T-mold edge	GCR14WBTM	48 x 168 x 29	125	330	50	\$2952	\$1479
		built-up self edge	GCR14WBBU	48 x 168 x 29	125	336	54	\$3260	\$1631
	16 foot	self edge	GCR16WB	48 x 192 x 29	125	371	54	\$3082	\$1542
		bullnose edge	GCR16WBBN	48 x 192 x 29	125	371	54	\$3082	\$1542
		T-mold edge	GCR16WBTM	48 x 192 x 29	125	371	54	\$3082	\$1542
		built-up self edge	GCR16WBBU	48 x 192 x 29	125	377	58	\$3384	\$1695
	40.6	16 1	00040140	40 040 00	105	440	F0	<b>60054</b>	04007
	18 foot	self edge	GCR18WB	48 x 216 x 29	125	412	56	\$3651	\$1827
		bullnose edge	GCR18WBBN	48 x 216 x 29	125	412	56	\$3651	\$1827
		T-mold edge	GCR18WBTM	48 x 216 x 29	125	412	56	\$3651	\$1827
		built-up self edge	GCR18WBBU	48 x 216 x 29	125	419	60	\$4077	\$2042
	20 foot	self edge	GCR20WB	48 x 240 x 29	125	453	58	\$3780	\$1894
	_0 :000	bullnose edge	GCR20WBBN	48 x 240 x 29	125	453	58	\$3780	\$1894
		T-mold edge	GCR20WBTM	48 x 240 x 29	125	453	58	\$3780	\$1894
		built-up self edge	GCR20WBBU	48 x 240 x 29	125	461	62	\$4214	\$2108
	22 foot	self edge	GCR22WB	48 x 264 x 29	100	493	60	\$4206	\$2104
		bullnose edge	GCR22WBBN	48 x 264 x 29	100	493	60	\$4206	\$2104
		T-mold edge	GCR22WBTM	48 x 264 x 29	100	493	60	\$4206	\$2104
		built-up self edge	GCR22WBTW GCR22WBBU	48 x 264 x 29	125	501	64	\$4697	\$2352
								, <del></del>	
	24 foot	self edge	GCR24WB	48 x 288 x 29	100	535	62	\$4338	\$2171
		bullnose edge	GCR24WBBN	48 x 288 x 29	100	535	62	\$4338	\$2171
		T-mold edge	GCR24WBTM	48 x 288 x 29	100	535	62	\$4338	\$2171
		built-up self edge	GCR24WBBU	48 x 288 x 29	100	544	66	\$4821	\$2413
									where the two tops join.
		All tops 12	0", 144", and 168"	' are SHIPPED WIT 'ITH 4 TUBULAR BA	H 3 TÜBULAF			J	. ,
		***	0" 040" 00:"	1 288" are SHIPPED			250		

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate

P - SLAB BASE			MODEL#	DIMENSIONS D >	FREIGHT CLASS WxH	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	5 foot	self edge	GRT5X	30 x 60 x 29	70	131	6	\$1074	\$538
		bullnose edge	GRT5XBN	30 x 60 x 29	70	131	6	\$1074	\$538
		T-mold edge	GRT5XTM	30 x 60 x 29	70	131	6	\$1074	\$538
		built-up self edge	GRT5XBU	30 x 60 x 29	70	134	7	\$1187	\$594
	6 foot	self edge	GRT6X	36 x 72 x 29	70	135	7.60	\$1203	\$603
	0 1000	bullnose edge	GRT6XBN	36 x 72 x 29	70	143	7.60	\$1203	\$603
		T-mold edge	GRT6XTM	36 x 72 x 29	70	143	7.60	\$1203	\$603
		built-up self edge	GRT6XBU	36 x 72 x 29	70	160	8.90	\$1341	\$672
	<b></b> .	16	ODTZV	44 04 00	70	100	0.04	04540	<b>A77</b> 0
	7 foot	self edge	GRT7X	44 x 84 x 29	70	199	9.94	\$1549	\$776
		bullnose edge	GRT7XBN	44 x 84 x 29	70	199	9.97	\$1549	\$776
		T-mold edge	GRT7XTM	44 x 84 x 29	70	199	9.94	\$1549	\$776
		built-up self edge	GRT7XBU	44 x 84 x 29	70	203	11.95	\$1748	\$875
	8 foot	self edge	GRT8WX	48 x 96 x 29	70	216	11.29	\$1549	\$776
		bullnose edge	GRT8WXBN	48 x 96 x 29	70	218	11.29	\$1549	\$776
		T-mold edge	GRT8WXTM	48 x 96 x 29	70	216	11.29	\$1549	\$776
		built-up self edge	GRT8WXBU	48 x 96 x 29	70	242	13.53	\$1748	\$875
	10 44	oalf ada-	CDT10M/V2	40 v 100 ·· 00	70	200	10 50	¢470F	ėnno
	10 foot	self edge	GRT10WX2	48 x 120 x 29	70	280	13.53	\$1795	\$900
		bullnose edge	GRT10WX2BN	48 x 120 x 29	70	266	13.53	\$1795	\$900
		T-mold edge	GRT10WX2TM	48 x 120 x 29	70	256	13.53	\$1795	\$900
		built-up self edge	GRT10WX2BU	48 x 120 x 29	70	289	16.20	\$2124	\$1062
	12 foot	self edge	GRT12WX2	48 x 144 x 29	70	210	12.54	\$2105	\$1055
		bullnose edge	GRT12WX2BN	48 x 144 x 29	65	307	12.54	\$2105	\$1055
		T-mold edge	GRT12WX2TM	48 x 144 x 29	65	307	12.54	\$2105	\$1055
		built-up self edge	GRT12WX2BU	48 x 144 x 29	70	340	18.83	\$2472	\$1237
	11 6	self edge	CDT14M/V2	40 v 100 v 20	65	419	10	62044	\$1524
	14 foot		GRT14WX2	48 x 168 x 29			18	\$3044	
		bullnose edge	GRT14WX2BN	48 x 168 x 29	65	419	18	\$3044	\$1524
		T-mold edge	GRT14WX2TM	48 x 168 x 29	65	419	18	\$3044	\$1524
		built-up self edge	GRT14WX2BU	48 x 168 x 29	70	425	20	\$3398	\$1701
	16 foot	self edge	GRT16WX2	48 x 192 x 29	70	460	22.70	\$3172	\$1588
		bullnose edge	GRT16WX2BN	48 x 192 x 29	70	460	22.70	\$3172	\$1588
		T-mold edge	GRT16WX2TM	48 x 192 x 29	70	460	22.70	\$3172	\$1588
		built-up self edge	GRT16WX2BU	48 x 192 x 29	70	466	27.20	\$3542	\$1772
	18 foot	self edge	GRT18WX2	48 x 216 x 29	70	521	24.60	\$3948	\$1976
	10 1000	bullnose edge	GRT18WX2BN	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		T-mold edge	GRT18WX2TM	48 x 216 x 29	70	521	24.60	\$3948	\$1976
		built-up self edge	GRT18WX2BU	48 x 216 x 29	70	528	29.80	\$4425	\$2216
	20 foot	self edge	GRT20WX2	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		bullnose edge	GRT20WX2BN	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		T-mold edge	GRT20WX2TM	48 x 240 x 29	70	572	26.60	\$4011	\$2007
		built-up self edge	GRT20WX2BU	48 x 240 x 29	70	580	32.50	\$4489	\$2246
	22 foot	self edge	GRT22WX2	48 x 264 x 29	70	612	28.90	\$4655	\$2328
	££ 100t	bullnose edge	GRT22WX2BN	48 x 264 x 29	70	612	28.90	\$4655	\$2328
		T-mold edge built-up self edge	GRT22WX2TM GRT22WX2BU	48 x 264 x 29 48 x 264 x 29	70 70	612 620	28.90 35.10	\$4655 \$5141	\$2328 \$2572
	24 foot	self edge	GRT24WX2 GRT24WX2BN	48 x 288 x 29	70 70	673	31.20	\$4786	\$2396
		bullnose edge		48 x 288 x 29		673	31.20	\$4786	\$2396
		T-mold edge	GRT24WX2TM	48 x 288 x 29	70	673	31.20	\$4786	\$2396
		built-up self edge	GRT24WX2BU	48 x 288 x 29	70	682	37.70	\$5295	\$2650

- All tops 168", 192", 216" and 240" are SHIPPED WITH 3 SLAB BASES.
- All tops 264" and 288" are SHIPPED WITH 4 SLAB BASES.

Required Specifications
Top finish Base finish

Edge color, if applicable

Optional Specifications Grommet HP laminate



## BOARDROOM TABLES **B**

RACK TOP - DRUM BASE			MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	6 foot	self edge	GRT6Z	<b>D x V</b> 36 x 72 x 29	<b>V x H</b> 100	150	17.50	\$1626	\$814
$\overline{}$	0 1000	bullnose edge	GRT6ZBN	36 x 72 x 29	100	158	17.50	\$1626	
		T-mold edge	GRT6ZTM	36 x 72 x 29	100	158	17.50	\$1626	\$814 \$814 \$814 \$911 \$943 \$943 \$943 \$1039 \$943 \$943 \$943 \$943 \$942 \$1104 \$1104 \$1104 \$1217 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1234 \$1654 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655 \$1655
		built-up self edge	GRT6ZBU	36 x 72 x 29	100	175	18.80	\$1819	
		built up son euge	GITTOZDO	30 X 72 X 23	100	173	10.00	<b>\$1013</b>	9011
	7 foot	self edge	GRT7Z	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		bullnose edge	GRT7ZBN	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		T-mold edge	GRT7ZTM	44 x 84 x 29	92.5	196	19.40	\$1883	\$943
		built-up self edge	GRT7ZBU	44 x 84 x 29	100	199	21.20	\$2075	
	01.1	16	ODTOW/7	40 00 00	00.5	017	04.00	04000	<b>60.40</b>
	8 foot	self edge bullnose edge	GRT8WZ GRT8WZBN	48 x 96 x 29 48 x 96 x 29	92.5 92.5	217 219	21.26 21.26	\$1883 \$1883	
		T-mold edge	GRT8WZTM	48 x 96 x 29	92.5	217	21.26	\$1883	
		built-up self edge	GRT8WZBU	48 x 96 x 29	92.5	243	23.50	\$2075	\$34Z
	10 foot	self edge	GRT10WZ2	48 x 120 x 29	100	313	33.14	\$2206	\$1104
		bullnose edge	GRT10WZ2BN	48 x 120 x 29	100	289	33.14	\$2206	
		T-mold edge	GRT10WZ2TM	48 x 120 x 29	100	279	33.14	\$2206	
		built-up self edge	GRT10WZ2BU	48 x 120 x 29	100	312	35.70	\$2432	
			0.07.4.01.7.7		105			*=	
	12 foot	self edge	GRT12WZ2	48 x 144 x 29	100	329	35.14	\$2466	
		bullnose edge	GRT12WZ2BN	48 x 144 x 29	150	326	58.70	\$2466	
		T-mold edge	GRT12WZ2TM	48 x 144 x 29	100	326	35.14	\$2466	
		built-up self edge	GRT12WZ2BU	48 x 144 x 29	100	359	38.32	\$2737	\$1234
	14 foot	self edge	GRT14WZ2	48 x 168 x 29	92.5	478	44.44	\$3304	\$1654
		bullnose edge	GRT14WZ2BN	48 x 168 x 29	92.5	441	39	\$3304	
		T-mold edge	GRT14WZ2TM	48 x 168 x 29	92.5	441	39	\$3304	
		built-up self edge	GRT14WZ2BU	48 x 168 x 29	92.5	447	42	\$3664	
	16 foot	self edge	GRT16WZ2	48 x 192 x 29	92.5	478	42.50	\$3433	
		bullnose edge	GRT16WZ2BN	48 x 192 x 29	92.5	482	42.50	\$3433	
		T-mold edge	GRT16WZ2TM	48 x 192 x 29	92.5	482	42.50	\$3433	
		built-up self edge	GRT16WZ2BU	48 x 192 x 29	92.5	488	47	\$3788	\$1897
	18 foot	self edge	GRT18WZ2	48 x 216 x 29	100	523	54.40	\$4464	\$2233
	10 1001	bullnose edge	GRT18WZ2BN	48 x 216 x 29	100	523	54	\$4464	
		T-mold edge	GRT18WZ2TM	48 x 216 x 29	100	523	54.40	\$4464	
		built-up self edge	GRT18WZ2BU	48 x 216 x 29	100	550	59	\$5018	
	20 foot	self edge	GRT20WZ2	48 x 240 x 29	100	564	66.20	\$4529	
		bullnose edge	GRT20WZ2BN	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		T-mold edge	GRT20WZ2TM	48 x 240 x 29	100	564	66.20	\$4529	\$2266
		built-up self edge	GRT20WZ2BU	48 x 240 x 29	100	572	70.60	\$5084	\$2545
	22 foot	self edge	GRT22WZ2	48 x 264 x 29	100	604	68.20	\$5044	\$2523
	££ 100t	bullnose edge	GRT22WZ2BN	48 x 264 x 29	100	604	68.20	\$5044	\$2523
		T-mold edge	GRT22WZ2TM	48 x 264 x 29	100	604	68.20	\$5044	\$2523 \$2523
		built-up self edge	GRT22WZ2BU	48 x 264 x 29	100	612	73.70	\$5635	\$2819
		Jane ap don dago	322112200	10 / 20   / 20		312		+-300	<del></del>
	24 foot	self edge	GRT24WZ2	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		bullnose edge	GRT24WZ2BN	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		T-mold edge	GRT24WZ2TM	48 x 288 x 29	100	646	70.20	\$5175	\$2590
		built-up self edge	GRT24WZ2BU	48 x 288 x 29	100	655	76.80	\$5756	\$2880

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand is not included.
- All tops over 144" are standard in two pieces. Woodgrain laminate finishes will NOT align where the two tops join.
- All tops 168", 192" and 216" are SHIPPED WITH 3 DRUM BASES.
- All tops 240", 264" and 288" are SHIPPED WITH 4 DRUM BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet

HP laminate

		MODEL#	DIMENSIONS FR		WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
5 foot	self edge	GRT5A	30 x 60 x 29	85	131	9	\$1430	\$717
	bullnose edge	GRT5ABN	30 x 60 x 29	85	131	9	\$1430	\$717
	T-mold edge	GRT5ATM	30 x 60 x 29	85	131	9	\$1430	\$717
	built-up self edge	GRT5ABU	30 x 60 x 29	85	134	10	\$1625	\$814
	built up son ougo	GITTO/ LDO	00 X 00 X 20	00	101	10	ψ1023	ÇÜT
6 foot	self edge	GRT6A	36 x 72 x 29	85	140	11	\$1496	\$750
	bullnose edge	GRT6ABN	36 x 72 x 29	85	148	11	\$1496	\$750
	T-mold edge	GRT6ATM	36 x 72 x 29	85	148	11	\$1496	\$750
	built-up self edge	GRT6ABU	36 x 72 x 29	85	165	12	\$1777	\$\$889
7 foot	self edge	GRT7A	44 x 84 x 29	70	203	12.93	\$1820	\$912
7 1000	bullnose edge	GRT7ABN	44 x 84 x 29	70	203	12.93	\$1820	\$912
	T-mold edge	GRT7ATM	44 x 84 x 29	70	203	12.93	\$1820	\$912
	built-up self edge	GRT7ABU	44 x 84 x 29	85	206	13.95	\$2060	\$1033
8 foot	self edge	GRT8WA	48 x 96 x 29	85	218	14.94	\$1820	\$912
	bullnose edge	GRT8WABN	48 x 96 x 29	92.5	236	22.40	\$1820	\$912
	T-mold edge	GRT8WATM	48 x 96 x 29	85	218	14.94	\$1820	\$912
	built-up self edge	GRT8WABU	48 x 96 x 29	70	244	15.93	\$2060	\$1033
10 foot	self edge	GRT10WA	48 x 120 x 29	70	268	16.95	\$2076	\$1041
	bullnose edge	GRT10WABN	48 x 120 x 29	70	268	16.95	\$2076	\$104
	T-mold edge	GRT10WATM	48 x 120 x 29	70	268	16.95	\$2076	\$104
	built-up self edge	GRT10WABU	48 x 120 x 29	70	291	18.92	\$2448	\$122
12 foot	self edge	GRT12WA	48 x 144 x 29	85	309	24.94	\$2400	\$120
12 1000				65			\$2400	
	bullnose edge	GRT12WABN	48 x 144 x 29		309	11.98		\$1201
	T-mold edge	GRT12WATM	48 x 144 x 29	100	309	33.29	\$2400	\$1201
	built-up self edge	GRT12WABU	48 x 144 x 29	70	342	21.95	\$2801	\$1402
14 foot	self edge	GRT14WA	48 x 168 x 29	70	423	26	\$3692	\$1848
	bullnose edge	GRT14WABN	48 x 168 x 29	70	423	26	\$3692	\$1848
	T-mold edge	GRT14WATM	48 x 168 x 29	70	423	26	\$3692	\$1848
	built-up self edge	GRT14WABU	48 x 168 x 29	70	429	28	\$4114	\$2058
401.	16	ODT40\A/A	40 400 00	70	47.4	00	40004	04044
16 foot	self edge	GRT16WA	48 x 192 x 29	70	474	30	\$3884	\$1944
	bullnose edge	GRT16WABN	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	T-mold edge	GRT16WATM	48 x 192 x 29	70	474	29.94	\$3884	\$1944
	built-up self edge	GRT16WABU	48 x 192 x 29	70	480	31.92	\$4342	\$2173
18 foot	self edge	GRT18WA	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	bullnose edge	GRT18WABN	48 x 216 x 29	70	525	31.92	\$4786	\$2396
	T-mold edge	GRT18WATM	48 x 216 x 29	70	525	31.92	\$4786	\$2396
		GRT18WABU	48 x 216 x 29	70	532	33.89	\$5349	\$2676
	built-up self edge	UIII IUVVADU	40 V 7 10 Y 72	70	JJZ	55.05	<b>43343</b>	φ <b>2</b> 070
20 foot	self edge	GRT20WA	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	bullnose edge	GRT20WABN	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	T-mold edge	GRT20WATM	48 x 240 x 29	70	576	33.89	\$4855	\$2428
	built-up self edge	GRT20WABU	48 x 240 x 29	70	584	35.93	\$5399	\$2702
	16	ODT00'4'4	40. 00: 05	70	000	00.00	A=	<b>A</b>
22 foot	self edge	GRT22WA	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	bullnose edge	GRT22WABN	48 x 264 x 29	70	626	36.89	\$5427	\$2710
	T-mold edge	GRT22WATM	48 x 264 x 29	70	626	36.89	\$5427	\$2716
	built-up self edge	GRT22WABU	48 x 264 x 29	70	634	37.90	\$6068	\$3036
24 foot	self edge	GRT24WA	48 x 288 x 29	70	678	39.88	\$5558	\$2780
24 IUUl	bullnose edge	GRT24WABN						
			48 x 288 x 29	70	678	39.88	\$5558	\$2780
	T-mold edge	GRT24WATM	48 x 288 x 29	70	678	39.88	\$5558	\$2780
	built-up self edge	GRT24WABU	48 x 288 x 29	70	687	41.92	\$6193	\$3099

- All tops 168", 192", 216" and 240" are SHIPPED WITH 2 ARCH BASES AND 1 SLAB BASE.
- All tops 264" and 288" are SHIPPED WITH 2 ARCH BASES AND 2 SLAB BASES.

Required Specifications
Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate



## BOARDROOM TABLES **B**

TRACK TOP - 2 LEG BASE			MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
					W x H				
	5 foot	self edge	GRT5	30 x 60 x 29	125	88	13	\$1263	\$634
		bullnose edge	GRT5BN	30 x 60 x 29	125	88	13	\$1263	\$634
		T-mold edge	GRT5TM	30 x 60 x 29	125	88	13	\$1263	\$634
		built-up self edge	GRT5BU	30 x 60 x 29	125	91	14	\$1410	\$708
		<u> </u>							
	6 foot	self edge	GRT6	36 x 72 x 29	125	111	15	\$1407	\$705
1		bullnose edge	GRT6BN	36 x 72 x 29	125	119	15	\$1407	\$705
		T-mold edge	GRT6TM	36 x 72 x 29	125	119	15	\$1407	\$705
		built-up self edge	GRT6BU	36 x 72 x 29	100	136	16	\$1562	\$782
	7 foot	self edge	GRT7	44 x 84 x 29	100	155	17	\$1626	\$814
		bullnose edge	GRT7BN	44 x 84 x 29	100	155	17	\$1626	\$814
		T-mold edge	GRT7TM	44 x 84 x 29	100	155	17	\$1626	\$814
		built-up self edge	GRT7BU	44 x 84 x 29	100	158	19	\$1821	\$912
	8 foot	self edge	GRT8W	48 x 96 x 29	100	178	19	\$1626	\$814
		bullnose edge	GRT8WBN	48 x 96 x 29	100	180	19	\$1626	\$814
		T-mold edge	GRT8WTM	48 x 96 x 29	100	178	19	\$1626	\$814
		built-up self edge	GRT8WBU	48 x 96 x 29	100	204	21	\$1821	\$912
	40.5	16	ODT4C'A	40 400 0-	000	60	0.1	400	4444
	10 foot	self edge	GRT10W	48 x 120 x 29	300	39	21	\$2258	\$1131
		bullnose edge	GRT10WBN	48 x 120 x 29	92.5	231	21	\$2258	\$1131
		T-mold edge	GRT10WTM	48 x 120 x 29	92.5	221	21	\$2258	\$1131
		built-up self edge	GRT10WBU	48 x 120 x 29	92.5	254	23	\$2526	\$1264
	40.44	16	CDT10M/	40 144 20	00.5	071	20	<b>60</b> F 44	64070
	12 foot	self edge	GRT12W	48 x 144 x 29	92.5	271	23	\$2541	\$1272
		bullnose edge	GRT12WBN	48 x 144 x 29	92.5	268	23	\$2541	\$1272
		T-mold edge	GRT12WTM	48 x 144 x 29	92.5	268	23	\$2541	\$1272
		built-up self edge	GRT12WBU	48 x 144 x 29	92.5	301	25.90	\$2832	\$1419
			ODT4 414/	40 400 00	400	000	0.4	00044	44.400
	14 foot	self edge	GRT14W	48 x 168 x 29	100	326	34	\$2914	\$1460
		bullnose edge	GRT14WBN	48 x 168 x 29	100	326	34	\$2914	\$1460
		T-mold edge	GRT14WTM	48 x 168 x 29	100	326	34	\$2914	\$1460
		built-up self edge	GRT14WBU	48 x 168 x 29	100	332	38	\$3220	\$1612
			0074014	40 400 00	400				4
	16 foot	self edge	GRT16W	48 x 192 x 29	100	367	38	\$3044	\$1524
		bullnose edge	GRT16WBN	48 x 192 x 29	100	367	38	\$3044	\$1524
		T-mold edge	GRT16WTM	48 x 192 x 29	100	367	38	\$3044	\$1524
		built-up self edge	GRT16WBU	48 x 192 x 29	100	368	40	\$3297	\$1651
			0074014						4
	18 foot	self edge	GRT18W	48 x 216 x 29	92.5	408	40	\$3627	\$1816
		bullnose edge	GRT18WBN	48 x 216 x 29	92.5	408	40	\$3627	\$1816
		T-mold edge	GRT18WTM	48 x 216 x 29	92.5	408	40	\$3627	\$1816
		built-up self edge	GRT18WBU	48 x 216 x 29	100	416	42	\$4044	\$2025
	20 foot	self edge	GRT20W	48 x 240 x 29	92.5	449	42	\$3756	\$1880
	20 1001	bullnose edge	GRT20WBN	48 x 240 x 29 48 x 240 x 29	92.5	449	42	\$3756	\$1880
		T-mold edge	GRT20WTM	48 x 240 x 29	92.5	449	42	\$3756	\$1880
		built-up self edge	GRT20WBU	48 x 240 x 29	92.5	457	44	\$4167	\$2086
	22 foot	self edge	GRT22W	48 x 264 x 29	92.5	489	44	\$4140	\$2073
	22 100t								
		bullnose edge	GRT22WBN	48 x 264 x 29	92.5	489	44	\$4140	\$2073
		T-mold edge	GRT22WTM	48 x 264 x 29	92.5	489	44	\$4140	\$2073
		built-up self edge	GRT22WBU	48 x 264 x 29	92.5	497	46	\$4662	\$2332
	24 foot	self edge	GRT24W	48 x 288 x 29	92.5	531	46	\$4268	\$2135
	24 IUUL								
		bullnose edge	GRT24WBN	48 x 288 x 29	92.5	531	46	\$4268	\$2135
		T-mold edge	GRT24WTM	48 x 288 x 29	92.5	531	46	\$4268	\$2135
		built-up self edge	GRT24WBU	48 x 288 x 29	92.5	540	48	\$4772	\$2387
							ishes will	NOT align v	where the two tops join.
				" are SHIPPED WIT	H 3 LEG BASI	ES.			
		<ul> <li>All tons 19</li> </ul>	2" are SHIPPED W	/TEH 4 LEG BASES					
				d 288" are SHIPPED		D 4 2 = -			

Required Specifications Top finish Base finish Edge color, if applicable

Optional Specifications Grommet HP laminate




ACK TOP - TUBULAR BASE			MODEL#	DIMENSIONS F	REIGHT CLASS W x H	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	5 foot	self edge	GRT5R	30 x 60 x 29	150	94	21	\$1303	\$654
		bullnose edge	GRT5RBN	30 x 60 x 29	150	94	21	\$1303	\$654
		T-mold edge	GRT5RTM	30 x 60 x 29	150	94	21	\$1303	\$654
		built-up self edge	GRT5RBU	30 x 60 x 29	150	97	23	\$1454	\$731
	6 foot	self edge	GRT6R	36 x 72 x 29	150	107	23	\$1447	\$725
∜≪	0.000	bullnose edge	GRT6RBN	36 x 72 x 29	150	107	23	\$1447	\$725
~		T-mold edge	GRT6RTM	36 x 72 x 29	150	107	23	\$1447	\$725
		built-up self edge	GRT6RBU	36 x 72 x 29	150	117	25	\$1610	\$806
	7 foot	self edge	GRT7R	44 x 84 x 29	125	161	25	\$1667	\$834
		bullnose edge	GRT7RBN	44 x 84 x 29	125	161	25	\$1667	\$834
		T-mold edge	GRT7RTM	44 x 84 x 29	125	161	25	\$1667	\$834
		built-up self edge	GRT7RBU	44 x 84 x 29	125	164	27	\$1865	\$933
	8 foot	self edge	GRT8WR	48 x 96 x 29	125	175	27	\$1667	\$834
	9 1001								
		bullnose edge	GRT8WRBN	48 x 96 x 29	125	177	27	\$1667	\$834
		T-mold edge	GRT8WRTM	48 x 96 x 29	125	175	27	\$1667	\$834
		built-up self edge	GRT8WRBU	48 x 96 x 29	125	176	29	\$1865	\$933
	10 foot	self edge	GRT10WR	48 x 120 x 29	125	221	29	\$2281	\$1142
		bullnose edge	GRT10WRBN	48 x 120 x 29	125	221	29	\$2281	\$1142
		T-mold edge	GRT10WRTM	48 x 120 x 29	125	221	29	\$2281	\$1142
		built-up self edge	GRT10WRBU	48 x 120 x 29	125	239	32	\$2560	\$1281
		punt-up sen euge	UDDOVVDOU	40 X 12U X 29	123	۷,55	JZ	<b>⊅</b> 2300	1201 <del>و</del>
	12 foot	self edge	GRT12WR	48 x 144 x 29	100	270	31	\$2570	\$1287
		bullnose edge	GRT12WRBN	48 x 144 x 29	100	270	31	\$2570	\$1287
		T-mold edge	GRT12WRTM	48 x 144 x 29	100	270	30.9	\$2570	\$1287
		built-up self edge	GRT12WRBU	48 x 144 x 29	100	301	34	\$2869	\$1436
	44.6	16 1	ODT4 4VA/D	40 400 00	105	000	F0.	00050	<b>64 470</b>
	14 foot	self edge	GRT14WR	48 x 168 x 29	125	330	50	\$2952	\$1479
		bullnose edge	GRT14WRBN	48 x 168 x 29	125	330	50	\$2952	\$1479
		T-mold edge	GRT14WRTM	48 x 168 x 29	125	330	50	\$2952	\$1479
		built-up self edge	GRT14WRBU	48 x 168 x 29	125	326	54	\$3260	\$1631
	16 foot	self edge	GRT16WR	48 x 192 x 29	125	371	54	\$3082	\$1542
	10 1001	bullnose edge	GRT16WRBN	48 x 192 x 29	125	371	54	\$3082	\$1542
		T-mold edge	GRT16WRTM	48 x 192 x 29	125	371	54	\$3082	\$1542
		built-up self edge	GRT16WRBU	48 x 192 x 29	125	377	58	\$3384	\$1695
	18 foot	self edge	GRT18WR	48 x 216 x 29	125	412	56	\$3651	\$1827
		bullnose edge	GRT18WRBN	48 x 216 x 29	125	412	56	\$3651	\$1827
		T-mold edge	GRT18WRTM	48 x 216 x 29	125	412	56	\$3651	\$1827
		built-up self edge	GRT18WRBU	48 x 216 x 29	125	419	60	\$4077	\$2042
	20 foot	self edge	GRT20WR	48 x 240 x 29	125	453	58	\$3780	\$1894
		bullnose edge	GRT20WRBN	48 x 240 x 29	125	453	58	\$3780	\$1894
		T-mold edge	GRT20WRTM	48 x 240 x 29	125	453	58	\$3780	\$1894
		built-up self edge	GRT20WRBU	48 x 240 x 29	125	461	62	\$4214	\$2108
	20.6	161	CDTQQVAID	40 004 00	100	400	00	<b>64000</b>	ė24.0 <i>4</i>
	22 foot	self edge	GRT22WR	48 x 264 x 29	100	493	60	\$4206	\$2104
		bullnose edge	GRT22WRBN	48 x 264 x 29	100	493	60	\$4206	\$2104
		T-mold edge	GRT22WRTM	48 x 264 x 29	100	493	60	\$4206	\$2104
		built-up self edge	GRT22WRBU	48 x 264 x 29	125	501	64	\$4697	\$2352
	24 foot	self edge	GRT24WR	48 x 288 x 29	100	535	62	\$4338	\$2171
		bullnose edge	GRT24WRBN	48 x 288 x 29	100	535	62	\$4338	\$2171
		T-mold edge	GRT24WRTM	48 x 288 x 29	100	535	62	\$4338	\$2171
		built-up self edge	GRT24WRBU	48 x 288 x 29	100	544	66	\$4336 \$4821	\$2413
									where the two tops join.
		<ul> <li>All tops 12</li> </ul>		' are SHIPPED WIT	H 3 TÜBULAR			J	, ,

Required Specifications
Top finish
Base finish
Edge color, if applicable

Optional Specifications
Grommet

HP laminate



## **BUNGEE™ TABLES**




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature rounded corners with a unique "bubble molding" that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge.


Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Tungsten or Black finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-Top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Tungsten or Black (standard on Flip-Top models).



Bungee cords are utilized to quickly and easily reconfigure tables

#### **Features and Benefits**

- Bungee tables are complete with Top, Legs and Bungee cords
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring a tool
- Tops are 1" thick and are offered in a variety of shapes and sizes
- Legs are offered in tapered or spider design in a Tungsten or Black finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires
- Optional grommets or power blocks offer technological flexibility
- Models with handles feature a bow handle in Silver or Black Nickel finish
- Metal feet are height adjustable and offered in Black or Tungsten finish
- Boardrooms were never easier to specify - table "sets" and accessories such as AV Cabinets and Credenza Buffets are specified with one model number

#### **GENERAL INFORMATION**

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that
  requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts
- High pressure tops are available in all Bungee laminate finishes at an extended lead time please see model # for pricing.
- Unique "bubble molding" edging is specially engineered to create a secure seal to align interconnected tables.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick thermally fused laminate (TFL); optional in 1-1/16" thick high pressure lamiante (HPL - upcharge applies). Modesty panels are 11/16" thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- Tops 54" and over feature a built-in support bar.
- Products specified with the high pressure laminate option (HPL) are finished on the underside of the surface with a kraft paper backing.

#### **BUNGEE CORDS**

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method
  of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- . Bungee cords are included with all freestanding tables and carry a lifetime warranty.

#### **EDGE DETAIL**

• Bungee comes with a choice of four edge styles (check model for edge availability):



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black



BS - rounded corner, Silver



BB - rounded corner, Black

- BB/BS Bungee Bubble Edge: unique "bubble" molding is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- AB/AS Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- A3 Global's preferred edge. Coordinates well with Adaptabilities and Zira 1" tops.
- AR Bicut edge. Coordinates well with Zira 1" tops.
- NOTE: Trapezoid tables can only be specified with Bubble Edge (Rounded Corners).
- NOTE: Boardroom Table sets allow for all edge types but ONLY with rounded corners (when AS/AB/A3/AR are selected, the table will be produced with rounded corners).

#### LEGS

- Tables feature two styles of legs Tapered leg or Spider leg. Legs on fixed tables offer glides or casters. Adjusts 3mm-10mm in height.
- . For legs and glides in Tungsten, specify (TTU).
- . For legs and glides in Black, specify (TBL).
- For legs and casters in Tungsten, specify (TTC).
- For legs and casters in Black, specify (TBC).



Ø

Tapered Leg

Spider Lea

#### **HANDLES**

- Metal handles are standard on all drawers and doors. Handles are offered in two finishes: Silver (HS) or Black Nickel (HT), please specify
- · Handle finish will match leg finish.





bow handle, Silver finish (HS)

bow handle, Black Nickel finish (HT)

#### FEET

- Metal feet are standard on all cabinets. Feet adjust 3/4" in height.
- Feet are available in Tungsten Finish (TTU) or Black Finish (BLK).






TTU - Tungsten

BLK - Black Nickel


#### **MODESTY PANELS**

- Panels are 9.5" high, recessed 3/4" from the back and inset 7" from the sides.
- Available in all Bungee laminate finishes.
- Edge available in Silver finish (SI) or Black finish (BK). Please specify.



#### FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together.
   Helps conceal wires and enhance visual appeal.
- · Reversible Black on one side, Silver on the other.



#### **WIRE MANAGEMENT**

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- · Available in Black only





5" Wire Management Track

22" Wire Management Track

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops (upcharge applies)

#### 3. SPECIFY FINISH

#### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### Edge:

BB Bungee bubble edge with Black trim
BS Bungee bubble edge with Silver trim
AB Split color edge with Black trim
AS Split color edge with Silver trim
A3 Matching edge
AR Matching bicut edge

Legs with	Glides:	Legs wit	h Casters:
TBL	Black	TBC	Black
TTU	Tungsten	TTC	Tungsten
Handles:		Modesty	Panel Edge:
HS	Silver	SI	Silver
HT	Black Nickel	RK	Black Nickel

Feet:

BLK Black Nickel TTU Tungsten

#### 4. SPECIFY OPTIONS

#### **GROMMETS**

- Optional Grommets available in standard worksurface locations (left, center or right) for Rectangular Tops 48" and up. Order as: AG1, AG2 or AG3 - Add \$96
- Additional grommets are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as AG2 - Add \$96.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing
  must be supplied with vertical and horizontal dimensions to the center of the cut-out (as
  in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back
  reference section.


AG1


AG2

For 48", 60" and 72" wide units

# reference section. Grommet hole dimensions 3'/4







For 36" and 42" wide units



#### Trapezoid Tables

Grommet Location - AG2...Add \$96

#### **POWER BLOCK**

- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- A Power Block (model PMSPDM) may be ordered for Rectangular Tables 60" and up in place of standard grommets. Order as E1, E2 or E3 - Add \$96.
- Additional Power Blocks are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as E2 - Add \$96.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
- Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add \$96.
- See above for examples of placement.



Power Block PMSPDM Add \$330


## 

#### **VILLA CUTOUTS**

17.5"

AG3

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables 60" and up. Order as: V1, V2 or V3 - Add \$96 for each cutout.
- Additional power block cutouts are available in center position only for Rectangular Tops (36", 42" and 48") and Trapezoid Tables. Order as V2 - Add \$96.
- Villa cutouts may be placed at non-standard locations. Please contact customer care.
- To purchase a Villa Power Block, you must specify both the Villa Power Block cutout location and the Power Block model #. Please see page 475 for Villa models.



For **36"**, **42"** and **48"** wide units

For **60"** and **72"** wide units

#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to Bungee rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide non-flip tables and 48" to 72" wide flip tables. Add \$96
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.




## В

## **BUNGEE™ TABLES**

#### CONNECTING CONDITIONS

- Bungee cords allow for fast and easy reconfiguring of tables whenever needed.
   Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular Tables 48" and longer connect in both Straight and "L" configurations.
   Rectangular Tables 36" and 42" connect in Straight configurations only.



Rectangular Tables



Round Wedge Tables



Trapezoid Tables



Teardrop Tables



Half Moon Tables



Flat Round Tables



DxWxH

Square Tables




Keystone Tables



Wedge Tables

#### SAMPLE TABLE CONFIGURATIONS

The following table configurations can be created using Bungee Boardroom Table Sets only.
 Meeting/Boardroom
 Meeting/Boardroom







Training



Training




Lecture / AV Presentations



Small Teaming Stations

Bungee cords














#### FLIP TOP TABLE NESTING DIAGRAM










RECTANGULAR TABLES



**Rectangular Table - Tapered Legs** 



**Rectangular Table - Spider Legs** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
B2036REF	20 x 36 x 28.7	92.5	59	5.26	\$874	\$178
B2042REF	20 x 42 x 28.7	92.5	62	5.76	\$906	\$236
B2048REF	20 x 48 x 28.7	92.5	67	6	\$940	\$236
B2060REF	20 x 60 x 28.7	92.5	74	7	\$1064	\$324
B2072REF	20 x 72 x 28.7	92.5	81	7.26	\$1167	\$367
B2436REF	24 x 36 x 28.7	92.5	65	5.76	\$925	\$178
B2442REF	24 x 42 x 28.7	92.5	69	6	\$956	\$236
B2448REF	24 x 48 x 28.7	92.5	72	6.5	\$988	\$236
B2460REF	24 x 60 x 28.7	92.5	82	7.26	\$1141	\$353
B2472REF	24 x 72 x 28.7	92.5	91	8	\$1232	\$548
B3036REF	30 x 36 x 28.7	100	70	7.26	\$913	\$332
B3042REF	30 x 42 x 28.7	92.5	78	7.5	\$956	\$367
B3048REF	30 x 48 x 28.7	92.5	81	7.5	\$982	\$353
B3060REF	30 x 60 x 28.7	92.5	92	8.26	\$1141	\$441
B3072REF	30 x 72 x 28.7	92.5	102	9	\$1250	\$548
B3642REF	36 x 42 x 28.7	150	83	15	\$1048	\$353
B3648REF	36 x 48 x 28.7	92.5	91	8	\$1150	\$334
B3660REF	36 x 60 x 28.7	92.5	103	9	\$1250	\$415
B3672REF	36 x 72 x 28.7	92.5	116	10	\$1397	\$526

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Tables 48" and longer connect in both Straight and "L" configurations
- Tables 36" and 42" connect in Straight configurations only.
- Available with optional locking casters, specify option "TBC" or "TTC".

B2036RES	20 x 36 x 28.7	100	57	6.76	\$982	\$178
B2042RES	20 x 42 x 28.7	100	60	7.26	\$1015	\$236
B2048RES	20 x 48 x 28.7	100	65	7.5	\$1048	\$236
B2060RES	20 x 60 x 28.7	100	72	8.5	\$1181	\$324
B2072RES	20 x 72 x 28.7	100	79	8.76	\$1290	\$367
B2436RES	24 x 36 x 28.7	100	62	7.26	\$1039	\$178
B2442RES	24 x 42 x 28.7	150	64	15	\$1064	\$236
B2448RES	24 x 48 x 28.7	125	71	10	\$1105	\$236
B2460RES	24 x 60 x 28.7	125	80	10.76	\$1250	\$353
B2472RES	24 x 72 x 28.7	125	89	11.26	\$1354	\$548
B3036RES	30 x 36 x 28.7	125	72	10.26	\$1064	\$332
B3042RES	30 x 42 x 28.7	125	80	10.5	\$1097	\$367
B3048RES	30 x 48 x 28.7	125	83	10.5	\$1132	\$404
B3060RES	30 x 60 x 28.7	100	94	11.26	\$1290	\$404
B3072RES	30 x 72 x 28.7	100	104	12	\$1383	\$549

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.


- Tables 48" and longer connect in both Straight and "L" configurations
- Tables 36" and 42" connect in Straight configurations only.
- Available with optional locking casters, specify option "TBC" or "TTC".

Required Specifications	Optional Specifications	Accessories
Top finish	Casters	Power Block
Edge	Grommet	
Leg finish	Modesty Panel	
=	High Pressure Laminate	

## **BUNGEE™ TABLES**

TRAPEZOID TABLES

**Trapezoid Table - Tapered Legs** 



72'
72"

**Trapezoid Table - Tapered Legs** 



Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

Available with bubble edge (BB or BS) only.

B3672TRF	36 x 72 x 28.7	100	91	10.5	\$1431	\$526

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

B2060TRS	20 x 60 x 28.7	125	67	8.76	\$1132	\$324
B2066TRS	20 x 66 x 28.7	125	68	9	\$1167	\$367
B2072TRS	20 x 72 x 28.7	125	74	9.26	\$1213	\$367
B2460TRS	24 x 60 x 28.7	125	69	9.26	\$1167	\$353
B2466TRS	24 x 66 x 28.7	125	72	9.76	\$1213	\$548
B2472TRS	24 x 72 x 28.7	125	76	10	\$1264	\$548
B3060TRS	30 x 60 x 28.7	125	79	11.5	\$1254	\$404
B3066TRS	30 x 66 x 28.7	125	83	12.5	\$1301	\$548
B3072TRS	30 x 72 x 28.7	125	87	12.5	\$1372	\$548

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

	72' 66' 60'
- "	

Trapezoid Table - Spider Legs

## KEYSTONE TABLES



**Keystone Table - Tapered Legs** 

	74.125*
--	---------

**Keystone Table - Tapered Legs** 

B30KSF	30 x 62 x 28.7	150	69	15.2	\$1112	\$441
B24KSF	24 x 51 x 28.7	150	60	13	\$1029	\$296
B20KSF	20 x 43.75 x 28.7	150	58	13	\$1016	\$236

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

B36KSF	36 x 74.13 x 28.7	150	84	16.8	\$1373	\$621

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

Required Specifications	Optional Specifications	Accessories	
Top finish	Grommet	Power block	
Edge	Casters		
Leg finish	Modesty panel (Trapezoid Tables only)		
	HP laminate		

#### KEYSTONE TABLES



Keystone Table - Spider Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
B30KSS	30 x 62 x 28.7	150	77	15.2	\$1298	\$439	
B24KSS	24 x 51 x 28.7	150	66	13	\$1208	\$274	
B20KSS	20 x 43.75 x 28.7	7 150	64	13	\$1187	\$236	


Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

Available with optional locking casters, specify option "TBC" or "TTC".

#### WEDGE TABLES



Wedge Table - Tapered Legs



Wedge Table - Tapered Legs

B24WEF	24 x 63 x 28.7	150	54	13.2	\$1076	\$295
B20WEF	20 x 57 x 28.7	150	46	10.2	\$985	\$236

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC"

B36WEF	36 x 80 x 28.7	150	84	18.8	\$1465	\$526
B30WEF	30 x 70 x 28.7	150	70	14.4	\$1298	\$367

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".



Wedge Table - Spider Legs

B30WES	30 x 70 x 28.7	150	73	14.4	\$1286	\$370
B24WES	24 x 63 x 28.7	150	62	13.2	\$1201	\$295
B20WES	20 x 57 x 28.7	150	52	10.2	\$1112	\$236

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.


• Available with optional locking casters, specify option "TBC" or "TTC".

#### HALF MOON TABLES





Half Moon Table - Tapered Legs



**Half Moon Table - Tapered Legs** 

Freestanding table includes three tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

B2448HMF	24 x 48 x 28.7	100	69	7.76	\$900	\$236
B3060HMF	30 x 60 x 28.7	100	81	8.5	\$956	\$404

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

Required Specifications	Optional Specifications	Accessories
Top finish	Casters	Power Block (position 2 only)
Edge	HP laminate	
Leg finish		

## **BUNGEE™ TABLES**


HALF MOON TABLES	
	72"

Half Moon Table - Tapered Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
B3672HMF	36 x 72 x 28.7	100	110	11.5	\$1346	<b>\$526</b>	

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".




Half Moon Table - Spider Legs

B2448HMS	24 x 48 x 28.7	125	67	9.26	\$1023	\$236
B3060HMS	30 x 60 x 28.7	125	83	11.5	\$1097	\$404

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

• Available with optional locking casters, specify option "TBC" or "TTC".

#### **SQUARE TABLES**




**Square Table - Tapered Legs** 

B2424SQF	24 x 24 x 28.7	92.5	55	4.6	\$856	\$151
B3030SQF	30 x 30 x 28.7	100	65	7.5	\$874	\$223
B3636SQF	36 x 36 x 28.7	100	78	8	\$999	\$265

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 521.

• Available with optional locking casters, specify option "TBC" or "TTC".

#### **ROUND WEDGE TABLES**



Round	Wedge	120°	Table
-------	-------	------	-------

B2042RWF	20 x 42 x 28.7	100	76	8.26	\$956	\$513
B2448RWF	24 x 48 x 28.7	125	85	10.76	\$982	\$513
B3057RWF	30 x 57 x 28.7	100	102	12	\$1167	\$731

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

#### **TEARDROP TABLES**





Teard	rop	90°	Tabl	е
-------	-----	-----	------	---

B2036TDF	20 x 36 x 28.7	100	71	8	\$900	\$332
B2442TDF	24 x 42 x 28.7	100	81	8.5	\$982	\$513
B3048TDF	30 x 48 x 28.7	100	91	11	\$1079	\$477

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

Required	Specifications
T C . I	


Top finish Edge Leg finish

#### **Optional Specifications**

Casters

High Pressure Laminate

#### FLAT ROUND TABLES




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
B2030FRF	20 x 30 x 28.7	100	56	6	\$874	\$296
B2036FRF	20 x 36 x 28.7	100	66	7.26	\$874	\$332
B2436FRF	24 x 36 x 28.7	100	64	7.26	\$874	\$332
B2442FRF	24 x 42 x 28.7	100	76	8.26	\$1039	\$513
B3042FRF	30 x 42 x 28.7	100	74	8	\$1039	\$513
B3048FRF	30 x 48 x 28.7	100	88	11	\$1039	\$469
B3648FRF	36 x 48 x 28.7	125	85	11	\$1150	\$731
B3652FRF	36 x 52 x 28.7	100	93	11	\$1150	\$731

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".


#### MODESTY PANELS



BX36QMP	.69 x 21 x 9.6	250	3	1.3	\$114	N/A
BX42QMP	.69 x 27 x 9.6	250	4	1.4	\$120	N/A
BX48QMP	.69 x 33 x 9.6	250	4	1.6	\$127	N/A
BX60QMP	.69 x 45 x 9.6	250	5	2.1	\$138	N/A
BX66QMP	.69 x 51 x 9.6	250	6	2.4	\$144	N/A
BX72QMP	.69 x 57 x 9.6	250	7	2.6	\$151	N/A

For use on **Rectangular** and **Square** Tables. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.



BXM60QMP	.69 x 27 x 9.6	300	4	2.1	\$120	N/A
BXM66QMP	.69 x 33 x 9.6	300	4	2.4	\$127	N/A
BXM72QMP	.69 x 39 x 9.6	300	5	2.6	\$132	N/A
BXL60QMP	.69 x 21 x 9.6	300	3	2.1	\$118	N/A
BXL66QMP	.69 x 27 x 9.6	300	4	2.4	\$120	N/A
BXL72QMP	.69 x 33 x 9.6	300	4	2.6	\$127	N/A

For use on **Trapezoid** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes.

Edge available in Silver finish (SI) or Black finish (BK).

- Modesty panel model number indicates the width of table to be used on.
- $\bullet$  Specify BXM models for 24"D tables and BXL models for 30"D tables.



	BXWQMP	.69 x 27 x 9.6	250	4	1.5	\$120	N/A
--	--------	----------------	-----	---	-----	-------	-----

For use on **Wedge** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes.

Edge available in Silver finish (SI) or Black finish (BK).

Req	uired	Specifications

Top finish Edge Leg finish*

#### **Optional Specifications**

Casters* HP laminate* FILLER MODESTY PANELS



	S. Care	

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BSFMS	.25 x 21 x 9	70	1	0.03	\$125	N/A

Filler Modesty Panel - Straight

Used to fill the space between two **square** modesty panels where tables are linked in a straight configuration. Available in Silver (SI) or Black (BK). Please specify.

BSWFM	9 x 19.6 x .25	70	1	1.5	\$135	N/A



Filler Modesty Panel -Straight to Wedge

Used to fill the space between a straight modesty panel and a wedge table. Use for regular wedge table - tapered legs and flip-top wedge - spider legs.

Available in Silver (SI) or Black (BK). Please specify.

grander.	
No. 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	الم المنتقبة
	1

Filler Modesty Panel - Inside Curve

B23IFMS	.06 x 23 x 9	250	3	1.5	\$150	N/A
B29IFMS	.06 x 29 x 9	250	3	1.5	\$150	N/A
B30IFMS	.06 x 30 x 9	70	3	0.15	\$150	N/A

Used to fill the space (inside curve) between two modesty panels where tables are linked at an angle or curve. Use for the inside curve of Round Wedge Tables, Teardrop Tables, or Trapezoid Tables. Available in Silver (SI) or Black (BK). Please specify.

- Use model **B23IFMS** for Trapezoid Tables inside curve only.
- Use model **B29IFMS** for Teardrop Tables inside curve only.
- Use model B30IFMS for Round Wedge Tables inside curve only.

	B56S	.06 x 56 x 9	250	4	1.5	\$215	N/A
· ·	B62S	.06 x 62 x 9	250	4	1.5	\$233	N/A
المام	B71S	.06 x 71 x 9	250	4	1.5	\$281	N/A



Filler Modesty Panel - Outside Curve

Used to fill the space (outside curve) between two modesty panels where tables are linked at an angle or curve. Use for Teardrop Tables only (B2036TDF, B2442TDF and B3048TDF). Available in Silver (SI) or Black (BK). Please specify.

- Use model **B56S** for **B2036TDF** Teardrop Tables outside curve only.
- Use model **B62S** for **B2442TDF** Teardrop Tables outside curve only.
- Use model B71S for B3048TDF Teardrop Tables outside curve only.

**Required Specifications** 



WIRE MANAGEMENT



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BWMS5	2 x 5 x 3.5	70	1	.10	\$17	N/A	
BWMD22	2 x 22 x 3.5	70	1	.10	\$24	N/A	


Wire Management - 5" /22" Track

Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only.

- For a 5" track, order model **BWMS5** includes one wire clamp.
- For a 22" track, order model BWMD22 includes two wire clamps.

#### **BOARDROOM TABLE SETS**

#### 11 Foot Configurations





**Boardroom Table Set - 11 foot** 

Set includes four freestanding tables with **tapered legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 6 cartons. Modesty panel set available, order **BXK132QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Boardroom Table Set - 11 foot** 

BK132S	60 x 132 x 28.7	85	290	22.25	\$4735	\$1606

Set includes four freestanding tables with **spider legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514 . Shipped easy to assemble in 6 cartons. Modesty panel set available, order **BXK132QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



Modesty Panel Set for Boardroom Table

BXK132QMP .69 x 45 x 9.6 92.5	13 1.10	<b>\$464</b> N/A
-------------------------------	---------	------------------

For use on **11 foot Boardroom Table Set**. Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes.

Required Specifications	Optional Specifications
Top finish	Casters
Edge	Grommet
Leg finish	Modesty panel
· ·	HP laminate

BOARDROOM TABLE SETS

13/15 Foot Configurations

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
Meeting/Boardroom Table	Lecture AV Presentations	Training			Small	Large
			Training	<b>-</b> (	Teaming Stations	Teaming Stations
Meeting/Boardroom Table	Lecture / AV Presentations	Meeting/Boardroom Table	<b>#</b>	•	Small Teaming Stations	<b>‡</b>
BK156F BK180F	60 x 156 x 28. 60 x 180 x 28.		374 420	26.25 29.75	\$6212 \$6769	\$2037 \$2327



**Boardroom Table Set - 13 and 15 foot** 

Set includes six freestanding tables with **tapered legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/BK180QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Boardroom Table Set - 13 and 15 foot** 

BK156S	60 x 156 x 28.7	85	374	28.75	\$6409	\$2037
BK180S	60 x 180 x 28.7	85	420	32.50	\$6949	\$2327

Set includes six freestanding tables with **spider legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 514. Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/BK180QMP**.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



Modesty Panel Set for Boardroom Table

BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$785	N/A
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$752	N/A

For use on 13 & 15 foot Boardroom Table Set. Includes mounting bracket and wire access sweep.

Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK).

- Use model **BXK156QMP** for **BK156F/S** Boardroom Table Set.
- Use model **BXK180QMP** for **BK180F/S** Boardroom Table Set.

Required	l Speci	fications


Top finish Edge Leg + caster finish

#### **Optional Specifications**

Grommet Modesty panel HP laminate

#### Accessories

RECIANGULAR IABLE - FLIP	IU







Flip-Top Rectangular Table - Spider Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
BX2442RES	24 x 42 x 29.2	250	66	20.75	\$1554	\$233
BX2448RES	24 x 48 x 29.2	250	72	23.5	\$1575	\$233
BX2460RES	24 x 60 x 29.2	250	84	29	\$1612	\$290
BX2466RES	24 x 66 x 29.2	250	97	31.75	\$1626	\$347
BX2472RES	24 x 72 x 29.2	250	102	34.75	\$1656	\$347
BX3042RES	30 x 42 x 29.2	250	73	25.5	\$1554	\$290
BX3048RES	30 x 48 x 29.2	250	73	28.75	\$1575	\$290
BX3060RES	30 x 60 x 29.2	250	94	35.75	\$1618	\$360
BX3066RES	30 x 66 x 29.2	250	106	39.25	\$1635	\$432
BX3072RES	30 x 72 x 29.2	250	112	42.5	\$1671	\$432

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- Tables 48" and longer connect in both Straight and "L" configurations
- . Standard with locking casters
- Due to hardware placement, tables placed in back-to-back configurations will not be able to be "Bungee-tied" together.

#### **TRAPEZOID TABLES - FLIP TOP**





Flip-Top Trapezoid Table - Spider Legs

BX2460TRS	24 x 60 x 29.2	150	112	28	\$1457	\$290
BX2466TRS	24 x 66 x 29.2	250	112	31	\$1481	\$347
BX2472TRS	24 x 72 x 29.2	250	112	33	\$1502	\$347
BX3060TRS	30 x 60 x 29.2	250	112	35.5	\$1489	\$360
BX3066TRS	30 x 66 x 29.2	250	112	39	\$1510	\$432
BX3072TRS	30 x 72 x 29.2	250	112	42.5	\$1532	\$432


Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- Available with bubble edge (BB or BS) only.
- Standard with locking casters

#### **KEYSTONE TABLES - FLIP TOP**



Flip-Top Keystone Table - Spider Legs



BX24KSS	24 x 51 x 29.2	125	112	16.5	\$1449	\$290
BX30KSS	30 x 62 x 29.2	125	112	16.5	\$1510	\$432

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth.

- Modesty panels or Filler Modestys are NOT available.
- Standard with locking casters

**Required Specifications** 

Top finish Edge Leg + caster finish **Optional Specifications** 

Grommet Modesty panel HP laminate Accessories

## **BUNGEE™ TABLES**

# WEDGE TABLES - FLIP TOP



Flip-Top Wedge Table - Spider Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
BX24WES	24 x 63 x 29	60	76	33	\$1825	\$415	
BX30WES	30 x 70 x 29.2	250	84	33	\$1855	\$415	





Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see below.

• Standard with locking casters

#### **MODESTY PANELS - FLIP TOP**




**Modesty Panel** 

BX36QMP	.69 x 21 x 9.6	250	3	1.3	\$114	N/A
BX42QMP	.69 x 27 x 9.6	250	4	1.4	\$120	N/A
BX48QMP	.69 x 33 x 9.6	250	4	1.6	\$127	N/A
BX60QMP	.69 x 45 x 9.6	250	5	2.1	\$138	N/A
BX66QMP	.69 x 51 x 9.6	250	6	2.4	\$144	N/A
BX720MP	69 x 57 x 9 6	250	7	2.6	\$151	N/A

For use on **Flip Top Rectangular Tables**. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.




**Modesty Panel** 

BXM60QMP	.69 x 27 x 9.6	300	4	2.1	\$120	N/A
BXM66QMP	.69 x 33 x 9.6	300	4	2.4	\$127	N/A
BXM72QMP	.69 x 39 x 9.6	300	5	2.6	\$132	N/A
BXL60QMP	.69 x 21 x 9.6	300	3	2.1	\$118	N/A
BXL66QMP	.69 x 27 x 9.6	300	4	2.4	\$120	N/A
BXL72QMP	.69 x 33 x 9.6	300	4	2.6	\$127	N/A

For use on **Flip Top Trapezoid Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.
- Specify BXM models for 24"D tables and BXL models for 30"D tables.



**Modesty Panel** 

BXWQMP	.69 x 27 x 9.6	250	4	1.5	\$120	N/A

For use on **Flip Top Wedge Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

• Modesty panel model number indicates the width of table to be used on.

Required	Specifications

Top finish Edge Leg + caster finish


## Optional Specifications

Grommet Modesty panel HP laminate Accessories

**BOARDROOM TABLE SET - FLIP TOP** MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH 4 pc. Configurations Meeting/Boardroom Meeting/Boardroom Small Large Tabl e Table **Teaming Stations** Teaming Stations Training Lecture / **AV Presentations** Meeting/Boardroom Training



Boardroom Table Set - 4pc. Flip Top



Set includes four freestanding tables with **spider legs** and Bungee cords for tool free ganging. Only legs with casters available, see page 514 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 4 cartons. Modesty panel set available, order **BXK132QMP**.

352

151.25

\$5962

\$1641

• Due to the unique geometry of the tables, all edge types will feature rounded corners.

250



Square Modesty Panel Set for 4pc. Flip Top Table

BXK132QMP	.69 x 45 x 9.6	150	13	2.5	\$464	N/A


For use on **4 pc. flip top table kits**. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

**Required Specifications** 

Top finish Edge Leg + caster finish **Optional Specifications** 

HP laminate


6 pc. Configurations



BXK156S	60 x 156 x 29.2	250	452	181.75	\$8826	\$1894
BXK180S	60 x 180 x 29.2	250	507	209.50	\$9040	\$2179



Boardroom Table Set - 6pc. Flip Top



Set includes six freestanding tables with spider legs and Bungee cords for tool free ganging. Only legs with casters available, see page 514 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 6 cartons. Modesty panel set available, order BXK156QMP/ BXK180QMP.

• Due to the unique geometry of the tables, all edge types will feature rounded corners.



**Square Modesty Panel Set for** 6 pc. Flip Top Table

BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$785	N/A
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$752	N/A

For use on 6 pc. flip top table kits. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (SI) or Black finish (BK).

**Required Specifications** 

Top finish Edge Leg + caster finish **Optional Specifications** 

Grommet

Accessories

8		8

Credenza Buffet

ACCESSORIES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
B2072BUF	20 x 72 x 42	100	305	37.50	\$3681	\$543	

Pull-out shelf. Top transaction shelf is edged with bubble molding. Side storage compartments feature a laminate door and one adjustable shelf each. Center storage features frosted aluminum doors with one adjustable shelf. Leveler feet are standard.

530

52.52

\$6068

\$548

• Some assembly required.

24 x 90 x 72

B249072AV



**Audio/Visual Cabinet** 

92.5

Top pigeon holes and center adjustable shelf accommodate electronic equipment, CDs and other media. Bottom storage compartments feature laminate doors and one adjustable shelf. Side storage towers feature frosted aluminum doors with three adjustable shelves each. Accommodates TVs up to 58"w x 34"h x 24"d.

• Some assembly required.



B44LEC	17 x 22 x 44	250	36	12.50	\$925	\$178	
--------	--------------	-----	----	-------	-------	-------	--

Features angled stand with pencil ledge. Locking casters. Specify CS or CK.

Required Specifications
Top finish

Edge Leg finish **Optional Specifications** 

Grommet


Accessories

#### **GENERAL INFORMATION**

- Introducing Bungee SL a product line to complement and coordinate with the top selling Bungee training tables series.
- Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications great for benching, training, teaming and academic areas.
- Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.
- High pressure tops are available in all Bungee SL laminates at an extended lead time please refer to model # for pricing.
- For environmental certifications, please visit globalfurnituregroup.com

#### CONSTRUCTION

- Tops are 1" thick thermally fused laminate (TFL) or optional 1-1/16" thick high pressure laminate (HPL).
- All laminate components are made of 45 lb. density particle board with high performance thermally fused laminate surface or high pressure laminate surface with a kraft paper backing.
- Tops 60" and over feature a built-in support bar. The support bar is 10" from the approach side, and clearance to the bottom of the support bar is 27" from the floor.
- BUNGEE CORDS ARE NOT INCLUDED AND ARE NOT COMPATIBLE WITH BUNGEE SL TOPS



#### **EDGE DETAIL**

• Bungee SL comes with a choice of four edge styles:



A3 - square corner, standard edge



AR - square corner, bicut edge



AS - square corner, Silver



AB - square corner, Black



BS - rounded corner, Silver




BB - rounded corner, Black

- BB/BS Bungee bubble edge: unique "bubble" molding found on original Bungee
- AB/AS Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- A3 2mm preferred matching edge. Coordinates well with Adaptabilities and Zira 1"
- AR Bicut edge. Coordinates well with Adaptabilities and Zira 1" tops.

#### **LEGS**

 Two leg styles are available: tapered and spider leg. Available in Black (TBL) or Tungsten (TTU) finish, please specify. Levelers are standard; casters are not available for Bungee SL legs. Levelers adjust 3mm - 10mm in height.



#### **MODESTY PANELS**

 For modesty panels without power and data management, please see Bungee modesty panels, page 513

#### WIRE MANAGEMENT / POWER OPTIONS

• Refer to **Productivity Solutions** for additional power and charging solutions.

#### **SPECIFICATIONS**

 Specifications marked with an * are applicable to only those products which have the * symbol beside the product name.

#### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY MATERIAL TYPE

- TFL for product with thermally fused laminate tops
- HPL for product with high pressure laminate tops (upcharge applies)

#### 3. SPECIFY FINISH

Laminate	Finishes:			Edge:	
ACJ	Absolute Acajou	NBL	Noce Biondo	ВВ	Bungee bubble edge with Black trim
ASN	Asian Night	NGL	Noce Grigio	BS	Bungee bubble edge with Silver trim
AWC	Avant Cherry	NEL	Noce Leggero	AB	Split color edge with Black trim
AWH	Avant Honey	NML	Noce Medio	AS	Split color edge with Silver trim
BLK	Black	QTM	Quartered Mahogany	А3	Matching edge
BRC	Brushed Cobalt	SBY	Sheer Beauty	AR	Matching bicut edge
BZD	Blizzard	SDT	Stonedust		
CMB	Clear Maple	SOG	Storm Grey	Legs:	
CGY	Custom Grey	WHE	Walnut Heights	TBL	Black
DES	Dark Espresso	WHC	White Chocolate	TTU	Tungsten
DWT	Designer White	WCR	Winter Cherry		
FAS	Fashionista				

#### 4. SPECIFY OPTIONS

#### **GROMMETS**

- Optional grommets available in standard worksurface locations (left, center or right) for rectangular tops 48" and up. Order as: AG1, AG2 or AG3 Add \$96
- Optional grommets are available in center position only for rectangular tops (36" and 42"), keystone, half moon and wedge tops. Order as AG2 Add \$96.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS Add \$96.** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.

#### **Grommet hole dimensions**







#### Half Moon


Wedge








### **Rectangular Tops**






For 36" and 42" wide units

For **48"**, **60"** and **72"** wide units

#### 4. SPECIFY OPTIONS (CONT'D)

#### **POWER BLOCK**

- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5"D x 6.5"W x 2.75"H. Power block cut-out dimensions are 2.75"D x 6"W.
- A power block cut-out (model PMSPDM) may be ordered for rectangular tops (48" and up) in place of standard grommets. Order as E1, E2 or E3. Add \$96.
- A power block cut-out (model PMSPDM) may be ordered in the center position only for rectangular tops (36" and 42"), keystone and half moon tops. Order as E2. Add \$96.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block separately as PMSPDM. Add \$330.




#### **VILLA POWER BLOCK (CORDED VERSION ONLY)**

For 36", 42" and 48" wide units


- A Villa power block (corded) is available in four options (see page 476 for details). Villa power block (corded) dimensions vary by model. Villa cut-out dimensions are 3"D x 5.25"W.
- A Villa cut-out may be ordered for rectangular tops 48" and up. Order as: V1, V2 or V3 Add \$96 for each cutout.

For 60" and 72" wide units

- A Villa cut-out may be ordered in the center position only for rectangular tops (36" and 42"), keystone and half moon tops. Order as: V2 Add \$96.
- Order Villa power block and Villa grommet cover separately. See page 476 for pricing and details.



#### **Rectangular Tops**



#### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Bungee SL rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- . On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 42" to 72" wide rectangular tables. Add \$96
- MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.

) MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BS3072REC	30 x 72 x 1	70	60	4	\$575	\$494
BS3060REC	30 x 60 x 1	70	53	3.4	\$480	\$411
BS3048REC	30 x 48 x 1	70	46	2.7	\$295	\$331
BS3042REC	30 x 42 x 1	70	42	2.4	\$287	\$290
BS3036REC	30 x 36 x 1	70	38	2.1	\$229	\$250
BS2472REC	24 x 72 x 1	70	51	3.3	\$503	\$396
BS2460REC	24 x 60 x 1	70	44	2.8	\$439	\$331
BS2448REC	24 x 48 x 1	70	37	2.3	\$251	\$264
BS2442REC	24 x 42 x 1	70	33	2	\$237	\$234
BS2436REC	24 x 36 x 1	70	29	1.8	\$224	\$200
BS2072REC	20 x 72 x 1	85	43	2.9	\$467	\$331
BS2060REC	20 x 60 x 1	70	37	2.4	\$396	\$278
BS2048REC	20 x 48 x 1	70	30	2		\$234
BS2042REC	20 x 42 x 1	70	27	1.8		\$200
	BS3060REC BS3048REC BS3042REC BS3036REC  BS2472REC BS2460REC BS2448REC BS2442REC BS2436REC  BS2072REC BS2060REC	BS3072REC 30 x 72 x 1 BS3060REC 30 x 60 x 1 BS3048REC 30 x 48 x 1 BS3042REC 30 x 42 x 1 BS3036REC 30 x 36 x 1  BS2472REC 24 x 72 x 1 BS2460REC 24 x 60 x 1 BS2448REC 24 x 42 x 1 BS2442REC 24 x 48 x 1 BS2442REC 24 x 42 x 1 BS2436REC 24 x 36 x 1  BS2072REC 20 x 72 x 1 BS2060REC 20 x 60 x 1 BS2048REC 20 x 48 x 1	BS3072REC 30 x 72 x 1 70 BS3060REC 30 x 60 x 1 70 BS3048REC 30 x 48 x 1 70 BS3042REC 30 x 42 x 1 70 BS3036REC 30 x 36 x 1 70  BS2472REC 24 x 72 x 1 70 BS2460REC 24 x 60 x 1 70 BS2448REC 24 x 48 x 1 70 BS2442REC 24 x 36 x 1 70 BS2436REC 24 x 36 x 1 70 BS2072REC 20 x 72 x 1 85 BS2060REC 20 x 60 x 1 70 BS2048REC 20 x 60 x 1 70 BS2048REC 20 x 60 x 1 70 BS2048REC 20 x 48 x 1 70	BS3072REC 30 x 72 x 1 70 60 BS3060REC 30 x 60 x 1 70 53 BS3048REC 30 x 48 x 1 70 46 BS3042REC 30 x 42 x 1 70 42 BS3036REC 30 x 36 x 1 70 38  BS2472REC 24 x 72 x 1 70 51 BS2460REC 24 x 60 x 1 70 44 BS2448REC 24 x 48 x 1 70 37 BS2442REC 24 x 42 x 1 70 33 BS2442REC 24 x 36 x 1 70 33 BS2436REC 24 x 36 x 1 70 33 BS2436REC 24 x 36 x 1 70 29  BS2072REC 20 x 72 x 1 85 43 BS2060REC 20 x 60 x 1 70 37 BS2048REC 20 x 48 x 1 70 37 BS2048REC 20 x 48 x 1 70 37	BS3072REC 30 x 72 x 1 70 60 4 BS3060REC 30 x 60 x 1 70 53 3.4 BS3048REC 30 x 48 x 1 70 46 2.7 BS3042REC 30 x 42 x 1 70 42 2.4 BS3036REC 30 x 36 x 1 70 38 2.1  BS2472REC 24 x 72 x 1 70 51 3.3 BS2460REC 24 x 60 x 1 70 44 2.8 BS2448REC 24 x 48 x 1 70 37 2.3 BS2442REC 24 x 42 x 1 70 33 2 BS2436REC 24 x 36 x 1 70 29 1.8  BS2072REC 20 x 72 x 1 85 43 2.9 BS2060REC 20 x 60 x 1 70 37 2.4 BS2060REC 20 x 60 x 1 70 37 2.4 BS2048REC 20 x 48 x 1 70 37 2.4 BS2048REC 20 x 48 x 1 70 37 2.4	B\$3072REC 30 x 72 x 1 70 60 4 \$575 B\$3060REC 30 x 60 x 1 70 53 3.4 \$480 B\$3048REC 30 x 48 x 1 70 46 2.7 \$295 B\$3042REC 30 x 42 x 1 70 42 2.4 \$287 B\$3036REC 30 x 36 x 1 70 38 2.1 \$229 \$\text{BS2472REC}\$ \$24 x 72 x 1 70 51 3.3 \$503 \$\text{BS2460REC}\$ \$24 x 60 x 1 70 44 2.8 \$439 \$\text{BS2448REC}\$ \$24 x 48 x 1 70 37 2.3 \$251 \$\text{BS2442REC}\$ \$24 x 42 x 1 70 33 2 \$237 \$\text{BS2436REC}\$ \$24 x 42 x 1 70 33 2 \$237 \$\text{BS2436REC}\$ \$24 x 36 x 1 70 29 1.8 \$224  \$\text{BS2072REC}\$ \$20 x 72 x 1 85 43 2.9 \$467 \$\text{BS2060REC}\$ \$20 x 60 x 1 70 37 2.4 \$396 \$\text{BS2048REC}\$ \$20 x 48 x 1 70 30 2 \$236



**Rectangular Top - Square Corners** 

Rectangular 1" thick worksurface with Square Corners. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

24

1.5

\$205

\$200

70

• For worksurfaces to be used as a return, please see Return Tops.

20 x 36 x 1

· Legs sold separately.

BS2036REC



**Keystone Top - Square Corners** 

BS30KSF	30.5 x 62.75 x 28.7	150	37	7.2	\$1112	\$494
BS24KSF	28.75 x 52 x 28.7	150	29	5.6	\$1029	\$361
BS20KSF	27.75 x 44 x 28.7	150	25	4.8	\$1016	\$299

1" thick worksurface with **Square Corners.** Includes (2) Tapered legs. Not available with Spider Legs. Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.





**Half Moon Top - Square Corners** 

1" thick worksurface with Square Corners. Includes (2) Tapered legs. Not available with Spider Legs. Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

BS24WE	26.8 x 26.8 x 1	92.5	15	1.5	\$278	\$234
BS20WE	22.8 x 22.8 x 1	100	10	1.2	\$205	\$200



90° Wedge Top - Square Corners

1" thick worksurface with Square Corners. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

· Legs sold separately.






90° Corner - Square Corners

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. Not available with Spider Legs.

**HP** Laminate

Required Specifications	Optional Specifications
Top Finish	Grommet
Ton / Edge Detail	Modesty Panel (Rectangular tons only)

Accessories Power Block Villa Power Block (Corded)





Rectangular Return Tops -Square Corners

Rectangular 1" thick worksurface with **Square Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 521).

- For worksurfaces to be used as a main surface, please see Rectangular Tops.
- Legs sold separately.

#### TOPS WITH ROUNDED CORNERS (BB/BS EDGES ONLY)

i ^a						
BB3072REC	30 x 72 x 1	85	59	4	\$737	\$494
BB3060REC	30 x 60 x 1	70	52	3.4	\$616	\$411
BB3048REC	30 x 48 x 1	70	45	2.7	\$375	\$331
BB3042REC	30 x 42 x 1	70	41	2.4	\$367	\$290
BB3036REC	30 x 36 x 1	70	37	2.1	\$296	\$250
BB2472REC	24 x 72 x 1	70	50	3.3	\$646	\$396
BB2460REC	24 x 60 x 1	70	43	2.8	\$562	\$331
BB2448REC	24 x 48 x 1	70	36	2.3	\$319	\$264
BB2442REC	24 x 42 x 1	70	32	2	\$305	\$234
BB2436REC	24 x 36 x 1	70	28	1.8	\$287	\$200
BB2072REC	20 x 72 x 1	85	42	2.9	\$599	\$331
BB2060REC	20 x 60 x 1	70	36	2.4	\$507	\$278
BB2048REC	20 x 48 x 1	85	29	2	\$302	\$234
BB2042REC	20 x 42 x 1	85	26	1.8	\$278	\$200
BB2036REC	20 x 36 x 1	70	23	1.5	\$260	\$200



**Rectangular Top - Rounded Corners** 

Rectangular 1" thick worksurface with **Rounded Corners.** Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible standard modesty panels (see page 521).

- For worksurfaces to be used as a return, please see Return Tops
- · Legs sold separately.



**Keystone Top - Rounded Corners** 

BB30KSF	30.5 x 62.75 x 28.7	150	36	7.2	\$1112	\$494
BB24KSF	28.75 x 52 x 28.7	150	28	5.6	\$1029	\$361
BB20KSF	27.75 x 44 x 28.7	150	24	4.8	\$1016	\$299

1" thick worksurface with **Rounded Corners.** Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

Req	luir	ed	Spe	cific	cations	•

Top Finish Top / Edge Detail

#### **Optional Specifications**

Grommet Modesty Panel HP Laminate

#### Accessories

Power Block Villa Power Block (Corded)



**Half Moon Top - Rounded Corners** 

90° Wedge Top - Rounded Corners

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
BB3060HMF	29.75 x 59.4 x 28	B.7 150	35	6.6	\$956	\$411
BB2448HMF	24 x 48.2 x 28.7	150	23	4.6	\$900	\$264

1" thick worksurface with **Rounded Corners.** Includes (2) Tapered legs. *Not available with Spider Legs.* Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

BB24WE	26.8 x 26.8 x 1	100	14	1.5	\$356	\$234
BB20WE	22.8 x 22.8 x 1	125	9	1.2	\$260	\$200

1" thick worksurface with **Rounded Corners.** Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

<ul> <li>Legs sold separate</li> </ul>	ly.
----------------------------------------	-----

BB3054RRE	30 x 54 x 1	70	50	3.06	\$403	\$372
BB3048RRE	30 x 48 x 1	70	46	2.75	\$375	\$331
BB3042RRE	30 x 42 x 1	70	42	2.44	\$367	\$290
BB3036RRE	30 x 36 x 1	70	38	2.13	\$296	\$250
BB2454RRE	24 x 54 x 1	70	40	2.54	\$347	\$299
BB2448RRE	24 x 48 x 1	70	37	2.28	\$319	\$264
BB2442RRE	24 x 42 x 1	70	33	2.03	\$305	\$234
BB2436RRE	24 x 36 x 1	70	29	1.77	\$287	\$200
BB2054RRE	20 x 54 x 1	70	33	2.2	\$329	\$250
BB2048RRE	20 x 48 x 1	70	30	1.97	\$302	\$223
BB2042RRE	20 x 42 x 1	70	27	1.75	\$278	\$200
BB2036RRE	20 x 36 x 1	70	24	1.53	\$260	\$167

Rectangular 1" thick worksurface with **Rounded Corners.** Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

- For worksurfaces to be used as a main surface, please see Rectangular Tops
- · Legs sold separately.

BB30CN	33.17 x 33.17 x 28.7 125	36 2.50	\$671	\$194

Rectangular Return Tops -Rounded Corners



Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. Not available with Spider Legs.

Req	uired	Sp	ecifi	catio	ns


Top Finish Top / Edge Detail

#### **Optional Specifications**


Grommet
Filler Modesty Panel (Wedge Tops only)
Modesty Panel (Rectangular Return Tops)
HP Laminate

#### Accessories

Power Block Villa Power Block (Corded)



Flat Bracket



Power/Data Block

To be used as a mending plate for Bungee SL. Black only. Shipped/sold one per pack.

6 x 6 x .25

70

PMSPDM	3.5 x 6.5 x 2.75	70	2	.10	\$330

Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Specify position and add \$96 for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black (BLK) only.


2

0.1

\$57

Required Specifications Leg finish*

B6PLT



Bring people together. Collaborative SpacesTM fosters teamwork through adaptable environments that can transform at a moment's notice or evolve over time. Optimize existing spaces with individual pieces or create new ones with the full range of mobile team carts, work tables and accessories. Scale up, scale down, create a space for the way you work.

Collaborative Spaces' range of laptop tables can transform any area into a productive workspace. Hospitality carts to support team meetings in relaxed settings, with all the essentials to keep the team fueled up.

Create learning hubs with large workshop and collaboration tables and shelf carts for all the resources they require to get their ideas out into the world. Collaborative Spaces is designed to withstand demanding environments in education.





Optional steel mesh tray keeps bags and other personal items off the floor



Cart mounted PET Felt privacy panel

#### Features and Benefits

- Tables offered with small (1.5") or large (9") radius corners
- Tables are available with glides or casters
- Media units and power accessories provide means for hybrid collaboration
- Accessories like undersurface bag hooks and trays for bag drops keep items out of the way and off the floor.
- PET felt screens provide privacy and noise reduction while dividing space. PET felt screens clip onto shelf carts with included brackets.
- Laptop shelves and media trays can be added to media carts.
- Wire management accessories at the leg and undersurface hide excess cables.
- Undersurface power modules can be positioned anywhere along the table edge.

#### **GENERAL INFORMATION**

- Collaborative Spaces[™] includes a range of products that complement each other.
- Series includes collaboration and workshop tables in three heights: 29", 36" and 42"; occasional tables, laptop tables, team carts, and a variety of accessories.
- Aluminum beams provide strength and rigidity for long term use.
- Combine elements to demark space, absorb ambient noise and afford visual privacy.
- PET felt wire manager hangs from underside of worksurface to organize wires.
- Collaborative Spaces' robust aluminum framework supports high-traffic applications and is 100% recyclable.
- For environmental certifications, please visit globalfurnituregroup.com.

#### CONSTRUCTION

- All tables are standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Power modules and grommets are not included and must be specified separately.
- Table legs and bases are painted aluminum finish.
- Tables are shipped knocked down and must be assembled on site.
- Corner radius for small radius table tops is 1.5".
- · Corner radius for large radius tables tops is 9".
- Top end overhang for large tables is 10.5"
- Worksurface support beams and footrests (where applicable) are centered for tables 18" and 24" deep.
- Worksurface support beams and footrests (where applicable) are 9" from the outside table edges for tables 30" deep.
- Worksurface support beams and footrests (where applicable) are 12" from the outside table edges for tables 36 to 48" deep.
- The top of footrests on café height tables is 8.4" above the floor.
- The top of footrests on bar height tables is 14.4" above the floor.
- Cart shelf load capacities: 120 lbs. for 42" wide (Hospitality Cart), 140 lbs. for 48" wide and 175 lbs. for 60" wide.

#### **HOW TO SPECIFY:**

#### Example: SCTWSL2472:

SC Spaces Collaborative W Work height table - 29" S Small radius - 1.5" L Levelers 24

Other Options:

C Cafe height table - 36" B Bar height table - 42" L Large radius - 9"

C Casters, available in Black (BLK) or

Depth Grey (GRC) Width

LP

HP - High pressure laminate Low pressure laminate

#### **FINISHES**

#### **Metal Finishes:**

BLK Black BZD Blizzard CHR Charcoal **Designer White DWT** INK Ink NEV Nevada SIL Silver SDT Stonedust TPE Taupe TUN Tungsten

#### Laminate Finishes (thermally fused and high pressure laminates):

ACJ Absolute Acajou ASN Asian Night **AWC** Avant Cherry Avant Honey **AWH** BLK Black BZD Blizzard

**BRC** Brushed Cobalt - Coordinates with TUN edgeband finish CGY Custom Grey - Coordinates with SIL edgeband finish

CMB Clear Maple Dark Espresso DES DWT Designer White FAS Fashionista FCL First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero **NML** Noce Medio

QTM Quartered Mahogany SBY Sheer Beauty

SDT Stonedust


SOG Storm Grey - Coordinates with CHR edgeband finish STG String - Coordinates with NEV edgeband finish

WHC White Chocolate WHE Walnut Heights **WCR** Winter Cherry


72

Edgeband	d Finishes:	Caster Finish:			
AAE	Absolute Acajou	NGL	Noce Grigio	BLK	Black
ASE	Asian Night	NEL	Noce Leggero	GRC	Grey
ACE	Avant Cherry	NML	Noce Medio		
AHE	Avant Honey	NEV	Nevada (use w/STG)	PET Felt Colors	
BLK	Black	MTD	Quartered Mahogany	BLK	Black
BRC	Brushed Cobalt	SBY	Sheer Beauty	BRI	Brick
BZD	Blizzard	SIL	Silver	DEN	Denim
CHR	Charcoal (use w/SOG)	SDT	Stonedust	GPH	Graphite
CME	Clear Maple	TPE	Taupe	HVT	Harvest
DEE	Dark Espresso	TUN	Tungsten (use w/BRC)	MTS	Mist
DWE	Designer White	WHE	Walnut Heights	PWT	Pewter
FAS	Fashionista	CBE	White Chocolate	SHR	Shamrock
FCL	First Class	WCE	Winter Cherry	WHT	White
NBL	Noce Biondo				

#### **POWER ACCESSORY CUT-OUT LOCATIONS**




- 1. **02**, **0S** cut-out for SCTAPT + SCTAPR power accessories.
- 2. Cut-out not available for 18" and 24" deep tables.
- 3. Cut-out position **02** available only.
- 4. These rules apply to both small and large radius table tops. Small radius top shown.



#### NOTES:

- 1. **C1**, **C2**, **C3**, **CS** cut-out for SCTAPS + SCTAPR power accessories.
- 2. Cut-out not available for 18" and 24" deep tables.
- 3. C2 cut-outs available on all table widths.
- 4. **C1** and **C3** cut-outs only available on 90" + 96"w tables.
- 5. These rules apply to both small and large radius table tops. Small radius top shown.





**Small Radius, Levelers** 

- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Tables from 48" to 72" include a center worksurface support beam.
- Center worksurface support beam eliminates the possibility of a grommet cut-out.

Required	specifications
Laminato f	inich

Edge finish Paint finish **Optional specifications** 

**HP** laminate

Accessories

COLLABORATION TABLES - 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SCTWSL1836	18 x 36 x 29	70	40.05	2.33	\$1088	\$88
SCTWSL1842	18 x 42 x 29	70	43.65	2.52	\$1158	\$102
SCTWSL1848	18 x 48 x 29	70	50.15	2.71	\$1380	\$116
SCTWSL1854	18 x 54 x 29	70	53.75	2.9	\$1413	\$129
SCTWSL1860	18 x 60 x 29	70	57.34	3.08	\$1468	\$144
SCTWSL1866	18 x 66 x 29	70	60.93	3.27	\$1500	\$158
SCTWSL1872	18 x 72 x 29	70	64.52	3.46	\$1575	\$171
SCTWSL1878	18 x 78 x 29	70	68.12	3.65	\$1607	\$185
SCTWSL1884	18 x 84 x 29	70	71.71	3.83	\$1639	\$199
SCTWSL1890	18 x 90 x 29	70	75.31	4.02	\$1760	\$213
SCTWSL1896	18 x 96 x 29	70	78.9	4.21	\$1788	\$231
SCTWSL2436	24 x 36 x 29	85	43.05	3.11	\$1172	\$116
SCTWSL2442	24 x 42 x 29	85	46.65	3.36	\$1250	\$135
SCTWSL2448	24 x 48 x 29	85	53.15	3.61	\$1477	\$153
SCTWSL2454	24 x 54 x 29	85	56.75	3.86	\$1519	\$171
SCTWSL2460	24 x 60 x 29	85	60.34	4.11	\$1584	\$190
SCTWSL2466	24 x 66 x 29	85	63.93	4.36	\$1621	\$208
SCTWSL2472	24 x 72 x 29	85	67.52	4.61	\$1704	\$227
SCTWSL2478	24 x 78 x 29	85	71.12	4.86	\$1741	\$250
SCTWSL2484	24 x 84 x 29	85	74.71	5.11	\$1778	\$269
SCTWSL2490	24 x 90 x 29	85	78.31	5.36	\$1908	\$287
SCTWSL2496	24 x 96 x 29	85	81.9	5.61	\$1945	\$305
SCTWSL3036	30 x 36 x 29	92.5	46.05	3.89	\$1408	\$143
SCTWSL3042	30 x 42 x 29	92.5	49.65	4.2	\$1533	\$167
SCTWSL3048	30 x 48 x 29	85	56.15	4.51	\$1797	\$190
SCTWSL3054	30 x 54 x 29	85	59.75	4.83	\$1843	\$213
SCTWSL3060	30 x 60 x 29	85	63.34	5.14	\$1940	\$241
SCTWSL3066	30 x 66 x 29	85	66.93	5.45	\$1987	\$263
SCTWSL3072	30 x 72 x 29	85	70.52	5.76	\$2121	\$287
SCTWSL3078	30 x 78 x 29	85	74.12	6.08	\$2190	\$310
SCTWSL3084	30 x 84 x 29	92.5	77.71	6.7	\$2237	\$333
SCTWSL3090	30 x 90 x 29	85	81.31	6.39	\$2459	\$356
SCTWSL3096	30 x 96 x 29	85	84.9	7.01	\$2505	\$380



Standard Collaboration Table, 29"H, Small Radius, Levelers

Consists of two leg assemblies, worksurface support beams, and worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam.
- 30" deep tables feature two worksurface support beams.

Laminate finish Edge finish Paint finish

### Optional specifications

HP laminate Power accessory cut-out

### Accessories

COLLABORATION TABLES - 36" CAFE HEIGHT



For 18" and 24"D surfaces



For 30"D tables, 36" to 72"W



Café Height Collaboration Table, 36"H, Small Radius, Levelers

HP ADD	LIST PRICE	CUBIC FT.	WT/LBS.	FREIGHT CLASS	DIMENSIONS	MODEL#
					DxWxH	
\$88	\$1547	2.33	50.14	70	18 x 36 x 36	SCTCSL1836
\$102	\$1658	2.52	54.34	70	18 x 42 x 36	SCTCSL1842
\$111	\$1880	2.71	61.46	65	18 x 48 x 36	SCTCSL1848
\$130	\$1908	2.9	65.66	65	18 x 54 x 36	SCTCSL1854
\$139	\$1996	3.08	69.87	65	18 x 60 x 36	SCTCSL1860
\$157	\$2024	3.27	74.07	65	18 x 66 x 36	SCTCSL1866
\$171	\$2144	3.46	78.28	65	18 x 72 x 36	SCTCSL1872
\$186	\$2176	3.65	82.48	65	18 x 78 x 36	SCTCSL1878
\$204	\$2204	3.83	86.69	65	18 x 84 x 36	SCTCSL1884
\$213	\$2417	4.02	90.9	65	18 x 90 x 36	SCTCSL1890
\$231	\$2445	4.21	95.1	65	18 x 96 x 36	SCTCSL1896
\$116	\$1658	3.11	67.83	70	24 x 36 x 36	SCTCSL2436
\$135	\$1778	3.36	74.58	70	24 x 42 x 36	SCTCSL2430
\$153	\$2005	3.61	84.23	65	24 x 48 x 36	SCTCSL2442 SCTCSL2448
\$171	\$2003	3.86	90.98	65	24 x 54 x 36	SCTCSL2454
\$171	\$2135	4.11	97.73	65	24 x 60 x 36	SCTCSL2460
\$213	\$2172	4.11	104.48	65	24 x 66 x 36	SCTCSL2466
\$213	\$2172	4.50	111.23	65	24 x 72 x 36	SCTCSL2400 SCTCSL2472
						SCTCSL2472 SCTCSL2478
\$250	\$2338	4.86	117.98	65	24 x 78 x 36	
\$269	\$2375	5.11	124.73	65	24 x 84 x 36	SCTCSL2484
\$287	\$2593	5.36	131.48	65	24 x 90 x 36	SCTCSL2490
\$301	\$2635	5.61	138.23	65	24 x 96 x 36	SCTCSL2496
\$144	\$2079	3.89	86.09	70	30 x 36 x 36	SCTCSL3036
\$166	\$2288	4.2	95.44	65	30 x 42 x 36	SCTCSL3042
\$194	\$2519	4.51	107.7	65	30 x 48 x 36	SCTCSL3048
\$218	\$2565	4.83	117.05	65	30 x 54 x 36	SCTCSL3054
\$241	\$2718	5.14	126.41	65	30 x 60 x 36	SCTCSL3060
\$264	\$2764	5.45	135.76	65	30 x 66 x 36	SCTCSL3066
\$283	\$2991	5.76	145.11	65	30 x 72 x 36	SCTCSL3072
\$310	\$3209	6.08	156.91	65	30 x 78 x 36	SCTCSL3078
\$333	\$3255	6.7	166.26	65	30 x 84 x 36	SCTCSL3084
\$356	\$3658	6.39	175.62	65	30 x 90 x 36	SCTCSL3090
\$380	\$3704	7.01	184.97	65	30 x 96 x 36	SCTCSL3096

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

### Accessories

**COLLABORATION TABLES - 42" BAR HEIGHT** 



For 18" and 24"D surfaces



For 30"D tables, 36" to 72"W



For 30"D tables, 78" to 96"W

### Bar Height Collaboration Table, 42"H, Small Radius, Levelers

MADEL #	DIMENOIONO	EDELOUE OLAGO	ME BO	AUDIO ET	LIGT PRIOR	UD ADD
MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCTBSL1836	<b>D x W x H</b> 18 x 36 x 42	65	70.28	3.11	\$1672	\$83
SCTBSL1842	18 x 42 x 42	65	70.26	3.36	\$1072	\$63 \$97
SCTBSL1842	18 x 42 x 42	65	86.68	3.30	\$1783	\$97 \$116
SCTBSL1854	18 x 54 x 42	65	93.43	3.86	\$2000	\$110
SCTBSL1860	18 x 54 x 42					
SCTBSL1866		65	100.18	4.11	\$2116	\$144
	18 x 66 x 42	65	106.93	4.36	\$2149	\$157
SCTBSL1872	18 x 72 x 42	65	113.68	4.61	\$2269	\$171
SCTBSL1878	18 x 78 x 42	65	120.43	4.86	\$2297	\$185
SCTBSL1884	18 x 84 x 42	65	127.18	5.11	\$2329	\$199
SCTBSL1890	18 x 90 x 42	65	133.93	5.36	\$2538	\$212
SCTBSL1896	18 x 96 x 42	65	140.67	5.61	\$2570	\$227
0.070.01.01.00			50.50			****
SCTBSL2436	24 x 36 x 42	65	52.58	2.33	\$1783	\$116
SCTBSL2442	24 x 42 x 42	65	56.79	2.52	\$1903	\$130
SCTBSL2448	24 x 48 x 42	65	63.9	2.71	\$2130	\$153
SCTBSL2454	24 x 54 x 42	65	68.11	2.9	\$2167	\$171
SCTBSL2460	24 x 60 x 42	65	72.31	3.08	\$2260	\$190
SCTBSL2466	24 x 66 x 42	65	76.52	3.27	\$2297	\$208
SCTBSL2472	24 x 72 x 42	65	80.72	3.46	\$2422	\$231
SCTBSL2478	24 x 78 x 42	65	84.93	3.65	\$2463	\$246
SCTBSL2484	24 x 84 x 42	65	89.13	3.83	\$2500	\$269
SCTBSL2490	24 x 90 x 42	65	93.34	4.02	\$2718	\$287
SCTBSL2496	24 x 96 x 42	65	97.55	4.21	\$2755	\$306
SCTBSL3036	30 x 36 x 42	65	88.53	3.89	\$2204	\$139
SCTBSL3042	30 x 42 x 42	65	97.89	4.2	\$2408	\$167
SCTBSL3048	30 x 48 x 42	65	110.14	4.51	\$2644	\$190
SCTBSL3054	30 x 54 x 42	65	117.05	4.83	\$2690	\$213
SCTBSL3060	30 x 60 x 42	65	126.41	5.14	\$2843	\$236
SCTBSL3066	30 x 66 x 42	65	135.76	5.45	\$2889	\$260
SCTBSL3072	30 x 72 x 42	65	145.11	5.76	\$3112	\$287
SCTBSL3078	30 x 78 x 42	65	159.35	6.08	\$3334	\$310
SCTBSL3084	30 x 84 x 42	65	168.71	6.7	\$3380	\$333
SCTBSL3090	30 x 90 x 42	65	178.06	6.39	\$3783	\$356
SCTBSL3096	30 x 96 x 42	65	187.41	7.01	\$3829	\$380

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

Laminate finish Edge finish Paint finish

### Optional specifications


HP laminate Power accessory cut-out

### Accessories



WORKSHOP TABLES - 29"H

Workshop Table, 29"H, Small Radius, Levelers



Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSC3636	36 x 36 x 29	70	79.4	4.67	\$1760	\$171	
SCTSWSC3642	36 x 42 x 29	70	88.92	5.04	\$1889	\$204	
SCTSWSC3648	36 x 48 x 29	70	101.33	5.42	\$2107	\$227	
SCTSWSC3654	36 x 54 x 29	70	110.85	5.79	\$2158	\$259	
SCTSWSC3660	36 x 60 x 29	70	120.36	6.17	\$2264	\$287	
SCTSWSC4242	42 x 42 x 29	70	99.81	5.88	\$1977	\$232	
SCTSWSC4248	42 x 48 x 29	70	113.61	6.32	\$2200	\$268	
SCTSWSC4254	42 x 54 x 29	70	124.5	6.76	\$2260	\$304	
SCTSWSC4260	42 x 60 x 29	70	135.4	7.19	\$2375	\$334	
SCTSWSC4848	48 x 48 x 29	70	125.89	7.22	\$2301	\$306	
SCTSWSC4854	48 x 54 x 29	70	138.16	7.72	\$2371	\$342	
SCTSWSC4860	48 x 60 x 29	70	150.44	8.22	\$2491	\$384	



- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSX3636	36 x 36 x 29	70	79.36	4.67	\$1625	\$172
SCTSWSX3642	36 x 42 x 29	70	88.87	5.04	\$1760	\$199
SCTSWSX3648	36 x 48 x 29	70	101.29	5.42	\$2005	\$227
SCTSWSX3654	36 x 54 x 29	70	110.8	5.79	\$2056	\$259
SCTSWSX3660	36 x 60 x 29	70	120.31	6.17	\$2163	\$287
SCTSWSX4242	42 x 42 x 29	70	99.77	5.88	\$1848	\$231
SCTSWSX4248	42 x 48 x 29	70	113.56	6.32	\$2098	\$264
SCTSWSX4254	42 x 54 x 29	70	124.46	6.76	\$2158	\$301
SCTSWSX4260	42 x 60 x 29	70	135.36	7.19	\$2269	\$333
SCTSWSX4848	48 x 48 x 29	70	125.71	7.22	\$2200	\$305
SCTSWSX4854	48 x 54 x 29	70	137.99	7.72	\$2269	\$343
SCTSWSX4860	48 x 60 x 29	70	150.27	8.22	\$2389	\$380

Consists of one leg assembly with casters, one leg assembly with levelers, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC). Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

•	
	•
1A/ I I	T-1.1. 20"11

Workshop Table, 29"H, Small Radius, Casters*



Workshop Table, 29"H, Small Radius, Casters/Levelers*

Required specifications
Laminate finish
Edge finish
Paint finish
Caster finish*


Optional specifications
HP laminate

HP laminate Grommet option Accessories
Table leg cable organizer
Table mounted bag hook
Nik power modules
PET felt wire manager

LARGE COLLABORATION TABLES - 29"H



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTLWSL3666	36 x 66 x 29	70	129.78	6.54	\$2112	\$314
SCTLWSL3672	36 x 72 x 29	70	139.3	6.92	\$2255	\$343
SCTLWSL3678	36 x 78 x 29	70	148.81	7.29	\$2329	\$371
SCTLWSL3684	36 x 84 x 29	70	158.32	7.67	\$2380	\$403
SCTLWSL3690	36 x 90 x 29	70	167.84	8.04	\$2612	\$430
SCTLWSL3696	36 x 96 x 29	70	177.35	8.42	\$2667	\$458
SCTLWSL4266	42 x 66 x 29	70	146.21	7.63	\$2227	\$366
SCTLWSL4272	42 x 72 x 29	70	127.1	8.07	\$2375	\$403
SCTLWSL4278	42 x 78 x 29	70	168	8.51	\$2459	\$435
SCTLWSL4284	42 x 84 x 29	70	178.89	8.94	\$2519	\$468
SCTLWSL4290	42 x 90 x 29	70	189.79	9.38	\$2760	\$500
SCTLWSL4296	42 x 96 x 29	70	200.68	9.82	\$2820	\$532
SCTLWSL4866	48 x 66 x 29	70	162.63	8.72	\$2352	\$422
SCTLWSL4872	48 x 72 x 29	70	174.91	9.22	\$2510	\$458
SCTLWSL4878	48 x 78 x 29	70	187.18	9.72	\$2598	\$495
SCTLWSL4884	48 x 84 x 29	70	199.46	10.22	\$2667	\$533
SCTLWSL4890	48 x 90 x 29	70	211.74	10.72	\$2913	\$574
SCTLWSL4896	48 x 96 x 29	70	224.01	11.22	\$2982	\$611



Large Collaboration Table, 29"H, Small Radius, Levelers

 $Consists \ of two \ leg \ assemblies, two \ worksurface \ support \ beams, and \ one \ worksurface \ with \ a \ small \ 1.5'' \ radius \ at \ each \ corner.$ 

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTLWLL3666	36 x 66 x 29	70	123.52	6.54	\$2056	\$315
SCTLWLL3672	36 x 72 x 29	70	133.03	6.92	\$2112	\$342
SCTLWLL3678	36 x 78 x 29	70	142.55	7.29	\$2218	\$370
SCTLWLL3684	36 x 84 x 29	70	152.06	7.67	\$2269	\$403
SCTLWLL3690	36 x 90 x 29	70	161.57	8.04	\$2413	\$430
SCTLWLL3696	36 x 96 x 29	70	171.09	8.42	\$2487	\$458
SCTLWLL4266	42 x 66 x 29	70	139.94	7.63	\$2172	\$370
SCTLWLL4272	42 x 72 x 29	70	150.84	8.07	\$2232	\$403
SCTLWLL4278	42 x 78 x 29	70	161.73	8.51	\$2348	\$435
SCTLWLL4284	42 x 84 x 29	70	172.63	8.94	\$2408	\$467
SCTLWLL4290	42 x 90 x 29	70	183.52	9.38	\$2556	\$500
SCTLWLL4296	42 x 96 x 29	70	194.42	9.82	\$2616	\$533
SCTLWLL4866	48 x 66 x 29	70	156.37	8.72	\$2297	\$421
SCTLWLL4872	48 x 72 x 29	70	168.64	9.22	\$2366	\$459
SCTLWLL4878	48 x 78 x 29	70	180.92	9.72	\$2487	\$495
SCTLWLL4884	48 x 84 x 29	70	193.2	10.22	\$2556	\$532
SCTLWLL4890	48 x 90 x 29	70	205.48	10.72	\$2713	\$570
SCTLWLL4896	48 x 96 x 29	70	217.75	11.22	\$2801	\$612



Large Collaboration Table, 29"H, Large Radius, Levelers

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications
Laminate finish


Laminate finish Edge finish Paint finish

### **Optional specifications**

HP laminate Power accessory cut-out

### Accessories

Collaboration table media unit, Table leg cable organizer, Table mounted bag hook, Nik power modules, PET felt wire manager





Large Collaboration Table, 29"H, Small Radius, Casters*

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

\$315	\$2264	6.54	123.61	70	36 x 66 x 29	SCTLWLC3666
\$343	\$2320	6.92	133.12	70	36 x 72 x 29	SCTLWLC3672
\$371	\$2426	7.29	142.64	70	36 x 78 x 29	SCTLWLC3678
\$403	\$2477	7.67	152.15	70	36 x 84 x 29	SCTLWLC3684
\$430	\$2621	8.04	161.66	70	36 x 90 x 29	SCTLWLC3690
\$458	\$2695	8.42	171.18	70	36 x 96 x 29	SCTLWLC3696
\$370	\$2380	7.63	140.03	70	42 x 66 x 29	SCTLWLC4266
\$403	\$2440	8.07	150.93	70	42 x 72 x 29	SCTLWLC4272
\$435	\$2556	8.51	161.82	70	42 x 78 x 29	SCTLWLC4278
\$468	\$2616	8.94	172.72	70	42 x 84 x 29	SCTLWLC4284
\$500	\$2764	9.38	183.62	70	42 x 90 x 29	SCTLWLC4290
\$532	\$2848	9.82	194.51	70	42 x 96 x 29	SCTLWLC4296
\$421	\$2505	8.72	156.46	70	48 x 66 x 29	SCTLWLC4866
\$458	\$2575	9.22	168.73	70	48 x 72 x 29	SCTLWLC4872
\$495	\$2695	9.72	181.01	70	48 x 78 x 29	SCTLWLC4878
\$533	\$2764	10.22	193.29	70	48 x 84 x 29	SCTLWLC4884
\$569	\$2922	10.72	205.57	70	48 x 90 x 29	SCTLWLC4890
\$611	\$3010	11.22	217.84	70	48 x 96 x 29	SCTLWLC4896



Large Collaboration Table, 29"H, **Large Radius, Casters** 

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Collaboration table media unit*, Table leg
Edge finish	Grommet option	cable organizer, PET felt modesty panel,
Paint finish		Table mounted bag hook,
Caster finish		Nik power modules, PET felt wire manager



WORKSHOP TABLES - 36"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	SCTSCSL3636	36 x 36 x 36	70	96.82	5.67	\$2200	\$171
	SCTSCSL3642	36 x 42 x 36	70	107.56	6.21	\$2413	\$203
	SCTSCSL3648	36 x 48 x 36	70	121.2	6.75	\$2658	\$227
	SCTSCSL3654	36 x 54 x 36	70	131.93	7.29	\$2709	\$259
	SCTSCSL3660	36 x 60 x 36	70	142.67	7.83	\$2871	\$287
	SCTSCSL4242	42 x 42 x 36	70	119.68	7.05	\$2473	\$236
	SCTSCSL4248	42 x 48 x 36	70	134.7	7.65	\$2774	\$268
	SCTSCSL4254	42 x 54 x 36	70	146.81	8.26	\$2834	\$301
	SCTSCSL4260	42 x 60 x 36	70	158.93	8.86	\$3005	\$333
	SCTSCSL4848	48 x 48 x 36	70	148.2	8.56	\$2913	\$305
	SCTSCSL4854	48 x 54 x 36	70	161.7	9.22	\$2982	\$343
	SCTSCSL4860	48 x 60 x 36	70	175.2	9.89	\$3158	\$380
NI							



Café Height Workshop Table, 36"H **Small Radius, Levelers** 

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSCSC3636	36 x 36 x 36	70	96.66	5.67	\$2440	\$172
SCTSCSC3642	36 x 42 x 36	70	107.39	6.21	\$2653	\$199
SCTSCSC3648	36 x 48 x 36	70	107.39	6.21	\$2894	\$231
SCTSCSC3654	36 x 54 x 36	70	131.77	7.29	\$2950	\$254
SCTSCSC3660	36 x 60 x 36	70	142.5	7.83	\$3107	\$287
SCTSCSC4242	42 x 42 x 36	70	119.51	7.05	\$2764	\$232
SCTSCSC4248	42 x 48 x 36	70	134.53	7.65	\$3014	\$264
SCTSCSC4254	42 x 54 x 36	70	146.65	8.26	\$3075	\$300
SCTSCSC4260	42 x 60 x 36	70	158.77	8.86	\$3241	\$334
SCTSCSC4848	48 x 48 x 36	70	148.03	8.56	\$3153	\$306
SCTSCSC4854	48 x 54 x 36	70	161.53	9.22	\$3218	\$347
SCTSCSC4860	48 x 60 x 36	70	175.03	9.89	\$3394	\$384



Café Height Workshop Table, 36"H Small Radius, Casters*

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

Req	uire	d s	peci	ficat	ions
lam	inate	e fin	ish		

HP laminate Grommet option

### Accessories

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager



For 66" and 72"W tables



Large Café Height Collaboration Table,

36"H, Small Radius, Levelers*

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD DxWxH SCTLCSL3666 \$315 36 x 66 x 36 70 153.4 8.38 \$2922 36 x 72 x 36 70 164.14 8.92 \$3153 \$343 SCTLCSL3672 70 \$3385 \$370 SCTLCSL3678 36 x 78 x 36 177.32 9.46 70 \$3436 SCTLCSL3684 36 x 84 x 36 188.05 \$402 10 \$3848 SCTLCSL3690 36 x 90 x 36 70 198.79 10.54 \$426 SCTLCSL3696 70 \$3899 \$458 36 x 96 x 36 209.52 11.08 SCTLCSL4266 70 171.05 9.47 \$3065 \$366 42 x 66 x 36 SCTLCSL4272 70 10.07 \$3301 \$403 42 x 72 x 36 183.17 \$435 SCTLCSL4278 42 x 78 x 36 70 197.73 \$3538 10.67 70 SCTLCSL4284 42 x 84 x 36 209.84 11.28 \$3598 \$467 SCTLCSL4290 42 x 90 x 36 70 221.96 11.88 \$4019 \$500 SCTLCSL4296 42 x 96 x 36 70 234.08 12.49 \$4079 \$533 SCTLCSL4866 48 x 66 x 36 70 188.69 10.56 \$3227 \$417 SCTLCSL4872 48 x 72 x 36 70 202.19 11.22 \$3473 \$458 SCTLCSL4878 48 x 78 x 36 70 218.14 11.89 \$3713 \$496 SCTLCSL4884 48 x 84 x 36 70 231.63 12.56 \$3783 \$532 48 x 90 x 36 70 SCTLCSL4890 245.13 13.22 \$4209 \$569 SCTLCSL4896 48 x 96 x 36 70 258.63 13.89 \$4274 \$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Large Radius, Levelers

SCTLCLL3666	36 x 66 x 36	70	143.48	8.38	\$2815	\$315
SCTLCLL3672	36 x 72 x 36	70	154.21	8.92	\$2866	\$347
SCTLCLL3678	36 x 78 x 36	70	164.95	9.46	\$3028	\$371
SCTLCLL3684	36 x 84 x 36	70	175.68	10	\$3084	\$398
SCTLCLL3690	36 x 90 x 36	70	186.42	10.54	\$3315	\$426
SCTLCLL3696	36 x 96 x 36	70	199.6	11.08	\$3542	\$458
SCTLCLL4266	42 x 66 x 36	70	161.12	9.47	\$2959	\$366
SCTLCLL4272	42 x 72 x 36	70	173.24	10.07	\$3019	\$398
SCTLCLL4278	42 x 78 x 36	70	185.36	10.67	\$3186	\$430
SCTLCLL4284	42 x 84 x 36	70	197.47	11.28	\$3246	\$467
SCTLCLL4290	42 x 90 x 36	70	209.59	11.88	\$3482	\$505
SCTLCLL4296	42 x 96 x 36	70	224.15	12.49	\$3297	\$537
SCTLCLL4866	48 x 66 x 36	70	178.77	10.56	\$3116	\$422
SCTLCLL4872	48 x 72 x 36	125	688	99	\$3186	\$458
SCTLCLL4878	48 x 78 x 36	125	726	107	\$3362	\$495
SCTLCLL4884	48 x 84 x 36	70	219.26	12.56	\$3426	\$537
SCTLCLL4890	48 x 90 x 36	70	232.76	13.22	\$3676	\$570
SCTLCLL4896	48 x 96 x 36	70	248.71	13.89	\$3917	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specification	s
Laminate finish	
Edge finish	
Paint finish	

### Optional specifications

HP laminate

Power accessory cut-out

### Accessories

Collaboration table media unit*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager




For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Small Radius, Casters*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 72"W tables



For 78" to 96"W tables

Large Café Height Collaboration Table, 36"H, Large Radius, Casters

SCTLCLC3666	36 x 66 x 36	70	143.31	8.38	\$3051	\$315
SCTLCLC3672	36 x 72 x 36	70	154.05	8.92	\$3107	\$343
SCTLCLC3678	36 x 78 x 36	70	164.78	9.46	\$3264	\$375
SCTLCLC3684	36 x 84 x 36	70	175.52	10	\$3320	\$398
SCTLCLC3690	36 x 90 x 36	70	186.25	10.54	\$3551	\$431
SCTLCLC3696	36 x 96 x 36	70	199.43	11.08	\$3778	\$459
SCTLCLC4266	42 x 66 x 36	70	160.96	9.47	\$3195	\$366
SCTLCLC4272	42 x 72 x 36	70	173.07	10.07	\$3255	\$398
SCTLCLC4278	42 x 78 x 36	70	185.19	10.67	\$3422	\$435
SCTLCLC4284	42 x 84 x 36	70	197.31	11.28	\$3482	\$468
SCTLCLC4290	42 x 90 x 36	70	209.43	11.88	\$3723	\$500
SCTLCLC4296	42 x 96 x 36	70	223.98	12.49	\$3959	\$532
SCTLCLC4866	48 x 66 x 36	70	178.6	10.56	\$3195	\$417
SCTLCLC4872	48 x 72 x 36	70	192.1	11.22	\$3255	\$458
SCTLCLC4878	48 x 78 x 36	70	205.6	11.89	\$3422	\$495
SCTLCLC4884	48 x 84 x 36	70	219.1	12.56	\$3482	\$533
SCTLCLC4890	48 x 90 x 36	70	232.6	13.22	\$3723	\$574
SCTLCLC4896	48 x 96 x 36	70	248.54	12.89	\$4158	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specification
Laminate finish
Edge finish
Paint finish
Caster finish

Optional	specification
LID Laureline	4 -


HP laminate Power accessory cut-out

### Accessories

Collaboration table media unit*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager LARGE COLLABORATION TABLES - 42"



Bar Height Workshop Table, 42"H Small Radius, Levelers



Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSBSC3636	36 x 36 x 42	70	99.1	5.67	\$2491	\$172
SCTSBSC3642	36 x 42 x 42	70	109.84	6.21	\$2704	\$199
SCTSBSC3648	36 x 48 x 42	70	123.48	6.75	\$2945	\$231
SCTSBSC3654	36 x 54 x 42	70	134.21	7.29	\$3000	\$255
SCTSBSC3660	36 x 60 x 42	70	144.95	7.83	\$3158	\$287
SCTSBSC4242	42 x 42 x 42	70	121.95	7.05	\$2815	\$232
SCTSBSC4248	42 x 48 x 42	70	136.98	7.65	\$3065	\$264
SCTSBSC4254	42 x 54 x 42	70	149.09	8.26	\$3125	\$301
SCTSBSC4260	42 x 60 x 42	70	161.21	8.86	\$3292	\$333
SCTSBSC4848	48 x 48 x 42	70	150.47	8.56	\$3204	\$306
SCTSBSC4854	48 x 54 x 42	70	163.97	9.22	\$3274	\$342
SCTSBSC4860	48 x 60 x 42	70	177.47	9.89	\$3445	\$384

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

Bar Height Workshop Table, 42"H Small Radius, Casters*

Required specifications
Laminate finish
Edge finish
Paint finish

Caster finish*

**Optional specifications** 

HP laminate

Power accessory cut-out

Accessories

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager




LARGE COLLABORATION TABLES - 42"

For 66" and 72"W tables



For 78" to 96"W tables

Large Bar Height Collaboration Table, 42"H, Small Radius, Levelers*



Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 90"W tables



For 96"W tables

Large Bar Height Collaboration Table, 42"H, Large Radius, Levelers

\$310	\$2940	8.38	145.92	70	36 x 66 x 42	SCTLBLL3666
\$343	\$2991	8.92	156.66	70	36 x 72 x 42	SCTLBLL3672
\$370	\$3306	9.46	167.39	70	36 x 78 x 42	SCTLBLL3678
\$245	\$3357	10	178.13	70	36 x 84 x 42	SCTLBLL3684
\$278	\$3588	10.54	188.86	70	36 x 90 x 42	SCTLBLL3690
\$458	\$3663	11.08	202.04	70	36 x 96 x 42	SCTLBLL3696
\$366	\$3079	9.47	163.57	70	42 x 66 x 42	SCTLBLL4266
\$399	\$3139	10.07	175.68	70	42 x 72 x 42	SCTLBLL4272
\$282	\$3459	10.67	187.8	70	42 x 78 x 42	SCTLBLL4278
\$315	\$3519	11.28	199.92	70	42 x 84 x 42	SCTLBLL4284
\$347	\$3760	11.88	212.04	70	42 x 90 x 42	SCTLBLL4290
\$537	\$3843	12.49	226.6	70	42 x 96 x 42	SCTLBLL4296
\$417	\$3241	10.56	181.21	70	48 x 66 x 42	SCTLBLL4866
\$458	\$3306	11.22	194.71	70	48 x 72 x 42	SCTLBLL4872
\$338	\$3639	11.89	208.21	70	48 x 78 x 42	SCTLBLL4878
\$380	\$3704	12.56	221.71	70	48 x 84 x 42	SCTLBLL4884
\$421	\$3950	13.22	235.21	70	48 x 90 x 42	SCTLBLL4890
\$611	\$4042	13.89	251.15	70	48 x 96 x 42	SCTLBLL4896
\$611	\$4042	13.89	251.15	/0	3 x 96 x 42	48

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications
Laminate finish

Laminate fir Edge finish Paint finish

### Optional specifications

HP laminate Power accessory cut-out

### Accessories

Collaboration table media unit*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager LARGE COLLABORATION TABLES - 42"



For 66" and 72"W tables



Large Bar Height Collaboration Table, 42"H, Small Radius, Casters*



For 66" and 90"W tables



For 96"W tables

Large Bar Height Collaboration Table, 42"H, Large Radius, Casters

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SCTLBSC3666	36 x 66 x 42	70	155.68	8.38	\$3213	\$315
SCTLBSC3672	36 x 72 x 42	70	166.42	8.92	\$3445	\$343
SCTLBSC3678	36 x 78 x 42	70	179.6	9.46	\$3700	\$370
SCTLBSC3684	36 x 84 x 42	70	190.33	10	\$3750	\$403
SCTLBSC3690	36 x 90 x 42	70	201.07	10.54	\$4163	\$430
SCTLBSC3696	36 x 96 x 42	70	211.8	11.08	\$4213	\$459
SCTLBSC4266	42 x 66 x 42	70	173.33	9.47	\$3352	\$366
SCTLBSC4272	42 x 72 x 42	70	185.45	10.07	\$3593	\$398
SCTLBSC4278	42 x 78 x 42	70	200	10.67	\$3857	\$431
SCTLBSC4284	42 x 84 x 42	70	212.12	11.28	\$3917	\$463
SCTLBSC4290	42 x 90 x 42	70	224.24	11.88	\$4334	\$500
SCTLBSC4296	42 x 96 x 42	70	236.36	12.49	\$4394	\$532
SCTLBSC4866	48 x 66 x 42	70	190.97	10.56	\$3514	\$422
SCTLBSC4872	48 x 72 x 42	70	204.47	11.22	\$3760	\$458
SCTLBSC4878	48 x 78 x 42	70	220.41	11.89	\$4033	\$495
SCTLBSC4884	48 x 84 x 42	70	233.91	12.56	\$4098	\$537
SCTLBSC4890	48 x 90 x 42	70	247.41	13.22	\$4524	\$574
SCTLBSC4896	48 x 96 x 42	70	260.91	13.89	\$4593	\$607

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

SCTLBLC3666	36 x 66 x 42	70	145.75	8.38	\$3102	\$315
SCTLBLC3672	36 x 72 x 42	70	156.49	8.92	\$3158	\$342
SCTLBLC3678	36 x 78 x 42	70	167.23	9.46	\$3315	\$375
SCTLBLC3684	36 x 84 x 42	70	177.96	10	\$3371	\$398
SCTLBLC3690	36 x 90 x 42	70	188.7	10.54	\$3602	\$431
SCTLBLC3696	36 x 96 x 42	70	201.87	11.08	\$3829	\$459
SCTLBLC4266	42 x 66 x 42	70	163.4	9.47	\$3246	\$366
SCTLBLC4272	42 x 72 x 42	70	175.52	10.07	\$3306	\$398
SCTLBLC4278	42 x 78 x 42	70	187.63	10.67	\$3473	\$435
SCTLBLC4284	42 x 84 x 42	70	199.75	11.28	\$3533	\$467
SCTLBLC4290	42 x 90 x 42	70	211.87	11.88	\$3774	\$500
SCTLBLC4296	42 x 96 x 42	70	226.43	12.49	\$4010	\$532
SCTLBLC4866	48 x 66 x 42	70	181.04	10.56	\$3408	\$417
SCTLBLC4872	48 x 72 x 42	70	197.54	11.22	\$3473	\$458
SCTLBLC4878	48 x 78 x 42	70	208.04	11.89	\$3649	\$495
SCTLBLC4884	48 x 84 x 42	70	221.54	12.56	\$3718	\$532
SCTLBLC4890	48 x 90 x 42	70	235.04	13.22	\$3963	\$575
SCTLBLC4896	48 x 96 x 42	70	250.98	13.89	\$4209	\$611

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9"radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.

Required specifications Laminate finish Edge finish Paint finish Caster finish	Optional specifications HP laminate Power accessory cut-out	Accessories Collaboration table media unit*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager
--------------------------------------------------------------------------------	-------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------






Collaboration Table Media Unit*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTAM36	11.25 x 36 x 43	150	46.28	10.08	\$907	n/a
SCTAM42	11.25 x 42 x 43	150	52.5	11.76	\$930	n/a
SCTAM48	11.25 x 48 x 43	150	58.83	13.44	\$1001	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate to accept TV mounts. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- TV mount not included.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.



Collaboration Table Media Unit* with TV Mount

SCTAMT36	11.25 x 36 x 43	150	47.58	10.08	\$1141	n/a
SCTAMT42	11.25 x 42 x 43	150	53.8	11.76	\$1164	n/a
SCTAMT48	11.25 x 48 x 43	150	60.13	13.44	\$1235	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate and includes a TV mount. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt backer available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.



**Table Leg Cable Organizer** 

SCTAL23	2.21 x 2.965 x 23	70	0.6	0.09	\$41	n/a

Organizer snaps on to any leg to manage wires vertically. Black only.

**Required specifications** 


Laminate finish Felt finish* Paint finish







PET Felt Modesty Panel*



PET felt modesty panel with metal brackets for use on Core, Standard and Workshop tables.

- Specify matching nominal width to table.
- Modesty panels 36" to 54" include two brackets.
- Modesty panels 60" to 90" include three brackets.
- . Modesty panels 96" include four brackets.
- PET felt available in standard finishes.

SCTAT4848	22 x 42 x 1.6	100	7.85	0.98	\$247	n/a
SCTAT4854	22 x 48 x 1.6	100	8.97	1.1	\$278	n/a
SCTAT4860	22 x 54 x 1.6	100	10.09	1.22	\$315	n/a
SCTAT4866	22 x 60 x 1.6	100	11.19	1.34	\$357	n/a
SCTAT4872	22 x 66 x 1.6	100	12.29	1.47	\$476	n/a
SCTAT4878	22 x 72 x 1.6	100	13.4	1.59	\$489	n/a
SCTAT4884	22 x 78 x 1.6	100	14.52	1.71	\$505	n/a
SCTAT4890	22 x 84 x 1.6	100	15.62	1.83	\$583	n/a
SCTAT4896	22 x 90 x 1.6	100	16.72	1.96	\$600	n/a



- . Specify matching nominal width to table.
- Cannot be combined with SCTAM/SCTAMT media units on tables with casters larger than 78"w.

SCTAH	0.65 x 1.5 x 3.5	70	0.3	0.01	\$20	n/a



Wire Mesh Storage Tray



Table-mounted Bag Hook**



**Nik Edge/Clamp Mount Power Module** 

SCTAPEA 2.10 x 6 x 3.7 60 4 0.03 **\$570** n/a

Steel hook for use on Collaborative tables. Specify standard metal paint finish. Maximum capacity of 10 lbs.

SCTAPEA	2.10 x 6 x 3.7	60	4	0.03	\$570	n/a
SCTAPEB	2.10 x 6 x 3.7	60	4	0.03	\$542	n/a
SCTAPEC	2.10 x 6 x 3.7	60	4	0.03	\$630	n/a
SCTAPED	2.10 x 6 x 3.7	60	4	0.03	\$746	n/a
SCTAPEE	2.10 x 6 x 3.7	60	4	0.03	\$556	n/a

Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

### **Required specifications**

PET felt finish*

Paint finish**



ACCESSORIES
(C) **(C) **

Nik In-Surface Power Module

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	\$639	n/a
SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	\$797	n/a
SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	\$561	n/a

Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPBA 2.10 x 6 x 3.7 60 4	0.03	<b>3445</b> r	n/a
SCTAPBB 2.10 x 6 x 3.7 60 4	0.03	<b>403</b> r	n/a
SCTAPBC 2.10 x 6 x 3.7 60 4	0.03	<b>473</b> r	n/a
SCTAPBD 2.10 x 6 x 3.7 60 4	0.03	<b>584</b> r	n/a
SCTAPBE 2.10 x 6 x 3.7 60 4	0.03	<b>413</b> r	n/a


Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPPBS	1.95 x 21 x 1.95	60	2.7	0.06	\$343	n/a
SCTAPPBD	4 x 10.6 x 2.3	60	2.7	0.06	\$843	n/a



**Nik Below Surface Power Module** 





**Below Surface Power Bar** 

Available in black only.

- Single (SCTAPPBS) includes 8 outlets on a single side
- Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.

(Sa	<b>9</b>
	//
Mr. Market	

**Collaborative Spaces Power Tray** 

SCTAPTC	10.51 x 23.26 x 4.53	85	7.73	0.64	\$950	n/a
SCTAPTD	10.51 x 23.26 x 4.53	85	7.73	0.64	\$1107	n/a
SCTAPTE	10.51 x 23.26 x 4.53	85	7.73	0.64	\$871	n/a

Black plastic power tray with removable grey accessory trays. Top tray is offset for cable storage underneath. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is 02 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- $\bullet$  D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC



**Collaborative Spaces Organizer Tray** 

SCTAOTC	8.32 x 12.40 x 4.28	70	1.5	0.26	\$709	n/a
SCTAOTD	8.32 x 12.40 x 4.28	70	1.5	0.26	\$862	n/a
SCTAOTE	8.32 x 12.40 x 4.28	70	1.5	0.26	\$630	n/a

Black plastic power tray with removable grey accessory trays. 10ft. cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

### **COLLABORATIVE SPACES™**



**Collaborative Spaces Recessed Power Tray** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCTAPRC	10.51 x 23.26 x	6.4 125	6.06	0.91	\$843	n/a
SCTAPRD	10.51 x 23.26 x	6.4 125	6.06	0.91	\$996	n/a
SCTAPRE	10.51 x 23.26 x	6.4 125	6.06	0.91	\$764	n/a

Black plastic power tray. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is O2 (where applicable). Specify configuration, last letter of the code represents the following:

1.1

0.66

\$97

\$4119

n/a

n/a

• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port

26 x 11 x 4

• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port

70

• E = 3 AC

SCTACT

SCCS1848



Collaborative Spaces PET Felt* Wire Manager

PET Felt Wire Manager hangs from four brackets under the surface. Includes Black painted metal brackets. PET felt available in standard finishes.



**TEAM CARTS** 

**Coat Rack Cart** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
SCCR1848	18 x 48 x 72	300	56.82	36.04	\$2202	n/a	
SCCR1860	18 x 60 x 72	300	62.77	45.05	\$2272	n/a	

Cart includes side rails for compatible accessories and a single top rail for hanging coats, jackets, etc.

250

- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- 48"w cart shelf has a capacity of 140 lbs., evenly distributed.
- 60"w cart shelf has a capacity of 175 lbs., evenly distributed

18 x 48 x 72

• Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC).



Cart includes four fixed shelves with metal trim detail	Vertical rails accept PET privacy panels (sold separately) to create space
division within open areas.	

123.88

36.04

- Horizontal top rail accepts compatible accessories.
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Each shelf has a capacity of 140 lbs., evenly distributed.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Required specifications		Accessories
PET felt finish*		PET privacy panel (shelf cart only)
Laminate finish	Edge finish	Accessory cup
Paint finish	Caster finish	Hook for team cart
		Laptop shelf (coat rack cart only)





**Media Cart** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SCCMEP1848	18 x 48 x 72	150	171.42	36.04	\$4257	n/a
SCCMEP1860	18 x 60 x 72	150	214.23	45.05	\$4778	n/a
SCCMNE1848	18 x 48 x 72	150	170.92	36.04	\$4049	n/a
SCCMNE1860	18 x 60 x 72	150	213.73	45.05	\$4569	n/a

Cart includes includes a bottom shelf and thermally fused laminate TV board. Short side panels feature small cut-out for wire pass through and hook for wire management.

- Side rails accept compatible accessories.
- · Shelf available in thermally fused laminate.
- Back panel is removable for access to cavity for cable management. Back panel is whiteboard laminate.
- SCCMEP models include a power bar (SCCAMP) mounted internally.
- SCCMNE models do not include any power.
- Units 48" wide can accept TV's up to 55", not exceeding 50lbs.
- Units 60" wide can accept TV's up to 60", not exceeding 50lbs.
- Painted aluminum frame available in standard paint finishes
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Note: TV mount included. TV and video conferencing units are not included.





Single-Sided Whiteboard Cart

Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panel is whiteboard only.

- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCDW1848	18 x 48 x 72	150	153.96	36.04	\$4918	n/a
SCCDW1860	18 x 60 x 72	150	191.07	45.05	\$6088	n/a



**Double-Sided Whiteboard Cart** 

Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panels is whiteboard only.

- Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelf available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Required specifications	
Laminate finish	

Laminate finis Edge finish Paint finish Caster finish

### Accessories

Concealed power unit (SCCMNExxxx only) Media tray (SCCMEPxxxx/MNExxxx only) Accessory cup Hook for team cart Laptop shelf



**Combo Whiteboard Cart** 



Cart includes two fixed shelves with metal trim detail, accessible from behind whiteboard. Bottom shelf is accessible from both sides of cart; top shelf accessible from behind write board. Front of vertical whiteboard panel is whiteboard only.

- · Side rails accept compatible accessories.
- Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).
- Shelves available in thermally fused laminate.
- Painted aluminum frame available in standard paint finishes.
- 48"w cart shelf has a capacity of 140 lbs., evenly distributed.
- 60"w cart shelf has a capacity of 175 lbs., evenly distributed
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCRW1848	18 x 48 x 72	150	188	42.05	\$6071	n/a
SCCRW1860	18 x 60 x 72	150	245.61	52.56	\$6932	n/a



**Removable Whiteboard Cart** 

Cart includes two fixed shelves with spacers for removable whiteboards. Includes five lightweight removable whiteboard

- One whiteboard can be stored at the top and four at the bottom.
- · Cart accepts five lightweight removable whiteboard panels maximum.
- Whiteboards feature whiteboard front; back in Designer White laminate (DWT) with Designer White edging (DWE).
- · Hanging bracket finish matches the cart frame finish.
- Shelves available in thermally fused laminate.
- Side rails accept compatible accessories.
- · Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

SCCEW1848	18 x 48 x 72	300	82.31	42.05	\$2973	n/a
SCCEW1860	18 x 60 x 72	250	105.7	52.56	\$3145	n/a



**Empty Removable Whiteboard Cart** 

Cart includes two fixed shelves with spacers for removable whiteboards.

- Cart accepts five lightweight removable whiteboard panels maximum.
- One whiteboard can be stored at the top and four at the bottom.
- To order Removable Whiteboard, specify SCCAWB3336 for the 48" wide cart and SCCAWB3348 for the 60" wide cart.
- Hanging bracket finish matches the cart frame finish.
- · Shelves available in thermally fused laminate.
- · Side rails accept compatible accessories.

- · Painted aluminum frame available in standard paint finishes.
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).

Required specifications	Accessories
Laminate finish	Accessory cup
Edge finish	Hook for team cart
Paint finish	Whiteboard
Caster finish	Laptop shelf



TEAM CARTS
Hospitality Cart*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
SCHC2233	22 x 43 x 41	150	81.31	15.39	\$3214	n/a
SCHC2239	22 x 49 x 41	150	95	17.96	\$3346	n/a

Cart includes three fixed shelves with metal trim.

- Surfaces available in thermally fused laminate.
- Legs and handles are painted aluminum available in standard paint finishes.
- 33"w cart shelf has a capacity of 120 lbs., evenly distributed.
- 39"w cart shelf has a capacity of 140 lbs., evenly distributed
- Casters are lockable, in a choice of two finishes Black (BLK) or Grey (GRC).
- Note: size is inclusive of handles, shelf sizing is approximately 10" shorter.

		,	3 - 111	,			
TEAM CART ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
8	SCCAPP3248	0.5 x 48 x 32	85	4.16	0.32	\$271	n/a
	SCCAPP3260	0.5 x 60 x 32	85	5.16	0.4	\$401	n/a
Cart Mounted PET Felt Privacy Panels**	0 0	able PET Felt panels, CEWxxxx) vertical rails	. ,				e 60"w cart.
		ted metal finish shoul		U	•	on and privacy.	
		e in standard finishes		attii tile tari	. 11111311.		
	• PET Tell availabl	e in standard imisnes					



**Concealed Power Unit** 

SCCAMP	3 x 3 x 1.5	70	0.5	0.01	\$305	n/a

Provided inside SCCMEPxxxx media units, can be added to SCCNMExxxx in field. Includes two AC outlets. 10ft cord.

- Compatible with Mobile Media Carts only.
- · Black (BLK) finish only.



Media Tray**

SCCAMT	5.60 x 14.57 x 13.80	70	12	0.65	\$676	n/a
SCCAMTPC	5.60 x 14.57 x 13.80	70	12	0.65	\$1315	n/a
SCCAMTPD	5.60 x 14.57 x 13.80	70	12	0.65	\$1473	n/a
SCCAMTPE	5.60 x 14.57 x 13.80	70	12	0.65	\$1237	n/a

Attaches to the front of the SCCMEPxxxx/SCCNMExxxx to provide a wire catch, wireless receiver area and easily accessible power at the front of the media carts

- Compatible with Mobile Media Carts only.
- Tray is painted metal with a PET Felt insert. PET felt available in standard finishes.
- SCCAMT is empty and has no power capabilities.
- Specify configuration, last letter of the code represents the following
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

### **Required specifications**

Laminate finish / Edge finish* Paint finish* Caster finish* PET Felt finish**

TEAM CART ACCESSORIES	MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	SCCAC	<b>D x W x H</b> 3 x 3 x 1.5	70	0.15	0.02	\$14	n/a
	30040	0 X 0 X 1.0	70	0.13	0.02	ΨIT	niy d
Accessory Cup	Hangs onto any tea	nm cart horizontal top or	side rail. Black (	BLK) finish o	nly.		
	SCCAH	3 x 3 x 1.5	70	0.1	0.01	\$10	n/a
Hook for Team Cart	Hangs onto any tea	ım cart horizontal top or	side rail. Black (	BLK) finish o	nly. Maximum c	apacity of 10lbs	
	SCCAWB3336	0.50 x 36 x 33	60	17.62	0.34	\$608	n/a
9	SCCAWB3348	0.50 x 48 x 33	400	23.32	46	\$752	n/a
Vhiteboard¹		able whiteboard panels.				I SCCAWB3348	for the 60"w ca
Whiteboard¹	<ul><li>Back of whitebox</li><li>Cover caps paint</li></ul>	able whiteboard panels. ard is Designer White (D ed metal finish should b ertical mounting on wall	WT) with Design e specified to ma	ner White ed	ging (DWE).	I SCCAWB3348	for the 60″w ca
Whiteboard ¹	Back of whitebox     Cover caps paint     Horizontal and vi  SCCAWBR36	ard is Designer White (Ded metal finish should be prical mounting on wall 1 x 36 x 2	OWT) with Design e specified to ma rail(s). 70	ner White ed atch the cart 1.27	ging (DWE). finish.	\$62	n/a
Vhiteboard¹	Back of whitebox     Cover caps paint     Horizontal and vi  SCCAWBR36 SCCAWBR48	ard is Designer White (Deed metal finish should be artical mounting on wall 1 x 36 x 2 1 x 48 x 2	OWT) with Design e specified to ma rail(s). 70 70	ner White ed atch the cart 1.27 1.71	ging (DWE). finish. 0.04 0.05	\$62 \$77	n/a n/a
Whiteboard¹	Back of whitebox     Cover caps paint     Horizontal and vi  SCCAWBR36	ard is Designer White (Ded metal finish should be prical mounting on wall 1 x 36 x 2	OWT) with Design e specified to ma rail(s). 70	ner White ed atch the cart 1.27	ging (DWE). finish.	\$62	n/a
	Back of whitebox     Cover caps paint     Horizontal and versions      SCCAWBR36     SCCAWBR48     SCCAWBR72     SCCAWBR96	ard is Designer White (Deed metal finish should be artical mounting on wall 1 x 36 x 2 1 x 48 x 2 1 x 72 x 2	WT) with Design e specified to ma rail(s).  70  70  60  60	1.27 1.71 2.54 3.42	0.04 0.05 0.08 0.11	\$62 \$77 \$121	n/a n/a n/a
	Back of whitebox     Cover caps paint     Horizontal and versions      SCCAWBR36     SCCAWBR48     SCCAWBR72     SCCAWBR96	ard is Designer White (Deed metal finish should be ertical mounting on wall 1 x 36 x 2 1 x 48 x 2 1 x 72 x 2 1 x 96 x 2	WT) with Design e specified to ma rail(s).  70  70  60  60	1.27 1.71 2.54 3.42	0.04 0.05 0.08 0.11	\$62 \$77 \$121	n/a n/a n/a
Whiteboard¹ Whiteboard Wall Rail aptop Shelf*	Back of whitebox     Cover caps paint     Horizontal and volume     SCCAWBR36     SCCAWBR48     SCCAWBR72     SCCAWBR96  Wall rail for whiteled  SCCALS1219  Laminate laptop should be solved.	ard is Designer White (Deed metal finish should be ertical mounting on wall 1 x 36 x 2 1 x 48 x 2 1 x 72 x 2 1 x 96 x 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	OWT) with Designer specified to marrial(s).  70 70 60 60 60  (Bxxxx. Metal exists) 65	1.27 1.71 2.54 3.42 trusion in Bla	ging (DWE). finish.  0.04 0.05 0.08 0.11 ack (BLK) only.  0.4	\$62 \$77 \$121 \$149 \$295	n/a n/a n/a n/a

Required specifications
Laminate finish*
Edge finish*
Paint finish*1





**Occasional Side Table, Round Top** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
SCOR1818	18 x 18 x 21	150	18.52	3.94	\$667	n/a
SCOR2424	24 x 24 x 21	250	26.53	7.01	\$785	n/a

Includes leg assembly, cross beams and one worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

00001010	10 10 21	450	01 10		4	
SCOC1818	18 x 18 x 21	150	21.12	3.94	\$667	n/a
SC0C2424	24 x 24 x 21	150	31.2	7.01	\$785	n/a



Occasional Side Table, Square Top

Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

	\
	1
Į	J

Occasional Side Table, Square Top, Larger Radius

SCOCL1818	18 x 18 x 21	150	21.12	3.94	\$667	n/a
SCOCL2424	24 x 24 x 21	150	31.2	7.01	\$785	n/a

Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.



**Occasional Coffee Table, Round Top** 

SCOCR2424	24 x 24 x 17	150	25.55	5.67	\$760	n/a
SCOCR3030	30 x 30 x 17	150	35.76	8.86	\$901	n/a
SCOCR3636	36 x 36 x 17	250	48.13	12.76	\$1071	n/a

Includes leg assembly, cross beams and one worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

	\		
			>
IJ		J	

Occasional Coffee Table, Square Top

SC0CS2424	24 x 24 x 17	150	30.22	5.67	\$760	n/a
SCOCS3030	30 x 30 x 17	150	43.1	8.86	\$901	n/a

Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

### **Required specifications**

Laminate finish Edge finish Paint finish



Occasional Coffee Table, Square Top, Larger Radius

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
SCOCSL2424	18 x 18 x 21	150	29.11	5.67	\$760	n/a	
SC0CSL3030	24 x 24 x 21	150	41.99	8.86	\$901	n/a	

Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.



Occasional Coffee Table, Racetrack Top

SCOCC2442	24 x 42 x 17	150	42.78	9.93	\$955	n/a
SCOCC3048	30 x 48 x 17	150	57.13	14.18	\$1137	n/a

Includes leg assembly, cross beams and one racetrack worksurface.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

Required specifications Laminate finish

Laminate fini Edge finish Paint finish



LAPTOP TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	SCLCC1633	16 x 33 x 26	250	25.6	6.51	\$1181	n/a



Laptop Table, Racetrack Top, Wheel and Foot Base

Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one racetrack surface.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in thermally fused laminate.

SCLCB1633	16 x 33 x 26	250	23.85	6.51	\$713	n/a



Laptop Table, Racetrack Top, Foot Base

Includes two leg assemblies with a foot and one racetrack surface.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Surface available in thermally fused laminate.



Laptop Table, Rectangular Top, Wheel and Foot Base

SCLTC1633 16 x 33 x 26 150 27.64 6.51 **\$1181** n/a

Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one rectangular surface with a small 1.5" radius at each corner.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hooks are painted aluminum available in standard paint finishes.
- Wheel insert is painted to match the legs and beams.
- Surface available in thermally fused laminate.

SCLIB1633 16 x 33 x 26 250 25.88 6.51 <b>\$713</b> n/a		16 x 33 x 26	250	25.88	6.51	\$713	n/a
--------------------------------------------------------	--	--------------	-----	-------	------	-------	-----



Laptop Table, Rectangular Top, Foot Base

Includes two leg assemblies with a foot and one rectangular surface with a small 1.5" radius at each corner.

- Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.
- Each bag hook accepts up to 10 lbs. and is painted to match the legs.
- Legs, beams and hook are painted aluminum available in standard paint finishes.
- Surface available in thermally fused laminate.

Required specifications	Optional specifications	Accessories
Laminate finish	HP laminate	Table leg cable organizer,
Edge finish	Power accessory cut-out	PET felt modesty panel,
Paint finish	,	Table mounted bag hook,
		Nik nower modules PET felt wire manager



**ConnecTABLES**® provides solutions for a variety of day-to-day work environments. Designed as easy-to-use linking or freestanding tables, ConnecTABLES is limited only by your imagination.

### **Open Conference**

Many ConnecTABLES® tops can be assembled to be freestanding. When combined with locking casters and the flip top "T" leg, the result is easy storage and complete portability.

### **Meeting Rooms**

ConnecTABLES® modular units will provide quick and affordable answers for all sizes and shapes of rooms and applications.

### **Educational and Training Rooms**


ConnecTABLES® table tops configure easily into temporary or permanent educational applications.



T Leg with leveling glides



Modesty Panel



Optional ganging connector

### **Features and Benefits**

- Optional, easy-to-use thumbscrews allow installation without tools.
- Optional zinc-plated steel ganging hardware connects free standing tops without moving "T" Leg position.
- Optional modesty panel wire management unit available.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Optional Black grommets for convenient wire management can be ordered "factory installed".
- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional casters available with or without manual locks provide mobility.
- ConnecTABLES® tops are available in all Global laminate finishes with three leg and two edge color options.

### **GENERAL INFORMATION**

- ConnecTABLES® is an affordable and highly flexible system of modular tables. Designed as easy-to-use linking or freestanding tables, ConnecTABLES adapts to most every requirement: seminar or training room, meeting room, personal workstations, educational, conferencing and team cluster workgroups.
- ConnecTABLES have nine basic top shapes available in various sizes.
- ConnecTABLES edges **do not match** any other Global product in either color or style.
- For environmental certifications, please visit globalfurnituregroup.com.

### WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick
- Laminate finishes are available in High Pressure. Contact Customer Care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care.
   Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- ConnecTABLES® edges do not match any other Global product in either color or style.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

### CONSTRUCTION

- Some components can stand alone when the "T" base is set in the freestanding position.
   When the "T" base is in the linking position, all the components can be used in grouping configurations (clusters).
- Optional wire grommets not available on 45° wedge and the 60° triangle.
- Rectangular tops 54" in length and longer are supplied with a 16" gauge steel support channel. Top is pre-drilled for placement.
- Shipped RTA (ready to assemble). Quick and easy to assemble.
- · Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.
- · Elliptical column cover, glides, casters, thumbscrews and endcaps available in Black only.
- · Must specify top, edge, and "T" base color with each order.

### **LEGS**

- "T" leg is coated with environmentally friendly, recyclable paint electrostatically applied epoxy powder coating for a very durable finish in three colors as specified below. Only the bottom horizontal portion of the painted leg is visible.
- Black plastic leveling glides offer 1" adjustability.
- Two black plastic elliptical column caps cover each leg column.
- Casters will not affect table height when used in conjunction with or in place of glides.
- · Casters can facilitate mobility in installations which need to be moved frequently.

### **LAMINATE FINISHES**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FΛS	Fashionista	WCR	Winter Cherry

### **EDGE COLORS**

Black (BK) Grey (GR)


### **LEG COLORS**


Black (TBL) Shadow (TSH)

Tungsten (TTU) Chrome (CHM) - optional on foot only, upcharge applies

### **GROMMETS**

- Optional Grommets available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.






- Grommets may be placed at non-standard locations. Order as: AGS Add \$96. A drawing
  must be supplied with vertical and horizontal dimensions to the center of the cut-out (as
  in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back
  reference section.
- If adding Cove mini power block to AG cut-out, cannot use with modesties.

### **POWER BLOCK**

- An individually corded power block (model PMSPDM) may be ordered on all worksurfaces.
   Units cannot be daisy chained and cannot be used with modesties.
- Power block is configured with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5" deep x 6.5" wide x 2.75" high.
- To purchase a power block, you must specify both the power block cut-out location and the
  power block model #. Order power block as PMSPDM. Add \$330.
   Power Blocks are available in standard worksurface locations (left, center or right). Order
  as E1, E2 or E3. Add \$96.









Specify location E1, E2 or E3, Add \$96.

### **EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS**









### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to ConnecTables rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for 30" to 72" wide rectangular tables. Add \$96
  - MPD for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for 60", 66" and 72" wide rectangular tables. Add \$192.



C

### **CONNECTABLES® - NOTES**


### VILLA CUTOUTS

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3 Add \$96 for each cutout.
- Villa cutouts may be placed at non-standard locations. Please contact customer care.



### **TOP & EDGE OPTIONS**


ConnecTABLES® have nine basic top shapes available in various sizes. All top shapes have a variety of straight or curved edges which are referred to as Working (W),
 Connecting (C) or End (E) edges. Edges can also have a combination of edge types as shown.
 *cannot freestand



**Working Edge (1)** - Edges designated with the letter "**W**" indicate that this is a **working** or sitting edge. These edges can be connected with optional ganging hardware in free-standing applications.

**Connecting Edge (2)** - Edges designated with the letter "C" indicate that this is a **connecting** edge. These edges can be connected to any other connecting edge of equal width, regardless of the top shape or size.

**End Edge (3)** - Edges designated with the letter "**E**" indicate that this is an **end** edge or an edge that can finish a run of tops. If a top has two end edges it can be freestanding. 90° crescent tops can be freestanding if the optional center leg is added.



### FREESTANDING AND CONNECTING CONDITIONS

**Freestanding tables** are defined as any one worksurface supported by two or more legs; **connecting tables** are defined as more than one work surface supported by a single leg at each point of connection. The rule for determining the quantity of legs of an open configuration is the number of worksurfaces plus one **(See Figure 1)**.

On closed configurations, the number of legs is equal to the number of worksurfaces (**See Figure 2**). There are some exceptions, such as when optional third legs are used on quarter round or 90° crescent shapes.




Figure 1. Open Configuration
Number of Surfaces = 5
Number of Leas = 6




Figure 2. Closed Configuration
Number of Surfaces = 6
Number of Leas = 6

### FREESTANDING CONDITIONS

- All square, rectangle and trapezoid shapes are able to act as freestanding tables (Figure 3).
- When Trapezoid tops are freestanding, legs must be on the outer left and right sides (Figure 4).
- 90° crescent work surfaces have provision for an optional third center leg for additional stability when heavy loads are applied to the outside edge. They can also be used as freestanding tables when a third leg is added (Figure 5).
- All freestanding tables can be connected with optional ganging hardware.
- Freestanding tables can be ganged with connected tables in some cases, providing that the number and size of connected tables is easily movable (Figure 6).









Figure 3 - Freestanding Tables








Figure 4 - Trapezoid Tops

### • DO NOT DRAG TABLES WHEN RE-CONFIGURING.














Figure 5 - Adding a Third Leg


Figure 6 - Ganging with Connected Tables


### CONNECTING CONDITIONS

- Any two worksurfaces of equal depth (24"D, 30"D or 36"D) can be connected with one leg, at the connecting or end edges (Figure 8).
- Half round work surfaces can be used in the following ways: They must be of equal width when connected to each other (Figure 7) or the connecting shapes must be equal to half the width of the connecting half round (Figure 8).
- ConnecTABLES® is designed with the leg to be fastened parallel to connecting edges, but in some cases you may wish to fasten legs at 90° to connecting edges. This could allow for increased leg or knee clearance, depending on the intended use (Figure 9).
- Quarter round and 90° crescent work surfaces have provision for an optional third leg for additional stability when heavy loads are applied to the outside edge. For quarter round work surfaces, it is recommended that configuration "A" be used since the outside end of the center leg in configuration "B" is almost flush with the outside edge of the worksurface. If configuration "B" is installed against a wall or where there will be no traffic flow, then configuration "B" can be used.









Configuration B




Figure 9 - 90°Leg Connections

### C

### **CONNECTABLES® - PUTTING IT ALL TOGETHER**

Legs are fastened to worksurfaces utilizing a steel-to-steel connection. Each leg comes equipped with four ¼" x 7/8" machine screws. Screws are inserted through the four oval shaped holes only. Do not use wood screws! When fastening legs to work surfaces, hand thread screws into position to prevent any cross threading. When all screws have been hand threaded, tighten firmly with screwdriver to secure. Optional thumbscrews can be used in place of machine screws. Thumbscrews eliminate the need for a screwdriver, whether assembling or disassembling tables. **Do not use power tools for assembly of legs**.


# FREESTANDING TABLES


- Turn work surface upside-down on clean floor. (You may want to use carton from packaging as a protective assembly surface to protect the top from scratching.)
- 2. Position leg mounting plate holes over threaded steel inserts in top.
- 3. Fasten each leg to top with four 1/4" x 7/8" screws.
- 4. Turn table right-side up.
- 5. Level table by adjusting glides.


### **CONNECTING TABLES**


- 1. Determine approximate location of desired configuration in room and turn work surfaces upside-down on floor. (Remember you are working in reverse.)
- 2. Position leg mounting plate so it is centered over the connecting edge of the first work surface. Fasten leg with two ½" x 7/8" screws.
- 3. Repeat step 2 and 3 on the opposite edge of the first work surface.
- 4. Turn table right-side up.
- 5. Turn table right-side up and fasten to the previous top from the underside.
- 6. To add additional work surfaces repeat step 6.
- 7. When all the tops have been connected, level complete configuration by adjusting glides.


Note: Use the same procedures as above when using optional thumb screws.














### **OPTIONAL CASTERS**


- 1. Turn work surface upside-down on floor.
- 2. Remove existing glide if previously installed.
- 3. Fasten caster to T-leg by threading caster stem into base of T-leg and secure by tightening lock nut.
- 4. If casters are used in combination with gliders, level table by adjusting glides.

Note: Casters are available in locking or non-locking styles.


# lock nut

### **OPTIONAL GANGING HARDWARE**

- Optional ganging hardware should be used when quick and frequent reconfigurations are required.
- 2. Turn work surfaces to be ganged upside-down on floor.
- 3. Remove ganging hardware from package. Holes with steel inserts are located in the corner of tops.
- 4. Fasten ganging hardware to each work surface with supplied thumb screws.
- 5. Projected arm from ganging hardware can pivot out of the way when not in use.



## **CONNECTABLES®**



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
CNS2424	24 x 24 x 1	70	18	1	\$431	\$216	
CNS3030	30 x 30 x 1	70	27	1.56	\$525	\$264	
CNS3636	36 x 36 x 1	70	39	2	\$563	\$283	

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

ECTANGULAR TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	CNR2030	20 x 30 x 1	70	22	1.25	\$312	\$158
	CNR2036	36 x 20 x 1	60	22.5	0.46	\$346	\$174
	CNR2042	20 x 42 x 1	70	31	1.75	\$372	\$187
	CNR2048	20 x 48 x 1	70	35	2	\$414	\$209
	CNRU2054	20 x 54 x 1	60	33.75	0.69	\$513	\$259
	CNRU2060	20 x 60 x 1	65	37.5	1.4	\$552	\$278
	CNRU2066	20 x 66 x 1	60	41.25	0.84	\$597	\$302
	CNRU2072	20 x 72 x 1	60	45	1	\$637	\$319
	CNR2430	24 x 30 x 1	70	22	1.25	\$312	\$158
	CNR2436	24 x 36 x 1	70	26	1.5	\$346	\$174
	CNR2442	24 x 42 x 1	70	31	1.75	\$372	\$187
	CNR2448	24 x 48 x 1	70	35	2	\$414	\$209
	CNRU2454	24 x 54 x 1	70	42	2.34	\$513	\$259
	CNRU2460	24 x 60 x 1	70	47	2.5	\$552	\$278
	CNRU2466	24 x 66 x 1	70	52	2.8	\$597	\$302
	CNRU2472	24 x 72 x 1	70	57	3	\$637	\$319
	CNR3036	30 x 36 x 1	70	33	1.88	\$414	\$209
	CNR3042	30 x 42 x 1	70	38	2.19	\$451	\$226
	CNR3048	30 x 48 x 1	70	44	2.5	\$477	\$241
30" 36" 42" 54" 60" 66" 72"	CNRU3054	30 x 54 x 1	70	52	2.8	\$590	\$296
<u> </u>	CNRU3060	30 x 60 x 1	70	59	3.13	\$634	\$318
24" 24" 30"	CNRU3066	30 x 66 x 1	70	64	3.44	\$677	\$341
20" 24" 30" 36"	CNRU3072	30 x 72 x 1	70	70	3.75	\$721	\$362
	CNR3642	36 x 42 x 1	60	52.5	1.6	\$597	\$302
	CNR3648	36 x 48 x 1	60	60	1.8	\$653	\$328
	CNRU3654	36 x 54 x 1	60	70	2	\$789	\$396
	CNRU3660	36 x 60 x 1	60	78	2.2	\$705 \$875	\$350 \$441
	CNRU3666	36 x 66 x 1	60	87	2.4	\$958	\$441
	CNRU3672	36 x 72 x 1	60	94	2.4	\$1043	\$40Z \$524

**Rectangle Top** T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations. Tops 54" and longer are standard with a 16 gauge steel support channel.


TOPS MOD	DEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNT	2048	17.5 x 48 x 1	60	26.25	0.55	\$435	\$219
CNT.	2060	17.5 x 60 x 1	65	44	1.85	\$522	\$263
CNT	2448	20.5 x 48 x 1	92.5	21	2	\$435	\$219
244" - CNT	2460	20.5 x 60 x 1	65	44	1.85	\$522	\$263
CNT	3060	25.75 x 60 x 1	92.5	35	3.13	\$571	\$287
	3072	25.75 x 72 x 1	60	66	2.2	\$637	\$319
CNT	3660	31 x 60 x 1	60	66	2.2	\$814	\$409
CNT	3672	31 x 72 x 1	65	79.2	3.5	\$971	\$488

Optional Specifications Grommet Accessories

Required Specifications
Top Finish Edge Finish

globalfurnituregroup.com

Power Block



90°	Crescent	Top
-----	----------	-----

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
CNC2430	30 x 30 x 1	85	20	1.56	\$455	\$228	
CNC3036	36 x 36 x 1	85	30	2.25	\$645	\$323	
CNC3642	42 x 42 x 1	70	50	3.15	\$885	\$444	

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- CNC2430 for use with 24" deep tops
- CNC3036 for use with 30" deep tops
- CNC3642 for use with 36" deep tops
- CNC2430 does not require a center leg

QUARTER ROUND TOPS	
7 30° 30° 1	24" 30"
0 · D IT	36"

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNQ2424	24 x 24 x 1	85	14	1	\$287	\$145
CNQ3030	30 x 30 x 1	85	21	1.56	\$347	\$175
CNQ3636	36 x 36 x 1	60	45	1.3	\$492	\$247

**Quarter Round Top** 

45° WEDGE TOPS


T-mold edging. Predrilled with threaded steel inserts for linking installations ONLY.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNW2424	24 x 24 x 1	92.5	10	1	\$307	\$156
CNW3030	30 x 30 x 1	100	14	1.56	\$373	\$187

45° Wedge Top

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
CNY2424	24 x 24 x 1	85	13	1	\$287	\$145	
CNY3030	30 x 30 x 1	92.5	18	1.56	\$347	\$175	

**Three Way Connector Top** 

THREE WAY CONNECTOR TOPS

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNHFS2448	24 x 48 x 1	70	36	2	\$438	\$220
CNHFS3060	30 x 60 x 1	70	56	3.13	\$567	\$286
CNHFS3672	36 x 72 x 1	65	81	3.3	\$971	\$488

**Half Round Top** 

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

Requires two legs for freestanding

EXTENDED HALF ROUND TOPS						
	40° 60° 72°					

DIMENSIONS	FREIGHT CLASS	WI/LD.	CUBIC FI.	LIST PRICE	ПР АИИ	
28 x 48 x 1	65	50	1.88	\$536	\$269	
36 x 60 x 1	65	75	2.87	\$745	\$375	
42 x 72 x 1	65	102	3.88	\$1185	\$594	
	28 x 48 x 1 36 x 60 x 1	28 x 48 x 1 65 36 x 60 x 1 65	28 x 48 x 1 65 50 36 x 60 x 1 65 75	36 x 60 x 1 65 75 2.87	28 x 48 x 1 65 50 1.88 <b>\$536</b> 36 x 60 x 1 65 75 2.87 <b>\$745</b>	28 x 48 x 1 65 50 1.88 <b>\$536 \$269</b> 36 x 60 x 1 65 75 2.87 <b>\$745 \$375</b>

**Extended Half Round Top** 

T-mold edging. Predrilled with threaded steel inserts for linking installations ONLY.

Required Specifications	Optional Specifications
Top Finish	Grommet
Edge Finish	

Accessories			
Power Block			

### **CONNECTABLES®**



**Modesty Panel** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
CNCA2430	2.75 x 35 x 11.75	150	2.8	0.5	\$255	
CNCA3036	2.75 x 43 x 11.75	5 150	3.3	0.6	\$297	
CNCA3642	2.75 x 53 x 11.75	5 150	3.9	0.7	\$389	

For use with CNC crescent tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

CNQA2424	2.75 x 27 x 11.75	150	2.2	0.4	\$218
CNQA3030	2.75 x 35 x 11.75	150	2.8	0.5	\$255
CNQA3636	2.75 x 44 x 11.75	150	3.3	0.6	\$297

For use with CNQ quarter round tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

CNRA2030	2.75 x 29 x 11.75	150	2.8	0.5	\$218
CNRA2036	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA2042	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA2048	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA2054	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA2060	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA2066	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA2072	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA2430	2.75 x 29 x 11.75	150	2.8	0.5	\$218
CNRA2436	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA2442	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA2448	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA2454	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA2460	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA2466	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA2472	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA3036	2.75 x 35 x 11.75	150	3.3	0.6	\$255
CNRA3042	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA3048	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA3054	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA3060	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA3066	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA3072	2.75 x 71 x 11.75	150	6.6	1.2	\$505
CNRA3642	2.75 x 41 x 11.75	150	3.9	0.7	\$297
CNRA3648	2.75 x 47 x 11.75	150	4.4	0.8	\$337
CNRA3654	2.75 x 53 x 11.75	150	5	0.9	\$389
CNRA3660	2.75 x 59 x 11.75	150	5.5	1	\$422
CNRA3666	2.75 x 65 x 11.75	150	6.1	1.1	\$463
CNRA3672	2.75 x 71 x 11.75	150	6.6	1.2	\$505

For use with CNR/CNRU rectangular tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

• Can not be used when worksurface tops are attached to flip top legs.

**Required Specifications** 

**Optional Specifications** 

Grommet

Accessories

Power Block

Modesty Panel



**Modesty Panel** 

globalfurnituregroup.com

						CININECT	ADLLS
MODESTY PANELS	MODEL#		EIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	CNSA2424	<b>D x W x H</b> 2.75 x 23 x 11.75	150	2.2	0.4	\$174	
	CNSA3030	2.75 x 29 x 11.75	150	2.8	0.5	\$218	
	CNSA3636	2.75 x 35 x 11.75	150	3.3	0.6	\$255	
Modesty Panel	For use with <b>long</b>	side of CNS square tops	<b>s</b> . 11 ¾" high,	Black plastic	c, attractive ribb	ed design. Includes tv	vo fold-away
	·	and flexible privacy strips. Id when worksurface tops a			s in table top.		
	CNTA2048L	20 x 43	150	4.4	0.8	\$297	
	CNTA2040L	2.750 x 55	150	5.5	1.2	\$389	
	GIVIAZUUUL	2.730 X 33	130	0.0	1.2	φυσυ	
	CNTA2448L	2.75 x 43 x 11.75	150	4.4	0.8	\$297	
	CNTA2460L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
	GIVIAZTOOL	2.70 x 30 x 11.73	130	0.0	1.2	φυσυ	
	CNTA3060L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
	CNTA3072L	2.75 x 67 x 11.75	150	6.6	1.4	\$463	
	01417100722	2.70 X 07 X 11.70	100	0.0	1.4	ψτου	
	CNTA3660L	2.75 x 55 x 11.75	150	5.5	1.2	\$389	
\ \ \	CNTA3672L	2.75 x 67 x 11.75	150	6.6	1.4	\$463	
	01417100722	2.70 X 07 X 11.70	100	0.0	1.7	ψτου	
Modesty Panel	_	side of CNT trapezoid to				ibbed design. Includes	two fold-away
	·	and flexible privacy strips. Id when worksurface tops a			•		
	CNTA2048S	20 x 24	150	2.2	0.4	\$174	
	CNTA2060S	20 x 36	150	2.8	0.5	\$255	
	CNTA2448S	2.75 x 23 x 11.75	150	2.2	0.4	\$174	
	CNTA2460S	2.75 x 35 x 11.75	150	2.2	0.4	\$255	
	CNTA3060S	2.75 x 29 x 11.75	150	2.8	0.5	\$218	
	CNTA3072S	2.75 x 41 x 11.75	150	2.8	0.5	\$297	
	CNTAGGGG	2.75 22 11.75	150	2.2	0.6	¢17/	
	CNTA3660S	2.75 x 23 x 11.75	150	3.3	0.6	\$174	
	CNTA3672S	2.75 x 35 x 11.75	150	3.3	0.6	\$255	
Modesty Panel	For use with <b>sho</b>	rt side of CNT trapezoid t	t <b>ops</b> . 11 ¾" hi	gh, Black pla	ıstic, attractive ı	ribbed design. Include	s two fold-awa
		and flexible privacy strips.			s in table top.		
	• Can not be use	d when worksurface tops a	re attached to	flip top legs.			
	CNWA2424	2.75 x 17 x 11.75	150	2.2	0.4	\$135	
	CNWA3030	2.75 x 22 x 11.75	150	2.8	0.5	\$174	
Modesty Panel	For use with <b>CNV</b>	<b>V wedge tops</b> . 11 ¾" higl	h, Black plastic	, attractive r	ibbed design. Ir	ncludes two fold-away	installation cli
	and flexible priva	cy strips. Connects to pred	rilled holes in t	able top.			
	• Can not be use	d when worksurface tops a	re attached to	flip top legs.			
		<u> </u>					
	CNYA2424	2.75 x 22 x 11.75	150	2.2	0.4	\$164	
	CNYA3030	2.75 x 27 x 11.75	150	2.8	0.5	\$199	
<b>-</b>							
Modesty Panel	For use with <b>CNV</b>	triangle tops. 11 ¾" hig	h Black nlastic	: attractive r	ibbed design Tr	ncludes two fold-away	installation cli
		cy strips. Connects to pred			doorgii. II		
	• can not be use	d when worksurface tops a	т <del>е</del> апаспеа то	шр юр Iegs.			

Optional Specifications
Grommet

Required Specifications Top Finish Edge Finish

Accessories Power Block

### C CONNECTABLES®




**Wire Management Unit** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CNCB2430	2.75 x 35 x 6	70	1.5	0.5	\$193	
CNCB3036	2.75 x 43 x 6	70	1.8	0.6	\$215	
CNCB3642	2.75 x 53 x 6	250	2.1	0.7	\$279	

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.




**Wire Management Unit** 

CNQB2424	2.75 x 27 x 6	70	1.2	0.4	\$162	
CNQB3030	2.75 x 35 x 6	70	1.5	0.5	\$193	
CNQB3636	2.75 x 44 x 6	70	1.8	0.6	\$248	

For use with **CNQ quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.

CNRB2030	2.75 x 29 x 6	70	1.5	0.5	\$162
CNRB2036	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB2042	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB2048	2.75 x 47 x 6	250	2.4	8.0	\$297
CNRB2054	2.75 x 53 x 6	250	2.7	0.9	\$312
CNRB2060	2.75 x 59 x 6	250	3	1	\$312
CNRB2066	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB2072	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB2430	2.75 x 29 x 6	70	1.5	0.5	\$162
CNRB2436	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB2442	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB2448	2.75 x 47 x 6	250	2.4	0.8	\$297
CNRB2454	2.75 x 53 x 6	250	2.7	0.9	\$312
CNRB2460	2.75 x 59 x 6	250	3	1	\$312
CNRB2466	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB2472	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB3036	2.75 x 35 x 6	70	1.8	0.6	\$193
CNRB3042	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB3048	2.75 x 47 x 6	250	2.4	8.0	\$248
CNRB3054	2.75 x 53 x 6	250	2.7	0.9	\$279
CNRB3060	2.75 x 59 x 6	250	3	1	\$312
CNRB3066	2.75 x 65 x 6	250	3.3	1.1	\$368
CNRB3072	2.75 x 71 x 6	250	3.6	1.2	\$422
CNRB3642	2.75 x 41 x 6	250	2.1	0.7	\$215
CNRB3648	2.75 x 47 x 6	250	2.4	0.8	\$279
CNRB3654	2.75 x 53 x 6	250	2.7	0.9	\$279
CNRB3660	2.75 x 59 x 6	250	3	1	\$312
CNRB3666	2.75 x 65 x 6	250	3.3	1.1	\$312
CNRB3672	2.75 x 71 x 6	250	3.6	1.2	\$422



**Wire Management Unit** 

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

· Cannot be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Edge Finish			



Wire Management Unit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
CNSB2424	2.75 x 23 x 6	70	1.8	0.4	\$129	
CNSB3030	2.75 x 29 x 6	70	1.5	0.5	\$162	
CNSB3636	2.75 x 35 x 6	70	1.8	0.6	\$193	

For use with CNS square tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

<ul> <li>Cannot I</li> </ul>	he used when	worksurface ton	s are attached to	flin ton leas

CNTB2048L	0 x 43	250	2.4	0.8	\$215	
CNTB2060L	0 x 55	250	3	1	\$279	
CNTB2448L	2.75 x 43 x 6	250	2.4	0.8	\$215	
CNTB2460L	2.75 x 55 x 6	250	3	1	\$279	
CNTB3060L	2.75 x 55 x 6	250	3	1	\$279	
CNTB3072L	2.75 x 67 x 6	250	3.6	1.2	\$389	
CNTB3660L	2.75 x 55 x 6	250	3	1	\$279	
CNTB3672L	2.75 x 67 x 6	250	3.6	1.2	\$389	

For use with long side of CNT trapezoid tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.

CNTB2048S	0 x 24	70	1.2	0.4	\$129	
CNTB2060S	0 x 36	70	1.5	0.5	\$193	
CNTB2448S	2.75 x 23 x 6	70	1.2	0.4	\$129	
CNTB2460S	2.75 x 35 x 6	70	1.2	0.4	\$193	
CNTB3060S	2.75 x 29 x 6	70	1.5	0.5	\$162	
CNTB3072S	2.75 x 41 x 6	70	1.5	0.5	\$215	
CNTB3660S	2.75 x 23 x 6	70	1.8	0.6	\$129	
CNTB3672S	2.75 x 35 x 6	70	1.8	0.6	\$193	

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can ot be used when worksurface tops are attached to flip top legs.


CNWB2424	2.75 x 17 x 6	70	1.2	0.4	\$106	
CNWB3030	2.75 x 22 x 6	70	1.5	0.5	\$129	

For use with CNW wedge tops. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Cannot be used when worksurface tops are attached to flip top legs.

CNYB2424	2.75 x 22 x 6	70	1.2	0.4	\$129	
CNYB3030	2.75 x 27 x 6	70	1.5	0.5	\$162	

flexible privacy strips. Connects	9	sign. Includes two fold-away installation clips and with or without wire management grommet.
Required Specifications Top Finish Edge Finish	Optional Specifications Grommet	Accessories Power Block
		575



Wire Management Unit



Wire Management Unit




Wire Management Unit



Wire Management Unit

## C CONNECTABLES®



Modesty Panel with Wire Manage	ement
--------------------------------	-------

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE DxWxH CNCC2430 2.75 x 35 x 11.75 100 4.3 0.5 \$279 CNCC3036 2.75 x 43 x 11.75 100 5.1 0.6 \$317 \$411 100 6 0.7 CNCC3642 2.75 x 53 x 11.75

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.



**Modesty Panel with Wire Management** 

CNQC2424	2.75 x 27 x 11.75	100	3.4	0.4	\$233
CNQC3030	2.75 x 35 x 11.75	100	4.3	0.5	\$279
CNQC3636	2.75 x 44 x 11.75	100	5.1	0.6	\$317

For use with **CNC quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

CNRC2030	2.75 x 29 x 11.75	100	4.3	0.5	\$233
CNRC2036	2.75 x 35 x 11.75	100	5.1	0.6	\$279
CNRC2042	2.75 x 41 x 11.75	100	6	0.7	\$317
CNRC2048	2.75 x 47 x 11.75	100	6.8	0.8	\$369
CNRC2054	2.75 x 53 x 11.75	100	7.7	0.9	\$411
CNRC2060	2.75 x 59 x 11.75	100	8.5	1	\$456
CNRC2066	2.75 x 65 x 11.75	100	9.4	1.1	\$493
CNRC2072	2.75 x 71 x 11.75	100	10.2	1.2	\$522
CNRC2430	2.75 x 29 x 11.75	100	4.3	0.5	\$233
CNRC2436	2.75 x 35 x 11.75	100	5.1	0.6	\$279
CNRC2442	2.75 x 41 x 11.75	100	6	0.7	\$317
CNRC2448	2.75 x 47 x 11.75	100	6.8	0.8	\$369
CNRC2454	2.75 x 53 x 11.75	100	7.7	0.9	\$411
CNRC2460	2.75 x 59 x 11.75	100	8.5	1	\$456
CNRC2466	2.75 x 65 x 11.75	100	9.4	1.1	\$493
CNRC2472	2.75 x 71 x 11.75	100	10.2	1.2	\$522
CNRC3036	2.75 x 35 x 11.75	100	5.1	0.6	\$279
CNRC3042	2.75 x 41 x 11.75	100	6	0.7	\$317
CNRC3048	2.75 x 47 x 11.75	100	6.8	8.0	\$369
CNRC3054	2.75 x 53 x 11.75	100	7.7	0.9	\$411
CNRC3060	2.75 x 59 x 11.75	100	8.5	1	\$456
CNRC3066	2.75 x 65 x 11.75	100	9.4	1.1	\$493
CNRC3072	2.75 x 71 x 11.75	100	10.2	1.2	\$522
CNRC3642	2.75 x 41 x 11.75	100	6	0.7	\$317
CNRC3648	2.75 x 47 x 11.75	100	6.8	0.8	\$369
CNRC3654	2.75 x 53 x 11.75	100	7.7	0.9	\$411
CNRC3660	2.75 x 59 x 11.75	100	8.5	1	\$456
CNRC3666	2.75 x 65 x 11.75	100	9.4	1.1	\$493
CNRC3672	2.75 x 71 x 11.75	100	10.2	1.2	\$522




**Modesty Panel with Wire Management** 


For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

· Can not be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Leg Finish			
Edge Finish			



For use with long side of CNT trapezoid tops. 11 \( \frac{3}{2} \) high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire



For use with short side of CNT trapezoid tops. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

CNWC2424	2.75 x 17 x 11.75	100	3.4	0.4	\$158	
CNWC3030	2.75 x 22 x 11.75	100	4.3	0.5	\$193	

For use with **CNW wedge tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

• Can not be used when worksurface tops are attached to flip top legs.

CNYC2424	2.75 x 22 x 11.75	100	3.4	0.4	\$193
CNYC3030	2.75 x 27 x 11.75	100	4.3	0.5	\$233

For use with CNY triangle tops. 11 %" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet. • Can not be used when worksurface tops are attached to flip top legs.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Leg Finish			
Edge Finish			



**Modesty Panel with Wire Management** 



**Modesty Panel with Wire Management** 



**Modesty Panel with Wire Management** 

## C CONNECTABLES®



"T" Lea

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
GCNTLEG18	5.25 x 17.1 x 27.	63 125	15	2.1	\$294	
GCNTLG18P	5.25 x 17.1 x 27.	63 100	17	2.1	\$578	

18" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 20" tops.

- For a single leg, order GCNTLEG18.
- For a pair of legs (set of 2), order GCNTLG18P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG18 and \$186 list for model GCNTLG18P.

GCNTLEG24	5.25 x 20.8 x 27.63	150	9	2.1	\$294
GCNTLG24P	5.25 x 20.8 x 27.63	100	17	2.1	\$578

20" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 24" tops.

- For a single leg, order GCNTLEG24
- For a pair of legs (set of 2), order GCNTLG24P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG24 and \$186 list for model GCNTLG24P.

GCNTLEG30	5.25 x 27.25 x 27.63	250	10	2.6	\$317
GCNTLG30P	5.25 x 27.25 x 27.63	125	19	2.6	\$630

26" long with plastic elliptical column cover, leveling glides and end caps. For assembly with 30" tops.

- For a single leg, order **GCNTLEG30**.
- For a pair of legs (set of 2), order GCNTLG30P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG30 and \$186 list for model GCNTLG30P.

GCNTLEG36	5.75 x 33.25 x 27.63	150	14	3.3	\$637
GCNTLG36P	5.25 x 33.25 x 27.63	100	27	3.3	\$1262

32" long with double post plastic elliptical column cover, leveling glides and end caps. For assembly with 36" tops.

- For a single leg, order GCNTLEG36.
- For a pair of legs (set of 2), order GCNTLG36P.
- Chrome (CHM) is available (on foot only). Add \$96 list for model GCNTLEG36 and \$186 list for model GCNTLG36P.

CNTFLEG24	1.75 x 20.8 x 28	150	10	2.4	\$547

20" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 24" deep rectangular and square tops only**. Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumber rewes

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per each leg.
- Chrome (CHM) is available (on foot only). Add \$96 list.

<	
Q	
"T"	Leg

"T" Leg



"T" Leg



Flip Top "T" Leg

**Required Specifications** 

Leg Finish

\$63


TLEGS	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS.	CUBIC FT.	CONNECTA	ABLE:
11103	MODEL	DxWxH	ILIUIII CLASS	WI/LDS.	CODICT I.	LISTTHICL	
	CNTFLEG30	1.75 x 27.25 x 28	150	14	3	\$578	
Flip Top "T" Leg		ic elliptical column cover <b>only</b> . Hinged plate with l	0.0			•	•
		when modesty panels an	d wire manage	ment are att	ached to works	urface tops.	
	'	available (on foot only).	Add \$96 list				
	CNCP	- x - x 1.5	70	0.8	0.05	\$63	





**Casters** 













**Ganging Connector** 

Set of (2) 11/2" dual wheel casters, one locking. Suggested for hard floor surfaces and industrial carpeting. Casters are fully

- For use with ConnecTABLES units only.
- Casters DO NOT affect table height.

CNTS	1.25 x 1.25 x 1.5	70	0.04	0.02	\$40

Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "T" legs to tops without tools. Black only.

CNGFP	5 x 2.5 x 1.13	70	0.2	0.1	\$69
-------	----------------	----	-----	-----	------

Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. Sold individually.

Required Specifications Leg Finish



Duet tables are multi-purpose stacking tables that offer optimum space utilization and flexibility. Their personality and simple design make them ideal for use in any learning or training environment at post-secondary and adult levels. Temporarily and easily convert auditoriums and other spaces into examination and seminar spaces. They can be partnered with stacking chairs such as Duet or Popcorn in matching or complementary colors (stacking chairs can be found in the Multi-Purpose section of the Seating price list).

The one-piece molded top and modesty are gently contoured providing an eased edge with an elegant waterfall transition from top to modesty.

Tops are available in a wide array of colors in 0.5" thick polypropylene. Polypropylene material offers strength and ease of cleaning with a slightly textured surface to offer scratch resistance.

One-piece top and modesty.



Stacks 5 high on floor or 20 high on dolly.



Ganging frame to keep tables evenly aligned.

### **Features and Benefits**

- One-piece molded top and modesty are 0.5" thick polypropylene.
- Tables are rated 250 lbs. capacity.
- Surface includes factory installed metal inserts for solid and secure connection to the sled frame.
- 0.5" diameter solid steel rod sled frame.
- · Bumpers on the underside for protection when stacking.
- · Model with ADA width compliant frame is available.
- · Shipped fully assembled.

#### **GENERAL INFORMATION**

- Duet tables are multi-purpose stacking tables ideal for auditoriums, seminars or any learning or training environment.
- Lightweight and easy to handle whether stacking for storage or setting up a room.
- Made of durable materials to withstand more demanding environments.
- Shipped fully assembled. Packaged 4 per carton.
- Global products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. www.greenguard.org.
- Covered by Global's Lifetime Warranty.
- For environmental certifications, please visit globalfurnituregroup.com

WORKSURFACES	26"W x 18"D x 9.75"H
<ul> <li>Top and modesty are a one-piece injection</li> </ul>	
molded design in 0.5" thick polypropylane	

- molded design in 0.5" thick polypropylene.
   Available in a wide array of colors (see right column "FINISHES") to complement any space or to define sections by color.
- One-piece molded top and modesty are contoured providing an eased user edge, with an elegant waterfall transition from top to modesty.

#### CONSTRUCTION

- Surface includes molded in threaded inserts to provide a secure metal-to-metal connection to the sled frame.
- Bumpers are included on the underside of top and inside modesty to protect surfaces when stacking.

#### **FRAME**

- 0.5" diameter solid steel rod sled frame.
- · Available in a durable Chrome finish.
- Model with ganging frame keeps tables evenly positioned and aligned.
   No tools or fasteners required for ganging; the frames simply interlock.
- Model with ADA compliant frame is also available. The frame is 33" wide and the
  polypropylene top/modesty remain a constant size.
- Tables are standard without glides and are suitable for carpet, rubber or cork flooring.
- Glide options are available (see right column "GLIDES"). Glides must be chosen to best suit flooring type and site conditions. Upcharges apply.

#### **DOLLY**

- For space saving storage and transport.
- Constructed from 1.5" x 0.5" steel tubing with heavy duty casters (two locking) and a removable handle.
- Dolly can stack up to 20 tables.
- Stacking height on dolly is up to 68".

FI	N	IS	Н	ES	

BZB	Buzz Blue	FRO	Frost
CCT	Cactus	INK	Ink
CRO	Carrot	LAB	Latte
IVC	Cloud	BLK	Night
DJN	Dijon	SND	Sand
EGP	Eggplant	SAR	Scarlet
FOG	Fog	SHW	Shadow

#### **GLIDES**

CG	Clear polycarbonate (for carpet, rubber or concrete flooring).
	Height added to table: 0.18". Add \$18/set.
SG	Glides with stainless steel pads (for carpet or rubber flooring).
	Height added to table: 0.17". Add \$34/set.
FG	Glides with felt pads (for vinyl, cork or laminate flooring).
	Height added to table: 0.24". Add \$34/set.

**RG** Glides with rubber pads (for vinyl, hardwood, laminate, stone or ceramic flooring). Height added to table: 0.16". **Add \$34**/set.

#### SPECIFICATIONS

 Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

#### **EXAMPLE DUET TABLE ORDER CODE:**

Duet stacking table, polypropylene surface in Latte, clear polycarbonate glides

DTS1828P	-LAB	-CG
Model #	Surface finish	Glides

## **D** DUET™ TABLES



Stacking Table*





Stacking Table, Ganging Frame*



Stacking Table, 32" Wide*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
DTS1828P	25 x 29 x 28	150	26	17.75	\$516	

One-piece polypropylene top and modesty with Chrome frame. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W

DTS1828PG 25 x 30.75 x 28 150 26 17.75 <b>\$550</b>
-----------------------------------------------------

One-piece polypropylene top and modesty with Chrome ganging frame.

Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W

DTA1832P	25 x 33 x 28	150	26	17.75	\$583

ADA (American with Disabilities Act) compliant. 33" wide. One-piece polypropylene top and modesty with Chrome frame. Underside clearance is 27.1"H (extra height if glides are selected). Stacks up to 5 high on floor only; dolly does not accommodate. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 32"W

DOLLY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	DTD20	29.5 x 63 x 38.5	250	50	21	\$749
Dolly		es DTS1828P and DTS18 sembled in 1 carton.	28PG. Can stack up	o to 20 table	s. Black only. F	Removable handle for storage

Required Specifications	Optional Specifications	Accessories	
Finish	Grommet	Power Block	



Edventure is a value series collection that offers a range of teacher desks, student desks and study carrels for more traditional learning environments. Designed to withstand daily rigorous use, traditional style meets modern performance.

Tops are available in a wide array of finishes in 1" thick thermally fused laminate or 1 1/16" high pressure laminate with matching or complementary 2mm PVC edgebanding. Edventure's color pallette also includes nine new bold finishes available on select components in high pressure laminate only.

Mobile teacher desks offer versatility with storage options for educators on the move.

Single and connecting study carrels create quiet work areas with optional power and data to stay connected.



H-legs with cross bar.



Mobile teacher desk with modesty panel.



#### Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 ¹/₁₆" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- Matching or complementary 2mm PVC edgebanding.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- H-leg design on teacher and student desks.
- Teacher's desk includes modesty panel and is available with or without casters.
- Teacher's desk with left or right hand box/box/file pedestal available on casters only.
- Study carrel features curved side panels for seated privacy with a 29"H worksurface.
- · Easy to assemble.

#### **GENERAL INFORMATION**

- Edventure series is an affordable collection of teacher desks, student desks and study carrels with personal storage options, that bring a traditional element to the classroom.
- Simple and elegant design respects space requirements to accommodate various teaching styles.
- Edventure series is a high achiever, built to withstand the most demanding environments.
- Shipped easy to assemble.
- For environmental certifications, please visit globalfurnituregroup.com

#### WORKSURFACES

- Tops are available in 1" thick thermally fused laminate or 1 1/16" thick high pressure laminate
- Available in an array of finishes in both thermally fused laminate or high pressure laminate.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

#### CONSTRUCTION

- Top core is made of 45 lb. density particle board.
- Surfaces include factory installed metal inserts for solid and secure leg connections.

#### **EDGE DETAIL**

- Global's preferred 2mm PVC edgebanding is standard.
- Edgebanding may be specified in a matching or a complementary finish for tops in standard Global laminates.

#### **LEGS**

- H-legs are 28" high and constructed from 2" x 2" square tubing with a 1" x 2" rectangular cross bar and adjustable leveling glides.
- Available in Black (TBL), Buzz Blue (TBZ), Cactus (TCC), Carrot (TCR), Cloud (TIV),
  Designer White (TDW), Dijon (TDJ), Eggplant (TEG), Fog (TFO), Frost (TFR), Ink (TIN),
  Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Scarlet (TSR),
  Shadow (TSH), Toast (TOA) or Tungsten (TTU) painted finishes, Sandtex finish applied.

#### CASTERS

- Teacher desks are available with locking casters. See models ending in C.
- · Casters are 3.5" high overall.

#### **MODESTY PANELS**

- 12"H modesty panel is included with teacher desks.
- Available in an array of finishes (see 586) in thermally fused laminate with matching edges only.

#### **SPECIFICATIONS**


 Specifications marked with an * are applicable to only those products which have the* symbol beside the product name.

#### STUDY CARRELS

- The study carrel features a 29" high worksurface and curved side panels for privacy.
- Freestanding (starter) and add-on models are available. Legs and privacy panels are shared between adjoining add-on carrels.
- The back panel is inset to hide connecting fasteners from user's view. The inset back also creates a wire drop for the optional LED task light cord.
- Carrels with an optional shelf are available. See models ending in S.
- Optional LED task light is available for carrel with shelf, see page 588
- Optional Cove Daisylink system is available to bring power, USB charging or data to the carrel surface for desktop access, see 590

#### GROMMETS

- Optional grommets are available in standard worksurface locations (left, center or right) for teacher desks and study carrels. Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3.25"W x 1.875"D
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models AG2 option only
  - ENFC6024/7224, ENFC5924/7124 models AG1 and AG3 option only





#### **POWER BLOCK**

- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained.
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models E2 option only
  - ENFC6024/7224, ENFC5924/7124 models E1 and E3 option only





Power block PMSPDM. Add \$330.

Specify location E1, E2 or E3. Add \$96.

#### **VILLA CUTOUTS**

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular tables. Order as: V1, V2 or V3 - Add \$96 for each cutout.
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models V2 option only
  - ENFC6024/7224, ENFC5924/7124 models V1 and V3 option only



#### **COVE DAISYLINK COMPONENTS**

- A daisy-chain power solution with a unique "no particular order" feature, making installation or reconfiguration easy.
- Cove Daisylink modules must be ordered separately and are available for study carrels only.
- Specify the cut-out for Cove Daisylink modules when ordering the study carrels; order the Cove kits (modules and jumpers) and infeed separately.
- When **CV** cut-out is specified on 29", 30", 35" and 36" study carrels, **one** cut-out in the center position is included. **Add \$96**.
  - When **CV** cut-out is specified on 59", 60", 71" and 72" study carrels, **two** cut-outs in the left and right positions are included. **Add \$192**.
- For Cove Daisylink components, see 590
- Maximum of 9 Cove modules per each infeed.





#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to Edventure study carrels. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions on page 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the back edge of surface) for 29" to 72" wide study carrels.
   Add \$96
- MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the back edge of surface for **59" to 72" wide study carrels**. **Add \$192**.

## E

## **EDVENTURE - HOW TO SPECIFY**

#### **FINISHES**

Thermally	Fused or High Pressure Laminate	e Tops	
ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate

Note: Modesty panel available in thermally fused laminate finishes only. Modesty panel and pedestal edging will match thermally fused laminate finish specified.

WCR

Winter Cherry

#### **2mm Thick Edgebanding**

FAS

Fashionista

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	FOG	Fog
ACE	Avant Cherry	LAB	Latte
AHE	Avant Honey	NBL	Noce Biondo
BLK	Black	NGL	Noce Grigio
BRC	Brushed Cobalt	NEL	Noce Leggero
BZB	Buzz Blue	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
CCT	Cactus	SAR	Scarlet
CRO	Carrot	SBY	Sheer Beauty
CME	Clear Maple	SHW	Shadow
CGY	Custom Grey	SDT	Stonedust
DEE	Dark Espresso	SOG	Storm Grey
DWE	Designer White	WHE	Walnut Heights
DJN	Dijon	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

## TO SPECIFY:

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY THE FOLLOWING:

#### FOR TEACHER AND STUDENT DESKS:

- Top finish
- Optional HP laminate
- Edge finish (top only)
- Modesty finish if applicable
- Pedestal finish if applicable
- Leg finish
- Optional AG grommet or cut-out for PMSPDM, if applicable
- Optional key alike or select number (#100-120) applicable with teacher's desks with pedestals

#### FOR STUDY CARRELS:

- Top surface finish (shelf, if applicable, will be in the same finish)
- Optional HP laminate
- Edge finish
- Leg finish
- Surround finish (side and back panels)
- Optional cut-out(s) for Cove Daisylink or ModPower components

#### Leg finishes

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TM0	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TF0	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

#### **EXAMPLE EDVENTURE ORDER CODES:**

#### Teacher desk

ENTD7230	-ACJ	-HPL	-AAE	-TTU	-ACJ
Model #	Top finish	High pressure laminate	Edge finish	Leg finish	Modesty panel finish

#### Study carrel

ENFC3024	-ACJ	-HPL	-AAE	-TTU	-ACJ	-CV
Model #	Top finish	High pressure	Top edge finish	Leg finish	Surround finish	Cut-out for Cove

ACHER DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	ENTD4824	<b>D x W x H</b> 24 x 48 x 29	70	74	4.6	\$1071	\$169	
	ENTD5424	24 x 54 x 29	70	80	4.7	\$1084	\$194	
	ENTD6024	24 x 60 x 29	70	86	4.9	\$1100	\$207	
acher Desk, 24"D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.				
	ENTD6030	30 x 60 x 29	70	96	6.4	\$1170	\$224	
	ENTD6630							
	ENTD7230	30 x 66 x 29 30 x 72 x 29	70 70	103 110	6.6 6.8	\$1210 \$1250	\$273 \$292	
acher Desk, 30″D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.				
OBILE TEACHER DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	
	ENTD4824C	24 x 48 x 29	70	75	4.6	\$1242	\$169	
	ENTD5424C	24 x 54 x 29	70	81	4.7	\$1257	\$182	
	ENTD6024C	24 x 60 x 29	70	87	4.9	\$1273	\$196	
₩ obile Teacher Desk, 24″D	12"H modesty pane	el included. Shipped e	asy to assemble in	2 cartons.				
	ENTD6030C	30 x 60 x 29	70	98	5.4	\$1343	\$209	
obile Teacher Desk, 30"D	ET6024BBFLC	el included. Shipped e	85	155	12.37	\$2385	\$195	
	ET6624BBFLC	24 x 66 x 29	85	161	12.57	\$2428	\$209	
	ET7224BBFLC	24 x 72 x 29	85	167	12.75	\$2474	\$223	
	ET6030BBFLC	30 x 60 x 29	85	193	14.67	\$2521	\$209	
	ET6630BBFLC	30 x 66 x 29	85	201	14.85	\$2565	\$255	
	ET7230BBFLC	30 x 72 x 29	85	210	15.06	\$2610	\$274	
obile Teacher Desk, BBF - Left*		panel and flush left h BBF pedestal is fully a			tal included. Top	box drawer is r	non-locking.	Ship
	ET000 400 F00	04 00 00	OF.	455	40.07	4000	<b>\$4.07</b>	
	ET6024BBFRC	24 x 60 x 29	85	155	12.37	\$2385	\$195	
	ET6624BBFRC ET7224BBFRC	24 x 66 x 29 24 x 72 x 29	85 85	161 167	12.57 12.75	\$2428 \$2474	\$209 \$223	
	ET6030BBFRC	30 x 60 x 29	OE	100	14.67	¢2E24	\$209	
			85 95	193	14.67	\$2521 \$2565		
	ET6630BBFRC	30 x 66 x 29 30 x 72 x 29	85 95	201	14.85	\$2565	\$255	
	ET7230BBFRC		85	210	15.06	\$2610	\$274	
obile Teacher Desk, BBF - Right*		r panel and flush right BBF pedestal is fully a			stal included. Top	o box drawer is	non-locking.	. Shi
	Required specificat	ions	Optional specific	cations				
	Top finish	10110	opaonai speciii	JULIONS				

	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E HP ADD	
ENST3020	20 x 30 x 29	85	49	3.9	\$543	\$115	
Shipped easy to a	ssemble in 2 cartons.						
MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	CUT-OUT ADD
ENFC3024	24 x 30 x 50	70	89	4.44	\$1045	\$119	\$96
ENFC3624							\$96
ENFC6024 ENFC7224	24 x 60 x 50 24 x 72 x 50	70 70	123.5	6.34	\$1272 \$1359	\$207 \$238	\$96 \$96
						g power and	USB chargin
to the user with C	ove Daisylink componen	ts, see 590. Ship	ped easy to a	assemble in 2 ca	rtons.		
ENFC3024S	24 x 30 x 50	70	93	4.44	\$1098	\$138	\$96
ENFC3624S	24 x 36 x 50	70	102.5	4.72	\$1150	\$160	\$96
							\$96 \$96
		FREIGHT CLASS	WT/LB.	CUBIC FT. L	IST PRICE	IP ADD CU	T-OUT ADD
ENAC2924 ENAC3524	24 x 29 x 50 24 x 35 x 50	70	71.5		\$785 \$830		\$96
							202
				4.67 5.75		\$139 \$207	\$96 \$96
ENAC5924 ENAC7124	24 x 59 x 50 24 x 71 x 50	70 70	89 97.5	5.75 6.3	\$1016 \$1104	\$207 \$238	\$96 \$96 \$96
ENAC5924 ENAC7124 Features a 29" hig	24 x 59 x 50	70 70 ed side privacy p	89 97.5 anels. Show	5.75 6.3 /n with optional	\$1016 \$1104 cut-out. Brin	\$207 \$238	\$96 \$96
ENAC5924 ENAC7124 Features a 29" hig	24 x 59 x 50 24 x 71 x 50 gh worksurface with curv	70 70 ed side privacy p	89 97.5 anels. Show	5.75 6.3 /n with optional	\$1016 \$1104 cut-out. Brin	\$207 \$238	\$96 \$96
ENAC5924 ENAC7124 Features a 29" hig to the user with C ENAC2924S ENAC3524S	24 x 59 x 50 24 x 71 x 50 gh worksurface with curvove Daisylink componen 24 x 29 x 50 24 x 35 x 50	70 70 ed side privacy p ts, see 590. Ship 70 70	89 97.5 nanels. Show ped easy to a 67 76.5	5.75 6.3 In with optional assemble in 2 ca 4.4 4.67	\$1016 \$1104 cut-out. Brin rtons.	\$207 \$238 g power and \$138 \$160	\$96 \$96 USB charging \$96 \$96
ENAC5924 ENAC7124 Features a 29" hig to the user with C ENAC2924S ENAC3524S ENAC5924S	24 x 59 x 50 24 x 71 x 50 24 x 71 x 50 gh worksurface with curvove Daisylink componen 24 x 29 x 50 24 x 35 x 50 24 x 59 x 50	70 70 ed side privacy p ts, see 590. Ship 70 70 70	89 97.5 vanels. Show ped easy to a 67 76.5 96	5.75 6.3 /n with optional assemble in 2 ca 4.4 4.67 5.75	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110	\$207 \$238 g power and \$138 \$160 \$246	\$96 \$96 USB charging \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task	24 x 59 x 50 24 x 71 x 50 gh worksurface with curvove Daisylink componen 24 x 29 x 50 24 x 35 x 50	70 70 ed side privacy p ts, see 590. Ship 70 70 70 70 ed side privacy p JSB charging to t	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show the user with	5.75 6.3 In with optional assemble in 2 ca 4.4 4.67 5.75 6.3 In with optional	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She	\$207 \$238 g power and \$138 \$160 \$246 \$281	\$96 \$96 USB charging \$96 \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvolight. Bring power and Uelf is 14". Shipped easy to	70 70 ed side privacy p ts, see 590. Ship 70 70 70 70 70 ed side privacy p JSB charging to t to assemble in 2 c	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show he user with artons.	5.75 6.3 In with optional assemble in 2 ca 4.4 4.67 5.75 6.3 In with optional Cove Daisylink	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$207 \$238 g power and \$138 \$160 \$246 \$281	\$96 \$96 USB charging \$96 \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvolight. Bring power and U	70 70 ed side privacy p ts, see 590. Ship 70 70 70 70 ed side privacy p JSB charging to t	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show the user with	5.75 6.3 In with optional assemble in 2 ca 4.4 4.67 5.75 6.3 In with optional	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She	\$207 \$238 g power and \$138 \$160 \$246 \$281	\$96 \$96 USB charging \$96 \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvolight. Bring power and Uelf is 14". Shipped easy to	70 70 ed side privacy p ts, see 590. Ship 70 70 70 70 90 ed side privacy p JSB charging to to assemble in 2 c	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show he user with artons.	5.75 6.3  In with optional assemble in 2 ca  4.4 4.67 5.75 6.3  In with optional Cove Daisylink	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$207 \$238 g power and \$138 \$160 \$246 \$281	\$96 \$96 USB charging \$96 \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvolight. Bring power and Uelf is 14". Shipped easy to 1.5 x 15.5 x .5 1.5 x 23.5 x .5	70 70 red side privacy p ts, see 590. Ship 70 70 70 70 ged side privacy p JSB charging to t to assemble in 2 c	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show he user with artons.	5.75 6.3  In with optional assemble in 2 ca  4.4 4.67 5.75 6.3  In with optional Cove Daisylink  .50 .50	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components,	\$207 \$238 g power and \$138 \$160 \$246 \$281	\$96 \$96 USB chargin \$96 \$96 \$96 \$96
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she contact the contact	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50  gh worksurface with curvolight. Bring power and Uelf is 14". Shipped easy to 1.5 x 15.5 x .5 1.5 x 23.5 x .5	70 70 red side privacy p ts, see 590. Ship 70 70 70 70 ged side privacy p JSB charging to t to assemble in 2 c 150 150 125	89 97.5 Hanels. Show ped easy to a 67 76.5 96 105.5 Hanels. Show he user with artons.	5.75 6.3  In with optional assemble in 2 ca  4.4 4.67 5.75 6.3  In with optional Cove Daisylink  50 50 50	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$207 \$238 g power and \$138 \$160 \$246 \$281 If is 6" deep see 590. Clea	\$96 \$96 USB charging \$96 \$96 \$96 \$96 and accepts arance from
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she  PLED30 PLED30 PLED100  Energy efficient LE	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvolight. Bring power and lelf is 14". Shipped easy to 1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	70 70 ro ed side privacy p ts, see 590. Ship 70 70 70 70 ro ed side privacy p JSB charging to t to assemble in 2 c 150 150 125  uitable for mount	89 97.5  Hanels. Show ped easy to a 67 76.5 96 105.5  Hanels. Show he user with artons.	5.75 6.3  In with optional assemble in 2 ca  4.4 4.67 5.75 6.3  In with optional Cove Daisylink  .50 .50 .50 .50	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$207 \$238 g power and \$138 \$160 \$246 \$281 If is 6" deep see 590. Clean	\$96 \$96 USB charging \$96 \$96 \$96 \$96 and accepts arance from
ENAC5924 ENAC7124  Features a 29" hig to the user with C  ENAC2924S ENAC3524S ENAC5924S ENAC7124S  Features a 29" hig optional LED task worksurface to she  PLED30 PLED30 PLED100  Energy efficient LE	24 x 59 x 50 24 x 71 x 50  gh worksurface with curvove Daisylink componen  24 x 29 x 50 24 x 35 x 50 24 x 59 x 50 24 x 59 x 50 gh worksurface with curvolight. Bring power and lelf is 14". Shipped easy to 1.5 x 15.5 x .5 1.5 x 23.5 x .5 1.5 x 43.5 x .5	70 70 rts, see 590. Ship 70 70 70 70 70 ed side privacy p JSB charging to t to assemble in 2 c 150 150 125	89 97.5  anels. Show ped easy to a 67 76.5 96 105.5  anels. Show he user with artons.	5.75 6.3  In with optional assemble in 2 ca  4.4 4.67 5.75 6.3  In with optional Cove Daisylink  .50 .50 .50 .nderside of the second	\$1016 \$1104 cut-out. Brin rtons. \$835 \$888 \$1110 \$1210 cut-out. She components, \$494 \$569 \$660	\$207 \$238 g power and \$138 \$160 \$246 \$281 If is 6" deep see 590. Clear	\$96 \$96 USB charging \$96 \$96 \$96 \$96 and accepts arance from
	ENFC3024 ENFC3624 ENFC6024 ENFC7224  Features a 29" hig to the user with C  ENFC3024S ENFC3624S ENFC3624S ENFC7224S  Features a 29" hig optional LED task	ENFC3024 24 x 30 x 50 ENFC3624 24 x 60 x 50 ENFC6024 24 x 72 x 50  ENFC7224 24 x 72 x 50  Features a 29" high worksurface with curv to the user with Cove Daisylink component  ENFC3024S 24 x 30 x 50 ENFC3624S 24 x 36 x 50 ENFC6024S 24 x 60 x 50 ENFC7224S 24 x 72 x 50  Features a 29" high worksurface with curv optional LED task light. Bring power and U assemble in 2 cartons.	ENFC3024 24 x 30 x 50 70 ENFC3624 24 x 36 x 50 70 ENFC6024 24 x 60 x 50 70 ENFC7224 24 x 72 x 50 70  Features a 29" high worksurface with curved side privacy p to the user with Cove Daisylink components, see 590. Ship  ENFC3024S 24 x 30 x 50 70 ENFC3624S 24 x 36 x 50 70 ENFC6024S 24 x 36 x 50 70 ENFC7224S 24 x 72 x 50 70  Features a 29" high worksurface with curved side privacy p optional LED task light. Bring power and USB charging to the assemble in 2 cartons.	MODEL #         DIMENSIONS         FREIGHT CLASS         WT/LB.           ENFC3024         24 x 30 x 50         70         89           ENFC3624         24 x 36 x 50         70         97.5           ENFC6024         24 x 60 x 50         70         115           ENFC7224         24 x 72 x 50         70         123.5           Features a 29" high worksurface with curved side privacy panels. Show to the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a sea of the user with Cove Daisylink components, see 590. Shipped easy to a se	MODEL #         DIMENSIONS         FREIGHT CLASS         WT/LB.         CUBIC FT.           ENFC3024         24 x 30 x 50         70         89         4.44           ENFC3624         24 x 36 x 50         70         97.5         4.72           ENFC6024         24 x 60 x 50         70         115         5.8           ENFC7224         24 x 72 x 50         70         123.5         6.34           Features a 29" high worksurface with curved side privacy panels. Shown with optional to the user with Cove Daisylink components, see 590. Shipped easy to assemble in 2 ca           ENFC3024S         24 x 30 x 50         70         93         4.44           ENFC3624S         24 x 36 x 50         70         102.5         4.72           ENFC6024S         24 x 60 x 50         70         122         5.8           ENFC7224S         24 x 72 x 50         70         131.5         6.34           Features a 29" high worksurface with curved side privacy panels. Shown with optional optional LED task light. Bring power and USB charging to the user with Cove Daisylink cassemble in 2 cartons.           MODEL #         DIMENSIONS         FREIGHT CLASS         WT/LB.         CUBIC FT.         LEDIC FT.	MODEL#         DIMENSIONS         FREIGHT CLASS         WT/LB.         CUBIC FT.         LIST PRICE           ENFC3024         24 x 30 x 50         70         89         4.44         \$1045           ENFC3624         24 x 36 x 50         70         97.5         4.72         \$1091           ENFC6024         24 x 60 x 50         70         115         5.8         \$1272           ENFC7224         24 x 72 x 50         70         123.5         6.34         \$1359           Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. Brinto the user with Cove Daisylink components, see 590. Shipped easy to assemble in 2 cartons.         ENFC3024S         24 x 30 x 50         70         93         4.44         \$1098           ENFC3624S         24 x 36 x 50         70         102.5         4.72         \$1150           ENFC6024S         24 x 60 x 50         70         122         5.8         \$1363           ENFC7224S         24 x 72 x 50         70         131.5         6.34         \$1465           Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. She optional LED task light. Bring power and USB charging to the user with Cove Daisylink components, assemble in 2 cartons.           MODEL #         DIMENSIONS         FREIGHT	## DIMENSIONS FREIGHT CLASS WT/LB. CUBIC FT. LIST PRICE HP ADD  ENFC3024



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
ECV2PU30B	2 x 30 x -	60	4.5	0.5	\$640	
ECV2PU30S	2 x 30 x -	60	4.5	0.5	\$640	

Single Power/USB for 29"/30" Carrels

Cove single desktop module with two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.



ECV2PU36B	2 x 36 x -	60	4.6	0.5	\$644
ECV2PU36S	2 x 36 x -	60	4.6	0.5	\$644

Single Power/USB for 35"/36" Carrels

Cove single desktop module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.



ECV2PU60B	2 x 60 x -	60	4.6	0.5	\$1182	
ECV2PU60S	2 x 60 x -	60	4.6	0.5	\$1182	

Double Power/USB for 59"/60" Carrels

Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number.



ECV2PU72B	2 x 72 x -	60	4.6	0.5	\$1202	
ECV2PU72S	2 x 72 x -	60	4.6	0.5	\$1202	

Double Power/USB for 71"/72" Carrels

Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number.



ECVPUD30B	2 x 30 x -	60	4.6	0.5	\$602	
ECVPUD30S	2 x 30 x -	60	4.6	0.5	\$602	

Single Power/Data/USB for 29"/30" Carrels

Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

Required specifications
-------------------------

Paint finish, case* Laminate finish** Edge finish (ENMST1824 only) Trim finish (ENLS182 only)

#### Optional specifications


Key alike*
HP laminate (ENMST1824 only)

### **EDVENTURE**

COMPONENTS

COVE DAISYLINK	
FI-V-T-1	

Single Power/Data/USB for 35"/36" Carrels



Double Power/Data/USB for 59"/60" Carrels



Double Power/Data/USB for 71"/72" Carrels



Single-Circuit Corded Infeed, 72"



Multi-Circuit Power Hardwire Infeed, 72"



Jumper Guards - Set of 4

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
ECVPUD36B	2 x 36 x -	60	4.60	0.5	\$609	
ECVPUD36S	2 x 36 x -	60	4.60	0.5	\$609	

Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

ECVPUD60B	2 x 60 x -	60	4.6	0.5	\$1112
ECVPUD60S	2 x 60 x -	60	4.6	0.5	\$1112

Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

ECVPUD72B	2 x 72 x -	60	4.6	0.5	\$1123
ECVPUD72S	2 x 72 x -	60	4.6	0.5	\$1123

Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black (**B**) or Silver (**S**) - indicated by last letter of the model number. Infeed to be ordered separately.

42AP1-72	72"W	70	1	1.80	\$245	

72" corded infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules).

42SB2-72	72"W	70	1	1.80	\$158	

Hardwire infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules). Certified electrician required for installation.

ENICVC12	E v 12 v 2 1	OE.	1./	1 1	¢1.//1	
FINI.VITI/						

Metal channel to protect jumper connection to Cove Daisylink module. Black only. Mounts directly to the underside of surface.

Required specifications	Optional specifications	Accessories	
Top finish*	HP laminate*	Cove Daisylink modules*	
Edge finish*	Cut-out for Cove Daisylink modules*	LED task lights*	
Leg finish*		-	
Surround finish*			



FreeFit offers a universal freestanding design with finish options on bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your workspace. With two concealed motors on each base, FreeFit adjusts at 1.5" per second while emitting just 44db. Select from two table ranges - standard range accommodates most users, while extended range meets BIFMA ergonomics guidelines accommodating an extensive array of user needs.

#### **Features and Benefits**

- Tops are 1" thick thermally fused laminate or 1 1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base
- Steel constructed leg tubing, feet and cross bar
- Table frames include expandable width upper cross bars
- Standard up/down handset. Optional digital readout handset.



Add a 3rd leg kit to create an electric height adjustable L station.

#### **GENERAL INFORMATION**

- FreeFit Height Adjustable Tables allow for easy movement from sitting to standing and back throughout the day.
- FreeFit offers a universal freestanding design with finish options on the bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your office space.
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick
- For environmental certifications, please visit globalfurnituregroup.com

## ORDERING GUIDELINES CODES

The price list uses a numbering system with meaningful alphanumeric characters to create a simple to understand product number. This makes specifying the product much easier and more accurate.

#### SPECIFICATION EXAMPLE OF A HEIGHT ADJUSTABLE TABLE:

Ordered as components, please order:

1. BASE

PRODUCT CODE: FT - FreeFit

 ${\bf 5}$  - Standard Range Legs

2 - Leg Quantity SF - Small Frame 24 - Depth

OPTIONS:

Frame Style: **5** - Standard Range Frame 27.5" to 47"

6 - Extended Range Frame 22.5" to 48.5"

Leg Quantity: **1** - 1 leg for return kit

2 - 2 leg table kit 4 - 4 leg table kit

Frame Size: **BF** - Base Frame, for 30" to 42" wide tables

**SF** - Small Frame, for 48" to 60" wide tables **LF** - Large Frame, for 66" to 84" wide tables

Worksurface Depth: 24 - For 23" deep worksurfaces

30 - For 29" and 35" deep worksurfaces

Leg Style: **CL** - C-shaped table leg

TL - T-shaped table leg

Controller Style: **S** - Standard controller

**D** - Display controller, add \$47 list (\$94 list for back-to-back

benching and media tables).

Base Finish: BLK Black

DWT Designer White TUN Tungsten

2. TOP

PRODUCT CODE: FTWR2436

Top: **LP** - Low Pressure laminate, 1" thick

HP - High Pressure laminate, 1-1/16" thick

Top Finish Laminate: Select Color

Top PVC Edge Finish: Select Color

3. ACCESSORIES

PRODUCT CODE: FTAEC12

Base Finish: BLK Black

CHR Charcoal

**DWT** Designer White

FOG Fog NEV Nevada SIL Silver TPE Taupe TUN Tungsten

#### CONSTRUCTION

- Table frames feature 3.15" x 1.97" rectangular outer leg with larger tube attached to the foot
- Open base design with ample room for chair and user's legs
- Flat foot design includes ½" adjustable glides
- Table frames include expandable width upper cross bars.
- Open base design has no lower crossbars.
- All table frames are easy to assemble with few parts.
- Tables are designed so that the paint will never mar on the leg during operation.
- Steel construction of the leg assembly tubing, feet and upper structure assemblies.
- Powder coat finishes for bases are offered in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE) or Tungsten (TUN).
- All standard Global laminate finishes are available.
- Sizes of tops are "nominal." Unless otherwise stated, actual depth is 1" less and actual width is 2" less than "nominal" size.
- All bases lift 350 lbs on two leg tables.
- Operates at 1.5" per second.
- 108" 3-prong power cord
- Standard Range Frame adjusts from 27.5" to 47" including the worksurface.
- Extended Range Frame adjusts from 22.5" to 48.5" including the worksurface.
- Worksurfaces and troughs are sold separate from the base.
- 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate.
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.
- Products specified with the high pressure laminate option are 1-1/16" thick and finished on the underside of the surface with a kraft paper backing.
- Worksurface sizes are "nominal". Main worksurface sizes are 1" less in depth and 2" less in width.
- Steel constructed leg tubing, feet and cross bar.
- Back-to-back benching kits feature a pad foot with ½" adjustable glides
- Foot on single sided benching is 3.55"W x 1"H (with glides fully recessed).
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.
- All products meet or exceed ANSI-BIFMA X5.5-2014 and 7.1 VOC. and CSA-C22.2 No. 6809, CAN/CGSB-44.228-2008.
- All components are UL 962 listed.

#### STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 800 N per column
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- · Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" 45.5" (18" travel).

#### **EXTENDED RANGE COLUMNS**

The 3-part construction ensures a short installation dimension combined with a long stroke length making the Extended Range Column the optimum choice no matter the height of the person using it. The middle profile of the column moves synchronously so the profiles are always in the same height optimizing the desk design and the stability.

- Compact design where guide and actuator functions are an integrated unit
- · Reinforced column and optimized motor housing design for extra strength and stability

- Max. thrust 1200 N per column (12 mm spindle pitch)
- Max. speed 1.5"/second unloaded
- Installation dimension: 22" / 20.4" (BIFMA)
- Stroke length: 25.6" / 26.2" (BIFMA)
- Weight: 17.2 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile), 1.71" x 2.89" (middle profile), 1.46" x 2.64" (inner profile)
- · Low noise level
- · No visible gliding pads





Standard range (2 stage)

Extended range (3-stage)

#### **FOOT TYPE**

- FreeFit offers two foot styles, either a "T" or "C".
- Feet offered in two lengths: 22.75" and 28".
- Foot offers a recessed connection for the column and connects from the bottom with 4 bolts.
- · Adjustable glides are standard

#### **DESK MOUNT FRAME**

- Can be specified in three lengths:
- Base Frame (**BF**) for tables 30" 42" long (nominal dimensions) Short Frame (**SF**) for tables 48" - 60" long (nominal dimensions) Long Frame (**LF**) for tables 66" - 84" long (nominal dimensions)
- All metal parts are Black
- Cantilever length: 21.7"
- Central or off-center placement of columns (T-desk or C-desk)
- · Includes all connecting hardware

#### **CONTROL BOX**

- Two leg tables come standard with a 200 W Control Box
  - Mains voltage 120 VAC, 60 Hz
  - Ultra-compact; 8.25" long
  - Lightweight control box; weight is approximately 1 lb.
- Three Leg Tables come standard with a 300 W Control Box
- can be connected up to 4 columns
- Mains voltage 100-240 VAC, 50-60 Hz (universal)
- Ultra-compact; 10.5" long
- Lightweight control box; weight is approximately 1.1 lbs.
- Common features for the (200 W and 300 W):
- Ultra-low; only 1.5" high
- Environment: Operation Storage
- Ambient temperature: 5 to 40 °C -10 to +50 °C
- Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
- Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
- Compact high-power SMPS (Switch Mode Power Supply)
- Color: Black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption only 0.1 W.
- Exchangeable standard mains cable



## F

### **FREEFIT - NOTES**

#### STANDARD HANDSET

- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- · Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only, Black cable with RJ45 modular plug, 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

#### **DISPLAY HANDSET**

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free[™], featuring ZERO[™]. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- Specify (D), add \$59 list (\$117 list for back-to-back benching and media tables).
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the S or D handset in the field. See 611 for details and pricing.



Standard handset (S)



Display handset (D)

#### ANTI-COLLISION SENSOR

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- Just plug it in no mounting required
- ZERO™ power capable
- PVC-Free™

#### **BATTERY BOX**

- A high-performance lithium-lon battery with a capacity of 2.15 Ah.
- On a full charge the table can cycle from 35 to 45 stroke lengths based upon the range of column selected and load on the table.
- Compact unit for easy handling and installation
- · Battery alarm (audio) when charging is needed
- Battery charging indicator (LED light bars) indicating the capacity level
- · Thermal switch protection, overcurrent protection
- · Color: black
- Battery capacity: 2.15 Ah / 52 Wh
- Nominal voltage: 24 V DC
- · Discharge current: 9 A (max)
- Maximum charging voltage: 40 V DC
- Charging current: 0.5 A
- Weight: 1.32 lbs.

#### USAGE

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C

Approved according to:

- EN 62133 (Battery safety testing)
- UL 1642 (Lithium cells, standard test)
- UN 38.3 (transportation of Lithium batteries)
- UL 2054 (Household and commercial batteries)
- EN 60335-1 with CBH Advanced

## F

#### **GROMMET WITH ACCESS DOOR OPTIONS FOR FREEFIT BENCHING**


- Access door option is specified by first selecting a grommet position left or right
  of center, use code GL or GR, add \$83 list (see diagram on next page for specific
  position).
- Access doors are specified separately, using the code + list pricing below.
- Available in Black (BLK), Designer White (DWT) or Tungsten (TUN) paint finishes
- Device holder is only available in white plastic.
- CSA certified power bar includes (3) outlets and (2) charging USB ports (2.1 amp).




Standard Access Door (GAADG). Add \$90.




Access Door with Device Holder (GAADGDH). Add \$97.




Access Door with Cable Tray (GAADCT). Add \$145.



Access Door with Cable Tray & Device Holder (GAADCTDH). Add \$153.




Access Door with Cable Tray & Power Bar (GAADCTPD). Add \$307.



Access Door with Cable Tray, Power Bar & Device Holder (GAADCTPDDH). Add \$316.

#### **ACCESS DOOR CUT-OUT DIMENSIONS**



#### **FINISHES**

#### **Laminate Top Finishes:**

ACJ Absolute Acajou ASN Asian Night AWC Avant Cherry AWH Avant Honey

BLK Black - Coordinates with BLK Metal Frame Finish

BZD Blizzar

BRC Brushed Cobalt - Coordinates with TUN Metal Frame Finish

CMB Clear Maple CGY Custom Grey DES Dark Espresso

DWT Designer White - Coordinates with DWT Metal Frame Finish

FAS Fashionista **FCL** First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio QTM Quartered Mahogany SBY Sheer Beauty SDT Stonedust SOG Storm Grey STG String

WHE Walnut Heights
WHC White Chocolate
WCR Winter Cherry

#### **Base Finishes**

BLK Black
CHR Charcoal
DWT Designer White
FOG Fog
NEV Nevada
SIL Silver

SIL Silver
TPE Taupe
TUN Tungsten

#### **Edgeband Finishes:**

AAE

ASE Asian Night ACE Avant Cherry AHE Avant Honey BLK Black BZD Blizzard **BRC Brushed Cobalt** CHR Charcoal (use w/SOG) Clear Maple CME

Absolute Acajou


DES Dark Espresso DEE Dark Espresso **DWE** Designer White FAS Fashionista FCL First Class **NBL** Noce Biondo NGL Noce Grigio NEL Noce Leggero NML Noce Medio Nevada (use w/STG) NEV QTM Quartered Mahogany

SBY Sheer Beauty

SDT Stonedust TPE Taupe


WHE Walnut Heights
CBE White Chocolate
WCE Winter Cherry

#### **CUT-OUT LOCATIONS**




Rectangular Worksurfaces: 46", 52" & 58" End of Run Table Top: 51"

Rectangular Return/Extension Return Worksurface: All sizes




Rectangular Worksurfaces: 64", 70", 76", & 82" End of Run Table Top: 63"

#### Access Door grommet in left position (GL)




Access Door grommet in right position (GR)




Select one or the other; both options are not available in one surface.

Rectangular Worksurfaces: 46"-82"

End of Run Table Top: 51" & 63"



90° Corner Table Tops Extended 90° Corner Table Tops



**Media Table Tops** 

							FREE
DRKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	FTWR2328	23 x 28 x 1	70	20	1.16	\$225	\$68
	FTWR2334	23 x 34 x 1	70	24	1.40	\$249	\$76
	FTWR2340	23 x 40 x 1	70	28	1.64	\$319	\$104
	FTWR2346	23 x 46 x 1	70	31	1.84	\$427	\$128
	FTWR2352	23 x 52 x 1	70	36	2.08	\$457	\$145
	FTWR2358	23 x 58 x 1	70	40	2.32	\$510	\$162
	FTWR2364	23 x 64 x 1	70	44	2.56	\$534	\$168
	FTWR2370	23 x 70 x 1	85	48	3.80	\$577	\$179
	FTWR2376	23 x 76 x 1	70	52	3.03	\$582	\$185
	FTWR2382	23 x 82 x 1	70	56	3.27	\$629	\$193
	FTWR2928	29 x 28 x 1	70	25	1.46	\$261	\$83
	FTWR2934	29 x 34 x 1	70	30	1.76	\$305	\$96
	FTWR2940	29 x 40 x 1	70	35	2.06	\$427	\$132
	FTWR2946	29 x 46 x 1	70	40	2.32	\$509	\$145
	FTWR2952	29 x 52 x 1	70	45	2.62	\$521	\$145
	FTWR2958	29 x 58 x 1	70	50	2.92	\$532	\$168
	FTWR2964	29 x 64 x 1	70	55	3.22	\$555	\$181
	FTWR2970	29 x 70 x 1	70	60	3.52	\$582	\$186
	FTWR2976	29 x 76 x 1	70	65	3.83	\$609	\$192
	FTWR2982	29 x 82 x 1	70	71	4.13	\$677	\$211
	FTWR3528	35 x 28 x 1	70	30	1.76	\$270	\$86
	FTWR3534	35 x 34 x 1	70	35	2	\$317	\$99
	FTWR3540	35 x 40 x 1	70	40	2.50	\$444	\$138
	FTWR3546	35 x 46 x 1	70	48	2.80	\$578	\$145
	FTWR3552	35 x 52 x 1	70	54	3.16	\$640	\$164
	FTWR3558	35 x 58 x 1	70	60	3.52	\$712	\$179
	FTWR3564	35 x 64 x 1	70	67	3.89	\$776	\$173
	FTWR3570	35 x 70 x 1	70	73	4.25	\$844	\$213
	FTWR3576	35 x 76 x 1	70	79	4.62	\$906	\$230
	FTWR3582	35 x 82 x 1	70	85	4.02	\$976	\$245
*	1100113302	33 X 02 X I	70	00	4.30	\$370	<b>324</b> 3

• For back-to-back bases, please use the following chart:

FTWR(23/29)46, FT54BSF/FT64BSF FTWR(23/29)52, FT54BSF/FT64BSF FTWR(23/29)58, FT54BSF/FT64BSF

FTWR(23/29)64, FT54BLF/FT64BLF FTWR(23/29)72, FT54BLF/FT64BLF FTWR(23/29)76, FT54BLF/FT64BLF FTWR(23/29)82, FT54BLF/FT64BLF

FTWMR5460	54 x 60 x 1	70	96	5.63	\$850	\$328
FTWMR5466	54 x 66 x 1	70	106	6.19	\$927	\$360
FTWMR5472	54 x 72 x 1	70	115	6.75	\$1004	\$394
FTWMR5478	54 x 78 x 1	70	125	7.31	\$1078	\$427
FTWMR5484	54 x 84 x 1	70	135	7.88	\$1155	\$459
FTWMR5490	54 x 90 x 1	70	144	8.44	\$1235	\$492
FTWMR5496	54 x 96 x 1	70	154	9	\$1312	\$524
FTWMR6060	60 x 60 x 1	70	107	6.25	\$931	\$366
FTWMR6066	60 x 66 x 1	70	118	6.88	\$1018	\$403
FTWMR6072	60 x 72 x 1	70	128	7.50	\$1102	\$439
FTWMR6078	60 x 78 x 1	70	139	8.13	\$1187	\$473
FTWMR6084	60 x 84 x 1	70	150	8.75	\$1271	\$510
FTWMR6090	60 x 90 x 1	70	160	9.38	\$1357	\$547
FTWMR6096	60 x 96 x 1	70	171	10	\$1440	\$583



**Media Table Top** 


For tables FTWMR5460 and 6060, use FTM5B2BSF standard range or FTM6B2BSF extended range base. For all other tables, use FTM5B2BLF standard range or FTM6B2BLF extended range base

Requ	ıired	speci	ficat	ions
Ton fi	inish			

Edge finish

Optional specifications
HP laminate

Grommet



Rectangular return worksurfaces are non-handed and can be interchanged on site. Includes two flat brackets for connection.

101 000 11101111010	31.1, 21.1 01 1 10 10 11, 211.1 10 0	0.0011111110 0110	appropriate rota	2000, 000 ti	io romo ming ona		
Main Surface	Return Surface		Return Base	<b>!</b>			
FTWR23xx	FTWRR(23/29)29		FT51/61SR				
FTWR23xx	FTWRR(23/29)35		FT51/61SR				
FTWR23xx	FTWRR(23/29)41		FT51/61SR				
FTWR23xx	FTWRR(23/29)47		FT51/61LR				
FTWR23xx	FTWRR(23/29)53		FT51/61LR				
FTWR23xx	FTWRR(23/29)59		FT51/61LR				
FTWR29xx	FTWRR(23/29)29		FT51/61SR				
FTWR29xx	FTWRR(23/29)35		FT51/61SR				
FTWR29xx	FTWRR(23/29)41		FT51/61LR				
FTWR29xx	FTWRR(23/29)47		FT51/61LR				
FTWR29xx	FTWRR(23/29)53		FT51/61LR				
FTWR29xx	FTWRR(23/29)59		FT51/61LR				
FTWR2351	23 x 51 x 1	70	40	2.02	\$498	\$162	
FTWR2362	23 x 62 x 1	70	44	2.50	\$523	\$168	
ETIM/D20E1	20 F1 1	70	Ε0	2.54	ėroo.	64.00	
FTWR2951	29 x 51 x 1	70	50	2.54	\$523	\$168	
FTWR2962	29 x 62 x 1	70	55	3.15	\$535	\$270	

LIST PRICE

\$272

\$368

\$406

\$427

\$457

\$503

\$340

\$503

\$503

\$509

\$521

\$607

**HP ADD** 

\$68

\$81

\$107

\$128

\$145

\$162

\$84

\$97

\$136

\$145

\$145

\$168



#### **Rectangular End of Run Worksurfaces**

Rectangular return worksurfaces are non-handed and can be interchanged on site.

- For 23" deep worksurfaces, use with FT52xx24 or FT62xx24.
- For 29" deep worksurfaces, use with FT52xx30 or FT62xx30.
- For back-to-back bases, please use the following chart: FTWR(23/29)51, FT52BSF24/30 or FT62BSF24/30 FTWR(23/29)62, FT52BLF24/30 or FT62BLF24/30

FTWCC234023	40 x 40 x 1	60	80	1.5	\$827	\$83
FTWCC234623	46 x 46 x 1	60	95	2	\$851	\$85
FTWCC235223	52 x 52 x 1	70	80	4.69	\$987	\$85
FTWCC235823	58 x 58 x 1	70	100	5.84	\$1263	\$128
FTWCC294029	40 x 40 x 1	60	80	1.5	\$827	\$83
FTWCC294629	46 x 46 x 1	70	63	3.67	\$838	\$86
FTWCC295229	52 x 52 x 1	70	80	4.69	\$987	\$103
FTWCC295829	58 x 58 x 1	70	100	5.84	\$1263	\$128



90° Corner Worksurface

For tables that connect with 23" deep worksurfaces, use with FT539FS24CL or FT639FS24CL. For tables that connect with 29" deep worksurfaces, use with FT539FS30CL or FT639FS30CL.

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Grommet

A		B.	C	
Α	В	С	D	
DEPTH	WIDTH	LENGTH	DEPTH	

Ext. 90° Corner Worksurface, Left

For tables that connect with 23" deep (A and D) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (A and D) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

**Required specifications** 

Top finish Edge finish **Optional specifications** 

**HP** laminate Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
FTWEC23405823	58 x 40 x 1	60	115	2.6	\$1114	\$281
FTWEC23406423	64 x 40 x 1	60	127	2.8	\$1238	\$311
FTWEC23407023	70 x 40 x 1	60	138	3.1	\$1353	\$343
FTWEC23407623	76 x 40 x 1	60	150	3.3	\$1445	\$359
FTWEC23408223	82 x 40 x 1	60	162	3.6	\$1533	\$384
FTWEC23465823	58 x 46 x 1	60	115	2.55	\$1164	\$292
FTWEC23466423	64 x 46 x 1	60	127	2.81	\$1294	\$326
FTWEC23467023	70 x 46 x 1	60	138	3.07	\$1415	\$358
FTWEC23467623	76 x 46 x 1	60	150	3.34	\$1510	\$378
FTWEC23468223	82 x 46 x 1	60	162	3.6	\$1602	\$403
FTWEC23525823	58 x 52 x 1	60	130	2.88	\$1198	\$304
FTWEC23526423	64 x 52 x 1	60	143	3.18	\$1333	\$337
FTWEC23527023	70 x 52 x 1	60	156	3.48	\$1457	\$368
FTWEC23527623	76 x 52 x 1	60	170	3.77	\$1555	\$389
FTWEC23528223	82 x 52 x 1	60	183	4.07	\$1648	\$415
FTWEC23586423	64 x 58 x 1	60	160	3.54	\$1372	\$345
FTWEC23587023	70 x 58 x 1	60	174	3.88	\$1501	\$379
FTWEC23587623	76 x 58 x 1	60	189	4.21	\$1602	\$402
FTWEC23588223	82 x 58 x 1	60	204	4.54	\$1698	\$431
FTWEC29405829	58 x 40 x 1	60	115	2.2	\$1159	\$291
FTWEC29406429	64 x 40 x 1	60	127	2.4	\$1290	\$322
FTWEC29407029	70 x 40 x 1	60	138	2.7	\$1407	\$356
FTWEC29407629	76 x 40 x 1	60	127	2.4	\$1502	\$373
FTWEC29408229	82 x 40 x 1	60	162	3.1	\$1593	\$401
FTWEC29465829	58 x 46 x 1	60	115	2.55	\$1212	\$305
FTWEC29466429	64 x 46 x 1	60	127	2.81	\$1346	\$338
FTWEC29467029	70 x 46 x 1	60	138	3.07	\$1471	\$373
FTWEC29467629	76 x 46 x 1	60	150	3.34	\$1570	\$391
FTWEC29468229	82 x 46 x 1	60	162	3.6	\$1665	\$418
FTWEC29525829	58 x 52 x 1	60	130	2.88	\$1248	\$316
FTWEC29526429	64 x 52 x 1	60	143	3.18	\$1385	\$350
FTWEC29527029	70 x 52 x 1	60	156	3.48	\$1516	\$382
FTWEC29527629	76 x 52 x 1	60	170	3.77	\$1616	\$403
FTWEC29528229	82 x 52 x 1	60	183	4.07	\$1716	\$432
FTWEC29586429	64 x 58 x 1	60	160	3.54	\$1427	\$360
FTWEC29587029	70 x 58 x 1	60	174	3.88	\$1562	\$393
FTWEC29587629	76 x 58 x 1	60	189	4.21	\$1665	\$417

Ext. 90° Corner Worksurface, Right

For tables that connect with 23" deep (A and D) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (A and D) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

204

4.54

\$1766

\$444

FTWRE2324	23 x 24 x 1	70	16	0.96	\$211	\$68
FTWRE2330	23 x 30 x 1	70	20	1.2	\$229	\$68
FTWRE2336	23 x 36 x 1	70	25	1.44	\$255	\$81
FTWRE2924	29 x 24 x 1	70	21	1.21	\$250	\$74
FTWRE2930	29 x 30 x 1	70	26	1.51	\$266	\$84
FTWRE2936	29 x 36 x 1	70	31	1.81	\$308	\$97

60



Rectangular Extension** **Return Worksurface** 

#### Worksurfaces to be used only with Extended 90° Corner Worksurfaces.

• FTWRE23 to be used with FTWEC23xxxx23

82 x 58 x 1

• FTWRE29 to be used with FTWEC29xxxx29

Req	ui	red	sp	ecifi	cati	ons

FTWEC29588229

Top finish Edge finish

## Optional specifications HP laminate

Grommet

**BASES** 

Standard Range Base*

		D x W x H					
	FT52BF24	24 x 30-42 x 27.5-47	60	67	1.47	\$1255	
	FT52SF24	24 x 48-60 x 27.5-47	60	67	1.47	\$1382	
	FT52LF24	24 x 66-84 x 27.5-47	60	67	1.47	\$1388	
*	FT52BF30	30-36 x 30-42 x 27.5-47	60	67	1.47	\$1265	
	FT52SF30	30-36 x 48-60 x 27.5-47	60	67	1.47	\$1392	
	FT52LF30	30-36 x 66-84 x 27.5-47	60	67	1.47	\$1398	
	12:1:1 1					T . I IC . DF: P . I	r

FREIGHT CLASS

MODEL#

Kit includes one beam, two cantilevers, two standard range columns, and two C or T styled feet. BF indicates base frame for 30" to 42" tables. SF indicates small frame for 48" to 60" tables. LF indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

WT/LBS.

CUBIC FT.

LIST PRICE

FT62BF24	24 x 30-42 x 22.5-48.5 60	67 1.47	\$1341
FT62SF24	24 x 48-60 x 22.5-48.5 60	67 1.47	\$1473
FT62LF24	24 x 66-84 x 22.5-48.5 60	67 1.47	\$1480
FT62BF30	30-36 x 30-42 x 22.5-48.5 60	67 1.47	\$1351
FT62SF30	30-36 x 48-60 x 22.5-48.5 60	67 1.47	\$1485
FT62LF30	30-36 x 66-84 x 22.5-48.5 60	67 1.47	\$1489

Kit includes one beam, two cantilevers, two extended range columns, and two C or T styled feet. BF indicates base frame for 30" to 42" tables. SF indicates small frame for 48" to 60" tables. LF indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT51SRNL	x 24-48 x 27.5-47	60	61	1.47	\$846
FT51LRNL	x 54-72 x 27.5-47	60	61	1.47	\$863

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 598 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

• When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.

FT61SRNL	x 24-48 x 22.5-48.5	60	61	1.47	\$890
FT61LRNL	x 54-72 x 22.5-48.5	60	61	1.47	\$908

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 598 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

• When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.



Extended Range Base*



Standard Range Return Kit



**Extended Range Return Kit** 


**Required specifications** 

Base finish Leg style*

**Optional specifications** 

Digital handset

## F FREEFIT



**Back-to-Back Standard Range Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
FT54BSFNL	24 x x 27.5-47	60	123	2.94	\$3080	
FT54BLFNL	24 x x 27.5-47	60	123	2.94	\$3089	

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. 30" or larger depth worksurfaces cannot be used with Back to Back bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT64BSFNL	10 x x 22.5-48.5	60	123	2.94	\$3253
FT64BLFNL	10 x x 22.5-48.5	60	123	2.94	\$3264

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. **30" or larger depth worksurfaces cannot be used with Back to Back bases**. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (**S**). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (**D**), add **\$117** list. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.

FT52BSF24	24 x x 27.5-47	60	72	1.47	\$1741
FT52BLF24	24 x x 27.5-47	60	72	1.47	\$1751
FT52BSF30	30 x x 27.5-47	60	72	1.47	\$1806
FT52BLF30	30 x x 27.5-47	60	72	1.47	\$1816

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT52BSF24 + FT52BLF24. Use 29" deep worksurfaces with FT52BSF30 + FT52BLF30. **30" or larger depth worksurfaces cannot be used with benching bases**. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.



**Back-to-Back Extended Range Base** 

**Standard Range Single Frame** 

Required specifications
Base finish

Leg style*

**Optional specifications** 

Digital handset



**Extended Range Single Frame** 

MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
FT62BSF24	24 x x 22.5-48.5	60	72	1.47	\$1887	
FT62BLF24	24 x x 22.5-48.5	60	72	1.47	\$1892	
FT62BSF30	30 x x 22.5-48.5	60	72	1.47	\$1897	
FT62BLF30	30 x x 22.5-48.5	60	72	1.47	\$1903	

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT62BSF24 + FT62BLF24. Use 29" deep worksurfaces with FT62BSF30 + FT62BLF30. 30" or larger depth worksurfaces cannot be used with benching bases. Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FTM5B2BSF	54-60 x 60 x 27.5-47	60	123	2.94	\$3080
FTM5B2BLF	54-60 x 60 x 27.5-47	60	123	2.94	\$3089



**Standard Range Media Table Base** 

Kit includes two beams, four cantilevers, four standard range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66"to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FTM6B2BSF	54-60 x 60 x 22.5-48.5 60	123	2.94	\$3253
FTM6B2BLF	54-60 x 60 x 22.5-48.5 60	123	2.94	\$3264



**Extended Range Media Table Base** 

Kit includes two beams, four cantilevers, four extended range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66"to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (\$). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$117 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

FT539FS24CL	54-60 x 42-60 x 27.5-47 60	101	1.47	\$2011
FT539FS30CL	54-60 x 42-60 x 27.5-47 60	101	1.47	\$2023
FT539FL24CL	66-84 x 66-84 x 27.5-47 60	101	1.47	\$2047
FT539FL30CL	66-84 x 66-84 x 27.5-47 60	101	1.47	\$2030

Kit includes two equal length beams, three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. FS indicates small base for 54" to 60" sided tables. FL indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

 When using a 23"d return with the FT539FS30CL/LF30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.


48"-60" FS Base	F	48"-60"
60"-84"	/ <	60"-84

Standard Range 90° Base, Equal Sides

**Required specifications Optional specifications** Base finish Digital handset

## F FREEFIT

**BASES** 



Standard Range 90° Base, Unequal Sides



Kit includes two beams (one small, one large), three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

 When using a 23"d return with the FT539FSL30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.

FT639FS24CL	48-60 x 42-60 x 22.5-48.5 60	101	1.47	\$2148
FT639FS30CL	48-60 x 42-60 x 22.5-48.5 60	101	1.47	\$2159
FT639FL24CL	66-84 x 66-84 x 22.5-48.5 60	101	1.47	\$2184
FT639FL30CL	66-84 x 66-84 x 22.5-48.5 60	101	1.47	\$2195

Kit includes two equal length beams, three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. **FS** indicates small base for 54" to 60" sided tables. **FL** indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (**S**). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (**D**), add **\$59** list. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.

When using a 23"d return with the FT639FS30CL/LF30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.

FT639FSL24CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	\$2166
FT639FSL30CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	\$2177

Kit includes two beams (one small, one large), three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (S). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (D), add \$59 list. Specify paint finish: Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). UL Listed: UL 962.

 When using a 23"d return with the FT639FSL30CL a 24" foot must be ordered separately. See FTF00T24TL/CL (611) for specification information.





Extended Range 90° Base, Equal Sides*



Extended Range 90° Base, Unequal Sides*

Required specifications	Optional specifications	Accessories	
Top finish	HP laminate	Keyboard tray	
Base finish	Digital handset	Power block	
Foot style	Grommet		
Foot configuration	Insulation type		



Laminate Leg Shroud, for C-Leg - Left**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
FTB23L	9 x 23 x 18	65	47	2	\$571
FTB29L	9 x 29 x 18	70	55	3	\$591
FTB35L	9 x 35 x 18	70	67	3	\$616

Laminate housing to cover a FreeFit C-leg on the left side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



Laminate Leg Shroud, for C-Leg - Right**

FTB23R	9 x 23 x 18	65	47	2	\$571
FTB29R	9 x 29 x 18	70	55	3	\$591
FTB35R	9 x 35 x 18	70	67	3	\$616

Laminate housing to cover a FreeFit C-leg on the right side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



Laminate Leg Shroud for T-Leg**

FTB23	9 x 23 x 18	65	47	2	\$571	
FTB29	9 x 29 x 18	70	55	3	\$591	
FTB35	9 x 35 x 18	70	67	3	\$616	

Laminate housing to cover a FreeFit T-leg. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.



**Laminate Leg Shroud for Media Bases** 

FTB54	9 x 54 x 18	70	110	5	\$1162	
FTB64	9 x 64 x 18	70	134	6	\$1352	

Laminate shroud for a FreeFit media table base. Includes a felt liner at the top. Side panel is removable to access interior. Specify laminate finish, PVC edge finish and felt finish.

**Required specifications** 

Laminate finish Edge finish Felt finish

POWER DELIVERY/CABLE MANAGEMENT

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS. CUBIC FT.


LIST PRICE


DxWxH

#### 4-2-2 Wiring Schematic

#### 8-Wire Shared Neutral

#### "2 + 2" - 2 Utility Circuits, 2 Dedicated





Specifications

8 Wires	4 Circuits
4 Lines (12 ga.)	2 Utility circuits
2 Neutrals (10 ga.)	2 Dedicated Circuits

Duplex - Up to 12 duplex receptacles per circuit

(Up to 48 per infeed)

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

		·	
		3	
	6	1	

2 Grounds (12 ga.)

TROUGH KITS

#### **Back-to-Back Trough Kit**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
FTB2B48KITNB		92.5	3.50	.30	\$2422	
FTB2B54KITNB		92.5	3.50	.30	\$2496	
FTB2B60KITNB		92.5	3.50	.30	\$2622	
FTB2B66KITNB		92.5	3.50	.30	\$2672	
FTB2B72KITNB		92 5	3 50	30	\$2703	

For back-to-back benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.



**Single Sided Trough Kit** 

FTSGL48KITNB	 92.5	3.50	.30	\$1582
FTSGL54KITNB	 92.5	3.50	.30	\$1658
FTSGL60KITNB	 92.5	3.50	.30	\$1752
FTSGL66KITNB	 92.5	3.50	.30	\$1801
FTSGL72KITNB	 92.5	3.50	.30	\$1852

For single-sided benching applications. Trough kits contain all items needed for a single sided workstation when combined with the single-sided height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.



**End of Run Trough Kit** 

FTSGL51T24KITNB	 92.5	3.50	.30	\$1658

For perpendicular end of run benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.

Required specifications



**Access Door Module** 

**ACCESS DOORS** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
GAADG	5.54 x 10.09 x 1	1.08	2	0.04	\$90	
GAADGDH	5.54 x 10.09 x 1	1.08	2	0.04	\$97	

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.



Access Door Module w/Cable Tray

GAADCT	5.54 x 10.09 x 5.07	 4	0.19	\$145	
GAADCTDH	5.54 x 10.09 x 5.07	 4	0.19	\$153	

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes. GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.





Access Door Module w/Cable Tray and Power Bar

GAADCTPD	5.54 x 10.09 x 6.96	 4	0.20	\$307
GAADCTPDDH	5.54 x 10.09 x 6.96	 4	0.20	\$316


Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.

## **FRFFFIT**



**ELECTRICAL COMPONENTS** 

**Duplex Receptacles** 



$\leq$	
Ce	iling Feed Post*



**Ceiling Feed Harness** 



Table to Table Connector*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	\$42	
BRTE8DXW1	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXW2	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWA	1.25 x 4.63 x 2	70	.10	.01	\$59	
BRTE8DXWB	1.25 x 4.63 x 2	70	.10	.01	\$59	

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit. XW identifies white color plastic, all others standard in black.

- BRTE8D1 / BRTE8DXW1 Circuit #1 (utility circuit)
- BRTE8D2 / BRTE8DXW2 Circuit #2 (utility circuit)
- BRTE8DA / BRTE8DXWA Circuit A (dedicated circuit)
- BRTE8DB / BRTE8DXWB Circuit B (dedicated circuit)

BWAECF 2.5 x 4.74 x 99.32 92.5 3.50 .30 <b>\$429</b>	9
------------------------------------------------------	---

Ceiling pole brings ceiling feed conduit and data cables from the ceiling down to Power troughs height. Accommodates 10' ceiling heights. A two part construction allows power/data conduit lay-in. Includes mounting hardware and ceiling bezel. Ceiling feed harness sold separately.

BWAEECFH120	6 x 6 x 120	250	5	2	\$530
BWAEECFH144	6 x 6 x 144	250	6	3	\$588

Ceiling feed provides a single power entry from ceiling, through Ceiling pole into Power Trough, into Power Distribution Housing. An 8-wire (4-circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling feed post sold separately.

FTAETTC12	2.3 x 16 x 3	60	6	.12	\$409	
FTAETTC18	2.3 x 22 x 3	60	8	.15	\$442	
FTAETTC24	2.3 x 28 x 3	60	9	.18	\$466	
FTAETTC30	2.3 x 34 x 3	60	10.60	.22	\$492	
FTAETTC36	2.3 x 40 x 3	60	12	.24	\$516	
FTAETTC42	2.3 x 46 x 3	60	11.60	.28	\$555	
FTAETTC48	2.3 x 52 x 3	60	14	.30	\$591	

Connects Freefit legs and trough provide to power data/communication pass thru. Connector kit consists of formed steel housing, mounting brackets, housing to housing harness (jumper) and one charcoal grey extruded data/communication cable manager. Knock out on top cover allows for ceiling post connection. Cover included. Specify paint finish.

- FTAETTC12 is used between two single sided or back to back stations that are 70"w (72" nominal) or less.
- FTAETTC18 is used between two single sided or back to back stations that are 76"w (78" nominal).
- FTAETTC24 is used between two single sided or back to back stations that are 82"w (84" nominal), or when separating two stations (up to 70"w) with a 12"w storage piece.
- FTAETTC30 is used to separate 2 workstations 70"w (72" nominal) or less with an 18"w storage unit in between the surfaces.
- FTAETTC36 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 12"w storage units or (1) 24"w storage unit.
- FTAETTC42 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 15"w storage units or (1) 30"w storage unit
- FTAETTC48 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 18"w storage units or (1) 36"w storage unit.

**Required specifications** 



Table to Bridges Connector*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
FTTABRC	14 x 2.3 x 15	100	2.40	.28	\$347

Connects Freefit back-to-back benching to Bridges 29"H table with below worksurface power trough. Please specify paint finish on bracket. Wire manager is always Charcoal.

FTACCL	3.2 x 2 x 16	70	.06	.06	\$531	

Provides wire management from under FreeFit worksurface, down the leg and to the floor. Can only be used on FreeFit regular and media tables. Not for use on back-to-back tables. Kit includes wire manager housing, magnets, screws and cable chain. Magnetically fastens to the FreeFit leg and cable chain is screwed to worksurfaces. Please specify housing paint finish.

Floor feed housing for FreeFit benching applications only. Includes liquitite whip, 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEEFF-NYC 14 x 2.55 x 13.41	92.5	3.50	.30	\$743	
-------------------------------	------	------	-----	-------	--

Floor feed housing for FreeFit benching applications only. Includes liquitite whip, 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEG18H	30.65 x .75 x 18	60	10	.24	\$479	
FTAEG22H	30.65 x .75 x 22	60	13	.30	\$516	

Optional back-to-back FreeFit Benching end gable is intended to be installed at the end of a FreeFit back-to-back table run. Made of 3/4" thermally fused laminate, it reduces the number of visible elements below the worksurface. Two heights are available. Specify FTAEG18H for extended range bases and FTAEG22H for standard range bases.

FFTCB36	8 x 8 x 1	70	.36	.03	\$121	
FFTCB48	8 x 16 x 1	70	.73	.07	\$135	
FFTCB54	8 x 22 x 1	70	1.01	.10	\$140	
FFTCB60	8 x 28 x 1	70	1.20	.13	\$147	
FFTCB66	8 x 34 x 1	70	1.56	.15	\$171	
FFTCB72	8 x 40 x 1	70	1.80	.18	\$179	
FFTCB78	8 x 46 x 1	92.5	2.16	.21	\$190	
FFTCB84	8 x 52 x 1	100	2.39	.24	\$197	

Shallow, 8" wide basket manages cable excess. It can be easily unclipped from steel brackets (included). Specify cable basket 30" shorter than worksurface. Steel wire construction, chrome finish baskets; black steel hanging brackets, fasteners.



Leg Wire Manager*



Base Feed*



Base Feed* - New York Electrical



**Back-to-Back End Gable*** 



**Under Worksurface Cable Basket** 


**Required specifications** 

## F FREEFIT

**ELECTRICAL COMPONENTS/ACCESSORIES** 



Cable Snake



DIMENSIONS

DxWxH

MODEL#

Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

WT/LBS.

3

3

CUBIC FT.

.19

.19

LIST PRICE

\$153

\$290

FTBATT	8 x 3 x 1.5	70	1.54	.02	\$466	

FREIGHT CLASS

Battery Pak with charging cable mounts to the underside of the worksurface. Features LED bars indicating capacity level and audio alarm when it needs to be charged. On a full charge, the table can cycle from 35 to 45 stroke lengths depending upon the range of column selected and load on the table.

BWAEGC00158GC	1 x 2.3 x 1.3	70	1	.50	\$146	

Power Bar with 3 receptacles + 2 USB and power switch. Standard with 6' cord. Rating 15A, 125V, AC 60Hrz, 1875W. USB output 5V, 2.6A (max.) White case, white cord. Available to retrofit CTL/CTR or CTDHL/CTDHR.

FTACPLI	21 v 8 v 21	300	3 57	2 በ/	\$447	
TIAGEO	ZIXUXZI	300	0.07	2.07	ΨTT	

Accepts tower CPU's with a width range from 7.6" to 2.25"- and a maximum height of 18". Durable sheet metal construction. Please specify paint finish.

BRTLCS	2.7 x 2.5 x 2.6	70	0.06	.01	\$35
DITTEOU	2.7 X 2.0 X 2.0	, 0	0.00	.01	400

Locking caster. Interchangeable with glides on FreeFit bases. 40mm dia. caster with 8mm thread. White body, light grey tires.

BRLBST36	2.95 x 33 x 16	65	5.90	.26	\$417
BRLBST42	2.95 x 39 x 16	70	6.44	.30	\$439
BRLBST48	2.95 x 45 x 16	70	6.98	.35	\$455
BRLBST54	2.95 x 51 x 16	70	7.52	.39	\$472
BRLBST60	2.95 x 57 x 16	70	8.07	.43	\$482
BRLBST66	2.95 x 63 x 16	70	8.61	.48	\$499
BRLBST72	2.95 x 69 x 16	70	9.15	.52	\$516
BRLBST78	2.95 x 75 x 16	70	9.69	.56	\$532
BRLBST84	2.95 x 81 x 16	70	10.24	.61	\$548

Table mounted accessory rail. Compatible with standard Bins, Trays and Sorters. Includes end caps and mounting hardware. Please specify paint finish. To ensure proper connection and clearance on tables 46" wide and up, choose accessory rail 13" smaller than the actual table width (70" wide table gets 57" wide rail). Tables 40" wide and smaller use 33" wide accessory rail.



**Power Bar with USB** 



**PC** Holder



**Dual Wheel Casters** 



Single Table Accessory Rail*

**Required specifications** 



ACCESSORIES

MODEL# FREIGHT CLASS CUBIC FT. LIST PRICE DIMENSIONS WT/LBS. DxWxH FTACDS 8 x 3 x 1.5 60 1.54 .01 \$49

# Required specifications Base finish*

	LIACD2	0.1 X 5 X 8	00	1.54	.01	<b>\$49</b>	
Anti-Collision Desk Sensor USB Plug		d anti-collision detection part. One sensor ships st			n. Only one US	B plug required for tabl	e assembly. This
	FTDPG1C	3 x 4.3 x 1	70	0.4	.01	\$108	
Reminder Controller - LED Display + Bluetooth		th 4 memory positions. L is a replacement part. Ev				Bluetooth enabled, cor	nects to Desk
<i>\$</i>	FTDPG1M	3 x 4.3 x 1	70	0.4	.01	\$44	
Diode Reminder Controller -		ith 2 memory positions. B				Арр.	
Memory + Bluetooth		nent part. Every base con					
( <u>0</u> 0000	FTDHNBT	3 x 4.3 x 1	70	1	.01	\$110	
Display Handset		ith 3 memory positions ar			be specified se	parately from standard	tables and
	FTF00T24TL	23 x 3 x 1.16	60	4.4	.10	\$121	
	FTF00T30TL	29 x 3 x 1.16	60	4.85	.10	\$131	
T-Foot*	Replacement sing	le "T" foot or as an optio	nai addition to	a 3 leg table.			
	FTF00T24CL	23 x 3 x 1.16	60	4.4	.10	\$133	
	FTF00T30CL	29 x 3 x 1.16	60	4.85	.10	\$144	
C-Foot*	Replacement sing	le "C" foot or as an optio	nal addition to	a 3 leg table.			
	FTSETGLIDE	- x - x 1.5	70	.06	.10	\$9	
Replacement Glides	Set of two with 1	/2" adjustment.					
	FTMT5145	4 x 51 x 40.5	250	16.82	4.8	\$915	
TV Mount	TV mount for Free	Fit media tables. Include	s the TV/Displa	ay bracket and	mounting hard	ware. Maximum TV size	e is 50".

### **FREEFIT**

FKEEFI	•
PANTRY STORAGE	- 4



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						_
FFP01224H42NL	24 x 12 x 42	70	128	7	\$2318	\$29	
FFP01230H42NL	30 x 12 x 42	70	143	9	\$2435	\$35	
FFP01236H42NL	36 x 12 x 42	85	157	11	\$2551	\$40	
FFP01224H42NR	24 x 12 x 42	70	128	7	\$2318	\$29	
FFP01230H42NR	30 x 12 x 42	70	143	9	\$2435	\$35	
FFP01236H42NR	36 x 12 x 42	85	157	11	\$2551	\$40	
FFP01824H42NL	24 x 18 x 42	85	156	11	\$2668	\$40	
FFP01830H42NL	30 x 18 x 42	85	172	13	\$2796	\$51	
FFP01836H42NL	36 x 18 x 42	92.5	187	16	\$2923	\$62	
FFP01824H42NR	24 x 18 x 42	85	156	11	\$2668	\$40	
FFP01830H42NR	30 x 18 x 42	85	172	13	\$2796	\$51	
FFP01836H42NR	36 x 18 x 42	92.5	187	16	\$2923	\$62	

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

For Dry-erase marker board, specify DE and add \$392. If specified, the dry-erase marker laminate will be applied to the
external surface of the pull-out drawer side wall.

Ī	FFP01224H42NLUSB	24 x 12 x 42	70	128	7	\$2892	\$29
Ī	FFP01230H42NLUSB	30 x 12 x 42	70	143	9	\$3009	\$35
Ī	FFP01236H42NLUSB	36 x 12 x 42	85	157	11	\$3126	\$40
Ī	FFP01224H42NRUSB	24 x 12 x 42	70	128	7	\$2892	\$29
Ī	FFP01230H42NRUSB	30 x 12 x 42	70	143	9	\$3009	\$35
Ī	FFP01236H42NRUSB	36 x 12 x 42	85	157	11	\$3126	\$40
Ī	FFP01824H42NLUSB	24 x 18 x 42	85	156	11	\$3242	\$40
Ī	FFP01830H42NLUSB	30 x 18 x 42	85	172	13	\$3370	\$51
Ī	FFP01836H42NLUSB	36 x 18 x 42	92.5	187	16	\$3497	\$62
Ī	FFP01824H42NRUSB	24 x 18 x 42	85	156	11	\$3242	\$40
Ī	FFP01830H42NRUSB	30 x 18 x 42	85	172	13	\$3370	\$51
Ī	FFP01836H42NRUSB	36 x 18 x 42	92.5	187	16	\$3497	\$62

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Pantry Storage - w/USB

**Required specifications** 

Laminate finish

**Optional specifications** 

HP laminate Dry-erase board



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
FFP01224NL	24 x 12 x 49.5	70	133	8	\$2472	\$77
FFP01230NL	30 x 12 x 49.5	85	148	10	\$2591	\$96
FFP01236NL	36 x 12 x 49.5	92.5	162	15	\$2708	\$109
FFP01224NR	24 x 12 x 49.5	70	133	8	\$2472	\$77
FFP01230NR	30 x 12 x 49.5	85	148	10	\$2591	\$96
FFP01236NR	36 x 12 x 49.5	92.5	162	15	\$2708	\$109
FFP01824NL	24 x 18 x 49.5	85	161	12	\$2871	\$104
FFP01830NL	30 x 18 x 49.5	92.5	177	15	\$2997	\$128
FFP01836NL	36 x 18 x 49.5	92.5	192	18	\$3129	\$147
FFP01824NR	24 x 18 x 49.5	85	161	12	\$2871	\$104
FFP01830NR	30 x 18 x 49.5	92.5	177	15	\$2997	\$128
FFP01836NR	36 x 18 x 49.5	92.5	192	18	\$3129	\$147

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224NLUSB	24 x 12 x 49.5	70	133	8	\$3046	\$77
FFP01230NLUSB	30 x 12 x 49.5	85	148	10	\$3165	\$96
FFP01236NLUSB	36 x 12 x 49.5	92.5	162	15	\$3284	\$109
FFP01224NRUSB	24 x 12 x 49.5	70	133	8	\$3046	\$77
FFP01230NRUSB	30 x 12 x 49.5	85	148	10	\$3165	\$96
FFP01236NRUSB	36 x 12 x 49.5	92.5	162	15	\$3284	\$109
FFP01824NLUSB	24 x 18 x 49.5	85	161	12	\$3442	\$104
FFP01830NLUSB	30 x 18 x 49.5	92.5	177	15	\$3573	\$128
FFP01836NLUSB	36 x 18 x 49.5	92.5	192	18	\$3705	\$147
FFP01824NRUSB	24 x 18 x 49.5	85	161	12	\$3442	\$104
FFP01830NRUSB	30 x 18 x 49.5	92.5	177	15	\$3573	\$128
FFP01836NRUSB	36 x 18 x 49.5	92.5	192	18	\$3705	\$147

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Left (NL) shown

Pantry Storage - w/USB

Required specifications

Laminate finish

**Optional specifications** 

HP laminate Dry-erase board

•	1,	` <u></u>	_	•	•	•	
P/	ANT	ΈΥ	ST0	RΑ	GE	8	1



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	DxWxH						
FFP01224H54NL	24 x 12 x 54	70	138	9	\$2551	\$29	
FFP01230H54NL	30 x 12 x 54	85	153	11	\$2673	\$29	
FFP01236H54NL	36 x 12 x 54	92.5	167	14	\$2796	\$40	
FFP01224H54NR	24 x 12 x 54	70	138	9	\$2551	\$29	
FFP01230H54NR	30 x 12 x 54	85	153	11	\$2673	\$29	
FFP01236H54NR	36 x 12 x 54	92.5	167	14	\$2796	\$40	
FFP01824H54NL	24 x 18 x 54	92.5	166	14	\$2956	\$40	
FFP01830H54NL	30 x 18 x 54	92.5	182	17	\$3090	\$51	
FFP01836H54NL	36 x 18 x 54	100	197	20	\$3223	\$57	
FFP01824H54NR	24 x 18 x 54	92.5	166	14	\$2956	\$40	
FFP01830H54NR	30 x 18 x 54	92.5	182	17	\$3090	\$51	
FFP01836H54NR	36 x 18 x 54	100	197	20	\$3223	\$57	

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFP01224H54NLUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NLUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01224H54NRUSB	24 x 12 x 54	70	138	9	\$3126	\$29
FFP01230H54NRUSB	30 x 12 x 54	85	153	11	\$3248	\$29
FFP01236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3370	\$40
FFP01824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NLUSB	36 x 18 x 54	100	197	20	\$3798	\$57
FFP01824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3530	\$40
FFP01830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3665	\$51
FFP01836H54NRUSB	36 x 18 x 54	100	197	20	\$3798	\$57

FFP01830H54NRUSB 30 x 18 x 54 92.5 182 17 \$3665 \$51

FFP01836H54NRUSB 36 x 18 x 54 100 197 20 \$3798 \$57

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be

• For Dry-erase marker board, specify **DE** and **add \$392**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Left (NL) shown

Pantry Storage - w/USB

**Required specifications** 

Laminate finish

**Optional specifications** 

HP laminate Dry-erase board

specified in any standard laminate. FFPOxxxxx will not allow binders.

# **CUBE PEDESTALS**



Left (BBFMKL) shown

Mobile Pedestal - BBF

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
Without lock:						
FTSSP12BBFML	12 x 12 x 28	70	35	2.33	\$873	
FTSSP12BBFMR	12 x 12 x 28	70	35	2.33	\$873	
With Lock:						
FTSSP12BBFMKL	12 x 12 x 28	70	35	2.33	\$951	
FTSSP12BBFMKR	12 x 12 x 28	70	35	2.33	\$951	

Mobile pedestal with two open boxes in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).

50

Left (BFMKL) shown

Mobile Pedestal - BF

Without lock:						
FTSSP12BFML	12 x 12 x 22	70	28	1.83	\$685	
FTSSP12BFMR	12 x 12 x 22	70	28	1.83	\$685	
With Lock:						
FTSSP12BFMKL	12 x 12 x 22	70	28	1.83	\$762	
FTSSP12BFMKR	12 x 12 x 22	70	28	1.83	\$762	

Mobile pedestal with one open box in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).



Left (SFMKL) shown

Mobile Pedestal - FF

Without lock:						
FTSSP12SFML	12 x 12 x 28	70	35	2.33	\$796	
FTSSP12SFMR	12 x 12 x 28	70	35	2.33	\$796	
With Lock:						
FTSSP12SFMKL	12 x 12 x 28	70	35	2.33	\$996	
FTSSP12SFMKR	12 x 12 x 28	70	35	2.33	\$996	

Mobile pedestal with one closed storage box at the top, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Closed storage box interior dimensions: 10-1/2"H x 11-13/16"W x 10-7/16"D Includes four locking casters, metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. Door locks, if specified are located on the top right corner for the right pedestal and top left corner for the left pedestal of each box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).

### **Required specifications**

Metal finish Laminate finish

## F FREEFIT



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
Without lock:						
FTSSPH12BFBL	12 x 12 x 24	92.5	26	2.33	\$679	
FTSSPH12BFBR	12 x 12 x 24	92.5	26	2.33	\$679	
With Lock:						
FTSSPH12BFBKL	12 x 12 x 24	92.5	26	2.33	\$755	
FTSSPH12BFBKR	12 x 12 x 24	92.5	26	2.33	\$755	

Hanging pedestal with one file box in the middle and two open boxes, one at the top and one at the bottom. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "**K**" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

Left (BFKL) shown

Without lock:						
FTSSPH12BFL	12 x 12 x 18.5	92.5	20	1.83	\$490	
FTSSPH12BFR	12 x 12 x 18.5	92.5	20	1.83	\$490	
With Lock:						
FTSSPH12BFKL	12 x 12 x 18.5	92.5	20	1.83	\$568	
FTSSPH12BFKR	12 x 12 x 18.5	92.5	20	1.83	\$568	

Hanging pedestal with one file box at the bottom and one open box at the top. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "**K**" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

**Required specifications** 

Metal finish Laminate finish

HANGING PEDESTALS				
	>			

**Hanging Pedestal Box*** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
FTSSPH12B	12 x 12 x 6	125	6	0.96	\$190	

Hanging pedestal open box. Attaches to the underside of a worksurface with supplied screws to create an open box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

FTSSPH12BB	12 x 12 x 6	100	12	1.42	\$379



Hanging Pedestal - Two Open Boxes*

Hanging pedestal with two open boxes. Attaches to the underside of a worksurface with supplied screws. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).

FTFELT03BC	12 x 12 x 6	70	0.01	0.03	\$36	
------------	-------------	----	------	------	------	--

**Felt Shelf Liner** 

Felt shelf liner can be added to any closed back shelf. Front edge is cut at 45°.

Required specifications


Metal finish*

Laminate finish*

### BACK-TO-BACK TABLE - 21"H DIVIDERS

DxWxH

- FreeFit table mounted dividers for single table or single table row; recessed 6.5" at both ends (for example 72" (70" actual) FreeFit table mounted divider measures 57").
- The center of all dividers is always mounted 2.250" from worksurface's rear edge.
   Please note the gap between the divider and the worksurface therefore varies,
   depending on the divider thickness (1.250" framed dividers. 0.750" frameless LP and 0.250" frameless glass).
- 48" (33" actual) 66" (51" actual) dividers have 2 mounting brackets.
- 72" (57" actual) dividers have 3 mounting brackets.



FreeFit Back-to-Back stationary dividers; stationary, shared, secured to table structure; recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").

The center of all dividers is always mounted 2.250" from worksurface's rear edge. Please note the gap between the divider and the worksurface therefore varies, depending on the divider thickness (1.250" Framed dividers, 0.750" frameless LP

and 0.250" frameless glass). 48" (33" actual) divider for 48" (46" actual) table Framed dividers (Tackable fabric, 54" (39" actual) divider for 54" (52" actual) table LP, HP, Dryerase, Magnetic/dry-erase) 60" (45" actual) divider for 60" (58" actual) table 66" (51" actual) divider for 66" (64" actual) table Frameless LP 72" (57" actual) divider for 72" (70" actual) table Frameless glass 6.5" 2.250" 2.250"

Application example illustrates relationship between 57" shared divider and 72" (70" actual) FreeFit Back-to-Back table.

70"

• Example Order: BWASFD72 (actual dimension of 57") for BWA2D6072A8 (actual dimension of 70").

## F

## **FREEFIT**

FELT DIVIDERS	MODEL#		GHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
• 9mm thick panels offered in 9 finishes		D x W x H FELT CO	OLORS				
<ul> <li>Made from 100% PET (polyester) fibe</li> </ul>	or with a high content (50%)		Black		MTS	Mist	
material, free of added chemicals, bind		BRI	Brick		PWT	Pewter	
Lightweight panels are tackable, impac		DEN	Denim		SHR	Shamrock	
		GPH	Graphite		WHT	White	
moisture resistant, and installation frie	•	, HVT	Harvest				
Variation in fiber mix and color are inhe	erent to the character of the pro-	oduct					
			ET FINISH				
		BLK	Black		NEV	Nevada	
		CHR	Charcoal		SIL	Silver	
		DWT	U	vvnite	TPE	Taupe	
		FOG	Fog		TUN	Tungsten	
ELT DIVIDERS	MODEL#	DIMENSIONS FREI	GHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	BWAFMPSN36	4.17 x 21 x 13.94	70	1.84	0.71	\$187	
	BWAFMPSN42	4.17 x 27 x 13.94	250	2.32	0.91	\$204	
$\wedge$	BWAFMPSN48	4.17 x 33 x 13.94	250	2.44	1.11	\$284	
	BWAFMPSN54	4.17 x 39 x 13.94	250	2.86	1.31	\$319	
	BWAFMPSN60	4.17 x 45 x 13.94	250	3.27	1.51	\$360	
	BWAFMPSN66	4.17 x 51 x 13.94	250	3.68	1.72	\$508	
$\sim$	BWAFMPSN72	4.17 x 57 x 13.94	250	4.09	1.92	\$541	
odesty Felt Divider		divider is tackable. Fastens					
		. Kit includes felt modesty, s	support extrus	on and let	t and right bra	ickets. Available in 9 PE	: I felt colors.
	Please specify.						
	BWAFPN36	5.86 x 21 x 18.24	300	2.21	1.3	\$199	
	BWAFPN42	5.86 x 27 x 18.24	300	2.77	1.67	\$224	
	BWAFPN48	5.86 x 33 x 18.24	300	2.82	2.04	\$304	
	BWAFPN54	5.86 x 39 x 18.24	300	3.29	2.41	\$340	
	BWAFPN60	5.86 x 45 x 18.24	300	3.75	2.78	\$387	
	BWAFPN66	5.86 x 51 x 18.24	300	4.22	3.15	\$543	
	BWAFPN72	5.86 x 57 x 18.24	300	4.69	3.53	\$579	
arallel Felt Divider		n Freefit tables. 9mm thick F					
	worksurface. Kit in	cludes felt divider, support ex	trusion and le	t and right	brackets. Avai	ilable in 9 PET felt colors	s. Please specify.
	BWAFWR2346	18.46 x 46.84 x 18.24	65	26.58	1.07	\$586	
	BWAFWR2352	18.46 x 52.84 x 18.24		28.4	1.21	\$620	
$\wedge$	BWAFWR2358	18.46 x 58.84 x 18.24		30.22	1.34	\$653	
	BWAFWR2364	18.46 x 64.84 x 18.24		32.02	0.74	\$863	
The state of the s	BWAFWR2370	18.46 x 70.84 x 18.24		33.84	0.81	\$920	
	BWAFWR2946	24.46 x 46.84 x 18.24		30.74	1.07	\$663	
	BWAFWR2952	24.46 x 52.84 x 18.24		32.55	0.6	\$872	
gle	BWAFWR2958	24.46 x 58.84 x 18.24		34.37	0.67	\$930	
.9.0	BWAFWR2964	24.46 x 64.84 x 18.24		36.19	0.74	\$987	
	BWAFWR2970	24.46 x 70.84 x 18.24	60	38	0.81	\$1045	
	End of Run:						
	BWAFWR2351	18.46 x 51.34 x 18.24	65	27.94	1.05	\$591	
	BWAFWR2951	24.46 x 51.34 x 18.24		32.09	0.62	\$871	
	BWAFWR2363	18.46 x 63.34 x 18.24		31.57	1.5	\$860	
	BWAFWR2963	24.46 x 63.34 x 18.24		35.73	0.87	\$984	
d of Run						•	
elt Wrap Around Divider*	Wraps around Free	efit tables to provide privacy.	9mm thick PE	T felt divid	ler is tackable	. Fastens to the undersi	de of the
-		lled divider measures 15.7"					
		se choose standard base fini					
		num extrusion - Add <b>\$156</b> lis					
		se ceiling feed option with the					
	Required Specifica Felt color		tional Specific odized extrusion				
	Bracket finish	An	ouizeu extrusior				
	DIGGROU IIIIIOII						

$\sim$		
∢ `		
$\rightarrow$		
	\\	11
	7	

FELT DIVIDERS

**Felt Parallel Divider** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
BWAFPDN36	5.86 x 21 x 30.68	8 300	2.79	2.18	\$294	
BWAFPDN42	5.86 x 27 x 30.68	8 300	3.56	2.81	\$321	
BWAFPDN48	5.86 x 33 x 30.6	8 150	3.82	3.43	\$456	
BWAFPDN54	5.86 x 39 x 30.68	8 150	4.5	4.06	\$505	
BWAFPDN60	5.86 x 45 x 30.68	8 150	5.17	4.68	\$589	
BWAFPDN66	5.86 x 51 x 30.68	8 150	5.85	5.31	\$902	
BWAFPDN72	5.86 x 57 x 30.6	8 150	6.53	5.93	\$957	

Felt divider and modesty panel kit secures to the rear bottom of a regular FreeFit table and provides privacy above and below the worksurface. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the top of the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify.

BWAFC2432L	18.52 x 32.46 x 18.24	150	3.82	6.35	\$414
BWAFC2432R	18.52 x 32.46 x 18.24	150	3.82	6.35	\$414
BWAFC2438L	18.52 x 38.46 x 18.24	250	5.46	7.52	\$472
BWAFC2438R	18.52 x 38.46 x 18.24	250	5.46	7.52	\$472
BWAFC2448L	18.52 x 47.46 x 18.24	250	6.16	9.28	\$508
BWAFC2448R	18.52 x 47.46 x 18.24	250	6.16	9.28	\$508
BWAFC3032L	24.52 x 32.46 x 18.24	250	5.72	8.40	\$467
BWAFC3032R	24.52 x 32.46 x 18.24	250	5.72	8.40	\$467
BWAFC3038L	24.52 x 38.46 x 18.24	250	6.19	9.95	\$501
BWAFC3038R	24.52 x 38.46 x 18.24	250	6.19	9.95	\$501
BWAFC3048L	24.52 x 47.46 x 18.24	250	6.89	12.28	\$538
BWAFC3048R	24 52 x 47 46 x 18 24	250	6.89	12.28	\$538

Felt Corner Wrap secures to the side and rear bottom of a FreeFit table, wraps around one side and provides limited privacy. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface. Kit includes felt dividers, support extrusion and large and small brackets. Available in 9 PET felt colors. Please specify.



**Corner Wrap Felt Divider** 

**Required Specifications** 

Felt color Bracket finish

### F

### **FREEFIT**

TABLE MOUNTED DIVIDERS



Table Mounted Framed Divider, Fabric*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	D x W x H					
BWATMFD48	1.25 x 33 x 21.5	85	16	1.23	\$431	
BWATMFD54	1.25 x 39 x 21.5	85	18	1.46	\$532	
BWATMFD60	1.25 x 45 x 21.5	85	20	1.68	\$581	
BWATMFD66	1.25 x 51 x 21.5	85	22	1.90	\$652	
BWATMFD72	1.25 x 57 x 21.5	85	26	2.13	\$712	

Connects parallel on Freefit single and back-to-back tables. Fabric divider is tackable. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. Available in the following textiles:

• Global: Anchorage, Lola, and Merge.

Table Mounted Framed Divider, Laminate**

					LIST PRICE	HP ADD	DE ADD	DM ADD
BWATMLD48	1.25 x 33 x 21.5	85	35	1.23	\$283	\$165	\$340	\$519
BWATMLD54	1.25 x 39 x 21.5	85	39	1.46	\$319	\$213	\$424	\$655
BWATMLD60	1.25 x 45 x 21.5	85	44	1.68	\$379	\$225	\$446	\$697
BWATMLD66	1.25 x 51 x 21.5	85	48	1.90	\$436	\$308	\$932	\$1382
BWATMLD72	1.25 x 57 x 21.5	85	52	2.13	\$475	\$311	\$926	\$1373

Connects parallel on Freefit single and back-to-back tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side.



Table Mounted Laminate Divider**

BWATMLLD48	.75 x 33 x 21.5	125	16	1.23	\$339	
BWATMLLD54	.75 x 39 x 21.5	125	18	1.46	\$359	
BWATMLLD60	.75 x 45 x 21.5	125	20	1.68	\$380	
BWATMLLD66	.75 x 51 x 21.5	125	22	1.90	\$561	
BWATMLLD72	.75 x 57 x 21.5	125	26	2.13	\$580	

Connects parallel on Freefit single and back-to-back tables. Laminate divider with integrated accessory rail, installed on one side only. Integrated anodized aluminum accessory rail, white cut out and rail trims; white power coat brackets. 3/4" LP PVC edged boards. Specify laminate and PVC edge. Fastens to the underside of the worksurface. 1.88" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets.



**Table Mounted Glass Divider** 

BWATMGD48	.25 x 33 x 21.5	125	16	1.23	\$724
BWATMGD54	.25 x 39 x 21.5	125	19	1.46	\$779
BWATMGD60	.25 x 45 x 21.5	125	22	1.68	\$834
BWATMGD66	.25 x 51 x 21.5	125	24	1.90	\$884
BWATMGD72	.25 x 57 x 21.5	125	28	2.13	\$942

Frameless glass divider connects parallel on Freefit single and back-to-back tables. Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powder coated steel support brackets. Fastens to the underside of the worksurface. 2.13" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 4.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. 1/2" radius on all four corners.

### **Required specifications**

Fabric³

Laminate finish**

Metal frame finish

STATIONARY DIVIDERS

Stationary Framed Divider, Fabric*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
BWASFD48	1.25 x 33 x 37.2	92.5	25	2.13	\$941
BWASFD54	1.25 x 39 x 37.2	92.5	28	2.52	\$959
BWASFD60	1.25 x 45 x 37.2	92.5	31	2.91	\$990
BWASFD66	1.25 x 51 x 37.2	92.5	34	3.29	\$1052
BWASFD72	1.25 x 57 x 37.2	92.5	37	3.68	\$1344

Provides a stationary framed divider between back-to-back height adjustable tables. Fabric divider is tackable. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor. Available in the following textiles:

• Global: Anchorage, Lola, and Merge



Stationary Framed Divider, Laminate**

					LIST PRICE	HP ADD	DE ADD	DM ADD
BWASLD48	2 x 33 x 37.2	65	58	2.13	\$1194	\$405	\$849	\$2224
BWASLD54	2 x 39 x 37.2	65	66	2.52	\$1287	\$434	\$893	\$2338
BWASLD60	2 x 45 x 37.2	65	73	2.91	\$1308	\$435	\$893	\$2339
BWASLD66	2 x 51 x 37.2	65	81	3.29	\$1407	\$486	\$1951	\$4694
BWASLD72	2 x 57 x 37.2	65	88	3.68	\$1923	\$724	\$1875	\$5003

Provides a stationary framed divider between back-to-back height adjustable tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor.



Stationary Laminate Divider**

BWASLLD48	2 x 33 x 37.2	85	28	2.13	\$685	
BWASLLD54	2 x 39 x 37.2	85	33	2.52	\$706	
BWASLLD60	2 x 45 x 37.2	85	37	2.91	\$725	
BWASLLD66	2 x 51 x 37.2	85	41	3.29	\$1098	
BWASLLD72	2 x 57 x 37.2	85	46	3.68	\$1120	

Provides a stationary laminate divider between back-to-back height adjustable tables. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 1.88" gap between worksurface and divider allows for cable pass-through. Installed divider measures 54" from floor.



**Stationary Glass Divider** 


BWASGD48	2 x 33 x 37.2	85	30	2.13	\$642
BWASGD54	2 x 39 x 37.2	85	34	2.52	\$730
BWASGD60	2 x 45 x 37.2	85	39	2.91	\$828
BWASGD66	2 x 51 x 37.2	85	43	3.29	\$918
BWASGD72	2 x 57 x 37.2	85	48	3.68	\$1006

Provides a stationary glass divider between back-to-back height adjustable tables. Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powder coated steel support brackets. Divider is anchored to the base and captured between two aluminum upright tracks. The uprights have sliding brackets that connect the worksurfaces to the divider providing continuous support as it travels up and down. 2.13" gap between worksurface and divider allows for cable pass-through. 1/2" radius on top two corners.

**Required specifications** 

Fabric*
Laminate finish**
Metal frame finish

WELLNESS SCREENS- POLYCARBONATE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH				
	FFTDP2436H24	31.75 x 34 x 24.6	125	26.55	3.94	\$1126
	FFTDP2442H24	31.75 x 40 x 24.6	125	28.10	4.59	\$1162
	FFTDP2448H24	31.75 x 46 x 24.6	150	29.65	5.25	\$1194
	FFTDP2454H24	31.75 x 52 x 24.6	150	31.20	5.94	\$1229
	FFTDP2460H24	31.75 x 58 x 24.6	150	32.75	6.56	\$1263
	FFTDP2466H24	31.75 x 64 x 24.6	150	34.30	7.22	\$1295
	FFTDP2472H24	31.75 x 70 x 24.6	150	35.85	7.88	\$1331
	FFTDP2478H24	31.75 x 76 x 24.6	150	37.40	8.53	\$1366
	FFTDP2484H24	31.75 x 82 x 24.6	150	38.95	9.19	\$1399
	FFTDP3036H24	37.75 x 34 x 24.6	100	40.50	4.72	\$1205
	FFTDP3042H24	37.75 x 40 x 24.6	125	42.05	5.51	\$1241
	FFTDP3048H24	37.75 x 46 x 24.6	125	43.60	6.29	\$1275
	FFTDP3054H24	37.75 x 52 x 24.6	125	45.15	7.08	\$1312
	FFTDP3060H24	37.75 x 58 x 24.6	150	46.70	7.85	\$1344
	FFTDP3066H24	37.75 x 64 x 24.6	150	48.25	8.65	\$1377
	FFTDP3072H24	37.75 x 70 x 24.6	150	49.80	9.44	\$1412
	FFTDP3078H24	37.75 x 76 x 24.6	150	51.35	10.22	\$1446



24"H Polycarbonate Divider Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).

52.90

11.01

\$1481

• FFTDP24xxH24 are for configurations with 23" deep surfaces.

37.75 x 82 x 24.6

150

• FFTDP30xxH24 are for configurations with 29" deep surfaces

FFTDP2436H30	31.75 x 34 x 30.6	125	26.55	3.94	\$1263
FFTDP2442H30	31.75 x 40 x 30.6	125	28.10	4.59	\$1304
FFTDP2448H30	31.75 x 46 x 30.6	150	29.65	5.25	\$1344
FFTDP2454H30	31.75 x 52 x 30.6	150	31.20	5.91	\$1382
FFTDP2460H30	31.75 x 58 x 30.6	150	32.75	6.56	\$1422
FFTDP2466H30	31.75 x 64 x 30.6	150	34.30	7.22	\$1460
FFTDP2472H30	31.75 x 70 x 30.6	150	35.85	7.88	\$1500
FFTDP2478H30	31.75 x 76 x 30.6	150	37.40	8.53	\$1538
FFTDP2484H30	31.75 x 82 x 30.6	150	38.95	9.19	\$1578
FFTDP3036H30	37.75 x 34 x 30.6	100	40.50	4.72	\$1340
FFTDP3042H30	37.75 x 40 x 30.6	125	42.05	5.51	\$1382
FFTDP3048H30	37.75 x 46 x 30.6	125	43.60	6.29	\$1421
FFTDP3054H30	37.75 x 52 x 30.6	125	45.15	7.08	\$1457
FFTDP3060H30	37.75 x 58 x 30.6	150	46.70	7.87	\$1496
FFTDP3066H30	37.75 x 64 x 30.6	150	48.25	8.65	\$1537
FFTDP3072H30	37.75 x 70 x 30.6	150	49.80	9.44	\$1573
FFTDP3078H30	37.75 x 76 x 30.6	150	51.35	10.22	\$1615
FFTDP3084H30	37.75 x 82 x 30.6	150	52.90	11.01	\$1655



30"H Polycarbonate Divider Screen

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).


- FFTDP24xxH30 are for configurations with 23" deep surfaces
- FFTDP30xxH30 are for configurations with 29" deep surfaces

### **Required specifications**

Frame finish

FFTDP3084H24

LASS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		DxWxH					
	FFTDG2436H24	31.50 x 36 x 24.6	0 125	26.55	3.94	\$1569	\$318
	FFTDG2442H24	31.50 x 42 x 24.6	0 125	28.10	4.59	\$1621	\$325
	FFTDG2448H24	31.50 x 48 x 24.6	0 150	29.65	5.25	\$1674	\$338
	FFTDG2454H24	31.50 x 54 x 24.6	0 150	31.20	5.91	\$1724	\$350
	FFTDG2460H24	31.50 x 60 x 24.6	0 150	32.75	6.56	\$1782	\$358
	FFTDG2466H24	31.50 x 66 x 24.6	0 150	34.30	7.22	\$1829	\$371
	FFTDG2472H24	31.50 x 72 x 24.6	0 150	35.85	7.88	\$1894	\$383
	FFTDG2478H24	31.50 x 78 x 24.6	0 150	37.40	8.53	\$1932	\$391
	FFTDG2484H24	31.50 x 84 x 24.6	0 150	38.95	9.19	\$1983	\$403
	FFTDG3036H24	37.75 x 36 x 24.6	0 100	40.50	4.72	\$1674	\$338
	FFTDG3042H24	37.75 x 42 x 24.6	0 125	42.05	5.51	\$1719	\$345
	FFTDG3048H24	37.75 x 48 x 24.6	0 125	43.60	6.29	\$1770	\$358
	FFTDG3054H24	37.75 x 54 x 24.6	0 150	45.15	7.08	\$1822	\$371
1	FFTDG3060H24	37.75 x 60 x 24.6	0 150	46.70	7.87	\$1874	\$378
	FFTDG3066H24	37.75 x 66 x 24.6	0 150	48.25	8.65	\$1932	\$391
41	FFTDG3072H24	37.75 x 72 x 24.6	0 150	49.80	9.44	\$1977	\$396
	FFTDG3078H24	37.75 x 78 x 24.6	0 150	51.35	10.22	\$2029	\$409
	FFTDG3084H24	37.75 x 84 x 24.6	0 150	52.90	11.01	\$2082	\$423




**WELLNESS SCREENS - GL** 

24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- FFTDG24xxH24 are for configurations with 24" deep surfaces.
- FFTDG30xxH24 are for configurations with 30" deep surfaces.

FFTDG2436H30	31.50 x 36 x 30.60	125	28.85	3.97	\$1647	\$333
FFTDG2442H30	31.50 x 42 x 30.60	125	30.40	4.59	\$1699	\$345
FFTDG2448H30	31.50 x 48 x 30.60	125	31.95	5.25	\$1749	\$350
FFTDG2454H30	31.50 x 54 x 30.60	150	33.50	5.91	\$1808	\$365
FFTDG2460H30	31.50 x 60 x 30.60	150	35.05	6.56	\$1861	\$378
FFTDG2466H30	31.50 x 66 x 30.60	150	36.60	7.22	\$1907	\$383
FFTDG2472H30	31.50 x 72 x 30.60	150	38.15	7.88	\$1945	\$391
FFTDG2478H30	31.50 x 78 x 30.60	150	39.70	8.53	\$2016	\$409
FFTDG2484H30	31.50 x 84 x 30.60	150	41.25	9.19	\$2074	\$416
FFTDG3036H30	37.75 x 36 x 30.60	100	42.80	4.72	\$1749	\$350
FFTDG3042H30	37.75 x 42 x 30.60	100	44.35	5.51	\$1808	\$365
FFTDG3048H30	37.75 x 48 x 30.60	125	45.90	6.29	\$1854	\$378
FFTDG3054H30	37.75 x 54 x 30.60	125	47.45	7.08	\$1907	\$383
FFTDG3060H30	37.75 x 60 x 30.60	125	49	7.87	\$1965	\$396
FFTDG3066H30	37.75 x 66 x 30.60	150	50.55	8.65	\$2016	\$409
FFTDG3072H30	37.75 x 72 x 30.60	150	52.10	9.44	\$2041	\$409
FFTDG3078H30	37.75 x 78 x 30.60	150	53.65	10.22	\$2120	\$429
FFTDG3084H30	37.75 x 84 x 30.60	150	55.20	11.01	\$2172	\$436




30"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). Add 20% upcharge for frosted glass (FRST).

- FFTDG24xxH30 are for configurations with 24" deep surfaces.
- FFTDG30xxH30 are for configurations with 30" deep surfaces.

Required specifications	Optional specifications
Frame finish	Frosted glass (FRST)

FELT DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	FFTDF2436H24	31.50 x 36 x 24.6	0 125	22.55	3.94	\$937
	FFTDF2442H24	31.50 x 42 x 24.6	0 125	24.10	4.59	\$961
	FFTDF2448H24	31.50 x 48 x 24.6	0 150	25.65	5.25	\$986
	FFTDF2454H24	31.50 x 54 x 24.6	0 150	27.20	5.91	\$1010
	FFTDF2460H24	31.50 x 60 x 24.6	0 150	28.75	6.56	\$1037
	FFTDF2466H24	31.50 x 66 x 24.6	0 150	30.30	7.22	\$1063
	FFTDF2472H24	31.50 x 72 x 24.6	0 150	31.85	7.88	\$1086
	FFTDF2478H24	31.50 x 78 x 24.6	0 150	33.40	8.53	\$1111
	FFTDF2484H24	31.50 x 84 x 24.6	0 150	34.95	9.19	\$1160
	FFTDF3036H24	37.75 x 36 x 24.6	0 100	36.50	4.72	\$968
	FFTDF3042H24	37.75 x 42 x 24.6	0 125	38.05	5.51	\$1056
	FFTDF3048H24	37.75 x 48 x 24.6	0 125	39.60	6.29	\$1019
	FFTDF3054H24	37.75 x 54 x 24.6	0 150	41.15	7.08	\$1044
	FFTDF3060H24	37.75 x 60 x 24.6	0 150	41.70	7.87	\$1069
	FFTDF3066H24	37.75 x 66 x 24.6	0 150	44.25	8.65	\$1095
	FFTDF3072H24	37.75 x 72 x 24.6	0 150	45.80	9.44	\$1117
🦮	FFTDF3078H24	37.75 x 78 x 24.6	0 150	47.35	10.22	\$1142
	FFTDF3084H24	37.75 x 84 x 24.6	0 150	48.90	11.01	\$1193




24"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- FFTDF24xxH24 are for configurations with 24" deep surfaces.
- FFTDF30xxH24 are for configurations with 30" deep surfaces.

FFTDF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$930
FFTDF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$954
FFTDF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$976
FFTDF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$999
FFTDF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1022
FFTDF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1045
FFTDF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1069
FFTDF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1092
FFTDF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1147
FFTDF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$975
FFTDF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$998
FFTDF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1021
FFTDF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1044
FFTDF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1069
FFTDF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1092
FFTDF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1114
FFTDF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1137
FFTDF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1191



30"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9

- FFTDF24xxH30 are for configurations with 24" deep surfaces.
- FFTDF30xxH30 are for configurations with 30" deep surfaces

### **Required Specifications**

Frame finish

Felt finish

### **JUNCTION**[™]



Designed by Zooey Chu, **Junction™** provides an affordable solution for boardroom, classroom and presentation room applications. Offered in 20", 24" and 30" depths and a variety of table top shapes to create unique configurations.

A freestanding or shared leg configuration with the unique "Y" leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.

Y Leg Design



Modesty Panel



Shared leg configuration provides more legroom and decreases the overall costs

### Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional Radius Corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- JUNCTION™ tops are available in Global laminate finishes with 2 leg options.

# J JUNCTION™ - NOTES

### **GENERAL INFORMATION**

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications
- · Ability for tables to be set up as freestanding or shared leg configuration
- Unique design by Zooey Chu
- Half round, trapezoid and Keystone tops are available to create a variety of configurations
- Rectangular tops are available in 20", 24" and 30" depths
- Optional modesty panels with integrated wire troughs are available for use with rectangular tops
- Optional large electrical manager provides a safe environment for equipment wires
- Special width tops are available. Use next size up.
- Shipped R.T.A. (Ready to Assemble). Each component is packaged individually; Legs are shipped one per carton.
- For environmental certifications, please visit globalfurnituregroup.com

### WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in High Pressure. Contact Customer care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

### CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity
- Tops are pre-drilled with threaded steel inserts
- Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.

### **EDGE DETAIL**

- Tops are sealed with Global's preferred edge in matching color.
- Optional Radius corners (RM) are available on rectangular tops at no upcharge.

### **LEGS**

- · Unique Y design
- Straight leg available for assembly with Half Round tops and Keystone tops
- Heavy duty steel construction
- Coated with environmentally friendly recycled paint that provides a durable finish
- Black plastic leveling glides offer 5/8" adjustability
- Available in Black (TBL), Cloud (TIV), Designer White (TDW), Fog (TFO), Frost (TFR), Kalua (TKA), Latte (TLA), Mocha (TMO), Nevada (TNE), Sand (TSN), Shadow (TSH), Toast (TOA) or Tungsten (TTU) finish.
- Y Legs: 17.5" leg span 20"D top, 21.5" leg span 24"D top, 24.5" leg span 30"D top.

### **CASTERS**

- Optional casters are available
- 1½" Dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides
- · Suggested for carpeted surfaces
- · Available in Black only
- Sold in packages of two

#### GANGING

- Ganging plates are available for ganging workstations together
- Ganging plates are black epoxy coated steel plates with two thumbscrews
- Provides maximum stability and torque reduction

### **FLUSH PLATE**

- Suggested for top clusters (fixed configurations for additional stability)
- Sold individually and shipped with two thumbscrews for mounting
- No tools required
- Flush plate allows for ganging together of two or more tops

### WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors
- $\bullet$  3½" high x 4¼" deep Black PVC channel attaches to the underside of top

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY FINISH

ate Finishes:			Legs:	
Absolute Acajou	NBL	Noce Biondo	TBL	Black
Asian Night	NGL	Noce Grigio	TIV	Cloud
Avant Cherry	NEL	Noce Leggero	TDW	Designer White
Avant Honey	NML	Noce Medio	TFO	Fog
Black	QTM	Quartered Mahogany	TFR	Frost
Blizzard	SBY	Sheer Beauty	TKA	Kalua
Brushed Cobalt	SDT	Stonedust	TLA	Latte
Clear Maple	SOG	Storm Grey	TM0	Mocha
Custom Grey	WHE	Walnut Heights	TNE	Nevada
Dark Espresso	WHC	White Chocolate	TSN	Sand
Designer White	WCR	Winter Cherry	TSH	Shadow
Fashionista			TOA	Toast
First Class			TTU	Tungsten
	Absolute Acajou Asian Night Avant Cherry Avant Honey Black Blizzard Brushed Cobalt Clear Maple Custom Grey Dark Espresso Designer White Fashionista	Absolute Acajou Asian Night Asian Night NGL Avant Cherry NEL Avant Honey NML Black OTM Blizzard SBY Brushed Cobalt Clear Maple Custom Grey Dark Espresso WHC Designer White Fashionista	Absolute Acajou Asian Night NGL Noce Grigio Avant Cherry NEL Noce Leggero Avant Honey NML Noce Medio Black QTM Quartered Mahogany Blizzard SBY Sheer Beauty Brushed Cobalt Clear Maple Custom Grey Dark Espresso WHC White Chocolate Designer White WCR WIGHE Noce Biondo Noce Biondo Noce Hegio Quartered Mahogany SBY Sheer Beauty STOR Stonedust WHE Walnut Heights WCR Winter Cherry Fashionista	Absolute Acajou NBL Noce Biondo TBL Asian Night NGL Noce Grigio TIV Avant Cherry NEL Noce Leggero TDW Avant Honey NML Noce Medio TFO Black QTM Quartered Mahogany TFR Blizzard SBY Sheer Beauty TKA Brushed Cobalt SDT Stonedust TLA Clear Maple SOG Storm Grey TMO Custom Grey WHE Walnut Heights TNE Dark Espresso WHC White Chocolate TSN Designer White WCR Winter Cherry TSH Fashionista

### 3. SPECIFY OPTIONS

### **Modesty Panels**

- 11¼" high panel attaches to the underside of rectangular tops
- · Standard with integrated wire trough
- Available in black PVC

### Grommets

- Grommets are available in Rectangular and Trapezoid Tops (left, center or right).
   See below for available locations. Order as: AG1, AG2 or AG3. Add \$96.
   For Keystone worksurface locations, order as AG2. Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



Grommets may be placed at non-standard locations. Order as: AGS - Add \$96. A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
in the back reference section.


### **Power Block**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location
  and the Power Block model #. Order Power Block as PMSPDM, ADD \$330.
   Power Blocks are available in standard worksurface locations (left, center or right).
   Order as E1, E2 or E3. Add \$96.




Power Block PMSPDM, Add \$330

### **EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS**




### **VILLA CUTOUTS**

- Optional Villa cutout available in standard worksurface locations (left, center or right) for Rectangular Tables. Order as: V1, V2 or V3. Add \$96 for each cutout.
- Villa cutouts may be placed at non-standard locations. Please contact customer service.



# J JUNCTION™

	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	JNR2042	<b>D x W x H</b> 20 x 42 x 1	65	26	1.1	\$371
	JNR2048	20 x 42 x 1 20 x 48 x 1	65	29	1.15	\$414
	JNRU2054	20 x 54 x 1	65	33	1.13	\$513
	JNRU2060	20 x 60 x 1	65	37	1.4	\$552
	JNRU2066	20 x 66 x 1	65	41	1.55	\$596
	JNRU2072	20 x 72 x 1	65	45	1.66	\$636
	JNR2442	24 x 42 x 1	65	31	1.25	\$371
	JNR2448	24 x 48 x 1	65	35	1.4	\$414
	JNRU2454	24 x 54 x 1	65	42	1.52	\$513
	JNRU2460	24 x 60 x 1	65	47	1.67	\$552
	JNRU2466	24 x 66 x 1	65	52	1.82	\$596
	JNRU2472	24 x 72 x 1	65	57	2	\$636
	JNR3042	30 x 42 x 1	65	38	1.51	\$451
$\hat{}$	JNR3048	30 x 48 x 1	65	44	1.7	\$475
	JNRU3054	30 x 54 x 1	65	52	1.9	\$590
	JNRU3060	30 x 60 x 1	65	59	2.1	\$633
	JNRU3066	30 x 66 x 1	65	64	2.26	\$677
	JNRU3072	30 x 72 x 1	65	70	2.5	\$721
nngular Top	Pre-drilled with th  16 gauge steel s		freestanding and l	inking insta	llations. <b>Tops</b>	54" and longer are standa
F ROUND TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	JNHFS2040	20 x 40 x 1	70	23	1.05	\$393
	JNHFS2048	20 x 48 x 1	65	27.5	1.15	\$407
	0.4111 02040	20 % 10 % 1		27.0	1.10	Ų 10 <i>1</i>
_	JNHFS2448	24 x 48 x 1	65	34	1.4	\$437
	JNHFS2454	27 x 54 x 1	65	38.25	1.52	\$516
		-		-		·
	JNHFS3060	30 x 60 x 1	60	53	1.67	\$566
<i></i>	JNHFS3066	33 x 66 x 1	60	58.3	1.82	\$708
f Round Top	configurations. • JNHFS2040/JN • JNHFS2448/JN	readed steel inserts for IHFS2048 for use with 2 IHFS2454 for use with 3 IHFS3066 for use with 3	20" deep joining e 24" deep joining e	dge dge	llations. Four l	egs are required for freestand
	configurations. • JNHFS2040/JN • JNHFS2448/JN	IHFS2048 for use with 2 IHFS2454 for use with 2 IHFS3066 for use with 3	20" deep joining e 24" deep joining e	dge dge	llations. Four l	egs are required for freestand
	configurations. • JNHFS2040/JN • JNHFS2448/JN • JNHFS3060/JN MODEL#	IHFS2048 for use with 2 IHFS2454 for use with 2 IHFS3066 for use with 3 DIMENSIONS	20" deep joining e 24" deep joining e 80" deep joining e FREIGHT CLASS	dge dge dge <b>WT/LB</b> .	CUBIC FT.	
	configurations. • JNHFS2040/JN • JNHFS2448/JN • JNHFS3060/JN	IHFS2048 for use with 2 IHFS2454 for use with 2 IHFS3066 for use with 3	20" deep joining e 24" deep joining e 30" deep joining e	dge dge dge		LIST PRICE
	configurations.  • JNHFS2040/JN  • JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060	IHFS2048 for use with 2 IHFS2056 for use with 3 IHFS3066 for use with 3 IHFS30	20" deep joining e 24" deep joining e 80" deep joining e FREIGHT CLASS 65 65	dge dge dge WT/LB.	1.15 1.4	LIST PRICE \$384 \$456
	configurations.  • JNHFS2040/JN  • JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448	IHFS2048 for use with 2 IHFS2054 for use with 2 IHFS3066 for use with 3  DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1  20.5 x 48 x 1	20" deep joining e 24" deep joining e 30" deep joining e FREIGHT CLASS 65 65	dge dge dge WT/LB.	1.15 1.4	LIST PRICE \$384 \$456 \$434
·	configurations.  • JNHFS2040/JN  • JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060	IHFS2048 for use with 2 IHFS2056 for use with 3 IHFS3066 for use with 3 IHFS30	20" deep joining e 24" deep joining e 80" deep joining e FREIGHT CLASS 65 65	dge dge dge WT/LB.	1.15 1.4	LIST PRICE \$384 \$456
	configurations.  • JNHFS2040/JN  • JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448	IHFS2048 for use with 2 IHFS2054 for use with 2 IHFS3066 for use with 3  DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1  20.5 x 48 x 1	20" deep joining e 24" deep joining e 30" deep joining e FREIGHT CLASS 65 65	dge dge dge WT/LB.	1.15 1.4	LIST PRICE \$384 \$456 \$434
	configurations.  JNHFS2040/JN  JNHFS2448/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460	IHFS2048 for use with 2 IHFS2054 for use with 2 IHFS3066 for use with 3  DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1  20.5 x 48 x 1 20.5 x 60 x 1	20" deep joining e 24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65	dge dge dge WT/LB. 27.5 34 33 41.25	1.15 1.4 1.4 1.67	\$384 \$456 \$434 \$522
	configurations.  JNHFS2040/JN  JNHFS2448/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060	IHFS2048 for use with 2 IHFS2054 for use with 2 IHFS3066 for use with 3  DIMENSIONS  15.25 x 48 x 1 15.25 x 60 x 1  20.5 x 48 x 1 20.5 x 60 x 1	20" deep joining e 24" deep joining e 30" deep joining e FREIGHT CLASS 65 65 65	dge dge dge WT/LB. 27.5 34 33 41.25	1.15 1.4 1.67 2.1	\$384 \$456 \$434 \$522 \$570
PEZOID TOPS  *Adjoining edge	configurations.  JNHFS2040/JN  JNHFS2448/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with th	##F\$2048 for use with 2 ##F\$2046 for use with 2 ##F\$3066 for use with 3 ####\$ ####\$ ##F\$306 for use	20" deep joining e 24" deep joining e 20" deep joining e 50" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65	dge dge dge WT/LB. 27.5 34 33 41.25 50.5 61	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
*Adjoining edge	configurations.  JNHFS2040/JN  JNHFS2448/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with th  JNTT2048/JNT	##F\$2048 for use with 2 ##F\$2054 for use with 2 ##F\$3066 for use with 3 ##F\$3060 for use with 2 ##F\$3060 for use with 20	20" deep joining e 24" deep joining e 24" deep joining e 50" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 65	dge dge dge WT/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
APEZOID TOPS  *Adjoining edge	configurations.  JNHFS2040/JN  JNHFS2040/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with th  JNTT2048/JNT  JNTT2448/JNT	##F\$2048 for use with 2 ##F\$2054 for use with 2 ##F\$3066 for use with 3 ##F\$3060 for use with 20	20" deep joining e 24" deep joining e 24" deep joining e 50" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 deep joining edgeddeep joining edgeddeep joining edgeddeep	dge dge dge WT/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
*Adjoining edge	configurations.  JNHFS2040/JN  JNHFS2040/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with th  JNTT2048/JNT  JNTT2448/JNT	##F\$2048 for use with 2 ##F\$2054 for use with 2 ##F\$3066 for use with 3 ##F\$3060 for use with 2 ##F\$3060 for use with 20	20" deep joining e 24" deep joining e 24" deep joining e 50" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 deep joining edgeddeep joining edgeddeep joining edgeddeep	dge dge dge WT/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570
APEZOID TOPS  APEZOID TOPS  Adjoining edge  pezoid Top	configurations.  JNHFS2040/JN  JNHFS2040/JN  JNHFS3060/JN  MODEL#  JNTT2048 JNTT2060  JNTT2448 JNTT2460  JNTT3060 JNTT3072  Pre-drilled with th  JNTT2048/JNT  JNTT2448/JNT	##F\$2048 for use with 2 ##F\$2054 for use with 2 ##F\$3066 for use with 3 ##F\$3060 for use with 20	20" deep joining e 24" deep joining e 24" deep joining e 50" deep joining e FREIGHT CLASS 65 65 65 65 65 65 65 65 deep joining edgeddeep joining edgeddeep joining edgeddeep	dge dge dge WT/LB.  27.5 34 33 41.25 50.5 61 as. Not free	1.15 1.4 1.4 1.67 2.1 2.5	\$384 \$456 \$434 \$522 \$570



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
JN5S2424	24 x 42 x 1	65	35	1.4	\$443	
JN5S3030	30 x 54 x 1	65	53	2.1	\$566	

**Keystone Top** 

Pre-drilled with threaded steel inserts for linking installations. **Keystone shape is for V configurations/shared applications only; not intended for freestanding applications**.

	• <b>JN5S2424</b> for	ly; not intended for freesta use with 20" deep joining edg use with 24" deep joining edg	je	cations.			
MODESTY PANELS	MODEL#	DIMENSIONS FREI	GHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	
	JNMP42	6.92 x 29.19 x 11.25	250	3.7	1.5	\$307	
	JNMP48	6.92 x 35.19 x 11.25	250	4.5	1.75	\$344	
	JNMP54	6.92 x 41.19 x 11.25	250	5	2	\$385	
P	JNMP60	6.92 x 47.19 x 11.25	250	5.9	2.25	\$423	
	JNMP66	6.92 x 53.19 x 11.25	250	6.6	2.5	\$453	
	JNMP72	6.92 x 59.19 x 11.25	250	7.4	2.75	\$492	
VIRE MANAGEMENT	MODEL#	DIMENSIONS FREI	GHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	
WIRE MANAGEMENT	MODEL# JNEC5S	<b>DIMENSIONS FREI</b> 4.14 x 12.5 x 3.63	70	<b>WT/LB</b> .	0.1	LIST PRICE \$83	
WIRE MANAGEMENT  Wire Manager	JNEC5S	4.14 x 12.5 x 3.63  S Keystone Tops. For manag	70	1	0.1	\$83	channel connec
	JNEC5S  For use with <b>JN5</b> to predrilled hole  JNEC42	4.14 x 12.5 x 3.63  S Keystone Tops. For manag	70	1	0.1 power connect	\$83	channel connec
	JNEC5S  For use with JN5 to predrilled hole  JNEC42 JNEC48	4.14 x 12.5 x 3.63  S Keystone Tops. For manags in table top.	70 ging additiona 125 125	1 al wires and	0.1	<b>\$83</b> tors. 3½"H Black PVC	channel connec
	JNEC5S  For use with JN5 to predrilled hole  JNEC42 JNEC48 JNEC54	4.14 x 12.5 x 3.63 <b>S Keystone Tops</b> . For manages in table top.  4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63	70 ging additiona 125 125 125	1 al wires and 2.52 2.88 3.24	0.1 power connect 0.33 0.38 0.43	\$83 tors. 3½"H Black PVC \$195 \$226 \$256	channel conne
	JNEC5S  For use with JN5 to predrilled hole  JNEC42 JNEC48 JNEC54 JNEC560	4.14 x 12.5 x 3.63 <b>S Keystone Tops</b> . For manages in table top.  4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63 4.14 x 59.75 x 3.63	70 ging additional 125 125 125 125	1 al wires and 2.52 2.88 3.24 3.6	0.1 power connect 0.33 0.38 0.43 0.48	\$83 tors. 3½"H Black PVC \$195 \$226 \$256 \$283	channel conne
	JNEC5S  For use with JN5 to predrilled hole  JNEC42 JNEC48 JNEC54	4.14 x 12.5 x 3.63 <b>S Keystone Tops</b> . For manages in table top.  4.14 x 41.75 x 3.63 4.14 x 47.75 x 3.63 4.14 x 53.75 x 3.63	70 ging additiona 125 125 125	1 al wires and 2.52 2.88 3.24	0.1 power connect 0.33 0.38 0.43	\$83 tors. 3½"H Black PVC \$195 \$226 \$256	channel conne

Wire Manager

For use with <b>JNR Rectangular Tops</b> .	For managing additional wires and power connectors.	3½"H Black PVC channel
connects to predrilled holes in the tabl	e top.	

Required Specifications	Optional Specifications	Accessories	
Finish	Grommet	Power Block	

# **J** JUNCTION™

~	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GJNLEG20	17.25 x 2 x 27.5	150	8.5	2	\$294
Leg	Leg span is 17½". • List price is per • See 629 for ava		dard. <b>For assen</b>	nbly with 20	)" deep tops	
	GJNLEG24	21.5 x 2 x 27.5	150	10	2.5	\$294
Leg	• List Price is per • See 629 for ava	ilable finishes.				
?	GJNLEG30	24.5 x 2 x 27.5	250	11	2.85	\$317
Leg	Leg span is 24½". • List Price is per • See 629 for ava		dard. <b>For assen</b>	nbly with 30	)" deep tops	
>	JNLEG	1 x 2 x 27.3	150	6	1.3	\$260
	• List Price is per • See 629 for ava  JNCP  Set of (2) 1½" dua Black only.	each leg. ilable finishes.  I wheel casters, one locki				section of the sectio
	• List Price is per • See 629 for ava  JNCP  Set of (2) 1½" dua Black only. • For use with Jul	each leg. ilable finishes.  I wheel casters, one locki				\$63
	• List Price is per • See 629 for ava  JNCP  Set of (2) 1½" dua Black only. • For use with Jul	each leg. ilable finishes.  I wheel casters, one locki				\$63
aight Leg  sters  umbscrews	List Price is per     See 629 for ava  JNCP  Set of (2) 1½" dua Black only.     For use with Jul     Casters DO NOT  JNTS  Triangular thumbs	each leg. ilable finishes.  I wheel casters, one lockinction units only affect table height	 ing. Suggested f	 for carpeted s	 surfaces. Caste 	\$63 ors are fully interchangeable with glides
sters	List Price is per     See 629 for ava  JNCP  Set of (2) 1½" dua Black only.     For use with Jul     Casters DO NOT  JNTS  Triangular thumbs	each leg. ilable finishes.   I wheel casters, one lockinction units only affect table height   crew with ¾" steel thread ithout tools. Black only.	 ing. Suggested f	 for carpeted s	surfaces. Caste	s63 Tes are fully interchangeable with glides





### **Ganging Flush Plate**

Flush Plate

Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.



JNFP1	5.25 d x 5.25 w	 	 \$36
JNFP4	5.25 d x 5.25 w	 	 \$133

Assures alignment on adjoining worksurfaces of the same height. Bolts included. Available in Black only.

JNFP1 - 1 per carton. JNFP4 - 4 per carton.

Required	Specifications
Finish	




Kadin adds modern flair to your meeting space. From formal conference rooms to intimate meeting spaces or open forums, Kadin fits wherever people meet. Choose from round, square or rectangular tops in a variety of sizes with multiple edge options. Table depths start at 36", available widths are almost limitless. Surfaces are offered in architectural grade veneer and high-pressure laminate. The beautifully sculpted leg support maximizes leg clearance to keep guests comfortable. Extending from the leg support, the beam structure and connectors create visual interest as people come together. Pre-configured base assemblies make it easy to specify.

### **Features and Benefits**

- Constructed of 45lb. density particleboard with high pressure laminate or grade A veneers
- 3 top shapes
- Solid die-cast aluminum leg with adjustable glide
- 5 edge options
- Metal bases available in 8 finishes
- Beam available in 7 finishes to match leg



90° connector



60° connector (for three leg tables only)



Beam construction

# K

### **GENERAL INFORMATION**

- Laminate or veneer tops with multiple edge options
- Three top shapes round, square, rectangular
- Pre-configured assemblies make specifying easy
- Kadin pairs perfectly with storage from a number of Global desking series
- For environmental certifications, please visit globalfurnituregroup.com

# TABLES WITH LAMINATE TOPS: CONSTRUCTION

- Constructed of 45 lb. density particleboard with high pressure laminate
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- · Solid die-cast aluminum leg with adjustable glide

### WORKSURFACES

- Available in 1-1/16" or 1-7/16" high pressure laminate tops with a 3mm PVC edge or 1-3/16" high pressure laminate top with a 3mm PVC edge trim
- Laminate surfaces offer a selection of matching + coordinating edge band, specify separately from the surface finish
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces. If woodgrain laminate is chosen, the woodgrain pattern may not line up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

### **EDGES**

- Tables with **B** Edge are 1-1/16" thick and have a 3mm PVC edge
- Tables with a W Edge are 1-7/16" thick and have a 3mm PVC edge
- Tables with a KL edge are 1-3/16" thick with a 3mm PVC edge and a 2" undercut knife profile
- Square and Rectangular Tables with a B or W edge have a 1" radius at each corner.
   For 90° corners, please add NR at the end of the product code. No upcharge.
- Square and Rectangular tables with a KL edge have 90° corners. There is no radius corner option for the KL edge.

# TABLES WITH VENEER TOPS: CONSTRUCTION

- Constructed of 45 lb. density particleboard with grade A veneers
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- Solid die-cast aluminum leg with adjustable glide

### WORKSURFACES

- 1-3/16" thick veneer tops with choice of edge.
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces.
- Veneer wood grain will run with the length of the table and align at the seam up to 180"
- Veneer wood grain will run with the depth of the table (i.e. cross grain) on tables 192" and up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly

### **EDGES**

- Tables with a FV edge are 1-3/16" thick with a flat 3mm hardwood edge, stained to match to veneer.
- Tables with a KV edge are 1-3/16" thick with a flat 3mm hardwood edge and 2" undercut knife edge profile.
- Square and Rectangular Tables with the FV and KV edge have 90° corners. There is no radius corner option.

### **GROMMETS**

- Grommets available in standard table top locations (left, center or right).
   Order as: AG1, AG2 or AG3. Add \$96
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



· Actual grommet locations will vary according to base selection.


### **WIRE MANAGEMENT**

 For vertical and horizontal wire management, please refer to wire management section below, or Productivity Solutions on page 474.

### **CUT-OUTS FOR POWER BLOCKS**

- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes. Add \$96 for each cut-out.
- Cut-outs may be placed at non-standard locations. Please contact customer care.
- Match power block desired with cut-out code and location from above grid
- Power module cut-out locations are not available on all models please see diagrams to the right for restrictions.

*Oasis Mini is not available on 36"D models due to space restrictions caused by beam placement. Only available on 60" square and 60" round 4-leg tables.



# K KADIN™ - HOW TO SPECIFY

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY FINISH

LAMI	NATE FINISHES			LEG FINIS	HES			
ACJ ASN AWC AWH	Absolute Acajou Asian Night Avant Cherry Avant Honey	FCL NBL NGL NEL	First Class Noce Biondo Noce Grigio Noce Leggero	CHM CHR NEV TPE	Chrome Charcoal Nevada Taupe	BLK DWT SIL TUN	Black Designer V Silver Tungsten	White
BLK BRC BZD CMB CGY	Black Brushed Cobalt Blizzard Clear Maple Custom Grey	NML QTM SBY SDT SOG	Noce Medio Quartered Mahogany Sheer Beauty Stonedust Storm Grey	BEAM FIN BLK DWT SIL TUN	IISHES Black Designer White Silver Tungsten	CHR NEV TPE	Charcoal Nevada Taupe	
DES DWT FAS	Dark Espresso Designer White Fashionista	WHE WHC WCR	Walnut Heights White Chocolate Winter Cherry	VENEER F Code AMW	<b>Finish</b> Almond Cherry	Veneer Typ Cherry	)e	<b>Cut</b> Flat Sliced
EDGE	FINISHES (Laminate Surfaces On	ıly)		ACW	Amber Cherry	Cherry		Flat Sliced
AAE ASE ACE	Absolute Acajou Asian Night Avant Cherry	NBL NGL NEL	Noce Biondo Noce Grigio Noce Leggero	BTW CAW CRW DCW	Biscotti Cocoa Walnut Coral Dark Cherry	White Oak Walnut White Oak Cherry		Rift Flat Sliced Rift Flat Sliced
AHE BLK BZD	Avant Honey Black Blizzard	NML QTM SBY	Noce Medio Quartered Mahogany Sheer Beauty	DWW EWW EVW	Dark Walnut Espresso Walnut Evening Oak	Walnut Walnut White Oak		Flat Sliced Flat Sliced Rift
BRC CHR CME	Brushed Cobalt Charcoal ( <i>use w/SOG</i> ) Clear Maple	SIL SDT SOG	Silver Stonedust Storm Grey	GRW HAW JAW	Grey on Oak Hazelnut Java	White Oak Maple White Oak		Rift Flat Sliced Rift
CGY DEE	Custom Grey Dark Espresso	TPE WHE	Taupe Walnut Heights	LTW MHW MTW	Latte Walnut Mahogany on Walnut Milestone	Walnut Walnut White Oak		Flat Sliced Flat Sliced Rift
DWE FAS FCL	Designer White Fashionista First Class	CBE WCE	White Chocolate Winter Cherry	MPW NLW RCW	Natural Maple Natural Walnut Red Cherry	Maple Walnut Cherry		Flat Sliced Flat Sliced Flat Sliced


### 3. SPECIFY OPTIONS

First Class


Edge Options:	<b>"B" Edges</b> Laminate surface with PVC edge	<b>"W" Edges</b> Laminate surface with PVC edge	<b>"KL" Edges</b> Laminate surface with PVC edge	<b>"FV" Edges</b> Veneer surface with Hardwood edge	<b>"KV" Edges</b> Veneer surface with Hardwood edge
	HP (B) 1-1/16" Thickness	HP (W) 1-7/16" Thickness	HP (KL) 1-3/16" Thickness	(FV) 1-3/16" Thickness	(KV) 1-3/16" Thickness
	В	W	KL	FV	KV .

### **CUT-OUT LOCATIONS:**

### Square Table - position 2 only



### **Round Table - position 2 only**




### **Rectangular Table**

- Cut-out only in position 2: LKD3648, LKD3654, LKD4248, LKD4254, LKD4854
- One cut-out choice only (position 1, 2 or 3): LKD3660, LKD3666, LKD3672, LKD4260, LKD4266, LKD4272

ULW

Umber Walnut

• Up to 3 cut-outs in position 1, 2 and/or 3: LKD3678, LKD3684, LKD3696, LKD4278, LKD4284, LKD4296, LKD4878, LKD4884, LKD4896




### Rectangular Table - 2 piece top

Walnut


• Up to 2 cut-outs in position 1 and/or 3 - all sizes

Flat Sliced



### Rectangular Table - 3 piece top

• Up to 3 cut-outs in position 1, 2 and/or 3 - all sizes



Note: Grommet orientation follows the length of table.

FV EDGE KV EDGE

SQUARE TABLES - LAMINATE				

Square Table - Laminate Top	Somare 1	Table -	Laminate	Ton*
-----------------------------	----------	---------	----------	------

MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	B-EDGE	W-EDGE KL-EDG	E
	DxWxH						
LKD3636	36 x 36 x 29-29.5	100	73	4	\$1824	\$2049 \$2124	
LKD4242	42 x 42 x 29-29.5	100	86	4	\$2181	\$2395 \$2575	
LKD4848	48 x 48 x 29-29.5	92.5	107	5	\$2560	\$2821 \$2996	
LKD5454	54 x 54 x 29-29.5	85	120	5	\$2819	\$3136 \$3588	
LKD6060	60 x 60 x 29-29.5	92.5	135	6	\$3107	\$3486 \$4106	

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

SQUARE TABLES - VENEER			

**Square Table - Veneer Top** 

LKD3636K	36 x 36 x 29-29.5	100	73	4	<b>\$2529 \$2619</b>
LKD4242K	42 x 42 x 29-29.5	92.5	86	4	\$3012 \$3133
LKD4848K	48 x 48 x 29-29.5	92.5	107	5	\$3568 \$3726
LKD5454K	54 x 54 x 29-29.5	85	120	5	\$4321 \$4518
LKD6060K	60 x 60 x 29-29.5	92.5	135	6	\$5015 \$5257

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

ROUND TABLES - LAMINATE								

Round Table - 3 Legs*

					B-EDGE	W-EDGE	KL-EDGE
LKD36DIA	36 x 36 x 29-29.5	92.5	66	3	\$1470	\$1701	\$1981
LKD42DIA	42 x 42 x 29-29.5	85	78	3	\$1813	\$2029	\$2532
LKD48DIA	48 x 48 x 29-29.5	85	99	4	\$2152	\$2421	\$3074
LKD54DIA	54 x 54 x 29-29.5	85	111	4	\$2412	\$2737	\$3758
LKD60DIA	60 x 60 x 29-29.5	85	126	5	\$2694	\$3083	\$4429

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes three legs, three 60-degree connectors and three leg beams.



Round Table - 4 Legs*

LKD436DIA	36 x 36 x 29-29.5	100	66	3	\$1911	\$2136	\$2302
LKD442DIA	42 x 42 x 29-29.5	92.5	78	3	\$2181	\$2395	\$2792
LKD448DIA	48 x 48 x 29-29.5	92.5	99	4	\$2560	\$2821	\$3385
LKD454DIA	54 x 54 x 29-29.5	85	111	4	\$2819	\$3136	\$4003
LKD460DIA	60 x 60 x 29-29.5	92.5	126	5	\$3107	\$3486	\$4700

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

Required	Specifications
Top Finish	
Log Einich	

Optional Specifications
Grommet

Accessories

__ F

Top Finish Leg Finish Edge Finish* Edge Style Power Block





Round Table - 3 Legs

**Round Table - 4 Legs** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
	DxWxH					
LKD36DIAK	36 x 36 x 29-29.	5 92.5	66	3	\$2408	\$2522
LKD42DIAK	42 x 42 x 29-29.	5 85	78	3	\$3033	\$3184
LKD48DIAK	48 x 48 x 29-29.	5 85	99	4	\$3735	\$3943
LKD54DIAK	54 x 54 x 29-29.	5 85	111	4	\$4622	\$4877
LKD60DIAK	60 x 60 x 29-29.	5 85	126	5	\$5524	\$5835

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes three legs, three 60-degree connectors and three leg beams.

LKD436DIAK	36 x 36 x 29-29.5	100	66	3	\$2634 \$2748
LKD442DIAK	42 x 42 x 29-29.5	92.5	78	3	\$3271 \$3422
LKD448DIAK	48 x 48 x 29-29.5	92.5	99	4	\$4022 \$4230
LKD454DIAK	54 x 54 x 29-29.5	85	111	4	\$4842 \$5097
LKD460DIAK	60 x 60 x 29-29.5	92.5	126	5	\$5769 \$6080

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

	and rour log boarno.							
ANGULAR TABLES - LAMINATE						B-EDGE	W-EDGE	KL-EDGE
	LKD3648	36 x 48 x 29-29.5	100	75	4	\$2258	\$2488	\$2553
	LKD3654	36 x 54 x 29-29.5	92.5	81	4	\$2357	\$2614	\$2788
	LKD3660	36 x 60 x 29-29.5	100	88	5	\$2458	\$2738	\$2956
	LKD3666	36 x 66 x 29-29.5	100	95	5	\$2560	\$2865	\$3123
	LKD3672	36 x 72 x 29-29.5	92.5	101	5	\$2658	\$2985	\$3291
	LKD3678	36 x 78 x 29-29.5	92.5	105	5	\$2758	\$3110	\$3460
	LKD3684	36 x 84 x 29-29.5	92.5	108	5	\$2859	\$3237	\$3627
	LKD3696	36 x 96 x 29-29.5	100	115	6	\$3061	\$3487	\$3965
	LKD4248	42 x 48 x 29-29.5	92.5	87	4	\$2418	\$2645	\$2774
	LKD4254	42 x 54 x 29-29.5	100	90	5	\$2538	\$2789	\$3033
	LKD4260	42 x 60 x 29-29.5	100	94	5	\$2657	\$2926	\$3229
	LKD4266	42 x 66 x 29-29.5	92.5	101	5	\$2774	\$3069	\$3422
	LKD4272	42 x 72 x 29-29.5	92.5	106	5	\$2895	\$3210	\$3620
	LKD4278	42 x 78 x 29-29.5	100	110	6	\$3010	\$3350	\$3812
	LKD4284	42 x 84 x 29-29.5	100	113	6	\$3130	\$3492	\$4007
	LKD4296	42 x 96 x 29-29.5	92.5	129	6	\$3368	\$3774	\$4398
	11/04054	40 54 00 00 5	400	0.4		40750	40000	****
	LKD4854	48 x 54 x 29-29.5	100	94	5	\$2753	\$3030	\$3283
	LKD4860	48 x 60 x 29-29.5	100	99	5	\$2885	\$3189	\$3504
	LKD4866	48 x 66 x 29-29.5	100	107	6	\$3018	\$3343	\$3724
· ·	LKD4872	48 x 72 x 29-29.5	100	114	6	\$3151	\$3501	\$3946
T	LKD4878	48 x 78 x 29-29.5	92.5	120	6	\$3282	\$3662	\$4166
1	LKD4884	48 x 84 x 29-29.5	92.5	125	6	\$3416	\$3818	\$4387
II.	LKD4896	48 x 96 x 29-29.5	92.5	149	7	\$3678	\$4131	\$4828

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

Required Specifications
Top Finish

Optional Specifications Grommet

Accessories

Power Block

Leg Finish Edge Finish* Edge Style

Rectangular Table*

ABLES - LAMINATE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	B-EDGE	W-EDGE KL-EDGE
		D x W x H					
	LKD36108	36 x 108 x 29-29.	5 92.5	154	7	\$4210	\$4526 \$5009
	LKD36120	36 x 120 x 29-29.	5 125	164	8	\$4425	\$4777 \$5344
	LKD42108	42 x 108 x 29-29.	5 150	124	8	\$4491	\$4850 \$5491
	LKD42120	42 x 120 x 29-29.	5 150	141	9	\$4728	\$5120 \$5880
	LKD48108	48 x 108 x 29-29.	5 150	127	9	\$4831	\$5220 \$5982
	LKD48120	48 x 120 x 29-29.	5 150	151	9	\$5101	\$5535 \$6420
	LKD48132	48 x 132 x 29-29.	5 150	164	10	\$5365	\$5840 \$6864
	LKD48144	48 x 144 x 29-29.	5 125	181	10	\$5433	\$5915 \$7296
	LKD48156	48 x 156 x 29-29.	5 150	191	11	\$5893	\$6445 \$7747
	LKD48168	48 x 168 x 29-29.	5 125	206	11	\$6156	\$6741 \$8188
	LKD48180	48 x 180 x 29-29.	5 125	220	12	\$6615	\$7270 \$8636
	LKD54144	54 x 144 x 29-29.	5 150	193	11	\$6069	\$6626 \$8011
1	LKD54168	54 x 168 x 29-29.	5 150	214	12	\$6653	\$7290 \$9000
1	LKD60144	60 x 144 x 29-29.	5 150	206	12	\$6429	\$7033 \$8656
	LKD60168	60 x 168 x 29-29.		227	13	\$7064	\$7759 \$9744



RECTANGULAR

Rectangular Table - 2 piece top

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.



Rectangular Table - 3 piece top

442 \$8105 \$9	\$7442	14	279	150	48 x 192 x 29-29.5	LKD48192
000 \$8724 \$1	\$8000	15	288	150	54 x 192 x 29-29.5	LKD54192
578 \$9387 \$1°	\$8578	16	270	150	54 x 216 x 29-29.5	LKD54216
161 \$10057 \$1	\$9161	17	298	150	54 x 240 x 29-29.5	LKD54240
473 \$9257 \$1	\$8473	16	257	150	60 x 192 x 29-29.5	LKD60192
110 \$9987 \$1	\$9110	17	283	150	60 x 216 x 29-29.5	LKD60216
744 \$10711 \$1:	\$9744	18	311	150	60 x 240 x 29-29.5	LKD60240

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.

Required Specifications	Optional Specifications	Accessories	
Top Finish	Grommet	Power Block	
Leg Finish			
Edge Finish			
Edge Style			




CTANGULAR TABLES - VENEER	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
		D x W x H					
	LKD3648K	36 x 48 x 29-29.5	100	75	4	\$2979	\$3095
	LKD3654K	36 x 54 x 29-29.5	92.5	81	4	\$3269	\$3401
	LKD3660K	36 x 60 x 29-29.5	100	88	5	\$3492	\$3639
	LKD3666K	36 x 66 x 29-29.5	100	95	5	\$3715	\$3877
	LKD3672K	36 x 72 x 29-29.5	92.5	101	5	\$3938	\$4111
	LKD3678K	36 x 78 x 29-29.5	92.5	105	5	\$4162	\$4353
	LKD3684K	36 x 84 x 29-29.5	92.5	108	5	\$4387	\$4592
	LKD3696K	36 x 96 x 29-29.5	100	115	6	\$4834	\$5068
	LKD4248K	42 x 48 x 29-29.5	92.5	87	4	\$3272	\$3408
	LKD4254K	42 x 54 x 29-29.5	100	90	5	\$3596	\$3750
	LKD4260K	42 x 60 x 29-29.5	100	94	5	\$3856	\$4026
	LKD4266K	42 x 66 x 29-29.5	92.5	101	5	\$4114	\$4301
	LKD4272K	42 x 72 x 29-29.5	92.5	106	5	\$4373	\$4578
	LKD4278K	42 x 78 x 29-29.5	100	110	6	\$4633	\$4852
	LKD4284K	42 x 84 x 29-29.5	100	113	6	\$4890	\$5129
	LKD4296K	42 x 96 x 29-29.5	92.5	129	6	\$5409	\$5678
$\sim$							
	LKD4854K	48 x 54 x 29-29.5		94	5	\$3926	\$4104
	LKD4860K	48 x 60 x 29-29.5		99	5	\$4218	\$4414
4	LKD4866K	48 x 66 x 29-29.5	100	107	6	\$4513	\$4727
j	LKD4872K	48 x 72 x 29-29.5	100	114	6	\$4806	\$5040
	LKD4878K	48 x 78 x 29-29.5	92.5	120	6	\$5100	\$5355
II	LKD4884K	48 x 84 x 29-29.5	92.5	125	6	\$5395	\$5665
	LKD4896K	48 x 96 x 29-29.5	92.5	149	7	\$5982	\$6293

Rectangular Table

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

LKD36108K	36 x 108 x 29-29.5	125	154	7	\$5971	\$6233
LKD36120K	36 x 120 x 29-29.5	125	164	8	\$6419	\$6709
LKD42108K	42 x 108 x 29-29.5	150	124	8	\$6625	\$6930
LKD42120K	42 x 120 x 29-29.5	150	141	9	\$7141	\$7480
LKD48108K	48 x 108 x 29-29.5	150	127	9	\$7275	\$7622
LKD48120K	48 x 120 x 29-29.5	150	151	9	\$7863	\$8248
LKD48132K	48 x 132 x 29-29.5	150	164	10	\$8450	\$8876
LKD48144K	48 x 144 x 29-29.5	125	181	10	\$9038	\$9499
LKD48156K	48 x 156 x 29-29.5	150	191	11	\$9627	\$10128
LKD48168K	48 x 168 x 29-29.5	125	206	11	\$10214	\$10752
LKD48180K	48 x 180 x 29-29.5	125	220	12	\$10802	\$11380
LKD54144K	54 x 144 x 29-29.5	150	193	11	\$9965	\$10486
LKD54168K	54 x 168 x 29-29.5	150	214	12	\$11281	\$11890
LKD60144K	60 x 144 x 29-29.5	150	206	12	\$10829	\$11407
LKD60168K	60 x 168 x 29-29.5	150	227	13	\$12284	\$12959



Rectangular Table - 2 piece top

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.

Required	Specifications
Ton Einich	

Leg Finish Edge Style Optional Specifications Grommet

Accessories Power Block



Rectangular Table - 3 piece top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
	D x W x H					
LKD48192K	48 x 192 x 29-29.	5 150	279	14	\$12092	\$12707
LKD54192K	54 x 192 x 29-29.	5 150	288	15	\$13305	\$13998
LKD54216K	54 x 216 x 29-29.	5 150	270	16	\$14622	\$15401
LKD54240K	54 x 240 x 29-29.	5 150	298	17	\$15937	\$16802
LKD60192K	60 x 192 x 29-29.	5 150	257	16	\$14456	\$15226
LKD60216K	60 x 216 x 29-29.	5 150	283	17	\$15911	\$16776
LKD60240K	60 x 240 x 29-29.	5 150	311	18	\$17367	\$18327

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.


Required Specifications Top Finish Leg Finish

Edge Style

Optional Specifications Grommet

Accessories Power Block

## K KADIN™





Cable Snake

Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Length under desk is 31.25". Silver (**SIL**) plastic only.

BRTCS	2 x 8 x 30	70	3	.19	\$152

Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

PEWM5.5	2 x 66 x 2	70	.60	.10	\$198	
PEWM5	2 x 60 x 2	70	.60	.10	\$166	
PEWM4.5	2 x 54 x 2	70	.50	.10	\$148	
PEWM4	2 x 48 x 2	70	.50	.10	\$135	
PEWM3.5	2 x 42 x 2	70	.40	.10	\$116	
PEWM3	2 x 36 x 2	70	.40	.10	\$104	
PEWM2.5	2 x 30 x 2	70	.30	.10	\$85	
PEWM2	2 x 24 x 2	70	.30	.10	\$70	
PEWM1.5	2 x 18 x 2	70	.20	.10	\$55	
PEWM1	2 x 12 x 2	70	.20	.10	\$40	

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (**BLK**) only.

BRTCB76KIT	8 x 34 x 1	70	1.56	.15	\$263
BRTCB70	8 x 70 x 1	100	3.22	.34	\$191
BRTCB64	8 x 64 x 1	92.5	2.94	.29	\$178
BRTCB58	8 x 58 x 1	92.5	2.66	.26	\$172
BRTCB52	8 x 52 x 1	100	2.39	.24	\$162
BRTCB46	8 x 46 x 1	92.5	2.16	.21	\$153
BRTCB40	8 x 40 x 1	70	1.80	.18	\$145
BRTCB34	8 x 34 x 1	70	1.56	.15	\$139
BRTCB28	8 x 28 x 1	70	1.20	.13	\$123
BRTCB22	8 x 22 x 1	70	1.01	.10	\$115
BRTCB16	8 x 16 x 1	70	.73	.07	\$108
BRTCB8	8 x 8 x 1	70	.36	.03	\$97

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.



**Cable Snake** 




Wire Manager



Power/Data Cable Basket



Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.





1/2" thick steel square and round metal bases



Optional power & data modules (on select top sizes)



Factory installed metal inserts for easy metal-to-metal base connection

### Features and Benefits

- Tops are available in various materials to help perfect your interior design. Material choices include: (1) thermally fused laminate, (2) high pressure laminate (3) veneer and (4) solid surface.
- (1) High performance thermally fused laminate tops are 1" thick, with 45 lb. density particle board and feature 2mm thick edgeband.
- (2) High pressure laminate tops are 1-3/16" thick, with either 2mm flat edge or knife edge profiles. Tops with flat edge have 45 lb. density particle board core, tops with knife edge have MDF core.
- (3) Veneer tops are 1-3/16" thick overall with matching flat edge or knife edge
- (4) Solid surface tops are 1-1/4" thick with a plywood or particleboard melamine subtop depending on size, available with flat edge or knife edge
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:
  Coffee table height at 16"H
  End table height at 22"H
  Lounge height at 27"H
  Seated height at 29"H
  Counter height at 36"H
  Bar height at 41.5"H

### **GENERAL INFORMATION**

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series, as well as a variety of solid surface options to choose from tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- Global's counter and bar height stools are a perfect complement to Swap tables with counter and bar height bases.
- For environmental certifications, please visit globalfurnituregroup.com

### WORKSURFACES

- Four material choices: high performance thermally fused laminate, high pressure laminate, veneer and solid surface.
- Thermally fused laminate tops are 1" thick overall, constructed of 45 lb. density particle board core; 2 mm thick flat edge band to match, contrast with, or complement the top surface or corresponding base finish.
- High pressure laminate tops are 1-3/16" thick overall with choice of edge detail. 2mm thick flat edge to match, contrast with or complement the top surface or corresponding base finish on a 45lbs density particle board core. Also available with knife edge detail; edge finish would match top surface; core material is MDF. Recommended for counter applications or other high use areas. Product codes with suffix LK indicate high pressure laminate with knife edge.
- Veneer tops are 1-3/16" thick overall with choice of edge detail flat edge or knife
  edge. Edge finish to correspond to surface finish. When flat edge, core material is
  45 lbs density particle board; when knife edge, core material is MDF. Product codes
  with suffix V indicate veneer.
- Solid surface tops are 1.25" thick overall with choice of edge detail flat edge
  or knife edge. Solid surface material is 0.5" thick with built up edge profile over
  a particle board or plywood subtop depending on overall top size. Product codes
  with suffix SF indicate solid surface with flat edge; product codes with suffix SK
  indicate solid surface with knife edge. There is no edge finish selection on solid
  surface tops. For detailed material information, please reference WilsonArt's Solid
  Surface collection.
- Please see model # for pricing and availability of various material and edge options.
- Refer to 645 or the Global website for available finish options
- · While not all sizes are available in all materials:
  - Worksurfaces of 96" or less in length are standard in one piece (1 carton)
  - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons)
  - Worksurfaces 96", 120" and 144" x 48" include support channels

### **BASES**

- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a 3" diameter cold rolled steel tube.
- GRB14H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel
  tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops
  greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26,w GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- Top plate and base plate of GRB22 and GSB19 models in all heights, have
  pass-through cut-outs to accommodate a single port simplex or dual USB
  module to deliver power or USB charging to the surface. This allows the
  module to be mounted directly above the base and to pass the unit's cord through
  the base column resulting in the cord and plug head exiting from the bottom of the
  base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter halance
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available
  in plated finishes (see 645) at an upcharge and with an extended lead time.
   Please see model # for pricing.
- All bases include six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

Ink

Kalua

Latte

Mocha

Nevada

Scarlet

Shadow

Tungsten

Toast

Sand

TIN

TKA

TLA

TM₀

TNE

**TSN** 

TSR

**TSH** 

TOA

### 1. SPECIFY MODEL NUMBER

Designer White

Fashionista

### 2. SPECIFY FINISHES

Laminate Finishes (thermally fused and high pressure laminates):						
ACJ	Absolute Acajou	FCL	First Class			
ASN	Asian Night	NBL	Noce Biondo			
AWC	Avant Cherry	NGL	Noce Grigio			
AWH	Avant Honey	NEL	Noce Leggero			
BLK	Black	NML	Noce Medio			
BZD	Blizzard	QTM	Quartered Mahogany			
BRC	Brushed Cobalt	SBY	Sheer Beauty			
CMB	Clear Maple	SOG	Storm Grey			
CGY	Custom Grey	SDT	Stonedust			
DES	Dark Espresso	WHE	Walnut Heights			

WHC

WCR

White Chocolate

Winter Cherry

### $\textbf{Solid Surface} \ (\text{applicable for product codes ending in } \textbf{SF} \ \text{or } \textbf{SK} \ \text{only}) :$

### Grade 1:

DWT

FAS

SWH Designer White Grade 2 (upcharge applies):

SBT Beige Tempest SHS Hot Stone

SBX Black Onyx Mirage SFW Frosty White Mirage SMG Milk Glass Spectra SNM Northern Melange

### Veneer Finishes (applicable for product codes ending in V only):

Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWW	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced

#### TFR Frost TTU

Designer White

Bases (plated finishes - upcharge applies):					
CHM	Polished Chrome				
BCH	Brushed Chrome				
ACO	Antique Copper				
SBR	Satin Brass				

Bases (paint finishes):

Black

Buzz Blue

Cactus

Carrot

Cloud

Dijon

Fog

Eggplant

TBL

TBZ

TCC

TCR

TIV

**TDW** 

TDJ

TEG

TF0

JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced
VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

### 3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
- Flat edge (FE) default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies.





- FE Flat edge
- FE contrasting flat edge
- High pressure laminate tops (models ending in LK):
- Knife edge only



- Veneer tops (models ending in V):
- Flat edge (FE) default profile
- Knife edge (KS) optional





FE - flat edge

KS - knife edge

- Solid surface tops (models ending in SF):
- Flat edge (FE) default profile
- 3" radiused corners (R3) optional for square and rectangular tops, upcharge applies.





FE - flat edge

R3 - radiused corners

- Solid surface tops (models ending in SK):
- Knife edge (KS) default profile
- Knife edge with 3" radiused corners (KR), optional for square and rectangular tops, upcharge applies





KS - knife edge

KR - solid surface knife edge w/3" radiused corners

### 4. SPECIFY EDGE FINISH

### Edge finish only applicable for thermally fused laminate tops and HPL tops with FE flat edge

AAE	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASE	Asian Night	DEE	Dark Espresso	QTM	Quartered Mahogany
ACE	Avant Cherry	DWE	Designer White	SAR	Scarlet
AHE	Avant Honey	DJN	Dijon	SBY	Sheer Beauty
BLK	Black	FAS	Fashionista	SHW	Shadow
BZD	Blizzard	FCL	First Class	SDT	Stonedust
BRC	Brushed Cobalt	FOG	Fog	SOG	Storm Grey
BZB	Buzz Blue	LAB	Latte	WHE	Walnut Heights
CCT	Cactus	NBL	Noce Biondo	CBE	White Chocolate
CRO	Carrot	NGL	Noce Grigio	WCE	Winter Cherry
CME	Clear Maple	NEL	Noce Leggero		

### 5. SPECIFY OPTIONS

### POWER BLOCKS AND CUT-OUT LOCATIONS

- · A power block delivers power/data to the table surface
- · Power block modules are ordered separately
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.

Order as E1, M1, R1, T1, V1, etc. Add \$96 for each cut-out.

Cut-outs may be placed in non-standard locations.

Order as ES, MS, RS, TS, or VS - Add \$96.

A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cut-outs may NOT be placed directly over the bases.

Select power block option from Productivity Solutions pages 459-462.

### **SINGLE PORT MODULES**

- Single port module with one tamper resistant simplex or one USB-A + USB-C charging port centered over the base, available for tops supported with single GRB22xx or GSB19xx base in any height
- Specify optional cut-out (Q2) to accommodate when specifying tops. Add \$96.
- Modules are listed on product pages with applicable tops and bases. Modules are ordered separately.

SPUSBACRW72 SPUSBACRB72 SPTRSMXRW72 SPTRSMXRB72




 For White face plate modules, specify code ending in (W72); for Black face plate modules, specify code ending in (B72)

### POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS

PRTMCS401B
PRTMCS401T
PRTMCS401W
PRTMCS421B
PRTMCS421T
PRTMCS421T

PRTMCD602B
PRTMCD602T
PRTMCD602W
PRTMCD622B
PRTMCD622T
PRTMCD622T
PRTMCD642B
PRTMCD642B
PRTMCD642T
PRTMCD642W



*M cut-out not available on Solid Surface tops

### **SPECIFICATIONS**

 Required and optional specifications marked with an * on the pricelist pages with products are applicable to only those products which have the * symbol beside the product name.

### TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

NUMBER OF CHAIRS					
Top Size	Round	Square	Rectangular	Boat	Racetrack
24 x 24	2	2	N/A	N/A	N/A
24 x 30	N/A	N/A	2-3	N/A	N/A
24 x 36	N/A	N/A	3-4	N/A	N/A
30 x 30	3	4	N/A	N/A	N/A
30 x 36	N/A	N/A	4	N/A	N/A
30 x 42	N/A	N/A	4	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A
36 x 42	N/A	N/A	4	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A
54 x 54	5	6	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A
24 x 60	N/A	N/A	4-6	N/A	N/A
24 x 66	N/A	N/A	4-6	N/A	N/A
24 x 72	N/A	N/A	4-6	N/A	N/A
24 x 84	N/A	N/A	4-6	N/A	N/A
24 x 96	N/A	N/A	6-8	N/A	N/A
30 x 60	N/A	N/A	4-6	4-6	4-6
30 x 66	N/A	N/A	4-6	4-6	4-6
30 x 72	N/A	N/A	4-6	4-6	4-6
30 x 84	N/A	N/A	4-6	4-6	4-6
30 x 96	N/A	N/A	6-8	6-8	6-8
36 x 60	N/A	N/A	4-6	4-6	4-6
36 x 66	N/A	N/A	4-6	4-6	4-6
36 x 72	N/A	N/A	4-6	4-6	4-6
36 x 84	N/A	N/A	4-6	4-6	4-6
36 x 96	N/A	N/A	6-8	6-8	6-8
48 x 84	N/A	N/A	6-8	6-8	6-8
48 x 96	N/A	N/A	6-8	6-8	6-8
48 x 120	N/A	N/A	8-10	8-10	8-10
48 x 144	N/A	N/A	10-12	10-12	10-12

		APPLICABL	E BASE OPTIC	NS FOR COR	RESPONDING	ТОР						POWER MGMT OPTIONS
		Lounge H	leight 27"H	Seated He	eight 28.5"H	Counter H	leight 36"H	Bar Hei	ght 41.5"h			
Table Shape/Size	Model # for Top	Round base 22"	Square base 19"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Ωty.	# top pieces	Optional cut-outs in tops applicable for power modules ordere separately
Round (		Nominal base p	late dimension	indicated by 4t	h and 5th charac	cters in base m	odel numbers.					I.
24" diameter	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
48" diameter	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
54" diameter	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
60" diameter	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
Square					1	1						
24" square	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square	GSBTP36	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square	GSBTP42	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" square	GSBTP54_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
60" square	GSBTP60_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
Rectangular		14//	1471	14/7	14/7	14/1	14//	1471	1477			140110
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
•	GRT5STP	GRB22H26	GSB19H26			GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X24 Rectangular 66X24 Rectangular	GRT5HSTP	GRB22H26	GSB19H26	N/A N/A	N/A N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: A2, E2, J2, K2,
	_	GRB22H26	GSB19H26	N/A		GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2, U2, V2
72X24 Rectangular	GRT6STP_	-	GSB19H26		N/A					2		
84X24 Rectangular	GRT7STP_	GRB22H26		N/A	N/A	GRB22H35	GSB19H35 GSB19H35	GRB22H41	GSB19H41		1	3 positions - Left Center/Right
96X24 Rectangular	GRT8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35		GRB22H41	GSB19H41	2	1	Jointol/mg.ic
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	_
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2, M2, R2, T2,
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, V2
72x30 Rectangular	GRT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	_
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x30 Rectangular	GRT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right A1/2/3, E1/2/3,
96x30 Rectangular	GRT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	J1/2/3, K1/2/3,
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M1/2/3, R1/2/3 T1/2/3, U1/2/3,
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	V1/2/3, 01/2/3, V1/2/3
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: A1/3
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	E1/3, J1/3, K1/3, M1/3, R1/3, T1/3 U1/3, V1/3

		APPLICABL	E BASE OPTIO	INS FOR COR	RESPONDING	ТОР						POWER MGMT OPTIONS
		Lounge H	leight 27"H	Seated He	eight 28.5"H	Counter H	leight 36"H	Bar Hei	ght 41.5"h			
Table Shape/Size	Model # for Top	Round base 22"	Square base 19"	Round base 22", 28", 34"	Square base 18.5", 22.5", 28.5"	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordere separately
Racetrack (	)		N	lominal hace n	late dimension i	ndicated by Ath	and 5th charact	are in hase mo	dal numbare			
60X24 Racetrack	GRC5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66X24 Racetrack	GRC5HSTP	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2,
72X24 Racetrack	GRC6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2, U2, V2
	_						GSB19H35			2		
B4X24 Racetrack	GRC7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35		GRB22H41	GSB19H41		1	3 positions - Left Center/Right
96X24 Racetrack	GRC8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	oontol/mg/it
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center:
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	A2, E2, J2, K2, M2, R2, T2,
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, V2
72x30 Racetrack	GRC6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	-
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
34x30 Racetrack	GRC7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Lef
34x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right (E1/2/3, V1/2/3 M1/2/3, A1/2/3
96x30 Racetrack	GRC8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	J1/2/3, K1/2/3
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	R1/2/3, T1/2/3 U1/2/3
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	01/2/0
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	Both ends: A1/3
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	E1/3, J1/3, K1/3 M1/3, R1/3, T1/3 U1/3
Boat Shape			<u>'</u>	'					<u>'</u>	'	'	
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: A2, E2, J2, K2,
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	M2, R2, T2,
72x30 Boat shape	GBT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	U2, V2
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	-
84x30 Boat shape	GBT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Lef
96x30 Boat shape	GBT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center/Right A1/2/3, E1/2/3
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	J1/2/3, K1/2/3
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	M1/2/3, R1/2/3 T1/2/3, U1/2/3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	V1/2/3
<u>'</u>		N/A N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
120x48 Boat shape 144x48 Boat shape	GBT10WTP_ GBT12WTP_	N/A N/A	N/A N/A	GRB28	GSB23	N/A N/A	N/A N/A	N/A N/A	N/A N/A	3	2	Both ends: A1/3 E1/3, J1/3, K1/3 M1/3, R1/3, T1/3 U1/3, V1/3

globalfurnituregroup.com global

		A	PPLICABLE BAS Correspon		OR			POWER MGMT OPTIONS
			Laptop heig	ght 25.6"H				
Table Shape/Size	Model # for Top	Round base 14" Centered column	Square base 12.5" Centered column	Round base N/A	Square base 12.5" Offset column	Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
Round Laptop Tables	No	minal base plate d	mension indicated	d by 4th and 5th	characters in base	model nu	ımbers.	
16.5"dia centered base	GRBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"dia centered base	GRBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"dia centered base	GRBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5"dia offset base	GRBOTP16	N/A	N/A	N/A	GS0B13H25	1	1	None
20"dia offset base	GRBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"dia offset base	GRBOTP22_	N/A	N/A	N/A	GS0B13H25	1	1	None
Square Laptop Tables		14//	14/7	14// 1	0000101120	<u> </u>	<u> </u>	140110
16.5"x16.5" centered base	GSBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20" centered base	GSBTP20	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22" centered base	GSBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5"x16.5" offset base	GSB0TP16	N/A	N/A	N/A	GS0B13H25	1	1	None
20"x20" offset base	GSBOTP20	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22" offset base	GSBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop Ta		I IV/A	IN/A	IN/A	G30B13H23	_ '	'	None
16"x20" centered base		GRB14H25	GSB13H25	I NI/A	NI/A	1	1	None
	GSBTP1620_			N/A	N/A	1	1	None
16"x22" centered base 16"x20" offset base	GSBTP1622_	GRB14H25	GSB13H25	N/A N/A	N/A GS0B13H25	1	1	None
	GSB0T1620_	N/A	N/A	· ·				
16"x22" offset base	GSB0T1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
		А	PPLICABLE BAS CORRESPON		UK			POWER MGMT OPTIONS
		Coffee T	able 16"H		able 22"H			
Table Shape/Size	Model # for Top	Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"	Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
Round Coffee/End Tab	les () *Nomin	al base plate dimensi	on indicated by 4th a	nd 5th character	s in base model numb	oers.		
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Tal	bles		<u> </u>					· · · · · ·
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
			1		1		L	· · · · · ·



Round laptop table for center base

ROUND LAPTOP TABLES FOR CENTER BASE

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	DxWxH								
TFL, flat edge (	1)								
GRBTP16	16 x 16.5 x 1	70	6	0.3	\$214	\$100	n/a	n/a	n/a
GRBTP20	20 x 20 x 1	70	9	0.5	\$245	\$115	n/a	n/a	n/a
GRBTP22	22 x 22 x 1	70	9	0.5	\$277	\$126	n/a	n/a	n/a
HPL, knife edg	e								
GRBTP16LK	16 x 16.5 x 1.19	125	7.5	1	\$525	n/a	n/a	n/a	n/a
GRBTP20LK	20 x 20 x 1.19	125	11	1.5	\$596	n/a	n/a	n/a	n/a
GRBTP22LK	22 x 22 x 1.19	150	11	2	\$645	n/a	n/a	n/a	n/a
Veneer (2)									
GRBTP16V	16 x 16.5 x 1.19	125	7.5	1	\$790	n/a	n/a	n/a	\$75
GRBTP20V	20 x 20 x 1.19	125	11	1.5	\$856	n/a	n/a	n/a	\$75
GRBTP22V	22 x 22 x 1.19	150	11	2	\$921	n/a	n/a	n/a	\$75
Solid Surface,	flat edge (3)								
GRBTP16SF	16 x 16.5 x 1.25	70	11	0.6	\$1652	n/a	\$87	n/a	n/a
GRBTP20SF	20 x 20 x 1.25	70	16	1	\$1939	n/a	\$116	n/a	n/a
GRBTP22SF	22 x 22 x 1.25	70	20	1	\$2031	n/a	\$168	n/a	n/a
Solid Surface,	knife edge (3)								
GRBTP16SK	16 x 16.5 x 1.25	70	11	0.6	\$1749	n/a	\$99	n/a	n/a
GRBTP20SK	20 x 20 x 1.25	70	16	1	\$2043	n/a	\$121	n/a	n/a
GRBTP22SK	22 x 22 x 1.25	70	20	1	\$2140	n/a	\$173	n/a	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 657). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish

Edge finish(1)

**Optional Specifications** 

HP laminate(1 Knife edge(2) Grade 2 solid surface(3) Applicable Bases GRB14H25 GSB13H25

SQUARE LAPTOP TABLES FOR CENTER BASE

$\leq$		$\geqslant$

**Square Tops, for Center Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS AD
	D x W x H								
TFL, flat edge	1) (4)								
GSBTP16	16.5 x 16.5 x 1	65	7	0.3	\$214	\$100	n/a	\$22	n/a
GSBTP20	20 x 20 x 1	70	11	0.5	\$245	\$115	n/a	\$25	n/a
GSBTP22	22 x 22 x 1	65	13	0.5	\$277	\$126	n/a	\$28	n/a
HPL, knife edg	je								
GSBTP16LK	16.5 x 16.5 x 1.1	9 100	8.5	1	\$350	n/a	n/a	n/a	n/a
GSBTP20LK	20 x 20 x 1.19	100	13	1.5	\$440	n/a	n/a	n/a	n/a
GSBTP22LK	22 x 22 x 1.19	100	16	2	\$480	n/a	n/a	n/a	n/a
Veneer (2)									
GSBTP16V	16.5 x 16.5 x 1.1	9 100	8.5	1	\$451	n/a	n/a	n/a	\$71
GSBTP20V	20 x 20 x 1.19	100	13	1.5	\$565	n/a	n/a	n/a	\$86
GSBTP22V	22 x 22 x 1.19	100	16	2	\$620	n/a	n/a	n/a	\$96
Solid Surface,	flat edge (3) (4)								
GSBTP16SF	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1415	n/a	\$81	\$96	n/a
GSBTP20SF	20 x 20 x 1.25	70	21	1	\$1697	n/a	\$121	\$96	n/a
GSBTP22SF	22 x 22 x 1.25	65	26	1	\$1789	n/a	\$145	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSBTP16SK	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1749	n/a	\$99	\$202	n/a
GSBTP20SK	20 x 20 x 1.25	70	21	1	\$2043	n/a	\$128	\$202	n/a
GSBTP22SK	22 x 22 x 1.25	65	26	1	\$2140	n/a	\$173	\$202	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 657). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish

Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾
Knife edge⁽²⁾ Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases GRB14H25 GSB13H25



$\leq$	

**Rectangular Tops, for Center Base** 

RECTANGULAR LAPTOP TABLES FOR CENTER BASE

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	DxWxH								
TFL, flat edge (1	(4)								
GSBTP1620	20 x 16 x 1	65	9	0.4	\$223	\$110	n/a	\$21	n/a
GSBTP1622	22 x 16 x 1	70	11	0.5	\$255	\$115	n/a	\$26	n/a
HPL, knife edg	e								
GSBTP1620LK	16 x 20 x 1.19	92.5	11	1	\$451	n/a	n/a	n/a	n/a
GSBTP1622LK	16 x 22 x 1.19	100	13	1.5	\$495	n/a	n/a	n/a	n/a
Veneer (2)									
GSBTP1620V	16 x 20 x 1.19	92.5	11	1	\$556	n/a	n/a	n/a	\$86
GSBTP1622V	16 x 22 x 1.19	100	13	1.5	\$611	n/a	n/a	n/a	\$90
Solid Surface,	flat edge (3) (4)								
GSBTP1620SF	20 x 16 x 1.25	70	17	0.8	\$1571	n/a	\$99	\$96	n/a
GSBTP1622SF	22 x 16 x 1.25	65	19	0.8	\$1593	n/a	\$104	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSBTP1620SK	20 x 16 x 1.25	70	17	0.8	\$1887	n/a	\$121	\$202	n/a
GSBTP1622SK	22 x 16 x 1.25	65	19	0.8	\$1922	n/a	\$139	\$202	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 657). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾

Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases GRB14H25 GSB13H25

OUND LAPTOP TABLES FOR OFFSET BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
	TFL, flat edge (1)									
	GRBOTP16	16 x 16.5 x 1	70	6	0.3	\$214	\$100	n/a	n/a	n/a
	GRBOTP20	20 x 20 x 1	70	9	0.5	\$245	\$115	n/a	n/a	n/a
	GRBOTP22	22 x 22 x 1	70	11	0.7	\$277	\$126	n/a	n/a	n/a
und laptop table for offset base	HPL, knife edge									
	GRBOTP16LK	16 x 16.5 x 1.1	9 100	8	1	\$525	n/a	n/a	n/a	n/a
	GRBOTP20LK	20 x 20 x 1.19	100	13	1.5	\$596	n/a	n/a	n/a	n/a
	GRBOTP22LK	22 x 22 x 1.19	100	16	2	\$645	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRBOTP16V	16 x 16.5 x 1.1	9 100	8	1	\$790	n/a	n/a	n/a	\$75
	GRB0TP20V	20 x 20 x 1.19	100	13	1.5	\$856	n/a	n/a	n/a	\$75
	GRB0TP22V	22 x 22 x 1.19	100	16	2	\$921	n/a	n/a	n/a	\$75
	Solid Surface, fl	at edge ⁽³⁾								
	GRBOTP16SF	16 x 16.5 x 1.2	5 70	11	0.6	\$1652	n/a	\$87	n/a	n/a
	GRB0TP20SF	20 x 20 x 1.25	70	16	1	\$1939	n/a	\$116	n/a	n/a
	GRB0TP22SF	22 x 22 x 1.25	70	20	1	\$2031	n/a	\$168	n/a	n/a
	Solid Surface, k	nife edge (3)								
	GRBOTP16SK	16 x 16.5 x 1.2	5 70	11	0.6	\$1749	n/a	\$99	n/a	n/a
	GRB0TP20SK	20 x 20 x 1.25	70	16	1	\$2043	n/a	\$121	n/a	n/a
	GRBOTP22SK	22 x 22 x 1.25	70	20	1	\$2140	n/a	\$173	n/a	n/a

metal inserts for ease of assembly to base. One base required.


Required Specifications
Top finish

Edge finish⁽¹⁾

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 657). Tops feature

Optional Specifications
HP laminate⁽¹⁾
Knife edge⁽²⁾ Grade 2 solid surface(3)

Applicable Bases GSOB13H25



SQUARE LAPTOP TABLES FOR CENTER BASE

**Square Tops, for Offset Base** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS AD
	DxWxH								
TFL, flat edge (1	(4)								
GSB0TP16	16.5 x 16.5 x 1	65	7	0.3	\$214	\$100	n/a	\$22	n/a
GSB0TP20	20 x 20 x 1	70	11	0.5	\$245	\$115	n/a	\$25	n/a
GSB0TP22	22 x 22 x 1	70	13	0.7	\$277	\$126	n/a	\$28	n/a
HPL, knife edg	e								
GSBOTP16LK	16.5 x 16.5 x 1.1	9 100	8.5	1	\$350	n/a	n/a	n/a	n/a
GSB0TP20LK	20 x 20 x 1.19	100	13	1.5	\$440	n/a	n/a	n/a	n/a
GSB0TP22LK	22 x 22 x 1.19	100	16	2	\$480	n/a	n/a	n/a	n/a
Veneer (2)									
GSB0TP16V	16.5 x 16.5 x 1.1	9 100	8.5	1	\$451	n/a	n/a	n/a	\$7
GSB0TP20V	20 x 20 x 1.19	100	13	1.5	\$565	n/a	n/a	n/a	\$86
GSB0TP22V	22 x 22 x 1.19	100	16	2	\$620	n/a	n/a	n/a	\$90
Solid Surface,	flat edge (3) (4)								
GSB0TP16SF	16.5 x 16.5 x 1.2	5 65	14	0.6	\$1415	n/a	\$81	\$96	n/a
GSB0TP20SF	20 x 20 x 1.25	70	21	1	\$1697	n/a	\$121	\$96	n/a
GSB0TP22SF	22 x 22 x 1.25	65	26	1	\$1789	n/a	\$145	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSBOTP16SK	16.5 x 16.5 x 1.2	25 65	14	0.6	\$1749	n/a	\$99	\$202	n/a
GSB0TP20SK	20 x 20 x 1.25	70	21	1	\$2043	n/a	\$128	\$202	n/a
GSB0TP22SK	22 x 22 x 1.25	65	26	1	\$2140	n/a	\$173	\$202	n/a

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 657). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾

Knife edge(2) Grade 2 solid surface⁽³⁾ 3" radiused corners⁽⁴⁾ Applicable Bases GSOB13H25

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE

_	

Rectangular Tops, for Offset Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	DxWxH								
TFL, flat edge (1	) (4)								
GSB0T1620	20 x 16 x 1	65	9	0.4	\$223	\$110	n/a	\$23	n/a
GSB0T1622	22 x 16 x 1	70	11	0.5	\$255	\$115	n/a	\$24	n/a
HPL, knife edge	9								
GSB0T1620LK	16 x 20 x 1.19	125	11	1.5	\$451	n/a	n/a	n/a	n/a
GSB0T1622LK	16 x 22 x 1.19	125	13	2	\$495	n/a	n/a	n/a	n/a
Veneer (2)									
GSB0T1620V	16 x 20 x 1.19	125	11	1.5	\$556	n/a	n/a	n/a	\$86
GSB0T1622V	16 x 22 x 1.19	125	13	2	\$611	n/a	n/a	n/a	\$90
Solid Surface,	flat edge (3) (4)								
GSB0T1620SF	20 x 16 x 1.25	70	17	0.8	\$1571	n/a	\$99	\$96	n/a
GSB0T1622SF	22 x 16 x 1.25	65	19	0.8	\$1593	n/a	\$104	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSB0T1620SK	20 x 16 x 1.25	70	17	0.8	\$1887	n/a	\$121	\$202	n/a
GSB0T1622SK	22 x 16 x 1.25	65	19	0.8	\$1922	n/a	\$139	\$202	n/a

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 657). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications
Top finish

Edge finish⁽¹⁾

Optional Specifications
HP laminate(1) Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases GSOB13H25

						344	PIA	DLL.
LAPTOP TABLE BASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	СНМ/ВСН	ACO/SBF
		DxWxH						
	GRB14H25	14 x 14 x 24.5	150	17.54	3.5	\$749	\$86	\$209
14" Round Centered Base								
	GSB13H25	12.5 x 12.5 x 24	.5 150	17.11	3.5	\$775	\$86	\$226
12.5" Square Centered Base	GS0B13H25	12.5 x 12.5 x 24	.5 150	17.11	3.5	\$775	\$86	\$226
12.5" Square Offset Base	1.5" diameter colu included with base	mn. Weighted base for e for attaching to approp	balance includes o	cover plate, (	1.5" adjustable ç	lides to level on	uneven surfa	aces. Screv
	645 (upcharge app	iles).						

Required Specifications Finish

Optional Specifications
Plated finish

ND TOPS, 24-36"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADI
		D x W x H								
	TFL, flat edge (	1)								
	GRBTP24	24 x 24 x 1	70	16	1	\$245	\$124	n/a	n/a	n/a
	GRBTP30	30 x 30 x 1	70	25	1.5	\$283	\$143	n/a	n/a	n/a
	GRBTP36	36 x 36 x 1	70	36	2	\$361	\$183	n/a	n/a	n/a
	HPL, knife edg	e								
	GRBTP24LK	24 x 24 x 1.19	100	19	2	\$750	n/a	n/a	n/a	n/a
	GRBTP30LK	30 x 30 x 1.19	92.5	30	3	\$940	n/a	n/a	n/a	n/a
	GRBTP36LK	36 x 36 x 1.19	92.5	43	4	\$1126	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRBTP24V	24 x 24 x 1.19	100	19	2	\$911	n/a	n/a	n/a	\$61
	GRBTP30V	30 x 30 x 1.19	92.5	30	3	\$1101	n/a	n/a	n/a	\$75
	GRBTP36V	36 x 36 x 1.19	92.5	43	4	\$1301	n/a	n/a	n/a	\$75
	Solid Surface,	flat edge ⁽³⁾								
	GRBTP24SF	24 x 24 x 1.25	70	24	1.2	\$2083	n/a	\$168	n/a	n/a
	GRBTP30SF	29.8 x 29.8 x 1.2	5 70	37	1.8	\$2273	n/a	\$231	n/a	n/a
	GRBTP36SF	36 x 36 x 1.25	70	53	2.5	\$2905	n/a	\$346	n/a	n/a
	Solid Surface,	knife edge (3)								
	GRBTP24SK	24 x 24 x 1.25	70	24	1.2	\$2140	n/a	\$180	n/a	n/a
	GRBTP30SK	29.8 x 29.8 x 1.2	5 70	37	1.8	\$2358	n/a	\$248	n/a	n/a
	GRBTP36SK	36 x 36 x 1.25	70	53	2.5	\$3077	n/a	\$369	n/a	n/a

Required Specifications
Top finish
Edge finish⁽¹⁾

**Optional Specifications**HP laminate⁽¹⁾
Knife edge⁽²⁾
Grade 2 solid surface⁽³⁾

Applicable Bases
GRB22H15 GRB22H35
GRB22H21 GRB22H41
GRB22H26 GSB19H15
GRB22 GSB19H21 GSB19H26 GSB19 GSB19H35 GSB19H41 Square Tops, 24-36"

Only applicable bases to use with above tops: GRB22Hxx or GSB19Hxx round or square base @ 15", 21" 26", 28" 35" or 40.5"H (see 661). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications	
Top finish	
Edge finish ⁽¹⁾	

Optional Specifications
HP laminate ⁽¹⁾ , Knife edge ⁽²⁾
Grade 2 solid surface ⁽³⁾
3" radiused corners(4)

Applicable	Bases	
GRB22H15	GRB22H35	GSB19H26
GRB22H21	GRB22H41	GSB19
GRB22H26	GSB19H15	GSB19H35
GRB22	GSB19H21	GSB19H41

MODEL#		REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADI
	D x W x H								
TFL, flat edge (1	(4)								
GSBTP2430	24 x 30 x 1	70	20	0.91	\$281	\$128	n/a	\$29	n/a
GSBTP2436	24 x 36 x 1	70	24	1.08	\$305	\$139	n/a	\$31	n/a
GSBTP3036	30 x 36 x 1	65	31	1.34	\$353	\$160	n/a	\$36	n/a
HPL, knife edge	<b>)</b>								
GSBTP2430LK	24 x 30 x 1.19	100	24	2.5	\$675	n/a	n/a	n/a	n/a
GSBTP2436LK	24 x 36 x 1.19	100	29	3	\$801	n/a	n/a	n/a	n/a
GSBTP3036LK	30 x 36 x 1.19	92.5	37	3.5	\$845	n/a	n/a	n/a	n/a
Veneer (2)									
GSBTP2430V	24 x 30 x 1.19	100	24	2.5	\$940	n/a	n/a	n/a	\$65
GSBTP2436V	24 x 36 x 1.19	100	29	3	\$1001	n/a	n/a	n/a	\$71
GSBTP3036V	30 x 36 x 1.19	92.5	37	3.5	\$1065	n/a	n/a	n/a	\$65
Solid Surface,	flat edge (3) (4)								
GSBTP2430SF	29.8 x 24 x 1.25	70	38	1.8	\$1991	n/a	\$173	\$96	n/a
GSBTP2436SF	36 x 24 x 1.25	70	45	2.1	\$2244	n/a	\$220	\$96	n/a
GSBTP3036SF	36 x 29.8 x 1.25	65	57	2.1	\$2548	n/a	\$242	\$96	n/a
Solid Surface,	knife edge (3) (4)								
GSBTP2430SK	29.8 x 24 x 1.25	70	38	1.8	\$2399	n/a	\$213	\$202	n/a
GSBTP2436SK	36 x 24 x 1.25	70	45	2.1	\$2605	n/a	\$265	\$202	n/a
GSBTP3036SK	36 x 29.8 x 1.25	65	57	2.1	\$2939	n/a	\$294	\$202	n/a
	TFL, flat edge (1) GSBTP2430 GSBTP2436 GSBTP2436 GSBTP3036  HPL, knife edge GSBTP2436LK GSBTP2436LK GSBTP2436LK GSBTP3036LK  Veneer (2) GSBTP2430V GSBTP2436V GSBTP3036V  Solid Surface, ( GSBTP2436SF GSBTP2430SF GSBTP2430SK	TFL, flat edge (1) (4)  GSBTP2430 24 x 30 x 1  GSBTP2436 24 x 36 x 1  GSBTP3036 30 x 36 x 1  HPL, knife edge  GSBTP2430LK 24 x 30 x 1.19  GSBTP2436LK 24 x 36 x 1.19  GSBTP2436LK 30 x 36 x 1.19  Veneer (2)  GSBTP2430V 24 x 30 x 1.19  GSBTP2430V 24 x 36 x 1.19  GSBTP2436V 30 x 36 x 1.19  Solid Surface, flat edge (3) (4)  GSBTP2430SF 29.8 x 24 x 1.25  GSBTP3036SF 36 x 29.8 x 1.25  Solid Surface, knife edge (3) (4)  GSBTP2430SK 29.8 x 24 x 1.25	TFL, flat edge (1) (4)  GSBTP2430	TFL, flat edge (1)(4)  GSBTP2430					

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications HP laminate⁽¹⁾, Knife edge⁽²⁾ Grade 2 solid surface⁽³⁾ 3" radiused corners(4)

ppiicable	Dases
R22H15	GRR22L


 
 Applicable Bases

 GRB22H15
 GRB22

 GRB22H21
 GRB22

 GRB22H26
 GSB19


 GRB22
 GSB19
 GRB22H35 GRB22H41 GSB19H15 GSB19H21 GSB19H26 GSB19 GSB19H35 GSB19H41



<u> </u>	$\Leftrightarrow$
40.5"	
35"	
27.5"	
26"	
21"	
15"	$A \cup A \cup$
J. /	
<	
~	_/

18.5" Square Bases*

Single Port Module w/USB-A + USB-C



Single Port Module w/one Simplex

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
	D x W x H						
GRB22H15	22 x 22 x 15	92.5	47.6	4.69	\$907	\$147	\$270
GRB22H21	22 x 22 x 21	125	48.6	6.45	\$922	\$136	\$250
GRB22H26	22 x 22 x 26	150	50	8.63	\$934	\$147	\$270
GRB22	22 x 22 x 28	150	55	9.33	\$870	\$147	\$270
GRB22H35	22 x 22 x 35	150	57.1	12	\$912	\$145	\$308
GRB22H41	22 x 22 x 40.5	150	58.3	14	\$928	\$160	\$316
GRB22H21 - end table height		GRB2	<b>2</b> - seated h	eight	GRB22H	<b>141</b> - bar heig	yht .
GSB19H15	18.5 x 18.5 x 15	85	43.7	3.52	\$922	\$133	\$249
GSB19H21	18.5 x 18.5 x 21	100	44.8	4.84	\$934	\$133	\$249
GSB19H26	18.5 x 18.5 x 26	125	47	5.94	\$1004	\$133	\$259
GSB19	18.5 x 18.5 x 28	100	50	6.06	\$942	\$145	\$319
GSB19H35	18.5 x 18.5 x 35	125	51.8	7.52	\$999	\$145	\$319
GSB19H41	18.5 x 18.5 x 40.	5 125	53.2	8.77	\$1034	\$160	\$319

GSB19H15 - coffee table heightGSB19H26 - lounge heightGSB19H35 - counter heightGSB19H21 - end table heightGSB19 - seated heightGSB19H41 - bar height

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Base top plate and base plate include pass-through for single port power or USB module (sold separately). Available in painted finishes listed on 645; plated finishes as available on 645 (upcharge applies).

White							
SPUSBACRW72	2.25 x - x 2.75	70	0.18	0.05	\$259	N/A	N/A
Black							
SPUSBACRB72	2.25 x - x 2.75	70	0.18	0.05	\$259	N/A	N/A

Single port module with USB-A and USB-C charging ports. Round module with 72" cord. Specify top with  $\mathbf{02}$  cut-out to accommodate.

White							
SPTRSMXRW72	2.25 x - x 2.75	70	0.18	0.05	\$99	N/A	N/A
Black							
SPTRSMXRB72	2.25 x - x 2.75	70	0.18	0.05	\$99	N/A	N/A

Single port module with one tamper resistant simplex. Round module with 72" cord. Specify top with **Q2** cut-out to accommodate.

Required	Specif	ications

Finish

Optional Specifications
Plated finish*

Plated finish⁴ Cut-out

UND TOPS, 42"-48"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
	TFL, flat edge	(1)								
	GRBTP42	42 x 42 x 1	70	44	2.5	\$503	\$254	n/a	n/a	n/a
	GRBTP48	48 x 48 x 1	70	56	3	\$537	\$269	n/a	n/a	n/a
	HPL, knife edg	je								
	GRBTP42LK	42 x 42 x 1.19	92.5	53	5	\$1400	n/a	n/a	n/a	n/a
	GRBTP48LK	48 x 48 x 1.19	92.5	67	6.5	\$1600	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRBTP42V	42 x 42 x 1.19	92.5	53	5	\$1681	n/a	n/a	n/a	\$71
	GRBTP48V	48 x 48 x 1.19	92.5	67	6.5	\$1921	n/a	n/a	n/a	\$80
	Solid Surface	, flat edge ⁽³⁾								
	GRBTP42SF	42 x 42 x 1.25	70	73	3.4	\$3939	n/a	\$443	n/a	n/a
	GRBTP48SF	48 x 48 x 1.25	70	95	4.3	\$4486	n/a	\$564	n/a	n/a
	Solid Surface,	. knife edge (3)								
	GRBTP42SK	42 x 42 x 1.25	70	73	3.4	\$4147	n/a	\$495	n/a	n/a
	GRBTP48SK	48 x 48 x 1.25	70	95	4.3	\$5003	n/a	\$628	n/a	n/a

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate(1)
Knife edge(2)
Grade 2 solid surface(3)

Applicable Bases GRB28 GSB23

inserts for ease of assembly to base. One base required.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate(1 Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4)

Applicable Bases

GRB28 GSB23

SES FOR TOPS 42" - 48"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		D x W x H						
$\longrightarrow$	GRB28	28 x 28 x 28	125	100	15.63	\$1498	\$160	\$452
	seated height							
Round Base								
	GSB23	22.5 x 22.5 x 28	100	82	9.33	\$1377	\$89	\$287
	seated height							
Square Base	Base comes fully a	assembled and feature	s 0.5" adjustable g	lides to leve	el on uneven si	urfaces. Screws	s included w	ith base fo
	attaching to appro	priate top(s). Available	e in paint finishes li	sted on 645;	plated finishes	s as available o	n 645 (upcha	rge applies

Required Specifications Finish

Optional Specifications
Plated finish

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 


HP laminate⁽¹⁾ Knife edge(2) Grade 2 solid surface(3) Applicable Bases GRB34

GSB28

PS 54" - 60" ROUND	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SB
)	GRB34 seated height	34 x 34 x 28	125	135	20.56	\$1831	\$160	\$546
e	GSB28	28.5 x 28.5 x 28	125	125	15.63	\$1710	\$75	\$295
	seated height					T		
	S							ΨΣΟΟ
7								
ise	Base comes fully	assembled and features 0. opriate top(s). Available in						th base fo
ase	Base comes fully							th base fo
ise	Base comes fully							th base fo
ise	Base comes fully							th base fo
se	Base comes fully							th base f
7	Base comes fully							th base f
	Base comes fully							th base fo

Required Specifications
Finish

Optional Specifications
Plated finish



RECTANGULAR LOUNGE TOPS, 24"D

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADI
	DxWxH								
TFL, flat edge ⁽	1) (4)								
GRT5STP	24 x 60 x 1	65	41	1.79	\$472	\$214	n/a	\$48	n/a
GRT5HSTP	24 x 66 x 1	65	46	1.97	\$552	\$252	n/a	\$56	n/a
GRT6STP	24 x 72 x 1	65	49	2.14	\$576	\$260	n/a	\$58	n/a
GRT7STP	24 x 84 x 1	65	57	2.49	\$666	\$302	n/a	\$67	n/a
GRT8STP	24 x 96 x 1	65	66	2.84	\$715	\$322	n/a	\$72	n/a
HPL, knife edg	e								
GRT5STPLK	24 x 60 x 1.19	85	49	4	\$1001	n/a	n/a	n/a	n/a
GRT5HSTPLK	24 x 66 x 1.19	85	55	4.5	\$1065	n/a	n/a	n/a	n/a
GRT6STPLK	24 x 72 x 1.19	92.5	59	5	\$1126	n/a	n/a	n/a	n/a
GRT7STPLK	24 x 84 x 1.19	85	68	5.5	\$1250	n/a	n/a	n/a	n/a
GRT8STPLK	24 x 96 x 1.19	85	79	6.5	\$1425	n/a	n/a	n/a	n/a
Veneer (2)									
GRT5STPV	24 x 60 x 1.19	85	49	4	\$1250	n/a	n/a	n/a	\$65
SRT5HSTPV	24 x 66 x 1.19	85	55	4.5	\$1316	n/a	n/a	n/a	\$65
GRT6STPV	24 x 72 x 1.19	92.5	59	5	\$1440	n/a	n/a	n/a	\$65
GRT7STPV	24 x 84 x 1.19	85	68	5.5	\$1691	n/a	n/a	n/a	\$65
GRT8STPV	24 x 96 x 1.19	85	79	6.5	\$1940	n/a	n/a	n/a	\$65
Solid Surface,	flat edge (3)(4)								
GRT5STPSF	24 x 60 x 1.25	65	75	2.8	\$3854	n/a	\$432	\$96	n/a
SRT5HSTPSF	24 x 66 x 1.25	65	83	3.1	\$4026	n/a	\$443	\$96	n/a
GRT6STPSF	24 x 71.8 x 1.25	65	90	3.3	\$4245	n/a	\$455	\$96	n/a
GRT7STPSF	24 x 84 x 1.25	65	105	3.9	\$4716	n/a	\$593	\$96	n/a
GRT8STPSF	24 x 96 x 1.25	65	120	4.4	\$5176	n/a	\$605	\$96	n/a
Solid Surface.	knife edge (3) (4)								
GRT5STPSK	24 x 60 x 1.25	65	75	2.8	\$4342	n/a	\$461	\$202	n/a
GRT5HSTPSK	24 x 66 x 1.25	65	83	3.1	\$4515	n/a	\$484	\$202	n/a
GRT6STPSK	24 x 71.8 x 1.25		90	3.3	\$4733	n/a	\$507	\$202	n/a
GRT7STPSK	24 x 84 x 1.25	65	105	3.9	\$5394	n/a	\$656	\$202	n/a
GRT8STPSK	24 x 96 x 1.25	65	120	4.4	\$5871	n/a	\$680	\$202	n/a

**Rectangular Lounge Tops** 

Applicable bases to use with above tops: GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H (see 672). Tops feature metal inserts for ease of assembly to base. Two bases required. 24"D tops not recommended with 28"H bases.

Required Specifications
Top finish

Edge finish(1)

Optional Specifications

HP laminate(1), Knife edge(2) Grade 2 solid surface(3) 3" radiused corners(4) Cut-out for grommet/power blocks

Applicable Bases
GRB22H26 GSB19 GSB19H26 GRB22H35 GSB19H35 GRB22H41 GSB19H41

RACETRACK TOPS, 24"D

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	DxWxI	Н							
TFL, flat edge (1)									
GRC5STP	24 x 60 x 1	65	41	1.79	\$472	\$214	n/a	n/a	n/a
GRC5HSTP	24 x 66 x 1	65	46	1.97	\$552	\$252	n/a	n/a	n/a
GRC6STP	24 x 72 x 1	65	49	2.14	\$576	\$260	n/a	n/a	n/a
GRC7STP	24 x 84 x 1	65	57	2.49	\$666	\$302	n/a	n/a	n/a
GRC8STP	24 x 96 x 1	65	66	2.84	\$715	\$322	n/a	n/a	n/a
HPL, knife edge									
GRC5STPLK	24 x 60 x 1.19	85	49	4	\$1250	n/a	n/a	n/a	n/a
GRC5HSTPLK	24 x 66 x 1.19	85	55	4.5	\$1375	n/a	n/a	n/a	n/a
GRC6STPLK	24 x 72 x 1.19	92.5	59	5	\$1501	n/a	n/a	n/a	n/a
GRC7STPLK	24 x 84 x 1.19	85	68	5.5	\$1626	n/a	n/a	n/a	n/a
GRC8STPLK	24 x 96 x 1.19	85	79	6.5	\$1750	n/a	n/a	n/a	n/a
Veneer (2)									
GRC5STPV	24 x 60 x 1.19	85	49	4	\$1501	n/a	n/a	n/a	\$225
GRC5HSTPV	24 x 66 x 1.19	85	55	4.5	\$1651	n/a	n/a	n/a	\$250
GRC6STPV	24 x 72 x 1.19	92.5	59	5	\$1801	n/a	n/a	n/a	\$270
GRC7STPV	24 x 84 x 1.19	85	68	5.5	\$2100	n/a	n/a	n/a	\$270
GRC8STPV	24 x 96 x 1.19	85	79	6.5	\$2400	n/a	n/a	n/a	\$270

Racetrack Tops, 24"D

Applicable bases to use with above tops: GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H (see 672). Tops feature metal inserts for ease of assembly to base. Two bases required. 24"D tops not recommended with 28"H bases.

Required Specifications
Top finish

Edge finish(1)

Optional Specifications
HP laminate⁽¹⁾, Knife edge⁽²⁾ Grade 2 solid surface(3) 3" radiused corners(4) Cut-out for grommet/power blocks Applicable Bases, two required GRB22H26 GSB19H26

GRB22 GSB19 GRB22H35 GSB19H35 GRB22H41 GSB19H41

							5	WAP	IAL	3LES
RECTANGULAR TOPS, 60"-96"W	MODEL#	DIMENSIONS FF	REIGHT CLASS	WT/LBS	. CUBIC FT.	LIST PRIC	E HP ADI	D GR. 2 ADD	R3 ADD	KS ADD
		D x W x H								
	TFL, flat edge ⁽¹⁾	(4)								
	GRT5NTP	30 x 60 x 1	70	46	2.5	\$538	\$272	n/a	\$54	n/a
	GRT5NHTP	30 x 66 x 1	65	56	2.44	\$543	\$246	n/a	\$55	n/a
_	GRT6NTP	30 x 72 x 1	70	62	3	\$584	\$294	n/a	\$59	n/a
	GRT7NTP	30 x 84 x 1	100	72	7.5	\$727	\$366	n/a	\$73	n/a
	GRT8NTP	30 x 96 x 1	100	80	8.5	\$791	\$397	n/a	\$80	n/a
	GRT5TP	36 x 60 x 1	92.5	70	6.6	\$551	\$248	n/a	\$56	n/a
	GRT5HTP	36 x 66 x 1	92.5	79	7.21	\$580	\$263	n/a	\$58	n/a
	GRT6TP	36 x 72 x 1	100	72	8	\$673	\$337	n/a	\$68	n/a
	GRT7TP	36 x 84 x 1	100	85	8.75	\$782	\$394	n/a	\$79	n/a
	GRT8TP	36 x 96 x 1	92.5	94	9	\$856	\$431	n/a	\$86	n/a
	HPL, knife edge	•								
	GRT5NTPLK	30 x 60 x 1.19	92.5	55	5	\$1115	n/a	n/a	n/a	n/a
	GRT5NHTPLK	30 x 66 x 1.19	85	67	5.5	\$1225	n/a	n/a	n/a	n/a
	GRT6NTPLK	30 x 72 x 1.19	85	74	6	\$1341	n/a	n/a	n/a	n/a
	GRT7NTPLK	30 x 84 x 1.19	85	86	7	\$1556	n/a	n/a	n/a	n/a
	GRT8NTPLK	30 x 96 x 1.19	85	96	8	\$1780	n/a	n/a	n/a	n/a
	GRT5TPLK	36 x 60 x 1.19	85	84	6	\$1341	n/a	n/a	n/a	n/a
	GRT5HTPLK	36 x 66 x 1.19	85	95	6.5	\$1470	n/a	n/a	n/a	n/a
	GRT6TPLK	36 x 72 x 1.19	85	86	7	\$1605	n/a	n/a	n/a	n/a
	GRT7TPLK	36 x 84 x 1.19	85	102	8	\$1870	n/a	n/a	n/a	n/a
	GRT8TPLK	36 x 96 x 1.19	85	113	9	\$2140	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRT5NTPV	30 x 60 x 1.19	92.5	55	5	\$1550	n/a	n/a	n/a	\$75
	GRT5NHTPV	30 x 66 x 1.19	85	67	5.5	\$1655	n/a	n/a	n/a	\$75
	GRT6NTPV	30 x 72 x 1.19	85	74	6	\$1780	n/a	n/a	n/a	\$96
	GRT7NTPV	30 x 84 x 1.19	85	86	7	\$2081	n/a	n/a	n/a	\$111
	GRT8NTPV	30 x 96 x 1.19	85	96	8	\$2375	n/a	n/a	n/a	\$126
	GRT5TPV	36 x 60 x 1.19	85	84	6	\$1780	n/a	n/a	n/a	\$96
	GRT5HTPV	36 x 66 x 1.19	85	95	6.5	\$1951	n/a	n/a	n/a	\$126
	GRT6TPV	36 x 72 x 1.19	85	86	7	\$2126	n/a	n/a	n/a	\$141
	GRT7TPV	36 x 84 x 1.19	85	102	8	\$2480	n/a	n/a	n/a	\$175
	GRT8TPV	36 x 96 x 1.19	85	113	9	\$2841	n/a	n/a	n/a	\$175
	Solid Surface, f	lat edge (3) (4)								
	GRT5NTPSF	29.8 x 60 x 1.25	65	94	3.4	\$4015	n/a	\$426	\$96	n/a
	GRT5NHTPSF	29.8 x 66 x 1.25	65	104	3.8	\$4308	n/a	\$495	\$96	n/a
	GRT6NTPSF	29.8 x 71.8 x 1.25	65	113	4.1	\$4918	n/a	\$691	\$96	n/a
	GRT7NTPSF	29.8 x 84 x 1.25	65	132	4.8	\$5705	n/a	\$680	\$96	n/a
	GRT8NTPSF	29.8 x 96 x 1.25	65	150	5.4	\$6280	n/a	\$881	\$96	n/a
	GRT5TPSF	36 x 60 x 1.25	65	113	4.1	\$5343	n/a	\$633	\$96	n/a
	GRT5HTPSF	36 x 66 x 1.25	65	124	4.5	\$5515	n/a	\$633	\$96	n/a
	GRT6TPSF	36 x 71.8 x 1.25	65	135	4.9	\$6091	n/a	\$691	\$96	n/a
	GRT7TPSF	36 x 84 x 1.25	65	158	5.7	\$6625	n/a	\$834	\$96	n/a
	GRT8TPSF	36 x 96 x 1.25	65	180	6.5	\$7108	n/a	\$875	\$96	n/a
	Solid Surface, I	cnife edge (3)(4)								
	GRT5NTPSK	29.8 x 60 x 1.25	65	94	3.4	\$4394	n/a	\$484	\$202	n/a
	GRT5NHTPSK	29.8 x 66 x 1.25	65	104	3.8	\$4745	n/a	\$564	\$202	n/a
	GRT6NTPSK	29.8 x 71.8 x 1.25	65	113	4.1	\$5349	n/a	\$772	\$202	n/a
	GRT7NTPSK	29.8 x 84 x 1.25	65	132	4.8	\$6136	n/a	\$772	\$202	n/a
	GRT8NTPSK	29.8 x 96 x 1.25	65	150	5.4	\$6815	n/a	\$984	\$202	n/a
	GRT5TPSK	36 x 60 x 1.25	65	113	4.1	\$5918	n/a	\$714	\$202	n/a
	GRT5HTPSK	36 x 66 x 1.25	65	124	4.5	\$6067	n/a	\$725	\$202	n/a
	GRT6TPSK	36 x 71.8 x 1.25	65	135	4.9	\$6722	n/a	\$794	\$202	n/a
	GRT7TPSK	36 x 84 x 1.25	65	158	5.7	\$7263	n/a	\$950	\$202	n/a
	GRT8TPSK	36 x 96 x 1.25	65	180	6.5	\$7734	n/a	\$1002	\$202	n/a
Rectangular Tops*	Applicable base	es to use with abov	e tops, TWO b	ases req	uired: round	ls GRB22l	126, GRB	22, GRB22H	35, GRB2	2H41, or
		H26, GSB19, GSB19	-	-						
_										

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾, Knife edge⁽²⁾
Grade 2 solid surface⁽³⁾ 3" radiused corners⁽⁴⁾
Cut-out for grommet/power blocks

Applicable Bases, two requiredGRB22H26GSB19H26GRB22GSB19 GRB22H35 GRB22H41 GSB19H35 GSB19H41

TRACK TOPS, 60"-96"W	MODEL#	DIMENSIONS	FREIGHT CLA	iss v	/T/LBS. CUI	BIC FT. LIST	PRICE	HP ADD GR.	2 ADD R	3 ADD
		D x W x H								
	TFL, flat edge (1									
	GRC5NTP	30 x 60 x 1	70	46	2.5	\$547	\$275	n/a	n/a	n/a
	GRC5NHTP	30 x 66 x 1	65	56	2.44	\$553	\$252	n/a	n/a	n/a
	GRC6NTP	30 x 72 x 1	70	62	3	\$594	\$299	n/a	n/a	n/a
	GRC7NTP	30 x 84 x 1	100	72	7.5	\$740	\$372	n/a	n/a	n/a
	GRC8NTP	30 x 96 x 1	100	80	8.5	\$807	\$405	n/a	n/a	n/a
	GRC5TP	36 x 60 x 1	92.5	70	6.6	\$562	\$255	n/a	n/a	n/a
	GRC5HTP	36 x 66 x 1	92.5	79	7.21	\$591	\$267	n/a	n/a	n/a
	GRC6TP	36 x 72 x 1	100	72	7.5	\$684	\$344	n/a	n/a	n/a
	GRC7TP	36 x 84 x 1	100	85	8.75	\$799	\$401	n/a	n/a	n/a
	GRC8TP	36 x 96 x 1	92.5	94	9	\$873	\$438	n/a	n/a	n/a
	HPL, knife edge	2								
	GRC5NTPLK	30 x 60 x 1.19	92.5	55	5	\$1560	n/a	n/a	n/a	n/a
	GRC5NHTPLK	30 x 66 x 1.19	85	67	5.5	\$1710	n/a	n/a	n/a	n/a
	GRC6NTPLK	30 x 72 x 1.19	85	74	6	\$1870	n/a	n/a	n/a	n/a
	GRC7NTPLK	30 x 84 x 1.19	85	86	7	\$2010	n/a	n/a	n/a	n/a
	GRC8NTPLK	30 x 96 x 1.19	85	96	8	\$2160	n/a	n/a	n/a	n/a
	GRC5TPLK	36 x 60 x 1.19	85	84	6	\$1710	n/a	n/a	n/a	n/a
	GRC5HTPLK	36 x 66 x 1.19	85	95	6.5	\$1860	n/a	n/a	n/a	n/a
	GRC6TPLK	36 x 72 x 1.19	85	86	7	\$2020	n/a	n/a	n/a	n/a
	GRC7TPLK	36 x 84 x 1.19	85	102	8	\$2320	n/a	n/a	n/a	n/a
	GRC8TPLK	36 x 96 x 1.19	85	113	9	\$2621	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRC5NTPV	30 x 60 x 1.19	92.5	55	5	\$1765	n/a	n/a	n/a	\$26
	GRC5NHTPV	30 x 66 x 1.19	85	67	5.5	\$1906	n/a	n/a	n/a	\$280
	GRC6NTPV	30 x 72 x 1.19	85	74	6	\$2050	n/a	n/a	n/a	\$30!
	GRC7NTPV	30 x 84 x 1.19	85	86	7	\$2396	n/a	n/a	n/a	\$350
	GRC8NTPV	30 x 96 x 1.19	85	96	8	\$2731	n/a	n/a	n/a	\$40!
	GRC5TPV	36 x 60 x 1.19	85	84	6	\$2050	n/a	n/a	n/a	\$30!
	GRC5HTPV	36 x 66 x 1.19	85	95	6.5	\$2246	n/a	n/a	n/a	\$33
	GRC6TPV	36 x 72 x 1.19	85	86	7	\$2446	n/a	n/a	n/a	\$360
	GRC7TPV	36 x 84 x 1.19	85	102	8	\$2856	n/a	n/a	n/a	\$360
	GRC8TPV	36 x 96 x 1.19	85	113	9	\$3265	n/a	n/a	n/a	\$48
	UIICOTT V	30 X 30 X 1.13	03	113	J	<b>\$3203</b>	II/a	II/a	II/ a	<b>940</b>

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾
Knife edge⁽²⁾
Cut-out for grommet/power blocks

 Applicable Bases, two required


 GRB22H26
 GSB19H26

 GRB22
 GSB19

 GRB22H35
 GSB19H35

 GRB22H41
 GSB19H41

R3 ADD KS ADD



FREIGHT CLASS

WT/LBS.

CUBIC FT. LIST PRICE HP ADD GR. 2 ADD

DIMENSIONS

30 x 60 x 1.19

30 x 66 x 1.19

92.5

85

MODEL#

Veneer (2) **GBT5NTPV** 

**GBT5NHTPV** 

74 **GBT6NTPV** 30 x 72 x 1.19 85 6 \$2050 n/a n/a n/a 7 **GBT7NTPV** 30 x 84 x 1.19 85 86 \$2396 n/a n/a n/a 85 96 8 **GBT8NTPV** 30 x 96 x 1.19 \$2731 n/a n/a n/a 85 84 6 **GBT5TPV** 36 x 60 x 1.19 \$2050 n/a n/a n/a **GBT5HTPV** 36 x 66 x 1.19 85 95 6.5 \$2246 n/a n/a n/a 86 7 **GBT6TPV** 36 x 72 x 1.19 85 \$2446 n/a n/a n/a **GBT7TPV** 102 8 36 x 84 x 1.19 85 \$2856 n/a n/a n/a 9 85 **GBT8TPV** 36 x 96 x 1.19 113 \$3265 n/a n/a n/a

55

67

5

5.5

\$1765

\$1906

n/a

n/a

n/a

n/a

n/a

n/a

\$265

\$286

\$305

\$356

\$405

\$305

\$335

\$366

\$426

\$485

Boat-Shaped Tops, 60"-96"W

BOAT SHAPED, 60"-96"W

Applicable bases to use with above tops, TWO bases required: rounds GRB22H26, GRB22, GRB22H35, GRB22H41, OR squares GSB19H26, GSB19, GSB19H35, GSB19H41 (see 672). Tops feature metal inserts for ease of assembly to base. • GBTxNPT - 30"D at center, 24"D at ends; GBTxTP - 36"D at center, 28"D at ends.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 


HP laminate( Knife edge(2) Cut-out for grommet/power blocks Applicable Bases, two required

GRB22H26 GSB19H26 GRB22 GSB19 GRB22H35 GSB19H35 GRB22H41 GSR19H41

BASES FOR TOPS 60"- 96" WIDE	MODEL#	DIMENSIONS	FREIGHT CLAS	SS WT/	LBS. CUBIC FT.	LIST P	RICE CHM	/BCH ACO/SBR
$\overline{\uparrow}$		DxWxH						
40.5"	GRB22H26	22 x 22 x 26	150	50	8.63	\$934	\$147	\$270
35" 28"	GRB22	22 x 22 x 28	150	55	9.33	\$870	\$147	\$270
6"	GRB22H35	22 x 22 x 35	150	57.1	12	\$912	\$145	\$308
	GRB22H41	22 x 22 x 40.5	150	58.3	14	\$928	\$160	\$316
22" Dia Round Bases	GRB22H26 - lounge	e height GRB22	- seated height	GRB2	<b>22H35</b> - counter he	ight <b>GR</b>	<b>B22H41</b> - b	ar height
- ~	GSB19H26	18.5 x 18.5 x 26	125	47	5.94	\$1004	\$133	\$259
	GSB19	18.5 x 18.5 x 28	100	50	6.06	\$942	\$145	\$319
0.5"	GSB19H35	18.5 x 18.5 x 35	125	51.8	7.52	\$999	\$145	\$319
35" 28"	GSB19H41	18.5 x 18.5 x 40.5	125	53.2	8.77	\$1034	\$160	\$319
26"	<b>GSB19H26</b> - lounge	e height GSB19	- seated height	GSB1	<b>9H35</b> - counter he	ight <b>GS</b>	<b>B19H41</b> - b	ar height
8.5" Square Bases	•	sembled and features 0.5 riate top(s). Available in p	, ,					

Required Specifications
Finish

Optional Specifications
Plated finish



RECTANGULAR TOPS 96" - 144"

MODEL#

**GRT8MTP** 

**GRT8WTP** 

**GRT10WTP** 

GRT12WTP

**GRT8MTPLK** 

**GRT8WTPLK** 

**GRT10WTPLK** 

**GRT12WTPLK** 

Veneer (2)

**GRT8MTPV** 

**GRT8WTPV** 

GRT10WTPV

GRT12WTPV

HPL, knife edge

TFL, flat edge  $^{(1)\,(4)}$ 

1 Piece top - 2 bases required

2 Piece tops - 3 bases required

1 Piece top - 2 bases required

2 Piece tops - 3 bases required

1 Piece top - 2 bases required

2 Piece tops - 3 bases required

DIMENSIONS

D x W x H

42 x 96 x 1

48 x 96 x 1

48 x 120 x 1

48 x 144 x 1

42 x 96 x 1.19

48 x 96 x 1.19

48 x 120 x 1.19

48 x 144 x 1.19

42 x 96 x 1.19

48 x 96 x 1.19

48 x 120 x 1.19

48 x 144 x 1.19

FREIGHT CLASS

92.5

85

85

65

85

70

70

70

85

70

70

70

WT/LBS.

128

190

220

262

154

228

264

314

154

228

264

314

11

12

15

18

\$3741

\$4216

\$5615

\$6720

n/a

\$371

\$421

\$561

\$670

Rectangular Tops, 96-144"

Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" & 144"W tops (see 676). Tops feature metal inserts for ease of assembly to base.

**Required Specifications** 

Top finish Edge finish⁽¹⁾ **Optional Specifications** 

HP laminate⁽¹⁾
Knife edge⁽²⁾
3" radiused corners⁽⁴⁾
Cut-out for grommet/power blocks

Applicable Bases GRB28

GRB28 GSB23

ACK TOPS 96" - 144"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD (	R. 2 ADD	R3 ADD	KS ADD
		DxWx	Н							
	TFL, flat edge ⁽¹	)								
	1 Piece top - 2	bases required								
	GRC8MTP	42 x 96 x 1	92.5	128	11.84	\$1442	\$652	n/a	n/a	n/a
	GRC8WTP	48 x 96 x 1	85	190	14	\$1460	\$566	n/a	n/a	n/a
	2 Piece tons - 5	B bases required	1							
	GRC10WTP	48 x 120 x 1	85	220	17	\$1836	\$760	n/a	n/a	n/a
	GRC12WTP	48 x 144 x 1	85	262	21	\$2139	\$859	n/a	n/a	n/a
	HPL, knife edg	<b>e</b>								
		bases required								
	GRC8MTPLK	42 x 96 x 1.19	85	154	11	\$3501	n/a	n/a	n/a	n/a
	GRC8WTPLK	48 x 96 x 1.19	70	228	12	\$4001	n/a	n/a	n/a	n/a
	2 Piece tops - 3	B bases required	i							
	GRC10WTPLK	48 x 120 x 1.19	70	264	15	\$5001	n/a	n/a	n/a	n/a
	GRC12WTPLK	48 x 144 x 1.19	3 70	314	18	\$6001	n/a	n/a	n/a	n/a
	Veneer (2)									
	1 Piece top - 2	bases required								
	GRC8MTPV	42 x 96 x 1.19	85	154	11	\$4450	n/a	n/a	n/a	\$445
	GRC8WTPV	48 x 96 x 1.19	70	228	12	\$4950	n/a	n/a	n/a	\$495
	2 Piece tops - 3	B bases required	i							
	GRC10WTPV	48 x 120 x 1.19	70	264	15	\$6501	n/a	n/a	n/a	\$651
	GRC12WTPV	48 x 144 x 1.19	70	314	18	\$7701	n/a	n/a	n/a	\$771
ops, 96-144"	Applicable bas	ses to use with a	above tops: roun	d GRB28 o	r square G	SB23. TW	O bases r	equired fo	or 96"W t	ops or

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾
Knife edge⁽²⁾
Cut-out for grommet/power blocks

Applicable Bases GRB28 GSB23



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD GR. 2	ADD	R3 ADD	KS ADD
	D x W x H	I							
TFL, flat edge (1	1)								
1 Piece top - 2	bases required								
GBT8MTP	42 x 96 x 1	92.5	128	11.84	\$1442	<b>\$652</b> n	/a	n/a	n/a
GBT8WTP	48 x 96 x 1	85	190	14	\$1460	<b>\$566</b> n	/a	n/a	n/a
2 Piece tops -	3 bases required								
GBT10WTP	48 x 120 x 1	85	220	17	\$1836	<b>\$760</b> n	/a	n/a	n/a
GBT12WTP	48 x 144 x 1	85	262	21	\$2139	<b>\$859</b> n	/a	n/a	n/a
HPL, knife edg	е								
1 Piece top - 2	bases required								
GBT8MTPLK	42 x 96 x 1.19	85	154	11	\$3501	n/a n	/a	n/a	n/a
GBT8WTPLK	48 x 96 x 1.19	70	228	12	\$4001	n/a n	/a	n/a	n/a
2 Piece tops -	3 bases required								
GBT10WTPLK	48 x 120 x 1.19	70	264	15	\$5001	n/a n	/a	n/a	n/a
GBT12WTPLK	48 x 144 x 1.19	70	314	18	\$6001	n/a n	/a	n/a	n/a
Veneer (2)									
	bases required								
GBT8MTPV	42 x 96 x 1.19	85	154	11	\$4450	n/a n	/a	n/a	\$445
GBT8WTPV	48 x 96 x 1.19	70	228	12	\$4950	n/a n	/a	n/a	\$495
2 Piece tops - :	3 bases required								
GBT10WTPV			264	15	\$6501	n/a n	/a	n/a	\$651
GBT12WTPV				18					\$771
	TFL, flat edge (1) 1 Piece top - 2 GBT8MTP GBT8WTP  2 Piece tops - GBT10WTP GBT12WTP  HPL, knife edg 1 Piece top - 2 GBT8MTPLK GBT8WTPLK  2 Piece tops - GBT10WTPLK GBT12WTPLK  Veneer (2) 1 Piece top - 2 GBT8MTPV GBT8WTPV  2 Piece tops - GBT10WTPV	TFL, flat edge (1)  1 Piece top - 2 bases required GBT8MTP	TFL, flat edge (1)  1 Piece top - 2 bases required GBT8MTP	TFL, flat edge   TFL,	TFL, flat edge (1)  1 Piece top - 2 bases required  GBT8MTP	TFL, flat edge (1)  1 Piece top - 2 bases required  GBT8MTP	TFL, flat edge (1)  1 Piece top - 2 bases required  GBT8MTP	TFL, flat edge (1)  1 Piece top - 2 bases required  GBT8MTP	TFL, flat edge (**)  1 Piece top - 2 bases required  GBT8MTP

Boat Tops, 96"-144"

Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" & 144"W tops (see 676). Tops feature metal inserts for ease of assembly to base.

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾

Knife edge(2)

Cut-out for grommet/power blocks

Applicable Bases GRB28 GSB23

[•] GBTxM - 42"deep at center and 33"deep at ends; GBTxW - 48"deep at center and 38"deep at ends.

<b>D x W x H</b> 28 x 28 : ight	28 125	100	15.63	\$1498	\$160	\$452
	28 125	100	15.63	\$1498	\$160	\$452
ight						
22.5 x 2	2.5 x 28 100	82	9.33	\$1377	\$89	\$287
ight						
•	•	· ·				
	ight les fully assembled and	ight les fully assembled and features 0.5" adjusta	eight nes fully assembled and features 0.5" adjustable glides to leve	eight nes fully assembled and features 0.5" adjustable glides to level on uneven su	es fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screw	

Required Specifications
Finish

Optional Specifications
Plated finish

out options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate( Knife edge(2) 3" radiused corners(4) Cut-out for grommet/power blocks Applicable Bases

GDCB36H28

RACETRACK TOPS FOR DUAL COLUMN BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP AD	D GR. 2 ADD	R3 ADD	KS ADD
		DxWxH								
	TFL, flat edge (1)									
	GRCD5TP	36 x 60 x 1	100	60	6.6	\$655	\$305	n/a	n/a	n/a
)	GRCD5HTP	36 x 66 x 1	100	69	7.21	\$715	\$334	n/a	n/a	n/a
	GRCD6TP	36 x 72 x 1	100	75	7.82	\$737	\$343	n/a	n/a	n/a
	GRCD5MTP	42 x 60 x 1	100	73	7.62	\$727	\$337	n/a	n/a	n/a
	GRCD5HMTP	42 x 66 x 1	100	81	8.32	\$776	\$361	n/a	n/a	n/a
	GRCD6MTP	42 x 72 x 1	100	89	9.02	\$799	\$371	n/a	n/a	n/a
	HPL, knife edge	<b>)</b>								
	GRCD5TPLK	36 x 60 x 1.19	85	72	6	\$1875	n/a	n/a	n/a	n/a
	GRCD5HTPLK	36 x 66 x 1.19	85	83	6.5	\$2001	n/a	n/a	n/a	n/a
	GRCD6TPLK	36 x 72 x 1.19	85	90	7	\$2126	n/a	n/a	n/a	n/a
	GRCD5MTPLK	42 x 60 x 1.19	85	88	7	\$2250	n/a	n/a	n/a	n/a
	GRCD5HMTPLK	42 x 66 x 1.19	85	97	7.5	\$2375	n/a	n/a	n/a	n/a
	GRCD6MTPLK	42 x 72 x 1.19	85	107	8	\$2501	n/a	n/a	n/a	n/a
	Veneer (2)									
	GRCD5TPV	36 x 60 x 1.19	85	72	6	\$2250	n/a	n/a	n/a	\$225
	GRCD5HTPV	36 x 66 x 1.19	85	83	6.5	\$2375	n/a	n/a	n/a	\$236
	GRCD6TPV	36 x 72 x 1.19	85	90	7	\$2501	n/a	n/a	n/a	\$250
	GRCD5MTPV	42 x 60 x 1.19	85	88	7	\$2626	n/a	n/a	n/a	\$265
	GRCD5HMTPV	42 x 66 x 1.19	85	97	7.5	\$2750	n/a	n/a	n/a	\$276
	GRCD6MTPV	42 x 72 x 1.19	85	107	8	\$2875	n/a	n/a	n/a	\$286
	<b>T</b> ( )			0 1			001100		000) 1:	
Racetrack Tops for Dual Column Base			e of assembly to ba							
		•	odules include A2,	E2, J2, V2 c	or AG2 only	/. Power mod	lules co	rresponding	to applica	ble cut-
	codes ordered se	parately.								

Required Specifications
Top finish
Edge finish⁽¹⁾

Optional Specifications
HP laminate⁽¹⁾
Knife edge⁽²⁾
Cut-out for grommet/power blocks

Applicable Bases GDCB36H28

out options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out

Boat tops:

• 36" deep at the center, are 28" deep across ends; 42" deep at the center, are 33" deep at the ends.

**Required Specifications** 

Top finish Edge finish(1) **Optional Specifications** 

HP laminate( Knife edge(2)

Cut-out for grommet/power blocks

Applicable Bases

GDCB36H28


DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
		D x W x H						
	Base valid for to	ps on pages 693-69!	5:					
, <>	GDCB36H28	36 x 19 x 28	100	116.23	12.16	\$2430	\$567	\$934
	seated height							
	0.1.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.4.	ty of bases as indic						
		,						
8"H Dual Column Base	•	d-down; assembly rec ching to appropriate to	•	•	•			
18"H Dual Column Base	with base for attac	ching to appropriate to	•	•	•			
8"H Dual Column Base	with base for attac	ching to appropriate to	•	•	•			
8"H Dual Column Base	with base for attac	ching to appropriate to	•	•	•			
28"H Dual Column Base	with base for attac	ching to appropriate to	•	•	•			
28"H Dual Column Base	with base for attac	ching to appropriate to	•	•	•			

Required Specifications
Finish

Optional Specifications
Plated finish

### **HUDDLE TABLES OVERVIEW**

- Three heights available: seated desk height 29", counter height 36", bar height 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.
- Bring teams together to huddle, share and collaborate.
- Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.
- Optional cut-outs available where noted. Add \$96 per cut-out. Only available in position 1 or position 2.





Please take note when used in conjunction with Zira wall panels.

- Laminate kits are sold separately from metal bases for huddle tables.
- Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSB19Hxx.

D-TOP HUDDLE TABLES

29"H D-Top Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	DxWxH					
GDH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333
GDH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472
GDH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563
GDH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540
GDH427229	72 x 42 x 29	70	111.5	5.78	\$1637	\$644
GDH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751
GDH429629	96 x 42 x 29	92.5	134.74	13.3	\$1957	\$836
GDH486029	60 x 48 x 29	70	112.6	5.88	\$1629	\$611
GDH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729
GDH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805
GDH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 686).

ODU004000	40 00 00	70	05.05	4.0	64400	4000	
GDH364836	48 x 36 x 36	70	85.95	4.3	\$1102	\$333	
GDH366036	60 x 36 x 36	70	95.85	4.84	\$1335	\$472	
GDH367236	72 x 36 x 36	70	105.9	5.36	\$1483	\$563	
GDH426036	60 x 42 x 36	70	109.82	5.6	\$1497	\$540	
GDH427236	72 x 42 x 36	70	121.5	6.22	\$1672	\$644	
GDH428436	84 x 42 x 36	92.5	133.1	12.4	\$1847	\$751	
GDH429636	96 x 42 x 36	92.5	144.74	13.74	\$1994	\$836	
GDH486036	60 x 48 x 36	70	123.6	6.38	\$1669	\$611	
GDH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729	
GDH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805	
GDH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 686).

36"H D-Top Huddle	

Required	Specifications
Top finish	

Laminate base finish Edge

**Optional Specifications** 

**HP** laminate Power block cut-out Accessories

Power block

### D-TOP HUDDLE TABLES

MODEL#

GDH489641

DIMENSIONS

96 x 48 x 41.5

DxWxH



\$333	\$1158	4.58	92.65	70	48 x 36 x 41.5	GDH364841
\$472	\$1390	5.1	102.55	70	60 x 36 x 41.5	GDH366041
\$563	\$1542	5.62	112.6	70	72 x 36 x 41.5	GDH367241
\$540	\$1561	5.92	117.32	70	60 x 42 x 41.5	GDH426041
\$644	\$1738	6.52	129	70	72 x 42 x 41.5	GDH427241
\$751	\$1915	12.72	140.6	92.5	84 x 42 x 41.5	GDH428441
\$836	\$2059	14.06	152.24	92.5	96 x 42 x 41.5	GDH429641
\$611	\$1741	6.74	130.1	70	60 x 48 x 41.5	GDH486041
\$729	\$1936	7.42	143.5	70	72 x 48 x 41.5	GDH487241
\$805	\$2064	14.52	156.74	92.5	84 x 48 x 41.5	GDH488441

WT/LBS.

CUBIC FT.

15.84

LIST PRICE

\$2223

HP ADD

\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

170.06

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 686).

92.5


FREIGHT CLASS

**Required Specifications** 

Top finish Laminate base finish Edge **Optional Specifications** 

HP laminate Power block cut-out Accessories

Power block




WEDGE HUDDLE TABLES

29"H Wedge Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
GWH486029	60 x 48 x 29	70	112.6	5.88	\$1626	\$607
GWH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729
GWH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805
GWH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 686).




36"H Wedge Huddle

GWH486036	60 x 48 x 36	70	123.6	6.38	\$1665	\$607
GWH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729
GWH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805
GWH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 686).



41.5"H Wedge Huddle

GWH486041	60 x 48 x 41.5	70	130.1	6.74	\$1736	\$607	
GWH487241	72 x 48 x 41.5	70	143.5	7.42	\$1936	\$729	
GWH488441	84 x 48 x 41.5	92.5	156.74	14.34	\$2064	\$805	
GWH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 686).

Req	uired	Sp	eci	fica	tions

Top finish Laminate base finish Edge

### **Optional Specifications**

**HP** laminate Power block cut-out

### Accessories

Power block




**RECTANGULAR HUDDLE TABLES** 

29"H Rectangular Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	
	D x W x H						
GRH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333	
GRH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472	
GRH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563	
GRH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540	
GRH427229	72 x 42 x 29	100	111.5	5.78	\$1637	\$644	
GRH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751	
GRH429629	96 x 42 x 29	150	134.74	13.3	\$1957	\$836	
GRH486029	60 x 48 x 29	70	112.6	5.88	\$1629	\$611	
GRH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729	
GRH488429	84 x 48 x 29	92.5	139.24	13.5	\$1950	\$805	
GRH489629	96 x 48 x 29	92.5	152.56	15	\$2109	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 686)







\$333	\$1158	4.58	92.65	70	48 x 36 x 41.5	GRH364841
\$472	\$1390	5.1	102.55	70	60 x 36 x 41.5	GRH366041
\$563	\$1542	5.62	112.6	70	72 x 36 x 41.5	GRH367241
\$540	\$1561	5.92	117.32	70	60 x 42 x 41.5	GRH426041
\$644	\$1738	6.52	129	70	72 x 42 x 41.5	GRH427241
\$751	\$1915	12.72	140.6	92.5	84 x 42 x 41.5	GRH428441
\$836	\$2059	14.06	152.24	92.5	96 x 42 x 41.5	GRH429641
\$611	\$1741	6.74	130.1	70	60 x 48 x 41.5	GRH486041
\$729	\$1936	7.42	143.5	70	72 x 48 x 41.5	GRH487241
\$805	\$2064	14.34	156.74	92.5	84 x 48 x 41.5	GRH488441
\$901	\$2223	15.84	170.06	92.5	96 x 48 x 41.5	GRH489641

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only (see 686).



36"H Rectangular Huddle



41.5"H Rectangular Huddle*

Required Specifications
Top finish

Laminate base finish Edge **Optional Specifications** 

HP laminate Power block cut-out Accessories

Power block






MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
MODISH		THEIGHT CLASS	III/LDS.	OODICTI.	LIGIT I IIICL	יייי איייי
	D x W x H					
GSEH364829	48 x 36 x 29	70	77.05	3.94	\$1068	\$333
SSEH366029	60 x 36 x 29	70	86.95	4.46	\$1302	\$472
SEH367229	72 x 36 x 29	70	97	4.98	\$1452	\$563
SEH426029	60 x 42 x 29	70	99.82	5.18	\$1461	\$540
SEH427229	72 x 42 x 29	70	111.5	5.78	\$1637	\$644
SEH428429	84 x 42 x 29	92.5	123.1	11.98	\$1811	\$751
SEH429629	96 x 42 x 29	92.5	134.7	13.3	\$1957	\$836
SEH486029	60 x 48 x 29	70	112.6	11.78	\$1629	\$611
SEH487229	72 x 48 x 29	70	126	6.58	\$1824	\$729
SEH488429	84 x 48 x 29	92.5	139.2	13.5	\$1950	\$805
SEH489629	96 x 48 x 29	92.5	152.6	15	\$2109	\$901

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H28 or GSHB19H28 only (see 686).




86"H	Soft	Fllinse	Huddle	

GSEH364836	48 x 36 x 36	70	86	4.3	\$1102	\$333	
GSEH366036	60 x 36 x 36	70	95.9	4.84	\$1335	\$472	
GSEH367236	72 x 36 x 36	70	105.9	5.36	\$1483	\$563	
GSEH426036	60 x 42 x 36	70	109.8	5.6	\$1497	\$540	
GSEH427236	72 x 42 x 36	70	121.5	6.22	\$1672	\$644	
GSEH428436	84 x 42 x 36	92.5	133.1	12.4	\$1847	\$751	
GSEH429636	96 x 42 x 36	92.5	144.74	13.74	\$1994	\$836	
GSEH486036	60 x 48 x 36	70	123.6	12.76	\$1669	\$611	
GSEH487236	72 x 48 x 36	70	137	7.08	\$1865	\$729	
GSEH488436	84 x 48 x 36	92.5	150.24	14	\$1991	\$805	
GSEH489636	96 x 48 x 36	92.5	163.56	15.5	\$2149	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H35 or GSHB19H35 only (see 686).



GSEH364841	48 x 36 x 41.5	92.5	92.65	9.16	\$1158	\$333	
GSEH366041	60 x 36 x 41.5	70	102.55	5.1	\$1390	\$472	
GSEH367241	72 x 36 x 41.5	70	112.6	5.62	\$1542	\$563	
GSEH426041	60 x 42 x 41.5	70	117.32	5.92	\$1561	\$540	
GSEH427241	72 x 42 x 41.5	70	129	6.52	\$1738	\$644	
GSEH428441	84 x 42 x 41.5	92.5	140.6	12.72	\$1915	\$751	
GSEH429641	96 x 42 x 41.5	92.5	152.24	14.06	\$2059	\$836	
GSEH486041	60 x 48 x 41.5	70	130.1	6.74	\$1741	\$611	
GSEH487241	72 x 48 x 41.5	70	143.5	14.86	\$1936	\$729	
GSEH488441	84 x 48 x 41.5	92.5	156.74	14.34	\$2064	\$805	
GSEH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2223	\$901	

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only, except 36" x 48"D models (cut-out available in position 1 only).

• Metal bases sold separately. Compatible with GRHB22H41 or GSHB19H41 only (see 686).

Required Specifications
Top finish
Laminato haco finich

**Optional Specifications** HP laminate Power block cut-out

Accessories Power block

Edge

## **SWAP TABLES**

HUDDLE BASES							
^							
$\longrightarrow$							

			_
22"	Round	Huddle	Base



18.5" Square Huddle Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH	ACO/SBR
SELECT BASE CO	DxWxH )MPATIBLE WITH T	OP HEIGHT:					
OLLLOI BAGE OC	WILL ALIDEL WILL IN	or merani.					
GRHB22H28	22 x 22 x 28	92.5	10	1	\$1048	\$125	\$303
GRHB22H28 GRHB22H35	22 x 22 x 28 22 x 22 x 35	92.5 150	10 62	1 12.67	\$1048 \$1048	\$125 \$150	\$303 \$327

GRHB22H28 - seated height GRHB22H35 - counter height GRHB22H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 645; plated finishes as available on 645 (upcharge applies).

GSHB19H28	18.5 x 18.5 x 28	125	55	6.94	\$1120	\$121	\$304
GSHB19H35	18.5 x 18.5 x 35	125	57	8.8	\$1120	\$137	\$350
GSHB19H41	18.5 x 18.5 x 40.5	150	58	9.84	\$1173	\$150	\$332

GSHB19H28 - seated height GSHB19H35 - counter height GSHB19H41 - bar height

Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 645; plated finishes as available on 645 (upcharge applies).


**Required Specifications** 

**Optional Specifications** Plated finish



Terina is a simple flip top table series that transforms any space into sophisticated areas for training, meetings and collaboration. Terina features unique and elegant aluminum, angled t-leg design paired with high pressure laminate or veneer surface, with optional modesty panels. Surface power modules offer an easy way to charge electronic devices without the need to drop down cords. Wires are managed below the worksurface with snap-in cable clips. Terina can be ganged together with optional flush ganging plates. Single hand release mechanism is active from the center of the user side of the table. Tables can be nested together in an upright position to minimize storage space.

Optional power block includes power and data



Optional ganging plates and daisy chain power management



Tables can be nested together when not in use

#### Features and Benefits

- Training, meeting or conferencing. A multi-purpose table that allows you quickly and simply adapt your space to suit your needs.
- Simple flip top mechanism designed for single handed operation.
- Tops offered in high pressure laminate or wood veneer
- 10" modesty panel articulates when tables fold down
- Legs and crossbeam offered in 7 paint finishes
- Optional flush ganging plates
- Tables can be nested together when not in use.

#### **GENERAL INFORMATION**

- Terina flip top tables transform any space into sophisticated areas for training, meetings and collaboration.
- Simple flip top mechanism is designed for one handed operation.
- Unique, angled "T" leg design.
- Shipped R.T.A. (Ready to Assemble).
- For environmental certifications, please visit globalfurnituregroup.com.

#### WORKSURFACES

- Laminate surfaces are 1-1/16" thick tops constructed of 45 lb. density particle board with high pressure laminate and finished on the underside of the surface with a kraft paper backing.
- Veneer surfaces are 1-3/16" thick tops constructed of 45 lb. density particle board and are balanced on the underside with veneer (unfinished)
- Worksurfaces are pre-drilled for alignment of the Terina base

#### BASE

- · Tables feature an aluminum leg, cross beam and die-cast foot.
- Legs and cross beam are available in (7) different finish options.
- Die-cast foot is always in polished aluminum finish.
- Foot span is 23"

#### **EDGING**

- Laminate surfaces offer a selection of matching + coordinated edgeband. Specify separately from the surface finish.
- · Veneer tops are finished with a 6mm hardwood edge, stained to match

#### **CASTERS**

- Casters are standard on all tables.
- 2-3/8" dual wheel casters with manual lock. Full 360° swivel.
- Suggested for carpeted surfaces.
- · Available in grey only

#### **GANGING PLATES**

- · Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

#### **WIRE MANAGEMENT**

 Wire management option is a snap-in channel that fits on the interior of the leg or on the underside of the flip-top cross beam



#### MODESTY PANELS

- 10" modesty panel affixes to the top and base, articulating when it folds down.
- · Available in all standard laminates
- Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

#### LAMINATE FINISHES

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
BRC	Brushed Cobalt	SOG	Storm Grey
CMB	Clear Maple	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
FCL	First Class		

#### **EDGE FINISHES (Laminate Surfaces Only)**

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
BZD	Blizzard	SIL	Silver
CHR	Charcoal (use w/SOG)	SDT	Stonedust
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry
FCL	First Class		

#### **LEG FINISHES**

BLK	Black	CHR	Charcoal
DWT	Designer White	NEV	Nevada
SIL	Silver	TPE	Taupe
TUN	Tungsten		


#### **VENEER FINISHES:**

	IIIIOIIEO.		
Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWW	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced
JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced
VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

#### **GROMMETS**

- Grommets are available in all tops (left, center or right). Order as: AG1, AG2 or AG3. Add \$96.
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.
- · Available on all table widths and depths
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.

#### Grommet hole dimensions Grommet



Grommets may be placed at non-standard locations. Order as: AGS - Add \$96. A
drawing must be supplied with vertical and horizontal dimensions to the center of the
cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM
in the back reference section.


#### **POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- A Power Block cut-out (for model PMSPDM) may be ordered for tops 60" and up in any standard location. Order as E1, E2 or E3, Add \$96.
- A Power Block cut-out (for model PMSPDM) may be ordered in the center position only for 48" and 54" tops. Order as E2. Add \$96.

- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add \$330.
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.




#### Power Block PMSPDM, Add \$330



#### **VILLA CUT-OUTS**

- A Villa cut-out may be ordered for tops 60" and up in any standard location.
   Order as: V1, V2 or V3 Add \$96 for each cut-out.
- A Villa cut-out may be ordered in the center position only for 48" and 54" tops.
   Order as: V2 Add \$96.
- Villa with USB is not compatible with Terina tables
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.



RECTANGULAR TABLES
RECTANGULAR TABLES  Rectangular Table - Laminate Top*
Rectangular Table - Laminate Top*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
GFT2472R	24 x 72 x 29	100	66	6.98	\$1900
GFT2466R	24 x 66 x 29	250	61	20.96	\$1863
GFT2460R	24 x 60 x 29	250	55	20.96	\$1832
GFT2454R	24 x 54 x 29	250	53	17.96	\$1790
GFT2448R	24 x 48 x 29	250	48	17.96	\$1638
GFT3072R	30 x 72 x 29	100	68	6.98	\$1958
GFT3066R	30 x 66 x 29	100	66	6.98	\$1938
GFT3060R	30 x 60 x 29	100	61	6.98	\$1907
GFT3054R	30 x 54 x 29	100	55	5.99	\$1863
GFT3048R	30 x 48 x 29	100	53	5.99	\$1749

Tables feature a flip-top **laminate** worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxM).

• Casters are available in grey only.

\$3154 \$2999 \$2842
\$2842
\$2753
\$2660
\$3626
\$3428
\$3229
\$3023
\$2822

Tables feature a flip-top **veneer** worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxMx).

• Casters are available in grey only.

5	
•	
Rectangula	r Table - Veneer Top

WIUDESTY FAMELS

Modesty	Panel	-	Laminate*
---------	-------	---	-----------

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
GFT72M	.75 x 70 x 10	92.5	20	2	\$346	
GFT66M	.75 x 64 x 10	100	18	2	\$329	
GFT60M	.75 x 58 x 10	70	15	1	\$316	
GFT54M	.75 x 52 x 10	85	13	1	\$303	
GFT48M	.75 x 46 x 10	92.5	11	1	\$288	

Laminate modesty panel for use on GFTxxxxR Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

• Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

Modesty Panel - Veneer

GFT72MV	.75 x 70 x 10	92.5	20	2	\$964
GFT66MV	.75 x 64 x 10	100	18	2	\$896
GFT60MV	.75 x 58 x 10	70	15	1	\$814
GFT54MV	.75 x 52 x 10	85	13	1	\$732
GFT48MV	.75 x 46 x 10	92.5	11	1	\$664

Veneer modesty panel for use on GFTxxxxRx Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

• Modesty panels up to 60"w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

Required Specifications	Optional Specifications	Accessories
Top finish	Grommet	Power block
Leg finish		Wire managem
Edge finish*		Ganging plate



Clamp Mount 2 Power/USB-A&C

LIST PRICE MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. DxWxH 0.2 \$500 PS3525057 3.2 x 5.5 x 3 60 3.01 PS3525002 3.2 x 5.5 x 3 60 3.01 0.2 \$500

Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3525057 White module with Silver bracket.
- PS3525002 Black module with Silver bracket



**Under Mount 2 Power/USB-A&C** 

PS3526057	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	
PS3526002	2.8 x 5.5 x 1.8	60	3.2	0.2	\$500	

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.

- PS3526057 White module with Silver bracket
- PS3526002 Black module with Silver bracket.



Clamp Mount 3 Power/USB-A&C

PS3526957	3.2 x 5.5 x 3	60	3.01	0.2	\$575	
PS3526902	3.2 x 5.5 x 3	60	3.01	0.2	\$575	

Ashley Trio clamp mount power module with three 15-amp 120 Volt AC receptacles; 2.4-amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. NOTE: HDMI, RJ45 and VGA connectors are not included. UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS305217 White module with Silver bracket.
- PS305212 Black module with Silver bracket

WIRE MANAGEMENT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	GFTCM04BLK	2 x 10 x 2	70	1	1	\$54	
Wire Manager		00 / 1				eg for wire management f elow the worksurface.	rom the surface
	GFCNGFP	.1 x 5 x 2.5	70	1	.01	\$54	
Ganging Flush Plate	Black epoxy coate	d steel plates with 2 t	thumbscrews includ	ded. Used to	connect works	urfaces together. Holes v	with steel



Black epoxy coated steel plates with 2 thumbscrews included. Used to connect worksurfaces together. Holes with stee inserts are located in the corner of the tops to accommodate this plate. Sold individually.

#### **Required Specifications**

Finish

Edge finish*



Zook was designed for today's dynamic and diverse learning environments. The tables are lightweight and can be reconfigured easily to create interactive environments and support collaboration.

Choose from a variety of organic and geometric shaped table tops to optimize flexibility. They are available in a wide array of sizes and finishes in both thermally fused laminate and high pressure laminate. Zook's color palette also includes nine new bold finishes available in high pressure laminate only.

Tops are available in 1" thick thermally fused laminate or 1-1/16" high pressure laminate with Global's preferred matching edge or a new optional ergo friendly edge.



Variety of organic and geometric shapes



Multiple table configurations. Ideal for group study and encouraging collaboration.



Optional ergo friendly edge

#### **Features and Benefits**

- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- · Global's preferred matching edge or optional ergo friendly
- Tops are available in organic and geometric shapes.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- Group table's cable tower is constructed from thermally fused laminate with a removable access panel and inside clearance of 9" x 9". Available on group tables ZK44848P, ZK45959P and ZK65990 only.
- Easy to assemble

#### GENERAL INFORMATION

- Zook is a series of tables designed for classrooms and diverse learning environments.
- Organic shapes and rectangular tops are available to create a variety of configurations that naturally bring people together.
- Choose from Zook group tables for groups of 4 to 6 people comfortably, pod tables for individuals, activity tables, or flip top tables.
- Create spaces that encourage discussion and the sharing of ideas
- Supports multi-use, active learning spaces and a variety of teaching styles
- Materials and workmanship stand up to the rigorous demands of today's learning environments
- Shipped easy to assemble. Tops include factory installed metal inserts to accept leg attachment.
- For environmental certifications, please visit globalfurnituregroup.com.

#### **ZOOK GROUP TABLES**

- Organic shaped tops available in three sizes: 48" x 48", 59" x 59" or 59" x 90".
- Tops supported by 3" diameter fixed height post legs.
- Select models available with cut-out options for power modules; these select models also include a cable tower for managing cables to floor monuments..

#### **ZOOK POD TABLES**

- · Available in four geometric shapes; three that when used adjacent to one another, can create various pod configurations as well as rectangular tables in a number of sizes.
- ADA compliant heights available for select models.
- 1.5" diameter fixed height post legs.
- Tables may be specified on levelers or with casters for greater mobility and flexibility

#### ZOOK ACTIVITY TABLES

- Available in three shapes, all based on a 54" wide footprint.
- Tops are available with two types of mating edges: curved or straight. When planning to mate tables, do not mix mating edge styles.
- 2" diameter tapered legs on levelers or casters.

#### **ZOOK FLIP-TOP TABLES**

- Available in three sizes, 30"w x 22"d with concave shaped top; 30"w x 24"d and 60"w x 24"d rectangular top with radius corners.
- Supported by Y legs, equipped with smooth glide casters (two locking). Tungsten (TTU) finish only.
- 60"w tables optional with AG1, AG2, AG3 grommet; ZKFR3024 available with optional AG2 grommet
- Modesty panels are available separately in Tungsten (TUN) finish only.
- Tops and bases sold separately.
- Caution: to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.

#### WORKSURFACES

- Tops are available in 1" thick thermally fused laminate or 1-1/16" thick high pressure
- Available in many finishes in both thermally fused laminate or high pressure laminate
- Worksurface core is made of 45 lb. density particleboard
- Surfaces include factory-installed metal inserts for solid and secure leg connections

#### WRITEABLE SURFACE OPTION

- · Available on group, pod, activity, flip-top and rectangular tables
- High gloss White, non-magnetic dry-erase surface
- Complementary or contrasting edge to be specified, darker edge finish recommended
- Specify (WRW) for top finish. For upcharge, refer to finish option per product.

#### **EDGE DETAIL**

- Global's preferred (2mm flat edge) matching edge is standard
- · Optional ergo-friendly edge is available at an upcharge (varies by item; see product for details).
- · Rectangular tops feature rounded 2.5" radius corners







#### **LEGS**

- Group tables: 3" diameter steel post legs, 28" high with adjustable 3" diameter plastic glides. Each leg includes a 6" x 6" metal top plate and ships with truss head screws to connect to tops. See 694 for available finishes.
- Pod tables: 1.5" diameter tube steel legs, available with adjustable levelers or dual wheel locking casters. Each leg includes top plate and hardware for mounting. See 694 for available finishes. Optional Chrome (CHM) finish is available for pod tables only. Add \$78 for three-legged models or add \$102 for four-legged models
- . Activity tables: 2" diameter tapered legs available with adjustable levelers or optional locking casters. Each leg includes top plate and hardware for mounting. See 694 for available finishes. Optional Chrome (CHM) finish is available. Add \$164.


#### **Group tables** Pod tables **Activity Tables** 3" dia. leg 1.5" dia. leg 1.5" dia. leg Tapered leg Tapered leg with caster with leveler with caster

#### **CASTERS**

- Pod table models ending in C indicate legs equipped with 1.5" dia locking casters. Casters are black only.
- · Activity table models ending in C indicate legs equipped with 2"dia locking casters. Casters are black only.

#### **GROUP TABLE with CABLE TOWER**

- Constructed from thermally fused laminate with a removable access panel
- Inside clearance of 8" x 8.6" will conceal most floor monuments, but still provide
- Available on group tables ZK44848P, ZK45959P and ZK65990P only.
- Must specify cut-out option when ordering group tables to accommodate select power module. Power modules sold seperately.
- Available in Black (BLK), Brushed Cobalt (BRC) or Designer White (DWT) finish



### 1. SPECIFY MODEL NUMBER

#### 2. SPECIFY TOP FINISH

#### Thermally Fused and High Pressure Laminate Finishes:

ACJ	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASN	Asian Night	DES	Dark Espresso	QTM	Quartered Mahogany
AWC	Avant Cherry	DWT	Designer White	SBY	Sheer Beauty
AWH	Avant Honey	FAS	Fashionista	SOG	Storm Grey
BLK	Black	FCL	First Class	SDT	Stonedust
BZD	Blizzard	NBL	Noce Biondo	WHE	Walnut Heights
BRC	Brushed Cobalt	NGL	Noce Grigio	WHC	White Chocolate
CMB	Clear Maple	NEL	Noce Leggero	WCR	Winter Cherry

#### 3. SPECIFY EDGE FINISH

#### 2mm Thick Edgebanding:

AAE Absolute Acajou FCL First Class Fog ASE Asian Night FOG ACE Avant Cherry LAB Latte Avant Honey AHE NBL Noce Biondo BLK Black NGL Noce Grigio **Brushed Cobalt** BRC NEL Noce Leggero Buzz Blue BZB NML Noce Medio BZD Blizzard QTM Quartered Mahogany Cactus SAR CCT Scarlet CRO Carrot SBY Sheer Beauty CME Clear Maple SHW Shadow CGY **Custom Grey** SDT Stonedust DEE Dark Espresso SOG Storm Grey DWE Designer White WHE Walnut Heights DJN Dijon White Chocolate Fashionista WCE Winter Cherry

#### Ergo Friendly Edge Finishes (optional - upcharge applies)

EBL Black
ECP Latte
ECG Charcoal Grey
EDW Designer White
EGR Grey

#### 4. SPECIFY LEG FINISH

#### Legs

TBL Black TBZ Buzz Blue TCC Cactus TCR Carrot TIV Cloud TDW Designer White TDJ Dijon TEG Eggplant TF0 Fog TFR Frost TIN lnk TKA Kalua TLA Latte TM0 Mocha TNE Nevada

Sand

Scarlet

Shadow

Tungsten

Toast

CHM Chrome**

**Upcharges apply for CHM. Refer to model for upcharges.

Note: Leg finish is not optional for flip-top tables. Available in Tungsten (TTU) only.

FINISH	ACTIVITY	FLIP-TOP	GROUP	POD
Black TBL	•	N/A	•	•
Buzz Blue TBZ	•	N/A	•	•
Cactus TCC	•	N/A	•	•
Carrot TCR	•	N/A	•	•
Chrome CHM	•	N/A	N/A	•
Cloud TIV	•	N/A	•	•
Designer White TDW	•	N/A	•	•
Dijon TDJ	•	N/A	•	•
Eggplant TEG	•	N/A	•	•
Fog TFO	•	N/A	•	•
Frost TFR	•	N/A	•	•
Ink TIN	•	N/A	•	•
Kalua TKA	•	N/A	•	•
Latte TLA	•	N/A	•	•
Mocha TMO	•	N/A	•	•
Nevada TNE	•	N/A	•	•
Sand TSN	•	N/A	•	•
Scarlet TSR	•	N/A	•	•
Shadow TSH	•	N/A	•	•
Toast TOA	•	N/A	•	•
Tungsten TTU	•	•	•	•

TSN

TSR

**TSH** 

TOA

TTU

#### SPECIFY CABLE TOWER FINISH - ZK44848P, ZK45959P and ZK65990P only

#### **Cable Tower Finishes:**

BLK Black

BRC Brushed Cobalt

DWT Designer White


#### **SPECIFY CUT-OUT OPTION - remember to order power module separately**

#### POWER BLOCK AND CUT-OUT OPTIONS

- A power block delivers power/data to the table surface.
- Power block modules must be ordered separately and available for models ZK44848P, ZK45959P and ZK465990P only.
- Must specify the power block cut-out option when ordering the table.
- Optional cut-out available in the center position only and corresponds to select power modules. Order as R2 or T2 depending on the power module ordered.
- For a custom size cut-out (must be in center position), please contact Customer Care
- Select power block option from Productivity Solutions, beginning on page 462.

PRTMCS401B PRTMCS401T PRTMCS401W PRTMCS421B PRTMCS421T PRTMCS421W





- Match power block desired with cut-out code and location from above grid.
- Example: For power block module # PRTMCS401B, specify cut-out option R2.

#### **MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to select Zook tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions 465.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
- MPS for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for ZKRxxxx(L/C), ZKFR3024* and

#### ZKFR6024*. Add \$96

 MPD for two cut-outs in the left and right positions, 15" from ends to center of unit on the approach side for ZKR54xx(L/C), ZKR60xx(L/C), ZKR72xx(L/C) and ZKFR6024*. Add \$192.

*Note: not for use with Zook flip-top tables if optional modesty panel is specified.


#### **EXAMPLE ZOOK ORDER CODES:**

#### Group table

ZK65590P	-ACJ	-HPL	-ECG	-TTU	-BRC	-U2
Model #	Top finish	High pressure laminate	Ergo friendly edge and finish	Leg finish	Cable tower finish	Cut out option

#### Pod table

ZK412529L	-ACJ	-HPL	-WHE	-TTU
Model #	Top finish	High pressure	2mm edge finish	Leg finish



6-Person Table w/Cable Tower, 29"H*

6-person table includes top, seven steel post legs and cable tower. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 8 cartons. For power block options, see page 462.

Required specifications	Optional specifications	Accessories	
Top finish	HP laminate	Power block*	
Edge finish	Ergo friendly edge and finish		
Leg finish	Power block cut-out*		
· ·	Writeable surface (WRW)		

\$341

\$510

\$341

\$510

\$341

\$510

\$845

\$845

\$845

POD TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP ADD	ERGO EDGE	WRW
Sample pod table configurations	ZK412529L shown in left, forwal and right facing posit L F F	rd shown straight	02529L x 4 in alternating line orientation	ZK412529L x 4	ZK30:	2529L x 6 ZK3	112129L x 6	
POD TABLES - 29" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP ADD	ERGO EDGE	WRW



Small Pod Table w/3 Legs



Medium Pod Table w/4 Legs



Large Pod Table w/3 Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE HP A	DD ERGO EDGE	WRW
ZK302529L	24.6 x 30 x 29	70	37	2	\$391 \$6	3 \$31	\$156

Triangular table with three round tube 18 gauge steel legs. Can be used individually, can alternate front-to-back in a straight row, or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

ZK352129L	20.9 x 35 x 29	70	41	2.40	\$492	\$83	\$37	\$156
-----------	----------------	----	----	------	-------	------	------	-------

Trapezoid table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.

ZK412529L	25.7 x 41 x 29	70	48	2.24	\$505	\$106	\$44	\$182

Triangular table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

Rec	luired	sp	ecifi	cations

Top finish Edge finish Leg finish

#### Optional specifications

HP laminate Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs



Large Pod Table w/3 Legs



**ADA compliant** table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.

ZK412532L	25.7 x 41 x 32	70	48	2.36	\$510	\$106	\$44	\$182

**ADA compliant** table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

ZK302529C	24.6 x 30 x 29	70	37	2	\$418	\$69	\$31	\$156

Small Mobile Pod Table w/3 Legs

Triangular table with three round tube 18 gauge steel legs. Can be used individually, can alternate front-to-back in a straight row, or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$78 list.

ZK352129C	20.9 x 35 x 29	70	41	2.40	\$531	\$83	\$37	\$156



Medium Mobile Pod Table w/4 Legs

Trapezoid table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.

ZK412529C	25.7 x 41 x 29	70	48	2.24	\$534	\$106	\$44	\$182



Large Mobile Pod Table w/3 Legs

Triangular table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed

• Chrome (CHM) is available on legs. Add \$78 list.

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Ergo friendly edge and finish
Leg finish	Writeable surface (WRW)
· ·	Chroma (CHM) logs



Rectangular Table, 20" Deep

**RECTANGULAR TABLES - 29" HIGH** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE HP ADD	ERGO EDGE	WRW
	DxWxH						
ZKR3020L	20 x 30 x 29	70	50	2.55	\$465 \$110	\$35	\$144
ZKR3620L	20 x 36 x 29	70	51	2.65	\$481 \$130	\$37	\$156
ZKR4820L	20 x 48 x 29	70	58	2.95	\$531 \$171	\$44	\$177
ZKR5420L	20 x 54 x 29	70	64	3.15	\$616 \$194	\$48	\$187
ZKR6020L	20 x 60 x 29	70	70	3.25	\$640 \$214	\$52	\$198
ZKR7220L	20 x 72 x 29	65	85	3.55	\$700 \$258	\$58	\$214

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.



Rectangular Table, 24" Deep

ZKR3024L	24 x 30 x 29	70	51	2.75	\$468	\$130	\$36	\$156
ZKR3624L	24 x 36 x 29	70	53	2.85	\$505	\$158	\$38	\$166
ZKR4824L	24 x 48 x 29	70	59	3.25	\$563	\$206	\$45	\$193
ZKR5424L	24 x 54 x 29	70	65	3.35	\$653	\$232	\$50	\$202
ZKR6024L	24 x 60 x 29	70	71	3.55	\$681	\$256	\$53	\$214
ZKR7224L	24 x 72 x 29	70	86	3.95	\$745	\$307	\$60	\$240

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

•	<ul><li>Chrome</li></ul>	(CHM) is	availab	le on	legs.	Add	\$1	Į



Mobile Rectangular Table, 20" Deep

MOBILE RECTANGULAR TABLES - 29" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE HP ADD	ERGO EDGE	WRW
ZKR3020C	20 x 30 x 29	70	50	2.55	\$504 \$110	\$35	\$144
ZKR3620C	20 x 36 x 29	70	51	2.65	\$516 \$130	\$37	\$156
ZKR4820C	20 x 48 x 29	70	58	2.95	\$566 \$171	\$44	\$177
ZKR5420C	20 x 54 x 29	70	64	3.15	\$654 \$194	\$48	\$187
ZKR6020C	20 x 60 x 29	70	70	3.25	\$678 \$214	\$52	\$198
ZKR7220C	20 x 72 x 29	65	85	3.55	\$737 \$258	\$58	\$214

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually

• Chrome (CHM) is available on legs. Add \$102 list.



Mobile Rectangular Table, 24" Deep

ZKR3024C	24 x 30 x 29	70	51	2.75	\$507	\$130	\$36	\$156	
ZKR3624C	24 x 36 x 29	70	53	2.85	\$543	\$158	\$38	\$166	
ZKR4824C	24 x 48 x 29	70	59	3.25	\$602	\$206	\$45	\$193	
ZKR5424C	24 x 54 x 29	70	65	3.35	\$691	\$232	\$50	\$202	
ZKR6024C	24 x 60 x 29	70	71	3.55	\$719	\$256	\$53	\$214	
ZKR7224C	24 x 72 x 29	70	86	3.95	\$785	\$307	\$60	\$240	

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

• Chrome (CHM) is available on legs. Add \$102 list.

Required	snecifications

Top finish Edge finish Leg finish

### Optional specifications

**HP** laminate Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs

## **ACTIVITY TABLES** DxWxH Sample activity table configurations ZK54RECTL x 2 ZK54HEXSL x 2 ZK54RNDSL x 2 Straight mating edges ZK54HEXCL x 2 ZK54WAVCL x 2 ZK54RNDCL x 2 Curved mating edges ZK54RNDCL x 2 ZK54WAVCL x 1 ZK54RNDCL x 2 ZK54HEXCL x 2 ZK54WAVCL x 2 ZK54WAVCL x 1 Mixed shapes Curved mating edges shown. Can also do the same with straight mating edge tables.


ACTIVITY TABLES - 29" HIGH, CURVED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E HP ADD	ERGO EDGE	WRW
	ZK54RNDCC	28.4 x 54 x 28.7	5 65	67.4	1.40	\$937	\$214	\$56	\$202
ு பூ Curved Half Round w/Casters	front interferes wit factory installed in	nce between legs on c th users sitting on ends serts for metal-to-met s available on legs. <b>Ac</b>	s in a racetrack co al leg connection.	onfiguration, o	oriented to s	eat two - or	ne on eith	er side. Top i	includes
	ZK54HEXCC	32.4 x 54 x 28.7	5 65	76.4	1.49	\$1010	\$246	\$66	\$202
Curved Half Hex w/Casters	Top includes factor from leg.	nce between legs on c ry installed inserts for i s available on legs. <b>Ac</b>	metal-to-metal leç		•				•
	ZK54WAVCC	33.8 x 54 x 28.7	5 65	77.4	1.52	\$1042	\$262	\$79	\$202
Nave w/Casters	M 9" incide cleara	nce between legs on c	urved edge 21 9"	on sides. To	n includas fa	actony instal	lad insart	s for motal-t	n-metal l
vvave vv/Gasters		ed easy to assemble in				ictory iristai	ieu iliseri	.5 101 1116141-1	u-illetai i
	<ul> <li>Chrome (CHM) is</li> </ul>	s available on legs. Ac	<b>ld \$164</b> list.						

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Ergo friendly edge and finish
Leg finish	Writeable surface (WRW)
	Chrome (CHM) legs

\$202

ERGO EDGE WRW

\$56



44.3" inside clearance between legs on curved edge, 22.9" on narrow depth side and 24" on other side. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

CUBIC FT.

1.40

LIST PRICE HP ADD

\$214

\$929

• Chrome (CHM) is available on legs. Add \$164 list.

ZK54HEXCL	32.4 x 54 x 28.25	65	76.4	1.49	\$1003	\$246	\$66	\$202

42.9" inside clearance between legs on curved edge, 22.3" on narrow depth side and 24" on other side. 22.8" on straight end. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.

ZK54WAVCL	33.8 x 54 x 28.25	65	77.4	1.52	\$1034	\$262	\$79	\$202

44.9" inside clearance between legs on curved edge, 21.9" on sides. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.

	$\bigvee$	
B		A

Curved Half Hex w/Levelers*



Wave w/Levelers*

**Required specifications** 

Top finish Edge finish Leg finish Optional specifications

HP laminate Ergo friendly edge and finish Writeable surface (WRW) Chrome (CHM) legs

ZOOK™									
ACTIVITY TABLES - 29"HIGH, STRAIGHT	MODEL#		REIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRIC	E HP ADD	ERGO EDGE	WRW
	ZK54RNDSC	<b>D x W x H</b> 28.4 x 54 x 28.75	65	67.4	1.40	\$885	\$189	N/A	\$202
Straight Half Round w/Casters	ends in a racetrac leg connection. Sh • Chrome (CHM) i	ance between legs on long k configuration, oriented to hipped easy to assemble in s available on legs. <b>Add</b>	n 2 cartons, top \$164 list.	e on either s separate fro	side. Top inclu om leg.	udes factor	y installed	inserts for i	metal-to-metal
Straight Half Hex w/Casters	metal-to-metal leg	32.4 x 54 x 28.75 ance between legs on long connection. Shipped eas s available on legs. Add	sy to assemble i			-	<b>\$204</b> ncludes fac	N/A	\$202 ed inserts for
	ZK54RECTC	33.8 x 54 x 28.75	65	73.4	1.52	\$965	\$227	N/A	\$202
Rectangular w/Casters	leg connection. Sh	nce between legs on long ipped easy to assemble in s available on legs. <b>Add</b>	2 cartons, top s			des factory	installed in	serts for me	etal-to-metal
	ZK54RNDSL	28.4 x 54 x 28.25	65	67.4	1.40	\$877	\$189	N/A	\$202
Straight Half Round w/Levelers	in a racetrack conf connection. Levele	nce between legs on long iguration, oriented to seat ers offer 1.25" of height ac s available on legs. <b>Add</b>	two - one on ei	ther side. To	p includes fac	ctory install	ed inserts f	or metal-to	
	ZK54HEXSL	32.4 x 54 x 28.25	65	73.4	1.49	\$907	\$204	N/A	\$202
Straight Half Hex w/Levelers	ight Half Hex w/Levelers  40.6" inside clearance between legs on long side, 21.4" on sides and 22.3" on short side. Top includes factory installed inserts finetal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate leg.  • Chrome (CHM) is available on legs. Add \$164 list.								
	ZK54RECTL	33.8 x 54 x 28.25	65	73.4	1.52	\$958	\$227	N/A	\$202
ू Rectangular w/Levelers	45.3" inside cleara	nce between legs on long	sides and 22.3"	on short sid	es. Top includ	des factory	installed in	serts for me	etal-to-metal

45.3" inside clearance between legs on long sides and 22.3" on short sides. Top includes factory installed inserts for metal-to leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.

• Chrome (CHM) is available on legs. Add \$164 list.

Required specifications	Optional specifications
Top finish	HP laminate
Edge finish	Writeable surface (WRW)
Leg finish	Chrome (CHM) legs

PT I	
	nested

FLIP-TOP TABLES

Flip-Top Table, Contoured Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
	D x W x H							
Top:								
ZKFC3022T	22 x 30 x 29.5	150	20.6	2.03	\$248	\$127	\$93	\$150
Base:								
ZKFTB30		125	26.5	3.6	\$685	n/a	n/a	n/a

Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN)

nested

Flip-Top Table, Rectangular Top**

Тор:								
ZKFR3024T	24 x 30 x 29.5	70	21.5	1.03	\$277	\$139	\$108	\$156
Base:								
ZKFTB30		125	26.5	3.6	\$685	n/a	n/a	n/a

Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.



Flip-Top Table, Rectangular Top*

Тор:								
ZKFR6024T	24 x 60 x 29.5	70	43	1.92	\$405	\$207	\$112	\$214
D								
Base:								
ZKFTB60		100	31	3.86	\$778	n/a	n/a	n/a

Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM60) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.


•
9
1=
4

Modesty for ZKFC3022 and ZKFC3024

MODESTY PANELS FOR FLIP-TOP TABLES

7KFTM30 0.5 v 17.8 v 13.8 60 6.6 0.22 \$66	ICE	LIST PRICE	CUBIC FT.	WT/LBS.	FREIGHT CLASS	DIMENSIONS	MODEL#
ZKI 11VI30 0.3 X 17.0 X 13.0 00 0.0 0.22 <b>400</b>		\$66	0.22	6.6	60	0.5 x 17.8 x 13.8	ZKFTM30

Hardware included to attach to ZKFC3022 or ZKFR3024. Tungsten finish only. Shipped in 1 carton.



Modesty	for ZKFR6024
---------	--------------

|--|

Hardware included to attach ZKFR6024. Tungsten finish only. Shipped in 1 carton.

Req	ui	ir	ed	Specifications
-	-	-		

Top finish Edge finish

#### **Optional Specifications**

**HP** laminate

Ergo friendly edge and finish Writeable surface (WRW)

## **C** CITI TABLES

CITI TABLES MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

DXWXH

#### Notes

- Citi tables complement the contemporary timeless decor of many offices.
- Legs are standard in Tungsten (TTU) and also available in Black (TBL) or Shadow (TSH) at no charge. A Chrome (CHM) finish is available. Add \$110.
- Table tops are available in either tempered glass or laminate
- Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### **End Table**

**CITI TABLES** 

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
7885	20 x 24 x 20	100	53	6	\$827	
(laminate top)						
7886	20 x 24 x 20	92.5	60	6	\$1166	
(glass top)						


Metal tubular legs. Laminate or tempered glass tops available.



Coffee Table - Rectangular

0 x 40 x 15	92.5	75	6.50	\$1343
	0 x 40 x 15	0 x 40 x 15 92.5	0 x 40 x 15 92.5 75	0 x 40 x 15 92.5 75 6.50

Metal tubular legs. Laminate or tempered glass tops available.



Coffee Table - Square

7889	33 x 33 x 15	92.5	90	8.75	\$1630	
(glass top)						

Metal tubular legs. Tempered glass top.

**Required Specifications** 

Finish

DAT TREES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		DxWxH		_		
¥	PCOS2	25 x 25 x 60	300	8	4.67	\$501
	PCOS3	25 x 25 x 60	300	8	4.67	\$501
coat Tree	<ul><li>3 per carton</li><li>PCOS2 is finis</li></ul>	tal frame, complete with shed in Black. shed in Chrome.	four Chrome doub	le hooks. Ad	justable glides.	60" high. Ships UPS.
	PCT	25 x 25 x 65	250	6	3	\$642
oat Tree						
	(AAM), Black (B Night (ASM), Sa	KM), Cherry (ACM), Engli	sh Oak (EOM), Gra	y (HGM), Ho	ney (AHM), Ma	able in the following finishes: A ole (AVM), Medium Walnut (M' Winter Cherry (WCM) and Wal
	(AAM), Black (B Night (ASM), Sa (TWM). Ships a	KM), Cherry (ACM), Engli andy Beach (SBM), Maho	sh Oak (EOM), Gra	y (HGM), Ho	ney (AHM), Ma	ole (AVM), Medium Walnut (M
, ,	(AAM), Black (B Night (ASM), Sa (TWM). Ships a	KM), Cherry (ACM), Engli andy Beach (SBM), Maho	sh Oak (EOM), Gra	y (HGM), Ho	ney (AHM), Ma	ole (AVM), Medium Walnut (M

Required Specifications
Finish

#### FREIGHT CLASS

#### WT/LBS.

CUBIC FT.

LIST PRICE

#### DIMENSIONS DxWxH

#### Notes:

- High pressure laminate exterior with adjustable plastic glides
- Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments

MODEL#

- Ideal for reception areas colors coordinate with all Global desks, conference tables and accessories.
- Ships assembled in one carton.

LAMINATE OCCASIONAL TABLES

• Available to either match or coordinate with most Global laminate desk series. Available finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

CCASIONAL TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GCU1816	18 x 18 x 16	85	40	3.30	\$615
	GCU1821	18 x 18 x 21	92.5	46	4	\$717
	GCU2416	24 x 24 x 16	92.5	63	6	\$717
	GCU2421	24 x 24 x 21	92.5	83	7	\$717
	¾" plywood cover	red in high pressure lam	ninate. Plastic glide	es. <b>Flush b</b> a	ase.	
_	GCUP1816	18 x 18 x 16	85	40	3	\$680
	GCUP1821	18 x 18 x 21	92.5	46	4	\$785
	GCUP2416	24 x 24 x 16	92.5	63	6	\$785
	GCUP2421	24 x 24 x 21	92.5	83	7	\$785
Table	¾" plywood cover	red in high pressure lam	ninate. Plastic glide	es. <b>Recess</b>	ed base.	
Table		<u> </u>				<b>6</b> 045
Table	GCY1816	18 x 18 x 16	85	43	3.30	\$615 \$717
Table	GCY1816 GCY1821	18 x 18 x 16 18 x 18 x 21	85 92.5	43 49	3.30 4.30	\$717
Table	GCY1816 GCY1821 GCY2416	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16	85 92.5 125	43 49 47	3.30 4.30 6	\$717 \$717
Table	GCY1816 GCY1821	18 x 18 x 16 18 x 18 x 21	85 92.5 125 100	43 49 47 66	3.30 4.30 6 7	\$717
Table	GCY1816	18 x 18 x 16	85	43	3.30	
Table	GCY1816 GCY1821 GCY2416	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16	85 92.5 125	43 49 47	3.30 4.30 6	\$717 \$717
Table	GCY1816 GCY1821 GCY2416 GCY2421	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21	85 92.5 125 100	43 49 47 66	3.30 4.30 6 7	\$717 \$717 \$717
Table	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16	85 92.5 125 100 125	43 49 47 66 59	3.30 4.30 6 7 8	\$717 \$717 \$717 \$815
Table	GCY1816 GCY1821 GCY2416 GCY2421	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21	85 92.5 125 100	43 49 47 66	3.30 4.30 6 7	\$717 \$717 \$717
Table	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16	85 92.5 125 100 125 125	43 49 47 66 59 78	3.30 4.30 6 7 8 11	\$717 \$717 \$717 \$815
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high pro-	85 92.5 125 100 125 125 essure laminate. Pl	43 49 47 66 59 78	3.30 4.30 6 7 8 11	\$717 \$717 \$717 \$815
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high pro-	85 92.5 125 100 125 125 essure laminate. Pl	43 49 47 66 59 78	3.30 4.30 6 7 8 11	\$717 \$717 \$717 \$717 \$815 \$815
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high pro-	85 92.5 125 100 125 125 essure laminate. Pl	43 49 47 66 59 78 lastic glides	3.30 4.30 6 7 8 11 . Flush base.	\$717 \$717 \$717 \$717 \$815 \$815
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 poard covered in high pro-	85 92.5 125 100 125 125 essure laminate. Pl	43 49 47 66 59 78 lastic glides	3.30 4.30 6 7 8 11 . <b>Flush base</b> .	\$717 \$717 \$717 \$815 \$815 \$815
	GCY1816 GCY1821 GCY2416 GCY2421 GCY3016 GCY3021 3/8" foundation b	18 x 18 x 16 18 x 18 x 21 24 x 24 x 16 24 x 24 x 21 30 x 30 x 16 30 x 30 x 21 board covered in high pro-	85 92.5 125 100 125 125 essure laminate. Pl	43 49 47 66 59 78 lastic glides 43 49 47	3.30 4.30 6 7 8 11 . <b>Flush base</b> .	\$717 \$717 \$717 \$815 \$815 \$815 \$680 \$785 \$785

3/8" foundation board covered in high pressure laminate. Plastic glides. Recessed base.

**Required Specifications** 

**Plinth Cylinder Table** 

## LAMINATE OCCASIONAL TABLES L

		D x W x H				
		DXWXH				
	CPFD1816	18 x 18 x 16	150	30	7	\$1024
	CPFD1821	18 x 18 x 21	150	30	7	\$1053
	CPFD2416	24 x 24 x 16	250	42	11.50	\$1063
	CPFD2421	24 x 24 x 21	250	42	11.50	\$1091
	CPFD3016	30 x 30 x 16	250	52	17	\$1203
	CPFD3021	30 x 30 x 21	250	52	17	\$1327
Premium Cylinder Table	11/32" plywood c	covered in high pressur	e laminate. Plastic	glides. <b>Flu</b> s	sh base.	
	CPPD1816	18 x 18 x 16	150	30	7	\$1078
	CPPD1821	18 x 18 x 21	150	30	7	\$1106
	CPPD2416	24 x 24 x 16	250	42	11.50	\$1117
	CPPD2421	24 x 24 x 21	250	42	11.50	\$1144
	CPPD3016	30 x 30 x 16	250	52	17	\$1277
	CPPD3021	30 x 30 x 21	250	52	17	\$1400
Premium Plinth Cylinder Table	11/32" plywood c	covered in high pressur	e laminate. Plastic	glides. <b>Rec</b> e	essed base.	

Required Specifications
Finish

TABLES WITH SLED BASE MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD GR. 2 ADD

#### **DRIFT TABLES**



model 8041R2616C 26"W x 16"H Round Table Laminate Surface, Flat Edge, Chrome Base



model 8042S02816I 28"W x 16"H Square Table, Laminate Surface, Flat Edge, Sled Base



Model 8042SQ2816W 28"W x 16"H Square Table, Laminate Surface, Flat Edge Wood Base



For Drift seating, see page

#### STANDARD FEATURES

- · Tables are available in three shapes, multiple sizes, two edge styles, three top materials and three base types including: sled, wood and polished Chrome
- Table bases are fixed and do not swivel
- Wood bases are made from beechwood and are available in all standard wood finishes.
- Sled bases are standard in painted metal.
- Chrome base tables are available in polished Chrome only.
- All table tops are available with flat edge. High pressure laminate (HPL) and solid surface top tables are also available with knife edge.
- Laminate flat edge tops are available in either (TFL) 1" thick thermally fused laminate with 2mm edgeband or (HPL) 1-1/16" thick high pressure laminate with 2mm edgeband, with upcharge.
- Laminate knife edge tops are 1-3/16" thick with 2.5mm edgeband, available in high pressure laminate (HPL) only.
- Solid surface table tops are 1.25" thick, available on models with flat or knife edge. For detailed material information, please reference WilsonArt's Solid Surface collection.
- · Wood and Chrome bases are equipped with White non-marking polycarbonate glides suitable for most hard and carpeted floor surfaces.
- · Sled bases are available with clear polycarbonate glides, standard,
- Wood and sled bases may be specified with a variety of optional glide types to suit various flooring materials. (See Glide Types for additional glide options and upcharges.)
- Tables are shipped fully assembled.

Add option codes in the following order:

**Model Number** 

Specify model number

Surface Type (Laminate, Flat Edge Tables) (TFL) Thermally fused laminate (HPL) High pressure laminate

Top Finish (TFL or HPL laminate, flat edge tables and HPL laminate knife edge tables only) HPL upcharges apply -see model (ACJ) Absolute Acajou (ASN) Asian Night

(AWC) Avant Cherry (AWH) Avant Honey (BLK) Black (BZD) Blizzard (BRC) Brushed Cobalt (CMB) Clear Maple (CGY) Custom Grey (DES) Dark Espresso (DWT) Designer White (FAS) Fashionista (FCL) First Class (NBL) Noce Biondo (NGL) Noce Grigio (NEL) Noce Leggero (NML), Noce Medio (QTM) Quartered Mahogany (SBY) Sheer Beauty (SOG) Storm Grey (WCR) Winter Cherry (SDT) Stonedust (WHC) White Chocolate (WHE) Walnut Heights

 Top Finish (solid surface, flat and knife edge tables) Grade 1

(SWH) Designer White

Grade 2, Upcharge applicable, see models.

(SBT) Beige Tempest (SBX) Black Onyx Mirage (SMG) Milk Glass Spectra (SFW Frosty White Mirage (SHS) Hot Stone

(SNM) Northern Melange

Base finish (sled base models only)

Paint finishes:

(TBL) Black (TTU) Tungsten (TSH) Shadow (TDW) Designer White

(**TLA**) Latte (TNE) Nevada (TMO) Mocha (TKA) Kalua (TOA) Toast (TFO Fog (TIV) Cloud (TSN) Sand (TFR) Frost (TDJ) Dijon (TSR) Scarlet (TCR) Carrot (TCC) Cactus (TBZ) Buzz Blue (TEG Eggplant (TIN) Ink

Metallic finish:

(CHM) Chrome. Add \$42

Base Finish (Chrome base only)

(CHM) Chrome

Glide Type (sled base)

(CG) Clear, polycarbonate glide for most floor surfaces (standard)

(XG) No glide for carpeted surfaces, no charge

(SG) Steel cushioned glide for carpeted surface. Add \$34

(RG) Rubber, non-slip glide for most hard floor surfaces. Add \$34

(FG) Felt glide for most hard floor surfaces. Add \$34

Glide Type (wood base)

(NM) White non-marking nylon glide for most surfaces (standard)

(SG) Steel cushioned glides for carpeted surfaces. Add \$34.

(RG) Non-slip rubber glides for most hard floor surfaces. Add \$34.

(FG) Felt glides for most hard floor surfaces. Add \$34.



8041R2616I	TFL	ACJ	TBL	CG	
Model Number	Surface Type	Top HPL Finish	Base Finish (Sled Base)	Glide Type (Sled Base)	-

TABLES WITH SLED BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRI	CE HP ADI	) GR. 2
	Laminate, flat edge	DxWxH						
	8041R2616I	26 x 26 x 16	250	35	10.25	\$561	\$98	n/a
	8041R3016I	30 x 30 x 16	250	44	13	\$591	\$115	n/a
	8041R2120I	21 x 21 x 20	250	29	8.75	\$587	\$97	n/a
	00411121201	Z 1 A Z 1 A ZU	ZJU	23	0.70	φ <b>υ</b> 0/	<b>431</b>	11/ a
/	Laminate, knife ed	ne (HPI laminate)						
und Table with Sled Base	8041R2616IK	26 x 26 x 16	250	35	10.25	\$1199	n/a	n/a
and lable With Glob Bacc	8041R3016IK	30 x 30 x 16	250	44	13	\$1284	n/a	n/a
	8041R2120IK	21 x 21 x 20	250	29	8.75	\$996	n/a	n/a
	0011112120110	ZIXZIXZO	200	20	0.70	4000	11/ 0	11, 0
	Solid surface, flat	edae						
	8041R2616ISF	26 x 26 x 16	150	48	10.25	\$2343	n/a	\$158
	8041R3016ISF	30 x 30 x 16	150	61	13	\$2522	n/a	\$218
	8041R2120ISF	21 x 21 x 20	150	37.5	8.75	\$2204	n/a	\$109
							,	
	Solid surface, knif	e edge						
	8041R2616ISK	26 x 26 x 16	150	48	10.25	\$2397	n/a	\$169
	8041R3016ISK	30 x 30 x 16	150	61	13	\$2603	n/a	\$234
	8041R2120ISK	21 x 21 x 20	150	37.5	8.75	\$2302	n/a	\$115
	Finished height will	vary depending on n	naterial top. Shippe	ed fully asser	mbled in 1 cart	on.		
	1	/ <b>TELL</b>						
	Laminate, flat edge		450	0.4	0	AFC4	<b>ACC</b>	,
	8042SQ2216I	22 x 22 x 16	150	34	8	\$561	\$98	n/a
	8042SQ2816I	28 x 28 x 16	250	44	11.75	\$591	\$115	n/a
	8042SQ1920I	19 x 19 x 20	250	29	7.75	\$568	\$88	n/a
1	Laminate, knife ed	no (HDI Jaminato						
uare Table with Sled Base	8042SQ2216IK	22 x 22 x 16	150	34	8	\$996	n/a	n/a
uale lable with Sieu Dase	8042SQ2816IK	28 x 28 x 16	250	44	11.75	\$1248	n/a	n/a
	8042SQ1920IK	19 x 19 x 20	250	29	7.75	\$955	n/a	n/a
	0042001020110	10 % 10 % 20	200	20	7.70	ψυσυ	11/ u	11/4
	Solid surface, flat	edae						
	8042SQ2216ISF	22 x 22 x 16	150	39.5	8	\$2065	n/a	\$136
	8042SQ2816ISF	28 x 28 x 16	150	62.5	11.75	\$2365	n/a	\$218
	8042SQ1920ISF	19 x 19 x 20	150	38	7.75	\$1976	n/a	\$164
							, -	
	Solid surface, knif	e edge						
	8042SQ2216ISK	22 x 22 x 16	150	39.5	8	\$2397	n/a	\$164
	8042SQ2816ISK	28 x 28 x 16	150	62.5	11.75	\$2819	n/a	\$245
	8042SQ1920ISK	19 x 19 x 20	150	38	7.75	\$2302	n/a	\$120
	F							
	Finished height will	vary depending on n	naterial top. Shippe	ed fully asser	mbled in 1 cart	on.		
	Laminate, flat edge	e (TFI_laminate)						
	80430V2616I		150	36.5	8.75	\$561	\$98	n/a
	80430V3116I	31 x 26 x 16	250	46	11.75	\$501 \$591	\$115	n/a
	80430V2220I	22 x 18 x 20	250	34	10.75	\$587	\$97	n/a
	00700 ¥22201	22 A 10 A 20	200	JT	10.70	ψυσι	φυι	11/0
1	Laminate, knife ed	ge (HPL laminate)						
al Table with Sled Base	80430V2616IK	26 x 22 x 16	150	36.5	8.75	\$1199	n/a	n/a
	80430V3116IK	31 x 26 x 16	250	46	11.75	\$1365	n/a	n/a
	80430V2220IK	22 x 18 x 20	250	34	10.75	\$1113	n/a	n/a
	33.03.1220IK	// // 20	200	٠.	. 5 5	70	.,, u	.1, 0
	Solid surface, flat	edge						
	80430V2616ISF	26 x 22 x 16	150	42	8.75	\$2343	n/a	\$158
	80430V3116ISF	31 x 26 x 16	150	60	11.75	\$2522	n/a	\$218
	80430V2220ISF	22 x 18 x 20	250	38	10.75	\$2204	n/a	\$109
	00730 V Z Z Z 0131							
	00430 VZZZ0101							
	Solid surface, knif			40	8.75	\$2397	n/a	\$169
	Solid surface, knif 80430V2616ISK	26 x 22 x 16	150	42				400.0
	Solid surface, knif		150 150	60	11.75	\$2603	n/a	\$234
	Solid surface, knif 80430V2616ISK	26 x 22 x 16				\$2603 \$2302	n/a n/a	
	<b>Solid surface, knif</b> 80430V2616ISK 80430V3116ISK	26 x 22 x 16 31 x 26 x 16	150	60	11.75			
	<b>Solid surface, knif</b> 80430V2616ISK 80430V3116ISK	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20	150 250	60 38	11.75 10.75	\$2302		
	<b>Solid surface, knif</b> 80430V2616ISK 80430V3116ISK 80430V2220ISK	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20 vary depending on n	150 250	60 38 ed fully asser	11.75 10.75	\$2302	n/a	
	Solid surface, knif 80430V2616ISK 80430V3116ISK 80430V2220ISK Finished height will	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20 vary depending on n	150 250 naterial top. Shippe Optional Specif HP laminate	60 38 ed fully asser	11.75 10.75	<b>\$2302</b>	n/a	\$234 \$115
	Solid surface, knif 80430V2616ISK 80430V3116ISK 80430V2220ISK Finished height will Required Specification	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20 vary depending on n	150 250 naterial top. Shippe Optional Specif HP laminate Grade 2 solid sur	60 38 ed fully asser fications	11.75 10.75 mbled in 1 cart	\$2302	n/a	
	Solid surface, knif 80430V2616ISK 80430V3116ISK 80430V2220ISK Finished height will	26 x 22 x 16 31 x 26 x 16 22 x 18 x 20 vary depending on n	150 250 naterial top. Shippe Optional Specif HP laminate	60 38 ed fully asser fications face met/power blo	11.75 10.75 mbled in 1 cart	\$2302	n/a	

	MODEL#		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	E HP ADD	GR. 2
		DxWxH						
	Laminate, flat edge		250	20	10.75	64050	ėnn	- /-
	8041R2616C	26 x 26 x 16	250	38	10.75	\$1058	\$98	n/a
	8041R3016C	30 x 30 x 16	250	45	13	\$1088	\$115	n/a
	Laminate, knife ed	ge (HPL laminate)						
	8041R2616CK	26 x 26 x 16	250	38	10.75	\$1696	n/a	n/a
d Table with Polished	8041R3016CK	30 x 30 x 16	250	45	13	\$1782	n/a	n/a
ne Base							,	,
	Solid surface, flat o	edae						
	8041R2616CSF	26 x 26 x 16	150	51	10.75	\$2840	n/a	\$158
	8041R3016CSF	30 x 30 x 16	150	62.5	13	\$3019	n/a	\$218
	3011110010001					4	.,, =	
	Solid surface, knife	e edae						
	8041R2616CSK	26 x 26 x 16	150	51	10.75	\$2894	n/a	\$169
	8041R3016CSK	30 x 30 x 16	250	31.25	13	\$3101	n/a	\$234
	00411100100010	30 x 30 x 10	200	31.20	10	φυισι	11/ u	ΨΖυτ
	Finished height will v	ary depending on ma	aterial top. Shippe	ed fully asse	mbled in 1 cart	on.		
	Laminate, flat edge	(TFL laminate)						
	8041R2616W	26 x 26 x 16	250	32	10.75	\$1204	\$98	n/a
	8041R3016W	30 x 30 x 16	250	40	13	\$1234	\$115	n/a
								, -
	Laminate, knife ed	ge (HPL laminate)						
	8041R2616WK	26 x 26 x 16	250	32	10.75	\$1842	n/a	n/a
Table with Wood	8041R3016WK	30 x 30 x 16	250	40	13	\$1927	n/a	n/a
	<u> </u>	00 / 00 / 10	200			¥	.,, u	.,, α
	Solid surface, flat e	-						
	8041R2616WSF	26 x 26 x 16	150	45.5	10.75	\$2985	n/a	\$158
	8041R3016WSF	30 x 30 x 16	150	57.5	13	\$3165	n/a	\$218
	Solid surface, knife	e edae						
	8041R2616WSK	26 x 26 x 16	150	45.5	10.75	\$3040	n/a	\$169
	8041R3016WSK	30 x 30 x 16	150	57.5	13	\$3246	n/a	\$234
	***************************************					,,_,,	.,, =	,
	Finished height will v	vary depending on ma	aterial top. Shippe	ed fully asse	mbled in 1 cart	on.		
	Finished height will v		aterial top. Shippe	ed fully asse	mbled in 1 cart	on.		
	Laminate, flat edge	(TFL laminate)					¢ορ	w /-
_	Laminate, flat edge 8042S02216C	e ( <b>TFL laminate)</b> 22.75 x 22.75 x 1	6 150	36	7.75	\$1058	\$98	n/a
	Laminate, flat edge	(TFL laminate)					\$98 \$115	n/a n/a
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife ed	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150	36	7.75	\$1058		
Table with Polished	Laminate, flat edge 8042S02216C 8042S02816C	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1	6 150 250 6 150	36	7.75	\$1058		
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife ed	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate)	6 150 250	36 45	7.75 11.5	\$1058 \$1088	\$115	n/a
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife ed 8042S02216CK 8042S02816CK	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150 250 6 150	36 45	7.75 11.5 7.75	\$1058 \$1088 \$1493	<b>\$115</b> n/a	n/a n/a
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife edge 8042S02216CK 8042S02816CK	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150 250 6 150 250	36 45	7.75 11.5 7.75	\$1058 \$1088 \$1493	\$115 n/a n/a	n/a n/a
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife ed 8042S02216CK 8042S02816CK	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150 250 6 150 250	36 45 36 45	7.75 11.5 7.75 11.5	\$1058 \$1088 \$1493 \$1588	<b>\$115</b> n/a	n/a n/a n/a
Table with Polished e Base	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife edge 8042S02216CK 8042S02816CK Solid surface, flat of 8042S02216CSF	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 edge 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150 250 6 150 250 6 150	36 45 36 45	7.75 11.5 7.75 11.5	\$1058 \$1088 \$1493 \$1588	n/a n/a n/a	n/a n/a n/a
	Laminate, flat edge 8042S02216C 8042S02816C Laminate, knife edge 8042S02216CK 8042S02816CK Solid surface, flat of 8042S02216CSF 8042S02816CSF	e (TFL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 ge (HPL laminate) 22.75 x 22.75 x 1 28.5 x 28.5 x 16 edge 22.75 x 22.75 x 1 28.5 x 28.5 x 16	6 150 250 6 150 250 6 150 150	36 45 36 45	7.75 11.5 7.75 11.5	\$1058 \$1088 \$1493 \$1588	n/a n/a n/a	n/a n/a n/a

Required	Specifications
Cf +	

Surface type Top finish Base finish Glide type

Optional Specifications
HP laminate

Grade 2 solid surface Cut-out for grommet/power blocks Plated base finish

Accessories Power block

TABLES WITH SLED BASE								
	MODEL#	DIMENSIONS F	REIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRIC	CE HP ADD	GR. 2 A
	Laminate, flat edg							
	8042SQ2216W	22.75 x 22.75 x 16	250	30	7.75	\$1204	\$98	n/a
	8042SQ2816W	28.5 x 28.5 x 16	250	39	11.5	\$1234	\$115	n/a
	<u> </u>					*	****	.,, =
	Laminate, knife ed	lge (HPL laminate)						
	8042SQ2216WK	22.75 x 22.75 x 16	250	30	7.75	\$1639	n/a	n/a
quare Table with Wood	8042SQ2816WK	28.5 x 28.5 x 16	250	39	11.5	\$1734	n/a	n/a
ase							, -	, -
	Solid surface, flat	edge						
	8042SQ2216WSF	22.75 x 22.75 x 16	150	36	7.75	\$2708	n/a	\$136
	8042SQ2816WSF	28.5 x 28.5 x 16	150	59	11.5	\$3008	n/a	\$218
						,	, -	,
	Solid surface, kni	fe edae						
	8042SQ2216WSK	22.75 x 22.75 x 16	150	36	7.75	\$3040	n/a	\$164
	8042SQ2816WSK	28.5 x 28.5 x 16	150	59	11.5	\$3462	n/a	\$245
	001200201011011	20.0 X 20.0 X 10	100	00	11.0	ΨO IOL	11/ 4	Ψ2.0
	Finished height will	vary depending on mate	erial top. Shippe	d fully asser	mbled in 1 cart	on.		
	Laminate, flat edg	e						
	80430V2616C	26 x 22 x 16	150	38	9.25	\$1058	\$98	n/a
	80430V3116C	31 x 26 x 16	250	44	11.75	\$1088	\$115	n/a
L.	Laminate, knife ed	lge						
	80430V2616CK	26 x 22 x 16	150	38	9.25	\$1696	n/a	n/a
al Table with Polished	80430V3116CK	31 x 26 x 16	250	44	11.75	\$1862	n/a	n/a
rome Base								
	Solid surface, flat	edge						
	80430V2616CSF	26 x 22 x 16	150	49.5	9.25	\$2840	n/a	\$158
	80430V3116CSF	31 x 26 x 16	150	61.5	11.75	\$3019	n/a	\$218
	0 1:1 ( 1 :							
	Solid surface, kni		150	40 F	0.25	62004	- /-	6400
	80430V2616CSK	26 x 22 x 16	150	49.5	9.25 11.75	\$2894	n/a	\$169
	80430V3116CSK	31 x 26 x 16	150	61.5	11./3	\$3101	n/a	\$234
	Finished height will	vary depending on mate	erial top. Shippe	d fully asser	nbled in 1 cart	on.		
	Laminate, flat edg							
	80430V2616W	26 x 22 x 16						
			250	32	9.25	\$1204	\$98	n/a
	80430V3116W	31 x 26 x 16	250 250	32 39	9.25 11.75	\$1204 \$1234	\$98 \$115	n/a n/a
	Laminate, knife ed	lge	250	39	11.75	\$1234	\$115	n/a
	Laminate, knife ed 80430V2616WK	<b>lge</b> 26 x 22 x 16	250 250	39	9.25	\$1234 \$1842	<b>\$115</b>	n/a n/a
al Table with Wood	Laminate, knife ed	lge	250	39	11.75	\$1234	\$115	n/a
al Table with Wood	<b>Laminate, knife et</b> 80430V2616WK 80430V3116WK	26 x 22 x 16 31 x 26 x 16	250 250	39	9.25	\$1234 \$1842	<b>\$115</b>	n/a n/a
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat	26 x 22 x 16 31 x 26 x 16	250 250 250	39 32 39	9.25 11.75	\$1234 \$1842 \$2008	<b>\$115</b>	n/a n/a n/a
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16	250 250 250 250	39 32 39 44.5	9.25 11.75 9.25	\$1234 \$1842	<b>\$115</b>	n/a n/a n/a
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat	26 x 22 x 16 31 x 26 x 16	250 250 250	39 32 39	9.25 11.75	\$1234 \$1842 \$2008	<b>\$115</b> n/a n/a	n/a n/a n/a
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16	250 250 250 250	39 32 39 44.5	9.25 11.75 9.25	\$1234 \$1842 \$2008 \$2985	\$115 n/a n/a n/a	n/a n/a n/a
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16	250 250 250 150	39 32 39 44.5 56.5	9.25 11.75 9.25 11.75	\$1234 \$1842 \$2008 \$2985 \$3165	n/a n/a n/a n/a n/a	n/a n/a n/a \$158 \$218
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16 fe edge 26 x 22 x 16	250 250 250 150 150	39 32 39 44.5 56.5	9.25 11.75 9.25 11.75 9.25 11.75	\$1234 \$1842 \$2008 \$2985 \$3165	n/a n/a n/a n/a n/a	n/a n/a n/a \$158 \$218
al Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16	250 250 250 150	39 32 39 44.5 56.5	9.25 11.75 9.25 11.75	\$1234 \$1842 \$2008 \$2985 \$3165	n/a n/a n/a n/a n/a	n/a n/a n/a \$158 \$218
ral Table with Wood	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF Solid surface, knii 80430V2616WSK 80430V3116WSK	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16 fe edge 26 x 22 x 16	250 250 250 150 150	39 32 39 44.5 56.5 44.5 56.5	9.25 11.75 9.25 11.75 9.25 11.75	\$1234 \$1842 \$2008 \$2985 \$3165 \$3040 \$3246	n/a n/a n/a n/a n/a	n/a n/a n/a \$158 \$218
val Table with Wood ase	Laminate, knife et 80430V2616WK 80430V3116WK Solid surface, flat 80430V2616WSF 80430V3116WSF Solid surface, knii 80430V2616WSK 80430V3116WSK	26 x 22 x 16 31 x 26 x 16 edge 26 x 22 x 16 31 x 26 x 16 fe edge 26 x 22 x 16 31 x 26 x 16 vary depending on mate	250 250 250 150 150	39 32 39 44.5 56.5 44.5 56.5	9.25 11.75 9.25 11.75 9.25 11.75	\$1234 \$1842 \$2008 \$2985 \$3165 \$3040 \$3246	n/a n/a n/a n/a n/a n/a	n/a n/a n/a s158 \$218

## LITE LIFT II

LITE LIFT II MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE  $D \times W \times H$ 

#### Notes:

- Lightweight construction allows tables to easily and safely be lifted and moved by one person.
- Polypropylene top is fully water resistant and easy to clean and maintain.
- Thick, high impact radius corner helps protect individuals from injury.
- Folding legs automatically lock by a gravity activated mechanism when opened.
- Non-marring plastic glides protect floors from scratching when tables are moved.
- Structural side aprons allow tables to easily stack.
- Lite Lift II tables pass all BIFMA standards for strength and stability.
- Available in Oyster Grey finish only.

LITE LIFT II TABLES	<u> </u>
	AA
MVLFRT48	MVLFRT60-MVLFRT96

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
MVLFRT48	24 x 48 x 29.25	85	23	1.57	\$310
MVLFRT60	30 x 60 x 29.25		30	2.54	\$413
MVLFRT72	30 x 72 x 29.25		36	3.06	\$485
MVLFRT96	30 x 96 x 29.25	92.5	50	4.79	\$712

**Rectangular Folding Table** 

Lightweight, textured, polypropylene Oyster Grey finish top. High impact radius corners. 19 gauge 11/8" diameter steel tubular legs with welded crossbars automatically lock. Legs finished in scuff resistant textured Charcoal Grey epoxy paint. Shipped fully assembled.

- Available in Oyster Grey finish with Charcoal Grey legs only.
- **Note**: Prices shown are for Global Distribution Center, not delivered pricing. All orders will be charged freight, except orders containing other Global products totaling \$2,000 list or more, before adding folding tables and folding chairs. Any Inside Delivery & Set-up charge for these products must be quoted separately.

#### **RIVER+ TABLES**







**Outside Curve End Table** 



18" Dia, Round Laptop Table

#### STANDARD FEATURES

- · A modular series that is composed of straight and curved sections, as well as freestanding units.
- Linking units can be used together in any combination with River+ seating and bench units to create a wide variety of layouts. Ganging hardware is standard and is factory installed. Ganging hardware swivels out of the way when not in use.
- Front and back faces of end (linking) tables angles slightly inwards. This inward slant matches the inward angles of River seating so all units coordinate in visual appearance.
- The standard 6.5", welded steel legs are straight (vertical) as standard. Linking models are optionally available with an angled back leg to visually align with River+ seating units.
- · Legs are standard in Chrome with Black, non-marking, height adjustable glides.
- Tables are made with high pressure laminate. Custom high pressure laminate finishes will be considered upon request.
- · Laptop tables have 1" thick laminate tops.
- Laptop table painted metal base finishes are available in Black and Tungsten only.

#### **OPTIONAL FEATURES**

- · Legs of coffee and end (linking) tables are available in 3" (S3) and 8" (S8) heights. All leg heights are available with fixed-to-floor (F3) and (F8) options. Add \$100
- · To match adjacent lounge seating, straight front and angled back 6.5" or 8" legs are available on linking/ end tables. Specify (SA). No upcharge.
- Power units are available on all tables except laptop tables. Each unit includes one AC outlet and two USB-a,10 watt charging ports. Add \$661 upcharge ner unit
- Power location options include top, front or end. See electrical placement diagrams. Electrical units must be factory installed.
- Power units are available in either Jet Black (J) or White (W) with 120", three-prong matching cords.
- Most products can be weighted to reduce the ease of movement. For additional weight options, specify (CW). See each model for available additional weight and upcharge.

#### Please add option codes in the following order:

#### • Model number

R27855 to R27858 Square coffee tables R27859 Rectangular coffee table R27860 to R27861 Round coffee tables R27862 to R27864 Linking/end tables 7443 and 7745 Freestanding tables

#### • Laminate finishes

(ACJ) Absolute Acajou (ASN) Asian Night (AWH) Avant Honey (AWC) Avant Cherry (BLK) Black (BZD) Blizzard (CMB) Clear Maple (BRC) Brushed Cobalt (CGY) Custom Grey (DES) Dark Espresso (DWT) Designer White (FAS) Fashionista (FCL) First Class (NBL) Noce Biondo (NEL) Noce Leggero (NGL) Noce Grigio (NML), Noce Medio (QTM) Quartered Mahogany (SBY) Sheer Beauty (SOG) Storm Grev (SDT) Stonedust (WCR) Winter Cherry (WHC) White Chocolate (WHE) Walnut Heights (colors shown on website)

#### Leg selection

(S6) Standard height (6.5") w/adjustable glides. No upcharge. (S3) Low (3") w/adjustable glides. No upcharge.

(S8) High (8") w/adjustable glides. No upcharge. (F6) Standard height (6.5"), fixed to floor. Add \$100. (F3) Low (3"), fixed to floor. Add \$100.

(F8) High (8"), fixed to floor. Add \$100.

• Leg angle (linking/end tables only) (AST) Straight legs. No upcharge. (SA) Straight front legs, angled back legs. No uncharge.

#### Leg finish

(CHM) Chrome (TBL) Black (TDW) Designer White (TFO) Fog (TFR) Frost (TIV) Cloud (TLA) Latte (TMO) Mocha (TNE) Nevada (TOA) Toast (TSN) Sand (TSH) Shadow (TTU) Tungsten

#### Additional weight

(CW) Additional weight. Upcharges vary, see model.

• Power/USB unit position (coffee and linking/end tables only, as shown below).

Add \$661 per unit.

(NP) No power (no upcharge)

(LE1) Left end (coffee table only)

(LE2) Right end (coffee table only)

(F3) Front center (coffee table only)

(**T1**) Top

#### · Power unit finish


(J) Jet Black (W) White

(TP) Tamperproof fasteners. Add \$160.

#### **EXAMPLE RIVER+ TABLE ORDER CODE:**

R27858	-ACJ	-S6	-AS	-CM	-	-T1	-W	-
Model number	Laminate	Leg selection	Leg angle	Leg finish	Additional weight	Power/USB	Power finish	Fasteners

#### **ELECTRICAL PLACEMENT**



# center back top location only



**Linking Tables** 

## **R** RIVER+ TABLES

KINEK+ IARTE2	MODEL //	DIMENSIONS	EDELOUE OLAGO	MT/I DO	OUDIO ET	LIOT PRIOR	
RIVER+ TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	R27855	24 x 24 x 17	250	40	10.7	\$1484	
24" Square Coffee Table		only. 1 per carton. nit, see electrical placem 6 lbs. ( <b>CW</b> )	ent chart.				
	R27856	30 x 30 x 17	250	53	15.3	\$1563	
T 30" Square Coffee Table		only. 1 per carton. nit, see electrical placem 7 lbs. ( <b>CW</b> )	ent chart.				
	R27857	36 x 36 x 17	250	75	20.6	\$1791	
16" Square Coffee Table		only. 1 per carton. nit, see electrical placem t.	ent chart.				
	R27858	42 x 42 x 17	150	115	26.7	\$1991	
12" Square Coffee Table		only. 1 per carton. nit, see electrical placem t.	ent chart.				
	R27859	20 x 40 x 17	250	55	14.2	\$1626	
Rectangular Coffee Table		only. 1 per carton. nit, see electrical placem 8 lbs. ( <b>CW</b> )	ent chart.				
	Required Specific Top finish	ations	Optional Specifi Counterweight	cations		Accessories Power Block	

ROUND COFFEE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	R27860	<b>D x W x H</b> 36 x 36 x 17	150	63	15.3	\$1927	
36″ Dia. Round Coffee Table		t only. 1 per carton. Init, see electrical placen 8 lbs. ( <b>CW</b> )	nent chart.				
	R27861	42 x 42 x 17	150	85	20.6	\$2113	
42" Dia. Round Coffee Table		t only. 1 per carton. ınit, see electrical placen	nent chart. No cou	unterweight			
	R27862	15 x 28 x 17	300	40	20.6	\$1578	
U Rectangular End Table		udes ganging hardware ( unit, see electrical placen 16 lbs. ( <b>CW</b> )					
	R27863	17 x 28 x 17	250	47	13.3	\$2073	
Inside Curve End Table		udes ganging hardware ( unit, see electrical placen 16 lbs. ( <b>CW</b> )					
	R27864	17 x 28 x 17	250	47	13.3	\$2073	
Outside Curve End Table		udes ganging hardware l Init, see electrical placen 16 lbs. ( <b>CW</b> )					
	Required Specifi	cations	Optional Specif	ications		Accessories	
	Top finish Leg finish	Lautuna	Counterweight	ivauVIIS		Power Block	

## **SIRENA TABLES**

RECTANGULAR TOP	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
N-4		2				
Notes:						
Modern tables for recention areas m	acting rooms, and private office	uco				

- Modern tables for reception areas, meeting rooms, and private office use.
- Sirena tables are offered in the following finishes to coordinate with Global desking and wood seating:

ACJ	Absolute Acajou	DES	Dark Espresso	NML	Noce Medio
ASN	Asian Night	DWT	Designer White	SBY	Sheer Beauty
AWC	Avant Cherry	FAS	Fashionista	SDT	Stonedust
AWH	Avant Honey	FCL	First Class	WHE	Walnut Heights
BZD	Blizzard	NBL	Noce Biondo	WHC	White Chocolate
CMB	Clear Maple	NGL	Noce Grigio	WCR	Winter Cherry
CGY	Custom Grey	NEL	Noce Leggero		

- Laminate tops are 1.5" thick to coordinate with Global desking and wood seating
- Table legs are available in Black (TBL) or Tungsten (TTU) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	3400	22 x 48 x 15	250	52	17.25	\$1856	
Coffee Table	Rectangular coffee table.						
	3401	22 x 56 x 15	250	60	19.75	\$2052	
Coffee Table	Rectangular coffee table.						
	3402	22 x 17 x 15	250	26	7.75	\$1489	
End Table	Rectangular end table.						
	Required Specification	ns	Optional Specif	fications		Accessories Power Block	

WIND TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
Notes:		D v W v H					

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (CHM). Also available in Black (TBL), Shadow (TSH) or Tungsten (TTU) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	DWT	Designer White	SDT	Stonedust
ASN	Asian Night	FAS	Fashionista	WHE	Walnut Heights
AWC	Avant Cherry	FCL	First Class	WHC	White Chocolate
AWH	Avant Honey	NBL	Noce Biondo	WCR	Winter Cherry
BLK	Black	NGL	Noce Grigio		
BZD	Blizzard	NEL	Noce Leggero		
BRC	Brushed Cobalt	NML	Noce Medio		
CMB	Clear Maple	QTM	Quartered Mahogany		
CGY	Custom Grey	SBY	Sheer Beauty		
DES	Dark Espresso	SOG	Storm Grey		

• Table tops are available in high pressure laminate at a 20% upcharge for the following model numbers: 3366, 3367, 3368, 3870 and 3871; specify (HPL) in addition to the finish. HPL is not available on 3878, 3879 or 3880.

WIND TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	3366	24 x 24 x 17	250	36	11.50	\$933
Square Corner Table	Steel tubular ba	se. Tops are available wit	h a laminate finis	h. Shipped as	ssembled in 1 ca	arton.
	3367	20 x 48 x 15	250	52	16	\$1234
Rectangular Coffee Table	Steel tubular ba	se. Tops are available wit	h a laminate finis	h. Shipped as	ssembled in 1 ca	arton.
	3368	36 x 36 x 15	250	66	22	\$1670
Square Coffee Table	Steel tubular ba	se. Tops are available wit	h a laminate finis	h. Shipped as	ssembled in 1 ca	arton.
	3870	24 x 24 x 17	250	35	11.50	\$1020
Round Corner Table	Steel tubular ba	se. Tops are available wit	h a laminate finis	h. Shipped as	ssembled in 1 ca	arton.
	3871	36 x 36 x 15	250	57	22	\$1501
Round Coffee Table	Steel tubular ba	se in Chrome finish.				

Required Specifications
Top finish
Leg finish

## **WIND LINEAR TABLES**



MIUDEL#	DIMENSIONS	FREIGHT CLASS	WI/LBS.	CUBIC FI.	LIST PRICE	
	DxWxH					
3878	25 x 20 x 16	250	38	11.50	\$1334	

#### Freestanding Rectangular End Table

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.



3879 \$1455 25 x 25 x 16 250 40 11.50

#### **Freestanding Corner Table**

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.



3880 54 x 20 x 15 250 52 16 \$1623

#### **Freestanding Coffee Table**

Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.

RK TABLES MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE
------------------------------------------------------------------------

#### Notes:

• Work tables are offered in the following top finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	MTD	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

• Legs available in Chrome (CHM) or Black (TBL)

WORK TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GATMS6030	30 x 60 x 29	70	132	8	\$690
	GATMS7230	30 x 72 x 29	92.5	87	8	\$786
	GATMS7236	36 x 72 x 29	70	132	8	\$968
Work Tables		e thermally fused lar edge is standard. Sl				ectangular top with metal legs and

Required Specifications
Top finish

**Optional Specifications** Leg finish

# textiles and finishes

## **Care and Cleaning**

#### **Textiles**

**Fabrics:** To extend the life of your seating upholstered in fabric, regularly dust the chair to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

**Leather:** For regular cleaning, simply use a soft damp cloth, taking care not to soak the leather. For more thorough treatment, soak a soft cloth in mild soap solution and wipe surface in a light circular motion. Repeat with clean water. Allow to dry and polish with a soft dry cloth. Do not use detergents, aerosol sprays or other polishes.

#### **Hard Surfaces**

Wood Veneer Finishes: Waxing or polishing catalyzed finishes is not recommended because this will give a greasy, cloudy or uneven appearance to the product and could void your warranty. Global's conversion varnish is best cleaned by wiping the surface with a damp cloth, followed by a soft dry cloth in the direction of the grain. If the surfaces are heavily soiled, a gentle product like "Windex" can be used, following the same instructions as above

Laminate, painted & plated metal finishes, and solid surfaces: Wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. Ivory dishwashing liquid) can be used. To prevent streaks, dry the surface with a clean, dry soft cloth moving in a circular motion.

#### Textiles

- Water-Based Cleaner: Spot clean, using the foam only from a water-based cleaning agent, such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest small area before proceeding.
- Solvent Cleaner: Spot clean, using a mild water-free solvent or dry cleaning product. Clean only in a well-ventilated room and avoid any product containing carbon tetrachloride or other toxic materials. Pretest a small area before proceeding.
- Water/Solvent Cleaner: Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
- Vacuum Only: Clean this fabric only by vacuuming or light brushing to prevent accumulation of dust and grime. Water-based foam cleaning agents of any kind may cause excessive shrinking, staining, or distortion of the surface pile and therefore, should not be used.
- Crypton Cleaning: Generally stains are removed with plain water and powdered enzyme detergent. Upholstery foam shampoo, waterbased cleaning products and germicidal detergents can be used. Be sure to remove all residue from cleaning products with clean water. Do not use solvent-based cleaners or dry cleaning products.
- These recommendations and codes were developed by fabric specialists. However, because of the various ways fabric can be stained or damaged, there is no guarantee that the
  results will be completely successful. Use suggested methods on your own responsibility. To help prevent overall soil, frequent vacuuming or light brushing to remove dust and grime
  is recommended. Use professional furniture cleaning services when overall soiled condition has been reached.

## **Textile Price Grades - Global Textiles**

Grade 1	Carrera, Dobby	Fusion, Illusion	r. Jenny. Quilt.	Terrace, Trak	: Urban	. Waterfall.	Wavelength

Grade 2 Allante FRee, Elevate, Etch, GC Linen, Imprint, Luxhide, Release

Grade 3 Non standard GLOBAL textiles
Grade 4 Non standard GLOBAL textiles

Grade 5 Non standard GLOBAL textiles

Grade 6 Novaro Genuine Leather, non standard GLOBAL textiles

Grade 7 Non standard GLOBAL textiles
Grade 8 Non standard GLOBAL textiles
Grade 9 Non standard GLOBAL textiles
Grade 11 Non standard GLOBAL textiles
Grade 10 Non standard GLOBAL textiles
Grade 12 Non standard GLOBAL textiles

Please refer to individual seating series for availability of a particular textile.

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, Architex, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI Interiors, Luum Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

## **Blend Seating Textiles**

The grid below outlines the grade structure for using multiple textiles on select seating series. Blended textiles occur when one textile is chosen for one part of the chair and a different textile is selected for another part of the chair, resulting in a revised blended grade. For opportunities regarding more than two different textiles, please contact Global CustomerCare for approval process and grading.

# FIRST TEXTILE SELECTED

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
1	1																	
2	2	2																
3	3	3	3															
4	3	4	4	4														
5	4	4	5	5	5													
6	5	5	5	6	6	6												
7	5	6	6	6	7	7	7											
8	6	6	7	7	7	8	8	8										
9	7	7	7	8	8	8	9	9	9									
10	8	8	8	8	9	9	9	10	10	10								
11	9	9	9	9	9	10	10	10	11	11	11							
12	10	10	10	10	10	10	11	11	11	12	12	12						
13	11	11	11	11	11	11	12	12	12	12	13	13	13					
14	11	12	12	12	12	12	12	13	13	13	13	14	14	14				
15	12	12	13	13	13	13	13	13	14	14	14	14	15	15	15			
16	13	13	13	14	14	14	14	14	14	15	15	15	15	16	16	16		
17	14	14	14	14	15	15	15	15	15	15	16	16	16	16	17	17	17	
18	15	15	15	15	15	16	16	16	16	16	16	17	17	17	17	18	18	18

# **TEXTILE AND COLOR LISTINGS**

Grade 1						
<b>Carrera</b> 100% Polyester CE84 Zest CE91 Azure	CE85 Savannah CE92 Chili	CE86 Slate CE93 Jute	CE87 Rainforest CE95 Ink	CE88 Aspen CE96 Sangria	CE89 Dune CE97 Java	CE90 Flannel CE98 Charcoal
<b>Dobby</b> 96% Recycled Poly DB30 Snowcap DB37 Medium Taupe	rester / 4% Virgin Polyester DB31Bonsai DB38 Charcoal	DB32 Cloud DB39 Berry	DB33 Sand DB40 Royal	DB34 Pewter DB41 Titanium	DB35 Santa Fe DB42 Black	DB36 Corfu
<b>Fusion</b> 90% Virgin Polyes FU71 Tangerine FU78 Poppy FU85 Carbon	ter / 10% Post-Consumer Re FU72 Fresh FU79 Cadet	cycled Polyester FU73 Moss FU80 Oasis	FU74 Tomato FU81 Graphite	FU75 Aqua FU82 Viola	FU76 Sandstone FU83 Cobalt	FU77 Granite FU84 Flax
Illusion 100% Virgin Poly II01 Cappuccino II08 Dusk	ester 1102 Paprika 1109 Smoke	II03 Tropic II10 Currant	II04 Wicker II11 Fiji	II05 Hemp II12 Ozone	II06 Cayenne II13 Ebony	II07 Maui
Jenny 100% Polyester JN01 Midnite JN26 Oatmeal JN33 Roast	JN02 Ebony JN27 Sunflower	JN03 Slate JN28 Cascade	JN07 Vermilion JN29 Harvest	JN08 Admiral JN30 Melon	JN11 Charcoal JN31 Berry	JN25 Silver Lining JN32 Green Grass
Quilt 100% Polyester QL10 Black QL22 Meadow QL29 Cocoa	QL11 Charcoal Grey QL23 Cadet	QL14 Navy QL24 Geranium	OL16 Wine OL25 Daisy	QL19 Silver QL26 Quest	QL20 Feather QL27 Punch	QL21 Dune QL28 Tangerine
<b>Terrace</b> 70% Virgin Polye TC61 Tigerlily TC68 Cerise TC75 Glacier	ster / 30% Post-Consumer R TC62 Shadow TC69 Twilight	ecycled Polyester TC63 Cobble TC70 Wintergreen	TC64 Cherry Blossom TC71 Ironwork	TC65 Bluebell TC72 Pine Cone	TC66 Apple TC73 Flirt	TC67 Haze TC74 Echo
<b>Trak</b> 100% Recycled Polye TK40 Taupe TK47 Apple	ester TK41 Mustard TK48 Steel	TK42 Latte TK49 Merlot	TK43 Cement TK50 Midnight Sky	TK44 Silver TK51 Mocha	TK45 Copper TK52 Carbon	TK46 Teal
<b>Urban</b> 62% Recycled Poly UR10 Red Rose UR20 Granite Rock	ester / 32% Polyester UR11 Ocean Blue UR21 Gravel Road	UR12 Blue Bayou UR22 Black Coal	UR13 Green Grass	UR17 Earth	UR18 Brown Ridge	UR19 White Sand
<b>Waterfall</b> 60% Virgin Poly WA40 Trance WA47 Rumble WA54 Dance	vester / 40% Post-Consumer WA41 Tryst WA48 Prism	Recycled Polyester WA42 Splash WA49 Tranquility	WA43 Victoria WA50 Grand	WA44 Imagine WA51 Rushing	WA45 Sky WA52 Magestic	WA46 Rainforest WA53 Pacific
<b>Wavelength</b> 100% Virgin WV01 Lime WV08 Plasma WV14 Panther	Polyester WV02 Mint WV09 Cancun	WV03 Stone WV10 Quartz	WV04 Flame WV11 Moonrock	WV05 Mykonos WV12 Rubine	WV06 Savannah WV13 Corfu	WV07 Mesa WV14 Bluejay
Grade 2						
Elevate 80% Post-Consun EL51 Halo EL58 Blaze EL65 Onyx	ner Recycled Polyster/ 20% F EL52 Dove EL59 Wasabi	Rayon EL53 Safari EL60 Mystic	EL54 Sunglow EL61 Mica	EL55 Margarita EL62 Cherry	EL56 Fiji EL63 Scuba	EL57 Mist EL64 Lapis
Etch 80% Post-Consumer ET81 Drift ET88 Paprika ET95 Anthracite	Recycled Polyster/ 20% Ray ET82 Citron ET89 Nutmeg	on ET83 Calypso ET90 Marine	ET84 Mandarin ET91 Magnet	ET85 Crisp ET92 Infrared	ET86 Iris ET93 Espresso	ET87 Nickel ET94 Indigo
Imprint 100% Post-Consu IM70 Almond IM77 Green Tea IM84 Licorice	mer Polyester IM71 Cork IM78 Celery	IM72 Sand IM79 Oregano	IM73 Currie IM80 Walnut	IM74 Candy Apple IM81 Paprika	IM75 Ocean IM82 Graphite	IM76 Navy IM83 Slate

Grade 2 (Vinyl) For availa	ability of chair series in Viny	I, please contact a Global Sa	les Representative.			
Allante FRee 100% Vinyl A01F Illusion A08F Warm Smoke A15F Oasis Green A22F Red Truffle	Face / 100% Polyester Bac A02F Bright White A09F Autumn Rain A16F Ink Black A23F Chocolate Sundae	A03F White Crush A10F Cookie A17F Purple Impulse	A04F Ivory A11F Sierra Brick A18F Italian Rose A25F Eclipse	A05F Ice A12F Gibraltar A19F Mountain Sky	A06F Bleached Sand A13F Chateau Grey A20F Old Navy	A07F Taupe Fawn A14F Garden Green A21F Galaxy
GC Linen 100% Vinyl Face LE50 Potters Clay LE57 Sunset LE64 Moss	e LE51 Pearl LE58 Burnt Orange	LE52 Tan LE59 Cayenne	LE53 Storm LE60 Navy	LE54 Butter LE61 Bamboo	LE55 Haystack LE62 Gray	LE56 Ganache LE63 Charcoal
<b>Luxhide</b> 100% Vinyl Face BL20 Black BL34 Light Grey	/ Bonded Leather Backing BL22 Parchment	BL23 Saddle	BL24 Dark Brown	BL26 Burgundy	BL27 Charcoal	BL28 White
Release 100% Vinyl Face RL11 White RL18 Cottage RL26 Olive RL34 Cool Grey	RL12 Chalk RL19 Yellow RL27 Bonsai RL35 Thunder Grey	RL13 Stone RL21 Red Barn RL28 Summer's Dream RL36 Navy	RL14 Taupe RL22 Brave Red RL29 Calico RL37 Dark Chocolate	RL15 Orange RL23 Gypsy Red RL31 Green RL38 Espresso	RL16 Country RL24 Cajun RL32 Blue	RL17 Tuscan RL25 Vineyard RL33 Black
Grade 6 Novaro Genuine Leathe NO50 Ash NO57 Doe NO64 Wheat	<b>r</b> 100% Leather NO51 Asphalt NO58 Linen	N052 Bison N059 Marina	N053 Blueberry N060 Phantom	NO54 Cloud NO61 Pigeon	N055 Clove N062 Scarlet	N056 Cordovan N063 Turtle

# PANEL/TACKBOARD FABRICS

GRADE 2						
<b>Lola</b> 100% Polyester. LL11 Medium Taupe	LL12 Caramel Cream	LL14 Blue Mist	LL35 Spray	LL36 Granite	LL37 Cinder	LL38 Sandstone
GRADE 3						
Anchorage 65% Pre-cons AN40 Birch AN47 Cumin AN54 Onyx AN64 Cloud	umer Polyester / 35% Post-c AN41 Green Apple AN48 Asteroid AN55 Pumpkin	onsumer Polyester AN42 Lapis AN49 Geranium AN56 Red Delicious	AN43 Straw AN50 Thistle AN57 Sunshine	AN44 Wolf AN51 Graphite AN59 Waterfall	AN45 Goose AN52 Slate AN61 Vanilla	AN46 Angora AN53 Quarry Blue AN62 Cobalt
Merge 100% Polyester / 7 MG20 Fawn MG27 Fire Engine	75% Post-consumer Recycled MG21 Marshmallow MG28 Mediterranean	Polyester MG22 Driftwood MG29 Midnight	MG23 Dove	MG24 Graphite	MG25 Slate	MG26 Eucalyptus
FINISHES						
<b>Seating Finishes - Meta</b> Black (BK)	I & Polymer: Please consult Charcoal Grey (CHR)	each Seating Series for finis Chrome (CHM)	sh availability. Fog (FG)	Polished Aluminum (ALU)	Tungsten (TUN)	
Seating Finishes - Plasti Buzz Blue (BZB) Frost (FRO)	ic (Duet, Popcorn, Sonic and Cactus (CCT) Ink (INK)	Stream) Carrot (CRO) Latte (LAB)	Cloud (IVC) Night (BLK)	Dijon (DJN) Sand (SND)	Eggplant (EGP) Scarlet (SAR)	Fog (FOG) Shadow (SHW)
	Seating finishes will not no	ecessarily match Casegoods	finishes. This is due to the fa	act that Seating and Casego	ods finishes use different w	ood species and
are manufactured at multip Absolute (AAM) Honey (AHM) Noce Grigio (NGM) Winter Cherry (WCM)	Black (BKM) Mahogany (TMM) Noce Leggero (NEM)	Cherry (ACM) Maple (AVM) Noce Medio (NMM)	Espresso Cafe (ECM) Medium Walnut (MWM) Shaker Cherry (SKM)	English Oak (EOM) Natural Walnut (NLW) Walnut (TWM)	Fruitwood (TFM) Night (ASM) WC Cream (WTM)	Gray (HGM) Noce Biondo (NBM) White (WHM)
Desks, Workstations, Ta Absolute Acajou (ACJ) Clear Maple (CMB) Noce Grigio (NGL) Walnut Heights (WHE)	Asian Night (ASN) Custom Grey (CGY) Noce Leggero (NEL) White Chocolate (WHC)	Awant Cherry (AWC) Dark Espresso (DES) Noce Medio (NML) Winter Cherry (WCR)	Avant Honey (AWH) Designer White (DWT) Quartered Mahogany (QTM	Black (BLK) Fashionista (FAS) I) Sheer Beauty (SBL)	Blizzard (BZD) First Class (FCL) Stonedust (SDT)	Brushed Cobalt (BRC) Noce Biondo (NBL) Storm Grey (SOG)
Desks, Workstations, Ta Almond Cherry (AMW) Espresso Walnut (EWW) Milestone (MTW) Warm Cherry (WCW)	Amber Cherry (ACW) Evening Oak (EVW) Natural Maple (MPW) White Maple (WMW)	<b>food Veneer</b> Biscotti (BTW) Grey on Oak (GRW) Natural Walnut (NLW)	Cocoa Walnut (CAW) Hazelnut (HAW) Red Cherry (RCW)	Coral (CRW) Java (JAW) Vintage Cherry (VNW)	Dark Cherry (DCW) Latte Walnut (LTW) Umber Walnut (ULW)	Dark Walnut (DWW) Mahogany on Walnut (MHW) Walnut (WLW)
Metal Leg Finishes (check Antique Copper (ACO) Chrome (CHM) Kalua (TKA) Shadow (TSH)	ck series for applicable finish Black (TBL) Designer White (TDW) Latte (TLA) Toast (TOA)	es) Brushed Chrome (BCH) Dijon (TDJ) Mocha (TMO) Tungsten (TTU)	Buzz Blue (TBZ) Eggplant (TEG) Nevada (TNE)	Cactus (TCC) Fog (TFO) Sand (TSN)	Carrot (TCR) Frost (TFR) Satin Brass (SBR)	Cloud (TIV) Ink (TIN) Scarlet (TSR)
Metal File + Storage Fin Business Grey (BGR) Claret (CLT) Light Grey (LGR) Nevada (NEV) Sky (SKY)	ishes Black Coffee Textured (BKC Dark Chocolate Textured (E Ice (ICE) Navy (NVY) Stone (STN)		Mocha Text	hite (DWT) Fog (F ured (MCH) Metro extured (SDT) Storm (TSA) Tungs	rd Textured (BZD) OG) (MET) Grey (SGR) ten (TUN)* upcharge applies	Charcoal (CHR) Grey (GRY) Moss (MOS) Silver (SIL) Willow (WIL)

# **TEXTILES + FINISHES - LAMINATE FINISH CHART**


J	ASN	AWC	AWH	BLK	BRC	BZD	СМВ	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	ΩТМ	SBY	SOG	SDT	STG	WHC	WHE	WCR
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•				•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•			•	•	•
	•	•	•	•*	•*	•	•	•	•	•	•	•	•	•	•	•		•	•*	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
EREN	CE																							
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•		•	•	
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
CASIC	NAL																							
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•			•	•	•	•	•	•	•	•	•	•	•		•		•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
ABLE																								
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•
								•	•	•	•	•	•	•	•	•		•	•			•		•
	•			•			•		_			•			_						_		•	
	FEREN	FERENCE	GASIONAL  CASIONAL  CASION	GASIONAL  CASIONAL  CABILE  CABLE	GASIONAL  CASIONAL  CASION	CASIONAL  CASION	CASIONAL  CASION	Selection	FERENCE	FERENCE	FERENCE	FERENCE	FERENCE	CASIONAL  CASION	2		Service	FERINCE	S	A	FRENCE	THE RICE	STATE	

^{*} Bridges II finishes coordinate with metal paint finishes as follows: Black (BLK) - Black Paint (BLK); Brushed Cobalt (BRC) - Tungsten Paint (TUN); Storm Grey (SOG) - Charcoal Paint (CHR); Designer White (DWT) - Designer White Paint (DWT); Custom Grey (CGY) - Silver Paint (SIL); String (STG) - Nevada Paint (NEV).

	LAMINATE FINISHES CO	ORDINATION	I CHART
	LAMINATE FINISH	COO	RDINATING WOOD FINISH
ACJ	Absolute Acajou	AAM	Absolute
ASN	Asian Night	ASM	Night
AWC	Avant Cherry	ACM	Cherry
AWH	Avant Honey	AHM	Honey
BLK	Black	BKM	Black
CMB	Clear Maple	AVM	Maple
DES	Dark Espresso	ECM	Espresso Cafe
DWT	Designer White	WHM	White
NBL	Noce Biondo	NBM	Noce Biondo
NEL	Noce Leggero	NEM	Noce Leggero
NGL	Noce Grigio	NGM	Noce Grigio
NML	Noce Medio	NMM	Noce Medio
QTM	Quartered Mahogany	TMM	Mahogany
WCR	Winter Cherry	WCM	Winter Cherry
WHC	White Chocolate	WTM	WC Cream
WHE	Walnut Heights	MWM	Medium Walnut
LAMINATE FI	INISHES WITH NO COORDINATING WOOD FINISHES	WOOD FIN	IISHES WITH NO COORDINATING LAMINATE FINISHES
BRC	Brushed Cobalt	EOM	English Oak
BZD	Blizzard	HGM	Grey
CGY	Custom Grey	NLW	Natural Walnut
FAS	Fashionista	SKM	Shaker Cherry
FCL	First Class	TFM	Fruitwood
SBY	Sheer Beauty	TWM	Walnut
SOG	Storm Grey		
SDT	Stonedust		
STG	String		

# THINK GLOBAL/THINK GREEN





Many programs in various categories



# LEED PARTNERSHIP PROGRAM

Products can help you earn credits



## GREENGUARD CERTIFIED

Children & Schools Certified

**THE ENVIRONMENT** We believe now more than ever, that it is our responsibility to protect the environment and our precious natural resources for future generations. The growing importance of energy and environmental concerns continues to challenge us in this ever changing marketplace.

As an industry leader, Global continues to take proactive steps towards reducing the negative impacts on the environment. We are building "healthier" offices; investing in Research & Development and new technologies; reducing waste and the consumption of energy; and improving the quality of the air we breathe, all which can have a significant impact on our quality of life.



Epoxy Powder coating process is solvent free. No harmful VOC's or lead. No toxins are released into the atmosphere.



Global has the products and resources to help your projects achieve LEED certification.



Global's recycled fabrics offer affordable, environmentally responsible alternatives to commercial textiles. We recycle 35,000 lbs of fabric offcuts weekly.



powder paint process:

98% paint recovery and reuse

more recycled fabric less to the landfill

talk to us about our **leed partnership program** 

we've diverted

90% of our wood waste from landfill in four years


 $For further information \ on \ Global's \ environmental \ initiatives, \ please \ visit \ https://www.globalfurnituregroup.com/us/company/environmental-commitment$ 



# **CUSTOM GROMMET LOCATION FORM**

This form is for use with rectangular and square units only. Application drawings must be provided for any other shape units.

Model # _____ (Please use one page for each model #)




Operator Side

**Template for Tops** 

X = _____

Y = _____






# **Template for Modesty Panels**

X = _____

Y = _____

Note: X = Taken from outermost edge

Note: Y = Taken from underside of top



# **Template for Legs**

Xr = ____

Yr = ____

Zira boardroom tables only (96" table)

Model #	(please us	e one page for eac	h model #)	
	apply. Note: Shaded grey			
<b>CUT-OUT POSITION(S)</b>				
Position 1 - over left b	pase - always 24.6″ to center po	int of cut-out from left e	edge - use option code <u>CC</u> I	<u>U1</u>
Position 2 - center of 1	table - use option code <b>CCU2</b>		-	
Position 3 - over right	base - always 24.6" to center p	ooint of cut-out from rigl	ht edge - use option code	CCU3
	ndicate on diagram below w/d	-		
		Width		
		vvidtii		
		1		
		1		
		!		
		į		Depth
	1	<b>2</b>	3	
				Õ
		'		
<b>CUT-OUT CRITERIA</b> All cut-outs require	a minimum 8mm rad	lius at each corne	er.	
Cut-outs must be cel	ntered on the depth of	f each table due t	to wire manageme	ent runners
Power and data mo	odules that extend mo ses.	ore than 3.75" bel	ow the worksurfa	ce <b>CANNOT</b> be
Indicate cut-out size:			<u> </u>	- <b>X″</b> →
	ion of cut-out runs th	e width of the tak		
	ion of cut-out runs the n not to exceed 14"	e depth of the tal	ble. $Y''$	
Dealer PO#		Internal use	only	
Global order#		Global traile	r/load #: L	ID #:

Zira boardroom tables only (120" - 168" table)

Model #	(please use one page for each model #)		
	ote: Shaded grey areas represent position of base		
CUT-OUT POSITION(S)			
Position 1 - over left base - always	25.2″ to center point of cut-out from left edge - use opti	ion code <u>CCU1</u>	
Position 2 - center of table - use op	ption code <u>CCU2</u>		
Position 3 - over right base - alway	ys 25.2″ to center point of cut-out from right edge - use o	ption code <u>CCU3</u>	
Custom position(s) - indicate on di	iagram below w/dimensions to <b>center point</b> of cut-outs	s - use option code <u>CCUS</u>	
	Width		
			pt
1	!	3	Dept
<b>CUT-OUT CRITERIA</b> All cut-outs require a minim	num 8mm radius at each corner.		
Cut-outs <b>must be centered</b> on below the worksurface.	n the depth of each table due to wire ma	inagement runners	
Power and data modules the positioned over bases.	at extend more than 3.75" below the wo	orksurface <b>CANNOT</b> be	
Indicate cut-out size:		├ <b>~ X″</b> →├	
X dimension of cu	t-out runs the width of the table.		
	t-out runs the depth of the table. eed 14"	Y″ ↓	
Dealer PO#	Internal use only		
Global order#	Global trailer/load #: L	ID #:	

Zira boardroom tables only (192" - 288" table)

Please check all that apply. Note: Sha CUT-OUT POSITION(S)  Position 1 - over left base - always 25.2" to Position 2 - center of table - use option cod Position 3 - over right base - always 25.2" to	ease use one page for each model #)  ided grey areas represent position of bases.  center point of cut-out from left edge - use option  de CCU2  to center point of cut-out from right edge - use option  delow w/dimensions to center point of cut-outs - u	on code <u>CCU3</u>
	Width	
CUT-OUT CRITERIA All cut-outs require a minimum 8r Cut-outs must be centered on the d below the worksurface.	mm radius at each corner.	ngement runners
Power and data modules that exterpositioned over bases.	end more than 3.75" below the work	surface <b>CANNOT</b> be
	and the depth of the table	↑
Dealer PO#	Internal Use Only	ID#·

Zira boardroom tables only (square tables)

Model #	(please use one page for each model #)
	apply. Note: Shaded grey area represents position of base.
	ble - use option code <u>CCU2</u>
	Width
	Depth
<b>CUT-OUT CRITERIA</b> All cut-outs require	a minimum 8mm radius at each corner.
Cut-outs must be ce	tered on the depth of each table.
Power and data mo	dules that extend more than 3.75" below the worksurface <b>CANNOT</b> be es.
	on of cut-out runs the width of the table. $ -\chi'' ightarrow $
	on of cut-out runs the depth of the table.  not to exceed 11"  Y"
Dealer PO#	Internal use only
Global order#	Global trailer/load #: I ID #:

Zira media tables only

Zira media tables omy		
<u>-</u>	ease use one page for each model #)	
• • •	ded grey area represents position of base.	
CUT-OUT POSITION(S)		
Position 1 - over left base - always 24.6" to	center point of cut-out from left edge - use option	on code <u>CCU1</u>
Custom position(s) - indicate on diagram b	elow w/ dimensions to <b>center point</b> of cut-outs	- use option code <u>CCUS</u>
	Width	
		Depth
CUT-OUT CRITERIA All cut-outs require a minimum 8r		
Cut-outs <b>must be centered</b> on the d below the worksurface.	epth of each table due to wire ma	nagement runners
Power and data modules that exterpositioned over bases.	end more than 3.75" below the wo	
X dimension of cut-out r	runs the width of the table.	
		↑ <b>Y</b> "
Dealer PO#	Internal use only	
Global order#	Global trailer/load #: L _	ID#:

Zira collaborative tables only (please use one page for each model #) Model # Please check all that apply. **CUT-OUT POSITION(S)** Position 1 - always 24.6" to center point of cut-out from left edge - use option code **CCU1** Position 2 - center of table - use option code CCU2 Position 3 - always 24.6" to center point of cut-out from right edge - use option code **CCU3** Custom position(s) - Please indicate on diagram below with dimensions to center point of cut-outs - use option code CCUS Width **CUT-OUT CRITERIA** All cut-outs require a minimum 8mm radius at each corner. Cut-outs must be centered on the depth of each table due to wire management runners below the worksurface. " X dimension of cut-out runs the width of the table. " Y dimension of cut-out runs the depth of the table. Y dimension not to exceed 10" Dealer PO# ______ Internal use only

Global order#

Global trailer/load #: L _____ ID #: _____

TERMS AND CONDITIONS CASEGOODS

This illustrated price list has been designed to facilitate fast reference and easy use. Products are categorized into "seating", "desks", "files", "panels", or "tables", and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group ("Global") products are made only on Global's standard Terms and Conditions of sale which are contained in this list price book. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Global's authorized personnel at its head office in Marlton, NJ. Any term or condition contained in any purchase order or other form used by dealer/purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global's standard terms and conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this list price book are based on the latest product information available at time of publication. Global reserves the right to make changes at any time and without prior notice to prices, colors, materials, specifications and models offered.

#### Description

Each product shown or described in this list price book is standard Global product. Available options are noted at the beginning of each series. Available options may require additional delivery time and cost, and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

## **Prices and Payment**

The prices shown in this book, as well as those quoted by Global, are in United States dollars for orders shipped to destinations in the U.S. and Mexico.

If shipping date requested is more than 90 days from date of order, Global shall reserve right to use published list prices effective at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice (1% 15 days) unless otherwise stated. The Purchaser agrees that Global reserve the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If the Purchaser's most recent annual net volume is less than \$5,000.00, payment must be made in advance.

Any products sold by Global shall remain the personal property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep dealer/purchasers up-to-date on all developments including price changes.

# Taxes

All prices shown in this book are exclusive of sales, use, excise and other applicable taxes and are the dealer/ purchaser's responsibility as per the invoice issued by Global. If dealer/purchaser claims an exemption from such taxes, it shall be the dealer/purchaser's responsibility to furnish Global with an appropriate exemption certificate at time of order.

#### **Ordering Information**

Global requires that all orders be submitted in writing and will be acknowledged on Global's acknowledgment forms governing the transaction.

The details appearing on this acknowledgment will describe the items to be shipped and the approximate shipping date. It is the Purchaser's responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the Purchaser must notify their Global Customer Service representative immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the items having the longest manufacturing lead time (unless instructed to partial ship).

At time of order, please provide the following information:

- 1. Account number (if possible)
- 2. PO number
- 3. "Bill to" and "Ship to" name and address
- Complete model number and selected options including textiles/finishes
- 5. Special instructions and tag information
- 6. Shipping instructions, please indicate:
  - a. pick up
  - b. Global trailer program
  - c. common carrier, provide name of carrier, your account number
- 7. Special quote (SQ) # or MTM # (if applicable)
- Customer's Own Material (COM), Global Purchased Material (GPM), Customer's Own Leather (COL), see below.
- 9. For specials and custom quoted product, please indicate the custom quote # on your PO. If changes are made to the quote a new quote must be issued prior to submitting the order. It is the Purchaser's responsibility to determine that the information on the quote is correct. Global will not be responsible for wrong product due to errors in the quote

The above points will be checked by Global for accuracy. Global will process orders using the codes provided by the Purchaser. Price discrepancy is the responsibility of the Purchaser. The Purchaser must notify Global prior to invoicing.

The Purchaser is responsible for providing correct information at time of order. If no option(s) are selected the system will default to standard feature(s). Orders with missing/incorrect information (finish, etc.) will be put on hold until all information is complete. Orders will be scheduled for manufacturing upon receipt of complete information.

#### **Changes and Cancellations**

After the date of Global's acknowledgment of the Purchaser's order, the order may not be changed or canceled by the Purchaser without the written consent of Global. Special order items, C.O.M. and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Textile-covered items are considered to be in production once the textile is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

## **Errors and Omissions**

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

#### **FINISHES**

#### **Wood Finishes**

For custom stain requests, submit a special request for quotation. Non-standard wood finish orders will incur a one time charge of \$250 net to dealer per matching custom wood stain. This one time fee will be valid for 5 years from the time of matching. After 5 years, a new \$250 net to dealer charge will apply. All custom wood stain products will receive a 10% list per unit upcharge, included on the special quote. Requests with unit quantities of 30 or more, may be considered for reduced or eliminated upcharge. At time of order, a 3" x 3" color sample is required to be submitted with order. Extended order lead time is required for custom matching and approval process..

#### **File Finishes**

All non-standard finishes must be approved by Global prior to acceptance of order and may be subject to an upcharge.

Laminate Tops - Pricing for all non-standard finishes and sizes must be provided by Global Customer Service and may be subject to an upcharge.

#### **Desk Finishes**

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible

Global has launched a finishes program between marketing companies within the Global Group to match products as best as possible when same finishes are specified.

#### **Customers Own Material (COM)**

Use of COM must be approved by Global prior to acceptance of order. Please refer to back of the Seating List Price Book and fill out the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12" x 12" fabric sample and advise how the fabric is to be applied. Textile yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching. Yardage shown in the List Price Book does not allow for pattern repeat/matching. Send to the address provided on shipping document upon approval from Global. If C.O.M. is difficult to apply or if product shall be modified, extra charges shall be made. Global reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer's Own Material must be shipped freight and duties paid to our factory. Such shipment must be fully identified with purchaser's order number, RGA # provided by Global, and the item for which material is intended. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser. Global's standard product warranty shall not apply to C.O.M. Use of C.O.M. will not reduce the published list price.

#### **Textile Grading**

All products are priced according to their standard textile grade. Lower grade textiles may be available but at the same price as standard textile grade. See Textiles and Finishes section for graded textiles.

Combining two grades of textiles may result in a revised grade. Please refer to "Two Grades Combination Chart" in the Textiles and Finishes section . For more than two textiles a special quotation is required.

# **TERMS AND CONDITIONS**

# Global Purchased Material, Customer Specified (GPM)

Global may purchase material specified by the customer. Use of GPM must be approved by Global prior to acceptance of order. If it is difficult to apply or if product is required to be modified, extra charges will apply. Global reserves the right to cancel an order at any time if GPM is inadequate for any reason. Performance of GPM when applied to product is the sole responsibility of the textile vendor. Global's standard warranty will not apply to GPM materials.

# Customer's Own Leather (COL)

Not all seating can be upholstered in leather. Please consult series notes for availability. COL price is the lowest published grade for the series (leather or fabric).

#### **Upholstery Coverings**

Slight variations in color may occur between dye lots.

Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

## **Leather is a Natural Product**

Natural variations occur in the color, grain and texture of leather. As a result, a degree of variation should be expected. As leather is used it develops a patina. Its color changes slightly, it will get marked and it will stretch and pull, these are the hallmarks of genuine leather and are not considered defects.

#### Yardage

Required yardage (ydg) is based on unmatched materials with widths of 54" for seating, 63" for panels. Yardage calculations are based on imperial measurements.

#### Arms

A wide selection of arms are available for some series. See Arm Chart in the Seating price list for details.

#### **Delays**

Global's order acknowledgement will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of the company, whether of the class of causes enumerated or otherwise.

#### F.O.B

F.O.B. point is Global's Factory, Downsview, Ontario, Canada, or any Global Regional Distribution Center.

#### **UPS Shipments**

Seating products marked with a UPS symbol are packaged for UPS-able shipments.

# Handling

A \$25. net handling charge per shipment will be applied for non UPS-able orders of less than \$2000 list.

# **Special Delivery Requirements**

Global's delivered pricing provides for dock delivery during normal business hours (considered to be 8 am to 4 pm Monday through Friday) to customer/end user only. Additional delivery requirements such as inside delivery, lift gate, limited access sites, installations and weekend deliveries will incur an additional expense and will be the responsibility of the dealer.

#### Service

Service requests are normally the responsibility of Global's authorized dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department in the nearest distribution center.

#### Returns

No returns of goods will be accepted without written consent and shipping instruction of Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (R.G.A.) numbers must appear prominently on all authorized returns. Global will not be responsible for freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and C.O.M. products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

## Claims

All goods are sold FOB plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the Purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the Purchaser, in writing, within 15 working days after any delivery. Failure by the dealer/purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

# Suspension

In the event that the dealer/purchaser defaults in the payment of any sum due to Global, or in the event the dealer/purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the dealer/purchaser provides assurance of payment to Global.

#### Copyright

All catalogs, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

#### **Trademarks**

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD. and are used under license. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD.

# **Designs and Patents**

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

For a full listing of issued trademarks, please visit globalfurnituregroup.com.

#### Cubic Measure

The stated volume is an approximate cubic foot measure that may be used to calculate freight costs. The figure shown is the total shipping volume of a unit (e.g. if a part is sent in 2 cartons the volume indicated reflects both cartons together) and is subject to change without notice. It is most economical to purchase the specified number per carton.

## **Combined Shipments**

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such request is not complied with.

#### Offer of Sale

Possession of this price list or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current pricing found on Global's website, then the most current shall prevail.

#### Disclaimer

All dimensions are in inches. Prices shown are current manufacturer's suggested list prices at the time of printing. Updated pricing is available on Global's website. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

## **Testing Qualifications**

Many Global products pass or exceed the most stringent industry testing standards.

#### **Flammability**

The foam used in Global chairs meets the requirements of California TB117:2013. In addition to the foam, upholstery materials must also meet the California TB117 smolder resistant requirements. Please contact Customer Care to determine if a selected textile meets the California TB117 requirement.

# This list price book is effective as of January 1, 2023.

For periodic updates, please check the PDF at global furniture group.com. Select Resources then Price Lists. From here you will have the option to select either the Seating, Desking + Tables or Metal Filing + Storage price list books. Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages. The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 pounds.

#### **General Commercial Seating**

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- · Foam, textiles (as sampled on Global branded and textile program cards), mesh material and electrical devices, are warranted for five (5) Years
- · Control mechanisms are warranted for twelve (12) Years
- · Heavy duty seating and Indoor/Outdoor Furniture are not defined as General commercial seating (see below for warranty exceptions)

#### **Heavy Duty Seating**

Global offers products designed for multiple shift applications (24 hours a day / 7 days a week) and larger individuals weighing up to 400, 500 and/or 600 pounds (depending on series and/or model). Global warrants these products for twelve (12) years to the original purchaser. All components (including control mechanisms, pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats/backs, etc.) are covered for 24/7 applications under the warranty. The exceptions are foam, upholstery and textiles, which are covered for five (5) years. Fabric or upholstery material on these products must exceed 100,000 double rubs for the textile portion of the warranty to apply. Heavy Duty product series that apply under this warranty can be found in the Heavy Duty section of this list price book.

#### **Outdoor Furniture**

Global offers products designed for use indoors or outdoors. Global warrants these products for three (3) years to the original purchaser. This warranty applies to single shift (eight (8) hour day, forty (40) hour week) for users weighing up to 275 pounds, unless noted otherwise. Outdoor furniture must be stored indoors during inclement or extreme weather such as extreme cold, extreme heat, or excessive wind.

Exceptions to the warranty for indoor/outdoor furniture is as follows:

Only Global branded textiles and Alliance Partner carded textile program materials expressly identified for outdoor application are covered for three (3) years when used outdoors.

# Global's Warranty does not apply (for any product category) to the following:

- · Products not purchased directly from authorized Global resellers
- . Nominal or normal amount of wear and tear that can occur over time
- · Failures which result from negligence, abuse, accident or misuse
- · Failure to apply, install or maintain products according to Global's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Global
- · Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- · Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles, dye lots of textile can vary
- . Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on globalfurnituregroup.com

# **Seating Warranty Summary**

Seating Type General Commercial Seating	Components Warranty For Original Purchaser Lifetime	<b>Use Time For Warranty Coverage</b> 8 Hours/5 Days Per Week	<b>Exceptions</b> Foam/Upholstery/Textiles/Mesh/Electrical Devices - 5 Years Control Mechanisms - 12 Years
Heavy Duty Seating	12 Years	24 Hours/7 Days Per Week	Foam/Upholstery/Textiles - 5 Years
Indoor/Outdoor Furniture	3 Years	8 Hours/5 Days Per Week	Outdoor Use Textiles – 3 Years

#### **Textiles**

Global warrants Global branded textiles and Alliance Partner carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years. Global does not warrant COM (Customer Own Materials) or graded-in materials (non-carded) and purchased by Global for a customer. For graded-in or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at globalfurnituregroup.com for detailed information on cleaning and disinfecting procedures. Improper usage of disinfecting/cleaning products may void the warranty.

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original Purchaser.

**CASEGOODS** 

# LIMITED LIFETIME WARRANTY

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

#### Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, lecterns, coat trees and task lights five (5) years
- . Laminate folding tables one (1) year
- · Motorized electrical components two (2) years
- . Keyless lock options two (2) years

#### Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	Lifetime	keyless lock options - 2 years
Laminate/wood veneer desks and modular furniture	Lifetime	tackboard textiles, electrical devices, task lights - 5 years
Boardroom, conference, training and general tables	Lifetime	electrical devices - 5 years moving parts - 5 years
Electric height adjustable bases	7 years	battery pack - 1 year
Non-electric height adjustable bases	5 years	
Productivity Solutions and Accessories (adjustable keyboard mechanisms, monitor arms, coat trees, writeable surfaces/whiteboards)	5 years	writeable surfaces/whiteboards - 3 years
Panels	Lifetime	panel textiles, electrical devices, task lights - 5 years

# Global's Warranty does not apply (for any product category) to the following:

- . Nominal or normal amount of wear and tear that can occur over time
- · Failures which result from negligence, abuse, accident or misuse
- · Failure to apply, install or maintain products according to Global's written instructions and warnings
- · Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- . The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- · Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on globalfurnituregroup.com

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's option.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Global's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.

#### **Textiles and Finishes**

Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

globalfurnituregroup.com global

# Global US Headquarters/Distribution Center

17 West Stow Road, P.O. Box 562 Marlton, New Jersey U.S.A. 08053 T (856) 596-3390 T (800) 220-1900

# Showrooms

## Atlanta

10 10th Street Suite 150 Atlanta, GA 30309 T (404) 879-0998

#### Boston

One Harbor Street Suite 104 Boston, MA 02210 T (617) 406-5435

# Chicago

222 Merchandise Mart Plaza 10th Floor, Suite 1035 Chicago, IL 60654 T (312) 755-0843

#### Irvine

18400 Von Karman Ave. Suite 100 Irvine, CA 92618

# Miami

112 NE 41st Street 6th floor Miami, FL 33137

# **New York City**

386 Park Avenue South 7th floor New York, NY 10016 T (212) 545-9900

#### Philadelphia

1735 Market Street 38th Floor Philadelphia PA, 19103 T (215) 861-0963

# New Jersey (Southern)

119 West Greentree Road Marlton, NJ 08053 T (856) 596-3390

## Phoenix

4675 E Cotton Center Blvd. Suite 165 Phoenix, AZ 85040 T (602) 426-0666 T (602) 426-0777

# Washington, DC

1130 Connecticut Avenue 10th Floor, Suite 1000 Washington, DC 20036 T (202) 659-0230 T (202) 659-0236

# **Distribution Centers**

# Atlanta Area

6715 Maple Ave. Suite 100 Buford, GA 30518 T (678) 602-4130

#### **Baltimore Area**

Troy Hill Corporate Center 7030 Troy Hill Drive Elkridge, MD 21075 T (410) 379-8021

# Chicago Area

27W501 North Ave. Suite 300 West Chicago, IL 60185 T (630) 681-2818

# Cincinnati Area

8712 LeSaint Drive Fairfield, OH 45014 T (513) 777-0009

# Dallas Area

2025 West Beltline Road #100 Carrollton, TX 75006 T (972) 236-1366

# Denver Area

16401 East 33rd Drive Suite 50 Aurora, CO 80011 T (303) 340-1617

# Ft. Lauderdale Area

560 Sawgrass Corporate Pkwy Sunrise, FL 33325 T (954) 846-8888

# Houston Area

7865 Northcourt Road Suite 200 Houston, TX 77040 T (713) 695-5777

# Los Angeles Area

3629 Workman Mill Road Whittier, CA 90601 T (562) 484-9686

## Seattle Area

Oakesdale Commerce Ctr. 820 Southwest 34th Street Building W7, Suite A Renton, WA 98057 T (425) 291-9282

## Kansas City Area

11617 West 81st Street Lenexa, KS 66214 T (913) 310-9963

# Tampa Area

10351 Windhorst Road Tampa, FL 33619 T (813) 621-6272



