

## Desking + Tables

Effective July 14, 2025 – USA



PRICE LIST

# desking + tables



# think global

## THE GLOBAL EDGE

### ERGONOMICS IN THE TOTAL OFFICE

- One stop shopping for a full range of office furniture.
- Seating, desks, tables, files, modular furniture, panels and accessories.
- Ergonomics, competitive pricing and built-in value.

### STRENGTH AND STABILITY

- Established in 1966.
- One of North America's largest office furniture manufacturers.
- Manufacturing and showrooms worldwide.

### QUICK SHIP - INSTOCK

- Hundreds of products in stock for immediate delivery.

### STRONG LOCAL REPRESENTATION

- Service and expert advice where you are, when you need it!

### MANUFACTURING CAPABILITY

- Vertical integration ensures "start to finish" control.
- Ongoing research and investment in new, innovative production technology.

### QUALITY ASSURANCE

- Quality Assurance Program is qualified by C.G.S.B. ISO9001 standards.
- On-site furniture testing facility.
- Product and components are tested to ANSI/BIFMA standards.

### ENVIRONMENTAL COMMITMENT

- Continuous development of "earth friendly" programs.
- One of the first molded foam manufacturers to create ozone-friendly, CFC and HFC-free processes.
- Seat and back pans are made from recyclable plastics and wood waste, enabling little waste and cost effective products.

## SYMBOL IDENTIFICATION



Global's Certified Products are in compliance with the stringent emission guidelines set by the GREENGUARD Environmental Institute and include all Upholstered Seating. To obtain a GREENGUARD Certificate for any product, please go to the product page on our website [www.globalfurnituregroup.com](http://www.globalfurnituregroup.com) and click on "View GREENGUARD Certificate".

level™ certification, based on the ANSI/BIFMA e3-2012 furniture sustainability standard, sets furniture manufacturers on a path toward greater sustainability over time. Based on environmental and social criteria set forth in the standard, a product's entire supply chain is assessed.



Certification assessment includes an evaluation of specific corporate policies and guidelines and an assessment of associated company manufacturing facilities. Products must meet quantifiable milestones of environmental and social performance at every step of development.

The quantitative assessment addresses four categories: material use, energy and atmosphere impacts, human and ecosystem health and social responsibility.

Manufacturers earn points in each of the four categories. The level™ brand and its numeric rating of 1, 2 or 3 indicate what threshold of certification a product has achieved. level™ 3 is the highest rating.



# TABLE OF CONTENTS

## WORKPLACE

### LAMINATE DESKS

Adaptabilities.....9

Consumer Education .....6

Office Accessories.....585

Desking Comparison Chart.....4

Genoa .....48

Laminate Desk Notes.....8

Office Spaces .....61

Princeton .....127

Zira .....175

Zira Boardroom + Reception .....330

### SOFTPOD

Softpod.....513

### BENCHING

Bridges II .....374

FreeFit.....703

### PANELS + COMPONENTS

Divide .....476

### PRODUCTIVITY SOLUTIONS by Global

Productivity Solutions .....560

FOLI Height Adjustable Tables.....562

FreeFit Height Adjustable Tables.....703

Keyboard Trays .....572

Manual Height Adjustable Tables .....561

Monitor Arms .....567

Office Accessories.....585

Power/Data .....599

Revo + Voyage Task Lights.....576

### STORAGE

Sidebar Storage .....490

Zira Lockers .....365

### TABLES - CAFE, MEETING + BOARDROOM

Anywhere Table Collection .....610

Collaborative Spaces .....649

Kadin Tables.....748

Swap tables .....757

Zira Boardroom + Reception .....330

### TABLES - TRAINING

2gether tables .....611

Bungee tables .....624

Bungee SL tables .....642

ConnecTABLES .....676

Junction.....741

Terina.....802

### TABLES - RECEPTION + OCCASIONAL

Citi tables .....818

Coat trees.....819

Collaborative Spaces .....649

Drift tables .....822

Laminate occasional tables .....820

Lite Lift II folding tables .....826

River+ tables .....827

Sirena tables .....830

Wind tables.....831

# TABLE OF CONTENTS

## WORKPLACE

### TABLE POWER + TECHNOLOGY SOLUTIONS

Table Power + Technology Solutions .....611

### WELLNESS SOLUTIONS

Linking Panels .....506

Wellness Screens .....502

### ACOUSTIC SOLUTIONS

Priva pods.....510

Softpod.....513

### REFERENCE

Custom Grommet Location Form.....841

Terms + Conditions .....848

Warranty.....850

Textiles + Finishes.....834

## EDUCATION

### CLASSROOM

2gether tables .....611

Bungee tables .....624

Bungee SL tables .....642

ConnectTABLES .....676

Duet tables.....692

### CLASSROOM (cont'd)

Edventure .....695

Junction.....741

Terina.....802




Zook.....806

### MEETING + COLLABORATIVE



Kadin Tables.....748

Swap tables .....757

# DESKING COMPARISON CHART

	ADAPTABILITIES	BRIDGES II	GENOA
			
<b>GENERAL FEATURES</b>	<ul style="list-style-type: none"> <li>• Top over end panel design</li> <li>• 400 color combinations</li> <li>• Virtually no loose hardware</li> <li>• Storage height is 66"</li> <li>• 2 handle options</li> </ul>	<ul style="list-style-type: none"> <li>• Beam-based benching system</li> <li>• 8-wire, 4-circuit electrical</li> <li>• Storage height is 21", 25" and 29"</li> </ul>	<ul style="list-style-type: none"> <li>• Top over end panel design</li> <li>• 3/4 pedestal standard</li> <li>• Virtually no loose hardware</li> <li>• Storage height is 66"</li> </ul>
<b>GOOD BETTER BEST</b>	Better	Best	Good
<b>STYLE</b>	Transitional	Contemporary	Transitional
<b>PRICE POINT</b> (36 x 72 double pedestal desk)	<b>\$1806</b>	N/A	<b>\$1376</b>
<b>WORKSURFACE THICKNESS</b>	1"	1"	1"
<b>SURFACE TYPE</b>	High performance thermally laminate or HPL	High performance thermally laminate or HPL	High performance thermally laminate
<b>EDGE THICKNESS</b>	2mm	3mm	Self Edge
<b>EDGE OPTIONS</b>	Flat	N/A	N/A
<b>HUTCH CLEARANCE</b> (worksurface to underside of hutch)	17.75" to valance 20" to underside of hutch	N/A	20"
<b>GREENGUARD CERTIFIED</b>	Yes	Yes	Yes
<b>BIFMA e3 LEVEL CERTIFIED</b>	Level 3	Level 3	Level 3
<b>USDA BIO-PREFERRED EDGING</b>	Yes	No	Yes

# DESKING COMPARISON CHART

	PRINCETON	ZIRA
		
GENERAL FEATURES	<ul style="list-style-type: none"> <li>Freestanding, modular components with overlapping architectural elements</li> <li>14 standard finishes; up to 3 color application on many components available</li> <li>Optional 6mm tempered glass on hutches and desktop storage.</li> <li>Storage height is 52" and 66"</li> </ul>	<ul style="list-style-type: none"> <li>Top over end panel design</li> <li>400+ color combinations</li> <li>Virtually no loose hardware</li> <li>Storage height is 42", 54", 66", 72" and 84" (nominal).</li> <li>9 handle options</li> <li>4 glazing options for storage doors and modesty panels</li> </ul>
GOOD BETTER BEST	Best	Best
STYLE	Contemporary	Contemporary
PRICE POINT (36 x 72 double pedestal desk)	N/A	\$2465
WORKSURFACE THICKNESS	1"	1" or 1.5"
SURFACE TYPE	High performance thermally laminate or HPL	High performance thermally laminate or HPL
EDGE THICKNESS	2mm	2mm
EDGE OPTIONS	N/A	Flat, Fluted or Bicut
HUTCH CLEARANCE (Worksurface to underside of hutch)	15.75"	20.25" (23.5" Hutch) 17.75" (36" Hutch) 24.25" (42" Hutch) 24.25" (54" Hutch)
GREENGUARD CERTIFIED	Yes	Yes
BIFMA e3 LEVEL CERTIFIED	Level 3	Level 3
USDA BIO-PREFERRED EDGING	No	Yes

# CONSUMER EDUCATION


## How do I buy a desk?



Choose a non-reflective surface. Global uses colors that reduce glare to make your work easier to read while reducing eye strain.



Get a desk that lets you look ahead. A modular desk is easy to set up initially and then reorganize or reconfigure later to adapt to future needs.



Look for European connectors if you're buying ready-to-assemble furniture. Global makes assembly easy - all you need is a screwdriver.



Give your business an edge. Each Global desk comes with its own attractive edge design.




Avoid tangles. Make sure your desk has at least one grommet hole to keep computer and telephone wires out of the way.



A hutch should have a sweep that manages computer and telephone wires.



Island worksurfaces let you meet with more than two people at once with ample leg room for all.



Choose one of Global's height/angle adjustable keyboard trays to go with your desk. Your arms can maintain a comfortable position, reducing shoulder, back and neck strain.

## How do I select the right workstation?

When searching for the right workstation it is important to consider its purpose which will be decided by the nature of your tasks. It is best to look for products that have been designed and engineered to help make your workspace more productive.

Once these patterns have been identified, organize them according to their intended use and frequency of their use. Now you are ready to investigate the pertinent factors that will determine the workspace you eventually select.

This can be achieved in a variety of ways. As a guide, observe how your work flows through your office in a typical day. It is likely that you'll uncover a number of distinctive and repetitive task patterns.

### Lighting - Protect yourself

- If you have to setup near a window make sure your computer sits perpendicular to it, minimize eye-strain inducing glare on sunny days.
- If you have fluorescent lights, try to position your set up between the lights.
- Use "Parabolic louvers" to reduce the glare from fluorescent lights
- Use window blinds to control the light source through the day
- Panels or screens may be used to control glare
- Protect your eyes from Ultraviolet A (UVA) and Ultraviolet B (UVB) by using an anti-glare screen

### Noise

- Try to set up your office in a separate room if possible and away from the rest of the house

### Chair

- Comfort is personal but should be part of the selection
- Seat pan design; deep and wide enough
- Rounded front edge (waterfall)
- Adjustable slope seat
- Able to adjust your chair, to obtain appropriate height
- Sit back in your chair, with your thighs parallel to the floor
- Place feet flat on the floor, a footlocker may be required

### Footlocker

- A footlocker helps to prevent possible discomfort resulting from outstretched feet
- The rocking motion creates light activity in the legs and feet and will help stimulate muscles to improve overall circulation

### Keyboard

- Has a palm rest
- Easily adjusts the angle of the keyboard
- Easily adjusts the keyboard height

### Document Holder

- A curved back document holder reduces glare
- Position document holder in line with the monitor to reduce eyestrain

### Monitor

- There should be a direct line from the center of monitor to the, "J" key on your keyboard which should line up with your belt buckle
- Position the monitor at arm's length
- Make sure that the top of your monitor screen is slightly below eye level
- A monitor stand may be used to achieve the desired height

### Workstation

- Adequate space beneath the worksurface for your legs
- Depth of the worksurface depends on the task and equipment used to perform this responsibility
- Try to place tasks that are performed regularly within arm's reach
- Avoid unnecessary reaching and bending which leads to fatigue and possible muscle strains and can reduce efficiency
- Keep in mind other related tasks in your planning
- Establish your workflow then design the essential elements to meet your requirements



# desking – laminate



Adaptabilities

9



Genoa

48



Princeton

127



Zira

175

# LAMINATE DESK NOTES

The following applies to all series EXCEPT the Bridges II and Princeton series.

For information on the Bridges II series, please refer to page 374 and for the Princeton series, please refer to page 127.

- Outside and surface panels are made from 1" thick 45 lb. density particle board and covered on both sides with high performance thermally fused laminate. Modesty panels are 11/16" thick.
- BOX AND FILE DRAWERS** use FULL EXTENSION STEEL BALL BEARING SLIDES for smooth action.
- BOX AND FILE PEDESTALS** are standard and are CONSTRUCTED INDEPENDENTLY of the chassis, with fully closed bottoms. This PICTURE FRAME CONSTRUCTION technique prevents racking, and provides a product that lasts for years.
- FILE DRAWERS** file both legal and letter documents as standard (LETTER FILES will file in BOTH DIRECTIONS, as will LATERAL FILES), except 15"w Zira units (side to side only).
- Drawers and END PANELS are **EDGE BANDED** on ALL FOUR SIDES to protect clothing and the floor covering.
- Locks are standard on all box and file pedestals, lateral files, storage cabinets and combination storage units.
- All locking components within each series can be keyed alike at no additional charge. Please specify the request at time of ordering.
- Drawers are opened with side pulls and are constructed 22" deep (Genoa 18"D) using French dovetail joints at the front and lap joints at the rear. Woodgrain enameled bottoms are routed into the woodgrain (MDF) sides on three edges.
- Full to the floor pedestal configurations can be switched for a **15% upcharge** (Adaptabilities series ONLY).
- Pencil tray included with each desk.
- LEVELING GLIDES** are standard on ALL UNITS.
- All units are **shipped fully assembled** (except where noted) on 1" x 3" thick wood furniture skids with pedestal supports inside high quality cartons.
- ALL "L" SHAPED DESKS** have flush backs on the return (modesty panels).
- Additional options available include (add suffix to item number):  
**FM** = Full modesty panel. Available on any desk or credenza. Upcharge applies. See individual series notes.
- Desks with FULL TO FLOOR pedestals CANNOT have ¾ modesty panels.
- Corners must have matching modesty panels (both sides must be either ¾ or full modesty panels).
- Modesty panels** on CORNERS will be 1" above the floor; **Modesty panels** on RETURNS are flush with the floor. It is recommended that corner units are used for corner spaces when configuring workstations so there is no visible difference if a corner is connected to a return.
- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners.
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units
- Global Furniture Group will consider custom, specials and product alterations on an individual basis.
- Desk series can only be made in **Standard Global Laminates**.
- PLEASE REFER TO SERIES FOR FINISHES AVAILABLE.** The following desk finishes are offered:

**WOODGRAINS:**

Absolute Acajou (ACJ)	Asian Night (ASN)	Avant Cherry (AWC)
Avant Honey (AWH)	Clear Maple (CMB)	Dark Espresso (DES)
Fashionista (FAS)	First Class (FCL)	Noce Biondo
Noce Grigio	Noce Leggero	Noce Medio
Quartered Mahogany (QTM)	Sheer Beauty (SBY)	Walnut Heights (WHE)
White Chocolate (WHC)	Winter Cherry (WCR)	

**SOLIDS:**

Black (BLK)	Designer White (DWT)	Storm Grey (SOG)
Blizzard (BZD)	Custom Grey (CGY)	Stonedust (SDT)

**PATTERNS:**


Brushed Cobalt (BRC)
----------------------

- See **Productivity Solutions** and **Desk Accessories** for additional options



With over 370 components available in 400 color combinations, Adaptabilities provides the ultimate in flexibility and modularity. Rich laminate colors coordinate easily with any office or home decor. All surfaces are constructed from Global's exclusive premium grade, high performance laminate and preferred matching edges.

Adaptabilities features an extensive range of versatile components which can be configured into multi-user workstations suitable for intensive task functions, or for private executive suites requiring stately elegance and work-force functions. All laminate filing cabinets have a safety mechanism that prevents two drawers from being opened at the same time. File drawers have fully progressive ball bearing suspensions and accommodate letter and legal filing. For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.



Tops are 1" thick and a top over side, edge panel design.



3/4" modesty panel available at no extra charge.



For heavy duty usage, two, three and four drawer laminate files are available with steel drawer interiors.

## Features and Benefits

- 45lb. density particle board substructure with high performance thermally fused laminate
- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature 2mm edging in matching color.
- Full to floor or 3/4 pedestals available on most components
- All desks are size (incrementally) accurate
- 11/16" thick full modesty panel is standard
- 11/16" thick 3/4 modesty panel is available on most components
- Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- Full progressive ball bearing suspension on file drawers
- All drawer fronts edge banded with side pull opening pedestals and standard with pedestal locks
- Compatible with **Divide** panel system for increased privacy and storage requirements

## GENERAL INFORMATION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Adaptabilities components are compatible with Divide transaction tops and partitioning panels. See page 476 for Divide specifications and prices.
- See pages 40-41 for keyboard drawers and additional accessory options.
- Adaptabilities desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- 1" thick high performance thermally fused laminate tops (**TFL**) sealed with Global's preferred edging in matching color. Woodgrain surfaces feature edging with matching printed woodgrain.
- High pressure tops (**HPL**) are available in all Adaptabilities laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate.
- Cabinets and wardrobes are 65" high to match overall height of a worksurface with hutch (worksurface 29" + hutch 36" = 65").
- 65" high end shelves are also available to match overall height.
- Models with monoposts are available with Black (**TBL**) or Tungsten (**TTU**) monoposts, please specify.
- Models with handles are available with Black (**HX**) or Silver (**HS**) handles, please specify.
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks.
- Double wall pedestal housing with fully closed bottom.

## MODESTY PANELS

- 11/16" thick full modesty panel is standard
- 11/16" thick ¾ modesty panel available on most components
- ¾ height modesty panels available on most models at no additional charge. Please specify (**3MP**). Corners must have both modesty panels as ¾ or full.
- **Note:** Woodgrain modesty panels 60" wide and up will have the grain pattern in a horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in a vertical direction.

## STORAGE

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction.
- Pencil tray included in box drawer
- File drawers can accommodate legal or letter documents
- Triple progressive ball bearing suspension on file drawers

## LOCKS

- Optional locks available for all straight hutch unit doors. Add **\$126** each lock
- Front-to-back filing bars for all steel drawer files available separately. Order FBB file bars. See "FBB" on page 41.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Adaptabilities units with locks may be ordered with **CA** cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When **CA** option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code **SIL-CORE-H-SHOE** for Silver core/key sets or product code **BLK-CORE-H-SHOE** for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. **Must be ordered at the same time product is ordered with CA lock cap option specified.**
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as **REMOVE-K-H-SHOE**.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

## SPECIAL SIZES

- Additional custom sized components available upon request.
- Secretarial height returns (26 ½") available at a 15% upcharge.
- Full to the floor pedestal configurations can be switched for a 15% upcharge.

## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops

## 3. SPECIFY FINISH

### Top Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BZD	Blizzard
BRC	Brushed Cobalt
CMB	Clear Maple
CGY	Custom Grey
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista

FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SOG	Storm Grey
SDT	Stonedust
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

### Body Finishes (including pedestals):


ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BZD	Blizzard
BRC	Brushed Cobalt
CMB	Clear Maple
CGY	Custom Grey
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista

FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SOG	Storm Grey
SDT	Stonedust
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry


## 4. SPECIFY OPTIONS

### Grommets


- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: **AG1, AG2 or AG3. Add \$96.**




- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks (A3672SPL)




30 x 60 single pedestal left desks (A3060SPL)




36 x 72 single pedestal left bow top desks (A3672SLB)


- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$96.** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.
- Components that come standard with grommet may be ordered without a grommet. **Add \$53.**
- Grommets are available on modesty panels of extended corners and 5-sided corners 6 1/2" in where the two modesty panels meet at a 90° angle. Please specify FOGMPR for right grommet placement and FOGMPL for left grommet (placement is as shown on diagrams below). Cost is **\$96.**
- **Modesty panels are 1" off of ground**



Left Extended Corner Unit



Right Extended Corner Unit




5-Sided Corner Unit

### Power Block

- A Power Block (model PMSPDM) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and includes two data (CAT5) receptacles. 9 foot black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, Add \$352.** Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$96.**




Power Block **PMSPDM Add \$352**



Specify location **E1, E2 or E3 Add \$96**




## DOUBLE PEDESTAL DESKS



**Double Pedestal Desk\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672DP	36 x 72 x 29.6	150	296	52.5	<b>\$1924</b>	<b>\$532</b>
A3072DP	29.69 x 72 x 29.6	125	263	43	<b>\$1890</b>	<b>\$498</b>
A3066DP	29.69 x 66 x 29.6	125	254	39.75	<b>\$1874</b>	<b>\$498</b>
A3060DP	29.69 x 60 x 29.6	125	247	36.25	<b>\$1711</b>	<b>\$464</b>


Standard with box/file pedestals on both sides. Pedestals lock. One pencil tray.



**Double Pedestal Bow Top Desk\***

A3672DPB	30-36 x 72 x 29.6	150	280	52.5	<b>\$2291</b>	<b>\$532</b>
----------	-------------------	-----	-----	------	---------------	--------------


Standard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.



**Full to Floor Double Pedestal Desk**

A3672D4	36 x 72 x 29.6	125	330	52.5	<b>\$2451</b>	<b>\$532</b>
A3072D4	30 x 72 x 29.6	125	295	41.15	<b>\$2408</b>	<b>\$532</b>
A3066D4	29.69 x 66 x 29.6	125	285	39.75	<b>\$2398</b>	<b>\$498</b>
A3060D4	29.69 x 60 x 29.6	125	276	36.25	<b>\$2234</b>	<b>\$464</b>

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a **15% upcharge**.




**Full to Floor Double Pedestal Bow Top Desk**

A3672DB4	32-36 x 72 x 29.6	150	311	52.5	<b>\$2815</b>	<b>\$532</b>
----------	-------------------	-----	-----	------	---------------	--------------

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Bow top. Pedestals lock. On box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a **15% upcharge**.


## SINGLE PEDESTAL DESKS



**Single Pedestal Desk - LEFT\***

A3672SPL	36 x 72 x 29.6	150	245	52.5	<b>\$1605</b>	<b>\$532</b>
A3072SPL	29.69 x 72 x 29.6	150	216	43	<b>\$1409</b>	<b>\$498</b>
A3066SPL	29.69 x 66 x 29.6	150	207	39.75	<b>\$1392</b>	<b>\$498</b>
A3060SPL	29.69 x 60 x 29.6	150	197	36.25	<b>\$1387</b>	<b>\$464</b>
A3048SPL	29.69 x 48 x 29.6	125	177	29.25	<b>\$1245</b>	<b>\$394</b>
A2448SPL	24 x 48 x 29.6	125	150	24.25	<b>\$1245</b>	<b>\$256</b>

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **left**.



**Single Pedestal Desk - RIGHT\***

A3672SPR	36 x 72 x 29.6	150	245	52.5	<b>\$1605</b>	<b>\$532</b>
A3072SPR	29.69 x 72 x 29.6	150	216	43	<b>\$1409</b>	<b>\$498</b>
A3066SPR	29.69 x 66 x 29.6	150	207	39.75	<b>\$1392</b>	<b>\$498</b>
A3060SPR	29.69 x 60 x 29.6	150	197	36.25	<b>\$1387</b>	<b>\$464</b>
A3048SPR	29.69 x 48 x 29.6	125	177	29.25	<b>\$1245</b>	<b>\$394</b>
A2448SPR	24 x 48 x 29.6	125	150	24.25	<b>\$1245</b>	<b>\$256</b>

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **right**.

### Required Specifications







Top finish  
Base finish

### Optional Specifications

Key #  
Grommet/power block cut-out  
HP laminate  
Modesty panel, 3/4\*


### Accessories

Power block  
Keyboard tray  
Pencil tray



SINGLE PEDESTAL DESKS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A3672SLB	30-36 x 72 x 29.6	150	233	52.5	<b>\$1965</b>	<b>\$532</b>
<b>Single Pedestal Bow Top Desk - LEFT*</b>	Standard with box/file pedestal on <b>left</b> and bow top. Pedestal locks. One pencil tray.						
	A3672SRB	30-36 x 72 x 29.6	150	233	52.5	<b>\$1965</b>	<b>\$532</b>
<b>Single Pedestal Bow Top Desk - RIGHT*</b>	Standard with box/file pedestal on <b>right</b> and bow top. Pedestal locks. One pencil tray.						
	A3672S4L	36 x 72 x 29.6	150	261	52.5	<b>\$1869</b>	<b>\$532</b>
<b>Full to Floor Single Pedestal Desk - LEFT</b>	A3072S4L	29.69 x 72 x 29.6	150	232	43.75	<b>\$1824</b>	<b>\$532</b>
	A3066S4L	29.69 x 66 x 29.6	150	221	39.5	<b>\$1812</b>	<b>\$498</b>
	A3060S4L	29.69 x 60 x 29.6	150	211	36.25	<b>\$1644</b>	<b>\$464</b>
	A3048S4L	29.69 x 48 x 29.6	125	191	29.5	<b>\$1449</b>	<b>\$394</b>
	A2448S4L	24 x 48 x 29.6	125	164	24.25	<b>\$1449</b>	<b>\$256</b>
	Standard with full to floor box/box/file pedestal on the <b>left</b> . One pencil tray. Lower box drawer and file drawer lock. Full to the floor pedestal configurations can be switched for a <b>15% upcharge</b> .						
	A3672S4R	36 x 72 x 29.6	150	261	52.5	<b>\$1869</b>	<b>\$532</b>
<b>Full to Floor Single Pedestal Desk - RIGHT</b>	A3072S4R	29.69 x 72 x 29.6	150	232	43.75	<b>\$1824</b>	<b>\$532</b>
	A3066S4R	29.69 x 66 x 29.6	150	221	39.75	<b>\$1812</b>	<b>\$498</b>
	A3060S4R	29.69 x 60 x 29.6	150	211	36.25	<b>\$1644</b>	<b>\$464</b>
	A3048S4R	29.69 x 48 x 29.6	125	191	29.5	<b>\$1449</b>	<b>\$394</b>
	A2448S4R	24 x 48 x 29.6	125	164	24.25	<b>\$1449</b>	<b>\$256</b>
	Standard with full to floor box/box/file pedestal on the <b>right</b> . One pencil tray. Lower box drawer and file drawer lock. Full to the floor pedestal configurations can be switched for a <b>15% upcharge</b> .						
	A3672S4LB	32-36 x 72 x 29.6	150	247	52.5	<b>\$2227</b>	<b>\$532</b>
<b>Full to Floor Single Pedestal Bow Top Desk - LEFT</b>	Standard with box/box/file pedestal on <b>left</b> and bow top. One pencil tray. Lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a <b>15% upcharge</b> .						
	A3672S4RB	32-36 x 72 x 29.6	150	247	52.5	<b>\$2227</b>	<b>\$532</b>
<b>Full to Floor Single Pedestal Bow Top Desk - RIGHT</b>	Standard with box/box/file pedestal on <b>right</b> and bow top. One pencil tray. Lower box drawer and file drawer lock. One pencil tray. Full to the floor pedestal configurations can be switched for a <b>15% upcharge</b> .						

**Required Specifications**Top finish  
Base finish**Optional Specifications**Key #  
Grommet/power block cut-out  
HP laminate  
Modesty panel, 3/4\***Accessories**Power block  
Keyboard tray  
Pencil tray



## RETURNS





Flush Return - LEFT





Flush Return - RIGHT





Full to Floor Flush Return - LEFT




Full to Floor Flush Return - RIGHT



Flush Return - LEFT



Flush Return - RIGHT



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

### D x W x H

A2448FL	24 x 48 x 29.6	150	141	24	<b>\$1174</b>	<b>\$273</b>
A2442FL	24 x 42 x 29.6	125	131	21.25	<b>\$1150</b>	<b>\$227</b>
A2048FL	20 x 48 x 29.6	125	128	20.25	<b>\$1104</b>	<b>\$227</b>
A2042FL	20 x 42 x 29.6	125	119	18	<b>\$1083</b>	<b>\$227</b>

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**.

A2448FR	24 x 48 x 29.6	150	141	24	<b>\$1174</b>	<b>\$273</b>
A2442FR	24 x 42 x 29.6	125	131	21.25	<b>\$1150</b>	<b>\$227</b>
A2048FR	20 x 48 x 29.6	125	128	20.25	<b>\$1104</b>	<b>\$227</b>
A2042FR	20 x 42 x 29.6	125	119	18	<b>\$1083</b>	<b>\$227</b>

Standard with box/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**.

A2448L4	24 x 48 x 29.6	125	156	24.25	<b>\$1435</b>	<b>\$273</b>
A2442L4	24 x 42 x 29.6	125	146	21.5	<b>\$1415</b>	<b>\$227</b>
A2048L4	20 x 48 x 29.6	125	142	20.5	<b>\$1368</b>	<b>\$227</b>
A2042L4	20 x 42 x 29.6	125	133	18	<b>\$1347</b>	<b>\$227</b>

Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**. Full to the floor pedestal configurations can be switched for a **15% upcharge**.

A2448R4	24 x 48 x 29.6	125	156	24.25	<b>\$1435</b>	<b>\$273</b>
A2442R4	24 x 42 x 29.6	125	146	21.5	<b>\$1415</b>	<b>\$227</b>
A2048R4	20 x 48 x 29.6	125	142	20.5	<b>\$1368</b>	<b>\$227</b>
A2042R4	20 x 42 x 29.6	125	133	18	<b>\$1347</b>	<b>\$227</b>

Standard with file/file drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**. Full to the floor pedestal configurations can be switched for a **15% upcharge**.

A2448EL	24 x 48 x 29.6	70	92	4.3	<b>\$851</b>	<b>\$273</b>
A2442EL	24 x 42 x 29.6	70	82	3.8	<b>\$824</b>	<b>\$227</b>
A2048EL	20 x 48 x 29.6	70	84	4.3	<b>\$777</b>	<b>\$227</b>
A2042EL	20 x 42 x 29.6	70	75	3.8	<b>\$758</b>	<b>\$227</b>

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

- Cannot accept same depth storage shells due to 1" thick modesty

A2448ER	24 x 48 x 29.6	70	92	4.3	<b>\$851</b>	<b>\$273</b>
A2442ER	24 x 42 x 29.6	70	82	3.8	<b>\$824</b>	<b>\$227</b>
A2048ER	20 x 48 x 29.6	70	84	4.3	<b>\$777</b>	<b>\$227</b>
A2042ER	20 x 42 x 29.6	70	75	3.8	<b>\$758</b>	<b>\$227</b>

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

- Cannot accept same depth storage shells due to 1" thick modesty

### Required Specifications

Top finish  
Base finish



### Optional Specifications

Key #\*  
Grommet/power block cut-out  
HP laminate

### Accessories

Power block  
Keyboard tray  
Pencil tray

## RETURNS



Space Saver Return - LEFT

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A3048FSL

29.69 x 48 x 29.6

150



148

29

\$1245

\$394

Standard with box/file pedestal on the **left**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 NFL or NNL extended corner unit.



Space Saver Return - RIGHT

A3048FSR

29.69 x 48 x 29.6

150



148

29

\$1245

\$394

Standard with box/file pedestal on the **right**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 FNR or NNR extended corner unit.



Space Saver Return - LEFT

A3048P4L

29.69 x 48 x 29.6

150



170

29

\$1506

\$394

Standard with file/file pedestal on the **left**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 NFL or NNL extended corner unit. Full to the floor pedestal configurations can be switched for a **15% upcharge**.



Space Saver Return - RIGHT

A3048P4R

29.69 x 48 x 29.6

150

170



29

\$1506

\$394

Standard with file/file pedestal on the **right**, grommet in worksurface. One pencil tray. Pedestal locks. Connects to 24"D 5-sided corner unit and 2466/2472 FNR or NNR extended corner unit. Full to the floor pedestal configurations can be switched for a **15% upcharge**.

## FLUSH BRIDGE



Flush Bridge\*

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A2448FB

24 x 48 x 29.6

70

75

4.3

\$641

\$273

A2442FB

24 x 42 x 29.6

70

65

3.8

\$615

\$227

A2436FB

24 x 36 x 29.6

70

58

3.3

\$615

\$172

A2048FB

20 x 48 x 29.6

70

71

4.3

\$615

\$227

A2042FB

20 x 42 x 29.6

70

54

3.3

\$589

\$227

A2036FB

20 x 36 x 29.6

70

54


3.3

\$589

\$117

Top surface, back panel and hardware to connect two units. Grommet in worksurface. Shipped RTA (ready to assemble).

## CRENZAS



Center Storage Credenza

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A2072C

20 x 72 x 29.6

100

243

30

\$2313

\$356

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals and doors lock. One pencil tray.

## Required Specifications

Top finish  
Base finish  
Handles\*\*


## Optional Specifications

Key #  
Additional grommet position (not A2072C)  
HP laminate  
Power block cut-out (not A2072C)

## Accessories

Power block  
Keyboard tray\*  
Pencil tray\*


## CREDENZAS



**Kneespace Credenza**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2472CK	24 x 72 x 29.6	125	234	35.75	<b>\$1936</b>	<b>\$372</b>
A2466CK	24 x 66 x 29.6	125	225	32.75	<b>\$1878</b>	<b>\$372</b>
A2072CK	20 x 72 x 29.6	125	212	30.25	<b>\$1767</b>	<b>\$356</b>
A2066CK	20 x 66 x 29.6	125	204	27.75	<b>\$1742</b>	<b>\$343</b>
A2060CK	20 x 60 x 29.6	125	199	25.25	<b>\$1697</b>	<b>\$314</b>

Standard with box/file pedestals on both sides. Center is open. Pedestals lock. One pencil tray. Grommet in worksurface.




**Full to Floor Kneespace Credenza**

A2472D4	24 x 72 x 29.6	125	261	35.5	<b>\$2452</b>	<b>\$372</b>
A2466D4	24 x 66 x 29.6	125	252	33	<b>\$2400</b>	<b>\$372</b>
A2072D4	20 x 72 x 29.6	125	236	30	<b>\$2291</b>	<b>\$356</b>
A2066D4	20 x 66 x 29.6	100	228	27.75	<b>\$2268</b>	<b>\$343</b>
A2060D4	20 x 60 x 29.6	100	220	25.25	<b>\$2256</b>	<b>\$314</b>

Standard with full to floor box/box/file in right pedestal and file/file on left pedestal. Pedestals lock on box/box/file pedestals, lower box drawer and file drawer lock. One pencil tray. Grommet in worksurface.


- Full to the floor pedestal configurations can be switched for a **15% upcharge**.



**Single Pedestal Credenza - LEFT**

A2472CSL	24 x 72 x 29.6	150	190	35.75	<b>\$1640</b>	<b>\$372</b>
A2466CSL	24 x 66 x 29.6	150	181	32.75	<b>\$1584</b>	<b>\$372</b>
A2072CSL	20 x 72 x 29.6	150	172	30.25	<b>\$1479</b>	<b>\$356</b>
A2066CSL	20 x 66 x 29.6	150	163	27.75	<b>\$1455</b>	<b>\$343</b>
A2060CSL	20 x 60 x 29.6	125	155	25.25	<b>\$1406</b>	<b>\$314</b>


Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **left**. Grommet in worksurface.



**Single Pedestal Credenza - RIGHT**

A2472CSR	24 x 72 x 29.6	150	190	35.75	<b>\$1640</b>	<b>\$372</b>
A2466CSR	24 x 66 x 29.6	150	181	32.75	<b>\$1584</b>	<b>\$372</b>
A2072CSR	20 x 72 x 29.6	150	171	30	<b>\$1479</b>	<b>\$356</b>
A2066CSR	20 x 66 x 29.6	150	163	27.75	<b>\$1455</b>	<b>\$343</b>
A2060CSR	20 x 60 x 29.6	125	155	25.25	<b>\$1406</b>	<b>\$314</b>


Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **right**. Grommet in worksurface.



**Full to Floor Single Pedestal Credenza - LEFT**

A2472S4L	24 x 72 x 29.6	150	205	35.5	<b>\$1869</b>	<b>\$372</b>
A2466S4L	24 x 66 x 29.6	150	196	33	<b>\$1812</b>	<b>\$372</b>
A2072S4L	20 x 72 x 29.6	125	187	30	<b>\$1644</b>	<b>\$356</b>
A2066S4L	20 x 66 x 29.6	125	177	27.75	<b>\$1615</b>	<b>\$356</b>
A2060S4L	20 x 60 x 29.6	125	168	25.25	<b>\$1575</b>	<b>\$314</b>

Standard with full to floor box/box/file pedestal on the **left**. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.



**Full to Floor Single Pedestal Credenza - RIGHT**

A2472S4R	24 x 72 x 29.6	150	205	35.5	<b>\$1869</b>	<b>\$372</b>
A2466S4R	24 x 66 x 29.6	150	196	33	<b>\$1812</b>	<b>\$372</b>
A2072S4R	20 x 72 x 29.6	125	187	30	<b>\$1644</b>	<b>\$356</b>
A2066S4R	20 x 66 x 29.6	125	177	27.75	<b>\$1615</b>	<b>\$356</b>
A2060S4R	20 x 60 x 29.6	125	168	25.25	<b>\$1575</b>	<b>\$314</b>

Standard with full to floor box/box/file pedestal on the **right**. Lower box drawer and file drawer lock. Grommet in worksurface. One pencil tray.

### Required Specifications

Top finish  
Base finish

### Optional Specifications


Key #  
Grommet/power block cut-out  
HP laminate

### Accessories


Power block  
Keyboard tray  
Pencil tray



## CREDENZAS




**Full to Floor Single Pedestal Credenza- LEFT\***



**Full to Floor Single Pedestal Credenza- RIGHT\***



**Lateral File Credenza**



**Lateral File/Storage Cabinet Credenza**



**Kneespace Lateral File Credenza - LEFT\***



**Kneespace Lateral File Credenza - RIGHT\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

A2472S2L	24 x 72 x 29.6	150	205	35.5	<b>\$1869</b>	<b>\$372</b>
A2466S2L	24 x 66 x 29.6	150	196	33	<b>\$1812</b>	<b>\$372</b>
A2072S2L	20 x 72 x 29.6	125	187	30	<b>\$1644</b>	<b>\$356</b>
A2066S2L	20 x 66 x 29.6	125	177	27.75	<b>\$1615</b>	<b>\$356</b>
A2060S2L	20 x 60 x 29.6	125	168	25.25	<b>\$1575</b>	<b>\$314</b>

Standard with full to floor file/file pedestal on the **left**. Pedestal Locks. Grommet in worksurface.

A2472S2R	24 x 72 x 29.6	150	205	35.5	<b>\$1869</b>	<b>\$372</b>
A2466S2R	24 x 66 x 29.6	150	196	33	<b>\$1812</b>	<b>\$372</b>
A2072S2R	20 x 72 x 29.6	125	187	30	<b>\$1644</b>	<b>\$356</b>
A2066S2R	20 x 66 x 29.6	125	177	27.75	<b>\$1615</b>	<b>\$356</b>
A2060S2R	20 x 60 x 29.6	125	168	25.25	<b>\$1575</b>	<b>\$314</b>

Standard with full to floor file/file pedestal on the **right**. Pedestal locks. Grommet in worksurface.

A2472LF2	24 x 72 x 29.6	100	322	35.75	<b>\$2825</b>	<b>\$372</b>
A2072LF2	20 x 72 x 29.6	100	296	30.25	<b>\$2768</b>	<b>\$356</b>

Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*

A2472LS	24 x 72 x 29.6	100	297	35.75	<b>\$2529</b>	<b>\$372</b>
A2072LS	20 x 72 x 29.6	100	267	30.25	<b>\$2469</b>	<b>\$356</b>

One 2-drawer lateral file and one storage cabinet. Locking doors/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*

A2472LKL	24 x 72 x 29.6	125	239	35.75	<b>\$2222</b>	<b>\$372</b>
A2072LKL	20 x 72 x 29.6	125	216	30.25	<b>\$2166</b>	<b>\$356</b>

One 2-drawer lateral file on the **left**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*

A2472LKR	24 x 72 x 29.6	125	239	35.75	<b>\$2222</b>	<b>\$372</b>
A2072LKR	20 x 72 x 29.6	125	216	30.25	<b>\$2166</b>	<b>\$356</b>

One 2-drawer lateral file on the **right**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*

**Required Specifications**






Top finish  
Base finish  
Handles (not A2xxxS2L/A2xxxS2R)

**Optional Specifications**

Key #  
Additional grommet  
HP laminate  
Power block cut-out\*

**Accessories**

Power block\*  
Keyboard tray\*  
Pencil tray\*

CREDENZAS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Kneespace Storage Cabinet Credenza - LEFT*</b></p>	A2472SKL	24 x 72 x 29.6	125	218	35.75	<b>\$1755</b>	<b>\$372</b>
	A2072SKL	20 x 72 x 29.6	125	188	30.25	<b>\$1696</b>	<b>\$356</b>
 <p><b>Kneespace Storage Cabinet Credenza - RIGHT*</b></p>	A2472SKR	24 x 72 x 29.6	125	218	35.75	<b>\$1755</b>	<b>\$372</b>
	A2072SKR	20 x 72 x 29.6	125	188	30.25	<b>\$1696</b>	<b>\$356</b>
<p>One storage cabinet on the <b>left</b>. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.</p> <ul style="list-style-type: none"> <li>Black handles are standard. Silver is available at no charge, please specify as <b>SI</b>.</li> </ul>							
<p>One storage cabinet on the <b>right</b>. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.</p> <ul style="list-style-type: none"> <li>Black handles are standard. Silver is available at no charge, please specify as <b>SI</b>.</li> </ul>							
5-SIDED CORNERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>5-Sided Corner</b></p>	A42245C	42 x 42 x 29.6	70	113	5.75	<b>\$1099</b>	<b>\$498</b>
	<p>Connects to <b>30" D</b> space saver connectable surfaces, <b>24" D</b> connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. <b>Will not accept keyboard trays wider than 22"</b>. Shipped RTA (ready to assemble). <i>Not Freestanding</i>.</p> <ul style="list-style-type: none"> <li><b>Modesty Panel is 1" off of ground.</b></li> <li>Full End Panel(s) are available - add <b>15% upcharge</b></li> </ul>						
 <p><b>5-Sided Corner</b></p>	A42205C	42 x 42 x 29.6	70	110	5.75	<b>\$1067</b>	<b>\$498</b>
	<p>Connects to <b>24" D</b> space saver connectable surfaces, <b>20" D</b> returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22-28" keyboard trays. <b>Will not accept keyboard trays wider than 28"</b>. Shipped RTA (ready to assemble). <i>Not freestanding</i>.</p> <ul style="list-style-type: none"> <li><b>Modesty Panel is 1" off of ground.</b></li> <li>Full End Panel(s) are available - add <b>15% upcharge</b></li> </ul>						
 <p><b>5-Sided Corner</b></p>	A36205C	36 x 36 x 29.6	70	94	4.8	<b>\$944</b>	<b>\$321</b>
	<p>Connects to <b>24" D</b> space saver connectable surfaces, <b>20" D</b> returns, lateral files, storage/lateral file credenzas, credenzas, bridges and end shelves. Grommet in worksurface. Narrow end panels on left and right. Predrilled to accept 22" keyboard trays. <b>Will not accept keyboard trays wider than 22"</b>. Shipped RTA (ready to assemble). <i>Not freestanding</i>.</p> <ul style="list-style-type: none"> <li><b>Modesty Panel is 1" off of ground.</b></li> <li>Full End Panel(s) are available - add <b>15% upcharge</b></li> </ul>						

#### Required Specifications

Top finish  
Base finish  
Handles\*


#### Optional Specifications

Key #  
Additional grommet position  
HP laminate  
Power block cut-out

#### Accessories

Power block  
Keyboard tray  
Pencil tray

## LEFT EXTENDED CORNERS




Left Extended Corner - Freestanding

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2472FFL	24-36 x 72 x 29.6	70	157	7	\$1409	\$532
A2466FFL	24-36 x 66 x 29.6	70	151	7	\$1409	\$532

Extended worksurface on right. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466FFL cannot accept pedestals.**




Left Extended Corner

A2072FFL	20-36 x 72 x 29.6	70	147	7	\$1349	\$511
A2066FFL	20-36 x 66 x 29.6	70	141	7	\$1349	\$511

Extended worksurface on right. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**




Left Extended Corner

A2472FNL	24-36 x 72 x 29.6	70	149	7	\$1365	\$532
A2466FNL	24-36 x 66 x 29.6	70	142	7	\$1365	\$532

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466FNL cannot accept pedestals.**




Left Extended Corner

A2072FNL	20-36 x 72 x 29.6	70	141	7	\$1300	\$511
A2066FNL	20-36 x 66 x 29.6	70	135	7	\$1300	\$511

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**



Left Extended Corner

A2472NFL	24-36 x 72 x 29.6	70	149	7	\$1365	\$532
A2466NFL	24-36 x 66 x 29.6	70	142	7	\$1365	\$532

Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466NFL cannot accept pedestals.**

## Required Specifications

Top finish  
Base finish


## Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

## Accessories

Power block  
Keyboard tray  
Pencil tray

## LEFT EXTENDED CORNERS




Left Extended Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2072NFL	20-36 x 72 x 29.6	70	141	7	<b>\$1300</b>	<b>\$532</b>
A2066NFL	20-36 x 66 x 29.6	70	135	7	<b>\$1300</b>	<b>\$511</b>

Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**




Left Extended Corner

A2472NNL	24-36 x 72 x 29.6	70	140	7	<b>\$1320</b>	<b>\$532</b>
A2466NNL	24-36 x 66 x 29.6	70	134	7	<b>\$1320</b>	<b>\$532</b>

Extended worksurface on right. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466NNL cannot accept pedestals.**




Left Extended Corner

A2072NNL	20-36 x 72 x 29.6	70	136	7	<b>\$1284</b>	<b>\$532</b>
A2066NNL	20-36 x 66 x 29.6	70	130	7	<b>\$1284</b>	<b>\$511</b>

Extended worksurface on right. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**

## RIGHT EXTENDED CORNERS




Right Extended Corner - Freestanding

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2472FFR	24-36 x 72 x 29.6	70	157	7	<b>\$1409</b>	<b>\$532</b>
A2466FFR	24-36 x 66 x 29.6	70	151	7	<b>\$1409</b>	<b>\$532</b>

Extended worksurface on left. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466FFR cannot accept pedestals.**



Right Extended Corner

A2072FFR	20-36 x 72 x 29.6	70	147	7	<b>\$1349</b>	<b>\$511</b>
A2066FFR	20-36 x 66 x 29.6	70	141	7	<b>\$1349</b>	<b>\$511</b>

Extended worksurface on left. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**

### Required Specifications

Top finish  
Base finish


### Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

### Accessories

Power block  
Keyboard tray  
Pencil tray

## RIGHT EXTENDED CORNERS




Right Extended Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
A2472FNR	24-36 x 72 x 29.6	70	149	7	<b>\$1365</b>	<b>\$548</b>
A2466FNR	24-36 x 66 x 29.6	70	142	7	<b>\$1365</b>	<b>\$532</b>

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466FNR cannot accept pedestals.**




Right Extended Corner

A2072FNR	20-36 x 72 x 29.6	70	141	7	<b>\$1300</b>	<b>\$511</b>
A2066FNR	20-36 x 66 x 29.6	70	135	7	<b>\$1300</b>	<b>\$511</b>

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns or 20"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**




Right Extended Corner

A2472NFR	24-36 x 72 x 29.6	70	149	7	<b>\$1365</b>	<b>\$532</b>
A2466NFR	24-36 x 66 x 29.6	70	142	7	<b>\$1365</b>	<b>\$532</b>

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 24"D returns or 24"D connectable tables. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466NFR cannot accept pedestals.**




Right Extended Corner

A2072NFR	20-36 x 72 x 29.6	70	141	7	<b>\$1300</b>	<b>\$532</b>
A2066NFR	20-36 x 66 x 29.6	70	135	7	<b>\$1300</b>	<b>\$511</b>

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel cannot be connected.** Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**



Right Extended Corner

A2472NNR	24-36 x 72 x 29.6	70	140	7	<b>\$1320</b>	<b>\$532</b>
A2466NNR	24-36 x 66 x 29.6	70	133	7	<b>\$1320</b>	<b>\$532</b>

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 24"D returns and 24"D connectable tables on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22"**. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **A2466NNR cannot accept pedestals.**

## Required Specifications

Top finish  
Base finish

## Optional Specifications


Additional grommet position  
HP laminate  
Power block cut-out

## Accessories

Power block  
Keyboard tray  
Pencil tray



## RIGHT EXTENDED CORNERS




Right Extended Corner

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
A2072NNR	20-36 x 72 x 29.6	70	136	7	<b>\$1284</b>	<b>\$532</b>
A2066NNR	20-36 x 66 x 29.6	70	130	7	<b>\$1284</b>	<b>\$511</b>

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns or bridge on either end. Corner has one grommet. Predrilled to accept 22" keyboard trays. **Will not accept keyboard trays wider than 22".** Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

## FREESTANDING TABLES




30" Deep Freestanding Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072T	29.69 x 72 x 29.6	65	148	6	<b>\$1083</b>	<b>\$498</b>
A3066T	29.69 x 66 x 29.6	65	140	6	<b>\$1083</b>	<b>\$498</b>
A3060T	29.69 x 60 x 29.6	65	131	5.25	<b>\$989</b>	<b>\$464</b>
A3048T	29.69 x 48 x 29.6	70	116	5.25	<b>\$895</b>	<b>\$394</b>
A3042T	29.69 x 42 x 29.6	70	108	5.25	<b>\$895</b>	<b>\$356</b>
A3036T	29.69 x 36 x 29.6	65	97	4.3	<b>\$804</b>	<b>\$321</b>
A3030T	29.69 x 30 x 29.6	65	88	3.6	<b>\$758</b>	<b>\$286</b>

**Two full end panels. Cannot be connected on left or right side.** Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground




24" Deep Freestanding Table

A2472T	24 x 72 x 29.6	70	130	6	<b>\$989</b>	<b>\$372</b>
A2466T	24 x 66 x 29.6	70	123	6	<b>\$989</b>	<b>\$372</b>
A2460T	24 x 60 x 29.6	70	114	5.25	<b>\$895</b>	<b>\$343</b>
A2448T	24 x 48 x 29.6	65	99	4.3	<b>\$804</b>	<b>\$273</b>
A2442T	24 x 42 x 29.6	70	92	4.3	<b>\$804</b>	<b>\$227</b>
A2436T	24 x 36 x 29.6	70	84	4.2	<b>\$711</b>	<b>\$172</b>
A2430T	24 x 30 x 29.6	70	76	3.6	<b>\$664</b>	<b>\$172</b>

**Two full end panels. Cannot be connected on left or right side.** Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

## CONNECTABLE TABLES - LEFT




30" Deep Connectable Table - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072L	29.69 x 72 x 29.6	65	140	6	<b>\$1044</b>	<b>\$498</b>
A3066L	29.69 x 66 x 29.6	70	132	6	<b>\$1044</b>	<b>\$498</b>
A3060L	29.69 x 60 x 29.6	65	123	5.25	<b>\$956</b>	<b>\$464</b>
A3048L	29.69 x 48 x 29.6	65	105	4.3	<b>\$860</b>	<b>\$394</b>
A3042L	29.69 x 42 x 29.6	65	98	4.3	<b>\$860</b>	<b>\$356</b>
A3036L	29.69 x 36 x 29.6	70	88	4.2	<b>\$766</b>	<b>\$321</b>
A3030L	29.69 x 30 x 29.6	70	80	3.6	<b>\$722</b>	<b>\$286</b>

Full end panel on left. Right narrow end panel connects to 30"D center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.



24" Deep Connectable Table - LEFT

A2472L	24 x 72 x 29.6	70	121	6	<b>\$956</b>	<b>\$372</b>
A2466L	24 x 66 x 29.6	70	115	6	<b>\$956</b>	<b>\$372</b>
A2460L	24 x 60 x 29.6	70	106	5.25	<b>\$860</b>	<b>\$343</b>
A2448L	24 x 48 x 29.6	70	90	4.3	<b>\$766</b>	<b>\$273</b>
A2442L	24 x 42 x 29.6	70	82	3.8	<b>\$766</b>	<b>\$227</b>
A2436L	24 x 36 x 29.6	70	74	3.3	<b>\$676</b>	<b>\$172</b>
A2430L	24 x 30 x 29.6	70	68	3.6	<b>\$628</b>	<b>\$172</b>

Full end panel on left. Right narrow end panel connects to 24"D center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

### Required Specifications

Top finish  
Base finish


### Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out


### Accessories

Power block  
Keyboard tray  
Pencil tray

## CONNECTABLE TABLES - RIGHT



## 30" Deep Connectable Table - RIGHT



## 24" Deep Connectable Table - RIGHT

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

A3072R	29.69 x 72 x 29.6	65	140	6	\$1044	\$498
A3066R	29.69 x 66 x 29.6	70	132	6	\$1044	\$498
A3060R	29.69 x 60 x 29.6	65	123	5.25	\$956	\$464
A3048R	29.69 x 48 x 29.6	65	105	4.3	\$860	\$394
A3042R	29.69 x 42 x 29.6	65	98	4.3	\$860	\$356
A3036R	29.69 x 36 x 29.6	70	88	4.3	\$766	\$321
A3030R	29.69 x 30 x 29.6	70	80	3.6	\$722	\$286

Full end panel on **right**. Left narrow end panel connects to 30"D center/left connectable table, or at 90° angle to a freestanding table; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

A2472R	24 x 72 x 29.6	70	121	6	\$956	\$384
A2466R	24 x 66 x 29.6	70	115	6	\$956	\$372
A2460R	24 x 60 x 29.6	70	105	5.25	\$860	\$343
A2448R	24 x 48 x 29.6	70	90	4.3	\$766	\$273
A2442R	24 x 42 x 29.6	70	82	3.8	\$766	\$227
A2436R	24 x 36 x 29.6	70	74	3.3	\$676	\$172
A2430R	24 x 30 x 29.6	70	67	3.6	\$628	\$172

Full end panel on **right**. Left narrow end panel connects to 24"D center/left connectable table, or at 90° angle to a freestanding table; 24"D extended corners, 42" 5-sided corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

## CONNECTABLE TABLES

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD




## 30" Deep Connectable Table

A3072N	29.69 x 72 x 29.6	70	131	6	\$1012	\$498
A3066N	29.69 x 66 x 29.6	70	124	6	\$1012	\$498
A3060N	29.69 x 60 x 29.6	70	114	5.25	\$915	\$464
A3048N	29.69 x 48 x 29.6	65	97	4.3	\$824	\$394
A3042N	29.69 x 42 x 29.6	65	89	3.8	\$824	\$356
A3036N	29.69 x 36 x 29.6	65	80	3.3	\$731	\$321
A3030N	29.69 x 30 x 29.6	70	71	3.6	\$684	\$286

Narrow end panels on both sides connects to 30"D worksurfaces; "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground



## 24" Deep Connectable Table

A2472N	24 x 72 x 29.6	70	113	6	\$915	\$372
A2466N	24 x 66 x 29.6	70	105	6	\$915	\$372
A2460N	24 x 60 x 29.6	70	100	4.5	\$824	\$343
A2448N	24 x 48 x 29.6	70	82	4.3	\$731	\$273
A2442N	24 x 42 x 29.6	70	73	3.8	\$731	\$227
A2436N	24 x 36 x 29.6	70	66	3.3	\$641	\$172
A2430N	24 x 30 x 29.6	70	59	3.6	\$589	\$172

Narrow end panels on both sides connects to 24"D worksurfaces; "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

## SPACE SAVER CONNECTABLE TABLES - LEFT

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD



## 30" Deep Space Saver Connectable Table - LEFT

A3072LK	29.69 x 72 x 29.6	70	133	6	\$1056	\$498
A3066LK	29.69 x 66 x 29.6	70	126	6	\$1056	\$498
A3060LK	29.69 x 60 x 29.6	70	117	5.25	\$965	\$464
A3048LK	29.69 x 48 x 29.6	65	100	4.3	\$871	\$394
A3042LK	29.69 x 42 x 29.6	65	92	3.8	\$871	\$356
A3036LK	29.69 x 36 x 29.6	70	83	4.3	\$777	\$321
A3030LK	29.69 x 30 x 29.6	70	74	3.6	\$731	\$286

**Full end panel on left.** Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground

• Keyboard and pencil trays for use on units 42" and above

## Required Specifications

Top finish  
Base finish


## Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

## Accessories

Power block  
Keyboard tray  
Pencil tray

## SPACE SAVER CONNECTABLE TABLES - LEFT




**24" Deep Space Saver Connectable Table - LEFT**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	<b>D x W x H</b>					
A2472LK	24 x 72 x 29.6	70	120	6	<b>\$965</b>	<b>\$372</b>
A2466LK	24 x 66 x 29.6	70	114	6	<b>\$965</b>	<b>\$372</b>
A2460LK	24 x 60 x 29.6	70	105	5.25	<b>\$871</b>	<b>\$343</b>
A2448LK	24 x 48 x 29.6	70	89	4.3	<b>\$777</b>	<b>\$273</b>
A2442LK	24 x 42 x 29.6	70	81	3.8	<b>\$777</b>	<b>\$227</b>
A2436LK	24 x 36 x 29.6	70	73	3.3	<b>\$684</b>	<b>\$172</b>
A2430LK	24 x 30 x 29.6	70	66	3.6	<b>\$641</b>	<b>\$172</b>

**Full end panel on left.** Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- Keyboard and pencil trays for use on units 42" and above

## SPACE SAVER CONNECTABLE TABLES - RIGHT




**30" Deep Space Saver Connectable Table - RIGHT**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072RK	29.69 x 72 x 29.6	70	133	6	<b>\$1056</b>	<b>\$498</b>
A3066RK	29.69 x 66 x 29.6	70	126	6	<b>\$1056</b>	<b>\$498</b>
A3060RK	29.69 x 60 x 29.6	70	117	5.25	<b>\$965</b>	<b>\$464</b>
A3048RK	29.69 x 48 x 29.6	65	100	4.3	<b>\$871</b>	<b>\$394</b>
A3042RK	29.69 x 42 x 29.6	65	91	3.8	<b>\$871</b>	<b>\$356</b>
A3036RK	29.69 x 36 x 29.6	70	83	4.3	<b>\$777</b>	<b>\$321</b>
A3030RK	29.69 x 30 x 29.6	70	74	3.6	<b>\$731</b>	<b>\$286</b>

**Full end panel on right.** Narrow right end panel connects to 24"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground**
- Keyboard and pencil trays for use on units 42" and above




**24" Deep Space Saver Connectable Table - RIGHT**

A2472RK	24 x 72 x 29.6	70	120	6	<b>\$965</b>	<b>\$372</b>
A2466RK	24 x 66 x 29.6	70	114	6	<b>\$965</b>	<b>\$372</b>
A2460RK	24 x 60 x 29.6	70	105	5.25	<b>\$871</b>	<b>\$343</b>
A2448RK	30 x 48 x 29.6	70	89	4.3	<b>\$777</b>	<b>\$273</b>
A2442RK	24 x 42 x 29.6	70	81	3.8	<b>\$777</b>	<b>\$227</b>
A2436RK	24 x 36 x 29.6	70	73	3.3	<b>\$684</b>	<b>\$172</b>
A2430RK	24 x 30 x 29.6	70	66	3.6	<b>\$641</b>	<b>\$172</b>

**Full end panel on right.** Narrow right end panel connects to 20"D 5-sided corner unit. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- Keyboard and pencil trays for use on units 42" and above

## SPACE SAVER CONNECTABLE TABLES



**30" Deep Space Saver Connectable Table**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3072LN	29.69 x 72 x 29.6	70	125	6	<b>\$1024</b>	<b>\$498</b>
A3066LN	29.69 x 66 x 29.6	70	117	6	<b>\$1024</b>	<b>\$498</b>
A3060LN	29.69 x 60 x 29.6	70	108	5.25	<b>\$932</b>	<b>\$464</b>
A3048LN	29.69 x 48 x 29.6	70	91	4.3	<b>\$840</b>	<b>\$394</b>
A3042LN	29.69 x 42 x 29.6	70	83	3.8	<b>\$840</b>	<b>\$356</b>
A3036LN	29.69 x 36 x 29.6	70	74	3.3	<b>\$746</b>	<b>\$321</b>
A3030LN	29.69 x 30 x 29.6	70	66	3.6	<b>\$698</b>	<b>\$286</b>

**Narrow end panels on both sides.** Connects the **right end only to 24"D 5-sided corner unit.** Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- Keyboard and pencil trays for use on units 42" and above

### Required Specifications

Top finish  
Base finish


### Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out


### Accessories

Power block  
Keyboard tray  
Pencil tray


## SPACE SAVER CONNECTABLE TABLES



**24" Deep Space Saver  
Connectable Table**



**30" Deep Space Saver  
Connectable Table**



**24" Deep Space Saver  
Connectable Table**

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT./LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

A2472LN	24 x 72 x 29.6	70	112	6	<b>\$932</b>	<b>\$372</b>
A2466LN	24 x 66 x 29.6	70	105	6	<b>\$932</b>	<b>\$372</b>
A2460LN	24 x 60 x 29.6	70	96	5.25	<b>\$840</b>	<b>\$343</b>
A2448LN	24 x 48 x 29.6	70	81	4.3	<b>\$746</b>	<b>\$273</b>
A2442LN	24 x 42 x 29.6	70	73	3.8	<b>\$746</b>	<b>\$227</b>
A2436LN	24 x 36 x 29.6	70	65	3.3	<b>\$654</b>	<b>\$172</b>
A2430LN	24 x 30 x 29.6	70	58	3.6	<b>\$608</b>	<b>\$172</b>

**Narrow end panels on both sides.** Connects the **right end only** to **20"D 5-sided corner unit**. Left end allows the continuation of additional connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- *Keyboard and pencil trays for use on units 42" and above*

A3072RN	29.69 x 72 x 29.6	70	125	6	<b>\$1024</b>	<b>\$498</b>
A3066RN	29.69 x 66 x 29.6	70	117	6	<b>\$1024</b>	<b>\$498</b>
A3060RN	29.69 x 60 x 29.6	70	108	5.25	<b>\$932</b>	<b>\$464</b>
A3048RN	29.69 x 48 x 29.6	70	91	4.3	<b>\$840</b>	<b>\$394</b>
A3042RN	29.69 x 42 x 29.6	70	83	3.8	<b>\$840</b>	<b>\$356</b>
A3036RN	29.69 x 36 x 29.6	70	74	3.3	<b>\$746</b>	<b>\$321</b>
A3030RN	29.69 x 30 x 29.6	70	66	3.6	<b>\$698</b>	<b>\$286</b>

**Narrow end panels on both sides.** Connects the **left end only** to **24"D 5-sided corner unit**. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- *Keyboard and pencil trays for use on units 42" and above*

A2472RN	24 x 72 x 29.6	70	112	6	<b>\$932</b>	<b>\$372</b>
A2466RN	24 x 66 x 29.6	70	105	6	<b>\$932</b>	<b>\$372</b>
A2460RN	24 x 60 x 29.6	70	96	5.25	<b>\$840</b>	<b>\$343</b>
A2448RN	24 x 48 x 29.6	70	81	4.3	<b>\$746</b>	<b>\$273</b>
A2442RN	24 x 42 x 29.6	70	72	3.8	<b>\$746</b>	<b>\$227</b>
A2436RN	24 x 36 x 29.6	70	59	3.3	<b>\$654</b>	<b>\$172</b>
A2430RN	24 x 30 x 29.6	85	53	3.6	<b>\$608</b>	<b>\$172</b>

**Narrow end panels on both sides.** Connects the **left end only** to **20"D 5-sided corner unit**. Right end allows the continuation of additional connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- *Keyboard and pencil trays for use on units 42" and above*

## "D" ISLANDS

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT./LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD



**"D" Island - Full End Panel  
& Post (T-Base)**

A3672FI	36 x 72 x 29.6	85	124	8.5	<b>\$1150</b>	<b>\$532</b>
A3072FI	29.69 x 72 x 29.6	85	107	7.5	<b>\$1117</b>	<b>\$499</b>
A3066FI	29.69 x 66 x 29.6	85	102	7.5	<b>\$1056</b>	<b>\$498</b>
A3060FI	29.69 x 60 x 29.6	85	96	6.76	<b>\$1001</b>	<b>\$464</b>
A2466FI	24 x 66 x 29.6	85	90	7.5	<b>\$941</b>	<b>\$372</b>
A2460FI	24 x 60 x 29.6	85	84	6.76	<b>\$886</b>	<b>\$343</b>
A2448FI	24 x 48 x 29.6	85	74	5.76	<b>\$824</b>	<b>\$273</b>

Connects to narrow end panel. Attaching hardware included. Not freestanding. Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

## Required Specifications

Top finish  
Base finish


## Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

## Accessories

Power block  
Keyboard tray  
Pencil tray

## "D" ISLANDS




**"D" Island LEFT - Full Modesty Panel (H-Base)**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A3672FIL	36 x 72 x 29.6	70	139	7	<b>\$1056</b>	<b>\$532</b>
A3066FIL	29.69 x 66 x 29.6	70	116	6	<b>\$941</b>	<b>\$498</b>
A3060FIL	29.69 x 60 x 29.6	70	106	5.25	<b>\$886</b>	<b>\$464</b>

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.




**"D" Island RIGHT - Full Modesty Panel (H-Base)**

A3672FIR	36 x 72 x 29.6	70	139	7	<b>\$1056</b>	<b>\$532</b>
A3066FIR	29.69 x 66 x 29.6	70	116	6	<b>\$941</b>	<b>\$498</b>
A3060FIR	29.69 x 60 x 29.6	70	106	5.25	<b>\$886</b>	<b>\$464</b>

Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.




**"D" Island Center - Full Modesty Panel (H-Base)**

A3672FIC	36 x 72 x 29.6	70	139	7	<b>\$1056</b>	<b>\$532</b>
A3066FIC	29.69 x 66 x 29.6	70	116	6	<b>\$941</b>	<b>\$498</b>
A3060FIC	29.69 x 60 x 29.6	70	106	5.25	<b>\$886</b>	<b>\$464</b>

Connects in between two worksurfaces. Will not accommodate pedestals. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.




**Attachable "D" Island with Post\***

A3672I	36 x 72 x 29.6	92.5	88	8.5	<b>\$1001</b>	<b>\$532</b>
A3066I	29.69 x 66 x 29.6	100	71	7.5	<b>\$886</b>	<b>\$498</b>
A3060I	29.69 x 60 x 29.6	100	65	6.76	<b>\$824</b>	<b>\$464</b>
A2466I	24 x 66 x 29.6	100	63	7.5	<b>\$766</b>	<b>\$372</b>
A2460I	24 x 60 x 29.6	100	57	6.76	<b>\$711</b>	<b>\$343</b>
A2448I	24 x 48 x 29.6	100	47	5.76	<b>\$654</b>	<b>\$273</b>

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

## EXTENDED CORNER ISLANDS



**Extended Corner Island - RIGHT\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A4272EIR	42-32 x 72 x 29.6	100	104	11.5	<b>\$1379</b>	<b>\$710</b>

Extended island worksurface on right. Connects to 20"D returns or 24"D space saver connectables on the left. **Not freestanding.** Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

### Required Specifications

Top finish  
Base finish  
Post finish\*


### Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

### Accessories

Power block  
Keyboard tray  
Pencil tray

## EXTENDED CORNER ISLANDS



Extended Corner Island - LEFT\*

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A4272EIL

42-32 x 72 x 29.6

100

104

11.5


\$1379

\$710

Extended island worksurface on left. Connects to 20"D returns or 24"D space saver connectables on the right. **Not freestanding.** Predrilled to accept 22"-28" keyboard trays. Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

## "P" ISLANDS



"P" Island LEFT - Full End Panel &amp; Post (T-Base)\*

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A3672FPL

36-42 x 72 x 29.6

85

128

9.26

\$1350

\$710

A3666FPL

36-42 x 66 x 29.6

85

122

8.76

\$1233

\$710

A3660FPL

36-42 x 60 x 29.6

85

116


8

\$1174

\$603

Connects to left side of worksurface. Attaching hardware included. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).



"P" Island RIGHT - Full End Panel &amp; Post (T-Base)\*

A3672FPR

36-42 x 72 x 29.6

85

128

9.26

\$1350

\$710

A3666FPR

36-42 x 66 x 29.6

85

122

8.76

\$1233

\$710

A3660FPR

36-42 x 60 x 29.6

85

116

8


\$1174

\$603

Connects to right side of worksurface. Attaching hardware included. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

## "P" ISLANDS WITH FULL MODESTY PANEL



"P" Island LEFT - Full Modesty Panel (H-Base)

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

A3672PL

36-42 x 72 x 29.6

70

143

7.75

\$1233

\$710

A3666PL

36-42 x 66 x 29.6

70

136

7.25

\$1117

\$710

A3660PL

36-42 x 60 x 29.6

70

126


6.5

\$1056

\$603

Connects to the left side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.



"P" Island RIGHT - Full Modesty Panel (H-Base)

A3672PR

36-42 x 72 x 29.6

70

143

7.75

\$1233

\$710

A3666PR

36-42 x 66 x 29.6

70

136

7.25

\$1117

\$710

A3660PR

36-42 x 60 x 29.6

70

126

6.5

\$1056

\$603

Connects to the right side of a worksurface. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

## Required Specifications

Top finish  
Base finish  
Post finish\*


## Optional Specifications

Additional grommet position  
HP laminate  
Power block cut-out

## Accessories


Power block  
Keyboard tray  
Pencil tray

# A ADAPTABILITIES®

"P" ISLANDS (ATTACHABLE)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	A3672IPL	36-42 x 72 x 29.6	100	92	9.26	<b>\$1174</b>	<b>\$710</b>
	A3666IPL	36-42 x 66 x 29.6	100	86	8.76	<b>\$1056</b>	<b>\$710</b>
	A3660IPL	36-42 x 60 x 29.6	92.5	80	8	<b>\$1001</b>	<b>\$603</b>

"P" Island LEFT with Post\*


Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).  
 • Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).



"P" Island RIGHT with Post\*


A3672IPR	36-42 x 72 x 29.6	100	92	9.26	<b>\$1174</b>	<b>\$710</b>
A3666IPR	36-42 x 66 x 29.6	100	86	8.76	<b>\$1056</b>	<b>\$710</b>
A3660IPR	36-42 x 60 x 29.6	92.5	80	8	<b>\$1001</b>	<b>\$603</b>

Attaches to edge of worksurfaces. Attaching hardware included. Grommet in worksurface. Shipped RTA (ready to assemble).  
 • Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

RADIUS SPANNER ISLANDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A62RS	31 x 62 x 29.6	100	59	6.76	<b>\$1083</b>	<b>\$427</b>
	A50RS	25 x 50 x 29.6	125	46	5.76	<b>\$941</b>	<b>\$356</b>
	A42RS	21 x 42 x 29.6	125	41	5.26	<b>\$851</b>	<b>\$286</b>

Radius Spanner Island with Panel Cut-Out\*


Used to connect two back-to-back units of same depth with a panel. Includes monopost. Requires "L" bracket (model **MLB90**) for connection to full end panels. Shipped RTA (ready to assemble).  
 • MLB90 must be ordered separately - see page 588.  
 • Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).  
 • **Cannot accept keyboard trays or pencil tray**



Radius Spanner Island\*


A60RS	29.69 x 60 x 29.6	100	56	5.76	<b>\$1083</b>	<b>\$356</b>
A48RS	24 x 48 x 29.6	125	43	5.76	<b>\$941</b>	<b>\$286</b>
A40RS	20 x 40 x 29.6	125	40	5.26	<b>\$851</b>	<b>\$286</b>

Used to connect two back-to-back units of same depth. Includes monopost. Requires "L" bracket (model **MLB90**) for connection to full end panels. Shipped RTA (ready to assemble).  
 • MLB90 must be ordered separately - see page 588.  
 • Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).  
 • **Cannot accept keyboard trays or pencil tray**

RECEPTION DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A3072RD	29.69 x 72 x 29.6	70	149	7	<b>\$1174</b>	<b>\$498</b>

Lower Desk Unit\*\*

**No pedestals.** Two grommets in worksurface. Shipped RTA (ready to assemble).  
 • Cannot be used with Divide.



Single Pedestal Lower Desk Unit - LEFT\*\*

A3072RDL	29.69 x 72 x 29.6	150	222	43.75	<b>\$1697</b>	<b>\$498</b>
A3060RDL	29.63 x 60 x 29	150	201	36	<b>\$1466</b>	<b>\$464</b>

Box/file pedestal on **left** with lock. Two grommets in worksurface.  
 • Cannot be used with Divide.

## Required Specifications

Top finish  
 Base finish (not radius spanner islands)  
 Post finish\*


## Optional Specifications

Additional grommet position\*  
 HP laminate\*  
 Power block cut-out\*


## Accessories

Power block\*  
 Keyboard tray\*\*  
 Pencil tray\*\*


## RECEPTION DESKS



Single Pedestal Lower Desk Unit - RIGHT



Reception Return - LEFT




Reception Return - RIGHT




Reception Return - LEFT



Reception Return - RIGHT



Transaction Counter



Bow Front Transaction Counter

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

A3072RDR	29.69 x 72 x 29.6	150	222	43.75	<b>\$1697</b>	<b>\$498</b>
A3060RDR	29.63 x 60 x 29	150	201	36	<b>\$1466</b>	<b>\$464</b>

Box/file pedestal on **right** with lock. Two grommets in worksurface.

- Cannot be used with Divide.

A2442RRL	24 x 42 x 29.6	125	131	21.25	<b>\$1117</b>	<b>\$227</b>
----------	----------------	-----	-----	-------	---------------	--------------

Box/file pedestal on **left** with lock. Grommet in worksurface.

- Cannot be used with Divide.
- **Cannot accept keyboard trays or pencil tray**

A2442RRR	24 x 42 x 29.6	125	131	21.25	<b>\$1117</b>	<b>\$227</b>
----------	----------------	-----	-----	-------	---------------	--------------

Box/file pedestal on **right** with lock. Grommet in worksurface.

- Cannot be used with Divide.
- **Cannot accept keyboard trays or pencil tray**

A2442KRL	24 x 42 x 29.6	70	83	3.8	<b>\$824</b>	<b>\$227</b>
----------	----------------	----	----	-----	--------------	--------------

**No pedestal.** Grommet in worksurface.

- Cannot be used with Divide.

A2442KRR	24 x 42 x 29.6	70	83	3.8	<b>\$824</b>	<b>\$227</b>
----------	----------------	----	----	-----	--------------	--------------

**No pedestal.** Grommet in worksurface.

- Cannot be used with Divide.

A3072URD	29.69 x 72 x 13.75	70	67	4.3	<b>\$711</b>	<b>\$286</b>
A3060URD	29.63 x 60 x 13.75	65	59	2.6	<b>\$667</b>	<b>\$286</b>

For main reception desk. Shipped RTA (ready to assemble). Depth of reception top is 12".

- Reception top units are to be used only with lower reception units. Tops have mini-fix fasteners to attach the reception top units.

A3072URB	29.69-36 x 72 x 13.75	70	72	4.3	<b>\$963</b>	<b>\$356</b>
----------	-----------------------	----	----	-----	--------------	--------------

For main reception desk. To be used on A3072RD, A3072RDL or A3072RDR. Shipped RTA (ready to assemble). Depth of reception bow top is 12-15".

- Reception top units are to be used only with desks listed. Tops have mini-fix fasteners to attach the reception top units.

## Required Specifications

Top finish  
Base finish

## Optional Specifications


Additional grommet position\*  
HP laminate\*  
Power block cut-out\*

## Accessories


Power block\*  
Keyboard tray\*  
Pencil tray\*




## RECEPTION DESKS



Return Screen Unit - LEFT



Return Screen Unit - RIGHT



Desk Top Organizer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

### D x W x H

A2442URL	24 x 42 x 12.75	85	27	2	\$359	N/A
----------	-----------------	----	----	---	-------	-----

To be used on top of left reception return (A2442RRL/KRL). Shipped RTA (ready to assemble).

- Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A2442URR	24 x 42 x 12.75	85	27	2	\$359	N/A
----------	-----------------	----	----	---	-------	-----


To be used on top of right reception return (A2442RRR/KRR). Shipped RTA (ready to assemble).

- Reception top units are to be used only with returns listed. Tops have mini-fix fasteners to attach the reception top units.

A1172ORD	11 x 52 x 6	100	22	2.6	\$241	N/A
----------	-------------	-----	----	-----	-------	-----

To be used under transaction counter. Black (BK) finish only. Shipped RTA (ready to assemble).

## WALL/PANEL MOUNT OVERSTORAGE UNITS



Overstorage Unit\*


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

A00S60	15 x 60 x 16	70	86	5.25	\$883	N/A
A00S48	15 x 48 x 16	70	70	4.3	\$722	N/A
A00S42	15 x 42 x 16	70	62	3.8	\$711	N/A
A00S36	15 x 36 x 16	70	56	3.3	\$628	N/A
A00S30	15 x 30 x 16	70	48	3	\$587	N/A


Standard with pre-mounted "J" bracket for wall mount applications. One fixed shelf, closed back. Uses standard Adaptabilities hutch doors. Shipped RTA (ready to assemble).

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## OPEN HUTCHES



Open Hutch with Closed Back\*




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------


A72HOCB	15 x 72 x 36	125	175	28.25	\$1265	N/A
A71HOCB	15 x 71.69 x 36	125	175	28.25	\$1265	N/A
A66HOCB	15 x 66 x 36	125	164	26	\$1207	N/A
A60HOCB	15 x 60 x 36	125	151	23.75	\$1117	N/A

One fixed shelf and fixed shelf divider. Closed back features a grommet and flexible sweep for wire management. All hutches shipped pre-assembled. \***A71HOCB** for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.

- Clearance from worksurface to valance is 17 3/4"; clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.



Open Hutch with Closed Back



A48HOCB	15 x 48 x 36	125	124	19	\$886	N/A
A42HOCB	15 x 42 x 36	125	111	16.75	\$886	N/A
A36HOCB	15 x 36 x 36	125	99	14.5	\$766	N/A
A30HOCB	15 x 30 x 36	125	88	12.25	\$711	N/A

One fixed shelf. Closed back features a grommet and flexible sweep for wire management. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17 3/4"; clearance from worksurface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.


### Required Specifications

Top finish  
Base finish

### Optional Specifications

Doors\*

## PIGEON-HOLE STORAGE




## Horizontal Pigeon-Hole Storage

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
AHS72	11.25 x 70 x 5.62	85	41	3	<b>\$744</b>	N/A
AHS71	11.25 x 69 x 5.62	70	43.5	2.3	<b>\$744</b>	N/A
AHS66	11.25 x 64 x 5.62	85	38	2.8	<b>\$744</b>	N/A
AHS60	11.25 x 58 x 5.62	85	35	2.5	<b>\$610</b>	N/A
AHS48	11.25 x 46 x 5.62	85	28	2	<b>\$451</b>	N/A
AHS42	11.25 x 40 x 5.62	85	24	2	<b>\$451</b>	N/A
AHS36	11.25 x 34 x 5.62	92.5	22	2	<b>\$369</b>	N/A

For additional storage. Can be **top** or **bottom** mounted. For use inside hutch. Shipped RTA (ready to assemble).

- **Cannot be used on A00S and C00S Overstorage Units.**
- Black finish is standard. Brushed Cobalt is available at no charge, please specify as **BRC**.




## Vertical Pigeon-Hole Storage

AVS14	11.25 x 13.37 x 14.37	85	13	0.9	<b>\$465</b>	N/A
-------	-----------------------	----	----	-----	--------------	-----

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used under or over horizontal unit. Shipped RTA (ready to assemble).

- Black finish is standard. Brushed Cobalt is available at no charge, please specify as **BRC**.

## CORNER HUTCHES




## Corner Hutch with Closed Back

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A42CH	15 x 42 x 36	65	144	6.25	<b>\$1489</b>	N/A
A36CH	15 x 36 x 36	65	125	4.8	<b>\$1255</b>	N/A

One fixed shelf. Closed back features a grommet in both back panels and flexible sweep for wire management. Shipped RTA (ready to assemble).

- Woodgrain runs horizontal on both the upper and lower back panels.




## RIGHT Corner Hutch with Closed Back

A3672CHR	15 x 36-72 x 36	65	186	7	<b>\$1640</b>	N/A
A3666CHR	15 x 36-66 x 36	65	177	7	<b>\$1580</b>	N/A

One fixed shelf and shelf divider on left side. Closed back features a grommet in both back panels and flexible sweep for wire management on the left side. Shipped RTA (ready to assemble).

- Woodgrain runs horizontal on both the upper and lower back panels.



## LEFT Corner Hutch with Closed Back

A3672CHL	15 x 36-72 x 36	65	186	7.25	<b>\$1640</b>	N/A
A3666CHL	15 x 36-66 x 36	65	177	7.25	<b>\$1580</b>	N/A

One fixed shelf and shelf divider on right side. Closed back features a grommet in both back panels and flexible sweep for wire management on the right side. Shipped RTA (ready to assemble).

- Woodgrain runs horizontal on both the upper and lower back panels.


## Required Specifications

Top finish  
Base finish


## Optional Specifications

Doors


HUTCH DOORS




Four-Door Kit



Two-Door Kit



Corner Hutch Four-Door Kit



Corner Hutch Two-Door Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
AD00R72	.69 x 17.75 x 15	85	25	1.8	<b>\$465</b>	N/A
AD00R71	.69 x 17.12 x 15	85	25	1.8	<b>\$465</b>	N/A
AD00R66	.69 x 16.75 x 15	85	24	1.8	<b>\$465</b>	N/A
AD00R60	.69 x 14.75 x 15	85	22	1.8	<b>\$465</b>	N/A

For use on 72", 71", 66" and 60"W straight hutches and overstorage units. Hinges included. Locks available. Add **\$137** each lock. Doors for units 60" wide or more require two locks.

AD00R48	.69 x 23.5 x 15	92.5	18	1.8	<b>\$302</b>	N/A
AD00R42	.69 x 20.5 x 15	100	17	1.8	<b>\$302</b>	N/A
AD00R36	.69 x 17.5 x 15	100	15	1.8	<b>\$302</b>	N/A
AD00R30	.69 x 14.5 x 15	125	13	1.8	<b>\$302</b>	N/A

For use on 48", 42" 36" and 30"W straight hutches and overstorage units. Hinges included. Locks available. Add **\$137** each lock. Doors for units 48" wide or less require one lock.

AD00R72C	.69 x 56.5 x 15	70	27	1.8	<b>\$589</b>	N/A
AD00R66C	.69 x 50.5 x 15	85	25	1.8	<b>\$538</b>	N/A


For use on 72" and 66"W corner hutches. Hinges included. Locks not available on corner hutch doors.

AD00R42C	.69 x 26.5 x 15	92.5	20	1.8	<b>\$512</b>	N/A
AD00R36C	.69 x 21.5 x 15	100	17	1.8	<b>\$335</b>	N/A

For use on 42" and 36"W corner hutches. Hinges included. Locks not available on corner hutch doors.







Required Specifications

Finish

TACKBOARDS FOR HUTCHES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE	LIST PRICE		
 Tackboard	D x W x H								
	TACKBOARD Notes: Tackboards can be upholstered in all of the following fabrics:								
	Grade 1: Jenny, Quilt, Terrace, Urban, Waterfall								
	Grade 2: Imprint, Lola								
	Grade 3: Anchorage, Merge								
	ATB7016	1 x 70 x 15	92.5	7	0.65	1	\$471	7	\$1113
						2	\$563	8	\$1281
						3	\$627	9	\$1472
						4	\$733	10	\$1693
						5	\$842	11	\$1945
						6	\$968	12	\$2237
	For use on <b>A72HOCB</b> straight hutch. Includes mounting screws and covers.								
ATB6916	1 x 69.5 x 15	92.5	7	0.65	1	\$471	7	\$1113	
					2	\$563	8	\$1281	
					3	\$628	9	\$1472	
					4	\$733	10	\$1693	
					5	\$842	11	\$1945	
					6	\$968	12	\$2237	
For use on <b>A71HOCB</b> straight hutch. Includes mounting screws and covers.									
ATB6416	1 x 64 x 15	100	6.4	0.65	1	\$464	7	\$1053	
					2	\$544	8	\$1211	
					3	\$606	9	\$1393	
					4	\$695	10	\$1599	
					5	\$799	11	\$1839	
					6	\$919	12	\$2116	
For use on <b>A66HOCB</b> straight hutch. Includes mounting screws and covers.									
ATB5816	1 x 58 x 15	92.5	5.8	0.54	1	\$452	7	\$1045	
					2	\$532	8	\$1045	
					3	\$591	9	\$1045	
					4	\$686	10	\$1584	
					5	\$789	11	\$1823	
					6	\$908	12	\$2095	
For use on <b>A60HOCB</b> straight hutch. Includes mounting screws and covers.									
ATB4616	1 x 46 x 15	92.5	4.6	0.43	1	\$315	7	\$747	
					2	\$380	8	\$859	
					3	\$425	9	\$989	
					4	\$493	10	\$1134	
					5	\$567	11	\$1305	
					6	\$651	12	\$1500	
For use on <b>A48HOCB</b> straight hutch. Includes mounting screws and covers.									
ATB4016	1 x 40 x 15	100	4	0.43	1	\$306	7	\$698	
					2	\$360	8	\$803	
					3	\$399	9	\$924	
					4	\$461	10	\$1063	
					5	\$528	11	\$1220	
					6	\$607	12	\$1402	
For use on <b>A42HOCB</b> straight hutch. Includes mounting screws and covers.									

Required Specifications





Fabric

TACKBOARDS FOR HUTCHES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE LIST PRICE		
	Tackboard	ATB3416	D x W x H 1 x 34 x 15	125	3.40	.43	1	\$297	7 \$676
							2	\$349	8 \$774
							3	\$389	9 \$891
							4	\$444	10 \$1024
							5	\$513	11 \$1177
							6	\$587	12 \$1352
							For use on <b>A36HOCB</b> straight hutch. Includes mounting screws and covers.		
	Tackboard	ATB2816	1 x 28 x 15	125	2.8	0.43	1	\$285	7 \$612
							2	\$328	8 \$705
							3	\$359	9 \$774
							4	\$403	10 \$929
							5	\$463	11 \$1069
							6	\$534	12 \$1229
							For use on <b>A30HOCB</b> straight hutch. Includes mounting screws and covers.		
TACKBOARDS FOR CORNER HUTCHES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST PRICE	
	Tackboard	ATB72CH	1 x 33-72 x 15	125	9.94	1.3	1	\$727	7 \$1504
			70 w x 15¾ h				2	\$820	8 \$1730
			3				\$885	9 \$1986	
			4				\$991	10 \$2286	
			5				\$1139	11 \$2630	
			6				\$1308	12 \$3020	
			For use on <b>A3672CHR/L corner</b> hutch. Includes mounting screws and covers.						
	Tackboard	ATB66CH	1 x 33-64 x 15	125	9.4	1.3	1	\$715	7 \$1442
			64 w x 15¾ h				2	\$795	8 \$1657
			3				\$861	9 \$1902	
			4				\$949	10 \$2189	
			5				\$1091	11 \$2520	
			6				\$1254	12 \$2897	
			For use on <b>A3666CHR/L corner</b> hutch. Includes mounting screws and covers.						
	Tackboard	ATB42CH	1 x 39-40 x 15	100	7.7	0.85	1	\$571	7 \$1138
			2				\$629	8 \$1308	
			3				\$681	9 \$1502	
			4				\$749	10 \$1729	
			5				\$862	11 \$1987	
			6				\$991	12 \$2286	
			For use on <b>A42CH corner</b> hutch. Includes mounting screws and covers.						
	Tackboard	ATB36CH	1 x 33-34 x 15	125	6.6	0.85	1	\$547	7 \$1094
			2				\$604	8 \$1258	
			3				\$642	9 \$1446	
			4				\$720	10 \$1665	
			5				\$829	11 \$1915	
			6				\$953	12 \$2200	
			For use on <b>A36CH corner</b> hutch. Includes mounting screws and covers.						

## Required Specifications

Fabric - Tackboards


Finish - Transaction Top

WALL MOUNTED TACKBOARDS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE	LIST PRICE			
	Wall Mounted Tackboard		D x W x H								
		AWHT3019	1.25 x 30 x 19	125	6.3	1	1	\$366	7	\$844	
								2	\$424	8	\$969
								3	\$488	9	\$1113
								4	\$558	10	\$1281
								5	\$641	11	\$1472
								6	\$735	12	\$1689
<p>For use under <b>A00S30</b> overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>											
	Wall Mounted Tackboard										
		AWHT3619	1.25 x 36 x 19	125	7.6	1	1	\$407	7	\$941	
								2	\$472	8	\$1077
								3	\$541	9	\$1237
								4	\$619	10	\$1422
								5	\$712	11	\$1634
								6	\$818	12	\$1877
<p>For use under <b>A00S36</b> overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>											
	Wall Mounted Tackboard										
		AWHT4219	1.25 x 42 x 19	100	8.9	1	1	\$472	7	\$1090	
								2	\$546	8	\$1253
								3	\$627	9	\$1438
								4	\$720	10	\$1654
								5	\$825	11	\$1900
								6	\$949	12	\$2183
<p>For use under <b>A00S42</b> overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>											
	Wall Mounted Tackboard										
		AWHT4819	1.25 x 48 x 19	92.5	10.1	1	1	\$514	7	\$1184	
								2	\$593	8	\$1359
								3	\$682	9	\$1560
								4	\$784	10	\$1794
								5	\$898	11	\$2062
								6	\$1031	12	\$2373
<p>For use under <b>A00S48</b> overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>											

**Required Specifications**

Fabric

## WALL MOUNTED TACKBOARDS




Wall Mounted Tackboard

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRADE	LIST PRICE
AWHT6019	1.25 x 60 x 19	125	12.7	1.8	1	\$633
					2	\$731
					3	\$841
					4	\$967
					5	\$1107
					6	\$1275
					7	\$1464
					8	\$1681
					9	\$1933
					10	\$2221
					11	\$2938
					12	\$2938

For use under **A00S60** overstorage unit. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Wall Mounted Tackboard

AWHT6619	1.25 x 66 x 19	125	13.9	1.8	1	\$674
					2	\$780
					3	\$894
					4	\$1027
					5	\$1180
					6	\$1353
					7	\$1555
					8	\$1787
					9	\$2053
					10	\$2358
					11	\$2712
					12	\$3118

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Wall Mounted Tackboard

AWHT7219	1.25 x 72 x 19	100	15.2	1.8	1	\$739
					2	\$852
					3	\$978
					4	\$1125
					5	\$1292
					6	\$1484
					7	\$1708
					8	\$1961
					9	\$2254
					10	\$2590
					11	\$2977
					12	\$3421

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard


AWHT7819	1.25 x 78 x 19	100	16.5	1.8	1	\$780
					2	\$900
					3	\$1032
					4	\$1187
					5	\$1362
					6	\$1564
					7	\$1799
					8	\$2068
					9	\$2376
					10	\$2731
					11	\$3142
					12	\$3609

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

### Required Specifications


Fabric

WALL MOUNTED TACKBOARD	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD	LIST PRICE	GRD
		D x W x H						
	AWHT8419	1.25 x 84 x 19	100	17.7	1.8	1	<b>\$843</b>	7 <b>\$1950</b>
						2	<b>\$974</b>	8 <b>\$2241</b>
						3	<b>\$1118</b>	9 <b>\$2577</b>
						4	<b>\$1284</b>	10 <b>\$2963</b>
						5	<b>\$1476</b>	11 <b>\$3403</b>
						6	<b>\$1697</b>	12 <b>\$3914</b>

**Wall Mounted Tackboard\*\***

For use under **multiple** Adaptabilities wall mounted overstorage units. Standard with pre-mounted "J" bracket for wall mount applications. There will be a 1.75" clearance between the top of the tackboard and bottom of the overhead, and a .25" clearance between the bottom of the tackboard and the worksurface.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ACCESSORY PIECES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	A2036MDL	20 x 36 x 29.6	92.5	162	15.5	<b>\$2231</b>	<b>\$172</b>
	A2436MDL	24 x 36 x 29.6	100	176	18.25	<b>\$2265</b>	<b>\$172</b>

**Mixed Drawer Cabinet - LEFT\***

Two box drawers on **right**, one file drawer on **left** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.


- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

**Mixed Drawer Cabinet - RIGHT\***

A2036MDR	20 x 36 x 29.6	92.5	162	15.5	<b>\$2231</b>	<b>\$172</b>
A2436MDR	24 x 36 x 29.6	100	176	18.25	<b>\$2265</b>	<b>\$172</b>

Two box drawers on **left**, one file drawer on **right** and one lateral file drawer on bottom. File on lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

**Mixed Drawer Cabinet Shell - LEFT\***

A2036MDLS	19.25 x 36 x 28.6	100	137	15	<b>\$2174</b>	N/A
A2436MDLS	23.25 x 36 x 28.6	100	150	18	<b>\$2210</b>	N/A

For use **under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back.** Two box drawers on **right**, one file drawer on **left** and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*
- *For 24" deep worksurfaces, order **A2436MDLS**. For 20" deep worksurfaces, order **A2036MDLS**.*
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

**Required Specifications**

Fabric\*\*  
Top finish\*  
Handle finish\*  
Base finish\*

**Optional Specifications**

Key # \*



## ACCESSORY PIECES




**Mixed Drawer Cabinet Shell - RIGHT**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2036MDRS	19.25 x 36 x 28.6	100	137	15	<b>\$2174</b>	N/A
A2436MDRS	23.25 x 36 x 28.6	100	150	18	<b>\$2210</b>	N/A

For use **under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back.** Two box drawers on **left**, one file drawer on **right** and one lateral file drawer on bottom. File and lateral file drawers locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- File drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order **A2436MDRS**. For 20" deep worksurfaces, order **A2036MDRS**.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



**Mixed Storage Cabinet\***

A2436MSC	24 x 36 x 29.6	100	163	18.25	<b>\$1668</b>	<b>\$172</b>
A2036MSC	20 x 36 x 29.6	100	147	15.5	<b>\$1542</b>	<b>\$172</b>

Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all locking. 1 pencil tray. Front-to-back filing bars.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- File drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.



**Mixed Storage Cabinet Shell**

A2436MSCS	23.25 x 36 x 28	100	121	14.9	<b>\$1627</b>	N/A
A2036MSCS	19.25 x 36 x 28	125	136	17.45	<b>\$1499</b>	N/A

For use **under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. Unfinished top, no back.** Features open storage compartment with access grommet on back. 2 box drawers and 1 lateral file drawer, all locking. 1 pencil tray. Front-to-back filing bars.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- File drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.
- For 24" deep worksurfaces, order **A2436MSCS**. For 20" deep worksurfaces, order **A2036MSCS**.




W

**2 Drawer Lateral File\***

A2036LF	20 x 36 x 29.6	100	145	15.5	<b>\$1379</b>	<b>\$172</b>
---------	----------------	-----	-----	------	---------------	--------------

Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit, model "LFCWKIT36" on page 41 MUST be used.
- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- File drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.



**2 Drawer Lateral File Shell**

A2436S2	24 x 36 x 28.6	125	114	18	<b>\$1829</b>	N/A
A2036S2	20 x 36 x 28.5	125	104	14.75	<b>\$1829</b>	N/A

For use **under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back.** Two full suspension locking drawers with **steel drawer interior**. Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension.







- Black handles are standard. Silver is available at no charge, please specify as **SI**.
- To prevent overloading, steel drawers do not include a back panel
- For 24" deep worksurfaces, order **A2436S2**. For 20" deep worksurfaces, order **A2036S2**.
- For front-to-back file bars order **FBB**, "FBB" on page 41.

### Required Specifications

Top finish\*  
Base finish  
Handles

### Optional Specifications

Key #  
HP laminate\*

ACCESSORY PIECES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>2 Drawer Lateral File Top and Back*</b>		<b>D x W x H</b>					
	ALF24TB	24 x 36 x 29.6	65	82	3.3	<b>\$572</b>	<b>\$215</b>
	ALF20TB	20 x 36 x 29.6	65	78	3.3	<b>\$572</b>	<b>\$215</b>
For use with Lateral File Shell. Counterweights included. Shipped RTA (ready to assemble). • Use <b>ALF24TB</b> for model A2436S2. Use <b>ALF20TB</b> for model A2036S2.							
 <b>3 Drawer Lateral File*</b>	A2036S3	20 x 36 x 37.75	92.5	219	20	<b>\$2641</b>	<b>\$172</b>
	Three full suspension locking drawers with <b>steel drawer interior</b> . Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension. • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> . • For front-to-back file bars order <b>FBB</b> ; See "FBB" on page 41. • To prevent overloading, steel drawers do not include a back panel						
	A2036S4	20 x 36 x 49.5	92.5	267	25.75	<b>\$3347</b>	<b>\$172</b>
 <b>4 Drawer Lateral File*</b>	Four full suspension locking drawers with <b>steel drawer interior</b> . Steel drawer construction includes metal sides and masonite bottoms. Side-to-side file bars included. Anti-lock tilt suspension. • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> . • For front-to-back file bars order <b>FBB</b> ; See "FBB" on page 41. • To prevent overloading, steel drawers do not include a back panel						
	A2036SC	20 x 36 x 29.6	125	121	15.5	<b>\$1056</b>	<b>\$172</b>
	Self-closing hinged doors cover one adjustable shelf. Standard with lock. • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> .						
 <b>Storage Cabinet*</b>	A2436SCS	23.25 x 36 x 28.6	150	106	18	<b>\$912</b>	N/A
	A2036SCS	19.25 x 36 x 28.6	125	91	14.75	<b>\$912</b>	N/A
	For use <b>under 29"H limited single pedestal desks, workstations or limited single pedestal credenzas. No top or back</b> . Self-closing hinged doors cover one adjustable shelf. Standard with lock. • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> . • For 24" deep worksurfaces, order <b>A2436SCS</b> . For 20" deep worksurfaces, order <b>A2036SCS</b> .						
 <b>Storage Cabinet Shell</b>	ASC24TB	24 x 36 x 29.6	85	49	3.3	<b>\$386</b>	<b>\$215</b>
	ASC20TB	20 x 36 x 29.6	85	45	3.3	<b>\$386</b>	<b>\$215</b>
	For use with <b>Storage Cabinet Shell</b> . Shipped RTA (ready to assemble). • Use <b>ASC24TB</b> for model A2436SCS/MSCS; use <b>ASC20TB</b> for model A2036SCS/MSCS.						
 <b>Storage Cabinet Top and Back*</b>							


**Required Specifications**

Top finish\*  
 Base finish  
 Handles


**Optional Specifications**

Key #  
 HP laminate\*

## ACCESSORY PIECES



**Credenza Top and Back\***




**Full Leg**




**Personal Tower\*\***



**Personal Tower\*\***



**Vertical Storage/Lateral File Cabinet\*\***



**Storage Wardrobe Cabinet\*\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
A2472TB	24 x 72 x 29.6	70	95	6	<b>\$790</b>	<b>\$372</b>
A2072TB	20 x 72 x 29.6	85	87	6	<b>\$790</b>	<b>\$356</b>

For use with the following: **two Lateral File Shells**, or **two Storage Cabinet Shells**, or **two Mixed Storage Cabinet Shells**, or any combination. May also be used with **one Lateral File Shell plus one Full Leg**, or **one Storage Cabinet/ Mixed Storage Cabinet Shell plus one Full Leg**. Shipped RTA (ready to assemble).

- For 24" deep workspaces, order **A2472TB**. For 20" deep workspaces, order **A2072TB**.
- **Does not include hardware to attach to storage shells.**

A24FL	23.4 x 1 x 28.6	92.5	20	1.7	<b>\$278</b>	N/A
A20FL	19.3 x 1 x 28.6	65	16	0.6	<b>\$278</b>	N/A

For use at **either end of A24/2072TB Credenza Top and Back** to create a kneespace. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep workspaces, order **A24FL**. For 20" deep workspaces, order **A20FL**.
- **Does not include hardware for installation.**

A24PTFF	24 x 24 x 65.5	100	219	27	<b>\$2748</b>	N/A
A20PTFF	20 x 24 x 65.5	100	198	22.75	<b>\$2748</b>	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with **two file drawers**. Locks are keyed alike. Upper lock secures wardrobe and storage section. Lower lock secures both file drawers.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.

A24PTBBF	24 x 24 x 65.5	125	213	27	<b>\$2748</b>	N/A
A20PTBBF	20 x 24 x 65.5	100	193	22.75	<b>\$2748</b>	N/A

Includes 7" wardrobe section with a hanging rod; storage section with one adjustable shelf; and file section with **box-box-file drawers**. Locks are keyed alike. Upper lock secures wardrobe and storage section. Lower lock secures all drawers.

- Black handles are standard. Silver is available at no charge, please specify as **SI**.

A3665VSL	20 x 36 x 65.5	100	273	33	<b>\$2569</b>	N/A
----------	----------------	-----	-----	----	---------------	-----

Contains storage area with one adjustable shelf behind a self-closing hinged door, plus two full suspension file drawers. Lateral file drawers lock.

- File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Black handles are standard. Silver is available at no charge, please specify as **SI**.

A2436DI	24 x 36 x 65.5	70	254	11.5	<b>\$3176</b>	N/A
A3665DI	20 x 36 x 65.5	70	237	11.5	<b>\$2803</b>	N/A

Includes 16" hanging rod on one side and four adjustable shelves on the other. Lock. Shipped RTA (ready to assemble).








- Black handles are standard. Silver is available at no charge, please specify as **SI**.

### Required Specifications

Top finish  
Base finish  
Handles (only personal towers)

### Optional Specifications

Key #\*\*  
HP laminate\*

ACCESSORY PIECES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Storage Cabinet**</b></p>	A2436SH	24 x 36 x 65.5	65	280	11.5	<b>\$2797</b>	N/A
	A3665SH	20 x 36 x 65.5	65	261	11.5	<b>\$2452</b>	N/A
Includes four adjustable shelves. Lock. Shipped RTA (ready to assemble). • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> .							
 <p><b>Wardrobe Cabinet**</b></p>	A2436ROD	24 x 36 x 65.5	70	205	11.5	<b>\$3027</b>	N/A
	A3665ROD	20 x 36 x 65.5	70	198	11.5	<b>\$2569</b>	N/A
Includes full width hanging rod. Lock. Shipped RTA (ready to assemble). • Black handles are standard. Silver is available at no charge, please specify as <b>SI</b> .							
 <p><b>Printer Table*</b></p>	A2430PT	24 x 30 x 29.6	65	108	4.3	<b>\$1056</b>	<b>\$172</b>
Includes two fixed shelves, cut-back top shelf allows paper to fall onto lower shelf. Shipped RTA (ready to assemble).							
 <p><b>Magazine Table*</b></p>	A2248MT	22 x 48 x 18.5	85	61	4.3	<b>\$589</b>	<b>\$245</b>
	A2222MT	22 x 22 x 18.5	85	40	3	<b>\$477</b>	<b>\$130</b>
Shipped RTA (ready to assemble).							
 <p><b>Pull-Out Keyboard</b></p>	APOKL28	17 x 28 x 3.5	85	13	0.9	<b>\$359</b>	N/A
	APOKL22	17 x 22 x 3.5	85	12	0.9	<b>\$325</b>	N/A
Constructed of thermofused laminate. <b>APOKL28</b> will accommodate keyboard and mousepad. <b>APOKL28</b> will only fit on a single pedestal desk, freestanding table, or <b>A42205C</b> . Please specify color from available finishes listed on pg. 11. • <b>APOKL28</b> will not fit extended corners or <b>A42245C</b> , <b>A36205C</b> 5-sided corners.							
 <p><b>Counter Weight Kit</b></p>	LFCWKIT36	6 x 33 x 1	60	40	0.25	<b>\$804</b>	N/A
3 metal plates. Plates mount to the underside of any 36" wide Lateral File or Mixed Storage/Drawer cabinet. Includes mounting hardware. Must be ordered separately. Field installed. • To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit MUST be used with the appropriate Lateral Files and Mixed Storage Cabinets.							
 <p><b>Front-to-Back Hanging File Bars</b></p>	FBB	-- x 15.2 x --	70	1	0.01	<b>\$33</b>	N/A
	FBB-50	-- x 15.2 x --	60	50	0.5	<b>\$974</b>	N/A
	FBB-100	-- x 15.2 x --	60	100	2.71	<b>\$1783</b>	N/A
Includes two bars. Grey. FBB is one pair; FBB-50 is fifty pairs; FBB-100 is 100 pairs. • Not recommended for "L" opening with receding door and roll-out shelves.							


**Required Specifications**

Top finish  
Base finish  
Handles\*\*


**Optional Specifications**

Key #\*\*  
HP laminate\*


BOOKCASES




Bookcase - 72" High\*



Bookcase - 65" High\*



Bookcase - 48" High\*



Bookcase Shelf





Table Top Bookcase



Bookcase Shelf

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
ABC72	12 x 36 x 72.5	125	170	23	\$1265	N/A

One fixed heavy duty shelf and **three adjustable shelves**. Shipped fully assembled.

ABC65	12 x 36 x 65.5	125	150	21	\$1233	N/A
-------	----------------	-----	-----	----	--------	-----

One fixed heavy duty shelf and **two adjustable shelves**. Shipped fully assembled.

ABC48	12 x 36 x 48.5	125	116	15.75	\$941	N/A
-------	----------------	-----	-----	-------	-------	-----

**Two adjustable shelves**. Shipped fully assembled.

ABCSHELF	11 x 34 x 1	100	13	1.5	\$294	N/A
----------	-------------	-----	----	-----	-------	-----

Extra shelf for bookcases. 1" thick.

A3636TBC	15 x 36 x 36	125	111	17	\$809	N/A
ADOOR3636	.69 x 36 x 36	125	35	4.5	\$409	N/A

To be placed on top of 36"w lateral file or storage cabinet. Two adjustable shelves.

- For a set of doors, order **ADOOR3636**
- Locks available on ADOOR3636. Add \$101 each lock.

ATBC36SH	13.25 x 34 x 1	100	16	1.7	\$226	N/A
----------	----------------	-----	----	-----	-------	-----


Extra shelf for TABLE TOP bookcases. 1" thick.

**Required Specifications**

Top finish\*

Base finish\*

## END SHELVES



End Shelf - 65" High

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE


## HP ADD

## D x W x H

A2465ESHL	24 x 24 x 65.5	65	136	5	<b>\$1327</b>	N/A
A2065ESHL	20 x 20 x 65.5	65	113	5	<b>\$1117</b>	N/A
A2465ESHR	24 x 24 x 65.5	65	136	5	<b>\$1327</b>	N/A
A2065ESHR	20 x 20 x 65.5	65	113	5	<b>\$1117</b>	N/A

For use at end of **wardrobe/storage, vertical storage cabinets, and personal towers**. Four fixed shelves. Shipped RTA (ready to assemble). **Specify left or right.**


- For 24" deep cabinet, order **A2465ESH**. For 20" deep cabinet, order **A2065ESH**.



End Shelf - 36" High

A1536ESHL	15 x 15 x 36	85	44	3.3	<b>\$538</b>	N/A
A1536ESHR	15 x 15 x 36	85	44	3.3	<b>\$538</b>	N/A

For use at end of **hutches**. Two fixed shelves. To be used on top of **A3029ESHL/R, A2429ESHL/R or A2029ESHL/R**. Shipped RTA (ready to assemble). **Specify left or right.**




End Shelf - 29" High

A3029ESHL	30 x 30 x 29.6	70	104	5.25	<b>\$941</b>	<b>\$286</b>
A2429ESHL	24 x 24 x 29.6	70	77	4.3	<b>\$766</b>	<b>\$145</b>
A2029ESHL	20 x 20 x 29.6	70	60	3.8	<b>\$654</b>	<b>\$117</b>
A3029ESHR	30 x 30 x 29.6	70	104	5.25	<b>\$941</b>	<b>\$286</b>
A2429ESHR	24 x 24 x 29.6	70	77	4.3	<b>\$766</b>	<b>\$145</b>
A2029ESHR	20 x 20 x 29.6	70	60	3.8	<b>\$654</b>	<b>\$117</b>

For use at end of **worksurfaces**. Two fixed shelves. Shipped RTA (ready to assemble). **Specify left or right.**


- For 30" deep worksurface, order **A3029ESH**. For 24" deep worksurface, order **A2429ESH**.  
For 20" deep worksurface, order **A2029ESH**.



End Shelf - 49 1/2" High

A2049ESHL	20 x 20 x 49.5	65	94	3.8	<b>\$985</b>	N/A
A2049ESHR	20 x 20 x 49.5	65	94	3.8	<b>\$985</b>	N/A

For use at end of **A2036S4 4-high lateral file**. Four fixed shelves. Shipped RTA (ready to assemble). **Specify left or right.**



End Shelf - 37 3/4" High

A2037ESHL	20 x 20 x 38.2	70	77	5	<b>\$716</b>	N/A
A2037ESHR	20 x 20 x 38.2	70	77	5	<b>\$716</b>	N/A

For use at end of **A2036S3 3-high lateral file**. Three fixed shelves. Shipped RTA (ready to assemble). **Specify left or right.**

## Required Specifications

Top finish  
Base finish

## Optional Specifications

HP Laminate (End Shelf, 29"h)

## PEDESTALS




**Freestanding Pedestal**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
AFPBBF19	19 x 16 x 28.6	100	68	7.25	<b>\$1150</b>	N/A
AFPBBF22	22 x 16 x 28.6	100	72	8.25	<b>\$1177</b>	N/A
AFPBBF28	28 x 16 x 28.6	100	88	10.25	<b>\$1226</b>	N/A

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. Two box and one file drawer. One pencil tray. File drawer and lower box drawer are locking.

- *Cannot be used with **A2466** extended corners.*
- *When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units*




**Freestanding Pedestal**

AFPFF19	19 x 16 x 28.6	100	67	7.25	<b>\$1245</b>	N/A
AFPFF22	22 x 16 x 28.6	100	75	8.25	<b>\$1260</b>	N/A
AFPFF28	28 x 16 x 28.6	100	89	10.25	<b>\$1332</b>	N/A

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. Two file drawers. Locking.

- *Cannot be used with **A2466** extended corners.*
- *When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units*




**Hanging Pedestal**

AHPBF18	18 x 16 x 18	92.5	48	4.5	<b>\$804</b>	N/A
---------	--------------	------	----	-----	--------------	-----

For use under a freestanding worksurface (20", 24" or 30"); attaches to worksurface top. No top and unfinished back. One box and one file drawer. One pencil tray. Locking. 18" high.

- *Cannot be used with **A2466** extended corners.*
- *When used with Connectable Tables (e.g. A2472T) bottom rear of pedestal will show because of the modesty on table units*




**Mobile Pedestal\***

AMPBBF19	19 x 16 x 28	85	96	6.5	<b>\$1202</b>	<b>\$215</b>
AMPBBF22	23 x 16 x 28	92.5	92	7.75	<b>\$1215</b>	<b>\$221</b>
AMPBBF28	29 x 16 x 28	92.5	105	9.5	<b>\$1260</b>	<b>\$223</b>

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. Two box and one file drawer. One pencil tray. File drawer and lower box drawer are locking. Includes counterweight to prevent tipping.

- *Cannot be used with **A2466** extended corners.*




**Mobile Pedestal\***

AMPFF19	19 x 16 x 28	85	97	6.5	<b>\$1293</b>	<b>\$215</b>
AMPFF22	23 x 16 x 28	85	95	7.75	<b>\$1312</b>	<b>\$223</b>
AMPFF28	29 x 16 x 28	92.5	106	9.5	<b>\$1379</b>	<b>\$223</b>

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. Two file drawers. Locking. Includes counterweight to prevent tipping.

- *Cannot be used with **A2466** extended corners.*



**Mobile Pedestal\***

AMPBF19	19 x 16 x 22	85	77	5.25	<b>\$1056</b>	<b>\$215</b>
AMPBF22	23 x 16 x 22	85	73	6	<b>\$1083</b>	<b>\$223</b>
AMPBF28	29 x 16 x 22	92.5	83	7.5	<b>\$1111</b>	<b>\$223</b>

Pedestal on casters. Front casters lock. Fits under worksurfaces and is easily moved. One box and one file drawer. One pencil tray. Locking. 22" high. Includes counterweight to prevent tipping.

### Required Specifications

Top finish  
Base finish\*

### Optional Specifications

Key #  
HP laminate (mobile pedestal)  
Handle

## BOARDROOM TABLES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H



Boardroom Table - Round Top\*

A48R	48 x 48 x 1.5	85	95	7.5	<b>\$684</b>	<b>\$498</b>
A42R	42 x 42 x 1.5	85	73	5.75	<b>\$654</b>	<b>\$498</b>
A36R	36 x 36 x 1.5	92.5	54	4.9	<b>\$477</b>	<b>\$286</b>

- Available with the **Bicut edge** at no upcharge. Please specify **"CR"**.
- **A48R** to be used with four monopost legs only, model **A5L**.
- **A42R** to be used with cross base **A2727XB** only
- **A36R** to be used with drum base **A18Z** or cross base **A2727XB**



Boardroom Table - Rectangular Top\*

A48120RE	48 x 120 x 1.5	70	274	13	<b>\$1466</b>	<b>\$1132</b>
A4896RE	48 x 96 x 1.5	65	314	11.5	<b>\$1117</b>	<b>\$923</b>
A3672RE	36 x 72 x 1.5	65	175	7	<b>\$824</b>	<b>\$532</b>

For use with two drum bases, two "V" bases, one panel base OR four monoposts. Predrilled for "V" base and panel base.

**Top comes in one piece, except for A48120RE (two pieces)**

- Available with the **Bicut Edge** at no upcharge. Please Specify **"CR"**.
- **A48120RE** uses three drum bases, three "V" bases, one double panel base OR six monoposts.



Boardroom Table - Boat Shape Top\*

A48144B	48 x 144 x 1.5	60	237	7.5	<b>\$1697</b>	<b>\$1344</b>
A48120B	48 x 120 x 1.5	60	198	6.3	<b>\$1466</b>	<b>\$1132</b>
A4896B	48 x 96 x 1.5	70	193	9.8	<b>\$1150</b>	<b>\$923</b>

For use with three drum bases, three "V" bases, one double panel base OR six monoposts. Predrilled for "V" base and panel base. **Top comes in two pieces, except for A4896B.**

- Available with the **Bicut Edge** at no upcharge. Please Specify **"CR"**.
- **A4896B** uses two drum bases, two "V" bases, one panel base OR four monoposts.




Boardroom Table - Racetrack Top\*

A48144RT	48 x 144 x 1.5	60	251	7.5	<b>\$1697</b>	<b>\$1344</b>
A48120RT	48 x 120 x 1.5	60	204	6.3	<b>\$1466</b>	<b>\$1132</b>
A4896RT	48 x 96 x 1.5	70	200	9.8	<b>\$1150</b>	<b>\$923</b>
A3672RT	36 x 72 x 1.5	70	112	5.8	<b>\$886</b>	<b>\$532</b>

For use with three drum bases, three "V" bases, one double panel base OR six monoposts. Predrilled for "V" base and panel base. **Top comes in two pieces except for A4896RT and A3672RT.**


- Available with the **Bicut Edge** at no upcharge. Please Specify **"CR"**.
- **NOTE:** 48" x 120" and 48" x 144" woodgrain finish Adaptabilities tables will not have a perfect match of grain at the center where the two halves meet.
- **A4896RT** and **A3672RT** use two drum bases, two "V" bases, one panel base OR four monoposts.



Cross Base

A2727XB	27 x 27 x 29.6	70	63	3.6	<b>\$439</b>	N/A
---------	----------------	----	----	-----	--------------	-----

Use as the base for **36" or 42" round tops (model A36R or A42R)**. Shipped RTA (ready to assemble).



"V" Base

A1616V	16 x 16 x 28.6	60	39	1.1	<b>\$374</b>	N/A
A1616V2	16 x 16 x 28.6	60	74	2.2	<b>\$739</b>	N/A

Use as the base for **rectangular, boat shaped or racetrack tops**. Shipped RTA (ready to assemble).

- **A1616V2** is shipped 2 bases per carton.

## Required Specifications


Finish  
Edge detail\*

## Optional Specifications


HP laminate\*




## BOARDROOM TABLES



Panel Base



Drum Base



Mono Post

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

D x W x H

A2488PB	24 x 88 x 29.6	70	119	6	<b>\$1174</b>	N/A
A2445PB	24 x 45 x 28.6	70	76	4.3	<b>\$766</b>	N/A

Use as the base for **rectangular, boat shaped or racetrack tops**. Shipped RTA (ready to assemble).

- Use **A2488PB** for 120 - 144" wide tops.
- Use **A2445PB** for 72 - 96" wide tops.

A18Z	18 x 18 x 28.6	250	29	7.5	<b>\$824</b>	N/A
------	----------------	-----	----	-----	--------------	-----

Use as the base for **36" round top (model A36R)** and **72", 96", 120" or 144" wide tops**.

**Available in Black finish only.**

- All Drum Bases require approx. 125 lb. of sand in each base for adequate stability. Sand not included.

A5L	4 x 4 x 28.6	100	13	1.5	<b>\$359</b>	N/A
-----	--------------	-----	----	-----	--------------	-----

Use as the base for **48" (model A48R) round tops** and **72", 96", 120" or 144" wide tops**.

- Post is shipped in separate carton. Standard in Black (**TBL**); Tungsten is available at no charge, please specify (**TTU**).

## BOARDROOM ACCESSORIES

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------



Serving Cart\*

A2036SK	20 x 36 x 36.5	100	179	19	<b>\$2452</b>	<b>\$172</b>
---------	----------------	-----	-----	----	---------------	--------------

Includes **two** side opening, self-closing hinged doors, **two box drawers**, one slide-out tray and storage shelf. On casters.

- Available with the **Bicut Edge** at no upcharge. Please Specify "**AR**".
- Black handles are standard. Silver is available at no charge, please specify as **SI**.




Serving Cart\*

A2020SK	20 x 20 x 36	92.5	114	11	<b>\$1538</b>	<b>\$117</b>
---------	--------------	------	-----	----	---------------	--------------

Includes **one** side opening, self-closing hinged door, **one box drawer**, one slide-out tray and storage shelf. On casters.

- Available with the **Bicut Edge** at no upcharge. Please Specify "**CR**".
- Black handles are standard. Silver is available at no charge, please specify as **SI**.



Audio/Visual Cabinet\*

A2436AV	24 x 36 x 65.5	65	272	11.25	<b>\$2803</b>	N/A
---------	----------------	----	-----	-------	---------------	-----

Includes **four** side opening doors covering two adjustable and two fixed shelves. Wire access through one grommet on back panel. Holds up to 27"H TV monitor. Shipped RTA (ready to assemble).

- Black handles are standard. Silver is available at no charge, please specify as **SI**.


### Required Specifications

Top finish \*  
Base finish  
Handles\*


### Optional Specifications

Key #\*  
HP laminate\*

BOARDROOM ACCESSORIES



Visual Board



Lectern\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
AVB4848	4 x 48 x 48	70	135	9	\$1758	N/A

Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing pad on left door. Marker board can be used for projection.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. Mounting hardware not included. Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

A1844LC	18 x 24 x 44	70	92	4.8	\$941	\$117
---------	--------------	----	----	-----	-------	-------

Features angled stand, fixed storage shelf and casters (two rear casters, locking). Shipped RTA (ready to assemble).

Required Specifications	Optional Specifications
Top finish	HP laminate*
Base finish	



The **Genoa®** series combines the value of laminate furniture with the contemporary styling of top over end panel design. This versatile offering of components and wide selection of laminate finish options is the perfect complement to any office environment.


For added security of confidential material, all desks and credenzas are equipped with one locking pedestal. Genoa's kneespace credenza easily accommodates a computer, books, binders and files to maximize space.

Genoa features quality construction with the added strength of dovetailed box and file drawers. Fully progressive ball bearing suspensions ensure years of smooth, trouble-free drawer service.

Genoa's classic styling and simplicity integrate easily with existing furnishings and any interior decor. For new offices or current office expansions, Genoa is clearly the affordable and practical choice.

#### Features and Benefits

- 45lb. density particle board substructure with high performance thermally fused laminate
- Available bow front desk provides extra legroom and work area for visitors
- ¾ modesty panel is standard
- Most components shipped fully assembled, 1 per carton
- Pencil tray included in box drawer
- Box drawers mounted on ¾ extension steel ball bearings
- All drawers feature French dovetail joint in front and lapjoint in back
- Drawers open with side pull
- Compatible with **Divide** panel system for increased privacy and storage requirements



Bow front available on 36"x 72" desks



Contemporary top-over-end panel design



Drawer fronts are edge banded on all sides

## GENERAL INFORMATION

- Constructed of 45 lb. density particle board with high performance thermally fused laminate
- Genoa components are compatible with **Divide** partitioning panels.
- Large offering of extended corners, full to floor pedestals, islands and storage options
- Double wall pedestal housing
- Genoa desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## CONSTRUCTION

- 1" worksurfaces constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Double wall pedestal housing
- Panel end style with top over side panel design
- 1" adjustable leveling glides standard on all units
- Standard with locks

## MODESTY PANELS

- Recessed ¾ height modesty panel is standard. Full modesty panel available. **Add \$80.**
- All full to floor units, bridges and returns are standard with a full modesty panel

## STORAGE

- All lateral file drawer fronts feature the woodgrain running in a horizontal direction
- Pencil tray included in box drawer
- All drawers feature French dovetail joint in front and lapjoint in back

## FINISHES

### LAMINATE FINISHES


ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SOG	Storm Grey
CMB	Clear Maple	WHE	Walnut Heights
DES	Dark Espresso	WHC	White Chocolate
DWT	Designer White	WCR	Winter Cherry

## GROMMETS


- Grommets may be ordered on Genoa hutch back panel
- Additional grommets available in standard worksurface locations (left, center or right). Order as: **AG1, AG2 or AG3. Add \$103.**
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep




- Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).



36 x 72 single pedestal left desks  
(3672SPL)




30 x 60 single pedestal left desks  
(3060SPL)



36 x 72 single pedestal left bow top desks (3672SLB)

- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103.** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.
- Components that come standard with grommet may be ordered without a grommet. **Add \$57.**
- Grommets are available on modesty panels of **5-sided corners** 6 ½" in where the two modesty panels meet at a 90° angle. Please specify **FOGMPR** for right grommet placement and **FOGMPL** for left grommet (placement is as shown on diagrams below). Cost is **\$103.**


\*Modesty Panels are 1" off of ground



5-Sided Corner Unit


## POWER BLOCK

- A Power Block (model **PMSPPM**) may be ordered on all worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPPM, Add \$352.** Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103.**



Power Block **PMSPPM. Add \$352** Specify location **E1, E2 or E3. Add \$103.**


**DOUBLE PEDESTAL DESKS**



**Double Pedestal Desk**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
G3672DP	36 x 72 x 29.4	150	286	50.5	<b>\$1466</b>
G3072DP	29.63 x 72 x 29	150	245	43.75	<b>\$1429</b>
G3066DP	29.69 x 66 x 29.4	150	235	39.25	<b>\$1387</b>
G3060DP	29.69 x 60 x 29.4	125	226	35.5	<b>\$1163</b>


Standard with box/file pedestals on both sides. Pedestals lock. One pencil tray.



**Double Pedestal Bow Top Desk**

G3672DPB	32-36 x 72 x 29.4	150	256	50.5	<b>\$1797</b>
----------	-------------------	-----	-----	------	---------------

Standard with box/file pedestals on both sides and bow top. Pedestals lock. One pencil tray.




**Full to Floor Double Pedestal Desk**

G3072D4	29.69 x 72 x 29	125	277	43.75	<b>\$1870</b>
---------	-----------------	-----	-----	-------	---------------

Standard with full to floor box/box/file on right pedestal and file/file on left pedestal. Pedestals lock. One pencil tray.


**SINGLE PEDESTAL DESKS**



**Single Pedestal Desk - LEFT**

G3672SPL	36 x 72 x 29.4	150	235	50.5	<b>\$1333</b>
G3072SPL	30 x 72 x 29	150	192	43.75	<b>\$1265</b>
G3066SPL	29.69 x 66 x 29.4	150	192	39.25	<b>\$1243</b>
G3060SPL	29.69 x 60 x 29.4	150	183	35.5	<b>\$1028</b>
G3048SPL	29.69 x 48 x 29.4	150	166	28.75	<b>\$1028</b>
G2445SPL	24 x 45 x 29.4	150	137	23.5	<b>\$804</b>


Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **left**.



**Single Pedestal Desk - RIGHT**

G3672SPR	36 x 72 x 29.4	150	235	50.5	<b>\$1333</b>
G3072SPR	30 x 72 x 29	150	192	43.75	<b>\$1265</b>
G3066SPR	29.69 x 66 x 29.4	150	192	39.25	<b>\$1243</b>
G3060SPR	29.69 x 60 x 29.4	150	183	35.5	<b>\$1028</b>
G3048SPR	29.69 x 48 x 29.4	150	166	28.75	<b>\$1028</b>
G2445SPR	24 x 45 x 29.4	150	137	23.5	<b>\$804</b>

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **right**.



**Single Pedestal Bow Top Desk - LEFT**

G3672SLB	36-36 x 72 x 29	150	270	50	<b>\$1645</b>
----------	-----------------	-----	-----	----	---------------

Standard with box/file pedestal on **left** and bow top. Pedestal locks. One pencil tray.

**Required Specifications**

Finish


**Optional Specifications**

Full modesty  
Grommet  
Key #

**Accessories**

Power block  
Keyboard tray  
Pencil tray

# SINGLE PEDESTAL DESKS




**Single Pedestal Bow Top Desk - RIGHT**

# MODEL# DIMENSIONS FREIGHT CLASS WT./LBS. CUBIC FT. LIST PRICE

	D x W x H				
G3672SRB	36 x 72 x 29	150	270	50	<b>\$1645</b>

Standard with box/file pedestal on **right** and bow top. Pedestal locks. One pencil tray.


# RETURNS



**Typing Return - LEFT**

G2448SDL	24 x 48 x 26	150	137	23.5	<b>\$828</b>
G2040SDL	20 x 40 x 26	125	111	17.5	<b>\$804</b>


Standard with box/file pedestal and lower **26" height**. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**.



**Typing Return - RIGHT**

G2448SDR	24 x 48 x 26	150	137	23.5	<b>\$828</b>
G2040SDR	20 x 40 x 26	125	111	17.5	<b>\$804</b>

Standard with box/file pedestal and lower **26" height**. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**.




**Flush Return - LEFT**

G2454FL	24 x 54 x 29	150	127	27	<b>\$1005</b>
G2448FL	24 x 48 x 29.4	125	142	23.5	<b>\$892</b>
G2442FL	24 x 42 x 29	150	111	21.5	<b>\$860</b>
G2054FL	20 x 54 x 29	150	114	23	<b>\$1005</b>
G2048FL	20 x 48 x 29	150	107	20.5	<b>\$892</b>
G2042FL	20 x 42 x 29	150	100	18	<b>\$860</b>
G2040FL	20 x 40 x 29.4	125	115	17.5	<b>\$848</b>
G2036FL	20 x 36 x 29	125	93	15.5	<b>\$848</b>

Standard with box/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**.

- For 24" deep worksurfaces, order **G24\_\_FL**. For 20" deep worksurfaces, order **G20\_\_FL**.
- Keyboard and pencil trays for use on units 42" and above



**Flush Return - RIGHT**

G2454FR	24 x 54 x 29	150	127	27	<b>\$1005</b>
G2448FR	24 x 48 x 29.4	125	142	23.5	<b>\$892</b>
G2442FR	24 x 42 x 29	150	111	21.5	<b>\$860</b>
G2054FR	20 x 54 x 29	150	114	23	<b>\$1005</b>
G2048FR	20 x 48 x 29	150	107	20.5	<b>\$892</b>
G2042FR	20 x 42 x 29	150	100	18	<b>\$860</b>
G2040FR	20 x 40 x 29.4	125	115	17.5	<b>\$848</b>
G2036FR	20 x 36 x 29	125	93	15.5	<b>\$848</b>

Standard with box/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**.

- For 24" deep worksurfaces, order **G24\_\_FR**. For 20" deep worksurfaces, order **G20\_\_FR**.
- Keyboard and pencil trays for use on units 42" and above

# Required Specifications

Finish


# Optional Specifications

Key #

# Accessories

Power block  
Keyboard tray  
Pencil tray

**RETURNS**




**Full to Floor Flush Return - LEFT**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
G2448BL4	24 x 48 x 29.4	150	136	25	<b>\$1294</b>
G2442BL4	24 x 42 x 29.4	150	128	21.5	<b>\$1277</b>
G2436BL4	24 x 36 x 29.4	125	120	18	<b>\$1251</b>
G2048BL4	20 x 48 x 29	150	121	20.5	<b>\$1260</b>
G2042BL4	20 x 42 x 29	125	114	18	<b>\$1230</b>
G2036BL4	20 x 36 x 29	125	108	15.5	<b>\$1207</b>

Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the **left**.

- For 24" deep workspaces, order **G24\_\_\_BL4**. For 20" deep workspaces, order **G20\_\_\_BL4**.
- Keyboard and pencil trays for use on units 42" and above




**Full to Floor Flush Return - RIGHT**

G2448BR4	24 x 48 x 29.4	150	136	25	<b>\$1294</b>
G2442BR4	24 x 42 x 29.4	150	128	21.5	<b>\$1277</b>
G2436BR4	24 x 36 x 29.4	125	120	18	<b>\$1251</b>
G2048BR4	20 x 48 x 29	150	121	20.5	<b>\$1260</b>
G2042BR4	20 x 42 x 29	125	114	18	<b>\$1230</b>
G2036BR4	20 x 36 x 29	125	108	15.5	<b>\$1207</b>

Standard with box/box/file drawer pedestal. Lower box drawer and file drawer lock. Grommet in worksurface. Pedestal is on the **right**.

- For 24" deep workspaces, order **G24\_\_\_BR4**. For 20" deep workspaces, order **G20\_\_\_BR4**.
- Keyboard and pencil trays for use on units 42" and above




**Full to Floor Flush Return - LEFT**

G2448L4	24 x 48 x 29.4	150	132	25	<b>\$1333</b>
G2442L4	24 x 42 x 29.4	150	124	21.5	<b>\$1307</b>
G2436L4	24 x 36 x 29.4	125	116	18	<b>\$1286</b>
G2048L4	20 x 48 x 29	150	118	20.5	<b>\$1294</b>
G2042L4	20 x 42 x 29	125	111	18	<b>\$1260</b>
G2036L4	20 x 36 x 29	125	104	15.5	<b>\$1243</b>

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the **left**.

- For 24" deep workspaces, order **G24\_\_\_L4**. For 20" deep workspaces, order **G20\_\_\_L4**.
- Keyboard and pencil trays for use on units 42" and above




**Full to Floor Flush Return - RIGHT**

G2448R4	24 x 48 x 29.4	150	132	25	<b>\$1333</b>
G2442R4	24 x 42 x 29.4	150	124	21.5	<b>\$1307</b>
G2436R4	24 x 36 x 29.4	125	116	18	<b>\$1286</b>
G2048R4	20 x 48 x 29	150	118	20.5	<b>\$1294</b>
G2042R4	20 x 42 x 29	125	111	18	<b>\$1260</b>
G2036R4	20 x 36 x 29	125	104	15.5	<b>\$1243</b>

Standard with file/file drawer pedestal. Pedestal locks. Grommet in worksurface. Pedestal is on the **right**.

- For 24" deep workspaces, order **G24\_\_\_R4**. For 20" deep workspaces, order **G20\_\_\_R4**.
- Keyboard and pencil trays for use on units 42" and above



**Flush Return - LEFT**

G2454EL	24 x 54 x 29	70	87	5.25	<b>\$828</b>
G2448EL	24 x 48 x 29	70	96	4.5	<b>\$716</b>
G2442EL	24 x 42 x 29	70	71	3.8	<b>\$716</b>
G2054EL	20 x 54 x 29	85	78	5.25	<b>\$785</b>
G2048EL	20 x 48 x 29	70	70	4.2	<b>\$739</b>
G2042EL	20 x 42 x 29	70	56	3.3	<b>\$716</b>
G2040EL	20 x 40 x 29	70	78	4.5	<b>\$691</b>
G2036EL	20 x 36 x 29	70	56	3.3	<b>\$691</b>

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).

- For 24" deep workspaces, order **G24\_\_\_EL**. For 20" deep workspaces, order **G20\_\_\_EL**.

**Required Specifications**


Finish

**Optional Specifications**

Additional grommet  
Key #

**Accessories**

Power block  
Keyboard tray  
Pencil tray

**RETURNS**

**Flush Return - RIGHT**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

**D x W x H**

G2454ER	24 x 54 x 29	70	87	5.25	<b>\$828</b>
G2448ER	24 x 48 x 29	70	96	4.5	<b>\$716</b>
G2442ER	24 x 42 x 29	70	71	3.8	<b>\$716</b>
G2054ER	20 x 54 x 29	85	78	5.25	<b>\$785</b>
G2048ER	20 x 48 x 29	70	70	4.2	<b>\$739</b>
G2042ER	20 x 42 x 29	70	63	3.8	<b>\$716</b>
G2040ER	20 x 40 x 29	70	78	4.5	<b>\$691</b>
G2036ER	20 x 36 x 29	70	56	3.3	<b>\$691</b>

Return has no pedestal. Grommet in worksurface. Shipped RTA (ready to assemble).


- For 24" deep worksurfaces, order **G24\_\_ER**. For 20" deep worksurfaces, order **G20\_\_ER**.

**FLUSH BRIDGE**

**Flush Bridge**

G2448FB	24 x 48 x 29.4	70	78	3.5	<b>\$545</b>
G2442FB	24 x 42 x 29	70	65	3.06	<b>\$527</b>
G2436FB	24 x 36 x 29.4	70	58	3.5	<b>\$524</b>
G2048FB	20 x 48 x 29	70	71	3.3	<b>\$545</b>
G2042FB	20 x 42 x 29	70	61	4	<b>\$527</b>


Top surface, back panel and hardware to connect two units. Grommet in worksurface. Shipped RTA (ready to assemble).

- **G2448/G2442** models will connect 66" and 72" units plus all D islands.
- **G2048/G2042** models will connect 60", 66" and 72" units plus all D islands and 5 sided corners.

**CREDENZAS**

**Center Storage Credenza\***


G2066C	20 x 66 x 29	100	225	27	<b>\$1589</b>
--------	--------------	-----	-----	----	---------------

Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Right pedestal and doors lock. One pencil tray.


**Kneespace Credenza\***


G2072CK	20 x 72 x 29.4	125	209	29.5	<b>\$1466</b>
G2066CK	20 x 66 x 29.4	125	201	27	<b>\$1387</b>
G2060CK	20 x 60 x 29	125	193	24.5	<b>\$1286</b>

Standard with box/file pedestals on both sides. Center is open. Pedestals lock. One pencil tray. Grommet in worksurface.


**Single Pedestal Credenza - LEFT\***

G2072CSL	20 x 72 x 29.4	150	171	29.5	<b>\$1243</b>
G2066CSL	20 x 66 x 29	150	163	27.75	<b>\$1219</b>
G2060CSL	20 x 60 x 29	125	155	24.5	<b>\$1073</b>

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **left**. Grommet in worksurface.


**Single Pedestal Credenza - RIGHT\***

G2072CSR	20 x 72 x 29.4	150	150	29.5	<b>\$1243</b>
G2066CSR	20 x 66 x 29	150	150	29.4	<b>\$1219</b>
G2060CSR	20 x 60 x 29	150	136	24.5	<b>\$1073</b>

Standard with box/file pedestal. Pedestal locks. One pencil tray. Pedestal is on the **right**. Grommet in worksurface.

**Required Specifications**

Finish

**Optional Specifications**


Full modesty\*  
Grommet  
Key #

**Accessories**

Power block  
Keyboard tray  
Pencil tray



5-SIDE CORNERS




5-Sided Corner

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
G42205C9	20 x 42 x 29	70	123	5.75	\$1117
G36205C9	20 x 36 x 29	65	105	4.3	\$947

Connects to lateral file, storage cabinet, single pedestal credenza with half end panel, and flush bridge. Grommet in worksurface. Full and narrow end panels supplied. Can be assembled left or right. Shipped RTA (ready to assemble)

- ¾ Modesty Panel is not available




5-Sided Corner

G42245C	42 x 42 x 29.4	65	114	5	\$1133
---------	----------------	----	-----	---	--------

Connects to **24"** returns, bridges and other **24"** units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

- ¾ Modesty Panel is not available




5-Sided Corner

G42205C	42 x 42 x 29.4	70	108	5	\$1097
G36205C	36 x 36 x 29.4	70	92	4.75	\$972

Connects to **20"** returns, bridges and other **20"** units. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble).

- ¾ Modesty Panel is not available

"D" ISLANDS




"D" Island - Full End Panel & Post

G3072FI	29.69 x 72 x 29.4	70	101	5	\$1083
G3066FI	29.69 x 66 x 29.4	70	96	4.6	\$1061
G3060FI	29.69 x 60 x 29.4	70	91	4.2	\$986


Connects to single pedestal credenza with half end panel or bridge to create a "T" grouping. **Not freestanding.** Connecting hardware for flush installation included. Shipped RTA (ready to assemble). Post is Black only.

Required Specifications	Optional Specifications	Accessories
Finish	Grommet	Power Block Keyboard Tray Pencil Tray Doors*


## HUTCHES



**Open Hutch with Closed Back\***



**Open Hutch with Closed Back\***



**Corner Hutch with Closed Back\***

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
G72HOCB	15 x 72 x 36	70	138	7	<b>\$1243</b>
G71HOCB	15 x 71.5 x 36	70	137	7	<b>\$1243</b>
G69HOCB	15 x 69 x 36	70	135	7	<b>\$1243</b>
G66HOCB	15 x 66 x 36	70	133	7	<b>\$1193</b>
G60HOCB	15 x 60 x 36	65	123	5.25	<b>\$1073</b>

One 1" thick fixed shelf **and fixed shelf divider**. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - **Add \$103**. Shipped RTA (ready to assemble).

- **G71HOCB** for use when spanning 30" x 60/66" SPL/R and 20/24" x 42" FL/FR/L4/R4.
- **G69HOCB** for use when spanning 30" x 60/66" SPL/R and 20" x 40" FL/FR/EL/ER.
- Clearance from work surface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.

G48HOCB	15 x 48 x 36	65	100	4.2	<b>\$860</b>
G42HOCB	15 x 42 x 36	65	91	3.8	<b>\$860</b>
G40HOCB	15 x 40 x 36	65	88	3.8	<b>\$860</b>
G36HOCB	15 x 36 x 36	65	82	3.3	<b>\$759</b>

One 1" thick fixed shelf. Closed back features a flexible sweep for wire management. Available in single color only. Rectangular grommet available on back panel - **Add \$103**. Shipped RTA (ready to assemble).


- Clearance from work surface to hutch doors is 20".
- Woodgrain runs horizontal on both the upper and lower back panels.

G4242CH	15 x 42 x 36	70	137	6.25	<b>\$1368</b>
G3636CH	15 x 36 x 36	65	119	4.8	<b>\$1243</b>


One 1" thick fixed shelf. Closed back features a flexible sweep for wire management on lower right panel. Available in single color only. Rectangular grommet available on back panel - **Add \$103**. Shipped RTA (ready to assemble).

- Woodgrain runs horizontal on both the upper and lower back panels.

## PIGEON HOLE STORAGE



**Horizontal Pigeon-Hole Storage**



**Vertical Pigeon-Hole Storage**

AHS72	11.25 x 70 x 5.62	85	41	3	<b>\$744</b>
AHS71	11.25 x 69 x 5.62	70	43.5	2.3	<b>\$744</b>
AHS66	11.25 x 64 x 5.62	85	38	2.8	<b>\$744</b>
AHS60	11.25 x 58 x 5.62	85	35	2.5	<b>\$610</b>
AHS48	11.25 x 46 x 5.62	85	28	2	<b>\$451</b>
AHS42	11.25 x 40 x 5.62	85	24	2	<b>\$451</b>
AHS36	11.25 x 34 x 5.62	92.5	22	2	<b>\$369</b>

For additional storage. Can be **top** or **bottom** mounted. For use inside **straight hutch** (end panels not finished). Shipped RTA (ready to assemble). **Black finish only**.

- Cannot be used on A00S and C00S Overstorage Units.

AVS14	11.25 x 13.37 x 14.37	85	13	.90	<b>\$465</b>
-------	-----------------------	----	----	-----	--------------

For use in conjunction with the Horizontal Pigeon-Hole Storage. Can be used **under** or **over** horizontal unit. Shipped RTA (ready to assemble). **Black finish only**.


### Required Specifications

Finish


### Accessories

Doors\*


HUTCH DOORS



Four-Door Kit



Two-Door Kit



Corner Hutch Two-Door Kit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GDOOR72	.69 x 72 x 15	85	24	1.75	<b>\$457</b>
GDOOR71	0 x 17.5 x 15	85	24	1.75	<b>\$457</b>
GDOOR69	0 x 17 x 15	85	23	1.75	<b>\$457</b>
GDOOR66	.69 x 66 x 15	85	22	1.75	<b>\$457</b>
GDOOR60	.69 x 60 x 15	92.5	20	1.75	<b>\$457</b>

For use on 72", 71", 69", 66" and 60"W straight hutches. Hinges included. Locks available. Add **\$126** for each lock. Doors for units 60" wide or more require two locks.

GDOOR48	.69 x 48 x 15	100	17	1.75	<b>\$288</b>
GDOOR42	.69 x 42 x 15	100	16	1.75	<b>\$288</b>
GDOOR40	.69 x 40 x 15	100	15	1.75	<b>\$288</b>
GDOOR36	.69 x 36 x 15	100	14	1.75	<b>\$288</b>

For use on 48", 42" 40" and 36"W straight hutches. Hinges included. Locks available. Add **\$126** for each lock. Doors for units 48" wide or less require one lock.

GDOOR42C	0 x 26.5 x 15	92.5	19	1.75	<b>\$491</b>
GDOOR36C	0 x 21.5 x 15	100	16	1.75	<b>\$320</b>

For use on 42" and 36"W corner hutches. Hinges included. **Locks not available on corner hutch doors.**


TACKBOARDS FOR HUTCHES

**TACKBOARD** Notes: Tackboards can be upholstered in all of the following fabrics:


**Grade 1:** Jenny, Quilt, Terrace, Urban, Waterfall

**Grade 2:** Imprint, Lola

**Grade 3:** Anchorage, Merge



Tackboard



Tackboard

					FABRIC GRD	LIST PRICE	GRD	LIST
TB7018	1 x 70 x 18	92.5	12	1.1	1	<b>\$571</b>	7	<b>\$1267</b>
					2	<b>\$662</b>	8	<b>\$1455</b>
					3	<b>\$728</b>	9	<b>\$1672</b>
					4	<b>\$833</b>	10	<b>\$1921</b>
					5	<b>\$957</b>	11	<b>\$2208</b>
					6	<b>\$1099</b>	12	<b>\$2541</b>


For use on **G72HOCB** straight hutch. Includes mounting screws and covers.

TB6918	1 x 69.5 x 18	92.5	12	1.05	1	<b>\$571</b>	7	<b>\$1267</b>
					2	<b>\$662</b>	8	<b>\$1455</b>
					3	<b>\$728</b>	9	<b>\$1672</b>
					4	<b>\$833</b>	10	<b>\$1921</b>
					5	<b>\$957</b>	11	<b>\$2208</b>
					6	<b>\$1099</b>	12	<b>\$2541</b>


For use on **G71HOCB** straight hutch. Includes mounting screws and covers.

**Required Specifications**  
Fabric (Tackboards)


## TACKBOARDS




Tackboard




Tackboard




Tackboard



Tackboard



Tackboard



Tackboard

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD	LIST PRICE	GRD	LIST
TB6718	1 x 67.5 x 18	92.5	12	1.05	1	<b>\$571</b>	7	<b>\$1267</b>
					2	<b>\$662</b>	8	<b>\$1455</b>
					3	<b>\$728</b>	9	<b>\$1672</b>
					4	<b>\$833</b>	10	<b>\$1921</b>
					5	<b>\$957</b>	11	<b>\$2208</b>
					6	<b>\$1099</b>	12	<b>\$2541</b>

For use on **G69HOCB** straight hutch. Includes mounting screws and covers.

TB6418	1 x 64 x 18	92.5	11	1	1	<b>\$514</b>	7	<b>\$1140</b>
					2	<b>\$593</b>	8	<b>\$1308</b>
					3	<b>\$658</b>	9	<b>\$1505</b>
					4	<b>\$751</b>	10	<b>\$1730</b>
					5	<b>\$865</b>	11	<b>\$1988</b>
					6	<b>\$1099</b>	12	<b>\$2288</b>

For use on **G66HOCB** straight hutch. Includes mounting screws and covers.

TB5818	1 x 58 x 18	92.5	10	0.9	1	<b>\$474</b>	7	<b>\$1043</b>
					2	<b>\$546</b>	8	<b>\$1200</b>
					3	<b>\$605</b>	9	<b>\$1380</b>
					4	<b>\$685</b>	10	<b>\$1584</b>
					5	<b>\$789</b>	11	<b>\$1821</b>
					6	<b>\$908</b>	12	<b>\$2095</b>

For use on **G60HOCB** straight hutch. Includes mounting screws and covers.

TB4618	1 x 46 x 18	92.5	9	0.8	1	<b>\$327</b>	7	<b>\$766</b>
					2	<b>\$391</b>	8	<b>\$880</b>
					3	<b>\$439</b>	9	<b>\$1011</b>
					4	<b>\$505</b>	10	<b>\$1164</b>
					5	<b>\$581</b>	11	<b>\$1339</b>
					6	<b>\$665</b>	12	<b>\$1538</b>

For use on **G48HOCB** straight hutch. Includes mounting screws and covers.

TB4018	1 x 40 x 18	92.5	8	0.7	1	<b>\$317</b>	7	<b>\$714</b>
					2	<b>\$369</b>	8	<b>\$820</b>
					3	<b>\$410</b>	9	<b>\$943</b>
					4	<b>\$469</b>	10	<b>\$1084</b>
					5	<b>\$540</b>	11	<b>\$1246</b>
					6	<b>\$622</b>	12	<b>\$1435</b>







For use on **G42HOCB** straight hutch. Includes mounting screws and covers.

TB3818	1 x 38 x 18	92.5	7	0.7	1	<b>\$317</b>	7	<b>\$707</b>
					2	<b>\$368</b>	8	<b>\$813</b>
					3	<b>\$408</b>	9	<b>\$937</b>
					4	<b>\$466</b>	10	<b>\$1076</b>
					5	<b>\$537</b>	11	<b>\$1236</b>
					6	<b>\$615</b>	12	<b>\$1421</b>

For use on **G40HOCB** straight hutch. Includes mounting screws and covers.


## Required Specifications

Fabric

TACKBOARDS		MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRD	LIST PRICE	GRD	LIST PRICE
	Tackboard	TB3418	1 x 34 x 18	92.5	6	0.6	1	\$306	7	\$687
							2	\$355	8	\$790
							3	\$397	9	\$906
							4	\$453	10	\$1042
							5	\$518	11	\$1196
							6	\$597	12	\$1377
For use on <b>G36HOCB</b> straight hutch. Includes mounting screws and covers.										
	Tackboard	TB42CH	1 x 40 x 15.75	70	16	0.85	1	\$571	7	\$1138
							2	\$629	8	\$1308
							3	\$681	9	\$1502
							4	\$749	10	\$1729
							5	\$862	11	\$1987
							6	\$991	12	\$2286
For use on <b>G4242CH corner</b> hutch. Includes mounting screws and covers.										
	Tackboard	TB36CH	1 x 34 x 15.25	85	12	0.85	1	\$547	7	\$1094
							2	\$604	8	\$1258
							3	\$642	9	\$1446
							4	\$720	10	\$1665
							5	\$829	11	\$1915
							6	\$953	12	\$2200
For use on <b>G3636CH</b> corner hutch. Includes mounting screws and covers.										
ACCESSORY PIECES							LIST PRICE			
	2 Drawer Lateral File*	G2036LF	20 x 36 x 29.4	100	145	15	\$1243			
		Two full suspension drawers. Front-to-back and side-to-side letter/legal filing capability with lock. Anti-lock tilt suspension. <ul style="list-style-type: none"><li>• To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit (model "LFCWKIT36") MUST be used.</li><li>• Back of file is always Black.</li><li>• File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.</li></ul>								
	Storage Cabinet*	G2036SC	20 x 36 x 29.4	100	121	15	\$884			
		Hinged doors cover one adjustable shelf. Standard with lock. <ul style="list-style-type: none"><li>• Back of storage cabinet is always Black.</li></ul>								
	Pull-Out Keyboard	GPOKL28	17 x 28 x 3.5	85	13	0.9	\$320			
		GPOKL22	17 x 22 x 3.5	85	11	0.9	\$302			
		Constructed of thermally fused laminate.								

Required Specifications	Optional Specifications
Fabric (tackboards)	Key #*
Finish (accessories)	Grommet (only G2036LF)

ACCESSORIES




Visual Board

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

GVB4848	D x W x H 4 x 48 x 48	85	122	9.25	<b>\$1806</b>
---------	--------------------------	----	-----	------	---------------

Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing pad on left door. Marker board can be used for projection.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Counter Weight Kit

LFCWKIT36	6 x 33 x 1	60	40	0.25	<b>\$804</b>
-----------	------------	----	----	------	--------------

3 metal plates. Plates mount to the underside of any 36" wide Lateral File or Mixed Storage/Drawer cabinet. Includes mounting hardware. Must be ordered separately. Field installed.

- To comply with ANSI/BIFMA stability tests, the Lateral File Counter Weight Kit MUST be used with the appropriate Lateral Files and Mixed Storage Cabinets.







Center Drawer

CD20	18 x 20 x 3	100	8	1	<b>\$228</b>
------	-------------	-----	---	---	--------------

Laminate drawer front is attached to a 4-sided frame. Recommended for use on small L-shaped units, and on 30" x 60" and 66" desks.

**Required Specifications**  
Finish (bookcases)

BOOKCASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<div></div> <div>Bookcase - 84" High</div>		D x W x H				
	GHBC84	12 x 36 x 84	125	198	26	\$1562
	One fixed heavy duty shelf and <b>four adjustable shelves</b> . Shipped fully assembled.					
<div></div> <div>Bookcase - 72" High</div>	GHBC72	12 x 36 x 72	100	173	20	\$1303
One fixed heavy duty shelf and <b>four adjustable shelves</b> . Shipped fully assembled.						
<div></div> <div>Bookcase - 48½" High</div>	GHBC48	12 x 36 x 48	100	118	13.7	\$958
<b>Two adjustable</b> heavy duty shelves. Shipped fully assembled.						
<div></div> <div>Bookcase Shelf</div>	GHBCSHELF	11 x 34 x 1	100	13	1.60	\$294
Extra shelf for bookcases. 1" thick.						

Required Specifications

Finish



Office Spaces™ is a unique desking architecture addressing current and future private office trends. Elements in the series coordinate with products in the Spaces Collection. Modular in design, Office Spaces is self-supporting for easy reconfiguration or relocation. A progressive palette of finishes and materials supports the light look of this contemporary desking line.

Office Spaces was designed from the ground up to incorporate height adjustable surfaces in both rectangular and L-shaped configurations. The series offers new solutions for meeting rooms and guest offices that facilitate engagement and support collaboration. The seamless integration of work carts and trolleys from Collaborative Spaces extend the possibilities and applications with shared details, materials and finishes.

#### Features and Benefits

- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base.
- Height range is 26"-52.5" measured from the floor to the top of the worksurface
- Height adjustable and fixed height legs share the same design, for a consistent visual across all applications.
- PET felt privacy and modesty panels and tackable backboards soften the overall look and feel.



PET felt wire manager



Fixed or height adjustable legs support worksurfaces and returns



Tackable PET felt backboard (varied pattern shown)



GENERAL INFORMATION

- Primary and return worksurfaces feature both square corners and ergonomic large radius corners for improved ergonomics.
- Worksurfaces supported by fixed or height adjustable legs, in 2 or 3-legged applications.
- Storage elements are available in a variety of sizes and configurations including wardrobes, file drawers, box drawers and cubbies for personal items.
- Backboards support media displays and include options for whiteboards, tackable PET felt or laminate surfaces, with or without shelves.
- Accessorize surfaces and storage with whiteboards, wire management, desktop electrical and more.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

CONSTRUCTION

- All worksurfaces are standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Storage requires the top, top edge, chassis and door/drawer fronts finishes to be specified separately. Chassis and door/drawer edge finish will match corresponding chassis and door/drawer finish.
- Storage components require foot kit or storage undercarriage to be specified separately
- Power modules and grommets are not included and must be specified separately.
- Woodgrain runs horizontally on all backboards.
- Backboards will have a matching edge to the chosen laminate. If dry erase board is specified, Designer White (DWT) edging will be applied.
- Corner radius for 24"D worksurfaces is 12", where applicable
- Corner radius for 30"D worksurfaces is 15", where applicable

PET FELT COLORS

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBV	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

METAL LEG FINISHES:

BLK	Black	SIL	Silver
BZD	Blizzard	SDT	Stonedust
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey*	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

\*Coordinates w/SIL edgeband finish

EDGE FINISHES

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
BZD	Blizzard	SIL	Silver*
CHR	Charcoal (use w/SOG)	SDT	Stonedust
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry
FCL	First Class		

\*Coordinates w/CGY laminate

**HOW TO SPECIFY:****Example: SKWSRW2460****SK** - Office Spaces**WS** - Worksurface**RW** - Rectangular worksurface**24** - Depth**60** - Width**All worksurface options:****RW** - rectangular worksurface**RRT** - rectangular worksurface with radius on top right**RLT** - rectangular worksurface with radius on top left**RTL** - rectangular worksurface with radius on top right and top left**RTBL** - rectangular worksurface with radius at top right and bottom left**RBTL** - rectangular worksurface with radius at top left and bottom right**CT** - rectangular worksurface for conferencing**CR** - racetrack worksurface for right return**CL** - racetrack worksurface for left return**CW** - racetrack worksurface**DW** - D shaped worksurface**RR** - right rectangular return**RL** - left rectangular return**RBR** - rectangular return with radius at bottom right**RBL** - rectangular return with radius at bottom left**RTR** - rectangular return with radius at top right**RTL** - rectangular return with radius at top left**Material:****LP** - Low Pressure laminate, 1" thick**HP** - High Pressure laminate, 1-1/16" thick**Required specifications:**

- Laminate finish
- Edge finish
- Cut-out location (see diagrams)

**Example: SKWSFH2C18T24****SK** - Office Spaces**WS** - Worksurface Support**FH** - Fixed height legs**2C** - Two column**18T24** - For 18" to 24" deep surfaces*Other Options:***HA** - Height adjustable**3C** - Three column**30T36** - 30" to 36" deep surfaces**Required specifications:**

- Metal paint finish

A unique desking architecture addressing current and future private office trends in providing flexible footprints and a coordinating ecosystem of products.

A unique desking architecture addressing current and future private office trends in providing flexible footprints and a coordinating ecosystem of products.

Backboards with options for whiteboard, PET or laminate with or without shelves complement the combinations of low/high storage possibilities. Backboards are also available sized to fill the void between wall hung overheads and low storage. Shelves and overheads add practical storage solutions for personal belongings.

- Accessorize your surfaces and storage with whiteboards, wire management, desktop electrical and more.


- Primary and return work surfaces feature both square corners and ergonomic large radius corners.


PET modesty and privacy panels can emulate the curves of the surfaces they're applied to, providing privacy and mild sound absorption.

Column kits to support workspaces and returns in 2 or 3 legged applications.


Low storage and high storage options available. All storage to be supported by low storage legs or a storage undercarriage. Low storage with leg grommets for two or three column kits for desking integration.

Painted legs available in small kits for single wide units or large under carriage spans to house mixed low/high storage combinations.



**Worksurfaces**

**SKWSRW**  
Rectangular  
Worksurface




**SKWSRRT**  
Rectangular  
Worksurface with  
Radius on Top Right



**SKWSRTRL**  
Rectangular  
Worksurface with  
Radius on Top  
Right and Top Left




**SKWSRTBL**  
Rectangular  
Worksurface with  
Radius at Top Right  
and Bottom Left




**SKWSCT**  
Rectangular  
worksurface for  
conferencing




**SKWSCW**  
Racetrack  
Worksurface for  
conferencing



**SKWSDW**  
D Shaped Worksurface  
for conferencing

**Return Worksurfaces**

**SKWSRR**  
Right Rectangular  
Return




**SKWSRTR**  
Rectangular Return  
with Radius at Top Right




**SKWSRTL**  
Rectangular Return  
with Radius at Top Left




**SKWSCR**  
Racetrack worksurface  
for right return

**Fixed Height Column Kits**


**SKWSFH2C2**  
2 Column Kit




**SKWSFH3C**  
3 Column Kit




**SKWSHA2C**  
2 Column Kit




**SKWSHA3C**  
3 Column kit

**Support Channel**


**SKWSDC**  
Support Channel




**SKWSRDC**  
Return Support Channel Kit

**Modesty Panel**


**SKWABP**  
Modesty Panel




**SKWACML**  
Corner Modesty  
Panel - Left  
(Right Available)




**SKWARML**  
Curved Modesty  
Panel - Left  
(Right Available)

**Privacy Panel**

**SKWAPP**  
Privacy Panel



**SKWACPL**  
Corner Privacy  
Panel - Left  
(Right Available)



**SKWARPL**  
Curved Privacy  
Panel - Left  
(Right Available)

**Electrical**

**SCTAPE**  
Nik Edge/Clamp  
Mount Power  
Module




**SCTAPS**  
Nik In-Surface  
Power Module



**SCTAPB**  
Nik Below  
Surface Power  
Module



**SCTAPPB**  
Below Surface  
Power Bar



**SCTAPC**  
Below Surface  
Power Bar



**SCTACT**  
PET Felt Wire  
Manager



**SKWESCT**  
Storage Cable  
Tube



**SKSEPO**  
Storage Power  
Outlet

**Backboards**

**SKBB**  
Backboard



**SKBBR**  
Backboard - Right  
Radius Corner



**SKBBL**  
Backboard - Left  
Radius Corner



**SKBBC**  
Backboard - Radius  
Corners at Top




**SKBS**  
Backboard with  
Shelf




**SKBD**  
Backboard with  
Double Shelves




**SKBOS**  
Backboard below  
Overhead Storage

**Overheads**


**SKS00**  
Open Cubby Over-  
head



**SKS0H**  
Hinged Door Over-  
head



**SKS0L**  
Laminate Sliding  
Door Overhead




**SKS0G**  
Glass Sliding Door  
Overhead




# OFFICE SPACES - STATEMENT OF LINE

## Legs



### SKSLL


Low Storage Legs



### SKSLU


Storage Undercarriage

## Low Storage (legs / undercarriage required, specify separately)




### SKSLOS

Open Cubby with shelf




### SKSLFD

File Drawer




### SKSLBB

Box/Box Drawers




### SKSLHD

Hinged Doors




### SKSLCHLR

Hinged Door, Lateral File




### SKSLCHLL

Lateral File, Hinged door




### SKSLCHDR

Hinged Door, Box/Box Drawers




### SKSLCHDL

Box/Box Drawers, Hinged Door




### SKSLCOLR

Open Cubby, Lateral File




### SKSLCOLL

Lateral File, Open Cubby




### SKSLCODR

Open Cubby, Box/Box Drawers



### SKSLCODL

Box/Box Drawers, Open Cubby




### SKSLCFF

File/File Drawers


## Low Storage with Leg Grommets (legs / undercarriage required, specify separately)

(one leg grommet for use with two fixed or height adjustable column kits - primary workspace or conferencing top; two leg grommet for use with three fixed or height adjustable column kits - primary top + return)




### SKSLHDG

Hinged Doors with Leg Grommet




### SKSLCHOL

Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOR

Hinged Door with Leg Grommet, Open Cubby




### SKSLCHFR

Hinged Door with Leg Grommet, File Drawer




### SKSLCHFL

Hinged Door with Leg Grommet, File Drawer




### SKSLCHBR

Hinged Door with Leg Grommet, Box/Box Drawers




### SKSLCHBL

Box/Box Drawers, Hinged Door with Leg Grommet




### SKSLCHOFL

File Drawer, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOFR

Hinged Door with Leg Grommet, Open Cubby, File Drawer




### SKSLCHODL

Box/Box Drawer, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHODR

Hinged Door with Leg Grommet, Open Cubby, Box/Box Drawer




### SKSLCOHO

Open Cubby, Hinged Door with Leg Grommet, Open Cubby




### SKSLCHBFL

File Drawer, Box/Box Drawers, Hinged Door with Leg Grommet




### SKSLCHBFR

Hinged Door with Leg Grommet, Box/Box Drawers, File Drawer




### SKSLCHOBFL

File Drawer, Box/Box Drawers, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOBFR

Hinged Door with Leg Grommet, Open Cubby, Box/Box Drawers, File Drawer




### SKSLCHFH

Hinged Door with Leg Grommet, File Drawer, Hinged Door with Leg Grommet




### SKSLCHBH

Hinged Door with Leg Grommet, Box/Box Drawers, Hinged Door with Leg Grommet




### SKSLCHOH

Hinged Door with Leg Grommet, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHDG

Hinged Doors with Leg Grommet




### SKSLCHOFHL

Hinged Doors with Leg Grommet, File Drawer, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOFHR

Hinged Doors with Leg Grommet, Open Cubby, File Drawer, Hinged Door with Leg Grommet




### SKSLCHOBHL

Hinged Doors with Leg Grommet, Box/Box Drawers, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOBHR

Hinged Doors with Leg Grommet, Open Cubby, Box/Box Drawers, Hinged Door with Leg Grommet




### SKSLCHOBFL

Hinged Doors with Leg Grommet, File Drawer, Box/Box Drawers, Open Cubby, Hinged Door with Leg Grommet




### SKSLCHOBFHR

Hinged Doors with Leg Grommet, Open Cubby, Box/Box Drawers, File Drawer, Hinged Door with Leg Grommet



### SKSLCHBFL


Hinged Door with Leg Grommet, File Drawer, Box/Box Drawers, Hinged Door with Leg Grommet



### SKSLCHBFR

Hinged Door with Leg Grommet, Box/Box Drawers, File Drawer, Hinged Door with Leg Grommet


High Storage (legs / undercarriage required, specify separately)




**SKSHO**  
Open Cubby




**SKSHR**  
Hinged Door - Right




**SKSHL**  
Hinged Door - Left




**SKSHH**  
Hinged Door




**SKSHRF**  
Hinged Door - Right  
with File Drawer




**SKSHRL**  
Hinged Door - Left  
with File Drawer




**SKSHHF**  
Hinged Doors with  
File Drawer




**SKSHOF**  
Open Cubby with File  
Drawer




**SKSHOBF**  
Open Cubby with Box,  
File Drawer




**SKSHRBF**  
Hinged Door - Right  
with Box File Drawer




**SKSHLBF**  
Hinged Door - Left  
with Box File Drawer



**SKSHHBF**  
Hinged Doors - with  
Box File Drawer




**SKSHCSR**  
Sliding Door - Closed  
Shelves Right




**SKSHCSL**  
Sliding Door - Closed  
Shelves Left


Storage Accessories



**SKSAC**  
Low Storage Cushion



**SKSAGC**  
Base Ganging Clip



**SKWSFP**  
Flush Plate



**SKSADW**  
Magnetic Whiteboard

## HEIGHT ADJUSTABLE BASE SPECIFICATION

### Construction:

- Leg column size: 70mm
- Leg and foot materials: steel
- Glide adjustment range: 18mm
- Operation speed: 1.4 inches/sec (35mm/sec)
- Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

### Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

### Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs **N3** for three column:


- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs

- Voltage: 120V
- Temperatures: below 70°C.
- Color: Black
- Overload protection:
  - Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show.
  - Current limitations: single port not larger than 7A, total ports not larger than 15A.
- Type of plug: three prong
- Cord length: 1 meter

### Handset K50C:

- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification

## HEIGHT ADJUSTABLE TABLE ELEVATIONS



## POWER MODULE SPECIFICATION


Worksurfaces	Code/Location
SKWSRW	<b>NG</b> - No Grommet
SKWSRRT	<b>F1</b> - left position
SKWSRLT	<b>F2/C2</b> - center position
SKWSRTRL	<b>F3</b> - right position
SKWSRTBL	
SKWSRBTBL	
SKWSCR	
SKWSCL	

### Worksurface Grommet Options:

- **F1/F2/F3** - BG5. Available in White (**W**), Black (**B**) and Grey (**G**). Add **\$96**.


### Worksurface Power Module Options:

- Cut-outs for SCTAPsx modules available in center position only. Specify **C2**, add **\$96**.



### Worksurface Grommet Locations:

- Grommets available in standard workspace locations (left, center or right). Order as **F1, F2 or F3**. Add **\$96** for each cut-out.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.




Conference Tops	Code/Location
SKWSCT	<b>NG</b> - No Grommet
SKWSCW	<b>F1/C1</b> - left position
	<b>F2/C2/O2</b> - center position
	<b>F3/C3</b> - right position

### Conference Top Grommet Options:


- **F1/F2/F3** - BG5. Available in White (**W**), Black (**B**) and Grey (**G**).

### Conference Top Power Module Options:


- Cut-outs for SCTAPsx and SCTAOTx modules available, centered on depth in left, center and right locations. Order as **C1, C2 or C3**, add **\$96**.



- Cut-outs for SCTAPTx / SCTAPRx modules available, centered on depth in center position only. Order as **O2**, add **\$96**.



### Conference Top Grommet Locations:







POWER ACCESSORY CUT-OUT LOCATIONS


D-Top/Return	Code/Location
SKWSDW	<b>NG</b> - No Grommet
SKWSRR	<b>F2/C2</b> - center position. <b>Add \$96</b> for each cut-out.
SKWSRL	
SKWSRBR	
SKWSRBL	
SKWSRTR	
SKWSRTL	
SKWSCT	

D-Top Power Module Options:


- Cut-outs for SCTAPs<sub>x</sub> and SCTAOT<sub>x</sub> modules available in center position only. Specify **C2**, add **\$96**.




**D-Top Grommet Options:**  
**F2** - BG5. Available in White (**W**), Black (**B**) and Grey (**G**).




## WORKSURFACE RADIUS + GRAIN DIRECTION




## ELEVATIONS




Low storage with undercarriage




Low storage with leg grommet and fixed height leg




Low storage with 48" high storage on undercarriage




Low storage with 54" high storage on undercarriage



Low storage with 60" high storage on undercarriage with backboard






Low storage with 66" high storage on undercarriage with backboard



Low storage with 72" high storage on undercarriage with backboard


### Note - PET Felt:

- Varied asymmetrical pattern (**VE-V**) repeats every 15" in a combination of 1.5", 3", 4.5" and 6" sections between grooves.
- Equal symmetrical pattern (**VE-E**) is consistent 3" center to center of grooves.

**Modesty Panels - SKWABP, SKWACML/R, SKWARML/R****Backboard Radius Corners****Lateral File Drawers Capacity****Lateral File Drawer:**

36W &amp; 42W


Legal Filing - front to back

**Lateral File Drawer:**

36W &amp; 42W

Legal Filing - side to side

Letter Filing - front to back

**Lateral File Drawer:**


30W, 36W &amp; 42W

Letter Filing - front to back

**Lateral File Drawer:**


36W &amp; 42W

Letter &amp; Legal Filing - front to back

**Lateral File Drawer:**

30W, 36W &amp; 42W

Legal Filing - side to side



- Drawer file with plastic rail
- 30"W Size 9.44"H x 25.75"W x 16"L
- 36"W Size 9.44"H x 31.75"W x 16"L
- 42"W Size 9.44"H x 37.75"W x 16"L

**Pedestal Drawers Capacity****Box Drawer:**

15.5W

Legal Filing - side to side

**File Drawer:**

15.5W

Letter Filing - front to back

**File Drawer:**

15.5W

Legal Filing - side to side



- 18"D Drawer Box Size 3.93"H x 13"W x 16"L
- 20.23.24.29.30.36"D Drawer Box Size 3.93"H x 13"W x 20"L



- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L



## BASIC WORKSTATION

Office Spaces planning begins with the credenza, the storage undercarriage, the worksurface, the required support channels and the leg column kit type. The examples below feature fixed height leg column kits and all surface types in a right handed configuration, but any can be specified with height adjustable leg column kits and/or the opposite handedness.



To support surfaces, specify the required leg column kit, the low storage with leg grommet and support channel bars for primary surfaces (single bar up to 66", two required for 72" and above) and a return support kit for return surfaces. Primary worksurfaces cannot rest directly on the low storage or as a freestanding table desk.



Specification:  
 SKWSRW3072, SKSLCHOEDR2072,  
 SKSLU2072,  
 SKWSFH2C30T36,  
 2 x SKWSDC72  
 Rectangular surfaces can be used  
 with a credenza on the left or right.





Specification:  
 SKWSRTL3072, SKSLCHOEDR2072,  
 SKSLU2072,  
 SKWSFH2C30T36,  
 2 x SKWSDC72  
 Surfaces with curves at upper left/  
 right can be used with left or right  
 handed credenzas (right shown).





Specification:  
 SKWSCR3072, SKSLCHOEDR2072,  
 SKSLU2072, SKWSFH2C30T36,  
 2 x SKWSDC72  
 Racetrack surfaces can be  
 specified for use with left or right  
 handed credenzas (right shown).

## BASIC WORKSTATIONS



Specification:  
SKWSRLT3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72

Surfaces with the curve at the upper left are used with credenza on the right (as shown). Opposite hand available.





Specification:  
SKWSRTBL3072,  
SKSLCHOEDR2072, SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72

Surfaces with curves at opposite sides can be used with left or right handed credenzas (right shown).



## L-DESK SURFACES

To specify an "L" shaped configuration with Office Spaces, a credenza with two leg grommet, a three column fixed or height adjustable kit, two support channels and a return support channel kit are needed. The examples below feature fixed height column kits, a basic rectangular primary worksurface with various return shapes available.



They can also be specified with height adjustable column kits and/or opposite handedness. The primary surface can be specified as any shape as shown on the previous page. To support surfaces, credenzas must be specified with two leg grommets. Surfaces cannot rest on the credenza.



Specification:  
SKWSRW2472,  
SKWSRR1860,  
SKSLCH0BHR2084,  
SKSLU2084,  
SKWSFH3C18T24,  
2 x SKWSDC72,  
SKWSRDC60





Specification:  
SKWSRW2472,  
SKWSRR1860,  
SKSLCH0BHR2084,  
SKSLU2084,  
SKWSFH3C18T24,  
2 x SKWSDC72,  
SKWSRDC60





Specification:  
SKWSRW2472,  
SKWSRR1860,  
SKSLCH0BHR2084,  
SKSLU2084,  
SKWSFH3C18T24,  
2 x SKWSDC72,  
SKWSRDC60

**SHARED OFFICE/CONFERENCE**



Shared spaces can be accomplished by using center grommet credenzas with Office Spaces conferencing surfaces. Conferencing surfaces are designed for use with two column kits only, fixed or height adjustable. They are not intended to be connected to returns.



Specification:  
 SKWSCT3696,  
 SKSLCHDG2084,  
 SKSLU2084,  
 SKWSFH2C30T36,  
 2 x SKWSDC84



Specification:  
 SKWSDW3696,  
 SKSLCHDG2084,  
 SKSLU2084,  
 SKWSFH2C30T36,  
 2 x SKWSDC84




Specification:  
 SKWSCW3696,  
 SKSLCHDG2084,  
 SKSLU2084,  
 SKWSFH2C30T36,  
 2 x SKWSDC84




## STORAGE

SKSLL Storage Legs for single units.



SKSLU20 Storage Undercarriage



\*Freestanding Storage 24 or 30\" w use SKSLL.  
Cannot be used for high storage.




\*Freestanding Storage 36\" w or greater use SKSLU20xx



\*Combining low and high storage is possible over a single undercarriage.  
No more than one low storage unit and one high storage can be combined  
on a single undercarriage.


18\" wide high storage can only be used in conjunction with low storage  
36\" wide or greater.

NOTE: All storage units have a recessed back of 1.29\"



### Flush Plate Detail

Flush plates (SKWSFP) are required when combining low and high  
storage over a single undercarriage.



### Ganging Clip Detail


A base ganging clip (SKSAGC) is recommended when positioning two  
separate undercarriage pieces side by side. The half-pill shaped legs  
align to form an oval column to emulate the curves seen through the  
Spaces Collection.

**BACKBOARDS + OVERHEADS**


Backboards add a decorative finished element to the space and with optional shelving or when used with overheads add personal storage options; they are wall mounted. Backboards include rails for mounting; hardware to fix to the wall is not included.

Backboards are intended to be mounted with bottom flush to the top of 20" low storage and aligned to the top of high storage.

Backboards are available in laminate (**LP**), dry erase whiteboard (**DE**), PET felt (**PT**), and patterned PET felt (**VE**).




Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBS5272VE-V




Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBS5272VE-V


**Note:** when using backboard with two shelves, for use with fixed height column kits only




Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBBL5272VE-V



Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBOS5272VE-V,  
2 x SKSOH1436



Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBBR5272VE-V





Specification:  
SKWSRW3072,  
SKSLCHOEDR2072,  
SKSLU2072,  
SKWSFH2C30T36,  
2 x SKWSDC72,  
SKBBC5272VE-V

- ⚠ Desk Height Must be limited
- ★ Desk Range Meets BIFMA Recommended Max Height



Double Shelf

Single Shelf

78"  
Top Datum




72"  
Top Datum




66"  
Top Datum

N/A




60"  
Top Datum

N/A




## Overhead


**78"**  
**Top Datum**




**72"**  
**Top Datum**



**66"**  
**Top Datum**




**60"**  
**Top Datum**




## MODESTY + PRIVACY PANELS


Modesty and privacy panels can be added to rectangular or curved surfaces.



Specification:  
 SKWSRW3072,  
 SKSLCHOEDR2072,  
 SKSLU2072,  
 SKWSFH2C30T36,  
 2 x SKWSDC72,  
 SKWABP1172 (flush)




Specification:  
 SKWSRW3072,  
 SKWSRR1836,  
 SKSLCHBH3066,  
 SKSH07218,  
 SKSLU2084,  
 SKWSFH3C30T36,  
 2 x SKWSDC72,  
 SKWACML1172D30




Specification:  
 SKWSRTRL3072,  
 SKWSRR1836,  
 SKSLCHBH3066,  
 SKSH07218,  
 SKSLU2072,  
 SKWSFH3C30T36,  
 2 x SKWSDC72,  
 SKWARM1172D30


## MODESTY + PRIVACY PANELS

Specification:

SKWSRW3072,  
 SKSLCHOEDR2072,  
 SKSLU2072,  
 SKWSFH2C30T36,  
 2 x SKWSDC72,  
 SKWAPP2372

Specification:





SKWSRW3072,  
 SKWSRR1836,  
 SKSLCHBH3066,  
 SKSH07218,  
 SKSLU2084,  
 SKWSFH3C30T36,  
 2 x SKWSDC72,  
 SKWACPL2372D30

Specification:


SKWSRTRL3072,  
 SKWSRR1836,  
 SKSLCHBH3066,  
 SKSH07218,  
 SKSLU2072,  
 SKWSFH3C30T36,  
 2 x SKWSDC72,  
 SKWARPL2372D30

## ACCESSORIES




Leg grommets feature a large opening for the fixed height or height adjustable column (specified separately).  
A second smaller diameter opening (1.8") allows for use of either **SKWESCT** - storage cable tube or **SKSEPO** - storage power outlet.



SKSADW Magnetic Whiteboard  
(specify separately, installed on site)



PET felt leg cover inside the low storage,  
standard within the credenza where any leg  
grommet is present.

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Rectangular Worksurface</b></p>	D x W x H						
	SKWSRW2460	24 x 60 x 1	60	44.3	0.83	<b>\$466</b>	<b>\$175</b>
	SKWSRW2466	24 x 66 x 1	60	48.71	0.92	<b>\$508</b>	<b>\$193</b>
	SKWSRW2472	24 x 72 x 1	60	53.11	1	<b>\$551</b>	<b>\$210</b>
	SKWSRW2478	24 x 78 x 1	60	57.51	1.08	<b>\$593</b>	<b>\$228</b>
	SKWSRW2484	24 x 84 x 1	60	61.92	1.17	<b>\$635</b>	<b>\$245</b>
	SKWSRW3060	30 x 60 x 1	60	55.24	1.04	<b>\$558</b>	<b>\$219</b>
	SKWSRW3066	30 x 66 x 1	60	60.75	1.15	<b>\$608</b>	<b>\$241</b>
	SKWSRW3072	30 x 72 x 1	60	66.23	1.25	<b>\$659</b>	<b>\$263</b>
	SKWSRW3078	30 x 78 x 1	60	71.74	1.35	<b>\$710</b>	<b>\$285</b>
	SKWSRW3084	30 x 84 x 1	60	77.22	1.46	<b>\$760</b>	<b>\$307</b>
Rectangular primary surface to be used with fixed height or height adjustable column kit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.							
 <p><b>Rectangular Worksurface, Radius Top Right</b></p>	SKWSRRT2460	24 x 60 x 1	60	44.86	0.83	<b>\$493</b>	<b>\$188</b>
	SKWSRRT2466	24 x 66 x 1	60	49.31	0.92	<b>\$539</b>	<b>\$207</b>
	SKWSRRT2472	24 x 72 x 1	60	53.77	1	<b>\$584</b>	<b>\$225</b>
	SKWSRRT2478	24 x 78 x 1	60	58.21	1.08	<b>\$629</b>	<b>\$244</b>
	SKWSRRT2484	24 x 84 x 1	60	62.66	1.17	<b>\$674</b>	<b>\$263</b>
	SKWSRRT3060	30 x 60 x 1	60	55.85	1.04	<b>\$589</b>	<b>\$235</b>
	SKWSRRT3066	30 x 66 x 1	60	61.4	1.15	<b>\$643</b>	<b>\$258</b>
	SKWSRRT3072	30 x 72 x 1	60	66.92	1.25	<b>\$697</b>	<b>\$281</b>
	SKWSRRT3078	30 x 78 x 1	60	72.46	1.35	<b>\$751</b>	<b>\$305</b>
	SKWSRRT3084	30 x 84 x 1	60	78.01	1.46	<b>\$804</b>	<b>\$328</b>
Primary surface with curve at the top right to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.							
• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface							
 <p><b>Rectangular Worksurface, Radius Top Left</b></p>	SKWSRLT2460	24 x 60 x 1	60	44.86	0.83	<b>\$493</b>	<b>\$188</b>
	SKWSRLT2466	24 x 66 x 1	60	49.31	0.92	<b>\$539</b>	<b>\$207</b>
	SKWSRLT2472	24 x 72 x 1	60	53.77	1	<b>\$584</b>	<b>\$225</b>
	SKWSRLT2478	24 x 78 x 1	60	58.21	1.08	<b>\$629</b>	<b>\$244</b>
	SKWSRLT2484	24 x 84 x 1	60	62.66	1.17	<b>\$674</b>	<b>\$263</b>
	SKWSRLT3060	30 x 60 x 1	60	55.85	1.04	<b>\$589</b>	<b>\$235</b>
	SKWSRLT3066	30 x 66 x 1	60	61.4	1.15	<b>\$643</b>	<b>\$258</b>
	SKWSRLT3072	30 x 72 x 1	60	66.92	1.25	<b>\$697</b>	<b>\$281</b>
	SKWSRLT3078	30 x 78 x 1	60	72.46	1.35	<b>\$751</b>	<b>\$305</b>
	SKWSRLT3084	30 x 84 x 1	60	78.01	1.46	<b>\$804</b>	<b>\$328</b>
Primary surface with curve at the top left to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.							
• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface							

**Required specifications**

Laminate finish  
Edge finish

**Optional specifications**




HP laminate  
Grommet (and grommet finish)  
Power module cut-out

**Accessories**

PET felt modesty panel, privacy panel,  
Nik power modules,  
PET felt wire manager









WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	SKWSRTRL2460	24 x 60 x 1	60	44.84	0.83	\$493	\$188
	SKWSRTRL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRTRL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
	SKWSRTRL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRTRL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRTRL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRTRL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRTRL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRTRL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRTRL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328
	SKWSRTBL2460	24 x 60 x 1	60	44.83	0.83	\$526	\$188
	SKWSRTBL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRTBL2472	24 x 72 x 1	60	53.74	1	\$622	\$225
	SKWSRTBL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRTBL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRTBL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRTBL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRTBL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRTBL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRTBL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328
	SKWSRBTL2460	24 x 60 x 1	60	44.83	0.83	\$493	\$188
	SKWSRBTL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRBTL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
	SKWSRBTL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRBTL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRBTL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRBTL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRBTL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRBTL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRBTL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328
<p>Primary surface with curve at the top corners to be used with fixed height or height adjustable column kit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above..</p> <ul style="list-style-type: none"><li>• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface</li></ul>							
<p>Primary surface with curve at the top right and bottom left to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.</p> <ul style="list-style-type: none"><li>• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface</li></ul>							
<p>Primary surface with curve at the top left and bottom right to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.</p> <ul style="list-style-type: none"><li>• 12" radius on 24" deep surfaces; 15" radius on 30" deep surface</li></ul>							

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
Laminate finish	HP laminate	PET felt modesty panel, privacy panel,
Edge finish	Grommet (and grommet finish)	Nik power modules,
	Power module cut-out	PET felt wire manager



WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	SKWSCR3072	30 x 72 x 1	60	66.83	1.25	\$691	\$281
	SKWSCR3078	30 x 78 x 1	60	72.37	1.35	\$744	\$305
	SKWSCR3084	30 x 84 x 1	60	77.92	1.46	\$798	\$328
	SKWSCR3090	30 x 90 x 1	60	83.46	1.56	\$852	\$351
	SKWSCR3096	30 x 96 x 1	60	88.98	1.67	\$906	\$375
	SKWSCR3672	36 x 72 x 1	60	79.98	1.5	\$803	\$337
	SKWSCR3678	36 x 78 x 1	60	86.61	1.63	\$865	\$365
	SKWSCR3684	36 x 84 x 1	60	93.25	1.75	\$928	\$393
	SKWSCR3690	36 x 90 x 1	60	99.87	1.88	\$990	\$421
	SKWSCR3696	36 x 96 x 1	60	106.49	2	\$1052	\$449
Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.							
<ul style="list-style-type: none"><li>• When specifying 90" and 96" surfaces, use 84" support channels.</li><li>• 15" radius on 30" deep surface</li></ul>							
	SKWSCL3072	30 x 72 x 1	60	66.83	1.25	\$691	\$281
	SKWSCL3078	30 x 78 x 1	60	72.37	1.35	\$744	\$305
	SKWSCL3084	30 x 84 x 1	60	77.92	1.46	\$798	\$328
	SKWSCL3090	30 x 90 x 1	60	83.46	1.56	\$852	\$351
	SKWSCL3096	30 x 96 x 1	60	88.98	1.67	\$906	\$375
	SKWSCL3672	36 x 72 x 1	60	79.98	1.5	\$803	\$337
	SKWSCL3678	36 x 78 x 1	60	86.61	1.63	\$865	\$365
	SKWSCL3684	36 x 84 x 1	60	93.25	1.75	\$928	\$393
	SKWSCL3690	36 x 90 x 1	60	99.87	1.88	\$990	\$421
	SKWSCL3696	36 x 96 x 1	60	106.49	2	\$1052	\$449
Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above..							
<ul style="list-style-type: none"><li>• When specifying 90" and 96" surfaces, use 84" support channels.</li><li>• 15" radius on 30" deep surface</li></ul>							
	SKWSRR1836	18 x 36 x 1	60	20.08	0.38	\$237	\$78
	SKWSRR1842	18 x 42 x 1	60	23.41	0.44	\$271	\$92
	SKWSRR1848	18 x 48 x 1	60	26.71	0.5	\$305	\$105
	SKWSRR1854	18 x 54 x 1	60	30.04	0.56	\$340	\$118
	SKWSRR1860	18 x 60 x 1	60	33.34	0.63	\$374	\$131
	SKWSRR1866	18 x 66 x 1	60	36.66	0.69	\$408	\$144
Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).							
	SKWSRL1836	18 x 36 x 1	60	20.09	0.38	\$237	\$78
	SKWSRL1842	18 x 42 x 1	60	23.41	0.44	\$271	\$92
	SKWSRL1848	18 x 48 x 1	60	26.71	0.5	\$305	\$105
	SKWSRL1854	18 x 54 x 1	60	30.04	0.56	\$340	\$118
	SKWSRL1860	18 x 60 x 1	60	33.34	0.63	\$374	\$131
	SKWSRL1866	18 x 66 x 1	60	36.66	0.69	\$408	\$144
Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).							

Required specifications

Laminate finish  
Edge finish

Optional specifications






HP laminate  
Grommet (and grommet finish)  
Power module cut-out

Accessories

PET felt modesty panel, privacy panel,  
Nik power modules,  
PET felt wire manager







WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	SKWSRBR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRBR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRBR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRBR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRBR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	SKWSRBL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRBL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRBL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRBL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRBL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	SKWSRTR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRTR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRTR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRTR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRTR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	SKWSRTL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRTL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRTL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRTL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRTL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	SKWSCT3072	30 x 72 x 1	60	66.23	1.25	\$659	\$263
	SKWSCT3078	30 x 78 x 1	60	71.74	1.35	\$710	\$285
	SKWSCT3084	30 x 84 x 1	60	77.22	1.46	\$760	\$307
	SKWSCT3090	30 x 90 x 1	60	82.72	1.56	\$811	\$329
	SKWSCT3096	30 x 96 x 1	60	88.23	1.67	\$862	\$351
	SKWSCT3672	36 x 72 x 1	60	79.37	1.5	\$767	\$316
	SKWSCT3678	36 x 78 x 1	60	85.96	1.63	\$826	\$342
	SKWSCT3684	36 x 84 x 1	60	92.54	1.75	\$885	\$369
	SKWSCT3690	36 x 90 x 1	60	99.12	1.88	\$944	\$395
	SKWSCT3696	36 x 96 x 1	60	105.71	2	\$1003	\$421
	Rectangular surface to be used for conferencing application that is semi-supported. Not for use with a return or a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above. • When specifying 90" and 96" surfaces, use 84" support channels.						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
Laminate finish Edge finish	HP laminate Grommet (and grommet finish) Power module cut-out	PET felt modesty panel, privacy panel, Nik power modules, PET felt wire manager



WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	SKWSCW3072	30 x 72 x 1	60	66.78	1.25	\$691	\$281
	SKWSCW3078	30 x 78 x 1	60	72.41	1.35	\$744	\$305
	SKWSCW3084	30 x 84 x 1	60	77.95	1.46	\$798	\$328
	SKWSCW3090	30 x 90 x 1	60	83.5	1.56	\$852	\$351
	SKWSCW3096	30 x 96 x 1	60	89.02	1.67	\$906	\$375
	SKWSCW3672	36 x 72 x 1	60	80.03	1.5	\$803	\$337
	SKWSCW3678	36 x 78 x 1	60	86.65	1.63	\$865	\$365
	SKWSCW3684	36 x 84 x 1	60	93.29	1.75	\$928	\$393
	SKWSCW3690	36 x 90 x 1	60	99.92	1.88	\$990	\$421
	SKWSCW3696	36 x 96 x 1	60	106.54	2	\$1052	\$449
	Racetrack surface to be used for conferencing application that is semi-supported. Not for use with a return or as a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel. For standard leg application, 72" to 84" long surfaces require 2 support channels.						
	• When specifying 90" and 96" surfaces, use 84" support channels.						
	SKWSDW3072	30 x 72 x 1	60	66.87	1.25	\$691	\$281
	SKWSDW3078	30 x 78 x 1	60	72.41	1.35	\$744	\$305
	SKWSDW3084	30 x 84 x 1	60	77.87	1.46	\$798	\$328
	SKWSDW3090	30 x 90 x 1	60	83.41	1.56	\$852	\$351
	SKWSDW3096	30 x 96 x 1	60	88.93	1.67	\$906	\$375
	SKWSDW3672	36 x 72 x 1	60	79.92	1.5	\$803	\$337
	SKWSDW3678	36 x 78 x 1	60	86.55	1.63	\$865	\$365
	SKWSDW3684	36 x 84 x 1	60	93.19	1.75	\$928	\$393
	SKWSDW3690	36 x 90 x 1	60	99.81	1.88	\$990	\$421
	SKWSDW3696	36 x 96 x 1	60	106.43	2	\$1052	\$449
	Primary D shape surface to be used for conferencing application that is semi-supported. Not for use with a return or as a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel. For standard leg application, 72" to 84" long surfaces require 2 support channels.						
	• When specifying 90" and 96" surfaces, use 84" support channels.						

Required specifications

Laminate finish  
Edge finish

Optional specifications


HP laminate  
Grommet (and grommet finish)  
Power module cut-out

Accessories

Nik power modules  
PET felt wire manager




WORKSURFACE SUPPORTS




surface not included

Fixed Height 2 Column Kit




surface not included

Fixed Height 3 Column Kit



surface not included

Height Adjustable 2 Column Kit



surface not included

Height Adjustable 3 Column Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
SKWSFH2C18T24	6 x 20 x 28	150	81.31	15.4	<b>\$1172</b>
SKWSFH2C30T36	6 x 20 x 28	150	81.31	15.4	<b>\$1187</b>

For use with Office Spaces low storage units with a leg grommet. Kit includes two fixed height columns, one foot, one column basket, two leg brackets and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH2C18T24
- For 30" and 36" deep worksurfaces, specify SKWSFH2C30T36

SKWSFH3C18T24	6 x 20 x 28	250	81.31	25.4	<b>\$1544</b>
SKWSFH3C30T36	6 x 20 x 28	250	81.31	25.4	<b>\$1719</b>

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Kit includes three fixed height columns, one foot, two column basket, three leg brackets and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH3C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSFH3C30T36.

SKWSHA2C18T24	6 x 20 x 25-51.2	150	81.31	15.38	<b>\$2411</b>
SKWSHA2C30T36	6 x 20 x 25-51.2	150	81.31	15.38	<b>\$2423</b>

For use with Office Spaces low storage units with a leg grommet. Range from top of surface to floor is 26" to 52.2". Kit includes two height adjustable columns, one control box (2 port), one handset, one foot, one spacer, one column basket and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.





- For 18" and 24" deep worksurfaces, specify SKWSHA2C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA2C30T36.

SKWSHA3C18T24	6 x 20 x 25-51.2	250	81.31	25.4	<b>\$3504</b>
SKWSHA3C30T36	6 x 20 x 25-51.2	250	81.31	25.4	<b>\$3522</b>

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Range from top of surface to floor is 26" to 52.2". Kit includes three height adjustable columns, one control box (3 port), one handset, one foot, one spacer, two column basket, one small column bracket for the return surface and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSHA3C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA3C30T36.

**Required specifications**  
Paint finish

WORKSURFACE SUPPORTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Support Channel</b></p>		<b>D x W x H</b>				
	SKWSDC66	2 x 36 x 1.75	85	20	1.5	<b>\$80</b>
	SKWSDC72	2 x 42 x 1.75	85	20	1.5	<b>\$96</b>
	SKWSDC78	2 x 48 x 1.75	85	20	1.5	<b>\$102</b>
	SKWSDC84	2 x 54 x 1.75	85	20	1.5	<b>\$111</b>
Used to support the primary surface. Specify two channels for each primary surface. Support channels are specified by the surface length. Available in Black (BLK) only.						
 <p><b>Return Support Channel Kit</b></p>	SKWSRDC36	8.5 x 18 x 1.75	70	20	1.5	<b>\$126</b>
	SKWSRDC42	8.5 x 24 x 1.75	85	20	1.5	<b>\$136</b>
	SKWSRDC48	8.5 x 30 x 1.75	85	20	1.5	<b>\$145</b>
	SKWSRDC54	8.5 x 36 x 1.75	85	20	1.5	<b>\$153</b>
	SKWSRDC60	8.5 x 42 x 1.75	85	20	1.5	<b>\$168</b>
	SKWSRDC66	8.5 x 48 x 1.75	85	20	1.5	<b>\$175</b>
Supports a return in an L-shaped configuration. Kit includes the channel and the support bracket. Support channels are specified by the surface length. Available in Black (BLK) only.						
PRIMARY WORKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Privacy Panel*</b></p>	SKWAPP2360	4.75 x 57 x 23	400	3.03	3.6	<b>\$172</b>
	SKWAPP2366	4.75 x 63 x 23	400	3.18	3.98	<b>\$182</b>
	SKWAPP2372	4.75 x 69 x 23	400	3.37	4.36	<b>\$192</b>
	SKWAPP2378	4.75 x 75 x 23	400	3.55	4.74	<b>\$201</b>
	SKWAPP2384	4.75 x 81 x 23	400	3.73	5.12	<b>\$211</b>
Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. Specify the privacy panel that matches the nominal surface length. The privacy panel extends past the surface by 0.45". Installed panel measures 13" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.						
• Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L						
 <p><b>Modesty Panel*</b></p>	SKWABP1160	4.75 x 57 x 10	300	2.53	1.72	<b>\$140</b>
	SKWABP1166	4.75 x 63 x 10	300	2.68	1.9	<b>\$144</b>
	SKWABP1172	4.75 x 69 x 10	300	2.87	2.09	<b>\$148</b>
	SKWABP1178	4.75 x 75 x 10	300	3.05	2.27	<b>\$153</b>
	SKWABP1184	4.75 x 81 x 10	300	3.23	2.45	<b>\$157</b>
Felt modesty panel can be mounted flush (upper bracket location) or inset (low bracket location). Specify the modesty panel that matches the nominal surface length. The modesty panel is inset by 0.45" when installed in the low bracket position and flush in the upper bracket position. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.						
• Cannot be used in conjunction with privacy panel - SKWAPP/SKWACPR/L/SKWAPR/L						


**Required specifications**

Paint finish\*


PET felt finish\*



PRIMARY WORKSURFACE ACCESSORIES



Corner Privacy Panel, Left



Corner Privacy Panel, Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKWACPL2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$265
SKWACPL2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$275
SKWACPL2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$284
SKWACPL2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$294
SKWACPL2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$304
SKWACPL3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$284
SKWACPL3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$294
SKWACPL3172D24	4.75 x 47.8 x 30	300	6.76	3.94	\$303
SKWACPL3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$313
SKWACPL3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$323
SKWACPL2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$287
SKWACPL2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$297
SKWACPL2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$306
SKWACPL2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$316
SKWACPL2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$326
SKWACPL3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$306
SKWACPL3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$316
SKWACPL3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$325
SKWACPL3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$335
SKWACPL3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$345

Felt privacy panel secures to the edge of the surface (SKWSRW) and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface. Specify the privacy panel that matches the nominal surface length and depth. 23" high dividers measure 13" from the top of the worksurface and 9" below the surface. 31" high dividers measure 21" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L



SKWACPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$265
SKWACPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$275
SKWACPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$284
SKWACPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$294
SKWACPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$304
SKWACPR3160D24	4.75 x 35.8 x 30	250	4.69	2.26	\$284
SKWACPR3166D24	4.75 x 41.8 x 30	300	5.06	2.64	\$294
SKWACPR3172D24	4.75 x 47.8 x 30	300	5.44	3.02	\$303
SKWACPR3178D24	4.75 x 53.8 x 30	300	5.81	3.4	\$313
SKWACPR3184D24	4.75 x 59.8 x 30	300	6.18	3.78	\$323
SKWACPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$287
SKWACPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$297
SKWACPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$306
SKWACPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$316
SKWACPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$326
SKWACPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$306
SKWACPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$316
SKWACPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$325
SKWACPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$335
SKWACPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$345

Felt privacy panel secures to the edge of the surface (SKWSRW) and provides privacy above and below the surface. It wraps around the corner on the right side of the primary surface. Specify the privacy panel that matches the nominal surface length and depth. 23" high dividers measure 13" from the top of the worksurface and 9" below the surface. 31" high dividers measure 21" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L

**Required specifications**  
PET felt color  
Paint finish



PRIMARY WORKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Corner Modesty Panel, Left</b>		D x W x H				
	SKWACML1160D24	4.75 x 35.8 x 10	250	3.12	0.98	<b>\$150</b>
	SKWACML1166D24	4.75 x 41.8 x 10	250	3.3	1.15	<b>\$156</b>
	SKWACML1172D24	4.75 x 47.8 x 10	250	3.47	1.31	<b>\$160</b>
	SKWACML1178D24	4.75 x 53.8 x 10	250	3.65	1.48	<b>\$165</b>
	SKWACML1184D24	4.75 x 59.8 x 10	250	3.83	1.64	<b>\$171</b>
	SKWACML1160D30	4.75 x 35.8 x 10	250	3.12	0.98	<b>\$160</b>
	SKWACML1166D30	4.75 x 41.8 x 10	250	3.3	1.15	<b>\$165</b>
	SKWACML1172D30	4.75 x 47.8 x 10	250	3.47	1.31	<b>\$169</b>
	SKWACML1178D30	4.75 x 53.8 x 10	250	3.65	1.48	<b>\$175</b>
	SKWACML1184D30	4.75 x 59.8 x 10	250	3.83	1.64	<b>\$179</b>
	Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the left side of the primary surface (SKWSRW). Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.					
	• Cannot be used in conjunction with privacy panels (SKWAPP/SKWACPR/L/SKWAPR/L)					
 <b>Corner Modesty Panel, Right</b>	SKWACMR1160D24	4.75 x 35.8 x 10	250	3.12	0.98	<b>\$150</b>
	SKWACMR1166D24	4.75 x 41.8 x 10	250	3.3	1.15	<b>\$156</b>
	SKWACMR1172D24	4.75 x 47.8 x 10	250	3.47	1.31	<b>\$160</b>
	SKWACMR1178D24	4.75 x 53.8 x 10	250	3.65	1.48	<b>\$165</b>
	SKWACMR1184D24	4.75 x 59.8 x 10	250	3.65	1.48	<b>\$171</b>
	SKWACMR1160D30	4.75 x 35.8 x 10	250	3.12	0.98	<b>\$160</b>
	SKWACMR1166D30	4.75 x 41.8 x 10	250	3.3	1.15	<b>\$165</b>
	SKWACMR1172D30	4.75 x 47.8 x 10	250	3.47	1.31	<b>\$169</b>
	SKWACMR1178D30	4.75 x 53.8 x 10	250	3.65	1.48	<b>\$175</b>
	SKWACMR1184D30	4.75 x 59.8 x 10	250	3.65	1.48	<b>\$179</b>
	Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the right side of the primary surface (SKWSRW). Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.					
	• Cannot be used in conjunction with privacy panels (SKWAPP/SKWACPR/L/SKWAPR/L)					


Required specifications

PET felt color  
Paint finish






WORKSURFACE ACCESSORIES



Curved Privacy Panel, Left



Curved Privacy Panel, Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKWARPL2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$300
SKWARPL2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$310
SKWARPL2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$319
SKWARPL2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$329
SKWARPL2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$339
SKWARPL3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$319
SKWARPL3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$329
SKWARPL3172D24	4.75 x 47.8 x 30	300	6.26	3.45	\$338
SKWARPL3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$348
SKWARPL3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$358
SKWARPL2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$322
SKWARPL2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$332
SKWARPL2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$341
SKWARPL2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$351
SKWARPL2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$361
SKWARPL3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$341
SKWARPL3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$351
SKWARPL3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$359
SKWARPL3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$370
SKWARPL3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$380

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)



SKWARPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$300
SKWARPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$310
SKWARPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$319
SKWARPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$329
SKWARPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$339
SKWARPR3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$319
SKWARPR3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$329
SKWARPR3172D24	4.75 x 47.8 x 30	300	6.76	3.94	\$338
SKWARPR3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$348
SKWARPR3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$358
SKWARPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$322
SKWARPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$332
SKWARPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$341
SKWARPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$351
SKWARPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$361
SKWARPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$341
SKWARPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$351
SKWARPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$359
SKWARPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$370
SKWARPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$380

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)

**Required specifications**  
PET felt color  
Paint finish








WORKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	SKWARML1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$168
	SKWARML1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$173
	SKWARML1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$178
	SKWARML1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$182
	SKWARML1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$188
	SKWARML1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$178
	SKWARML1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$182
	SKWARML1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$187
	SKWARML1178D30	4.75 x 53.8 x 10	250	3.47	1.31	\$192
	SKWARML1184D30	4.75 x 59.8 x 10	250	3.83	1.64	\$197
						
	SKWARMR1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$168
	SKWARMR1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$173
	SKWARMR1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$178
	SKWARMR1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$182
	SKWARMR1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$188
	SKWARMR1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$178
	SKWARMR1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$182
	SKWARMR1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$187
	SKWARMR1178D30	4.75 x 53.8 x 10	250	3.65	1.48	\$192
	SKWARMR1184D30	4.75 x 59.8 x 10	250	3.83	1.64	\$181
<p>Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.</p> <ul style="list-style-type: none"><li>• Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWAPR/L)</li></ul>						
<p>Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.</p> <ul style="list-style-type: none"><li>• Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWAPR/L)</li></ul>						





Required specifications

PET felt color  
Paint finish



POWER ACCESSORIES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Nik Edge/Clamp Mount Power Module</b>			D x W x H				
		SCTAPEA	2.10 x 6 x 3.7	60	4	0.03	<b>\$608</b>
		SCTAPEB	2.10 x 6 x 3.7	60	4	0.03	<b>\$578</b>
		SCTAPEC	2.10 x 6 x 3.7	60	4	0.03	<b>\$671</b>
		SCTAPED	2.10 x 6 x 3.7	60	4	0.03	<b>\$795</b>
		SCTAPEE	2.10 x 6 x 3.7	60	4	0.03	<b>\$593</b>
		Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following: <ul style="list-style-type: none"><li>• A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• B = 2 AC</li><li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li><li>• E = 3 AC</li></ul>					
 <b>Nik In-Surface Power Module</b>		SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	<b>\$681</b>
		SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	<b>\$849</b>
		SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	<b>\$598</b>
		Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following: <ul style="list-style-type: none"><li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li><li>• E = 3 AC</li></ul>					
 <b>Nik Below Surface Power Module</b>		SCTAPBA	2.10 x 6 x 3.7	60	4	0.03	<b>\$474</b>
		SCTAPBB	2.10 x 6 x 3.7	60	4	0.03	<b>\$430</b>
		SCTAPBC	2.10 x 6 x 3.7	60	4	0.03	<b>\$504</b>
		SCTAPBD	2.10 x 6 x 3.7	60	4	0.03	<b>\$622</b>
		SCTAPBE	2.10 x 6 x 3.7	60	4	0.03	<b>\$440</b>
		Black with black receptacles, 10ft cord. Undermounts at the edge of any worksurface. Specify configuration, last letter of the code represents the following: <ul style="list-style-type: none"><li>• A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• B = 2 AC</li><li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li><li>• E = 3 AC</li></ul>					
 SCTAPPBS		SCTAPPBS	1.95 x 21 x 1.95	60	2.7	0.06	<b>\$366</b>
		SCTAPPBD	4 x 10.6 x 2.3	60	2.7	0.06	<b>\$898</b>
 SCTAPPBD							
<b>Below Surface Power Bar</b>		Available in black only. 10ft cord. <ul style="list-style-type: none"><li>• Single (SCTAPPBS) includes 8 outlets on a single side</li><li>• Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.</li></ul>					



POWER ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Below Surface Power Bar</b>		D x W x H				
	SCTAPCA	4 x 10.6 x 3.7	60	6.7	0.09	<b>\$1693</b>
	SCTAPCB	4 x 10.6 x 3.7	60	6.7	0.09	<b>\$1632</b>
	SCTAPCC	4 x 10.6 x 3.7	60	6.7	0.09	<b>\$1774</b>
	SCTAPCD	4 x 10.6 x 3.7	60	6.7	0.09	<b>\$2055</b>
	SCTAPCE	4 x 10.6 x 3.7	60	6.7	0.09	<b>\$1661</b>
<p>Integrated power bar and edge mount power module provides a code compliant all-in-one power solution with a single plug. The power bar includes AC outlets and built-in surge protection. The Nik Edge Clamp module is hardwired to the power bar via a 3' cord. Cord length is 6". Below surface power bar is black only. Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"><li>• A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• B = 2 AC</li><li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li><li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li><li>• E = 3 AC</li></ul>						
 <b>Collaborative Spaces PET Felt* Wire Manager</b>	SCTACT	26 x 11 x 4	70	1.1	0.66	<b>\$104</b>
	<p>PET felt wire manager hangs from four brackets under the surface. Includes Black painted metal brackets. Aligns to pre-drilled holes on all surfaces. PET felt available in standard finishes.</p>					
 <b>Storage Cable Tube</b>	SKWESCT	2.36 x 2.13 x 15.5	70	0.39	0.05	<b>\$96</b>
	<p>Neoprene cable manager connects to the underside of the worksurface and into the small opening on the storage leg grommet.</p> <ul style="list-style-type: none"><li>• Cannot be used in conjunction with storage power outlet (<b>SKSEPO</b>).</li><li>• Capacity: 4 wires (eg. 2 data &amp; 2 power).</li></ul>					
 <b>Storage Power Outlet</b>	SKSEPOA	2 x 2 x 2.2	60	4	0.03	<b>\$230</b>
	SKSEPOB	2 x 2 x 2.2	60	4	0.03	<b>\$526</b>
	<p>Storage power outlet to fit within the leg grommet outlet opening. Black finish only. Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"><li>• A = 1 AC</li><li>• B = 1 USB-A and 1 USB-C</li><li>• Cannot be used in conjunction with storage cable tube (<b>SKWESCT</b>).</li></ul>					

**Required specifications**  
PET felt finish\*



BACKBOARDS

Backboards Notes

Backboards are decorative, wall-mounted pieces that provide the office with a finished look. Rails included for mounting (hardware to affix to wall is not included). Backboards are meant to be mounted where the bottom of the board is flush with Office Spaces 20"h storage.

- Backboards radius is 6" (where applicable).
- Backboard curved corner (where applicable) is not intended to be used adjacent to high storage.
- Backboards are available in laminate (**LP**), white dry erase board (**DE**), PET felt (**PT**) and patterned PET felt (**VE**). Specify (**V**) for a varied asymmetrical pattern and (**E**) for an equal symmetrical pattern.
- Grain will run horizontally for any woodgrain laminate. Backboards specified with low pressure laminate will have a corresponding 3mm edging.
- Backboards with PET (**PT**) are mounted on a laminate panel. Specify standard PET and laminate finish.
- Backboards specified with dry erase board (**DE**) will have Designer White (**DWT**) 3mm edging.
- (**DE**) option not available on any backboard with a radius corner
- Backboards are intended to match the length of the credenza.

Backboards with shelves

- Shelf width will match the backboard and is 10" deep
- Shelves are non-adjustable and can support 171 lbs. evenly distributed
- *Do not use height adjustable surfaces and column kits with double shelf backboards directly below.*

Alignment is as follows:





- 34"h backboards will align with 54"h storage
- 40"h backboards will align with 60"h storage, single shelf clearance is 60", double shelf clearance is 12" (where applicable)
- 46"h backboards will align with 66"h storage, single shelf clearance is 32", double shelf clearance is 18" (where applicable)
- 52"h backboards will align with 72"h storage, single shelf clearance is 72", double shelf clearance is 24" (where applicable)
- 58"h backboards will align with 78"h storage, single shelf clearance is 44", double shelf clearance is 30" (where applicable)

Note: VE-V varied asymmetrical pattern is a combination of 1.5", 3", 4.5", 6" grooves in a random pattern. VE-E equal symmetrical pattern is a repeat of 3" grooves.

Required specifications

- PET felt finish
- Laminate finish
- Edge finish







BACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 <p>Low pressure laminate (LP) Dry erase whiteboard (DE)</p>	D x W x H								
	SKBB3436	2 x 36 x 34	65	37.94	1.42	\$350	\$474	\$528	\$612
	SKBB3442	2 x 42 x 34	65	44.23	1.65	\$356	\$501	\$564	\$662
	SKBB3448	2 x 48 x 34	65	50.54	1.89	\$361	\$527	\$598	\$711
	SKBB3454	2 x 54 x 34	65	56.87	2.13	\$367	\$553	\$634	\$760
	SKBB3460	2 x 60 x 34	65	63.16	2.36	\$372	\$579	\$669	\$809
	SKBB3466	2 x 66 x 34	65	69.48	2.6	\$378	\$606	\$704	\$859
	SKBB3472	2 x 72 x 34	65	75.77	2.83	\$384	\$633	\$740	\$908
	SKBB3478	2 x 78 x 34	65	82.08	3.07	\$389	\$658	\$775	\$957
	SKBB3484	2 x 84 x 34	65	88.38	3.31	\$395	\$685	\$810	\$1007
 <p>PET felt (PT)*</p>	SKBB4036	2 x 36 x 40	65	44.61	1.67	\$396	\$542	\$606	\$705
	SKBB4042	2 x 42 x 40	65	52.02	1.94	\$473	\$644	\$717	\$833
	SKBB4048	2 x 48 x 40	65	59.43	2.22	\$524	\$719	\$803	\$936
	SKBB4054	2 x 54 x 40	65	66.88	2.5	\$629	\$848	\$943	\$1092
	SKBB4060	2 x 60 x 40	65	74.29	2.78	\$680	\$924	\$1029	\$1194
	SKBB4066	2 x 66 x 40	65	81.71	3.06	\$731	\$999	\$1115	\$1297
	SKBB4072	2 x 72 x 40	65	89.12	3.33	\$782	\$1075	\$1201	\$1399
	SKBB4078	2 x 78 x 40	65	96.53	3.61	\$833	\$1150	\$1286	\$1501
	SKBB4084	2 x 84 x 40	65	103.94	3.89	\$1037	\$1378	\$1525	\$1757
 <p>PET felt, equal pattern (VE-E)*</p>	SKBB4636	2 x 36 x 46	65	51.28	1.92	\$442	\$610	\$683	\$797
	SKBB4642	2 x 42 x 46	65	59.8	2.24	\$526	\$722	\$807	\$940
	SKBB4648	2 x 48 x 46	65	68.33	2.56	\$584	\$808	\$905	\$1057
	SKBB4654	2 x 54 x 46	65	76.87	2.88	\$697	\$949	\$1058	\$1229
	SKBB4660	2 x 60 x 46	65	85.41	3.19	\$755	\$1036	\$1156	\$1346
	SKBB4666	2 x 66 x 46	65	93.92	3.51	\$813	\$1122	\$1254	\$1463
	SKBB4672	2 x 72 x 46	65	102.45	3.83	\$872	\$1209	\$1353	\$1581
	SKBB4678	2 x 78 x 46	65	110.98	4.15	\$930	\$1295	\$1451	\$1698
	SKBB4684	2 x 84 x 46	65	119.49	4.47	\$1142	\$1535	\$1703	\$1970
 <p>PET felt, varied pattern (VE-V)*</p>	SKBB5236	2 x 36 x 52	65	57.96	2.17	\$488	\$678	\$760	\$889
	SKBB5242	2 x 42 x 52	65	67.59	2.53	\$579	\$801	\$897	\$1047
	SKBB5248	2 x 48 x 52	65	77.22	2.89	\$645	\$899	\$1008	\$1180
	SKBB5254	2 x 54 x 52	65	86.89	3.25	\$764	\$1049	\$1172	\$1366
	SKBB5260	2 x 60 x 52	65	96.52	3.61	\$830	\$1147	\$1283	\$1498
	SKBB5266	2 x 66 x 52	65	106.15	3.97	\$896	\$1245	\$1395	\$1631
	SKBB5272	2 x 72 x 52	65	115.78	4.33	\$962	\$1343	\$1506	\$1764
	SKBB5278	2 x 78 x 52	65	125.41	4.69	\$1027	\$1440	\$1616	\$1896
	SKBB5284	2 x 84 x 52	65	135.04	5.06	\$1247	\$1691	\$1882	\$2183
<p>Backboard</p>	SKBB5836	2 x 36 x 58	65	64.63	2.42	\$533	\$745	\$837	\$980
	SKBB5842	2 x 42 x 58	65	75.36	2.82	\$632	\$880	\$986	\$1154
	SKBB5848	2 x 48 x 58	65	86.11	3.22	\$705	\$988	\$1110	\$1301
	SKBB5854	2 x 54 x 58	65	96.89	3.63	\$832	\$1150	\$1287	\$1503
	SKBB5860	2 x 60 x 58	65	107.63	4.03	\$905	\$1259	\$1411	\$1650
	SKBB5866	2 x 66 x 58	65	118.38	4.43	\$979	\$1368	\$1535	\$1799
	SKBB5872	2 x 72 x 58	65	129.13	4.83	\$1052	\$1477	\$1659	\$1946
	SKBB5878	2 x 78 x 58	65	139.86	5.24	\$1125	\$1585	\$1782	\$2094
	SKBB5884	2 x 84 x 58	65	150.61	5.64	\$1352	\$1847	\$2060	\$2395

## Required specifications

PET felt finish  
Laminate finish  
Edge finish\*



BACKBOARDS - RIGHT RADIUS CORNER		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	Low pressure laminate (LP)		D x W x H							
		SKBBR3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$528	\$612
		SKBBR3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
		SKBBR3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
		SKBBR3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
		SKBBR3460	2 x 60 x 34	65	63.8	2.36	\$609	n/a	\$906	\$1046
		SKBBR3466	2 x 66 x 34	65	70.13	2.6	\$653	n/a	\$979	\$1134
		SKBBR3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
		SKBBR3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1125	\$1308
		SKBBR3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
	PET felt (PT)*	SKBBR4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
		SKBBR4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
		SKBBR4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
		SKBBR4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
		SKBBR4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
		SKBBR4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
		SKBBR4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
		SKBBR4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
		SKBBR4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
	PET felt, equal pattern (VE-E)*	SKBBR4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
		SKBBR4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
		SKBBR4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
		SKBBR4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
		SKBBR4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
		SKBBR4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
		SKBBR4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
		SKBBR4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
		SKBBR4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
	PET felt, varied pattern (VE-V)*	SKBBR5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
		SKBBR5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
		SKBBR5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
		SKBBR5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
		SKBBR5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
		SKBBR5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
		SKBBR5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
		SKBBR5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
		SKBBR5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
		SKBBR5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
		SKBBR5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
		SKBBR5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
		SKBBR5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
		SKBBR5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
		SKBBR5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
		SKBBR5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
		SKBBR5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
		SKBBR5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Backboard, Right Radius Corner

Required specifications  
PET felt finish  
Laminate finish  
Edge finish\*



BACKBOARDS - LEFT RADIUS CORNER	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
	D x W x H								
	SKBBL3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$531	\$615
	SKBBL3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
	SKBBL3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
	SKBBL3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
	SKBBL3460	2 x 60 x 34	65	63.8	2.36	\$609	n/a	\$906	\$1046
	SKBBL3466	2 x 66 x 34	65	70.13	2.6	\$653	n/a	\$981	\$1134
	SKBBL3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
	SKBBL3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1125	\$1308
	SKBBL3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
	SKBBL4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
	SKBBL4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
	SKBBL4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
	SKBBL4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
	SKBBL4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
	SKBBL4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
	SKBBL4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
	SKBBL4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
	SKBBL4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
	SKBBL4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
	SKBBL4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
	SKBBL4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
	SKBBL4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
	SKBBL4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
	SKBBL4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
	SKBBL4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
	SKBBL4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
	SKBBL4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
	SKBBL5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
	SKBBL5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
	SKBBL5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
	SKBBL5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
	SKBBL5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
	SKBBL5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
	SKBBL5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
	SKBBL5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
	SKBBL5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
	SKBBL5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
	SKBBL5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
	SKBBL5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
	SKBBL5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
	SKBBL5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
	SKBBL5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
	SKBBL5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
	SKBBL5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
	SKBBL5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Backboard, Left Radius Corner

Required specifications

- PET felt finish
- Laminate finish
- Edge finish\*



BACKBOARDS - RADIUS CORNERS AT TOP

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LP

DE

PT

VE

D x W x H

SKBBC3436	2 x 36 x 34	65	38.39	1.42	<b>\$353</b>	n/a	<b>\$531</b>	<b>\$615</b>
SKBBC3442	2 x 42 x 34	65	44.73	1.65	<b>\$423</b>	n/a	<b>\$631</b>	<b>\$729</b>
SKBBC3448	2 x 48 x 34	65	51.07	1.89	<b>\$467</b>	n/a	<b>\$704</b>	<b>\$817</b>
SKBBC3454	2 x 54 x 34	65	57.45	2.13	<b>\$565</b>	n/a	<b>\$832</b>	<b>\$958</b>
SKBBC3460	2 x 60 x 34	65	63.8	2.36	<b>\$608</b>	n/a	<b>\$905</b>	<b>\$1045</b>
SKBBC3466	2 x 66 x 34	65	70.13	2.6	<b>\$652</b>	n/a	<b>\$978</b>	<b>\$1133</b>
SKBBC3472	2 x 72 x 34	65	76.47	2.83	<b>\$696</b>	n/a	<b>\$1052</b>	<b>\$1220</b>
SKBBC3478	2 x 78 x 34	65	82.82	3.07	<b>\$740</b>	n/a	<b>\$1126</b>	<b>\$1308</b>
SKBBC3484	2 x 84 x 34	65	89.15	3.31	<b>\$938</b>	n/a	<b>\$1353</b>	<b>\$1550</b>
SKBBC4036	2 x 36 x 40	65	45.1	1.67	<b>\$399</b>	n/a	<b>\$609</b>	<b>\$708</b>
SKBBC4042	2 x 42 x 40	65	52.56	1.94	<b>\$476</b>	n/a	<b>\$720</b>	<b>\$836</b>
SKBBC4048	2 x 48 x 40	65	60.01	2.22	<b>\$528</b>	n/a	<b>\$807</b>	<b>\$940</b>
SKBBC4054	2 x 54 x 40	65	67.5	2.5	<b>\$633</b>	n/a	<b>\$947</b>	<b>\$1096</b>
SKBBC4060	2 x 60 x 40	65	74.94	2.78	<b>\$684</b>	n/a	<b>\$1033</b>	<b>\$1198</b>
SKBBC4066	2 x 66 x 40	65	82.39	3.06	<b>\$735</b>	n/a	<b>\$1119</b>	<b>\$1301</b>
SKBBC4072	2 x 72 x 40	65	89.86	3.33	<b>\$787</b>	n/a	<b>\$1206</b>	<b>\$1404</b>
SKBBC4078	2 x 78 x 40	65	97.31	3.61	<b>\$838</b>	n/a	<b>\$1291</b>	<b>\$1506</b>
SKBBC4084	2 x 84 x 40	65	104.76	3.89	<b>\$1043</b>	n/a	<b>\$1531</b>	<b>\$1763</b>
SKBBC4636	2 x 36 x 46	65	51.82	1.92	<b>\$445</b>	n/a	<b>\$686</b>	<b>\$800</b>
SKBBC4642	2 x 42 x 46	65	60.37	2.24	<b>\$530</b>	n/a	<b>\$811</b>	<b>\$944</b>
SKBBC4648	2 x 48 x 46	65	68.94	2.56	<b>\$588</b>	n/a	<b>\$909</b>	<b>\$1061</b>
SKBBC4654	2 x 54 x 46	65	77.54	2.88	<b>\$701</b>	n/a	<b>\$1062</b>	<b>\$1233</b>
SKBBC4660	2 x 60 x 46	65	86.11	3.19	<b>\$760</b>	n/a	<b>\$1161</b>	<b>\$1351</b>
SKBBC4666	2 x 66 x 46	65	94.66	3.51	<b>\$818</b>	n/a	<b>\$1259</b>	<b>\$1468</b>
SKBBC4672	2 x 72 x 46	65	103.23	3.83	<b>\$877</b>	n/a	<b>\$1358</b>	<b>\$1587</b>
SKBBC4678	2 x 78 x 46	65	111.79	4.15	<b>\$936</b>	n/a	<b>\$1457</b>	<b>\$1705</b>
SKBBC4684	2 x 84 x 46	65	120.36	4.47	<b>\$1148</b>	n/a	<b>\$1709</b>	<b>\$1976</b>
SKBBC5236	2 x 36 x 52	65	58.53	2.17	<b>\$491</b>	n/a	<b>\$763</b>	<b>\$892</b>
SKBBC5242	2 x 42 x 52	65	68.2	2.53	<b>\$583</b>	n/a	<b>\$901</b>	<b>\$1051</b>
SKBBC5248	2 x 48 x 52	65	77.87	2.89	<b>\$649</b>	n/a	<b>\$1012</b>	<b>\$1184</b>
SKBBC5254	2 x 54 x 52	65	87.59	3.25	<b>\$769</b>	n/a	<b>\$1177</b>	<b>\$1371</b>
SKBBC5260	2 x 60 x 52	65	97.26	3.61	<b>\$835</b>	n/a	<b>\$1288</b>	<b>\$1503</b>
SKBBC5266	2 x 66 x 52	65	106.92	3.97	<b>\$901</b>	n/a	<b>\$1400</b>	<b>\$1636</b>
SKBBC5272	2 x 72 x 52	65	116.61	4.33	<b>\$967</b>	n/a	<b>\$1511</b>	<b>\$1769</b>
SKBBC5278	2 x 78 x 52	65	126.28	4.69	<b>\$1033</b>	n/a	<b>\$1622</b>	<b>\$1902</b>
SKBBC5284	2 x 84 x 52	65	135.95	5.06	<b>\$1253</b>	n/a	<b>\$1888</b>	<b>\$2189</b>
SKBBC5836	2 x 36 x 58	65	65.24	2.42	<b>\$538</b>	n/a	<b>\$842</b>	<b>\$985</b>
SKBBC5842	2 x 42 x 58	65	76.03	2.82	<b>\$637</b>	n/a	<b>\$991</b>	<b>\$1159</b>
SKBBC5848	2 x 48 x 58	65	86.81	3.22	<b>\$710</b>	n/a	<b>\$1115</b>	<b>\$1306</b>
SKBBC5854	2 x 54 x 58	65	97.62	3.63	<b>\$837</b>	n/a	<b>\$1292</b>	<b>\$1508</b>
SKBBC5860	2 x 60 x 58	65	108.4	4.03	<b>\$911</b>	n/a	<b>\$1417</b>	<b>\$1656</b>
SKBBC5866	2 x 66 x 58	65	119.19	4.43	<b>\$984</b>	n/a	<b>\$1540</b>	<b>\$1804</b>
SKBBC5872	2 x 72 x 58	65	129.98	4.83	<b>\$1058</b>	n/a	<b>\$1665</b>	<b>\$1952</b>
SKBBC5878	2 x 78 x 58	65	140.76	5.24	<b>\$1131</b>	n/a	<b>\$1788</b>	<b>\$2100</b>
SKBBC5884	2 x 84 x 58	65	151.55	5.64	<b>\$1358</b>	n/a	<b>\$2066</b>	<b>\$2401</b>

Low pressure laminate (LP)

PET felt (PT)\*





PET felt, equal pattern (VE-E)\*

PET felt, varied pattern (VE-V)\*

Backboard, Radius Corners at Top





Required specifications

PET felt finish  
Laminate finish  
Edge finish\*

BACKBOARDS WITH SHELF	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 <p>Low pressure laminate (LP)</p>	D x W x H								
	SKBS4036	2 x 36 x 40	125	56.78	9.17	\$553	n/a	\$689	\$754
	SKBS4042	2 x 42 x 40	125	66.22	10.69	\$674	n/a	\$833	\$908
	SKBS4048	2 x 48 x 40	125	75.65	12.22	\$747	n/a	\$929	\$1015
	SKBS4054	2 x 54 x 40	125	85.11	13.75	\$879	n/a	\$1083	\$1180
	SKBS4060	2 x 60 x 40	125	94.54	15.28	\$953	n/a	\$1180	\$1287
	SKBS4066	2 x 66 x 40	125	103.98	16.81	\$1096	n/a	\$1346	\$1464
	SKBS4072	2 x 72 x 40	125	113.42	18.33	\$1169	n/a	\$1441	\$1570
	SKBS4078	2 x 78 x 40	125	122.84	19.86	\$1239	n/a	\$1534	\$1674
	SKBS4084	2 x 84 x 40	125	132.28	21.39	\$1389	n/a	\$1707	\$1857
 <p>PET felt (PT)*</p>	SKBS4636	2 x 36 x 46	125	63.46	10.54	\$599	n/a	\$767	\$846
	SKBS4642	2 x 42 x 46	125	74	12.3	\$727	n/a	\$923	\$1015
	SKBS4648	2 x 48 x 46	125	84.54	14.06	\$808	n/a	\$1031	\$1137
	SKBS4654	2 x 54 x 46	125	95.1	15.81	\$947	n/a	\$1198	\$1317
	SKBS4660	2 x 60 x 46	125	105.65	17.57	\$1028	n/a	\$1307	\$1439
	SKBS4666	2 x 66 x 46	125	116.19	19.33	\$1178	n/a	\$1485	\$1631
	SKBS4672	2 x 72 x 46	125	126.75	21.08	\$1259	n/a	\$1594	\$1753
	SKBS4678	2 x 78 x 46	125	137.29	22.84	\$1336	n/a	\$1699	\$1871
	SKBS4684	2 x 84 x 46	125	147.83	24.6	\$1494	n/a	\$1885	\$2070
 <p>PET felt, equal pattern (VE-E)*</p>	SKBS5236	2 x 36 x 52	150	70.13	11.92	\$644	n/a	\$843	\$937
	SKBS5242	2 x 42 x 52	150	81.79	13.9	\$780	n/a	\$1012	\$1122
	SKBS5248	2 x 48 x 52	150	93.43	15.89	\$868	n/a	\$1133	\$1259
	SKBS5254	2 x 54 x 52	150	105.11	17.88	\$1015	n/a	\$1313	\$1455
	SKBS5260	2 x 60 x 52	150	116.77	19.86	\$1103	n/a	\$1434	\$1592
	SKBS5266	2 x 66 x 52	150	128.42	21.85	\$1261	n/a	\$1626	\$1798
	SKBS5272	2 x 72 x 52	150	140.08	23.83	\$1349	n/a	\$1747	\$1935
	SKBS5278	2 x 78 x 52	150	151.72	25.82	\$1434	n/a	\$1865	\$2069
	SKBS5284	2 x 84 x 52	150	163.38	27.81	\$1599	n/a	\$2063	\$2283
 <p>PET felt, varied pattern (VE-V)*</p>	SKBS5836	2 x 36 x 58	150	76.8	13.29	\$690	n/a	\$920	\$1030
	SKBS5842	2 x 42 x 58	150	89.56	15.51	\$833	n/a	\$1102	\$1229
	SKBS5848	2 x 48 x 58	150	102.32	17.72	\$929	n/a	\$1236	\$1382
	SKBS5854	2 x 54 x 58	150	115.12	19.94	\$1083	n/a	\$1428	\$1592
	SKBS5860	2 x 60 x 58	150	127.88	22.15	\$1178	n/a	\$1562	\$1744
	SKBS5866	2 x 66 x 58	150	140.65	24.37	\$1344	n/a	\$1766	\$1966
	SKBS5872	2 x 72 x 58	150	153.43	26.58	\$1439	n/a	\$1899	\$2118
	SKBS5878	2 x 78 x 58	150	166.17	28.8	\$1531	n/a	\$2030	\$2266
	SKBS5884	2 x 84 x 58	150	178.95	31.01	\$1704	n/a	\$2241	\$2496
<b>Backboard with Shelf</b>									

**Required specifications**

PET felt finish  
Laminate finish  
Edge finish\*





BACKBOARDS WITH DOUBLE SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 <p>Low pressure laminate (<b>LP</b>)</p>		<b>D x W x H</b>							
	SKBD4036	2 x 36 x 40	125	68.96	9.17	<b>\$789</b>	n/a	<b>\$852</b>	<b>\$882</b>
	SKBD4042	2 x 42 x 40	125	80.42	10.69	<b>\$981</b>	n/a	<b>\$1055</b>	<b>\$1089</b>
	SKBD4048	2 x 48 x 40	125	91.86	12.22	<b>\$1077</b>	n/a	<b>\$1161</b>	<b>\$1201</b>
	SKBD4054	2 x 54 x 40	125	103.33	13.75	<b>\$1289</b>	n/a	<b>\$1384</b>	<b>\$1428</b>
	SKBD4060	2 x 60 x 40	125	114.79	15.28	<b>\$1385</b>	n/a	<b>\$1490</b>	<b>\$1540</b>
	SKBD4066	2 x 66 x 40	125	126.26	16.81	<b>\$1621</b>	n/a	<b>\$1736</b>	<b>\$1791</b>
	SKBD4072	2 x 72 x 40	125	137.72	18.33	<b>\$1717</b>	n/a	<b>\$1843</b>	<b>\$1902</b>
	SKBD4078	2 x 78 x 40	125	149.15	19.86	<b>\$1806</b>	n/a	<b>\$1942</b>	<b>\$2007</b>
	SKBD4084	2 x 84 x 40	125	160.62	21.39	<b>\$2056</b>	n/a	<b>\$2203</b>	<b>\$2272</b>
 <p>PET felt (<b>PT</b>)*</p>	SKBD4636	2 x 36 x 46	125	75.63	10.54	<b>\$835</b>	n/a	<b>\$930</b>	<b>\$974</b>
	SKBD4642	2 x 42 x 46	125	88.2	12.3	<b>\$1034</b>	n/a	<b>\$1144</b>	<b>\$1196</b>
	SKBD4648	2 x 48 x 46	125	100.75	14.06	<b>\$1137</b>	n/a	<b>\$1263</b>	<b>\$1322</b>
	SKBD4654	2 x 54 x 46	125	113.32	15.81	<b>\$1357</b>	n/a	<b>\$1499</b>	<b>\$1566</b>
	SKBD4660	2 x 60 x 46	125	125.9	17.57	<b>\$1461</b>	n/a	<b>\$1618</b>	<b>\$1693</b>
	SKBD4666	2 x 66 x 46	125	138.47	19.33	<b>\$1703</b>	n/a	<b>\$1876</b>	<b>\$1958</b>
	SKBD4672	2 x 72 x 46	125	151.05	21.08	<b>\$1807</b>	n/a	<b>\$1996</b>	<b>\$2085</b>
	SKBD4678	2 x 78 x 46	125	163.6	22.84	<b>\$1903</b>	n/a	<b>\$2107</b>	<b>\$2204</b>
	SKBD4684	2 x 84 x 46	125	176.17	24.6	<b>\$2161</b>	n/a	<b>\$2381</b>	<b>\$2485</b>
 <p>PET felt, equal pattern (<b>VE-E</b>)*</p>	SKBD5236	2 x 36 x 52	125	82.3	11.92	<b>\$881</b>	n/a	<b>\$1007</b>	<b>\$1066</b>
	SKBD5242	2 x 42 x 52	125	95.99	13.9	<b>\$1087</b>	n/a	<b>\$1234</b>	<b>\$1303</b>
	SKBD5248	2 x 48 x 52	125	109.65	15.89	<b>\$1198</b>	n/a	<b>\$1366</b>	<b>\$1445</b>
	SKBD5254	2 x 54 x 52	125	123.33	17.88	<b>\$1425</b>	n/a	<b>\$1614</b>	<b>\$1703</b>
	SKBD5260	2 x 60 x 52	125	137.01	19.86	<b>\$1536</b>	n/a	<b>\$1746</b>	<b>\$1845</b>
	SKBD5266	2 x 66 x 52	125	150.7	21.85	<b>\$1786</b>	n/a	<b>\$2016</b>	<b>\$2126</b>
	SKBD5272	2 x 72 x 52	125	164.38	23.83	<b>\$1897</b>	n/a	<b>\$2148</b>	<b>\$2267</b>
	SKBD5278	2 x 78 x 52	125	178.03	25.82	<b>\$2001</b>	n/a	<b>\$2273</b>	<b>\$2402</b>
	SKBD5284	2 x 84 x 52	125	191.72	27.81	<b>\$2265</b>	n/a	<b>\$2558</b>	<b>\$2697</b>
 <p>PET felt, varied pattern (<b>VE-V</b>)*</p>	SKBD5836	2 x 36 x 58	125	88.98	13.29	<b>\$927</b>	n/a	<b>\$1084</b>	<b>\$1159</b>
	SKBD5842	2 x 42 x 58	125	103.76	15.51	<b>\$1140</b>	n/a	<b>\$1323</b>	<b>\$1410</b>
	SKBD5848	2 x 48 x 58	125	118.54	17.72	<b>\$1258</b>	n/a	<b>\$1468</b>	<b>\$1567</b>
	SKBD5854	2 x 54 x 58	125	133.34	19.94	<b>\$1493</b>	n/a	<b>\$1729</b>	<b>\$1840</b>
	SKBD5860	2 x 60 x 58	125	148.13	22.15	<b>\$1611</b>	n/a	<b>\$1873</b>	<b>\$1997</b>
	SKBD5866	2 x 66 x 58	125	162.93	24.37	<b>\$1869</b>	n/a	<b>\$2157</b>	<b>\$2293</b>
	SKBD5872	2 x 72 x 58	125	177.73	26.58	<b>\$1987</b>	n/a	<b>\$2301</b>	<b>\$2450</b>
	SKBD5878	2 x 78 x 58	125	192.48	28.8	<b>\$2098</b>	n/a	<b>\$2438</b>	<b>\$2599</b>
	SKBD5884	2 x 84 x 58	125	207.28	31.01	<b>\$2370</b>	n/a	<b>\$2736</b>	<b>\$2910</b>

### Backboard with Double Shelves

#### Required specifications

PET felt finish  
Laminate finish  
Edge finish\*










BACKBOARDS - BELOW OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 Low pressure laminate (LP) Dry erase whiteboard (DE)		D x W x H							
	SKBOS4036	2 x 36 x 26	65	44.61	1.67	\$289	\$542	\$605	\$705
	SKBOS4042	2 x 42 x 26	65	52.02	1.94	\$349	\$644	\$717	\$833
	SKBOS4048	2 x 48 x 26	65	59.43	2.22	\$382	\$718	\$803	\$935
	SKBOS4054	2 x 54 x 26	65	66.88	2.5	\$470	\$848	\$943	\$1091
	SKBOS4060	2 x 60 x 26	65	74.29	2.78	\$504	\$924	\$1029	\$1194
	SKBOS4066	2 x 66 x 26	65	81.71	3.06	\$538	\$999	\$1115	\$1296
	SKBOS4072	2 x 72 x 26	65	89.12	3.33	\$571	\$1074	\$1200	\$1398
 PET felt (PT)*	SKBOS4636	2 x 36 x 32	65	51.28	1.92	\$335	\$610	\$683	\$797
	SKBOS4642	2 x 42 x 32	65	59.8	2.24	\$402	\$722	\$807	\$940
	SKBOS4648	2 x 48 x 32	65	68.33	2.56	\$443	\$809	\$905	\$1057
	SKBOS4654	2 x 54 x 32	65	76.87	2.88	\$538	\$949	\$1058	\$1229
	SKBOS4660	2 x 60 x 32	65	85.41	3.19	\$579	\$1035	\$1156	\$1346
	SKBOS4666	2 x 66 x 32	65	93.92	3.51	\$620	\$1122	\$1254	\$1463
	SKBOS4672	2 x 72 x 32	65	102.45	3.83	\$661	\$1208	\$1353	\$1581
 PET felt, equal pattern (VE-E)*	SKBOS5236	2 x 36 x 38	65	57.96	2.17	\$381	\$678	\$760	\$889
	SKBOS5242	2 x 42 x 38	65	67.59	2.53	\$455	\$801	\$897	\$1047
	SKBOS5248	2 x 48 x 38	65	77.22	2.89	\$504	\$899	\$1008	\$1180
	SKBOS5254	2 x 54 x 38	65	86.89	3.25	\$606	\$1050	\$1173	\$1366
	SKBOS5260	2 x 60 x 38	65	96.52	3.61	\$655	\$1148	\$1284	\$1499
	SKBOS5266	2 x 66 x 38	65	106.15	3.97	\$703	\$1245	\$1395	\$1631
	SKBOS5272	2 x 72 x 38	65	115.78	4.33	\$752	\$1343	\$1506	\$1764
 PET felt, varied pattern (VE-V)*	SKBOS5836	2 x 36 x 44	65	64.63	2.42	\$427	\$746	\$837	\$981
	SKBOS5842	2 x 42 x 44	65	75.36	2.82	\$508	\$880	\$986	\$1154
	SKBOS5848	2 x 48 x 44	65	86.11	3.22	\$564	\$988	\$1110	\$1302
	SKBOS5854	2 x 54 x 44	65	96.9	3.63	\$674	\$1151	\$1288	\$1503
	SKBOS5860	2 x 60 x 44	65	107.63	4.03	\$730	\$1259	\$1411	\$1651
	SKBOS5866	2 x 66 x 44	65	118.38	4.43	\$786	\$1368	\$1535	\$1799
	SKBOS5872	2 x 72 x 44	65	129.13	4.83	\$842	\$1477	\$1659	\$1946
Backboard for use below overhead storage									

Required specifications




- PET felt finish
- Laminate finish
- Edge finish\*




OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 24"w - 33"w  36"w - 48"w <b>Open Cubby Overhead</b>		<b>D x W x H</b>				
	SKS001424	14 x 24 x 14	85	35.19	2.57	<b>\$415</b>
	SKS001430	14 x 30 x 14	85	41.78	3.22	<b>\$488</b>
	SKS001433	14 x 33 x 14	85	45.03	3.54	<b>\$520</b>
	SKS001436	14 x 36 x 14	85	52.68	3.86	<b>\$604</b>
	SKS001439	14 x 39 x 14	85	55.97	4.18	<b>\$639</b>
	SKS001442	14 x 42 x 14	85	59.29	4.5	<b>\$694</b>
	SKS001448	14 x 48 x 14	85	65.85	5.15	<b>\$756</b>
 24"w - 36"w  39"w - 42"w  48"w <b>Hinged Door Overhead*</b>						
	SKSOH1424	14 x 24 x 14	70	46.84	2.57	<b>\$847</b>
	SKSOH1430	14 x 30 x 14	70	55.77	3.22	<b>\$944</b>
	SKSOH1433	14 x 33 x 14	70	60.21	3.54	<b>\$988</b>
	SKSOH1436	14 x 36 x 14	70	64.66	3.86	<b>\$1046</b>
	SKSOH1439	14 x 39 x 14	70	69.11	4.18	<b>\$1323</b>
	SKSOH1442	14 x 42 x 14	70	79.61	4.5	<b>\$1439</b>
	SKSOH1448	14 x 48 x 14	70	93.53	5.15	<b>\$1658</b>
 42"w - 48"w <b>Laminate Sliding Door Overhead*</b>						
	SKSOL1433	14 x 33 x 14	70	54.67	3.54	<b>\$854</b>
	SKSOL1436	14 x 36 x 14	70	58.43	3.86	<b>\$906</b>
	SKSOL1439	14 x 39 x 14	85	62.22	4.18	<b>\$946</b>
	SKSOL1442	14 x 42 x 14	85	66.05	4.5	<b>\$1006</b>
	SKSOL1448	14 x 48 x 14	85	73.6	5.15	<b>\$1080</b>
 <b>Glass Sliding Door Overhead</b>						
	SKSOG1433	14 x 33 x 14	85	49.16	3.54	<b>\$1723</b>
	SKSOG1436	14 x 36 x 14	85	52.42	3.86	<b>\$1806</b>
	SKSOG1439	14 x 39 x 14	85	55.7	4.18	<b>\$1876</b>
	SKSOG1442	14 x 42 x 14	85	59.02	4.5	<b>\$1966</b>
	SKSOG1448	14 x 48 x 14	85	65.58	5.15	<b>\$2097</b>
<p>Wall mounted open cubby overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 33" wide units are a single open cubby. 36" to 48" wide units are a double open cubby with a center divider. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis. Specify paint finish for handles.</p>						
<p>Wall mounted hinged door overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 36" wide units have two doors, 39" to 42" wide units have three doors, and 48" wide units have four doors. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles.</p>						
<p>Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One laminate non-locking door only. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and door. Specify paint finish for handle.</p>						
<p>Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One frosted glass non-locking door only. Includes a finger pull. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis.</p>						

**Required specifications**  
Laminate chassis finish  
Laminate front/door finish  
Paint finish\* (handles)


## LOW STORAGE

**Low Storage Legs\*****Storage Undercarriage\***

24" to 36"



42" to 72"

**Open Cubby w/Shelf, Low Storage****File Drawer, Low Storage\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

## D x W x H

SKSLL	1.5 x 1.5 x 6	85	20	1.5	<b>\$317</b>
-------	---------------	----	----	-----	--------------

For use with 24" or 30" wide low storage units. *Cannot be used on 36" or longer width storage units or any high storage units.* Specify paint finish.

SKSLU2036	20 x 36 x 6	85	20	1.5	<b>\$837</b>
SKSLU2042	20 x 42 x 6	85	20	1.5	<b>\$852</b>
SKSLU2048	20 x 48 x 6	85	20	1.5	<b>\$883</b>
SKSLU2054	20 x 54 x 6	85	20	1.5	<b>\$915</b>
SKSLU2060	20 x 60 x 6	85	20	1.5	<b>\$946</b>
SKSLU2066	20 x 66 x 6	85	20	1.5	<b>\$977</b>
SKSLU2072	20 x 72 x 6	85	20	1.5	<b>\$1008</b>
SKSLU2078	20 x 78 x 6	85	20	1.5	<b>\$1039</b>
SKSLU2084	20 x 84 x 6	85	20	1.5	<b>\$1071</b>

For use with all units 36" and wider, all high storage units, or a mix thereof. Maximum number of units per undercarriage is one low and one high, or two low or two high. Specify paint finish.

SKSLOS2024	20 x 24 x 14	85	58.29	3.76	<b>\$611</b>
SKSLOS2030	20 x 30 x 14	85	69.78	4.7	<b>\$712</b>
SKSLOS2036	20 x 36 x 14	85	81.2	5.64	<b>\$815</b>
SKSLOS2042	20 x 42 x 14	85	98.3	6.58	<b>\$965</b>
SKSLOS2048	20 x 48 x 14	85	109.75	7.52	<b>\$1066</b>
SKSLOS2054	20 x 54 x 14	85	121.2	8.46	<b>\$1166</b>
SKSLOS2060	20 x 60 x 14	85	132.72	9.4	<b>\$1268</b>
SKSLOS2066	20 x 66 x 14	85	144.18	10.34	<b>\$1369</b>
SKSLOS2072	20 x 72 x 14	85	155.69	11.29	<b>\$1474</b>

Open cubby low storage unit with an adjustable laminate shelf. Can be used as a standalone unit or with another low or high storage unit. 24" to 36" wide units are a single open cubby. 42" to 72" wide units are a double open cubby with a center divider. Specify laminate finish and edge finish for chassis.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.

SKSLFD2024	20 x 24 x 14	70	59.49	3.76	<b>\$1375</b>
SKSLFD2030	20 x 30 x 14	85	70.47	4.7	<b>\$1517</b>
SKSLFD2036	20 x 36 x 14	85	81.35	5.64	<b>\$1646</b>

Single file drawer low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.


- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.

**Required specifications**

Laminate chassis finish  
 Laminate door/drawer finish  
 Paint finish\*  
 Legs/Undercarriage



LOW STORAGE




Box/Box Drawers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSLBB2024	20 x 24 x 14	70	59.49	3.76	\$1838
SKSLBB2030	20 x 30 x 14	70	71.06	4.7	\$1975
SKSLBB2036	20 x 36 x 14	85	81.97	5.64	\$2093

Two box drawer low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.




Hinged Doors


SKSLHD2024	20 x 24 x 14	70	70.02	3.76	\$1071
SKSLHD2030	20 x 30 x 14	70	83.89	4.7	\$1196
SKSLHD2036	20 x 36 x 14	70	97.66	5.64	\$1323

Hinged door low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.



42" to 54" (42" shown)



60" to 72" (60" shown)

Hinged Door/Lateral File







SKSLCHLR2042	20 x 42 x 14	70	99.84	6.58	\$1993
SKSLCHLR2048	20 x 48 x 14	85	110.79	7.52	\$2097
SKSLCHLR2054	20 x 54 x 14	85	121.71	8.46	\$2227
SKSLCHLR2060	20 x 60 x 14	70	152.95	9.4	\$2608
SKSLCHLR2066	20 x 66 x 14	70	166.73	10.34	\$2734
SKSLCHLR2072	20 x 72 x 14	70	177.69	11.29	\$2865

Hinged door on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, hinged door/door width is variable.
- 2054 and 2072 units have a 36" lateral file, hinged door/door width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

**Required specifications**  
Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Legs/Undercarriage



LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 42" to 54" (42" shown)   60" to 72" (60" shown) <b>Lateral File/Hinged Door</b>		D x W x H				
	SKSLCHLL2042	20 x 42 x 14	70	99.84	6.58	<b>\$1993</b>
	SKSLCHLL2048	20 x 48 x 14	85	110.79	7.52	<b>\$2097</b>
	SKSLCHLL2054	20 x 54 x 14	85	121.71	8.46	<b>\$2227</b>
	SKSLCHLL2060	20 x 60 x 14	70	152.95	9.4	<b>\$2608</b>
	SKSLCHLL2066	20 x 66 x 14	70	166.73	10.34	<b>\$2734</b>
	SKSLCHLL2072	20 x 72 x 14	70	177.69	11.29	<b>\$2865</b>
<p>Hinged door on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only.</p> <ul style="list-style-type: none"><li>• 2042, 2048, 2060 and 2066 units have a 30" lateral file, hinged door/door width is variable.</li><li>• 2054 and 2072 units have a 36" lateral file, hinged door/door width is variable.</li><li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li></ul>						
 42" to 54" (42" shown)   60" to 72" (60" shown) <b>Hinged Door/Box/Box File</b>						
	SKSLCHDR2042	20 x 42 x 14	85	86.99	6.58	<b>\$2132</b>
	SKSLCHDR2048	20 x 48 x 14	85	97.93	7.52	<b>\$2236</b>
	SKSLCHDR2054	20 x 54 x 14	85	106.51	8.46	<b>\$2324</b>
	SKSLCHDR2060	20 x 60 x 14	85	140.1	9.4	<b>\$2747</b>
	SKSLCHDR2066	20 x 66 x 14	85	153.88	10.34	<b>\$2873</b>
	SKSLCHDR2072	20 x 72 x 14	85	162.49	11.29	<b>\$2961</b>
<p>Hinged door on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only.</p> <ul style="list-style-type: none"><li>• 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable.</li><li>• 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable.</li><li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li></ul>						
 42" to 54" (42" shown)   60" to 72" (60" shown) <b>Box/Box File/Hinged Door</b>						
	SKSLCHDL2042	20 x 42 x 14	85	86.99	6.58	<b>\$2132</b>
	SKSLCHDL2048	20 x 48 x 14	85	97.93	7.52	<b>\$2236</b>
	SKSLCHDL2054	20 x 54 x 14	85	106.51	8.46	<b>\$2324</b>
	SKSLCHDL2060	20 x 60 x 14	85	140.1	9.4	<b>\$2747</b>
	SKSLCHDL2066	20 x 66 x 14	85	153.88	10.34	<b>\$2873</b>
	SKSLCHDL2072	20 x 72 x 14	85	162.49	11.29	<b>\$2961</b>
<p>Hinged door on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only.</p> <ul style="list-style-type: none"><li>• 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable.</li><li>• 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable.</li><li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li></ul>						

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage



LOW STORAGE

MODEL#DIMENSIONS

FREIGHT CLASSWT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

SKSLCOLR2042	20 x 42 x 14	85	93.6	6.58	<b>\$1725</b>
SKSLCOLR2048	20 x 48 x 14	85	102.18	7.52	<b>\$1805</b>
SKSLCOLR2054	20 x 54 x 14	85	113.11	8.46	<b>\$1935</b>
SKSLCOLR2060	20 x 60 x 14	85	133.32	9.4	<b>\$2076</b>
SKSLCOLR2072	20 x 72 x 14	85	155.73	11.29	<b>\$2309</b>

Open Cubby/Lateral File

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCOLL2042	20 x 42 x 14	85	93.6	6.58	<b>\$1725</b>
SKSLCOLL2048	20 x 48 x 14	85	102.18	7.52	<b>\$1805</b>
SKSLCOLL2054	20 x 54 x 14	85	113.11	8.46	<b>\$1935</b>
SKSLCOLL2060	20 x 60 x 14	85	133.32	9.4	<b>\$2076</b>
SKSLCOLL2072	20 x 72 x 14	85	155.73	11.29	<b>\$2309</b>

Lateral File/Open Cubby

Open cubby on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCODR2042	20 x 42 x 14	85	80.75	6.58	<b>\$1865</b>
SKSLCODR2048	20 x 48 x 14	92.5	89.33	7.52	<b>\$1944</b>
SKSLCODR2054	20 x 54 x 14	92.5	97.91	8.46	<b>\$2032</b>
SKSLCODR2060	20 x 60 x 14	85	120.46	9.4	<b>\$2215</b>
SKSLCODR2072	20 x 72 x 14	85	140.53	11.29	<b>\$2406</b>

Open Cubby/Lateral File

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCDDL2042	20 x 42 x 14	85	80.75	6.58	<b>\$1865</b>
SKSLCDDL2048	20 x 48 x 14	92.5	89.33	7.52	<b>\$1944</b>
SKSLCDDL2054	20 x 54 x 14	92.5	97.91	8.46	<b>\$2032</b>
SKSLCDDL2060	20 x 60 x 14	85	120.46	9.4	<b>\$2215</b>
SKSLCDDL2072	20 x 72 x 14	85	140.53	11.29	<b>\$2406</b>

Lateral File/Open Cubby

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.





**Required specifications**

Laminate chassis finish

Laminate door/drawer finish

Paint finish

Undercarriage

LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 <p><b>File/File Drawers</b></p>	D x W x H					
	SKSLCFF2048	20 x 48 x 14	70	115.86	7.52	<b>\$2562</b>
	SKSLCFF2060	20 x 60 x 14	85	137.82	9.4	<b>\$2845</b>
	SKSLCFF2072	20 x 72 x 14	85	159.67	11.29	<b>\$3105</b>
<p>File/file low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only. File drawers are of equal width.</p> <ul style="list-style-type: none"> <li>Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>						
 <p><b>Hinged Doors w/Leg Grommet</b></p>	SKSLHDG2024	20 x 24 x 14	70	62.11	3.76	<b>\$1090</b>
	SKSLHDG2030	20 x 30 x 14	70	73.11	4.7	<b>\$1193</b>
	SKSLHDG2036	20 x 36 x 14	85	83.99	5.64	<b>\$1296</b>
<p>Hinged door low storage unit with grommet for leg application. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (<b>GPH</b>) only.</p> <ul style="list-style-type: none"> <li>Legs or an undercarriage required on all storage and must be specified separately: <ul style="list-style-type: none"> <li>Specify SKSLL for 24" and 30" wide low storage units.</li> <li>Specify SKSLU undercarriage for units 36" and wider.</li> </ul> </li> </ul>						
 <p><b>Hinged Door w/Leg Grommet/Open Cubby</b></p>	SKSLCHOR2030	20 x 30 x 14	70	72.13	4.7	<b>\$1007</b>
	SKSLCHOR2036	20 x 36 x 14	85	80.66	5.64	<b>\$1085</b>
	SKSLCHOR2042	20 x 42 x 14	70	100.32	6.58	<b>\$1256</b>
	SKSLCHOR2048	20 x 48 x 14	85	111.78	7.52	<b>\$1357</b>
	SKSLCHOR2054	20 x 54 x 14	85	123.26	8.46	<b>\$1460</b>
<p>Hinged door with leg grommet on the left and open cubby on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (<b>GPH</b>) only. An adjustable shelf is included for open cubby units 24" and wider.</p> <ul style="list-style-type: none"> <li>Legs or an undercarriage required on all storage and must be specified separately: <ul style="list-style-type: none"> <li>Specify SKSLL for 24" and 30" wide low storage units.</li> <li>Specify SKSLU undercarriage for units 36" and wider.</li> </ul> </li> </ul>						
 <p><b>Open Cubby/Hinged Door w/Leg Grommet</b></p>	SKSLCHOL2030	20 x 30 x 14	70	72.13	4.7	<b>\$1007</b>
	SKSLCHOL2036	20 x 36 x 14	70	72.13	4.7	<b>\$1085</b>
	SKSLCHOL2042	20 x 42 x 14	70	100.32	6.58	<b>\$1256</b>
	SKSLCHOL2048	20 x 48 x 14	85	111.78	7.52	<b>\$1357</b>
	SKSLCHOL2054	20 x 54 x 14	85	123.26	8.46	<b>\$1460</b>
<p>Hinged door with leg grommet on the right and open cubby on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (<b>GPH</b>) only. An adjustable shelf is included for open cubby units 24" and wider.</p> <ul style="list-style-type: none"> <li>Legs or an undercarriage required on all storage and must be specified separately: <ul style="list-style-type: none"> <li>Specify SKSLL for 24" and 30" wide low storage units.</li> <li>Specify SKSLU undercarriage for units 36" and wider.</li> </ul> </li> </ul>						


**Required specifications**

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Legs/Undercarriage

LOW STORAGE

MODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE

D x W x H




Hinged Door w/Leg Grommet/File Drawer

SKSLCHFR2036	20 x 36 x 14	70	90.42	5.64	<b>\$1664</b>
SKSLCHFR2042	20 x 42 x 14	70	101.58	6.58	<b>\$2022</b>
SKSLCHFR2048	20 x 48 x 14	85	112.53	7.52	<b>\$2163</b>
SKSLCHFR2054	20 x 54 x 14	85	123.45	8.46	<b>\$2293</b>

Hinged door with leg grommet on the left and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




File Drawer/Hinged Door w/Leg Grommet

SKSLCHFL2036	20 x 36 x 14	70	90.42	5.64	<b>\$1664</b>
SKSLCHFL2042	20 x 42 x 14	70	101.58	6.58	<b>\$2022</b>
SKSLCHFL2048	20 x 48 x 14	85	112.53	7.52	<b>\$2163</b>
SKSLCHFL2054	20 x 54 x 14	85	123.45	8.46	<b>\$2293</b>

Hinged door with leg grommet on the right and file drawer on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Hinged Door w/Leg Grommet/Box Drawers

SKSLCHBR2036	20 x 36 x 14	70	90.73	5.64	<b>\$1877</b>
SKSLCHBR2042	20 x 42 x 14	70	102.03	6.58	<b>\$2484</b>
SKSLCHBR2048	20 x 48 x 14	70	112.98	6.58	<b>\$2620</b>
SKSLCHBR2054	20 x 54 x 14	85	123.93	8.46	<b>\$2739</b>

Hinged door with leg grommet on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Box Drawers/Hinged Door w/Leg Grommet


SKSLCHBL2036	20 x 36 x 14	70	90.73	5.64	<b>\$1877</b>
SKSLCHBL2042	20 x 42 x 14	70	102.03	6.58	<b>\$2484</b>
SKSLCHBL2048	20 x 48 x 14	70	112.98	6.58	<b>\$2620</b>
SKSLCHBL2054	20 x 54 x 14	85	123.93	8.46	<b>\$2739</b>

Hinged door with leg grommet on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications


- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage

LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	SKSLCHOFR2042	20 x 42 x 14	70	109.68	6.58	<b>\$1820</b>
	SKSLCHOFR2048	20 x 48 x 14	70	118.26	7.52	<b>\$1899</b>
	SKSLCHOFR2054	20 x 54 x 14	70	130.55	8.46	<b>\$2280</b>
	SKSLCHOFR2060	20 x 60 x 14	85	139.19	9.4	<b>\$2360</b>
	SKSLCHOFR2066	20 x 66 x 14	85	150.11	10.34	<b>\$2501</b>
	SKSLCHOFR2072	20 x 72 x 14	85	161.07	11.29	<b>\$2631</b>
	SKSLCHOEFR2072	20 x 72 x 14	85	169.07	11.29	<b>\$2665</b>
	SKSLCHOFR2078	20 x 78 x 14	85	180.73	12.23	<b>\$2769</b>
	SKSLCHOEFR2078	20 x 78 x 14	85	181.11	12.23	<b>\$2728</b>
	SKSLCHOFR2084	20 x 84 x 14	85	191.64	13.17	<b>\$2899</b>
	SKSLCHOEFR2084	20 x 84 x 14	85	192.04	13.17	<b>\$2869</b>

**Hinged Door w/Leg Grommet/  
Open Cubby/File Drawer**

Hinged door with leg grommet on the left, open cubby at the center and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



**File Drawer/Open Cubby/  
Hinged Door w/Leg Grommet**

SKSLCHOFL2042	20 x 42 x 14	70	109.68	6.58	<b>\$1820</b>
SKSLCHOFL2048	20 x 48 x 14	70	118.26	7.52	<b>\$1899</b>
SKSLCHOFL2054	20 x 54 x 14	70	130.55	8.46	<b>\$2280</b>
SKSLCHOFL2060	20 x 60 x 14	85	139.19	9.4	<b>\$2360</b>
SKSLCHOFL2066	20 x 66 x 14	85	150.11	10.34	<b>\$2501</b>
SKSLCHOFL2072	20 x 72 x 14	85	161.07	11.29	<b>\$2631</b>
SKSLCHOEFL2072	20 x 72 x 14	85	169.07	11.29	<b>\$2665</b>
SKSLCHOFL2078	20 x 78 x 14	85	180.73	12.23	<b>\$2769</b>
SKSLCHOEFL2078	20 x 78 x 14	85	181.11	12.23	<b>\$2728</b>
SKSLCHOFL2084	20 x 84 x 14	85	191.64	13.17	<b>\$2899</b>
SKSLCHOEFL2084	20 x 84 x 14	85	192.04	13.17	<b>\$2869</b>

File drawer on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### Required specifications

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Undercarriage

LOW STORAGE

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H




Hinged Door w/Leg Grommet/  
Open Cubby, Box/Box Drawers

SKSLCHODR2042	20 x 42 x 14	70	110.31	6.58	<b>\$2031</b>
SKSLCHODR2048	20 x 48 x 14	70	118.89	7.52	<b>\$2110</b>
SKSLCHODR2054	20 x 54 x 14	70	131.33	8.46	<b>\$2745</b>
SKSLCHODR2060	20 x 60 x 14	85	139.98	9.4	<b>\$2825</b>
SKSLCHODR2066	20 x 66 x 14	85	150.9	10.34	<b>\$2960</b>
SKSLCHODR2072	20 x 72 x 14	85	161.88	11.29	<b>\$3080</b>
SKSLCHOEDR2072	20 x 72 x 14	70	170.14	11.29	<b>\$3128</b>
SKSLCHODR2078	20 x 78 x 14	85	181.52	12.23	<b>\$3228</b>
SKSLCHOEDR2078	20 x 78 x 14	85	182.18	12.23	<b>\$3196</b>
SKSLCHODR2084	20 x 84 x 14	85	192.46	13.17	<b>\$3347</b>
SKSLCHOEDR2084	20 x 84 x 14	85	193.12	13.17	<b>\$3332</b>

Hinged door with leg grommet on the left, open cubby at the center and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Box/Box Drawers/Open Cubby/  
Hinged Door w/Leg Grommet




SKSLCHODL2042	20 x 42 x 14	70	110.31	6.58	<b>\$2031</b>
SKSLCHODL2048	20 x 48 x 14	70	118.89	7.52	<b>\$2110</b>
SKSLCHODL2054	20 x 54 x 14	70	131.33	8.46	<b>\$2745</b>
SKSLCHODL2060	20 x 60 x 14	85	139.98	9.4	<b>\$2825</b>
SKSLCHODL2066	20 x 66 x 14	85	150.9	10.34	<b>\$2960</b>
SKSLCHODL2072	20 x 72 x 14	85	161.88	11.29	<b>\$3080</b>
SKSLCHOEDL2072	20 x 72 x 14	70	170.14	11.29	<b>\$3128</b>
SKSLCHODL2078	20 x 78 x 14	85	181.52	12.23	<b>\$3228</b>
SKSLCHOEDL2078	20 x 78 x 14	85	182.18	12.23	<b>\$3196</b>
SKSLCHODL2084	20 x 84 x 14	85	192.46	13.17	<b>\$3347</b>
SKSLCHOEDL2084	20 x 84 x 14	85	193.12	13.17	<b>\$3332</b>

Two box drawers on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Undercarriage

LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		<b>D x W x H</b>				
	SKSLCOHO2042	20 x 42 x 14	85	94.55	6.58	<b>\$1171</b>
	SKSLCOHO2048	20 x 48 x 14	85	108.42	7.52	<b>\$1507</b>
	SKSLCOHO2054	20 x 54 x 14	85	119.38	8.46	<b>\$1611</b>
	SKSLCOHO2060	20 x 60 x 14	85	128.02	9.4	<b>\$1690</b>
	SKSLCOHO2066	20 x 66 x 14	85	136.57	10.34	<b>\$1769</b>
	SKSLCOHO2072	20 x 72 x 14	85	145.18	11.29	<b>\$1849</b>
	SKSLCOHO2078	20 x 78 x 14	85	164.8	12.23	<b>\$2019</b>
	SKSLCOHO2084	20 x 84 x 14	85	173.85	13.17	<b>\$2095</b>
						
	SKSLCHBFR2048	20 x 48 x 14	70	126.76	7.52	<b>\$2658</b>
	SKSLCHBFR2066	20 x 66 x 14	70	160.09	10.34	<b>\$3753</b>
	SKSLCHBFR2072	20 x 72 x 14	70	171.07	11.29	<b>\$3895</b>
	SKSLCHBFR2078	20 x 78 x 14	85	182.04	12.23	<b>\$4031</b>
	SKSLCHBFR2084	20 x 84 x 14	85	192.95	13.17	<b>\$4161</b>
						
	SKSLCHBFL2048	20 x 48 x 14	70	126.76	7.52	<b>\$2658</b>
	SKSLCHBFL2066	20 x 66 x 14	70	160.09	10.34	<b>\$3753</b>
	SKSLCHBFL2072	20 x 72 x 14	70	171.07	11.29	<b>\$3895</b>
	SKSLCHBFL2078	20 x 78 x 14	85	182.04	12.23	<b>\$4031</b>
	SKSLCHBFL2084	20 x 84 x 14	85	192.95	13.17	<b>\$4161</b>

**Open Cubby/Hinged Door w/Leg Grommet/Open Cubby**

Open cubby on left and right, hinged door with leg grommet at the center low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 has a 14" wide hinged door with leg grommet, open cubby widths are variable.
- 2048 and 2084 units have a 24" wide hinged door with leg grommet, open cubby widths are variable.
- 2054, 2060, 2066, 2072 and 2078 units have a 30" wide hinged door with leg grommet, remainder are the open cubbies.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

**Hinged Door w/Leg Grommet/Box/Box Drawers/File Drawer**

Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

**File Drawer/Box/Box Drawers Hinged Door w/Leg Grommet/**


Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


#### Required specifications

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Undercarriage


LOW STORAGE, SINGLE GROMMET



Hinged Door w/Leg Grommet/Open  
Cubby/Box/Box Drawers/File Drawer



File Drawer/Box/Box Drawers/Open  
Cubby/Hinged Door w/Leg Grommet



Hinged Doors w/Leg Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSLCHOBFR2060	20 x 60 x 14	70	149.96	9.4	\$2867
SKSLCHOBFR2066	20 x 66 x 14	70	158.5	10.34	\$2946
SKSLCHOBFR2072	20 x 72 x 14	70	178.13	11.29	\$3116
SKSLCHOBFR2078	20 x 78 x 14	70	189.6	12.23	\$3217
SKSLCHOBFR2084	20 x 84 x 14	70	201.07	13.17	\$3320

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBFL2060	20 x 60 x 14	70	149.96	9.4	\$2867
SKSLCHOBFL2066	20 x 66 x 14	70	158.5	10.34	\$2946
SKSLCHOBFL2072	20 x 72 x 14	70	178.13	11.29	\$3116
SKSLCHOBFL2078	20 x 78 x 14	70	189.6	12.23	\$3217
SKSLCHOBFL2084	20 x 84 x 14	70	201.07	13.17	\$3320

File drawer on right, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.





SKSLCHDG2072	20 x 72 x 14	85	164.74	11.29	\$2457
SKSLCHDG2078	20 x 78 x 14	70	210.44	12.23	\$2982
SKSLCHDG2084	20 x 84 x 14	70	223.71	13.17	\$3103

Hinged door low storage unit with leg grommet at the center. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite **(GPH)** only. 72" wide unit has 4 doors and the 78" and 84" wide units have 5 doors.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage


LOW STORAGE, DOUBLE GROMMETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
	Hinged Door w/Leg Grommet/File Drawer/Hinged Door w/Leg Grommet	SKSLCHFH2060	20 x 60 x 14	70	143.42	9.4	\$2666
		SKSLCHFH2066	20 x 66 x 14	85	154.33	10.34	\$2807
		SKSLCHFH2072	20 x 72 x 14	85	165.29	11.29	\$2938
		Hinged door with leg grommet on the left, file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. File drawer width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Box/Box Drawers/Hinged Door w/Leg Grommet	SKSLCHBH2060	20 x 60 x 14	70	144.01	9.4	\$3129
		SKSLCHBH2066	20 x 66 x 14	85	154.93	10.34	\$3265
		SKSLCHBH2072	20 x 72 x 14	85	165.92	11.29	\$3385
		Hinged door with leg grommet on the left, two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Box drawer width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Open Cubby/Hinged Door w/Leg Grommet	SKSLCHOH2060	20 x 60 x 14	70	142.21	9.4	\$1902
		SKSLCHOH2066	20 x 66 x 14	85	153.63	10.34	\$2003
		SKSLCHOH2072	20 x 72 x 14	85	165.13	11.29	\$2106
		Hinged door with leg grommet on the left, an open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 19" wide on each side for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Open Cubby File Drawer/Hinged Door w/Leg Grommet	SKSLCHOFHR2078	20 x 78 x 14	85	177.52	12.23	\$3016
		SKSLCHOFHR2084	20 x 84 x 14	85	186.08	13.17	\$3095
		Hinged door with leg grommet on the left, open cubby and file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					

**Required specifications**


Laminate chassis finish  
 Laminate door/drawer finish  
 Paint finish  
 Undercarriage




LOW STORAGE, DOUBLE GROMMETS




Hinged Door w/Leg Grommet/File Drawer  
Open Cubby/Hinged Door w/Leg Grommet



Hinged Doors w/Leg Grommet/  
Open Cubby/Box Drawers



Hinged Doors w/Leg Grommets/  
Box Drawers/Open Cubby



Hinged Doors w/Leg Grommets/Open  
Cubby/Box Drawers/File Drawer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSLCHOFHL2078	20 x 78 x 14	85	177.52	12.23	\$3016
SKSLCHOFHL2084	20 x 84 x 14	85	186.08	13.17	\$3095

Hinged door with leg grommet on the left, file drawer and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHR2078	20 x 78 x 14	85	178.11	12.23	\$3474
SKSLCHOBHR2084	20 x 84 x 14	85	186.68	13.17	\$3553

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHL2078	20 x 78 x 14	85	178.11	12.23	\$3474
SKSLCHOBHL2084	20 x 84 x 14	85	186.68	13.17	\$3553

Hinged door with leg grommet on the left, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBFHR2078	20 x 78 x 14	70	191.89	12.23	\$3512
SKSLCHOBFHR2084	20 x 84 x 14	70	200.45	13.17	\$3591




Hinged door with leg grommet on the left, open cubby, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage






LOW STORAGE, DOUBLE GROMMETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
		SKSLCHOBFHL2078	20 x 78 x 14	70	191.89	12.23	<b>\$3512</b>
		SKSLCHOBFHL2084	20 x 84 x 14	70	200.45	13.17	<b>\$3591</b>
<b>Hinged Doors w/Leg Grommets/File Drawer/Box Drawers/Open Cubby</b>		<p>Hinged door with leg grommet on the left, file drawer, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable.</p> <ul style="list-style-type: none"> <li>Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>					
		SKSLCHBFHR2084	20 x 84 x 14	70	202.04	13.17	<b>\$4399</b>
		<b>Hinged Doors w/Leg Grommets/Box Drawers/File Drawer</b>					
		<p>Hinged door with leg grommet on the left, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only. 18" hinged door, 24" box/box drawers, 24" file drawer, 18" hinged door.</p> <ul style="list-style-type: none"> <li>Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>					
		SKSLCHFBHL2084	20 x 84 x 14	70	202.04	13.17	<b>\$4399</b>
		<b>Hinged Doors w/Leg Grommets/Box Drawers/File Drawer</b>					
		<p>Hinged door with leg grommet on the left, file drawer and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (<b>GPH</b>) only. 18" hinged door, 24" file drawer, 24" box/box drawers, 18" hinged door.</p> <ul style="list-style-type: none"> <li>Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>					

**Required specifications**





- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage



HIGH STORAGE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
		SKSH05418	20 x 18 x 48	92.5	99.58	9.65	\$1166
		SKSH06018	20 x 18 x 54	92.5	108.77	10.85	\$1242
		SKSH06618	20 x 18 x 60	100	118.02	12.06	\$1319
		SKSH06624	20 x 24 x 60	100	138.51	16.08	\$1918
		SKSH06630	20 x 30 x 60	125	157.76	20.1	\$2076
		SKSH06636	20 x 36 x 60	125	176.93	24.11	\$2234
		SKSH07218	20 x 18 x 66	100	127.21	13.26	\$1394
		SKSH07224	20 x 24 x 66	100	148.71	17.68	\$2001
		SKSH07230	20 x 30 x 66	125	168.98	22.1	\$2167
		SKSH07236	20 x 36 x 66	125	189.14	26.52	\$2331
		SKSH07818	20 x 18 x 72	100	136.43	14.47	\$1470
		SKSH07824	20 x 24 x 72	100	158.92	19.29	\$2085
		SKSH07830	20 x 30 x 72	125	180.2	24.11	\$2258
		SKSH07836	20 x 36 x 72	125	201.36	28.93	\$2429
<b>Open Cubby High Storage</b>		Open cubby high storage unit with bottom shelf and coat hook/coat rail. Units 18" wide have one coat hook and remaining units have a coat rail installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat hook/coat rail. Shelf opening is 12.6". <ul style="list-style-type: none"><li>• Legs or an undercarriage required on all storage and must be specified separately:<ul style="list-style-type: none"><li>- Specify SKSLL for 24" and 30" wide low storage units.</li><li>- Specify SKSLU undercarriage for units 36" and wider.</li></ul></li></ul>					
		SKSHR5418	20 x 18 x 48	85	125.54	9.65	\$1616
		SKSHR6018	20 x 18 x 54	85	137.74	10.85	\$1717
		SKSHR6618	20 x 18 x 60	85	150.03	12.06	\$1819
		SKSHR7218	20 x 18 x 66	85	162.24	13.26	\$1920
		SKSHR7818	20 x 18 x 72	85	174.48	14.47	\$2022
		Right hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6". <ul style="list-style-type: none"><li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li></ul>					
		SKSHL5418	20 x 18 x 48	85	125.54	9.65	\$1616
		SKSHL6018	20 x 18 x 54	85	137.74	10.85	\$1717
		SKSHL6618	20 x 18 x 60	85	150.03	12.06	\$1819
		SKSHL7218	20 x 18 x 66	85	162.24	13.26	\$1920
		SKSHL7818	20 x 18 x 72	85	174.48	14.47	\$2022
		Left hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6". <ul style="list-style-type: none"><li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li></ul>					

**Required specifications**  
Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Legs/Undercarriage



HIGH STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
		<b>D x W x H</b>				
	SKSHH6624	20 x 24 x 60	92.5	181.77	16.08	<b>\$2784</b>
	SKSHH6630	20 x 30 x 60	92.5	211.09	20.1	<b>\$3023</b>
	SKSHH6636	20 x 36 x 60	100	240.37	24.11	<b>\$3261</b>
	SKSHH7224	20 x 24 x 66	92.5	196.01	17.68	<b>\$2911</b>
	SKSHH7230	20 x 30 x 66	92.5	227.37	22.1	<b>\$3164</b>
	SKSHH7236	20 x 36 x 66	100	258.62	26.52	<b>\$3417</b>
	SKSHH7824	20 x 24 x 72	92.5	210.22	19.29	<b>\$3037</b>
	SKSHH7830	20 x 30 x 72	92.5	243.61	24.11	<b>\$3306</b>
	SKSHH7836	20 x 36 x 72	100	276.87	28.93	<b>\$3573</b>
<p>Double hinged door high storage unit with bottom shelf and coat hook/coat rail. Units have a coat rail installed at the back panel. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".</p> <ul style="list-style-type: none"> <li>• Legs or an undercarriage required on all storage and must be specified separately: <ul style="list-style-type: none"> <li>- Specify SKSLL for 24" and 30" wide low storage units.</li> <li>- Specify SKSLU undercarriage for units 36" and wider.</li> </ul> </li> </ul>						
	SKSHRF5418	20 x 18 x 48	85	128.02	9.65	<b>\$2202</b>
	SKSHRF6018	20 x 18 x 54	85	140.25	10.85	<b>\$2307</b>
	SKSHRF6618	20 x 18 x 60	85	153.08	12.06	<b>\$2485</b>
	SKSHRF7218	20 x 18 x 66	85	165.28	13.26	<b>\$2590</b>
	SKSHRF7818	20 x 18 x 72	85	177.54	14.47	<b>\$2695</b>
<p>Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook.</p> <ul style="list-style-type: none"> <li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>						
	SKSHRL5418	20 x 18 x 48	85	128.02	9.65	<b>\$2202</b>
	SKSHRL6018	20 x 18 x 54	85	140.25	10.85	<b>\$2307</b>
	SKSHRL6618	20 x 18 x 60	85	153.08	12.06	<b>\$2485</b>
	SKSHRL7218	20 x 18 x 66	85	165.28	13.26	<b>\$2590</b>
	SKSHRL7818	20 x 18 x 72	85	177.54	14.47	<b>\$2695</b>
<p>Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook.</p> <ul style="list-style-type: none"> <li>• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.</li> </ul>						
	SKSHHF6624	20 x 24 x 60	92.5	184.06	16.08	<b>\$3534</b>
	SKSHHF6630	20 x 30 x 60	92.5	213.43	20.1	<b>\$3818</b>
	SKSHHF6636	20 x 36 x 60	92.5	242.66	24.11	<b>\$4090</b>
	SKSHHF7224	20 x 24 x 66	92.5	198.3	17.68	<b>\$3661</b>
	SKSHHF7230	20 x 30 x 66	92.5	229.67	22.1	<b>\$3959</b>
	SKSHHF7236	20 x 36 x 66	92.5	260.91	25.52	<b>\$4246</b>
	SKSHHF7824	20 x 24 x 72	92.5	212.55	19.29	<b>\$3788</b>
	SKSHHF7830	20 x 30 x 72	92.5	245.94	24.11	<b>\$4101</b>
	SKSHHF7836	20 x 36 x 72	100	279.2	28.93	<b>\$4402</b>
<p>Double hinged door high storage unit with bottom file drawer and coat rail. Units have a coat rail installed at the back panel. Specify laminate finishes and edge finishes for chassis/doors/drawer. Specify paint finish for coat rail.</p> <ul style="list-style-type: none"> <li>• Legs or an undercarriage required on all storage and must be specified separately: <ul style="list-style-type: none"> <li>- Specify SKSLL for 24" and 30" wide low storage units.</li> <li>- Specify SKSLU undercarriage for units 36" and wider.</li> </ul> </li> </ul>						

**Required specifications**

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Legs/Undercarriage

## HIGH STORAGE

### MODEL#

### DIMENSIONS


### FREIGHT CLASS

### WT/LBS.

### CUBIC FT.

### LIST PRICE

#### D x W x H




**Open Cubby w/File Drawer**

SKSHOF5418	20 x 18 x 48	85	123.83	9.65	<b>\$1609</b>
SKSHOF6018	20 x 18 x 54	85	133.02	10.85	<b>\$1684</b>
SKSHOF6618	20 x 18 x 60	92.5	142.27	12.06	<b>\$1761</b>
SKSHOF6624	20 x 24 x 60	92.5	169.8	16.08	<b>\$2241</b>
SKSHOF6630	20 x 30 x 60	100	197.16	20.1	<b>\$2505</b>
SKSHOF6636	20 x 36 x 60	100	224.45	24.11	<b>\$2761</b>
SKSHOF7218	20 x 18 x 66	92.5	151.46	13.26	<b>\$1837</b>
SKSHOF7224	20 x 24 x 66	92.5	180	17.68	<b>\$2324</b>
SKSHOF7230	20 x 30 x 66	100	208.38	22.1	<b>\$2595</b>
SKSHOF7236	20 x 36 x 66	100	236.66	26.52	<b>\$2859</b>
SKSHOF7818	20 x 18 x 72	92.5	168.36	14.47	<b>\$1979</b>
SKSHOF7824	20 x 24 x 72	92.5	200.75	19.29	<b>\$2495</b>
SKSHOF7830	20 x 30 x 72	100	233.01	24.11	<b>\$2796</b>
SKSHOF7836	20 x 36 x 72	100	265.18	28.93	<b>\$3090</b>

Open cubby high storage unit with bottom file drawer and adjustable shelves. 54" to 72" high storage units have two adjustable shelves and 78" high units have three adjustable shelves. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.




**Open Cubby w/Box/File Drawer**

SKSHOBF5418	20 x 18 x 48	85	127.21	9.65	<b>\$1959</b>
SKSHOBF6018	20 x 18 x 54	85	136.4	10.85	<b>\$2035</b>
SKSHOBF6618	20 x 18 x 60	85	145.65	12.06	<b>\$2111</b>
SKSHOBF6624	20 x 24 x 60	92.5	174.51	16.08	<b>\$2855</b>
SKSHOBF6630	20 x 30 x 60	92.5	203.06	20.1	<b>\$3147</b>
SKSHOBF6636	20 x 36 x 60	100	231.53	24.11	<b>\$3423</b>
SKSHOBF7218	20 x 18 x 66	92.5	154.84	13.26	<b>\$2187</b>
SKSHOBF7224	20 x 24 x 66	92.5	184.71	17.68	<b>\$2938</b>
SKSHOBF7230	20 x 30 x 66	100	214.28	22.1	<b>\$3238</b>
SKSHOBF7236	20 x 36 x 66	100	243.75	26.52	<b>\$3521</b>
SKSHOBF7818	20 x 18 x 72	92.5	171.74	14.47	<b>\$2329</b>
SKSHOBF7824	20 x 24 x 72	92.5	205.47	19.29	<b>\$3109</b>
SKSHOBF7830	20 x 30 x 72	100	238.92	24.11	<b>\$3438</b>
SKSHOBF7836	20 x 36 x 72	100	272.27	28.93	<b>\$3752</b>

Open cubby high storage unit with bottom box and file drawers and adjustable shelves. 54" to 72" high storage units have two adjustable shelves and 78" high units have three adjustable shelves. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
  - Specify SKSLL for 24" and 30" wide low storage units.
  - Specify SKSLU undercarriage for units 36" and wider.



**Hinged Door, Right w/Box/File Drawer**

SKSHRBF6618	20 x 18 x 60	85	151.98	12.06	<b>\$2657</b>
SKSHRBF7218	20 x 18 x 66	85	164.46	13.26	<b>\$2798</b>
SKSHRBF7818	20 x 18 x 72	85	176.7	14.47	<b>\$2903</b>



Right hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

#### Required specifications

Laminate chassis finish  
Laminate door/drawer finish  
Paint finish  
Legs/Undercarriage




HIGH STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	SKSHLBF6618	20 x 18 x 60	85	151.98	12.06	\$2657
	SKSHLBF7218	20 x 18 x 66	85	164.46	13.26	\$2798
	SKSHLBF7818	20 x 18 x 72	85	176.7	14.47	\$2903
						
	Left hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.					
	• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	SKSHHBF6624	20 x 24 x 60	92.5	183.67	16.08	\$4026
	SKSHHBF6630	20 x 30 x 60	92.5	213.03	20.1	\$4329
	SKSHHBF6636	20 x 36 x 60	92.5	242.28	24.11	\$4613
	SKSHHBF7224	20 x 24 x 66	92.5	198.47	17.68	\$4226
	SKSHHBF7230	20 x 30 x 66	92.5	229.82	22.1	\$4544
	SKSHHBF7236	20 x 36 x 66	100	261.09	26.52	\$4842
	SKSHHBF7824	20 x 24 x 72	92.5	212.72	19.29	\$4353
	SKSHHBF7830	20 x 30 x 72	92.5	246.1	24.11	\$4686
	SKSHHBF7836	20 x 36 x 72	100	279.35	28.93	\$4998
	Double hinged door high storage unit with bottom box and file drawers and coat rail. Specify laminate finishes and edge finishes for chassis/doors. Specify paint finish for handles and coat rail.					
	• Legs or an undercarriage required on all storage and must be specified separately:					
	- Specify SKSLL for 24" and 30" wide low storage units.					
	- Specify SKSLU undercarriage for units 36" and wider.					

Required specifications


- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Legs/Undercarriage



SLIDING DOOR STORAGE



Sliding Door, Closed Shelves, Right



Sliding Door, Closed Shelves, Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSHCSR6648	20 x 48 x 60	92.5	338.6	32.77	\$6678
SKSHCSR7248	20 x 48 x 66	92.5	359.85	35.98	\$6851
SKSHCSR7248	20 x 48 x 72	92.5	359.85	35.98	\$6851

Sliding door with shelving on the right, wardrobe on the left high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSHCSL6648	20 x 48 x 60	92.5	338.6	32.77	\$6678
SKSHCSL7248	20 x 48 x 66	92.5	359.85	35.98	\$6851
SKSHCSL7248	20 x 48 x 72	92.5	359.85	35.98	\$6851

Sliding door with shelving on the left, wardrobe on the right high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Legs/Undercarriage




ACCESSORIES


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
D x W x H								
SKSAC2014	14 x 20 x 1	150	2.50	05.52	1	\$593	7	\$801
					2	\$624	8	\$874
					3	\$647	9	\$930
					4	\$682	10	\$992
					5	\$733	11	\$1120
					6	\$756	12	\$1256
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 0.75								
SKSAC2018	18 x 20 x 1	150	2.50	0.52	1	\$482	7	\$923
					2	\$546	8	\$998
					3	\$597	9	\$1084
					4	\$658	10	\$1186
					5	\$751	11	\$1303
					6	\$835	12	\$1471
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 0.75								
SKSAC2024	24 x 20 x 1	85	4	0.28	1	\$541	7	\$1053
					2	\$614	8	\$1144
					3	\$656	9	\$1246
					4	\$742	10	\$1356
					5	\$848	11	\$1493
					6	\$948	12	\$1691
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 0.75								
SKSAC2030	30 x 20 x 1	85	5	0.35	1	\$652	7	\$1230
					2	\$733	8	\$1340
					3	\$804	9	\$1453
					4	\$879	10	\$1579
					5	\$1003	11	\$1736
					6	\$1122	12	\$1970
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 1								
SKSAC2036	36 x 20 x 1	85	6	0.42	1	\$773	7	\$1504
					2	\$877	8	\$1634
					3	\$936	9	\$1780
					4	\$1060	10	\$1936
					5	\$1210	11	\$2133
					6	\$1354	12	\$2416
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 1.25								
SKSAC2042	42 x 20 x 1	85	7	0.49	1	\$901	7	\$1755
					2	\$1023	8	\$1906
					3	\$1093	9	\$2076
					4	\$1237	10	\$2259
					5	\$1411	11	\$2488
					6	\$1579	12	\$2817
Cushion to fit atop the low storage units. Available in all Global seating fabrics.								
• Yardage required: 1.50								




Low Storage Cushion




Low Storage Cushion




Low Storage Cushion



Low Storage Cushion






Low Storage Cushion



Low Storage Cushion

Required specifications  
Fabric



ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Base Ganging Clip</b>   <b>Flush Plate</b>   <b>Magnetic Whiteboard</b>	D x W x H					
	SKSAGC	0.1 x 5 x 2.5	70	0.22	0.01	\$32
	Base ganging clip to be used between two storage units with separate metal bases. Recommended to create a tight connection between storage (not required).					
	SKWSFP	0.1 x 5 x 2.5	60	10	0.03	\$23
	Flush plate required between mixed height storage units that share the same metal undercarriage. Kit includes two plates. Black finish only.					
	SKSADW	0.1 x 5 x 2.5	70	1.70	0.20	\$607
	Magnetic door whiteboard can be attached to any 18" wide storage unit. White magnetic whiteboard attaches to the metal backing. Black finish metal backing only. Hardware included. Will only fit on tower taller than 60" high.					



The design of Princeton reflects the personality of today's young, dynamic workforce. The freestanding, modular components build out from you and where you work. With over 500 available components, Princeton offers a flexible footprint that's simple to reconfigure. A variety of storage options allows you to do more with less space.

Princeton delivers contemporary design to the workplace; whether it be in Commercial and Corporate offices, Government offices, Small Businesses, Banking, Legal, Accounting, Hospitality or the professional home office. Every element, from the mix of materials and finishes to open storage pieces, floating modesties and overlapping surfaces, has been designed to provide visual appeal and intelligent function. Princeton is a freestanding and fully modular collection offering maximum flexibility; ease of installation and facilitates simple reconfigurations. The overlapping worksurface design also allows the footprint to adapt to smaller spaces by just a few inches.

#### Features and Benefits

- 1" thick worksurfaces in thermally fused or high pressure laminate
- Worksurfaces feature Global's preferred edging in matching color
- Counterweights standard on all mobile pedestals, lateral files and credenzas
- Handles & pulls in satin anodized finish standard on all credenza, pedestal drawers and cabinet doors
- Monoposts and hutch supports standard in tungsten finish
- Benches double as lateral filing
- Pull-out equipment shelves on select credenzas
- Energy efficient LED lighting for overhead storage cabinets
- Grommets and power blocks to accommodate power/data needs
- Choose glass or fabric equipment screens



Bench doubles as lateral filing



Pull out equipment shelf  
(printer not included)



Bookshelf with accessory hook

## GENERAL INFORMATION

- Over 500 components are available
- No cubicles or panels needed for configurations
- Product can be added and reconfigured as needed
- Princeton desk and storage products have been tested and comply with all BIFMA mechanical tests.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- 1" thick high performance thermally fused laminate tops (**TFL**) sealed with Global's preferred edging in matching color.
- High pressure tops (**HPL**) are available in all Princeton laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Worksurfaces with metal legs which have a span of 54" and over are standard with metal support channel. Support channels come in Black (BLK) only.  
24"D and 30"D - 1 - 2"H support channel  
36"D - 2 - 2"H support channels

## CONSTRUCTION

- Laminate end panel and metal leg products are **not intended** to be combined for the most visually compatible design. They are, however, interchangeable if required.
- All components have Global's preferred matching edge
- Leveling glides are standard on all floor units.
- End panels are 1.5" thick on laminate end panel desks and credenzas. Cabinet end panels are 11/16" thick.
- 1" x 2" metal frame legs finished in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**) for desks and returns (closed 'O' style leg)
- 1" x 2.5" metal frame legs finished in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**) for freestanding tables (open 'U' style leg)
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate.
- Mobile pedestals and mobile lateral files come standard with front locking casters
- Counterweights are standard on all pedestals, lateral files, credenzas and cabinets
- Rolling table come standard with non-locking casters
- Laminate shelves are 11/16" thick and edged on all 4 sides.
- Tempered glass is 6mm thick with satin-etched finish on one side.
- Credenzas come standard with file bars for side-to-side and front-to-back letter and legal filing capability.
- Handles and pulls in satin anodized finish are standard on all credenza, pedestal drawers and cabinet doors.
- Pull-out equipment shelves are available on select credenzas.
- Grommets and power blocks are available to accommodate power/data needs.

## EDGE DETAILS

- All worksurfaces and components have Global's preferred matching edge detail on all sides
- Edging cannot be specified separately. No substitutions.

## STORAGE

- Mobile storage greater than 25.5"H may only be used with 29"H Princeton products with laminate end panels or gables. Princeton products with **metal legs** will not accommodate anything higher than 25.5".
- Roll-out shelf on credenza holds up to 80 lbs
- All cabinets with side open shelf area that aligns with 29"H or 27"H credenzas - fixed shelf is 1" thick
- Recycling/waste drawer accommodates 1 recycling basket and 1 waste basket

## LAMINATE MODESTY PANELS

- Standard on all desks with laminate end panels, returns with laminate end panels and bridges for laminate end panel desks.
- Flush on Freestanding Returns with laminate end panels
- Recessed 4"D on 24"D desks with laminate end panels, 5"D on 30"D desks with laminate end panels and 6"D on 36"D desks with laminate end panels.
- Recessed 4"D on 24"D, 5"D on 30"D, and 6"D on 36"D flush and overlapping returns with laminate end panels.
- Recessed 4" on 24"D and 5"D on 30"D flush and overlapping bridges with laminate end panels.
- Desks and returns feature modesty panel that is flush with end panel
- Bottom of laminate modesty panel is 17 ¾" from floor.

## GLASS DESKTOP PANELS

- Glass desktop panel is sold separately. See selection on page 143.
- Available for installation onto desks, returns, bridges and conference tops
- Made of 6mm tempered glass with satin-etched finish on one side
- On-site installation is required. Installation instructions will be provided.

## FABRIC DESKTOP/MODESTY PANELS

- Fabric desktop/fabric modesty panels are sold separately. See selection on page 143.
- Available in:  
**Grade 2:** Lola  
**Grade 3:** Anchorage, Merge
- On-site installation is required. Installation instructions included with product.
- Non-tackable
- Bottom of fabric modesty panel is 15.5" from floor

## CREDENZAS

- Available in 29", 27" and 23" heights
- 29"H connect to flush returns, flush conference tops and flush bridges
- 27"H connect to overlapping returns, overlapping conference tops and overlapping bridges
- Fixed drawer widths - see individual models for details
- Upper adjustable shelf must be removed when products with laminate modesty panels are installed (i.e. PN2448RFR flush return with laminate end panel or PN2436BF flush bridge for laminate end panel desk)
- Connection of flush or overlapping surfaces to credenzas is only possible over full height opening
- All credenza tops are 1" thick
- Grommet location is 2.5" from the back edge to the cut out edge

## LOCKS

- Standard on all credenzas, storage cabinets, lateral files, pedestals & benches
- Lock on all credenzas, cabinets and pedestals is always on the bottom drawer
- All components within a workstation or private office can be keyed alike. For up to 40 key numbers, the lead times are standard. For projects larger than 40 offices, additional lock numbers are available. Delivery will be extended an additional week at no upcharge.
- To order specified keying, tag each component of each workstation or office with a lock number between 401 and 440.
- Storage cabinets and pedestal with box/box/file drawer - only five drawer and lower box drawer are locking. Credenza file drawer lock secures both drawers.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Princeton units with locks may be ordered with **CA** cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When **CA** option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code **SIL-CORE-H-SHOE** for Silver core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. **Must be ordered at the same time product is ordered with CA lock cap option specified.**
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as **REMOVE-K-H-SHOE**.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

## HUTCHES & OVERHEAD STORAGE

- Available in 60", 72" and 84" widths
- Hutches with full back feature one small hole in each corner for wire pass through
- 15.75" height clearance between worksurface and underside of hutch
- Overhead Storage Cabinets have full width lower storage with center divider
- Hutches feature 1" x 2" steel support frame in Black (**TBL**), Designer White (**TDW**) or Tungsten (**TTU**).
- Laminate and tempered glass sliding doors available
- Hutches cannot be placed on desks with laminate end panels
- Wall hung mounting rails are provided; wall fastener hardware is not included.
- Locks are not available
- Energy efficient LED lighting available (page 172)

## TABLES

- 1" x 2.5" open metal frame leg. Available finish options: Black (**TBL**), Designer White (**TDW**) or Tungsten (**TTU**).
- Available with 1" thick thermally fused laminate (**TFL**) top or 1-1/16" thick high pressure laminate (**HPL**) top and Global's preferred edging in matching color.
- 120" and 144" wide table tops with center leg are shipped in two pieces
- Tables which have a span of 54" or wider are standard with 2"H metal support channel(s)
- Grommets and power block cutouts are available for most tables. Due to support channel location(s) for all 29" high tables, quote request required. Contact our Specials Department.
- Available standard with levelers or locking casters.
- Locking casters available in grey finish only.
- Casters prevent tables from sitting flush against each other, vertically or horizontally

## KEYBOARDS

- Keyboard tray adapter kits are required to accommodate worksurface support channels on the following: freestanding desks with metal legs, returns with metal legs, bridges for desks and returns with metal legs, and returns with bookshelf.

## TACKBOARDS

- Tackboards available for hutches and overhead units.
- Available to fit 60", 72" and 84" widths
- Available in:
  - Grade 1:** Jenny, Quilt, Terrace, Urban, Waterfall
  - Grade 2:** Imprint, Lola
  - Grade 3:** Anchorage, Merge
- Contact customer care for COM selection.

## CUSHIONS

- Sold separately.
- Cushions available in all Global seating fabrics. Contact customer care for COM selection and procedure.

## CONNECTION

- Metal flat plates and wood screws are provided for connection between two units.

## SPECIAL SIZES

- Custom widths, depths and heights are available, but require a custom quote. Please contact Customer Care for more information.
- Custom orders must indicate the "custom quote number" and list price as provided by Customer Care.
- Changes to a custom quote are not permissible. Any revisions will necessitate a new quotation.

## TASK LIGHTS

- Optional, energy efficient LED task lights (ultra slim design) are available for mounting under hutches and overheads
- Hutches and overhead storage cabinets are pre-drilled for easy installation
- Available in 12", 20" and 40" widths

## WIRE MANAGEMENT

- 2"W x 2"H
- Plastic tray flexes to receive and hold electrical and data wires
- Quickly attaches with double-sided tape (included)

## MONOPOST

- Standard support for conference tops; support for select desks and returns
- 4" square post with 10" square base

## PLANTERS

- Plastic planter pots provided
- 8½" diameter x 8"H
- Available in Black (**BK**) or White (**WT**). Must specify at time of order.

## SHIPPING

- Items are shipped R.T.A. (Ready To Assemble) unless otherwise noted
- Shipped in 1 carton unless otherwise noted
- Connecting hardware included

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops

3. SPECIFY FINISHES

Laminate Finishes

Top/base/door, drawer and cabinet fronts:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BZD	Blizzard
BRC	Brushed Cobalt
CMB	Clear Maple
CGY	Custom Grey
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SDT	Stonedust
WHE	Walnut Heights
WCR	Winter Cherry
WHC	White Chocolate

Monopost Finishes

4" square monopost is available in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**)

Planters

Planter pots are standard in white. Available in Black (**BK**) at no upcharge. Must specify at time of order.

Metal Frame Desk Legs

1" x 2" metal frame legs are available in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**)

Metal Frame Table Legs

1" x 2.5" metal frame legs are available in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**)

Metal Hutch Supports


1" x 2" metal supports are available in Tungsten (**TTU**), Black (**TBL**) or Designer White (**TDW**)

For detailed finish specification guidelines, please download the **Princeton Design Guide** at [www.globalfurnituregroup.com](http://www.globalfurnituregroup.com)


4. SPECIFY OPTIONS

GROMMETS

- One grommet in satin anodized finish is standard on many components, as specified
- Additional grommets may be available in other standard worksurface locations (left, center or right)
- Order as: **Left POG1, Center POG2 or Right POG3: Add \$103**




- Worksurface Grommet hole dimensions are 3.22" W x 1.85"D
- Standard grommet position is POG2 in desks, returns, bridges and conference tops
- Modesty panel pass through hole dimensions are 3.43"W x 2"H
- Grommets may be placed at non-standard locations. Order as **PCSG - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above)
- Components that come standard with grommet may be ordered without a grommet. Order as **RSG - Add \$57**.
- Grommet only available at POG2 on the following 48"W worksurfaces:
  - Desks: PN2448DK, PN3048DK, PN3648DK
  - Returns, flush: PN2448RFR, PN2448RFL





POWER BLOCK

- Power Block (model **PGDPS20**) with 1 power outlet, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Block (model **PGDPS21**) with 2 power outlets and 1 data opening, 12 foot long power cord, for mounting under worksurfaces or inside of laminate end panels
- Power Bar (model **PGDPS41**) with 4 power outlets and 1 data opening, 12 foot long power card, for mounting behind credenza pull-out shelf or at back of credenza opening
- Rectangular shape. Finished in Tungsten (TUN)
- Power Block dimensions:
  - PGDPS20: 2.5"D x 3.5"W x 2.25"H
  - PGDPS21: 2.5"D x 6.75"W x 2.25"H
- Power Bar dimensions:
  - PGDPS41: 2.5"D x 10.25"W x 2.22"H

FREESTANDING DESKS - LAMINATE END PANELS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			<b>D x W x H</b>					
		PN2484DK	24 x 84 x 29	65	117	5	<b>\$1101</b>	<b>\$128</b>
		PN2478DK	24 x 78 x 29	70	111	5	<b>\$1069</b>	<b>\$127</b>
		PN2472DK	24 x 72 x 29	70	105	5	<b>\$1026</b>	<b>\$126</b>
		PN2466DK	24 x 66 x 29	65	101	4	<b>\$1013</b>	<b>\$126</b>
		PN2460DK	24 x 60 x 29	65	95	4	<b>\$965</b>	<b>\$126</b>
		PN2454DK	24 x 54 x 29	60	95	3	<b>\$965</b>	<b>\$127</b>
		PN2448DK	24 x 48 x 29	70	84	4	<b>\$925</b>	<b>\$122</b>
		PN3084DK	30 x 84 x 29	70	133	6.50	<b>\$1118</b>	<b>\$131</b>
		PN3078DK	30 x 78 x 29	70	127	6	<b>\$1088</b>	<b>\$129</b>
<b>Freestanding Desk</b>		PN3072DK	30 x 72 x 29	70	120	5.50	<b>\$1053</b>	<b>\$129</b>
		PN3066DK	30 x 66 x 29	65	114	5	<b>\$1021</b>	<b>\$128</b>
		PN3060DK	30 x 60 x 29	70	109	5	<b>\$986</b>	<b>\$126</b>
		PN3054DK	30 x 54 x 29	60	108	3.25	<b>\$986</b>	<b>\$127</b>
		PN3048DK	30 x 48 x 29	65	98	4	<b>\$940</b>	<b>\$126</b>
		PN3684DK	36 x 84 x 29	70	152	8	<b>\$1176</b>	<b>\$146</b>
		PN3678DK	36 x 78 x 29	70	145	7	<b>\$1144</b>	<b>\$141</b>
		PN3672DK	36 x 72 x 29	70	138	7	<b>\$1124</b>	<b>\$138</b>
		PN3666DK	36 x 66 x 29	70	130	6	<b>\$1073</b>	<b>\$129</b>
		PN3660DK	36 x 60 x 29	70	117	6	<b>\$1038</b>	<b>\$127</b>
		PN3654DK	36 x 54 x 29	60	120	4	<b>\$1038</b>	<b>\$128</b>
		PN3648DK	36 x 48 x 29	70	111.50	6.50	<b>\$949</b>	<b>\$126</b>

Standard with inset end panel on both ends and 10"h modesty panel with pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface. Shipped in 2 cartons.

RETURNS - LAMINATE END PANELS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		PN248429R	24 x 84 x 29	65	131	5	<b>\$1074</b>	<b>\$144</b>
		PN247829R	24 x 78 x 29	65	127	5	<b>\$1044</b>	<b>\$139</b>
		PN247229R	24 x 72 x 29	65	123	5	<b>\$1015</b>	<b>\$131</b>
		PN246629R	24 x 66 x 29	65	118	4	<b>\$966</b>	<b>\$128</b>
		PN246029R	24 x 60 x 29	65	112	4	<b>\$960</b>	<b>\$126</b>
		PN248427R	24 x 84 x 27	65	129	5	<b>\$1061</b>	<b>\$140</b>
		PN247827R	24 x 78 x 27	65	125	5	<b>\$1028</b>	<b>\$136</b>
		PN247227R	24 x 72 x 27	65	120	5	<b>\$1001</b>	<b>\$129</b>
		PN246627R	24 x 66 x 27	65	116	4	<b>\$971</b>	<b>\$127</b>
		PN246027R	24 x 60 x 27	65	109	4	<b>\$908</b>	<b>\$125</b>
<b>Freestanding Return- 27"H</b>								

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Connects to flush return with laminate end panel, bridges for laminate end panel desks, flush return with bookshelf, flush conference tops. Can be placed over 27"H freestanding returns or 23"H/27"H credenzas. Grommet in worksurface.

Standard with flush laminate 1.5" thick end panels. 10"h thick modesty panel without pass through grommet. Supports overlapping return with laminate end panel, overlapping bridge for laminate end panel desks, overlapping return with bookshelf, overlapping conference top. Can be placed under desk. Grommet in worksurface.

#### Required Specifications

Top finish  
Base finish


#### Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet


#### Accessories

Power block  
Keyboard tray  
Keyboard mechanism (not available on 27"H return)  
Wire manager  
Desktop screen


RETURNS - LAMINATE END PANELS




Flush Return - 29"H - LEFT



Flush Return - 29"H - RIGHT



Overlapping Return - 29"H - LEFT



Overlapping Return - 29"H - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2472RFL	24 x 72 x 29	70	95	5.50	<b>\$889</b>	<b>\$138</b>
PN2466RFL	24 x 66 x 29	70	90	5	<b>\$858</b>	<b>\$131</b>
PN2460RFL	24 x 60 x 29	70	84	4.50	<b>\$809</b>	<b>\$127</b>
PN2454RFL	24 x 54 x 29	70	78	4	<b>\$788</b>	<b>\$128</b>
PN2448RFL	24 x 48 x 29	70	72	4	<b>\$752</b>	<b>\$125</b>

Return has no pedestal. Standard with inset end panel on **left**. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, **29"H** Freestanding Returns and **29"H** Credenzas. Grommet in worksurface.

PN2472RFR	24 x 72 x 29	70	95	5.50	<b>\$889</b>	<b>\$138</b>
PN2466RFR	24 x 66 x 29	70	90	5	<b>\$858</b>	<b>\$131</b>
PN2460RFR	24 x 60 x 29	70	84	4.50	<b>\$809</b>	<b>\$127</b>
PN2454RFR	24 x 54 x 29	70	88	4	<b>\$788</b>	<b>\$128</b>
PN2448RFR	24 x 48 x 29	70	72	4	<b>\$752</b>	<b>\$125</b>

Return has no pedestal. Standard with inset end panel on **right**. 10"h modesty panel with pass-through grommet. Connects to Freestanding Desk with laminate end panels, **29"H** Freestanding Returns and **29"H** Credenzas. Grommet in worksurface.

PN2484ROL	24 x 84 x 29	70	118	6	<b>\$986</b>	<b>\$114</b>
PN2478ROL	24 x 78 x 29	65	126	5	<b>\$917</b>	<b>\$113</b>
PN2472ROL	24 x 72 x 29	70	104	5	<b>\$887</b>	<b>\$107</b>

Standard with inset laminate end panel on **left** and 10"h modesty panel with pass-through grommet. Overlaps **27"H** Credenza and **27"H** Freestanding Returns. Grommet in worksurface. 1" spacer included.

PN2484ROR	24 x 84 x 29	70	118	6	<b>\$986</b>	<b>\$114</b>
PN2478ROR	24 x 78 x 29	65	126	5	<b>\$917</b>	<b>\$113</b>
PN2472ROR	24 x 72 x 29	70	104	5	<b>\$887</b>	<b>\$107</b>

Standard with inset laminate end panel on **right** and 10"h modesty panel with pass-through grommet. Overlaps **27"H** Credenza and **27"H** Freestanding Returns. Grommet in worksurface. 1" spacer included.

Required Specifications

Top finish  
Base finish

Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

Accessories

Power block  
Keyboard tray  
Desktop screen  
Wire manager  
Keyboard mechanism

## BRIDGES FOR LAMINATE END PANEL DESKS

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.


## CUBIC FT.

## LIST PRICE


## HP ADD

## D x W x H

PN2454BF	24 x 54 x 12	65	97	3.50	<b>\$702</b>	<b>\$113</b>
PN2448BF	24 x 48 x 12	70	77	4.50	<b>\$639</b>	<b>\$93</b>
PN2442BF	24 x 42 x 12	70	70	4	<b>\$610</b>	<b>\$94</b>
PN2436BF	24 x 36 x 12	70	63	4	<b>\$573</b>	<b>\$92</b>


**Flush Bridge**

Standard with 10"h modesty panel with pass-through grommet. Connects between any two: Freestanding Desk with laminate end panels, **29"H** Freestanding Returns, Conference top for U configurations or **29"H** Credenzas opening. Subtop finish is Granite with black edge. Grommet in worksurface.

**Overlapping Bridge - LEFT\***

PN2478BOL	24 x 78 x 12	65	119	4	<b>\$840</b>	<b>\$126</b>
PN2472BOL	24 x 72 x 12	70	96	5	<b>\$797</b>	<b>\$116</b>
PN2466BOL	24 x 66 x 12	70	90	4.50	<b>\$769</b>	<b>\$107</b>
PN2460BOL	24 x 60 x 12	70	83	4.50	<b>\$759</b>	<b>\$103</b>

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, **29"H** Freestanding Returns, Conference top for U configurations on one end, and overlaps **27"H** Credenza or **27"H** Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.

**Overlapping Bridge - RIGHT\***

PN2478BOR	24 x 78 x 12	65	119	4	<b>\$840</b>	<b>\$126</b>
PN2472BOR	24 x 72 x 12	70	96	5	<b>\$797</b>	<b>\$116</b>
PN2466BOR	24 x 66 x 12	70	90	4.50	<b>\$769</b>	<b>\$107</b>
PN2460BOR	24 x 60 x 12	70	83	4.50	<b>\$759</b>	<b>\$103</b>

Standard with 10"h modesty panel with pass-through grommet. Connects Freestanding Desk with laminate end panels, **29"H** Freestanding Returns, Conference top for U configurations on one end, and overlaps **27"H** Credenza or **27"H** Freestanding Return on other end. Subtop finish is Granite with black edge. Grommet in worksurface. Includes 1" spacer, one side only.

**Required Specifications**

Top finish  
Base finish

**Optional Specifications**


HP laminate  
POG1, POG3 - additional grommet\*  
PCSG - custom grommet  
RSG - remove grommet

**Accessories**

Power block  
Keyboard tray  
Desktop screen  
Wire manager  
Keyboard mechanism




**FREESTANDING DESKS WITH METAL LEGS**



**Freestanding Desk with Metal Legs**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2484DM	24 x 84 x 29	250	111	43.41	<b>\$1699</b>	<b>\$270</b>
PN2478DM	24 x 78 x 29	250	109	41.92	<b>\$1571</b>	<b>\$252</b>
PN2472DM	24 x 72 x 29	250	106	38.92	<b>\$1378</b>	<b>\$222</b>
PN2466DM	24 x 66 x 29	250	102	31.44	<b>\$1365</b>	<b>\$220</b>
PN2460DM	24 x 60 x 29	250	91	29.94	<b>\$1335</b>	<b>\$216</b>
PN2454DM	24 x 54 x 29	250	88	29.94	<b>\$1297</b>	<b>\$210</b>
PN2448DM	24 x 48 x 29	250	76	28.44	<b>\$1148</b>	<b>\$187</b>
PN3084DM	30 x 84 x 29	250	137	53.89	<b>\$1767</b>	<b>\$280</b>
PN3078DM	30 x 78 x 29	250	124	52.40	<b>\$1643</b>	<b>\$264</b>
PN3072DM	30 x 72 x 29	250	117	47.90	<b>\$1472</b>	<b>\$236</b>
PN3066DM	30 x 66 x 29	250	110	38.92	<b>\$1422</b>	<b>\$227</b>
PN3060DM	30 x 60 x 29	250	104	38.17	<b>\$1378</b>	<b>\$222</b>
PN3054DM	30 x 54 x 29	250	99	37.43	<b>\$1350</b>	<b>\$219</b>
PN3048DM	30 x 48 x 29	250	82	35.93	<b>\$1192</b>	<b>\$194</b>
PN3684DM	36 x 84 x 29	250	154	65.87	<b>\$2006</b>	<b>\$317</b>
PN3678DM	36 x 78 x 29	250	139	62.87	<b>\$1838</b>	<b>\$291</b>
PN3672DM	36 x 72 x 29	250	132	59.88	<b>\$1789</b>	<b>\$282</b>
PN3666DM	36 x 66 x 29	250	123	47.16	<b>\$1567</b>	<b>\$251</b>
PN3660DM	36 x 60 x 29	250	117	46.41	<b>\$1515</b>	<b>\$241</b>
PN3654DM	36 x 54 x 29	250	106	44.91	<b>\$1431</b>	<b>\$228</b>
PN3648DM	36 x 48 x 29	250	92	44.91	<b>\$1294</b>	<b>\$210</b>

Standard with two 1" x 2" metal open frame legs with support channel(s). Connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf and flush conference tops. Grommet in worksurface. Shipped in 3 cartons.




**LEFT**

**Freestanding Desk with Bookshelf\***

PN3060DBL	30 x 60 x 29	250	123	51.65	<b>\$1494</b>	<b>\$252</b>
PN3066DBL	30 x 66 x 29	250	129	52.40	<b>\$1650</b>	<b>\$275</b>
PN3072DBL	30 x 72 x 29	250	136	61.38	<b>\$1699</b>	<b>\$278</b>
PN3078DBL	30 x 78 x 29	250	150	65.87	<b>\$1837</b>	<b>\$302</b>
PN3084DBL	30 x 84 x 29	250	156	67.37	<b>\$1936</b>	<b>\$340</b>
PN3672DBL	36 x 72 x 29	250	154	73.35	<b>\$1765</b>	<b>\$278</b>
PN3678DBL	36 x 78 x 29	250	161	76.35	<b>\$1916</b>	<b>\$302</b>
PN3684DBL	36 x 84 x 29	250	176	79.34	<b>\$2159</b>	<b>\$340</b>

12"D Bookcase with adjustable shelf on **left**. One 1" x 2" metal open frame leg with support channel(s). Right side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.



**RIGHT**

**Freestanding Desk with Bookshelf\***

PN3060DBR	30 x 60 x 29	250	123	51.65	<b>\$1494</b>	<b>\$233</b>
PN3066DBR	30 x 66 x 29	250	129	52.40	<b>\$1650</b>	<b>\$255</b>
PN3072DBR	30 x 72 x 29	250	136	61.38	<b>\$1699</b>	<b>\$264</b>
PN3078DBR	30 x 78 x 29	250	150	65.87	<b>\$1837</b>	<b>\$277</b>
PN3084DBR	30 x 84 x 29	250	156	67.37	<b>\$1936</b>	<b>\$297</b>
PN3672DBR	36 x 72 x 29	250	154	73.35	<b>\$1765</b>	<b>\$270</b>
PN3678DBR	36 x 78 x 29	250	161	76.35	<b>\$1916</b>	<b>\$291</b>
PN3684DBR	36 x 84 x 29	250	176	79.34	<b>\$2159</b>	<b>\$305</b>

12"D Bookcase with adjustable shelf on **right**. One 1" x 2" metal open frame leg with support channel(s). Left side connects to flush returns with metal leg, bridges for desks and returns with metal leg, flush return with bookshelf, flush conference tops. Grommet in worksurface. Shipped in 3 cartons.

**Required Specifications**

Top finish  
Base finish\*  
Leg finish\*


**Optional Specifications**

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

**Accessories**


Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit\*  
Wire manager  
Keyboard mechanism

## RETURNS WITH METAL LEGS




LEFT

Flush Return with Metal Leg




RIGHT

Flush Return with Metal Leg



LEFT

Flush Wedge Return w/Metal Leg



RIGHT

Flush Wedge Return w/Metal Leg

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2448FML	24 x 48 x 29	150	56	12	<b>\$793</b>	<b>\$122</b>
PN2454FML	24 x 54 x 29	150	68	13	<b>\$952</b>	<b>\$146</b>
PN2460FML	24 x 60 x 29	150	71	13	<b>\$998</b>	<b>\$154</b>
PN2466FML	24 x 66 x 29	150	82	14	<b>\$1038</b>	<b>\$161</b>
PN2472FML	24 x 72 x 29	150	86	20	<b>\$1070</b>	<b>\$167</b>
PN2478FML	24 x 78 x 29	150	89	21	<b>\$1191</b>	<b>\$182</b>
PN3048FML	30 x 48 x 29	150	61	15	<b>\$842</b>	<b>\$129</b>
PN3054FML	30 x 54 x 29	150	78	16	<b>\$992</b>	<b>\$152</b>
PN3060FML	30 x 60 x 29	150	82	16.50	<b>\$1040</b>	<b>\$161</b>
PN3066FML	30 x 66 x 29	150	89	17	<b>\$1074</b>	<b>\$167</b>
PN3072FML	30 x 72 x 29	150	96	23	<b>\$1142</b>	<b>\$175</b>
PN3078FML	30 x 78 x 29	250	103	26	<b>\$1249</b>	<b>\$192</b>

1" x 2" metal frame leg on **left**. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN2448FMR	24 x 48 x 29	150	56	12	<b>\$793</b>	<b>\$122</b>
PN2454FMR	24 x 54 x 29	150	68	13	<b>\$952</b>	<b>\$146</b>
PN2460FMR	24 x 60 x 29	150	71	13	<b>\$998</b>	<b>\$154</b>
PN2466FMR	24 x 66 x 29	150	82	14	<b>\$1038</b>	<b>\$161</b>
PN2472FMR	24 x 72 x 29	150	86	20	<b>\$1070</b>	<b>\$167</b>
PN2478FMR	24 x 78 x 29	150	89	21	<b>\$1191</b>	<b>\$182</b>
PN3048FMR	30 x 48 x 29	150	61	7.50	<b>\$842</b>	<b>\$129</b>
PN3054FMR	30 x 54 x 29	150	78	16	<b>\$992</b>	<b>\$152</b>
PN3060FMR	30 x 60 x 29	150	83	16.50	<b>\$1040</b>	<b>\$161</b>
PN3066FMR	30 x 66 x 29	150	89	17	<b>\$1074</b>	<b>\$167</b>
PN3072FMR	30 x 72 x 29	150	96	23	<b>\$1142</b>	<b>\$175</b>
PN3078FMR	30 x 78 x 29	250	103	26	<b>\$1249</b>	<b>\$192</b>

1" x 2" metal frame leg on **right**. Support channel(s) included for units 72"W and above. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN3048FTL	30 x 48 x 29	150	61	15	<b>\$831</b>	<b>\$128</b>
PN3054FTL	30 x 54 x 29	150	78	16	<b>\$981</b>	<b>\$152</b>
PN3060FTL	30 x 60 x 29	150	83	16.50	<b>\$1040</b>	<b>\$161</b>
PN3066FTL	30 x 66 x 29	150	89	17	<b>\$1096</b>	<b>\$169</b>
PN3072FTL	30 x 72 x 29	150	96	23	<b>\$1142</b>	<b>\$175</b>

1" x 2" metal frame leg on **left**. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN3048FTR	30 x 48 x 29	150	61	15	<b>\$831</b>	<b>\$128</b>
PN3054FTR	30 x 54 x 29	150	78	16	<b>\$981</b>	<b>\$152</b>
PN3060FTR	30 x 60 x 29	150	83	16.50	<b>\$1040</b>	<b>\$161</b>
PN3066FTR	30 x 66 x 29	150	89	17	<b>\$1096</b>	<b>\$169</b>
PN3072FTR	30 x 72 x 29	150	96	23	<b>\$1142</b>	<b>\$175</b>

1" x 2" metal frame leg on **right**. Support channel(s) included for units 72"W and above. 30"D has 24"D leg. 36"D has 30"D leg. Connects to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, 29"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

## Required Specifications

Top finish  
Leg finish


## Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

## Accessories


Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism

## OVERLAPPING RETURNS WITH METAL LEGS




LEFT

Overlapping Return w/Metal Leg




RIGHT

Overlapping Return w/Metal Leg



LEFT

Overlapping Wedge Return w/Metal Leg



RIGHT

Overlapping Wedge Return w/Metal Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

PN24600ML	24 x 60 x 29	150	71	13	\$890	\$138
PN24660ML	24 x 66 x 29	150	82	14	\$915	\$141
PN24720ML	24 x 72 x 29	150	86	20	\$947	\$146
PN24780ML	24 x 78 x 29	150	89	21	\$1128	\$173
PN24840ML	24 x 84 x 29	150	91	22	\$1305	\$200

PN30600ML	30 x 60 x 29	150	83	16.50	\$930	\$142
PN30660ML	30 x 66 x 29	150	89	17	\$963	\$149
PN30720ML	30 x 72 x 29	150	96	23	\$1019	\$156
PN30780ML	30 x 78 x 29	250	103	26	\$1208	\$187
PN30840ML	30 x 84 x 29	150	116	27	\$1352	\$207

1" x 2" metal frame leg on **left**. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN24600MR	24 x 60 x 29	150	71	13	\$890	\$138
PN24660MR	24 x 66 x 29	150	82	14	\$915	\$141
PN24720MR	24 x 72 x 29	150	86	20	\$947	\$146
PN24780MR	24 x 78 x 29	150	89	21	\$1128	\$173
PN24840MR	24 x 84 x 29	150	91	22	\$1305	\$200

PN30600MR	30 x 60 x 29	150	83	16.50	\$930	\$142
PN30660MR	30 x 66 x 29	150	89	17	\$963	\$149
PN30720MR	30 x 72 x 29	150	96	23	\$1019	\$156
PN30780MR	30 x 78 x 29	250	103	26	\$1208	\$187
PN30840MR	30 x 84 x 29	150	137	27	\$1352	\$207

1" x 2" metal frame leg on **right**. Support channel(s) included for 84"W unit only. Overlaps 27"H credenza opening. Grommet in worksurface. Shipped in 2 cartons.

PN30600TL	30 x 60 x 29	150	83	16.50	\$948	\$146
PN30660TL	30 x 66 x 29	150	89	17	\$983	\$152
PN30720TL	30 x 72 x 29	150	96	23	\$1028	\$158
PN30780TL	30 x 78 x 29	250	103	26	\$1230	\$189
PN30840TL	30 x 84 x 29	150	116	27	\$1373	\$210

1" x 2" metal frame leg on **left**. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.

PN30600TR	30 x 60 x 29	150	83	16.50	\$948	\$146
PN30660TR	30 x 66 x 29	150	89	17	\$983	\$152
PN30720TR	30 x 72 x 29	150	96	23	\$1028	\$158
PN30780TR	30 x 78 x 29	250	103	26	\$1230	\$189
PN30840TR	30 x 84 x 29	150	116	27	\$1373	\$210

1" x 2" metal frame leg on **right**. Support channel(s) included for 84"W unit only. 30"D has 24"D leg. 36"D has 30"D leg. Overlaps 27"H credenza opening. Grommet in worksurface. Includes 1" spacer. Shipped in 2 cartons.

## Required Specifications

Top finish  
Leg finish


## Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

## Accessories


Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism

## OVERLAPPING RETURNS WITH METAL LEGS




LEFT

**Overlapping Return w/Metal Leg  
and Spacer for 23\"H Credenza**




RIGHT

**Overlapping Return w/Metal Leg  
and Spacer for 23\"H Credenza**



LEFT

**Overlapping Wedge Return w/Metal  
Leg and Spacer for 23\"H Credenza**



RIGHT

**Overlapping Wedge Return w/Metal  
Leg and Spacer for 23\"H Credenza**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

PN2460SOL	24 x 60 x 29	250	83	23.95	<b>\$1306</b>	<b>\$200</b>
PN2466SOL	24 x 66 x 29	250	94	25.45	<b>\$1347</b>	<b>\$207</b>
PN2472SOL	24 x 72 x 29	250	98	34.43	<b>\$1381</b>	<b>\$212</b>
PN2478SOL	24 x 78 x 29	250	101	35.93	<b>\$1501</b>	<b>\$228</b>
PN2484SOL	24 x 84 x 29	250	103	37.43	<b>\$1581</b>	<b>\$241</b>

PN3060SOL	30 x 60 x 29	250	95	26.20	<b>\$1389</b>	<b>\$213</b>
PN3066SOL	30 x 66 x 29	250	101	26.95	<b>\$1431</b>	<b>\$220</b>
PN3072SOL	30 x 72 x 29	250	108	35.93	<b>\$1466</b>	<b>\$223</b>
PN3078SOL	30 x 78 x 29	250	115	40.42	<b>\$1569</b>	<b>\$239</b>
PN3084SOL	30 x 84 x 29	250	128	41.92	<b>\$1674</b>	<b>\$255</b>

1" x 2" metal frame leg on **left** and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN2460SOR	24 x 60 x 29	250	83	23.95	<b>\$1306</b>	<b>\$200</b>
PN2466SOR	24 x 66 x 29	250	94	25.45	<b>\$1347</b>	<b>\$207</b>
PN2472SOR	24 x 72 x 29	250	98	34.43	<b>\$1381</b>	<b>\$212</b>
PN2478SOR	24 x 78 x 29	250	101	35.93	<b>\$1501</b>	<b>\$228</b>
PN2484SOR	24 x 84 x 29	250	103	37.43	<b>\$1581</b>	<b>\$241</b>

PN3060SOR	30 x 60 x 29	250	95	26.20	<b>\$1389</b>	<b>\$213</b>
PN3066SOR	30 x 66 x 29	250	101	26.95	<b>\$1431</b>	<b>\$220</b>
PN3072SOR	30 x 72 x 29	250	108	35.93	<b>\$1466</b>	<b>\$223</b>
PN3078SOR	30 x 78 x 29	250	115	40.42	<b>\$1569</b>	<b>\$239</b>
PN3084SOR	30 x 84 x 29	250	128	41.92	<b>\$1674</b>	<b>\$255</b>

1" x 2" metal frame leg on **right** and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSL	30 x 60 x 29	250	95	26.20	<b>\$1365</b>	<b>\$210</b>
PN3066TSL	30 x 66 x 29	250	101	26.95	<b>\$1416</b>	<b>\$219</b>
PN3072TSL	30 x 72 x 29	250	108	35.93	<b>\$1452</b>	<b>\$222</b>
PN3078TSL	30 x 78 x 29	250	115	40.42	<b>\$1555</b>	<b>\$238</b>
PN3084TSL	30 x 84 x 29	250	128	41.92	<b>\$1645</b>	<b>\$252</b>

1" x 2" metal frame leg on **left** and 5"H metal frame spacer on right. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

PN3060TSR	30 x 60 x 29	250	95	26.20	<b>\$1365</b>	<b>\$210</b>
PN3066TSR	30 x 66 x 29	250	101	26.95	<b>\$1416</b>	<b>\$219</b>
PN3072TSR	30 x 72 x 29	250	108	35.93	<b>\$1452</b>	<b>\$222</b>
PN3078TSR	30 x 78 x 29	250	115	40.42	<b>\$1555</b>	<b>\$238</b>
PN3084TSR	30 x 84 x 29	250	128	41.92	<b>\$1645</b>	<b>\$252</b>

1" x 2" metal frame leg on **right** and 5"H metal frame spacer on left. Support channel(s) included for units 78"W and above. 24"D leg and 30"D spacer. Overlaps 23"H credenza. Grommet in worksurface. Shipped in 3 cartons.

## Required Specifications

Top finish  
Leg finish


## Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

## Accessories

Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism


BRIDGES FOR DESKS + RETURNS W/ METAL LEGS



Flush Bridge for Metal Leg Configurations

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2436BFM	24 x 36 x 1	70	31	2	<b>\$374</b>	<b>\$86</b>
PN2442BFM	24 x 42 x 1	70	40	2.50	<b>\$382</b>	<b>\$89</b>
PN2448BFM	24 x 48 x 1	85	44	3	<b>\$401</b>	<b>\$91</b>
PN2454BFM	24 x 54 x 1	70	51	3	<b>\$545</b>	<b>\$121</b>

Connects between any two: freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations, 29"H credenza opening. Grommet in worksurface.




LEFT

Overlapping Bridge for Metal Leg Configurations

PN2460OBL	24 x 60 x 2	70	51	3	<b>\$521</b>	<b>\$109</b>
PN2466OBL	24 x 66 x 2	70	62	3.25	<b>\$538</b>	<b>\$113</b>
PN2472OBL	24 x 72 x 2	92.5	66	6.50	<b>\$549</b>	<b>\$114</b>
PN2478OBL	24 x 78 x 2	92.5	76	6.50	<b>\$743</b>	<b>\$152</b>

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.




RIGHT

Overlapping Bridge for Metal Leg Configurations

PN2460OBR	24 x 60 x 2	70	51	3	<b>\$521</b>	<b>\$109</b>
PN2466OBR	24 x 66 x 2	70	62	3.25	<b>\$538</b>	<b>\$113</b>
PN2472OBR	24 x 72 x 2	92.5	66	6.50	<b>\$549</b>	<b>\$114</b>
PN2478OBR	24 x 78 x 2	92.5	76	6.50	<b>\$743</b>	<b>\$152</b>

Connects freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, conference top for U configurations flush on one end, and overlaps 27"H credenza opening on the other end. Includes 1" spacer. Grommet in worksurface.




LEFT

Overlapping Bridge with Metal Spacer for 23"H Credenza\*

PN2460OSL	24 x 60 x 6	125	63	9	<b>\$859</b>	<b>\$190</b>
PN2466OSL	24 x 66 x 6	125	74	9.50	<b>\$900</b>	<b>\$199</b>
PN2472OSL	24 x 72 x 6	150	78	16	<b>\$931</b>	<b>\$206</b>
PN2478OSL	24 x 78 x 6	150	88	16	<b>\$1053</b>	<b>\$229</b>

One 5"H metal frame spacer with support channel(s). Connects flush on **right** side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the **left**. Grommet in worksurface. Shipped in 2 cartons.



RIGHT

Overlapping Bridge with Metal Spacer for 23"H Credenza\*

PN2460OSR	24 x 60 x 6	125	63	9	<b>\$859</b>	<b>\$190</b>
PN2466OSR	24 x 66 x 6	125	74	9.50	<b>\$900</b>	<b>\$199</b>
PN2472OSR	24 x 72 x 6	150	78	16	<b>\$931</b>	<b>\$206</b>
PN2478OSR	24 x 78 x 6	150	88	16	<b>\$1053</b>	<b>\$229</b>

One 5"H metal frame spacer with support channel(s). Connects flush on **left** side to freestanding desk with metal legs, freestanding desk with bookshelf and metal leg, or conference top for U configurations. Overlaps 23"H credenza opening on the **right**. Grommet in worksurface. Shipped in 2 cartons.

Required Specifications

Top finish  
Leg finish\*


Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet

Accessories

Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism

## RETURNS WITH BOOKSHELF




LEFT

Flush Return with Bookshelf

MODEL#	D x W x H	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2460FBL	24 x 60 x 29	150	86	20		<b>\$1013</b>	<b>\$155</b>
PN2466FBL	24 x 66 x 29	150	97	20.50		<b>\$1153</b>	<b>\$176</b>
PN2472FBL	24 x 72 x 29	250	101	27		<b>\$1190</b>	<b>\$180</b>
PN2478FBL	24 x 78 x 29	150	111	27		<b>\$1259</b>	<b>\$194</b>
PN2484FBL	24 x 84 x 29	250	106	29		<b>\$1332</b>	<b>\$202</b>
PN3060FBL	30 x 60 x 29	150	102	25.50		<b>\$1073</b>	<b>\$167</b>
PN3066FBL	30 x 66 x 29	150	108	26		<b>\$1219</b>	<b>\$187</b>
PN3072FBL	30 x 72 x 29	250	115	32		<b>\$1257</b>	<b>\$193</b>
PN3078FBL	30 x 78 x 29	250	129	35		<b>\$1348</b>	<b>\$207</b>
PN3084FBL	30 x 84 x 29	250	135	36		<b>\$1476</b>	<b>\$224</b>

12"D Bookcase with adjustable shelf on **left**. With support channel(s). Connects on **right** side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.




RIGHT

Flush Return with Bookshelf

PN2460FBR	24 x 60 x 29	150	86	20		<b>\$1013</b>	<b>\$155</b>
PN2466FBR	24 x 66 x 29	150	97	20.50		<b>\$1153</b>	<b>\$176</b>
PN2472FBR	24 x 72 x 29	250	101	27		<b>\$1190</b>	<b>\$180</b>
PN2478FBR	24 x 78 x 29	150	111	27		<b>\$1259</b>	<b>\$194</b>
PN2484FBR	24 x 84 x 29	250	106	29		<b>\$1332</b>	<b>\$202</b>
PN3060FBR	30 x 60 x 29	150	102	25.50		<b>\$1073</b>	<b>\$167</b>
PN3066FBR	30 x 66 x 29	150	108	26		<b>\$1219</b>	<b>\$187</b>
PN3072FBR	30 x 72 x 29	250	115	32		<b>\$1257</b>	<b>\$193</b>
PN3078FBR	30 x 78 x 29	250	129	35		<b>\$1348</b>	<b>\$207</b>
PN3084FBR	30 x 84 x 29	250	135	36		<b>\$1476</b>	<b>\$224</b>

12"D Bookcase with adjustable shelf on **right**. With support channel(s). Connects on **left** side to freestanding desk with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.




LEFT

Overlapping Return with Bookshelf

PN2484RBL	24 x 84 x 29	250	106	29		<b>\$1312</b>	<b>\$200</b>
PN2490RBL	24 x 90 x 29	250	110	30		<b>\$1458</b>	<b>\$223</b>
PN2496RBL	24 x 96 x 29	250	123	31		<b>\$1534</b>	<b>\$234</b>
PN3084RBL	30 x 84 x 29	250	135	36		<b>\$1365</b>	<b>\$210</b>
PN3090RBL	30 x 90 x 29	250	142	42		<b>\$1494</b>	<b>\$227</b>
PN3096RBL	30 x 96 x 29	250	146	38.50		<b>\$1575</b>	<b>\$240</b>

12"D Bookcase with adjustable shelf on **left**. With support channel(s). **Right** side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.



RIGHT

Overlapping Return with Bookshelf

PN2484RBR	24 x 84 x 29	250	106	29		<b>\$1312</b>	<b>\$200</b>
PN2490RBR	24 x 90 x 29	250	110	30		<b>\$1458</b>	<b>\$223</b>
PN2496RBR	24 x 96 x 29	250	123	31		<b>\$1534</b>	<b>\$234</b>
PN3084RBR	30 x 84 x 29	250	135	36		<b>\$1365</b>	<b>\$210</b>
PN3090RBR	30 x 90 x 29	250	142	42		<b>\$1494</b>	<b>\$227</b>
PN3096RBR	30 x 96 x 29	250	146	38.50		<b>\$1575</b>	<b>\$240</b>

12"D Bookcase with adjustable shelf on **right**. With support channel(s). **Left** side overlaps 27"H credenza opening, 27"H freestanding return. Laminate shelf is standard. Grommet in worksurface. Shipped in 2 cartons.

## Required Specifications

Top finish  
Base finish


## Optional Specifications

HP laminate  
POG1, POG3 - additional grommet  
PCSG - custom grommet  
RSG - remove grommet


## Accessories

Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism


CONFERENCE TOPS - FLUSH



Offset Conference Top, Flush



Conference Tops, Flush



Wedge Shaped Flush Conference Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
PN3066CFL	47 x 66 x 29	150	142	25	<b>\$1303</b>	<b>\$170</b>
PN3072CFL	47 x 72 x 29	92.5	52	5	<b>\$1359</b>	<b>\$161</b>

PN3066CFR	47 x 66 x 29	150	142	25	\$1303	\$170
PN3072CFR	47 x 72 x 29	92.5	52	5	\$1359	\$161

Specify PNxxxxCFL for **LEFT** or PNxxxxCFR for **RIGHT**.

Standard with square monopost and base. Connects to freestanding desks with metal legs or laminate end panels, 29"H freestanding returns, 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN3066CFR/CFL: 36"W (PN3613DMF)  
PN3072CFR/CFL: 42"W (PN4213DMF)

PN2448DFL	24 x 48 x 29	125	55	8.50	\$832	\$121
PN3048DFL	30 x 48 x 29	150	59	5.50	\$889	\$129
PN3060DFL	30 x 60 x 29	125	76	6	\$923	\$136

PN2448DFR	24 x 48 x 29	125	55	8.50	\$832	\$121
PN3048DFR	30 x 48 x 29	150	59	5.50	\$889	\$129
PN3060DFR	30 x 60 x 29	125	76	6	\$923	\$136

Specify PNxxxxDFL for **LEFT** or PNxxxxDFR for **RIGHT**.

Standard with square monopost with base. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN2448DFR/DFL: 30"W(PN3013DMF)  
PN3048DFR/DFL: 30"W (PN3013DMF)  
PN3060DFR/DFL: 36"W (PN3613DMF)

PN3048TFL	30 x 48 x 29	150	59	11	\$889	\$129
PN3060TFL	30 x 60 x 29	125	81	12.50	\$923	\$136

PN3048TFR	30 x 48 x 29	150	59	11	\$889	\$129
PN3060TFR	30 x 60 x 29	125	81	12.50	\$923	\$136

Specify PNxxxxTFL for **LEFT** or PNxxxxTFR for **RIGHT**.

Standard with square monopost with base. 30"D at connecting end, 24"D at monopost end. Connects to Freestanding Desks with metal legs or laminate end panels, 29"H Freestanding Returns or 29"H credenza opening. Subtop finish is Granite with black edge. Grommet in worksurface. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN3048TFR/TFL: 30"W (PN3013DMF)  
PN3060TFR/TFL: 36"W (PN3013DMF)

**Required Specifications**

Top finish  
Monopost finish




**Optional Specifications**

HP laminate  
PCSG - custom grommet  
RSG - remove grommet

**Accessories**

Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism

## CONFERENCE TOPS - OVERLAPPING

**Offset Conference Top, Overlapping****Conference Top, Overlapping****Wedge Shaped Overlapping  
Conference Top**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN3090COL	47 x 90 x 29	150	174	32	<b>\$1469</b>	<b>\$158</b>
PN3096COL	47 x 96 x 29	100	58.50	6.50	<b>\$1484</b>	<b>\$168</b>

PN3090COR	47 x 90 x 29	150	174	32	<b>\$1469</b>	<b>\$158</b>
PN3096COR	47 x 96 x 29	100	58.50	6.50	<b>\$1484</b>	<b>\$168</b>

Specify PNxxxxCOL for **LEFT** or PNxxxxCOR for **RIGHT**.

Standard with square monopost and base. Overlaps **27"H** credenza opening or **27"H** Freestanding Return. Subtop finish is Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN3090COR/COL: 36"W (PN3613DMF)

PN3096COR/COL: 42"W (PN4213DMF)

PN3072DOL	30 x 72 x 29	150	94	19	<b>\$1125</b>	<b>\$141</b>
PN3078DOL	30 x 78 x 29	150	101	23	<b>\$1146</b>	<b>\$142</b>
PN3084DOL	30 x 84 x 29	92.5	44.50	4	<b>\$1231</b>	<b>\$152</b>

PN3072DOR	30 x 72 x 29	150	94	9.50	<b>\$1125</b>	<b>\$141</b>
PN3078DOR	30 x 78 x 29	150	101	23	<b>\$1146</b>	<b>\$142</b>
PN3084DOR	30 x 84 x 29	92.5	44.50	4	<b>\$1231</b>	<b>\$152</b>

Specify PNxxxxDOL for **LEFT** or PNxxxxDOR for **RIGHT**.

Standard with square monopost and base. Overlaps **27"H** credenza opening or **27"H** Freestanding Return. Subtop finish is Granite with black edge. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN3072DOR/DOL: 30"W (PN3013DMF)

PN3078DOR/DOL: 30"W (PN3013DMF)

PN3084DOR/DOL: 36"W (PN3613DMF)

PN3072TOL	30 x 72 x 29	150	94	19	<b>\$1125</b>	<b>\$155</b>
PN3084TOL	30 x 84 x 29	150	114	23	<b>\$1231</b>	<b>\$171</b>

PN3072TOR	30 x 72 x 29	150	94	19	<b>\$1125</b>	<b>\$155</b>
PN3084TOR	30 x 84 x 29	150	114	23	<b>\$1231</b>	<b>\$171</b>

Specify PNxxxxDOL for **LEFT** or PNxxxxDOR for **RIGHT**.

Standard with square monopost and base. 30"d at overlapping end, 24"d at monopost end. Overlaps **27"H** Credenza opening or **27"H** Freestanding Return. Grommet in worksurface. 1" spacer included. Shipped in 2 cartons.

**Recommended Maximum Modesty Panel Size:**

PN3072TOR/TOL: 30"W (PN3013DMF)

PN3084TOR/TOL: 36"W (PN3613DMF)

**Required Specifications**

Top finish  
Monopost finish

**Optional Specifications**


HP laminate  
PCSG - custom grommet  
RSG - remove grommet

**Accessories**


Power block  
Keyboard tray  
Desktop screen  
Keyboard tray mounting kit  
Wire manager  
Keyboard mechanism



## CONFERENCE TOPS FOR U CONFIGURATIONS




LEFT




RIGHT

Offset Conference Top,  
for U Configurations\*



LEFT



RIGHT

Conference Top for U Configurations\*

## MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

	D x W x H					
PN3090CUL	47 x 90 x 29	125	194	32	<b>\$1553</b>	<b>\$215</b>
PN3096CUL	47 x 96 x 29	125	195	32	<b>\$1571</b>	<b>\$216</b>

PN3090CUR	47 x 90 x 29	125	194	32	<b>\$1553</b>	<b>\$215</b>
PN3096CUR	47 x 96 x 29	125	195	32	<b>\$1571</b>	<b>\$216</b>

Specify PNxxxxCUL for **LEFT** or PNxxxxCUR for **RIGHT**.

Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

### Recommended Maximum Modesty Panel Size:

PN3090CUR/CUL: 60"W (PN6013DMF)

PN3096CUR/CUL: 66"W (PN6613DMF)

PN3072DUL	30 x 72 x 29	125	114	19	<b>\$1321</b>	<b>\$180</b>
PN3084DUL	30 x 84 x 29	150	134	23	<b>\$1552</b>	<b>\$215</b>

PN3072DUR	30 x 72 x 29	125	114	19	<b>\$1321</b>	<b>\$180</b>
PN3084DUR	30 x 84 x 29	150	134	23	<b>\$1552</b>	<b>\$215</b>

Specify PNxxxxDUL for **LEFT** or PNxxxxDUR for **RIGHT**.


Standard with T base with square monopost and base. End panel is 1" thick. 1.5" thick support gable extends 12" for end panel. Not freestanding, must be connected. Connects to bridges. Grommet in worksurface. Shipped in 2 cartons.

### Recommended Maximum Modesty Panel Size:

PN3072DUR/DUL: 48"W (PN4813DMF)

PN3084DUR/DUL: 60"W (PN6013DMF)

## DESKTOP/MODESTY PANELS



Laminate Modesty Panel

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN3013DML	.69 x 30 x 13	85	10	.75	<b>\$434</b>
PN3613DML	.69 x 36 x 13	70	12	.75	<b>\$470</b>
PN4213DML	.69 x 42 x 13	70	14	.75	<b>\$506</b>
PN4813DML	.69 x 48 x 13	70	16	1	<b>\$527</b>
PN5413DML	.69 x 54 x 13	70	18	1	<b>\$589</b>
PN6013DML	.69 x 60 x 13	70	20	1.50	<b>\$691</b>
PN6613DML	.69 x 66 x 13	70	22	1.50	<b>\$712</b>
PN7213DML	.69 x 72 x 13	70	24	1.50	<b>\$736</b>
PN7813DML	.69 x 78 x 13	70	26	1.70	<b>\$863</b>
PN8413DML	.69 x 84 x 13	70	28	1.70	<b>\$1070</b>

Attaches to worksurface with black "L" brackets. Laminate modesty panels up to 54"w include two brackets. Panels 60" and wider have three brackets. Specify a nominal size 6" shorter than worksurface size. If using modesty with overlapping worksurface or lower storage, contact Customer Care.

### Required Specifications

Top finish\*  
Base finish  
Monopost finish\*

### Optional Specifications


HP laminate\*  
POG1, POG3 - additional grommet\*  
PCSG - custom grommet\*  
RSG - remove grommet\*

### Accessories

Power block\*  
Keyboard tray\*  
Desktop screen\*  
Keyboard tray mounting kit\*  
Wire manager\*  
Keyboard mechanism\*


## DESKTOP AND MODESTY PANELS

## Fabric Desktop/Modesty Panel\*



MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	GRADE	LIST PRICE
PN3013DMF	.37 x 30 x 13	250	3	1	1	\$526
					2	\$567
					3	\$598
					4	\$644
PN3613DMF	.37 x 36 x 13	250	3.60	1	1	\$555
					2	\$606
					3	\$645
					4	\$699
PN4213DMF	.37 x 42 x 13	150	4.20	1	1	\$583
					2	\$634
					3	\$673
					4	\$727
PN4813DMF	.37 x 48 x 13	250	4.80	1.50	1	\$598
					2	\$660
					3	\$704
					4	\$771
PN5413DMF	.37 x 54 x 13	250	5.40	1.50	1	\$625
					2	\$695
					3	\$747
					4	\$824
PN6013DMF	.37 x 60 x 13	150	6	1.50	1	\$662
					2	\$732
					3	\$784
					4	\$861
PN6613DMF	.37 x 66 x 13	150	6.60	1.50	1	\$777
					2	\$855
					3	\$916
					4	\$1005
PN7213DMF	.37 x 72 x 13	150	7.20	1.75	1	\$827
					2	\$917
					3	\$982
					4	\$1082
PN7813DMF	.37 x 78 x 13	150	7.80	1.75	1	\$833
					2	\$929
					3	\$1006
					4	\$1116

Panels up to 54" w have two clamps. Panels 60" and wider have three clamps. **When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.**



## Frosted Glass Desktop Panel

PN3013DG	.25 x 30 x 13	85	10	.75	\$409
PN3613DG	.25 x 36 x 13	70	14	.75	\$428
PN4213DG	.25 x 42 x 13	70	16	.75	\$465
PN4813DG	.25 x 48 x 13	70	20	1	\$483
PN5413DG	.25 x 54 x 13	70	22	1	\$544
PN6013DG	.25 x 60 x 13	70	24	1.50	\$637
PN6613DG	.25 x 66 x 13	70	26	1.50	\$657
PN7213DG	.25 x 72 x 13	70	28	1.50	\$676

Panels up to 54" w have two clamps. Panels 60" and wider have three clamps.

## Required Specifications

Fabric\*

FELT PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
-------------	--------	------------	---------------	---------	-----------	------------	--------

- 9mm thick panels offered in 9 finishes
- Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives
- Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly
- Variation in fiber mix and color are inherent to the character of the product
- Clamps are included. Available in satin anodized finish only.


PET FELT COLORS:			
AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBY	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

FELT DESKTOP/MODESTY PANELS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

D x W x H


PN3013PT9-1	.36 x 30 x 12.5	150	2.48	.57	<b>\$211</b>
PN3613PT9-1	.36 x 36 x 12.5	250	2.74	.69	<b>\$222</b>
PN4213PT9-1	.36 x 42 x 12.5	250	2.99	.80	<b>\$301</b>
PN4813PT9-1	.36 x 48 x 12.5	150	3.85	.91	<b>\$314</b>
PN5413PT9-1	.36 x 54 x 12.5	250	4.11	1.03	<b>\$381</b>
PN6013PT9-1	.36 x 60 x 12.5	250	4.36	1.14	<b>\$391</b>
PN6613PT9-1	.36 x 66 x 12.5	150	5.22	1.25	<b>\$470</b>
PN7213PT9-1	.36 x 72 x 12.5	150	5.48	1.36	<b>\$480</b>
PN7813PT9-1	.36 x 78 x 12.5	250	5.73	1.48	<b>\$488</b>



PET Felt Desktop/Modesty Panel, 1 pk.

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. **When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel




PET Felt Desktop/Modesty Panel, 4 pk.

PN3013PT9-4	0.36 x 30 x 12.5	85	8.93	.60	<b>\$804</b>
PN3613PT9-4	0.36 x 36 x 12.5	85	9.86	.71	<b>\$843</b>
PN4213PT9-4	0.36 x 42 x 12.5	85	10.80	.83	<b>\$1153</b>
PN4813PT9-4	0.36 x 48 x 12.5	85	13.90	.98	<b>\$1192</b>
PN5413PT9-4	0.36 x 54 x 12.5	85	14.80	1.09	<b>\$1458</b>
PN6013PT9-4	0.36 x 60 x 12.5	85	15.70	1.20	<b>\$1494</b>
PN6613PT9-4	0.36 x 66 x 12.5	85	18.80	1.32	<b>\$1802</b>
PN7213PT9-4	0.36 x 72 x 12.5	85	19.70	1.43	<b>\$1838</b>
PN7813PT9-4	0.36 x 78 x 12.5	85	20.60	1.54	<b>\$1874</b>

PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. **When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

Required Specifications  
Felt color

**FELT DESKTOP/MODESTY PANELS**

**PET Felt Desktop/Modesty Panel, 12 pk.**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN3013PT9-12	0.36 x 30 x 12.5	85	25.30	1.92	<b>\$2357</b>
PN3613PT9-12	0.36 x 36 x 12.5	85	27.90	2.26	<b>\$2471</b>
PN4213PT9-12	0.36 x 42 x 12.5	92.5	30.50	2.60	<b>\$3388</b>
PN4813PT9-12	0.36 x 48 x 12.5	85	39.30	3.05	<b>\$3498</b>
PN5413PT9-12	0.36 x 54 x 12.5	85	41.90	3.39	<b>\$4291</b>
PN6013PT9-12	0.36 x 60 x 12.5	92.5	44.50	3.72	<b>\$4387</b>
PN6613PT9-12	0.36 x 66 x 12.5	85	53.20	4.18	<b>\$5307</b>
PN7213PT9-12	0.36 x 72 x 12.5	85	55.90	4.51	<b>\$5401</b>
PN7813PT9-12	0.36 x 78 x 12.5	85	58.50	4.85	<b>\$5499</b>


PET Felt Desktop/Modesty Panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on screen size. Clamps available in satin anodized finish only. **When used as a modesty panel, specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel


**Required Specifications**

Felt color


**29"H CREDENZAS**




**29"H Credenza - LEFT**



**29"H Credenza - RIGHT**



**29"H Credenza w/Pull-Out Equipment Tray - LEFT**



**29"H Credenza w/Pull-Out Equipment Tray - RIGHT**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2984CRL	24 x 84 x 29	100	320	33.83	<b>\$2199</b>	<b>\$256</b>
PN2972CRL	24 x 72 x 29	92.5	290	29	<b>\$2084</b>	<b>\$252</b>
PN2966CRL	24 x 66 x 29	100	265	31	<b>\$2062</b>	<b>\$254</b>
PN2960CRL	24 x 60 x 29	92.5	242	24.17	<b>\$2030</b>	<b>\$238</b>

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CRR	24 x 84 x 29	100	320	33.83	<b>\$2199</b>	<b>\$256</b>
PN2972CRR	24 x 72 x 29	92.5	290	29	<b>\$2084</b>	<b>\$252</b>
PN2966CRR	24 x 66 x 29	100	265	31	<b>\$2062</b>	<b>\$254</b>
PN2960CRR	24 x 60 x 29	92.5	242	24.17	<b>\$2030</b>	<b>\$238</b>

Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPL	24 x 84 x 29	100	320	33.83	<b>\$2483</b>	<b>\$270</b>
PN2978CPL	24 x 78 x 29	100	310	36	<b>\$2414</b>	<b>\$275</b>
PN2972CPL	24 x 72 x 29	92.5	290	29	<b>\$2355</b>	<b>\$267</b>
PN2966CPL	24 x 66 x 29	100	270	31	<b>\$2266</b>	<b>\$269</b>
PN2960CPL	24 x 60 x 29	92.5	242	24.17	<b>\$2208</b>	<b>\$244</b>

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

PN2984CPR	24 x 84 x 29	100	320	33.83	<b>\$2483</b>	<b>\$270</b>
PN2978CPR	24 x 78 x 29	100	310	36	<b>\$2414</b>	<b>\$275</b>
PN2972CPR	24 x 72 x 29	92.5	290	29	<b>\$2355</b>	<b>\$267</b>
PN2966CPR	24 x 66 x 29	100	270	31	<b>\$2266</b>	<b>\$269</b>
PN2960CPR	24 x 60 x 29	92.5	242	24.17	<b>\$2208</b>	<b>\$244</b>

Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment shelf can support up to 80lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.


**Required Specifications**

Top finish  
Base finish  
Drawer front finish

**Optional Specifications**

HP laminate  
RSG - remove grommet


## 29"H CREDENZAS



LEFT

RIGHT


29"H Narrow Credenza\*



LEFT

RIGHT


29"H Credenza for Mobile Lateral File



LEFT

RIGHT

29"H Credenza for Mobile Lateral File w/Pull-Out Equipment Tray\*



29"H Lateral File Credenza\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

PN2954NCL	20 x 54 x 29	92.5	250	22	<b>\$2008</b>	<b>\$276</b>
PN2960NCL	20 x 60 x 29	92.5	260	24	<b>\$2035</b>	<b>\$278</b>

PN2954NCR	20 x 54 x 29	92.5	250	22	<b>\$2008</b>	<b>\$276</b>
PN2960NCR	20 x 60 x 29	92.5	260	24	<b>\$2035</b>	<b>\$278</b>

Specify PNxxxxNCL for **LEFT** or PNxxxxNCR for **RIGHT**.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. File bars included. Shipped Fully Assembled.

PN2972MCL	24 x 72 x 29	125	252	34	<b>\$1643</b>	<b>\$226</b>
PN2984MCL	24 x 84 x 29	125	268	39.50	<b>\$1773</b>	<b>\$242</b>

PN2972MCR	24 x 72 x 29	125	252	34	<b>\$1643</b>	<b>\$226</b>
PN2984MCR	24 x 84 x 29	125	268	39	<b>\$1773</b>	<b>\$242</b>

Specify PNxxxxMCL for **LEFT** or PNxxxxMCR for **RIGHT**.

Standard with 42"w space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind lower shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.

PN2972MPL	24 x 72 x 29	125	258	34	<b>\$1879</b>	<b>\$256</b>
PN2984MPL	24 x 84 x 29	125	274	39.50	<b>\$2003</b>	<b>\$275</b>

PN2972MPR	24 x 72 x 29	125	258	34	<b>\$1879</b>	<b>\$256</b>
PN2984MPR	24 x 84 x 29	125	274	39.50	<b>\$2003</b>	<b>\$275</b>

Specify PNxxxxMPL for **LEFT** or PNxxxxMPR for **RIGHT**.

Standard with 42"w space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Grommet in worksurface and internal pass-through behind equipment shelf. Connects to flush returns, flush bridges and flush conference tops. Accepts all mobile lateral file units. Shipped Fully Assembled.

PN2972LF	24 x 72 x 29	92.5	290	29	<b>\$2479</b>	<b>\$320</b>
----------	--------------	------	-----	----	---------------	--------------

Standard with four lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.


## Required Specifications

Top finish  
Base finish  
Drawer front finish\*


## Optional Specifications

HP laminate  
RSG - remove grommet  
Grommet (PN2972LF)


29"H CREDENZAS




29"H Single Lateral File Credenza\*




29"H Double Credenza\*




29"H Single Credenza\*



29"H Credenza w/Sliding Laminate Doors\*



29"H Credenza w/Sliding Glass Doors



29"H Open Credenza

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

D x W x H						
PN2937LFS	24 x 37 x 29	100	155	18	\$1681	\$229

Standard with two lateral file drawers. File bars included for front-to-back letter and legal filing capability. Lock on lower drawer secures both drawers. Anti-tip mechanism. Shipped Fully Assembled.

PN2972CRD	24 x 72 x 29	92.5	290	29	\$2385	\$299
-----------	--------------	------	-----	----	--------	-------

Standard with 34"w box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2937CRS	24 x 37 x 29	100	145	18	\$1681	\$229
-----------	--------------	-----	-----	----	--------	-------

Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.

PN2960CLS	24 x 60 x 29	100	265	28.25	\$1945	\$267
PN2972CLS	24 x 72 x 29	100	289	34	\$2039	\$278
PN2984CLS	24 x 84 x 29	100	337	39.50	\$2225	\$304

Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.

PN2960CGS	24 x 60 x 29	100	265	28.25	\$2454	\$335
PN2972CGS	24 x 72 x 29	100	289	34	\$2715	\$371
PN2984CGS	24 x 84 x 29	100	337	39.50	\$3001	\$409

Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.

PN2960CO	24 x 60 x 29	92.5	296	28.25	\$1636	\$224
PN2972CO	24 x 72 x 29	100	316	34	\$1734	\$239
PN2984CO	24 x 84 x 29	100	336	39.50	\$1923	\$265

Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.


Required Specifications

Top finish  
Base finish  
Drawer front finish\*

Optional Specifications

HP laminate  
Grommet

## 29"H CREDENZAS



29"H Single Open Credenza\*\*

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

PN2930CO

24 x 30 x 29

92.5

153

15

\$1053

\$146

PN2936CO

24 x 36 x 29

100

158


18

\$1101

\$152

Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Connects to flush returns, flush bridges and flush conference tops. Shipped Fully Assembled.

## 27"H CREDENZAS



27"H Credenza - LEFT \*

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

PN2760CRL

24 x 60 x 27

92.5

241

22.50

\$2010

\$228

PN2766CRL

24 x 66 x 27

100

262

29

\$2042

\$241

PN2772CRL

24 x 72 x 27

92.5

290

27

\$2062

\$241

PN2778CRL

24 x 78 x 27

100

290

34

\$2125

\$253

PN2784CRL

24 x 84 x 27

92.5


335

31.50

\$2178

\$251

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza - RIGHT \*

PN2760CRR

24 x 60 x 27

92.5

241

22.50

\$2010

\$228

PN2766CRR

24 x 66 x 27

100

262

29

\$2042

\$241

PN2772CRR

24 x 72 x 27

92.5

290

27

\$2062

\$241

PN2778CRR

24 x 78 x 27

100

290

34

\$2125

\$253

PN2784CRR

24 x 84 x 27

92.5


335

31.50

\$2178

\$251

Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - LEFT\*

PN2760CPL

24 x 60 x 27

92.5

241

22.50

\$2186

\$239

PN2766CPL

24 x 66 x 27

100

267

29

\$2249

\$255

PN2772CPL

24 x 72 x 27

92.5

290

27

\$2337

\$258

PN2778CPL

24 x 78 x 27

100

300

34

\$2396

\$270

PN2784CPL

24 x 84 x 27

92.5


335

31.50

\$2463

\$272

Standard with locking 34"W box and lateral file drawer on **left**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.



27"H Credenza w/Pull-Out Equipment Tray - RIGHT\*

PN2760CPR

24 x 60 x 27

92.5

241

22.50

\$2186

\$239

PN2766CPR

24 x 66 x 27

100

267

29

\$2249

\$255

PN2772CPR

24 x 72 x 27

92.5

290

27

\$2337

\$258

PN2778CPR

24 x 78 x 27

100

300

34

\$2396

\$270

PN2784CPR

24 x 84 x 27

92.5

335

31.50

\$2463

\$272

Standard with locking 34"W box and lateral file drawer on **right**. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Pull-out equipment tray can support up to 80 lbs. Wire management grommet on surface and internal pass-through behind equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.

## Required Specifications


Top finish  
Base finish  
Drawer/door front finish\*

## Optional Specifications


HP laminate  
Grommet\*\*  
RSG - remove grommet\*



**27"H CREDENZAS**



**LEFT**



**RIGHT**


**27"H Narrow Credenza\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2754NCL	20 x 54 x 27	92.5	250	22	<b>\$1955</b>	<b>\$269</b>
PN2760NCL	20 x 60 x 27	92.5	260	24	<b>\$1980</b>	<b>\$272</b>


PN2754NCR	20 x 54 x 27	92.5	250	22	<b>\$1955</b>	<b>\$269</b>
PN2760NCR	20 x 60 x 27	92.5	260	24	<b>\$1980</b>	<b>\$272</b>

Specify PNxxxxNCL for **LEFT** or PNxxxxNCR for **RIGHT**.

20"D. Standard with 30"W box and lateral file drawer. Front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. File bars included. Shipped Fully Assembled.



**LEFT**



**RIGHT**


**27"H Credenza for Mobile Lateral File**

PN2772MCL	24 x 72 x 27	125	252	31.75	<b>\$1621</b>	<b>\$223</b>
PN2784MCL	24 x 84 x 27	125	268	37	<b>\$1751</b>	<b>\$240</b>


PN2772MCR	24 x 72 x 27	125	252	31.75	<b>\$1621</b>	<b>\$223</b>
PN2784MCR	24 x 84 x 27	125	268	37	<b>\$1751</b>	<b>\$240</b>

Specify PNxxxxMCL for **LEFT** or PNxxxxMCR for **RIGHT**.

Standard with 42"W space for lateral file. Adjustable 5 position shelf. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.



**LEFT**



**RIGHT**

**27"H Credenza for Mobile Lateral File w/Pull-Out Equipment Tray**

PN2772MPL	24 x 72 x 27	100	258	31.75	<b>\$1862</b>	<b>\$255</b>
PN2784MPL	24 x 84 x 27	125	274	37	<b>\$1980</b>	<b>\$272</b>

PN2772MPR	24 x 72 x 27	100	258	31.75	<b>\$1862</b>	<b>\$255</b>
PN2784MPR	24 x 84 x 27	125	274	37	<b>\$1980</b>	<b>\$272</b>

Specify PNxxxxMPL for **LEFT** or PNxxxxMPR for **RIGHT**.







Standard with 42"W space for lateral file, adjustable 5 position shelf, and pull-out equipment shelf that can support up to 80lbs. Wire management grommet in surface and internal pass-through at back of pull-out equipment shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Accepts mobile lateral file units: PN22MLBF with and without cushions, and PN25MLSBF without cushions. Shipped Fully Assembled.

**Required Specifications**

Top finish  
Base finish  
Drawer/door front finish\*

**Optional Specifications**

HP laminate  
RSG - remove grommet

27"H CREDENZAS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	PN2772CRD	24 x 72 x 27	100	290	31.75	<b>\$2340</b>	<b>\$299</b>
	Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.						
	PN2737CRS	24 x 37 x 27	100	145	18	<b>\$1634</b>	<b>\$224</b>
	Standard with 34"W box and lateral file drawer. Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Shipped Fully Assembled.						
	PN2760CLS	24 x 60 x 27	92.5	265	26.50	<b>\$1925</b>	<b>\$265</b>
	PN2772CLS	24 x 72 x 27	100	289	31.75	<b>\$2020</b>	<b>\$277</b>
	PN2784CLS	24 x 84 x 27	100	337	37	<b>\$2206</b>	<b>\$302</b>
	Standard with sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.						
	PN2760CGS	24 x 60 x 27	92.5	265	26.50	<b>\$2434</b>	<b>\$333</b>
	PN2772CGS	24 x 72 x 27	100	289	31.75	<b>\$2708</b>	<b>\$371</b>
	PN2784CGS	24 x 84 x 27	100	337	37	<b>\$2979</b>	<b>\$406</b>
	Standard with sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.						
	PN2760CO	24 x 60 x 27	92.5	296	26.50	<b>\$1636</b>	<b>\$224</b>
	PN2772CO	24 x 72 x 27	100	316	31.75	<b>\$1734</b>	<b>\$239</b>
	PN2784CO	24 x 84 x 27	100	336	37	<b>\$1923</b>	<b>\$265</b>
	Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.						
	PN2730CO	24 x 30 x 27	92.5	153	14	<b>\$1032</b>	<b>\$142</b>
	PN2736CO	24 x 36 x 27	100	158	16	<b>\$1081</b>	<b>\$152</b>
	Open storage with adjustable 5 position upper shelf with pass-through at back of lower shelf. Supports overlapping returns, bridges, and conference tops that have a 1" spacer (example: PN24600MR). Cannot nest under 29"H products with metal legs. Shipped Fully Assembled.						


**Required Specifications**

Top finish  
Base finish  
Drawer/door front finish\*


**Optional Specifications**

HP laminate  
Grommet

**23"H CREDENZAS**



**LEFT**




**RIGHT**

**23"H Credenza\***


MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2360CRL	24 x 60 x 23	100	190	19.17	<b>\$1677</b>	<b>\$212</b>
PN2366CRL	24 x 66 x 23	100	227	25	<b>\$1715</b>	<b>\$222</b>
PN2372CRL	24 x 72 x 23	100	228	23	<b>\$1742</b>	<b>\$220</b>
PN2378CRL	24 x 78 x 23	100	248	30	<b>\$1780</b>	<b>\$227</b>
PN2384CRL	24 x 84 x 23	100	266	26.83	<b>\$1816</b>	<b>\$227</b>

PN2360CRR	24 x 60 x 23	100	190	19.17	<b>\$1677</b>	<b>\$212</b>
PN2366CRR	24 x 66 x 23	100	227	25	<b>\$1715</b>	<b>\$222</b>
PN2372CRR	24 x 72 x 23	100	228	23	<b>\$1742</b>	<b>\$220</b>
PN2378CRR	24 x 78 x 23	100	248	30	<b>\$1780</b>	<b>\$227</b>
PN2384CRR	24 x 84 x 23	100	266	26.83	<b>\$1816</b>	<b>\$227</b>

Standard with 34"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.



**LEFT**




**RIGHT**

**23"H Credenza w/Pull-Out Equipment Tray - RIGHT\***


PN2360CPL	24 x 60 x 23	100	190	19.17	<b>\$1902</b>	<b>\$223</b>
PN2366CPL	24 x 66 x 23	100	233	25	<b>\$1964</b>	<b>\$236</b>
PN2372CPL	24 x 72 x 23	100	228	23	<b>\$2026</b>	<b>\$233</b>
PN2378CPL	24 x 78 x 23	100	254	30	<b>\$2074</b>	<b>\$241</b>
PN2384CPL	24 x 84 x 23	100	266	26.83	<b>\$2112</b>	<b>\$241</b>

PN2360CPR	24 x 60 x 23	100	190	19.17	<b>\$1902</b>	<b>\$223</b>
PN2366CPR	24 x 66 x 23	100	233	25	<b>\$1964</b>	<b>\$236</b>
PN2372CPR	24 x 72 x 23	100	228	23	<b>\$2026</b>	<b>\$233</b>
PN2378CPR	24 x 78 x 23	100	254	30	<b>\$2074</b>	<b>\$241</b>
PN2384CPR	24 x 84 x 23	100	266	26.83	<b>\$2112</b>	<b>\$241</b>

Standard with 34"W box and lateral file drawer. Pull-out equipment shelf can support up to 80lbs. Adjustable 5 position shelf. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.



**LEFT**



**RIGHT**

**23"H Narrow Credenza**

PN2354NCL	20 x 54 x 23	92.5	230	21	<b>\$1640</b>	<b>\$224</b>
PN2360NCL	20 x 60 x 23	92.5	240	23	<b>\$1647</b>	<b>\$226</b>

PN2354NCR	20 x 54 x 23	92.5	230	21	<b>\$1640</b>	<b>\$224</b>
PN2360NCR	20 x 60 x 23	92.5	240	23	<b>\$1647</b>	<b>\$226</b>

Specify PNxxxxNCL for **LEFT** or PNxxxxNCR for **RIGHT**.

20"D. Standard with 30"W box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Wire management grommet on surface and internal pass-through at back of lower shelf. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.

**Required Specifications**




Top finish  
Base finish  
Drawer front finish

**Optional Specifications**

HP laminate  
RSG - remove grommet

**Accessories**

Cushion

23"H CREDENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>23"H Double Credenza*</b></p>		D x W x H					
	PN2372CRD	24 x 72 x 23	92.5	275	27	<b>\$2159</b>	<b>\$297</b>
	Standard with locking 34"W box and lateral file drawer on each side. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.						
 <p><b>23"H Single Credenza*</b></p>	PN2337CRS	24 x 37 x 23	100	125	15	<b>\$1469</b>	<b>\$201</b>
 <p><b>23"H Open Credenza</b></p>	Standard with 34"w box and lateral file drawer. File bars included for front-to-back letter and legal filing capability. Lock on file drawer secures both drawers. Shipped Fully Assembled.						
	PN2360CO	24 x 60 x 23	85	276	23	<b>\$1446</b>	<b>\$199</b>
	PN2372CO	24 x 72 x 23	92.5	296	27.50	<b>\$1567</b>	<b>\$216</b>
	PN2384CO	24 x 84 x 23	100	316	32	<b>\$1744</b>	<b>\$240</b>
Open storage with adjustable 5 position upper shelves with pass-throughs at back of lower shelves. Supports Overlapping Return with metal leg and spacer for 23"H credenza, Overlapping Wedge Shaped Return with metal leg and spacer for 23"H credenza, and Overlapping Bridges with metal spacer for 23"H credenza. Shipped Fully Assembled.							

**Required Specifications**

Top finish  
Base finish  
Drawer front finish\*

**Optional Specifications**

HP laminate  
Grommet

**Accessories**

Cushion

CUSHIONS FOR 23"H CREDENZAS


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
D x W x H								
PN2430CU	24 x 30 x 2.5	150	13	2.40	1	\$330	7	\$712
					2	\$392	8	\$868
					3	\$436	9	\$945
					4	\$501	10	\$1091
					5	\$595	11	\$1290
					6	\$630	12	\$1536
PN2433CU	24 x 33 x 2.5	150	13	2.40	1	\$359	7	\$866
					2	\$437	8	\$1076
					3	\$497	9	\$1176
					4	\$586	10	\$1371
					5	\$713	11	\$1636
					6	\$756	12	\$1967
PN2436CU	24 x 36 x 2.5	250	7	2	1	\$382	7	\$951
					2	\$471	8	\$1187
					3	\$537	9	\$1301
					4	\$636	10	\$1521
					5	\$778	11	\$1817
					6	\$827	12	\$2189
PN2439CU	24 x 39 x 2.5	150	14	2.40	1	\$407	7	\$976
					2	\$496	8	\$1212
					3	\$562	9	\$1326
					4	\$661	10	\$1546
					5	\$803	11	\$1842
					6	\$852	12	\$2214
PN2442CU	24 x 42 x 2.5	150	14	2.40	1	\$426	7	\$995
					2	\$515	8	\$1231
					3	\$581	9	\$1345
					4	\$680	10	\$1565
					5	\$822	11	\$1861
					6	\$871	12	\$2233

Cushion attaches with Velcro strips. Fits **24" d** credenzas.


PN2027CU	20 x 27 x 2.5	150	12	2.40	1	\$291	7	\$608
					2	\$342	8	\$741
					3	\$380	9	\$805
					4	\$433	10	\$924
					5	\$513	11	\$1092
					6	\$542	12	\$1297
PN2030CU	20 x 30 x 2.5	150	12	2.40	1	\$315	7	\$632
					2	\$366	8	\$765
					3	\$404	9	\$829
					4	\$457	10	\$948
					5	\$537	11	\$1116
					6	\$566	12	\$1321

Cushion attaches with Velcro strips. Fits **20" d** credenzas.


Required Specifications  
Fabric



Cushion for 23"H Credenzas








Cushion for 23"H Narrow Credenzas

CUSHIONS FOR 23"H CREDENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
		<b>D x W x H</b>							
	PN2437CU	24 x 37 x 2.5	150	14	2.40	1	<b>\$402</b>	7	<b>\$971</b>
						2	<b>\$491</b>	8	<b>\$1208</b>
						3	<b>\$557</b>	9	<b>\$1321</b>
						4	<b>\$656</b>	10	<b>\$1541</b>
						5	<b>\$798</b>	11	<b>\$1837</b>
						6	<b>\$847</b>	12	<b>\$2209</b>

Cushion for 23"H Single Credenza\*\*

Cushion attaches with Velcro strips. Fits **PN2337CRS** credenza.

52"H STORAGE CABINETS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>LEFT</b> <b>52"H Tower Wardrobe w/Full Height Bookcase*</b>	PN52TWBL	24 x 24 x 52	125	129	17.33	<b>\$1923</b>
	PN52TWBR	24 x 24 x 52	125	129	17.33	<b>\$1923</b>
Specify PN52TWBL for <b>LEFT</b> or PN52TWBR for <b>RIGHT</b> .						
Locking wardrobe with full height bookcase. Three adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.						
 <b>LEFT</b> <b>52"H Wardrobe*</b>	PN1652WDL	24 x 16 x 52	125	84	11.56	<b>\$1145</b>
	PN1652WDR	24 x 16 x 52	125	84	11.56	<b>\$1145</b>
Specify PN1652WDL for <b>LEFT</b> or PN1652WDR for <b>RIGHT</b> .						
Locking wardrobe with coat rail. Shipped Fully Assembled.						
 <b>LEFT</b> <b>52"H Storage Cabinet w/Bookshelf at 27"H*</b>	PN57CSBFL	24 x 16 x 52	100	102	11.56	<b>\$1644</b>
	PN57CSBFR	24 x 16 x 52	100	102	11.56	<b>\$1644</b>
Specify PN57CSBFL for <b>LEFT</b> or PN57CSBFR for <b>RIGHT</b> .						
<b>Open Shelf/Box/File Drawer.</b> Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with <b>27"H</b> surfaces. Outside accessory hook. Shipped Fully Assembled.						
 <b>LEFT</b> <b>52"H Storage Cabinet w/Bookshelf at 29"H</b>	PN59CSBFL	24 x 16 x 52	100	102	11.56	<b>\$1668</b>
	PN59CSBFR	24 x 16 x 52	100	102	11.56	<b>\$1668</b>
Specify PN59CSBFL for <b>LEFT</b> or PN59CSBFR for <b>RIGHT</b> .						
<b>Open Shelf/Box/File Drawer.</b> Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with <b>29"H</b> surfaces. Outside accessory hook. Shipped fully assembled.						
 <b>LEFT</b> <b>52"H Storage Cabinet w/Bookshelf at 29"H</b>	PN59CBBFL	24 x 16 x 52	100	102	11.56	<b>\$1764</b>
	PN59CBBFR	24 x 16 x 52	100	102	11.56	<b>\$1764</b>
Specify PN59CBBFL for <b>LEFT</b> or PN59CBBFR for <b>RIGHT</b> .						
<b>Box/Box/File Drawer.</b> Lock on upper box drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with <b>29"H</b> surfaces. Outside accessory hook. Shipped fully assembled.						

**Required Specifications**


Top finish\*

Base finish\*


Drawer/door front finish\*

Fabric\*\*


52"H STORAGE CABINETS




**LEFT**  
**52"H Recycling Cabinet**  
**w/Bookshelf at 27"H**




**LEFT**  
**52"H Recycling Cabinet**  
**w/Bookshelf at 29"H**




**LEFT**  
**52"H Storage Cabinet w/Door at 27"H**



**LEFT**  
**52"H Storage Cabinet w/Door at 29"H**



**LEFT**  
**52"H Recycling Cabinet w/Door at 27"H**



**LEFT**  
**52"H Recycling Cabinet w/Door at 29"H**

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN57RCSL	24 x 16 x 52	100	102	11.56	<b>\$1542</b>
PN57RCSR	24 x 16 x 52	100	102	11.56	<b>\$1542</b>

Specify PN57RCSL for **LEFT** or PN57RCSR for **RIGHT**.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN59RCSL	24 x 16 x 52	100	102	11.56	<b>\$1560</b>
PN59RCSR	24 x 16 x 52	100	102	11.56	<b>\$1560</b>

Specify PN59RCSL for **LEFT** or PN59RCSR for **RIGHT**.

Drawer with one waste bin, one recycling bin and an open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN57DSBFL	24 x 16 x 52	100	102	11.56	<b>\$1809</b>
PN57DSBFR	24 x 16 x 52	100	102	11.56	<b>\$1809</b>

Specify PN57DSBFL for **LEFT** or PN57DSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **27"H** surfaces. Shipped Fully Assembled.

PN59DSBFL	24 x 16 x 52	100	102	11.56	<b>\$1844</b>
PN59DSBFR	24 x 16 x 52	100	102	11.56	<b>\$1844</b>

Specify PN59DSBFL for **LEFT** or PN59DSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.

PN57DRCSL	24 x 16 x 52	100	102	11.56	<b>\$1602</b>
PN57DRCSR	24 x 16 x 52	100	102	11.56	<b>\$1602</b>

Specify PN57DRCSL for **LEFT** or PN57DRCSR for **RIGHT**.

Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with **27"H** surfaces. Shipped Fully Assembled.

PN59DRCSL	24 x 16 x 52	100	102	11.56	<b>\$1636</b>
PN59DRCSR	24 x 16 x 52	100	102	11.56	<b>\$1636</b>


Specify PN59DRCSL for **LEFT** or PN59DRCSR for **RIGHT**.

Upper storage cabinet with locking door. Drawer with one waste bin, one recycling bin, and an open shelf above. One adjustable laminate shelf inside locking cabinet door. Door aligns with **29"H** surfaces. Shipped Fully Assembled.

**Required Specifications**

Top finish  
Base finish  
Drawer/door front finish


## 52"H STORAGE CABINETS



LEFT

RIGHT


**52"H Storage Tower w/Wardrobe,  
Shelf and Bookshelf at 27"H**



LEFT

RIGHT


**52"H Storage Tower w/Wardrobe,  
Shelf and Bookshelf at 29"H**



LEFT

RIGHT


**52"H Storage Tower w/Wardrobe,  
and Bookshelf at 29"H**



LEFT

RIGHT


**52"H Storage Tower w/Wardrobe,  
Shelf, Recycling and Bookshelf at 27"H**



LEFT

RIGHT

**52"H Storage Tower w/Wardrobe,  
Shelf, Recycling and Bookshelf at 29"H**



LEFT

RIGHT

**52"H Storage Tower w/Wardrobe,  
Shelf/Box/File and Door at 27"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

## D x W x H

PN57TSBFL	24 x 24 x 52	92.5	225	21	<b>\$1976</b>
PN57TSBFR	24 x 24 x 52	92.5	225	21	<b>\$1976</b>

Specify PN57TSBFL for **LEFT** or PN57TSBFR for **RIGHT**.

**Open Shelf/Box/File drawer.** Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN59TSBFL	24 x 24 x 52	92.5	225	21	<b>\$1673</b>
PN59TSBFR	24 x 24 x 52	92.5	225	21	<b>\$1673</b>

Specify PN59TSBFL for **LEFT** or PN59TSBFR for **RIGHT**.

**Open Shelf/Box/File drawer.** Lock on file drawer secures both drawers. One adjustable laminate shelf. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.

PN59TBBFL	24 x 24 x 52	92.5	250	21	<b>\$2282</b>
PN59TBBFR	24 x 24 x 52	92.5	250	21	<b>\$2282</b>

Specify PN59TBBFL for **LEFT** or PN59TBBFR for **RIGHT**.

**Box/Box/File drawer.** Lock on upper box drawer secures file and lower box drawer. One adjustable laminate shelf. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.

PN57RTSL	24 x 24 x 52	92.5	238	21	<b>\$2121</b>
PN57RTSR	24 x 24 x 52	92.5	238	21	<b>\$2121</b>

Specify PN57RTSL for **LEFT** or PN57RTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59RTSL	24 x 24 x 52	92.5	238	21	<b>\$2121</b>
PN59RTSR	24 x 24 x 52	92.5	238	21	<b>\$2121</b>

Specify PN59RTSL for **LEFT** or PN59RTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. One adjustable laminate shelf. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN57SBFTL	24 x 24 x 52	92.5	234	21	<b>\$2221</b>
PN57SBFTR	24 x 24 x 52	92.5	234	21	<b>\$2221</b>

Specify PN57SBFTL for **LEFT** or PN57SBFTR for **RIGHT**.


**Open Shelf/Box/File drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **27"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

**Required Specifications**

Top finish  
Base finish  
Drawer/door front finish




52"H STORAGE CABINETS




LEFTRIGHT

52"H Storage Tower w/Wardrobe,  
Shelf/Box/File and Door at 29"H




LEFTRIGHT

52"H Storage Tower w/Wardrobe,  
Shelf, Box/Box/File and Door at 29"H



LEFTRIGHT

52"H Storage Tower w/Wardrobe,  
Shelf, Recycling and Door at 27"H



LEFTRIGHT

52"H Storage Tower w/Wardrobe,  
Shelf, Recycling and Door at 29"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
PN59SBFTL	24 x 24 x 52	92.5	234	21	\$2221
PN59SBFTR	24 x 24 x 52	92.5	234	21	\$2221

Specify PN59SBFTL for **LEFT** or PN59SBFTR for **RIGHT**.

**Open Shelf/Box/File drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59BBFTL	24 x 24 x 52	92.5	234	21	\$2341
PN59BBFTR	24 x 24 x 52	92.5	234	21	\$2341

Specify PN59BBFTL for **LEFT** or PN59BBFTR for **RIGHT**.

**Box/Box/File drawer.** Lock on upper box drawer secures file and lower box drawers. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped fully assembled.

PN57DRTSL	24 x 24 x 52	92.5	234	21	\$2260
PN57DRTSR	24 x 24 x 52	92.5	234	21	\$2260

Specify PN57DRTSL for **LEFT** or PN57DRTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **27"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN59DRTSL	24 x 24 x 52	92.5	234	21	\$2260
PN59DRTSR	24 x 24 x 52	92.5	234	21	\$2260

Specify PN59DRTSL for **LEFT** or PN59DRTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. Upper storage cabinet with locking door and one adjustable laminate shelf inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

Required Specifications

- Top finish
- Base finish
- Drawer/door front finish

## 66"H STORAGE CABINETS

## MODEL#

## DIMENSIONS



## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H



LEFT

RIGHT

**66"H Tower Wardrobe w/Full Height Bookcase**

Specify PN66TWBL for **LEFT** or PN66TWBR for **RIGHT**.

Locking wardrobe and full height bookcase. Four adjustable laminate shelves with fixed bottom laminate shelf. Coat rail. Shipped Fully Assembled.





LEFT

RIGHT

**66"H Wardrobe**

Specify PN1666WDL for **LEFT** or PN1666WDR for **RIGHT**.

Locking wardrobe with coat rail and fixed shelf above. Shipped Fully Assembled.





LEFT

RIGHT

**66"H Storage Cabinet w/Bookshelf at 27"H**

Specify PN67CSBFL for **LEFT** or PN67CSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Shipped Fully Assembled.





LEFT

RIGHT

**66"H Storage Cabinet w/Bookshelf at 29"H**

Specify PN69CSBFL for **LEFT** or PN69CSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.



LEFT

RIGHT

**66"H Storage Cabinet w/Bookshelf at 29"H**


Specify PN69CBBFL for **LEFT** or PN69CBBFR for **RIGHT**.

**Box/Box/File Drawer.** Lock on upper box drawer secures file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped fully assembled.


#### Required Specifications

Top finish  
Base finish  
Drawer/door front finish


66"H STORAGE CABINETS




**LEFT**  
**RIGHT**  
**66"H Recycling Cabinet**  
**w/Bookshelf at 27"H**




**LEFT**  
**RIGHT**  
**66"H Recycling Cabinet**  
**w/Bookshelf at 29"H**



**LEFT**  
**RIGHT**  
**66"H Storage Cabinet w/Door at 27"H**



**LEFT**  
**RIGHT**  
**66"H Storage Cabinet w/Door at 29"H**



**LEFT**  
**RIGHT**  
**66"H Storage Cabinet w/Door at 29"H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN67RCSL	24 x 16 x 66	100	130	14.67	<b>\$1696</b>
PN67RCSR	24 x 16 x 66	100	130	14.67	<b>\$1696</b>

Specify PN67RCSL for **LEFT** or PN67RCSR for **RIGHT**.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **27"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN69RCSL	24 x 16 x 66	100	130	14.67	<b>\$1696</b>
PN69RCSR	24 x 16 x 66	100	130	14.67	<b>\$1696</b>

Specify PN69RCSL for **LEFT** or PN69RCSR for **RIGHT**.

Drawer with one waste bin and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Shipped Fully Assembled.

PN67DSBFL	24 x 16 x 66	100	130	14.67	<b>\$1874</b>
PN67DSBFR	24 x 16 x 66	100	130	14.67	<b>\$1874</b>

Specify PN67DSBFL for **LEFT** or PN67DSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Shipped Fully Assembled.

PN69DSBFL	24 x 16 x 66	100	130	14.67	<b>\$1939</b>
PN69DSBFR	24 x 16 x 66	100	130	14.67	<b>\$1939</b>

Specify PN69DSBFL for **LEFT** or PN69DSBFR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.













PN69DBBFL	24 x 16 x 66	100	130	14.67	<b>\$2058</b>
PN69DBBFR	24 x 16 x 66	100	130	14.67	<b>\$2058</b>

Specify PN69DBBFL for **LEFT** or PN69DBBFR for **RIGHT**.

**Box/Box/File Drawer.** Lock on upper box drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Shipped Fully Assembled.

**Required Specifications**


Top finish  
Base finish  
Drawer/door front finish

66"H STORAGE CABINETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
			D x W x H				
 LEFT 66"H Recycling Cabinet w/Door at 27"H	 RIGHT 66"H Recycling Cabinet w/Door at 27"H	PN67DRCSL	24 x 16 x 66	100	130	14.67	<b>\$1761</b>
		PN67DRCSR	24 x 16 x 66	100	130	14.67	<b>\$1761</b>
		Specify PN67DRCSL for <b>LEFT</b> or PN67DRCSR for <b>RIGHT</b> .					
		Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with <b>27"H</b> surfaces. Shipped Fully Assembled.					
 LEFT 66"H Recycling Cabinet w/Door at 29"H	 RIGHT 66"H Recycling Cabinet w/Door at 29"H	PN69DRCSL	24 x 16 x 66	100	130	14.67	<b>\$1853</b>
		PN69DRCSR	24 x 16 x 66	100	130	14.67	<b>\$1853</b>
		Specify PN69DRCSL for <b>LEFT</b> or PN69DRCSR for <b>RIGHT</b> .					
		Upper storage cabinet with locking door and two adjustable laminate shelves inside. Drawer with one waste bin, one recycling bin, and an open shelf above. Door aligns with <b>29"H</b> surfaces. Shipped fully assembled.					
 LEFT 66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 27"H	 RIGHT 66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 27"H	PN67TSBFL	24 x 24 x 66	92.5	260	26	<b>\$2775</b>
		PN67TSBFR	24 x 24 x 66	92.5	260	26	<b>\$2775</b>
		Specify PN67TSBFL for <b>LEFT</b> or PN67TSBFR for <b>RIGHT</b> .					
		<b>Open Shelf/Box/File drawer.</b> Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with <b>27"H</b> surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.					
 LEFT 66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 29"H	 RIGHT 66"H Storage Tower w/Wardrobe, Shelf, Box/File and Bookshelf at 29"H	PN69TSBFL	24 x 24 x 66	92.5	260	26	<b>\$2775</b>
		PN69TSBFR	24 x 24 x 66	92.5	260	26	<b>\$2775</b>
		Specify PN69TSBFL for <b>LEFT</b> or PN69TSBFR for <b>RIGHT</b> .					
		<b>Open Shelf/Box/File drawer.</b> Lock on file drawer secures both drawers. Two adjustable laminate shelves. Fixed bottom shelf aligns with <b>29"H</b> surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped Fully Assembled.					
 LEFT 66"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Bookshelf at 29"H	 RIGHT 66"H Storage Tower w/Wardrobe, Shelf, Box/Box/File and Bookshelf at 29"H	PN69TBBFL	24 x 24 x 66	92.5	262	26	<b>\$2923</b>
		PN69TBBFR	24 x 24 x 66	92.5	262	26	<b>\$2923</b>
		Specify PN69TBBFL for <b>LEFT</b> or PN69TBBFR for <b>RIGHT</b> .					
		<b>Box/Box/File drawer.</b> Lock on upper box drawer secures file and lower box drawer. Two adjustable laminate shelves. Fixed bottom shelf aligns with <b>29"H</b> surfaces. Outside accessory hook and locking wardrobe with coat rail. Shipped fully assembled.					
 LEFT 66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H	 RIGHT 66"H Storage Tower w/Wardrobe, Shelf, Recycling and Bookshelf at 27"H	PN67RTSL	24 x 24 x 66	92.5	260	26	<b>\$2788</b>
		PN67RTSR	24 x 24 x 66	92.5	260	26	<b>\$2788</b>
		Specify PN67RTSL for <b>LEFT</b> or PN67RTSR for <b>RIGHT</b> .					
		Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with <b>27"H</b> surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped fully assembled.					

#### Required Specifications

Top finish  
Base finish  
Drawer/door front finish


66"H STORAGE CABINETS



LEFT

RIGHT


66"H Storage Tower w/Wardrobe,  
Shelf, Recycling and Bookshelf at 29"H



LEFT

RIGHT


66"H Storage Tower w/Wardrobe,  
Shelf, Box/File and Door at 27"H



LEFT

RIGHT


66"H Storage Tower w/Wardrobe,  
Shelf, Box/File and Door at 29"H



LEFT

RIGHT

66"H Storage Tower w/Wardrobe,  
Box/Box/File and Door at 29"H



LEFT

RIGHT

66"H Storage Tower w/Wardrobe,  
Large Shelf, Recycling and Door at 27"H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN69RTSL	24 x 24 x 66	92.5	260	26	\$2788
PN69RTSR	24 x 24 x 66	92.5	260	26	\$2788

Specify PN69RTSL for **LEFT** or PN69RTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. Two adjustable laminate shelves. Fixed bottom shelf aligns with **29"H** surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN67SBFTL	24 x 24 x 66	100	257	26	\$2878
PN67SBFTR	24 x 24 x 66	100	257	26	\$2878

Specify PN67SBFTL for **LEFT** or PN67SBFTR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Outside accessory hook. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69SBFTL	24 x 24 x 66	100	257	26	\$2878
PN69SBFTR	24 x 24 x 66	100	257	26	\$2878

Specify PN69SBFTL for **LEFT** or PN69SBFTR for **RIGHT**.

**Open Shelf/Box/File Drawer.** Lock on file drawer secures both drawers. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

PN69BBFTL	24 x 24 x 66	100	257	26	\$3025
PN69BBFTR	24 x 24 x 66	100	257	26	\$3025

Specify PN69BBFTL for **LEFT** or PN69BBFTR for **RIGHT**.

**Box/Box/File Drawer.** Lock on upper box drawer secures file and lower box drawer. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped fully assembled.

PN67DRTSL	24 x 24 x 66	100	230	26	\$2949
PN67DRTSR	24 x 24 x 66	100	230	26	\$2949


Specify PN67DRTSL for **LEFT** or PN67DRTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **27"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

Required Specifications

- Top finish
- Base finish
- Drawer/door front finish

## 66"H STORAGE CABINETS



LEFT

RIGHT

**66"H Storage Tower w/Wardrobe,  
Large Shelf, Recycling and Door at 29"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------


## D x W x H

PN69DRTSL	24 x 24 x 66	100	230	26	<b>\$2949</b>
PN69DRTSR	24 x 24 x 66	100	230	26	<b>\$2949</b>

Specify PN69DRTSL for **LEFT** or PN69DRTSR for **RIGHT**.

Drawer with one waste and one recycling bin. Open shelf above. Upper storage cabinet with locking door and two adjustable laminate shelves inside. Door aligns with **29"H** surfaces. Locking wardrobe with coat rail. Shipped Fully Assembled.

## MOBILE PEDESTALS



20.9"H Mobile Pedestal

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

PN22MBF	22 x 16 x 20.9	85	79	5.75	<b>\$1030</b>	<b>\$109</b>
---------	----------------	----	----	------	---------------	--------------

**Box/File drawer.** Lock on box drawer secures both drawers. Front casters are locking. Shipped Fully Assembled.



25.4"H Mobile Pedestal

PN25MSBF	22 x 16 x 25.4	92.5	80	7	<b>\$1092</b>	<b>\$118</b>
----------	----------------	------	----	---	---------------	--------------

**Open Shelf/Box/File drawer.** Lock on file drawer secures both drawers. Front casters are locking. Shipped Fully Assembled.



25.4"H Mobile Pedestal

PN25MBBF	22 x 16 x 25.4	92.5	95	8	<b>\$1151</b>	<b>\$140</b>
----------	----------------	------	----	---	---------------	--------------

**Box/Box/File drawer.** Lock on file drawer secures file and lower box drawer. Front casters are locking. Shipped Fully Assembled.




26.8"H Mobile Pedestal

PN27MFF	22 x 16 x 26.8	85	101	8	<b>\$1127</b>	<b>\$129</b>
---------	----------------	----	-----	---	---------------	--------------

**File/File.** Lock on lower file drawer secures both drawers. Front casters are locking. Shipped assembled in 1 carton.

- 26.8"H mobile storage can only be used with 29"H Princeton products that have laminate end panels/gables. 29"H units with HAT channels have underside clearance of only 25.9"H.



Pedestal Cushion\*

PN1622CU	21 x 16 x 2.5	125	6	.90	1	<b>\$206</b>	7	<b>\$461</b>
					2	<b>\$247</b>	8	<b>\$568</b>
					3	<b>\$278</b>	9	<b>\$619</b>
					4	<b>\$322</b>	10	<b>\$715</b>
					5	<b>\$384</b>	11	<b>\$848</b>
					6	<b>\$406</b>	12	<b>\$1011</b>

For **PN22MBF** mobile pedestals.

## Required Specifications





Top finish  
Base finish  
Drawer/door front finish  
Fabric\*

## Optional Specifications







HP laminate

## Accessories

Pedestal cushion

MOBILE LATERAL FILES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		HP ADD		
			D x W x H								
		PN22MLBF	22 x 35.5 x 20.5	100	132	14	\$1624	\$223			
		<b>Box/File drawer.</b> Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H and 27"H credenzas for mobile lateral file with or without a cushion. Can fit under 23"H credenzas <u>without cushion</u> only.									
		PN25MLSBF	22 x 35.5 x 25.5	100	138	16	\$1699	\$234			
		<b>Open Shelf/Box/File drawer.</b> Lock on file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file <u>without cushion</u> only.									
		PN27MLFF	22 x 35.5 x 27	92.5	170	16	\$1773	\$242			
		<b>File/File drawer.</b> Lock on bottom file drawer secures both drawers. File bars included for front-to-back letter and legal filing capability. Front casters are locking. Shipped Fully Assembled. Can fit under 29"H credenzas for mobile lateral file <u>without cushion</u> only. • 27"H mobile pedestals can only be used with 29"H Princeton products that have laminate end panels/gables. Princeton products with <u>metal legs</u> will not accommodate 27"H mobile units.									
CUSHIONS FOR MOBILE LATERAL FILE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST	
		PN3622CU	21 x 35.5 x 2.5	150	14	2.40	1	\$413	7	\$920	
								2	\$491	8	\$1130
								3	\$551	9	\$1230
								4	\$640	10	\$1425
								5	\$767	11	\$1690
								6	\$810	12	\$2021
<b>Mobile Lateral File Cushion**</b>		For <b>PN22MLBF</b> mobile lateral files.									

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Fabric**	HP laminate (Mobile Laterals)	Cushion*
Top finish (Mobile Laterals)		
Base finish (Mobile Laterals)		
Door/drawer front finish (Mobile Laterals)		

STOOLS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
			D x W x H							
	PN1920ST	19 x 19 x 19.5	250	20	5.50	\$793				
Round Mobile Stool		Laminate base for use with cushion. <b>CANNOT BE USED WITHOUT CUSHION. Cushion sold separately.</b> Six casters. • <b>NOTE: Maximum weight capacity is 200 lbs.</b> • Recommended for carpet applications.								
CUSHION FOR MOBILE STOOL		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	SEAT-PN1920ST	--	150	8	1.60	1	\$281	7	\$498	
						2	\$316	8	\$571	
						3	\$341	9	\$628	
						4	\$375	10	\$690	
						5	\$427	11	\$821	
						6	\$449	12	\$959	
Cushion for Round Mobile Stool*		To be used with PN1920ST.								
PLANTERS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
		PN7229PL	12 x 72 x 29	100	124	14.50	\$1502			
	Five Pot Planter**		Five plastic pots - specify Black (BK) or White (WT). Adjustable 3 position laminate shelves/open pass through. Shipped fully assembled.							
		PN4229PL	12 x 42 x 29	92.5	86	8.46	\$1144			
	Three Pot Planter**		Three plastic pots - specify Black (BK) or White (WT). Adjustable 3 position laminate shelf/open pass through. Shipped fully assembled.							
DIVIDER SHELVES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
		PN7229BGS	12 x 72 x 29	125	124	18	\$1243			
	72\"w Divider Shelf		Fixed laminate shelves/open pass through. Shipped fully assembled.							
		PN4229BGS	12 x 42 x 29	125	86	11	\$1002			
	42\"w Divider Shelf		Fixed laminate shelf/open pass through. Shipped fully assembled.							

**Required Specifications**

Fabric\*


Planter pot finish\*\*

Top finish


Base finish



**BOOKSHELVES**



**Bookshelf w/Laminate Shelves**



**Bookshelf w/Glass Shelves**


MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
PN2429BLS	12 x 24 x 29	70	37	2	<b>\$764</b>	<b>\$122</b>
PN2452BLS	12 x 24 x 52	70	60	3	<b>\$968</b>	N/A
PN2466BLS	12 x 24 x 66	70	74	4	<b>\$1063</b>	N/A
PN3029BLS	12 x 30 x 29	70	44	2	<b>\$859</b>	<b>\$141</b>
PN3052BLS	12 x 30 x 52	65	68	3	<b>\$1003</b>	N/A
PN3066BLS	12 x 30 x 66	70	79	4	<b>\$1106</b>	N/A
PN3629BLS	12 x 36 x 29	70	66	3	<b>\$923</b>	<b>\$152</b>
PN3652BLS	12 x 36 x 52	70	80	4	<b>\$1056</b>	N/A
PN3666BLS	12 x 36 x 66	70	106	5	<b>\$1162</b>	N/A

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.


PN2429BGS	12 x 24 x 29	70	37	2	<b>\$796</b>	<b>\$122</b>
PN2452BGS	12 x 24 x 52	70	60	3	<b>\$1177</b>	N/A
PN2466BGS	12 x 24 x 66	70	74	4	<b>\$1402</b>	N/A
PN3029BGS	12 x 30 x 29	70	44	2	<b>\$920</b>	<b>\$141</b>
PN3052BGS	12 x 30 x 52	65	68	3	<b>\$1270</b>	N/A
PN3066BGS	12 x 30 x 66	70	79	4	<b>\$1463</b>	N/A
PN3629BGS	12 x 36 x 29	70	66	3	<b>\$919</b>	<b>\$152</b>
PN3652BGS	12 x 36 x 52	70	80	4	<b>\$1380</b>	N/A
PN3666BGS	12 x 36 x 66	70	106	5	<b>\$1619</b>	N/A

66"H models have four adjustable shelves. 52"H models have 3 adjustable shelves. 29"H models have 1 adjustable shelf. Shipped Fully Assembled.

**DESKTOP AND OVERHEAD STORAGE**



**Hutch w/Laminate Doors\***



**Hutch w/Glass Doors\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN3560LCH	16 x 60 x 35	125	131	18	<b>\$1951</b>
PN3572LCH	16 x 72 x 35	125	135	21	<b>\$2019</b>
PN3584LCH	16 x 84 x 35	150	145	25	<b>\$2166</b>

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.

PN3560CH	16 x 60 x 35	125	120	19.44	<b>\$2830</b>
PN3572CH	16 x 72 x 35	125	144	23.33	<b>\$3043</b>
PN3584CH	16 x 84 x 35	150	145	25	<b>\$3340</b>






Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped partially assembled in 2 cartons. Glass doors shipped separately.

**Required Specifications**

Top finish  
Base finish  
Door finish (laminate doors)  
Hutch support finish\*

**Optional Specifications**


HP laminate (29"H bookshelves)

DESKTOP AND OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Open Hutch*</b></p>		<b>D x W x H</b>				
	PN3560CHO	16 x 60 x 35	125	124	18	<b>\$1702</b>
	PN3572CHO	16 x 72 x 35	125	128	21	<b>\$1751</b>
	PN3584CHO	16 x 84 x 35	150	138	25	<b>\$1891</b>
Metal hutch supports. Laminate back board. 15.75" clearance between worksurface and underside. Shipped Partially Assembled.						
 <p><b>Desktop Storage w/Laminate Doors</b></p>	PN1160LDS	11 x 60 x 12	100	54	6.50	<b>\$1024</b>
	PN1172LDS	11 x 72 x 12	100	62	7.75	<b>\$1102</b>
Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.						
 <p><b>Desktop Storage w/Glass Doors</b></p>	PN1160DS	11 x 60 x 12	100	43	4.58	<b>\$1644</b>
	PN1172DS	11 x 72 x 12	100	51	5.50	<b>\$1853</b>
Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Recessed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.						
 <p><b>Desktop Shelf - Two High w/Laminate Shelf</b></p>	PN2423LDB	12 x 24 x 23	60	45	1.50	<b>\$484</b>
	PN3023LDB	12 x 30 x 23	60	49	1.50	<b>\$529</b>
	PN3623LDB	12 x 36 x 23	65	53	2	<b>\$535</b>
	PN2425LDB	12 x 24 x 25	60	47	1.50	<b>\$484</b>
	PN3025LDB	12 x 30 x 25	65	51	2	<b>\$529</b>
	PN3625LDB	12 x 36 x 25	65	55	2	<b>\$535</b>
One multiple-position adjustable laminate shelf. Shipped Fully Assembled.						
 <p><b>Desktop Shelf - Two High w/Glass Shelf</b></p>	PN2423GDB	12 x 24 x 23	60	45	1.50	<b>\$557</b>
	PN3023GDB	12 x 30 x 23	60	49	1.50	<b>\$610</b>
	PN3623GDB	12 x 36 x 23	65	53	2	<b>\$650</b>
	PN2425GDB	12 x 24 x 25	60	47	1.50	<b>\$557</b>
	PN3025GDB	12 x 30 x 25	65	51	2	<b>\$610</b>
	PN3625GDB	12 x 36 x 25	65	55	2	<b>\$650</b>
One multiple-position adjustable glass shelf. Shipped Fully Assembled.						


**Required Specifications**

Top finish  
 Base finish  
 Door finish (laminate doors)  
 Hutch support finish\*


DESKTOP AND OVERHEAD STORAGE




**Desktop Shelf - Three High w/Laminate Shelves**




**Desktop Shelf - Three High w/Glass Shelves**



**Large Overhead Storage w/Laminate Doors, Wall-Mounted**



**Large Overhead Storage w/Glass Doors Wall-Mounted**



**Large Overhead Storage w/Single Laminate Door, Wall-Mounted**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PN2437LDB	12 x 24 x 37	65	58	2	<b>\$604</b>
PN3037LDB	12 x 30 x 37	70	64	3	<b>\$643</b>
PN3637LDB	12 x 36 x 37	65	71	3	<b>\$668</b>
PN2439LDB	12 x 24 x 39	65	58	2	<b>\$604</b>
PN3039LDB	12 x 30 x 39	70	64	3	<b>\$643</b>
PN3639LDB	12 x 36 x 39	65	71	3	<b>\$668</b>

Two multiple-position adjustable laminate shelves. Shipped Fully Assembled.

PN2437GDB	12 x 24 x 37	65	58	2	<b>\$780</b>
PN3037GDB	12 x 30 x 37	70	64	3	<b>\$863</b>
PN3637GDB	12 x 36 x 37	65	71	3	<b>\$898</b>
PN2439GDB	12 x 24 x 39	65	58	2	<b>\$780</b>
PN3039GDB	12 x 30 x 39	70	64	3	<b>\$863</b>
PN3639GDB	12 x 36 x 39	65	71	3	<b>\$898</b>

Two multiple-position adjustable glass shelves. Shipped Fully Assembled.

PN1960LWH	16 x 60 x 19	100	119	13.25	<b>\$1438</b>
PN1972LWH	16 x 72 x 19	100	138	16	<b>\$1503</b>
PN1984LWH	16 x 84 x 19	100	158	19	<b>\$1656</b>

Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.  
**• NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1960WH	16 x 60 x 19	100	101	10.56	<b>\$2246</b>
PN1972WH	16 x 72 x 19	100	121	12.67	<b>\$2515</b>
PN1984WH	16 x 84 x 19	100	158	19	<b>\$2757</b>






Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in two cartons. Glass doors shipped separately.  
**• NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

PN1960LS	16 x 60 x 19	100	117	13.25	<b>\$1337</b>
PN1972LS	16 x 72 x 19	100	136	16	<b>\$1406</b>
PN1984LS	16 x 84 x 19	100	156	19	<b>\$1544</b>

Sliding laminate door in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.  
**• NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications**

Top finish  
Base finish  
Door finish (laminate doors)

DESKTOP AND OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Large Overhead Storage, Wall-Mounted</b></p>		<b>D x W x H</b>				
	PN1960WHO	16 x 60 x 19	100	112	13.25	<b>\$1211</b>
	PN1972WHO	16 x 72 x 19	100	131	16	<b>\$1259</b>
	PN1984WHO	16 x 84 x 19	125	151	19	<b>\$1401</b>
<p>Open storage with center divider. Shipped Fully Assembled.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>						
 <p><b>Small Overhead Storage w/Laminate Doors, Wall-Mounted</b></p>						
	PN1260LWH	12 x 60 x 8	100	49	5.25	<b>\$1055</b>
	PN1272LWH	12 x 72 x 8	100	56	6.25	<b>\$1144</b>
	PN1284LWH	12 x 84 x 8	100	64	8	<b>\$1202</b>
<p>Sliding laminate doors in upper plastic track. Recessed brushed aluminum finger pulls. No lock. Shipped Fully Assembled.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>						
 <p><b>Small Overhead Storage w/Glass Doors, Wall-Mounted</b></p>						
	PN1260WH	12 x 60 x 8	100	31	3.33	<b>\$2063</b>
	PN1272WH	12 x 72 x 8	100	38	4	<b>\$2325</b>
	PN1284WH	12 x 84 x 8	100	64	8	<b>\$2457</b>
<p>Sliding glass doors in upper aluminum track. Satin etched 6mm glass. Brushed aluminum finger pulls. No lock. Shipped assembled in 2 cartons. Glass doors shipped separately.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>						
 <p><b>Small Overhead Storage, Wall-Mounted</b></p>						
	PN1260WHO	12 x 60 x 8	100	45	5.25	<b>\$810</b>
	PN1272WHO	12 x 72 x 8	100	52	6.25	<b>\$910</b>
	PN1284WHO	12 x 84 x 8	125	60	8	<b>\$989</b>
<p>Open storage shelf with center divider. Shipped Fully Assembled.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>						
 <p><b>Wall-Mounted Shelf</b></p>						
	PN1260WHS	12 x 60 x 8	150	31	5.50	<b>\$601</b>
	PN1272WHS	12 x 72 x 8	125	37	6	<b>\$651</b>
	PN1284WHS	12 x 84 x 8	125	44	7	<b>\$702</b>
<p>Open storage shelf with center divider. Shipped Fully Assembled.</p> <p>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</p>						

#### Required Specifications

Top finish  
Base finish  
Door finish (laminate doors)

TACKBOARD NOTES

D x W x H

**TACKBOARD** Notes: Tackboards can be upholstered in all of the following fabrics:

**Grade 1:** Jenny, Quilt, Terrace, Urban, Waterfall


**Grade 2:** Imprint, Lola

**Grade 3:** Anchorage, Merge

TACKBOARDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD.	LIST	GRD.	LIST
PN1556TBH	1 x 56 x 14.5	100	9.50	1	1	\$621	7	\$1631
					2	\$748	8	\$1876
					3	\$897	9	\$2153
					4	\$1072	10	\$2480
					5	\$1233	11	\$2849
					6	\$1415	12	\$3277
PN1568TBH	1 x 68 x 14.5	92.5	11	1	1	\$646	7	\$1694
					2	\$779	8	\$1951
					3	\$931	9	\$2242
					4	\$1117	10	\$2576
					5	\$1282	11	\$2964
					6	\$1476	12	\$3409
PN1580TBH	1 x 80 x 14.5	125	10	1.50	1	\$1027	7	\$2702
					2	\$1236	8	\$3105
					3	\$1479	9	\$3570
					4	\$1775	10	\$4106
					5	\$2042	11	\$4720
					6	\$2347	12	\$5430


Attaches with Velcro to Hutch backboard.



Tackboard for Hutches

Required Specifications

Fabric

TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FABRIC GRD.	LIST	GRD.	LIST
		<b>D x W x H</b>							
	PN1560TBW	1 x 60 x 14.5	85	14	1	1	<b>\$635</b>	7	<b>\$1667</b>
						2	<b>\$763</b>	8	<b>\$1921</b>
						3	<b>\$916</b>	9	<b>\$2209</b>
						4	<b>\$1099</b>	10	<b>\$2538</b>
						5	<b>\$1263</b>	11	<b>\$2919</b>
						6	<b>\$1451</b>	12	<b>\$3356</b>
	PN1566TBW	.62 x 66 x 14.4	85	12	1	1	<b>\$846</b>	7	<b>\$2227</b>
						2	<b>\$1019</b>	8	<b>\$2560</b>
						3	<b>\$1224</b>	9	<b>\$2943</b>
						4	<b>\$1466</b>	10	<b>\$3383</b>
						5	<b>\$1684</b>	11	<b>\$3892</b>
						6	<b>\$1936</b>	12	<b>\$4477</b>
	PN1572TBW	1 x 72 x 14.5	70	16.50	1	1	<b>\$741</b>	7	<b>\$1948</b>
						2	<b>\$893</b>	8	<b>\$2240</b>
						3	<b>\$1070</b>	9	<b>\$2578</b>
						4	<b>\$1281</b>	10	<b>\$2962</b>
						5	<b>\$1472</b>	11	<b>\$3407</b>
						6	<b>\$1694</b>	12	<b>\$3917</b>
	PN1578TBW	.62 x 78 x 14.4	100	14	1.50	1	<b>\$1068</b>	7	<b>\$2803</b>
						2	<b>\$1287</b>	8	<b>\$3224</b>
						3	<b>\$1539</b>	9	<b>\$3704</b>
						4	<b>\$1847</b>	10	<b>\$4258</b>
						5	<b>\$2122</b>	11	<b>\$4898</b>
						6	<b>\$2439</b>	12	<b>\$5632</b>
	PN1584TBW	.62 x 84 x 14.4	92.5	15	1.50	1	<b>\$1161</b>	7	<b>\$3049</b>
						2	<b>\$1396</b>	8	<b>\$3504</b>
						3	<b>\$1675</b>	9	<b>\$4032</b>
						4	<b>\$2005</b>	10	<b>\$4636</b>
						5	<b>\$2306</b>	11	<b>\$5331</b>
						6	<b>\$2652</b>	12	<b>\$6130</b>


Tackboard for Overhead Storage

Attaches with adhesive-backed Velcro.


**Required Specifications**

Fabric


ELECTRICAL / DATA




4 Outlet, 1 Telecom Blank Plate




2 Outlet Power Block



2 Outlet, 1 Telecom Blank Plate




LED Task Light



Wire Manager

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PGDPS41	2.5 x 10.25 x 2.22	70	1.50	.02	\$250
4 power receptacles and 1 telecom blank plate. For mounting behind pull-out shelf or open space credenza. Tungsten (TUN) finish. 12 foot black cord. UL listed: UL153.					
PGDPS20	2.5 x 3.58 x 2.22	70	1	.01	\$179
2 power receptacles. For side mounted installation. Tungsten (TUN) finish. 12 foot black cord. UL listed: UL153.					
PGDPS21	2.5 x 6.75 x 2.22	70	1.25	.01	\$232
2 power receptacles and 1 telecom blank plate. For side mounted installation. Tungsten (TUN) finish. 12 foot black cord. UL listed: UL153.					
PLED30	1.5 x 15.5 x .5	150	2	.50	\$522
PLED50	1.5 x 23.5 x .5	150	2	.50	\$601
PLED100	1.5 x 43.5 x .5	125	3	.50	\$697
Energy efficient LED. Ultra slim design. Suitable for hanging under Hutch or Wallhung units. 6' power cord. UL listed: UL153.					
PEWM5.5	2 x 66 x 2	70	.60	.10	\$211
PEWM5	2 x 60 x 2	70	.60	.10	\$177
PEWM4.5	2 x 54 x 2	70	.50	.10	\$158
PEWM4	2 x 48 x 2	70	.50	.10	\$144
PEWM3.5	2 x 42 x 2	70	.40	.10	\$124
PEWM3	2 x 36 x 2	70	.40	.10	\$111
PEWM2.5	2 x 30 x 2	70	.30	.10	\$91
PEWM2	2 x 24 x 2	70	.30	.10	\$75
PEWM1.5	2 x 18 x 2	70	.20	.10	\$59
PEWM1	2 x 12 x 2	70	.20	.10	\$43
Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (BLK) only.					

## TABLES



29"H Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
PN242429	24 x 24 x 29	150	53	10	<b>\$1095</b>	<b>\$154</b>
PN482429	24 x 48 x 29	125	71	10.50	<b>\$1169</b>	<b>\$167</b>
PN542429	24 x 54 x 29	125	83	13	<b>\$1387</b>	<b>\$195</b>
PN602429	24 x 60 x 29	125	86	13	<b>\$1409</b>	<b>\$199</b>
PN662429	24 x 66 x 29	125	90	14	<b>\$1440</b>	<b>\$201</b>
PN722429	24 x 72 x 29	150	97	21	<b>\$1450</b>	<b>\$202</b>
PN782429	24 x 78 x 29	150	101	21	<b>\$1589</b>	<b>\$223</b>
PN842429	24 x 84 x 29	150	106	22	<b>\$1717</b>	<b>\$240</b>
PN902429	24 x 90 x 29	150	110	23	<b>\$1805</b>	<b>\$253</b>
PN962429	24 x 96 x 29	150	123	24	<b>\$1869</b>	<b>\$261</b>
PN303029	30 x 30 x 29	150	66	12	<b>\$1205</b>	<b>\$170</b>
PN483029	30 x 48 x 29	150	77	13	<b>\$1284</b>	<b>\$179</b>
PN543029	30 x 54 x 29	150	94	16	<b>\$1512</b>	<b>\$212</b>
PN603029	30 x 60 x 29	125	99	16.50	<b>\$1521</b>	<b>\$213</b>
PN663029	30 x 66 x 29	125	105	17	<b>\$1564</b>	<b>\$220</b>
PN723029	30 x 72 x 29	150	112	23	<b>\$1589</b>	<b>\$223</b>
PN783029	30 x 78 x 29	150	119	26	<b>\$1736</b>	<b>\$242</b>
PN843029	30 x 84 x 29	150	132	27	<b>\$1863</b>	<b>\$261</b>
PN903029	30 x 90 x 29	150	139	33	<b>\$1949</b>	<b>\$273</b>
PN963029	30 x 96 x 29	150	143	29.50	<b>\$1996</b>	<b>\$278</b>
PN363629	36 x 36 x 29	150	80	15	<b>\$1282</b>	<b>\$179</b>
PN603629	36 x 60 x 29	150	113	20	<b>\$1745</b>	<b>\$242</b>
PN663629	36 x 66 x 29	150	119	21	<b>\$1802</b>	<b>\$252</b>
PN723629	36 x 72 x 29	150	128	29	<b>\$1830</b>	<b>\$255</b>
PN783629	36 x 78 x 29	150	135	31	<b>\$1805</b>	<b>\$253</b>
PN843629	36 x 84 x 29	150	150	32	<b>\$1930</b>	<b>\$270</b>
PN903629	36 x 90 x 29	150	161	33.50	<b>\$2074</b>	<b>\$291</b>
PN963629	36 x 96 x 29	150	164	35	<b>\$2096</b>	<b>\$292</b>
PN424229	42 x 42 x 29	150	96	17	<b>\$1479</b>	<b>\$208</b>
PN604229	42 x 60 x 29	150	125	22	<b>\$1824</b>	<b>\$255</b>
PN664229	42 x 66 x 29	150	134	23	<b>\$1882</b>	<b>\$265</b>
PN724229	42 x 72 x 29	150	142	32	<b>\$1920</b>	<b>\$269</b>
PN784229	42 x 78 x 29	150	150	35	<b>\$2133</b>	<b>\$299</b>
PN844229	42 x 84 x 29	150	167	36	<b>\$2326</b>	<b>\$323</b>
PN904229	42 x 90 x 29	150	176	38	<b>\$2493</b>	<b>\$349</b>
PN964229	42 x 96 x 29	150	182	40	<b>\$2543</b>	<b>\$354</b>
PN484829	48 x 48 x 29	150	114	21	<b>\$1528</b>	<b>\$215</b>
PN604829	48 x 60 x 29	150	138	26	<b>\$1891</b>	<b>\$265</b>
PN664829	48 x 66 x 29	150	147	27	<b>\$1956</b>	<b>\$273</b>
PN724829	48 x 72 x 29	150	158	38	<b>\$1982</b>	<b>\$277</b>
PN784829	48 x 78 x 29	150	166	40	<b>\$2243</b>	<b>\$314</b>
PN844829	48 x 84 x 29	150	184	42	<b>\$2434</b>	<b>\$340</b>
PN904829	48 x 90 x 29	150	193	43	<b>\$2598</b>	<b>\$359</b>
PN964829	48 x 96 x 29	150	202	45	<b>\$2640</b>	<b>\$369</b>

Freestanding. 1" x 2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.

## Required Specifications

Top finish  
Leg finish

## Optional Specifications


HP laminate

## Accessories

Wire manager  
Desktop screen




TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	--------	------------	---------------	---------	-----------	------------	--------



29"H Table with Center Leg

	D x W x H						
PN1203629	36 x 120 x 29	250	221	86.83	\$3190	\$444	
PN1443629	36 x 144 x 29	250	246	97.31	\$3381	\$470	
PN1204229	42 x 120 x 29	250	246	101.8	\$3319	\$460	
PN1444229	42 x 144 x 29	250	287	110.7	\$3500	\$484	
PN1204829	48 x 120 x 29	250	271	113.7	\$3515	\$486	
PN1444829	48 x 144 x 29	250	291	116.7	\$3698	\$512	

Freestanding. 1" x 2.5" open metal frame legs with levelers, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). 120" and 144"W with 2 piece top. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 4 cartons.



29"H Table with Casters

PN242429C	24 x 24 x 29	92.5	53	4.50	\$1130	\$161	
PN482429C	24 x 48 x 29	85	71	5.26	\$1200	\$170	
PN542429C	24 x 54 x 29	85	83	6.50	\$1436	\$201	
PN602429C	24 x 60 x 29	85	86	6.50	\$1463	\$206	
PN662429C	24 x 66 x 29	85	90	7	\$1489	\$210	
PN722429C	24 x 72 x 29	85	97	7	\$1514	\$213	
PN303029C	30 x 30 x 29	92.5	66	6	\$1244	\$175	
PN483029C	30 x 48 x 29	100	77	9.50	\$1313	\$186	
PN543029C	30 x 54 x 29	92.5	94	8	\$1562	\$220	
PN603029C	30 x 60 x 29	92.5	99	8.26	\$1575	\$221	
PN663029C	30 x 66 x 29	85	105	8.50	\$1609	\$224	
PN723029C	30 x 72 x 29	85	112	9	\$1663	\$233	
PN363629C	36 x 36 x 29	92.5	80	7.50	\$1306	\$182	
PN603629C	36 x 60 x 29	92.5	113	10	\$1647	\$229	
PN663629C	36 x 66 x 29	92.5	119	10.50	\$1690	\$236	
PN723629C	36 x 72 x 29	100	124	14.50	\$1930	\$270	
PN424229C	42 x 42 x 29	92.5	96	8.50	\$1513	\$213	
PN484829C	48 x 48 x 29	150	114	21	\$1565	\$220	

Freestanding. 1" x 2.5" open metal frame legs with casters, finished in Tungsten (TTU), Designer White (TDW) or Black (TBL). All casters are locking. Metal support hat channel(s) provided on tables exceeding 54" in width. Shipped in 2 cartons.

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Wire manager
Leg finish		Desktop screen



Zira™ is a contemporary desking solution with extensive options to personalize your workspace. Components can be freestanding for single workstation configurations, or joined together to form multiple work groups. Create a work environment that meets your worksurface needs and storage requirements - then go ahead and personalize it!

Select from the following: hundreds of components for any size or shape office, storage components that can tower to 84" high, 20 laminate finishes, 5 edge options, 9 handle options in silver, black, nickel or brass finishes, 2 glazing options with 2 frame finishes on doors and modesty panels, and lastly, work surface grommets and power blocks for your electrical needs.

Zira is your most functional solution to work environment efficiency and organization.

## Features and Benefits

- 45 lb. density particle board substructure with high performance thermally fused laminate
- Top over side panel design
- Worksurfaces feature preferred edging in matching color
- Available in 1" or 1.5" thick top with a variety of edge details
- 11/16" thick full modesty panel is standard
- 11/16" thick ¾ modesty panel available on most components
- Pencil tray included in box drawer
- Lateral file drawers can accommodate legal or letter documents
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks
- Compatible with Divide partitioning system for increased privacy and storage requirements



Tops are available in a choice of 1" or 1 ½" thick with a variety of edge details and a top over side, edge panel design  
\* Shown with 1.5" thick top and Bicut Edge (CR).



Optional Frosted or Ribbed glazing on doors and modesty panels. Available with Tungsten or Black frames.



Collator option is available for the convenient storage of day-to-day documents. Available in Black or Brushed Cobalt finish.

## GENERAL INFORMATION

- Modular collection with over 5000 different standard components available
- Zira components are compatible with **Divide** partitioning panels.
- Handles, lock finish and trim color (if applicable) **MUST MATCH**
- Dimensionally compatible with the Adaptabilities series.
- For environmental certification, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## WORKSURFACES

- Available in 1" or 1.5" thick thermally fused laminate tops (**TFL**) or 1-1/6" or 1.5" thick high pressure laminate tops (**HPL**) with a variety of edge details
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain.
- High pressure (**HPL**) tops are available in all Zira laminate finishes at an extended lead time, upcharge applies. Please see model # for pricing and availability.
- Products specified with the (**HPL**) option are finished on the underside of the surface with a kraft paper backing.

## CONSTRUCTION

- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- All desks are size (incrementally) accurate
- Desk drawers/storage open with side pulls and feature a French dovetail joint in front, lap joint in back. Pulls are available for these units at an upcharge, see below. All other drawers/storage feature built-in pulls available in 9 different styles
- Virtually no loose hardware
- Models with Monopost are standard with 4" Square Monopost. Optional 5" Round and 4" Round Monopost are available at no upcharge. Available in Black (**TBL**) or Tungsten (**TU**) finish. Please Specify
- Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers & box drawers
- All drawer fronts edge banded with side pull opening pedestals and standard pedestal locks

## HEIGHT ADJUSTABLE DESKS

- Zira height adjustable desks include a laminate chassis. **Height adjustable base mechanism sold separately.**
- Use **FTZ52SFNL** with all **ZHxx60Fxx**, **ZHxx66Fxx**, **ZHxx72Fxx** and **ZHxx60NP** models.
- Use **FTZ52LFNL** with all **ZHxx84Fxx** and **ZHxx66NP**, **ZHxx72NP** and **ZH3684NP** models.
- Use **FTZ539FSLNL** with all **ZH60xx24L/R** models.
- Steel constructed leg tubing and cross bar.
- Table frame designed with 3.15" x 1.97" rectangular outer leg with the larger tube attaching to a bracket within the pedestal.
- Powder coat finishes for bases is standard in Black (**BLK**) or Tungsten (**TUN**).
- Wire management channels available in Black (**BLK**) or Silver (**SIL**). Silver (**SIL**) complements Tungsten.
- Zira Height Adjustable desks have 2-stages and feature an adjustment range of 29.5"/30" – 49"/49.5".
- Lifts 350 pounds.
- Operates at 1.5" per second.
- All bases feature a dual actuator system with a motor driving each leg.

## STANDARD RANGE COLUMNS

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.

- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 800 N per column
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" – 45.5" (18" travel).

## DESK MOUNT FRAME

- All metal parts are Black
- Cantilever length: 21.7"
- Includes all connecting hardware

## CONTROL BOX



- Two leg tables come standard with a 200 W Control Box
  - Mains voltage 230 VAC, 50 Hz, or 120 VAC, 60 Hz
  - Ultra-compact; 8.25" long
  - Lightweight control box; weight is approximately 1 lb.
- Common features for the (200 W and 300 W):
- Ultra-low; only 1.5" high
- Environment: Operation Storage
  - Ambient temperature: 5 to 40 °C -10 to +50 °C
  - Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
  - Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
- Compact high-power SMPS (Switch Mode Power Supply)
- Color: Black
- Protection against overload (EOP), by individual current limitation
- The control box is designed with a soft start/stop function
- Autodetection of the number and type of columns connected
- Cable grooves at the bottom to optimise cable management
- White plugs for easy recognition when mounting/dismounting
- PVC-Free™
- Low standby power consumption – only 0.1 W.
- Exchangeable standard mains cable

**STANDARD HANDSET (S)**

- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

**DISPLAY HANDSET (D)**

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- Specify **(D)**, add **\$63** list
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the **S** or **D** handset in the field. See page 723 for details and pricing.

Standard handset (**S**)Display handset (**D**)**ANTI-COLLISION SENSOR**

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- Just plug it in – no mounting required
- ZERO™ power capable
- PVC-Free™

**USAGE**

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C
- Approved according to:
  - EN 62133 (Battery safety testing)
  - UL 1642 (Lithium cells, standard test)
  - UN 38.3 (transportation of Lithium batteries)
  - UL 2054 (Household and commercial batteries)
  - EN 60335-1 with CBH Advanced

**MODESTY PANELS**

- Laminate full modesty panel is standard. Laminate ¾ modesty panel is available on select models at no additional charge. Please specify **(3MP)**.
- Glazing options are available on the full modesty panel, ¾ modesty panel and the 12" modesty panel (where available). Please specify. See next page for options and codes.
- 11/16" thick full modesty panel is standard on most components
- 11/16" thick ¾ modesty panel available on most components
- **Note:** Woodgrain modesty panels 60" wide and up will have the grain pattern in the horizontal direction. All end panels and modesty panels 59" or less will have the grain pattern in the vertical direction

**CUSTOM WIDTHS**

- Custom widths are available for products that feature a worksurface as follows: desks, credenzas (applies to kneespace and single pedestal credenzas only), islands (excludes spanner islands), returns, bridges, extended corners and corners.
- Desks and credenzas that incorporate drawers and/or doors will be modified by changing the width of the worksurface and modesty panel, drawer and/or door dimensions are not affected.
- No upcharge for next size up
- Custom width does not apply to cabinets, hutches, pedestals or any other units.

**STORAGE**

- All lateral files feature a foolproof interlock device
- Pencil tray included in box drawer
- Lateral file drawers can accommodate legal or letter documents
- All drawers are locking unless otherwise noted
- Front-to-back filing bars for all steel drawer files available separately. Order FBB bars. See "FBB" on page 41.
- All desks, returns and credenzas with fixed storage are shipped standard with box/box/file, file/file or box/file 16" wide pedestals.
- Storage modules, wardrobe cabinets, personal towers, hutches and table top bookcases have 11/16" thick shelves
- End shelves, bookcases and table top end shelves have 1" thick shelves
- **All shelves are 3 position fixed/height adjustable.**
- Storage cabinets **less than 30" wide are not intended to be freestanding** and should be ganged or otherwise anchored. Ganging hardware and instructions are provided. Interior of all cabinets are pre-drilled for ganging connections; does require drill through on site.
- Adjustable shelves can be positioned to accept **binder** storage as follows:
  - For units **29" to 53" H** where applicable:
    - with one shelf - cannot accommodate binder row
    - with two shelves - can accommodate one row of binders
    - with three shelves - can accommodate two rows of binders
    - with four shelves - can accommodate three rows of binders
  - For units **65.5" to 84.5" H** where applicable:
    - with one shelf - can accommodate one row of binders
    - with two shelves - 65.5" and 72" H can accommodate one row of binders  
- 84" H can accommodate two rows of binders
    - with three shelves - can accommodate two rows of binders
    - with four shelves - can accommodate three rows of binders
    - with five shelves - can accommodate four rows of binders
    - with six shelves - can accommodate five rows of binders

## LOCKS

- Locks are standard on all storage modules. Finish will coordinate with handles and/or aluminum doors. For desk, return or table components, etc. please specify finish: Black (**BK**) or Silver (**SI**).
- Please note that Flared Brass (**HW**) handle defaults to Black locks, so trim options must be Black to match.
- Key alike or specific key number optional for all products with locks
- Reserved for new orders greater than \$20,000 list, all Zira units with locks may be ordered with **CA** cap option and specific lock cores/keys can be ordered separately for field installation rather than specifying duplicate product lines with different key numbers.
- When **CA** option is specified, product will ship with a cap over the empty lock housing.
- Separately order the appropriate number of cores with keys; use product code **SIL-CORE-H-SHOE** for Silver core/key sets or product code **BLK-CORE-H-SHOE** for Black core/key sets. Specify quantity and lock number required. One order line per key number required. Key number range: 401-440. **Must be ordered at the same time product is ordered with CA lock cap option specified.**
- One core removal key is required. Recommend one core removal for every 25 cores ordered. Order as **REMOVE-K-H-SHOE**.
- No charge applies for separate lock cores or core removal keys only when ordered with product. If replacement lock core and key required, contact Customer Care for applicable product code and pricing.

## SHIPPING

- Shipped assembled, 1 per carton, unless otherwise noted. Other components are easy to assemble.

## HUTCHES

- 71" hutches (actual width 71.69") are for use when a hutch is placed across the back of a 42" wide return and across the depth of a 30" deep surface top (actual depth 29.69").  
- ZxxxxDK, ZxxxxDM and ZxxxxDML/DMR are exactly 30" deep. Therefore 72" hutches may be used.
- Hutches should not be placed on the approach side of any single pedestal and double pedestal desks with an overhang.

## SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.

## Optional Glazing Specifications (doors and modesty panels)

- Frosted material is 3mm thick Acrylic P95
- Ribbed material is 4.3mm thick twin wall UV protected polycarbonate




**Z1** frosted glazing, Tungsten (TUN) frame



**Z2** frosted glazing, Black (BLK) frame



**Z3** ribbed glazing, Tungsten (TUN) frame



**Z4** ribbed glazing, Black (BLK) frame



Full modesty panel - **Z1** frosted glazing, Tungsten (TUN) frame  
¾ modesty (shown) - **Z1 + 3MP**  
**ZA** - 12"H modesty (select models)



Full modesty panel - **Z2** frosted glazing, Black (BLK) frame  
¾ modesty (shown) - **Z2 + 3MP**  
**ZB** - 12"H modesty (select models)



Full modesty panel - **Z3** ribbed glazing, Tungsten (TUN) frame  
¾ modesty (shown) - **Z3 + 3MP**  
**ZC** - 12"H modesty (select models)



Full modesty panel - **Z4** ribbed glazing, Black (BLK) frame  
¾ modesty (shown) - **Z4 + 3MP**  
**ZD** - 12"H modesty (select models)



**1. SPECIFY MODEL NUMBER****2. SPECIFY MATERIAL TYPE**

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops

**3. SPECIFY FINISH AND TOP THICKNESS/EDGE DETAIL**


- All units available in solid color (Top and Chassis matching) or Two-Tone combination except for the following units:
  - Shells: One Tone in all standard finishes
  - Collators: One Tone in Black (**K**) or Brushed Cobalt (**T**)
  - Horizontal Pigeon Holes: One Tone in all standard finishes
  - Vertical and Transitional Pigeon Holes: Two-Tone - Chassis/Shell in all standard finishes, Collator Shelves in Black (**K**) or Brushed Cobalt (**T**).

**Finishes:**

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

**Top Thickness/Edge Detail****A3** 1" top, standard flat edge**AR** 1" top, bicut edge**C3** 1.5" top, standard flat edge**CR** 1.5" top, bicut edge**CF** 1.5" top, fluted edge**4. SPECIFY OPTIONS****BOX DRAWERS for lateral file drawers** (no upcharge)

- Specify **B\_** (Drawer Position **1-4** must be specified)



- *Not available on drawers with steel interiors*


**MONOPOST****P1** square 4" Tungsten**P2** square 4" Black**P3** round 4" Tungsten**P4** round 4" Black**HANDLES**

- Handles are standard on all lateral drawers and doors, and are included in the published list price. When ordering, please select handle from the list of options below.
- Integrated vertical finger pulls are the standard default for mobile pedestals, hanging pedestals, or where BBF or FF pedestals are part of a desk, return credenza or corner desk. Handles are optional on these units with a **list upcharge of \$58**. If a handle is not desired, specify lock finish: Black (**BK**) or Silver (**SI**).
- General guideline: when handles are shown in individual product line art within the price list, handles are included. When not shown in the individual product line art, a **list price upcharge of \$58** applies if a handle option is selected.
- To order handles, please specify corresponding code to image as below (**HS**, **HO**, **HW**, **HX**, **HV**, **HU**, **HQ**, **HZ**, or **HR**):


**HS** Flared Silver**HV** Square Edge Silver**HO** Crescent Black**HW** Flared Brass**HU** Square Edge Black**HZ** Dimpled Nickel**HX** Flared Black**HQ** Bar Silver**HR** Bar Black

## GROMMETS

- Additional grommets available in standard worksurface locations (left, center or right).
- Order as: **AG1, AG2 or AG3. Add \$103**
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to **CUSTOM GROMMET LOCATION FORM** in the back reference section.
- Components that come standard with grommet as stated within the product descriptions or shown in the corresponding price list line art, may be ordered without a grommet. **Add \$57.**
- Option to remove standard grommet when required - specify **RSG - Add \$57.**
- Option to remove standard grommet position and add another position - specify **RSG** and **AG\_** or **AGS**, upcharge applies. For **RSG + AG\_** combination, **Add \$149.** For **RSG + AGS** combination, **Add \$149.**




- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Actual grommet locations on the worksurface are depicted in the example drawings shown below. Dimensions shown are actual measurements (in inches).




**Straight Front, 36" - 42"D**

**Straight Front, 30"D**




**Bow Front**


**Universal Tops**




**HA Double Ped**




**HA Single Ped**



**Freestanding HA**




**L HA desk**



**NHD desk**

- Grommets are available on modesty panels of **extended corners** and **5-sided corners** 8" in where the two modesty panels meet at a 90° angle. Please specify **FOGMP-R** for right grommet placement and **FOGMP-L** for left grommet (placement is as shown on diagrams below). Cost is **\$103**.

**\*\*Modesty Panels are 1" off of ground**




**Left Extended Corner Unit**

**Right Extended Corner Unit**


**5-Sided Corner Unit**

## POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM**, **Add \$352**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103**.



**Power Block PMSPDM Add \$352**




**Straight Front**

**Bow Front**


Specify location **E1, E2 or E3. Add \$103**

## Executive Height Adjustable Desks

Available widths: 60", 66", 72", 84"




### Returns



#### For "L" Shape Layouts

- Pre-configured
- With custom shell storage


### Bridges



#### For "U" shape Layouts

### Top conditions for Height Adjustable Desks

Top recesses are to minimize potential pinch points when adjacent to fixed surfaces.



## Wall Panels


### Weight capacities for wall panels

- When mounting customer supplied flat screen or other to a wall panel, total weight including mounting hardware **should not exceed 140 lbs.** in total. Not approved for use with articulating or extendable mounting arms.
- Wall panels with floating shelves:
  - 1 mm space between shelves when units side by side.
  - **24"W** up to 50 lbs.; **30"W** up to 65 lbs.; **36"W** up to 75 lbs.; **42"W** up to 90 lbs. per floating shelf
  - Note: weight should be evenly distributed over surface
- Wall panels with overhead cabinet storage:
  - Note: weight should be evenly distributed over surface
  - **66"H - 24"W:** 30 lbs. top/55 lbs. inside bottom; **30"W:** 40 lbs. top/70 lbs. inside bottom; **36"W:** 45 lbs. top/85 lbs. inside bottom; **42"W:** 55 lbs. top/95 lbs. inside bottom.
  - **72"H - 24"W:** 30 lbs. top/65 lbs. inside bottom; **30"W:** 40 lbs. top/80 lbs. inside bottom; **36"W:** 50 lbs. top/95 lbs. inside bottom; **42"W:** 60 lbs. top/100 lbs. inside bottom.
  - **84"H - 24"W:** 30 lbs. top/65 lbs. shelf & inside bottom; **30"W:** 40 lbs. top/80 lbs. shelf & inside bottom; **36"W:** 50 lbs. top/95 lbs. shelf & inside bottom; **42"W:** 60 lbs. top/100 lbs. shelf & inside bottom.




## Wall Panels

\*Grommet locations for wall panels




- AG1 grommet sits at 26-1/8" above the floor, just about 1-1/2 high storage, but below standard 29-1/2" storage
- AG2 grommet sits at 32" above the floor, above 29-1/2" storage
- \*Cove Mini power units are not for use in this application due to depth.
- When the wall with wire management access is specified, the wire management access opening will sit below all storage heights (see chart below).

Wall Width	Opening Width
42"	35.75"
36"	29.75"
30"	23.75"
24"	17.75"




## Desks / Extended Corner Desks - available width: 60", 66", 72", 84"


### Modesty Treatments



### Overhang Dimensions




**Returns** - available width: 36", 42", 48", 54", 60", 66", 72"




### For "L" shape Layouts

- Pre-Configured
- with custom shell storage

**Transitional Pigeon-Hole**  
Accepts all (same width)  
Transitional Pigeon-Holes.




**Table Top Bookcase**  
Accepts all (same width)  
Table Top Bookcases.




### For "U" shape Layouts

**Bridges** - available width: 42", 48"



### Regular Bridge

- join worksurface to worksurface



### Transitional Bridge


- join worksurface to storage modules

Remove  
Existing  
Kickbase


Replace  
with  
supplied  
Kickbase  
(shorter)

**Extended Corners** - available widths: 60", 66", 72", 84"

### Modesty Treatments




16" Throat



20" & 24" Throat


**Shells** - available width: 12", 15", 16", 18", 21", 30", 36"

For Extended Corners, Space Saver Returns and Connectables




Space Available can be  
calculated with the  
following formulas:


### Space Saver Returns



### Space Saver Connectables




### Extended Corners



## Extended Corner Islands - available width: 60", 66", 72" 84"

### Modesty Treatments




\*\* Full modesty not available



### Overhang Dimensions




### Storage



## Wardrobe & Personal Towers





## Drawer & Cavity Positions



## Box Drawer Option


Lateral file drawers can be converted to box/box drawers in any of the four standard positions

- B1** = 2 box drawers on 1st position
- B2** = 2 box drawers on 2nd position
- B3** = 2 box drawers on 3rd position
- B4** = 2 box drawers on 4th position



Example  
File drawer converted to 2 box  
drawers on **4th** position


Please specify: Z36L54F - **B4**




Converting 2 or more  
drawers please contact  
customer service.

**Collator Positions**


All storage units can be specified with an optional collator on 2<sup>nd</sup>, 3<sup>rd</sup> and/or 4<sup>th</sup> position.




Collator on 2nd position  
Specify: 2K - Black or  
2T - Brushed Cobalt




Collator on 3rd position  
Specify: 3K - Black or  
3T - Brushed Cobalt



Collator on 4th position  
Specify: 4K - Black or  
4T - Brushed Cobalt



Collator on 3rd & 4th positions  
Specify: 7K - Black or  
7T - Brushed Cobalt




Collators do not fit behind doors

For 2K / 2T, 3K / 3T OR 4K / 4T - Add \$325

For 7K / 7T - Add \$573


**Glazing**

Glazing is available in the following options:




Tungsten Frame  
Frosted Glazing  
**Z1**

Please specify:  
Z36L6E - **Z1**




Black Frame  
Frosted Glazing  
**Z2**

Please specify:  
Z36L6E - **Z2**



Tungsten Frame  
Ribbed Glazing  
**Z3**

Please specify:  
Z36L6E - **Z3**



Black Frame  
Ribbed Glazing  
**Z4**

Please specify:  
Z36L6E - **Z4**

## Filing Options - For Filing Components


On 16" deep files, drawer interiors are only 13" deep. On 20" and 24" deep files, drawer interiors are 16" deep.

Full to floor BBF, FF and BF pedestals are 16" wide with all pedestal desks, returns with pedestals and credenzas with pedestals.


Full to floor BBF and FF storage shells 15" wide x 28.5" high are required under 36" wide Space Saver Return with 16" deep connection top. re: Zxx3616Rx.

Filing hardware included with all laminate drawer models. Steel drawer models do NOT include FBB bars.


## Side-To-Side




## Front-To-Back



## Height Map




## Drawer & Cavity Positions



## Collator Positions


For 12" to 21" wide units

**\*\*If no collator is desired, must specify when placing order.**




Collator on 3rd position  
**Specify: 3K - Black or  
3T - Brushed Cobalt**

For 3K / 3T or 4K / 4T.....Add \$305




Collator on 4th position  
**Specify: 4K - Black or  
4T - Brushed Cobalt**




Collator on 3rd & 4th position  
**Specify: 7K - Black or  
7T - Brushed Cobalt**

For 7K / 7T.....Add \$538




Collators do not fit behind door





## Table Top Bookcase



## Hutches

Monitor clearance dimensions



HEIGHT ADJUSTABLE DESKS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H								
 <p>Front view - 30"D</p> <p>Front view - 36"D</p>		ZH3684F23	36 x 84 x 29.5-49.5	85	362	26.68	\$4163	\$4411	\$684	\$730
		ZH3672F23	36 x 72 x 29.5-49.5	85	335	26.68	\$4131	\$4351	\$586	\$626
		ZH3666F23	36 x 66 x 29.5-49.5	85	321	25.18	\$4019	\$4218	\$528	\$573
		ZH3660F23	36 x 60 x 29.5-49.5	85	307	24.70	\$3880	\$4079	\$567	\$521
		ZH3084F23	30 x 84 x 29.5-49.5	85	347	25.69	\$4262	\$4475	\$684	\$604
		ZH3072F23	30 x 72 x 29.5-49.5	85	321	24.70	\$4058	\$4245	\$586	\$521
		ZH3066F23	30 x 66 x 29.5-49.5	85	309	24.19	\$3948	\$4121	\$528	\$481
		ZH3060F23	30 x 60 x 29.5-49.5	85	296	23.68	\$3834	\$3988	\$573	\$436
<p>• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks. Height adjustable frame sold separately. Standard with file/file (FF) pedestal on <b>left</b> and box/box/file (BBF) pedestal on <b>right</b>. <b>30"D</b>: Top is recessed 1/2" on either side over chassis, flush on user and guest side. <b>36"D</b>: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. <i>30"D desks are not compatible with monitor arm models MONxxxx/M775xxx. Shipped RTA (ready to assemble).</i></p>										
 <p>Front view - 30"D</p> <p>Front view - 36"D</p>		ZH3684F32	36 x 84 x 29.5-49.5	85	362	26.68	\$4163	\$4411	\$684	\$730
		ZH3672F32	36 x 72 x 29.5-49.5	85	335	26.68	\$4131	\$4351	\$586	\$626
		ZH3666F32	36 x 66 x 29.5-49.5	85	321	25.18	\$4019	\$4218	\$528	\$573
		ZH3660F32	36 x 60 x 29.5-49.5	85	307	24.70	\$3880	\$4079	\$567	\$521
		ZH3084F32	30 x 84 x 29.5-49.5	85	347	25.69	\$4262	\$4475	\$684	\$604
		ZH3072F32	30 x 72 x 29.5-49.5	85	321	24.70	\$4058	\$4245	\$586	\$521
		ZH3066F32	30 x 66 x 29.5-49.5	85	309	24.19	\$3948	\$4121	\$528	\$481
		ZH3060F32	30 x 60 x 29.5-49.5	85	296	23.68	\$3834	\$3988	\$573	\$436
<p>• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks. Height adjustable frame sold separately. Standard with box/box/file (BBF) pedestal on <b>left</b> and file/file (FF) pedestal on <b>right</b>. <b>30"D</b>: Top is recessed 1/2" on either side over chassis, flush on user and guest side. <b>36"D</b>: Top is recessed 1/2" on either side over chassis, flush on user side, 6.25" overhang on guest side. BBF - file drawer and lower box drawer lock. FF - drawers lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. <i>30"D desks are not compatible with monitor arm models MONxxxx/M775xxx. Shipped RTA (ready to assemble).</i></p>										
 <p>Front view - 30"D</p> <p>Front view - 36"D</p>		ZH3684F3S	36 x 84 x 29.5-49.5	85	325	26.68	\$3790	\$4029	\$684	\$730
		ZH3672F3S	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3737	\$3957	\$586	\$626
		ZH3666F3S	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3627	\$3826	\$528	\$573
		ZH3660F3S	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3487	\$3674	\$463	\$521
		ZH3084F3S	30 x 84 x 29.5-49.5	85	310	25.69	\$3870	\$4083	\$684	\$604
		ZH3072F3S	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3665	\$3852	\$586	\$521
		ZH3066F3S	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3554	\$3727	\$528	\$481
		ZH3060F3S	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3443	\$3597	\$468	\$436
<p>• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks. Height adjustable frame sold separately. Standard with box/box/file pedestal on <b>left</b>. <b>30"D</b>: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. <b>36"D</b>: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. <i>30"D desks are not compatible with monitor arm models MONxxxx/M775xxx. Shipped RTA (ready to assemble).</i></p>										
 <p>Front view - 30"D</p> <p>Front view - 36"D</p>		ZH3684FS3	36 x 84 x 29.5-49.5	85	325	26.68	\$3790	\$4029	\$684	\$730
		ZH3672FS3	36 x 72 x 29.5-49.5	92.5	298	25.69	\$3737	\$3957	\$586	\$626
		ZH3666FS3	36 x 66 x 29.5-49.5	92.5	284	25.18	\$3627	\$3826	\$528	\$573
		ZH3660FS3	36 x 60 x 29.5-49.5	92.5	271	24.70	\$3487	\$3674	\$463	\$521
		ZH3084FS3	30 x 84 x 29.5-49.5	85	310	25.69	\$3870	\$4083	\$684	\$604
		ZH3072FS3	30 x 72 x 29.5-49.5	92.5	285	24.70	\$3665	\$3852	\$586	\$521
		ZH3066FS3	30 x 66 x 29.5-49.5	92.5	272	24.19	\$3554	\$3727	\$528	\$481
		ZH3060FS3	30 x 60 x 29.5-49.5	92.5	260	23.68	\$3443	\$3597	\$468	\$436
<p>• Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks. Height adjustable frame sold separately. Standard with box/box/file pedestal on <b>right</b>. <b>30"D</b>: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. <b>36"D</b>: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. File drawer and lower box drawer lock. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. <i>30"D desks are not compatible with monitor arm models MONxxxx/M775xxx. Shipped RTA (ready to assemble).</i></p>										

#### Required Specifications

Top finish / Base finish  
Top/edge detail  
Wire management finish  
Default no handle, specify lock finish

Must use with FTZ52SFNL or FTZ52LFNL (sold separately)

#### Optional Specifications

HP laminate, Handles, Key #  
Glazed modesty / modesty type


Grommet position or power block cut-out

#### Accessories


Power block / Pencil drawer




HEIGHT ADJUSTABLE DESKS



Single Pedestal Desk for Height Adj. Base\*\*



Single Pedestal Desk for Height Adj. Base\*\*



Height Adj. Desk - Freestanding



Height Adjustable Frame\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZH3684F2S	36 x 84 x 29.5-49.5	85	323	26.68	<b>\$3737</b>	<b>\$3976</b>	<b>\$684</b>	<b>\$730</b>
ZH3672F2S	36 x 72 x 29.5-49.5	92.5	296	26.68	<b>\$3685</b>	<b>\$3898</b>	<b>\$586</b>	<b>\$626</b>
ZH3666F2S	36 x 66 x 29.5-49.5	92.5	282	25.18	<b>\$3566</b>	<b>\$3765</b>	<b>\$528</b>	<b>\$573</b>
ZH3660F2S	36 x 60 x 29.5-49.5	92.5	268	24.70	<b>\$3434</b>	<b>\$3613</b>	<b>\$463</b>	<b>\$521</b>
ZH3084F2S	30 x 84 x 29.5-49.5	92.5	308	25.69	<b>\$3816</b>	<b>\$4029</b>	<b>\$684</b>	<b>\$604</b>
ZH3072F2S	30 x 72 x 29.5-49.5	92.5	283	24.70	<b>\$3613</b>	<b>\$3792</b>	<b>\$586</b>	<b>\$521</b>
ZH3066F2S	30 x 66 x 29.5-49.5	92.5	270	24.19	<b>\$3502</b>	<b>\$3670</b>	<b>\$528</b>	<b>\$481</b>
ZH3060F2S	30 x 60 x 29.5-49.5	92.5	258	23.68	<b>\$3389</b>	<b>\$3543</b>	<b>\$463</b>	<b>\$436</b>

- Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **left. 30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx.* Shipped RTA (ready to assemble).

ZH3684FS2	36 x 84 x 29.5-49.5	85	323	26.68	<b>\$3737</b>	<b>\$3976</b>	<b>\$684</b>	<b>\$730</b>
ZH3672FS2	36 x 72 x 29.5-49.5	92.5	296	26.68	<b>\$3685</b>	<b>\$3898</b>	<b>\$586</b>	<b>\$626</b>
ZH3666FS2	36 x 66 x 29.5-49.5	92.5	282	25.18	<b>\$3566</b>	<b>\$3765</b>	<b>\$528</b>	<b>\$573</b>
ZH3660FS2	36 x 60 x 29.5-49.5	92.5	268	24.70	<b>\$3434</b>	<b>\$3613</b>	<b>\$463</b>	<b>\$521</b>
ZH3084FS2	30 x 84 x 29.5-49.5	92.5	308	25.69	<b>\$3816</b>	<b>\$4029</b>	<b>\$684</b>	<b>\$604</b>
ZH3072FS2	30 x 72 x 29.5-49.5	92.5	283	24.70	<b>\$3613</b>	<b>\$3792</b>	<b>\$586</b>	<b>\$521</b>
ZH3066FS2	30 x 66 x 29.5-49.5	92.5	270	24.19	<b>\$3502</b>	<b>\$3670</b>	<b>\$528</b>	<b>\$481</b>
ZH3060FS2	30 x 60 x 29.5-49.5	92.5	258	23.68	<b>\$3389</b>	<b>\$3543</b>	<b>\$463</b>	<b>\$436</b>

- Specify FTZ52SFNL for 60" - 72" wide desks and FTZ52LFNL for 84" wide desks.

Height adjustable frame sold separately. Standard with file/file pedestal on **right. 30"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and guest side. **36"D**: Top is recessed 1" on non-ped side and user side over chassis; flush on ped side and 6.25" overhang on guest side. Pedestal locks. Unit has dual modesty panels - one stationary/one traveling. See notes on page 181 for illustration. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx.* Shipped RTA (ready to assemble).

ZH3684NP	36 x 84 x 29.5-49.5	70	231	10.48	<b>\$2585</b>	<b>\$2833</b>	N/A	<b>\$730</b>
ZH3672NP	36 x 72 x 29.5-49.5	125	206	27.69	<b>\$2545</b>	<b>\$2758</b>	N/A	<b>\$626</b>
ZH3666NP	36 x 66 x 29.5-49.5	65	198	8.47	<b>\$2466</b>	<b>\$2665</b>	N/A	<b>\$573</b>
ZH3660NP	36 x 60 x 29.5-49.5	65	198	8.47	<b>\$2408</b>	<b>\$2587</b>	N/A	<b>\$521</b>
ZH3072NP	30 x 72 x 29.5-49.5	70	188	8.71	<b>\$2421</b>	<b>\$2608</b>	N/A	<b>\$521</b>
ZH3066NP	30 x 66 x 29.5-49.5	70	178	7.96	<b>\$2341</b>	<b>\$2514</b>	N/A	<b>\$481</b>
ZH3060NP	30 x 60 x 29.5-49.5	70	168	7.49	<b>\$2303</b>	<b>\$2457</b>	N/A	<b>\$436</b>

- Specify FTZ52SFNL for 60" wide desks and FTZ52LFNL for 66" - 84" wide desks.

Height adjustable frame sold separately. **30"D** - Top is recessed 1" on user and both sides over chassis; 2.9375" overhang on guest side. **36"D** - Top is recessed 1" on user and both sides over chassis; 3.25" overhang on guest side. Shipped RTA (ready to assemble). Unit has a stationary modesty only. *30"D desks are not compatible with monitor arm models MONxxxx/M775xxx.*

FTZ52SFNL	22 x -- x 26	60	67	1.47	<b>\$1212</b>
FTZ52LFNL	22 x -- x 26	60	67	1.47	<b>\$1212</b>

- For models ending in F23/F32/F3S/FS3/F2S/FS2, specify FTZ52SFNL for 60" - 72" and FTZ52LFNL for 84" wide desks.
- For models ending in NP, specify FTZ52SFNL for 60" wide, and FTZ52LFNL for 66" - 84" wide desks

For use with Zira height adjustable desks. Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble). Standard with up/down controller with 2 memory positions, reminder settings + Bluetooth capability, specify **(S)**. For a display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$63** list.

- Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.**

Required Specifications




Top finish      Top/edge detail  
Base finish\*  
Wire management finish  
Must use with base (sold separately)

Optional Specifications

HP laminate      Handles\*\*  
Key \*\*\*      Modesty finish glazed\*\*  
Modesty Type  
Grommet position or power block cut-out

Accessories

Power block  
Pencil drawer

HEIGHT ADJUSTABLE DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p>Front view Right shown</p> <p><b>L Desk Shell for Height Adj. Base</b></p>		<b>D x W x H</b>							
	ZH608424L	60 x 84 x 29.5-49.5	70	294	14.48	<b>\$3411</b>	<b>\$3683</b>	N/A	<b>\$933</b>
	ZH607224L	60 x 72 x 29.5-49.5	70	273	13.24	<b>\$3258</b>	<b>\$3506</b>	N/A	<b>\$829</b>
	ZH608424R	60 x 84 x 29.5-49.5	70	294	14.48	<b>\$3411</b>	<b>\$3683</b>	N/A	<b>\$933</b>
 <p><b>Height Adjustable Frame*</b></p>									
 <p><b>Top and Modesty Panel Kit</b></p>									

- Specify FTZ539FSLNL separately.

Height adjustable frame sold separately. Specify ZH60xx24L for **LEFT** with return on the right side or ZH60xx24R for **RIGHT** with return on left side. Top on long return side is recessed 1" over chassis, 1/2" recessed on primary top (non-return side) and 2.9375" overhang on guest side. Return top is 24"D x 30"W. Shipped RTA (ready to assemble). *Not compatible with monitor arm models MONxxxx/M775xxx.*

FTZ539FSLNL	10 x -- x 26.8	60	101	1.47	<b>\$1968</b>
-------------	----------------	----	-----	------	---------------


For use with Zira height adjustable L desks. Lifts 350 lbs. Available in Black, Designer White or Tungsten. Shipped RTA (ready to assemble).

- **Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.**

ZH3084TB	29 x 82 x 16-16.5	85	99	6.75	<b>\$1155</b>	<b>\$1465</b>	<b>\$725</b>	<b>\$604</b>
ZH3072TB	29 x 70 x 16-16.5	85	85	6	<b>\$1019</b>	<b>\$1286</b>	<b>\$639</b>	<b>\$521</b>
ZH3066TB	29 x 64 x 16-16.5	85	79	5.50	<b>\$953</b>	<b>\$1201</b>	<b>\$593</b>	<b>\$481</b>
ZH3060TB	29 x 58 x 16-16.5	85	71	5	<b>\$848</b>	<b>\$1074</b>	<b>\$581</b>	<b>\$436</b>
ZH3054TB	29 x 52 x 16-16.5	85	64	4.50	<b>\$783</b>	<b>\$990</b>	<b>\$507</b>	<b>\$397</b>
ZH3048TB	29 x 46 x 16-16.5	85	57	4	<b>\$717</b>	<b>\$896</b>	<b>\$468</b>	<b>\$351</b>
ZH3042TB	29 x 40 x 16-16.5	85	50	3.75	<b>\$644</b>	<b>\$805</b>	<b>\$423</b>	<b>\$304</b>
ZH2484TB	23 x 82 x 16-16.5	85	74	5	<b>\$1030</b>	<b>\$1282</b>	<b>\$618</b>	<b>\$487</b>
ZH2472TB	23 x 70 x 16-16.5	70	86	5.50	<b>\$913</b>	<b>\$1133</b>	<b>\$639</b>	<b>\$416</b>
ZH2466TB	23 x 64 x 16-16.5	70	68	4.50	<b>\$848</b>	<b>\$1055</b>	<b>\$593</b>	<b>\$383</b>
ZH2460TB	23 x 58 x 16-16.5	85	61	4.25	<b>\$758</b>	<b>\$945</b>	<b>\$581</b>	<b>\$351</b>
ZH2454TB	23 x 52 x 16-16.5	85	55	3.75	<b>\$698</b>	<b>\$866</b>	<b>\$507</b>	<b>\$333</b>
ZH2448TB	23 x 46 x 16-16.5	85	49	3.50	<b>\$639</b>	<b>\$793</b>	<b>\$468</b>	<b>\$278</b>
ZH2442TB	23 x 40 x 16-16.5	85	43	3	<b>\$567</b>	<b>\$714</b>	<b>\$436</b>	<b>\$248</b>

**For use with height adjustable mechanisms.** Height adjustable frame not included. Shipped RTA (ready to assemble).

- Compatible with FreeFit + FOLI Height Adjustable bases (FOLI compatible with 48"w – 72"w tops)
- Cannot be used with FTZ52SFNL or FTZ52LFNL

CONNECTABLE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>24" Deep Connectable Table - Left</b></p>	Z2472L	24 x 72 x 29.5-30	65	144	6	<b>\$938</b>	<b>\$1105</b>	N/A	<b>\$409</b>
	Z2466L	24 x 66 x 29.5-30	65	135	6	<b>\$938</b>	<b>\$1082</b>	N/A	<b>\$409</b>
	Z2460L	24 x 60 x 29.5-30	65	125	5.25	<b>\$848</b>	<b>\$974</b>	N/A	<b>\$376</b>
	Z2448L	24 x 48 x 29.5-30	65	106	4.30	<b>\$773</b>	<b>\$882</b>	N/A	<b>\$300</b>
	Z2442L	24 x 42 x 29.5-30	65	95	3.80	<b>\$773</b>	<b>\$868</b>	N/A	<b>\$252</b>
	Z2436L	24 x 36 x 29.5-30	65	86	3.30	<b>\$679</b>	<b>\$757</b>	N/A	<b>\$190</b>
	Z2430L	24 x 30 x 29.5-30	70	77	3.60	<b>\$639</b>	<b>\$701</b>	N/A	<b>\$190</b>
<p><b>Full end panel on left.</b> Right narrow end panel connects to 24"D center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).</p> <ul style="list-style-type: none"> <li>• Units 48" and under require storage for stability</li> <li>• <b>Modesty Panel is 1" off of ground.</b></li> </ul>									

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Wire management finish


#### Optional Specifications

HP laminate  
Grommet position or power block cut-out

#### Accessories

Power block

## CONNECTABLE TABLES



**24" Deep Connectable Table - Right**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	<b>D x W x H</b>							
Z2472R	24 x 72 x 29.5-30	65	144	6	<b>\$938</b>	<b>\$1105</b>	N/A	<b>\$409</b>
Z2466R	24 x 66 x 29.5-30	65	135	6	<b>\$938</b>	<b>\$1082</b>	N/A	<b>\$409</b>
Z2460R	24 x 60 x 29.5-30	65	125	5.25	<b>\$848</b>	<b>\$974</b>	N/A	<b>\$376</b>
Z2448R	24 x 48 x 29.5-30	65	106	4.30	<b>\$773</b>	<b>\$882</b>	N/A	<b>\$300</b>
Z2442R	24 x 42 x 29.5-30	65	95	3.80	<b>\$773</b>	<b>\$868</b>	N/A	<b>\$252</b>
Z2436R	24 x 36 x 29.5-30	65	86	3.30	<b>\$679</b>	<b>\$757</b>	N/A	<b>\$190</b>
Z2430R	24 x 30 x 29.5-30	70	77	3.60	<b>\$639</b>	<b>\$701</b>	N/A	<b>\$190</b>

**Full end panel on right.** Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table, height adjustable desk, 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Units 48" and under require storage for stability
- **Modesty Panel is 1" off of ground.**

## BRIDGES COMPATIBLE W/ ZXXXXBBOL/R AND ZXXXXBLF/R CREDENZAS



**Bridge w/Full Laminate Modesty, Left**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZA2448RL	24 x 48 x 29.5-30	70	78	4.30	<b>\$886</b>	<b>\$1038</b>	N/A	<b>\$278</b>
ZA2442RL	24 x 42 x 29.5-30	70	66	3.80	<b>\$770</b>	<b>\$904</b>	N/A	<b>\$244</b>
ZA2436RL	24 x 36 x 29.5-30	70	59	3.30	<b>\$717</b>	<b>\$833</b>	N/A	<b>\$210</b>
ZA2048RL	20 x 48 x 29.5-30	70	72	4.30	<b>\$844</b>	<b>\$973</b>	N/A	<b>\$234</b>
ZA2042RL	20 x 42 x 29.5-30	70	62	3.80	<b>\$736</b>	<b>\$849</b>	N/A	<b>\$202</b>
ZA2036RL	20 x 36 x 29.5-30	70	56	3.30	<b>\$685</b>	<b>\$783</b>	N/A	<b>\$175</b>

**For use with height adjustable desks - single pedestal.** Connects to credenza on **left**. Shipped RTA (ready to assemble).



**Bridge w/Full Laminate Modesty, Right**

ZA2448RR	24 x 48 x 29.5-30	70	78	4.30	<b>\$886</b>	<b>\$1038</b>	N/A	<b>\$278</b>
ZA2442RR	24 x 42 x 29.5-30	70	66	3.80	<b>\$770</b>	<b>\$904</b>	N/A	<b>\$244</b>
ZA2436RR	24 x 36 x 29.5-30	70	59	3.30	<b>\$717</b>	<b>\$833</b>	N/A	<b>\$210</b>
ZA2048RR	20 x 48 x 29.5-30	70	72	4.30	<b>\$844</b>	<b>\$973</b>	N/A	<b>\$234</b>
ZA2042RR	20 x 42 x 29.5-30	70	62	3.80	<b>\$736</b>	<b>\$849</b>	N/A	<b>\$202</b>
ZA2036RR	20 x 36 x 29.5-30	70	56	3.30	<b>\$685</b>	<b>\$783</b>	N/A	<b>\$175</b>

**For use with height adjustable desks - single pedestal.** Connects to credenza on **right**. Shipped RTA (ready to assemble).

## CREDENZAS COMPATIBLE W/HT ADJ. BRIDGES



**Credenza**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472BBOL	24 x 72 x 29.5-30	125	261	35.75	<b>\$2629</b>	<b>\$2771</b>	N/A	<b>\$416</b>
Z2460BBOL	24 x 60 x 29.5-30	125	231	30	<b>\$2361</b>	<b>\$2480</b>	N/A	<b>\$349</b>
Z2072BBOL	20 x 72 x 29.5-30	125	234	30.25	<b>\$2512</b>	<b>\$2631</b>	N/A	<b>\$349</b>
Z2060BBOL	20 x 60 x 29.5-30	100	207	25.25	<b>\$2281</b>	<b>\$2381</b>	N/A	<b>\$291</b>

Compatible with height adjustable bridges. Box/box/lateral file on **left** with open storage on the **right**. Connects to bridge on **right**. Adjustable shelf. Shipped assembled in 1 carton.



**Credenza**

Z2472BBOR	24 x 72 x 29.5-30	125	261	35.75	<b>\$2629</b>	<b>\$2771</b>	N/A	<b>\$416</b>
Z2460BBOR	24 x 60 x 29.5-30	125	231	30	<b>\$2361</b>	<b>\$2480</b>	N/A	<b>\$349</b>
Z2072BBOR	20 x 72 x 29.5-30	125	234	30.25	<b>\$2512</b>	<b>\$2631</b>	N/A	<b>\$349</b>
Z2060BBOR	20 x 60 x 29.5-30	100	207	25.25	<b>\$2281</b>	<b>\$2381</b>	N/A	<b>\$291</b>

Compatible with height adjustable bridges. Box/box/lateral file on **right** with open storage on the **left**. Connects to bridge on **left**. Adjustable shelf. Shipped assembled in 1 carton.

### Required Specifications


Top finish  
Top/edge detail  
Base finish

### Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out

### Accessories

Power block  
Keyboard  
Pencil drawer

CREDENZAS COMPATIBLE W/HT ADJ. BRIDGES	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
	Z2472BLFL	24 x 72 x 29.5-30	125	265	35.75	<b>\$2588</b>	<b>\$2730</b>	N/A <b>\$416</b>
	Z2460BLFL	24 x 60 x 29.5-30	125	235	30	<b>\$2334</b>	<b>\$2453</b>	N/A <b>\$349</b>
	Z2072BLFL	20 x 72 x 29.5-30	125	239	30.25	<b>\$2471</b>	<b>\$2590</b>	N/A <b>\$349</b>
	Z2060BLFL	20 x 60 x 29.5-30	100	212	25.25	<b>\$2250</b>	<b>\$2350</b>	N/A <b>\$291</b>



Credenza

Compatible with height adjustable bridges. Two drawer lateral file on **left** with open storage on the **right**. Connects to bridge on **right**. Adjustable shelf. Shipped assembled in 1 carton.



Credenza

Compatible with height adjustable bridges. Two drawer lateral file on **right** with open storage on the **left**. Connects to bridge on **left**. Adjustable shelf. Shipped assembled in 1 carton.

FREESTANDING HA DESKS, SLIM BASES	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZH3684S2S	34 x 82 x 27.7-47.4	85	174	12.72	<b>\$1797</b>	<b>\$2718</b>	n/a <b>\$648</b>
	ZH3678S2S	34 x 76 x 27.7-47.4	85	169	12.46	<b>\$1750</b>	<b>\$2635</b>	n/a <b>\$604</b>
	ZH3672S2S	34 x 70 x 27.7-47.4	85	163	12.72	<b>\$1709</b>	<b>\$2556</b>	n/a <b>\$556</b>
	ZH3666S2S	34 x 64 x 27.7-47.4	85	157	11.71	<b>\$1663</b>	<b>\$2468</b>	n/a <b>\$513</b>
	ZH3660S2S	34 x 58 x 27.7-47.4	85	151	11.47	<b>\$1616</b>	<b>\$2385</b>	n/a <b>\$465</b>
	ZH3084S2S	28 x 82 x 27.7-47.4	85	149	10.72	<b>\$1593</b>	<b>\$2399</b>	n/a <b>\$545</b>
	ZH3078S2S	28 x 76 x 27.7-47.4	85	140	10.48	<b>\$1556</b>	<b>\$2325</b>	n/a <b>\$507</b>
	ZH3072S2S	28 x 70 x 27.7-47.4	85	136	10.21	<b>\$1709</b>	<b>\$2514</b>	n/a <b>\$465</b>
	ZH3066S2S	28 x 64 x 27.7-47.4	85	131	9.97	<b>\$1477</b>	<b>\$2181</b>	n/a <b>\$427</b>
	ZH3060S2S	28 x 58 x 27.7-47.4	85	125	9.73	<b>\$1436</b>	<b>\$2107</b>	n/a <b>\$390</b>

Freestanding HA Desk, Slim Base

**Height adjustable mechanism sold separately.** Top and each slim base shipped in individual cartons; easy to assemble. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Modesty panel available, specify **ZH12xxMPS**.

- Specify **FTZ52LF24CL** for ZH30xxS2S (30"D) and **FTZ52LF30CL** for ZH36xxS2S (36"D).



HA Desk, Telescopic Slim Base

ZH3684S2T	34 x 82 x 27.7-47.4	70	241	14.97	<b>\$2825</b>	<b>\$4098</b>	n/a	<b>\$648</b>
ZH3678S2T	34 x 76 x 27.7-47.4	70	235	14.7	<b>\$2774</b>	<b>\$4010</b>	n/a	<b>\$604</b>
ZH3672S2T	34 x 70 x 27.7-47.4	70	235	14.7	<b>\$2727</b>	<b>\$3922</b>	n/a	<b>\$556</b>
ZH3666S2T	34 x 64 x 27.7-47.4	70	224	13.95	<b>\$2681</b>	<b>\$3834</b>	n/a	<b>\$513</b>
ZH3660S2T	34 x 58 x 27.7-47.4	70	218	13.71	<b>\$2635</b>	<b>\$3746</b>	n/a	<b>\$465</b>
ZH3084S2T	28 x 82 x 27.7-47.4	70	207	12.46	<b>\$2528</b>	<b>\$3653</b>	n/a	<b>\$545</b>
ZH3078S2T	28 x 76 x 27.7-47.4	70	202	12.22	<b>\$2487</b>	<b>\$3575</b>	n/a	<b>\$507</b>
ZH3072S2T	28 x 70 x 27.7-47.4	70	197	11.98	<b>\$2450</b>	<b>\$3496</b>	n/a	<b>\$465</b>
ZH3066S2T	28 x 64 x 27.7-47.4	70	192	11.71	<b>\$2403</b>	<b>\$3422</b>	n/a	<b>\$427</b>
ZH3060S2T	28 x 58 x 27.7-47.4	70	187	11.47	<b>\$2362</b>	<b>\$3343</b>	n/a	<b>\$390</b>

**Height adjustable mechanism sold separately.** Top and each slim base shipped in individual cartons; easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Modesty panel available, specify **ZH12xxMPT**.

- Specify **FTZ52LF24CL** for ZH30xxS2T (30"D) and **FTZ52LF30CL** for ZH36xxS2T (36"D).

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

#### Optional Specifications


HP laminate  
Key #  
Modesty panel type  
Grommet position or power block cut-out

Handles

Modesty finish glazed

#### Accessories

Power block  
Keyboard  
Pencil drawer

MODESTY FOR HA DESKS W/SLIM BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZH1284MPS	0.71 x 69.7 x 12	70	19	0.9	<b>\$283</b>	n/a	<b>\$755</b>	n/a
	ZH1278MPS	0.71 x 63.7 x 12	70	17	0.8	<b>\$264</b>	n/a	<b>\$700</b>	n/a
	ZH1272MPS	0.71 x 57.7 x 12	65	16	0.7	<b>\$250</b>	n/a	<b>\$649</b>	n/a
	ZH1266MPS	0.71 x 51.7 x 12	70	14	0.65	<b>\$232</b>	n/a	<b>\$598</b>	n/a
	ZH1260MPS	0.71 x 45.7 x 12	70	13	0.6	<b>\$213</b>	n/a	<b>\$547</b>	n/a

Modesty Panel for ZHxxxxS2S


**For use with ZHxxxxS2S height adjustable desk with slim bases.** Inherent small gap between bases and modesty to allow ease of travel. Specify product code that corresponds to nominal desk width. Shipped easy to assemble in 1 carton.



Modesty Panel for ZHxxxxS2T

ZH1284MPT	0.71 x 67.5 x 12	65	18	0.8	<b>\$278</b>	n/a	<b>\$741</b>	n/a
ZH1278MPT	0.71 x 61.5 x 12	65	17	0.75	<b>\$264</b>	n/a	<b>\$690</b>	n/a
ZH1272MPT	0.71 x 55.5 x 12	70	15	0.7	<b>\$246</b>	n/a	<b>\$635</b>	n/a
ZH1266MPT	0.71 x 49.5 x 12	65	14	0.6	<b>\$232</b>	n/a	<b>\$584</b>	n/a
ZH1260MPT	0.71 x 43.5 x 12	70	12	0.55	<b>\$213</b>	n/a	<b>\$533</b>	n/a

**For use with ZHxxxxS2T height adjustable desk with telescopic slim bases.** Inherent small gap between bases and modesty to allow ease of travel. Specify product code that corresponds to nominal desk width. Shipped easy to assemble in 1 carton.


HA BASE FOR ZH DESKS W/SLIM BASE	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	FTZ52LF24CL	24 x 58-82 x 26.7-46.4	60	67	1.47	<b>\$1160</b>
	FTZ52LF30CL	30 x 58-82 x 26.7-46.4	60	67	1.47	<b>\$1169</b>

Electric Height Adjustable Base\*

- Specify FTZ52LF24CL for ZH30xxS2S/S2T and FTZ52LF30CL for ZH36xxS2S/S2T.

**For use with ZHxxxxS2S and ZHxxxxS2T height adjustable desks with slim bases.** Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble).

- Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.**

HA DESK FOR INTEGRATION W/CREDENZA, SLIM BASE - NOT FREESTANDING		DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZH3684SSBL	34 x 84 x 27.7-47.4	70	137	8.74	\$1723	\$2625	n/a	\$648
	ZH3678SSBL	34 x 76 x 27.7-47.4	70	131	8.5	\$1681	\$2542	n/a	\$604
	ZH3672SSBL	34 x 70 x 27.7-47.4	70	125	8.24	\$1639	\$2459	n/a	\$556
	ZH3084SSBL	28 x 84 x 27.7-47.4	70	117	7.24	\$1570	\$2366	n/a	\$545
	ZH3078SSBL	28 x 76 x 27.7-47.4	70	112	7.24	\$1533	\$2297	n/a	\$507
	ZH3072SSBL	28 x 70 x 27.7-47.4	70	112	7.24	\$1491	\$2227	n/a	\$465

HA Desk w/Slim Base, Left

**Not freestanding. For use with ZHxxxxHBFR credenza** (or other right hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. **Height adjustable mechanism sold separately, order FTZ52LFxxC1.** With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes wire manager column. Modesty panel available: when used with 24"D credenza specify **ZH12xxLMPC** modesty; when used with 20"D credenza specify **ZH12xxMMPC** modesty.

- Specify **FTZ52LF24C1** for ZH30xxSSBL (30"D) and **FTZ52LF30C1** for ZH36xxSSBL (36"D).

**Required Specifications**


Top surface material (TFL or HPL)  
Top finish  
Top/edge detail  
Base finish

Grommet/wire management finish

**Optional Specifications**

Grommet position or power block cut-out

## HA DESK FOR INTEGRATION W/CREDENZA, SLIM BASE - NOT FREESTANDING



HA Desk w/Slim Base, Right

	D x W x H								
ZH3684SSBR	34 x 84 x 27.7-47.4	70	137	8.74	<b>\$1723</b>	<b>\$2625</b>	n/a	<b>\$648</b>	
ZH3678SSBR	34 x 76 x 27.7-47.4	70	131	8.5	<b>\$1681</b>	<b>\$2542</b>	n/a	<b>\$604</b>	
ZH3672SSBR	34 x 70 x 27.7-47.4	70	125	8.24	<b>\$1639</b>	<b>\$2459</b>	n/a	<b>\$556</b>	
ZH3084SSBR	28 x 84 x 27.7-47.4	70	117	7.24	<b>\$1570</b>	<b>\$2366</b>	n/a	<b>\$545</b>	
ZH3078SSBR	28 x 76 x 27.7-47.4	70	112	7.24	<b>\$1533</b>	<b>\$2297</b>	n/a	<b>\$507</b>	
ZH3072SSBR	28 x 70 x 27.7-47.4	70	112	7.24	<b>\$1491</b>	<b>\$2227</b>	n/a	<b>\$465</b>	

**Not freestanding. For use with ZHxxxxHBFL credenza** (or other left hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. **Height adjustable mechanism sold separately**, order **FTZ52LFxxC1**. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes wire manager column. Modesty panel available: when used with 24"D credenza specify **ZH12xxLMPC** modesty; when used with 20"D credenza specify **ZH12xxMMPC** modesty.

- Specify **FTZ52LF24C1** for ZH30xxSSBR (30"D) and **FTZ52LF30C1** for ZH36xxSSBR (36"D).




HA Desk w/Telescopic Slim Base, Left

ZH3684STBL	34 x 84 x 27.7-47.4	70	166	10	<b>\$2125</b>	<b>\$3153</b>	n/a	<b>\$648</b>	
ZH3678STBL	34 x 76 x 27.7-47.4	70	160	9.94	<b>\$2079</b>	<b>\$3070</b>	n/a	<b>\$604</b>	
ZH3672STBL	34 x 70 x 27.7-47.4	70	155	9.24	<b>\$2038</b>	<b>\$2987</b>	n/a	<b>\$556</b>	
ZH3084STBL	28 x 84 x 27.7-47.4	70	142	8.24	<b>\$1936</b>	<b>\$2848</b>	n/a	<b>\$545</b>	
ZH3078STBL	28 x 76 x 27.7-47.4	70	137	8.36	<b>\$1899</b>	<b>\$2774</b>	n/a	<b>\$507</b>	
ZH3072STBL	28 x 70 x 27.7-47.4	70	132	7.74	<b>\$1857</b>	<b>\$2704</b>	n/a	<b>\$465</b>	

**Not freestanding. For use with ZHxxxxHBFR credenza** (or other right hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. **Height adjustable mechanism sold separately**, order **FTZ52LFxxC1, 2 stage only**. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes wire manager column. Modesty panel available: when used with 24"D credenza, specify **ZH12xxLMPC** modesty; when used with 20"D credenza, specify **ZH12xxMMPC** modesty.

- Specify **FTZ52LF24C1** for ZH30xxSTBL (30"D) and **FTZ52LF30C1** for ZH36xxSTBL (36"D).



HA Desk w/ Telescopic Slim Base, Right

ZH3684STBR	34 x 84 x 27.7-47.4	70	166	10	<b>\$2125</b>	<b>\$3153</b>	n/a	<b>\$648</b>	
ZH3678STBR	34 x 76 x 27.7-47.4	70	160	9.94	<b>\$2079</b>	<b>\$3070</b>	n/a	<b>\$604</b>	
ZH3672STBR	34 x 70 x 27.7-47.4	70	155	9.24	<b>\$2038</b>	<b>\$2987</b>	n/a	<b>\$556</b>	
ZH3084STBR	28 x 84 x 27.7-47.4	70	142	8.24	<b>\$1936</b>	<b>\$2848</b>	n/a	<b>\$545</b>	
ZH3078STBR	28 x 76 x 27.7-47.4	70	137	8.36	<b>\$1899</b>	<b>\$2774</b>	n/a	<b>\$507</b>	
ZH3072STBR	28 x 70 x 27.7-47.4	70	132	7.74	<b>\$1857</b>	<b>\$2704</b>	n/a	<b>\$465</b>	

**Not freestanding. For use with ZHxxxxHBFL credenza** (or other left hand storage for HA leg integration). Top and slim base shipped in individual cartons, easy to assemble. Telescoping slim base keeps column concealed when the table is adjusted up/down. **Height adjustable mechanism sold separately**, order **FTZ52LFxxC1, 2 stage only**. With 1" thick top, lowest height 27.2"H; with 1.5" thick top 27.7"H + travel range (19.7"). Includes wire manager column. Modesty panel available: when used with 24"D credenza, specify **ZH12xxLMPC** modesty; when used with 20"D credenza, specify **ZH12xxMMPC** modesty.

- Specify **FTZ52LF24C1** for ZH30xxSTBR (30"D) and **FTZ52LF30C1** for ZH36xxSTBR (36"D).

**Required Specifications**

Top surface material (TFL or HPL)  
Top finish  
Top/edge detail  
Base finish

Grommet/wire management finish

**Optional Specifications**

Grommet position or power block cut-out



## CREDENZAS FOR HA DESK INTEGRATION



Credenza for HA Leg, Left



Credenza for HA Leg, Right

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZH2472HBFL	24 x 72 x 23.7	100	248	29.25	<b>\$2028</b>	n/a	n/a	<b>\$390</b>
ZH2460HBFL	24 x 60 x 23.7	100	218	24.5	<b>\$1825</b>	n/a	n/a	<b>\$327</b>
ZH2072HBFL	20 x 72 x 23.7	100	212	24.75	<b>\$1903</b>	n/a	n/a	<b>\$327</b>
ZH2060HBFL	20 x 60 x 23.7	100	184	20.75	<b>\$1709</b>	n/a	n/a	<b>\$273</b>

Box/lateral file on **left** with open storage on the **right**. Open side includes inset back to accommodate HA leg component.

**For use with ZHxxxxSTBR or ZHxxxxSSBR.** Height adjustable mechanism sold separately. Credenza shipped assembled in 1 carton.

ZH2472HBFR	24 x 72 x 23.7	100	248	29.25	<b>\$2028</b>	n/a	n/a	<b>\$390</b>
ZH2460HBFR	24 x 60 x 23.7	100	218	24.5	<b>\$1825</b>	n/a	n/a	<b>\$327</b>
ZH2072HBFR	20 x 72 x 23.7	100	212	24.75	<b>\$1903</b>	n/a	n/a	<b>\$327</b>
ZH2060HBFR	20 x 60 x 23.7	100	184	20.75	<b>\$1709</b>	n/a	n/a	<b>\$273</b>

Box/lateral file on **right** with open storage on the **left**. Open side includes inset back to accommodate HA leg component.

**For use with ZHxxxxSTBL or ZHxxxxSSBL.** Height adjustable mechanism sold separately. Credenza shipped assembled in 1 carton.

## TOP AND BACK KITS FOR HA INTEGRATION



Top and Back Kit for HA Leg, Left



Top and Back Kit for HA Leg, Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZH2496HTBL	24.1 x 96 x 23.25	70	114	7	<b>\$783</b>	n/a	n/a	<b>\$495</b>
ZH2490HTBL	24.1 x 90 x 23.25	70	107	6.5	<b>\$737</b>	n/a	n/a	<b>\$465</b>
ZH2484HTBL	24.1 x 84 x 23.25	70	100	6.25	<b>\$690</b>	n/a	n/a	<b>\$434</b>
ZH2472HTBL	24.1 x 72 x 23.25	85	86	5.75	<b>\$602</b>	n/a	n/a	<b>\$372</b>
ZH2466HTBL	24.1 x 66 x 23.25	70	79	5.25	<b>\$556</b>	n/a	n/a	<b>\$341</b>
ZH2460HTBL	24.1 x 60 x 23.25	85	72	5	<b>\$514</b>	n/a	n/a	<b>\$310</b>
ZH2096HTBL	20 x 96 x 23.25	70	103	6	<b>\$727</b>	n/a	n/a	<b>\$415</b>
ZH2090HTBL	20 x 90 x 23.25	70	97	5.75	<b>\$690</b>	n/a	n/a	<b>\$390</b>
ZH2084HTBL	20 x 84 x 23.25	70	90	5.25	<b>\$649</b>	n/a	n/a	<b>\$367</b>
ZH2072HTBL	20 x 72 x 23.25	70	78	5	<b>\$561</b>	n/a	n/a	<b>\$310</b>
ZH2066HTBL	20 x 66 x 23.25	85	71	4.75	<b>\$519</b>	n/a	n/a	<b>\$285</b>
ZH2060HTBL	20 x 60 x 23.25	70	65	4.25	<b>\$477</b>	n/a	n/a	<b>\$261</b>

Tops include cut-outs for HA legs. For use with **ZHxxxxHSHNSL** + 23.3"H storage shells + **ZHxxxxSTBR** or **ZHxxxxSSBR**. **Height adjustable mechanism sold separately.** Shipped RTA (ready to assemble).

• **Does not include hardware to attach to storage shells.**

ZH2496HTBR	24.1 x 96 x 23.25	70	114	7	<b>\$783</b>	n/a	n/a	<b>\$495</b>
ZH2490HTBR	24.1 x 90 x 23.25	70	107	6.5	<b>\$737</b>	n/a	n/a	<b>\$465</b>
ZH2484HTBR	24.1 x 84 x 23.25	70	100	6.25	<b>\$690</b>	n/a	n/a	<b>\$434</b>
ZH2472HTBR	24.1 x 72 x 23.25	85	86	5.75	<b>\$602</b>	n/a	n/a	<b>\$372</b>
ZH2466HTBR	24.1 x 66 x 23.25	70	79	5.25	<b>\$556</b>	n/a	n/a	<b>\$341</b>
ZH2460HTBR	24.1 x 60 x 23.25	85	72	5	<b>\$514</b>	n/a	n/a	<b>\$310</b>
ZH2096HTBR	20 x 96 x 23.25	70	103	6	<b>\$727</b>	n/a	n/a	<b>\$415</b>
ZH2090HTBR	20 x 90 x 23.25	70	97	5.75	<b>\$690</b>	n/a	n/a	<b>\$390</b>
ZH2084HTBR	20 x 84 x 23.25	70	90	5.25	<b>\$649</b>	n/a	n/a	<b>\$367</b>
ZH2072HTBR	20 x 72 x 23.25	70	78	5	<b>\$561</b>	n/a	n/a	<b>\$310</b>
ZH2066HTBR	20 x 66 x 23.25	85	71	4.75	<b>\$519</b>	n/a	n/a	<b>\$285</b>
ZH2060HTBR	20 x 60 x 23.25	70	65	4.25	<b>\$477</b>	n/a	n/a	<b>\$261</b>

Tops include cut-outs for HA legs. For use with **ZHxxxxHSHNSR** + 23.3"H storage shells + **ZHxxxxSTBL** or **ZHxxxxSSBL**. **Height adjustable mechanism sold separately.** Shipped RTA (ready to assemble).

• **Does not include hardware to attach to storage shells.**

### Required Specifications

Top surface material (TFL or HPL)  
Top finish  
Top/edge detail  
Base finish

Grommet/wire management finish

### Optional Specifications

Grommet position or power block cut-out

## LOW STORAGE FOR HA DESK INTEGRATION



False Back Storage, Left



False Back Storage, Right



Open Storage, Left



Open Storage, Right

	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
ZH36L2HSHNSL	23.3 x 36 x 22.7	125	90	14.5	<b>\$871</b>	n/a	n/a	n/a
ZH30L2HSHNSL	23.3 x 30 x 22.7	125	81	12.25	<b>\$811</b>	n/a	n/a	n/a
ZH36M2HSHNSL	19.2 x 36 x 22.7	125	80	12.25	<b>\$797</b>	n/a	n/a	n/a
ZH30M2HSHNSL	19.2 x 30 x 22.7	125	69	10.25	<b>\$709</b>	n/a	n/a	n/a

For HA integration. For use with **ZHxxxxHTBL** + 23.3"H storage + **ZHxxxxSTBR** or **ZHxxxxSSBR** models. Height adjustable mechanism sold separately. Shipped assembled in 1 carton.

- For 23.3"D models, order 24.1"D top and back kit (**ZH24xxHTBL**)
- For 19.2"D models, order 20"D top and back kit (**ZH20xxHTBL**)

ZH36L2HSHNSR	23.3 x 36 x 22.7	125	90	14.5	<b>\$871</b>	n/a	n/a	n/a
ZH30L2HSHNSR	23.3 x 30 x 22.7	125	81	12.25	<b>\$811</b>	n/a	n/a	n/a
ZH36M2HSHNSR	19.2 x 36 x 22.7	125	80	12.25	<b>\$797</b>	n/a	n/a	n/a
ZH30M2HSHNSR	19.2 x 30 x 22.7	125	69	10.25	<b>\$709</b>	n/a	n/a	n/a

For HA integration. For use with **ZHxxxxHTBR** + 23.3"H storage + **ZHxxxxSTBL** or **ZHxxxxSSBL** models. Height adjustable mechanism sold separately. Shipped assembled in 1 carton.

- For 23.3"D models, order 24.1"D top and back kit (**ZH24xxHTBR**)
- For 19.2"D models, order 20"D top and back kit (**ZH20xxHTBR**)

ZH36L2HSHNL	24 x 36 x 23.7	125	112	15	<b>\$1176</b>	n/a	n/a	n/a
ZH30L2HSHNL	24 x 30 x 23.7	125	100	12.75	<b>\$1065</b>	n/a	n/a	n/a
ZH36M2HSHNL	20 x 36 x 23.7	125	98	12.75	<b>\$1042</b>	n/a	n/a	n/a
ZH30M2HSHNL	20 x 30 x 23.7	125	85	10.75	<b>\$931</b>	n/a	n/a	n/a

For use with **ZHxxxxSTBR** or **ZHxxxxSSBR** models. Inset back for HA mechanism integration. Height adjustable mechanism sold separately. Shipped assembled in 1 carton.

ZH36L2HSHNR	24 x 36 x 23.7	125	112	15	<b>\$1176</b>	n/a	n/a	n/a
ZH30L2HSHNR	24 x 30 x 23.7	125	100	12.75	<b>\$1065</b>	n/a	n/a	n/a
ZH36M2HSHNR	20 x 36 x 23.7	125	98	12.75	<b>\$1042</b>	n/a	n/a	n/a
ZH30M2HSHNR	20 x 30 x 23.7	125	85	10.75	<b>\$931</b>	n/a	n/a	n/a

For use with **ZHxxxxSTBL** or **ZHxxxxSSBL** models. Inset back for HA mechanism integration. Height adjustable mechanism sold separately. Shipped assembled in 1 carton.

## Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

## Optional Specifications

HP laminate  
Key #  
Modesty panel type  
Grommet position or power block cut-out

Handles

Modesty finish glazed

## Accessories

Power block  
Keyboard  
Pencil drawer



MODESTY FOR NON-FREESTANDING HA DESK W/LOW CREDENZA	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZH1284LMPC	0.71 x 50.6 x 12	70	14	0.65	<b>\$232</b>	n/a	<b>\$588</b>	n/a
ZH1278LMPC	0.71 x 44.6 x 12	65	13	0.55	<b>\$213</b>	n/a	<b>\$538</b>	n/a
ZH1272LMPC	0.71 x 38.6 x 12	70	11	0.5	<b>\$195</b>	n/a	<b>\$487</b>	n/a



**Modesty Panel for 24" D Credenzas**

Modesty panel only, to fit within (1) slim base or (1) telescoping base and credenza (ZHxxxxSTB/SSB(L/R). Gap as needed between bases and credenza. Shipped ready to assemble in 1 carton.



**Modesty Panel for 20" D Credenzas**

Modesty panel only, to fit within (1) slim base or (1) telescoping base and credenza (ZHxxxxSTB/SSB(L/R). Gap as needed between bases and credenza. Shipped ready to assemble in 1 carton.

HA BASES FOR NON-FREESTANDING ZH DESKING/INTEGRATED W/CREDENZA	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
FTZ52LF24C1	24 x 70-82 x 26.7-46.4	60	67	1.47	<b>\$1102</b>
FTZ52LF30C1	30 x 70-82 x 26.7-46.4	60	67	1.47	<b>\$1106</b>








**Electric Height Adjustable Base**

- Specify FTZ52LF24C1 for use with ZH30xxSTBL/BR, ZH30xxSSBL/BR
- Specify FTZ52LF30C1 for use with ZH36xxSTBL/BR, ZH36xxSSBL/BR.

For use with ZHxxxxSTBL/BR and ZHxxxxSSBL/BR height adjustable desks with (1) slim base. Lifts 350 lbs. Available in Black or Tungsten. Shipped RTA (ready to assemble).

- **Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.**

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Handles	Keyboard
Base finish	Key #	Pencil drawer
Lock finish	Modesty Type	
	Grommet position or power block cut-out	

DOUBLE PEDESTAL DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z4284FB22	42 x 84 x 29.5-30	250	381.15	102.5	\$3028	\$3369	\$976	\$1081
	Z4272FB22	42 x 72 x 29.5-30	125	377	59	\$2912	\$3211	\$810	\$812
	Z3672FB22	36 x 72 x 29.5-30	125	317.10	50.75	\$2719	\$2984	\$810	\$611
	Z3666FB22	36 x 66 x 29.5-30	125	305.55	46.75	\$2665	\$2909	\$723	\$611
	Z3660FB22	36 x 60 x 29.5-30	125	295.05	42.50	\$2585	\$2809	\$639	\$509
Double Pedestal Bow Top Desk	<p>Standard with <b>freestanding</b> file/file pedestals on <b>left</b> and <b>right</b>. Pedestals lock. Bow top overhangs 2 ¼" at ends and 8" on center.</p> <ul style="list-style-type: none"> <li>• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.</li> </ul>								
	Z4284FB32	42 x 84 x 29.5-30	250	379.05	102.5	\$3069	\$3410	\$976	\$1081
	Z4272FB32	42 x 72 x 29.5-30	125	375	59	\$2951	\$3250	\$810	\$812
	Z3672FB32	36 x 72 x 29.5-30	125	315	50.75	\$2755	\$3022	\$810	\$611
	Z3666FB32	36 x 66 x 29.5-30	125	303.45	46.75	\$2700	\$2942	\$723	\$611
	Z3660FB32	36 x 60 x 29.5-30	125	292.95	42.50	\$2626	\$2850	\$639	\$509
Double Pedestal Bow Top Desk	<p>Standard with <b>Freestanding</b> file/file pedestal on <b>right</b> and box/box/file pedestal on <b>left</b>. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.</p> <ul style="list-style-type: none"> <li>• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.</li> </ul>								
	Z4284FB23	42 x 84 x 29.5-30	250	379.05	102.5	\$3069	\$3410	\$976	\$1081
	Z4272FB23	42 x 72 x 29.5-30	125	375	59	\$2951	\$3250	\$810	\$812
	Z3672FB23	36 x 72 x 29.5-30	125	315	50.75	\$2755	\$3022	\$810	\$611
	Z3666FB23	36 x 66 x 29.5-30	125	303.45	46.75	\$2700	\$2942	\$723	\$611
	Z3660FB23	36 x 60 x 29.5-30	125	292.95	42.50	\$2626	\$2850	\$639	\$509
Double Pedestal Bow Top Desk	<p>Standard with <b>Freestanding</b> file/file pedestal on <b>left</b> and box/box/file pedestal on <b>right</b>. File drawer and lower box drawer lock. File pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.</p> <ul style="list-style-type: none"> <li>• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.</li> </ul>								
	Z4284FB33	42 x 84 x 29.5-30	250	381.15	102.5	\$3106	\$3447	\$976	\$1081
	Z4272FB33	42 x 72 x 29.5-30	125	378	59	\$2988	\$3288	\$810	\$812
	Z3672FB33	36 x 72 x 29.5-30	125	317.10	50.75	\$2795	\$3062	\$810	\$611
	Z3666FB33	36 x 66 x 29.5-30	125	305.55	46.75	\$2741	\$2983	\$723	\$611
	Z3660FB33	36 x 60 x 29.5-30	125	295.05	42.50	\$2670	\$2909	\$639	\$509
Double Pedestal Bow Top Desk	<p>Standard with <b>Freestanding</b> box/box/file pedestals on <b>left</b> and <b>right</b>. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.</p> <ul style="list-style-type: none"> <li>• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.</li> </ul>								
	Z4284F22	42 x 84 x 29.5-30	250	385.35	102.5	\$2923	\$3214	\$976	\$1081
	Z4272F22	42 x 72 x 29.5-30	125	373	59	\$2815	\$3066	\$810	\$812
	Z3684F22	36 x 84 x 29.5-30	250	366.12	176.6	\$2751	\$3003	\$976	\$812
	Z3672F22	36 x 72 x 29.5-30	125	326.01	50.75	\$2626	\$2846	\$810	\$611
	Z3666F22	36 x 66 x 29.5-30	125	314.77	46.75	\$2577	\$2778	\$723	\$611
	Z3660F22	36 x 60 x 29.5-30	125	294.93	42.50	\$2529	\$2713	\$639	\$509
	Z3072F22	29.7 x 72 x 29.5-30	125	326.01	50.75	\$2626	\$2845	\$810	\$611
	Z3066F22	29.7 x 66 x 29.5-30	125	314.77	46.75	\$2577	\$2777	\$723	\$611
	Z3060F22	29.7 x 60 x 29.5-30	125	294.93	42.50	\$2529	\$2711	\$639	\$509
Double Pedestal Desk	<p>Standard with <b>Freestanding</b> file/file pedestals on <b>left</b> and <b>right</b>. Pedestals lock.</p> <ul style="list-style-type: none"> <li>• 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.</li> <li>• Hutches may not be placed on this desk</li> </ul>								

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

#### Optional Specifications

HP laminate  
Key #  
Modesty Type  
Grommet position or power block cut-out

Handles

Modesty finish glazed

#### Accessories

Power block  
Keyboard  
Pencil drawer

## DOUBLE PEDESTAL DESKS



Double Pedestal Desk



Double Pedestal Desk



Double Pedestal Desk

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4284F32	42 x 84 x 29.5-30	250	383.25	102.5	<b>\$2961</b>	<b>\$3249</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F32	42 x 72 x 29.5-30	125	371	59	<b>\$2854</b>	<b>\$3105</b>	<b>\$810</b>	<b>\$812</b>
Z3684F32	36 x 84 x 29.5-30	250	364.54	176.6	<b>\$2790</b>	<b>\$3042</b>	<b>\$976</b>	<b>\$812</b>
Z3672F32	36 x 72 x 29.5-30	125	324.43	50.75	<b>\$2666</b>	<b>\$2886</b>	<b>\$810</b>	<b>\$611</b>
Z3666F32	36 x 66 x 29.5-30	125	313.18	46.75	<b>\$2615</b>	<b>\$2816</b>	<b>\$723</b>	<b>\$611</b>
Z3660F32	36 x 60 x 29.5-30	125	267.10	42.50	<b>\$2567</b>	<b>\$2753</b>	<b>\$639</b>	<b>\$509</b>
Z3072F32	29.69 x 72 x 29.5-30	125	324.43	50.75	<b>\$2666</b>	<b>\$2886</b>	<b>\$810</b>	<b>\$611</b>
Z3066F32	29.7 x 66 x 29.5-30	125	313.18	46.75	<b>\$2615</b>	<b>\$2816</b>	<b>\$723</b>	<b>\$611</b>
Z3060F32	29.7 x 60 x 29.5-30	125	267.10	42.50	<b>\$2567</b>	<b>\$2751</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** box/box/file pedestal on **left** and file/file pedestal on **right**. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

Z4284F23	42 x 84 x 29.5-30	250	383.25	102.5	<b>\$2961</b>	<b>\$3249</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F23	42 x 72 x 29.5-30	125	371	59	<b>\$2854</b>	<b>\$3105</b>	<b>\$810</b>	<b>\$812</b>
Z3684F23	36 x 84 x 29.5-30	250	364.54	176.6	<b>\$2790</b>	<b>\$3042</b>	<b>\$976</b>	<b>\$812</b>
Z3672F23	36 x 72 x 29.5-30	125	324.43	50.75	<b>\$2666</b>	<b>\$2886</b>	<b>\$810</b>	<b>\$611</b>
Z3666F23	36 x 66 x 29.5-30	125	313.18	46.75	<b>\$2615</b>	<b>\$2816</b>	<b>\$723</b>	<b>\$611</b>
Z3660F23	36 x 60 x 29.5-30	125	267.10	42.50	<b>\$2567</b>	<b>\$2753</b>	<b>\$639</b>	<b>\$509</b>
Z3072F23	29.7 x 72 x 29.5-30	125	324.43	50.75	<b>\$2666</b>	<b>\$2886</b>	<b>\$810</b>	<b>\$611</b>
Z3066F23	29.7 x 66 x 29.5-30	125	313.18	46.75	<b>\$2615</b>	<b>\$2816</b>	<b>\$723</b>	<b>\$611</b>
Z3060F23	29.7 x 60 x 29.5-30	125	267.10	42.50	<b>\$2567</b>	<b>\$2751</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** file/file pedestal on **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. File pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

Z4284F33	42 x 84 x 29.5-30	250	381.15	102.5	<b>\$3001</b>	<b>\$3289</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F33	42 x 72 x 29.5-30	125	370	59	<b>\$2894</b>	<b>\$3144</b>	<b>\$810</b>	<b>\$812</b>
Z3684F33	36 x 84 x 29.5-30	300	341.25	176.6	<b>\$2829</b>	<b>\$3081</b>	<b>\$976</b>	<b>\$812</b>
Z3672F33	36 x 72 x 29.5-30	125	316.05	50.75	<b>\$2701</b>	<b>\$2921</b>	<b>\$810</b>	<b>\$611</b>
Z3666F33	36 x 66 x 29.5-30	125	304.50	46.75	<b>\$2654</b>	<b>\$2855</b>	<b>\$723</b>	<b>\$611</b>
Z3660F33	36 x 60 x 29.5-30	125	261.45	42.50	<b>\$2607</b>	<b>\$2793</b>	<b>\$639</b>	<b>\$509</b>
Z3072F33	29.7 x 72 x 29.5-30	125	316.05	50.75	<b>\$2701</b>	<b>\$2921</b>	<b>\$810</b>	<b>\$611</b>
Z3066F33	29.7 x 66 x 29.5-30	125	304.50	46.75	<b>\$2654</b>	<b>\$2849</b>	<b>\$723</b>	<b>\$611</b>
Z3060F33	29.69 x 60 x 29.5-30	125	261.45	42.50	<b>\$2607</b>	<b>\$2793</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** box/box/file pedestals on **left** and **right**. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 3 cartons.
- Hutches may not be placed on this desk

### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

### Optional Specifications

HP laminate  
Key #  
Modesty Type  
Grommet position or power block cut-out  
Handles  
Modesty finish glazed

### Accessories

Power block  
Keyboard  
Pencil drawer

## SINGLE PEDESTAL DESKS



Single Pedestal Bow Top Desk - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4284FB2L	42 x 84 x 29.5-30	125	322.35	43.50	\$2317	\$2658	\$976	\$1081
Z4272FB2L	42 x 72 x 29.5-30	150	315	59	\$2199	\$2499	\$810	\$812
Z3672FB2L	36 x 72 x 29.5-30	150	281.35	50.75	\$2039	\$2304	\$810	\$611
Z3666FB2L	36 x 66 x 29.5-30	150	274.68	46.75	\$1982	\$2226	\$723	\$611
Z3660FB2L	36 x 60 x 29.5-30	125	259.86	42.50	\$1909	\$2133	\$639	\$509

Standard with **Freestanding** file/file pedestal on **left** and faux pedestal **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB2R	42 x 84 x 29.5-30	125	322.35	43.50	\$2317	\$2658	\$976	\$1081
Z4272FB2R	42 x 72 x 29.5-30	150	315	59	\$2199	\$2499	\$810	\$812
Z3672FB2R	36 x 72 x 29.5-30	150	281.35	50.75	\$2039	\$2304	\$810	\$611
Z3666FB2R	36 x 66 x 29.5-30	150	274.68	46.75	\$1982	\$2226	\$723	\$611
Z3660FB2R	36 x 60 x 29.5-30	125	259.86	42.50	\$1909	\$2133	\$639	\$509

Standard with **Freestanding** faux pedestal **left** and file/file pedestal on **right**. Pedestal locks. Bow top overhangs 2 ¼" at ends and 8" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - LEFT

Z4284FB3L	42 x 84 x 29.5-30	125	320.25	43.50	\$2356	\$2696	\$976	\$1081
Z4272FB3L	42 x 72 x 29.5-30	150	313	59	\$2236	\$2535	\$810	\$812
Z3672FB3L	36 x 72 x 29.5-30	150	279.77	50.75	\$2077	\$2344	\$810	\$611
Z3666FB3L	36 x 66 x 29.5-30	150	273.10	46.75	\$2024	\$2266	\$723	\$611
Z3660FB3L	36 x 60 x 29.5-30	125	258.27	42.50	\$1969	\$2196	\$639	\$509

Standard with **Freestanding** box/box/file pedestal on **left** and faux pedestal **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Bow Top Desk - RIGHT

Z4284FB3R	42 x 84 x 29.5-30	125	320.25	43.50	\$2356	\$2696	\$976	\$1081
Z4272FB3R	42 x 72 x 29.5-30	150	313	59	\$2236	\$2535	\$810	\$812
Z3672FB3R	36 x 72 x 29.5-30	150	279.77	50.75	\$2077	\$2344	\$810	\$611
Z3666FB3R	36 x 66 x 29.5-30	150	273.10	46.75	\$2024	\$2266	\$723	\$611
Z3660FB3R	36 x 60 x 29.5-30	125	258.27	42.50	\$1969	\$2196	\$639	\$509

Standard with **Freestanding** faux pedestal **left** and box/box/file pedestal on **right**. File drawer and lower box drawer lock. Bow top overhangs 2 ¼" at ends and 8" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.



Single Pedestal Desk - LEFT

Z4284F2L	42 x 84 x 29.5-30	125	326.55	43.50	\$2209	\$2500	\$976	\$1081
Z4272F2L	42 x 72 x 29.5-30	150	327	59	\$2103	\$2354	\$810	\$812
Z3684F2L	36 x 84 x 29.5-30	250	290.85	118	\$2074	\$2326	\$976	\$812
Z3672F2L	36 x 72 x 29.5-30	150	265.65	50.75	\$1945	\$2165	\$810	\$611
Z3666F2L	36 x 66 x 29.5-30	150	254.10	46.75	\$1897	\$2098	\$723	\$611
Z3660F2L	36 x 60 x 29.5-30	150	243.60	42.50	\$1849	\$2036	\$639	\$509
Z3072F2L	29.69 x 72 x 29.5-30	150	265.65	50.75	\$1945	\$2165	\$810	\$611
Z3066F2L	29.7 x 66 x 29.5-30	150	254.10	46.75	\$1897	\$2097	\$723	\$611
Z3060F2L	29.7 x 60 x 29.5-30	150	243.60	42.50	\$1849	\$2036	\$639	\$509

Standard with **Freestanding** file/file pedestal on **left** and faux pedestal **right**. Pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

## Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

## Optional Specifications

HP laminate  
Key #  
Modesty Type  
Grommet position or power block cut-out  
Handles  
Modesty finish glazed

## Accessories

Power block  
Keyboard  
Pencil drawer

## SINGLE PEDESTAL DESKS



Single Pedestal Desk - RIGHT\*



Single Pedestal Desk - LEFT\*



Single Pedestal Desk - RIGHT\*



Non-Handed Desk

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4284F2R	42 x 84 x 29.5-30	125	326.55	43.50	<b>\$2209</b>	<b>\$2500</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F2R	42 x 72 x 29.5-30	150	327	59	<b>\$2103</b>	<b>\$2354</b>	<b>\$810</b>	<b>\$812</b>
Z3684F2R	36 x 84 x 29.5-30	250	290.85	118	<b>\$2074</b>	<b>\$2326</b>	<b>\$976</b>	<b>\$812</b>
Z3672F2R	36 x 72 x 29.5-30	150	265.65	50.75	<b>\$1945</b>	<b>\$2165</b>	<b>\$810</b>	<b>\$611</b>
Z3666F2R	36 x 66 x 29.5-30	150	254.10	46.75	<b>\$1897</b>	<b>\$2098</b>	<b>\$723</b>	<b>\$611</b>
Z3660F2R	36 x 60 x 29.5-30	150	243.60	42.50	<b>\$1849</b>	<b>\$2036</b>	<b>\$639</b>	<b>\$509</b>
Z3072F2R	29.7 x 72 x 29.5-30	150	265.65	50.75	<b>\$1945</b>	<b>\$2165</b>	<b>\$810</b>	<b>\$611</b>
Z3066F2R	29.7 x 66 x 29.5-30	150	254.10	46.75	<b>\$1897</b>	<b>\$2097</b>	<b>\$723</b>	<b>\$611</b>
Z3060F2R	29.7 x 60 x 29.5-30	150	243.60	42.50	<b>\$1849</b>	<b>\$2036</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** faux pedestal on **left** and file/file pedestal **right**. Pedestal locks.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284F3L	42 x 84 x 29.5-30	125	324.45	43.50	<b>\$2250</b>	<b>\$2538</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F3L	42 x 72 x 29.5-30	150	324	59	<b>\$2142</b>	<b>\$2393</b>	<b>\$810</b>	<b>\$812</b>
Z3684F3L	36 x 84 x 29.5-30	250	288.75	118	<b>\$2074</b>	<b>\$2326</b>	<b>\$976</b>	<b>\$812</b>
Z3672F3L	36 x 72 x 29.5-30	150	263.55	50.75	<b>\$1985</b>	<b>\$2205</b>	<b>\$810</b>	<b>\$611</b>
Z3666F3L	36 x 66 x 29.5-30	150	252	46.75	<b>\$1938</b>	<b>\$2139</b>	<b>\$723</b>	<b>\$611</b>
Z3660F3L	36 x 60 x 29.5-30	150	241.50	42.50	<b>\$1864</b>	<b>\$2048</b>	<b>\$639</b>	<b>\$509</b>
Z3072F3L	29.7 x 72 x 29.5-30	150	253.55	50.75	<b>\$1985</b>	<b>\$2205</b>	<b>\$810</b>	<b>\$611</b>
Z3066F3L	29.7 x 66 x 29.5-30	150	252	46.75	<b>\$1938</b>	<b>\$2138</b>	<b>\$723</b>	<b>\$611</b>
Z3060F3L	29.7 x 60 x 29.5-30	150	241.50	42.50	<b>\$1864</b>	<b>\$2048</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** box/box/file pedestal on **left** and faux pedestal **right**. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284F3R	42 x 84 x 29.5-30	125	324.45	43.50	<b>\$2250</b>	<b>\$2538</b>	<b>\$976</b>	<b>\$1081</b>
Z4272F3R	42 x 72 x 29.5-30	150	324	59	<b>\$2142</b>	<b>\$2393</b>	<b>\$810</b>	<b>\$812</b>
Z3684F3R	36 x 84 x 29.5-30	250	288.75	118	<b>\$2074</b>	<b>\$2326</b>	<b>\$976</b>	<b>\$812</b>
Z3672F3R	36 x 72 x 29.5-30	150	263.55	50.75	<b>\$1985</b>	<b>\$2205</b>	<b>\$810</b>	<b>\$611</b>
Z3666F3R	36 x 66 x 29.5-30	150	252	46.75	<b>\$1938</b>	<b>\$2139</b>	<b>\$723</b>	<b>\$611</b>
Z3660F3R	36 x 60 x 29.5-30	150	241.50	42.50	<b>\$1864</b>	<b>\$2048</b>	<b>\$639</b>	<b>\$509</b>
Z3072F3R	29.7 x 72 x 29.5-30	150	253.55	50.75	<b>\$1985</b>	<b>\$2205</b>	<b>\$810</b>	<b>\$611</b>
Z3066F3R	29.7 x 66 x 29.5-30	150	252	46.75	<b>\$1938</b>	<b>\$2138</b>	<b>\$723</b>	<b>\$611</b>
Z3060F3R	29.7 x 60 x 29.5-30	150	241.50	42.50	<b>\$1864</b>	<b>\$2048</b>	<b>\$639</b>	<b>\$509</b>

Standard with **Freestanding** faux pedestal on **left** and box/box/file pedestal **right**. File drawer and lower box drawer lock.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk

Z4284NHD	42 x 84 x 29.5-30	65	267	9.5	<b>\$1686</b>	<b>\$2017</b>	n/a	<b>\$848</b>
Z3684NHD	36 x 84 x 29.5-30	70	182	8.3	<b>\$1530</b>	<b>\$1808</b>	n/a	<b>\$730</b>
Z3672NHD	36 x 72 x 29.5-30	70	159	7.2	<b>\$1379</b>	<b>\$1617</b>	n/a	<b>\$626</b>
Z3666NHD	36 x 66 x 29.5-30	65	152	6.7	<b>\$1300</b>	<b>\$1526</b>	n/a	<b>\$573</b>
Z3660NHD	36 x 60 x 29.5-30	65	143	6.1	<b>\$1228</b>	<b>\$1435</b>	n/a	<b>\$521</b>
Z3072NHD	29.7 x 72 x 29.5-30	65	140	6.2	<b>\$1255</b>	<b>\$1454</b>	n/a	<b>\$521</b>
Z3066NHD	29.7 x 66 x 29.5-30	65	133	5.7	<b>\$1163</b>	<b>\$1356</b>	n/a	<b>\$481</b>
Z3060NHD	29.7 x 60 x 29.5-30	65	124	5.2	<b>\$1097</b>	<b>\$1264</b>	n/a	<b>\$436</b>

Two laminate end panels + recessed full modesty panel (laminate only). Accepts all standard Zira storage shells.

Shipped RTA (ready to assemble).

- Hutches may not be placed on this desk

### Required Specifications





Top finish  
Top/edge detail  
Base finish  
Lock finish

### Optional Specifications

HP laminate  
Key #  
Modesty Type  
Grommet position or power block cut-out

### Accessories

Power block  
Keyboard  
Pencil drawer

FREESTANDING DESKS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Freestanding Desk</b></p>		D x W x H							
	Z3684DK	36 x 84 x 29.5-30	70	168	8.25	<b>\$1320</b>	<b>\$1592</b>	<b>\$1020</b>	<b>\$726</b>
	Z3672DK	36 x 72 x 29.5-30	70	152	7.25	<b>\$1207</b>	<b>\$1446</b>	<b>\$910</b>	<b>\$624</b>
	Z3666DK	36 x 66 x 29.5-30	70	144	6.75	<b>\$1155</b>	<b>\$1375</b>	<b>\$831</b>	<b>\$572</b>
	Z3660DK	36 x 60 x 29.5-30	65	137	6	<b>\$1104</b>	<b>\$1303</b>	<b>\$777</b>	<b>\$520</b>
	Z3072DK	30 x 72 x 29.5-30	70	130	6.25	<b>\$1077</b>	<b>\$1276</b>	<b>\$910</b>	<b>\$520</b>
	Z3066DK	30 x 66 x 29.5-30	70	123	5.75	<b>\$1026</b>	<b>\$1225</b>	<b>\$831</b>	<b>\$478</b>
	Z3060DK	30 x 60 x 29.5-30	70	117	5.25	<b>\$973</b>	<b>\$1172</b>	<b>\$777</b>	<b>\$434</b>
Two full laminate end panels. 12"H laminate modesty panel. Shipped RTA (ready to assemble).									
 <p><b>Freestanding Desk - Metal Legs*</b></p>	Z3684DM	36 x 84 x 29.5-30	100	167	18.44	<b>\$2821</b>	<b>\$3099</b>	<b>\$782</b>	<b>\$726</b>
	Z3672DM	36 x 72 x 29.5-30	100	151	17.46	<b>\$2715</b>	<b>\$2954</b>	<b>\$671</b>	<b>\$624</b>
	Z3666DM	36 x 66 x 29.5-30	100	143	16.95	<b>\$2663</b>	<b>\$2883</b>	<b>\$593</b>	<b>\$520</b>
	Z3660DM	36 x 60 x 29.5-30	100	143	16.95	<b>\$2663</b>	<b>\$2883</b>	<b>\$537</b>	<b>\$520</b>
	Z3072DM	30 x 72 x 29.5-30	100	133	14.70	<b>\$2585</b>	<b>\$2784</b>	<b>\$671</b>	<b>\$520</b>
	Z3066DM	30 x 66 x 29.5-30	100	126	14.22	<b>\$2533</b>	<b>\$2732</b>	<b>\$593</b>	<b>\$478</b>
	Z3060DM	30 x 60 x 29.5-30	100	120	13.95	<b>\$2479</b>	<b>\$2678</b>	<b>\$537</b>	<b>\$434</b>
Double metal legs. 12"H laminate modesty panel. Metal leg available in Black ( <b>BLK</b> ) or Tungsten ( <b>TUN</b> ). Shipped RTA (ready to assemble).									
 <p><b>Freestanding Desk - Metal Legs*</b></p>	Z3684DML	36 x 84 x 29.5-30	85	167	13.50	<b>\$2073</b>	<b>\$2345</b>	<b>\$895</b>	<b>\$726</b>
	Z3672DML	36 x 72 x 29.5-30	85	151	12.04	<b>\$1968</b>	<b>\$2202</b>	<b>\$786</b>	<b>\$624</b>
	Z3666DML	36 x 66 x 29.5-30	85	144	11.74	<b>\$1916</b>	<b>\$2136</b>	<b>\$708</b>	<b>\$572</b>
	Z3660DML	36 x 60 x 29.5-30	85	135	11.24	<b>\$1863</b>	<b>\$2062</b>	<b>\$654</b>	<b>\$520</b>
	Z3072DML	30 x 72 x 29.5-30	85	131	10.50	<b>\$1838</b>	<b>\$2037</b>	<b>\$786</b>	<b>\$520</b>
	Z3066DML	30 x 66 x 29.5-30	85	125	10	<b>\$1785</b>	<b>\$1984</b>	<b>\$708</b>	<b>\$478</b>
	Z3060DML	30 x 60 x 29.5-30	85	118	9.50	<b>\$1734</b>	<b>\$1933</b>	<b>\$654</b>	<b>\$434</b>
Single metal leg on <b>left</b> and laminate end panel on <b>right</b> . 12"H laminate modesty panel. Metal leg available in Black ( <b>BLK</b> ) or Tungsten ( <b>TUN</b> ). Shipped RTA (ready to assemble).									
 <p><b>Freestanding Desk - Metal Legs*</b></p>	Z3684DMR	36 x 84 x 29.5-30	85	167	13.50	<b>\$2073</b>	<b>\$2345</b>	<b>\$895</b>	<b>\$726</b>
	Z3672DMR	36 x 72 x 29.5-30	85	151	12.04	<b>\$1968</b>	<b>\$2202</b>	<b>\$786</b>	<b>\$624</b>
	Z3666DMR	36 x 66 x 29.5-30	85	144	11.74	<b>\$1916</b>	<b>\$2136</b>	<b>\$708</b>	<b>\$572</b>
	Z3660DMR	36 x 60 x 29.5-30	85	135	11.24	<b>\$1863</b>	<b>\$2062</b>	<b>\$654</b>	<b>\$520</b>
	Z3072DMR	30 x 72 x 29.5-30	85	131	10.50	<b>\$1838</b>	<b>\$2037</b>	<b>\$786</b>	<b>\$520</b>
	Z3066DMR	30 x 66 x 29.5-30	85	125	10	<b>\$1785</b>	<b>\$1984</b>	<b>\$708</b>	<b>\$478</b>
	Z3060DMR	30 x 60 x 29.5-30	85	118	9.50	<b>\$1734</b>	<b>\$1933</b>	<b>\$654</b>	<b>\$434</b>
Single metal leg on <b>right</b> and laminate end panel on <b>left</b> . 12"H laminate modesty panel. Metal leg available in Black ( <b>BLK</b> ) or Tungsten ( <b>TUN</b> ). Shipped RTA (ready to assemble).									

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish

#### Optional Specifications

HP laminate  
Key #  
Modesty Type\*  
Grommet position or power block cut-out

Handles

Modesty finish glazed\*

#### Accessories

Power block  
Keyboard  
Pencil drawer



TRANSITIONAL TABLES



LEFT

Overlapping Table



RIGHT

Overlapping Table



LEFT

Overlapping Table



RIGHT

Overlapping Table

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3684OML	36 x 84 x 29.5-30	100	132	13.50	<b>\$1896</b>	<b>\$2168</b>	N/A	<b>\$726</b>
Z3672OML	36 x 72 x 29.5-30	100	120	12.24	<b>\$1811</b>	<b>\$2083</b>	N/A	<b>\$624</b>
Z3666OML	36 x 66 x 29.5-30	100	112	11.74	<b>\$1772</b>	<b>\$2044</b>	N/A	<b>\$572</b>
Z3660OML	36 x 60 x 29.5-30	100	105	11.24	<b>\$1739</b>	<b>\$2006</b>	N/A	<b>\$520</b>
Z3072OML	30 x 72 x 29.5-30	100	104	10.50	<b>\$1714</b>	<b>\$1972</b>	N/A	<b>\$520</b>
Z3066OML	30 x 66 x 29.5-30	100	97	10	<b>\$1674</b>	<b>\$1941</b>	N/A	<b>\$478</b>
Z3060OML	30 x 60 x 29.5-30	100	90	9.50	<b>\$1642</b>	<b>\$1909</b>	N/A	<b>\$434</b>

Metal open frame leg with support channels on **left**. To be placed on top of 23.75"/24.25" high units.  
Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

Z3684OMR	36 x 84 x 29.5-30	100	132	13.50	<b>\$1896</b>	<b>\$2168</b>	N/A	<b>\$726</b>
Z3672OMR	36 x 72 x 29.5-30	100	120	12.24	<b>\$1811</b>	<b>\$2083</b>	N/A	<b>\$624</b>
Z3666OMR	36 x 66 x 29.5-30	100	112	11.74	<b>\$1772</b>	<b>\$2044</b>	N/A	<b>\$572</b>
Z3660OMR	36 x 60 x 29.5-30	100	105	11.24	<b>\$1739</b>	<b>\$2006</b>	N/A	<b>\$520</b>
Z3072OMR	30 x 72 x 29.5-30	100	104	10.50	<b>\$1714</b>	<b>\$1972</b>	N/A	<b>\$520</b>
Z3066OMR	30 x 66 x 29.5-30	100	97	10	<b>\$1674</b>	<b>\$1941</b>	N/A	<b>\$478</b>
Z3060OMR	30 x 60 x 29.5-30	100	90	9.50	<b>\$1642</b>	<b>\$1909</b>	N/A	<b>\$434</b>

Metal open frame leg with support channels on **right**. To be placed on top of 23.75"/24.25" high units.  
Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

Z3684SOL	36 x 84 x 29.5-30	92.5	139	13.50	<b>\$1916</b>	<b>\$2188</b>	N/A	<b>\$726</b>
Z3672SOL	36 x 72 x 29.5-30	92.5	126	12.24	<b>\$1832</b>	<b>\$2104</b>	N/A	<b>\$624</b>
Z3666SOL	36 x 66 x 29.5-30	92.5	118	11.74	<b>\$1792</b>	<b>\$2064</b>	N/A	<b>\$572</b>
Z3660SOL	36 x 60 x 29.5-30	100	110	11.24	<b>\$1759</b>	<b>\$2026</b>	N/A	<b>\$520</b>
Z3072SOL	30 x 72 x 29.5-30	92.5	108	10.50	<b>\$1734</b>	<b>\$1992</b>	N/A	<b>\$520</b>
Z3066SOL	30 x 66 x 29.5-30	92.5	100	10	<b>\$1694</b>	<b>\$1961</b>	N/A	<b>\$478</b>
Z3060SOL	30 x 60 x 29.5-30	92.5	96	9.50	<b>\$1661</b>	<b>\$1928</b>	N/A	<b>\$434</b>

Metal open frame leg with support channels on **left**. To be placed on top of 17.87"/18.37" high units.  
Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

Z3684SOR	36 x 84 x 29.5-30	92.5	139	13.50	<b>\$1916</b>	<b>\$2188</b>	N/A	<b>\$726</b>
Z3672SOR	36 x 72 x 29.5-30	92.5	126	12.24	<b>\$1832</b>	<b>\$2104</b>	N/A	<b>\$624</b>
Z3666SOR	36 x 66 x 29.5-30	92.5	118	11.74	<b>\$1792</b>	<b>\$2064</b>	N/A	<b>\$572</b>
Z3660SOR	36 x 60 x 29.5-30	100	110	11.24	<b>\$1759</b>	<b>\$2026</b>	N/A	<b>\$520</b>
Z3072SOR	30 x 72 x 29.5-30	92.5	108	10.50	<b>\$1734</b>	<b>\$1992</b>	N/A	<b>\$520</b>
Z3066SOR	30 x 66 x 29.5-30	92.5	100	10	<b>\$1694</b>	<b>\$1961</b>	N/A	<b>\$478</b>
Z3060SOR	30 x 60 x 29.5-30	92.5	96	9.50	<b>\$1661</b>	<b>\$1928</b>	N/A	<b>\$434</b>

Metal open frame leg with support channels on **right**. To be placed on top of 17.87"/18.37" high units.  
Not freestanding. Metal leg available in Black (**BLK**) or Tungsten (**TUN**). Shipped RTA (ready to assemble).

Required Specifications













Top finish  
Top/edge detail  
Base finish  
Leg finish (BLK or TUN)

Optional Specifications

HP laminate  
Grommet position or power block cut-out

Accessories

Power block  
Keyboard  
Pencil drawer

FLUSH RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 		<b>D x W x H</b>							
	Z2448FL	24 x 48 x 29.5-30	125	155	24	<b>\$1081</b>	<b>\$1190</b>	N/A	<b>\$300</b>
	Z2442FL	24 x 42 x 29.5-30	125	144	21.25	<b>\$1081</b>	<b>\$1176</b>	N/A	<b>\$252</b>
	Z2048FL	20 x 48 x 29.5-30	125	140	20.25	<b>\$1003</b>	<b>\$1098</b>	N/A	<b>\$252</b>
	Z2042FL	20 x 42 x 29.5-30	125	130	18	<b>\$1003</b>	<b>\$1098</b>	N/A	<b>\$252</b>
<p>Standard with <b>box/file</b> drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the <b>left</b>. For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.</p>									
 									
	Z2448FR	24 x 48 x 29.5-30	125	155	24	<b>\$1081</b>	<b>\$1190</b>	N/A	<b>\$300</b>
	Z2442FR	24 x 42 x 29.5-30	125	144	21.25	<b>\$1081</b>	<b>\$1176</b>	N/A	<b>\$252</b>
	Z2048FR	20 x 48 x 29.5-30	125	140	20.25	<b>\$1003</b>	<b>\$1098</b>	N/A	<b>\$252</b>
	Z2042FR	20 x 42 x 29.5-30	125	130	18	<b>\$1003</b>	<b>\$1098</b>	N/A	<b>\$252</b>
<p>Standard with <b>box/file</b> drawer pedestal. One pencil tray. Pedestal locks. Grommet in worksurface. Pedestal is on the <b>right</b>. For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.</p>									
 									
	Z2448EL	24 x 48 x 29.5-30	65	107	4.30	<b>\$765</b>	<b>\$874</b>	N/A	<b>\$300</b>
	Z2442EL	24 x 42 x 29.5-30	65	96	3.80	<b>\$765</b>	<b>\$860</b>	N/A	<b>\$252</b>
	Z2048EL	20 x 48 x 29.5-30	65	97	4.30	<b>\$707</b>	<b>\$804</b>	N/A	<b>\$252</b>
	Z2042EL	20 x 42 x 29.5-30	65	86	3.80	<b>\$707</b>	<b>\$804</b>	N/A	<b>\$252</b>
<p>Return has <b>no pedestal</b>. Grommet in worksurface. Shipped RTA (ready to assemble). For use with right handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.</p>									
 									
	Z2448ER	24 x 48 x 29.5-30	65	107	4.30	<b>\$765</b>	<b>\$874</b>	N/A	<b>\$300</b>
	Z2442ER	24 x 42 x 29.5-30	65	96	3.80	<b>\$765</b>	<b>\$860</b>	N/A	<b>\$252</b>
	Z2048ER	20 x 48 x 29.5-30	65	97	4.30	<b>\$707</b>	<b>\$804</b>	N/A	<b>\$252</b>
	Z2042ER	20 x 42 x 29.5-30	65	86	3.80	<b>\$707</b>	<b>\$804</b>	N/A	<b>\$252</b>
<p>Return has <b>no pedestal</b>. Grommet in worksurface. Shipped RTA (ready to assemble). For use with left handed single pedestal desks, 20"/24" deep extended corners with narrow end panel or 20"/24" deep five-sided corners with narrow end panel.</p>									
 									
	Z1672RL	15.8 x 72 x 29.5-30	70	109.20	6	<b>\$761</b>	<b>\$895</b>	N/A	<b>\$308</b>
	Z1666RL	15.8 x 66 x 29.5-30	70	101.85	5.75	<b>\$729</b>	<b>\$854</b>	N/A	<b>\$308</b>
	Z1660RL	1w5.8 x 60 x 29.5-30	70	94.50	5.25	<b>\$687</b>	<b>\$801</b>	N/A	<b>\$256</b>
	Z1654RL	15.8 x 54 x 29.5-30	70	87.15	5.25	<b>\$651</b>	<b>\$758</b>	N/A	<b>\$256</b>
	Z1648RL	15.8 x 48 x 29.5-30	70	79.80	4.25	<b>\$599</b>	<b>\$693</b>	N/A	<b>\$208</b>
	Z1642RL	15.8 x 42 x 29.5-30	70	70.35	4	<b>\$536</b>	<b>\$623</b>	N/A	<b>\$208</b>
	Z1636RL	15.8 x 36 x 29.5-30	70	61.95	3.50	<b>\$480</b>	<b>\$557</b>	N/A	<b>\$156</b>
<p><b>16" Throat.</b> Return has <b>no pedestal</b>. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16" throat.</p>									
 									
	Z1672RR	15.8 x 72 x 29.5-30	70	109.20	6	<b>\$761</b>	<b>\$895</b>	N/A	<b>\$308</b>
	Z1666RR	15.8 x 66 x 29.5-30	70	101.85	5.75	<b>\$729</b>	<b>\$854</b>	N/A	<b>\$308</b>
	Z1660RR	15.8 x 60 x 29.5-30	70	94.50	5.25	<b>\$687</b>	<b>\$801</b>	N/A	<b>\$256</b>
	Z1654RR	15.8 x 54 x 29.5-30	70	87.15	5.25	<b>\$651</b>	<b>\$758</b>	N/A	<b>\$256</b>
	Z1648RR	15.8 x 48 x 29.5-30	70	79.80	4.25	<b>\$599</b>	<b>\$693</b>	N/A	<b>\$208</b>
	Z1642RR	15.8 x 42 x 29.5-30	70	70.35	4	<b>\$536</b>	<b>\$623</b>	N/A	<b>\$208</b>
	Z1636RR	15.8 x 36 x 29.5-30	70	61.95	3.50	<b>\$480</b>	<b>\$557</b>	N/A	<b>\$156</b>
<p><b>16" Throat.</b> Return has <b>no pedestal</b>. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16" throat.</p>									

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish\*

#### Optional Specifications

HP laminate  
Key #  
Modesty Type  
Grommet position or power block cut-out

#### Accessories

Power block  
Keyboard  
Pencil drawer



NON-HANDED RETURN



Non-Handed Return


MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2448NHR	24 x 48 x 29.5-30	70	83	4.3	<b>\$789</b>	<b>\$909</b>	N/A	<b>\$278</b>
Z2442NHR	24 x 42 x 29.5-30	70	75	3.8	<b>\$684</b>	<b>\$811</b>	N/A	<b>\$248</b>
Z2048NHR	20 x 48 x 29.5-30	70	75	4.3	<b>\$717</b>	<b>\$831</b>	N/A	<b>\$234</b>
Z2042NHR	20 x 42 x 29.5-30	70	67	3.8	<b>\$658</b>	<b>\$739</b>	N/A	<b>\$207</b>

Non-handed (reversible) return. 24"d returns accept all standard 23.4" storage shells. 20"d returns accept all standard 19.3" storage shells. Full modesty panel (laminate only). Shipped RTA (ready to assemble).

SPACE SAVER RETURNS



Space Saver Return - LEFT




MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z247216RL	24 x 72 x 29.5-30	65	135.45	6	<b>\$905</b>	<b>\$1101</b>	N/A	<b>\$409</b>
Z246616RL	24 x 66 x 29.5-30	70	127.05	5.75	<b>\$865</b>	<b>\$1045</b>	N/A	<b>\$409</b>
Z246016RL	24 x 60 x 29.5-30	70	117.60	5.25	<b>\$811</b>	<b>\$980</b>	N/A	<b>\$340</b>
Z245416RL	24 x 54 x 29.5-30	70	108.15	5.25	<b>\$765</b>	<b>\$919</b>	N/A	<b>\$340</b>
Z244816RL	24 x 48 x 29.5-30	65	99.75	4.25	<b>\$702</b>	<b>\$841</b>	N/A	<b>\$275</b>
Z244216RL	24 x 42 x 29.5-30	70	88.20	4	<b>\$629</b>	<b>\$754</b>	N/A	<b>\$275</b>
Z243616RL	24 x 36 x 29.5-30	70	77.70	3.50	<b>\$571</b>	<b>\$683</b>	N/A	<b>\$208</b>
Z207216RL	20 x 72 x 29.5-30	70	122.85	6	<b>\$828</b>	<b>\$995</b>	N/A	<b>\$409</b>
Z206616RL	20 x 66 x 29.5-30	70	114.45	5.75	<b>\$789</b>	<b>\$941</b>	N/A	<b>\$409</b>
Z206016RL	20 x 60 x 29.5-30	70	106.05	5.25	<b>\$742</b>	<b>\$882</b>	N/A	<b>\$340</b>
Z205416RL	20 x 54 x 29.5-30	70	97.65	5.25	<b>\$698</b>	<b>\$825</b>	N/A	<b>\$340</b>
Z204816RL	20 x 48 x 29.5-30	70	90.30	4.25	<b>\$642</b>	<b>\$758</b>	N/A	<b>\$275</b>
Z204216RL	20 x 42 x 29.5-30	70	79.80	4	<b>\$576</b>	<b>\$683</b>	N/A	<b>\$275</b>
Z203616RL	20 x 36 x 29.5-30	70	70.35	3.50	<b>\$520</b>	<b>\$611</b>	N/A	<b>\$208</b>

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat. Accepts same depth storage shells under worksurface.



Space Saver Return - RIGHT



Z247216RR	24 x 72 x 29.5-30	65	135.45	6	<b>\$905</b>	<b>\$1101</b>	N/A	<b>\$409</b>
Z246616RR	24 x 66 x 29.5-30	70	127.05	5.75	<b>\$865</b>	<b>\$1045</b>	N/A	<b>\$409</b>
Z246016RR	24 x 60 x 29.5-30	70	117.60	5.25	<b>\$811</b>	<b>\$980</b>	N/A	<b>\$340</b>
Z245416RR	24 x 54 x 29.5-30	70	108.15	5.25	<b>\$765</b>	<b>\$919</b>	N/A	<b>\$340</b>
Z244816RR	24 x 48 x 29.5-30	65	99.75	4.25	<b>\$702</b>	<b>\$841</b>	N/A	<b>\$275</b>
Z244216RR	24 x 42 x 29.5-30	70	88.20	4	<b>\$629</b>	<b>\$754</b>	N/A	<b>\$275</b>
Z243616RR	24 x 36 x 29.5-30	70	77.70	3.50	<b>\$571</b>	<b>\$683</b>	N/A	<b>\$208</b>
Z207216RR	20 x 72 x 29.5-30	70	122.85	6	<b>\$828</b>	<b>\$995</b>	N/A	<b>\$409</b>
Z206616RR	20 x 66 x 29.5-30	70	114.45	5.75	<b>\$789</b>	<b>\$941</b>	N/A	<b>\$409</b>
Z206016RR	20 x 60 x 29.5-30	70	106.05	5.25	<b>\$742</b>	<b>\$882</b>	N/A	<b>\$340</b>
Z205416RR	20 x 54 x 29.5-30	70	97.65	5.25	<b>\$698</b>	<b>\$825</b>	N/A	<b>\$340</b>
Z204816RR	20 x 48 x 29.5-30	70	90.30	4.25	<b>\$642</b>	<b>\$758</b>	N/A	<b>\$275</b>
Z204216RR	20 x 42 x 29.5-30	70	79.80	4	<b>\$576</b>	<b>\$683</b>	N/A	<b>\$275</b>
Z203616RR	20 x 36 x 29.5-30	70	70.35	3.50	<b>\$520</b>	<b>\$611</b>	N/A	<b>\$208</b>

16" Throat. Return has **no pedestal**. Grommet in worksurface. Shipped RTA (ready to assemble). For use with extended corners, desks and islands with 16"throat. Accepts same depth storage shells under worksurface.



Full to Floor Return, No Modesty - LEFT

Z2448NRL	24 x 48 x 29.5-30	150	127	24.25	<b>\$1247</b>	<b>\$1360</b>	N/A	<b>\$278</b>
Z2442NRL	24 x 42 x 29.5-30	150	123	21.25	<b>\$1234</b>	<b>\$1332</b>	N/A	<b>\$244</b>
Z2048NRL	20 x 48 x 29.5-30	150	114	20.50	<b>\$1174</b>	<b>\$1269</b>	N/A	<b>\$234</b>
Z2042NRL	20 x 42 x 29.5-30	125	111	18	<b>\$1146</b>	<b>\$1232</b>	N/A	<b>\$202</b>

Return has no modesty. File/file pedestal on **left**. Pedestal locks.

Required Specifications








Top finish  
Top/edge detail  
Base finish  
Lock finish

Optional Specifications

HP laminate  
Key #  
Modesty Type\*  
Grommet position or power block cut-out

Accessories

Power block  
Keyboard  
Pencil drawer

RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z2448NRR	24 x 48 x 29.5-30	150	127	24.25	<b>\$1247</b>	<b>\$1360</b>	N/A	<b>\$278</b>
	Z2442NRR	24 x 42 x 29.5-30	150	123	21.25	<b>\$1234</b>	<b>\$1332</b>	N/A	<b>\$244</b>
	Z2048NRR	20 x 48 x 29.5-30	150	114	20.50	<b>\$1174</b>	<b>\$1269</b>	N/A	<b>\$234</b>
	Z2042NRR	20 x 42 x 29.5-30	125	111	18	<b>\$1146</b>	<b>\$1232</b>	N/A	<b>\$202</b>
<b>Full to Floor Return, No Modesty - RIGHT</b>	Return has no modesty. File/file pedestal on <b>right</b> . Pedestal locks.								
	Z2448BNRL	24 x 48 x 29.5-30	150	130	24.25	<b>\$1247</b>	<b>\$1360</b>	N/A	<b>\$278</b>
	Z2442BNRL	24 x 42 x 29.5-30	150	126	21.5	<b>\$1234</b>	<b>\$1332</b>	N/A	<b>\$244</b>
	Z2048BNRL	20 x 48 x 29.5-30	150	117	20.5	<b>\$1174</b>	<b>\$1269</b>	N/A	<b>\$234</b>
	Z2042BNRL	20 x 42 x 29.5-30	125	113	18	<b>\$1146</b>	<b>\$1232</b>	N/A	<b>\$202</b>
<b>Full to Floor Return, No Modesty - LEFT</b>	Return has no modesty. Box/box/file pedestal on <b>left</b> . Pedestal locks.								
	Z2448BNRR	24 x 48 x 29.5-30	150	130	24.25	<b>\$1247</b>	<b>\$1360</b>	N/A	<b>\$278</b>
	Z2442BNRR	24 x 42 x 29.5-30	150	126	21.5	<b>\$1234</b>	<b>\$1332</b>	N/A	<b>\$244</b>
	Z2048BNRR	20 x 48 x 29.5-30	150	117	20.5	<b>\$1174</b>	<b>\$1269</b>	N/A	<b>\$234</b>
	Z2042BNRR	20 x 42 x 29.5-30	125	113	18	<b>\$1146</b>	<b>\$1232</b>	N/A	<b>\$202</b>
<b>Full to Floor Return, No Modesty - RIGHT</b>	Return has no modesty. Box/box/file pedestal on <b>right</b> . Pedestal locks.								
	Z2448SRL	24 x 48 x 29.5-30	150	135	24.25	<b>\$1355</b>	<b>\$1468</b>	N/A	<b>\$278</b>
	Z2442SRL	24 x 42 x 29.5-30	125	130	21.25	<b>\$1333</b>	<b>\$1431</b>	N/A	<b>\$244</b>
	Z2048SRL	20 x 48 x 29.5-30	125	123	20.5	<b>\$1284</b>	<b>\$1379</b>	N/A	<b>\$234</b>
	Z2042SRL	20 x 42 x 29.5-30	125	119	18	<b>\$1245</b>	<b>\$1331</b>	N/A	<b>\$202</b>
<b>Full to Floor Return - LEFT</b>	File/file pedestal on <b>left</b> . 12"H modesty panel. Pedestal locks.								
	Z2448SRR	24 x 48 x 29.5-30	150	135	24.25	<b>\$1355</b>	<b>\$1468</b>	N/A	<b>\$278</b>
	Z2442SRR	24 x 42 x 29.5-30	125	130	21.25	<b>\$1333</b>	<b>\$1431</b>	N/A	<b>\$244</b>
	Z2048SRR	20 x 48 x 29.5-30	125	123	20.5	<b>\$1284</b>	<b>\$1379</b>	N/A	<b>\$234</b>
	Z2042SRR	20 x 42 x 29.5-30	125	119	18	<b>\$1245</b>	<b>\$1331</b>	N/A	<b>\$202</b>
<b>Full to Floor Return - RIGHT</b>	File/file pedestal on <b>right</b> . 12"H modesty panel. Pedestal locks.								
	Z2448BSRL	24 x 48 x 29.5-30	150	138	24.25	<b>\$1355</b>	<b>\$1468</b>	N/A	<b>\$278</b>
	Z2442BSRL	24 x 42 x 29.5-30	125	132	21.5	<b>\$1333</b>	<b>\$1431</b>	N/A	<b>\$244</b>
	Z2048BSRL	20 x 48 x 29.5-30	125	125	20.5	<b>\$1284</b>	<b>\$1379</b>	N/A	<b>\$234</b>
	Z2042BSRL	20 x 42 x 29.5-30	125	121	18	<b>\$1245</b>	<b>\$1331</b>	N/A	<b>\$202</b>
<b>Full to Floor Return - LEFT</b>	Box/box/file pedestal on <b>left</b> . 12"H modesty panel. Pedestal locks.								
	Z2448BSRR	24 x 48 x 29.5-30	150	138	24.25	<b>\$1355</b>	<b>\$1468</b>	N/A	<b>\$278</b>
	Z2442BSRR	24 x 42 x 29.5-30	125	132	21.5	<b>\$1333</b>	<b>\$1431</b>	N/A	<b>\$244</b>
	Z2048BSRR	20 x 48 x 29.5-30	125	125	20.5	<b>\$1284</b>	<b>\$1379</b>	N/A	<b>\$234</b>
	Z2042BSRR	20 x 42 x 29.5-30	125	121	18	<b>\$1245</b>	<b>\$1331</b>	N/A	<b>\$202</b>
<b>Full to Floor Return - RIGHT</b>	Box/box/file pedestal on <b>right</b> . 12"H modesty panel. Pedestal locks.								

**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Handles


**Optional Specifications**

HP laminate  
Key #  
Grommet position or power block cut-out

**Accessories**

Power block  
Keyboard  
Pencil drawer


## RETURNS



Full to Floor Flush Return - LEFT



Full to Floor Flush Return - LEFT



Full to Floor Flush Return - RIGHT



Full to Floor Flush Return - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z24722L	24 x 72 x 29.5-30	150	206	35.75	<b>\$1628</b>	<b>\$1728</b>	N/A	<b>\$409</b>
Z24662L	24 x 66 x 29.5-30	150	195	32.75	<b>\$1554</b>	<b>\$1652</b>	N/A	<b>\$409</b>
Z24602L	24 x 60 x 29.5-30	125	184	30	<b>\$1480</b>	<b>\$1580</b>	N/A	<b>\$376</b>
Z24542L	24 x 54 x 29.5-30	150	165	29.75	<b>\$1406</b>	<b>\$1506</b>	N/A	<b>\$376</b>
Z24482L	24 x 48 x 29.5-30	125	156	24.25	<b>\$1332</b>	<b>\$1432</b>	N/A	<b>\$300</b>
Z20722L	20 x 72 x 29.5-30	150	169	30.25	<b>\$1431</b>	<b>\$1531</b>	N/A	<b>\$409</b>
Z20662L	20 x 66 x 29.5-30	150	162	27.75	<b>\$1406</b>	<b>\$1506</b>	N/A	<b>\$409</b>
Z20602L	20 x 60 x 29.5-30	125	153	25.25	<b>\$1382</b>	<b>\$1480</b>	N/A	<b>\$340</b>
Z20542L	20 x 54 x 29.5-30	150	136	23	<b>\$1357</b>	<b>\$1455</b>	N/A	<b>\$340</b>
Z20482L	20 x 48 x 29.5-30	125	129	20.5	<b>\$1292</b>	<b>\$1382</b>	N/A	<b>\$252</b>

Standard with file/file pedestal on **left**. Grommet in worksurface. One pencil tray. Pedestal locks.

- Does not accommodate storage shells.

Z24723L	24 x 72 x 29.5-30	125	171	24.5	<b>\$1796</b>	<b>\$1962</b>	N/A	<b>\$409</b>
Z24663L	24 x 66 x 29.5-30	125	171	24.5	<b>\$1764</b>	<b>\$1913</b>	N/A	<b>\$409</b>
Z24603L	24 x 60 x 29.5-30	125	171	24.5	<b>\$1650</b>	<b>\$1792</b>	N/A	<b>\$376</b>
Z24543L	24 x 54 x 29.5-30	125	171	24.5	<b>\$1594</b>	<b>\$1723</b>	N/A	<b>\$376</b>
Z24483L	24 x 48 x 29.5-30	125	171	24.5	<b>\$1503</b>	<b>\$1619</b>	N/A	<b>\$300</b>
Z20723L	20 x 72 x 29.5-30	65	97	4.3	<b>\$1644</b>	<b>\$1785</b>	N/A	<b>\$409</b>
Z20663L	20 x 66 x 29.5-30	65	97	4.3	<b>\$1589</b>	<b>\$1725</b>	N/A	<b>\$409</b>
Z20603L	20 x 60 x 29.5-30	65	97	4.3	<b>\$1562</b>	<b>\$1684</b>	N/A	<b>\$340</b>
Z20543L	20 x 54 x 29.5-30	65	97	4.3	<b>\$1498</b>	<b>\$1614</b>	N/A	<b>\$340</b>
Z20483L	20 x 48 x 29.5-30	125	154	20.75	<b>\$1463</b>	<b>\$1564</b>	N/A	<b>\$252</b>

Standard with box/box/file pedestal on **left**. Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock.

- Does not accommodate storage shells.

Z24722R	24 x 72 x 29.5-30	150	206	35.75	<b>\$1628</b>	<b>\$1728</b>	N/A	<b>\$409</b>
Z24662R	24 x 66 x 29.5-30	150	195	32.75	<b>\$1554</b>	<b>\$1652</b>	N/A	<b>\$409</b>
Z24602R	24 x 60 x 29.5-30	125	184	30	<b>\$1480</b>	<b>\$1580</b>	N/A	<b>\$376</b>
Z24542R	24 x 54 x 29.5-30	150	165	29.75	<b>\$1406</b>	<b>\$1506</b>	N/A	<b>\$376</b>
Z24482R	24 x 48 x 29.5-30	125	156	24.25	<b>\$1332</b>	<b>\$1432</b>	N/A	<b>\$300</b>
Z20722R	20 x 72 x 29.5-30	150	169	30.25	<b>\$1431</b>	<b>\$1531</b>	N/A	<b>\$409</b>
Z20662R	20 x 66 x 29.5-30	150	162	27.75	<b>\$1406</b>	<b>\$1506</b>	N/A	<b>\$409</b>
Z20602R	20 x 60 x 29.5-30	125	153	25.25	<b>\$1382</b>	<b>\$1480</b>	N/A	<b>\$340</b>
Z20542R	20 x 54 x 29.5-30	150	136	23	<b>\$1357</b>	<b>\$1455</b>	N/A	<b>\$340</b>
Z20482R	20 x 48 x 29.5-30	125	129	20.5	<b>\$1292</b>	<b>\$1382</b>	N/A	<b>\$252</b>

Standard with file/file pedestal on **right**. Grommet in worksurface. One pencil tray. Pedestal locks.

- Does not accommodate storage shells.

Z24723R	24 x 72 x 29.5-30	125	171	24.5	<b>\$1796</b>	<b>\$1962</b>	N/A	<b>\$409</b>
Z24663R	24 x 66 x 29.5-30	125	171	24.5	<b>\$1764</b>	<b>\$1913</b>	N/A	<b>\$409</b>
Z24603R	24 x 60 x 29.5-30	125	171	24.5	<b>\$1650</b>	<b>\$1792</b>	N/A	<b>\$376</b>
Z24543R	24 x 54 x 29.5-30	125	171	24.5	<b>\$1594</b>	<b>\$1723</b>	N/A	<b>\$376</b>
Z24483R	24 x 48 x 29.5-30	125	171	24.5	<b>\$1503</b>	<b>\$1619</b>	N/A	<b>\$300</b>
Z20723R	20 x 72 x 29.5-30	65	97	4.3	<b>\$1644</b>	<b>\$1785</b>	N/A	<b>\$409</b>
Z20663R	20 x 66 x 29.5-30	65	97	4.3	<b>\$1589</b>	<b>\$1725</b>	N/A	<b>\$409</b>
Z20603R	20 x 60 x 29.5-30	65	97	4.3	<b>\$1562</b>	<b>\$1684</b>	N/A	<b>\$340</b>
Z20543R	20 x 54 x 29.5-30	65	97	4.3	<b>\$1498</b>	<b>\$1614</b>	N/A	<b>\$340</b>
Z20483R	20 x 48 x 29.5-30	125	154	20.75	<b>\$1463</b>	<b>\$1564</b>	N/A	<b>\$252</b>

Standard with box/box/file pedestal on **right**. Grommet in worksurface. One pencil tray. File drawer and lower box drawer lock.

- Does not accommodate storage shells.

### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Handles

### Optional Specifications

HP laminate  
Key #  
Grommet position or power block cut-out

### Accessories

Power block  
Keyboard  
Pencil drawer

METAL LEG RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z3672MRL	36 x 72 x 29	100	116	11.25	<b>\$1173</b>	<b>\$1386</b>	N/A	<b>\$665</b>
	Z3072MRL	30 x 72 x 29	92.5	100	10	<b>\$1074</b>	<b>\$1260</b>	N/A	<b>\$547</b>
	Z3066MRL	30 x 66 x 29	70	94	9.75	<b>\$1034</b>	<b>\$1200</b>	N/A	<b>\$547</b>
	Z3060MRL	30 x 60 x 29	70	88	9.25	<b>\$986</b>	<b>\$1144</b>	N/A	<b>\$509</b>
	Z2472MRL	24 x 72 x 29	70	85	8.25	<b>\$986</b>	<b>\$1135</b>	N/A	<b>\$409</b>
	Z2466MRL	24 x 66 x 29	70	80	8	<b>\$948</b>	<b>\$1084</b>	N/A	<b>\$409</b>
	Z2460MRL	24 x 60 x 29	70	75	7.75	<b>\$909</b>	<b>\$1038</b>	N/A	<b>\$376</b>
	Z2448MRL	24 x 48 x 29	70	56	5.75	<b>\$784</b>	<b>\$885</b>	N/A	<b>\$300</b>

Return w/Metal Legs - LEFT\*

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). **Not freestanding.** Metal leg available in Black (**BLK**) or Tungsten (**TUN**).

- Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

	Z3672MRR	36 x 72 x 29	100	116	11.25	<b>\$1173</b>	<b>\$1386</b>	N/A	<b>\$665</b>
	Z3072MRR	30 x 72 x 29	92.5	100	10	<b>\$1074</b>	<b>\$1260</b>	N/A	<b>\$547</b>
	Z3066MRR	30 x 66 x 29	70	94	9.75	<b>\$1034</b>	<b>\$1200</b>	N/A	<b>\$547</b>
	Z3060MRR	30 x 60 x 29	70	88	9.25	<b>\$986</b>	<b>\$1144</b>	N/A	<b>\$509</b>
	Z2472MRR	24 x 72 x 29	70	85	8.25	<b>\$986</b>	<b>\$1135</b>	N/A	<b>\$409</b>
	Z2466MRR	24 x 66 x 29	70	80	8	<b>\$948</b>	<b>\$1084</b>	N/A	<b>\$409</b>
	Z2460MRR	24 x 60 x 29	70	75	7.75	<b>\$909</b>	<b>\$1038</b>	N/A	<b>\$376</b>
	Z2448MRR	24 x 48 x 29	70	56	5.75	<b>\$784</b>	<b>\$885</b>	N/A	<b>\$300</b>

Return w/Metal Legs - RIGHT\*

Flush return attached to the edge of worksurface. Attaching hardware included. Leg shipped in separate carton. Shipped RTA (ready to assemble). **Not freestanding.** Metal leg available in Black (**BLK**) or Tungsten (**TUN**).

- Please note, glides need to be extended a small amount to accommodate the 29.5" height of standard Zira pieces.

	Z72LMP	.69 x 66 x 18.1	70	28	1.25	<b>\$310</b>	N/A	N/A	N/A
	Z66LMP	.69 x 60 x 18.1	65	26	1	<b>\$297</b>	N/A	N/A	N/A
	Z60LMP	.69 x 54 x 18.1	65	23	1	<b>\$276</b>	N/A	N/A	N/A
	Z48LMP	.69 x 42 x 18.1	65	19	.75	<b>\$234</b>	N/A	N/A	N/A

Melamine Modesty Panel

**For returns with metal legs.** Modular laminate modesty panel. Specify model # corresponding to worksurface length.

BRIDGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z2448FB	24 x 48 x 29.5-30	70	91	4.30	<b>\$668</b>	<b>\$777</b>	N/A	<b>\$275</b>
	Z2442FB	24 x 42 x 29.5-30	70	79	3.80	<b>\$618</b>	<b>\$713</b>	N/A	<b>\$275</b>
	Z2436FB	24 x 36 x 29.5-30	70	69	3.30	<b>\$618</b>	<b>\$713</b>	N/A	<b>\$208</b>
	Z2048FB	20 x 48 x 29.5-30	70	83	4.30	<b>\$649</b>	<b>\$744</b>	N/A	<b>\$275</b>
	Z2042FB	20 x 42 x 29.5-30	70	72	3.80	<b>\$601</b>	<b>\$696</b>	N/A	<b>\$275</b>
	Z2036FB	20 x 36 x 29.5-30	70	63	3.30	<b>\$601</b>	<b>\$696</b>	N/A	<b>\$208</b>

Flush Bridge\*

Top surface, back panel and hardware to create a "U" shape by connecting two units with full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).

	Z1648B	15.8 x 48 x 29.5-30	70	66.15	4.25	<b>\$507</b>	<b>\$601</b>	N/A	<b>\$208</b>
	Z1642B	15.8 x 42 x 29.5-30	70	59.85	3.75	<b>\$444</b>	<b>\$531</b>	N/A	<b>\$208</b>

Flush Bridge

**16" Throat.** Top surface, back panel and hardware to create a "U" shape by connecting two units with a 16"throat and full end panels. Grommet in worksurface. Shipped RTA (ready to assemble).

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Leg finish\* (BLK or TUN)








Lock finish

#### Optional Specifications









HP laminate  
Handles  
Key #  
Modesty type  
Grommet position or power block cut-out

#### Accessories

Power block  
Pencil drawer

SPACE SAVER BRIDGES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 			D x W x H							
		Z244816BL	24 x 48 x 29.5-30	70	82	4.25	<b>\$593</b>	<b>\$732</b>	N/A	<b>\$275</b>
		Z244216BL	24 x 42 x 29.5-30	70	71	3.75	<b>\$521</b>	<b>\$646</b>	N/A	<b>\$275</b>
		Z214816BL	21 x 48 x 29.5-30	70	76	4.25	<b>\$550</b>	<b>\$666</b>	N/A	<b>\$275</b>
		Z214216BL	21 x 42 x 29.5-30	70	65	3.75	<b>\$477</b>	<b>\$584</b>	N/A	<b>\$275</b>
<b>Space Saver Bridge - LEFT</b>		16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16"throat. Grommet in worksurface. Shipped RTA (ready to assemble).								
 		Z244816BR	24 x 48 x 29.5-30	70	82	4.25	<b>\$593</b>	<b>\$732</b>	N/A	<b>\$275</b>
		Z244216BR	24 x 42 x 29.5-30	70	71	3.75	<b>\$521</b>	<b>\$646</b>	N/A	<b>\$275</b>
		Z214816BR	21 x 48 x 29.5-30	70	76	4.25	<b>\$550</b>	<b>\$666</b>	N/A	<b>\$275</b>
		Z214216BR	21 x 42 x 29.5-30	70	65	3.75	<b>\$477</b>	<b>\$584</b>	N/A	<b>\$275</b>
<b>Space Saver Bridge - RIGHT</b>		16" Throat. Top surface, back panel and hardware to connect extended corners, desks and islands with a 16"throat. Grommet in worksurface. Shipped RTA (ready to assemble).								
		Z2468TRL	24 x 68 x 5.9	85	64	5.25	<b>\$629</b>	<b>\$795</b>	N/A	<b>\$395</b>
		Z2462TRL	24 x 62 x 5.9	85	59	4.70	<b>\$586</b>	<b>\$736</b>	N/A	<b>\$358</b>
		Z2472TRL	24 x 72 x 5.9	85	64	5.25	<b>\$639</b>	<b>\$805</b>	N/A	<b>\$416</b>
		Z2466TRL	24 x 66 x 5.9	85	62	4.70	<b>\$601</b>	<b>\$753</b>	N/A	<b>\$382</b>
<b>Overlapping Bridge - LEFT*</b>		For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on <b>left</b> . <ul style="list-style-type: none"> <li>Use Z2462TRR and Z2468TRR for 20"D storage.</li> <li>Use Z2466TRR and Z2472TRR for 24"D storage.</li> </ul>								
		Z2468TRR	24 x 68 x 5.9	85	64	5.25	<b>\$629</b>	<b>\$795</b>	N/A	<b>\$395</b>
		Z2462TRR	24 x 62 x 5.9	85	59	4.70	<b>\$586</b>	<b>\$736</b>	N/A	<b>\$358</b>
		Z2472TRR	24 x 72 x 5.9	85	64	5.25	<b>\$639</b>	<b>\$805</b>	N/A	<b>\$416</b>
		Z2466TRR	24 x 66 x 5.9	85	62	4.70	<b>\$601</b>	<b>\$753</b>	N/A	<b>\$382</b>
<b>Overlapping Bridge - RIGHT*</b>		For 20"/24"D, 23.75"/24.25"H Storage with No Modesty. Overlaps storage on <b>right</b> . <ul style="list-style-type: none"> <li>Use Z2462TRR and Z2468TRR for 20"D storage.</li> <li>Use Z2466TRR and Z2472TRR for 24"D storage.</li> </ul>								
		Z24483BR	24 x 48 x 13-13.5	70	55	3.50	<b>\$668</b>	<b>\$777</b>	N/A	<b>\$275</b>
		Z24423BR	24 x 42 x 13-13.5	70	48	3.10	<b>\$618</b>	<b>\$752</b>	N/A	<b>\$244</b>
		Z24363BR	24 x 36 x 13-13.5	70	43	2.70	<b>\$618</b>	<b>\$734</b>	N/A	<b>\$210</b>
		Z20483BR	20 x 48 x 13-13.5	70	48	3	<b>\$649</b>	<b>\$776</b>	N/A	<b>\$234</b>
		Z20423BR	20 x 42 x 13-13.5	70	43	2.70	<b>\$601</b>	<b>\$714</b>	N/A	<b>\$202</b>
		Z20363BR	20 x 36 x 13-13.5	70	38	2.40	<b>\$601</b>	<b>\$699</b>	N/A	<b>\$175</b>
<b>Flush Bridge</b>		12"H modesty panel.								

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Grommet position or power block cut-out	Pencil drawer*
Base finish		

TRANSITIONAL BRIDGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
<div>   </div> <div> <b>Transitional Bridge - LEFT</b> </div>		<b>D x W x H</b>							
	Z2148TRBL	21 x 48 x 29.5-30	70	75.83	4.25	<b>\$572</b>	<b>\$688</b>	N/A	<b>\$275</b>
	Z2142TRBL	21 x 42 x 29.5-30	70	64.78	3.75	<b>\$500</b>	<b>\$607</b>	N/A	<b>\$275</b>
	For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).								
<div>   </div> <div> <b>Transitional Bridge - RIGHT</b> </div>									
	Z2148TRBR	21 x 48 x 29.5-30	70	75.83	4.25	<b>\$572</b>	<b>\$688</b>	N/A	<b>\$275</b>
	Z2142TRBR	21 x 42 x 29.5-30	70	64.78	3.75	<b>\$500</b>	<b>\$607</b>	N/A	<b>\$275</b>
	For 21" Wide Storage Module. Top surface, back panel, shorter kickplate and hardware to connect 21" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).								
<div>   </div> <div> <b>Transitional Bridge - LEFT</b> </div>									
	Z1648TRBL	16 x 48 x 29.5-30	70	68.58	4.25	<b>\$529</b>	<b>\$623</b>	N/A	<b>\$208</b>
	Z1642TRBL	16 x 42 x 29.5-30	70	58.96	3.75	<b>\$467</b>	<b>\$556</b>	N/A	<b>\$208</b>
	For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).								
<div>   </div> <div> <b>Transitional Bridge - RIGHT</b> </div>									
	Z1648TRBR	16 x 48 x 29.5-30	70	68.58	4.25	<b>\$529</b>	<b>\$623</b>	N/A	<b>\$208</b>
	Z1642TRBR	16 x 42 x 29.5-30	70	58.96	3.75	<b>\$467</b>	<b>\$556</b>	N/A	<b>\$208</b>
	For 16" Wide Storage Module. Top surface, back panel and hardware to connect 16" wide storage module with 16" throat. Grommet in worksurface. Shipped RTA (ready to assemble).								

Required Specifications	Optional Specifications	Accessories
Top finish Top/edge detail Base finish	HP laminate Grommet position or power block cut-out	Power block Pencil drawer*

## 18"H CREDENZAS



Lateral File Credenza - LEFT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472LOFL	24 x 72 x 17.87-18.37	125	181	22.75	<b>\$1732</b>	<b>\$1874</b>	N/A	<b>\$416</b>
Z2460LOFL	24 x 60 x 17.87-18.37	100	160	19.25	<b>\$1538</b>	<b>\$1657</b>	N/A	<b>\$349</b>
Z2072LOFL	20 x 72 x 17.87-18.37	100	164	19.25	<b>\$1614</b>	<b>\$1733</b>	N/A	<b>\$349</b>
Z2060LOFL	20 x 60 x 17.87-18.37	100	143	16.25	<b>\$1422</b>	<b>\$1520</b>	N/A	<b>\$291</b>

1 high lateral file on the **left**, open storage on the **right**.



Lateral File Credenza - RIGHT

Z2472LOFR	24 x 72 x 17.87-18.37	125	181	22.75	<b>\$1732</b>	<b>\$1874</b>	N/A	<b>\$416</b>
Z2460LOFR	24 x 60 x 17.87-18.37	100	160	19.25	<b>\$1538</b>	<b>\$1657</b>	N/A	<b>\$349</b>
Z2072LOFR	20 x 72 x 17.87-18.37	100	164	19.25	<b>\$1614</b>	<b>\$1733</b>	N/A	<b>\$349</b>
Z2060LOFR	20 x 60 x 17.87-18.37	100	143	16.25	<b>\$1422</b>	<b>\$1520</b>	N/A	<b>\$291</b>

1 high lateral file on the **right**, open storage on the **left**.



Lateral File Credenza - LEFT\*

Z2472LSFL	24 x 72 x 17.87-18.37	100	197	22.75	<b>\$2019</b>	<b>\$2161</b>	<b>\$430</b>	<b>\$416</b>
Z2460LSFL	24 x 60 x 17.87-18.37	100	174	19.25	<b>\$1820</b>	<b>\$1939</b>	<b>\$383</b>	<b>\$349</b>
Z2072LSFL	20 x 72 x 17.87-18.37	100	178	19.25	<b>\$1890</b>	<b>\$2009</b>	<b>\$430</b>	<b>\$349</b>
Z2060LSFL	20 x 60 x 17.87-18.37	100	155	16.25	<b>\$1696</b>	<b>\$1794</b>	<b>\$383</b>	<b>\$291</b>

1 high lateral file on the **left**, closed storage on the **right**.



Lateral File Credenza - RIGHT\*

Z2472LSFR	24 x 72 x 17.87-18.37	100	197	22.75	<b>\$2019</b>	<b>\$2161</b>	<b>\$430</b>	<b>\$416</b>
Z2460LSFR	24 x 60 x 17.87-18.37	100	174	19.25	<b>\$1820</b>	<b>\$1939</b>	<b>\$383</b>	<b>\$349</b>
Z2072LSFR	20 x 72 x 17.87-18.37	100	178	19.25	<b>\$1890</b>	<b>\$2009</b>	<b>\$430</b>	<b>\$349</b>
Z2060LSFR	20 x 60 x 17.87-18.37	100	155	16.25	<b>\$1696</b>	<b>\$1794</b>	<b>\$383</b>	<b>\$291</b>

1 high lateral file on the **right**, closed storage on the **left**.



Mixed Storage Credenza - LEFT

Z2472LMOL	24 x 72 x 17.87-18.37	100	197	22.75	<b>\$1995</b>	<b>\$2137</b>	N/A	<b>\$416</b>
Z2460LMOL	24 x 60 x 17.87-18.37	100	176	19.25	<b>\$1821</b>	<b>\$1940</b>	N/A	<b>\$349</b>
Z2072LMOL	20 x 72 x 17.87-18.37	100	178	19.25	<b>\$1869</b>	<b>\$1988</b>	N/A	<b>\$349</b>
Z2060LMOL	20 x 60 x 17.87-18.37	100	157	16.25	<b>\$1699</b>	<b>\$1799</b>	N/A	<b>\$291</b>

1 high mixed drawers on the **left**, open storage on the **right**.



Mixed Storage Credenza - RIGHT

Z2472LMOR	24 x 72 x 17.87-18.37	100	197	22.75	<b>\$1995</b>	<b>\$2137</b>	N/A	<b>\$416</b>
Z2460LMOR	24 x 60 x 17.87-18.37	100	176	19.25	<b>\$1821</b>	<b>\$1939</b>	N/A	<b>\$349</b>
Z2072LMOR	20 x 72 x 17.87-18.37	100	178	19.25	<b>\$1869</b>	<b>\$1988</b>	N/A	<b>\$349</b>
Z2060LMOR	20 x 60 x 17.87-18.37	100	157	16.25	<b>\$1699</b>	<b>\$1799</b>	N/A	<b>\$291</b>

1 high mixed drawers on the **right**, open storage on the **left**.





### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Handles

### Optional Specifications

HP laminate  
Key #  
Glazed doors\*  
Box drawer - no upcharge



24"H CRENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Lateral File Credenza - LEFT</b></p>		<b>D x W x H</b>							
	Z2472HBFL	24 x 72 x 23.75-24.25	125	229	29.25	<b>\$2170</b>	<b>\$2312</b>	N/A	<b>\$416</b>
	Z2460HBFL	24 x 60 x 23.75-24.25	100	201	24.50	<b>\$1923</b>	<b>\$2042</b>	N/A	<b>\$349</b>
	Z2072HBFL	20 x 72 x 23.75-24.25	100	207	24.75	<b>\$2044</b>	<b>\$2163</b>	N/A	<b>\$349</b>
	Z2060HBFL	20 x 60 x 23.75-24.25	100	180	20.75	<b>\$1801</b>	<b>\$1901</b>	N/A	<b>\$291</b>
	1.5 high box/lateral file on the <b>left</b> , open storage on the <b>right</b> .								
 <p><b>Lateral File Credenza - RIGHT</b></p>	Z2472HBFR	24 x 72 x 23.75-24.25	125	229	29.25	<b>\$2170</b>	<b>\$2312</b>	N/A	<b>\$416</b>
	Z2460HBFR	24 x 60 x 23.75-24.25	100	201	24.50	<b>\$1923</b>	<b>\$2042</b>	N/A	<b>\$349</b>
	Z2072HBFR	20 x 72 x 23.75-24.25	100	207	24.75	<b>\$2044</b>	<b>\$2163</b>	N/A	<b>\$349</b>
	Z2060HBFR	20 x 60 x 23.75-24.25	100	180	20.75	<b>\$1801</b>	<b>\$1901</b>	N/A	<b>\$291</b>
	1.5 high box/lateral file on the <b>right</b> , open storage on the <b>left</b> .								
 <p><b>Lateral File Credenza - LEFT</b></p>	Z2472HFSL	24 x 72 x 23.75-24.25	100	251	29.25	<b>\$2539</b>	<b>\$2681</b>	<b>\$589</b>	<b>\$416</b>
	Z2460HFSL	24 x 60 x 23.75-24.25	100	221	24.50	<b>\$2265</b>	<b>\$2384</b>	<b>\$511</b>	<b>\$349</b>
	Z2072HFSL	20 x 72 x 23.75-24.25	100	227	24.75	<b>\$2385</b>	<b>\$2504</b>	<b>\$589</b>	<b>\$349</b>
	Z2060HFSL	20 x 60 x 23.75-24.25	100	198	20.75	<b>\$2132</b>	<b>\$2232</b>	<b>\$511</b>	<b>\$291</b>
	1.5 high box/lateral file on the <b>left</b> , closed storage on the <b>right</b> .								
 <p><b>Lateral File Credenza - RIGHT</b></p>	Z2472HFSSR	24 x 72 x 23.75-24.25	100	251	29.25	<b>\$2539</b>	<b>\$2681</b>	<b>\$589</b>	<b>\$416</b>
	Z2460HFSSR	24 x 60 x 23.75-24.25	100	221	24.50	<b>\$2265</b>	<b>\$2384</b>	<b>\$511</b>	<b>\$349</b>
	Z2072HFSSR	20 x 72 x 23.75-24.25	100	227	24.75	<b>\$2385</b>	<b>\$2504</b>	<b>\$589</b>	<b>\$349</b>
	Z2060HFSSR	20 x 60 x 23.75-24.25	100	198	20.75	<b>\$2132</b>	<b>\$2232</b>	<b>\$511</b>	<b>\$291</b>
	1.5 high box/lateral file on the <b>right</b> , closed storage on the <b>left</b> .								


















**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Handles

**Optional Specifications**

HP laminate  
Key #  
Glazed doors\*  
Box drawer - no upcharge



CREDENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
  <p>Center Storage Credenza**</p>	Z2072C	D x W x H 20 x 72 x 29.5-30	100	286	30	\$2193	\$2731	\$722	\$409
	Standard with box/file pedestals on both sides and self-closing hinged center doors covering one adjustable shelf. Pedestals and doors lock, keyed alike. Two pencil trays.								
 <p>Kneespace Credenza*</p>	Z2472CK	24 x 72 x 29.5-30	125	262	35.50	\$1780	\$2082	N/A	\$409
	Z2466CK	24 x 66 x 29.5-30	125	250	33	\$1780	\$2017	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2072CK	20 x 72 x 29.5-30	125	235	30	\$1700	\$1873	N/A	\$409
	Z2066CK	20 x 66 x 29.5-30	100	225	27.75	\$1700	\$1836	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2060CK	20 x 60 x 29.5-30	100	219	25.25	\$1635	\$1744	N/A	\$340
	Standard with box/file pedestals on both sides. Center is open. Pedestals lock, keyed alike. Two pencil trays. Grommet in worksurface.								
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2472CS2L	24 x 72 x 29.5-30	100	228	25.75	\$1674	\$1845	N/A	\$409
	Z2466CS2L	24 x 66 x 29.5-30	125	217	32.75	\$1643	\$1801	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2072CS2L	20 x 72 x 29-29.5	125	203	30.25	\$1534	\$1676	N/A	\$409
	Z2066CS2L	20 x 66 x 29-29.5	125	193	27.75	\$1477	\$1605	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2472CS2R	24 x 72 x 29.5-30	100	228	25.75	\$1674	\$1845	N/A	\$409
	Z2466CS2R	24 x 66 x 29.5-30	125	217	32.75	\$1643	\$1801	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2072CS2R	20 x 72 x 29.5-30	125	203	30.25	\$1534	\$1676	N/A	\$409
	Z2066CS2R	20 x 66 x 29.5-30	125	193	27.75	\$1477	\$1605	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2472CS4L	24 x 72 x 29-29.5	125	228	35.75	\$1742	\$1913	N/A	\$409
	Z2466CS4L	24 x 66 x 29-29.5	125	217	32.75	\$1714	\$1872	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2072CS4L	20 x 72 x 29-29.5	125	203	30.25	\$1589	\$1728	N/A	\$409
	Z2066CS4L	20 x 66 x 29-29.5	125	193	25.75	\$1534	\$1670	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2472CS4R	24 x 72 x 29-29.5	125	228	35.75	\$1742	\$1913	N/A	\$409
	Z2466CS4R	24 x 66 x 29-29.5	125	217	32.75	\$1714	\$1872	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2072CS4R	20 x 72 x 29-29.5	125	203	30.25	\$1589	\$1730	N/A	\$409
	Z2066CS4R	20 x 66 x 29-29.5	125	193	25.75	\$1534	\$1670	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Standard with full to floor box/box/file pedestal on the <b>left</b> . File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.								
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Z2472CS4R	24 x 72 x 29-29.5	125	228	35.75	\$1742	\$1913	N/A	\$409
	Z2466CS4R	24 x 66 x 29-29.5	125	217	32.75	\$1714	\$1872	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- LEFT*</p>	Z2072CS4R	20 x 72 x 29-29.5	125	203	30.25	\$1589	\$1730	N/A	\$409
	Z2066CS4R	20 x 66 x 29-29.5	125	193	25.75	\$1534	\$1670	N/A	\$409
 <p>Full to Floor Single Pedestal Credenza- RIGHT*</p>	Standard with full to floor box/box/file pedestal on the <b>right</b> . File drawer and lower box drawer lock. One pencil tray. Grommet in worksurface.								

#### Required Specifications










Top finish  
Top/edge detail  
Base finish  
Lock finish\*

#### Optional Specifications

HP laminate  
Key #\*  
Modesty type (only Z2xxxxCK)  
Grommet position or power block cut-out

#### Accessories

Keyboard\*\*  
Power block (not Z2072C)  
Pencil drawer (Z2472S2L/R only)

CRENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
  <p>Glazed door option</p> <p><b>Storage Cabinet Credenza**</b></p>		<b>D x W x H</b>							
	Z2472SCSC	24 x 72 x 29.5-30	100	345	35.75	<b>\$2401</b>	<b>\$2568</b>	<b>\$1615</b>	<b>\$409</b>
	Z2072SCSC	20 x 72 x 29.5-30	92.5	315	30.25	<b>\$2110</b>	<b>\$2288</b>	<b>\$1615</b>	<b>\$409</b>
Two storage cabinets side-by-side. Hinged doors cover one adjustable shelf. Locking doors keyed alike.									
 <p><b>Lateral File Credenza**</b></p>	Z2472LF2	24 x 72 x 29.5-30	100	345	35.75	<b>\$2769</b>	<b>\$3159</b>	N/A	<b>\$409</b>
	Z2072LF2	20 x 72 x 29.5-30	92.5	315	30.25	<b>\$2713</b>	<b>\$3157</b>	N/A	<b>\$409</b>
Two 2-drawer lateral files side-by-side. Locking drawers, keyed alike. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension									
  <p>Glazed door option</p> <p><b>Lateral File/Storage Cabinet Credenza**</b></p>	Z2472LS	24 x 72 x 29.5-30	100	321	35.75	<b>\$2478</b>	<b>\$2854</b>	<b>\$810</b>	<b>\$409</b>
	Z2072LS	20 x 72 x 29.5-30	100	286	30.25	<b>\$2421</b>	<b>\$2852</b>	<b>\$810</b>	<b>\$409</b>
One 2-drawer lateral file and one storage cabinet. Locking door/drawers, keyed alike. Storage cabinet includes one adjustable shelf. File bars included for side-to-side and front-to-back letter and legal filing capability. Anti-lock tilt suspension. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.									
  <p>Glazed door option</p> <p><b>Buffet Credenza**</b></p>	Z482036BD	20 x 48 x 36	125	163	22.50	<b>\$2353</b>	<b>\$2491</b>	<b>\$1015</b>	<b>\$442</b>
Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.									
 <p><b>Buffet Credenza*</b></p>	Z722036BD	20 x 72 x 36	125	242	33.50	<b>\$3412</b>	<b>\$3580</b>	<b>\$2026</b>	<b>\$712</b>
	Z602036BD	20 x 60 x 36	125	188	28	<b>\$2958</b>	<b>\$3110</b>	<b>\$1861</b>	<b>\$578</b>
Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.									
 <p><b>Kneespace Lateral File Credenza - LEFT</b></p>	Z2472LKL	24 x 72 x 29.5-30	125	262	35.75	<b>\$2178</b>	<b>\$2513</b>	N/A	<b>\$409</b>
	Z2072LKL	20 x 72 x 29.5-30	125	235	30.25	<b>\$2123</b>	<b>\$2514</b>	N/A	<b>\$409</b>
One 2-drawer lateral file on the <b>left</b> . Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface. • File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.									

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Lock finish\*

#### Optional Specifications


HP laminate  
Key #\*  
Modesty type (only Z2xxxxCK)  
Grommet position or power block cut-out

Handles\*

Glazed door\*\*

#### Accessories


Keyboard\*\*  
Power block (not Z2072C)  
Pencil drawer (Z2472S2L/R only)

CRENZAS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z2472LKR	24 x 72 x 29.5-30	125	262	35.75	<b>\$2178</b>	<b>\$2513</b>	N/A	<b>\$409</b>
	Z2072LKR	20 x 72 x 29.5-30	125	235	30.25	<b>\$2123</b>	<b>\$2514</b>	N/A	<b>\$409</b>

**Kneespace Lateral File Credenza - RIGHT**


One 2-drawer lateral file on the **right**. Locking drawers. File bars included for side-to-side and front-to-back letter/legal filing capability. Anti-lock tilt suspension. Grommet in worksurface.

- *File drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*



**Kneespace Storage Cabinet Credenza- LEFT\*\***

One storage cabinet on the **left**. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.



**Kneespace Storage Cabinet Credenza- RIGHT\*\***

Z2472SKL	24 x 72 x 29.5-30	125	241	35.75	<b>\$1717</b>	<b>\$2066</b>	<b>\$810</b>	<b>\$409</b>
Z2072SKL	20 x 72 x 29.5-30	125	207	30.25	<b>\$1661</b>	<b>\$2063</b>	<b>\$810</b>	<b>\$409</b>

One storage cabinet on the **right**. Locking doors. Storage cabinet has one adjustable shelf. Grommet in worksurface.

Required Specifications	Optional Specifications	Accessories
Top finish      Base finish	HP laminate      Handles	Power block
Top/edge detail	Key #      Glazed door*	
Handles*	Grommet position or power block cut-out	
Lock finish*		

5-SIDED CORNERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z42245C	42 x 42 x 29.5-30	65	133	5.75	<b>\$1042</b>	<b>\$1265</b>	N/A	<b>\$547</b>
	Z42205C	42 x 42 x 29.5-30	70	129	5.75	<b>\$1042</b>	<b>\$1265</b>	N/A	<b>\$547</b>
	Z42165C	42 x 42 x 29.5-30	70	124	5.75	<b>\$1073</b>	<b>\$1235</b>	N/A	<b>\$544</b>
	Z36205C	36 x 36 x 29.5-30	65	109	4.80	<b>\$881</b>	<b>\$1009</b>	N/A	<b>\$354</b>
	Z36165C	36 x 36 x 29.5-30	70	105	4.80	<b>\$939</b>	<b>\$1065</b>	N/A	<b>\$308</b>

5-Sided Corner, 24" Throat

Connects to **30"D** space saver connectable surfaces, **24"D** connectables, returns and bridge. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not Freestanding.*

- **Modesty Panel is 1" off of ground.**
- Full End Panel(s) are available - add **15% upcharge**

5-Sided Corner, 20" Throat

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding.*

- **Modesty Panel is 1" off of ground.**
- Full End Panel(s) are available - add **15% upcharge**

5-Sided Corner, 16" Throat

Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding.*

- **Modesty Panel is 1" off of ground.**
- Full End Panel(s) are available - add **15% upcharge**

5-Sided Corner, 20" Throat

Connects to **24"D** space saver connectable surfaces, **20"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding.*

- **Modesty Panel is 1" off of ground.**
- Full End Panel(s) are available - add **15% upcharge**

5-Sided Corner, 16" Throat

Connects to **20"D** space saver connectable surfaces, **16"D** returns, lateral files, storage/lateral file credenzas, credenzas, and bridges. Grommet in worksurface. Narrow end panels on left and right. Shipped RTA (ready to assemble). *Not freestanding.*

- **Modesty Panel is 1" off of ground.**
- Full End Panel(s) are available - add **15% upcharge**

#### Required Specifications

Top finish  
Top/edge detail  
Base finish


#### Optional Specifications

HP laminate  
Grommet position or power block cut-out


#### Accessories

Power block  
Keyboard (*Not available on Z36165C*)


LEFT EXTENDED CORNER DESKS




Single Pedestal Bow Top  
Extended Corner Desk - LEFT\*



Single Pedestal Bow Top  
Extended Corner Desk - LEFT\*



Single Pedestal Extended  
Corner Desk - LEFT\*



Single Pedestal Extended  
Corner Desk - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4284EB2L	42 x 84 x 29.5-30	70	316.05	20.50	\$2222	\$2531	\$976	\$1081
Z4272EB2L	42 x 72 x 29.5-30	150	331	59	\$2193	\$2460	\$810	\$812
Z3672EB2L	36 x 72 x 29.5-30	150	273	50.75	\$1996	\$2230	\$810	\$611
Z3666EB2L	36 x 66 x 29.5-30	150	260.40	46.75	\$1964	\$2179	\$723	\$611
Z3660EB2L	36 x 60 x 29.5-30	125	257.25	42.50	\$1909	\$2104	\$639	\$509

Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **left** and faux pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284EB3L	42 x 84 x 29.5-30	70	315	20.50	\$2243	\$2551	\$976	\$1081
Z4272EB3L	42 x 72 x 29.5-30	150	329	59	\$2219	\$2486	\$810	\$812
Z3672EB3L	36 x 72 x 29.5-30	150	270.90	50.75	\$2035	\$2269	\$810	\$611
Z3666EB3L	36 x 66 x 29.5-30	150	259.35	46.75	\$1977	\$2192	\$723	\$611
Z3660EB3L	36 x 60 x 29.5-30	125	255.15	42.50	\$1944	\$2139	\$639	\$509

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **left** and faux pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284E2L	42 x 84 x 29.5-30	70	321.30	20.50	\$2313	\$2607	\$976	\$1081
Z3684E2L	36 x 84 x 29.5-30	250	311.85	118	\$2218	\$2512	\$976	\$812
Z3672E2L	36 x 72 x 29.5-30	150	278.25	50.75	\$1989	\$2210	\$810	\$611
Z3666E2L	36 x 66 x 29.5-30	150	265.65	46.75	\$1936	\$2138	\$723	\$611
Z3660E2L	36 x 60 x 29.5-30	125	259.35	42.50	\$1903	\$2087	\$639	\$509

Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **left** and faux pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Z4284E3L	42 x 84 x 29.5-30	70	318.15	20.50	\$2235	\$2529	\$976	\$1081
Z3684E3L	36 x 84 x 29.5-30	250	309.75	118	\$2253	\$2546	\$976	\$812
Z3672E3L	36 x 72 x 29.5-30	150	275.10	50.75	\$2029	\$2250	\$810	\$611
Z3666E3L	36 x 66 x 29.5-30	150	263.55	46.75	\$1974	\$2176	\$723	\$611
Z3660E3L	36 x 60 x 29.5-30	125	257.25	42.50	\$1940	\$2122	\$639	\$509

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **left** and faux pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼".

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

Required Specifications

Top finish  
Top/edge detail  
Lock finish  
Base finish

Optional Specifications

HP laminate  
Key #  
Grommet position or power block cut-out  
Handles  
Modesty panel type

Accessories

Power block  
Keyboard  
Pencil drawer

## RIGHT EXTENDED CORNER DESKS

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## 1"TOP


## 1.5" TOP

## GLAZE ADD

## HP ADD

## D x W x H


Z4284EB2R	42 x 84 x 29.5-30	70	316.05	20.50	<b>\$2222</b>	<b>\$2531</b>	<b>\$976</b>	<b>\$1081</b>
Z4272EB2R	42 x 72 x 29.5-30	150	331	59	<b>\$2193</b>	<b>\$2460</b>	<b>\$810</b>	<b>\$812</b>
Z3672EB2R	36 x 72 x 29.5-30	150	273	50.75	<b>\$1996</b>	<b>\$2230</b>	<b>\$810</b>	<b>\$611</b>
Z3666EB2R	36 x 66 x 29.5-30	150	260.40	46.75	<b>\$1964</b>	<b>\$2179</b>	<b>\$723</b>	<b>\$611</b>
Z3660EB2R	36 x 60 x 29.5-30	125	257.25	42.50	<b>\$1909</b>	<b>\$2104</b>	<b>\$639</b>	<b>\$509</b>



Single Pedestal Bow Top  
Extended Corner Desk - RIGHT

Extended worksurface on right. Standard with faux pedestal on **left** and **Freestanding** full to floor file/file pedestal on **right**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.




Single Pedestal Bow Top  
Extended Corner Desk - RIGHT

Z4284EB3R	42 x 84 x 29.5-30	70	315	20.50	<b>\$2243</b>	<b>\$2551</b>	<b>\$976</b>	<b>\$1081</b>
Z4272EB3R	42 x 72 x 29.5-30	150	329	59	<b>\$2219</b>	<b>\$2486</b>	<b>\$810</b>	<b>\$812</b>
Z3672EB3R	36 x 72 x 29.5-30	150	270.90	50.75	<b>\$2035</b>	<b>\$2269</b>	<b>\$810</b>	<b>\$611</b>
Z3666EB3R	36 x 66 x 29.5-30	150	259.35	46.75	<b>\$1977</b>	<b>\$2192</b>	<b>\$723</b>	<b>\$611</b>
Z3660EB3R	36 x 60 x 29.5-30	125	255.15	42.50	<b>\$1944</b>	<b>\$2139</b>	<b>\$639</b>	<b>\$509</b>

Extended worksurface on right. Standard with faux pedestal on **left** and **Freestanding** full to floor box/box/file pedestal on **right**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Bow top overhangs 2¼" at ends and 6" on center.

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.




Single Pedestal Extended  
Corner Desk - RIGHT

Z4284E2R	42 x 84 x 29.5-30	70	321.30	20.50	<b>\$2313</b>	<b>\$2607</b>	<b>\$976</b>	<b>\$1081</b>
Z3684E2R	36 x 84 x 29.5-30	250	311.85	118	<b>\$2218</b>	<b>\$2512</b>	<b>\$976</b>	<b>\$812</b>
Z3672E2R	36 x 72 x 29.5-30	150	278.25	50.75	<b>\$1989</b>	<b>\$2210</b>	<b>\$810</b>	<b>\$611</b>
Z3666E2R	36 x 66 x 29.5-30	150	265.65	46.75	<b>\$1936</b>	<b>\$2138</b>	<b>\$723</b>	<b>\$611</b>
Z3660E2R	36 x 60 x 29.5-30	125	259.35	42.50	<b>\$1903</b>	<b>\$2087</b>	<b>\$639</b>	<b>\$509</b>

Extended worksurface on right. Standard with **Freestanding** full to floor file/file pedestal on **right** and faux pedestal on **left**. Pedestal locks. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.



Single Pedestal Extended  
Corner Desk - RIGHT

Z4284E3R	42 x 84 x 29.5-30	70	318.15	20.50	<b>\$2235</b>	<b>\$2529</b>	<b>\$976</b>	<b>\$1081</b>
Z3684E3R	36 x 84 x 29.5-30	250	309.75	118	<b>\$2253</b>	<b>\$2546</b>	<b>\$976</b>	<b>\$812</b>
Z3672E3R	36 x 72 x 29.5-30	150	275.10	50.75	<b>\$2029</b>	<b>\$2250</b>	<b>\$810</b>	<b>\$611</b>
Z3666E3R	36 x 66 x 29.5-30	150	263.55	46.75	<b>\$1974</b>	<b>\$2176</b>	<b>\$723</b>	<b>\$611</b>
Z3660E3R	36 x 60 x 29.5-30	125	257.25	42.50	<b>\$1940</b>	<b>\$2122</b>	<b>\$639</b>	<b>\$509</b>

Extended worksurface on right. Standard with **Freestanding** full to floor box/box/file pedestal on **right** and faux pedestal on **left**. File drawer and lower box drawer lock. Connects to returns or bridges with a 16" throat. Corner has one grommet. Top overhangs 2¼"

- 84" wide desks are shipped RTA (ready to assemble) in 2 cartons.
- Hutches may not be placed on this desk.

## Required Specifications

Top finish  
Top/edge detail  
Lock finish  
Base finish


## Optional Specifications

HP laminate  
Key #  
Grommet position or power block cut-out  
Handles  
Modesty panel type

## Accessories

Power block  
Keyboard  
Pencil drawer

LEFT EXTENDED CORNERS (DOES NOT CONNECT)




Left Extended Corner, 24" Throat Freestanding

MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z2472FFL	36 x 72 x 29.5-30	65	184	7	<b>\$1329</b>	<b>\$1505</b>	N/A	<b>\$584</b>
Z2466FFL	36 x 66 x 29.5-30	65	175	7	<b>\$1329</b>	<b>\$1499</b>	N/A	<b>\$584</b>

Extended worksurface on right. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466FFL cannot accept pedestals**




Left Extended Corner, 20" Throat

Z2072FFL	36 x 72 x 29.5-30	65	171	7	<b>\$1291</b>	<b>\$1498</b>	N/A	<b>\$561</b>
Z2066FFL	36 x 66 x 29.5-30	65	164	7	<b>\$1291</b>	<b>\$1460</b>	N/A	<b>\$561</b>

Extended worksurface on right. **Full end panels on left and right. Can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**

LEFT EXTENDED CORNERS (CONNECTS ON EXTENDED SIDE)




Left Extended Corner, 24" Throat

Z2472FNL	36 x 72 x 29.5-30	65	175	7	<b>\$1291</b>	<b>\$1467</b>	N/A	<b>\$584</b>
Z2466FNL	36 x 66 x 29.5-30	65	167	7	<b>\$1291</b>	<b>\$1460</b>	N/A	<b>\$584</b>

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466FNL cannot accept pedestals.**



Left Extended Corner, 20" Throat

Z2072FNL	36 x 72 x 29.5-30	65	165	7	<b>\$1253</b>	<b>\$1460</b>	N/A	<b>\$561</b>
Z2066FNL	36 x 66 x 29.5-30	65	158	7	<b>\$1253</b>	<b>\$1422</b>	N/A	<b>\$561</b>

Extended worksurface on right. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **FNL end panels can be switched to make NFL.**

Required Specifications

Top finish  
Top/edge detail  
Lock finish  
Base finish

Optional Specifications

HP laminate  
Key #  
Grommet position or power block cut-out


Handles  
Modesty panel type

Accessories


Power block  
Keyboard  
Pencil drawer






## LEFT EXTENDED CORNERS (CONNECTS ON THROAT SIDE)



Left Extended Corner, 24" Throat



Left Extended Corner, 20" Throat



Left Extended Corner, 16" Throat

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472NFL	36 x 72 x 29.5-30	65	175	7	<b>\$1291</b>	<b>\$1467</b>	N/A	<b>\$584</b>
Z2466NFL	36 x 66 x 29.5-30	65	167	7	<b>\$1291</b>	<b>\$1460</b>	N/A	<b>\$584</b>

Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466NFL cannot accept pedestals.**

Z2072NFL	36 x 72 x 29.5-30	65	165	7	<b>\$1253</b>	<b>\$1460</b>	N/A	<b>\$584</b>
Z2066NFL	36 x 66 x 29.5-30	65	158	7	<b>\$1253</b>	<b>\$1422</b>	N/A	<b>\$561</b>

Extended worksurface on right. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables and 20"D returns. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **NFL end panels can be switched to make FNL.**

Z2484ECFL	36 x 84 x 29.5-30	65	196.35	8	<b>\$1294</b>	<b>\$1600</b>	N/A	<b>\$812</b>
Z2472ECFL	36 x 72 x 29.5-30	65	176.40	7.50	<b>\$1158</b>	<b>\$1427</b>	N/A	<b>\$611</b>
Z2466ECFL	36 x 66 x 29.5-30	70	168	7.50	<b>\$1102</b>	<b>\$1352</b>	N/A	<b>\$611</b>
Z2460ECFL	36 x 60 x 29.5-30	65	158.55	6	<b>\$1047</b>	<b>\$1276</b>	N/A	<b>\$509</b>

Z2084ECFL	36 x 84 x 29.5-30	65	184.80	8	<b>\$1291</b>	<b>\$1599</b>	N/A	<b>\$812</b>
Z2072ECFL	36 x 72 x 29.5-30	70	168	7.50	<b>\$1153</b>	<b>\$1423</b>	N/A	<b>\$611</b>
Z2066ECFL	36 x 66 x 29.5-30	70	159.60	7.50	<b>\$1097</b>	<b>\$1348</b>	N/A	<b>\$611</b>
Z2060ECFL	36 x 60 x 29.5-30	65	151.20	6	<b>\$1028</b>	<b>\$1252</b>	N/A	<b>\$509</b>

Z1684ECFL	36 x 84 x 29.5-30	70	175.35	8	<b>\$1286</b>	<b>\$1594</b>	N/A	<b>\$812</b>
Z1672ECFL	36 x 72 x 29.5-30	70	159.60	7.50	<b>\$1149</b>	<b>\$1419</b>	N/A	<b>\$611</b>
Z1666ECFL	36 x 66 x 29.5-30	70	153.30	7.50	<b>\$1093</b>	<b>\$1344</b>	N/A	<b>\$611</b>
Z1660ECFL	36 x 60 x 29.5-30	65	147	6	<b>\$1020</b>	<b>\$1243</b>	N/A	<b>\$509</b>

Extended worksurface on right. **No narrow end panel on left. Full end panel on right.** Connects to returns and bridges with 16" throat on the left. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers.** Shipped RTA (ready to assemble).

## Required Specifications

Top finish  
Top/edge detail  
Lock finish  
Base finish

## Optional Specifications


HP laminate  
Key #  
Grommet position or power block cut-out  
Handles  
Modesty panel type

## Accessories


Power block  
Keyboard  
Pencil drawer




LEFT EXTENDED CORNERS (CONNECTS ON BOTH SIDES)



Left Extended Corner, 24" Throat



Left Extended Corner, 20" Throat



Left Extended Corner, 16" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z2472NNL	36 x 72 x 29.5-30	65	166	7	<b>\$1253</b>	<b>\$1429</b>	N/A	<b>\$584</b>
Z2466NNL	36 x 66 x 29.5-30	65	158	7	<b>\$1253</b>	<b>\$1422</b>	N/A	<b>\$584</b>

Extended worksurface on right. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns or 24"D connectable tables or "D" and "P" islands with "T" or "H" bases on either end. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466NNL cannot accept pedestals.**

Z2072NNL	36 x 72 x 29.5-30	65	160	7	<b>\$1215</b>	<b>\$1422</b>	N/A	<b>\$584</b>
Z2066NNL	36 x 66 x 29.5-30	70	152	7	<b>\$1215</b>	<b>\$1385</b>	N/A	<b>\$561</b>


Extended worksurface on right. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with "T" or "H" bases one either end. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**


Z2484ECNL	36 x 84 x 29.5-30	65	186.90	8	<b>\$1257</b>	<b>\$1565</b>	N/A	<b>\$812</b>
Z2472ECNL	36 x 72 x 29.5-30	70	168	7.50	<b>\$1120</b>	<b>\$1392</b>	N/A	<b>\$611</b>
Z2466ECNL	36 x 66 x 29.5-30	70	158.55	7.50	<b>\$1064</b>	<b>\$1314</b>	N/A	<b>\$611</b>
Z2460ECNL	36 x 60 x 29.5-30	65	150.15	6	<b>\$996</b>	<b>\$1219</b>	N/A	<b>\$509</b>
Z2084ECNL	36 x 84 x 29.5-30	70	178.50	8	<b>\$1253</b>	<b>\$1561</b>	N/A	<b>\$812</b>
Z2072ECNL	36 x 72 x 29.5-30	70	161.70	7.50	<b>\$1117</b>	<b>\$1386</b>	N/A	<b>\$611</b>
Z2066ECNL	36 x 66 x 29.5-30	70	153.30	7.50	<b>\$1061</b>	<b>\$1311</b>	N/A	<b>\$611</b>
Z2060ECNL	36 x 60 x 29.5-30	65	145.95	6	<b>\$991</b>	<b>\$1215</b>	N/A	<b>\$509</b>

Extended worksurface on right. **No narrow end panel on left. Narrow end panel on right.** Connects to returns and bridges with 16" throat on the left. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers.** Shipped RTA (ready to assemble).

RIGHT EXTENDED CORNERS (DOES NOT CONNECT)



Right Extended Corner, 24" Throat Freestanding



Right Extended Corner, 20" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472FFR	36 x 72 x 29.5-30	65	184	7	<b>\$1329</b>	<b>\$1505</b>	N/A	<b>\$584</b>
Z2466FFR	36 x 66 x 29.5-30	65	175	7	<b>\$1329</b>	<b>\$1499</b>	N/A	<b>\$584</b>

Extended worksurface on left. **Full end panels on left and right. Cannot be connected on left or right, due to full end panel.** Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466FFR cannot accept pedestals**

Z2072FFR	36 x 72 x 29.5-30	65	171	7	<b>\$1291</b>	<b>\$1498</b>	N/A	<b>\$561</b>
Z2066FFR	36 x 66 x 29.5-30	65	164	7	<b>\$1291</b>	<b>\$1460</b>	N/A	<b>\$561</b>

Extended worksurface on left. **Full end panels on left and right. Can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**

Required Specifications

Top finish  
Top/edge detail  
Base finish


Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out

Accessories

Power block  
Keyboard (*Not available on 16" throat*)  
Pencil drawer (*Not available on 16" throat*)

## RIGHT EXTENDED CORNERS (CONNECTS ON THROAT SIDE)




Right Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z2472FNR	36 x 72 x 29.5-30	65	175	7	<b>\$1291</b>	<b>\$1467</b>	N/A	<b>\$584</b>
Z2466FNR	36 x 66 x 29.5-30	65	167	7	<b>\$1291</b>	<b>\$1460</b>	N/A	<b>\$584</b>

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466FNR cannot accept pedestals.**






Right Extended Corner, 20" Throat

Z2072FNR	36 x 72 x 29.5-30	65	165	7	<b>\$1253</b>	<b>\$1460</b>	N/A	<b>\$561</b>
Z2066FNR	36 x 66 x 29.5-30	65	158	7	<b>\$1253</b>	<b>\$1422</b>	N/A	<b>\$561</b>

Extended worksurface on left. **Narrow end panel on right. Full end panel on left.** Connects to 24"D space saver connectables, 20"D returns, 20"D connectable tables or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **FNR end panels can be switched to make NFR.**



Right Extended Corner, 16" Throat

Z2484ECFR	36 x 84 x 29.5-30	65	196.35	8	<b>\$1294</b>	<b>\$1600</b>	N/A	<b>\$812</b>
Z2472ECFR	36 x 72 x 29.5-30	65	176.40	7.50	<b>\$1158</b>	<b>\$1427</b>	N/A	<b>\$611</b>
Z2466ECFR	36 x 66 x 29.5-30	70	168	7.50	<b>\$1102</b>	<b>\$1352</b>	N/A	<b>\$611</b>
Z2460ECFR	36 x 60 x 29.5-30	65	158.55	6	<b>\$1047</b>	<b>\$1276</b>	N/A	<b>\$509</b>
Z2084ECFR	36 x 84 x 29.5-30	65	184.80	8	<b>\$1291</b>	<b>\$1599</b>	N/A	<b>\$812</b>
Z2072ECFR	36 x 72 x 29.5-30	70	168	7.50	<b>\$1153</b>	<b>\$1423</b>	N/A	<b>\$611</b>
Z2066ECFR	36 x 66 x 29.5-30	70	159.60	7.50	<b>\$1097</b>	<b>\$1348</b>	N/A	<b>\$611</b>
Z2060ECFR	36 x 60 x 29.5-30	65	151.20	6	<b>\$1028</b>	<b>\$1252</b>	N/A	<b>\$509</b>
Z1684ECFR	36 x 84 x 29.5-30	70	175.35	8	<b>\$1286</b>	<b>\$1594</b>	N/A	<b>\$812</b>
Z1672ECFR	36 x 72 x 29.5-30	70	159.60	7.50	<b>\$1149</b>	<b>\$1419</b>	N/A	<b>\$611</b>
Z1666ECFR	36 x 66 x 29.5-30	70	153.30	7.50	<b>\$1093</b>	<b>\$1344</b>	N/A	<b>\$611</b>
Z1660ECFR	36 x 60 x 29.5-30	65	147	6	<b>\$1020</b>	<b>\$1243</b>	N/A	<b>\$509</b>

Extended worksurface on left. **No narrow end panel on right. Full end panel on left.** Connects to returns and bridges with 16" throat on the right. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. **Does not accept pencil drawers.** Shipped RTA (ready to assemble).

## Required Specifications

Top finish  
Top/edge detail  
Base finish


## Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out

## Accessories

Power block  
Keyboard (*Not available on 16" throat*)  
Pencil drawer (*Not available on 16" throat*)

RIGHT EXTENDED CORNERS (CONNECTS ON EXTENDED SIDE)




Right Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z2472NFR	36 x 72 x 29.5-30	65	175	7	\$1291	\$1467	N/A	\$584
Z2466NFR	36 x 66 x 29.5-30	65	167	7	\$1291	\$1460	N/A	\$584

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 30"D space saver connectables, 24"D returns, 24"D connectable tables, or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466NFR cannot accept pedestals.**




Right Extended Corner, 20" Throat

Z2072NFR	36 x 72 x 29.5-30	65	165	7	\$1253	\$1460	N/A	\$584
Z2066NFR	36 x 66 x 29.5-30	65	158	7	\$1253	\$1422	N/A	\$561

Extended worksurface on left. **Narrow end panel on left. Full end panel on right.** Connects to 24"D space saver connectables, 20"D returns or "D" and "P" islands with "T" or "H" bases. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- *NFR end panels can be switched to make FNR.*

RIGHT EXTENDED CORNERS (CONNECTS ON BOTH SIDES)




Left Extended Corner, 24" Throat

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472NNR	36 x 72 x 29.5-30	65	166	7	\$1253	\$1429	N/A	\$584
Z2466NNR	36 x 66 x 29.5-30	65	158	7	\$1253	\$1422	N/A	\$584

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 30"D space saver connectables, 30"D space saver returns, 24"D returns, 24"D connectable tables or "D" and "P" islands with "T" or "H" bases on either end. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**
- **Z2466NNR cannot accept pedestals.**



Right Extended Corner, 20" Throat

Z2072NNR	36 x 72 x 29.5-30	65	160	7	\$1215	\$1422	N/A	\$584
Z2066NNR	36 x 66 x 29.5-30	70	152	7	\$1215	\$1369	N/A	\$561

Extended worksurface on left. **Narrow end panels on left and right.** Connects to 24"D space saver connectables and 20"D returns, bridges or "D" and "P" islands with "T" or "H" bases one either end. **Full end panel can be placed next to** lateral files, storage cabinets, wardrobe units, credenzas and end-shelves. Corner has one grommet. Shipped RTA (ready to assemble).

- **Modesty Panel is 1" off of ground.**

Required Specifications

Top finish  
Top/edge detail  
Base finish

Optional Specifications


HP laminate  
Modesty panel type  
Grommet position or power block cut-out

Accessories


Power block  
Keyboard  
Pencil drawer



CONNECTABLE TABLES - LEFT



30" Deep Connectable Table - Left



24" Deep Connectable Table - Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z3072L	29.7 x 72 x 29.5-30	65	168	6	<b>\$1061</b>	<b>\$1233</b>	N/A	<b>\$547</b>
Z3066L	29.7 x 66 x 29.5-30	65	158	6	<b>\$1061</b>	<b>\$1223</b>	N/A	<b>\$547</b>
Z3060L	29.7 x 60 x 29.5-30	65	150	5.25	<b>\$965</b>	<b>\$1117</b>	N/A	<b>\$509</b>
Z3048L	29.7 x 48 x 29.5-30	65	124	4.30	<b>\$868</b>	<b>\$1004</b>	N/A	<b>\$431</b>
Z3042L	29.7 x 42 x 29.5-30	65	115	4.30	<b>\$868</b>	<b>\$994</b>	N/A	<b>\$391</b>
Z3036L	29.7 x 36 x 29.5-30	65	103	4.20	<b>\$765</b>	<b>\$883</b>	N/A	<b>\$354</b>
Z3030L	29.7 x 30 x 29.5-30	65	92	3.60	<b>\$716</b>	<b>\$811</b>	N/A	<b>\$316</b>

**Full end panel on left.** Right narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).


- Modesty Panel is 1" off of ground.

Z2472L	24 x 72 x 29.5-30	65	144	6	<b>\$938</b>	<b>\$1105</b>	N/A	<b>\$409</b>
Z2466L	24 x 66 x 29.5-30	65	135	6	<b>\$938</b>	<b>\$1082</b>	N/A	<b>\$409</b>
Z2460L	24 x 60 x 29.5-30	65	125	5.25	<b>\$848</b>	<b>\$974</b>	N/A	<b>\$376</b>
Z2448L	24 x 48 x 29.5-30	65	106	4.30	<b>\$773</b>	<b>\$882</b>	N/A	<b>\$300</b>
Z2442L	24 x 42 x 29.5-30	65	95	3.80	<b>\$773</b>	<b>\$868</b>	N/A	<b>\$252</b>
Z2436L	24 x 36 x 29.5-30	65	86	3.30	<b>\$679</b>	<b>\$757</b>	N/A	<b>\$190</b>
Z2430L	24 x 30 x 29.5-30	70	77	3.60	<b>\$639</b>	<b>\$701</b>	N/A	<b>\$190</b>


**Full end panel on left.** Right narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

CONNECTABLE TABLES - RIGHT



30" Deep Connectable Table - Right



24" Deep Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3072R	29.7 x 72 x 29.5-30	65	168	6	<b>\$1061</b>	<b>\$1233</b>	N/A	<b>\$547</b>
Z3066R	29.7 x 66 x 29.5-30	65	158	6	<b>\$1061</b>	<b>\$1223</b>	N/A	<b>\$547</b>
Z3060R	29.7 x 60 x 29.5-30	65	150	5.25	<b>\$965</b>	<b>\$1117</b>	N/A	<b>\$509</b>
Z3048R	29.7 x 48 x 29.5-30	65	124	4.30	<b>\$868</b>	<b>\$1004</b>	N/A	<b>\$431</b>
Z3042R	29.7 x 42 x 29.5-30	65	115	4.30	<b>\$868</b>	<b>\$994</b>	N/A	<b>\$391</b>
Z3036R	29.7 x 36 x 29.5-30	65	103	4.20	<b>\$765</b>	<b>\$883</b>	N/A	<b>\$354</b>
Z3030R	29.7 x 30 x 29.5-30	65	92	3.60	<b>\$716</b>	<b>\$811</b>	N/A	<b>\$316</b>

**Full end panel on right.** Left narrow end panel connects to **30"D** center/right connectable table, or at 90° angle to a freestanding table; and "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

Z2472R	24 x 72 x 29.5-30	65	144	6	<b>\$938</b>	<b>\$1105</b>	N/A	<b>\$409</b>
Z2466R	24 x 66 x 29.5-30	65	135	6	<b>\$938</b>	<b>\$1082</b>	N/A	<b>\$409</b>
Z2460R	24 x 60 x 29.5-30	65	125	5.25	<b>\$848</b>	<b>\$974</b>	N/A	<b>\$376</b>
Z2448R	24 x 48 x 29.5-30	65	106	4.30	<b>\$773</b>	<b>\$882</b>	N/A	<b>\$300</b>
Z2442R	24 x 42 x 29.5-30	65	95	3.80	<b>\$773</b>	<b>\$868</b>	N/A	<b>\$252</b>
Z2436R	24 x 36 x 29.5-30	65	86	3.30	<b>\$679</b>	<b>\$757</b>	N/A	<b>\$190</b>
Z2430R	24 x 30 x 29.5-30	70	77	3.60	<b>\$639</b>	<b>\$701</b>	N/A	<b>\$190</b>

**Full end panel on right.** Left narrow end panel connects to **24"D** center/right connectable table, or at 90° angle to a freestanding table; 24"D extended corners or at the end of a straight run; "D" islands or "P" islands with "T" and "H" bases. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

Required Specifications


Top finish  
Top/edge detail  
Base finish

Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out

Accessories


Power block  
Keyboard  
Pencil drawer

CONNECTABLE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z3072N	29.7 x 72 x 29.5-30	65	159	6	<b>\$1021</b>	<b>\$1194</b>	N/A	<b>\$547</b>
	Z3066N	29.7 x 66 x 29.5-30	65	149	6	<b>\$1021</b>	<b>\$1188</b>	N/A	<b>\$547</b>
	Z3060N	29.7 x 60 x 29.5-30	65	142	5.25	<b>\$915</b>	<b>\$1069</b>	N/A	<b>\$509</b>
	Z3048N	29.7 x 48 x 29.5-30	65	116	4.30	<b>\$802</b>	<b>\$937</b>	N/A	<b>\$431</b>
	Z3042N	29.7 x 42 x 29.5-30	65	106	3.80	<b>\$802</b>	<b>\$927</b>	N/A	<b>\$391</b>
	Z3036N	29.7 x 36 x 29.5-30	65	94	3.30	<b>\$716</b>	<b>\$834</b>	N/A	<b>\$354</b>
	Z3030N	29.7 x 30 x 29.5-30	65	83	3.60	<b>\$679</b>	<b>\$774</b>	N/A	<b>\$316</b>

30" Deep Connectable Table

**Narrow end panels on both sides** connect to **30"D** worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).


- Modesty Panel is 1" off of ground.

	Z2472N	24 x 72 x 29.5-30	65	135	6	<b>\$890</b>	<b>\$1052</b>	N/A	<b>\$409</b>
	Z2466N	24 x 66 x 29.5-30	70	127	6	<b>\$890</b>	<b>\$1032</b>	N/A	<b>\$409</b>
	Z2460N	24 x 60 x 29.5-30	65	116	4.50	<b>\$802</b>	<b>\$927</b>	N/A	<b>\$376</b>
	Z2448N	24 x 48 x 29.5-30	65	97	4.30	<b>\$725</b>	<b>\$834</b>	N/A	<b>\$300</b>
	Z2442N	24 x 42 x 29.5-30	65	87	3.80	<b>\$725</b>	<b>\$815</b>	N/A	<b>\$252</b>
	Z2436N	24 x 36 x 29.5-30	65	77	3.30	<b>\$628</b>	<b>\$706</b>	N/A	<b>\$190</b>
	Z2430N	24 x 30 x 29.5-30	70	68	3.60	<b>\$589</b>	<b>\$650</b>	N/A	<b>\$190</b>

24" Deep Connectable Table

**Narrow end panels on both sides** connect to **24"D** worksurfaces, "D" islands or "P" islands with "T" and "H" bases; or at 90° angle to freestanding table(s). Grommet in worksurface. Shipped RTA (ready to assemble).


- Modesty Panel is 1" off of ground.

SPACE SAVER CONNECTABLE TABLES - LEFT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z3072LK	29.7 x 72 x 29.5-30	65	161	6	<b>\$1081</b>	<b>\$1267</b>	N/A	<b>\$547</b>
	Z3066LK	29.7 x 66 x 29.5-30	65	151	6	<b>\$1081</b>	<b>\$1257</b>	N/A	<b>\$547</b>
	Z3060LK	29.7 x 60 x 29.5-30	65	144	5.25	<b>\$987</b>	<b>\$1156</b>	N/A	<b>\$509</b>
	Z3048LK	29.7 x 48 x 29.5-30	65	118	4.30	<b>\$890</b>	<b>\$1037</b>	N/A	<b>\$431</b>
	Z3042LK	29.7 x 42 x 29.5-30	65	107	3.80	<b>\$890</b>	<b>\$1029</b>	N/A	<b>\$391</b>
	Z3036LK	29.7 x 36 x 29.5-30	70	96	4.30	<b>\$784</b>	<b>\$912</b>	N/A	<b>\$354</b>
	Z3030LK	29.7 x 30 x 29.5-30	65	85	3.60	<b>\$736</b>	<b>\$849</b>	N/A	<b>\$316</b>

30" Deep Space Saver Connectable Table - Left

**Full end panel on left.** Narrow right end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

	Z2472LK	24 x 72 x 29.5-30	65	140	6	<b>\$965</b>	<b>\$1141</b>	N/A	<b>\$409</b>
	Z2466LK	24 x 66 x 29.5-30	70	134	6	<b>\$965</b>	<b>\$1123</b>	N/A	<b>\$409</b>
	Z2460LK	24 x 60 x 29.5-30	65	123	5.25	<b>\$881</b>	<b>\$1020</b>	N/A	<b>\$376</b>
	Z2448LK	24 x 48 x 29.5-30	65	104	4.30	<b>\$802</b>	<b>\$922</b>	N/A	<b>\$300</b>
	Z2442LK	24 x 42 x 29.5-30	65	94	3.80	<b>\$802</b>	<b>\$914</b>	N/A	<b>\$252</b>
	Z2436LK	24 x 36 x 29.5-30	65	85	3.30	<b>\$707</b>	<b>\$800</b>	N/A	<b>\$190</b>
	Z2430LK	24 x 30 x 29.5-30	70	75	3.60	<b>\$668</b>	<b>\$743</b>	N/A	<b>\$190</b>

24" Deep Space Saver Connectable Table - Left

**Full end panel on left.** Narrow right end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

#### Required Specifications

Top finish  
Top/edge detail  
Base finish


#### Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out


#### Accessories

Power block  
Keyboard  
Pencil drawer

SPACE SAVER CONNECTABLE TABLES - RIGHT



30" Deep Space Saver Connectable Table - Right



24" Deep Space Saver Connectable Table - Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z3072RK	29.7 x 72 x 29.5-30	65	161	6	<b>\$1081</b>	<b>\$1267</b>	N/A	<b>\$547</b>
Z3066RK	29.7 x 66 x 29.5-30	65	151	6	<b>\$1081</b>	<b>\$1257</b>	N/A	<b>\$547</b>
Z3060RK	29.7 x 60 x 29.5-30	65	144	5.25	<b>\$987</b>	<b>\$1156</b>	N/A	<b>\$509</b>
Z3048RK	29.7 x 48 x 29.5-30	65	119	4.30	<b>\$890</b>	<b>\$1037</b>	N/A	<b>\$431</b>
Z3042RK	29.7 x 42 x 29.5-30	65	107	3.80	<b>\$890</b>	<b>\$1029</b>	N/A	<b>\$391</b>
Z3036RK	29.7 x 36 x 29.5-30	70	96	4.30	<b>\$784</b>	<b>\$912</b>	N/A	<b>\$354</b>
Z3030RK	29.7 x 30 x 29.5-30	65	85	3.60	<b>\$736</b>	<b>\$849</b>	N/A	<b>\$316</b>

**Full end panel on right.** Narrow left end panel connects to any corner unit with a 24" throat. Grommet in worksurface. Shipped RTA (ready to assemble).


• Modesty Panel is 1" off of ground.

Z2472RK	24 x 72 x 29.5-30	65	142	6	<b>\$965</b>	<b>\$1141</b>	N/A	<b>\$409</b>
Z2466RK	24 x 66 x 29.5-30	70	134	6	<b>\$965</b>	<b>\$1123</b>	N/A	<b>\$409</b>
Z2460RK	24 x 60 x 29.5-30	65	123	5.25	<b>\$881</b>	<b>\$1020</b>	N/A	<b>\$376</b>
Z2448RK	24 x 48 x 29.5-30	65	104	4.30	<b>\$802</b>	<b>\$922</b>	N/A	<b>\$300</b>
Z2442RK	24 x 42 x 29.5-30	65	94	3.80	<b>\$802</b>	<b>\$914</b>	N/A	<b>\$252</b>
Z2436RK	24 x 36 x 29.5-30	65	85	3.30	<b>\$707</b>	<b>\$800</b>	N/A	<b>\$190</b>
Z2430RK	24 x 30 x 29.5-30	70	75	3.60	<b>\$668</b>	<b>\$743</b>	N/A	<b>\$190</b>


**Full end panel on right.** Narrow left end panel connects to any corner unit with a 20" throat. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

SPACE SAVER CONNECTABLE TABLES



30" Deep Space Saver Connectable Table



24" Deep Space Saver Connectable Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3072LN	29.7 x 72 x 29.5-30	65	153	6	<b>\$1042</b>	<b>\$1228</b>	N/A	<b>\$547</b>
Z3066LN	29.7 x 66 x 29.5-30	65	143	6	<b>\$1042</b>	<b>\$1218</b>	N/A	<b>\$547</b>
Z3060LN	29.7 x 60 x 29.5-30	65	136	5.25	<b>\$938</b>	<b>\$1108</b>	N/A	<b>\$509</b>
Z3048LN	29.7 x 48 x 29.5-30	65	110	4.30	<b>\$819</b>	<b>\$968</b>	N/A	<b>\$431</b>
Z3042LN	29.7 x 42 x 29.5-30	65	100	3.80	<b>\$819</b>	<b>\$959</b>	N/A	<b>\$391</b>
Z3036LN	29.7 x 36 x 29.5-30	65	88	3.30	<b>\$736</b>	<b>\$865</b>	N/A	<b>\$354</b>
Z3030LN	29.7 x 30 x 29.5-30	70	77	3.60	<b>\$696</b>	<b>\$809</b>	N/A	<b>\$316</b>

**Narrow end panels on both sides.** Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 30" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Z2472LN	24 x 72 x 29.5-30	70	134	6	<b>\$915</b>	<b>\$1093</b>	N/A	<b>\$409</b>
Z2466LN	24 x 66 x 29.5-30	70	125	6	<b>\$915</b>	<b>\$1075</b>	N/A	<b>\$409</b>
Z2460LN	24 x 60 x 29.5-30	70	115	5.25	<b>\$831</b>	<b>\$980</b>	N/A	<b>\$376</b>
Z2448LN	24 x 48 x 29.5-30	70	96	4.30	<b>\$752</b>	<b>\$873</b>	N/A	<b>\$300</b>
Z2442LN	24 x 42 x 29.5-30	70	85	3.80	<b>\$752</b>	<b>\$865</b>	N/A	<b>\$252</b>
Z2436LN	24 x 36 x 29.5-30	65	76	3.30	<b>\$659</b>	<b>\$751</b>	N/A	<b>\$190</b>
Z2430LN	24 x 30 x 29.5-30	70	67	3.60	<b>\$618</b>	<b>\$694</b>	N/A	<b>\$190</b>

**Narrow end panels on both sides.** Connects the **right end only** to any corner unit with a 24" throat. Left end allows the continuation of additional 24" connectable center or left connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

• Modesty Panel is 1" off of ground.

Required Specifications

Top finish  
Top/edge detail  
Base finish


Optional Specifications

HP laminate  
Modesty panel type  
Grommet position or power block cut-out

Accessories


Power block  
Keyboard  
Pencil drawer



SPACE SAVER CONNECTABLE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>30" Deep Space Saver Connectable Table</b></p>		<b>D x W x H</b>							
	Z3072RN	29.7 x 72 x 29.5-30	65	153	6	<b>\$1042</b>	<b>\$1228</b>	N/A	<b>\$547</b>
	Z3066RN	29.7 x 66 x 29.5-30	65	143	6	<b>\$1042</b>	<b>\$1218</b>	N/A	<b>\$547</b>
	Z3060RN	29.7 x 60 x 29.5-30	65	136	5.25	<b>\$938</b>	<b>\$1108</b>	N/A	<b>\$509</b>
	Z3048RN	29.7 x 48 x 29.5-30	65	110	4.30	<b>\$819</b>	<b>\$968</b>	N/A	<b>\$431</b>
	Z3042RN	29.7 x 42 x 29.5-30	65	99	3.80	<b>\$819</b>	<b>\$959</b>	N/A	<b>\$391</b>
	Z3036RN	29.7 x 36 x 29.5-30	65	88	3.30	<b>\$736</b>	<b>\$865</b>	N/A	<b>\$354</b>
	Z3030RN	29.7 x 30 x 29.5-30	70	77	3.60	<b>\$696</b>	<b>\$809</b>	N/A	<b>\$316</b>


**Narrow end panels on both sides.** Connects the **left end only** to any corner unit with a 24" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).

- Modesty Panel is 1" off of ground.

 <p><b>24" Deep Space Saver Connectable Table</b></p>	Z2472RN	24 x 72 x 29.5-30	70	134	6	<b>\$915</b>	<b>\$1093</b>	N/A	<b>\$409</b>
	Z2466RN	24 x 66 x 29.5-30	70	125	6	<b>\$915</b>	<b>\$1075</b>	N/A	<b>\$409</b>
	Z2460RN	24 x 60 x 29.5-30	70	115	5.25	<b>\$831</b>	<b>\$980</b>	N/A	<b>\$376</b>
	Z2448RN	24 x 48 x 29.5-30	70	95	4.30	<b>\$752</b>	<b>\$873</b>	N/A	<b>\$300</b>
	Z2442RN	24 x 42 x 29.5-30	70	85	3.80	<b>\$752</b>	<b>\$865</b>	N/A	<b>\$252</b>
	Z2436RN	24 x 36 x 29.5-30	65	76	3.30	<b>\$659</b>	<b>\$751</b>	N/A	<b>\$190</b>
	Z2430RN	24 x 30 x 29.5-30	70	67	3.60	<b>\$618</b>	<b>\$694</b>	N/A	<b>\$190</b>

**Narrow end panels on both sides.** Connects the **left end only** to any corner unit with a 20" throat. Right end allows the continuation of additional 30" connectable center or right connectable worksurface. Grommet in worksurface. Shipped RTA (ready to assemble).


- Modesty Panel is 1" off of ground.

EXTENDED CORNER ISLANDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Extended Corner Island - LEFT</b></p>	Z4284EDTL	42 x 84 x 29.5-30	70	180.60	10.76	<b>\$1307</b>	<b>\$1647</b>	N/A	<b>\$1081</b>
	Z4272EDTL	42 x 72 x 29.5-30	70	164.85	9.50	<b>\$1230</b>	<b>\$1532</b>	N/A	<b>\$812</b>
	Z3672EDTL	36 x 72 x 29.5-30	70	139.65	8.76	<b>\$1122</b>	<b>\$1334</b>	N/A	<b>\$611</b>
	Z3666EDTL	36 x 66 x 29.5-30	70	133.35	8.76	<b>\$1074</b>	<b>\$1284</b>	N/A	<b>\$611</b>
	Z3660EDTL	36 x 60 x 29.5-30	70	127.05	6.50	<b>\$1024</b>	<b>\$1236</b>	N/A	<b>\$509</b>

**Extended Corner Island - LEFT**  
**Full End Panel & Post (T-Base)\***

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton.

 <p><b>Extended Corner Island - RIGHT</b></p>	Z4284EDTR	42 x 84 x 29.5-30	70	180.60	10.76	<b>\$1307</b>	<b>\$1647</b>	N/A	<b>\$1081</b>
	Z4272EDTR	42 x 72 x 29.5-30	70	164.85	9.50	<b>\$1230</b>	<b>\$1532</b>	N/A	<b>\$812</b>
	Z3672EDTR	36 x 72 x 29.5-30	70	139.65	8.76	<b>\$1122</b>	<b>\$1334</b>	N/A	<b>\$611</b>
	Z3666EDTR	36 x 66 x 29.5-30	70	133.35	8.76	<b>\$1074</b>	<b>\$1284</b>	N/A	<b>\$611</b>
	Z3660EDTR	36 x 60 x 29.5-30	70	127.05	6.50	<b>\$1024</b>	<b>\$1236</b>	N/A	<b>\$509</b>

**Extended Corner Island - RIGHT**  
**Full End Panel & Post (T-Base)\***

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the left. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton.

#### Required Specifications

Top finish  
Top/edge detail  
Base finish

#### Optional Specifications


HP laminate  
Modesty panel type  
Grommet position or power block cut-out

#### Accessories

Power block  
Keyboard  
Pencil drawer



EXTENDED CORNER ISLANDS (WITH FAUX PEDESTAL)



**Extended Corner Island - LEFT**  
**Faux Pedestal and Post**



**Extended Corner Island - RIGHT**  
**Faux Pedestal and Post**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4884EDFL	48 x 84 x 29.5-30	70	214.20	12	\$1635	\$2015	\$735	\$1081
Z4872EDFL	48 x 72 x 29.5-30	70	192.15	10.76	\$1516	\$1847	\$608	\$812
Z4284EDFL	42 x 84 x 29.5-30	70	186.90	10.76	\$1535	\$1875	\$735	\$1081
Z4272EDFL	42 x 72 x 29.5-30	70	168	8.76	\$1429	\$1726	\$608	\$812
Z4266EDFL	42 x 66 x 29.5-30	70	158.55	8.76	\$1372	\$1648	\$544	\$812

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.**  
Faux pedestal on the **right** is ideal for concealing a CPU. ¾ modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.




Z4884EDFR	48 x 84 x 29.5-30	70	214.20	12	<b>\$1635</b>	<b>\$2015</b>	<b>\$735</b>	<b>\$1081</b>
Z4872EDFR	48 x 72 x 29.5-30	70	192.15	10.76	<b>\$1516</b>	<b>\$1847</b>	<b>\$608</b>	<b>\$812</b>
Z4284EDFR	42 x 84 x 29.5-30	70	186.90	10.76	<b>\$1535</b>	<b>\$1875</b>	<b>\$735</b>	<b>\$1081</b>
Z4272EDFR	42 x 72 x 29.5-30	70	168	8.76	<b>\$1429</b>	<b>\$1726</b>	<b>\$608</b>	<b>\$812</b>
Z4266EDFR	42 x 66 x 29.5-30	70	158.55	8.76	<b>\$1372</b>	<b>\$1648</b>	<b>\$544</b>	<b>\$812</b>

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.**  
Faux pedestal on the **left** is ideal for concealing a CPU. ¾ modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)



**Extended Corner Island - LEFT**  
**Recessed Modesty and Post**



**Extended Corner Island - RIGHT**  
**Recessed Modesty and Post**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4284EDRL	42 x 84 x 29.5-30	70	199	10.76	<b>\$1450</b>	<b>\$1791</b>	<b>\$863</b>	<b>\$1081</b>
Z4272EDRL	42 x 72 x 29.5-30	70	180	9.50	<b>\$1362</b>	<b>\$1663</b>	<b>\$786</b>	<b>\$812</b>
Z3672EDRL	36 x 72 x 29.5-30	70	154	8.76	<b>\$1206</b>	<b>\$1462</b>	<b>\$786</b>	<b>\$611</b>
Z3666EDRL	36 x 66 x 29.5-30	70	144	8.76	<b>\$1162</b>	<b>\$1400</b>	<b>\$723</b>	<b>\$611</b>
Z3660EDRL	36 x 60 x 29.5-30	70	136	6.50	<b>\$1117</b>	<b>\$1338</b>	<b>\$661</b>	<b>\$509</b>

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.**  
Grommet in worksurface. ¾ **recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Z4284EDRR	42 x 84 x 29.5-30	70	199	10.76	<b>\$1450</b>	<b>\$1791</b>	<b>\$863</b>	<b>\$1081</b>
Z4272EDRR	42 x 72 x 29.5-30	70	180	9.50	<b>\$1362</b>	<b>\$1663</b>	<b>\$786</b>	<b>\$812</b>
Z3672EDRR	36 x 72 x 29.5-30	70	154	8.76	<b>\$1206</b>	<b>\$1462</b>	<b>\$786</b>	<b>\$611</b>
Z3666EDRR	36 x 66 x 29.5-30	70	144	8.76	<b>\$1162</b>	<b>\$1400</b>	<b>\$723</b>	<b>\$611</b>
Z3660EDRR	36 x 60 x 29.5-30	70	136	6.50	<b>\$1117</b>	<b>\$1338</b>	<b>\$661</b>	<b>\$509</b>

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the left. **Not freestanding.**  
Grommet in worksurface. ¾ **recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



**Required Specifications**


Top finish  
Top/edge detail  
Base finish  
Monopost finish\*

**Optional Specifications**


HP laminate  
Modesty panel type  
Grommet position or power block cut-out

**Accessories**

Power block  
Keyboard  
Pencil drawer


EXTENDED CORNER ISLANDS (WITH FLUSH MODESTY)		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
			D x W x H							
	<p><b>Extended Corner Island - LEFT</b> <b>Flush Modesty and Post</b></p>	Z4284EDML	42 x 84 x 29.5-30	70	208.95	10.76	<b>\$1471</b>	<b>\$1812</b>	<b>\$863</b>	<b>\$1081</b>
		Z4272EDML	42 x 72 x 29.5-30	70	183.75	9.50	<b>\$1378</b>	<b>\$1679</b>	<b>\$786</b>	<b>\$812</b>
		Z3672EDML	36 x 72 x 29.5-30	70	158.55	8.76	<b>\$1219</b>	<b>\$1471</b>	<b>\$786</b>	<b>\$611</b>
		Z3666EDML	36 x 66 x 29.5-30	70	150.15	8.76	<b>\$1169</b>	<b>\$1436</b>	<b>\$723</b>	<b>\$611</b>
		Z3660EDML	36 x 60 x 29.5-30	70	141.75	6.50	<b>\$1139</b>	<b>\$1347</b>	<b>\$661</b>	<b>\$509</b>

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Grommet in worksurface.  $\frac{3}{4}$  flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Z4284EDMR	42 x 84 x 29.5-30	70	208.95	10.76	<b>\$1471</b>	<b>\$1812</b>	<b>\$863</b>	<b>\$1081</b>
Z4272EDMR	42 x 72 x 29.5-30	70	183.75	9.50	<b>\$1378</b>	<b>\$1679</b>	<b>\$786</b>	<b>\$812</b>
Z3672EDMR	36 x 72 x 29.5-30	70	158.55	8.76	<b>\$1219</b>	<b>\$1471</b>	<b>\$786</b>	<b>\$611</b>
Z3666EDMR	36 x 66 x 29.5-30	70	150.15	8.76	<b>\$1169</b>	<b>\$1436</b>	<b>\$723</b>	<b>\$611</b>
Z3660EDMR	36 x 60 x 29.5-30	70	141.75	6.50	<b>\$1139</b>	<b>\$1347</b>	<b>\$661</b>	<b>\$509</b>


Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the left. **Not freestanding.** Grommet in worksurface.  $\frac{3}{4}$  flush modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Z4284EPTL	42 x 84 x 29.5-30	70	178.50	10.76	<b>\$1299</b>	<b>\$1639</b>	N/A	<b>\$1081</b>
Z3684EPTL	36 x 84 x 29.5-30	100	153.30	19	<b>\$1198</b>	<b>\$1500</b>	N/A	<b>\$812</b>
Z3672EPTL	36 x 72 x 29.5-30	70	144.90	8.76	<b>\$1104</b>	<b>\$1328</b>	N/A	<b>\$611</b>
Z3666EPTL	36 x 66 x 29.5-30	70	138.60	8.76	<b>\$1059</b>	<b>\$1300</b>	N/A	<b>\$611</b>
Z3660EPTL	36 x 60 x 29.5-30	70	129.15	6.50	<b>\$1020</b>	<b>\$1244</b>	N/A	<b>\$509</b>

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton.



Z4284EPTR	42 x 84 x 29.5-30	70	178.50	10.76	<b>\$1299</b>	<b>\$1639</b>	N/A	<b>\$1081</b>
Z3684EPTR	36 x 84 x 29.5-30	100	153.30	19	<b>\$1198</b>	<b>\$1500</b>	N/A	<b>\$812</b>
Z3672EPTR	36 x 72 x 29.5-30	70	144.90	8.76	<b>\$1104</b>	<b>\$1328</b>	N/A	<b>\$611</b>
Z3666EPTR	36 x 66 x 29.5-30	70	138.60	8.76	<b>\$1059</b>	<b>\$1300</b>	N/A	<b>\$611</b>
Z3660EPTR	36 x 60 x 29.5-30	70	129.15	6.50	<b>\$1020</b>	<b>\$1244</b>	N/A	<b>\$509</b>

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the left. **Not freestanding.** Grommet in worksurface. Shipped RTA (ready to assemble).

- Post is shipped in separate carton.

#### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Monopost finish


#### Optional Specifications

HP laminate  
Glazing - modesty panel  
Grommet position or power block cut-out

#### Accessories

Power block  
Keyboard  
Pencil drawer


EXTENDED CORNER ISLANDS (WITH FAUX MODESTY)



Extended Corner "P" Island - LEFT  
Faux Pedestal and Post

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z4884EPFL	48 x 84 x 29.5-30	70	217	12	\$1635	\$2011	\$735	\$1081
Z4872EPFL	48 x 72 x 29.5-30	70	194	10.50	\$1515	\$1845	\$608	\$812
Z4284EPFL	42 x 84 x 29.5-30	70	191	10.76	\$1535	\$1874	\$735	\$1081
Z4272EPFL	42 x 72 x 29.5-30	70	172	8.76	\$1428	\$1725	\$608	\$812
Z4266EPFL	42 x 66 x 29.5-30	70	160	8.76	\$1370	\$1645	\$544	\$812


Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Faux pedestal on the **right** is ideal for concealing a CPU. ¾ modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.



Extended Corner "P" Island - RIGHT  
Faux Pedestal and Post

Z4884EPFR	48 x 84 x 29.5-30	70	217	12	\$1635	\$2011	\$735	\$1081
Z4872EPFR	48 x 72 x 29.5-30	70	194	10.50	\$1515	\$1845	\$608	\$812
Z4284EPFR	42 x 84 x 29.5-30	70	191	10.76	\$1535	\$1874	\$735	\$1081
Z4272EPFR	42 x 72 x 29.5-30	70	172	8.76	\$1428	\$1725	\$608	\$812
Z4266EPFR	42 x 66 x 29.5-30	70	160	8.76	\$1370	\$1645	\$544	\$812

Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Faux pedestal on the **right** is ideal for concealing a CPU. ¾ modesty panel is standard. Grommet in worksurface. Shipped RTA (ready to assemble) in 2 cartons.




EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)



Extended Corner "P" Island - LEFT  
Recessed Modesty and Post

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4284EPRL	42 x 84 x 29.5-30	70	199.50	10.76	\$1447	\$1787	\$863	\$1081
Z3684EPRL	36 x 84 x 29.5-30	70	173.25	9.50	\$1312	\$1645	\$863	\$812
Z3672EPRL	36 x 72 x 29.5-30	70	156.45	8.76	\$1206	\$1462	\$786	\$611
Z3666EPRL	36 x 66 x 29.5-30	70	149.10	8.76	\$1175	\$1417	\$723	\$611
Z3660EPRL	36 x 60 x 29.5-30	70	140.70	6.50	\$1125	\$1349	\$661	\$509


Extended island worksurface on **left**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Grommet in worksurface. ¾ **recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Extended Corner "P" Island - RIGHT  
Recessed Modesty and Post

Z4284EPRR	42 x 84 x 29.5-30	70	199.50	10.76	\$1447	\$1787	\$863	\$1081
Z3684EPRR	36 x 84 x 29.5-30	70	173.25	9.50	\$1312	\$1645	\$863	\$812
Z3672EPRR	36 x 72 x 29.5-30	70	156.45	8.76	\$1206	\$1462	\$786	\$611
Z3666EPRR	36 x 66 x 29.5-30	70	149.10	8.76	\$1175	\$1417	\$723	\$611
Z3660EPRR	36 x 60 x 29.5-30	70	140.70	6.50	\$1125	\$1349	\$661	\$509

Extended island worksurface on **right**. Connects to returns or bridges with a 16" throat on the right. **Not freestanding.** Grommet in worksurface. ¾ **recessed** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Required Specifications

Top finish  
Top/edge detail  
Base finish  
Monopost finish

Optional Specifications

HP laminate  
Glazing - modesty panel  
Grommet position or power block cut-out


Accessories

Power block  
Keyboard  
Pencil drawer


EXTENDED CORNER ISLANDS (WITH RECESSED MODESTY)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H									
	Z4284EPML	42 x 84 x 29.5-30	70	200	10.76	<b>\$1463</b>	<b>\$1803</b>	<b>\$863</b>	<b>\$1081</b>
	Z3684EPML	36 x 84 x 29.5-30	70	172	9.50	<b>\$1325</b>	<b>\$1627</b>	<b>\$863</b>	<b>\$812</b>
	Z3672EPML	36 x 72 x 29.5-30	70	156	8.76	<b>\$1216</b>	<b>\$1471</b>	<b>\$786</b>	<b>\$611</b>
	Z3666EPML	36 x 66 x 29.5-30	70	150	8.76	<b>\$1168</b>	<b>\$1381</b>	<b>\$723</b>	<b>\$611</b>
	Z3660EPML	36 x 60 x 29.5-30	70	141	6.50	<b>\$1133</b>	<b>\$1356</b>	<b>\$661</b>	<b>\$509</b>

Extended Corner “P” Island - LEFT  
Flush Modesty and Post

Extended island worksurface on **left**. Connects to returns or bridges with a 16” throat on the right. **Not freestanding.** Grommet in worksurface. **¾ flush** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Laminate Modesty:




Glazed Modesty:


Extended Corner “P” Island - RIGHT  
Flush Modesty and Post

Z4284EPMR	42 x 84 x 29.5-30	70	200	10.76	<b>\$1463</b>	<b>\$1803</b>	<b>\$863</b>	<b>\$1081</b>
Z3684EPMR	36 x 84 x 29.5-30	70	172	9.50	<b>\$1325</b>	<b>\$1627</b>	<b>\$863</b>	<b>\$812</b>
Z3672EPMR	36 x 72 x 29.5-30	70	156	8.76	<b>\$1216</b>	<b>\$1471</b>	<b>\$786</b>	<b>\$611</b>
Z3666EPMR	36 x 66 x 29.5-30	70	150	8.76	<b>\$1168</b>	<b>\$1381</b>	<b>\$723</b>	<b>\$611</b>
Z3660EPMR	36 x 60 x 29.5-30	70	141	6.50	<b>\$1133</b>	<b>\$1356</b>	<b>\$661</b>	<b>\$509</b>

Extended island worksurface on **left**. Connects to returns or bridges with a 16” throat on the right. **Not freestanding.** Grommet in worksurface. **¾ flush** modesty panel is standard. Shipped RTA (ready to assemble) in 2 cartons.



Laminate Modesty:



Glazed Modesty:

**Required Specifications**






Top finish  
Top/edge detail  
Base finish  
Monopost finish

**Optional Specifications**

HP laminate  
Glazing - modesty panel  
Remove standard grommet (RSG)

**Accessories**

Power block  
Keyboard  
Pencil drawer

"D" ISLANDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>"D" Island with Monopost</b></p>		<b>D x W x H</b>							
	Z3672I	36 x 72 x 29.5-30	70	144	8.50	<b>\$841</b>	<b>\$1069</b>	N/A	<b>\$584</b>
	Z3066I	29.7 x 66 x 29.5-30	70	115	7.50	<b>\$784</b>	<b>\$964</b>	N/A	<b>\$547</b>
	Z3060I	29.7 x 60 x 29.5-30	70	104	6.76	<b>\$784</b>	<b>\$956</b>	N/A	<b>\$509</b>
	Z2466I	24 x 66 x 29.5-30	85	101	7.50	<b>\$716</b>	<b>\$876</b>	N/A	<b>\$409</b>
	Z2460I	24 x 60 x 29.5-30	85	92	6.76	<b>\$679</b>	<b>\$821</b>	N/A	<b>\$376</b>
	Z2448I	24 x 48 x 29.5-30	85	74	5.76	<b>\$628</b>	<b>\$754</b>	N/A	<b>\$300</b>
 <p><b>"D" Island - Full End Panel and Monopost (T-Base)</b></p>	Z3672FI	36 x 72 x 29.5-30	85	123	8.50	<b>\$1030</b>	<b>\$1258</b>	N/A	<b>\$584</b>
	Z3072FI	29.7 x 72 x 29.5-30	85	106	7.50	<b>\$1030</b>	<b>\$1220</b>	N/A	<b>\$549</b>
	Z3066FI	29.7 x 66 x 29.5-30	85	101	7.50	<b>\$938</b>	<b>\$1118</b>	N/A	<b>\$547</b>
	Z3060FI	29.7 x 60 x 29.5-30	85	94	6.76	<b>\$881</b>	<b>\$1053</b>	N/A	<b>\$509</b>
	Z2466FI	24 x 66 x 29.5-30	85	90	7.50	<b>\$868</b>	<b>\$1030</b>	N/A	<b>\$409</b>
	Z2460FI	24 x 60 x 29.5-30	85	84	6.76	<b>\$831</b>	<b>\$975</b>	N/A	<b>\$376</b>
	Z2448FI	24 x 48 x 29.5-30	85	74	5.76	<b>\$784</b>	<b>\$909</b>	N/A	<b>\$300</b>
 <p><b>"D" Island LEFT - Full Modesty Panel (H-Base)</b></p>	Z3672FIL	36 x 72 x 29.5-30	65	171	7	<b>\$973</b>	<b>\$1201</b>	N/A	<b>\$584</b>
	Z3066FIL	29.7 x 66 x 29.5-30	65	140	6	<b>\$868</b>	<b>\$1112</b>	N/A	<b>\$547</b>
	Z3060FIL	29.7 x 60 x 29.5-30	65	128	5.25	<b>\$791</b>	<b>\$963</b>	N/A	<b>\$509</b>
 <p><b>"D" Island RIGHT - Full Modesty Panel (H-Base)</b></p>	Z3672FIR	36 x 72 x 29.5-30	65	171	7	<b>\$973</b>	<b>\$1201</b>	N/A	<b>\$584</b>
	Z3066FIR	29.7 x 66 x 29.5-30	65	140	6	<b>\$868</b>	<b>\$1112</b>	N/A	<b>\$547</b>
	Z3060FIR	29.7 x 60 x 29.5-30	65	128	5.25	<b>\$791</b>	<b>\$963</b>	N/A	<b>\$509</b>
 <p><b>"D" Island CENTER - Full Modesty Panel (H-Base)</b></p>	Z3672FIC	36 x 72 x 29.5-30	65	171	7	<b>\$973</b>	<b>\$1201</b>	N/A	<b>\$584</b>
	Z3066FIC	29.7 x 66 x 29.5-30	65	140	6	<b>\$868</b>	<b>\$1112</b>	N/A	<b>\$547</b>
	Z3060FIC	29.7 x 60 x 29.5-30	65	123	5.25	<b>\$791</b>	<b>\$963</b>	N/A	<b>\$509</b>

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble).

- Post is shipped in separate carton.

Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. **Not freestanding.** Shipped RTA (ready to assemble).

- Post is shipped in separate carton.

Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).

Connects to the right side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (mobile and hanging pedestals and 19.3" deep storage shells). Includes grommet as shown. Shipped RTA (ready to assemble).

Connects in between two worksurfaces. Attaching hardware included. **Will not accommodate pedestals.** Includes grommet as shown. Shipped RTA (ready to assemble).

**Required Specifications**













Top finish  
Top/edge detail  
Base finish  
Monopost finish

**Optional Specifications**

HP laminate  
Remove standard grommet (RSG)

**Accessories**

Power block  
Keyboard  
Pencil drawer

"P" ISLANDS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
  <p><b>"P" Island LEFT with Post</b></p>	Z3672IPL	42 x 72 x 29.5-30	85	128	9.26	<b>\$958</b>	<b>\$1192</b>	N/A	<b>\$779</b>
	Z3666IPL	42 x 66 x 29.5-30	85	119	8.76	<b>\$958</b>	<b>\$1138</b>	N/A	<b>\$779</b>
	Z3660IPL	42 x 60 x 29.5-30	85	110	8	<b>\$868</b>	<b>\$1048</b>	N/A	<b>\$664</b>
	Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). • Post is shipped in separate carton.								
  <p><b>"P" Island RIGHT with Post</b></p>	Z3672IPR	42 x 72 x 29.5-30	85	128	9.26	<b>\$958</b>	<b>\$1192</b>	N/A	<b>\$779</b>
	Z3666IPR	42 x 66 x 29.5-30	85	119	8.76	<b>\$958</b>	<b>\$1138</b>	N/A	<b>\$779</b>
	Z3660IPR	42 x 60 x 29.5-30	85	110	8	<b>\$868</b>	<b>\$1048</b>	N/A	<b>\$664</b>
	Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). • Post is shipped in separate carton.								
  <p><b>"P" Island LEFT - Full End Panel and Post (T-Base)</b></p>	Z3672FPL	42 x 72 x 29.5-30	70	163	9.26	<b>\$1148</b>	<b>\$1382</b>	N/A	<b>\$779</b>
	Z3666FPL	42 x 66 x 29.5-30	70	155	8.76	<b>\$1148</b>	<b>\$1338</b>	N/A	<b>\$779</b>
	Z3660FPL	42 x 60 x 29.5-30	70	145	8	<b>\$1061</b>	<b>\$1241</b>	N/A	<b>\$664</b>
	Connects to left side of worksurface. Attaching hardware included. <b>Not freestanding.</b> Includes grommet as shown. Shipped RTA (ready to assemble). • Post is shipped in separate carton.								
  <p><b>"P" Island RIGHT - Full End Panel and Post (T-Base)</b></p>	Z3672FPR	42 x 72 x 29.5-30	70	163	9.26	<b>\$1148</b>	<b>\$1382</b>	N/A	<b>\$779</b>
	Z3666FPR	42 x 66 x 29.5-30	70	155	8.76	<b>\$1148</b>	<b>\$1338</b>	N/A	<b>\$779</b>
	Z3660FPR	42 x 60 x 29.5-30	70	145	8	<b>\$1061</b>	<b>\$1241</b>	N/A	<b>\$664</b>
	Connects to right side of worksurface. Attaching hardware included. <b>Not freestanding.</b> Includes grommet as shown. Shipped RTA (ready to assemble). • Post is shipped in separate carton.								
  <p><b>"P" Island LEFT - Full Modesty Panel (H-Base)</b></p>	Z3672PL	42 x 72 x 29.5-30	65	178	7.75	<b>\$1081</b>	<b>\$1314</b>	N/A	<b>\$779</b>
	Z3666PL	42 x 66 x 29.5-30	65	167	7.25	<b>\$987</b>	<b>\$1167</b>	N/A	<b>\$779</b>
	Z3660PL	42 x 60 x 29.5-30	65	155	6.50	<b>\$908</b>	<b>\$1090</b>	N/A	<b>\$664</b>
	Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).								
  <p><b>"P" Island RIGHT - Full Modesty Panel (H-Base)</b></p>	Z3672PR	42 x 72 x 29.5-30	65	178	7.75	<b>\$1081</b>	<b>\$1314</b>	N/A	<b>\$779</b>
	Z3666PR	42 x 66 x 29.5-30	65	167	7.25	<b>\$987</b>	<b>\$1167</b>	N/A	<b>\$779</b>
	Z3660PR	42 x 60 x 29.5-30	65	155	6.50	<b>\$908</b>	<b>\$1090</b>	N/A	<b>\$664</b>
	Connects to the left side of a worksurface. Attaching hardware included. Accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble).								

**Required Specifications**




Top finish  
Top/edge detail  
Base finish  
Monopost finish

**Optional Specifications**

HP laminate  
Remove standard grommet (RSG)

**Accessories**


Power block  
Keyboard  
Pencil drawer

RECTANGULAR ISLANDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Rectangular Island w/Monopost</b></p>		<b>D x W x H</b>							
	Z3672RI	36 x 72 x 29.5-30	125	90	14.50	<b>\$831</b>	<b>\$1058</b>	N/A	<b>\$665</b>
	Z3066RI	30 x 66 x 29.5-30	150	72	12.50	<b>\$776</b>	<b>\$954</b>	N/A	<b>\$547</b>
	Z3060RI	30 x 60 x 29.5-30	125	66	10.50	<b>\$776</b>	<b>\$947</b>	N/A	<b>\$512</b>
	Z2466RI	24 x 66 x 29.5-30	150	63	15	<b>\$708</b>	<b>\$875</b>	N/A	<b>\$409</b>
	Z2460RI	24 x 60 x 29.5-30	150	57	13	<b>\$671</b>	<b>\$813</b>	N/A	<b>\$380</b>
	Z2448RI	24 x 48 x 29.5-30	150	47	11.50	<b>\$625</b>	<b>\$753</b>	N/A	<b>\$304</b>
<p>Attaches to edge of worksurfaces. Attaching hardware included. Includes grommet as shown. Shipped RTA (ready to assemble). <b>Not freestanding.</b></p> <ul style="list-style-type: none"> <li>• Post is shipped in separate carton.</li> </ul>									
 <p><b>Rectangular Island LEFT - Full Modesty Panel (H-Base)</b></p>	Z3672RFIL	36 x 72 x 29.5-30	70	145	7.25	<b>\$963</b>	<b>\$1190</b>	N/A	<b>\$665</b>
	Z3084RFIL	29.69 x 84 x 29.5-30	70	146	7.25	<b>\$959</b>	<b>\$1185</b>	N/A	<b>\$659</b>
	Z3066RFIL	29.69 x 66 x 29.5-30	70	121	6.25	<b>\$860</b>	<b>\$1109</b>	N/A	<b>\$547</b>
	Z3060RFIL	29.69 x 60 x 29.5-30	70	110	5.25	<b>\$784</b>	<b>\$955</b>	N/A	<b>\$512</b>
	Z2472RFIL	24 x 72 x 29.5-30	70	116	6.25	<b>\$736</b>	<b>\$912</b>	N/A	<b>\$416</b>
	Z2466RFIL	24 x 66 x 29.5-30	70	109	5.75	<b>\$699</b>	<b>\$877</b>	N/A	<b>\$409</b>
	Z2460RFIL	24 x 60 x 29.5-30	70	99	5.25	<b>\$665</b>	<b>\$807</b>	N/A	<b>\$380</b>
	Z2448RFIL	24 x 48 x 29.5-30	70	85	4.20	<b>\$629</b>	<b>\$740</b>	N/A	<b>\$304</b>
<p>Connects to the <b>left</b> side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). <b>Not freestanding.</b></p>									
 <p><b>Rectangular Island RIGHT - Full Modesty Panel (H-Base)</b></p>	Z3672RFIR	36 x 72 x 29.5-30	70	145	7.25	<b>\$963</b>	<b>\$1190</b>	N/A	<b>\$665</b>
	Z3084RFIR	29.69 x 84 x 29.5-30	70	146	7.25	<b>\$959</b>	<b>\$1185</b>	N/A	<b>\$659</b>
	Z3066RFIR	29.69 x 66 x 29.5-30	70	121	6.25	<b>\$860</b>	<b>\$1109</b>	N/A	<b>\$547</b>
	Z3060RFIR	29.69 x 60 x 29.5-30	70	110	5.25	<b>\$784</b>	<b>\$955</b>	N/A	<b>\$512</b>
	Z2472RFIR	24 x 72 x 29.5-30	70	116	6.25	<b>\$736</b>	<b>\$912</b>	N/A	<b>\$416</b>
	Z2466RFIR	24 x 66 x 29.5-30	70	109	5.75	<b>\$699</b>	<b>\$877</b>	N/A	<b>\$409</b>
	Z2460RFIR	24 x 60 x 29.5-30	70	99	5.25	<b>\$665</b>	<b>\$807</b>	N/A	<b>\$380</b>
	Z2448RFIR	24 x 48 x 29.5-30	70	85	4.20	<b>\$629</b>	<b>\$740</b>	N/A	<b>\$304</b>
<p>Connects to the <b>right</b> side of a worksurface. Attaching hardware included. 36" and 30"D accommodates all 19" pedestals (freestanding, mobile and hanging pedestals). Includes grommet as shown. Shipped RTA (ready to assemble). <b>Not freestanding.</b></p>									

**Required Specifications**

Top finish  
Top/edge detail  
Leg finish



UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUT1696	16 x 96 x 1	100	42	5	\$593	\$792	N/A	\$356
	ZUT1690	16 x 90 x 1	100	39	4.75	\$560	\$747	N/A	\$331
	ZUT1684	16 x 84 x 1	100	37	4.50	\$507	\$679	N/A	\$310
	ZUT1678	16 x 78 x 1	100	34	4.25	\$487	\$647	N/A	\$292
	ZUT1672	16 x 72 x 1	85	31	2.25	\$455	\$602	N/A	\$267
	ZUT1666	16 x 66 x 1	85	29	2	\$423	\$557	N/A	\$248
	ZUT1660	16 x 60 x 1	85	26	1.75	\$391	\$511	N/A	\$226
	ZUT1654	16 x 54 x 1	85	24	1.75	\$351	\$465	N/A	\$199
	ZUT1648	16 x 48 x 1	85	21	1.50	\$319	\$419	N/A	\$179
	ZUT1642	16 x 42 x 1	85	18	1.25	\$285	\$374	N/A	\$161
	ZUT1636	16 x 36 x 1	85	16	1.25	\$248	\$323	N/A	\$135
	ZUT1630	16 x 30 x 1	85	13	1	\$213	\$274	N/A	\$114
	ZUT1896	18 x 96 x 1	100	47	5.50	\$604	\$798	N/A	\$397
	ZUT1890	18 x 90 x 1	100	44	5.25	\$573	\$752	N/A	\$376
	ZUT1884	18 x 84 x 1	100	41	4.75	\$534	\$707	N/A	\$351
	ZUT1878	18 x 78 x 1	100	38	4.50	\$501	\$655	N/A	\$323
	ZUT1872	18 x 72 x 1	70	35	2.25	\$468	\$615	N/A	\$299
	ZUT1866	18 x 66 x 1	85	32	2.25	\$428	\$563	N/A	\$278
	ZUT1860	18 x 60 x 1	85	29	2	\$397	\$518	N/A	\$252
	ZUT1854	18 x 54 x 1	85	26	1.75	\$356	\$470	N/A	\$226
	ZUT1848	18 x 48 x 1	85	23	1.75	\$331	\$431	N/A	\$199
	ZUT1842	18 x 42 x 1	85	20	1.50	\$299	\$388	N/A	\$179
	ZUT1836	18 x 36 x 1	85	18	1.25	\$252	\$327	N/A	\$154
	ZUT1830	18 x 30 x 1	85	15	1.25	\$220	\$282	N/A	\$127
	ZUT2096	20 x 96 x 1	100	52	6	\$613	\$812	N/A	\$442
	ZUT2090	20 x 90 x 1	100	49	5.50	\$581	\$768	N/A	\$416
	ZUT2084	20 x 84 x 1	100	45	5.25	\$540	\$712	N/A	\$391
	ZUT2078	20 x 78 x 1	100	42	4.75	\$477	\$637	N/A	\$364
	ZUT2072	20 x 72 x 1	70	39	2.50	\$477	\$624	N/A	\$331
	ZUT2066	20 x 66 x 1	70	36	2.25	\$436	\$576	N/A	\$304
	ZUT2060	20 x 60 x 1	85	32	2.25	\$402	\$522	N/A	\$278
	ZUT2054	20 x 54 x 1	85	29	2	\$371	\$479	N/A	\$252
	ZUT2048	20 x 48 x 1	85	26	1.75	\$339	\$432	N/A	\$226
	ZUT2042	20 x 42 x 1	70	23	1.50	\$304	\$385	N/A	\$199
	ZUT2036	20 x 36 x 1	85	20	1.50	\$258	\$333	N/A	\$168
	ZUT2030	20 x 30 x 1	85	16	1.25	\$226	\$288	N/A	\$141
	ZUT2496	24 x 96 x 1	100	62	6.75	\$704	\$937	N/A	\$528
	ZUT2490	24 x 90 x 1	100	58	6.25	\$665	\$885	N/A	\$496
	ZUT2484	24 x 84 x 1	100	55	6	\$618	\$824	N/A	\$463
	ZUT2478	24 x 78 x 1	100	51	5.50	\$581	\$774	N/A	\$428
	ZUT2472	24 x 72 x 1	100	47	5.25	\$540	\$708	N/A	\$397
	ZUT2466	24 x 66 x 1	100	43	4.75	\$501	\$669	N/A	\$364
	ZUT2460	24 x 60 x 1	100	39	4.50	\$463	\$609	N/A	\$331
	ZUT2454	24 x 54 x 1	100	35	4	\$423	\$557	N/A	\$299
	ZUT2448	24 x 48 x 1	70	31	2	\$383	\$503	N/A	\$267
	ZUT2442	24 x 42 x 1	70	27	1.75	\$339	\$447	N/A	\$234
	ZUT2436	24 x 36 x 1	70	23	1.50	\$299	\$393	N/A	\$199
	ZUT2430	24 x 30 x 1	85	20	1.50	\$258	\$333	N/A	\$168

Laminate Tops

Laminate tops for placement over Zira storage.

- Contact Global for pricing on special size tops.
- No drilling or hardware included.

#### Required Specifications

Top finish  
Top/edge detail

#### Optional Specifications


HP laminate  
Grommet position or power block cut-out

#### Accessories

Power block



UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUT3096	29.7 x 96 x 1	100	77	8	\$829	\$1126	N/A	\$658
	ZUT3090	29.7 x 90 x 1	100	72	7.50	\$783	\$1061	N/A	\$618
	ZUT3084	29.7 x 84 x 1	100	67	7.25	\$737	\$995	N/A	\$581
	ZUT3078	29.7 x 78 x 1	100	62	6.75	\$684	\$923	N/A	\$540
	ZUT3072	29.7 x 72 x 1	100	58	6.25	\$665	\$889	N/A	\$496
	ZUT3066	29.7 x 66 x 1	100	53	5.75	\$593	\$792	N/A	\$455
	ZUT3060	29.7 x 60 x 1	100	48	5.25	\$547	\$726	N/A	\$416
	ZUT3054	29.7 x 54 x 1	100	43	4.75	\$501	\$661	N/A	\$376
	ZUT3048	29.7 x 48 x 1	70	38	2.50	\$450	\$604	N/A	\$331
	ZUT3042	29.7 x 42 x 1	70	34	2.25	\$402	\$529	N/A	\$292
	ZUT3036	29.7 x 36 x 1	85	29	2	\$351	\$465	N/A	\$252
	ZUT3030	29.7 x 30 x 1	85	24	1.75	\$304	\$398	N/A	\$213
	ZUT3696	36 x 96 x 1	92.5	93	9.25	\$966	\$1316	N/A	\$789
	ZUT3690	36 x 90 x 1	100	87	8.75	\$908	\$1239	N/A	\$744
	ZUT3684	36 x 84 x 1	100	81	8.25	\$837	\$1147	N/A	\$691
	ZUT3678	36 x 78 x 1	100	76	7.75	\$797	\$1080	N/A	\$644
	ZUT3672	36 x 72 x 1	100	70	7.25	\$744	\$1009	N/A	\$593
	ZUT3666	36 x 66 x 1	100	64	6.75	\$671	\$909	N/A	\$547
	ZUT3660	36 x 60 x 1	100	58	6.25	\$626	\$846	N/A	\$496
	ZUT3654	36 x 54 x 1	100	52	5.50	\$581	\$774	N/A	\$450
	ZUT3648	36 x 48 x 1	100	47	5	\$521	\$700	N/A	\$397
	ZUT3642	36 x 42 x 1	100	41	4.50	\$468	\$622	N/A	\$351
	ZUT3636	36 x 36 x 1	100	35	4	\$411	\$545	N/A	\$299
	ZUT3630	36 x 30 x 1	100	29	3.50	\$351	\$465	N/A	\$252
	ZUT4296	42 x 96 x 1	92.5	108	10	\$1091	\$1500	N/A	\$921
	ZUT4290	42 x 90 x 1	92.5	102	10	\$1030	\$1413	N/A	\$868
	ZUT4284	42 x 84 x 1	92.5	95	9.50	\$946	\$1302	N/A	\$810
	ZUT4278	42 x 78 x 1	92.5	88	8.75	\$908	\$1239	N/A	\$750
	ZUT4272	42 x 72 x 1	100	81	8.25	\$842	\$1152	N/A	\$691
	ZUT4266	42 x 66 x 1	92.5	75	7.50	\$783	\$1061	N/A	\$639
	ZUT4260	42 x 60 x 1	100	68	7	\$717	\$975	N/A	\$581
	ZUT4254	42 x 54 x 1	100	61	6.25	\$653	\$886	N/A	\$521
	ZUT4248	42 x 48 x 1	100	54	5.75	\$593	\$800	N/A	\$463
	ZUT4242	42 x 42 x 1	100	48	5.25	\$528	\$707	N/A	\$411
	ZUT4236	42 x 36 x 1	100	41	4.50	\$450	\$649	N/A	\$351
	ZUT4230	42 x 30 x 1	100	34	4	\$364	\$499	N/A	\$292
	ZUT4896	48 x 96 x 1	92.5	124	11.25	\$1228	\$1696	N/A	\$1052
	ZUT4890	48 x 90 x 1	92.5	116	10.50	\$1163	\$1598	N/A	\$987
	ZUT4884	48 x 84 x 1	92.5	108	10.50	\$1085	\$1494	N/A	\$921
	ZUT4878	48 x 78 x 1	92.5	101	10	\$1012	\$1388	N/A	\$855
	ZUT4872	48 x 72 x 1	92.5	93	9.25	\$946	\$1297	N/A	\$789
	ZUT4866	48 x 66 x 1	92.5	85	8.50	\$873	\$1196	N/A	\$725
	ZUT4860	48 x 60 x 1	92.5	77	7.25	\$810	\$1102	N/A	\$658
	ZUT4854	48 x 54 x 1	100	70	7.25	\$737	\$1002	N/A	\$593
	ZUT4848	48 x 48 x 1	100	62	6.50	\$658	\$897	N/A	\$528
	ZUT4842	48 x 42 x 1	100	54	5.75	\$593	\$800	N/A	\$463
	ZUT4836	48 x 36 x 1	100	47	5	\$521	\$694	N/A	\$397
	ZUT4830	48 x 30 x 1	100	36	4.25	\$442	\$589	N/A	\$331




Laminate Tops

Laminate tops for placement over Zira storage.


- Contact Global for pricing on special size tops.
- No drilling or hardware included.

Required Specifications	Optional Specifications	Accessories
Top finish Top/edge detail	HP laminate Grommet position or power block cut-out	Power block

UNIVERSAL TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUT5496	54 x 96 x 1	92.5	139	12.50	<b>\$1365</b>	<b>\$1886</b>	N/A	<b>\$1183</b>
	ZUT5490	54 x 90 x 1	92.5	131	11.75	<b>\$1287</b>	<b>\$1782</b>	N/A	<b>\$1111</b>
	ZUT5484	54 x 84 x 1	92.5	122	11	<b>\$1216</b>	<b>\$1677</b>	N/A	<b>\$1040</b>
	ZUT5478	54 x 78 x 1	92.5	113	10.25	<b>\$1144</b>	<b>\$1566</b>	N/A	<b>\$966</b>
	ZUT5472	54 x 72 x 1	92.5	105	9.50	<b>\$1064</b>	<b>\$1461</b>	N/A	<b>\$887</b>
	ZUT5466	54 x 66 x 1	92.5	96	9.50	<b>\$992</b>	<b>\$1348</b>	N/A	<b>\$816</b>
	ZUT5460	54 x 60 x 1	100	87	8.75	<b>\$913</b>	<b>\$1243</b>	N/A	<b>\$744</b>
	ZUT5454	54 x 54 x 1	100	78	8	<b>\$816</b>	<b>\$1113</b>	N/A	<b>\$671</b>
	ZUT5448	54 x 48 x 1	100	70	7.25	<b>\$737</b>	<b>\$1002</b>	N/A	<b>\$593</b>
	ZUT5442	54 x 42 x 1	100	61	6.25	<b>\$653</b>	<b>\$886</b>	N/A	<b>\$521</b>
	ZUT5436	54 x 36 x 1	100	52	5.50	<b>\$501</b>	<b>\$694</b>	N/A	<b>\$450</b>
	ZUT5430	54 x 30 x 1	100	44	4.75	<b>\$501</b>	<b>\$669</b>	N/A	<b>\$376</b>
	ZUT6096	60 x 96 x 1	92.5	155	14	<b>\$1503</b>	<b>\$2082</b>	N/A	<b>\$1313</b>
	ZUT6090	60 x 90 x 1	92.5	145	13	<b>\$1417</b>	<b>\$1964</b>	N/A	<b>\$1234</b>
	ZUT6084	60 x 84 x 1	92.5	135	12.25	<b>\$1333</b>	<b>\$1847</b>	N/A	<b>\$1150</b>
	ZUT6078	60 x 78 x 1	92.5	126	11.50	<b>\$1255</b>	<b>\$1729</b>	N/A	<b>\$1071</b>
	ZUT6072	60 x 72 x 1	92.5	116	10.50	<b>\$1150</b>	<b>\$1585</b>	N/A	<b>\$987</b>
	ZUT6066	60 x 66 x 1	92.5	106	9.75	<b>\$1064</b>	<b>\$1466</b>	N/A	<b>\$908</b>
	ZUT6060	60 x 60 x 1	92.5	97	8.75	<b>\$987</b>	<b>\$1351</b>	N/A	<b>\$823</b>
	ZUT6054	60 x 54 x 1	100	87	8.75	<b>\$913</b>	<b>\$1243</b>	N/A	<b>\$744</b>
	ZUT6048	60 x 48 x 1	100	77	7.75	<b>\$810</b>	<b>\$1102</b>	N/A	<b>\$658</b>
	ZUT6042	60 x 42 x 1	100	68	7	<b>\$717</b>	<b>\$975</b>	N/A	<b>\$581</b>
	ZUT6036	60 x 36 x 1	100	58	6.25	<b>\$658</b>	<b>\$878</b>	N/A	<b>\$496</b>
	ZUT6030	60 x 30 x 1	100	49	5.25	<b>\$547</b>	<b>\$726</b>	N/A	<b>\$416</b>

Laminate Tops

- Laminate tops for placement over Zira storage.
- *Contact Global for pricing on special size tops.*
  - **No drilling or hardware included.**



Laminate Tops

ZPHAT2370	23 x 70 x 1	100	39	4.5	<b>\$534</b>	<b>\$707</b>	N/A	<b>\$371</b>
ZPHAT2364	23 x 64 x 1	100	39	4.5	<b>\$487</b>	<b>\$655</b>	N/A	<b>\$343</b>
ZPHAT2358	23 x 58 x 1	70	35	2.25	<b>\$450</b>	<b>\$597</b>	N/A	<b>\$310</b>
ZPHAT2352	23 x 52 x 1	70	32	2	<b>\$411</b>	<b>\$545</b>	N/A	<b>\$278</b>
ZPHAT2346	23 x 46 x 1	85	29	2	<b>\$371</b>	<b>\$491</b>	N/A	<b>\$248</b>
ZPHAT2340	23 x 40 x 1	85	25	1.75	<b>\$331</b>	<b>\$431</b>	N/A	<b>\$213</b>
ZPHAT2334	23 x 34 x 1	85	21	1.5	<b>\$292</b>	<b>\$381</b>	N/A	<b>\$187</b>
ZPHAT2970	29 x 70 x 1	100	43	5	<b>\$632</b>	<b>\$852</b>	N/A	<b>\$468</b>
ZPHAT2964	29 x 64 x 1	100	49	5.5	<b>\$586</b>	<b>\$784</b>	N/A	<b>\$854</b>
ZPHAT2958	29 x 58 x 1	100	45	5	<b>\$534</b>	<b>\$721</b>	N/A	<b>\$391</b>
ZPHAT2952	29 x 52 x 1	70	40	2.5	<b>\$487</b>	<b>\$655</b>	N/A	<b>\$351</b>
ZPHAT2946	29 x 46 x 1	70	35	2.25	<b>\$442</b>	<b>\$589</b>	N/A	<b>\$310</b>
ZPHAT2940	29 x 40 x 1	70	31	2	<b>\$391</b>	<b>\$525</b>	N/A	<b>\$272</b>
ZPHAT2934	29 x 34 x 1	85	26	1.75	<b>\$343</b>	<b>\$457</b>	N/A	<b>\$234</b>

- Laminate tops for placement over height adjustable tables.
- *Contact Global for pricing on special size tops.*
  - **No drilling or hardware included.**

#### Required Specifications


Top finish  
Top/edge detail

#### Optional Specifications

HP laminate  
Grommet position or power block cut-out

#### Accessories


Power block

FILE TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZUFT1896	18.11 x 96.10 x 1	100	47	5.50	\$604	\$798	N/A	\$402
	ZUFT1890	18.11 x 90.12 x 1	100	44	5.25	\$573	\$752	N/A	\$376
	ZUFT1884	18.11 x 84.09 x 1	100	41	4.75	\$534	\$707	N/A	\$351
	ZUFT1878	18.11 x 78.11 x 1	100	38	4.50	\$501	\$655	N/A	\$331
	ZUFT1872	18.11 x 72.13 x 1	70	35	2.25	\$468	\$615	N/A	\$304
	ZUFT1866	18.11 x 66.10 x 1	85	32	2.25	\$428	\$563	N/A	\$278
	ZUFT1860	18.11 x 60.12 x 1	85	29	2	\$397	\$518	N/A	\$252
	ZUFT1854	18.11 x 54.09 x 1	70	27	1.75	\$356	\$470	N/A	\$234
	ZUFT1848	18.11 x 48.11 x 1	85	24	1.75	\$319	\$427	N/A	\$207
	ZUFT1842	18.11 x 42.13 x 1	85	21	1.50	\$285	\$378	N/A	\$179
	ZUFT1836	18.11 x 36.10 x 1	85	18	1.25	\$252	\$314	N/A	\$154
	ZUFT1830	18.11 x 30.12 x 1	85	15	1.25	\$220	\$282	N/A	\$127
	ZUFT1996	19.25 x 96.10 x 1	100	50	5.75	\$613	\$812	N/A	\$428
	ZUFT1990	19.25 x 90.12 x 1	100	47	5.50	\$581	\$768	N/A	\$402
	ZUFT1984	19.25 x 84.09 x 1	100	44	5	\$540	\$712	N/A	\$376
	ZUFT1978	19.25 x 78.11 x 1	100	41	4.75	\$507	\$667	N/A	\$351
	ZUFT1972	19.25 x 72.13 x 1	70	38	2.50	\$477	\$624	N/A	\$323
	ZUFT1966	19.25 x 66.10 x 1	70	34	2.25	\$436	\$571	N/A	\$299
	ZUFT1960	19.25 x 60.12 x 1	70	31	2	\$402	\$522	N/A	\$272
	ZUFT1954	19.25 x 54.09 x 1	85	27	2	\$371	\$479	N/A	\$248
	ZUFT1948	19.25 x 48.11 x 1	85	25	1.75	\$331	\$431	N/A	\$220
	ZUFT1942	19.25 x 42.13 x 1	85	22	1.50	\$299	\$388	N/A	\$194
	ZUFT1936	19.25 x 36.10 x 1	70	19	1.25	\$258	\$333	N/A	\$168
	ZUFT1930	19.25 x 30.12 x 1	85	16	1.25	\$226	\$288	N/A	\$141

Lateral File Tops

Laminate tops for placement over 1900 Series Lateral Files + Storage. **No drilling or hardware included.**

- Contact Global for pricing on special size tops.

	ZUFT3696	36.14 x 96.10 x 1	100	93	9.50	\$966	\$1316	N/A	\$797
	ZUFT3690	36.14 x 90.12 x 1	92.5	88	8.75	\$908	\$1239	N/A	\$750
	ZUFT3684	36.14 x 84.09 x 1	92.5	82	7.75	\$837	\$1147	N/A	\$697
	ZUFT3678	36.14 x 78.11 x 1	100	76	7.75	\$797	\$1080	N/A	\$653
	ZUFT3672	36.14 x 72.13 x 1	100	70	7.25	\$744	\$981	N/A	\$600
	ZUFT3666	36.14 x 66.10 x 1	100	64	6.75	\$671	\$909	N/A	\$547
	ZUFT3660	36.14 x 60.12 x 1	100	59	6.25	\$626	\$846	N/A	\$501
	ZUFT3654	36.14 x 54.09 x 1	100	53	5.50	\$581	\$774	N/A	\$450
	ZUFT3648	36.14 x 48.11 x 1	100	47	5	\$521	\$700	N/A	\$402
	ZUFT3642	36.14 x 42.13 x 1	100	41	4.50	\$468	\$622	N/A	\$351
	ZUFT3636	36.14 x 36.10 x 1	70	35	2.25	\$411	\$545	N/A	\$304
	ZUFT3630	36.14 x 30.12 x 1	85	29	2	\$356	\$465	N/A	\$252
	ZUFT3896	38.62 x 96.10 x 1	92.5	100	10	\$1077	\$1486	N/A	\$848
	ZUFT3890	38.62 x 90.12 x 1	100	94	9.50	\$1012	\$1395	N/A	\$797
	ZUFT3884	38.62 x 84.09 x 1	100	87	8.75	\$953	\$1309	N/A	\$744
	ZUFT3878	38.62 x 78.11 x 1	100	81	8.25	\$887	\$1226	N/A	\$691
	ZUFT3872	38.62 x 72.13 x 1	100	75	7.75	\$829	\$1133	N/A	\$639
	ZUFT3866	38.62 x 66.10 x 1	100	69	7	\$764	\$1047	N/A	\$586
	ZUFT3860	38.62 x 60.12 x 1	100	62	6.50	\$704	\$960	N/A	\$534
	ZUFT3854	38.62 x 54.09 x 1	100	56	6	\$644	\$870	N/A	\$481
	ZUFT3848	38.62 x 48.11 x 1	100	50	5.25	\$581	\$787	N/A	\$428
	ZUFT3842	38.62 x 42.13 x 1	100	44	4.75	\$515	\$701	N/A	\$376
	ZUFT3836	38.62 x 36.10 x 1	100	38	4.25	\$455	\$607	N/A	\$323
	ZUFT3830	38.62 x 30.12 x 1	100	31	3.75	\$391	\$525	N/A	\$272

Lateral File Tops - Back to Back

Laminate tops for placement over back-to-back metal filing + storage. **No drilling or hardware included.**

- Use ZUFT36xx models for 18"D laterals back-to-back
- Use ZUFT38xx models for 19.25"D laterals back-to-back
- Contact Global for pricing on special size tops.

#### Required Specifications

Top finish  
Top/edge detail

#### Optional Specifications

HP laminate  
Grommet position or power block cut-out

#### Accessories

Power block

PEDESTALS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	ZMPFF28	29 x 16 x 28	92.5	106	10.25	<b>\$1370</b>	N/A	N/A	<b>\$238</b>
	ZMPFF22	23 x 16 x 28	92.5	95	8.25	<b>\$1301</b>	N/A	N/A	<b>\$238</b>
<b>Mobile Pedestal with Overhang*</b>	<b>File/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top features 1" overhang with built-in grip for ease of mobility. Includes counterweight to prevent tipping. Drawers are locking. Only front casters are locking.								
	ZMPFF19	19 x 16 x 28	85	97	7.25	<b>\$1231</b>	N/A	N/A	<b>\$238</b>
<b>Mobile Pedestal*</b>	<b>File/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Drawers are locking. Only front casters are locking.								
	ZMPBBF28	29 x 16 x 28	92.5	105	10.25	<b>\$1256</b>	N/A	N/A	<b>\$238</b>
	ZMPBBF22	23 x 16 x 28	92.5	92	8.25	<b>\$1208</b>	N/A	N/A	<b>\$236</b>
<b>Mobile Pedestal with Overhang*</b>	<b>Box/Box/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top features 1" overhang with built-in grip for ease of mobility. Includes counterweight to prevent tipping. File drawer and lower box drawer are locking. Only front casters are locking.								
	ZMPBBF19	19 x 16 x 28	85	96	7.25	<b>\$1146</b>	N/A	N/A	<b>\$238</b>
<b>Mobile Pedestal*</b>	<b>Box/Box/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. File drawer and lower box drawer are locking. Only front casters are locking.								
	ZMPBF28	29 x 16 x 22	92.5	83	8.25	<b>\$1104</b>	N/A	N/A	<b>\$238</b>
	ZMPBF22	23 x 16 x 22	92.5	73	6.75	<b>\$1076</b>	N/A	N/A	<b>\$238</b>
<b>Mobile Pedestal with Overhang*</b>	<b>Box/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top features 1" overhang with built-in grip for ease of mobility. Includes counterweight to prevent tipping. Drawers are locking. Only front casters are locking.								
	ZMPBF19	19 x 16 x 22	85	77	6.25	<b>\$1011</b>	N/A	N/A	<b>\$238</b>
<b>Mobile Pedestal*</b>	<b>Box/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Drawers are locking. Only front casters are locking.								
	ZHPBF18	19 x 16 x 18	92.5	48	4.50	<b>\$752</b>	N/A	N/A	N/A
<b>Hanging Pedestal</b>	<b>Box/File</b> drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Drawers are locking.								

**Required Specifications**

Top finish  
Base finish  
Lock finish

**Optional Specifications**

HP laminate\*  
Handles

STORAGE SHELLS - 16.87" HIGH



Open Storage Shell



Lateral File Shell



Glazed door option

Closed Storage Shell\*\*



Split Drawer Storage Shell\* - LEFT



Split Drawer Storage Shell\* - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L21SNS	24 x 36 x 16.87	150	62	11.25	<b>\$681</b>	N/A	N/A	N/A
Z30L21SNS	24 x 30 x 16.87	150	55	9.50	<b>\$611</b>	N/A	N/A	N/A
Z36M21SNS	20 x 36 x 16.87	150	56	9.50	<b>\$628</b>	N/A	N/A	N/A
Z30M21SNS	20 x 30 x 16.87	125	49	8	<b>\$561</b>	N/A	N/A	N/A

For use **under Zxxxx1TB 17.37" H** top and back kit. **No top or back.**

Z36L21ES	24 x 36 x 16.87	125	82	11.25	<b>\$996</b>	N/A	N/A	N/A
Z30L21ES	24 x 30 x 16.87	100	77	9.50	<b>\$870</b>	N/A	N/A	N/A
Z36M21ES	20 x 36 x 16.87	100	78	9.50	<b>\$960</b>	N/A	N/A	N/A
Z30M21ES	20 x 30 x 16.87	100	73	8	<b>\$831</b>	N/A	N/A	N/A

For use **under Zxxxx1TB 17.37" H** top and back kit. **No top or back.** For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L21SHS	24 x 36 x 16.87	125	71	11.25	<b>\$906</b>	N/A	<b>\$434</b>	N/A
Z30L21SHS	24 x 30 x 16.87	125	62	9.50	<b>\$817</b>	N/A	<b>\$386</b>	N/A
Z36M21SHS	20 x 36 x 16.87	125	65	9.50	<b>\$854</b>	N/A	<b>\$434</b>	N/A
Z30M21SHS	20 x 30 x 16.87	125	57	8	<b>\$769</b>	N/A	<b>\$385</b>	N/A

For use **under Zxxxx1TB 17.37" H** top and back kit. **No top or back.** Laminate doors are standard. Standard with lock.

Z36L21XSL	24 x 36 x 16.87	125	81	11.25	<b>\$923</b>	N/A	N/A	N/A
Z30L21XSL	24 x 30 x 16.87	125	72	9.50	<b>\$842</b>	N/A	N/A	N/A
Z36M21XSL	20 x 36 x 16.87	100	78	9.50	<b>\$886</b>	N/A	N/A	N/A
Z30M21XSL	20 x 30 x 16.87	100	69	8	<b>\$806</b>	N/A	N/A	N/A

For use **under Zxxxx1TB 17.37" H** top and back kit. **No top or back.** Pull out drawer includes filing space on **left** and storage on **right**. Front-to-back letter capability.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L21XSR	24 x 36 x 16.87	125	81	11.25	<b>\$923</b>	N/A	N/A	N/A
Z30L21XSR	24 x 30 x 16.87	125	72	9.50	<b>\$842</b>	N/A	N/A	N/A
Z36M21XSR	20 x 36 x 16.87	100	78	9.50	<b>\$886</b>	N/A	N/A	N/A
Z30M21XSR	20 x 30 x 16.87	100	69	8	<b>\$806</b>	N/A	N/A	N/A

For use **under Zxxxx1TB 17.37" H** top and back kit. **No top or back.** Pull out drawer includes filing space on **right** and storage on **left**. Front-to-back letter capability.


- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications

Base finish  
Handles\*

Optional Specifications

Key #\*  
Glazed doors\*\*

TOP AND BACK KITS FOR 16.87" H SHELLS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z24961TB	24 x 96 x 17.37-17.87	70	104	6.75	<b>\$855</b>	<b>\$1044</b>	N/A	<b>\$554</b>
	Z24901TB	24 x 90 x 17.37-17.87	70	97	6.25	<b>\$812</b>	<b>\$988</b>	N/A	<b>\$520</b>
	Z24841TB	24 x 84 x 17.37-17.87	70	91	6	<b>\$764</b>	<b>\$931</b>	N/A	<b>\$484</b>
	Z24781TB	24 x 78 x 17.37-17.87	70	86	5.50	<b>\$716</b>	<b>\$868</b>	N/A	<b>\$451</b>
	Z24721TB	24 x 72 x 17.37-17.87	85	78	5.25	<b>\$665</b>	<b>\$807</b>	N/A	<b>\$416</b>
	Z24661TB	24 x 66 x 17.37-17.87	70	72	4.75	<b>\$615</b>	<b>\$746</b>	N/A	<b>\$382</b>
	Z24601TB	24 x 60 x 17.37-17.87	85	66	4.50	<b>\$564</b>	<b>\$683</b>	N/A	<b>\$349</b>
	Z24541TB	24 x 54 x 17.37-17.87	85	59	4	<b>\$511</b>	<b>\$619</b>	N/A	<b>\$314</b>
	Z24481TB	24 x 48 x 17.37-17.87	85	55	3.75	<b>\$470</b>	<b>\$565</b>	N/A	<b>\$278</b>
	Z24421TB	24 x 42 x 17.37-17.87	85	47	3.25	<b>\$416</b>	<b>\$502</b>	N/A	<b>\$244</b>
	Z24361TB	24 x 36 x 17.37-17.87	85	40	3	<b>\$359</b>	<b>\$433</b>	N/A	<b>\$210</b>
	Z24301TB	24 x 30 x 17.37-17.87	85	34	2.50	<b>\$310</b>	<b>\$371</b>	N/A	<b>\$175</b>
	Z20961TB	20 x 96 x 17.37-17.87	70	93	6	<b>\$788</b>	<b>\$944</b>	N/A	<b>\$463</b>
	Z20901TB	20 x 90 x 17.37-17.87	70	86	5.50	<b>\$739</b>	<b>\$886</b>	N/A	<b>\$434</b>
	Z20841TB	20 x 84 x 17.37-17.87	70	76	4.75	<b>\$695</b>	<b>\$834</b>	N/A	<b>\$403</b>
	Z20781TB	20 x 78 x 17.37-17.87	70	80	5.25	<b>\$657</b>	<b>\$785</b>	N/A	<b>\$376</b>
	Z20721TB	20 x 72 x 17.37-17.87	70	69	4.50	<b>\$608</b>	<b>\$727</b>	N/A	<b>\$349</b>
	Z20661TB	20 x 66 x 17.37-17.87	70	64	4.25	<b>\$561</b>	<b>\$670</b>	N/A	<b>\$319</b>
	Z20601TB	20 x 60 x 17.37-17.87	70	58	3.75	<b>\$516</b>	<b>\$616</b>	N/A	<b>\$291</b>
	Z20541TB	20 x 54 x 17.37-17.87	70	53	3.50	<b>\$471</b>	<b>\$562</b>	N/A	<b>\$262</b>
	Z20481TB	20 x 48 x 17.37-17.87	70	50	3.25	<b>\$434</b>	<b>\$514</b>	N/A	<b>\$234</b>
	Z20421TB	20 x 42 x 17.37-17.87	70	42	2.75	<b>\$382</b>	<b>\$453</b>	N/A	<b>\$202</b>
	Z20361TB	20 x 36 x 17.37-17.87	85	35	2.50	<b>\$330</b>	<b>\$391</b>	N/A	<b>\$175</b>
	Z20301TB	20 x 30 x 17.37-17.87	85	28	2.25	<b>\$283</b>	<b>\$334</b>	N/A	<b>\$147</b>

Credenza Top and Back Kit

For use with 16.87" high storage shells. Shipped RTA (ready to assemble).

- Does not include hardware to attach to storage shells.

#### Required Specifications

Top finish  
Top/edge detail  
Base finish

#### Optional Specifications

HP laminate

## STORAGE SHELLS - 22.75" HIGH



1.5H Open Storage Shell



1.5H Open/Lateral File Shell\*



1.5H Box/Lateral File Shell\*



1.5H Mixed Storage Shell - LEFT\*



1.5H Mixed Storage Shell - RIGHT\*



Glazed door option

1.5H Closed Storage Shell\*\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2HSHNS	24 x 36 x 22.75	150	83	14.50	<b>\$843</b>	N/A	N/A	N/A
Z30L2HSHNS	24 x 30 x 22.75	125	75	12.25	<b>\$762</b>	N/A	N/A	N/A
Z24L2HSHNS	24 x 24 x 22.75	125	66	10	<b>\$678</b>	N/A	N/A	N/A
Z36M2HSHNS	20 x 36 x 22.75	150	73	12.25	<b>\$769</b>	N/A	N/A	N/A
Z30M2HSHNS	20 x 30 x 22.75	125	64	10.50	<b>\$687</b>	N/A	N/A	N/A
Z24M2HSHNS	20 x 24 x 22.75	125	55	8.50	<b>\$614</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.**

Z36L2HFS	24 x 36 x 22.75	125	102	14.50	<b>\$1158</b>	N/A	N/A	N/A
Z30L2HFS	24 x 30 x 22.75	125	97	12.25	<b>\$1020</b>	N/A	N/A	N/A
Z36M2HFS	20 x 36 x 22.75	125	95	12.25	<b>\$1102</b>	N/A	N/A	N/A
Z30M2HFS	20 x 30 x 22.75	100	88	10.50	<b>\$959</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Open shelf and lateral file storage. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HES	24 x 36 x 22.75	125	103	14.50	<b>\$1218</b>	N/A	N/A	N/A
Z30L2HES	24 x 30 x 22.75	100	99	12.25	<b>\$1081</b>	N/A	N/A	N/A
Z36M2HES	20 x 36 x 22.75	100	98	12.25	<b>\$1177</b>	N/A	N/A	N/A
Z30M2HES	20 x 30 x 22.75	100	92	10.50	<b>\$1032</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Box drawer and lateral file storage. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXSLS	24 x 36 x 22.75	125	110	14.50	<b>\$1313</b>	N/A	N/A	N/A
Z30L2HXSLS	24 x 30 x 22.75	100	105	12.25	<b>\$1176</b>	N/A	N/A	N/A
Z36M2HXSLS	20 x 36 x 22.75	100	104	12.25	<b>\$1240</b>	N/A	N/A	N/A
Z30M2HXSLS	20 x 30 x 22.75	100	97	10.50	<b>\$1097</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Open shelf on **right**, box drawer on **left** and lateral file storage below. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HXSR	24 x 36 x 22.75	125	110	14.50	<b>\$1313</b>	N/A	N/A	N/A
Z30L2HXSR	24 x 30 x 22.75	100	105	12.25	<b>\$1176</b>	N/A	N/A	N/A
Z36M2HXSR	20 x 36 x 22.75	100	104	12.25	<b>\$1240</b>	N/A	N/A	N/A
Z30M2HXSR	20 x 30 x 22.75	100	97	10.50	<b>\$1097</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Open shelf on **left**, box drawer on **right** and lateral file storage below. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L2HSHS	24 x 36 x 22.75	125	96	14.50	<b>\$1112</b>	N/A	<b>\$538</b>	N/A
Z30L2HSHS	24 x 30 x 22.75	125	86	12.25	<b>\$1005</b>	N/A	<b>\$479</b>	N/A
Z36M2HSHS	20 x 36 x 22.75	125	86	12.25	<b>\$1040</b>	N/A	<b>\$538</b>	N/A
Z30M2HSHS	20 x 30 x 22.75	125	75	10.50	<b>\$930</b>	N/A	<b>\$479</b>	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Laminate doors are standard. Standard with lock.

### Required Specifications

Base finish  
Handles\*

### Optional Specifications

Key #\*  
Glazed doors\*\*

## STORAGE SHELLS - 22.75" HIGH



1.5H Split Drawer Storage Shell\* - LEFT



1.5H Split Drawer Storage Shell\* - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z36L2HCSL	24 x 36 x 22.75	125	110	14.50	<b>\$1251</b>	N/A	N/A	N/A
Z30L2HCSL	24 x 30 x 22.75	100	101	12.25	<b>\$1167</b>	N/A	N/A	N/A
Z36M2HCSL	20 x 36 x 22.75	100	104	12.25	<b>\$1176</b>	N/A	N/A	N/A
Z30M2HCSL	20 x 30 x 22.75	100	92	10.50	<b>\$1086</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Open shelf on **right**, box drawer on **left**. Pull out drawer includes filing space on **left** and storage on **right**. Front-to-back letter capability.

- Lateral file drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.

Z36L2HCSR	24 x 36 x 22.75	125	110	14.50	<b>\$1251</b>	N/A	N/A	N/A
Z30L2HCSR	24 x 30 x 22.75	100	101	12.25	<b>\$1167</b>	N/A	N/A	N/A
Z36M2HCSR	20 x 36 x 22.75	100	104	12.25	<b>\$1176</b>	N/A	N/A	N/A
Z30M2HCSR	20 x 30 x 22.75	100	92	10.50	<b>\$1086</b>	N/A	N/A	N/A

For use **under ZxxxxHTB 23.25"H** top and back kit. **No top or back.** Open shelf on **left**, box drawer on **right**. Pull out drawer includes filing space on **right** and storage on **left**. Front-to-back letter capability.

- Lateral file drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom.

## TOP AND BACK KITS FOR 22.75"H SHELLS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2496HTB	24 x 96 x 23.25-23.75	70	114	6.75	<b>\$905</b>	<b>\$1094</b>	N/A	<b>\$554</b>
Z2490HTB	24 x 90 x 23.25-23.75	70	107	6.25	<b>\$859</b>	<b>\$1035</b>	N/A	<b>\$520</b>
Z2484HTB	24 x 84 x 23.25-23.75	70	100	6	<b>\$806</b>	<b>\$973</b>	N/A	<b>\$484</b>
Z2478HTB	24 x 78 x 23.25-23.75	70	94	5.50	<b>\$757</b>	<b>\$911</b>	N/A	<b>\$451</b>
Z2472HTB	24 x 72 x 23.25-23.75	70	87	5.25	<b>\$702</b>	<b>\$844</b>	N/A	<b>\$416</b>
Z2466HTB	24 x 66 x 23.25-23.75	70	80	4.75	<b>\$650</b>	<b>\$781</b>	N/A	<b>\$382</b>
Z2460HTB	24 x 66 x 23.25-23.75	70	72	4.50	<b>\$598</b>	<b>\$717</b>	N/A	<b>\$349</b>
Z2454HTB	24 x 54 x 23.25-23.75	70	65	4	<b>\$540</b>	<b>\$648</b>	N/A	<b>\$314</b>
Z2448HTB	24 x 48 x 23.25-23.75	85	55	3.75	<b>\$494</b>	<b>\$589</b>	N/A	<b>\$278</b>
Z2442HTB	24 x 42 x 23.25-23.75	70	51	3.25	<b>\$438</b>	<b>\$524</b>	N/A	<b>\$244</b>
Z2436HTB	24 x 36 x 23.25-23.75	85	44	3	<b>\$381</b>	<b>\$455</b>	N/A	<b>\$210</b>
Z2430HTB	24 x 30 x 23.25-23.75	85	37	2.50	<b>\$330</b>	<b>\$391</b>	N/A	<b>\$175</b>
Z2096HTB	20 x 96 x 23.25-23.75	70	103	6.25	<b>\$845</b>	<b>\$1001</b>	N/A	<b>\$463</b>
Z2090HTB	20 x 90 x 23.25-23.75	70	97	6	<b>\$799</b>	<b>\$946</b>	N/A	<b>\$434</b>
Z2084HTB	20 x 84 x 23.25-23.75	70	91	5.75	<b>\$751</b>	<b>\$890</b>	N/A	<b>\$403</b>
Z2078HTB	20 x 78 x 23.25-23.75	70	86	5.25	<b>\$703</b>	<b>\$831</b>	N/A	<b>\$376</b>
Z2072HTB	20 x 72 x 23.25-23.75	70	78	5	<b>\$657</b>	<b>\$776</b>	N/A	<b>\$349</b>
Z2066HTB	20 x 66 x 23.25-23.75	70	71	4.50	<b>\$601</b>	<b>\$710</b>	N/A	<b>\$319</b>
Z2060HTB	20 x 66 x 23.25-23.75	70	65	4.25	<b>\$554</b>	<b>\$652</b>	N/A	<b>\$291</b>
Z2054HTB	20 x 54 x 23.25-23.75	70	59	3.75	<b>\$505</b>	<b>\$596</b>	N/A	<b>\$262</b>
Z2048HTB	20 x 48 x 23.25-23.75	70	55	3.50	<b>\$463</b>	<b>\$543</b>	N/A	<b>\$234</b>
Z2042HTB	20 x 42 x 23.25-23.75	70	47	3	<b>\$409</b>	<b>\$480</b>	N/A	<b>\$202</b>
Z2036HTB	20 x 36 x 23.25-23.75	85	40	2.75	<b>\$353</b>	<b>\$414</b>	N/A	<b>\$175</b>
Z2030HTB	20 x 30 x 23.25-23.75	85	33	2.25	<b>\$305</b>	<b>\$356</b>	N/A	<b>\$147</b>



Credenza Top and Back Kit\*\*

For use with 22.75" high storage shells. Shipped RTA (ready to assemble).

- Does not include hardware to attach to storage shells.

## Required Specifications

Top finish\*\*  
Top/edge detail\*\*  
Base finish  
Handles\*

## Optional Specifications

HP laminate\*\*




## STORAGE SHELLS - 28" HIGH




Glazed door option

**Storage Shell\***



Glazed door option

**Storage Shell - LEFT\***



Glazed door option

**Storage Shell - RIGHT\***



30-36" wide



15-16" wide

**File/File Shell**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2SHS	23.4 x 36 x 28-28.5	150	100	18.50	<b>\$1042</b>	N/A	<b>\$812</b>	N/A
Z30L2SHS	23.4 x 30 x 28-28.5	150	88	15.50	<b>\$930</b>	N/A	<b>\$745</b>	N/A
Z36M2SHS	19.3 x 36 x 28-28.5	150	89	15.50	<b>\$912</b>	N/A	<b>\$812</b>	N/A
Z30M2SHS	19.3 x 30 x 28-28.5	150	78	13.25	<b>\$828</b>	N/A	<b>\$745</b>	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.

Z21L2SHSL	23.4 x 21 x 28-28.5	125	70	11	<b>\$718</b>	N/A	<b>\$461</b>	N/A
Z18L2SHSL	23.4 x 18 x 28-28.5	125	64	9.75	<b>\$688</b>	N/A	<b>\$421</b>	N/A
Z16L2SHSL	23.4 x 16 x 28-28.5	125	60	9	<b>\$647</b>	N/A	<b>\$412</b>	N/A
Z15L2SHSL	23.4 x 15 x 28-28.5	125	59	8.25	<b>\$626</b>	N/A	<b>\$371</b>	N/A
Z12L2SHSL	23.4 x 12 x 28-28.5	125	53	6.75	<b>\$584</b>	N/A	<b>\$335</b>	N/A
Z21M2SHSL	19.3 x 21 x 28-28.5	125	61	9.50	<b>\$615</b>	N/A	<b>\$461</b>	N/A
Z18M2SHSL	19.3 x 18 x 28-28.5	125	56	8.25	<b>\$587</b>	N/A	<b>\$421</b>	N/A
Z16M2SHSL	19.3 x 16 x 28-28.5	125	52	7	<b>\$557</b>	N/A	<b>\$412</b>	N/A
Z15M2SHSL	19.3 x 15 x 28-28.5	125	52	6.75	<b>\$528</b>	N/A	<b>\$371</b>	N/A
Z12M2SHSL	19.3 x 12 x 28-28.5	100	47	5.75	<b>\$496</b>	N/A	<b>\$335</b>	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.

Z21L2SHSR	23.4 x 21 x 28-28.5	125	70	11	<b>\$718</b>	N/A	<b>\$461</b>	N/A
Z18L2SHSR	23.4 x 18 x 28-28.5	125	64	9.75	<b>\$688</b>	N/A	<b>\$421</b>	N/A
Z16L2SHSR	23.4 x 16 x 28-28.5	125	60	9	<b>\$647</b>	N/A	<b>\$412</b>	N/A
Z15L2SHSR	23.4 x 15 x 28-28.5	125	59	8.25	<b>\$626</b>	N/A	<b>\$371</b>	N/A
Z12L2SHSR	23.4 x 12 x 28-28.5	125	53	6.75	<b>\$584</b>	N/A	<b>\$335</b>	N/A
Z21M2SHSR	19.3 x 21 x 28-28.5	125	61	9.50	<b>\$615</b>	N/A	<b>\$461</b>	N/A
Z18M2SHSR	19.3 x 18 x 28-28.5	125	56	8.25	<b>\$587</b>	N/A	<b>\$421</b>	N/A
Z16M2SHSR	19.3 x 16 x 28-28.5	125	52	7	<b>\$557</b>	N/A	<b>\$412</b>	N/A
Z15M2SHSR	19.3 x 15 x 28-28.5	125	52	6.75	<b>\$528</b>	N/A	<b>\$371</b>	N/A
Z12M2SHSR	19.3 x 12 x 28-28.5	100	47	5.75	<b>\$496</b>	N/A	<b>\$335</b>	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.** Standard with lock.

Z36L2ES	23.4 x 36 x 28-28.5	125	121	18.50	<b>\$1565</b>	N/A	N/A	N/A
Z30L2ES	23.4 x 30 x 28-28.5	125	110	15.50	<b>\$1435</b>	N/A	N/A	N/A
Z16L2ES	23.4 x 16 x 28-28.5	100	75	9	<b>\$865</b>	N/A	N/A	N/A
Z15L2ES	23.4 x 15 x 28-28.5	100	75	8.25	<b>\$843</b>	N/A	N/A	N/A
Z36M2ES	19.3 x 36 x 28-28.5	125	114	15.50	<b>\$1441</b>	N/A	N/A	N/A
Z30M2ES	19.3 x 30 x 28-28.5	125	102	13.25	<b>\$1348</b>	N/A	N/A	N/A
Z16M2ES	19.3 x 16 x 28-28.5	100	69	7	<b>\$790</b>	N/A	N/A	N/A
Z15M2ES	19.3 x 15 x 28-28.5	92.5	68	6.75	<b>\$770</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. Two file drawers.** Lock secures all drawers. For filing capabilities, see page 196.

- 15" wide models have only side-to-side filing capability
- *Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*

### Required Specifications

Base finish  
Handles

### Optional Specifications

Glazed doors - storage shell doors\*  
Key #

# STORAGE SHELLS - 28" HIGH



Box/Box/File Shell\*



30-36" wide



15-16" wide

File Shell with Open Shelf\*



30-36" wide



12-21" wide

Open Shelving Shell



Mixed Storage Shell - LEFT\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z16L2BFS	23.4 x 16 x 28-28.5	100	77	9	<b>\$996</b>	N/A	N/A	N/A
Z15L2BFS	23.4 x 15 x 28-28.5	100	77	8.25	<b>\$975</b>	N/A	N/A	N/A
Z16M2BFS	19.3 x 16 x 28-28.5	92.5	71	7	<b>\$903</b>	N/A	N/A	N/A
Z15M2BFS	19.3 x 15 x 28-28.5	92.5	71	6.75	<b>\$886</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. Two box and one file drawer.** One pencil tray. Lock secures all drawers.

- 15" wide models have only side-to-side filing capability

Z36L2FS	23.4 x 36 x 28-28.5	150	109	18.50	<b>\$1219</b>	N/A	N/A	N/A
Z30L2FS	23.4 x 30 x 28-28.5	125	98	15.50	<b>\$1095</b>	N/A	N/A	N/A
Z16L2FS	23.4 x 16 x 28-28.5	125	68	9	<b>\$729</b>	N/A	N/A	N/A
Z15L2FS	23.4 x 15 x 28-28.5	100	67	8.25	<b>\$719</b>	N/A	N/A	N/A
Z36M2FS	19.3 x 36 x 28-28.5	125	99	15.50	<b>\$1085</b>	N/A	N/A	N/A
Z30M2FS	19.3 x 30 x 28-28.5	125	89	13.25	<b>\$998</b>	N/A	N/A	N/A
Z16M2FS	19.3 x 16 x 28-28.5	100	59	7	<b>\$614</b>	N/A	N/A	N/A
Z15M2FS	19.3 x 15 x 28-28.5	100	57	6.75	<b>\$601</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One file drawer.** Lock secures file drawer. For filing capabilities, see page 196.

- 15" wide models have only side-to-side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L2SHSN	23.4 x 36 x 28-28.5	150	84.03	18.50	<b>\$745</b>	N/A	N/A	N/A
Z30L2SHSN	23.4 x 30 x 28-28.5	150	74.69	15.50	<b>\$661</b>	N/A	N/A	N/A
Z21L2SHSN	23.4 x 21 x 28-28.5	150	60.69	11	<b>\$556</b>	N/A	N/A	N/A
Z18L2SHSN	23.4 x 18 x 28-28.5	150	56.02	9.75	<b>\$536</b>	N/A	N/A	N/A
Z16L2SHSN	23.4 x 16 x 28-28.5	150	52.90	9	<b>\$498</b>	N/A	N/A	N/A
Z15L2SHSN	23.4 x 15 x 28-28.5	125	52.35	8.25	<b>\$486</b>	N/A	N/A	N/A
Z12L2SHSN	23.4 x 12 x 28-28.5	125	47.68	6.75	<b>\$456</b>	N/A	N/A	N/A
Z36M2SHSN	19.3 x 36 x 28-28.5	150	73.03	15.50	<b>\$617</b>	N/A	N/A	N/A
Z30M2SHSN	19.3 x 30 x 28-28.5	150	64.69	13.25	<b>\$561</b>	N/A	N/A	N/A
Z21M2SHSN	19.3 x 21 x 28-28.5	150	51.69	9.50	<b>\$452</b>	N/A	N/A	N/A
Z18M2SHSN	19.3 x 18 x 28-28.5	150	48.02	8.25	<b>\$435</b>	N/A	N/A	N/A
Z16M2SHSN	19.3 x 16 x 28-28.5	125	44.90	7	<b>\$407</b>	N/A	N/A	N/A
Z15M2SHSN	19.3 x 15 x 28-28.5	125	45.35	6.75	<b>\$391</b>	N/A	N/A	N/A
Z12M2SHSN	19.3 x 12 x 28-28.5	125	41.68	5.75	<b>\$367</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back. One adjustable shelf.**

Z36L2XSL	23.4 x 36 x 28-28.5	100	152	18.50	<b>\$1886</b>	N/A	N/A	N/A
Z30L2XSL	23.4 x 30 x 28-28.5	100	136	15.50	<b>\$1725</b>	N/A	N/A	N/A
Z36M2XSL	19.3 x 36 x 28-28.5	100	139	15.50	<b>\$1777</b>	N/A	N/A	N/A
Z30M2XSL	19.3 x 30 x 28-28.5	100	124	13.25	<b>\$1651</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **left**, one file drawer on **right** accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures one file drawer, the left lock secures two box and the lateral file. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

## Required Specifications

Base finish  
Handles\*

## Optional Specifications

Box Drawer Option (no upcharge - not available on Open Shelving Shell)  
Key #

STORAGE SHELLS - 28" HIGH



Mixed Storage Shell - RIGHT\*\*

MODEL#	D x W x H DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2XSR	23.4 x 36 x 28.5	100	152	18.50	<b>\$1886</b>	N/A	N/A	N/A
Z30L2XSR	23.4 x 30 x 28.5	100	136	15.50	<b>\$1725</b>	N/A	N/A	N/A
Z36M2XSR	19.3 x 36 x 28.5	100	139	15.50	<b>\$1777</b>	N/A	N/A	N/A
Z30M2XSR	19.3 x 30 x 28.5	100	124	13.25	<b>\$1651</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **right**, one file drawer on **left** accommodates letter filing side to side, and one lateral file drawer on bottom (see filing orientations on page 120). Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



Mixed Storage Shell with Open Shelf - LEFT\*



\* Accepts collator

Z36L2XNSL	23.4 x 36 x 28.5	125	133	18.50	<b>\$1593</b>	N/A	N/A	N/A
Z30L2XNSL	23.4 x 30 x 28.5	125	121	15.50	<b>\$1450</b>	N/A	N/A	N/A
Z36M2XNSL	19.3 x 36 x 28.5	125	121	15.50	<b>\$1484</b>	N/A	N/A	N/A
Z30M2XNSL	19.3 x 30 x 28.5	100	109	13.25	<b>\$1381</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **left**, one open shelf on **right** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Mixed Storage Shell with Open Shelf - RIGHT\*



\* Accepts collator

Z36L2XNSR	23.4 x 36 x 28-28.5	125	133	18.50	<b>\$1593</b>	N/A	N/A	N/A
Z30L2XNSR	23.4 x 30 x 28-28.5	125	121	15.50	<b>\$1450</b>	N/A	N/A	N/A
Z36M2XNSR	19.3 x 36 x 28-28.5	125	121	15.50	<b>\$1484</b>	N/A	N/A	N/A
Z30M2XNSR	19.3 x 30 x 28-28.5	100	109	13.25	<b>\$1381</b>	N/A	N/A	N/A

For use **under 29"H** returns, extended corners, freestanding and connectable tables of the same depth. **No top or back.** Two box drawers on **right**, one open shelf on **left** and one lateral file drawer on bottom. Lock secures all drawers. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications


Base finish  
Handles

Optional Specifications


Box drawer - no upcharge  
Collator (open shelves)

TOP AND BACK KITS FOR 28"H STORAGE SHELLS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z2496TB	24 x 96 x 29-29.5	70	126	7.75	<b>\$991</b>	<b>\$1180</b>	N/A	<b>\$554</b>
Z2490TB	24 x 90 x 29-29.5	70	118	7.25	<b>\$935</b>	<b>\$1111</b>	N/A	<b>\$520</b>
Z2484TB	24 x 84 x 29-29.5	70	111	6.75	<b>\$881</b>	<b>\$1048</b>	N/A	<b>\$484</b>
Z2478TB	24 x 78 x 29-29.5	70	104	6.25	<b>\$819</b>	<b>\$973</b>	N/A	<b>\$451</b>
Z2472TB	24 x 72 x 29-29.5	70	117	5.90	<b>\$726</b>	<b>\$898</b>	N/A	<b>\$409</b>
Z2466TB	24 x 66 x 29-29.5	70	117	5.90	<b>\$699</b>	<b>\$857</b>	N/A	<b>\$409</b>
Z2460TB	24 x 60 x 29-29.5	70	117	5.90	<b>\$637</b>	<b>\$779</b>	N/A	<b>\$340</b>
Z2454TB	24 x 54 x 29-29.5	70	72	4.50	<b>\$586</b>	<b>\$694</b>	N/A	<b>\$314</b>
Z2448TB	24 x 48 x 29-29.5	70	66	4	<b>\$536</b>	<b>\$631</b>	N/A	<b>\$278</b>
Z2442TB	24 x 42 x 29-29.5	70	57	3.75	<b>\$479</b>	<b>\$565</b>	N/A	<b>\$244</b>
Z2436TB	24 x 36 x 29-29.5	70	49	3.25	<b>\$403</b>	<b>\$477</b>	N/A	<b>\$210</b>
Z2430TB	24 x 30 x 29-29.5	85	41	2.75	<b>\$358</b>	<b>\$419</b>	N/A	<b>\$175</b>
Z2096TB	20 x 96 x 29-29.5	85	116	7.75	<b>\$935</b>	<b>\$1091</b>	N/A	<b>\$463</b>
Z2090TB	20 x 90 x 29-29.5	70	102	6.75	<b>\$882</b>	<b>\$1029</b>	N/A	<b>\$434</b>
Z2084TB	20 x 84 x 29-29.5	70	102	6.75	<b>\$829</b>	<b>\$968</b>	N/A	<b>\$403</b>
Z2078TB	20 x 78 x 29-29.5	70	95	6.25	<b>\$773</b>	<b>\$901</b>	N/A	<b>\$376</b>
Z2072TB	20 x 72 x 29-29.5	70	106	6	<b>\$699</b>	<b>\$841</b>	N/A	<b>\$409</b>
Z2066TB	20 x 66 x 29-29.5	70	106	6	<b>\$685</b>	<b>\$806</b>	N/A	<b>\$409</b>
Z2060TB	20 x 60 x 29-29.5	70	106	6	<b>\$601</b>	<b>\$729</b>	N/A	<b>\$340</b>
Z2054TB	20 x 54 x 29-29.5	85	66	4.50	<b>\$555</b>	<b>\$646</b>	N/A	<b>\$262</b>
Z2048TB	20 x 48 x 29-29.5	70	61	4	<b>\$506</b>	<b>\$586</b>	N/A	<b>\$234</b>
Z2042TB	20 x 42 x 29-29.5	85	52	3.75	<b>\$452</b>	<b>\$523</b>	N/A	<b>\$202</b>
Z2036TB	20 x 36 x 29-29.5	85	45	3.25	<b>\$382</b>	<b>\$443</b>	N/A	<b>\$175</b>
Z2030TB	20 x 30 x 29-29.5	85	38	2.75	<b>\$340</b>	<b>\$391</b>	N/A	<b>\$147</b>



Top and Back Kits - 29"H



Full Leg

For use with 28" high storage shells. Shipped RTA (ready to assemble).

- **Does not include hardware to attach to storage shells.**

Z24FL	23.4 x 1 x 28.5	92.5	20	1.70	<b>\$278</b>	N/A	N/A	N/A
Z20FL	19.3 x 1 x 28.5	65	16	.60	<b>\$278</b>	N/A	N/A	N/A

For use at **either end of 29"H top and back kits**. Non-handed; can be used left or right. Shipped RTA (ready to assemble).

- For 24" deep worksurfaces, order **Z24FL**.
- For 20" deep worksurfaces, order **Z20FL**.
- **Does not include hardware for installation.**

**Required Specifications**

Top finish  
Top/edge detail  
Base finish

**Optional Specifications**

HP laminate


## STORAGE MODULES - 17.87"/18.37" HIGH



Open Storage



Lateral File\*



Glazed door option

Storage Cabinet\*



Split Drawer Storage\* - LEFT



Split Drawer Storage\* - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L21SHN	24 x 36 x 17.87-18.37	125	82	11.75	<b>\$802</b>	<b>\$876</b>	N/A	<b>\$210</b>
Z30L21SHN	24 x 30 x 17.87-18.37	125	74	10	<b>\$736</b>	<b>\$797</b>	N/A	<b>\$175</b>
Z36M21SHN	20 x 36 x 17.87-18.37	125	71	10	<b>\$728</b>	<b>\$789</b>	N/A	<b>\$175</b>
Z30M21SHN	20 x 30 x 17.87-18.37	125	62	8.50	<b>\$655</b>	<b>\$706</b>	N/A	<b>\$147</b>

Open Shelf.

Z36L21E	24 x 36 x 17.87-18.37	100	103	11.75	<b>\$1185</b>	<b>\$1259</b>	N/A	<b>\$210</b>
Z30L21E	24 x 30 x 17.87-18.37	100	97	10	<b>\$1012</b>	<b>\$1073</b>	N/A	<b>\$175</b>
Z36M21E	20 x 36 x 17.87-18.37	100	95	10	<b>\$1125</b>	<b>\$1186</b>	N/A	<b>\$175</b>
Z30M21E	20 x 30 x 17.87-18.37	92.5	88	8.50	<b>\$945</b>	<b>\$996</b>	N/A	<b>\$147</b>

One file drawer. Lock secures drawer. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21SH	24 x 36 x 17.87-18.37	125	90	11.75	<b>\$1027</b>	<b>\$1101</b>	<b>\$434</b>	<b>\$210</b>
Z30L21SH	24 x 30 x 17.87-18.37	100	81	10	<b>\$944</b>	<b>\$1005</b>	<b>\$385</b>	<b>\$175</b>
Z36M21SH	20 x 36 x 17.87-18.37	100	80	10	<b>\$952</b>	<b>\$1013</b>	<b>\$434</b>	<b>\$175</b>
Z30M21SH	20 x 30 x 17.87-18.37	100	69	8.50	<b>\$863</b>	<b>\$914</b>	<b>\$385</b>	<b>\$147</b>

Laminate doors are standard. Standard with lock.

Z36L21XHL	24 x 36 x 17.87-18.37	100	102	11.75	<b>\$1113</b>	<b>\$1187</b>	N/A	<b>\$210</b>
Z30L21XHL	24 x 30 x 17.87-18.37	100	92	10	<b>\$989</b>	<b>\$1050</b>	N/A	<b>\$175</b>
Z36M21XHL	20 x 36 x 17.87-18.37	100	95	10	<b>\$1054</b>	<b>\$1115</b>	N/A	<b>\$175</b>
Z30M21XHL	20 x 30 x 17.87-18.37	100	83	8.50	<b>\$923</b>	<b>\$974</b>	N/A	<b>\$147</b>

Pull out drawer includes filing space on **left** and storage on **right**. Lock secures drawer. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

Z36L21XHR	24 x 36 x 17.87-18.37	100	102	11.75	<b>\$1113</b>	<b>\$1187</b>	N/A	<b>\$210</b>
Z30L21XHR	24 x 30 x 17.87-18.37	100	92	10	<b>\$989</b>	<b>\$1050</b>	N/A	<b>\$175</b>
Z36M21XHR	20 x 36 x 17.87-18.37	100	95	10	<b>\$1054</b>	<b>\$1115</b>	N/A	<b>\$175</b>
Z30M21XHR	20 x 30 x 17.87-18.37	100	83	8.50	<b>\$923</b>	<b>\$974</b>	N/A	<b>\$147</b>

Pull out drawer includes filing space on **right** and storage on **left**. Lock secures drawer. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

### Required Specifications

Top finish  
Top/edge detail  
Base finish  
Handles\*

### Optional Specifications

HP laminate  
Key #

## STORAGE MODULES - 23.75" / 24.25" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
--------	------------	---------------	---------	-----------	--------	----------	-----------	--------

## D x W x H

Z36L2HSHN	24 x 36 x 23.75-24.25	125	106	15	<b>\$987</b>	<b>\$1061</b>	N/A	<b>\$210</b>
Z30L2HSHN	24 x 30 x 23.75-24.25	125	94	12.75	<b>\$894</b>	<b>\$955</b>	N/A	<b>\$175</b>
Z36M2HSHN	20 x 36 x 23.75-24.25	125	92	12.75	<b>\$889</b>	<b>\$950</b>	N/A	<b>\$175</b>
Z30M2HSHN	20 x 30 x 23.75-24.25	125	80	10.75	<b>\$798</b>	<b>\$849</b>	N/A	<b>\$147</b>



1.5H Open Storage

One adjustable shelf.



1.5H Open/Lateral File Storage\*

Open shelf on top. Lateral file below. Lock secures drawer. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Box/Lateral File Storage\*†

Box drawer on top. Lateral file below. Lock secures both drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage - LEFT\*

Open shelf on **right**, box drawer on **left** and lateral file storage below. Lock secures both drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



1.5H Mixed Storage - RIGHT\*

Open shelf on **left**, box drawer on **right** and lateral file storage below. Lock secures both drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom



Closed Storage\*\*



Glazed door option

Laminate doors are standard. Includes one adjustable shelf. Standard with lock.

## Required Specifications

Top finish  
Top/edge detail  
Base finish  
Handles\*

## Optional Specifications

HP laminate  
Key #  
Glazed doors\*\*  
Box drawer† - no upcharge

## STORAGE MODULES - 23.75" / 24.25" HIGH



1.5H Split Drawer Storage - LEFT



1.5H Split Drawer Storage - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2HXHL	24 x 36 x 23.75-24.25	100	132	15	<b>\$1433</b>	<b>\$1507</b>	N/A	<b>\$210</b>
Z30L2HXHL	24 x 30 x 23.75-24.25	100	118	12.75	<b>\$1286</b>	<b>\$1347</b>	N/A	<b>\$175</b>
Z36M2HXHL	20 x 36 x 23.75-24.25	100	121	12.75	<b>\$1355</b>	<b>\$1416</b>	N/A	<b>\$175</b>
Z30M2HXHL	20 x 30 x 23.75-24.25	100	107	10.75	<b>\$1206</b>	<b>\$1257</b>	N/A	<b>\$147</b>

Open shelf on **right**, box drawer on **left**. Pull out drawer includes filing space on **left** and storage on **right**.

Z36L2HXHR	24 x 36 x 23.75-24.25	100	132	15	<b>\$1433</b>	<b>\$1507</b>	N/A	<b>\$210</b>
Z30L2HXHR	24 x 30 x 23.75-24.25	100	118	12.75	<b>\$1286</b>	<b>\$1347</b>	N/A	<b>\$175</b>
Z36M2HXHR	20 x 36 x 23.75-24.25	100	121	12.75	<b>\$1355</b>	<b>\$1416</b>	N/A	<b>\$175</b>
Z30M2HXHR	20 x 30 x 23.75-24.25	100	107	10.75	<b>\$1206</b>	<b>\$1257</b>	N/A	<b>\$147</b>

Open shelf on **left**, box drawer on **right**. Pull out drawer includes filing space on **right** and storage on **left**.

## STORAGE MODULES - 29.5" / 30" HIGH



Storage Cabinet with Doors\*




Glazed door option

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2SH	24 x 36 x 29.5-30	125	142.80	18.50	<b>\$1390</b>	<b>\$1476</b>	<b>\$812</b>	<b>\$208</b>
Z30L2SH	24 x 30 x 29.5-30	125	123.90	15.50	<b>\$1251</b>	<b>\$1323</b>	<b>\$745</b>	<b>\$173</b>
Z36M2SH	20 x 36 x 29.5-30	100	126	15.50	<b>\$1275</b>	<b>\$1350</b>	<b>\$812</b>	<b>\$208</b>
Z30M2SH	20 x 30 x 29.5-30	100	109.20	13.25	<b>\$1157</b>	<b>\$1219</b>	<b>\$745</b>	<b>\$173</b>
Z36S2SH	16 x 36 x 29.5-30	100	110.25	12.50	<b>\$1177</b>	<b>\$1249</b>	<b>\$812</b>	<b>\$156</b>
Z30S2SH	16 x 30 x 29.5-30	100	93.45	10.50	<b>\$1040</b>	<b>\$1089</b>	<b>\$745</b>	<b>\$140</b>

Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.



Storage Cabinet with Door - LEFT\*



Glazed door option

Z21L2SHL	24 x 21 x 29.5-30	100	94.50	11	<b>\$1020</b>	<b>\$1080</b>	<b>\$461</b>	<b>\$140</b>
Z18L2SHL	24 x 18 x 29.5-30	100	85.05	9.75	<b>\$962</b>	<b>\$1013</b>	<b>\$421</b>	<b>\$108</b>
Z16L2SHL	24 x 16 x 29.5-30	100	79.80	9	<b>\$923</b>	<b>\$972</b>	<b>\$412</b>	<b>\$81</b>
Z15L2SHL	24 x 15 x 29.5-30	100	76.65	8.25	<b>\$854</b>	<b>\$895</b>	<b>\$371</b>	<b>\$81</b>
Z12L2SHL	24 x 12 x 29.5-30	92.5	68.25	6.75	<b>\$809</b>	<b>\$845</b>	<b>\$335</b>	<b>\$74</b>
Z21M2SHL	20 x 21 x 29.5-30	100	84	9.50	<b>\$905</b>	<b>\$956</b>	<b>\$461</b>	<b>\$108</b>
Z18M2SHL	20 x 18 x 29.5-30	100	75.60	8.25	<b>\$857</b>	<b>\$903</b>	<b>\$421</b>	<b>\$108</b>
Z16M2SHL	20 x 16 x 29.5-30	100	69.30	7	<b>\$812</b>	<b>\$857</b>	<b>\$412</b>	<b>\$81</b>
Z15M2SHL	20 x 15 x 29.5-30	100	66.15	6.75	<b>\$773</b>	<b>\$811</b>	<b>\$371</b>	<b>\$74</b>
Z12M2SHL	20 x 12 x 29.5-30	92.5	60	5.75	<b>\$719</b>	<b>\$751</b>	<b>\$335</b>	<b>\$74</b>
Z21S2SHL	16 x 21 x 29.5-30	100	71.40	7.50	<b>\$828</b>	<b>\$868</b>	<b>\$461</b>	<b>\$74</b>
Z18S2SHL	16 x 18 x 29.5-30	100	64.05	6.75	<b>\$791</b>	<b>\$832</b>	<b>\$421</b>	<b>\$74</b>
Z16S2SHL	16 x 16 x 29.5-30	100	58.80	6	<b>\$758</b>	<b>\$799</b>	<b>\$412</b>	<b>\$74</b>
Z15S2SHL	16 x 15 x 29.5-30	100	56.70	5.75	<b>\$715</b>	<b>\$751</b>	<b>\$371</b>	<b>\$74</b>
Z12S2SHL	16 x 12 x 29.5-30	92.5	50.40	4.75	<b>\$665</b>	<b>\$697</b>	<b>\$335</b>	<b>\$74</b>

Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.

### Required Specifications

Top finish  
Handles  
Top/edge detail  
Base finish

### Optional Specifications

Glazed doors\*  
HP laminate  
Key #



## STORAGE MODULES - 29.5" / 30" HIGH

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z21L2SHR	24 x 21 x 29.5-30	100	94.50	11	\$1020	\$1080	\$461	\$140
Z18L2SHR	24 x 18 x 29.5-30	100	85.05	9.75	\$962	\$1013	\$421	\$108
Z16L2SHR	24 x 16 x 29.5-30	100	79.80	9	\$923	\$972	\$412	\$81
Z15L2SHR	24 x 15 x 29.5-30	100	76.65	8.25	\$854	\$895	\$371	\$81
Z12L2SHR	24 x 12 x 29.5-30	92.5	68.25	6.75	\$809	\$845	\$335	\$74
Z21M2SHR	20 x 21 x 29.5-30	100	84	9.50	\$905	\$956	\$461	\$108
Z18M2SHR	20 x 18 x 29.5-30	100	75.60	8.25	\$857	\$903	\$421	\$108
Z16M2SHR	20 x 16 x 29.5-30	100	69.30	7	\$812	\$857	\$412	\$81
Z15M2SHR	20 x 15 x 29.5-30	100	66.15	6.75	\$773	\$811	\$371	\$74
Z12M2SHR	20 x 12 x 29.5-30	92.5	60	5.75	\$719	\$751	\$335	\$74
Z21S2SHR	16 x 21 x 29.5-30	100	71.40	7.50	\$828	\$868	\$461	\$74
Z18S2SHR	16 x 18 x 29.5-30	100	64.05	6.75	\$791	\$832	\$421	\$74
Z16S2SHR	16 x 16 x 29.5-30	100	58.80	6	\$758	\$799	\$412	\$74
Z15S2SHR	16 x 15 x 29.5-30	100	56.70	5.75	\$715	\$751	\$371	\$74
Z12S2SHR	16 x 12 x 29.5-30	92.5	50.40	4.75	\$665	\$697	\$335	\$74



Glazed door option

Storage Cabinet with Door - RIGHT\*\*

Laminate doors are standard. Includes one adjustable shelf. Standard with lock



30-36" wide



12-21" wide

Open Storage Cabinet

Z36L2SHN	24 x 36 x 29.5-30	125	127	18.50	\$1096	\$1182	N/A	\$208
Z30L2SHN	24 x 30 x 29.5-30	125	111	15.50	\$986	\$1060	N/A	\$173
Z21L2SHN	24 x 21 x 29.5-30	125	86	11	\$857	\$917	N/A	\$140
Z18L2SHN	24 x 18 x 29.5-30	100	78	9.75	\$810	\$861	N/A	\$108
Z16L2SHN	24 x 16 x 29.5-30	100	73	9	\$773	\$822	N/A	\$81
Z15L2SHN	24 x 15 x 29.5-30	100	71	8.25	\$717	\$758	N/A	\$74
Z12L2SHN	24 x 12 x 29.5-30	100	63	6.75	\$680	\$716	N/A	\$74
Z36M2SHN	20 x 36 x 29.5-30	125	111.95	15.50	\$978	\$1052	N/A	\$156
Z30M2SHN	20 x 30 x 29.5-30	125	97.14	13.25	\$890	\$954	N/A	\$140
Z21M2SHN	20 x 21 x 29.5-30	125	74.40	9.50	\$742	\$793	N/A	\$108
Z18M2SHN	20 x 18 x 29.5-30	100	67.53	8.25	\$703	\$749	N/A	\$90
Z16M2SHN	20 x 16 x 29.5-30	100	62.59	7	\$664	\$709	N/A	\$74
Z15M2SHN	20 x 15 x 29.5-30	100	60.65	6.75	\$635	\$673	N/A	\$74
Z12M2SHN	20 x 12 x 29.5-30	100	55	5.75	\$588	\$622	N/A	\$74
Z36S2SHN	16 x 36 x 29.5-30	125	96.24	12.50	\$883	\$955	N/A	\$156
Z30S2SHN	16 x 30 x 29.5-30	125	82.82	10.50	\$770	\$819	N/A	\$140
Z21S2SHN	16 x 21 x 29.5-30	100	62.70	7.50	\$664	\$704	N/A	\$108
Z18S2SHN	16 x 18 x 29.5-30	100	55.99	6.75	\$641	\$686	N/A	\$90
Z16S2SHN	16 x 16 x 29.5-30	100	52.22	6	\$610	\$651	N/A	\$74
Z15S2SHN	16 x 15 x 29.5-30	100	50.34	5.75	\$576	\$611	N/A	\$74
Z12S2SHN	16 x 12 x 29.5-30	100	44.68	4.75	\$535	\$567	N/A	\$74

One adjustable shelf.



30-36" wide



12-21" wide

File Module with Open Shelf\*\*

Z36L2FN	24 x 36 x 29.5-30	100	153.30	18.50	\$1569	\$1654	N/A	\$208
Z30L2FN	24 x 30 x 29.5-30	100	134.40	15.50	\$1417	\$1491	N/A	\$173
Z16L2FN	24 x 16 x 29.5-30	100	87.15	9	\$991	\$1040	N/A	\$108
Z15L2FN	24 x 15 x 29.5-30	92.5	82.95	8.25	\$933	\$974	N/A	\$90
Z36M2FN	20 x 36 x 29.5-30	100	135.45	15.50	\$1450	\$1524	N/A	\$208
Z30M2FN	20 x 30 x 29.5-30	100	118.65	13.25	\$1334	\$1396	N/A	\$173
Z16M2FN	20 x 16 x 29.5-30	92.5	75.60	7	\$884	\$929	N/A	\$108
Z15M2FN	20 x 15 x 29.5-30	92.5	72.45	6.75	\$845	\$883	N/A	\$90
Z36S2FN	16 x 36 x 29.5-30	100	114.45	12.50	\$1312	\$1384	N/A	\$156
Z30S2FN	16 x 30 x 29.5-30	100	97.65	10.50	\$1162	\$1211	N/A	\$140
Z16S2FN	16 x 16 x 29.5-30	92.5	63	6	\$819	\$860	N/A	\$81
Z15S2FN	16 x 15 x 29.5-30	92.5	60.90	5.75	\$784	\$819	N/A	\$74

Open shelf and one file drawer on bottom. Lock secures file drawer. For filing capabilities, see page 196.

- 15" wide models have only side-to-side filing capability
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom

## Required Specifications

Top finish  
Handles\*  
Top/edge detail  
Base finish

## Optional Specifications

Glazed doors\*\*  
HP laminate  
Key #

Box drawer† - no upcharge (30"-36" wide models only)



## STORAGE MODULES - 29.5" / 30" HIGH



30-36" wide



12-21" wide

### Two File Module†



### Two File Module



### Box/Box/File Module†



### Mixed Storage Cabinet - LEFT†

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2E	24 x 36 x 29.5-30	100	164.85	18.50	<b>\$1923</b>	<b>\$2008</b>	N/A	<b>\$208</b>
Z30L2E	24 x 30 x 29.5-30	100	145.95	15.50	<b>\$1759</b>	<b>\$1833</b>	N/A	<b>\$173</b>
Z16L2E	24 x 16 x 29.5-30	92.5	95.55	9	<b>\$1133</b>	<b>\$1182</b>	N/A	<b>\$108</b>
Z15L2E	24 x 15 x 29.5-30	92.5	91.35	8.25	<b>\$1069</b>	<b>\$1110</b>	N/A	<b>\$90</b>
Z36M2E	20 x 36 x 29.5-30	100	149.10	15.50	<b>\$1817</b>	<b>\$1892</b>	N/A	<b>\$208</b>
Z30M2E	20 x 30 x 29.5-30	92.5	133.35	13.25	<b>\$1685</b>	<b>\$1749</b>	N/A	<b>\$173</b>
Z16M2E	20 x 16 x 29.5-30	85	85.05	7	<b>\$1028</b>	<b>\$1073</b>	N/A	<b>\$108</b>
Z15M2E	20 x 15 x 29.5-30	85	81.90	6.75	<b>\$992</b>	<b>\$1030</b>	N/A	<b>\$90</b>
Z36S2E	16 x 36 x 29.5-30	92.5	128.10	12.50	<b>\$1704</b>	<b>\$1776</b>	N/A	<b>\$156</b>
Z30S2E	16 x 30 x 29.5-30	92.5	110.25	10.50	<b>\$1549</b>	<b>\$1598</b>	N/A	<b>\$140</b>
Z16S2E	16 x 16 x 29.5-30	85	73.50	6	<b>\$1020</b>	<b>\$1061</b>	N/A	<b>\$81</b>
Z15S2E	16 x 15 x 29.5-30	85	71.40	5.75	<b>\$986</b>	<b>\$1022</b>	N/A	<b>\$74</b>

Two file drawers. Lock secures all drawers. For filing capabilities, see page 196.

- 15" wide models have only side-to-side filing capability
- *Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom*

Z36L2SE	24 x 36 x 29.5-30	100	180	18.50	<b>\$2325</b>	<b>\$2410</b>	N/A	<b>\$208</b>
Z36M2SE	20 x 36 x 29.5-30	92.5	164	15.50	<b>\$2171</b>	<b>\$2246</b>	N/A	<b>\$208</b>

Two lateral file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 196.

- Front-to-back filing bars sold separately. Order **FBB** bars. See "FBB" on page 41.
- *Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom*
- To prevent overloading, steel drawers do not include a back panel

Z16L2BF	24 x 16 x 29.5-30	92.5	97.65	9	<b>\$1275</b>	<b>\$1324</b>	N/A	<b>\$108</b>
Z15L2BF	24 x 15 x 29.5-30	92.5	93.45	8.25	<b>\$1217</b>	<b>\$1258</b>	N/A	<b>\$108</b>
Z16M2BF	20 x 16 x 29.5-30	85	87.15	7	<b>\$1169</b>	<b>\$1214</b>	N/A	<b>\$108</b>
Z15M2BF	20 x 15 x 29.5-30	85	84	6.75	<b>\$1139</b>	<b>\$1177</b>	N/A	<b>\$108</b>
Z16S2BF	16 x 16 x 29.5-30	85	73.50	6	<b>\$1090</b>	<b>\$1131</b>	N/A	<b>\$81</b>
Z15S2BF	16 x 15 x 29.5-30	85	71.40	5.75	<b>\$1041</b>	<b>\$1077</b>	N/A	<b>\$81</b>

Two box and one file drawer. One pencil tray. Lock secures all drawers.

Z36L2XL	24 x 36 x 29.5-30	92.5	187	18.50	<b>\$2192</b>	<b>\$2269</b>	N/A	<b>\$208</b>
Z30L2XL	24 x 30 x 29.5-30	92.5	166	15.50	<b>\$1998</b>	<b>\$2072</b>	N/A	<b>\$173</b>
Z36M2XL	20 x 36 x 29.5-30	92.5	177	15.50	<b>\$2059</b>	<b>\$2133</b>	N/A	<b>\$208</b>
Z30M2XL	20 x 30 x 29.5-30	92.5	152	13.25	<b>\$1895</b>	<b>\$1959</b>	N/A	<b>\$173</b>
Z36S2XL	16 x 36 x 29.5-30	92.5	145	12.50	<b>\$1766</b>	<b>\$1833</b>	N/A	<b>\$156</b>
Z30S2XL	16 x 30 x 29.5-30	92.5	124	10.50	<b>\$1582</b>	<b>\$1640</b>	N/A	<b>\$140</b>

Two box drawers on **left**, one file drawer on **right** which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures one file drawer, the left lock secures two box and lateral file. One pencil tray. For filing capabilities, see page 196.

- *Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom*
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.

#### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

#### Optional Specifications

HP laminate  
Key #  
Box drawer† - no upcharge (30"-36" wide models only)

STORAGE MODULES - 29.5" / 30" HIGH



Mixed Storage Cabinet - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L2XR	24 x 36 x 29.5-30	92.5	187	18.50	<b>\$2192</b>	<b>\$2269</b>	N/A	<b>\$208</b>
Z30L2XR	24 x 30 x 29.5-30	92.5	166	15.50	<b>\$1998</b>	<b>\$2072</b>	N/A	<b>\$173</b>
Z36M2XR	20 x 36 x 29.5-30	92.5	177	15.50	<b>\$2059</b>	<b>\$2133</b>	N/A	<b>\$208</b>
Z30M2XR	20 x 30 x 29.5-30	92.5	152	13.25	<b>\$1895</b>	<b>\$1959</b>	N/A	<b>\$173</b>
Z36S2XR	16 x 36 x 29.5-30	92.5	145	12.50	<b>\$1766</b>	<b>\$1833</b>	N/A	<b>\$156</b>
Z30S2XR	16 x 30 x 29.5-30	92.5	124	10.50	<b>\$1582</b>	<b>\$1640</b>	N/A	<b>\$140</b>

Two box drawers on **right**, one file drawer on **left** which accommodates letter filing side to side, and one lateral file drawer on bottom. Right lock secures two box and lateral file, the left lock secures one file drawer. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom
- Top file drawer supports hanging folders only. Does not accept hanging folders with plastic tabs.



Mixed Drawer Cabinet with Open Shelf - LEFT\*



\* Accepts collator

Z36L2XNL	24 x 36 x 29.5-30	100	176.40	18.50	<b>\$1897</b>	<b>\$1983</b>	N/A	<b>\$208</b>
Z30L2XNL	24 x 30 x 29.5-30	92.5	155.40	15.50	<b>\$1743</b>	<b>\$1817</b>	N/A	<b>\$173</b>
Z36M2XNL	20 x 36 x 29.5-30	92.5	157.50	15.50	<b>\$1776</b>	<b>\$1850</b>	N/A	<b>\$208</b>
Z30M2XNL	20 x 30 x 29.5-30	92.5	138.60	13.25	<b>\$1643</b>	<b>\$1707</b>	N/A	<b>\$173</b>
Z36S2XNL	16 x 36 x 29.5-30	92.5	128.10	12.50	<b>\$1592</b>	<b>\$1654</b>	N/A	<b>\$156</b>
Z30S2XNL	16 x 30 x 29.5-30	92.5	114.45	10.50	<b>\$1443</b>	<b>\$1488</b>	N/A	<b>\$140</b>

Two box drawers on **left**, open shelf on **right** and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom



Mixed Drawer Cabinet with Open Shelf - RIGHT\*



\* Accepts collator

Z36L2XNR	24 x 36 x 29.5-30	100	176.40	18.50	<b>\$1897</b>	<b>\$1983</b>	N/A	<b>\$208</b>
Z30L2XNR	24 x 30 x 29.5-30	92.5	155.40	15.50	<b>\$1743</b>	<b>\$1817</b>	N/A	<b>\$173</b>
Z36M2XNR	20 x 36 x 29.5-30	92.5	157.50	15.50	<b>\$1776</b>	<b>\$1850</b>	N/A	<b>\$208</b>
Z30M2XNR	20 x 30 x 29.5-30	92.5	138.60	13.25	<b>\$1643</b>	<b>\$1707</b>	N/A	<b>\$173</b>
Z36S2XNR	16 x 36 x 29.5-30	92.5	128.10	12.50	<b>\$1592</b>	<b>\$1654</b>	N/A	<b>\$156</b>
Z30S2XNR	16 x 30 x 29.5-30	92.5	114.45	10.50	<b>\$1443</b>	<b>\$1488</b>	N/A	<b>\$140</b>

Two box drawers on **right**, open shelf on **left** and one lateral file drawer on bottom. Right lock secures two box and one file drawer, the left lock secures the lateral file. One pencil tray. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files **NOT** for stacking materials on the drawer bottom

Required Specifications

Top finish  
Top/edge detail  
Base finish  
Handles

Optional Specifications

HP laminate  
Key #  
Collator\*

## STORAGE MODULES - 41.3"/41.8" HIGH



Glazed door option

Storage Cabinet with Doors\*\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L4SH	24 x 36 x 41.3-41.8	125	185.85	25	<b>\$1695</b>	<b>\$1781</b>	<b>\$1083</b>	<b>\$208</b>
Z30L4SH	24 x 30 x 41.3-41.8	125	161.70	21.25	<b>\$1552</b>	<b>\$1624</b>	<b>\$945</b>	<b>\$173</b>
Z36M4SH	20 x 36 x 41.3-41.8	125	165.90	21.25	<b>\$1582</b>	<b>\$1657</b>	<b>\$1083</b>	<b>\$208</b>
Z30M4SH	20 x 30 x 41.3-41.8	125	143.85	18	<b>\$1432</b>	<b>\$1496</b>	<b>\$945</b>	<b>\$173</b>
Z36S4SH	16 x 36 x 41.3-41.8	100	142.80	17.50	<b>\$1433</b>	<b>\$1505</b>	<b>\$1083</b>	<b>\$156</b>
Z30S4SH	16 x 30 x 41.3-41.8	100	121.80	14.50	<b>\$1286</b>	<b>\$1335</b>	<b>\$945</b>	<b>\$90</b>

Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves.** Standard with lock.



Glazed door option

Storage Cabinet with Door - LEFT\*

Z21L4SHL	24 x 21 x 41.3-41.8	100	123.90	15.25	<b>\$1257</b>	<b>\$1318</b>	<b>\$597</b>	<b>\$140</b>
Z18L4SHL	24 x 18 x 41.3-41.8	100	112.35	13.25	<b>\$1185</b>	<b>\$1234</b>	<b>\$536</b>	<b>\$108</b>
Z16L4SHL	24 x 16 x 41.3-41.8	100	105	12	<b>\$1113</b>	<b>\$1164</b>	<b>\$529</b>	<b>\$108</b>
Z15L4SHL	24 x 15 x 41.3-41.8	100	100.80	11.25	<b>\$1068</b>	<b>\$1108</b>	<b>\$470</b>	<b>\$108</b>
Z12L4SHL	24 x 12 x 41.3-41.8	100	89.25	9.25	<b>\$989</b>	<b>\$1025</b>	<b>\$424</b>	<b>\$74</b>
Z21M4SHL	20 x 21 x 41.3-41.8	100	116.55	13	<b>\$1134</b>	<b>\$1185</b>	<b>\$597</b>	<b>\$140</b>
Z18M4SHL	20 x 18 x 41.3-41.8	100	98.70	11.25	<b>\$1073</b>	<b>\$1118</b>	<b>\$536</b>	<b>\$108</b>
Z16M4SHL	20 x 16 x 41.3-41.8	100	91.35	10.25	<b>\$1007</b>	<b>\$1052</b>	<b>\$529</b>	<b>\$90</b>
Z15M4SHL	20 x 15 x 41.3-41.8	100	88.20	9.50	<b>\$965</b>	<b>\$1001</b>	<b>\$470</b>	<b>\$90</b>
Z12M4SHL	20 x 12 x 41.3-41.8	100	78.75	8	<b>\$897</b>	<b>\$929</b>	<b>\$424</b>	<b>\$74</b>
Z21S4SHL	16 x 21 x 41.3-41.8	100	94.50	10.50	<b>\$1013</b>	<b>\$1054</b>	<b>\$597</b>	<b>\$108</b>
Z18S4SHL	16 x 18 x 41.3-41.8	100	84	9.50	<b>\$972</b>	<b>\$1013</b>	<b>\$536</b>	<b>\$90</b>
Z16S4SHL	16 x 16 x 41.3-41.8	100	76.65	8.50	<b>\$911</b>	<b>\$952</b>	<b>\$529</b>	<b>\$90</b>
Z15S4SHL	16 x 15 x 41.3-41.8	100	73.50	8	<b>\$862</b>	<b>\$898</b>	<b>\$470</b>	<b>\$90</b>
Z12S4SHL	16 x 12 x 41.3-41.8	92.5	65.10	6.50	<b>\$798</b>	<b>\$829</b>	<b>\$424</b>	<b>\$74</b>

Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves.** Standard with lock.



Glazed door option

Storage Cabinet with Door - RIGHT\*

Z21L4SHR	24 x 21 x 41.3-41.8	100	123.90	15.25	<b>\$1257</b>	<b>\$1318</b>	<b>\$597</b>	<b>\$140</b>
Z18L4SHR	24 x 18 x 41.3-41.8	100	112.35	13.25	<b>\$1185</b>	<b>\$1234</b>	<b>\$536</b>	<b>\$108</b>
Z16L4SHR	24 x 16 x 41.3-41.8	100	105	12	<b>\$1113</b>	<b>\$1164</b>	<b>\$529</b>	<b>\$108</b>
Z15L4SHR	24 x 15 x 41.3-41.8	100	100.80	11.25	<b>\$1068</b>	<b>\$1108</b>	<b>\$470</b>	<b>\$108</b>
Z12L4SHR	24 x 12 x 41.3-41.8	100	89.25	9.25	<b>\$989</b>	<b>\$1025</b>	<b>\$424</b>	<b>\$74</b>
Z21M4SHR	20 x 21 x 41.3-41.8	100	116.55	13	<b>\$1134</b>	<b>\$1185</b>	<b>\$597</b>	<b>\$140</b>
Z18M4SHR	20 x 18 x 41.3-41.8	100	98.70	11.25	<b>\$1073</b>	<b>\$1118</b>	<b>\$536</b>	<b>\$108</b>
Z16M4SHR	20 x 16 x 41.3-41.8	100	91.35	10.25	<b>\$1007</b>	<b>\$1052</b>	<b>\$529</b>	<b>\$90</b>
Z15M4SHR	20 x 15 x 41.3-41.8	100	88.20	9.50	<b>\$965</b>	<b>\$1001</b>	<b>\$470</b>	<b>\$90</b>
Z12M4SHR	20 x 12 x 41.3-41.8	100	78.75	8	<b>\$897</b>	<b>\$929</b>	<b>\$424</b>	<b>\$74</b>
Z21S4SHR	16 x 21 x 41.3-41.8	100	94.50	10.50	<b>\$1013</b>	<b>\$1054</b>	<b>\$597</b>	<b>\$108</b>
Z18S4SHR	16 x 18 x 41.3-41.8	100	84	9.50	<b>\$972</b>	<b>\$1013</b>	<b>\$536</b>	<b>\$90</b>
Z16S4SHR	16 x 16 x 41.3-41.8	100	76.65	8.50	<b>\$911</b>	<b>\$952</b>	<b>\$529</b>	<b>\$90</b>
Z15S4SHR	16 x 15 x 41.3-41.8	100	73.50	8	<b>\$862</b>	<b>\$898</b>	<b>\$470</b>	<b>\$90</b>
Z12S4SHR	16 x 12 x 41.3-41.8	92.5	65.10	6.50	<b>\$798</b>	<b>\$829</b>	<b>\$424</b>	<b>\$74</b>

Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves.** Standard with lock.

### Required Specifications

Top finish  
Top/edge detail  
Handles\*  
Base finish

### Optional Specifications

HP laminate  
Glazed doors\*\*  
Key #

## STORAGE MODULES - 41.3"/41.8" HIGH



12-21" wide



30-36" wide

## Open Storage Cabinet\*\*



\* Accepts collator 11" high  
\*\* Accepts collator 11.3" high



12-21" wide



30-36" wide

## Two File Module with Open Shelf\*\*



\* Accepts collator 11" high  
\*\* Accepts collator 11.3" high



12-21" wide



30-36" wide

## Three File Module†

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z36L4SHN	24 x 36 x 41.3-41.8	125	162.55	25	\$1335	\$1420	N/A	\$208
Z30L4SHN	24 x 30 x 41.3-41.8	125	142.46	21.25	\$1231	\$1305	N/A	\$173
Z21L4SHN	24 x 21 x 41.3-41.8	125	111.80	15.25	\$1056	\$1116	N/A	\$140
Z18L4SHN	24 x 18 x 41.3-41.8	125	101.23	13.25	\$998	\$1049	N/A	\$108
Z16L4SHN	24 x 16 x 41.3-41.8	125	94.53	12	\$931	\$980	N/A	\$108
Z15L4SHN	24 x 15 x 41.3-41.8	100	91.70	11.25	\$900	\$941	N/A	\$108
Z12L4SHN	24 x 12 x 41.3-41.8	100	81.13	9.25	\$838	\$874	N/A	\$74
Z36M4SHN	20 x 36 x 41.3-41.8	125	141.59	21.25	\$1222	\$1296	N/A	\$208
Z30M4SHN	20 x 30 x 41.3-41.8	125	123.94	18	\$1111	\$1175	N/A	\$173
Z21M4SHN	20 x 21 x 41.3-41.8	125	102.19	13	\$933	\$984	N/A	\$140
Z18M4SHN	20 x 18 x 41.3-41.8	125	86.54	11.25	\$890	\$935	N/A	\$108
Z16M4SHN	20 x 16 x 41.3-41.8	125	81.01	10.25	\$824	\$869	N/A	\$108
Z15M4SHN	20 x 15 x 41.3-41.8	100	78.24	9.50	\$799	\$835	N/A	\$108
Z12M4SHN	20 x 12 x 41.3-41.8	100	69.95	8	\$744	\$776	N/A	\$74
Z36S4SHN	16 x 36 x 41.3-41.8	125	119.57	17.50	\$1070	\$1144	N/A	\$156
Z30S4SHN	16 x 30 x 41.3-41.8	125	111.72	14.50	\$965	\$1016	N/A	\$140
Z21S4SHN	16 x 21 x 41.3-41.8	125	81.04	10.50	\$812	\$852	N/A	\$108
Z18S4SHN	16 x 18 x 41.3-41.8	125	72.91	9.50	\$786	\$831	N/A	\$90
Z16S4SHN	16 x 16 x 41.3-41.8	125	67.49	8.50	\$728	\$769	N/A	\$90
Z15S4SHN	16 x 15 x 41.3-41.8	100	64.78	8	\$696	\$731	N/A	\$90
Z12S4SHN	16 x 12 x 41.3-41.8	100	57.71	6.50	\$644	\$676	N/A	\$74

Includes two 3-position fixed/height adjustable shelves.

Z36L4EN	24 x 36 x 41.3-41.8	125	199.50	25	\$2157	\$2242	N/A	\$208
Z30L4EN	24 x 30 x 41.3-41.8	100	178.50	21.25	\$2060	\$2132	N/A	\$173
Z16L4EN	24 x 16 x 41.3-41.8	100	116.55	12	\$1294	\$1345	N/A	\$108
Z15L4EN	24 x 15 x 41.3-41.8	100	112.35	11.25	\$1258	\$1299	N/A	\$108
Z36M4EN	20 x 36 x 41.3-41.8	100	182	21.25	\$2058	\$2132	N/A	\$208
Z30M4EN	20 x 30 x 41.3-41.8	100	163	18	\$1951	\$2013	N/A	\$173
Z16M4EN	20 x 16 x 41.3-41.8	92.5	105	10.25	\$1191	\$1236	N/A	\$108
Z15M4EN	20 x 15 x 41.3-41.8	92.5	101	9.50	\$1158	\$1194	N/A	\$108
Z36S4EN	16 x 36 x 41.3-41.8	100	153.30	17.50	\$1887	\$1959	N/A	\$156
Z30S4EN	16 x 30 x 41.3-41.8	100	131.25	14.50	\$1717	\$1766	N/A	\$140
Z16S4EN	16 x 16 x 41.3-41.8	92.5	85.05	8.50	\$1093	\$1134	N/A	\$90
Z15S4EN	16 x 15 x 41.3-41.8	92.5	82.95	8	\$1067	\$1102	N/A	\$90

Open fixed shelf and two file drawers on bottom. Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z36L43F	24 x 36 x 41.3-41.8	100	210	25	\$2535	\$2620	N/A	\$208
Z30L43F	24 x 30 x 41.3-41.8	100	190.05	21.25	\$2408	\$2482	N/A	\$173
Z16L43F	24 x 16 x 41.3-41.8	92.5	126	12	\$1489	\$1538	N/A	\$90
Z15L43F	24 x 15 x 41.3-41.8	92.5	120.75	11.25	\$1449	\$1490	N/A	\$90
Z36M43F	20 x 36 x 41.3-41.8	100	198.45	21.25	\$2467	\$2541	N/A	\$208
Z30M43F	20 x 30 x 41.3-41.8	100	177.45	18	\$2304	\$2368	N/A	\$173
Z16M43F	20 x 16 x 41.3-41.8	92.5	114.45	10.25	\$1389	\$1434	N/A	\$90
Z15M43F	20 x 15 x 41.3-41.8	92.5	110.25	9.50	\$1354	\$1390	N/A	\$90
Z36S43F	16 x 36 x 41.3-41.8	100	165.90	17.50	\$2226	\$2298	N/A	\$156
Z30S43F	16 x 30 x 41.3-41.8	92.5	148.05	14.50	\$2051	\$2102	N/A	\$140
Z16S43F	16 x 16 x 41.3-41.8	92.5	94.50	8.50	\$1314	\$1355	N/A	\$90
Z15S43F	16 x 15 x 41.3-41.8	92.5	91.35	8	\$1271	\$1307	N/A	\$90

Three file drawers. Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

## Required Specifications

Top finish  
Top/edge detail  
Handles\*  
Base finish

## Optional Specifications

Glazed door\*  
HP laminate  
Collator\*\*

## STORAGE MODULES - 41.3"/41.8" HIGH



Three File Module

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L4S3F	24 x 36 x 41.3-41.8	100	233	25	<b>\$3122</b>	<b>\$3207</b>	N/A	<b>\$208</b>
Z36M4S3F	20 x 36 x 41.3-41.8	92.5	221	21.25	<b>\$3028</b>	<b>\$3103</b>	N/A	<b>\$173</b>

**Three lateral file drawers** with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 196.

- Front-to-back filing bars sold separately. Order **FBB** bars. See "FBB" on page 41
- *Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.*
- To prevent overloading, steel drawers do not include a back panel

## STORAGE MODULES - 53" / 53.5" HIGH



Glazed door option

Storage Cabinet with Doors\*\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L5SH	24 x 36 x 53-53.5	125	229.95	31.25	<b>\$2044</b>	<b>\$2129</b>	<b>\$1327</b>	<b>\$208</b>
Z30L5SH	24 x 30 x 53-53.5	125	199.50	27	<b>\$1862</b>	<b>\$1936</b>	<b>\$1153</b>	<b>\$173</b>
Z36M5SH	20 x 36 x 53-53.5	125	203.70	27	<b>\$1904</b>	<b>\$1978</b>	<b>\$1327</b>	<b>\$208</b>
Z30M5SH	20 x 30 x 53-53.5	100	184.80	22.75	<b>\$1671</b>	<b>\$1733</b>	<b>\$1153</b>	<b>\$173</b>
Z36S5SH	16 x 36 x 53-53.5	100	175.35	21.75	<b>\$1783</b>	<b>\$1855</b>	<b>\$1327</b>	<b>\$156</b>
Z30S5SH	16 x 30 x 53-53.5	100	152.25	18.50	<b>\$1563</b>	<b>\$1612</b>	<b>\$1153</b>	<b>\$140</b>

Laminate doors are standard. **Includes three 3-position fixed/height adjustable shelves.** Standard with lock.



Glazed door option

Storage Cabinet with Door - LEFT\*\*

Z21L5SHL	24 x 21 x 53-53.5	125	154.35	19.50	<b>\$1472</b>	<b>\$1533</b>	<b>\$736</b>	<b>\$140</b>
Z18L5SHL	24 x 18 x 53-53.5	100	139.65	17	<b>\$1402</b>	<b>\$1453</b>	<b>\$661</b>	<b>\$108</b>
Z16L5SHL	24 x 16 x 53-53.5	100	130.20	15.50	<b>\$1327</b>	<b>\$1378</b>	<b>\$654</b>	<b>\$108</b>
Z15L5SHL	24 x 15 x 53-53.5	100	124.95	14.25	<b>\$1266</b>	<b>\$1307</b>	<b>\$575</b>	<b>\$108</b>
Z12L5SHL	24 x 12 x 53-53.5	100	110.25	11.75	<b>\$1178</b>	<b>\$1214</b>	<b>\$518</b>	<b>\$74</b>
Z21M5SHL	20 x 21 x 53-53.5	100	142.80	16.50	<b>\$1347</b>	<b>\$1398</b>	<b>\$736</b>	<b>\$140</b>
Z18M5SHL	20 x 18 x 53-53.5	100	122.85	14.25	<b>\$1275</b>	<b>\$1321</b>	<b>\$661</b>	<b>\$108</b>
Z16M5SHL	20 x 16 x 53-53.5	100	113.40	13	<b>\$1208</b>	<b>\$1253</b>	<b>\$654</b>	<b>\$108</b>
Z15M5SHL	20 x 15 x 53-53.5	100	109.20	12.25	<b>\$1148</b>	<b>\$1186</b>	<b>\$575</b>	<b>\$108</b>
Z12M5SHL	20 x 12 x 53-53.5	100	96.60	10	<b>\$1064</b>	<b>\$1098</b>	<b>\$518</b>	<b>\$74</b>
Z21S5SHL	16 x 21 x 53-53.5	100	116.55	13.25	<b>\$1253</b>	<b>\$1293</b>	<b>\$736</b>	<b>\$108</b>
Z18S5SHL	16 x 18 x 53-53.5	100	103.95	11.50	<b>\$1191</b>	<b>\$1232</b>	<b>\$661</b>	<b>\$90</b>
Z16S5SHL	16 x 16 x 53-53.5	100	96.60	10.50	<b>\$1128</b>	<b>\$1169</b>	<b>\$654</b>	<b>\$90</b>
Z15S5SHL	16 x 15 x 53-53.5	100	91.35	9.75	<b>\$1086</b>	<b>\$1121</b>	<b>\$575</b>	<b>\$90</b>
Z12S5SHL	16 x 12 x 53-53.5	100	79.80	8.25	<b>\$998</b>	<b>\$1030</b>	<b>\$518</b>	<b>\$74</b>

Laminate doors are standard. **Includes three 3-position fixed/height adjustable shelves.** Standard with lock.



Glazed door option

Storage Cabinet with Door - RIGHT\*\*

Z21L5SHR	24 x 21 x 53-53.5	125	154.35	19.50	<b>\$1472</b>	<b>\$1533</b>	<b>\$736</b>	<b>\$140</b>
Z18L5SHR	24 x 18 x 53-53.5	100	139.65	17	<b>\$1402</b>	<b>\$1453</b>	<b>\$661</b>	<b>\$108</b>
Z16L5SHR	24 x 16 x 53-53.5	100	130.20	15.50	<b>\$1327</b>	<b>\$1378</b>	<b>\$654</b>	<b>\$108</b>
Z15L5SHR	24 x 15 x 53-53.5	100	124.95	14.25	<b>\$1266</b>	<b>\$1307</b>	<b>\$575</b>	<b>\$108</b>
Z12L5SHR	24 x 12 x 53-53.5	100	110.25	11.75	<b>\$1178</b>	<b>\$1214</b>	<b>\$518</b>	<b>\$74</b>
Z21M5SHR	20 x 21 x 53-53.5	100	142.80	16.50	<b>\$1347</b>	<b>\$1398</b>	<b>\$736</b>	<b>\$140</b>
Z18M5SHR	20 x 18 x 53-53.5	100	122.85	14.25	<b>\$1275</b>	<b>\$1321</b>	<b>\$661</b>	<b>\$108</b>
Z16M5SHR	20 x 16 x 53-53.5	100	113.40	13	<b>\$1208</b>	<b>\$1253</b>	<b>\$654</b>	<b>\$108</b>
Z15M5SHR	20 x 15 x 53-53.5	100	109.20	12.25	<b>\$1148</b>	<b>\$1186</b>	<b>\$575</b>	<b>\$108</b>
Z12M5SHR	20 x 12 x 53-53.5	100	96.60	10	<b>\$1064</b>	<b>\$1098</b>	<b>\$518</b>	<b>\$74</b>
Z21S5SHR	16 x 21 x 53-53.5	100	116.55	13.25	<b>\$1253</b>	<b>\$1293</b>	<b>\$736</b>	<b>\$108</b>
Z18S5SHR	16 x 18 x 53-53.5	100	103.95	11.50	<b>\$1191</b>	<b>\$1232</b>	<b>\$661</b>	<b>\$90</b>
Z16S5SHR	16 x 16 x 53-53.5	100	96.60	10.50	<b>\$1128</b>	<b>\$1169</b>	<b>\$654</b>	<b>\$90</b>
Z15S5SHR	16 x 15 x 53-53.5	100	91.35	9.75	<b>\$1086</b>	<b>\$1121</b>	<b>\$575</b>	<b>\$90</b>
Z12S5SHR	16 x 12 x 53-53.5	100	79.80	8.25	<b>\$998</b>	<b>\$1030</b>	<b>\$518</b>	<b>\$74</b>

Laminate doors are standard. **Includes three 3-position fixed/height adjustable shelves.** Standard with lock.

### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

### Optional Specifications

Glazed doors\*  
HP laminate  
Collator\*\*

Box drawer† - no upcharge (30"-36" wide models only)

## STORAGE MODULES - 53" / 53.5" HIGH




30-36" wide



12-21" wide

## Open Storage Cabinet\*


\* Accepts collator 11.3" high  
\*\* Accepts collator 11.3" high


Glazed door option

## Two File Module with Doors\*\*



Glazed door option

## Two File Module with Door - LEFT



Glazed door option

## Two File Module with Door - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z36L5SHN	24 x 36 x 53-53.5	125	198.49	31.25	\$1591	\$1677	N/A	\$208
Z30L5SHN	24 x 30 x 53-53.5	125	173.45	27	\$1486	\$1560	N/A	\$173
Z21L5SHN	24 x 21 x 53-53.5	125	136.43	19.50	\$1222	\$1283	N/A	\$140
Z18L5SHN	24 x 18 x 53-53.5	125	124.44	17	\$1174	\$1225	N/A	\$108
Z16L5SHN	24 x 16 x 53-53.5	125	116.10	15.50	\$1097	\$1146	N/A	\$108
Z15L5SHN	24 x 15 x 53-53.5	125	112.45	14.25	\$1061	\$1102	N/A	\$108
Z12L5SHN	24 x 12 x 53-53.5	100	100.46	11.75	\$991	\$1027	N/A	\$74
Z36M5SHN	20 x 36 x 53-53.5	125	172.27	27	\$1448	\$1523	N/A	\$208
Z30M5SHN	20 x 30 x 53-53.5	125	158.08	22.75	\$1294	\$1358	N/A	\$173
Z21M5SHN	20 x 21 x 53-53.5	125	123.68	16.50	\$1093	\$1144	N/A	\$140
Z18M5SHN	20 x 18 x 53-53.5	125	106.61	14.25	\$1044	\$1090	N/A	\$108
Z16M5SHN	20 x 16 x 53-53.5	125	99.43	13	\$976	\$1021	N/A	\$108
Z15M5SHN	20 x 15 x 53-53.5	125	95.84	12.25	\$943	\$981	N/A	\$108
Z12M5SHN	20 x 12 x 53-53.5	100	85.07	10	\$876	\$910	N/A	\$74
Z36S5SHN	16 x 36 x 53-53.5	125	145.01	21.75	\$1265	\$1337	N/A	\$156
Z30S5SHN	16 x 30 x 53-53.5	125	126.96	18.50	\$1139	\$1188	N/A	\$140
Z21S5SHN	16 x 21 x 53-53.5	125	98.33	13.25	\$961	\$1002	N/A	\$108
Z18S5SHN	16 x 18 x 53-53.5	125	88.78	11.50	\$921	\$966	N/A	\$90
Z16S5SHN	16 x 16 x 53-53.5	125	82.76	10.50	\$860	\$901	N/A	\$90
Z15S5SHN	16 x 15 x 53-53.5	100	78.18	9.75	\$846	\$881	N/A	\$90
Z12S5SHN	16 x 12 x 53-53.5	100	69.69	8.25	\$784	\$816	N/A	\$74

Includes three 3-position fixed/height adjustable shelves

Z36L5E	24 x 36 x 53-53.5	100	250.95	31.25	\$2772	\$2858	\$812	\$208
Z30L5E	24 x 30 x 53-53.5	100	222.60	27	\$2585	\$2659	\$712	\$173
Z36M5E	20 x 36 x 53-53.5	100	229.95	27	\$2644	\$2719	\$844	\$208
Z30M5E	20 x 30 x 53-53.5	100	201.60	22.75	\$2408	\$2472	\$745	\$173
Z36S5E	16 x 36 x 53-53.5	100	193.20	21.75	\$2333	\$2405	\$844	\$156
Z30S5E	16 x 30 x 53-53.5	100	170.10	18.50	\$2146	\$2195	\$745	\$140

Two lateral file drawers on bottom. Laminate doors are standard. **Includes one 3-position fixed/height adjustable shelf.** Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z16L5EL	24 x 16 x 53-53.5	100	144.90	15.50	\$1611	\$1660	\$413	\$108
Z15L5EL	24 x 15 x 53-53.5	100	139.65	14.25	\$1551	\$1592	\$371	\$108
Z16M5EL	20 x 16 x 53-53.5	92.5	130.20	13	\$1498	\$1543	\$412	\$108
Z15M5EL	20 x 15 x 53-53.5	92.5	126	12.25	\$1438	\$1476	\$371	\$108
Z16S5EL	16 x 16 x 53-53.5	92.5	109.20	10.50	\$1374	\$1415	\$412	\$90
Z15S5EL	16 x 15 x 53-53.5	92.5	105	9.75	\$1349	\$1385	\$371	\$90

Two file drawers on bottom. Laminate door is standard. **Includes one 3-position fixed/height adjustable shelf.** Upper lock secures storage compartment. Lower lock secures two file drawers.

Z16L5ER	24 x 16 x 53-53.5	100	144.90	15.50	\$1611	\$1660	\$413	\$108
Z15L5ER	24 x 15 x 53-53.5	100	139.65	14.25	\$1551	\$1592	\$371	\$108
Z16M5ER	20 x 16 x 53-53.5	92.5	130.20	13	\$1498	\$1543	\$412	\$108
Z15M5ER	20 x 15 x 53-53.5	92.5	126	12.25	\$1438	\$1476	\$371	\$108
Z16S5ER	16 x 16 x 53-53.5	92.5	109.20	10.50	\$1374	\$1415	\$412	\$90
Z15S5ER	16 x 15 x 53-53.5	92.5	105	9.75	\$1349	\$1385	\$371	\$90

Two file drawers on bottom. Laminate door is standard. **Includes one 3-position fixed/height adjustable shelf.** Upper lock secures storage compartment. Lower lock secures two file drawers.

## Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

## Optional Specifications

HP laminate  
Box drawer\* - no upcharge (30" - 36" wide models only)  
Collator\*



## STORAGE MODULES - 53" / 53.5" HIGH



30-36" wide



15-16" wide

### Two File Module with Open Shelves\*\*



\* Accepts collator 11" high  
\*\* Accepts collator 11.3" high

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L5EN	24 x 36 x 53-53.5	125	235.45	31.25	<b>\$2476</b>	<b>\$2562</b>	N/A	<b>\$208</b>
Z30L5EN	24 x 30 x 53-53.5	125	209.86	27	<b>\$2317</b>	<b>\$2389</b>	N/A	<b>\$173</b>
Z16L5EN	24 x 16 x 53-53.5	100	137.89	15.50	<b>\$1460</b>	<b>\$1509</b>	N/A	<b>\$108</b>
Z15L5EN	24 x 15 x 53-53.5	100	133.80	14.25	<b>\$1415</b>	<b>\$1456</b>	N/A	<b>\$108</b>
Z36M5EN	20 x 36 x 53-53.5	125	213.43	27	<b>\$2351</b>	<b>\$2425</b>	N/A	<b>\$208</b>
Z30M5EN	20 x 30 x 53-53.5	100	188.19	22.75	<b>\$2138</b>	<b>\$2202</b>	N/A	<b>\$173</b>
Z16M5EN	20 x 16 x 53-53.5	100	123.33	13	<b>\$1347</b>	<b>\$1392</b>	N/A	<b>\$108</b>
Z15M5EN	20 x 15 x 53-53.5	100	119.29	12.25	<b>\$1300</b>	<b>\$1336</b>	N/A	<b>\$108</b>
Z36S5EN	16 x 36 x 53-53.5	100	178.82	21.75	<b>\$2037</b>	<b>\$2109</b>	N/A	<b>\$156</b>
Z30S5EN	16 x 30 x 53-53.5	100	158.12	18.50	<b>\$1877</b>	<b>\$1926</b>	N/A	<b>\$140</b>
Z16S5EN	16 x 16 x 53-53.5	100	102.46	10.50	<b>\$1222</b>	<b>\$1263</b>	N/A	<b>\$90</b>
Z15S5EN	16 x 15 x 53-53.5	92.5	98.48	9.75	<b>\$1214</b>	<b>\$1249</b>	N/A	<b>\$90</b>

Two open shelves and two file drawers on bottom. **Includes one 3-position fixed/height adjustable shelf.** Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



30-36" wide



15-16" wide

### Four File Module\*

Z36L54F	24 x 36 x 53-53.5	100	256.20	31.25	<b>\$3125</b>	<b>\$3210</b>	N/A	<b>\$208</b>
Z30L54F	24 x 30 x 53-53.5	100	234.15	27	<b>\$2997</b>	<b>\$3071</b>	N/A	<b>\$173</b>
Z16L54F	24 x 16 x 53-53.5	92.5	155.40	15.50	<b>\$1794</b>	<b>\$1843</b>	N/A	<b>\$108</b>
Z15L54F	24 x 15 x 53-53.5	92.5	148.05	14.25	<b>\$1734</b>	<b>\$1775</b>	N/A	<b>\$108</b>
Z36M54F	20 x 36 x 53-53.5	100	239.40	27	<b>\$3028</b>	<b>\$3102</b>	N/A	<b>\$208</b>
Z30M54F	20 x 30 x 53-53.5	100	218.40	22.75	<b>\$2844</b>	<b>\$2908</b>	N/A	<b>\$173</b>
Z16M54F	20 x 16 x 53-53.5	92.5	141.75	13	<b>\$1694</b>	<b>\$1739</b>	N/A	<b>\$108</b>
Z15M54F	20 x 15 x 53-53.5	92.5	136.50	12.25	<b>\$1635</b>	<b>\$1671</b>	N/A	<b>\$108</b>
Z36S54F	16 x 36 x 53-53.5	100	205	21.75	<b>\$2710</b>	<b>\$2782</b>	N/A	<b>\$156</b>
Z30S54F	16 x 30 x 53-53.5	100	180	18.50	<b>\$2469</b>	<b>\$2518</b>	N/A	<b>\$140</b>
Z16S54F	16 x 16 x 53-53.5	92.5	122	10.50	<b>\$1664</b>	<b>\$1705</b>	N/A	<b>\$90</b>
Z15S54F	16 x 15 x 53-53.5	92.5	116	9.75	<b>\$1603</b>	<b>\$1639</b>	N/A	<b>\$90</b>

Four file drawers. Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



### Four File Module

Z36L5S4F	24 x 36 x 53-53.5	100	286	31.25	<b>\$3737</b>	<b>\$3822</b>	N/A	<b>\$208</b>
Z36M5S4F	20 x 36 x 53-53.5	100	269	27	<b>\$3815</b>	<b>\$3890</b>	N/A	<b>\$208</b>

Four file drawers with steel drawer interior. Steel drawer construction includes metal sides and masonite bottoms. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. For filing capabilities, see page 196.

- Front-to-back filing bars sold separately. Order **FBB** bars. See "FBB" on page 41.
- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.
- To prevent overloading, steel drawers do not include a back panel



### Storage Cabinet with Doors\*\*



Glazed door option

Z36L6SH	24 x 36 x 65.5-66	125	273	39	<b>\$2421</b>	<b>\$2507</b>	<b>\$1571</b>	N/A
Z30L6SH	24 x 30 x 65.5-66	125	238.35	32.75	<b>\$2117</b>	<b>\$2191</b>	<b>\$1359</b>	N/A
Z36M6SH	20 x 36 x 65.5-66	125	246.75	33.25	<b>\$2247</b>	<b>\$2322</b>	<b>\$1571</b>	N/A
Z30M6SH	20 x 30 x 65.5-66	125	212.10	27.75	<b>\$1960</b>	<b>\$2022</b>	<b>\$1359</b>	N/A
Z36S6SH	16 x 36 x 65.5-66	125	210	26.50	<b>\$2033</b>	<b>\$2105</b>	<b>\$1571</b>	N/A
Z30S6SH	16 x 30 x 65.5-66	100	183.75	22.50	<b>\$1747</b>	<b>\$1798</b>	<b>\$1359</b>	N/A

Laminate doors are standard. **Includes four 3-position fixed/height adjustable shelves.** Standard with lock.

#### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

#### Optional Specifications

HP laminate  
Collator\*  
Glazed doors\*\*

## STORAGE MODULES - 53" / 53.5" HIGH



Glazed door option

Storage Cabinet with Door - LEFT\*\*



Glazed door option

Storage Cabinet with Door - RIGHT\*\*




30-36" wide



12-21" wide

Open Storage Cabinet



\* Accepts collator 11" high

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z21L6SHL	24 x 21 x 65.5-66	125	185.85	23.50	\$1735	\$1796	\$871	N/A
Z18L6SHL	24 x 18 x 65.5-66	100	168	20.50	\$1620	\$1671	\$784	N/A
Z16L6SHL	24 x 16 x 65.5-66	100	156.45	18.75	\$1528	\$1577	\$776	N/A
Z15L6SHL	24 x 15 x 65.5-66	100	149.10	17.50	\$1481	\$1522	\$679	N/A
Z12L6SHL	24 x 12 x 65.5-66	100	133.35	14.50	\$1346	\$1384	\$610	N/A
Z21M6SHL	20 x 21 x 65.5-66	100	170.10	20	\$1552	\$1603	\$871	N/A
Z18M6SHL	20 x 18 x 65.5-66	100	148.05	17.25	\$1481	\$1526	\$784	N/A
Z16M6SHL	20 x 16 x 65.5-66	100	137.55	15.75	\$1394	\$1439	\$776	N/A
Z15M6SHL	20 x 15 x 65.5-66	100	133.35	14.75	\$1329	\$1367	\$679	N/A
Z12M6SHL	20 x 12 x 65.5-66	100	116.55	12.25	\$1231	\$1265	\$610	N/A
Z21S6SHL	16 x 21 x 65.5-66	100	140.70	16	\$1432	\$1472	\$871	N/A
Z18S6SHL	16 x 18 x 65.5-66	100	126	14	\$1326	\$1367	\$784	N/A
Z16S6SHL	16 x 16 x 65.5-66	100	116.55	13	\$1247	\$1288	\$776	N/A
Z15S6SHL	16 x 15 x 65.5-66	100	111.30	12	\$1185	\$1221	\$679	N/A
Z12S6SHL	16 x 12 x 65.5-66	100	96.60	10	\$1087	\$1119	\$610	N/A

Laminate doors are standard. Includes four 3-position fixed/height adjustable shelves. Standard with lock.

Z21L6SHR	24 x 21 x 65.5-66	125	185.85	23.50	\$1735	\$1796	\$871	N/A
Z18L6SHR	24 x 18 x 65.5-66	100	168	20.50	\$1620	\$1671	\$784	N/A
Z16L6SHR	24 x 16 x 65.5-66	100	156.45	18.75	\$1528	\$1577	\$776	N/A
Z15L6SHR	24 x 15 x 65.5-66	100	149.10	17.50	\$1481	\$1522	\$679	N/A
Z12L6SHR	24 x 12 x 65.5-66	100	133.35	14.50	\$1346	\$1384	\$610	N/A
Z21M6SHR	20 x 21 x 65.5-66	100	170.10	20	\$1552	\$1603	\$871	N/A
Z18M6SHR	20 x 18 x 65.5-66	100	148.05	17.25	\$1481	\$1526	\$784	N/A
Z16M6SHR	20 x 16 x 65.5-66	100	137.55	15.75	\$1394	\$1439	\$776	N/A
Z15M6SHR	20 x 15 x 65.5-66	100	133.35	14.75	\$1329	\$1367	\$679	N/A
Z12M6SHR	20 x 12 x 65.5-66	100	116.55	12.25	\$1231	\$1265	\$610	N/A
Z21S6SHR	16 x 21 x 65.5-66	100	140.70	16	\$1432	\$1472	\$871	N/A
Z18S6SHR	16 x 18 x 65.5-66	100	126	14	\$1326	\$1367	\$784	N/A
Z16S6SHR	16 x 16 x 65.5-66	100	116.55	13	\$1247	\$1288	\$776	N/A
Z15S6SHR	16 x 15 x 65.5-66	100	111.30	12	\$1185	\$1221	\$679	N/A
Z12S6SHR	16 x 12 x 65.5-66	100	96.60	10	\$1087	\$1119	\$610	N/A

Laminate doors are standard. Includes four 3-position fixed/height adjustable shelves. Standard with lock.

Z36L6SHN	24 x 36 x 65.5-66	125	234.42	39	\$1876	\$1962	N/A	N/A
Z30L6SHN	24 x 30 x 65.5-66	125	205.50	32.75	\$1662	\$1736	N/A	N/A
Z21L6SHN	24 x 21 x 65.5-66	125	163.17	23.50	\$1443	\$1504	N/A	N/A
Z18L6SHN	24 x 18 x 65.5-66	125	148.71	20.50	\$1354	\$1405	N/A	N/A
Z16L6SHN	24 x 16 x 65.5-66	125	139.77	18.75	\$1260	\$1309	N/A	N/A
Z15L6SHN	24 x 15 x 65.5-66	125	134.25	17.50	\$1248	\$1289	N/A	N/A
Z12L6SHN	24 x 12 x 65.5-66	100	119.79	14.50	\$1133	\$1169	N/A	N/A
Z36M6SHN	20 x 36 x 65.5-66	125	206.11	33.25	\$1697	\$1771	N/A	N/A
Z30M6SHN	20 x 30 x 65.5-66	125	178.58	27.75	\$1502	\$1564	N/A	N/A
Z21M6SHN	20 x 21 x 65.5-66	125	146.22	20	\$1260	\$1311	N/A	N/A
Z18M6SHN	20 x 18 x 65.5-66	125	127.73	17.25	\$1217	\$1263	N/A	N/A
Z16M6SHN	20 x 16 x 65.5-66	125	119.95	15.75	\$1130	\$1175	N/A	N/A
Z15M6SHN	20 x 15 x 65.5-66	125	116.59	14.75	\$1096	\$1134	N/A	N/A
Z12M6SHN	20 x 12 x 65.5-66	100	102.30	12.25	\$1020	\$1052	N/A	N/A
Z36S6SHN	16 x 36 x 65.5-66	125	172.54	26.50	\$1488	\$1560	N/A	N/A
Z30S6SHN	16 x 30 x 65.5-66	125	151.66	22.50	\$1292	\$1343	N/A	N/A
Z21S6SHN	16 x 21 x 65.5-66	125	117.71	16	\$1138	\$1179	N/A	N/A
Z18S6SHN	16 x 18 x 65.5-66	125	105.70	14	\$1061	\$1102	N/A	N/A
Z16S6SHN	16 x 16 x 65.5-66	125	99.09	13	\$987	\$1028	N/A	N/A
Z15S6SHN	16 x 15 x 65.5-66	125	94.73	12	\$952	\$988	N/A	N/A
Z12S6SHN	16 x 12 x 65.5-66	100	83.76	10	\$876	\$908	N/A	N/A

Includes four 3-position fixed/height adjustable shelves.

## Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

## Optional Specifications

HP laminate  
Collator\*  
Glazed doors\*\*



## STORAGE MODULES - 65.5" / 66" HIGH



Glazed door option

**Two File Module with Doors\*\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6E	24 x 36 x 65.5-66	125	294	39	<b>\$3054</b>	<b>\$3140</b>	<b>\$1088</b>	N/A
Z30L6E	24 x 30 x 65.5-66	125	260.40	32.75	<b>\$2792</b>	<b>\$2866</b>	<b>\$952</b>	N/A
Z36M6E	20 x 36 x 65.5-66	100	269.85	33.25	<b>\$2924</b>	<b>\$2998</b>	<b>\$1088</b>	N/A
Z30M6E	20 x 30 x 65.5-66	100	236.25	27.75	<b>\$2644</b>	<b>\$2708</b>	<b>\$952</b>	N/A
Z36S6E	16 x 36 x 65.5-66	100	225	26.50	<b>\$2502</b>	<b>\$2576</b>	<b>\$1088</b>	N/A
Z30S6E	16 x 30 x 65.5-66	100	197	22.50	<b>\$2394</b>	<b>\$2443</b>	<b>\$952</b>	N/A

Two lateral file drawers on bottom. Laminate doors are standard. **Includes two 3-position fixed/height adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.



Glazed door option

**Two File Module with Door - LEFT**

Z16L6EL	24 x 16 x 65.5-66	100	171.15	18.75	<b>\$1809</b>	<b>\$1860</b>	<b>\$532</b>	N/A
Z15L6EL	24 x 15 x 65.5-66	100	163.80	17.50	<b>\$1766</b>	<b>\$1807</b>	<b>\$473</b>	N/A
Z16M6EL	20 x 16 x 65.5-66	100	153.30	15.75	<b>\$1682</b>	<b>\$1727</b>	<b>\$532</b>	N/A
Z15M6EL	20 x 15 x 65.5-66	92.5	148.05	14.75	<b>\$1620</b>	<b>\$1658</b>	<b>\$473</b>	N/A
Z16S6EL	16 x 16 x 65.5-66	100	129.15	13	<b>\$1536</b>	<b>\$1577</b>	<b>\$532</b>	N/A
Z15S6EL	16 x 15 x 65.5-66	92.5	123.90	12	<b>\$1488</b>	<b>\$1524</b>	<b>\$473</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes two 3-position fixed/height adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers.



Glazed door option

**Two File Module with Door - RIGHT**

Z16L6ER	24 x 16 x 65.5-66	100	171.15	18.75	<b>\$1809</b>	<b>\$1860</b>	<b>\$532</b>	N/A
Z15L6ER	24 x 15 x 65.5-66	100	163.80	17.50	<b>\$1766</b>	<b>\$1807</b>	<b>\$473</b>	N/A
Z16M6ER	20 x 16 x 65.5-66	100	153.30	15.75	<b>\$1682</b>	<b>\$1727</b>	<b>\$532</b>	N/A
Z15M6ER	20 x 15 x 65.5-66	92.5	148.05	14.75	<b>\$1620</b>	<b>\$1658</b>	<b>\$473</b>	N/A
Z16S6ER	16 x 16 x 65.5-66	100	129.15	13	<b>\$1536</b>	<b>\$1577</b>	<b>\$532</b>	N/A
Z15S6ER	16 x 15 x 65.5-66	92.5	123.90	12	<b>\$1488</b>	<b>\$1524</b>	<b>\$473</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes three 3-position fixed/height adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers.



30-36" wide



12-21" wide



\* Accepts collator 11" high

**Two File Module with Open Shelves\***

Z36L6EN	24 x 36 x 65.5-66	125	271.38	39	<b>\$2667</b>	<b>\$2753</b>	N/A	N/A
Z30L6EN	24 x 30 x 65.5-66	125	240.85	32.75	<b>\$2445</b>	<b>\$2519</b>	N/A	N/A
Z16L6EN	24 x 16 x 65.5-66	100	161.56	18.75	<b>\$1624</b>	<b>\$1673</b>	N/A	N/A
Z15L6EN	24 x 15 x 65.5-66	100	155.60	17.50	<b>\$1601</b>	<b>\$1642</b>	N/A	N/A
Z36M6EN	20 x 36 x 65.5-66	125	243.07	33.25	<b>\$2536</b>	<b>\$2610</b>	N/A	N/A
Z30M6EN	20 x 30 x 65.5-66	125	213.93	27.75	<b>\$2299</b>	<b>\$2363</b>	N/A	N/A
Z16M6EN	20 x 16 x 65.5-66	100	142.80	15.75	<b>\$1499</b>	<b>\$1544</b>	N/A	N/A
Z15M6EN	20 x 15 x 65.5-66	100	137.94	14.75	<b>\$1454</b>	<b>\$1492</b>	N/A	N/A
Z36S6EN	16 x 36 x 65.5-66	125	202.15	26.50	<b>\$2112</b>	<b>\$2186</b>	N/A	N/A
Z30S6EN	16 x 30 x 65.5-66	125	177.56	22.50	<b>\$2046</b>	<b>\$2095</b>	N/A	N/A
Z16S6EN	16 x 16 x 65.5-66	100	118.78	13	<b>\$1350</b>	<b>\$1391</b>	N/A	N/A
Z15S6EN	16 x 15 x 65.5-66	100	113.98	12	<b>\$1323</b>	<b>\$1359</b>	N/A	N/A

Three open shelves and two file drawers on bottom. **Includes two 3-position fixed/height adjustable shelves.** Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

### Optional Specifications

HP laminate  
Collator\*  
Glazed doors\*\*

Box drawer† - no upcharge (30" - 36" wide models only)

## WARDROBE MODULES - 65.5" / 66" HIGH



Wardrobe Cabinet

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6WA	24 x 36 x 65.5-66	150	216.30	39	<b>\$2074</b>	<b>\$2159</b>	N/A	N/A
Z30L6WA	24 x 30 x 65.5-66	150	192.15	32.75	<b>\$1867</b>	<b>\$1941</b>	N/A	N/A
Z36M6WA	20 x 36 x 65.5-66	125	200.55	33.25	<b>\$1987</b>	<b>\$2061</b>	N/A	N/A
Z30M6WA	20 x 30 x 65.5-66	125	173.25	27.75	<b>\$1759</b>	<b>\$1823</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. Standard with lock.



Wardrobe Cabinet - LEFT

Z24L6WAL	24 x 24 x 65.5-66	125	165.90	26.75	<b>\$1713</b>	<b>\$1774</b>	N/A	N/A
Z21L6WAL	24 x 21 x 65.5-66	125	152.25	23.50	<b>\$1577</b>	<b>\$1637</b>	N/A	N/A
Z18L6WAL	24 x 18 x 65.5-66	125	139.65	20.50	<b>\$1400</b>	<b>\$1451</b>	N/A	N/A
Z16L6WAL	24 x 16 x 65.5-66	125	132.30	18.75	<b>\$1370</b>	<b>\$1421</b>	N/A	N/A
Z15L6WAL	24 x 15 x 65.5-66	125	128.10	17.50	<b>\$1314</b>	<b>\$1355</b>	N/A	N/A
Z12L6WAL	24 x 12 x 65.5-66	125	115.50	14.50	<b>\$1215</b>	<b>\$1251</b>	N/A	N/A
Z24M6WAL	20 x 24 x 65.5-66	125	149.10	22.50	<b>\$1473</b>	<b>\$1524</b>	N/A	N/A
Z21M6WAL	20 x 21 x 65.5-66	125	143.85	20	<b>\$1429</b>	<b>\$1478</b>	N/A	N/A
Z18M6WAL	20 x 18 x 65.5-66	125	124.95	17.25	<b>\$1293</b>	<b>\$1338</b>	N/A	N/A
Z16M6WAL	20 x 16 x 65.5-66	125	116.55	15.75	<b>\$1260</b>	<b>\$1305</b>	N/A	N/A
Z15M6WAL	20 x 15 x 65.5-66	125	113.40	14.75	<b>\$1186</b>	<b>\$1224</b>	N/A	N/A
Z12M6WAL	20 x 12 x 65.5-66	100	102.90	12.25	<b>\$1130</b>	<b>\$1162</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. Standard with lock.



Wardrobe Cabinet - RIGHT

Z24L6WAR	24 x 24 x 65.5-66	125	165.90	26.75	<b>\$1713</b>	<b>\$1774</b>	N/A	N/A
Z21L6WAR	24 x 21 x 65.5-66	125	152.25	23.50	<b>\$1577</b>	<b>\$1637</b>	N/A	N/A
Z18L6WAR	24 x 18 x 65.5-66	125	139.65	20.50	<b>\$1400</b>	<b>\$1451</b>	N/A	N/A
Z16L6WAR	24 x 16 x 65.5-66	125	132.30	18.75	<b>\$1370</b>	<b>\$1421</b>	N/A	N/A
Z15L6WAR	24 x 15 x 65.5-66	125	128.10	17.50	<b>\$1314</b>	<b>\$1355</b>	N/A	N/A
Z12L6WAR	24 x 12 x 65.5-66	125	115.50	14.50	<b>\$1215</b>	<b>\$1251</b>	N/A	N/A
Z24M6WAR	20 x 24 x 65.5-66	125	149.10	22.50	<b>\$1473</b>	<b>\$1524</b>	N/A	N/A
Z21M6WAR	20 x 21 x 65.5-66	125	143.85	20	<b>\$1429</b>	<b>\$1478</b>	N/A	N/A
Z18M6WAR	20 x 18 x 65.5-66	125	124.95	17.25	<b>\$1293</b>	<b>\$1338</b>	N/A	N/A
Z16M6WAR	20 x 16 x 65.5-66	125	116.55	15.75	<b>\$1260</b>	<b>\$1305</b>	N/A	N/A
Z15M6WAR	20 x 15 x 65.5-66	125	113.40	14.75	<b>\$1186</b>	<b>\$1224</b>	N/A	N/A
Z12M6WAR	20 x 12 x 65.5-66	100	102.90	12.25	<b>\$1130</b>	<b>\$1162</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. Standard with lock.



Glazed door option

Wardrobe Cabinet/Shelving Combo with Doors - LEFT\*

Z36L6DIL	24 x 36 x 65.5-66	125	269.85	39	<b>\$2477</b>	<b>\$2563</b>	<b>\$1571</b>	N/A
Z30L6DIL	24 x 30 x 65.5-66	125	240.45	32.75	<b>\$2194</b>	<b>\$2266</b>	<b>\$1359</b>	N/A
Z24L6DIL	24 x 24 x 65.5-66	125	208.95	26.75	<b>\$2047</b>	<b>\$2109</b>	<b>\$1228</b>	N/A
Z21L6DIL	24 x 21 x 65.5-66	100	193.20	23.50	<b>\$1923</b>	<b>\$1984</b>	<b>\$1217</b>	N/A
Z36M6DIL	20 x 36 x 65.5-66	125	243.60	33.25	<b>\$2330</b>	<b>\$2404</b>	<b>\$1571</b>	N/A
Z30M6DIL	20 x 30 x 65.5-66	100	226.80	27.75	<b>\$2035</b>	<b>\$2099</b>	<b>\$1359</b>	N/A
Z24M6DIL	20 x 24 x 65.5-66	100	184.80	22.50	<b>\$1825</b>	<b>\$1876</b>	<b>\$1228</b>	N/A
Z21M6DIL	20 x 21 x 65.5-66	100	171.15	20	<b>\$1773</b>	<b>\$1824</b>	<b>\$1217</b>	N/A

Laminate doors are standard. Storage compartment on **left includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Two locks secure storage and wardrobe compartments.

## Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

## Optional Specifications

Collator\*  
Glazed doors\*\*

## WARDROBE MODULES - 65.5" / 66" HIGH



Glazed door option

**Wardrobe Cabinet/Shelving Combo with Doors - RIGHT\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6DIR	24 x 36 x 65.5-66	125	269.85	39	<b>\$2477</b>	<b>\$2563</b>	<b>\$1571</b>	N/A
Z30L6DIR	24 x 30 x 65.5-66	125	240.45	32.75	<b>\$2194</b>	<b>\$2266</b>	<b>\$1359</b>	N/A
Z24L6DIR	24 x 24 x 65.5-66	125	208.95	26.75	<b>\$2047</b>	<b>\$2109</b>	<b>\$1228</b>	N/A
Z21L6DIR	24 x 21 x 65.5-66	100	193.20	23.50	<b>\$1923</b>	<b>\$1984</b>	<b>\$1217</b>	N/A
Z36M6DIR	20 x 36 x 65.5-66	125	243.60	33.25	<b>\$2330</b>	<b>\$2404</b>	<b>\$1571</b>	N/A
Z30M6DIR	20 x 30 x 65.5-66	100	226.80	27.75	<b>\$2035</b>	<b>\$2099</b>	<b>\$1359</b>	N/A
Z24M6DIR	20 x 24 x 65.5-66	100	184.80	22.50	<b>\$1825</b>	<b>\$1876</b>	<b>\$1228</b>	N/A
Z21M6DIR	20 x 21 x 65.5-66	100	171.15	20	<b>\$1773</b>	<b>\$1824</b>	<b>\$1217</b>	N/A

Laminate doors are standard. Storage compartment on **right includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Two locks secure storage and wardrobe compartments.



Glazed door option



\* Accepts collator 11" high

**Wardrobe Cabinet/Open Shelving Combo - LEFT\***

Z36L6DINL	24 x 36 x 65.5-66	125	251.50	39	<b>\$2213</b>	<b>\$2299</b>	<b>\$785</b>	N/A
Z30L6DINL	24 x 30 x 65.5-66	125	224.46	32.75	<b>\$1977</b>	<b>\$2051</b>	<b>\$680</b>	N/A
Z24L6DINL	24 x 24 x 65.5-66	125	196.37	26.75	<b>\$1864</b>	<b>\$1925</b>	<b>\$611</b>	N/A
Z21L6DINL	24 x 21 x 65.5-66	125	183.37	23.50	<b>\$1740</b>	<b>\$1801</b>	<b>\$608</b>	N/A
Z36M6DINL	20 x 36 x 65.5-66	125	223.19	33.25	<b>\$2070</b>	<b>\$2145</b>	<b>\$785</b>	N/A
Z30M6DINL	20 x 30 x 65.5-66	125	197.54	27.75	<b>\$1818</b>	<b>\$1882</b>	<b>\$680</b>	N/A
Z24M6DINL	20 x 24 x 65.5-66	125	174.14	22.50	<b>\$1643</b>	<b>\$1694</b>	<b>\$611</b>	N/A
Z21M6DINL	20 x 21 x 65.5-66	125	159.07	20	<b>\$1589</b>	<b>\$1640</b>	<b>\$608</b>	N/A

Laminate door is standard. Storage compartment on **left includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Single lock secures storage and wardrobe compartments.



Glazed door option



\* Accepts collator 11" high

**Wardrobe Cabinet/Open Shelving Combo - RIGHT\***

Z36L6DINR	24 x 36 x 65.5-66	125	251.50	39	<b>\$2213</b>	<b>\$2299</b>	<b>\$785</b>	N/A
Z30L6DINR	24 x 30 x 65.5-66	125	224.46	32.75	<b>\$1977</b>	<b>\$2051</b>	<b>\$680</b>	N/A
Z24L6DINR	24 x 24 x 65.5-66	125	196.37	26.75	<b>\$1864</b>	<b>\$1925</b>	<b>\$611</b>	N/A
Z21L6DINR	24 x 21 x 65.5-66	125	183.37	23.50	<b>\$1740</b>	<b>\$1801</b>	<b>\$608</b>	N/A
Z36M6DINR	20 x 36 x 65.5-66	125	223.19	33.25	<b>\$2070</b>	<b>\$2145</b>	<b>\$785</b>	N/A
Z30M6DINR	20 x 30 x 65.5-66	125	197.54	27.75	<b>\$1818</b>	<b>\$1882</b>	<b>\$680</b>	N/A
Z24M6DINR	20 x 24 x 65.5-66	125	174.14	22.50	<b>\$1643</b>	<b>\$1694</b>	<b>\$611</b>	N/A
Z21M6DINR	20 x 21 x 65.5-66	125	159.07	20	<b>\$1589</b>	<b>\$1640</b>	<b>\$608</b>	N/A

Laminate door is standard. Storage compartment on **right includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Single lock secures storage and wardrobe compartments.

## PERSONAL TOWERS - 65.5" / 66" HIGH



Glazed door option

**Personal Tower with Doors - LEFT**

Z36L6EL	24 x 36 x 65.5-66	125	290.85	39	<b>\$2717</b>	<b>\$2802</b>	<b>\$1320</b>	N/A
Z30L6EL	24 x 30 x 65.5-66	100	266.70	32.75	<b>\$2514</b>	<b>\$2588</b>	<b>\$1202</b>	N/A
Z24L6EL	24 x 24 x 65.5-66	100	243.24	26.75	<b>\$2411</b>	<b>\$2472</b>	<b>\$1053</b>	N/A
Z36M6EL	20 x 36 x 65.5-66	125	256.20	33.25	<b>\$2571</b>	<b>\$2645</b>	<b>\$1320</b>	N/A
Z30M6EL	20 x 30 x 65.5-66	100	229.95	27.75	<b>\$2349</b>	<b>\$2413</b>	<b>\$1202</b>	N/A
Z24M6EL	20 x 24 x 65.5-66	100	217	22.50	<b>\$2252</b>	<b>\$2303</b>	<b>\$1053</b>	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option

**Personal Tower with Doors - RIGHT**

Z36L6ER	24 x 36 x 65.5-66	125	290.85	39	<b>\$2717</b>	<b>\$2802</b>	<b>\$1320</b>	N/A
Z30L6ER	24 x 30 x 65.5-66	100	266.70	32.75	<b>\$2514</b>	<b>\$2588</b>	<b>\$1202</b>	N/A
Z24L6ER	24 x 24 x 65.5-66	100	243.24	26.75	<b>\$2411</b>	<b>\$2472</b>	<b>\$1053</b>	N/A
Z36M6ER	20 x 36 x 65.5-66	125	256.20	33.25	<b>\$2571</b>	<b>\$2645</b>	<b>\$1320</b>	N/A
Z30M6ER	20 x 30 x 65.5-66	100	229.95	27.75	<b>\$2349</b>	<b>\$2413</b>	<b>\$1202</b>	N/A
Z24M6ER	20 x 24 x 65.5-66	100	217	22.50	<b>\$2252</b>	<b>\$2303</b>	<b>\$1053</b>	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **right includes four 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

### Optional Specifications

Collator  
Glazed doors\*

PERSONAL TOWERS - 65.5" / 66" HIGH



**Personal Tower with Doors and cavity - LEFT\***

MODEL#	D x W x H	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6ECL	24 x 36 x 65.5-66	125	288.74	39	\$2682	\$2768	\$1258	N/A	
Z30L6ECL	24 x 30 x 65.5-66	100	264.24	32.75	\$2480	\$2554	\$1144	N/A	
Z24L6ECL	24 x 24 x 65.5-66	100	239.24	26.75	\$2378	\$2439	\$992	N/A	
Z36M6ECL	20 x 36 x 65.5-66	125	252.03	33.25	\$2526	\$2600	\$1258	N/A	
Z30M6ECL	20 x 30 x 65.5-66	100	226.82	27.75	\$2301	\$2363	\$1144	N/A	
Z24M6ECL	20 x 24 x 65.5-66	100	213	22.50	\$2221	\$2272	\$992	N/A	

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left** includes **one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **right** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



**Personal Tower with Doors and cavity - RIGHT\***

Z36L6ECR	24 x 36 x 65.5-66	125	288.74	39	\$2682	\$2768	\$1258	N/A	
Z30L6ECR	24 x 30 x 65.5-66	100	264.24	32.75	\$2480	\$2554	\$1144	N/A	
Z24L6ECR	24 x 24 x 65.5-66	100	239.24	26.75	\$2378	\$2439	\$992	N/A	
Z36M6ECR	20 x 36 x 65.5-66	125	252.03	33.25	\$2526	\$2600	\$1258	N/A	
Z30M6ECR	20 x 30 x 65.5-66	100	226.82	27.75	\$2301	\$2363	\$1144	N/A	
Z24M6ECR	20 x 24 x 65.5-66	100	213	22.50	\$2221	\$2272	\$992	N/A	

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **right** includes **one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **left** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



**Personal Tower w/Open Shelves - LEFT\***

Z36L6ENL	24 x 36 x 65.5-66	125	280.48	39	\$2535	\$2620	\$790	N/A	
Z30L6ENL	24 x 30 x 65.5-66	125	257.36	32.75	\$2330	\$2404	\$676	N/A	
Z24L6ENL	24 x 24 x 65.5-66	100	230.24	26.75	\$2231	\$2292	\$524	N/A	
Z36M6ENL	20 x 36 x 65.5-66	125	243.77	33.25	\$2375	\$2449	\$790	N/A	
Z30M6ENL	20 x 30 x 65.5-66	125	219.94	27.75	\$2152	\$2216	\$676	N/A	
Z24M6ENL	20 x 24 x 65.5-66	100	204	22.50	\$2040	\$2108	\$524	N/A	

**Two file drawers** on bottom. Laminate doors are standard on wardrobe section. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.



**Personal Tower w/Open Shelves - RIGHT\***

Z36L6ENR	24 x 36 x 65.5-66	125	280.48	39	\$2535	\$2620	\$790	N/A	
Z30L6ENR	24 x 30 x 65.5-66	125	257.36	32.75	\$2330	\$2404	\$676	N/A	
Z24L6ENR	24 x 24 x 65.5-66	100	230.24	26.75	\$2231	\$2292	\$524	N/A	
Z36M6ENR	20 x 36 x 65.5-66	125	243.77	33.25	\$2375	\$2449	\$790	N/A	
Z30M6ENR	20 x 30 x 65.5-66	125	219.94	27.75	\$2152	\$2216	\$676	N/A	
Z24M6ENR	20 x 24 x 65.5-66	100	204	22.50	\$2040	\$2108	\$524	N/A	

**Two file drawers** on bottom. Laminate doors is standard on wardrobe section. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.



**Personal Tower with Doors - LEFT**

Z36L6BFL	24 x 36 x 65.5-66	125	294	39	\$2857	\$2942	\$1320	N/A	
Z30L6BFL	24 x 30 x 65.5-66	100	268.80	32.75	\$2654	\$2728	\$1202	N/A	
Z24L6BFL	24 x 24 x 65.5-66	100	244.24	26.75	\$2522	\$2584	\$1053	N/A	
Z36M6BFL	20 x 36 x 65.5-66	125	258.30	33.25	\$2721	\$2795	\$1320	N/A	
Z30M6BFL	20 x 30 x 65.5-66	100	232.05	27.75	\$2496	\$2560	\$1202	N/A	
Z24M6BFL	20 x 24 x 65.5-66	100	218	22.50	\$2367	\$2418	\$1053	N/A	

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

**Required Specifications**

Top finish  
Top/edge detail  
Handles  
Base finish

**Optional Specifications**

Collator\*\*  
Glazed doors\*  
Box drawer† - no upcharge (30"-36" wide models only)

## PERSONAL TOWERS - 65.5" / 66" HIGH



Glazed door option

Personal Tower with Doors - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L6BFR	24 x 36 x 65.5-66	125	294	39	<b>\$2857</b>	<b>\$2942</b>	<b>\$1320</b>	N/A
Z30L6BFR	24 x 30 x 65.5-66	100	268.80	32.75	<b>\$2654</b>	<b>\$2728</b>	<b>\$1202</b>	N/A
Z24L6BFR	24 x 24 x 65.5-66	100	244.24	26.75	<b>\$2522</b>	<b>\$2584</b>	<b>\$1053</b>	N/A
Z36M6BFR	20 x 36 x 65.5-66	125	258.30	33.25	<b>\$2721</b>	<b>\$2795</b>	<b>\$1320</b>	N/A
Z30M6BFR	20 x 30 x 65.5-66	100	232.05	27.75	<b>\$2496</b>	<b>\$2560</b>	<b>\$1202</b>	N/A
Z24M6BFR	20 x 24 x 65.5-66	100	218	22.50	<b>\$2367</b>	<b>\$2418</b>	<b>\$1053</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Doors\*

Z36L6BFCL	24 x 36 x 65.5-66	125	291.89	39	<b>\$2825</b>	<b>\$2911</b>	<b>\$1258</b>	N/A
Z30L6BFCL	24 x 30 x 65.5-66	100	266.34	32.75	<b>\$2623</b>	<b>\$2697</b>	<b>\$1144</b>	N/A
Z24L6BFCL	24 x 24 x 65.5-66	100	240.24	26.75	<b>\$2490</b>	<b>\$2552</b>	<b>\$992</b>	N/A
Z36M6BFCL	20 x 36 x 65.5-66	125	254.13	33.25	<b>\$2666</b>	<b>\$2740</b>	<b>\$1258</b>	N/A
Z30M6BFCL	20 x 30 x 65.5-66	100	228.92	27.75	<b>\$2439</b>	<b>\$2503</b>	<b>\$1144</b>	N/A
Z24M6BFCL	20 x 24 x 65.5-66	100	214	22.50	<b>\$2334</b>	<b>\$2385</b>	<b>\$992</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **right** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Doors and Cavity - RIGHT\*

Z36L6BFCL	24 x 36 x 65.5-66	125	291.89	39	<b>\$2825</b>	<b>\$2911</b>	<b>\$1258</b>	N/A
Z30L6BFCL	24 x 30 x 65.5-66	100	266.34	32.75	<b>\$2623</b>	<b>\$2697</b>	<b>\$1144</b>	N/A
Z24L6BFCL	24 x 24 x 65.5-66	100	240.24	26.75	<b>\$2490</b>	<b>\$2552</b>	<b>\$992</b>	N/A
Z36M6BFCL	20 x 36 x 65.5-66	125	254.13	33.25	<b>\$2666</b>	<b>\$2740</b>	<b>\$1258</b>	N/A
Z30M6BFCL	20 x 30 x 65.5-66	100	228.92	27.75	<b>\$2439</b>	<b>\$2503</b>	<b>\$1144</b>	N/A
Z24M6BFCL	20 x 24 x 65.5-66	100	214	22.50	<b>\$2334</b>	<b>\$2385</b>	<b>\$992</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **right** includes hanging rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Open Shelves - LEFT\*

Z36L6BFNL	24 x 36 x 65.5-66	125	280	39	<b>\$2677</b>	<b>\$2762</b>	<b>\$790</b>	N/A
Z30L6BFNL	24 x 30 x 65.5-66	125	257	32.75	<b>\$2473</b>	<b>\$2547</b>	<b>\$676</b>	N/A
Z24L6BFNL	24 x 24 x 65.5-66	100	232	26.75	<b>\$2346</b>	<b>\$2407</b>	<b>\$524</b>	N/A
Z36M6BFNL	20 x 36 x 65.5-66	125	242	33.25	<b>\$2538</b>	<b>\$2612</b>	<b>\$790</b>	N/A
Z30M6BFNL	20 x 30 x 65.5-66	125	219	27.75	<b>\$2314</b>	<b>\$2378</b>	<b>\$676</b>	N/A
Z24M6BFNL	20 x 24 x 65.5-66	100	206	22.50	<b>\$2207</b>	<b>\$2258</b>	<b>\$524</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Open Shelves - RIGHT\*

Z36L6BFNR	24 x 36 x 65.5-66	125	280	39	<b>\$2677</b>	<b>\$2762</b>	<b>\$790</b>	N/A
Z30L6BFNR	24 x 30 x 65.5-66	125	257	32.75	<b>\$2473</b>	<b>\$2547</b>	<b>\$676</b>	N/A
Z24L6BFNR	24 x 24 x 65.5-66	100	232	26.75	<b>\$2346</b>	<b>\$2407</b>	<b>\$524</b>	N/A
Z36M6BFNR	20 x 36 x 65.5-66	125	242	33.25	<b>\$2538</b>	<b>\$2612</b>	<b>\$790</b>	N/A
Z30M6BFNR	20 x 30 x 65.5-66	125	219	27.75	<b>\$2314</b>	<b>\$2378</b>	<b>\$676</b>	N/A
Z24M6BFNR	20 x 24 x 65.5-66	100	206	22.50	<b>\$2207</b>	<b>\$2258</b>	<b>\$524</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod. Upper lock secures storage and wardrobe compartments. Lower lock secures all drawers.

### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

### Optional Specifications

Collator\*  
Glazed doors  
Box drawer - no upcharge† (30"-36" wide models only)



**STORAGE MODULES - 72"/72.5" HIGH**


Glazed door option

**Storage Cabinet with Doors**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L7SH	24 x 36 x 71.9-72.4	125	295.05	43.25	<b>\$2529</b>	<b>\$2614</b>	<b>\$1694</b>	N/A
Z30L7SH	24 x 30 x 71.9-72.4	125	253.05	36.25	<b>\$2207</b>	<b>\$2281</b>	<b>\$1466</b>	N/A
Z36M7SH	20 x 36 x 71.9-72.4	125	261.45	36.75	<b>\$2348</b>	<b>\$2422</b>	<b>\$1694</b>	N/A
Z30M7SH	20 x 30 x 71.9-72.4	125	225.75	30.50	<b>\$2035</b>	<b>\$2097</b>	<b>\$1466</b>	N/A
Z36S7SH	16 x 36 x 71.9-72.4	125	225.75	29.50	<b>\$2105</b>	<b>\$2177</b>	<b>\$1694</b>	N/A
Z30S7SH	16 x 30 x 71.9-72.4	125	195.30	25	<b>\$1849</b>	<b>\$1898</b>	<b>\$1466</b>	N/A

Laminate doors are standard. **Includes four 3-position fixed/height adjustable shelves.** Standard with lock.


Glazed door option

**Storage Cabinet with Door - LEFT**

Z21L7SHL	24 x 21 x 71.9-72.4	125	196.35	26	<b>\$1828</b>	<b>\$1889</b>	<b>\$941</b>	N/A
Z18L7SHL	24 x 18 x 71.9-72.4	125	178.50	22.75	<b>\$1704</b>	<b>\$1755</b>	<b>\$844</b>	N/A
Z16L7SHL	24 x 16 x 71.9-72.4	100	166.95	20.75	<b>\$1602</b>	<b>\$1653</b>	<b>\$839</b>	N/A
Z15L7SHL	24 x 15 x 71.9-72.4	100	160.65	19.25	<b>\$1533</b>	<b>\$1574</b>	<b>\$728</b>	N/A
Z12L7SHL	24 x 12 x 71.9-72.4	100	136.50	16	<b>\$1407</b>	<b>\$1445</b>	<b>\$654</b>	N/A
Z21M7SHL	20 x 21 x 71.9-72.4	100	174.30	21.25	<b>\$1635</b>	<b>\$1684</b>	<b>\$941</b>	N/A
Z18M7SHL	20 x 18 x 71.9-72.4	100	156.45	19.25	<b>\$1561</b>	<b>\$1607</b>	<b>\$844</b>	N/A
Z16M7SHL	20 x 16 x 71.9-72.4	100	147	17.50	<b>\$1466</b>	<b>\$1511</b>	<b>\$839</b>	N/A
Z15M7SHL	20 x 15 x 71.9-72.4	100	139.65	16.25	<b>\$1399</b>	<b>\$1435</b>	<b>\$728</b>	N/A
Z12M7SHL	20 x 12 x 71.9-72.4	100	123.90	13.25	<b>\$1284</b>	<b>\$1316</b>	<b>\$654</b>	N/A
Z21S7SHL	16 x 21 x 71.9-72.4	100	150.15	18	<b>\$1509</b>	<b>\$1550</b>	<b>\$941</b>	N/A
Z18S7SHL	16 x 18 x 71.9-72.4	100	134.40	15.50	<b>\$1402</b>	<b>\$1447</b>	<b>\$844</b>	N/A
Z16S7SHL	16 x 16 x 71.9-72.4	100	124.95	14	<b>\$1346</b>	<b>\$1387</b>	<b>\$839</b>	N/A
Z15S7SHL	16 x 15 x 71.9-72.4	100	118.65	12.50	<b>\$1293</b>	<b>\$1328</b>	<b>\$728</b>	N/A
Z12S7SHL	16 x 12 x 71.9-72.4	100	103.95	11	<b>\$1136</b>	<b>\$1168</b>	<b>\$654</b>	N/A

Laminate doors are standard. **Includes four 3-position fixed/height adjustable shelves.** Standard with lock.


Glazed door option

**Storage Cabinet with Door - RIGHT**

Z21L7SHR	24 x 21 x 71.9-72.4	125	196.35	26	<b>\$1828</b>	<b>\$1889</b>	<b>\$941</b>	N/A
Z18L7SHR	24 x 18 x 71.9-72.4	125	178.50	22.75	<b>\$1704</b>	<b>\$1755</b>	<b>\$844</b>	N/A
Z16L7SHR	24 x 16 x 71.9-72.4	100	166.95	20.75	<b>\$1602</b>	<b>\$1653</b>	<b>\$839</b>	N/A
Z15L7SHR	24 x 15 x 71.9-72.4	100	160.65	19.25	<b>\$1533</b>	<b>\$1574</b>	<b>\$728</b>	N/A
Z12L7SHR	24 x 12 x 71.9-72.4	100	136.50	16	<b>\$1407</b>	<b>\$1445</b>	<b>\$654</b>	N/A
Z21M7SHR	20 x 21 x 71.9-72.4	100	174.30	21.25	<b>\$1635</b>	<b>\$1684</b>	<b>\$941</b>	N/A
Z18M7SHR	20 x 18 x 71.9-72.4	100	156.45	19.25	<b>\$1561</b>	<b>\$1607</b>	<b>\$844</b>	N/A
Z16M7SHR	20 x 16 x 71.9-72.4	100	147	17.50	<b>\$1466</b>	<b>\$1511</b>	<b>\$839</b>	N/A
Z15M7SHR	20 x 15 x 71.9-72.4	100	139.65	16.25	<b>\$1399</b>	<b>\$1435</b>	<b>\$728</b>	N/A
Z12M7SHR	20 x 12 x 71.9-72.4	100	123.90	13.25	<b>\$1284</b>	<b>\$1316</b>	<b>\$654</b>	N/A
Z21S7SHR	16 x 21 x 71.9-72.4	100	150.15	18	<b>\$1509</b>	<b>\$1550</b>	<b>\$941</b>	N/A
Z18S7SHR	16 x 18 x 71.9-72.4	100	134.40	15.50	<b>\$1402</b>	<b>\$1447</b>	<b>\$844</b>	N/A
Z16S7SHR	16 x 16 x 71.9-72.4	100	124.95	14	<b>\$1346</b>	<b>\$1387</b>	<b>\$839</b>	N/A
Z15S7SHR	16 x 15 x 71.9-72.4	100	118.65	12.50	<b>\$1293</b>	<b>\$1328</b>	<b>\$728</b>	N/A
Z12S7SHR	16 x 12 x 71.9-72.4	100	103.95	11	<b>\$1136</b>	<b>\$1168</b>	<b>\$654</b>	N/A

Laminate doors are standard. **Includes four 3-position fixed/height adjustable shelves.** Standard with lock.

**Required Specifications**

Top finish  
Top/edge detail  
Handles  
Base finish

**Optional Specifications**

Collator\*  
Glazed doors\*\*  
Box drawer† - no upcharge (30"-36" wide models only)

## STORAGE MODULES - 72"/72.5" HIGH



18", 21" wide

30", 36" wide



12", 15", 16" wide

### Open Storage Cabinet



\* Accepts collator 11" high



Glazed door option

### Two File Module with Doors\*



Glazed door option

### Two File Module with Door - LEFT



Glazed door option

### Two File Module with Door - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L7SHN	24 x 36 x 71.9-72.4	150	249.61	43.25	<b>\$1976</b>	<b>\$2062</b>	N/A	N/A
Z30L7SHN	24 x 30 x 71.9-72.4	150	216.23	36.25	<b>\$1751</b>	<b>\$1825</b>	N/A	N/A
Z21L7SHN	24 x 21 x 71.9-72.4	125	171.94	26	<b>\$1517</b>	<b>\$1578</b>	N/A	N/A
Z18L7SHN	24 x 18 x 71.9-72.4	125	156.83	22.75	<b>\$1428</b>	<b>\$1479</b>	N/A	N/A
Z16L7SHN	24 x 16 x 71.9-72.4	125	147.10	20.75	<b>\$1325</b>	<b>\$1374</b>	N/A	N/A
Z15L7SHN	24 x 15 x 71.9-72.4	125	141.72	19.25	<b>\$1286</b>	<b>\$1327</b>	N/A	N/A
Z12L7SHN	24 x 12 x 71.9-72.4	125	121.35	16	<b>\$1190</b>	<b>\$1316</b>	N/A	N/A
Z36M7SHN	20 x 36 x 71.9-72.4	150	217.09	36.75	<b>\$1794</b>	<b>\$1868</b>	N/A	N/A
Z30M7SHN	20 x 30 x 71.9-72.4	125	188.26	30.50	<b>\$1579</b>	<b>\$1643</b>	N/A	N/A
Z21M7SHN	20 x 21 x 71.9-72.4	125	148.69	21.25	<b>\$1202</b>	<b>\$1251</b>	N/A	N/A
Z18M7SHN	20 x 18 x 71.9-72.4	125	134.80	19.25	<b>\$1278</b>	<b>\$1324</b>	N/A	N/A
Z16M7SHN	20 x 16 x 71.9-72.4	125	127.29	17.50	<b>\$1186</b>	<b>\$1231</b>	N/A	N/A
Z15M7SHN	20 x 15 x 71.9-72.4	125	121.96	16.25	<b>\$1151</b>	<b>\$1189</b>	N/A	N/A
Z12M7SHN	20 x 12 x 71.9-72.4	100	109.11	13.25	<b>\$1064</b>	<b>\$1096</b>	N/A	N/A
Z36S7SHN	16 x 36 x 71.9-72.4	125	181.43	29.50	<b>\$1552</b>	<b>\$1626</b>	N/A	N/A
Z30S7SHN	16 x 30 x 71.9-72.4	125	158.19	25	<b>\$1395</b>	<b>\$1444</b>	N/A	N/A
Z21S7SHN	16 x 21 x 71.9-72.4	125	124.38	18	<b>\$1199</b>	<b>\$1239</b>	N/A	N/A
Z18S7SHN	16 x 18 x 71.9-72.4	125	112.77	15.50	<b>\$1124</b>	<b>\$1169</b>	N/A	N/A
Z16S7SHN	16 x 16 x 71.9-72.4	125	105.37	14	<b>\$1064</b>	<b>\$1105</b>	N/A	N/A
Z15S7SHN	16 x 15 x 71.9-72.4	100	100.10	12.50	<b>\$1050</b>	<b>\$1085</b>	N/A	N/A
Z12S7SHN	16 x 12 x 71.9-72.4	100	89.53	11	<b>\$917</b>	<b>\$949</b>	N/A	N/A

### Four adjustable shelves.

Z36L7E	24 x 36 x 71.9-72.4	125	316.05	43.25	<b>\$3225</b>	<b>\$3310</b>	<b>\$1334</b>	N/A
Z30L7E	24 x 30 x 71.9-72.4	125	276.15	36.25	<b>\$2945</b>	<b>\$3019</b>	<b>\$1162</b>	N/A
Z36M7E	20 x 36 x 71.9-72.4	125	285.60	36.75	<b>\$3053</b>	<b>\$3127</b>	<b>\$1334</b>	N/A
Z30M7E	20 x 30 x 71.9-72.4	100	249.90	30.50	<b>\$2783</b>	<b>\$2847</b>	<b>\$1162</b>	N/A
Z36S7E	16 x 36 x 71.9-72.4	100	244.65	29.50	<b>\$2790</b>	<b>\$2864</b>	<b>\$1334</b>	N/A
Z30S7E	16 x 30 x 71.9-72.4	100	213.15	25	<b>\$2515</b>	<b>\$2564</b>	<b>\$1162</b>	N/A

Two lateral file drawers. Laminate doors are standard. **Includes two adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Z16L7EL	24 x 16 x 71.9-72.4	100	181.65	20.75	<b>\$1903</b>	<b>\$1954</b>	<b>\$658</b>	N/A
Z15L7EL	24 x 15 x 71.9-72.4	100	176.40	19.25	<b>\$1828</b>	<b>\$1869</b>	<b>\$578</b>	N/A
Z16M7EL	20 x 16 x 71.9-72.4	100	162.75	17.50	<b>\$1767</b>	<b>\$1812</b>	<b>\$658</b>	N/A
Z15M7EL	20 x 15 x 71.9-72.4	100	155.40	16.25	<b>\$1697</b>	<b>\$1735</b>	<b>\$578</b>	N/A
Z16S7EL	16 x 16 x 71.9-72.4	100	137.55	14	<b>\$1645</b>	<b>\$1686</b>	<b>\$658</b>	N/A
Z15S7EL	16 x 15 x 71.9-72.4	92.5	132.30	12.50	<b>\$1609</b>	<b>\$1644</b>	<b>\$578</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes two 3-position fixed/height adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers.

Z16L7ER	24 x 16 x 71.9-72.4	100	181.65	20.75	<b>\$1903</b>	<b>\$1954</b>	<b>\$658</b>	N/A
Z15L7ER	24 x 15 x 71.9-72.4	100	176.40	19.25	<b>\$1828</b>	<b>\$1869</b>	<b>\$578</b>	N/A
Z16M7ER	20 x 16 x 71.9-72.4	100	162.75	17.50	<b>\$1767</b>	<b>\$1812</b>	<b>\$658</b>	N/A
Z15M7ER	20 x 15 x 71.9-72.4	100	155.40	16.25	<b>\$1697</b>	<b>\$1735</b>	<b>\$578</b>	N/A
Z16S7ER	16 x 16 x 71.9-72.4	100	137.55	14	<b>\$1645</b>	<b>\$1686</b>	<b>\$658</b>	N/A
Z15S7ER	16 x 15 x 71.9-72.4	92.5	132.30	12.50	<b>\$1609</b>	<b>\$1644</b>	<b>\$578</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes two 3-position fixed/height adjustable shelves.** Upper lock secures storage compartment. Lower lock secures two file drawers.

### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

### Optional Specifications

Collator\*  
Glazed doors\*\*  
Box drawer† - no upcharge (30"-36" wide models only)

**STORAGE MODULES - 72"/72.5" HIGH**


30", 36" wide



15", 16" wide



\* Accepts collator 11" high

**Two File Module with Open Shelves\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L7EN	24 x 36 x 71.9-72.4	125	286.57	43.25	<b>\$2799</b>	<b>\$2885</b>	N/A	N/A
Z30L7EN	24 x 30 x 71.9-72.4	125	252.63	36.25	<b>\$2577</b>	<b>\$2651</b>	N/A	N/A
Z16L7EN	24 x 16 x 71.9-72.4	100	168.90	20.75	<b>\$1690</b>	<b>\$1739</b>	N/A	N/A
Z15L7EN	24 x 15 x 71.9-72.4	100	164.12	19.25	<b>\$1640</b>	<b>\$1681</b>	N/A	N/A
Z36M7EN	20 x 36 x 71.9-72.4	125	257.21	36.75	<b>\$2633</b>	<b>\$2708</b>	N/A	N/A
Z30M7EN	20 x 30 x 71.9-72.4	125	225.71	30.50	<b>\$2413</b>	<b>\$2477</b>	N/A	N/A
Z16M7EN	20 x 16 x 71.9-72.4	100	150.13	17.50	<b>\$1553</b>	<b>\$1598</b>	N/A	N/A
Z15M7EN	20 x 15 x 71.9-72.4	100	144.36	16.25	<b>\$1512</b>	<b>\$1548</b>	N/A	N/A
Z36S7EN	16 x 36 x 71.9-72.4	125	216.29	29.50	<b>\$2368</b>	<b>\$2440</b>	N/A	N/A
Z30S7EN	16 x 30 x 71.9-72.4	125	189.34	25	<b>\$2146</b>	<b>\$2195</b>	N/A	N/A
Z16S7EN	16 x 16 x 71.9-72.4	100	125.06	14	<b>\$1433</b>	<b>\$1474</b>	N/A	N/A
Z15S7EN	16 x 15 x 71.9-72.4	100	120.40	12.50	<b>\$1419</b>	<b>\$1455</b>	N/A	N/A

Three open shelves and two file drawers on bottom. **Includes two 3-position fixed/height adjustable shelves.** Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files *NOT* for stacking materials on the drawer bottom.

**WARDROBE CABINETS - 72"/72.5" HIGH**

**Wardrobe Cabinet**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L7WA	24 x 36 x 71.9-72.4	150	252	43.25	<b>\$2299</b>	<b>\$2384</b>	N/A	N/A
Z30L7WA	24 x 30 x 71.9-72.4	125	218.40	36.25	<b>\$2146</b>	<b>\$2220</b>	N/A	N/A
Z36M7WA	20 x 36 x 71.9-72.4	125	226.80	36.75	<b>\$2161</b>	<b>\$2235</b>	N/A	N/A
Z30M7WA	20 x 30 x 71.9-72.4	125	196.35	30.50	<b>\$1919</b>	<b>\$1983</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **Includes one 3-position fixed/height adjustable shelf** above hanging rod. Standard with lock.


**Wardrobe Cabinet - LEFT**

Z24L7WAL	24 x 24 x 71.9-72.4	125	191.10	29.75	<b>\$1742</b>	<b>\$1803</b>	N/A	N/A
Z21L7WAL	24 x 21 x 71.9-72.4	125	178.50	26	<b>\$1680</b>	<b>\$1741</b>	N/A	N/A
Z18L7WAL	24 x 18 x 71.9-72.4	125	158.55	22.75	<b>\$1543</b>	<b>\$1594</b>	N/A	N/A
Z16L7WAL	24 x 16 x 71.9-72.4	125	149.10	20.75	<b>\$1481</b>	<b>\$1530</b>	N/A	N/A
Z15L7WAL	24 x 15 x 71.9-72.4	125	144.90	19.25	<b>\$1408</b>	<b>\$1449</b>	N/A	N/A
Z12L7WAL	24 x 12 x 71.9-72.4	100	130.20	16	<b>\$1313</b>	<b>\$1349</b>	N/A	N/A
Z24M7WAL	20 x 24 x 71.9-72.4	125	171.15	25.25	<b>\$1611</b>	<b>\$1664</b>	N/A	N/A
Z21M7WAL	20 x 21 x 71.9-72.4	125	154.35	21.25	<b>\$1544</b>	<b>\$1595</b>	N/A	N/A
Z18M7WAL	20 x 18 x 71.9-72.4	125	139.65	19.25	<b>\$1428</b>	<b>\$1473</b>	N/A	N/A
Z16M7WAL	20 x 16 x 71.9-72.4	125	131.25	17.50	<b>\$1362</b>	<b>\$1407</b>	N/A	N/A
Z15M7WAL	20 x 15 x 71.9-72.4	125	126	16.25	<b>\$1293</b>	<b>\$1331</b>	N/A	N/A
Z12M7WAL	20 x 12 x 71.9-72.4	100	113.40	13.25	<b>\$1214</b>	<b>\$1246</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **Includes one 3-position fixed/height adjustable shelf** above hanging rod. Standard with lock.


**Wardrobe Cabinet - RIGHT**

Z24L7WAR	24 x 24 x 71.9-72.4	125	191.10	29.75	<b>\$1742</b>	<b>\$1803</b>	N/A	N/A
Z21L7WAR	24 x 21 x 71.9-72.4	125	178.50	26	<b>\$1680</b>	<b>\$1741</b>	N/A	N/A
Z18L7WAR	24 x 18 x 71.9-72.4	125	158.55	22.75	<b>\$1543</b>	<b>\$1594</b>	N/A	N/A
Z16L7WAR	24 x 16 x 71.9-72.4	125	149.10	20.75	<b>\$1481</b>	<b>\$1530</b>	N/A	N/A
Z15L7WAR	24 x 15 x 71.9-72.4	125	144.90	19.25	<b>\$1408</b>	<b>\$1449</b>	N/A	N/A
Z12L7WAR	24 x 12 x 71.9-72.4	100	130.20	16	<b>\$1313</b>	<b>\$1349</b>	N/A	N/A
Z24M7WAR	20 x 24 x 71.9-72.4	125	171.15	25.25	<b>\$1611</b>	<b>\$1664</b>	N/A	N/A
Z21M7WAR	20 x 21 x 71.9-72.4	125	154.35	21.25	<b>\$1544</b>	<b>\$1595</b>	N/A	N/A
Z18M7WAR	20 x 18 x 71.9-72.4	125	139.65	19.25	<b>\$1428</b>	<b>\$1473</b>	N/A	N/A
Z16M7WAR	20 x 16 x 71.9-72.4	125	131.25	17.50	<b>\$1362</b>	<b>\$1407</b>	N/A	N/A
Z15M7WAR	20 x 15 x 71.9-72.4	125	126	16.25	<b>\$1293</b>	<b>\$1331</b>	N/A	N/A
Z12M7WAR	20 x 12 x 71.9-72.4	100	113.40	13.25	<b>\$1214</b>	<b>\$1246</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **Includes one 3-position fixed/height adjustable shelf** above hanging rod. Standard with lock.

**Required Specifications**

Top finish  
Top/edge detail  
Handles  
Base finish

**Optional Specifications**

Glazed doors\*



WARDROBE CABINETS - 72"/72.5" HIGH



Glazed door option

Wardrobe Cabinet/Shelving Combo with Doors - LEFT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L7DIL	24 x 36 x 71.9-72.4	125	300.30	43.25	\$2710	\$2796	\$1694	N/A
Z30L7DIL	24 x 30 x 71.9-72.4	125	262.50	36.25	\$2368	\$2442	\$1466	N/A
Z24L7DIL	24 x 24 x 71.9-72.4	125	232.05	29.75	\$2154	\$2215	\$1320	N/A
Z21L7DIL	24 x 21 x 71.9-72.4	125	200.55	26	\$2091	\$2151	\$1308	N/A
Z36M7DIL	20 x 36 x 71.9-72.4	125	276.15	36.75	\$2544	\$2618	\$1694	N/A
Z30M7DIL	20 x 30 x 71.9-72.4	125	241.50	30.50	\$2208	\$2272	\$1466	N/A
Z24M7DIL	20 x 24 x 71.9-72.4	100	214.20	25.25	\$2025	\$2076	\$1320	N/A
Z21M7DIL	20 x 21 x 71.9-72.4	100	196.35	21.25	\$1944	\$1995	\$1308	N/A

Laminate doors are standard. Storage compartment on **left** includes four 3-position fixed/height adjustable shelves.

Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.



Glazed door option

Wardrobe Cabinet/Shelving Combo with Doors - RIGHT

Z36L7DIR	24 x 36 x 71.9-72.4	125	300.30	43.25	\$2710	\$2796	\$1694	N/A
Z30L7DIR	24 x 30 x 71.9-72.4	125	262.50	36.25	\$2368	\$2442	\$1466	N/A
Z24L7DIR	24 x 24 x 71.9-72.4	125	232.05	29.75	\$2154	\$2215	\$1320	N/A
Z21L7DIR	24 x 21 x 71.9-72.4	125	200.55	26	\$2091	\$2151	\$1308	N/A
Z36M7DIR	20 x 36 x 71.9-72.4	125	276.15	36.75	\$2544	\$2618	\$1694	N/A
Z30M7DIR	20 x 30 x 71.9-72.4	125	241.50	30.50	\$2208	\$2272	\$1466	N/A
Z24M7DIR	20 x 24 x 71.9-72.4	100	214.20	25.25	\$2025	\$2076	\$1320	N/A
Z21M7DIR	20 x 21 x 71.9-72.4	100	196.35	21.25	\$1944	\$1995	\$1308	N/A

Laminate doors are standard. Storage compartment on **right** includes four 3-position fixed/height adjustable shelves.

Wardrobe compartment on **left** includes hanging rod and one adjustable shelf above rod. Storage and wardrobe compartments lock independently. Each door lock keyed alike.



Glazed door option



\* Accepts collator 11" high

Wardrobe Cabinet/Open Shelving Combo - LEFT

Z36L7DINL	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2445	\$2531	\$845	N/A
Z30L7DINL	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2152	\$2226	\$731	N/A
Z24L7DINL	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1960	\$2021	\$658	N/A
Z21L7DINL	24 x 21 x 71.9-72.4	125	189.33	26	\$1893	\$1954	\$651	N/A
Z36M7DINL	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2279	\$2353	\$845	N/A
Z30M7DINL	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1990	\$2054	\$731	N/A
Z24M7DINL	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1828	\$1879	\$658	N/A
Z21M7DINL	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1748	\$1799	\$651	N/A

Laminate door is standard on wardrobe section. Storage compartment on **left** includes four 3-position fixed/height

**adjustable shelves.** Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.



Glazed door option



\* Accepts collator 11" high

Wardrobe Cabinet/Open Shelving Combo - RIGHT

Z36L7DINR	24 x 36 x 71.9-72.4	125	277.47	43.25	\$2445	\$2531	\$845	N/A
Z30L7DINR	24 x 30 x 71.9-72.4	125	244.53	36.25	\$2152	\$2226	\$731	N/A
Z24L7DINR	24 x 24 x 71.9-72.4	125	217.88	29.75	\$1960	\$2021	\$658	N/A
Z21L7DINR	24 x 21 x 71.9-72.4	125	189.33	26	\$1893	\$1954	\$651	N/A
Z36M7DINR	20 x 36 x 71.9-72.4	125	254.41	36.75	\$2279	\$2353	\$845	N/A
Z30M7DINR	20 x 30 x 71.9-72.4	125	222.86	30.50	\$1990	\$2054	\$731	N/A
Z24M7DINR	20 x 24 x 71.9-72.4	100	202.22	25.25	\$1828	\$1879	\$658	N/A
Z21M7DINR	20 x 21 x 71.9-72.4	100	183.93	21.25	\$1748	\$1799	\$651	N/A

Laminate door is standard on wardrobe section. Storage compartment on **right** includes four 3-position fixed/height

**adjustable shelves.** Wardrobe compartment on **left** includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment.

Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

Optional Specifications

Collator\*  
Glazed doors

## PERSONAL TOWERS - 72"/72.5" HIGH



Personal Tower with Doors - LEFT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L7EL	24 x 36 x 71.9-72.4	125	324.45	43.25	\$2970	\$3055	\$1502	N/A
Z30L7EL	24 x 30 x 71.9-72.4	125	289.80	36.25	\$2724	\$2798	\$1379	N/A
Z24L7EL	24 x 24 x 71.9-72.4	100	260.76	29.75	\$2595	\$2657	\$1220	N/A
Z36M7EL	20 x 36 x 71.9-72.4	125	288.75	36.75	\$2777	\$2852	\$1502	N/A
Z30M7EL	20 x 30 x 71.9-72.4	100	259.35	30.50	\$2547	\$2611	\$1379	N/A
Z24M7EL	20 x 24 x 71.9-72.4	100	231.65	25.25	\$2424	\$2475	\$1220	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Personal Tower with Doors - RIGHT

Z36L7ER	24 x 36 x 71.9-72.4	125	324.45	43.25	\$2970	\$3055	\$1502	N/A
Z30L7ER	24 x 30 x 71.9-72.4	125	289.80	36.25	\$2724	\$2798	\$1379	N/A
Z24L7ER	24 x 24 x 71.9-72.4	100	260.76	29.75	\$2595	\$2657	\$1220	N/A
Z36M7ER	20 x 36 x 71.9-72.4	125	288.75	36.75	\$2777	\$2852	\$1502	N/A
Z30M7ER	20 x 30 x 71.9-72.4	100	259.35	30.50	\$2547	\$2611	\$1379	N/A
Z24M7ER	20 x 24 x 71.9-72.4	100	231.65	25.25	\$2424	\$2475	\$1220	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **right includes two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Personal Tower with Doors and cavity - LEFT

Z36L7ECL	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2951	\$3037	\$1368	N/A
Z30L7ECL	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2707	\$2781	\$1242	N/A
Z24L7ECL	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2567	\$2628	\$1083	N/A
Z36M7ECL	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2732	\$2806	\$1368	N/A
Z30M7ECL	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2504	\$2566	\$1242	N/A
Z24M7ECL	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2379	\$2430	\$1083	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Personal Tower with Doors and cavity - RIGHT

Z36L7ECR	24 x 36 x 71.9-72.4	125	320.24	43.25	\$2951	\$3037	\$1368	N/A
Z30L7ECR	24 x 30 x 71.9-72.4	125	287.34	36.25	\$2707	\$2781	\$1242	N/A
Z24L7ECR	24 x 24 x 71.9-72.4	100	257.23	29.75	\$2567	\$2628	\$1083	N/A
Z36M7ECR	20 x 36 x 71.9-72.4	125	285.63	36.75	\$2732	\$2806	\$1368	N/A
Z30M7ECR	20 x 30 x 71.9-72.4	100	256.22	30.50	\$2504	\$2566	\$1242	N/A
Z24M7ECR	20 x 24 x 71.9-72.4	100	228.11	25.25	\$2379	\$2430	\$1083	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes one 3-position fixed/height adjustable shelf**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Personal Tower with Open Shelves - LEFT

Z36L7ENL	24 x 36 x 71.9-72.4	125	309.60	43.25	\$2801	\$2887	\$851	N/A
Z30L7ENL	24 x 30 x 71.9-72.4	125	278.48	36.25	\$2562	\$2636	\$726	N/A
Z24L7ENL	24 x 24 x 71.9-72.4	100	247.90	29.75	\$2435	\$2496	\$568	N/A
Z36M7ENL	20 x 36 x 71.9-72.4	125	274.99	36.75	\$2598	\$2672	\$851	N/A
Z30M7ENL	20 x 30 x 71.9-72.4	100	247.36	30.50	\$2371	\$2435	\$726	N/A
Z24M7ENL	20 x 24 x 71.9-72.4	100	218.79	25.25	\$2263	\$2316	\$568	N/A

**Two file drawers** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **left includes two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.

## Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

## Optional Specifications

Collator\*  
Glazed doors

PERSONAL TOWERS - 72"/72.5" HIGH



Glazed door option



\* Accepts collator 11" high

Personal Tower with Open Shelves - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L7ENR	24 x 36 x 71.9-72.4	125	309.60	43.25	\$2801	\$2887	\$851	N/A
Z30L7ENR	24 x 30 x 71.9-72.4	125	278.48	36.25	\$2562	\$2636	\$726	N/A
Z24L7ENR	24 x 24 x 71.9-72.4	100	247.90	29.75	\$2435	\$2496	\$568	N/A
Z36M7ENR	20 x 36 x 71.9-72.4	125	274.99	36.75	\$2598	\$2672	\$851	N/A
Z30M7ENR	20 x 30 x 71.9-72.4	100	247.36	30.50	\$2371	\$2435	\$726	N/A
Z24M7ENR	20 x 24 x 71.9-72.4	100	218.79	25.25	\$2263	\$2316	\$568	N/A

**Two file drawers** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and one adjustable shelf above rod. Single lock secures wardrobe compartment. Lower lock secures all drawers.



Glazed door option

Personal Tower with Doors - LEFT

Z36L7BFL	24 x 36 x 71.9-72.4	125	326.55	43.25	<b>\$3119</b>	<b>\$3204</b>	<b>\$1502</b>	N/A
Z30L7BFL	24 x 30 x 71.9-72.4	100	292.95	36.25	<b>\$2880</b>	<b>\$2954</b>	<b>\$1379</b>	N/A
Z24L7BFL	24 x 24 x 71.9-72.4	100	262.10	29.75	<b>\$2710</b>	<b>\$2771</b>	<b>\$1220</b>	N/A
Z36M7BFL	20 x 36 x 71.9-72.4	125	291.90	36.75	<b>\$2924</b>	<b>\$2998</b>	<b>\$1502</b>	N/A
Z30M7BFL	20 x 30 x 71.9-72.4	100	262.50	30.50	<b>\$2729</b>	<b>\$2791</b>	<b>\$1299</b>	N/A
Z24M7BFL	20 x 24 x 71.9-72.4	100	232.98	25.25	<b>\$2538</b>	<b>\$2589</b>	<b>\$1220</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option

Personal Tower with Doors - RIGHT

Z36L7BFR	24 x 36 x 71.9-72.4	125	326.55	43.25	<b>\$3119</b>	<b>\$3204</b>	<b>\$1502</b>	N/A
Z30L7BFR	24 x 30 x 71.9-72.4	100	292.95	36.25	<b>\$2880</b>	<b>\$2954</b>	<b>\$1379</b>	N/A
Z24L7BFR	24 x 24 x 71.9-72.4	100	262.10	29.75	<b>\$2710</b>	<b>\$2771</b>	<b>\$1220</b>	N/A
Z36M7BFR	20 x 36 x 71.9-72.4	125	291.90	36.75	<b>\$2924</b>	<b>\$2998</b>	<b>\$1502</b>	N/A
Z30M7BFR	20 x 30 x 71.9-72.4	100	262.50	30.50	<b>\$2729</b>	<b>\$2791</b>	<b>\$1299</b>	N/A
Z24M7BFR	20 x 24 x 71.9-72.4	100	232.98	25.25	<b>\$2538</b>	<b>\$2589</b>	<b>\$1220</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Doors and Cavity - LEFT

Z36L7BFCL	24 x 36 x 71.9-72.4	125	317.68	43.25	<b>\$3084</b>	<b>\$3135</b>	<b>\$1368</b>	N/A
Z30L7BFCL	24 x 30 x 71.9-72.4	125	287	36.25	<b>\$2849</b>	<b>\$2890</b>	<b>\$1242</b>	N/A
Z24L7BFCL	24 x 24 x 71.9-72.4	100	258.59	29.75	<b>\$2666</b>	<b>\$2727</b>	<b>\$1083</b>	N/A
Z36M7BFCL	20 x 36 x 71.9-72.4	125	288.78	36.75	<b>\$2871</b>	<b>\$2945</b>	<b>\$1368</b>	N/A
Z30M7BFCL	20 x 30 x 71.9-72.4	100	259.37	30.50	<b>\$2673</b>	<b>\$2737</b>	<b>\$1242</b>	N/A
Z24M7BFCL	20 x 24 x 71.9-72.4	100	229.45	25.25	<b>\$2492</b>	<b>\$2543</b>	<b>\$1083</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **one 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.



Glazed door option



\* Accepts collator 11" high

Personal Tower with Doors and Cavity - RIGHT

Z36L7BFCR	24 x 36 x 71.9-72.4	125	317.68	43.25	<b>\$3084</b>	<b>\$3135</b>	<b>\$1368</b>	N/A
Z30L7BFCR	24 x 30 x 71.9-72.4	125	287	36.25	<b>\$2849</b>	<b>\$2890</b>	<b>\$1242</b>	N/A
Z24L7BFCR	24 x 24 x 71.9-72.4	100	258.59	29.75	<b>\$2666</b>	<b>\$2727</b>	<b>\$1083</b>	N/A
Z36M7BFCR	20 x 36 x 71.9-72.4	125	288.78	36.75	<b>\$2871</b>	<b>\$2945</b>	<b>\$1368</b>	N/A
Z30M7BFCR	20 x 30 x 71.9-72.4	100	259.37	30.50	<b>\$2673</b>	<b>\$2737</b>	<b>\$1242</b>	N/A
Z24M7BFCR	20 x 24 x 71.9-72.4	100	229.45	25.25	<b>\$2492</b>	<b>\$2543</b>	<b>\$1083</b>	N/A




**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **one 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and one adjustable shelf above rod. Two upper locks, one per each hinged door, and one lower lock secures drawers, all keyed alike.

Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

Optional Specifications

Collator\*  
Glazed doors

PERSONAL TOWERS - 72"/72.5" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
  		D x W x H							
	Z36L7BFNL	24 x 36 x 71.9-72.4	125	309	43.25	<b>\$2942</b>	<b>\$3000</b>	<b>\$851</b>	N/A
	Z30L7BFNL	24 x 30 x 71.9-72.4	125	277	36.25	<b>\$2700</b>	<b>\$2745</b>	<b>\$726</b>	N/A
	Z24L7BFNL	24 x 24 x 71.9-72.4	100	249.24	29.75	<b>\$2487</b>	<b>\$2548</b>	<b>\$568</b>	N/A
	Z36M7BFNL	20 x 36 x 71.9-72.4	125	274	36.75	<b>\$2719</b>	<b>\$2794</b>	<b>\$851</b>	N/A
	Z30M7BFNL	20 x 30 x 71.9-72.4	100	246	30.50	<b>\$2520</b>	<b>\$2584</b>	<b>\$726</b>	N/A
	Z24M7BFNL	20 x 24 x 71.9-72.4	100	220.12	25.25	<b>\$2315</b>	<b>\$2366</b>	<b>\$568</b>	N/A

Personal Tower with Open Shelves - LEFT

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



Personal Tower with Open Shelves - RIGHT


Z36L7BFNR	24 x 36 x 71.9-72.4	125	309	43.25	<b>\$2942</b>	<b>\$3000</b>	<b>\$851</b>	N/A
Z30L7BFNR	24 x 30 x 71.9-72.4	125	277	36.25	<b>\$2700</b>	<b>\$2745</b>	<b>\$726</b>	N/A
Z24L7BFNR	24 x 24 x 71.9-72.4	100	249.24	29.75	<b>\$2487</b>	<b>\$2548</b>	<b>\$568</b>	N/A
Z36M7BFNR	20 x 36 x 71.9-72.4	125	274	36.75	<b>\$2719</b>	<b>\$2794</b>	<b>\$851</b>	N/A
Z30M7BFNR	20 x 30 x 71.9-72.4	100	246	30.50	<b>\$2520</b>	<b>\$2584</b>	<b>\$726</b>	N/A
Z24M7BFNR	20 x 24 x 71.9-72.4	100	220.12	25.25	<b>\$2315</b>	<b>\$2366</b>	<b>\$568</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

STORAGE MODULES - 84.5"/85" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 	Z36L8SH	24 x 36 x 84.4-84.9	125	332.85	50	<b>\$2893</b>	<b>\$2979</b>	<b>\$2060</b>	N/A
	Z30L8SH	24 x 30 x 84.4-84.9	125	290.85	42	<b>\$2566</b>	<b>\$2640</b>	<b>\$1763</b>	N/A
	Z36M8SH	20 x 36 x 84.4-84.9	125	299.25	42.25	<b>\$2667</b>	<b>\$2741</b>	<b>\$2060</b>	N/A
	Z30M8SH	20 x 30 x 84.4-84.9	125	259.35	35.50	<b>\$2385</b>	<b>\$2449</b>	<b>\$1763</b>	N/A
	Z36S8SH	16 x 36 x 84.4-84.9	125	259.35	34	<b>\$2403</b>	<b>\$2475</b>	<b>\$2060</b>	N/A
	Z30S8SH	16 x 30 x 84.4-84.9	125	224.70	29	<b>\$2142</b>	<b>\$2193</b>	<b>\$1763</b>	N/A

Storage Cabinet with Doors

Laminate doors are standard. **Includes five 3-position fixed/height adjustable shelves**. Standard with lock.



Storage Cabinet with Door - LEFT

Z21L8SHL	24 x 21 x 84.4-84.9	125	226.80	30.25	<b>\$2093</b>	<b>\$2154</b>	<b>\$1150</b>	N/A
Z18L8SHL	24 x 18 x 84.4-84.9	125	205.80	26.25	<b>\$1969</b>	<b>\$2020</b>	<b>\$1027</b>	N/A
Z16L8SHL	24 x 16 x 84.4-84.9	125	186.90	24	<b>\$1847</b>	<b>\$1896</b>	<b>\$1020</b>	N/A
Z15L8SHL	24 x 15 x 84.4-84.9	100	181.65	22.50	<b>\$1823</b>	<b>\$1864</b>	<b>\$877</b>	N/A
Z12L8SHL	24 x 12 x 84.4-84.9	100	163.80	18.50	<b>\$1697</b>	<b>\$1733</b>	<b>\$784</b>	N/A
Z21M8SHL	20 x 21 x 84.4-84.9	125	201.60	25.50	<b>\$1890</b>	<b>\$1939</b>	<b>\$1150</b>	N/A
Z18M8SHL	20 x 18 x 84.4-84.9	100	180.60	22.25	<b>\$1811</b>	<b>\$1856</b>	<b>\$1027</b>	N/A
Z16M8SHL	20 x 16 x 84.4-84.9	100	169.05	20.25	<b>\$1697</b>	<b>\$1742</b>	<b>\$1020</b>	N/A
Z15M8SHL	20 x 15 x 84.4-84.9	100	162.75	19	<b>\$1627</b>	<b>\$1663</b>	<b>\$877</b>	N/A
Z12M8SHL	20 x 12 x 84.4-84.9	100	144.90	15.75	<b>\$1507</b>	<b>\$1539</b>	<b>\$784</b>	N/A
Z21S8SHL	16 x 21 x 84.4-84.9	100	172.20	21	<b>\$1728</b>	<b>\$1768</b>	<b>\$1150</b>	N/A
Z18S8SHL	16 x 18 x 84.4-84.9	100	154.35	18	<b>\$1617</b>	<b>\$1658</b>	<b>\$1027</b>	N/A
Z16S8SHL	16 x 16 x 84.4-84.9	100	142.80	16.50	<b>\$1516</b>	<b>\$1557</b>	<b>\$1020</b>	N/A
Z15S8SHL	16 x 15 x 84.4-84.9	100	137.55	15.50	<b>\$1446</b>	<b>\$1481</b>	<b>\$877</b>	N/A
Z12S8SHL	16 x 12 x 84.4-84.9	100	120.75	13	<b>\$1334</b>	<b>\$1365</b>	<b>\$784</b>	N/A

Laminate doors are standard. **Includes five 3-position fixed/height adjustable shelves**. Standard with lock.

#### Required Specifications

Top finish  
Top/edge detail  
Handles  
Base finish

#### Optional Specifications

Collator\*  
Glazed doors

STORAGE MODULES - 84.5"/85" HIGH



Glazed door option

Storage Cabinet with Door - RIGHT



\* Accepts collator 11" high

30", 36" wide



12-16" wide

18-21"

Open Storage Cabinet



Glazed door option

Two File Module with Doors\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z21L8SHR	24 x 21 x 84.4-84.9	125	226.80	30.25	\$2093	\$2154	\$1150	N/A
Z18L8SHR	24 x 18 x 84.4-84.9	125	205.80	26.25	\$1969	\$2020	\$1027	N/A
Z16L8SHR	24 x 16 x 84.4-84.9	125	186.90	24	\$1847	\$1896	\$1020	N/A
Z15L8SHR	24 x 15 x 84.4-84.9	100	181.65	22.50	\$1823	\$1864	\$877	N/A
Z12L8SHR	24 x 12 x 84.4-84.9	100	163.80	18.50	\$1697	\$1733	\$784	N/A
Z21M8SHR	20 x 21 x 84.4-84.9	125	201.60	25.50	\$1890	\$1939	\$1150	N/A
Z18M8SHR	20 x 18 x 84.4-84.9	100	180.60	22.25	\$1811	\$1856	\$1027	N/A
Z16M8SHR	20 x 16 x 84.4-84.9	100	169.05	20.25	\$1697	\$1742	\$1020	N/A
Z15M8SHR	20 x 15 x 84.4-84.9	100	162.75	19	\$1627	\$1663	\$877	N/A
Z12M8SHR	20 x 12 x 84.4-84.9	100	144.90	15.75	\$1507	\$1539	\$784	N/A
Z21S8SHR	16 x 21 x 84.4-84.9	100	172.20	21	\$1728	\$1768	\$1150	N/A
Z18S8SHR	16 x 18 x 84.4-84.9	100	154.35	18	\$1617	\$1658	\$1027	N/A
Z16S8SHR	16 x 16 x 84.4-84.9	100	142.80	16.50	\$1516	\$1557	\$1020	N/A
Z15S8SHR	16 x 15 x 84.4-84.9	100	137.55	15.50	\$1446	\$1481	\$877	N/A
Z12S8SHR	16 x 12 x 84.4-84.9	100	120.75	13	\$1334	\$1365	\$784	N/A

Laminate doors are standard. Includes five 3-position fixed/height adjustable shelves. Standard with lock.

Z36L8SHN	24 x 36 x 84.4-84.9	150	281.34	50	\$2249	\$2334	N/A	N/A
Z30L8SHN	24 x 30 x 84.4-84.9	150	247.23	42	\$2003	\$2077	N/A	N/A
Z21L8SHN	24 x 21 x 84.4-84.9	125	227.72	30.25	\$1732	\$1792	N/A	N/A
Z18L8SHN	24 x 18 x 84.4-84.9	125	206.74	26.25	\$1642	\$1693	N/A	N/A
Z16L8SHN	24 x 16 x 84.4-84.9	125	189.25	24	\$1523	\$1574	N/A	N/A
Z15L8SHN	24 x 15 x 84.4-84.9	100	182.61	22.50	\$1499	\$1540	N/A	N/A
Z12L8SHN	24 x 12 x 84.4-84.9	100	164.78	18.50	\$1438	\$1476	N/A	N/A
Z36M8SHN	20 x 36 x 84.4-84.9	150	245.68	42.25	\$2022	\$2096	N/A	N/A
Z30M8SHN	20 x 30 x 84.4-84.9	125	215.06	35.50	\$1823	\$1887	N/A	N/A
Z21M8SHN	20 x 21 x 84.4-84.9	125	170.18	25.50	\$1531	\$1582	N/A	N/A
Z18M8SHN	20 x 18 x 84.4-84.9	125	154.86	22.25	\$1481	\$1527	N/A	N/A
Z16M8SHN	20 x 16 x 84.4-84.9	125	145.71	20.25	\$1375	\$1420	N/A	N/A
Z15M8SHN	20 x 15 x 84.4-84.9	125	140.60	19	\$1339	\$1375	N/A	N/A
Z12M8SHN	20 x 12 x 84.4-84.9	100	126.34	15.75	\$1248	\$1280	N/A	N/A
Z36S8SHN	16 x 36 x 84.4-84.9	125	206.87	34	\$1759	\$1831	N/A	N/A
Z30S8SHN	16 x 30 x 84.4-84.9	125	180.79	29	\$1580	\$1629	N/A	N/A
Z21S8SHN	16 x 21 x 84.4-84.9	125	141.67	21	\$1369	\$1409	N/A	N/A
Z18S8SHN	16 x 18 x 84.4-84.9	125	127.58	18	\$1227	\$1268	N/A	N/A
Z16S8SHN	16 x 16 x 84.4-84.9	125	119.59	16.50	\$1191	\$1232	N/A	N/A
Z15S8SHN	16 x 15 x 84.4-84.9	125	115.59	15.50	\$1159	\$1194	N/A	N/A
Z12S8SHN	16 x 12 x 84.4-84.9	125	102.56	13	\$1073	\$1105	N/A	N/A

Five adjustable shelves.

Z36L8E	24 x 36 x 84.4-84.9	125	365.40	50	\$3588	\$3673	\$1537	N/A
Z30L8E	24 x 30 x 84.4-84.9	125	306.60	42	\$3268	\$3340	\$1327	N/A
Z36M8E	20 x 36 x 84.4-84.9	125	323.40	42.25	\$3373	\$3447	\$1537	N/A
Z30M8E	20 x 30 x 84.4-84.9	100	284.55	35.50	\$3106	\$3170	\$1327	N/A
Z36S8E	16 x 36 x 84.4-84.9	100	285	34	\$3080	\$3154	\$1537	N/A
Z30S8E	16 x 30 x 84.4-84.9	100	244.65	29	\$2784	\$2833	\$1327	N/A

Two lateral file drawers. Laminate doors are standard. Includes three adjustable shelves. Upper lock secures storage compartment. Lower lock secures two file drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

Required Specifications

Finishes  
Top/Edge Detail  
Handles

Optional Specifications

Glazing - Doors  
Collator (Open Shelves)

**STORAGE MODULES - 84.5"/85" HIGH**


Glazed door option

**Two File Module with Door - LEFT**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z16L8EL	24 x 16 x 84.4-84.9	100	205.80	24	<b>\$2137</b>	<b>\$2188</b>	<b>\$759</b>	N/A
Z15L8EL	24 x 15 x 84.4-84.9	100	192.15	22.50	<b>\$2077</b>	<b>\$2118</b>	<b>\$661</b>	N/A
Z16M8EL	20 x 16 x 84.4-84.9	100	185.85	20.25	<b>\$2003</b>	<b>\$2048</b>	<b>\$759</b>	N/A
Z15M8EL	20 x 15 x 84.4-84.9	100	179.55	19	<b>\$1925</b>	<b>\$1963</b>	<b>\$661</b>	N/A
Z16S8EL	16 x 16 x 84.4-84.9	100	156.45	16.50	<b>\$1820</b>	<b>\$1861</b>	<b>\$759</b>	N/A
Z15S8EL	16 x 15 x 84.4-84.9	100	149.10	15.50	<b>\$1761</b>	<b>\$1796</b>	<b>\$661</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes three 3-position fixed/height adjustable shelves.**  
Upper lock secures storage compartment. Lower lock secures two file drawers.



Glazed door option

**Two File Module with Door - RIGHT**

Z16L8ER	24 x 16 x 84.4-84.9	100	205.80	24	<b>\$2137</b>	<b>\$2188</b>	<b>\$759</b>	N/A
Z15L8ER	24 x 15 x 84.4-84.9	100	192.15	22.50	<b>\$2077</b>	<b>\$2118</b>	<b>\$661</b>	N/A
Z16M8ER	20 x 16 x 84.4-84.9	100	185.85	20.25	<b>\$2003</b>	<b>\$2048</b>	<b>\$759</b>	N/A
Z15M8ER	20 x 15 x 84.4-84.9	100	179.55	19	<b>\$1925</b>	<b>\$1963</b>	<b>\$661</b>	N/A
Z16S8ER	16 x 16 x 84.4-84.9	100	156.45	16.50	<b>\$1820</b>	<b>\$1861</b>	<b>\$759</b>	N/A
Z15S8ER	16 x 15 x 84.4-84.9	100	149.10	15.50	<b>\$1761</b>	<b>\$1796</b>	<b>\$661</b>	N/A

Two file drawers on bottom. Laminate door is standard. **Includes three 3-position fixed/height adjustable shelves.**  
Upper lock secures storage compartment. Lower lock secures two file drawers.



30", 36" wide



15", 16" wide



\* Accepts collator 11" high

**Two File Module with Open Shelves\***

Z36L8EN	24 x 36 x 84.4-84.9	125	329.85	50	<b>\$3076</b>	<b>\$3161</b>	N/A	N/A
Z30L8EN	24 x 30 x 84.4-84.9	125	276.28	42	<b>\$2816</b>	<b>\$2890</b>	N/A	N/A
Z16L8EN	24 x 16 x 84.4-84.9	125	191.52	24	<b>\$1877</b>	<b>\$1928</b>	N/A	N/A
Z15L8EN	24 x 15 x 84.4-84.9	125	177.51	22.50	<b>\$1849</b>	<b>\$1890</b>	N/A	N/A
Z36M8EN	20 x 36 x 84.4-84.9	125	285.79	42.25	<b>\$2860</b>	<b>\$2934</b>	N/A	N/A
Z30M8EN	20 x 30 x 84.4-84.9	125	253.56	35.50	<b>\$2660</b>	<b>\$2724</b>	N/A	N/A
Z16M8EN	20 x 16 x 84.4-84.9	100	169.60	20.25	<b>\$1743</b>	<b>\$1788</b>	N/A	N/A
Z15M8EN	20 x 15 x 84.4-84.9	100	164.05	19	<b>\$1696</b>	<b>\$1734</b>	N/A	N/A
Z36S8EN	16 x 36 x 84.4-84.9	125	247	34	<b>\$2378</b>	<b>\$2450</b>	N/A	N/A
Z30S8EN	16 x 30 x 84.4-84.9	125	213	29	<b>\$2145</b>	<b>\$2194</b>	N/A	N/A
Z16S8EN	16 x 16 x 84.4-84.9	100	139.28	16.50	<b>\$1561</b>	<b>\$1602</b>	N/A	N/A
Z15S8EN	16 x 15 x 84.4-84.9	100	133.79	15.50	<b>\$1531</b>	<b>\$1566</b>	N/A	N/A

Four open shelves and two file drawers on bottom. **Includes two 3-position fixed/height adjustable shelves.** Lock secures all drawers. For filing capabilities, see page 196.

- Lateral file drawer construction is for accommodating hanging files NOT for stacking materials on the drawer bottom.

**Required Specifications**

Top finish  
Base finish  
Top/edge detail  
Handles

**Optional Specifications**

Glazing - Doors  
Collator (Open Shelves)



## WARDROBE CABINETS - 84.5"/85" HIGH



Wardrobe Cabinet



Wardrobe Cabinet - LEFT



Wardrobe Cabinet - RIGHT



Glazed door option

Wardrobe Cabinet/Shelving Combo with Doors - LEFT



Glazed door option

Wardrobe Cabinet/Shelving Combo with Doors - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L8WA	24 x 36 x 84.4-84.9	150	290.85	50	<b>\$2683</b>	<b>\$2768</b>	N/A	N/A
Z30L8WA	24 x 30 x 84.4-84.9	125	256.20	42	<b>\$2410</b>	<b>\$2484</b>	N/A	N/A
Z36M8WA	20 x 36 x 84.4-84.9	125	264.60	42.25	<b>\$2508</b>	<b>\$2582</b>	N/A	N/A
Z30M8WA	20 x 30 x 84.4-84.9	125	231	35.50	<b>\$2266</b>	<b>\$2330</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **One adjustable shelf** above hanging rod. Standard with lock.

Z24L8WAL	24 x 24 x 84.4-84.9	125	220.50	34.25	<b>\$2011</b>	<b>\$2072</b>	N/A	N/A
Z21L8WAL	24 x 21 x 84.4-84.9	125	192.15	30.25	<b>\$1938</b>	<b>\$1998</b>	N/A	N/A
Z18L8WAL	24 x 18 x 84.4-84.9	125	184.80	26.25	<b>\$1806</b>	<b>\$1857</b>	N/A	N/A
Z16L8WAL	24 x 16 x 84.4-84.9	125	172.20	24	<b>\$1723</b>	<b>\$1772</b>	N/A	N/A
Z15L8WAL	24 x 15 x 84.4-84.9	125	161.70	22.50	<b>\$1674</b>	<b>\$1715</b>	N/A	N/A
Z12L8WAL	24 x 12 x 84.4-84.9	100	150.15	18.50	<b>\$1538</b>	<b>\$1576</b>	N/A	N/A
Z24M8WAL	20 x 24 x 84.4-84.9	125	197.40	28.50	<b>\$1874</b>	<b>\$1925</b>	N/A	N/A
Z21M8WAL	20 x 21 x 84.4-84.9	125	182.70	25.50	<b>\$1805</b>	<b>\$1856</b>	N/A	N/A
Z18M8WAL	20 x 18 x 84.4-84.9	125	164.85	22.25	<b>\$1673</b>	<b>\$1718</b>	N/A	N/A
Z16M8WAL	20 x 16 x 84.4-84.9	125	154.35	20.25	<b>\$1594</b>	<b>\$1639</b>	N/A	N/A
Z15M8WAL	20 x 15 x 84.4-84.9	125	149.10	19	<b>\$1530</b>	<b>\$1568</b>	N/A	N/A
Z12M8WAL	20 x 12 x 84.4-84.9	100	133.35	15.75	<b>\$1429</b>	<b>\$1461</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **One adjustable shelf** above hanging rod. Standard with lock.

Z24L8WAR	24 x 24 x 84.4-84.9	125	220.50	34.25	<b>\$2011</b>	<b>\$2072</b>	N/A	N/A
Z21L8WAR	24 x 21 x 84.4-84.9	125	192.15	30.25	<b>\$1938</b>	<b>\$1998</b>	N/A	N/A
Z18L8WAR	24 x 18 x 84.4-84.9	125	184.80	26.25	<b>\$1806</b>	<b>\$1857</b>	N/A	N/A
Z16L8WAR	24 x 16 x 84.4-84.9	125	172.20	24	<b>\$1723</b>	<b>\$1772</b>	N/A	N/A
Z15L8WAR	24 x 15 x 84.4-84.9	125	161.70	22.50	<b>\$1674</b>	<b>\$1715</b>	N/A	N/A
Z12L8WAR	24 x 12 x 84.4-84.9	100	150.15	18.50	<b>\$1538</b>	<b>\$1576</b>	N/A	N/A
Z24M8WAR	20 x 24 x 84.4-84.9	125	197.40	28.50	<b>\$1874</b>	<b>\$1925</b>	N/A	N/A
Z21M8WAR	20 x 21 x 84.4-84.9	125	182.70	25.50	<b>\$1805</b>	<b>\$1856</b>	N/A	N/A
Z18M8WAR	20 x 18 x 84.4-84.9	125	164.85	22.25	<b>\$1673</b>	<b>\$1718</b>	N/A	N/A
Z16M8WAR	20 x 16 x 84.4-84.9	125	154.35	20.25	<b>\$1594</b>	<b>\$1639</b>	N/A	N/A
Z15M8WAR	20 x 15 x 84.4-84.9	125	149.10	19	<b>\$1530</b>	<b>\$1568</b>	N/A	N/A
Z12M8WAR	20 x 12 x 84.4-84.9	100	133.35	15.75	<b>\$1429</b>	<b>\$1461</b>	N/A	N/A

Laminate doors are standard. Full length hanging rod included. **One adjustable shelf** above hanging rod. Standard with lock.

Z36L8DIL	24 x 36 x 84.4-84.9	125	339	50	<b>\$3103</b>	<b>\$3188</b>	<b>\$2060</b>	N/A
Z30L8DIL	24 x 30 x 84.4-84.9	125	301	42	<b>\$2724</b>	<b>\$2798</b>	<b>\$1763</b>	N/A
Z24L8DIL	24 x 24 x 84.4-84.9	125	269	34.25	<b>\$2464</b>	<b>\$2525</b>	<b>\$1617</b>	N/A
Z21L8DIL	24 x 21 x 84.4-84.9	100	252	30.25	<b>\$2385</b>	<b>\$2421</b>	<b>\$1603</b>	N/A
Z36M8DIL	20 x 36 x 84.4-84.9	125	306	42.25	<b>\$2921</b>	<b>\$2995</b>	<b>\$2060</b>	N/A
Z30M8DIL	20 x 30 x 84.4-84.9	125	266	35.50	<b>\$2574</b>	<b>\$2638</b>	<b>\$1763</b>	N/A
Z24M8DIL	20 x 24 x 84.4-84.9	100	233	28.50	<b>\$2322</b>	<b>\$2375</b>	<b>\$1617</b>	N/A
Z21M8DIL	20 x 21 x 84.4-84.9	100	215	25.50	<b>\$2207</b>	<b>\$2269</b>	<b>\$1603</b>	N/A

Laminate doors are standard. Storage compartment on **left** includes **five adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Two locks secure storage and wardrobe.

Z36L8DIR	24 x 36 x 84.4-84.9	125	339	50	<b>\$3103</b>	<b>\$3188</b>	<b>\$2060</b>	N/A
Z30L8DIR	24 x 30 x 84.4-84.9	125	301	42	<b>\$2724</b>	<b>\$2798</b>	<b>\$1763</b>	N/A
Z24L8DIR	24 x 24 x 84.4-84.9	125	269	34.25	<b>\$2464</b>	<b>\$2525</b>	<b>\$1617</b>	N/A
Z21L8DIR	24 x 21 x 84.4-84.9	100	252	30.25	<b>\$2385</b>	<b>\$2421</b>	<b>\$1603</b>	N/A
Z36M8DIR	20 x 36 x 84.4-84.9	125	306	42.25	<b>\$2921</b>	<b>\$2995</b>	<b>\$2060</b>	N/A
Z30M8DIR	20 x 30 x 84.4-84.9	125	266	35.50	<b>\$2574</b>	<b>\$2638</b>	<b>\$1763</b>	N/A
Z24M8DIR	20 x 24 x 84.4-84.9	100	233	28.50	<b>\$2322</b>	<b>\$2375</b>	<b>\$1617</b>	N/A
Z21M8DIR	20 x 21 x 84.4-84.9	100	215	25.50	<b>\$2207</b>	<b>\$2269</b>	<b>\$1603</b>	N/A

Laminate doors are standard. Storage compartment on **right** includes **five adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two locks secure storage and wardrobe.



### Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

### Optional Specifications

Glazing - Doors  
Collator (Open Shelves)  
Box drawer\* - no upcharge (30"-36" wide models only)

## WARDROBE CABINETS - 84.5"/85" HIGH


Wardrobe Cabinet/Open Shelving  
Combo - LEFT

Wardrobe Cabinet/Open Shelving  
Combo - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z36L8DINL	24 x 36 x 84.4-84.9	125	312	50	\$2778	\$2863	\$1027	N/A
Z30L8DINL	24 x 30 x 84.4-84.9	125	278	42	\$2438	\$2512	\$877	N/A
Z24L8DINL	24 x 24 x 84.4-84.9	125	245	34.25	\$2232	\$2293	\$784	N/A
Z21L8DINL	24 x 21 x 84.4-84.9	125	236	30.25	\$2174	\$2201	\$779	N/A
Z36M8DINL	20 x 36 x 84.4-84.9	125	275	42.25	\$2595	\$2669	\$1027	N/A
Z30M8DINL	20 x 30 x 84.4-84.9	125	243	35.50	\$2293	\$2357	\$877	N/A
Z24M8DINL	20 x 24 x 84.4-84.9	125	215	28.50	\$2090	\$2141	\$784	N/A
Z21M8DINL	20 x 21 x 84.4-84.9	125	199	25.50	\$1997	\$2048	\$779	N/A

Laminate door is standard on wardrobe section. Storage compartment on **left includes five adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Single lock secures wardrobe compartment.

Z36L8DINR	24 x 36 x 84.4-84.9	125	312	50	\$2778	\$2863	\$1027	N/A
Z30L8DINR	24 x 30 x 84.4-84.9	125	278	42	\$2438	\$2512	\$877	N/A
Z24L8DINR	24 x 24 x 84.4-84.9	125	245	34.25	\$2232	\$2293	\$784	N/A
Z21L8DINR	24 x 21 x 84.4-84.9	125	236	30.25	\$2174	\$2201	\$779	N/A
Z36M8DINR	20 x 36 x 84.4-84.9	125	275	42.25	\$2595	\$2669	\$1027	N/A
Z30M8DINR	20 x 30 x 84.4-84.9	125	243	35.50	\$2293	\$2357	\$877	N/A
Z24M8DINR	20 x 24 x 84.4-84.9	125	215	28.50	\$2090	\$2141	\$784	N/A
Z21M8DINR	20 x 21 x 84.4-84.9	125	199	25.50	\$1997	\$2048	\$779	N/A

Laminate door is standard on wardrobe section. Storage compartment on **right includes five adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Single lock secures wardrobe compartment.

## PERSONAL TOWERS - 84.5"/85" HIGH



Personal Tower with Doors - LEFT



Personal Tower with Doors - RIGHT

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L8EL	24 x 36 x 84.4-84.9	125	368.55	50	\$3315	\$3401	\$1785	N/A
Z30L8EL	24 x 30 x 84.4-84.9	125	334.95	42	\$3026	\$3100	\$1630	N/A
Z24L8EL	24 x 24 x 84.4-84.9	100	299.24	34.25	\$2925	\$2987	\$1406	N/A
Z36M8EL	20 x 36 x 84.4-84.9	125	332.85	42.25	\$3133	\$3207	\$1785	N/A
Z30M8EL	20 x 30 x 84.4-84.9	100	298.20	35.50	\$2889	\$2953	\$1630	N/A
Z24M8EL	20 x 24 x 84.4-84.9	100	266	29	\$2755	\$2806	\$1406	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes three adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Z36L8ER	24 x 36 x 84.4-84.9	125	368.55	50	\$3315	\$3401	\$1785	N/A
Z30L8ER	24 x 30 x 84.4-84.9	125	334.95	42	\$3026	\$3100	\$1630	N/A
Z24L8ER	24 x 24 x 84.4-84.9	100	299.24	34.25	\$2925	\$2987	\$1406	N/A
Z36M8ER	20 x 36 x 84.4-84.9	125	332.85	42.25	\$3133	\$3207	\$1785	N/A
Z30M8ER	20 x 30 x 84.4-84.9	100	298.20	35.50	\$2889	\$2953	\$1630	N/A
Z24M8ER	20 x 24 x 84.4-84.9	100	266	29	\$2755	\$2806	\$1406	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **right includes three adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

Z36L8ECL	24 x 36 x 84.4-84.9	125	366.44	50	\$3283	\$3368	\$1686	N/A
Z30L8ECL	24 x 30 x 84.4-84.9	125	332.49	42	\$2995	\$3069	\$1530	N/A
Z24L8ECL	24 x 24 x 84.4-84.9	100	295.24	34.25	\$2881	\$2942	\$1307	N/A
Z36M8ECL	20 x 36 x 84.4-84.9	125	328.68	42.25	\$3084	\$3158	\$1686	N/A
Z30M8ECL	20 x 30 x 84.4-84.9	100	295.07	35.50	\$2841	\$2903	\$1530	N/A
Z24M8ECL	20 x 24 x 84.4-84.9	100	263	29	\$2710	\$2761	\$1307	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **left includes two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

## Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

## Optional Specifications

Glazing - Doors  
Collator (Open Shelves)  
Box drawer - no upcharge\* (30"-36" wide models only)



## PERSONAL TOWERS - 84.5"/85" HIGH



Glazed door option



\* Accepts collator 11" high

**Personal Tower with Doors and cavity - RIGHT**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
Z36L8ECR	24 x 36 x 84.4-84.9	125	366.44	50	\$3283	\$3368	\$1686	N/A
Z30L8ECR	24 x 30 x 84.4-84.9	125	332.49	42	\$2995	\$3069	\$1530	N/A
Z24L8ECR	24 x 24 x 84.4-84.9	100	295.24	34.25	\$2881	\$2942	\$1307	N/A
Z36M8ECR	20 x 36 x 84.4-84.9	125	328.68	42.25	\$3084	\$3158	\$1686	N/A
Z30M8ECR	20 x 30 x 84.4-84.9	100	295.07	35.50	\$2841	\$2903	\$1530	N/A
Z24M8ECR	20 x 24 x 84.4-84.9	100	263	29	\$2710	\$2761	\$1307	N/A

**Two file drawers** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.



Glazed door option



\* Accepts collator 11" high

**Personal Tower with Open Shelves - LEFT**

Z36L8ENL	24 x 36 x 84.4-84.9	125	351.72	50	<b>\$3104</b>	<b>\$3189</b>	<b>\$1032</b>	N/A
Z30L8ENL	24 x 30 x 84.4-84.9	125	320.22	42	<b>\$2815</b>	<b>\$2889</b>	<b>\$873</b>	N/A
Z24L8ENL	24 x 24 x 84.4-84.9	100	283.24	34.25	<b>\$2670</b>	<b>\$2731</b>	<b>\$653</b>	N/A
Z36M8ENL	20 x 36 x 84.4-84.9	125	313.96	42.25	<b>\$2907</b>	<b>\$2981</b>	<b>\$1027</b>	N/A
Z30M8ENL	20 x 30 x 84.4-84.9	125	282.80	35.50	<b>\$2665</b>	<b>\$2727</b>	<b>\$877</b>	N/A
Z24M8ENL	20 x 24 x 84.4-84.9	100	249	29	<b>\$2502</b>	<b>\$2553</b>	<b>\$653</b>	N/A

**Two file drawers** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **left** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



Glazed door option



\* Accepts collator 11" high

**Personal Tower with Open Shelves - RIGHT**

Z36L8ENR	24 x 36 x 84.4-84.9	125	351.72	50	<b>\$3104</b>	<b>\$3189</b>	<b>\$1032</b>	N/A
Z30L8ENR	24 x 30 x 84.4-84.9	125	320.22	42	<b>\$2815</b>	<b>\$2889</b>	<b>\$873</b>	N/A
Z24L8ENR	24 x 24 x 84.4-84.9	100	283.24	34.25	<b>\$2670</b>	<b>\$2731</b>	<b>\$653</b>	N/A
Z36M8ENR	20 x 36 x 84.4-84.9	125	313.96	42.25	<b>\$2907</b>	<b>\$2981</b>	<b>\$1027</b>	N/A
Z30M8ENR	20 x 30 x 84.4-84.9	125	282.80	35.50	<b>\$2665</b>	<b>\$2727</b>	<b>\$877</b>	N/A
Z24M8ENR	20 x 24 x 84.4-84.9	100	249	29	<b>\$2502</b>	<b>\$2553</b>	<b>\$653</b>	N/A

**Two file drawers** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **right** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



Glazed door option

**Personal Tower with Doors - LEFT**

Z36L8BFL	24 x 36 x 84.4-84.9	125	371.70	50	<b>\$3470</b>	<b>\$3555</b>	<b>\$1785</b>	N/A
Z30L8BFL	24 x 30 x 84.4-84.9	100	337.05	42	<b>\$3197</b>	<b>\$3271</b>	<b>\$1630</b>	N/A
Z24L8BFL	24 x 24 x 84.4-84.9	100	301.24	34.25	<b>\$3042</b>	<b>\$3103</b>	<b>\$1406</b>	N/A
Z36M8BFL	20 x 36 x 84.4-84.9	125	334.95	42.25	<b>\$3274</b>	<b>\$3348</b>	<b>\$1785</b>	N/A
Z30M8BFL	20 x 30 x 84.4-84.9	100	300.30	35.50	<b>\$3042</b>	<b>\$3106</b>	<b>\$1630</b>	N/A
Z24M8BFL	20 x 24 x 84.4-84.9	100	268	29	<b>\$2871</b>	<b>\$2922</b>	<b>\$1406</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.



Glazed door option

**Personal Tower with Doors - RIGHT**

Z36L8BFR	24 x 36 x 84.4-84.9	125	371.70	50	<b>\$3470</b>	<b>\$3555</b>	<b>\$1785</b>	N/A
Z30L8BFR	24 x 30 x 84.4-84.9	100	337.05	42	<b>\$3197</b>	<b>\$3271</b>	<b>\$1630</b>	N/A
Z24L8BFR	24 x 24 x 84.4-84.9	100	301.24	34.25	<b>\$3042</b>	<b>\$3103</b>	<b>\$1406</b>	N/A
Z36M8BFR	20 x 36 x 84.4-84.9	125	334.95	42.25	<b>\$3274</b>	<b>\$3348</b>	<b>\$1785</b>	N/A
Z30M8BFR	20 x 30 x 84.4-84.9	100	300.30	35.50	<b>\$3042</b>	<b>\$3106</b>	<b>\$1630</b>	N/A
Z24M8BFR	20 x 24 x 84.4-84.9	100	268	29	<b>\$2871</b>	<b>\$2922</b>	<b>\$1406</b>	N/A

**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.

### Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

### Optional Specifications

Glazing - Doors  
Collator (Open Shelves)  
Box drawer\* - no upcharge (30" - 36" wide models only)


## PERSONAL TOWERS - 84.5"/85" HIGH



**Personal Tower with Doors and Cavity - LEFT**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36L8BFCL	24 x 36 x 84.4-84.9	125	369.59	50	\$3424	\$3510	\$1686	N/A
Z30L8BFCL	24 x 30 x 84.4-84.9	125	334.59	42	\$3148	\$3222	\$1530	N/A
Z24L8BFCL	24 x 24 x 84.4-84.9	100	297.24	34.25	\$2995	\$3057	\$1307	N/A
Z36M8BFCL	20 x 36 x 84.4-84.9	125	330.78	42.25	\$3227	\$3301	\$1686	N/A
Z30M8BFCL	20 x 30 x 84.4-84.9	100	299.27	35.50	\$2995	\$3059	\$1530	N/A
Z24M8BFCL	20 x 24 x 84.4-84.9	100	265	29	\$2825	\$2876	\$1307	N/A


**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **left** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.



**Personal Tower with Doors and Cavity - RIGHT**

Z36L8BFCR	24 x 36 x 84.4-84.9	125	369.59	50	\$3424	\$3510	\$1686	N/A
Z30L8BFCR	24 x 30 x 84.4-84.9	125	334.59	42	\$3148	\$3222	\$1530	N/A
Z24L8BFCR	24 x 24 x 84.4-84.9	100	297.24	34.25	\$2995	\$3057	\$1307	N/A
Z36M8BFCR	20 x 36 x 84.4-84.9	125	330.78	42.25	\$3227	\$3301	\$1686	N/A
Z30M8BFCR	20 x 30 x 84.4-84.9	100	299.27	35.50	\$2995	\$3059	\$1530	N/A
Z24M8BFCR	20 x 24 x 84.4-84.9	100	265	29	\$2825	\$2876	\$1307	N/A


**Two box and one file drawer** on bottom. Laminate doors are standard. Storage compartment on **right** includes **two 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Two upper locks secure storage and wardrobe compartments. Lower lock secures all drawers.



**Personal Tower with Open Shelves - LEFT**

Z36L8BFNL	24 x 36 x 84.4-84.9	125	354.87	50	\$3242	\$3328	\$1032	N/A
Z30L8BFNL	24 x 30 x 84.4-84.9	125	322.32	42	\$2972	\$3046	\$873	N/A
Z24L8BFNL	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2787	\$2848	\$653	N/A
Z36M8BFNL	20 x 36 x 84.4-84.9	125	316.06	42.25	\$3047	\$3136	\$1027	N/A
Z30M8BFNL	20 x 30 x 84.4-84.9	100	287	35.50	\$2815	\$2879	\$877	N/A
Z24M8BFNL	20 x 24 x 84.4-84.9	100	251	29	\$2614	\$2665	\$653	N/A

**Two box and one file drawer** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **left** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **right** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.



**Personal Tower with Open Shelves - RIGHT**

Z36L8BFNR	24 x 36 x 84.4-84.9	125	354.87	50	\$3242	\$3328	\$1032	N/A
Z30L8BFNR	24 x 30 x 84.4-84.9	125	322.32	42	\$2972	\$3046	\$873	N/A
Z24L8BFNR	24 x 24 x 84.4-84.9	100	285.24	34.25	\$2787	\$2848	\$653	N/A
Z36M8BFNR	20 x 36 x 84.4-84.9	125	316.06	42.25	\$3047	\$3136	\$1027	N/A
Z30M8BFNR	20 x 30 x 84.4-84.9	100	287	35.50	\$2815	\$2879	\$877	N/A
Z24M8BFNR	20 x 24 x 84.4-84.9	100	251	29	\$2614	\$2665	\$653	N/A

**Two box and one file drawer** on bottom. Laminate door is standard on wardrobe section. Storage compartment on **right** includes **three 3-position fixed/height adjustable shelves**. Wardrobe compartment on **left** includes hanging rod and **one adjustable shelf** above rod. Upper lock secures wardrobe compartment. Lower lock secures all drawers.

## CLOSED FRONT OVERHEAD STORAGE - 33"H



**Closed Front Overhead Storage with Doors - 32.5"/33"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z42S33OS	16 x 42 x 32.5-33	100	135.98	16.25	\$1215	\$1296	\$1177	N/A
Z36S33OS	16 x 36 x 32.5-33	100	119.70	14	\$1102	\$1174	\$1063	N/A
Z30S33OS	16 x 30 x 32.5-33	100	104.42	11.75	\$987	\$1033	\$927	N/A
Z24S33OS	16 x 24 x 32.5-33	100	81.13	9.75	\$884	\$933	\$811	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

• **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.


## Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

## Optional Specifications


Glazing - Doors  
Collator (Open Shelves)

OVERHEAD STORAGE - 33"H




Glazed door option

**Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H**




Glazed door option

**Closed Front Overhead Storage with Pigeon Hole - 32.5"/33"H**




Glazed door option

**Overhead Storage, 2 Outer Doors with Pigeon Hole - 32.5"/33"H**



Glazed door option

**Overhead Storage, 2 Center Doors with Pigeon Hole - 32.5"/33"H**



Glazed door option

**Overhead Storage, 1 Door - LEFT with Pigeon Hole - 32.5"/33"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
--------	------------	---------------	---------	-----------	-------	----------	-----------	--------

D x W x H

Z42S33OP	16 x 42 x 32.5-33	100	140	16.25	<b>\$1550</b>	<b>\$1635</b>	<b>\$777</b>	N/A
Z36S33OP	16 x 36 x 32.5-33	100	122	14	<b>\$1339</b>	<b>\$1415</b>	<b>\$708</b>	N/A
Z30S33OP	16 x 30 x 32.5-33	100	105	12	<b>\$1200</b>	<b>\$1262</b>	<b>\$629</b>	N/A
Z24S33OP	16 x 24 x 32.5-33	100	88	9.75	<b>\$1077</b>	<b>\$1135</b>	<b>\$572</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OS	16 x 72 x 32.5-33	100	230	26	<b>\$2510</b>	<b>\$2621</b>	<b>\$1416</b>	N/A
Z66S33OS	16 x 66 x 32.5-33	100	215	24	<b>\$2412</b>	<b>\$2513</b>	<b>\$1390</b>	N/A
Z60S33OS	16 x 60 x 32.5-33	100	199	22	<b>\$2224</b>	<b>\$2317</b>	<b>\$1259</b>	N/A
Z54S33OS	16 x 54 x 32.5-33	100	184	21	<b>\$2113</b>	<b>\$2202</b>	<b>\$1234</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33SOS	16 x 72 x 32.5-33	100	215	26	<b>\$2270</b>	<b>\$2381</b>	<b>\$710</b>	N/A
Z66S33SOS	16 x 66 x 32.5-33	100	201	24	<b>\$2168</b>	<b>\$2269</b>	<b>\$697</b>	N/A
Z60S33SOS	16 x 60 x 32.5-33	100	187	22	<b>\$2037</b>	<b>\$2130</b>	<b>\$684</b>	N/A
Z54S33SOS	16 x 54 x 32.5-33	100	173	21	<b>\$1895</b>	<b>\$1984</b>	<b>\$618</b>	N/A

6 compartments. **Doors on outer compartments only.** Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSO	16 x 72 x 32.5-33	100	214	26	<b>\$2226</b>	<b>\$2337</b>	<b>\$710</b>	N/A
Z66S33OSO	16 x 66 x 32.5-33	100	200	24	<b>\$2130</b>	<b>\$2231</b>	<b>\$697</b>	N/A
Z60S33OSO	16 x 60 x 32.5-33	100	186	22	<b>\$1998</b>	<b>\$2091</b>	<b>\$632</b>	N/A
Z54S33OSO	16 x 54 x 32.5-33	100	172	21	<b>\$1890</b>	<b>\$1979</b>	<b>\$618</b>	N/A

6 compartments. **Doors on inner compartments only.** Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSL	16 x 36 x 32.5-33	100	119	14	<b>\$1254</b>	<b>\$1330</b>	<b>\$355</b>	N/A
Z30S33OSL	16 x 30 x 32.5-33	100	104	11.75	<b>\$1144</b>	<b>\$1206</b>	<b>\$317</b>	N/A
Z24S33OSL	16 x 24 x 32.5-33	100	88	9.75	<b>\$1027</b>	<b>\$1085</b>	<b>\$277</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on **right**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications**

Top finish  
Base finish  
Top/Edge Detail  
Handles

**Optional Specifications**

Glazing - Doors


## OVERHEAD STORAGE - 33"H




Glazed door option

Overhead Storage, 1 Door - RIGHT  
with Pigeon Hole - 32.5"/33"H


Glazed door option

Overhead Storage, 1 Door - LEFT  
with Pigeon Hole - 32.5"/33"H


Glazed door option

Overhead Storage, 1 Door - RIGHT  
with Pigeon Hole - 32.5"/33"H\*


Glazed door option

Overhead Storage, 1 Door - LEFT  
with Pigeon Hole - 32.5"/33"H\*


Glazed door option

Overhead Storage, 1 Door - RIGHT  
with Pigeon Hole - 32.5"/33"H\*

Overhead Storage, Glass Doors  
with Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36S33OSR	16 x 36 x 32.5-33	100	119	14	<b>\$1254</b>	<b>\$1330</b>	<b>\$355</b>	N/A
Z30S33OSR	16 x 30 x 32.5-33	100	104	11.75	<b>\$1144</b>	<b>\$1206</b>	<b>\$317</b>	N/A
Z24S33OSR	16 x 24 x 32.5-33	100	88	9.75	<b>\$1027</b>	<b>\$1085</b>	<b>\$277</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on **left**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S33OSL	16 x 48 x 32.5-33	100	135	16.25	<b>\$1621</b>	<b>\$1710</b>	<b>\$400</b>	N/A
Z42S33OSL	16 x 42 x 32.5-33	100	135	16.25	<b>\$1443</b>	<b>\$1528</b>	<b>\$391</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on **right**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z48S33OSR	16 x 48 x 32.5-33	100	135	16.25	<b>\$1621</b>	<b>\$1710</b>	<b>\$400</b>	N/A
Z42S33OSR	16 x 42 x 32.5-33	100	135	16.25	<b>\$1443</b>	<b>\$1528</b>	<b>\$391</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks. Open storage on **left**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSL	16 x 72 x 32.5-33	125	207	26	<b>\$2181</b>	<b>\$2292</b>	<b>\$709</b>	N/A
Z66S33OSL	16 x 66 x 32.5-33	100	193	24	<b>\$2080</b>	<b>\$2181</b>	<b>\$699</b>	N/A
Z60S33OSL	16 x 60 x 32.5-33	100	179	22	<b>\$1927</b>	<b>\$2020</b>	<b>\$635</b>	N/A
Z54S33OSL	16 x 54 x 32.5-33	125	166	21	<b>\$1823</b>	<b>\$1912</b>	<b>\$616</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on **right**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSR	16 x 72 x 32.5-33	125	207	26	<b>\$2181</b>	<b>\$2292</b>	<b>\$709</b>	N/A
Z66S33OSR	16 x 66 x 32.5-33	100	193	24	<b>\$2080</b>	<b>\$2181</b>	<b>\$699</b>	N/A
Z60S33OSR	16 x 60 x 32.5-33	100	179	22	<b>\$1927</b>	<b>\$2020</b>	<b>\$635</b>	N/A
Z54S33OSR	16 x 54 x 32.5-33	125	166	21	<b>\$1823</b>	<b>\$1912</b>	<b>\$616</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. Open storage on **left**.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z36S33OSD	16 x 36 x 32.5-33	100	127	14	<b>\$2660</b>	<b>\$2736</b>	N/A	N/A
Z30S33OSD	16 x 30 x 32.5-33	100	110	12	<b>\$2340</b>	<b>\$2402</b>	N/A	N/A
Z24S33OSD	16 x 24 x 32.5-33	100	91	9.75	<b>\$2074</b>	<b>\$2132</b>	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock.

Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

## Optional Specifications

Glazing - Doors  
Key #\*

## OVERHEAD STORAGE




**Overhead Storage, Glass Doors with Pigeon Hole - 32.5"/33"H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S330SD	16 x 72 x 32.5-33	100	224	26	<b>\$4688</b>	<b>\$4799</b>	N/A	N/A
Z66S330SD	16 x 66 x 32.5-33	100	208	24	<b>\$4383</b>	<b>\$4484</b>	N/A	N/A
Z60S330SD	16 x 60 x 32.5-33	100	193	22	<b>\$4055</b>	<b>\$4148</b>	N/A	N/A
Z54S330SD	16 x 54 x 32.5-33	100	178	21	<b>\$3777</b>	<b>\$3866</b>	N/A	N/A
Z48S330SD	16 x 48 x 32.5-33	100	162	17.70	<b>\$3451</b>	<b>\$3540</b>	N/A	N/A
Z42S330SD	16 x 42 x 32.5-33	100	145	16.25	<b>\$3084</b>	<b>\$3169</b>	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Sliding glass doors do not lock.

Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Glazed door option

**Closed Front Overhead Storage with Doors - 20"/20.5"H\***

Z42S200S	16 x 42 x 20-20.5	100	93.99	10.50	<b>\$868</b>	<b>\$948</b>	<b>\$841</b>	N/A
Z36S200S	16 x 36 x 20-20.5	100	82.70	9	<b>\$796</b>	<b>\$868</b>	<b>\$768</b>	N/A
Z30S200S	16 x 30 x 20-20.5	100	72.42	7.50	<b>\$718</b>	<b>\$764</b>	<b>\$682</b>	N/A
Z24S200S	16 x 24 x 20-20.5	100	56.13	6.25	<b>\$675</b>	<b>\$726</b>	<b>\$610</b>	N/A

Includes steel hanging rail for wall mount applications. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Glazed door option

**Overhead Storage w/1 door - LEFT\* 20"/20.5"H**

Z48S200SL	16 x 48 x 20-20.5	125	95	12.50	<b>\$987</b>	<b>\$1076</b>	<b>\$342</b>	N/A
Z42S200SL	16 x 42 x 20-20.5	100	85	10.50	<b>\$872</b>	<b>\$957</b>	<b>\$317</b>	N/A
Z36S200SL	16 x 36 x 20-20.5	100	76	9	<b>\$799</b>	<b>\$875</b>	<b>\$291</b>	N/A
Z30S200SL	16 x 30 x 20-20.5	100	67	7.60	<b>\$732</b>	<b>\$794</b>	<b>\$250</b>	N/A
Z24S200SL	16 x 24 x 20-20.5	100	58	6.50	<b>\$679</b>	<b>\$737</b>	<b>\$228</b>	N/A

Door on **left**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.




Glazed door option

**Overhead Storage w/1 door - RIGHT 20"/20.5"H\***

Z48S200SR	16 x 48 x 20-20.5	125	95	12.50	<b>\$987</b>	<b>\$1076</b>	<b>\$342</b>	N/A
Z42S200SR	16 x 42 x 20-20.5	100	85	10.50	<b>\$872</b>	<b>\$957</b>	<b>\$317</b>	N/A
Z36S200SR	16 x 36 x 20-20.5	100	76	9	<b>\$799</b>	<b>\$875</b>	<b>\$291</b>	N/A
Z30S200SR	16 x 30 x 20-20.5	100	67	7.60	<b>\$732</b>	<b>\$794</b>	<b>\$250</b>	N/A
Z24S200SR	16 x 24 x 20-20.5	100	58	6.50	<b>\$679</b>	<b>\$737</b>	<b>\$228</b>	N/A

Door on **right**. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Door locks.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Glazed door option

**Closed Front Overhead Storage w/Center Divider- 20/20.5"H\***

Z72S200S	16 x 72 x 20-20.5	100	149	18	<b>\$1662</b>	<b>\$1773</b>	<b>\$1146</b>	N/A
Z66S200S	16 x 66 x 20-20.5	100	139	16.50	<b>\$1584</b>	<b>\$1685</b>	<b>\$1121</b>	N/A
Z60S200S	16 x 60 x 20-20.5	100	129	15	<b>\$1462</b>	<b>\$1555</b>	<b>\$1026</b>	N/A
Z54S200S	16 x 54 x 20-20.5	100	119	13.75	<b>\$1392</b>	<b>\$1481</b>	<b>\$999</b>	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.










### Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

### Optional Specifications

Glazed doors\*  
Key #\*



OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
  <b>Overhead Storage w/2 Outer Doors 20/20.5\" H*</b>		<b>D x W x H</b>							
	Z72S20SOS	16 x 72 x 20-20.5	125	137	18	<b>\$1429</b>	<b>\$1540</b>	<b>\$579</b>	N/A
	Z66S20SOS	16 x 66 x 20-20.5	125	128	16.50	<b>\$1352</b>	<b>\$1453</b>	<b>\$565</b>	N/A
	Z60S20SOS	16 x 60 x 20-20.5	100	120	15	<b>\$1272</b>	<b>\$1365</b>	<b>\$554</b>	N/A
	Z54S20SOS	16 x 54 x 20-20.5	100	110	13.75	<b>\$1186</b>	<b>\$1275</b>	<b>\$505</b>	N/A
4 compartments. <b>Doors on outer compartments only.</b> Includes steel hanging rail for wall mount applications. Doors lock. <b>• NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.									
  <b>Overhead Storage w/2 Inner Doors 20/20.5\" H*</b>									
	Z72S20OSO	16 x 72 x 20-20.5	125	137	18	<b>\$1446</b>	<b>\$1557</b>	<b>\$575</b>	N/A
	Z66S20OSO	16 x 66 x 20-20.5	125	128	16.50	<b>\$1370</b>	<b>\$1471</b>	<b>\$561</b>	N/A
	Z60S20OSO	16 x 60 x 20-20.5	100	120	15	<b>\$1288</b>	<b>\$1381</b>	<b>\$515</b>	N/A
	Z54S20OSO	16 x 54 x 20-20.5	100	110	13.75	<b>\$1203</b>	<b>\$1292</b>	<b>\$501</b>	N/A
4 compartments. <b>Doors on inner compartments only.</b> Includes steel hanging rail for wall mount applications. Doors lock. <b>• NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.									
  <b>Overhead Storage w/2 Doors - LEFT 20/20.5\" H*</b>									
	Z72S20O0SL	16 x 72 x 20-20.5	125	132	18	<b>\$1386</b>	<b>\$1497</b>	<b>\$576</b>	N/A
	Z66S20O0SL	16 x 66 x 20-20.5	125	123	16.50	<b>\$1310</b>	<b>\$1411</b>	<b>\$563</b>	N/A
	Z60S20O0SL	16 x 60 x 20-20.5	125	114	15	<b>\$1211</b>	<b>\$1304</b>	<b>\$516</b>	N/A
	Z54S20O0SL	16 x 54 x 20-20.5	125	105	13.75	<b>\$1144</b>	<b>\$1233</b>	<b>\$502</b>	N/A
2 doors on <b>left</b> cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. <b>• NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.									
  <b>Overhead Storage w/2 Doors - RIGHT 20/20.5\" H*</b>									
	Z72S20O0SR	16 x 72 x 20-20.5	125	132	18	<b>\$1386</b>	<b>\$1497</b>	<b>\$576</b>	N/A
	Z66S20O0SR	16 x 66 x 20-20.5	125	123	16.50	<b>\$1310</b>	<b>\$1411</b>	<b>\$563</b>	N/A
	Z60S20O0SR	16 x 60 x 20-20.5	125	114	15	<b>\$1211</b>	<b>\$1304</b>	<b>\$516</b>	N/A
	Z54S20O0SR	16 x 54 x 20-20.5	125	105	13.75	<b>\$1144</b>	<b>\$1233</b>	<b>\$502</b>	N/A
2 doors on <b>right</b> cavity. Includes steel hanging rail for wall mount applications. Includes one fixed shelf. Doors lock. <b>• NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.									
 <b>Overhead Storage, w/Glass Doors 20/20.5\" H</b>									
	Z72S20O0SD	16 x 72 x 20-20.5	100	145	18	<b>\$3505</b>	<b>\$3616</b>	N/A	N/A
	Z66S20O0SD	16 x 66 x 20-20.5	100	135	16	<b>\$3264</b>	<b>\$3365</b>	N/A	N/A
	Z60S20O0SD	16 x 60 x 20-20.5	100	125	15	<b>\$3010</b>	<b>\$3103</b>	N/A	N/A
	Z54S20O0SD	16 x 54 x 20-20.5	100	115	13.75	<b>\$2880</b>	<b>\$2969</b>	N/A	N/A
	Z48S20O0SD	16 x 48 x 20-20.5	100	104	12.50	<b>\$2547</b>	<b>\$2636</b>	N/A	N/A
	Z42S20O0SD	16 x 42 x 20-20.5	100	93	10.50	<b>\$2275</b>	<b>\$2360</b>	N/A	N/A
	Z36S20O0SD	16 x 36 x 20-20.5	100	83	9	<b>\$2011</b>	<b>\$2087</b>	N/A	N/A
	Z30S20O0SD	16 x 30 x 20-20.5	100	75	7.60	<b>\$1801</b>	<b>\$1863</b>	N/A	N/A
	Z24S20O0SD	16 x 24 x 20-20.5	100	63	6.40	<b>\$1668</b>	<b>\$1726</b>	N/A	N/A
	Includes steel hanging rail for wall mount applications. Sliding glass doors do not lock. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver. <b>• NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								


#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

#### Optional Specifications

Glazed doors\*  
Key #\*

CLOSED FRONT OVERHEAD STORAGE - 16"H



Glazed door option

Closed Front Overhead Storage\*  
with Doors - 16"/16.5"H\*



Glazed door option

Closed Front Overhead Storage\*  
with Doors - 16"/16.5" High, 60" Wide

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
Z48S16OS	15 x 48 x 16-16.5	92.5	98.63	9.25	<b>\$866</b>	<b>\$942</b>	<b>\$811</b>	N/A
Z42S16OS	15 x 42 x 16-16.5	92.5	87.42	7.75	<b>\$751</b>	<b>\$818</b>	<b>\$785</b>	N/A
Z36S16OS	15 x 36 x 16-16.5	92.5	77.22	6.75	<b>\$685</b>	<b>\$745</b>	<b>\$709</b>	N/A
Z30S16OS	15 x 30 x 16-16.5	92.5	64.02	5.75	<b>\$626</b>	<b>\$677</b>	<b>\$622</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z60S16OS	15 x 60 x 16-16.5	92.5	118.03	11	<b>\$1138</b>	<b>\$1229</b>	<b>\$1235</b>	N/A
----------	-------------------	------	--------	----	---------------	---------------	---------------	-----

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

OVERHEAD STORAGE W/OPEN FRONTS - 33"



Open Front Overhead Storage  
w/Pigeon Hole - 32.5"/33"H



Open Front Overhead Storage  
w/Pigeon Hole - 32.5"/33"H



Open Front Overhead Storage  
w/Pigeon Hole - 32.5"/33"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z42S33OPN	16 x 42 x 32.5-33	125	116	16.25	<b>\$1190</b>	<b>\$1275</b>	N/A	N/A
Z36S33OPN	16 x 36 x 32.5-33	125	101	14	<b>\$1013</b>	<b>\$1089</b>	N/A	N/A
Z30S33OPN	16 x 30 x 32.5-33	125	88	12	<b>\$910</b>	<b>\$972</b>	N/A	N/A
Z24S33OPN	16 x 24 x 32.5-33	125	74	9.75	<b>\$812</b>	<b>\$870</b>	N/A	N/A

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33ON	16 x 72 x 32.5-33	125	194	26	<b>\$1966</b>	<b>\$2067</b>	N/A	N/A
Z66S33ON	16 x 66 x 32.5-33	125	181	24	<b>\$1847</b>	<b>\$1940</b>	N/A	N/A
Z60S33ON	16 x 60 x 32.5-33	125	169	22	<b>\$1713</b>	<b>\$1802</b>	N/A	N/A
Z54S33ON	16 x 54 x 32.5-33	125	157	21	<b>\$1605</b>	<b>\$1694</b>	N/A	N/A

6 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z72S33OSN	16 x 72 x 32.5-33	125	187	26	<b>\$1853</b>	<b>\$1954</b>	N/A	N/A
Z66S33OSN	16 x 66 x 32.5-33	125	174	24	<b>\$1759</b>	<b>\$1852</b>	N/A	N/A
Z60S33OSN	16 x 60 x 32.5-33	125	162	22	<b>\$1643</b>	<b>\$1732</b>	N/A	N/A
Z54S33OSN	16 x 54 x 32.5-33	125	149	21	<b>\$1535</b>	<b>\$1624</b>	N/A	N/A

4 compartments. Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Top finish  
Base finish  
Top/Edge Detail  
Handles

Optional Specifications

Glazed doors\*  
Key #\*

OVERHEAD STORAGE W/OPEN FRONTS - 33"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z42S33OSN	16 x 42 x 32.5-33	125	108.98	16.25	<b>\$823</b>	<b>\$904</b>	N/A	N/A
	Z36S33OSN	16 x 36 x 32.5-33	125	96.70	14	<b>\$746</b>	<b>\$818</b>	N/A	N/A
	Z30S33OSN	16 x 30 x 32.5-33	125	84.42	11.75	<b>\$668</b>	<b>\$714</b>	N/A	N/A
	Z24S33OSN	16 x 24 x 32.5-33	125	67.20	9.75	<b>\$616</b>	<b>\$667</b>	N/A	N/A

Open Front Overhead Storage  
33"/33.5"H

Includes steel hanging rail for wall mount applications. Includes one fixed shelf.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

OVERHEAD STORAGE W/OPEN FRONTS - 33"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z42S20OSN	16 x 42 x 20-20.5	125	77.98	10.50	<b>\$575</b>	<b>\$656</b>	N/A	N/A
	Z36S20OSN	16 x 36 x 20-20.5	125	69.70	9	<b>\$521</b>	<b>\$593</b>	N/A	N/A
	Z30S20OSN	16 x 30 x 20-20.5	100	60.42	7.50	<b>\$468</b>	<b>\$514</b>	N/A	N/A
	Z24S20OSN	16 x 24 x 20-20.5	125	48.13	6.25	<b>\$423</b>	<b>\$474</b>	N/A	N/A

Open Front Overhead Storage  
20"/20.5" High

Includes steel hanging rail for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

	Z72S200N	16 x 72 x 20-20.5	125	122	18	<b>\$1154</b>	<b>\$1265</b>	N/A	N/A
	Z66S200N	16 x 66 x 20-20.5	125	114	16.50	<b>\$1081</b>	<b>\$1182</b>	N/A	N/A
	Z60S200N	16 x 60 x 20-20.5	125	106	15	<b>\$1007</b>	<b>\$1100</b>	N/A	N/A
	Z54S200N	16 x 54 x 20-20.5	125	99	13.75	<b>\$941</b>	<b>\$1030</b>	N/A	N/A

Open Front Overhead Storage  
20/20.5"H

4 compartments. Includes steel hanging rail for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

	Z72S200SN	16 x 72 x 20-20.5	125	117	18	<b>\$1114</b>	<b>\$1225</b>	N/A	N/A
	Z66S200SN	16 x 66 x 20-20.5	125	109	16.50	<b>\$1040</b>	<b>\$1141</b>	N/A	N/A
	Z60S200SN	16 x 60 x 20-20.5	125	101	15	<b>\$965</b>	<b>\$1058</b>	N/A	N/A
	Z54S200SN	16 x 54 x 20-20.5	125	94	13.75	<b>\$898</b>	<b>\$987</b>	N/A	N/A

Open Front Overhead Storage  
w/Center Divider - 20"/20.5"H

Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

OVERHEAD STORAGE W/OPEN FRONTS - 16"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z48S16OSN	15 x 48 x 16-16.5	100	79.63	9.25	<b>\$575</b>	<b>\$651</b>	N/A	N/A
	Z42S16OSN	15 x 42 x 16-16.5	100	70.42	7.75	<b>\$501</b>	<b>\$569</b>	N/A	N/A
	Z36S16OSN	15 x 36 x 16-16.5	100	63.22	6.75	<b>\$461</b>	<b>\$521</b>	N/A	N/A
	Z30S16OSN	15 x 30 x 16-16.5	100	54.02	5.75	<b>\$421</b>	<b>\$470</b>	N/A	N/A

Open Front Overhead Storage  
16"/16.5"H






Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail








OVERHEAD STORAGE W/OPEN FRONTS - 16"H		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
			D x W x H							
		Z60S160SN	15 x 60 x 16-16.5	100	98.03	11	<b>\$709</b>	<b>\$800</b>	N/A	N/A
<b>Open Front Overhead Storage</b> 16"/16.5" High, 60" Wide		<p>Standard with pre-mounted "J" bracket for wall mount applications.</p> <ul style="list-style-type: none"> <li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Fastening hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>								
OPEN HUTCHES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		Z84S23HN	15 x 84 x 23-23.5	150	129	23	<b>\$1038</b>	<b>\$1163</b>	N/A	N/A
		Z72S23HN	15 x 72 x 23-23.5	150	114	19.75	<b>\$910</b>	<b>\$1032</b>	N/A	N/A
		Z71S23HN	15 x 71.7 x 23-23.5	150	113	19.75	<b>\$910</b>	<b>\$1019</b>	N/A	N/A
		Z66S23HN	15 x 66 x 23-23.5	150	106	18.25	<b>\$837</b>	<b>\$934</b>	N/A	N/A
		Z60S23HN	15 x 60 x 23-23.5	125	99	16.50	<b>\$739</b>	<b>\$831</b>	N/A	N/A
		Z48S23HN	15 x 48 x 23-23.5	125	84	13.50	<b>\$639</b>	<b>\$715</b>	N/A	N/A
		Z42S23HN	15 x 42 x 23-23.5	125	76	11.75	<b>\$595</b>	<b>\$662</b>	N/A	N/A
		Z36S23HN	15 x 36 x 23-23.5	125	68	10.25	<b>\$549</b>	<b>\$610</b>	N/A	N/A
		Z30S23HN	15 x 30 x 23-23.5	125	61	8.50	<b>\$509</b>	<b>\$567</b>	N/A	N/A
<b>Open Hutch w/Closed Back - 23.5"H</b>		<p>Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>Clearance from worksurface to valance is 20.25".</li> <li>Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
		Z84S36HN	15 x 84 x 35.5-36	125	206	33	<b>\$1346</b>	<b>\$1471</b>	N/A	N/A
		Z72S36HN	15 x 72 x 35.5-36	125	181	28.25	<b>\$1232</b>	<b>\$1341</b>	N/A	N/A
		Z71S36HN	15 x 71.7 x 35.5-36	125	173	28.25	<b>\$1220</b>	<b>\$1331</b>	N/A	N/A
		Z66S36HN	15 x 66 x 35.5-36	125	161	26	<b>\$1153</b>	<b>\$1254</b>	N/A	N/A
		Z60S36HN	15 x 60 x 35.5-36	125	150	23.75	<b>\$1080</b>	<b>\$1171</b>	N/A	N/A
		Z54S36HN	15 x 54 x 35.5-36	125	128	21	<b>\$1080</b>	<b>\$1171</b>	N/A	N/A
		<p>One fixed shelf <b>and fixed shelf divider</b>. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>Clearance from worksurface to valance is 17.75".</li> <li>Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
		Z48S36HN	15 x 48 x 35.5-36	125	123	19	<b>\$891</b>	<b>\$967</b>	N/A	N/A
		Z42S36HN	15 x 42 x 35.5-36	125	112	16.75	<b>\$824</b>	<b>\$891</b>	N/A	N/A
		Z36S36HN	15 x 36 x 35.5-36	125	100	14.50	<b>\$756</b>	<b>\$816</b>	N/A	N/A
		Z30S36HN	15 x 30 x 35.5-36	125	89	12.25	<b>\$688</b>	<b>\$737</b>	N/A	N/A
		<p>One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>Clearance from worksurface to valance is 17.75".</li> <li>Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
		Z72S36OHN	15 x 72 x 35.5-36	150	162	27.75	<b>\$1419</b>	<b>\$1533</b>	N/A	N/A
		Z66S36OHN	15 x 66 x 35.5-36	150	152	25.50	<b>\$1347</b>	<b>\$1454</b>	N/A	N/A
		Z60S36OHN	15 x 60 x 35.5-36	125	142	23.25	<b>\$1266</b>	<b>\$1361</b>	N/A	N/A
		Z54S36OHN	15 x 54 x 35.5-36	125	133	21	<b>\$1186</b>	<b>\$1275</b>	N/A	N/A
		<p>Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>Clearance from worksurface to valance is 17.75".</li> <li>Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
<b>Open Hutch w/Closed Back - 36"H</b>										

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Accessories

Tackboard  
Pigeon-hole storage

OPEN HUTCHES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H								
	Z84S42HN	15 x 84 x 41.9-42.4	150	223	38.50	<b>\$1434</b>	<b>\$1559</b>	N/A	N/A
	Z72S42HN	15 x 72 x 41.9-42.4	150	196	33	<b>\$1327</b>	<b>\$1436</b>	N/A	N/A
	Z71S42HN	15 x 71.7 x 41.9-42.4	150	188	33	<b>\$1320</b>	<b>\$1429</b>	N/A	N/A
	Z66S42HN	15 x 66 x 41.9-42.4	150	175	30.75	<b>\$1242</b>	<b>\$1339</b>	N/A	N/A
	Z60S42HN	15 x 60 x 41.9-42.4	150	164	27.75	<b>\$1162</b>	<b>\$1253</b>	N/A	N/A
	Z54S42HN	15 x 54 x 41.9-42.4	150	140	24.50	<b>\$1162</b>	<b>\$1253</b>	N/A	N/A
<p>One fixed shelf <b>and fixed shelf divider</b>. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>• Clearance from worksurface to valance is 24.25".</li> <li>• Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>									
	Z72S42OHN	15 x 72 x 41.9-42.4	150	177	32.50	<b>\$1584</b>	<b>\$1689</b>	N/A	N/A
	Z66S42OHN	15 x 66 x 41.9-42.4	150	166	29.75	<b>\$1452</b>	<b>\$1547</b>	N/A	N/A
	Z60S42OHN	15 x 60 x 41.9-42.4	150	155	27.25	<b>\$1365</b>	<b>\$1454</b>	N/A	N/A
	Z54S42OHN	15 x 54 x 41.9-42.4	150	145	24.50	<b>\$1280</b>	<b>\$1357</b>	N/A	N/A
	<p>Four compartments. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>• Clearance from worksurface to valance is 24.25".</li> <li>• Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
	Z48S42HN	15 x 48 x 41.9-42.4	125	134	22.25	<b>\$965</b>	<b>\$1041</b>	N/A	N/A
	Z42S42HN	15 x 42 x 41.9-42.4	125	123	19.50	<b>\$891</b>	<b>\$959</b>	N/A	N/A
	Z36S42HN	15 x 36 x 41.9-42.4	125	110	17	<b>\$816</b>	<b>\$876</b>	N/A	N/A
	Z30S42HN	15 x 30 x 41.9-42.4	125	105	14.25	<b>\$740</b>	<b>\$791</b>	N/A	N/A
	<p>One fixed shelf. Closed back features one grommet and flexible sweep for wire management. All hutches shipped pre-assembled.</p> <ul style="list-style-type: none"> <li>• Clearance from worksurface to valance is 24.25".</li> <li>• Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
	Z84S55HN	15 x 84 x 54.4-54.9	150	306	62.37	<b>\$2352</b>	<b>\$2480</b>	N/A	N/A
	Z72S55HN	15 x 72 x 54.4-54.9	150	272	53.65	<b>\$2194</b>	<b>\$2307</b>	N/A	N/A
	Z71S55HN	15 x 71.7 x 54.4-54.9	150	271	53.65	<b>\$2183</b>	<b>\$2297</b>	N/A	N/A
	Z66S55HN	15 x 66 x 54.4-54.9	150	254	49.40	<b>\$2109</b>	<b>\$2221</b>	N/A	N/A
	Z60S55HN	15 x 60 x 54.4-54.9	150	238	45.15	<b>\$1888</b>	<b>\$1982</b>	N/A	N/A
	Z54S55HN	15 x 54 x 54.4-54.9	100	190	19.75	<b>\$2427</b>	<b>\$2521</b>	N/A	N/A
	<p>One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Top portion ships pre-assembled. Lower portion ships RTA.</p> <ul style="list-style-type: none"> <li>• Clearance from worksurface to valance is 24.25".</li> <li>• Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								
	Z48S55HN	15 x 48 x 54.4-54.9	150	183	36	<b>\$1421</b>	<b>\$1497</b>	N/A	N/A
	Z42S55HN	15 x 42 x 54.4-54.9	150	168	31.50	<b>\$1314</b>	<b>\$1382</b>	N/A	N/A
	Z36S55HN	15 x 36 x 54.4-54.9	150	149	27.26	<b>\$1198</b>	<b>\$1258</b>	N/A	N/A
	Z30S55HN	15 x 30 x 54.4-54.9	150	132	23	<b>\$1087</b>	<b>\$1140</b>	N/A	N/A
	<p>One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Shipped RTA (ready to assemble).</p> <ul style="list-style-type: none"> <li>• Clearance from worksurface to valance is 24.25".</li> <li>• Woodgrain runs horizontal on both the upper and lower back panels.</li> </ul>								

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Accessories

Tackboard  
Pigeon-hole storage

OPEN HUTCHES



**Open Hutch w/Closed Back**  
**54.9"/55.4"H**


MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S550HN	15 x 72 x 54.4-54.9	100	242	26	<b>\$2334</b>	<b>\$2445</b>	N/A	N/A
Z66S550HN	15 x 66 x 54.4-54.9	100	228	24	<b>\$2199</b>	<b>\$2300</b>	N/A	N/A
Z60S550HN	15 x 60 x 54.4-54.9	100	214	22	<b>\$2070</b>	<b>\$2162</b>	N/A	N/A
Z54S550HN	15 x 54 x 54.4-54.9	92.5	199	19.76	<b>\$1943</b>	<b>\$2028</b>	N/A	N/A

Four compartments. Closed back features one grommet and flexible sweep for wire management.

Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

CLOSED HUTCHES




Glazed door option

**Hutch w/2 Outer Doors - 36"H\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S36HOH	15 x 72 x 35.5-36	125	172	27.75	<b>\$1663</b>	<b>\$1777</b>	<b>\$502</b>	N/A
Z66S36HOH	15 x 66 x 35.5-36	125	161	25.50	<b>\$1589</b>	<b>\$1696</b>	<b>\$488</b>	N/A
Z60S36HOH	15 x 60 x 35.5-36	125	151	23.25	<b>\$1488</b>	<b>\$1585</b>	<b>\$451</b>	N/A
Z54S36HOH	15 x 54 x 35.5-36	125	140	21	<b>\$1406</b>	<b>\$1495</b>	<b>\$437</b>	N/A

4 compartments. **Doors on outer compartments only.** Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

**Hutch w/2 Inner Doors - 36"H\***

Z72S36OHO	15 x 72 x 35.5-36	125	173	27.75	<b>\$1661</b>	<b>\$1782</b>	<b>\$507</b>	N/A
Z66S36OHO	15 x 66 x 35.5-36	125	162	25.50	<b>\$1592</b>	<b>\$1699</b>	<b>\$495</b>	N/A
Z60S36OHO	15 x 60 x 35.5-36	125	151	23.25	<b>\$1509</b>	<b>\$1604</b>	<b>\$477</b>	N/A
Z54S36OHO	15 x 54 x 35.5-36	125	141	21	<b>\$1409</b>	<b>\$1498</b>	<b>\$442</b>	N/A

4 compartments. **Doors on inner compartments only.** Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

**Hutch w/2 Doors - LEFT, 36"H\***

Z72S36HSL	15 x 72 x 35.5-36	125	169	27.75	<b>\$1629</b>	<b>\$1742</b>	<b>\$501</b>	N/A
Z66S36HSL	15 x 66 x 35.5-36	125	157	25.50	<b>\$1551</b>	<b>\$1658</b>	<b>\$484</b>	N/A
Z60S36HSL	15 x 60 x 35.5-36	125	146	23.25	<b>\$1452</b>	<b>\$1549</b>	<b>\$452</b>	N/A
Z54S36HSL	15 x 54 x 35.5-36	125	135	21	<b>\$1370</b>	<b>\$1460</b>	<b>\$438</b>	N/A

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.



Glazed door option

**Hutch w/2 Doors - RIGHT, 36"H\***

Z72S36HSR	15 x 72 x 35.5-36	125	169	27.75	<b>\$1629</b>	<b>\$1742</b>	<b>\$501</b>	N/A
Z66S36HSR	15 x 66 x 35.5-36	125	157	25.50	<b>\$1551</b>	<b>\$1658</b>	<b>\$484</b>	N/A
Z60S36HSR	15 x 60 x 35.5-36	125	146	23.25	<b>\$1452</b>	<b>\$1549</b>	<b>\$452</b>	N/A
Z54S36HSR	15 x 54 x 35.5-36	125	135	21	<b>\$1370</b>	<b>\$1460</b>	<b>\$438</b>	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.

**Required Specifications**

Top finish  
Base finish  
Top/Edge Detail

**Optional Specifications**

Glazing - Doors\*

**Accessories**

Tackboard  
Pigeon-hole storage

## CLOSED HUTCHES




Hutch w/Sliding Glass Doors - 36"H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S36HSD	15 x 72 x 35.5-36	125	178	27.75	<b>\$3549</b>	<b>\$3663</b>	N/A	N/A
Z66S36HSD	15 x 66 x 35.5-36	125	166	25.50	<b>\$3313</b>	<b>\$3420</b>	N/A	N/A
Z60S36HSD	15 x 60 x 35.5-36	125	154	23.25	<b>\$3075</b>	<b>\$3172</b>	N/A	N/A
Z54S36HSD	15 x 54 x 35.5-36	125	143	21	<b>\$2843</b>	<b>\$2940</b>	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

Closed Hutch with Doors - 36"H\*

Z84S36H	15 x 84 x 35.5-36	125	231	33	<b>\$1844</b>	<b>\$1970</b>	<b>\$1477</b>	N/A
Z72S36H	15 x 72 x 35.5-36	125	201	28.25	<b>\$1717</b>	<b>\$1828</b>	<b>\$1349</b>	N/A
Z71S36H	15 x 71.7 x 35.5-36	125	193	28.25	<b>\$1702</b>	<b>\$1813</b>	<b>\$1347</b>	N/A
Z66S36H	15 x 66 x 35.5-36	125	179	26	<b>\$1618</b>	<b>\$1719</b>	<b>\$1284</b>	N/A
Z60S36H	15 x 60 x 35.5-36	125	167	23.75	<b>\$1509</b>	<b>\$1600</b>	<b>\$1206</b>	N/A

One fixed shelf **and fixed shelf divider**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

Closed Hutch with Doors - 36"H\*

Z48S36H	15 x 48 x 35.5-36	125	136	19	<b>\$1183</b>	<b>\$1259</b>	<b>\$766</b>	N/A
Z42S36H	15 x 42 x 35.5-36	125	124	16.75	<b>\$1073</b>	<b>\$1141</b>	<b>\$742</b>	N/A
Z36S36H	15 x 36 x 35.5-36	125	110	14.50	<b>\$983</b>	<b>\$1043</b>	<b>\$679</b>	N/A
Z30S36H	15 x 30 x 35.5-36	100	98	12.25	<b>\$895</b>	<b>\$946</b>	<b>\$608</b>	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 17.75".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

Hutch w/2 Outer Doors - 42.4"H\*

Z72S42HOH	15 x 72 x 41.9-42.4	150	187	32.50	<b>\$1830</b>	<b>\$1935</b>	<b>\$502</b>	N/A
Z66S42HOH	15 x 66 x 41.9-42.4	150	176	29.75	<b>\$1694</b>	<b>\$1789</b>	<b>\$488</b>	N/A
Z60S42HOH	15 x 60 x 41.9-42.4	125	164	27.25	<b>\$1591</b>	<b>\$1680</b>	<b>\$451</b>	N/A
Z54S42HOH	15 x 54 x 41.9-42.4	125	153	24.50	<b>\$1502</b>	<b>\$1580</b>	<b>\$437</b>	N/A

4 compartments. **Doors on outer compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.



Glazed door option

Hutch w/2 Inner Doors - 42.4"H\*

Z72S42OHO	15 x 72 x 41.9-42.4	150	188	32.50	<b>\$1833</b>	<b>\$1938</b>	<b>\$507</b>	N/A
Z66S42OHO	15 x 66 x 41.9-42.4	150	176	29.75	<b>\$1696</b>	<b>\$1791</b>	<b>\$495</b>	N/A
Z60S42OHO	15 x 60 x 41.9-42.4	125	165	27.25	<b>\$1609</b>	<b>\$1696</b>	<b>\$477</b>	N/A
Z54S42OHO	15 x 54 x 41.9-42.4	125	153	24.50	<b>\$1506</b>	<b>\$1584</b>	<b>\$442</b>	N/A

4 compartments. **Doors on inner compartments only**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

## Required Specifications

Top finish  
Base finish  
Top/Edge Detail


## Optional Specifications

Glazing - Doors\*

## Accessories

Tackboard  
Pigeon-hole storage

**CLOSED HUTCHES**



Glazed door option

**Hutch w/2 Doors - LEFT, 42.4" H\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z72S42HSL	15 x 72 x 41.9-42.4	150	184	32.50	<b>\$1793</b>	<b>\$1898</b>	<b>\$501</b>	N/A
Z66S42HSL	15 x 66 x 41.9-42.4	150	171	29.75	<b>\$1656</b>	<b>\$1753</b>	<b>\$484</b>	N/A
Z60S42HSL	15 x 60 x 41.9-42.4	150	159	27.25	<b>\$1552</b>	<b>\$1639</b>	<b>\$452</b>	N/A
Z54S42HSL	15 x 54 x 41.9-42.4	125	148	24.50	<b>\$1463</b>	<b>\$1541</b>	<b>\$438</b>	N/A

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.



Glazed door option

**Hutch w/2 Doors - RIGHT, 42.4" H\***

Z72S42HSR	15 x 72 x 41.9-42.4	150	184	32.50	<b>\$1793</b>	<b>\$1898</b>	<b>\$501</b>	N/A
Z66S42HSR	15 x 66 x 41.9-42.4	150	171	29.75	<b>\$1656</b>	<b>\$1753</b>	<b>\$484</b>	N/A
Z60S42HSR	15 x 60 x 41.9-42.4	150	159	27.25	<b>\$1552</b>	<b>\$1639</b>	<b>\$452</b>	N/A
Z54S42HSR	15 x 54 x 41.9-42.4	125	148	24.50	<b>\$1463</b>	<b>\$1541</b>	<b>\$438</b>	N/A

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.




**Hutch w/Sliding Glass Doors - 42.4" H**

Z72S42HSD	15 x 72 x 41.9-42.4	150	193	32.50	<b>\$3707</b>	<b>\$3812</b>	N/A	N/A
Z66S42HSD	15 x 66 x 41.9-42.4	125	180	29.75	<b>\$3417</b>	<b>\$3512</b>	N/A	N/A
Z60S42HSD	15 x 60 x 41.9-42.4	125	168	27.25	<b>\$3173</b>	<b>\$3262</b>	N/A	N/A
Z54S42HSD	15 x 54 x 41.9-42.4	125	156	24.50	<b>\$2939</b>	<b>\$3016</b>	N/A	N/A

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 2 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.




Glazed door option

**Closed Hutch with Doors - 42.4" High**

Z84S42H	15 x 84 x 41.9-42.4	125	247	38.50	<b>\$2048</b>	<b>\$2174</b>	<b>\$1477</b>	N/A
Z72S42H	15 x 72 x 41.9-42.4	125	217	33	<b>\$1817</b>	<b>\$1926</b>	<b>\$1349</b>	N/A
Z71S42H	15 x 71.7 x 41.9-42.4	125	207	33	<b>\$1805</b>	<b>\$1914</b>	<b>\$1347</b>	N/A
Z66S42H	15 x 66 x 41.9-42.4	125	194	30.75	<b>\$1704</b>	<b>\$1805</b>	<b>\$1284</b>	N/A
Z60S42H	15 x 60 x 41.9-42.4	125	180	27.75	<b>\$1592</b>	<b>\$1683</b>	<b>\$1206</b>	N/A

One fixed shelf **and fixed shelf divider**. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.



Glazed door option

**Closed Hutch with Doors - 42.4" High**

Z48S42H	15 x 48 x 41.9-42.4	125	148	22.25	<b>\$1257</b>	<b>\$1333</b>	<b>\$766</b>	N/A
Z42S42H	15 x 42 x 41.9-42.4	125	134	19.50	<b>\$1139</b>	<b>\$1207</b>	<b>\$742</b>	N/A
Z36S42H	15 x 36 x 41.9-42.4	125	120	17	<b>\$1042</b>	<b>\$1103</b>	<b>\$679</b>	N/A
Z30S42H	15 x 30 x 41.9-42.4	125	106	14.25	<b>\$958</b>	<b>\$1007</b>	<b>\$608</b>	N/A

One fixed shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. All hutches shipped pre-assembled.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

**Required Specifications**










Top finish  
Base finish  
Top/Edge Detail

**Optional Specifications**

Glazing - Doors\*

**Accessories**

Tackboard  
Pigeon-hole storage

CLOSED HUTCHES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
  <b>Hutch w/2 Outer Doors - 55"H*</b>		<b>D x W x H</b>							
	Z72S55HOH	15 x 72 x 54.4-54.9	92.5	262	26	<b>\$2665</b>	<b>\$2774</b>	<b>\$718</b>	N/A
	Z66S55HOH	15 x 66 x 54.4-54.9	92.5	246	24	<b>\$2527</b>	<b>\$2628</b>	<b>\$704</b>	N/A
	Z60S55HOH	15 x 60 x 54.4-54.9	92.5	229	22	<b>\$2362</b>	<b>\$2529</b>	<b>\$639</b>	N/A
	Z54S55HOH	15 x 54 x 54.4-54.9	92.5	213	19.76	<b>\$2232</b>	<b>\$2387</b>	<b>\$627</b>	N/A
  <b>Hutch w/2 Inner Doors - 55"H*</b>									
	Z72S55OHO	15 x 72 x 54.4-54.9	92.5	263	26	<b>\$2667</b>	<b>\$2778</b>	<b>\$722</b>	N/A
	Z66S55OHO	15 x 66 x 54.4-54.9	92.5	247	24	<b>\$2530</b>	<b>\$2631</b>	<b>\$709</b>	N/A
	Z60S55OHO	15 x 60 x 54.4-54.9	92.5	230	22	<b>\$2398</b>	<b>\$2490</b>	<b>\$643</b>	N/A
	Z54S55OHO	15 x 54 x 54.4-54.9	92.5	214	19.76	<b>\$2234</b>	<b>\$2319</b>	<b>\$629</b>	N/A
  <b>Hutch w/2 Doors - LEFT, 55"H*</b>									
	Z72S55HSL	15 x 72 x 54.4-54.9	100	258	26	<b>\$2574</b>	<b>\$2685</b>	<b>\$694</b>	N/A
	Z66S55HSL	15 x 66 x 54.4-54.9	100	237	24	<b>\$2457</b>	<b>\$2558</b>	<b>\$681</b>	N/A
	Z60S55HSL	15 x 60 x 54.4-54.9	92.5	221	22	<b>\$2281</b>	<b>\$2374</b>	<b>\$639</b>	N/A
	Z54S55HSL	15 x 54 x 54.4-54.9	92.5	204	19.76	<b>\$2164</b>	<b>\$2250</b>	<b>\$627</b>	N/A
  <b>Hutch w/2 Doors - RIGHT, 55"H*</b>									
	Z72S55HSR	15 x 72 x 54.4-54.9	100	258	26	<b>\$2574</b>	<b>\$2685</b>	<b>\$694</b>	N/A
	Z66S55HSR	15 x 66 x 54.4-54.9	100	237	24	<b>\$2457</b>	<b>\$2558</b>	<b>\$681</b>	N/A
	Z60S55HSR	15 x 60 x 54.4-54.9	92.5	221	22	<b>\$2281</b>	<b>\$2374</b>	<b>\$639</b>	N/A
	Z54S55HSR	15 x 54 x 54.4-54.9	92.5	204	19.76	<b>\$2164</b>	<b>\$2250</b>	<b>\$627</b>	N/A
 <b>Hutch w/Sliding Glass Doors - 55"H</b>									
	Z72S55HSD	15 x 72 x 54.4-54.9	92.5	271	26	<b>\$5037</b>	<b>\$5146</b>	N/A	N/A
	Z66S55HSD	15 x 66 x 54.4-54.9	92.5	253	24	<b>\$4709</b>	<b>\$4809</b>	N/A	N/A
	Z60S55HSD	15 x 60 x 54.4-54.9	92.5	235	22	<b>\$4358</b>	<b>\$4450</b>	N/A	N/A
	Z54S55HSD	15 x 54 x 54.4-54.9	92.5	217	19.75	<b>\$4036</b>	<b>\$4121</b>	N/A	N/A

4 compartments. **Doors on outer compartments only.** Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

4 compartments. **Doors on inner compartments only.** Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

4 compartments. Doors on **left** side, open storage on **right**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

4 compartments. Doors on **right** side, open storage on **left**. Closed back features one grommet and flexible sweep for wire management. Doors lock. Top portion ships pre-assembled. Lower portion ships RTA.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

Sliding glass doors do not lock. Closed back features one grommet and flexible sweep for wire management. Shipped easy to assemble in 3 cartons. Glass doors shipped separately. Finger pull is silver.

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Optional Specifications


Glazing - Doors\*

#### Accessories

Tackboard  
Pigeon-hole storage



## CLOSED HUTCHES




Glazed door option

**Closed Hutch w/Doors - 55"H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z84S55H	15 x 84 x 54.4-54.9	150	349	62.37	<b>\$3106</b>	<b>\$3234</b>	<b>\$2145</b>	N/A
Z72S55H	15 x 72 x 54.4-54.9	150	308	53.65	<b>\$2799</b>	<b>\$2926</b>	<b>\$1939</b>	N/A
Z71S55H	15 x 71.7 x 54.4-54.9	150	307	53.65	<b>\$2790</b>	<b>\$2904</b>	<b>\$1916</b>	N/A
Z66S55H	15 x 66 x 54.4-54.9	150	287	49.40	<b>\$2640</b>	<b>\$2753</b>	<b>\$1825</b>	N/A
Z60S55H	15 x 60 x 54.4-54.9	150	269	45.15	<b>\$2427</b>	<b>\$2521</b>	<b>\$1697</b>	N/A

One fixed shelf and one adjustable shelf (per compartment). Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.



Glazed door option


**Closed Hutch w/Doors - 55"H**

Z48S55H	15 x 48 x 54.4-54.9	150	207	36	<b>\$1806</b>	<b>\$1867</b>	<b>\$1185</b>	N/A
Z42S55H	15 x 42 x 54.4-54.9	150	188	31.50	<b>\$1646</b>	<b>\$1714</b>	<b>\$1074</b>	N/A
Z36S55H	15 x 36 x 54.4-54.9	125	167	27.26	<b>\$1500</b>	<b>\$1560</b>	<b>\$972</b>	N/A
Z30S55H	15 x 30 x 54.4-54.9	125	148	23	<b>\$1356</b>	<b>\$1405</b>	<b>\$851</b>	N/A

One fixed shelf and one adjustable shelf. Closed back features one grommet and flexible sweep for wire management. Doors lock. Shipped RTA (ready to assemble).

- Clearance from worksurface to valance is 24.25".
- Woodgrain runs horizontal on both the upper and lower back panels.

## PIGEON-HOLE STORAGE




**Horizontal Pigeon-Hole Storage**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZHS84	12 x 82 x 5.66	70	49	3	<b>\$895</b>	N/A	N/A	N/A
ZHS72	12 x 70 x 5.66	70	49	3	<b>\$806</b>	N/A	N/A	N/A
ZHS71	12 x 69.6 x 5.66	70	49	3	<b>\$806</b>	N/A	N/A	N/A
ZHS66	12 x 63.9 x 5.66	70	46	2.80	<b>\$762</b>	N/A	N/A	N/A
ZHS60	12 x 58 x 5.66	70	42	2.50	<b>\$728</b>	N/A	N/A	N/A
ZHS48	12 x 45.9 x 5.66	70	33	2	<b>\$545</b>	N/A	N/A	N/A
ZHS42	12 x 40 x 5.66	85	29	2	<b>\$511</b>	N/A	N/A	N/A
ZHS36	12 x 33.9 x 5.66	85	26	2	<b>\$480</b>	N/A	N/A	N/A

For additional storage. Can be **top** or **bottom** mounted. For use inside hutch. Shipped RTA (ready to assemble).

- *Cannot be used on overstorage units.*
- Available in all standard laminate finishes (see page 179).



**Vertical Pigeon-Hole Storage**

ZVS21	11.8 x 13.42 x 20.75	70	30	1.80	<b>\$402</b>	N/A	N/A	N/A
ZVS14	11.8 x 13.42 x 14.3	85	24	1.80	<b>\$327</b>	N/A	N/A	N/A

For use in conjunction with the horizontal pigeon-hole storage. Can be used **under** or **over** horizontal unit. Not freestanding. Shipped RTA (ready to assemble).

Vertical pigeon-hole shell - available in all standard laminate finishes (see page 179).

- Collator shelves - available in Black (**K**) or Brushed Cobalt (**T**) finish. Please specify.  
*Use Brushed Cobalt to match Silver finish handles.*
- When used together with tackboard and hutch, reduce tackboard width by 12.5"


### Required Specifications

Top finish      Base/door finish\*  
Wall finish  
Top/Edge Detail  
Handles\*

### Optional Specifications

Glazing - Doors\*  
Grommet position  
Key #  
End filler cap

## PIGEON-HOLE STORAGE



Vertical Pigeon-Hole Storage

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
ZVS26	11.8 x 13.42 x 25.4-25.9	70	36	1.80	<b>\$482</b>	N/A	N/A	N/A
ZVS20	11.8 x 13.42 x 19-19.5	70	29	1.80	<b>\$386</b>	N/A	N/A	N/A

Used alone with a hutch. **Not freestanding.** Shipped easy to assemble in 1 carton.

- Vertical pigeon-hole shell - available in all standard laminate finishes (see page 179).
- Collator shelves - available in Black (**K**) or Brushed Cobalt (**T**) finish. Please specify.  
*Use Brushed Cobalt to match Silver finish handles.*
- When used together with tackboard and hutch, reduce tackboard width by 12.5"
- Removal of valance required.

## TRANSITIONAL PIGEON-HOLE STORAGE


Transitional Pigeon-Hole Storage  
11.75" H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z24L12PH	24 x 24 x 11.25-11.75	65	63	2.70	<b>\$796</b>	<b>\$877</b>	N/A	N/A
Z20L12PH	24 x 20 x 11.25-11.75	70	56	2.70	<b>\$702</b>	<b>\$773</b>	N/A	N/A
Z16L12PH	24 x 16 x 11.25-11.75	65	46	1.60	<b>\$643</b>	<b>\$704</b>	N/A	N/A
Z24M12PH	20 x 24 x 11.25-11.75	70	55	2.70	<b>\$702</b>	<b>\$773</b>	N/A	N/A
Z20M12PH	20 x 20 x 11.25-11.75	70	48	2.70	<b>\$624</b>	<b>\$682</b>	N/A	N/A
Z16M12PH	20 x 16 x 11.25-11.75	65	40	1.60	<b>\$565</b>	<b>\$614</b>	N/A	N/A
Z24S12PH	16 x 24 x 11.25-11.75	65	43	1.60	<b>\$647</b>	<b>\$707</b>	N/A	N/A
Z20S12PH	16 x 20 x 11.25-11.75	65	38	1.60	<b>\$568</b>	<b>\$616</b>	N/A	N/A
Z16S12PH	16 x 16 x 11.25-11.75	70	33	1.60	<b>\$532</b>	<b>\$573</b>	N/A	N/A

Designed to fit on top of returns and transition worksurface to match 40.8"/41.3" high storage modules. Pigeon-hole shell and four collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell - Available in all standard laminate finishes (page 179).
- Collator Shelves - Available in Black (**K**) or Brushed Cobalt (**T**) finish. Please Specify.  
*Use Brushed Cobalt to match silver finish handles.*


Transitional Pigeon-Hole Storage  
23.5" H

Z24L23PH	24 x 24 x 23-23.5	60	101	2.70	<b>\$1432</b>	<b>\$1513</b>	N/A	N/A
Z20L23PH	24 x 20 x 23-23.5	60	88	2.70	<b>\$1253</b>	<b>\$1321</b>	N/A	N/A
Z16L23PH	24 x 16 x 23-23.5	65	76	2.70	<b>\$1175</b>	<b>\$1236</b>	N/A	N/A
Z24M23PH	20 x 24 x 23-23.5	60	87	2.70	<b>\$1256</b>	<b>\$1324</b>	N/A	N/A
Z20M23PH	20 x 20 x 23-23.5	65	76	2.70	<b>\$1099</b>	<b>\$1157</b>	N/A	N/A
Z16M23PH	20 x 16 x 23-23.5	60	64	1.60	<b>\$1010</b>	<b>\$1059</b>	N/A	N/A
Z24S23PH	16 x 24 x 23-23.5	65	74	2.70	<b>\$1188</b>	<b>\$1248</b>	N/A	N/A
Z20S23PH	16 x 20 x 23-23.5	65	65	2.70	<b>\$1038</b>	<b>\$1087</b>	N/A	N/A
Z16S23PH	16 x 16 x 23-23.5	60	54	1.60	<b>\$948</b>	<b>\$993</b>	N/A	N/A

Designed to fit on top of returns and transition worksurface to match 52.5"/53" high storage modules. Pigeon-hole shell and eight collator shelves. Shipped RTA (ready to assemble).

- Pigeon-Hole Shell - Available in all standard laminate finishes (page 179).
- Collator Shelves - Available in Black (**K**) or Brushed Cobalt (**T**) finish. Please Specify.  
*Use Brushed Cobalt to match silver finish handles.*

## Required Specifications

Top finish  
Wall finish  
Top/Edge Detail  
Shelf finish

## Optional Specifications

End filler cap  
Grommet



**FLOATING SHELVES**



**Floating Shelf - 20" H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZFS4220	14.25 x 42 x 20	70	55	2.75	<b>\$650</b>	<b>\$691</b>	N/A	N/A
ZFS3620	14.25 x 36 x 20	70	47	2.40	<b>\$584</b>	<b>\$621</b>	N/A	N/A
ZFS3020	14.25 x 30 x 20	70	39	2	<b>\$497</b>	<b>\$529</b>	N/A	N/A
ZFS2420	14.25 x 24 x 20	70	33	1.90	<b>\$438</b>	<b>\$470</b>	N/A	N/A

To match 71.9/72.4"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Double Floating Shelf - 32.5" H**

ZF2S4232	14.25 x 42 x 32.5	65	85	3.30	<b>\$927</b>	<b>\$968</b>	N/A	N/A
ZF2S3632	14.25 x 36 x 32.5	65	73	2.90	<b>\$830</b>	<b>\$867</b>	N/A	N/A
ZF2S3032	14.25 x 30 x 32.5	65	60	2.50	<b>\$708</b>	<b>\$740</b>	N/A	N/A
ZF2S2432	14.25 x 24 x 32.5	70	50	2.40	<b>\$627</b>	<b>\$659</b>	N/A	N/A

To match 84.4/84.9"H units. Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**WALLS W/OVERHEAD STORAGE**



**Wall w/Closed Storage - 66" H\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4266WS	16 x 42 x 65.5-66	85	122	8.26	<b>\$1561</b>	<b>\$1629</b>	<b>\$549</b>	N/A
Z3666WS	16 x 36 x 65.5-66	85	113	8.80	<b>\$1314</b>	<b>\$1374</b>	<b>\$505</b>	N/A
Z3066WS	16 x 30 x 65.5-66	85	97	7.50	<b>\$1314</b>	<b>\$1353</b>	<b>\$452</b>	N/A
Z2466WS	16 x 24 x 65.5-66	92.5	79	6.60	<b>\$1159</b>	<b>\$1200</b>	<b>\$407</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Closed Storage - 66" H\***

Z4266WSO	16 x 42 x 65.5-66	125	112	18.60	<b>\$1664</b>	<b>\$1732</b>	<b>\$549</b>	N/A
Z3666WSO	16 x 36 x 65.5-66	125	100	16.20	<b>\$1514</b>	<b>\$1574</b>	<b>\$505</b>	N/A
Z3066WSO	16 x 30 x 65.5-66	125	85	13.50	<b>\$1320</b>	<b>\$1375</b>	<b>\$452</b>	N/A
Z2466WSO	16 x 24 x 65.5-66	92.5	70	6.20	<b>\$1171</b>	<b>\$1212</b>	<b>\$407</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Closed Storage - 72" H\***

Z4272WS	16 x 42 x 71.9-72.4	85	134	10.20	<b>\$1664</b>	<b>\$1749</b>	<b>\$629</b>	N/A
Z3672WS	16 x 36 x 71.9-72.4	85	119	9.46	<b>\$1603</b>	<b>\$1678</b>	<b>\$575</b>	N/A
Z3072WS	16 x 30 x 71.9-72.4	85	102	8.10	<b>\$1408</b>	<b>\$1470</b>	<b>\$515</b>	N/A
Z2472WS	16 x 24 x 71.9-72.4	85	84	6.60	<b>\$1235</b>	<b>\$1287</b>	<b>\$468</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications**

Top finish      Base/door finish\*  
Wall finish      Handles\*  
Top/Edge Detail  
Shelf finish

**Optional Specifications**

End filler cap  
Key #\*  
Grommet position  
Glazed doors\*

## WALLS W/OVERHEAD STORAGE



Wall w/Closed Storage - 72"H\*



Wall w/Closed Storage - 84"H\*



Wall w/Closed Storage - 84"H\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z4272WSO	16 x 42 x 71.9-72.4	85	120	9.30	<b>\$1681</b>	<b>\$1766</b>	<b>\$629</b>	N/A
Z3672WSO	16 x 36 x 71.9-72.4	85	105	8.66	<b>\$1617</b>	<b>\$1692</b>	<b>\$575</b>	N/A
Z3072WSO	16 x 30 x 71.9-72.4	85	91	7.50	<b>\$1420</b>	<b>\$1506</b>	<b>\$515</b>	N/A
Z2472WSO	16 x 24 x 71.9-72.4	92.5	74	6.20	<b>\$1247</b>	<b>\$1299</b>	<b>\$468</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WS	16 x 42 x 84.4-84.9	85	134	10.20	<b>\$2058</b>	<b>\$2143</b>	<b>\$873</b>	N/A
Z3684WS	16 x 36 x 84.4-84.9	85	119	9.46	<b>\$1955</b>	<b>\$2044</b>	<b>\$797</b>	N/A
Z3084WS	16 x 30 x 84.4-84.9	85	102	8.10	<b>\$1718</b>	<b>\$1780</b>	<b>\$708</b>	N/A
Z2484WS	16 x 24 x 84.4-84.9	85	84	6.60	<b>\$1514</b>	<b>\$1566</b>	<b>\$643</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Z4284WSO	16 x 42 x 84.4-84.9	85	120	9.30	<b>\$2073</b>	<b>\$2158</b>	<b>\$873</b>	N/A
Z3684WSO	16 x 36 x 84.4-84.9	85	105	8.66	<b>\$1969</b>	<b>\$2058</b>	<b>\$797</b>	N/A
Z3084WSO	16 x 30 x 84.4-84.9	85	91	7.50	<b>\$1731</b>	<b>\$1793</b>	<b>\$708</b>	N/A
Z2484WSO	16 x 24 x 84.4-84.9	92.5	74	6.20	<b>\$1523</b>	<b>\$1575</b>	<b>\$643</b>	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Doors lock. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of wall units. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## WALLS W/FLOATING SHELVES



Wall w/Floating Shelf\* - 66"H



Wall w/Floating Shelf\* - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
ZF1S4266	14.25 x 42 x 65.5-66	70	117	7.50	<b>\$1216</b>	<b>\$1257</b>	N/A	N/A
ZF1S3666	14.25 x 36 x 65.5-66	70	103	6.60	<b>\$1059</b>	<b>\$1096</b>	N/A	N/A
ZF1S3066	14.25 x 30 x 65.5-66	70	86	5.70	<b>\$913</b>	<b>\$950</b>	N/A	N/A
ZF1S2466	14.25 x 24 x 65.5-66	85	69	4.70	<b>\$783</b>	<b>\$814</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZF1S42660	14.25 x 42 x 65.5-66	85	110	7.50	<b>\$1228</b>	<b>\$1269</b>	N/A	N/A
ZF1S36660	14.25 x 36 x 65.5-66	85	97	6.60	<b>\$1071</b>	<b>\$1108</b>	N/A	N/A
ZF1S30660	14.25 x 30 x 65.5-66	85	81	5.70	<b>\$921</b>	<b>\$958</b>	N/A	N/A
ZF1S24660	14.25 x 24 x 65.5-66	85	66	4.70	<b>\$789</b>	<b>\$820</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## Required Specifications

Top finish Base/door finish\*  
Wall finish Handles\*  
Top/Edge Detail  
Shelf finish

## Optional Specifications

End filler cap  
Grommet\*

**WALLS W/FLOATING SHELVES**



**Wall w/Floating Shelf\* - 72"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZF1S4272	14.25 x 42 x 71.9-72.4	70	127	8	\$1280	\$1321	N/A	N/A
ZF1S3672	14.25 x 36 x 71.9-72.4	70	110	7.10	\$1118	\$1155	N/A	N/A
ZF1S3072	14.25 x 30 x 71.9-72.4	70	92	6.10	\$987	\$1024	N/A	N/A
ZF1S2472	14.25 x 24 x 71.9-72.4	85	74	5	\$837	\$868	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Floating Shelf\* - 72"H**

ZF1S42720	14.25 x 42 x 71.9-72.4	70	120	8	<b>\$1294</b>	<b>\$1335</b>	N/A	N/A
ZF1S36720	14.25 x 36 x 71.9-72.4	85	104	7.10	<b>\$1130</b>	<b>\$1167</b>	N/A	N/A
ZF1S30720	14.25 x 30 x 71.9-72.4	85	87	6.10	<b>\$999</b>	<b>\$1036</b>	N/A	N/A
ZF1S24720	14.25 x 24 x 71.9-72.4	85	71	5	<b>\$842</b>	<b>\$873</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Floating Shelves - 84"H**

ZF2S4284	14.25 x 42 x 84.4-84.9	70	158	9.50	<b>\$1503</b>	<b>\$1544</b>	N/A	N/A
ZF2S3684	14.25 x 36 x 84.4-84.9	70	136	8.40	<b>\$1294</b>	<b>\$1343</b>	N/A	N/A
ZF2S3084	14.25 x 30 x 84.4-84.9	70	113	7.10	<b>\$1144</b>	<b>\$1175</b>	N/A	N/A
ZF2S2484	14.25 x 24 x 84.4-84.9	85	91	6.25	<b>\$992</b>	<b>\$1023</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Floating Shelves - 84"H**

ZF2S42840	14.25 x 42 x 84.4-84.9	70	148	9.50	<b>\$1516</b>	<b>\$1557</b>	N/A	N/A
ZF2S36840	14.25 x 36 x 84.4-84.9	70	128	8.40	<b>\$1313</b>	<b>\$1354</b>	N/A	N/A
ZF2S30840	14.25 x 30 x 84.4-84.9	85	106	7.10	<b>\$1242</b>	<b>\$1273</b>	N/A	N/A
ZF2S24840	14.25 x 24 x 84.4-84.9	85	86	6.25	<b>\$999</b>	<b>\$1030</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



**Wall w/Floating Shelves - 66"H**

ZF2S4266	14.25 x 42 x 65.5-66	70	132	7.50	<b>\$1254</b>	<b>\$1295</b>	N/A	N/A
ZF2S3666	14.25 x 36 x 65.5-66	70	115	6.60	<b>\$1088</b>	<b>\$1125</b>	N/A	N/A
ZF2S3066	14.25 x 30 x 65.5-66	70	96	5.70	<b>\$945</b>	<b>\$977</b>	N/A	N/A
ZF2S2466	14.25 x 24 x 65.5-66	70	77	4.70	<b>\$809</b>	<b>\$841</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications**

Top finish  
Wall finish  
Top/Edge Detail  
Shelf finish

**Optional Specifications**

End filler cap  
Grommet

## WALLS W/FLOATING SHELVES



Wall w/Floating Shelves - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H							
ZF2S42660	14.25 x 42 x 65.5-66	70	125	7.50	\$1270	\$1311	N/A	N/A
ZF2S36660	14.25 x 36 x 65.5-66	70	109	6.60	\$1101	\$1138	N/A	N/A
ZF2S30660	14.25 x 30 x 65.5-66	70	91	5.70	\$958	\$990	N/A	N/A
ZF2S24660	14.25 x 24 x 65.5-66	70	74	4.70	\$816	\$848	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall w/Floating Shelves - 72"H

ZF2S4272	14.25 x 42 x 71.9-72.4	70	142	8	\$1320	\$1361	N/A	N/A
ZF2S3672	14.25 x 36 x 71.9-72.4	70	122	7.10	\$1148	\$1185	N/A	N/A
ZF2S3072	14.25 x 30 x 71.9-72.4	70	102	6.10	\$1017	\$1049	N/A	N/A
ZF2S2472	14.25 x 24 x 71.9-72.4	70	82	5	\$860	\$892	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall w/Floating Shelves - 72"H

ZF2S42720	14.25 x 42 x 71.9-72.4	70	135	8	\$1335	\$1376	N/A	N/A
ZF2S36720	14.25 x 36 x 71.9-72.4	70	116	7.10	\$1162	\$1199	N/A	N/A
ZF2S30720	14.25 x 30 x 71.9-72.4	70	97	6.10	\$1028	\$1060	N/A	N/A
ZF2S24720	14.25 x 24 x 71.9-72.4	70	79	5	\$868	\$900	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall w/Floating Shelves - 84"H

ZF3S4284	14.25 x 42 x 84.4-84.9	70	173	9.50	\$1542	\$1574	N/A	N/A
ZF3S3684	14.25 x 36 x 84.4-84.9	70	148	8.40	\$1335	\$1372	N/A	N/A
ZF3S3084	14.25 x 30 x 84.4-84.9	70	116	7.10	\$1174	\$1206	N/A	N/A
ZF3S2484	14.25 x 24 x 84.4-84.9	70	99	6.25	\$1019	\$1051	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall w/Floating Shelves - 84"H

ZF3S42840	14.25 x 42 x 84.4-84.9	70	163	9.50	\$1558	\$1599	N/A	N/A
ZF3S36840	14.25 x 36 x 84.4-84.9	70	140	8.40	\$1350	\$1387	N/A	N/A
ZF3S30840	14.25 x 30 x 84.4-84.9	70	116	7.10	\$1274	\$1306	N/A	N/A
ZF3S24840	14.25 x 24 x 84.4-84.9	70	94	6.25	\$1025	\$1057	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## Required Specifications

Top finish  
Wall finish  
Top/Edge Detail  
Shelf finish

## Optional Specifications

End filler cap  
Grommet

WALL PANELS



Wall Panel - 66"H



Wall Panel - 66"H



Wall Panel - 72"H



Wall Panel - 72"H



Wall Panel - 84"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
--------	------------	---------------	---------	-----------	-------	----------	-----------	--------

D x W x H

ZWHP4266	3.5 x 42 x 65.5-66	85	99	7.50	<b>\$1077</b>	<b>\$1118</b>	N/A	N/A
ZWHP3666	3.5 x 36 x 65.5-66	85	90	6.60	<b>\$857</b>	<b>\$894</b>	N/A	N/A
ZWHP3066	3.5 x 30 x 65.5-66	85	75	5.70	<b>\$743</b>	<b>\$775</b>	N/A	N/A
ZWHP2466	3.5 x 24 x 65.5-66	85	61	4.70	<b>\$636</b>	<b>\$668</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42660	3.5 x 42 x 65.5-66	85	90	7.50	<b>\$1093</b>	<b>\$1134</b>	N/A	N/A
ZWHP36660	3.5 x 36 x 65.5-66	85	82	6.60	<b>\$870</b>	<b>\$907</b>	N/A	N/A
ZWHP30660	3.5 x 30 x 65.5-66	85	69	5.70	<b>\$756</b>	<b>\$788</b>	N/A	N/A
ZWHP24660	3.5 x 24 x 65.5-66	92.5	56	4.70	<b>\$643</b>	<b>\$675</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4272	3.5 x 42 x 71.9-72.4	85	113	8	<b>\$1053</b>	<b>\$1094</b>	N/A	N/A
ZWHP3672	3.5 x 36 x 71.9-72.4	85	97	7.10	<b>\$917</b>	<b>\$954</b>	N/A	N/A
ZWHP3072	3.5 x 30 x 71.9-72.4	85	81	6.10	<b>\$815</b>	<b>\$847</b>	N/A	N/A
ZWHP2472	3.5 x 24 x 71.9-72.4	85	67	5	<b>\$687</b>	<b>\$719</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP42720	3.5 x 42 x 71.9-72.4	85	104	8	<b>\$1069</b>	<b>\$1110</b>	N/A	N/A
ZWHP36720	3.5 x 36 x 71.9-72.4	85	89	7.10	<b>\$930</b>	<b>\$967</b>	N/A	N/A
ZWHP30720	3.5 x 30 x 71.9-72.4	85	75	6.10	<b>\$827</b>	<b>\$859</b>	N/A	N/A
ZWHP24720	3.5 x 24 x 71.9-72.4	85	62	5	<b>\$696</b>	<b>\$728</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHP4284	3.5 x 42 x 84.4-84.9	85	128	9.50	<b>\$1122</b>	<b>\$1163</b>	N/A	N/A
ZWHP3684	3.5 x 36 x 84.4-84.9	85	111	8.40	<b>\$989</b>	<b>\$1026</b>	N/A	N/A
ZWHP3084	3.5 x 30 x 84.4-84.9	85	92	7.10	<b>\$881</b>	<b>\$913</b>	N/A	N/A
ZWHP2484	3.5 x 24 x 84.4-84.9	85	75	6.25	<b>\$760</b>	<b>\$792</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Top finish  
Wall finish  
Top/Edge Detail

Optional Specifications

End filler cap  
Grommet

## WALL PANELS



Wall Panel - 84"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
ZWHP42840	3.5 x 42 x 84.4-84.9	85	119	9.50	<b>\$1138</b>	<b>\$1179</b>	N/A	N/A
ZWHP36840	3.5 x 36 x 84.4-84.9	85	103	8.40	<b>\$1002</b>	<b>\$1039</b>	N/A	N/A
ZWHP30840	3.5 x 30 x 84.4-84.9	85	92	7.10	<b>\$891</b>	<b>\$923</b>	N/A	N/A
ZWHP24840	3.5 x 24 x 84.4-84.9	92.5	70	6.25	<b>\$768</b>	<b>\$800</b>	N/A	N/A

Standard with pre-mounted "J" bracket for wall mount applications. Large cutout provides direct access to wall for access to electrical. End cap required at the end of a run of floating shelves. End cap sold separately, see page 299.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Fastening hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

## END FILLER CAPS



End Cap

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
ZEFC19	.75 x 2.5 x 17	70	1.50	.25	<b>\$179</b>	N/A	N/A	N/A

For ZFSxxxx 20"H floating shelf.



End Cap

ZEFC32	.75 x 2.5 x 30	300	2	2	<b>\$292</b>	N/A	N/A	N/A
--------	----------------	-----	---	---	--------------	-----	-----	-----

For ZF2Sxxxx 32.5"H floating shelf.



End Cap

ZEFC49	.75 x 2.5 x 47	250	3	1.20	<b>\$383</b>	N/A	N/A	N/A
--------	----------------	-----	---	------	--------------	-----	-----	-----

For Zxx66WS/Zxx66WSO 65.5/66"H walls with overhead.



End Cap

ZEFC52	.75 x 2.5 x 50	250	4	1.30	<b>\$411</b>	N/A	N/A	N/A
--------	----------------	-----	---	------	--------------	-----	-----	-----

For Zxx72WS/Zxx72WSO/Zxx84WS/Zxx84WSO 71.9/72.4"H or 84.4/84.9"H walls with overhead.



End Cap

ZEFC66	.75 x 2.5 x 64	300	4	4	<b>\$501</b>	N/A	N/A	N/A
--------	----------------	-----	---	---	--------------	-----	-----	-----

For ZF1Sxx66/ZF1Sxx66O/ZF2Sxx66/ZF2Sxx66O/ZWHPxx66/ZWHPxx66O 65.5/66"H wall panels, with or without shelves.

## Required Specifications

Top finish  
Wall finish  
Top/Edge Detail

## Optional Specifications

End filler cap  
Grommet

END FILLER CAPS



End Cap



End Cap

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H								
ZEFC72	.75 x 2.5 x 70.5	300	4	4	\$540	N/A	N/A	N/A
For ZF1Sxx72/ZF1Sxx720/ZF2Sxx72/ZF2Sxx720/ZWHPxx72/ZWHPxx720 71.9/72.4"H wall panels, with or without shelves.								
ZEFC84	.75 x 2.5 x 83	300	5	4.50	\$632	N/A	N/A	N/A
For ZF1Sxx84/ZF1Sxx840/ZF2Sxx84/ZF2Sxx840/ZWHPxx84/ZWHPxx840 84.4/84.9"H wall panels, with or without shelves.								

TACKBOARDS FOR HUTCHES






D x W x H

**TACKBOARD** Notes: Tackboards can be upholstered in all of the following fabrics:

**Grade 1:** Jenny, Quilt, Terrace, Urban, Waterfall

**Grade 2:** Imprint, Lola

**Grade 3:** Anchorage, Merge

TACKBOARDS - 23" / 23.5" HIGH		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	ZTB8217	.62 x 82 x 16.5-17	150	8.20	2	1	\$824	7	\$2147	
						2	\$992	8	\$2471	
						3	\$1186	9	\$2843	
						4	\$1417	10	\$3267	
						5	\$1628	11	\$3754	
						6	\$1869	12	\$4315	
For use on <b>Z84S23HN</b> hutch. Includes mounting screws.										
	ZTB7017	.62 x 70 x 16.5-17	150	7	1.30	1	\$547	7	\$1430	
						2	\$660	8	\$1643	
						3	\$790	9	\$1889	
						4	\$940	10	\$2174	
						5	\$1083	11	\$2498	
						6	\$1244	12	\$2873	
For use on <b>Z72S23HN</b> hutch. Includes mounting screws.										
	ZTB6917	.62 x 69 x 16.5-17	150	7	1.30	1	\$544	7	\$1418	
						2	\$657	8	\$1632	
						3	\$787	9	\$1877	
						4	\$935	10	\$2157	
						5	\$1073	11	\$2482	
						6	\$1234	12	\$2853	
For use on <b>Z71S23HN</b> hutch. Includes mounting screws.										
	ZTB6417	.62 x 64 x 16.5-17	150	6.40	1.30	1	\$539	7	\$1399	
						2	\$649	8	\$1610	
						3	\$773	9	\$1851	
						4	\$921	10	\$2130	
						5	\$1059	11	\$2447	
						6	\$1218	12	\$2815	
For use on <b>Z66S23HN</b> hutch. Includes mounting screws.										
	ZTB5817	.62 x 58 x 16.5-17	150	5.80	1.08	1	\$526	7	\$1371	
						2	\$633	8	\$1576	
						3	\$760	9	\$1814	
						4	\$905	10	\$2085	
						5	\$1040	11	\$2399	
						6	\$1194	12	\$2758	
For use on <b>Z60S23HN</b> hutch. Includes mounting screws.										

**Required Specifications**  
Fabric



TACKBOARDS - 23" / 23.5" HIGH

Tackboard

Tackboard

Tackboard

Tackboard

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
D x W x H								
ZTB4617	.62 x 46 x 16.5-17	150	4.60	.85	1	\$353	7	\$918
					2	\$427	8	\$1052
					3	\$509	9	\$1211
					4	\$604	10	\$1391
					5	\$692	11	\$1597
					6	\$795	12	\$1837

For use on **Z48S23HN** hatch. Includes mounting screws.

ZTB4017	.62 x 40 x 16.5-17	150	4	.85	1	\$339	7	\$878
					2	\$409	8	\$1010
					3	\$489	9	\$1161
					4	\$577	10	\$1334
					5	\$664	11	\$1535
					6	\$762	12	\$1766

For use on **Z42S23HN** hatch. Includes mounting screws.

ZTB3417	.62 x 34 x 16.5-17	150	3.40	.85	1	\$329	7	\$846
					2	\$399	8	\$973
					3	\$475	9	\$1118
					4	\$558	10	\$1287
					5	\$642	11	\$1478
					6	\$738	12	\$1698

For use on **Z36S23HN** hatch. Includes mounting screws.

ZTB2817	.62 x 28 x 16.5-17	250	2.80	.85	1	\$315	7	\$818
					2	\$384	8	\$941
					3	\$457	9	\$1082
					4	\$541	10	\$1244
					5	\$621	11	\$1431
					6	\$712	12	\$1646

For use on **Z30S23HN** hatch. Includes mounting screws.

TACKBOARDS FOR HUTCHES - 36" / 36.5" HIGH

Tackboard

Tackboard







					FABRIC GRADE	LIST PRICE
ZTB8216	.62 x 82 x 15-15.5	150	8.20	2	1	\$824
					2	\$992
					3	\$1186
					4	\$1417
					5	\$1628
					6	\$1869

For use on **Z84S36H and Z84S36HN** hatches. Includes mounting screws.

ZTB7016	.62 x 70 x 15-15.5	150	7	1.30	1	\$547
					2	\$660
					3	\$790
					4	\$940
					5	\$1083
					6	\$1244

For use on **Z72S36xxx** hatches. Includes mounting screws.

Required Specifications  
Fabric

TACKBOARDS - 36" / 36.5" HIGH	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	D x W x H								
	ZTB6916	.62 x 69.5 x 15-15.5	150	7	1.30	1	\$544	7	\$1418
						2	\$657	8	\$1632
						3	\$787	9	\$1877
						4	\$935	10	\$2157
						5	\$1073	11	\$2482
						6	\$1234	12	\$2853
Tackboard	For use on <b>Z71S36H</b> and <b>Z71S36HN</b> hutches. Includes mounting screws.								
	ZTB6416	.62 x 64 x 15-15.5	150	6.40	1.30	1	\$539	7	\$1399
						2	\$649	8	\$1610
						3	\$773	9	\$1851
						4	\$921	10	\$2130
						5	\$1059	11	\$2447
						6	\$1218	12	\$2815
Tackboard	For use on <b>Z66S36xxx</b> hutches. Includes mounting screws.								
	ZTB5816	.62 x 58 x 15-15.5	150	5.80	1.08	1	\$526	7	\$1371
						2	\$633	8	\$1576
						3	\$760	9	\$1814
						4	\$905	10	\$2085
						5	\$1040	11	\$2399
						6	\$1194	12	\$2758
Tackboard	For use on <b>Z60S36xxx</b> hutches. Includes mounting screws.								
	ZTB4616	.62 x 46 x 15-15.5	150	4.60	.85	1	\$353	7	\$918
						2	\$427	8	\$1052
						3	\$509	9	\$1211
						4	\$604	10	\$1391
						5	\$692	11	\$1597
						6	\$795	12	\$1837
Tackboard	For use on <b>Z48S36H</b> and <b>Z48S36HN</b> hutches. Includes mounting screws.								
	ZTB4016	.62 x 40 x 15-15.5	150	4	.85	1	\$339	7	\$878
						2	\$409	8	\$1010
						3	\$489	9	\$1161
						4	\$577	10	\$1334
						5	\$664	11	\$1535
						6	\$762	12	\$1766
Tackboard	For use on <b>Z42S36H</b> and <b>Z42S36HN</b> hutch. Includes mounting screws.								
	ZTB3416	.62 x 34 x 15-15.5	150	3.40	.85	1	\$329	7	\$846
						2	\$399	8	\$973
						3	\$475	9	\$1118
						4	\$558	10	\$1287
						5	\$642	11	\$1478
						6	\$738	12	\$1698
Tackboard	For use on <b>Z36S36H</b> and <b>Z36S36HN</b> hutch. Includes mounting screws.								

Required Specifications

Fabric

TACKBOARDS - 42.4", 42.9" & 54.9", 55.4" HIGH

Tackboard

Tackboard

Tackboard




Tackboard

Tackboard

Tackboard

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
D x W x H								
ZTB2816	.62 x 28 x 15-15.5	250	2.80	.85	1	\$315	7	\$818
					2	\$384	8	\$941
					3	\$457	9	\$1082
					4	\$541	10	\$1244
					5	\$621	11	\$1431
					6	\$712	12	\$1646
For use on <b>Z30S36H</b> and <b>Z30S36HN</b> hutch. Includes mounting screws.								
ZTB8221	.62 x 82 x 20.5-21	150	12.80	2.30	1	\$1003	7	\$2616
					2	\$1202	8	\$3009
					3	\$1442	9	\$3458
					4	\$1721	10	\$3978
					5	\$1977	11	\$4574
					6	\$2275	12	\$5259
For use on <b>Z84S42H</b> , <b>Z84S42HN</b> , <b>Z84S55H</b> and <b>Z84S55HN</b> hutches. Includes mounting screws.								
ZTB7021	.62 x 70 x 20.5-21	125	11	1.50	1	\$675	7	\$1752
					2	\$808	8	\$2015
					3	\$968	9	\$2315
					4	\$1153	10	\$2665
					5	\$1326	11	\$3064
					6	\$1523	12	\$3520
For use on <b>Z72S42xxx</b> and <b>Z72S55xxx</b> hutches. Includes mounting screws.								
ZTB6921	.62 x 69 x 20.5-21	125	10.70	1.50	1	\$661	7	\$1730
					2	\$799	8	\$1987
					3	\$954	9	\$2286
					4	\$1138	10	\$2629
					5	\$1307	11	\$3024
					6	\$1503	12	\$3475
For use on <b>Z71S42H</b> , <b>Z71S42HN</b> , <b>Z71S55H</b> and <b>Z71S55HN</b> hutches. Includes mounting screws.								
ZTB6421	.62 x 64 x 20.5-21	125	10	1.50	1	\$625	7	\$1631
					2	\$753	8	\$1879
					3	\$905	9	\$2157
					4	\$1075	10	\$2484
					5	\$1235	11	\$2853
					6	\$1418	12	\$3281
For use on <b>Z66S42xxx</b> and <b>Z66S55xxx</b> hutches. Includes mounting screws.								
ZTB5821	.62 x 58 x 20.5-21	125	9	1.50	1	\$620	7	\$1615
					2	\$751	8	\$1856
					3	\$897	9	\$2136
					4	\$1064	10	\$2454
					5	\$1223	11	\$2823
					6	\$1405	12	\$3243
For use on <b>Z60S42xxx</b> and <b>Z60S55xxx</b> hutches. Includes mounting screws.								

Required Specifications  
Fabric

TACKBOARDS - 42.4", 42.9" & 54.9", 55.4" HIGH			MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
				D x W x H							
				ZTB4621	.62 x 46 x 20.5-21	125	7.20	1	1	7	\$999
									2	8	\$1146
									3	9	\$1319
									4	10	\$1514
									5	11	\$1743
									6	12	\$2003
Tackboard			For use on <b>Z48S42H, Z48S42HN, Z48S55H and Z48S55HN</b> hutches. Includes mounting screws.								
				ZTB4021	.62 x 40 x 20.5-21	125	6.20	1	1	7	\$967
									2	8	\$1110
									3	9	\$1279
									4	10	\$1467
									5	11	\$1687
									6	12	\$1940
Tackboard			For use on <b>Z42S42H, Z42S42HN, Z42S55H and Z42S55HN</b> hutches. Includes mounting screws.								
				ZTB3421	.62 x 34 x 20.5-21	150	5.30	1	1	7	\$948
									2	8	\$1092
									3	9	\$1254
									4	10	\$1441
									5	11	\$1656
									6	12	\$1906
Tackboard			For use on <b>Z36S42H, Z36S42HN, Z36S55H and Z36S55HN</b> hutches. Includes mounting screws.								
				ZTB2821	.62 x 28 x 20.5-21	150	4.50	1	1	7	\$938
									2	8	\$1077
									3	9	\$1236
									4	10	\$1423
									5	11	\$1635
									6	12	\$1881
Tackboard			For use on <b>Z30S42H, Z30S42HN, Z30S55H and Z30S55HN</b> hutches. Includes mounting screws.								
14" WALL-MOUNTED TACKBOARDS			MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
				ZWHT3014	1.25 x 30 x 13.5-14	150	4.70	1	1	7	\$819
									2	8	\$937
									3	9	\$1078
									4	10	\$1238
									5	11	\$1423
									6	12	\$1632
Wall Mounted Tackboard			For use under <b>Z30S200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications. <ul style="list-style-type: none"> <li>• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>								

Required Specifications

Fabric

14" WALL-MOUNTED TACKBOARDS

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
ZWHT3614	1.25 x 36 x 13.5-14	150	5.60	1	1	\$391	7	\$905
					2	\$455	8	\$1037
					3	\$519	9	\$1192
					4	\$598	10	\$1369
					5	\$684	11	\$1575
					6	\$787	12	\$1808



Wall Mounted Tackboard

For use under **Z36S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4214	1.25 x 42 x 13.5-14	125	6.50	1	1	\$458	7	\$1053
					2	\$529	8	\$1209
					3	\$607	9	\$1389
					4	\$695	10	\$1596
					5	\$797	11	\$1832
					6	\$919	12	\$2108



Wall Mounted Tackboard

For use under **Z42S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4814	1.25 x 48 x 13.5-14	125	7.50	1	1	\$495	7	\$1140
					2	\$572	8	\$1310
					3	\$655	9	\$1507
					4	\$753	10	\$1730
					5	\$864	11	\$1988
					6	\$992	12	\$2284



Wall Mounted Tackboard

For use under **Z48S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT6014	1.25 x 60 x 13.5-14	150	9.30	1.80	1	\$616	7	\$1421
					2	\$710	8	\$1631
					3	\$816	9	\$1875
					4	\$938	10	\$2156
					5	\$1077	11	\$2477
					6	\$1237	12	\$2848







Wall Mounted Tackboard

For use under **Z60S200S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

**Required Specifications**

Fabric

14" WALL-MOUNTED TACKBOARDS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
 <p>Wall Mounted Tackboard</p>		ZWHT6614	D x W x H 1.25 x 66 x 13.5-14	150	10.30	1.80	1	\$654	7	\$1511
							2	\$754	8	\$1734
							3	\$865	9	\$1990
							4	\$993	10	\$2289
							5	\$1141	11	\$2631
							6	\$1314	12	\$3024
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
 <p>Wall Mounted Tackboard</p>		ZWHT7214	1.25 x 72 x 13.5-14	125	11.20	1.80	1	\$717	7	\$1657
							2	\$829	8	\$1902
							3	\$951	9	\$2188
							4	\$1095	10	\$2512
							5	\$1255	11	\$2888
							6	\$1443	12	\$3322
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
 <p>Wall Mounted Tackboard</p>		ZWHT7814	1.25 x 78 x 13.5-14	125	12.10	1.80	1	\$757	7	\$1747
							2	\$875	8	\$2007
							3	\$1006	9	\$2305
							4	\$1150	10	\$2650
							5	\$1324	11	\$3045
							6	\$1519	12	\$3499
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
 <p>Wall Mounted Tackboard</p>		ZWHT8414	1.25 x 84 x 13.5-14	125	13.10	1.80	1	\$817	7	\$1891
							2	\$944	8	\$2174
							3	\$1086	9	\$2498
							4	\$1248	10	\$2872
							5	\$1432	11	\$3299
							6	\$1645	12	\$3795
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			
							For use under <b>ZxxS200S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications.			

Required Specifications

Fabric

18" WALL-MOUNTED TACKBOARDS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
D x W x H								
ZWHT3018	1.25 x 30 x 17.5-18	125	6	1	1	\$366	7	\$844
					2	\$426	8	\$969
					3	\$488	9	\$1114
					4	\$560	10	\$1281
					5	\$642	11	\$1472
					6	\$735	12	\$1689

Wall Mounted Tackboard

For use under **Z30S160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT3618	1.25 x 36 x 17.5-18	125	7.20	1	1	\$406	7	\$934
					2	\$471	8	\$1074
					3	\$540	9	\$1234
					4	\$618	10	\$1419
					5	\$711	11	\$1630
					6	\$817	12	\$1872

Wall Mounted Tackboard

For use under **Z36S160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4218	1.25 x 42 x 17.5-18	100	8.40	1	1	\$471	7	\$1087
					2	\$545	8	\$1250
					3	\$624	9	\$1434
					4	\$719	10	\$1646
					5	\$824	11	\$1891
					6	\$944	12	\$2175

Wall Mounted Tackboard

For use under **Z42S160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

ZWHT4818	1.25 x 48 x 17.5-18	100	9.60	1	1	\$513	7	\$1181
					2	\$592	8	\$1356
					3	\$682	9	\$1558
					4	\$782	10	\$1790
					5	\$897	11	\$2057
					6	\$1029	12	\$2361




Wall Mounted Tackboard

For use under **Z48S160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Fabric

18" WALL-MOUNTED TACKBOARDS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
	Wall Mounted Tackboard	ZWHT6018	D x W x H 1.25 x 60 x 17.5-18	125	12	1.80	1	\$630	7	\$1457
							2	\$726	8	\$1674
							3	\$837	9	\$1921
							4	\$960	10	\$2209
							5	\$1102	11	\$2542
							6	\$1266	12	\$2919
							For use under <b>Z60S160S/OSN</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications. • <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.			
	Wall Mounted Tackboard	ZWHT6618	1.25 x 66 x 17.5-18	125	13.20	1.80	1	\$671	7	\$1551
							2	\$776	8	\$1781
							3	\$892	9	\$2046
							4	\$1024	10	\$2352
							5	\$1174	11	\$2704
							6	\$1350	12	\$3107
							For use under <b>ZxxS160S/OSN</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications. • <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.			
	Wall Mounted Tackboard	ZWHT7218	1.25 x 72 x 17.5-18	100	14.40	1.80	1	\$737	7	\$1702
							2	\$851	8	\$1954
							3	\$975	9	\$2249
							4	\$1122	10	\$2582
							5	\$1287	11	\$2970
							6	\$1479	12	\$3415
							For use under <b>ZxxS160S/OSN</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications. • <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.			
	Wall Mounted Tackboard	ZWHT7818	1.25 x 78 x 17.5-18	100	15.60	1.80	1	\$777	7	\$1792
							2	\$898	8	\$2059
							3	\$1029	9	\$2365
							4	\$1184	10	\$2721
							5	\$1357	11	\$3127
							6	\$1560	12	\$3593
							For use under <b>ZxxS160S/OSN</b> for a finished height of <b>65"/65.5"</b> . Standard with pre-mounted "J" bracket for wall mount applications. • <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.			

Required Specifications

Fabric



18" WALL-MOUNTED TACKBOARDS



Wall Mounted Tackboard

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
ZWHT8418	1.25 x 84 x 17.5-18	100	16.80	1.80	1	\$841	7	\$1944
					2	\$969	8	\$2233
					3	\$1116	9	\$2567
					4	\$1281	10	\$2950
					5	\$1471	11	\$3392
					6	\$1689	12	\$3899

For use under **ZxxS160S/OSN** for a finished height of **65"/65.5"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard

ZWHT3021	1.25 x 30 x 20.5-21	125	7	1	1	\$374	7	\$861
					2	\$435	8	\$990
					3	\$497	9	\$1136
					4	\$570	10	\$1306
					5	\$655	11	\$1501
					6	\$753	12	\$1723

For use under **Z30S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z30S330S/OSN** for a finished height of **84"/84.5"**

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard

ZWHT3621	1.25 x 36 x 20.5-21	100	8.40	1	1	\$414	7	\$954
					2	\$482	8	\$1097
					3	\$549	9	\$1259
					4	\$633	10	\$1446
					5	\$725	11	\$1664
					6	\$833	12	\$1912

For use under **Z36S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z36S330S/OSN** for a finished height of **84"/84.5"**

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard

ZWHT4221	1.25 x 42 x 20.5-21	100	9.80	1	1	\$478	7	\$1106
					2	\$553	8	\$1269
					3	\$635	9	\$1460
					4	\$730	10	\$1677
					5	\$837	11	\$1927
					6	\$963	12	\$2214

For use under **Z42S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z42S330S/OSN** for a finished height of **84"/84.5"**

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.



Wall Mounted Tackboard

ZWHT4821	1.25 x 48 x 20.5-21	92.5	11.20	1	1	\$520	7	\$1200
					2	\$600	8	\$1379
					3	\$690	9	\$1587
					4	\$793	10	\$1818
					5	\$910	11	\$2092
					6	\$1044	12	\$2403

For use under **Z48S210S/OSN/OSD/OSR/OSL/OSO/SOS** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications. For use under **Z48S330S/OSN** for a finished height of **84"/84.5"**

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Fabric

## 21" WALL-MOUNTED TACKBOARDS



Wall Mounted Tackboard



Wall Mounted Tackboard



Wall Mounted Tackboard



Wall Mounted Tackboard



Wall Mounted Tackboard

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
D x W x H								
ZWHT6021	1.25 x 60 x 20.5-21	125	14	1.80	1	\$644	7	\$1486
					2	\$742	8	\$1711
					3	\$854	9	\$1963
					4	\$981	10	\$2255
					5	\$1127	11	\$2592
					6	\$1294	12	\$2981
For use under <b>Z60S210S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. For use under <b>Z60S330S/OSN</b> for a finished height of <b>84"/84.5"</b>								
• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								
ZWHT6621	1.25 x 66 x 20.5-21	100	15.40	1.80	1	\$683	7	\$1578
					2	\$790	8	\$1813
					3	\$906	9	\$2085
					4	\$1041	10	\$2397
					5	\$1198	11	\$2756
					6	\$1373	12	\$3167
For use under <b>Z66S210S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. For use under <b>Z66S330S/OSN</b> for a finished height of <b>84"/84.5"</b>								
• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								
ZWHT7221	1.25 x 72 x 20.5-21	100	16.80	1.80	1	\$750	7	\$1732
					2	\$866	8	\$1987
					3	\$993	9	\$2286
					4	\$1141	10	\$2627
					5	\$1313	11	\$3019
					6	\$1508	12	\$3472
For use under <b>Z72S210S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. For use under <b>Z72S330S/OSN</b> for a finished height of <b>84"/84.5"</b>								
• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								
ZWHT7821	1.25 x 78 x 20.5-21	92.5	18.20	1.80	1	\$789	7	\$1821
					2	\$911	8	\$2097
					3	\$1047	9	\$2409
					4	\$1203	10	\$2768
					5	\$1382	11	\$3183
					6	\$1587	12	\$3660
For use under <b>Z78S210S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. For use under <b>Z78S330S/OSN</b> for a finished height of <b>84"/84.5"</b>								
• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								
ZWHT8421	1.25 x 84 x 20.5-21	92.5	19.60	1.80	1	\$859	7	\$1983
					2	\$990	8	\$2277
					3	\$1139	9	\$2618
					4	\$1304	10	\$3010
					5	\$1502	11	\$3459
					6	\$1725	12	\$3975
For use under <b>Z84S210S/OSN/OSD/OSR/OSL/OSO/SOS</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. For use under <b>Z84S330S/OSN</b> for a finished height of <b>84"/84.5"</b>								
• <b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.								

## Required Specifications

Fabric

25" WALL-MOUNTED TACKBOARDS

Wall Mounted Tackboard

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
ZWHT3025	1.25 x 30 x 24.5-25	100	8.30	1	1	\$385	7	\$886
					2	\$447	8	\$1018
					3	\$511	9	\$1169
					4	\$585	10	\$1346
					5	\$672	11	\$1544
					6	\$773	12	\$1774

For use under **Z30S160S/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall Mounted Tackboard

ZWHT3625	1.25 x 36 x 24.5-25	92.5	10	1	1	\$426	7	\$985
					2	\$495	8	\$1130
					3	\$567	9	\$1298
					4	\$652	10	\$1494
					5	\$745	11	\$1714
					6	\$858	12	\$1970

For use under **Z36S160S/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall Mounted Tackboard

ZWHT4225	1.25 x 42 x 24.5-25	92.5	11.70	1	1	\$495	7	\$1140
					2	\$572	8	\$1310
					3	\$655	9	\$1507
					4	\$753	10	\$1730
					5	\$864	11	\$1988
					6	\$992	12	\$2284

For use under **Z42S160S/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall Mounted Tackboard

ZWHT4825	1.25 x 48 x 24.5-25	85	13.30	1	1	\$537	7	\$1240
					2	\$621	8	\$1424
					3	\$713	9	\$1634
					4	\$818	10	\$1878
					5	\$940	11	\$2158
					6	\$1079	12	\$2481

For use under **Z48S160S/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Wall Mounted Tackboard





ZWHT6025	1.25 x 60 x 24.5-25	100	16.70	1.80	1	\$662	7	\$1528
					2	\$763	8	\$1757
					3	\$878	9	\$2019
					4	\$1005	10	\$2321
					5	\$1158	11	\$2666
					6	\$1330	12	\$3066

For use under **Z60S160S/OSN** for a finished height of **71.5"/72"**. Standard with pre-mounted "J" bracket for wall mount applications.

- **NOTE:** Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. **Mounting hardware not included.** Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.

Required Specifications

Fabric

25" WALL-MOUNTED TACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FAB GRD	LIST	FAB GRD	LIST
 <p>Wall Mounted Tackboard</p>	D x W x H								
	ZWHT6625	1.25 x 66 x 24.5-25	92.5	18.30	1.80	1	\$704	7	\$1625
						2	\$814	8	\$1867
						3	\$933	9	\$2147
						4	\$1071	10	\$2468
						5	\$1231	11	\$2836
						6	\$1414	12	\$3260
For use under <b>ZxxS160S/OSN</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. <ul style="list-style-type: none"> <li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>									
 <p>Wall Mounted Tackboard</p>	ZWHT7225	1.25 x 72 x 24.5-25	92.5	20	1.80	1	\$773	7	\$1785
						2	\$893	8	\$2049
						3	\$1024	9	\$2353
						4	\$1176	10	\$2708
						5	\$1351	11	\$3110
						6	\$1553	12	\$3576
	For use under <b>ZxxS160S/OSN</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. <ul style="list-style-type: none"> <li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>								
 <p>Wall Mounted Tackboard</p>	ZWHT7825	1.25 x 78 x 24.5-25	85	21.70	1.80	1	\$813	7	\$1881
						2	\$939	8	\$2159
						3	\$1077	9	\$2483
						4	\$1236	10	\$2853
						5	\$1422	11	\$3280
						6	\$1635	12	\$3770
	For use under <b>ZxxS160S/OSN</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. <ul style="list-style-type: none"> <li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>								
 <p>Wall Mounted Tackboard</p>	ZWHT8425	1.25 x 84 x 24.5-25	85	23.30	1.80	1	\$883	7	\$2037
						2	\$1018	8	\$2341
						3	\$1168	9	\$2691
						4	\$1344	10	\$3093
						5	\$1543	11	\$3553
						6	\$1772	12	\$4087
	For use under <b>ZxxS160S/OSN</b> for a finished height of <b>71.5"/72"</b> . Standard with pre-mounted "J" bracket for wall mount applications. <ul style="list-style-type: none"> <li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li> </ul>								

Required Specifications

Fabric









BOOKCASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
<div>  <p>Bookcase - 72" High</p> </div>	ZHBC72	D x W x H 12 x 36 x 71.9-72.4	125	176	23	\$1225	\$1297	N/A	N/A
	One fixed shelf.								
	ZHBC65	12 x 36 x 65.5-66	125	156	21	\$1186	\$1257	N/A	N/A
	One fixed shelf and two adjustable shelves.								
<div>  <p>Bookcase - 65.5" High</p> </div>	ZHBC48	12 x 36 x 48.5-49	125	122	15.75	\$898	\$969	N/A	N/A
<div>  <p>Bookcase - 48.5" High</p> </div>	Two adjustable shelves.								
<div>  <p>Bookcase Shelf</p> </div>	ZHSHELF	11 x 34 x .5-1	100	13	1.50	\$315	N/A	N/A	N/A
Extra shelf for bookcases. 1" thick.									

TABLE TOP BOOKCASES	NOTE: UNITS UNDER 30"W MUST BE SECURELY FASTENED TO THE WALL OR GANGED TO AN ADJACENT UNIT 30"W OR WIDER								
<div>  <p>Table Top Bookcase 11.75"/12.25" High</p> </div>	Z36S12TN	16 x 36 x 11.25-11.75	100	44.91	5.25	\$358	\$430	N/A	N/A
	Z30S12TN	16 x 30 x 11.25-11.75	100	39.33	4.30	\$329	\$391	N/A	N/A
To be placed <b>on top of 29"/29.5" high units to achieve 40.8"/41.8" final height</b> or placed on top of <b>40.8"/41.3" high units to achieve 52.5"/53.5" final height.</b>									
<div>  <div>  <p>* Accepts collator 11"high</p> </div> <p>Table Top Bookcase 11.75"/12.25" High</p> </div>	Z21S12TN	16 x 21 x 11.25-11.75	100	28.87	3.10	\$275	\$324	N/A	N/A
	Z18S12TN	16 x 18 x 11.25-11.75	92.5	27.13	2.70	\$264	\$309	N/A	N/A
	Z16S12TN	16 x 16 x 11.25-11.75	92.5	24.57	2.40	\$251	\$292	N/A	N/A
	Z15S12TN	16 x 15 x 11.25-11.75	92.5	24.34	2.30	\$240	\$276	N/A	N/A
	Z12S12TN	16 x 12 x 11.25-11.75	92.5	21.55	1.90	\$227	\$258	N/A	N/A
	To be placed <b>on top of 29"/29.5" high units to achieve 40.8"/41.8" final height</b> or placed on top of <b>40.8"/41.3" high units to achieve 52.5"/53.5" final height.</b>								

Required Specifications	Optional Specifications
Top finish	Collator (open shelf)
Base finish	
Top/Edge Detail	

TABLE TOP BOOKCASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
  <p>Glazed door option</p>		<b>D x W x H</b>							
	Z36S48T	16 x 36 x 47.2-47.7	125	149	20.25	<b>\$1460</b>	<b>\$1532</b>	<b>\$1537</b>	N/A
	Z30S48T	16 x 30 x 47.2-47.7	125	130	17	<b>\$1333</b>	<b>\$1395</b>	<b>\$1327</b>	N/A
<p>Designed to be placed <b>on top of 17.87"/18.37" high units to achieve 65.5"/66" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.</p>									
  <p>Glazed door option</p>									
	Z36S41T	16 x 36 x 41.35-41.85	125	128	17.75	<b>\$1200</b>	<b>\$1272</b>	<b>\$1334</b>	N/A
	Z30S41T	16 x 30 x 41.35-41.85	125	111	15	<b>\$1256</b>	<b>\$1318</b>	<b>\$1162</b>	N/A
<p>Designed to be placed <b>on top of 23.75"/24.25" high units to achieve 65.5"/66" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.</p>									
  <p>Glazed door option</p>									
	Z36S54T	16 x 36 x 53.63-54.13	125	163	22.75	<b>\$1723</b>	<b>\$1795</b>	<b>\$1537</b>	N/A
	Z30S54T	16 x 30 x 53.63-54.13	125	142	19	<b>\$1333</b>	<b>\$1395</b>	<b>\$1327</b>	N/A
<p>Designed to be placed <b>on top of 17.87"/18.37" high units to achieve 71.9"/72.4" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.</p>									
  <p>Glazed door option</p>									
	Z36S49T	16 x 36 x 47.76-48.26	125	141	20.25	<b>\$1531</b>	<b>\$1603</b>	<b>\$1014</b>	N/A
	Z30S49T	16 x 30 x 47.76-48.26	125	123	17.25	<b>\$1373</b>	<b>\$1434</b>	<b>\$906</b>	N/A
<p>Designed to be placed <b>on top of 23.75"/24.25" high units to achieve 71.9"/72.4" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.</p>									
  <p>Glazed door option</p>									
	Z36S61T	16 x 36 x 60.25-60.75	125	176	25.25	<b>\$1808</b>	<b>\$1880</b>	<b>\$1206</b>	N/A
	Z30S61T	16 x 30 x 60.25-60.75	125	153	21.25	<b>\$1616</b>	<b>\$1677</b>	<b>\$1076</b>	N/A
<p>Designed to be placed <b>on top of 23.75"/24.25" high units to achieve 84.4"/84.9" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.</p>									

**Required Specifications**

Top finish  
Base finish  
Top/Edge Detail

**Optional Specifications**

Glazed doors

TABLE TOP BOOKCASES




Glazed door option

Table Top Bookcase 23.5"/24" High

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36S23T	16 x 36 x 23-23.5	100	87.45	9.50	<b>\$857</b>	<b>\$929</b>	<b>\$844</b>	N/A
Z30S23T	16 x 30 x 23-23.5	100	75.78	8	<b>\$780</b>	<b>\$842</b>	<b>\$745</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 52.5"/53.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.




Glazed door option

Table Top Bookcase with Door - LEFT  
23.5"/24" High

Z21S23TL	16 x 21 x 23-23.5	92.5	58.83	5.75	<b>\$611</b>	<b>\$659</b>	<b>\$461</b>	N/A
Z18S23TL	16 x 18 x 23-23.5	92.5	54.65	5	<b>\$588</b>	<b>\$629</b>	<b>\$421</b>	N/A
Z16S23TL	16 x 16 x 23-23.5	92.5	46.71	4.50	<b>\$522</b>	<b>\$563</b>	<b>\$412</b>	N/A
Z15S23TL	16 x 15 x 23-23.5	92.5	46.06	4.20	<b>\$496</b>	<b>\$532</b>	<b>\$371</b>	N/A
Z12S23TL	16 x 12 x 23-23.5	92.5	40.77	3.50	<b>\$463</b>	<b>\$494</b>	<b>\$335</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 52.5"/53.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.



Glazed door option

Table Top Bookcase with Door - RIGHT  
23.5"/24" High

Z21S23TR	16 x 21 x 23-23.5	92.5	58.83	5.75	<b>\$611</b>	<b>\$659</b>	<b>\$461</b>	N/A
Z18S23TR	16 x 18 x 23-23.5	92.5	54.65	5	<b>\$588</b>	<b>\$629</b>	<b>\$421</b>	N/A
Z16S23TR	16 x 16 x 23-23.5	92.5	46.71	4.50	<b>\$522</b>	<b>\$563</b>	<b>\$412</b>	N/A
Z15S23TR	16 x 15 x 23-23.5	92.5	46.06	4.20	<b>\$496</b>	<b>\$532</b>	<b>\$371</b>	N/A
Z12S23TR	16 x 12 x 23-23.5	92.5	40.77	3.50	<b>\$463</b>	<b>\$494</b>	<b>\$335</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 52.5"/53.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.



Table Top Bookcase 23.5"/24" High

Z36S23TN	16 x 36 x 23-23.5	125	69.06	9.50	<b>\$561</b>	<b>\$633</b>	N/A	N/A
Z30S23TN	16 x 30 x 23-23.5	125	60.33	8	<b>\$515</b>	<b>\$576</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 52.5"/53.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes one adjustable shelf.**




\* Accepts collator 11" high

Table Top Bookcase 23.5"/24" High\*

Z21S23TN	16 x 21 x 23-23.5	100	47.77	5.75	<b>\$438</b>	<b>\$486</b>	N/A	N/A
Z18S23TN	16 x 18 x 23-23.5	100	44.98	5	<b>\$431</b>	<b>\$472</b>	N/A	N/A
Z16S23TN	16 x 16 x 23-23.5	100	38.22	4.50	<b>\$366</b>	<b>\$407</b>	N/A	N/A
Z15S23TN	16 x 15 x 23-23.5	100	37	4.20	<b>\$351</b>	<b>\$386</b>	N/A	N/A
Z12S23TN	16 x 12 x 23-23.5	100	34.15	3.50	<b>\$327</b>	<b>\$359</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 52.5"/53.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes one adjustable shelf.**



Glazed door option

Table Top Bookcase with Doors  
36"/36.5" High

Z36S36T	16 x 36 x 35.5-36	100	124.30	14.25	<b>\$1101</b>	<b>\$1173</b>	<b>\$1088</b>	N/A
Z30S36T	16 x 30 x 35.5-36	100	106.67	12	<b>\$953</b>	<b>\$1014</b>	<b>\$952</b>	N/A














Designed to be placed **on top of 29"/29.5" high units to achieve 65"/66" final height.** Laminate doors are standard. **Includes two adjustable shelves.** Standard with lock.

Required Specifications

Top finish  
Base finish  
Top/Edge Detail

Optional Specifications

Collator\*  
Glazed doors

TABLE TOP BOOKCASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
  <p>Glazed door option</p> <p><b>Table Top Bookcase with Doors 36"/36.5" High - LEFT</b></p>		<b>D x W x H</b>							
	Z21S36TL	16 x 21 x 35.5-36	100	82.99	8.75	<b>\$780</b>	<b>\$829</b>	<b>\$598</b>	N/A
	Z18S36TL	16 x 18 x 35.5-36	100	74.72	7.50	<b>\$746</b>	<b>\$787</b>	<b>\$540</b>	N/A
	Z16S36TL	16 x 16 x 35.5-36	92.5	67.82	6.75	<b>\$682</b>	<b>\$723</b>	<b>\$532</b>	N/A
	Z15S36TL	16 x 15 x 35.5-36	92.5	66.46	6.50	<b>\$649</b>	<b>\$685</b>	<b>\$473</b>	N/A
	Z12S36TL	16 x 12 x 35.5-36	92.5	59.30	5.25	<b>\$602</b>	<b>\$633</b>	<b>\$426</b>	N/A
Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> Laminate door is standard. <b>Includes two adjustable shelves.</b> Standard with lock.									
  <p>Glazed door option</p> <p><b>Table Top Bookcase with Doors 36"/36.5" High - RIGHT</b></p>	Z21S36TR	16 x 21 x 35.5-36	100	82.99	8.75	<b>\$780</b>	<b>\$829</b>	<b>\$598</b>	N/A
	Z18S36TR	16 x 18 x 35.5-36	100	74.72	7.50	<b>\$746</b>	<b>\$787</b>	<b>\$540</b>	N/A
	Z16S36TR	16 x 16 x 35.5-36	92.5	67.82	6.75	<b>\$682</b>	<b>\$723</b>	<b>\$532</b>	N/A
	Z15S36TR	16 x 15 x 35.5-36	92.5	66.46	6.50	<b>\$649</b>	<b>\$685</b>	<b>\$473</b>	N/A
	Z12S36TR	16 x 12 x 35.5-36	92.5	59.30	5.25	<b>\$602</b>	<b>\$633</b>	<b>\$426</b>	N/A
	Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> Laminate door is standard. <b>Includes two adjustable shelves.</b> Standard with lock.								
  <p>Glazed door option</p> <p><b>Table Top Bookcase with Doors and Cavity - 36"/36.5" High</b></p>	Z36S36TC	16 x 36 x 35.5-36	100	116.98	14.25	<b>\$1040</b>	<b>\$1112</b>	<b>\$961</b>	N/A
	Z30S36TC	16 x 30 x 35.5-36	100	100.58	12	<b>\$900</b>	<b>\$962</b>	<b>\$838</b>	N/A
Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> Laminate doors are standard. <b>Includes one adjustable shelf.</b> Standard with lock.									
   <p>Glazed door option * Accepts collator 11" high</p> <p><b>Table Top Bookcase with Doors and* Cavity - 36"/36.5" High - LEFT</b></p>	Z21S36TCL	16 x 21 x 35.5-36	100	78.72	8.75	<b>\$743</b>	<b>\$792</b>	<b>\$534</b>	N/A
	Z18S36TCL	16 x 18 x 35.5-36	100	71.07	7.50	<b>\$716</b>	<b>\$761</b>	<b>\$481</b>	N/A
	Z16S36TCL	16 x 16 x 35.5-36	100	64.57	6.75	<b>\$650</b>	<b>\$691</b>	<b>\$473</b>	N/A
	Z15S36TCL	16 x 15 x 35.5-36	100	63.42	6.50	<b>\$625</b>	<b>\$660</b>	<b>\$420</b>	N/A
	Z12S36TCL	16 x 12 x 35.5-36	92.5	56.87	5.25	<b>\$581</b>	<b>\$613</b>	<b>\$376</b>	N/A
	Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> Laminate door is standard. <b>Includes one adjustable shelf.</b> Standard with lock.								
   <p>Glazed door option * Accepts collator 11" high</p> <p><b>Table Top Bookcase with Doors and* Cavity - 36"/36.5" High - RIGHT</b></p>	Z21S36TCR	16 x 21 x 35.5-36	100	78.72	8.75	<b>\$743</b>	<b>\$792</b>	<b>\$534</b>	N/A
	Z18S36TCR	16 x 18 x 35.5-36	100	71.07	7.50	<b>\$716</b>	<b>\$761</b>	<b>\$481</b>	N/A
	Z16S36TCR	16 x 16 x 35.5-36	100	64.57	6.75	<b>\$650</b>	<b>\$691</b>	<b>\$473</b>	N/A
	Z15S36TCR	16 x 15 x 35.5-36	100	63.42	6.50	<b>\$625</b>	<b>\$660</b>	<b>\$420</b>	N/A
	Z12S36TCR	16 x 12 x 35.5-36	92.5	56.87	5.25	<b>\$581</b>	<b>\$613</b>	<b>\$376</b>	N/A
	Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> Laminate door is standard. <b>Includes one adjustable shelf.</b> Standard with lock.								
 <p><b>Table Top Bookcase 36"/36.5" High</b></p>	Z36S36TN	16 x 36 x 35.5-36	125	95.31	14.25	<b>\$740</b>	<b>\$814</b>	N/A	N/A
	Z30S36TN	16 x 30 x 35.5-36	125	82.38	12	<b>\$630</b>	<b>\$692</b>	N/A	N/A
Designed to be placed <b>on top of 29"/29.5" high units to achieve 65"/66" final height.</b> <b>Includes two adjustable shelves.</b>									

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Optional Specifications

Collator\*  
Glazed doors



**TABLE TOP BOOKCASES**



\* Accepts collator 11" high

**Table Top Bookcase 36"/36.5" High\***

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z21S36TN	16 x 21 x 35.5-36	125	65.62	8.75	<b>\$572</b>	<b>\$621</b>	N/A	N/A
Z18S36TN	16 x 18 x 35.5-36	125	59.68	7.50	<b>\$557</b>	<b>\$602</b>	N/A	N/A
Z16S36TN	16 x 16 x 35.5-36	100	56	6.75	<b>\$494</b>	<b>\$535</b>	N/A	N/A
Z15S36TN	16 x 15 x 35.5-36	100	53.74	6.50	<b>\$478</b>	<b>\$514</b>	N/A	N/A
Z12S36TN	16 x 12 x 35.5-36	125	48.85	6.25	<b>\$446</b>	<b>\$477</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 65"/66" final height. Includes two adjustable shelves.**




Glazed door option

**Table Top Bookcase with Doors  
24.25"/24.75" High**

Z36S24T	16 x 36 x 23.75-24.25	100	89.26	10	<b>\$859</b>	<b>\$931</b>	<b>\$961</b>	N/A
Z30S24T	16 x 30 x 23.75-24.25	100	77.47	8.25	<b>\$784</b>	<b>\$845</b>	<b>\$838</b>	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate doors are standard. Includes one adjustable shelf. Standard with lock.**




Glazed door option

**Table Top Bookcase with Door - LEFT  
24.25"/24.75" High**

Z21S24TL	16 x 21 x 23.75-24.25	100	59.24	6	<b>\$611</b>	<b>\$660</b>	<b>\$534</b>	N/A
Z18S24TL	16 x 18 x 23.75-24.25	92.5	56.11	5.25	<b>\$589</b>	<b>\$630</b>	<b>\$481</b>	N/A
Z16S24TL	16 x 16 x 23.75-24.25	92.5	48.13	4.60	<b>\$523</b>	<b>\$564</b>	<b>\$473</b>	N/A
Z15S24TL	16 x 15 x 23.75-24.25	92.5	46.35	4.30	<b>\$497</b>	<b>\$533</b>	<b>\$420</b>	N/A
Z12S24TL	16 x 12 x 23.75-24.25	85	44.32	3.60	<b>\$464</b>	<b>\$495</b>	<b>\$376</b>	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.**



Glazed door option

**Table Top Bookcase with Door - RIGHT  
24.25"/24.75" High**

Z21S24TR	16 x 21 x 23.75-24.25	100	59.24	6	<b>\$611</b>	<b>\$660</b>	<b>\$534</b>	N/A
Z18S24TR	16 x 18 x 23.75-24.25	92.5	56.11	5.25	<b>\$589</b>	<b>\$630</b>	<b>\$481</b>	N/A
Z16S24TR	16 x 16 x 23.75-24.25	92.5	48.13	4.60	<b>\$523</b>	<b>\$564</b>	<b>\$473</b>	N/A
Z15S24TR	16 x 15 x 23.75-24.25	92.5	46.35	4.30	<b>\$497</b>	<b>\$533</b>	<b>\$420</b>	N/A
Z12S24TR	16 x 12 x 23.75-24.25	85	44.32	3.60	<b>\$464</b>	<b>\$495</b>	<b>\$376</b>	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Laminate door is standard. Includes one adjustable shelf. Standard with lock.**



**Table Top Bookcase  
24.25"/24.75" High**

Z36S24TN	16 x 36 x 23.75-24.25	125	70.11	10	<b>\$561</b>	<b>\$635</b>	N/A	N/A
Z30S24TN	16 x 30 x 23.75-24.25	125	61.38	8.25	<b>\$515</b>	<b>\$577</b>	N/A	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf.**



\* Accepts collator 11" high

**Table Top Bookcase\*  
24.25"/24.75" High**

Z21S24TN	16 x 21 x 23.75-24.25	125	47.77	6	<b>\$438</b>	<b>\$487</b>	N/A	N/A
Z18S24TN	16 x 18 x 23.75-24.25	100	46.03	5.25	<b>\$431</b>	<b>\$476</b>	N/A	N/A
Z16S24TN	16 x 16 x 23.75-24.25	100	39.27	4.60	<b>\$367</b>	<b>\$408</b>	N/A	N/A
Z15S24TN	16 x 15 x 23.75-24.25	100	37.99	4.30	<b>\$351</b>	<b>\$387</b>	N/A	N/A
Z12S24TN	16 x 12 x 23.75-24.25	92.5	37.30	3.60	<b>\$329</b>	<b>\$360</b>	N/A	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 65"/66" final height. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes one adjustable shelf.**


**Required Specifications**

Top finish  
Base finish  
Top/Edge Detail

**Optional Specifications**

Collator\*  
Glazed doors

## TABLE TOP BOOKCASES



Glazed door option

Table Top Bookcase with Doors  
42.4"/42.9" High

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36S42T	16 x 36 x 41.9-42.4	100	137.40	16.75	<b>\$1200</b>	<b>\$1272</b>	<b>\$1334</b>	N/A
Z30S42T	16 x 30 x 41.9-42.4	100	119.06	14	<b>\$1047</b>	<b>\$1109</b>	<b>\$1162</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. **Includes two adjustable shelves.** Standard with lock.




Glazed door option

Table Top Bookcase with Door - LEFT  
42.4"/42.9" High

Z21S42TL	16 x 21 x 41.9-42.4	300	119	70	<b>\$850</b>	<b>\$899</b>	<b>\$739</b>	N/A
Z18S42TL	16 x 18 x 41.9-42.4	85	117	8.75	<b>\$816</b>	<b>\$857</b>	<b>\$664</b>	N/A
Z16S42TL	16 x 16 x 41.9-42.4	300	112	62	<b>\$736</b>	<b>\$777</b>	<b>\$658</b>	N/A
Z15S42TL	16 x 15 x 41.9-42.4	250	109	54	<b>\$698</b>	<b>\$733</b>	<b>\$578</b>	N/A
Z12S42TL	16 x 12 x 41.9-42.4	250	105	49	<b>\$649</b>	<b>\$681</b>	<b>\$521</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes two adjustable shelves.** Standard with lock.



Glazed door option

Table Top Bookcase with Door - RIGHT  
42.4"/42.9" High

Z21S42TR	16 x 21 x 41.9-42.4	300	119	70	<b>\$850</b>	<b>\$899</b>	<b>\$739</b>	N/A
Z18S42TR	16 x 18 x 41.9-42.4	85	117	8.75	<b>\$816</b>	<b>\$857</b>	<b>\$664</b>	N/A
Z16S42TR	16 x 16 x 41.9-42.4	300	112	62	<b>\$736</b>	<b>\$777</b>	<b>\$658</b>	N/A
Z15S42TR	16 x 15 x 41.9-42.4	250	109	54	<b>\$698</b>	<b>\$733</b>	<b>\$578</b>	N/A
Z12S42TR	16 x 12 x 41.9-42.4	250	105	49	<b>\$649</b>	<b>\$681</b>	<b>\$521</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes two adjustable shelves.** Standard with lock.



Glazed door option

Table Top Bookcase with Doors and  
Cavity 42.4"/42.9" High

Z36S42TC	16 x 36 x 41.9-42.4	125	130.09	16.75	<b>\$1162</b>	<b>\$1234</b>	<b>\$1050</b>	N/A
Z30S42TC	16 x 30 x 41.9-42.4	100	112.97	14	<b>\$1015</b>	<b>\$1077</b>	<b>\$913</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.



Glazed door option \* Accepts collator 11" high

Table Top Bookcase with Door and\*  
Cavity 42.4"/42.9" High - LEFT

Z21S42TCL	16 x 21 x 41.9-42.4	100	87.84	10	<b>\$831</b>	<b>\$879</b>	<b>\$583</b>	N/A
Z18S42TCL	16 x 18 x 41.9-42.4	100	79.83	8.75	<b>\$798</b>	<b>\$839</b>	<b>\$524</b>	N/A
Z16S42TCL	16 x 16 x 41.9-42.4	100	73.75	8	<b>\$716</b>	<b>\$757</b>	<b>\$520</b>	N/A
Z15S42TCL	16 x 15 x 41.9-42.4	100	70.71	7.50	<b>\$682</b>	<b>\$717</b>	<b>\$457</b>	N/A
Z12S42TCL	16 x 12 x 41.9-42.4	92.5	62.70	6	<b>\$632</b>	<b>\$664</b>	<b>\$412</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.



Glazed door option \* Accepts collator 11" high

Table Top Bookcase with Door and\*  
Cavity 42.4"/42.9" High - RIGHT

Z21S42TCR	16 x 21 x 41.9-42.4	100	87.84	10	<b>\$831</b>	<b>\$879</b>	<b>\$583</b>	N/A
Z18S42TCR	16 x 18 x 41.9-42.4	100	79.83	8.75	<b>\$798</b>	<b>\$839</b>	<b>\$524</b>	N/A
Z16S42TCR	16 x 16 x 41.9-42.4	100	73.75	8	<b>\$716</b>	<b>\$757</b>	<b>\$520</b>	N/A
Z15S42TCR	16 x 15 x 41.9-42.4	100	70.71	7.50	<b>\$682</b>	<b>\$717</b>	<b>\$457</b>	N/A
Z12S42TCR	16 x 12 x 41.9-42.4	92.5	62.70	6	<b>\$632</b>	<b>\$664</b>	<b>\$412</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

## Required Specifications

Top finish  
Base finish  
Top/Edge Detail

## Optional Specifications

Collator\*  
Glazed doors

TABLE TOP BOOKCASES



Table Top Bookcase  
42.4"/42.9" High



Table Top Bookcase\*  
42.4"/42.9" High



Table Top Bookcase with Doors  
30.7"/31.2" High



Table Top Bookcase with Door  
30.7"/31.2" High - LEFT



Table Top Bookcase with Door  
30.7"/31.2" High - RIGHT



Table Top Bookcase  
30.7"/31.2" High

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z36S42TN	16 x 36 x 41.9-42.4	125	103.71	16.75	<b>\$806</b>	<b>\$878</b>	N/A	N/A
Z30S42TN	16 x 30 x 41.9-42.4	125	90.78	14	<b>\$701</b>	<b>\$763</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves.** Standard with lock.

Z21S42TN	16 x 21 x 41.9-42.4	125	71.92	10	<b>\$625</b>	<b>\$674</b>	N/A	N/A
Z18S42TN	16 x 18 x 41.9-42.4	125	65.98	8.75	<b>\$611</b>	<b>\$652</b>	N/A	N/A
Z16S42TN	16 x 16 x 41.9-42.4	125	61.32	8	<b>\$528</b>	<b>\$569</b>	N/A	N/A
Z15S42TN	16 x 15 x 41.9-42.4	125	58.99	7.50	<b>\$515</b>	<b>\$551</b>	N/A	N/A
Z12S42TN	16 x 12 x 41.9-42.4	100	53.05	6	<b>\$480</b>	<b>\$511</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 71.5"/72.5" final height.** DO NOT USE ON TOP OF 40.8"/41.3" HIGH UNITS. **Includes two adjustable shelves.** Standard with lock.

Z36S31T	16 x 36 x 30.2-30.7	100	104.19	12.25	<b>\$944</b>	<b>\$1016</b>	<b>\$1050</b>	N/A
Z30S31T	16 x 30 x 30.2-30.7	100	89.36	10.50	<b>\$845</b>	<b>\$907</b>	<b>\$913</b>	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate doors are standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TL	16 x 21 x 30.2-30.7	100	69.88	7.50	<b>\$676</b>	<b>\$725</b>	<b>\$583</b>	N/A
Z18S31TL	16 x 18 x 30.2-30.7	92.5	65.22	6.50	<b>\$618</b>	<b>\$659</b>	<b>\$524</b>	N/A
Z16S31TL	16 x 16 x 30.2-30.7	92.5	59.18	5.75	<b>\$589</b>	<b>\$630</b>	<b>\$520</b>	N/A
Z15S31TL	16 x 15 x 30.2-30.7	92.5	56.15	5.50	<b>\$563</b>	<b>\$598</b>	<b>\$457</b>	N/A
Z12S31TL	16 x 12 x 30.2-30.7	92.5	50.39	4.40	<b>\$524</b>	<b>\$556</b>	<b>\$412</b>	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z21S31TR	16 x 21 x 30.2-30.7	100	69.88	7.50	<b>\$676</b>	<b>\$725</b>	<b>\$583</b>	N/A
Z18S31TR	16 x 18 x 30.2-30.7	92.5	65.22	6.50	<b>\$618</b>	<b>\$659</b>	<b>\$524</b>	N/A
Z16S31TR	16 x 16 x 30.2-30.7	92.5	59.18	5.75	<b>\$589</b>	<b>\$630</b>	<b>\$520</b>	N/A
Z15S31TR	16 x 15 x 30.2-30.7	92.5	56.15	5.50	<b>\$563</b>	<b>\$598</b>	<b>\$457</b>	N/A
Z12S31TR	16 x 12 x 30.2-30.7	92.5	50.39	4.40	<b>\$524</b>	<b>\$556</b>	<b>\$412</b>	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **Includes one adjustable shelf.** Standard with lock.

Z36S31TN	16 x 36 x 30.2-30.7	125	79.56	12.25	<b>\$615</b>	<b>\$687</b>	N/A	N/A
Z30S31TN	16 x 30 x 30.2-30.7	125	68.73	10.50	<b>\$554</b>	<b>\$615</b>	N/A	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** **Includes one adjustable shelf.**

Required Specifications

Top finish  
Base finish  
Top/Edge Detail

Optional Specifications

Collator\*  
Glazed doors

## TABLE TOP BOOKCASES

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. 1" TOP 1.5" TOP GLAZE ADD HP ADD

## D x W x H

Z21S31TN	16 x 21 x 30.2-30.7	125	55.12	7.50	<b>\$484</b>	<b>\$532</b>	N/A	N/A
Z18S31TN	16 x 18 x 30.2-30.7	100	52.33	6.50	<b>\$444</b>	<b>\$485</b>	N/A	N/A
Z16S31TN	16 x 16 x 30.2-30.7	100	47.67	5.75	<b>\$420</b>	<b>\$461</b>	N/A	N/A
Z15S31TN	16 x 15 x 30.2-30.7	100	45.34	5.50	<b>\$406</b>	<b>\$441</b>	N/A	N/A
Z12S31TN	16 x 12 x 30.2-30.7	100	41.50	4.40	<b>\$378</b>	<b>\$409</b>	N/A	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Includes one adjustable shelf.

Z36S55T	16 x 36 x 54.4-54.9	100	174.25	21.50	<b>\$1460</b>	<b>\$1532</b>	<b>\$1537</b>	N/A
Z30S55T	16 x 30 x 54.4-54.9	100	152.16	18	<b>\$1333</b>	<b>\$1395</b>	<b>\$1327</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Includes three adjustable shelves. Standard with lock.

Z21S55TL	16 x 21 x 54.4-54.9	100	116.26	13	<b>\$1036</b>	<b>\$1085</b>	<b>\$857</b>	N/A
Z18S55TL	16 x 18 x 54.4-54.9	100	104.66	11.25	<b>\$973</b>	<b>\$1018</b>	<b>\$766</b>	N/A
Z16S55TL	16 x 16 x 54.4-54.9	100	97.67	10	<b>\$927</b>	<b>\$968</b>	<b>\$759</b>	N/A
Z15S55TL	16 x 15 x 54.4-54.9	100	94.17	9.50	<b>\$884</b>	<b>\$919</b>	<b>\$661</b>	N/A
Z12S55TL	16 x 12 x 54.4-54.9	92.5	83.67	7.75	<b>\$819</b>	<b>\$850</b>	<b>\$589</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z21S55TR	16 x 21 x 54.4-54.9	100	116.26	13	<b>\$1036</b>	<b>\$1085</b>	<b>\$857</b>	N/A
Z18S55TR	16 x 18 x 54.4-54.9	100	104.66	11.25	<b>\$973</b>	<b>\$1018</b>	<b>\$766</b>	N/A
Z16S55TR	16 x 16 x 54.4-54.9	100	97.67	10	<b>\$927</b>	<b>\$968</b>	<b>\$759</b>	N/A
Z15S55TR	16 x 15 x 54.4-54.9	100	94.17	9.50	<b>\$884</b>	<b>\$919</b>	<b>\$661</b>	N/A
Z12S55TR	16 x 12 x 54.4-54.9	92.5	83.67	7.75	<b>\$819</b>	<b>\$850</b>	<b>\$589</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate door is standard. Includes three adjustable shelves. Standard with lock.

Z36S55TC	16 x 36 x 54.4-54.9	125	166.94	21.50	<b>\$1421</b>	<b>\$1493</b>	<b>\$1339</b>	N/A
Z30S55TC	16 x 30 x 54.4-54.9	100	146.06	18	<b>\$1299</b>	<b>\$1361</b>	<b>\$1167</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate doors are standard. Includes two adjustable shelves. Standard with lock.

Z21S55TCL	16 x 21 x 54.4-54.9	100	112	13	<b>\$1001</b>	<b>\$1049</b>	<b>\$742</b>	N/A
Z18S55TCL	16 x 18 x 54.4-54.9	100	101.01	11.25	<b>\$943</b>	<b>\$984</b>	<b>\$666</b>	N/A
Z16S55TCL	16 x 16 x 54.4-54.9	100	94.42	10	<b>\$892</b>	<b>\$937</b>	<b>\$659</b>	N/A
Z15S55TCL	16 x 15 x 54.4-54.9	100	91.12	9.50	<b>\$851</b>	<b>\$887</b>	<b>\$581</b>	N/A
Z12S55TCL	16 x 12 x 54.4-54.9	92.5	81.24	7.75	<b>\$791</b>	<b>\$822</b>	<b>\$523</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate door is standard. Includes two adjustable shelves. Standard with lock.

## Required Specifications

Top finish  
Base finish  
Top/Edge Detail

## Optional Specifications

Collator\*  
Glazed doors



Table Top Bookcase\*  
30.7"/31.2" High



\* Accepts collator 11" high




Table Top Bookcase with Doors  
54.9"/55.4" High



Glazed door option



Table Top Bookcase with Door - LEFT  
54.9"/55.4" High



Glazed door option



Table Top Bookcase with Door - RIGHT  
54.9"/55.4" High



Glazed door option



Table Top Bookcase with Doors  
and Cavity 54.9"/55.4" High



Glazed door option



Table Top Bookcase with Door - LEFT  
and Cavity 54.9"/55.4" High\*



Glazed door option



\* Accepts collator 11" high

TABLE TOP BOOKCASES



Glazed door option



\* Accepts collator 11" high

**Table Top Bookcase with Door - RIGHT and Cavity - 54.9"/55.4" High\***




**Table Top Bookcase 54.9"/55.4" High**




\* Accepts collator 11" high

**Table Top Bookcase\* 54.9"/55.4" High**




Glazed door option

**Table Top Bookcase with Doors 43.2"/43.7" High**



Glazed door option

**Table Top Bookcase with Door 43.2"/43.7" High**



Glazed door option

**Table Top Bookcase with Door 43.2"/43.7" High**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z21S55TCR	16 x 21 x 54.4-54.9	100	112	13	<b>\$1001</b>	<b>\$1049</b>	<b>\$742</b>	N/A
Z18S55TCR	16 x 18 x 54.4-54.9	100	101.01	11.25	<b>\$943</b>	<b>\$984</b>	<b>\$666</b>	N/A
Z16S55TCR	16 x 16 x 54.4-54.9	100	94.42	10	<b>\$892</b>	<b>\$937</b>	<b>\$659</b>	N/A
Z15S55TCR	16 x 15 x 54.4-54.9	100	91.12	9.50	<b>\$851</b>	<b>\$887</b>	<b>\$581</b>	N/A
Z12S55TCR	16 x 12 x 54.4-54.9	92.5	81.24	7.75	<b>\$791</b>	<b>\$822</b>	<b>\$523</b>	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height.** Laminate door is standard. **Includes two adjustable shelves.** Standard with lock.

Z36S55TN	16 x 36 x 54.4-54.9	125	129.96	21.50	<b>\$972</b>	<b>\$1044</b>	N/A	N/A
Z30S55TN	16 x 30 x 54.4-54.9	125	114.93	18	<b>\$905</b>	<b>\$966</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves.**

Z21S55TN	16 x 21 x 54.4-54.9	125	89.77	13	<b>\$758</b>	<b>\$806</b>	N/A	N/A
Z18S55TN	16 x 18 x 54.4-54.9	125	81.73	11.25	<b>\$722</b>	<b>\$763</b>	N/A	N/A
Z16S55TN	16 x 16 x 54.4-54.9	125	77.07	10	<b>\$675</b>	<b>\$716</b>	N/A	N/A
Z15S55TN	16 x 15 x 54.4-54.9	125	74.74	9.50	<b>\$659</b>	<b>\$695</b>	N/A	N/A
Z12S55TN	16 x 12 x 54.4-54.9	100	67.75	7.75	<b>\$615</b>	<b>\$646</b>	N/A	N/A

Designed to be placed **on top of 29"/29.5" high units to achieve 84"/85" final height. Includes three adjustable shelves.**

Z36S43T	16 x 36 x 42.7-43.2	100	139.22	17	<b>\$1226</b>	<b>\$1298</b>	<b>\$1339</b>	N/A
Z30S43T	16 x 30 x 42.7-43.2	100	120.76	14.50	<b>\$1047</b>	<b>\$1109</b>	<b>\$1167</b>	N/A

Designed to be placed **on top of 40.8"/41.3" high units to achieve 84"/85" final height.** Laminate doors are standard. **DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves.** Standard with lock.

Z21S43TL	16 x 21 x 42.7-43.2	100	93.62	10.25	<b>\$868</b>	<b>\$916</b>	<b>\$742</b>	N/A
Z18S43TL	16 x 18 x 42.7-43.2	100	84.94	9	<b>\$831</b>	<b>\$872</b>	<b>\$666</b>	N/A
Z16S43TL	16 x 16 x 42.7-43.2	100	78.42	8	<b>\$745</b>	<b>\$786</b>	<b>\$659</b>	N/A
Z15S43TL	16 x 15 x 42.7-43.2	92.5	75.16	7.50	<b>\$701</b>	<b>\$736</b>	<b>\$581</b>	N/A
Z12S43TL	16 x 12 x 42.7-43.2	92.5	66.48	6.25	<b>\$650</b>	<b>\$682</b>	<b>\$523</b>	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves.** Standard with lock.

Z21S43TR	16 x 21 x 42.7-43.2	100	93.62	10.25	<b>\$868</b>	<b>\$916</b>	<b>\$742</b>	N/A
Z18S43TR	16 x 18 x 42.7-43.2	100	84.94	9	<b>\$831</b>	<b>\$872</b>	<b>\$666</b>	N/A
Z16S43TR	16 x 16 x 42.7-43.2	100	78.42	8	<b>\$745</b>	<b>\$786</b>	<b>\$659</b>	N/A
Z15S43TR	16 x 15 x 42.7-43.2	92.5	75.16	7.50	<b>\$701</b>	<b>\$736</b>	<b>\$581</b>	N/A
Z12S43TR	16 x 12 x 42.7-43.2	92.5	66.48	6.25	<b>\$650</b>	<b>\$682</b>	<b>\$523</b>	N/A

Designed to be placed **on top of 40.8"/41.8" high units to achieve 71.5"/72.5" final height.** Laminate door is standard. **DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. Includes two adjustable shelves.** Standard with lock.

**Required Specifications**

Top finish  
Base finish  
Top/Edge Detail

**Optional Specifications**

Collator\*  
Glazed doors

TABLE TOP BOOKCASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z36S43TC	16 x 36 x 42.7-43.2	125	131.91	17	<b>\$1186</b>	<b>\$1258</b>	<b>\$1054</b>	N/A
	Z30S43TC	16 x 30 x 42.7-43.2	125	114.67	14.50	<b>\$1038</b>	<b>\$1099</b>	<b>\$898</b>	N/A
<p>Designed to be placed <b>on top of 40.8"/41.3" high units to achieve 84"/85" final height.</b> Laminate doors are standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. <b>Includes two adjustable shelves.</b> Standard with lock.</p>									
	Z21S43TCL	16 x 21 x 42.7-43.2	100	89.36	10.25	<b>\$845</b>	<b>\$894</b>	<b>\$582</b>	N/A
	Z18S43TCL	16 x 18 x 42.7-43.2	100	81.29	9	<b>\$811</b>	<b>\$852</b>	<b>\$523</b>	N/A
	Z16S43TCL	16 x 16 x 42.7-43.2	100	75.17	8	<b>\$726</b>	<b>\$767</b>	<b>\$518</b>	N/A
	Z15S43TCL	16 x 15 x 42.7-43.2	100	72.11	7.50	<b>\$684</b>	<b>\$719</b>	<b>\$457</b>	N/A
	Z12S43TCL	16 x 12 x 42.7-43.2	92.5	64.05	6.25	<b>\$635</b>	<b>\$667</b>	<b>\$412</b>	N/A
	<p>Designed to be placed <b>on top of 40.8"/41.3" high units to achieve 84"/85" final height.</b> Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. <b>Includes one adjustable shelf.</b> Standard with lock.</p>								
	Z21S43TCR	16 x 21 x 42.7-43.2	100	89.36	10.25	<b>\$845</b>	<b>\$894</b>	<b>\$582</b>	N/A
	Z18S43TCR	16 x 18 x 42.7-43.2	100	81.29	9	<b>\$811</b>	<b>\$852</b>	<b>\$523</b>	N/A
	Z16S43TCR	16 x 16 x 42.7-43.2	100	75.17	8	<b>\$726</b>	<b>\$767</b>	<b>\$518</b>	N/A
	Z15S43TCR	16 x 15 x 42.7-43.2	100	72.11	7.50	<b>\$684</b>	<b>\$719</b>	<b>\$457</b>	N/A
	Z12S43TCR	16 x 12 x 42.7-43.2	92.5	64.05	6.25	<b>\$635</b>	<b>\$667</b>	<b>\$412</b>	N/A
	<p>Designed to be placed <b>on top of 40.8"/41.3" high units to achieve 84"/85" final height.</b> Laminate door is standard. DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. <b>Includes one adjustable shelf.</b> Standard with lock.</p>								
	Z36S43TN	16 x 36 x 42.7-43.2	125	104.76	17	<b>\$830</b>	<b>\$902</b>	N/A	N/A
	Z30S43TN	16 x 30 x 42.7-43.2	125	91.83	14.50	<b>\$719</b>	<b>\$781</b>	N/A	N/A
<p>Designed to be placed <b>on top of 40.8"/41.3" high units to achieve 84"/85" final height.</b> DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. <b>Includes two adjustable shelves.</b></p>									
	Z21S43TN	16 x 21 x 42.7-43.2	125	72.97	10.25	<b>\$641</b>	<b>\$690</b>	N/A	N/A
	Z18S43TN	16 x 18 x 42.7-43.2	125	67.03	9	<b>\$624</b>	<b>\$665</b>	N/A	N/A
	Z16S43TN	16 x 16 x 42.7-43.2	125	62.37	8	<b>\$536</b>	<b>\$577</b>	N/A	N/A
	Z15S43TN	16 x 15 x 42.7-43.2	100	60.04	7.50	<b>\$516</b>	<b>\$552</b>	N/A	N/A
	Z12S43TN	16 x 12 x 42.7-43.2	100	54.10	6.25	<b>\$481</b>	<b>\$512</b>	N/A	N/A
	<p>Designed to be placed <b>on top of 40.8"/41.3" high units to achieve 84"/85" final height.</b> DO NOT USE ON TOP OF 29"/29.5 HIGH UNITS. <b>Includes two adjustable shelves.</b></p>								

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Optional Specifications

Collator\*\*  
Glazed doors\*

END SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z24L2ESHL	24 x 24 x 29.5-30	70	99.75	4.75	<b>\$711</b>	<b>\$772</b>	N/A	<b>\$140</b>
	Z20M2ESHL	20 x 20 x 29.5-30	70	76.65	3.75	<b>\$589</b>	<b>\$635</b>	N/A	<b>\$90</b>
	Z16S2ESHL	16 x 16 x 29.5-30	65	53.55	2.25	<b>\$501</b>	<b>\$542</b>	N/A	<b>\$90</b>
For use at <b>LEFT end of 29\"/&gt; </b>									
	Z24L2ESHR	24 x 24 x 29.5-30	70	99.75	4.75	<b>\$711</b>	<b>\$772</b>	N/A	<b>\$140</b>
	Z20M2ESHR	20 x 20 x 29.5-30	70	76.65	3.75	<b>\$589</b>	<b>\$635</b>	N/A	<b>\$90</b>
	Z16S2ESHR	16 x 16 x 29.5-30	65	53.55	2.25	<b>\$501</b>	<b>\$542</b>	N/A	<b>\$90</b>
For use at <b>RIGHT end of 29\"/&gt; </b>									
	Z24L4ESHL	24 x 24 x 41.3-41.8	65	130.20	4.75	<b>\$912</b>	<b>\$974</b>	N/A	N/A
	Z20M4ESHL	20 x 20 x 41.3-41.8	60	101	3.25	<b>\$766</b>	<b>\$812</b>	N/A	N/A
	Z16S4ESHL	16 x 16 x 41.3-41.8	65	73.87	2.50	<b>\$651</b>	<b>\$692</b>	N/A	N/A
For use at <b>LEFT end of 40.8\"/&gt; </b>									
	Z24L4ESHR	24 x 24 x 41.3-41.8	65	130.20	4.75	<b>\$912</b>	<b>\$974</b>	N/A	N/A
	Z20M4ESHR	20 x 20 x 41.3-41.8	60	101	3.25	<b>\$766</b>	<b>\$812</b>	N/A	N/A
	Z16S4ESHR	16 x 16 x 41.3-41.8	65	73.87	2.50	<b>\$651</b>	<b>\$692</b>	N/A	N/A
For use at <b>RIGHT end of 40.8\"/&gt; </b>									
	Z24L5ESHL	24 x 24 x 53-53.5	60	162.75	4.75	<b>\$1130</b>	<b>\$1191</b>	N/A	N/A
	Z20M5ESHL	20 x 20 x 53-53.5	60	125.69	4	<b>\$932</b>	<b>\$978</b>	N/A	N/A
	Z16S5ESHL	16 x 16 x 53-53.5	65	91.35	3.25	<b>\$786</b>	<b>\$831</b>	N/A	N/A
For use at <b>LEFT end of 52.5\"/&gt; </b>									
	Z24L5ESHR	24 x 24 x 53-53.5	60	162.75	4.75	<b>\$1130</b>	<b>\$1191</b>	N/A	N/A
	Z20M5ESHR	20 x 20 x 53-53.5	60	125.69	4	<b>\$932</b>	<b>\$978</b>	N/A	N/A
	Z16S5ESHR	16 x 16 x 53-53.5	65	91.35	3.25	<b>\$786</b>	<b>\$831</b>	N/A	N/A
For use at <b>RIGHT end of 52.5\"/&gt; </b>									

#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail

#### Optional Specifications

Collator\*\*  
Glazed doors\*



END SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z24L6ESHL	24 x 24 x 65.5-66	60	196	6	<b>\$1321</b>	<b>\$1383</b>	N/A	N/A
	Z20M6ESHL	20 x 20 x 65.5-66	60	152	5	<b>\$1099</b>	<b>\$1145</b>	N/A	N/A
	Z16S6ESHL	16 x 16 x 65.5-66	65	111.30	4.25	<b>\$938</b>	<b>\$979</b>	N/A	N/A
<p>For use at <b>LEFT end of 65\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S6ESHL</b></p>									
	Z24L6ESHR	24 x 24 x 65.5-66	60	196	6	<b>\$1321</b>	<b>\$1383</b>	N/A	N/A
	Z20M6ESHR	20 x 20 x 65.5-66	60	152	5	<b>\$1099</b>	<b>\$1145</b>	N/A	N/A
	Z16S6ESHR	16 x 16 x 65.5-66	65	111.30	4.25	<b>\$938</b>	<b>\$979</b>	N/A	N/A
<p>For use at <b>RIGHT end of 65\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S6ESHR</b></p>									
	Z24L7ESHL	24 x 24 x 71.9-72.4	60	206.85	6.50	<b>\$1387</b>	<b>\$1448</b>	N/A	N/A
	Z20M7ESHL	20 x 20 x 71.9-72.4	65	160.65	5.75	<b>\$1158</b>	<b>\$1204</b>	N/A	N/A
	Z16S7ESHL	16 x 16 x 71.9-72.4	65	117.60	4.75	<b>\$986</b>	<b>\$1027</b>	N/A	N/A
<p>For use at <b>LEFT end of 71.5\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S7ESHL</b></p>									
	Z24L7ESHR	24 x 24 x 71.9-72.4	60	206.85	6.50	<b>\$1387</b>	<b>\$1448</b>	N/A	N/A
	Z20M7ESHR	20 x 20 x 71.9-72.4	65	160.65	5.75	<b>\$1158</b>	<b>\$1204</b>	N/A	N/A
	Z16S7ESHR	16 x 16 x 71.9-72.4	65	117.60	4.75	<b>\$986</b>	<b>\$1027</b>	N/A	N/A
<p>For use at <b>RIGHT end of 71.5\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S7ESHR</b></p>									
	Z24L8ESHL	24 x 24 x 84.4-84.9	60	241.50	7.75	<b>\$1592</b>	<b>\$1653</b>	N/A	N/A
	Z20M8ESHL	20 x 20 x 84.4-84.9	65	185.85	6.50	<b>\$1327</b>	<b>\$1373</b>	N/A	N/A
	Z16S8ESHL	16 x 16 x 84.4-84.9	65	136.50	5.50	<b>\$1127</b>	<b>\$1168</b>	N/A	N/A
<p>For use at <b>LEFT end of 84\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S8ESHL</b></p>									
	Z24L8ESHR	24 x 24 x 84.4-84.9	60	241.50	7.75	<b>\$1592</b>	<b>\$1653</b>	N/A	N/A
	Z20M8ESHR	20 x 20 x 84.4-84.9	65	185.85	6.50	<b>\$1327</b>	<b>\$1373</b>	N/A	N/A
	Z16S8ESHR	16 x 16 x 84.4-84.9	65	136.50	5.50	<b>\$1127</b>	<b>\$1168</b>	N/A	N/A
<p>For use at <b>RIGHT end of 84\"/&gt; </b></p>									
<p>• Collator only available on <b>Z16S8ESHR</b></p>									







#### Required Specifications

Top finish  
Base finish  
Top/Edge Detail









#### Optional Specifications

Collator








TABLE TOP END SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
" data-bbox="75 115 121 148"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - LEFT</b> <b>11.75"/12.25" High</b></p>		<b>D x W x H</b>							
	Z16S12DL	16 x 16 x 11.25-11.75	70	26	1.60	<b>\$255</b>	<b>\$296</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>LEFT end of 40.8"/41.8"H units</b> . Shipped RTA (ready to assemble).									
" data-bbox="71 251 117 284"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - RIGHT</b> <b>11.75"/12.25" High</b></p>									
	Z16S12DR	16 x 16 x 11.25-11.75	70	26	1.60	<b>\$255</b>	<b>\$296</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>RIGHT end of 40.8"/41.8"H units</b> . Shipped RTA (ready to assemble).									
" data-bbox="77 375 117 415"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - LEFT</b> <b>23.5"/24" High</b></p>									
	Z16S23DL	16 x 16 x 23-23.5	65	42	1.60	<b>\$391</b>	<b>\$436</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>LEFT end of 52.5"/53"H units</b> . Shipped RTA (ready to assemble). <b>One adjustable shelf.</b>									
" data-bbox="77 521 117 561"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - RIGHT</b> <b>23.5"/24" High</b></p>									
	Z16S23DR	16 x 16 x 23-23.5	65	42	1.60	<b>\$391</b>	<b>\$436</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>RIGHT end of 52.5"/53"H units</b> . Shipped RTA (ready to assemble). <b>One adjustable shelf.</b>									
" data-bbox="83 644 123 698"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - LEFT</b> <b>36"/36.5" High</b></p>									
	Z16S36DL	16 x 16 x 35.5-36	70	62.84	2.80	<b>\$545</b>	<b>\$586</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>LEFT end of 65"/65.5"H units</b> . Shipped RTA (ready to assemble). <b>Two adjustable shelves.</b>									
" data-bbox="83 780 123 834"/>  <p>* Accepts collator 11" high</p> <p><b>Table Top End Shelf - RIGHT</b> <b>36"/36.5" High</b></p>									
	Z16S36DR	16 x 16 x 35.5-36	70	62.84	2.80	<b>\$545</b>	<b>\$586</b>	N/A	N/A
To be placed <b>on top of 29"/29.5" units</b> . For use at <b>RIGHT end of 65"/65.5"H units</b> . Shipped RTA (ready to assemble). <b>Two adjustable shelves.</b>									

Required Specifications	Optional Specifications
Top finish	Collator
Base finish	
Top/Edge Detail	

TABLE TOP END SHELVES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
			D x W x H							
  <p>* Accepts collator 11" high</p>	<b>Table Top End Shelf - LEFT*</b> <b>42.4"/42.9" High</b>	Z16S42DL	16-36 x 16 x 41.9-42.4	65	70	2.80	<b>\$588</b>	<b>\$629</b>	N/A	N/A
		To be placed <b>on top of 29"/29.5" units</b> . For use at <b>LEFT end of 71.5"/72"H units</b> . Shipped RTA (ready to assemble). <b>Two adjustable shelves.</b>								
  <p>* Accepts collator 11" high</p>	<b>Table Top End Shelf - RIGHT*</b> <b>42.4"/42.9" High</b>	Z16S42DR	16-36 x 16 x 41.9-42.4	65	70	2.80	<b>\$588</b>	<b>\$629</b>	N/A	N/A
		To be placed <b>on top of 29"/29.5" units</b> . For use at <b>RIGHT end of 71.5"/72"H units</b> . Shipped RTA (ready to assemble). <b>Two adjustable shelves.</b>								
  <p>* Accepts collator 11" high</p>	<b>Table Top End Shelf - LEFT*</b> <b>54.9"/55.4" High</b>	Z16S55DL	16-36 x 16 x 54.4-54.9	60	89	2.80	<b>\$726</b>	<b>\$771</b>	N/A	N/A
		To be placed <b>on top of 29"/29.5" units</b> . For use at <b>LEFT end of 84"/84.5"H units</b> . Shipped RTA (ready to assemble). <b>Three adjustable shelves.</b>								
  <p>* Accepts collator 11" high</p>	<b>Table Top End Shelf - RIGHT*</b> <b>54.9"/55.4" High</b>	Z16S55DR	16-36 x 16 x 54.4-54.9	60	89	2.80	<b>\$726</b>	<b>\$771</b>	N/A	N/A
		To be placed <b>on top of 29"/29.5" units</b> . For use at <b>RIGHT end of 84"/84.5"H units</b> . Shipped RTA (ready to assemble). <b>Three adjustable shelves.</b>								

Required Specifications	Optional Specifications
Top finish	Collator
Base finish	
Top/Edge Detail	

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Pull-Out Keyboard</b></p>		<b>D x W x H</b>				
	APOKL28	17 x 28 x 3.5	85	13	.90	<b>\$359</b>
	APOKL22	17 x 22 x 3.5	85	12	.90	<b>\$325</b>
<p><b>APOKL28</b> will accommodate keyboard and mousepad. <b>APOKL28</b> will only fit on a single pedestal desk, freestanding table, or <b>Z42205C</b>.</p>						
 <p><b>Pencil Drawer</b></p>	W1518PDR	18 x 15 x 2.25	92.5	4	0.4	<b>\$292</b>
	<p>Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).</p>					
 <p><b>L Bracket</b></p>	MLB90	--	70	1	.01	<b>\$64</b>
	<p>Used to attach worksurfaces to end panels.</p>					
 <p><b>LEFT</b>      <b>RIGHT</b></p> <p><b>Skateboard</b></p>	Z1425SKL (left)	13.9-36 x 25 x 3.2-3.7	100	13	1.50	<b>\$146</b>
	Z1425SKR (right)	13.9-36 x 25 x 3.2-3.7	100	13	1.50	<b>\$146</b>
	<p>Mobile CPU holder designed to fit inside 'faux' pedestals of a single pedestal desk.</p>					
 <p><b>Center Drawer</b></p>	CD20	18 x 20 x 3	100	8	1	<b>\$228</b>
	<p>Laminate drawer front is attached to a 4-sided frame. Recommended for use on small L-shaped units, and on 30" x 60" and 66" desks.</p>					

Required Specifications

Finish

# zira boardroom + reception



Zira Boardroom + Reception


330

## TOP AND BASE FINISHES


<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SOG</b>	Storm Grey
<b>CGY</b>	Custom Grey	<b>SDT</b>	Stonedust
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

## BASE TRIM FINISHES

<b>BRC</b>	Brushed Cobalt
<b>BLK</b>	Black



## TOP THICKNESS/EDGE DETAIL



**C3** 1.5" top, standard



**CR** 1.5" top, bicut edge






**CF** 1.5" top, fluted edge

## BASES


- 2 doors on base for wire management access from both sides
- Because of base sizes, custom width less than 96" cannot be accommodated.

## TOPS

- 1.5" thick tops are made of 45 lb. density particleboard core with thermally fused laminate surfaces (**TFL**) or optional high pressure laminate surface (**HPL**) with kraft paper bottom surfaces.
- 96" tops are standard in one piece. All tops 120", 144" and 168" tops are standard in two equal size pieces. Woodgrain laminate finishes may NOT align where the two tops join. Tops 192" and larger are standard in 3 equal pieces.
- 96" tops are standard with **two bases**
- Tops 120", 144" and 168" are standard with **three bases**
- Tops 192" and larger are standard with **four bases**
- Four top shapes: **boat shaped, bow end, rectangular** and **racetrack**



## POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS




### PRODUCT CODE DIAGRAM


PMSPPDM



PRTMCS401B  
PRTMCS401T  
PRTMCS401W  
PRTMCS421B  
PRTMCS421T  
PRTMCS421W



PRTMCD602B  
PRTMCD602T  
PRTMCD602W  
PRTMCD622B  
PRTMCD622T  
PRTMCD622W  
PRTMCD642B  
PRTMCD642T  
PRTMCD642W



VILLA



OASIS MINI A



OASIS MINI B





### CUT-OUTS


- **Boardroom** and **collaborative** tables offer optional cut-outs for in-surface mounted power modules in three standard locations (left, center or right) as shown above for all table shapes excluding square boardroom tables. Order as **E1, M1, R1, T1, V1**, etc. **Add \$103** for each cut-out.
- Cut-out options for **square boardroom tables** in centered position only. Order as **E2, M2, R2, T2**, or **V2**. **Add \$103** for each cut-out.
- Cut-out options for **media tables** in position 1 only. Order as **E1, M1, R1, T1**, or **V1**. **Add \$103** for each cut-out.
- Select power block from **Productivity Solutions**, beginning on page 491.
- Match power block desired with cut-out code and location from above grid.
- Optional custom sized cut-out available in standard locations (left, center or right) for all table shapes. Submit appropriate form beginning on page 841 with order. **Add \$314** for each cut-out.

## AUDIOVISUAL

Three components:  
**Multimedia Cart**



Top





Base




Base trim


### Lectern



Top





Base




Base Trim


### Visual Board



Lower Portion




Push Bar & Casters




Visual Board

### Multimedia Cart and Lectern:


- Available in all standard laminates
- Color of casters will match base trim
- Offered in the following **top thickness and edge details**:




A3 1" top, standard




AR 1" top, bicut edge



C3 1.5" top, standard



CR 1.5" top, bicut edge



CF 1.5" top, fluted edge

### Visual Board:


- Available in all laminates listed above
- Push Bar available in Black (**BLK**) or Tungsten (**TUN**)
- Color of casters and aluminum trim will match push bar
- Visual Board comes standard in white color

## BUFFET


Three components: **Buffet Carts, Buffets** and **Serving Carts**

- Top and/or base available in all laminates
- Push Bar on Buffet Carts and Serving Carts and Aluminum Trim on Open and Mixed Buffets available in Black (**BLK**) or Tungsten (**TUN**)
- Optional glazing available on Serving Carts with doors and Buffets with doors


### Buffet Carts




### Serving Cart with Doors




### Serving Cart - Open




### Buffet - Open



### Buffet with Doors



### Buffet - Mixed



## Glazing (Doors - Serving Cart and Buffets)




Z1 frosted glazing, Tungsten (TUN) frame



Z2 frosted glazing, Black (BLK) frame



Z3 ribbed glazing, Tungsten (TUN) frame



Z4 ribbed glazing, Black (BLK) frame

## Handles

- Handles are standard on models with doors. Each handle is identified by the letters "HU", "HV", "HW", "HX", "HS", "HZ", "HO", "HQ", and "HR". To specify a handle, please specify the code after the model number.



HS Flared Silver



HV Square Edge Silver



HO Crescent Black



HW Flared Brass



HU Square Edge Black



HZ Dimpled Nickel



HX Flared Black



HQ Bar Silver



HR Bar Black






- Use the following for determining the size of a table and the number of chairs needed for a conference area. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

Top Size	Rectangular	Bow End	Boat	Racetrack
48x96	6-8	6-8	6-8	6-8
48x120	8-10	8-10	8-10	8-10
48x144	10-12	10-12	10-12	10-12
48x168	12-14	12-14	12-14	12-14
48x192	14-16	14-16	14-16	14-16
48x216	16-18	16-18	16-18	16-18
48x240	18-20	18-20	18-20	18-20
48x264	20-22	20-22	20-22	20-22
48x288	22-24	22-24	22-24	22-24



BOARDROOM TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Boardroom Table - Square</b></p>	D x W x H (1.5" TOP)								
	Z3636SQ	36 x 36 x 30	85	129	10	N/A	<b>\$2562</b>	N/A	<b>\$380</b>
	Z4242SQ	42 x 42 x 30	85	165.50	13.50	N/A	<b>\$2916</b>	N/A	<b>\$520</b>
	Z4848SQ	48 x 48 x 30	85	190	14.24	N/A	<b>\$3159</b>	N/A	<b>\$671</b>
	Z5454SQ	54 x 54 x 30	85	262	21.24	N/A	<b>\$3534</b>	N/A	<b>\$851</b>
	Z6060SQ	60 x 60 x 30	85	300	22.74	N/A	<b>\$3777</b>	N/A	<b>\$1046</b>
Square Table includes one base with wire access doors on each side of base. Shipped easy to assemble in 2 cartons.									
 <p><b>Boardroom Table - Squire</b></p>	Z3636QR	36 x 36 x 30.1	100	125	14.5	N/A	<b>\$2532</b>	N/A	<b>\$356</b>
	Z4242QR	42 x 42 x 30.1	100	160	18	N/A	<b>\$3150</b>	N/A	<b>\$488</b>
	Z4848QR	48 x 48 x 30.1	100	181	19.24	N/A	<b>\$3444</b>	N/A	<b>\$630</b>
	Z5454QR	54 x 54 x 30.1	92.5	257	21.5	N/A	<b>\$4319</b>	N/A	<b>\$799</b>
	Z6060QR	60 x 60 x 30.1	85	288	23.24	N/A	<b>\$4681</b>	N/A	<b>\$982</b>
	Includes one base with wire access doors on each side of base. Shipped easy to assemble in 2 cartons.								
 <p><b>Boardroom Table - Boat Shaped</b></p>	Z4896BE	48 x 96 x 30	70	342	21.95	N/A	<b>\$4175</b>	N/A	<b>\$1030</b>
	Boat Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
 <p><b>Boardroom Table - Boat Shaped</b></p>	Z6096BE	60 x 96 x 30	85	432	35.39	N/A	<b>\$6775</b>	N/A	<b>\$1674</b>
	Boat Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
 <p><b>Boardroom Table - Boat Shaped</b></p>	Z48120BE	48 x 120 x 30	70	452	23.48	N/A	<b>\$6002</b>	N/A	<b>\$1287</b>
	Z48144BE	48 x 144 x 30	70	502	25.72	N/A	<b>\$6060</b>	N/A	<b>\$1543</b>
	Z48168BE	48 x 168 x 30	85	557	37.25	N/A	<b>\$8087</b>	N/A	<b>\$1951</b>
	Boat Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144BE and Z48120BE shipped in 4 cartons. Z48168BE shipped in 5 cartons.								
 <p><b>Boardroom Table - Boat Shaped</b></p>	Z60120BE	60 x 120 x 30	85	599	48.50	N/A	<b>\$10270</b>	N/A	<b>\$2089</b>
	Z60144BE	60 x 144 x 30	85	664.65	53.25	N/A	<b>\$10992</b>	N/A	<b>\$2508</b>
	Z60168BE	60 x 168 x 30	85	741.30	58	N/A	<b>\$11853</b>	N/A	<b>\$2924</b>
	Boat Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.								

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Additional grommet	
Base finish		
Base trim finish		

BOARDROOM TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H (1.5" TOP)</b>							
	Z48192BE	48 x 192 x 30	70	688	45.66	N/A	<b>\$10100</b>	N/A	<b>\$2227</b>
	Z48216BE	48 x 216 x 30	70	746	48.67	N/A	<b>\$10575</b>	N/A	<b>\$2508</b>
	Z48240BE	48 x 240 x 30	70	803	51.68	N/A	<b>\$11243</b>	N/A	<b>\$2784</b>
	Z48264BE	48 x 264 x 30	70	855	54.69	N/A	<b>\$11908</b>	N/A	<b>\$3062</b>
	Z48288BE	48 x 288 x 30	70	906	57.69	N/A	<b>\$11908</b>	N/A	<b>\$3340</b>
Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.									
	Z60192BE	60 x 192 x 30	85	912.45	71.19	N/A	<b>\$14909</b>	N/A	<b>\$3340</b>
	Z60216BE	60 x 216 x 30	85	980.70	75.94	N/A	<b>\$15745</b>	N/A	<b>\$3756</b>
	Z60240BE	60 x 240 x 30	85	1062.60	80.98	N/A	<b>\$16422</b>	N/A	<b>\$4175</b>
	Z60264BE	60 x 264 x 30	85	1129.80	85.73	N/A	<b>\$17074</b>	N/A	<b>\$4592</b>
	Z60288BE	60 x 288 x 30	85	1198.05	90.49	N/A	<b>\$18113</b>	N/A	<b>\$5010</b>
Boat Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.									
	Z4896RTE	48 x 96 x 30	70	336	21.95	N/A	<b>\$4059</b>	N/A	<b>\$1030</b>
	Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
	Z6096RTE	60 x 96 x 30	92.5	417	35.39	N/A	<b>\$6775</b>	N/A	<b>\$1674</b>
	Racetrack Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
	Z48120RTE	48 x 120 x 30	70	453	28.28	N/A	<b>\$5644</b>	N/A	<b>\$1287</b>
	Z48144RTE	48 x 144 x 30	70	506	25.72	N/A	<b>\$6016</b>	N/A	<b>\$1543</b>
	Z48168RTE	48 x 168 x 30	70	563	37.25	N/A	<b>\$8136</b>	N/A	<b>\$1297</b>
	Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144RTE and Z48120RTE shipped in 4 cartons. Z48168RTE shipped in 5 cartons.								

**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block

BOARDROOM TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)								
	Z60120RTE	60 x 120 x 30	85	585.90	48.50	N/A	<b>\$10270</b>	N/A	<b>\$2089</b>
	Z60144RTE	60 x 144 x 30	85	656.25	53.25	N/A	<b>\$10992</b>	N/A	<b>\$2508</b>
	Z60168RTE	60 x 168 x 30	85	737.10	58	N/A	<b>\$11853</b>	N/A	<b>\$2924</b>
Racetrack Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.									
	Z48192RTE	48 x 192 x 30	70	689	45.45	N/A	<b>\$10150</b>	N/A	<b>\$2227</b>
	Z48216RTE	48 x 216 x 30	70	749	48.95	N/A	<b>\$10623</b>	N/A	<b>\$2508</b>
	Z48240RTE	48 x 240 x 30	70	809	51.75	N/A	<b>\$11291</b>	N/A	<b>\$2784</b>
	Z48264RTE	48 x 264 x 30	70	862	54.55	N/A	<b>\$11957</b>	N/A	<b>\$3062</b>
	Z48288RTE	48 x 288 x 30	70	917	58.04	N/A	<b>\$11957</b>	N/A	<b>\$3340</b>
Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.									
	Z60192RTE	60 x 192 x 30	85	901.95	71.19	N/A	<b>\$14909</b>	N/A	<b>\$3340</b>
	Z60216RTE	60 x 216 x 30	85	972.30	75.94	N/A	<b>\$15745</b>	N/A	<b>\$3756</b>
	Z60240RTE	60 x 240 x 30	85	1057.35	80.98	N/A	<b>\$16422</b>	N/A	<b>\$4175</b>
	Z60264RTE	60 x 264 x 30	85	1127.70	85.73	N/A	<b>\$17074</b>	N/A	<b>\$4592</b>
	Z60288RTE	60 x 288 x 30	85	1198.05	90.49	N/A	<b>\$18113</b>	N/A	<b>\$5010</b>
Racetrack Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.									
	Z4896REE	48 x 96 x 30	70	356	21.95	N/A	<b>\$4154</b>	N/A	<b>\$1030</b>
	Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
	Z6096REE	60 x 96 x 30	85	448	35.39	N/A	<b>\$6211</b>	N/A	<b>\$1674</b>
	Rectangular Shaped Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
	Z48120REE	48 x 120 x 30	70	472	23.48	N/A	<b>\$5625</b>	N/A	<b>\$1287</b>
	Z48144REE	48 x 144 x 30	70	525	25.72	N/A	<b>\$6021</b>	N/A	<b>\$1543</b>
	Z48168REE	48 x 168 x 30	70	583	37.25	N/A	<b>\$8017</b>	N/A	<b>\$1951</b>
Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144REE and Z48120REE shipped in 4 cartons. Z48168REE shipped in 5 cartons.									

**Required Specifications**






Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block

BOARDROOM TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H (1.5" TOP)							
	Z60120REE	60 x 120 x 30	85	618	48.50	N/A	<b>\$9414</b>	N/A	<b>\$2089</b>
	Z60144REE	60 x 144 x 30	85	688	53.25	N/A	<b>\$10075</b>	N/A	<b>\$2508</b>
	Z60168REE	60 x 168 x 30	85	769	58	N/A	<b>\$10851</b>	N/A	<b>\$2924</b>
Rectangular Shaped Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.									
	Z48192REE	48 x 192 x 30	70	708	45.45	N/A	<b>\$10032</b>	N/A	<b>\$2227</b>
	Z48216REE	48 x 216 x 30	70	768	48.95	N/A	<b>\$10506</b>	N/A	<b>\$2508</b>
	Z48240REE	48 x 240 x 30	70	828	51.75	N/A	<b>\$11171</b>	N/A	<b>\$2784</b>
	Z48264REE	48 x 264 x 30	70	882	54.55	N/A	<b>\$11840</b>	N/A	<b>\$3062</b>
	Z48288REE	48 x 288 x 30	70	936	58.04	N/A	<b>\$11840</b>	N/A	<b>\$3340</b>
	Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.								
	Z60192REE	60 x 192 x 30	85	941.85	71.12	N/A	<b>\$13668</b>	N/A	<b>\$3340</b>
	Z60216REE	60 x 216 x 30	85	1003.80	75.94	N/A	<b>\$14425</b>	N/A	<b>\$3756</b>
	Z60240REE	60 x 240 x 30	85	1088.85	80.98	N/A	<b>\$15044</b>	N/A	<b>\$4175</b>
	Z60264REE	60 x 264 x 30	85	1159.20	85.73	N/A	<b>\$15635</b>	N/A	<b>\$4592</b>
	Z60288REE	60 x 288 x 30	85	1229.55	90.49	N/A	<b>\$16580</b>	N/A	<b>\$5010</b>
	Rectangular Shaped Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.								
	Z4896BW	48 x 96 x 30	85	329	21.95	N/A	<b>\$4302</b>	N/A	<b>\$1030</b>
	Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								
	Z6096BW	60 x 96 x 30	85	436	35.39	N/A	<b>\$6775</b>	N/A	<b>\$1674</b>
	Bow End Table includes TWO BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 3 cartons.								

#### Required Specifications





Top finish  
Top/edge detail  
Base finish  
Base trim finish

#### Optional Specifications







HP laminate  
Additional grommet

#### Accessories

Power block

BOARDROOM TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Boardroom Table - Bow End</b></p>		<b>D x W x H (1.5" TOP)</b>							
	Z48120BW	48 x 120 x 30	70	476	29.35	N/A	<b>\$5728</b>	N/A	<b>\$1287</b>
	Z48144BW	48 x 144 x 30	70	513	25.72	N/A	<b>\$6134</b>	N/A	<b>\$1543</b>
	Z48168BW	48 x 168 x 30	70	573	37.25	N/A	<b>\$8052</b>	N/A	<b>\$1951</b>
Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Z48144BW and Z48120BW shipped in 4 cartons. Z48168BW shipped in 5 cartons.									
 <p><b>Boardroom Table - Bow End</b></p>	Z60120BW	60 x 120 x 30	85	602	48.50	N/A	<b>\$10270</b>	N/A	<b>\$2089</b>
	Z60144BW	60 x 144 x 30	85	673	53.25	N/A	<b>\$10992</b>	N/A	<b>\$2508</b>
	Z60168BW	60 x 168 x 30	85	753	58	N/A	<b>\$11853</b>	N/A	<b>\$2924</b>
	Bow End Table includes THREE BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 5 cartons.								
 <p><b>Boardroom Table - Bow End</b></p>	Z48192BW	48 x 192 x 30	70	698	45.45	N/A	<b>\$10069</b>	N/A	<b>\$2227</b>
	Z48216BW	48 x 216 x 30	70	758	48.95	N/A	<b>\$10539</b>	N/A	<b>\$2508</b>
	Z48240BW	48 x 240 x 30	70	818	51.75	N/A	<b>\$11206</b>	N/A	<b>\$2784</b>
	Z48264BW	48 x 264 x 30	70	872	54.55	N/A	<b>\$11875</b>	N/A	<b>\$3062</b>
	Z48288BW	48 x 288 x 30	70	926	58.04	N/A	<b>\$11875</b>	N/A	<b>\$3340</b>
	Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.								
 <p><b>Boardroom Table - Bow End</b></p>	Z60192BW	60 x 192 x 30	85	917.70	71.19	N/A	<b>\$14909</b>	N/A	<b>\$3340</b>
	Z60216BW	60 x 216 x 30	85	988.05	75.94	N/A	<b>\$15745</b>	N/A	<b>\$3756</b>
	Z60240BW	60 x 240 x 30	85	1073.10	80.98	N/A	<b>\$16422</b>	N/A	<b>\$4175</b>
	Z60264BW	60 x 264 x 30	85	1143.45	85.73	N/A	<b>\$17074</b>	N/A	<b>\$4592</b>
	Z60288BW	60 x 288 x 30	85	1213.80	90.49	N/A	<b>\$18113</b>	N/A	<b>\$5010</b>
	Bow End Table includes FOUR BASES with wire access doors on each side of base and wire concealment runners between bases. Shipped in 7 cartons.								
 <p><b>Boardroom Table - Wedge</b></p>	Z6096WE	60 x 96 x 30	70	398	26.17	N/A	<b>\$6775</b>	N/A	<b>\$1674</b>
	Wedge Table includes TWO BASES with wire access doors on each side of base. Wedge tapers from 60" w to 48" w. Shipped in 3 cartons.								

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Additional grommet	
Base finish		
Base trim finish		

BOARDROOM TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H (1.5" TOP)								
		Z60120WE	60 x 120 x 30	85	544.95	36.50	N/A	\$10270	N/A	\$2089
		Z60144WE	60 x 144 x 30	70	603.75	39.50	N/A	\$10992	N/A	\$2508
		Z60168WE	60 x 168 x 30	70	673.05	42.50	N/A	\$11853	N/A	\$2924
Boardroom Table - Wedge		Wedge Table includes THREE BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 5 cartons.								
		Z60192WE	60 x 192 x 30	85	824.25	63.71	N/A	\$14909	N/A	\$3340
		Z60216WE	60 x 216 x 30	85	884.10	68.25	N/A	\$15745	N/A	\$3756
		Z60240WE	60 x 240 x 30	85	948.15	72.94	N/A	\$16422	N/A	\$4175
		Z60264WE	60 x 264 x 30	85	1006.95	77.48	N/A	\$17074	N/A	\$4592
		Z60288WE	60 x 288 x 30	85	1065.75	81.96	N/A	\$18113	N/A	\$5010
		Boardroom Table - Wedge		Wedge Table includes FOUR BASES with wire access doors on each side of base. Wedge tapers from 60"w to 48"w. Shipped in 7 cartons.						
BOARDROOM TABLES, SLIM BASE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		D x W x H (1.5" TOP)								
		ZS3636QR	36 x 36 x 30.1	85	111	9.24	N/A	\$2228	N/A	\$356
		ZS4242QR	42 x 42 x 30.1	92.5	144	13.24	N/A	\$2542	N/A	\$488
		ZS4848QR	48 x 48 x 30.1	92.5	168	14.24	N/A	\$2846	N/A	\$630
		ZS5454QR	54 x 54 x 30.1	85	243	18.74	N/A	\$3612	N/A	\$799
		ZS6060QR	60 x 60 x 30.1	85	276	20.24	N/A	\$3989	N/A	\$982
Boardroom Table - Squirrel, Slim Base		Includes one base with hinged door for wire access. Shipped easy to assemble in 2 cartons.								
		ZS3636SQ	36 x 36 x 30.1	85	112	9.24	N/A	\$2405	\$348	\$356
		ZS4242SQ	42 x 42 x 30.1	92.5	145	13.24	N/A	\$2738	\$348	\$92
		ZS4848SQ	48 x 48 x 30.1	92.5	169	14.24	N/A	\$2966	\$348	\$630
		ZS5454SQ	54 x 54 x 30.1	85	244	18.74	N/A	\$3318	\$348	\$799
		ZS6060SQ	60 x 60 x 30.1	85	277	20.24	N/A	\$3546	\$348	\$982
		Boardroom Table - Square, Slim Base*		Includes one base with hinged door for wire access. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 2 cartons.						
		ZS4896REE	48 x 96 x 30.1	70	326	18.44	N/A	\$3900	\$348	\$967
		ZS6096REE	60 x 96 x 30.1	70	426	25.45	N/A	\$5831	\$348	\$1571
Rect. Boardroom Table, Slim Base*		48"D tables include two bases each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 3 cartons.								
		ZS4896BW	48 x 96 x 30.1	70	326	18.44	N/A	\$4039	N/A	\$967
		ZS6096BW	60 x 96 x 30.1	70	426	25.45	N/A	\$6361	N/A	\$1571
Bow End Boardroom Table, Slim Base		48"D tables include two bases each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble in 3 cartons.								

**Required Specifications**






Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*






**Accessories**

Power block

BOARDROOM TABLES, SLIM BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		<b>D x W x H (1.5" TOP)</b>							
	ZS4896BE	48 x 96 x 30.1	70	326	18.44	N/A	<b>\$3920</b>	N/A	<b>\$967</b>
	ZS6096BE	60 x 96 x 30.1	70	426	25.45	N/A	<b>\$6361</b>	N/A	<b>\$1571</b>
48"D tables include two bases, each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble in 3 cartons.									
	ZS4896RTE	48 x 96 x 30.1	70	326	18.44	N/A	<b>\$3811</b>	N/A	<b>\$967</b>
	ZS6096RTE	60 x 96 x 30.1	70	426	25.45	N/A	<b>\$6361</b>	N/A	<b>\$1571</b>
48"D tables include two bases, each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 3 cartons.									
	ZS6096WE	60 x 96 x 30.1	70	426	25.45	N/A	<b>\$6361</b>	<b>\$348</b>	<b>\$1571</b>
48"D tables include two bases, each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 3 cartons.									
	ZS48120REE	48 x 120 x 30.1	70	426	24	N/A	<b>\$5281</b>	N/A	<b>\$1208</b>
	ZS48144REE	48 x 144 x 30.1	70	480	25.24	N/A	<b>\$5653</b>	N/A	<b>\$1448</b>
	ZS48168REE	48 x 168 x 30.1	70	572	32.75	N/A	<b>\$7527</b>	N/A	<b>\$1831</b>
	ZS60120REE	60 x 120 x 30.1	70	585	35	N/A	<b>\$8839</b>	N/A	<b>\$1961</b>
	ZS60144REE	60 x 144 x 30.1	70	655	38.5	N/A	<b>\$9460</b>	N/A	<b>\$2354</b>
	ZS60168REE	60 x 168 x 30.1	70	734	41.75	N/A	<b>\$10188</b>	N/A	<b>\$2745</b>
48"D tables include three bases, each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble, 48"D - 4 cartons; 60"D - 5 cartons.									
	ZS48120BW	48 x 120 x 30.1	70	416	24	N/A	<b>\$5378</b>	N/A	<b>\$1208</b>
	ZS48144BW	48 x 144 x 30.1	70	470	26.24	N/A	<b>\$5759</b>	N/A	<b>\$1448</b>
	ZS48168BW	48 x 168 x 30.1	70	562	32.75	N/A	<b>\$7560</b>	N/A	<b>\$1831</b>
	ZS60120BW	60 x 120 x 30.1	70	569	35	N/A	<b>\$9643</b>	N/A	<b>\$1961</b>
	ZS60144BW	60 x 144 x 30.1	70	639	38.5	N/A	<b>\$10321</b>	N/A	<b>\$2354</b>
	ZS60168BW	60 x 168 x 30.1	70	718	41.25	N/A	<b>\$11129</b>	N/A	<b>\$2745</b>
48"D tables include three bases each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble, 48"D - 4 cartons; 60"D - 5 cartons.									

Required Specifications	Optional Specifications	Accessories
Top finish	HP laminate	Power block
Top/edge detail	Additional grommet	
Base finish	3" radius corners (R3)*	
Base trim finish		



BOARDROOM TABLES, SLIM BASE	MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	RADIUS ADD	HP ADD
	ZS48120BE	48 x 120 x 30.1	70	407	24	N/A	<b>\$5635</b>	N/A	<b>\$1208</b>
	ZS48144BE	48 x 144 x 30.1	65	458	20.2	N/A	<b>\$5690</b>	N/A	<b>\$1448</b>
	ZS48168BE	48 x 168 x 30.1	70	545	32.75	N/A	<b>\$7593</b>	N/A	<b>\$1831</b>
	ZS60120BE	60 x 120 x 30.1	70	565	35	N/A	<b>\$9643</b>	N/A	<b>\$1961</b>
	ZS60144BE	60 x 144 x 30.1	70	632	38.5	N/A	<b>\$10321</b>	N/A	<b>\$2354</b>
	ZS60168BE	60 x 168 x 30.1	70	707	41.75	N/A	<b>\$11129</b>	N/A	<b>\$2745</b>
48"D tables include three bases each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble, 48"D - 4 cartons; 60"D - 5 cartons.									
	ZS48120RTE	48 x 120 x 30.1	70	406	24	N/A	<b>\$5299</b>	N/A	<b>\$1208</b>
	ZS48144RTE	48 x 144 x 30.1	70	461	26.24	N/A	<b>\$5648</b>	N/A	<b>\$1448</b>
	ZS48168RTE	48 x 168 x 30.1	70	552	32.75	N/A	<b>\$7639</b>	N/A	<b>\$1831</b>
	ZS60120RTE	60 x 120 x 30.1	70	624	35	N/A	<b>\$9643</b>	N/A	<b>\$1961</b>
	ZS60144RTE	60 x 144 x 30.1	85	553	38.5	N/A	<b>\$10321</b>	N/A	<b>\$2354</b>
	ZS60168RTE	60 x 168 x 30.1	70	703	41.75	N/A	<b>\$11129</b>	N/A	<b>\$2745</b>
48"D tables include three bases each with a single hinged door for wire access. 60"D bases have two hinged doors per base. Shipped easy to assemble, 48"D - 4 cartons; 60"D - 5 cartons.									
	ZS60120WE	60 x 120 x 30.1	85	513	36.71	N/A	<b>\$9643</b>	<b>\$348</b>	<b>\$1961</b>
	ZS60144WE	60 x 144 x 30.1	85	572	39.94	N/A	<b>\$10321</b>	<b>\$348</b>	<b>\$2354</b>
	ZS60168WE	60 x 168 x 30.1	85	641	43.17	N/A	<b>\$11129</b>	<b>\$348</b>	<b>\$2745</b>
Includes three bases - two with a single hinged door each for wire access, one with two hinged doors. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 6 cartons.									
	ZS48192REE	48 x 192 x 30.1	70	691	39.23	N/A	<b>\$9419</b>	<b>\$348</b>	<b>\$2091</b>
	ZS48216REE	48 x 216 x 30.1	70	754	42.24	N/A	<b>\$9864</b>	<b>\$348</b>	<b>\$2354</b>
	ZS48240REE	48 x 240 x 30.1	70	741	45.24	N/A	<b>\$10489</b>	<b>\$348</b>	<b>\$2614</b>
	ZS48264REE	48 x 264 x 30.1	70	875	48.25	N/A	<b>\$11117</b>	<b>\$348</b>	<b>\$2875</b>
	ZS48288REE	48 x 288 x 30.1	70	930	51.26	N/A	<b>\$11117</b>	<b>\$348</b>	<b>\$3136</b>
Includes four bases, each with a single hinged door for wire access. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 7 cartons.									
	ZS60192REE	60 x 192 x 30.1	70	889	51.26	N/A	<b>\$12833</b>	<b>\$348</b>	<b>\$3136</b>
	ZS60216REE	60 x 216 x 30.1	70	960	54.76	N/A	<b>\$13544</b>	<b>\$348</b>	<b>\$3526</b>
	ZS60240REE	60 x 240 x 30.1	70	1045	57.97	N/A	<b>\$14125</b>	<b>\$348</b>	<b>\$3920</b>
	ZS60264REE	60 x 264 x 30.1	70	1115	61.47	N/A	<b>\$14680</b>	<b>\$348</b>	<b>\$4311</b>
	ZS60288REE	60 x 288 x 30.1	70	1185	64.69	N/A	<b>\$15568</b>	<b>\$348</b>	<b>\$4704</b>
Includes four bases, each with two hinged doors for wire access. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 7 cartons.									

**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*

**Accessories**

Power block



## BOARDROOM TABLES, SLIM BASE



Bow End Boardroom Table, Slim Base

MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	RADIUS ADD	HP ADD
ZS48192BW	48 x 192 x 30.1	70	681	39.23	N/A	<b>\$9454</b>	N/A	<b>\$2091</b>
ZS48216BW	48 x 216 x 30.1	70	744	42.24	N/A	<b>\$9895</b>	N/A	<b>\$2354</b>
ZS48240BW	48 x 240 x 30.1	70	807	45.24	N/A	<b>\$10522</b>	N/A	<b>\$2614</b>
ZS48264BW	48 x 264 x 30.1	70	863	48.25	N/A	<b>\$11150</b>	N/A	<b>\$2875</b>
ZS48288BW	48 x 288 x 30.1	70	919	51.26	N/A	<b>\$11150</b>	N/A	<b>\$3136</b>

Includes four bases, each with a single hinged door for wire access. Shipped easy to assemble in 7 cartons.



Bow End Boardroom Table, Slim Base

ZS60192BW	60 x 192 x 30.1	70	873	51.26	N/A	<b>\$13999</b>	N/A	<b>\$3136</b>
ZS60216BW	60 x 216 x 30.1	70	944	54.76	N/A	<b>\$14784</b>	N/A	<b>\$3526</b>
ZS60240BW	60 x 240 x 30.1	70	1029	57.97	N/A	<b>\$15419</b>	N/A	<b>\$3920</b>
ZS60264BW	60 x 264 x 30.1	70	1099	61.47	N/A	<b>\$16031</b>	N/A	<b>\$4311</b>
ZS60288BW	60 x 288 x 30.1	70	1169	64.69	N/A	<b>\$17007</b>	N/A	<b>\$4704</b>

Includes four bases, each with two hinged doors for wire access. Shipped easy to assemble in 7 cartons.



Racetrack Boardroom Table, Slim Base

ZS48192RTE	48 x 192 x 30.1	70	671	39.23	N/A	<b>\$9530</b>	N/A	<b>\$2091</b>
ZS48216RTE	48 x 216 x 30.1	70	733	42.24	N/A	<b>\$9974</b>	N/A	<b>\$2354</b>
ZS48240RTE	48 x 240 x 30.1	70	797	45.24	N/A	<b>\$10601</b>	N/A	<b>\$2614</b>
ZS48264RTE	48 x 264 x 30.1	70	853	48.25	N/A	<b>\$11227</b>	N/A	<b>\$2875</b>
ZS48288RTE	48 x 288 x 30.1	70	909	51.26	N/A	<b>\$11227</b>	N/A	<b>\$3136</b>

Includes four bases, each with a single hinged door for wire access. Shipped easy to assemble in 7 cartons.



Racetrack Boardroom Table, Slim Base

ZS60192RTE	60 x 192 x 30.1	70	858	51.26	N/A	<b>\$13999</b>	N/A	<b>\$3136</b>
ZS60216RTE	60 x 216 x 30.1	70	928	54.76	N/A	<b>\$14784</b>	N/A	<b>\$3526</b>
ZS60240RTE	60 x 240 x 30.1	70	1013	57.97	N/A	<b>\$15419</b>	N/A	<b>\$3920</b>
ZS60264RTE	60 x 264 x 30.1	70	1083	61.47	N/A	<b>\$16031</b>	N/A	<b>\$4311</b>
ZS60288RTE	60 x 288 x 30.1	70	1154	64.69	N/A	<b>\$17007</b>	N/A	<b>\$4704</b>

Includes four bases, each with two hinged doors for wire access. Shipped easy to assemble in 7 cartons.



Wedge Boardroom Table, Slim Base

ZS60192WE	60 x 192 x 30.1	92.5	782	71.19	N/A	<b>\$13999</b>	<b>\$348</b>	<b>\$3136</b>
ZS60216WE	60 x 216 x 30.1	92.5	841	78.46	N/A	<b>\$14784</b>	<b>\$348</b>	<b>\$3526</b>
ZS60240WE	60 x 240 x 30.1	92.5	905	85.45	N/A	<b>\$15419</b>	<b>\$348</b>	<b>\$3920</b>
ZS60264WE	60 x 264 x 30.1	92.5	965	92.45	N/A	<b>\$16031</b>	<b>\$348</b>	<b>\$4311</b>
ZS60288WE	60 x 288 x 30.1	92.5	1024	99.44	N/A	<b>\$17007</b>	<b>\$348</b>	<b>\$4704</b>

Includes four bases, each with two hinged doors for wire access. Optional 3" radius corners, upcharge applies. Shipped easy to assemble in 7 cartons.

## Required Specifications







Top finish  
Top/edge detail  
Base finish  
Base trim finish

## Optional Specifications

HP laminate  
Additional grommet  
3" radius corners (R3)\*

## Accessories

Power block

MEDIA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	RADIUS ADD	HP ADD
		<b>D x W x H (1.5" TOP)</b>							
	Z4860DMIL	48 x 60 x 30	70	267	17.69	N/A	<b>\$4223</b>	N/A	<b>\$840</b>
	Z4872DMIL	48 x 72 x 30	70	298.20	19.67	N/A	<b>\$4528</b>	N/A	<b>\$1005</b>
	Z4884DMIL	48 x 84 x 30	70	326.55	21.44	N/A	<b>\$4823</b>	N/A	<b>\$1173</b>
	Z4896DMIL	48 x 96 x 30	85	347.55	23.41	N/A	<b>\$5107</b>	N/A	<b>\$1337</b>
<b>Media Table - D Island</b>	D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
	Z6060DMIL	60 x 60 x 30	85	323.93	23.17	N/A	<b>\$5066</b>	N/A	<b>\$1046</b>
	Z6072DMIL	60 x 72 x 30	85	359.10	25.66	N/A	<b>\$5426</b>	N/A	<b>\$1256</b>
	Z6084DMIL	60 x 84 x 30	85	397.95	27.90	N/A	<b>\$5787</b>	N/A	<b>\$1466</b>
	Z6096DMIL	60 x 96 x 30	85	433.65	30.39	N/A	<b>\$6129</b>	N/A	<b>\$1674</b>
<b>Media Table - D Island</b>	D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
	Z6060WMIL	60 x 60 x 30	85	306.60	20.69	N/A	<b>\$5066</b>	N/A	<b>\$1046</b>
	Z6072WMIL	60 x 72 x 30	85	338.10	22.90	N/A	<b>\$5426</b>	N/A	<b>\$1256</b>
	Z6084WMIL	60 x 84 x 30	85	374.85	25.42	N/A	<b>\$5787</b>	N/A	<b>\$1466</b>
	Z6096WMIL	60 x 96 x 30	85	407.40	27.90	N/A	<b>\$6129</b>	N/A	<b>\$1674</b>
<b>Media Table - Wedge</b>	Wedge Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60" w to 48" w. Shipped in 3 cartons.								
	Z4860RMIL	48 x 60 x 30	70	279.30	17.69	N/A	<b>\$3889</b>	N/A	<b>\$840</b>
	Z4872RMIL	48 x 72 x 30	70	307.65	19.67	N/A	<b>\$4168</b>	N/A	<b>\$1005</b>
	Z4884RMIL	48 x 84 x 30	70	337.05	21.44	N/A	<b>\$4434</b>	N/A	<b>\$1173</b>
	Z4896RMIL	48 x 96 x 30	70	357	23.41	N/A	<b>\$4690</b>	N/A	<b>\$1337</b>
<b>Media Table - Rectangular Island</b>	Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
	Z6060RMIL	60 x 60 x 30	70	339.15	22.22	N/A	<b>\$4652</b>	N/A	<b>\$1046</b>
	Z6072RMIL	60 x 72 x 30	85	373.80	25.66	N/A	<b>\$4982</b>	N/A	<b>\$1256</b>
	Z6084RMIL	60 x 84 x 30	85	414.75	27.90	N/A	<b>\$5308</b>	N/A	<b>\$1466</b>
	Z6096RMIL	60 x 96 x 30	85	449.40	30.39	N/A	<b>\$5619</b>	N/A	<b>\$1674</b>
<b>Media Table - Rectangular Island</b>	Rectangular Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
	Z4860DMIM	48 x 60 x 36.5	70	291.90	19.19	N/A	<b>\$4622</b>	N/A	<b>\$840</b>
	Z4872DMIM	48 x 72 x 36.5	70	321.30	21.17	N/A	<b>\$4926</b>	N/A	<b>\$1005</b>
	Z4884DMIM	48 x 84 x 36.5	70	349.65	22.90	N/A	<b>\$5212</b>	N/A	<b>\$1173</b>
	Z4896DMIM	48 x 96 x 36.5	85	370.65	24.91	N/A	<b>\$5502</b>	N/A	<b>\$1337</b>
<b>Media Table - D Island, 36" H</b>	D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								

**Required Specifications**





Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block

MEDIA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
	D x W x H (1.5" TOP)								
	Z6060DMIM	60 x 60 x 36.5	85	352.28	25.42	N/A	<b>\$5462</b>	N/A	<b>\$1046</b>
	Z6072DMIM	60 x 72 x 36.5	85	386.4	27.66	N/A	<b>\$5815</b>	N/A	<b>\$1256</b>
	Z6084DMIM	60 x 84 x 36.5	85	426.3	30.15	N/A	<b>\$6177</b>	N/A	<b>\$1466</b>
	Z6096DMIM	60 x 96 x 36.5	85	462	32.63	N/A	<b>\$6517</b>	N/A	<b>\$1674</b>
<b>Media Table - D Island, 36"H</b>		D Media Island includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.							
	Z6060WMIM	60 x 60 x 36.5	85	331.8	22.16	N/A	<b>\$5462</b>	N/A	<b>\$1046</b>
	Z6072WMIM	60 x 72 x 36.5	85	364.35	24.67	N/A	<b>\$5815</b>	N/A	<b>\$1256</b>
	Z6084WMIM	60 x 84 x 36.5	70	424.2	26.92	N/A	<b>\$6177</b>	N/A	<b>\$1466</b>
	Z6096WMIM	60 x 96 x 36.5	85	424.2	29.4	N/A	<b>\$6517</b>	N/A	<b>\$1674</b>
<b>Media Table - Wedge, 36"H</b>		Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60" w to 48" w. Shipped in 3 cartons.							
	Z4860RMIM	48 x 60 x 36.5	70	301.35	19.19	N/A	<b>\$4245</b>	N/A	<b>\$840</b>
	Z4872RMIM	48 x 72 x 36.5	70	330.75	21.17	N/A	<b>\$4524</b>	N/A	<b>\$1005</b>
	Z4884RMIM	48 x 84 x 36.5	70	360.15	22.9	N/A	<b>\$4786</b>	N/A	<b>\$1173</b>
	Z4896RMIM	48 x 96 x 36.5	70	380.1	24.91	N/A	<b>\$5051</b>	N/A	<b>\$1337</b>
<b>Media Table - Rectangular Island, 36"H</b>		Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.							
	Z6060RMIM	60 x 60 x 36.5	85	367.5	25.42	N/A	<b>\$5010</b>	N/A	<b>\$1046</b>
	Z6072RMIM	60 x 72 x 36.5	85	402.15	27.66	N/A	<b>\$5330</b>	N/A	<b>\$1256</b>
	Z6084RMIM	60 x 84 x 36.5	85	442.05	30.15	N/A	<b>\$5661</b>	N/A	<b>\$1466</b>
	Z6096RMIM	60 x 96 x 36.5	85	477.75	32.63	N/A	<b>\$5974</b>	N/A	<b>\$1674</b>
<b>Media Table - Rectangular Island, 36"H</b>		Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.							
	Z4860DMIH	48 x 60 x 42.5	70	312.9	20.69	N/A	<b>\$4912</b>	N/A	<b>\$840</b>
	Z4872DMIH	48 x 72 x 42.5	70	342.3	22.66	N/A	<b>\$5217</b>	N/A	<b>\$1005</b>
	Z4884DMIH	48 x 84 x 42.5	70	371.7	24.4	N/A	<b>\$5511</b>	N/A	<b>\$1173</b>
	Z4896DMIH	48 x 96 x 42.5	85	391.65	26.41	N/A	<b>\$5794</b>	N/A	<b>\$1337</b>
<b>Media Table - D Island, 42"H</b>		Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.							
	Z6060DMIH	60 x 60 x 42.5	85	378	27.4	N/A	<b>\$5750</b>	N/A	<b>\$1046</b>
	Z6072DMIH	60 x 72 x 42.5	85	413.7	29.91	N/A	<b>\$6106</b>	N/A	<b>\$1256</b>
	Z6084DMIH	60 x 84 x 42.5	85	453.6	32.4	N/A	<b>\$6476</b>	N/A	<b>\$1466</b>
	Z6096DMIH	60 x 96 x 42.5	85	488.25	34.88	N/A	<b>\$6808</b>	N/A	<b>\$1674</b>
<b>Media Table - D Island, 42"H</b>		Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.							

**Required Specifications**







Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block

MEDIA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
	<b>D x W x H (1.5" TOP)</b>								
	Z6060WMIH	60 x 60 x 42.5	85	355	23.92	N/A	<b>\$5750</b>	N/A	<b>\$1046</b>
	Z6072WMIH	60 x 72 x 42.5	85	387	26.17	N/A	<b>\$6106</b>	N/A	<b>\$1256</b>
	Z6084WMIH	60 x 84 x 42.5	85	424	28.65	N/A	<b>\$6476</b>	N/A	<b>\$1466</b>
	Z6096WMIH	60 x 96 x 42.5	85	457	31.14	N/A	<b>\$6808</b>	N/A	<b>\$1674</b>
<b>Media Table - Wedge, 42"H</b>	Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Wedge tapers from 60"w to 48"w. Shipped in 3 cartons.								
	Z4860RMIH	48 x 60 x 42.5	70	324	20.69	N/A	<b>\$4515</b>	N/A	<b>\$840</b>
	Z4872RMIH	48 x 72 x 42.5	70	353	22.66	N/A	<b>\$4793</b>	N/A	<b>\$1005</b>
	Z4884RMIH	48 x 84 x 42.5	70	382	24.4	N/A	<b>\$5056</b>	N/A	<b>\$1173</b>
	Z4896RMIH	48 x 96 x 42.5	70	402	26.41	N/A	<b>\$5316</b>	N/A	<b>\$1337</b>
<b>Media Table - Rectangular Island, 42"H</b>	Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
	Z6060RMIH	60 x 60 x 42.5	85	394	27.4	N/A	<b>\$5280</b>	N/A	<b>\$1046</b>
	Z6072RMIH	60 x 72 x 42.5	85	429	29.91	N/A	<b>\$5599</b>	N/A	<b>\$1256</b>
	Z6084RMIH	60 x 84 x 42.5	85	469	32.4	N/A	<b>\$5934</b>	N/A	<b>\$1466</b>
	Z6096RMIH	60 x 96 x 42.5	85	504	34.88	N/A	<b>\$6237</b>	N/A	<b>\$1674</b>
<b>Media Table - Rectangular Island, 42"H</b>	Includes ONE BASE with wire access doors on each side of base and wire concealment runners between the base and the end panel. Grommet centered at the top of the end panel for wire pass through. Shipped in 3 cartons.								
MEDIA TABLES, SLIM BASE - 30"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
	ZS4860DMIL	48 x 60 x 30.1	70	258	13.23	N/A	<b>\$3965</b>	N/A	<b>\$788</b>
	ZS4872DMIL	48 x 72 x 30.1	70	287	14.49	N/A	<b>\$4251</b>	N/A	<b>\$943</b>
	ZS4884DMIL	48 x 84 x 30.1	70	316	15.99	N/A	<b>\$4528</b>	N/A	<b>\$1101</b>
	ZS4896DMIL	48 x 96 x 30.1	70	337	17.22	N/A	<b>\$4795</b>	N/A	<b>\$1255</b>
<b>Media Table - D Island, Slim Base</b>	Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
	ZS6060DMIL	60 x 60 x 30.1	70	313	17.49	N/A	<b>\$4756</b>	N/A	<b>\$982</b>
	ZS6072DMIL	60 x 72 x 30.1	70	348	19.22	N/A	<b>\$5094</b>	N/A	<b>\$1179</b>
	ZS6084DMIL	60 x 84 x 30.1	70	387	20.96	N/A	<b>\$5433</b>	N/A	<b>\$1376</b>
	ZS6096DMIL	60 x 96 x 30.1	70	423	22.72	N/A	<b>\$5754</b>	N/A	<b>\$1571</b>
<b>Media Table - D Island, Slim Base</b>	Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
	ZS6060WMIL	60 x 60 x 30.1	70	295	15.48	N/A	<b>\$4756</b>	<b>\$348</b>	<b>\$982</b>
	ZS6072WMIL	60 x 72 x 30.1	70	327	16.98	N/A	<b>\$5094</b>	<b>\$348</b>	<b>\$1179</b>
	ZS6084WMIL	60 x 84 x 30.1	70	364	18.71	N/A	<b>\$5433</b>	<b>\$348</b>	<b>\$1376</b>
	ZS6096WMIL	60 x 96 x 30.1	70	397	20.48	N/A	<b>\$5754</b>	<b>\$348</b>	<b>\$1571</b>
<b>Media Table - Wedge, Slim Base*</b>	Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								

**Required Specifications**






Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*

**Accessories**

Power block

MEDIA TABLES, SLIM BASE - 30"H		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		D x W x H (1.5" TOP)								
		ZS4860RMIL	48 x 60 x 30.1	70	268	13.23	N/A	<b>\$3651</b>	<b>\$348</b>	<b>\$788</b>
		ZS4872RMIL	48 x 72 x 30.1	70	297	14.49	N/A	<b>\$3913</b>	<b>\$348</b>	<b>\$943</b>
		ZS4884RMIL	48 x 84 x 30.1	70	326	15.99	N/A	<b>\$4163</b>	<b>\$348</b>	<b>\$1101</b>
		ZS4896RMIL	48 x 96 x 30.1	70	347	17.22	N/A	<b>\$4403</b>	<b>\$348</b>	<b>\$1255</b>
<b>Media Table - Rectangular, Slim Base*</b>		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								
		ZS6060RMIL	60 x 60 x 30.1	70	328	17.49	N/A	<b>\$4368</b>	<b>\$348</b>	<b>\$982</b>
		ZS6072RMIL	60 x 72 x 30.1	70	363	19.22	N/A	<b>\$4677</b>	<b>\$348</b>	<b>\$1179</b>
		ZS6084RMIL	60 x 84 x 30.1	70	403	20.96	N/A	<b>\$4984</b>	<b>\$348</b>	<b>\$1376</b>
		ZS6096RMIL	60 x 96 x 30.1	70	438	22.72	N/A	<b>\$5276</b>	<b>\$348</b>	<b>\$1571</b>
		Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								
MEDIA TABLES, SLIM BASE - 36"H		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		ZS4860DMIM	48 x 60 x 36.5	70	278	14.49	N/A	<b>\$4339</b>	N/A	<b>\$788</b>
		ZS4872DMIM	48 x 72 x 36.5	70	308	15.72	N/A	<b>\$4625</b>	N/A	<b>\$943</b>
		ZS4884DMIM	48 x 84 x 36.5	250	336	90.39	N/A	<b>\$4893</b>	N/A	<b>\$1101</b>
		ZS4896DMIM	48 x 96 x 36.5	70	357	18.47	N/A	<b>\$5166</b>	N/A	<b>\$1255</b>
		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
<b>Media Table - D Island, Slim Base - 36"H</b>										
		ZS6060DMIM	60 x 60 x 36.5	70	338	19.46	N/A	<b>\$5128</b>	N/A	<b>\$982</b>
		ZS6072DMIM	60 x 72 x 36.5	70	373	20.96	N/A	<b>\$5460</b>	N/A	<b>\$1179</b>
		ZS6084DMIM	60 x 84 x 36.5	70	412	22.72	N/A	<b>\$5800</b>	N/A	<b>\$1376</b>
		ZS6096DMIM	60 x 96 x 36.5	70	448	24.46	N/A	<b>\$6119</b>	N/A	<b>\$1571</b>
		Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
<b>Media Table - D Island, Slim Base - 36"H</b>										
		ZS6060WMIM	60 x 60 x 36.5	70	318	16.74	N/A	<b>\$5128</b>	<b>\$348</b>	<b>\$982</b>
		ZS6072WMIM	60 x 72 x 36.5	70	350	18.47	N/A	<b>\$5460</b>	<b>\$348</b>	<b>\$1179</b>
		ZS6084WMIM	60 x 84 x 36.5	70	386	20.21	N/A	<b>\$5800</b>	<b>\$348</b>	<b>\$1376</b>
		ZS6096WMIM	60 x 96 x 36.5	70	419	21.71	N/A	<b>\$6119</b>	<b>\$348</b>	<b>\$1571</b>
		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								
<b>Media Table - Wedge, Slim Base - 36"H*</b>										

**Required Specifications**






Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*

**Accessories**

Power block

MEDIA TABLES, SLIM BASE - 36"H		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		D x W x H (1.5" TOP)								
		ZS4860RMIM	48 x 60 x 36.5	70	288	14.49	N/A	\$3985	\$348	\$788
		ZS4872RMIM	48 x 72 x 36.5	70	318	15.72	N/A	\$4247	\$348	\$943
		ZS4884RMIM	48 x 84 x 36.5	70	347	17.22	N/A	\$4493	\$348	\$1101
		ZS4896RMIM	48 x 96 x 36.5	70	367	18.47	N/A	\$4742	\$348	\$1255
<b>Media Table - Rectangular, Slim Base - 36"H</b>		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								
		ZS6060RMIM	60 x 60 x 36.5	70	354	16.74	N/A	\$4704	\$348	\$982
		ZS6072RMIM	60 x 72 x 36.5	70	389	18.47	N/A	\$5004	\$348	\$1179
		ZS6084RMIM	60 x 84 x 36.5	70	428	20.21	N/A	\$5315	\$348	\$1376
		ZS6096RMIM	60 x 96 x 36.5	70	464	21.71	N/A	\$5609	\$348	\$1571
<b>Media Table - Rectangular, Slim Base - 36"H</b>		Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								
MEDIA TABLES, SLIM BASE - 42"H		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
		ZS4860DMMH	48 x 60 x 42.5	70	297	15.48	N/A	\$4612	N/A	\$788
		ZS4872DMMH	48 x 72 x 42.5	70	326	16.98	N/A	\$4898	N/A	\$943
		ZS4884DMMH	48 x 84 x 42.5	70	355	18.23	N/A	\$5174	N/A	\$1101
		ZS4896DMMH	48 x 96 x 42.5	70	376	19.73	N/A	\$5440	N/A	\$1255
<b>Media Table - D Island, Slim Base - 42"H</b>		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
		ZS6060DMMH	60 x 60 x 42.5	70	362	20.96	N/A	\$5399	N/A	\$982
		ZS6072DMMH	60 x 72 x 42.5	70	397	22.72	N/A	\$5733	N/A	\$1179
		ZS6084DMMH	60 x 84 x 42.5	70	436	24.46	N/A	\$6080	N/A	\$1376
		ZS6096DMMH	60 x 96 x 42.5	70	472	25.96	N/A	\$6392	N/A	\$1571
<b>Media Table - D Island, Slim Base - 42"H</b>		Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Shipped easy to assemble, 3 cartons.								
		ZS6060WMMH	60 x 60 x 42.5	70	339	17.96	N/A	\$5399	\$348	\$982
		ZS6072WMMH	60 x 72 x 42.5	70	371	19.73	N/A	\$5733	\$348	\$1179
		ZS6084WMMH	60 x 84 x 42.5	70	407	21.47	N/A	\$6080	\$348	\$1376
		ZS6096WMMH	60 x 96 x 42.5	70	440	22.96	N/A	\$6392	\$348	\$1571
<b>Media Table - Wedge, Slim Base - 42"H</b>		Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.								

**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*

**Accessories**

Power block




MEDIA TABLES, SLIM BASE - 42" H



**Media Table - Rectangular,  
Slim Base - 42" H**



**Media Table - Rectangular,  
Slim Base - 42" H**



**Media Table - Base Cover**

MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	RADIUS ADD	HP ADD
ZS4860RMIH	48 x 60 x 42.5	70	307	15.48	N/A	<b>\$4239</b>	<b>\$348</b>	<b>\$788</b>
ZS4872RMIH	48 x 72 x 42.5	70	337	16.98	N/A	<b>\$4500</b>	<b>\$348</b>	<b>\$943</b>
ZS4884RMIH	48 x 84 x 42.5	70	365	18.23	N/A	<b>\$4747</b>	<b>\$348</b>	<b>\$1101</b>
ZS4896RMIH	48 x 96 x 42.5	70	386	19.73	N/A	<b>\$4991</b>	<b>\$348</b>	<b>\$1255</b>

Includes one base with single hinged door for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.

ZS6060RMIH	60 x 60 x 42.5	70	378	20.96	N/A	<b>\$4957</b>	<b>\$348</b>	<b>\$982</b>
ZS6072RMIH	60 x 72 x 42.5	70	413	22.72	N/A	<b>\$5257</b>	<b>\$348</b>	<b>\$1179</b>
ZS6084RMIH	60 x 84 x 42.5	70	452	24.46	N/A	<b>\$5571</b>	<b>\$348</b>	<b>\$1376</b>
ZS6096RMIH	60 x 96 x 42.5	70	488	25.96	N/A	<b>\$5856</b>	<b>\$348</b>	<b>\$1571</b>

Includes one base with two hinged doors for wire access and wire concealment runners between base and end panel. Grommet centered at the top of the end panel for wire pass through. Optional 3" radius corners, upcharge applies. Shipped easy to assemble, 3 cartons.

Z60BEC	12.2 x 34.5 x 4.3	250	5	1.50	<b>\$587</b>
Z48BEC	12.2 x 22.5 x 4.3	250	5	1.50	<b>\$538</b>

For use on Zira Media Tables, but can be used on any Zira Boardroom table of corresponding width. Acts as a "cap" at the upper part of a base to hide any wire or power block that may be visible to users. Available in Black or Tungsten finish.

**Required Specifications**







Top finish  
Top/edge detail  
Base finish  
Base trim finish

**Optional Specifications**

HP laminate  
Additional grommet  
3" radius corners (R3)\*

**Accessories**

Power block

COLLABORATIVE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	RADIUS ADD	HP ADD
	D x W x H (1.5" TOP)								
	Z367229BT	36 x 72 x 30	70	237	12.93	N/A	\$2089	N/A	\$756
	Z368429BT	36 x 84 x 30	70	237	14.70	N/A	\$2429	N/A	\$882
	Z369629BT	36 x 96 x 30	70	289	16.44	N/A	\$2633	N/A	\$1005
Collaborative Table - 29"H	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.								
	Z487229BT	48 x 72 x 30	70	302	13.95	N/A	\$2625	N/A	\$1005
	Z488429BT	48 x 84 x 30	70	335	15.69	N/A	\$2827	N/A	\$1173
	Z489629BT	48 x 96 x 30	70	360	17.43	N/A	\$3055	N/A	\$1337
	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.								
	Z367236BT	36 x 72 x 36.5	70	249	13.20	N/A	\$2167	N/A	\$756
	Z368436BT	36 x 84 x 36.5	70	275	14.94	N/A	\$2514	N/A	\$882
	Z369636BT	36 x 96 x 36.5	70	301	16.68	N/A	\$2715	N/A	\$1005
	Collaborative Table - 36"H	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.							
	Z487236BT	48 x 72 x 36.5	70	319	14.43	N/A	\$2722	N/A	\$1005
	Z488436BT	48 x 84 x 36.5	70	351	16.20	N/A	\$2931	N/A	\$1173
	Z489636BT	48 x 96 x 36.5	70	376	17.93	N/A	\$3159	N/A	\$1337
	Collaborative Table - 36"H	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.							
	Z367242BT	36 x 72 x 42.5	70	283	14.19	N/A	\$2424	N/A	\$756
	Z368442BT	36 x 84 x 42.5	70	312	15.93	N/A	\$2798	N/A	\$882
	Z369642BT	36 x 96 x 42.5	70	342	17.93	N/A	\$3027	N/A	\$1005
	Collaborative Table - 42"H	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.							
	Z487242BT	48 x 72 x 42.5	65	356	15.45	N/A	\$3000	N/A	\$1005
	Z488442BT	48 x 84 x 42.5	70	392	17.43	N/A	\$3230	N/A	\$1173
	Z489642BT	48 x 96 x 42.5	70	421	19.19	N/A	\$3493	N/A	\$1337
	Collaborative Table - 42"H	Collaborative table with full end panels. Wire management runners span the length of the table between end panels. Shipped in 3 cartons.							

**Required Specifications**

Top finish  
Top/edge detail  
Base finish  
Base trim finish







**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block








ACCESSORIES	MODEL#	DIMENSIONS D x W x H (1.5" TOP)	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 <b>Multimedia Cart*</b>	Z2822MCE	22.25 x 28 x 29.5	125	86	13.50	<b>\$989</b>	<b>\$1067</b>	N/A	<b>\$196</b>
	Multimedia cart features one non-locking hinged door on the back. Includes 3 fixed shelves, 1 grommet on top and 1 grommet in bottom panel for wire pass thru. 4 locking casters included.								
 <b>Lectern*</b>	Z2444LEC	18 x 24 x 44.3	150	100	17	<b>\$961</b>	<b>\$1025</b>	N/A	<b>\$196</b>
	Features angled stand and storage with 2 fixed shelves. 2 locking casters included.								
 <b>Serving Cart with Doors**</b>	Z361836KD	18 x 36 x 36	125	150	20	<b>\$2008</b>	N/A	<b>\$483</b>	N/A
	Z361829KD	18 x 36 x 29	125	113	16	<b>\$1699</b>	N/A	<b>\$407</b>	N/A
 <b>Serving Cart*</b>	Z361836KO	18 x 36 x 36	125	121	20	<b>\$2178</b>	N/A	N/A	N/A
	Z361829KO	18 x 36 x 29	125	108	16	<b>\$1822</b>	N/A	N/A	N/A
 <b>Buffet Cart*</b>	Z261836BK	18 x 26 x 36	150	79	15	<b>\$2071</b>	N/A	N/A	<b>\$196</b>
	Cart features 1 fixed shelf. Top is recessed within side and end panels to act as a tray. Unique push handles are standard. Decorative aluminum trim is standard on the lip of each shelf. Locking casters included. Height aligns with 36" buffets.								
 <b>Visual Board*</b>	Z361872VB	18 x 36 x 72.4	100	187	19.25	<b>\$3147</b>	N/A	N/A	N/A
	Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped RTA (ready to assemble). <ul style="list-style-type: none"> <li>• <i>Wallmounted Visual Boards are available in Desk Accessories section.</i></li> </ul>								

**Required Specifications**

Top finish      Push bar finish\*  
 Base finish      Handles  
 Top/edge detail\*  
 Base trim finish (not Z3618xxKD)

**Optional Specifications**

HP laminate  
 Glazed door (only Z3618xxKD)  
 Key #\*\*\*

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	D x W x H (1.5" TOP)								
	Z481836BO	18 x 48 x 36	125	152.50	22.50	<b>\$1916</b>	N/A	N/A	<b>\$262</b>
	Z481829BO	18 x 48 x 29	125	135	18	<b>\$1767</b>	N/A	N/A	<b>\$262</b>
	Z361836BO	18 x 36 x 36	125	126	18	<b>\$1580</b>	N/A	N/A	<b>\$196</b>
	Z361829BO	18 x 36 x 29	100	112	14	<b>\$1454</b>	N/A	N/A	<b>\$196</b>
Buffet features 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray. Decorative aluminum trim is standard on the lip of each shelf.									
	Z481836BD	18 x 48 x 36	125	171	22.50	<b>\$1994</b>	N/A	<b>\$424</b>	<b>\$262</b>
	Z481829BD	18 x 48 x 29	100	148	18	<b>\$1781</b>	N/A	<b>\$484</b>	<b>\$262</b>
	Z361836BD	18 x 36 x 36	125	138.50	18	<b>\$1773</b>	N/A	<b>\$483</b>	<b>\$196</b>
	Z361829BD	18 x 36 x 29	100	119	14	<b>\$1490</b>	N/A	<b>\$407</b>	<b>\$196</b>
	Buffet features 2 doors with lock and 1 fixed height adjustable shelf. Top is recessed within side and end panels to act as a tray.								
	Z721836BU	18 x 72 x 36	125	242	33.50	<b>\$2949</b>	N/A	<b>\$584</b>	<b>\$390</b>
	Z721829BU	18 x 72 x 29	125	211	27	<b>\$2666</b>	N/A	<b>\$483</b>	<b>\$483</b>
	Z601836BU	18 x 60 x 36	125	188	28	<b>\$2649</b>	N/A	<b>\$483</b>	<b>\$325</b>
	Z601829BU	18 x 60 x 29	125	163	22.50	<b>\$2427</b>	N/A	<b>\$407</b>	<b>\$325</b>
	Buffet features 3 separate compartments. The two outer compartments come standard with locking doors and each features 1 fixed height adjustable shelf. The center compartment is open with 1 fixed shelf. Decorative aluminum trim is standard on the lip of the open shelf. Top is recessed within side and end panels to act as a tray.								
	Z482036BD	20 x 48 x 36	100	199	24.70	<b>\$2353</b>	<b>\$2491</b>	<b>\$1015</b>	<b>\$442</b>
	Buffet credenza with one locking storage compartment with two doors. Hinged doors cover one three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.								
	Z722036BD	20 x 72 x 36	125	265	36.50	<b>\$3412</b>	<b>\$3580</b>	<b>\$2026</b>	<b>\$712</b>
	Z602036BD	20 x 60 x 36	125	228	30.75	<b>\$2958</b>	<b>\$3110</b>	<b>\$1861</b>	<b>\$578</b>
	Buffet credenza with two locking storage compartments side by side. Hinged doors cover 1 three-position height adjustable shelf. Two 6" drawers above storage compartment are non-locking.								

#### Required Specifications

Top finish Top/edge detail\*  
Base finish  
Handles  
Aluminum trim finish (only ZxxxxBO/BU)

#### Optional Specifications

HP laminate  
Glazed door\*\*  
Key #\*\*

## Interconnecting Cables - Common Cable Lengths (in inches)

<b>Female/Female</b>		<b>42FF-97</b> ..... <b>\$231</b>	<b>42FM-50</b> ..... <b>\$161</b>
<b>42FF-27</b> ..... <b>\$124</b>		<b>42FF-98</b> ..... <b>\$231</b>	<b>42FM-63</b> ..... <b>\$178</b>
<b>42FF-38</b> ..... <b>\$138</b>		<b>42FF-100</b> ..... <b>\$219</b>	<b>42FM-75</b> ..... <b>\$193</b>
<b>42FF-41</b> ..... <b>\$142</b>		<b>42FF-110</b> ..... <b>\$234</b>	<b>42FM-82</b> ..... <b>\$203</b>
<b>42FF-50</b> ..... <b>\$155</b>		<b>42FF-113</b> ..... <b>\$240</b>	<b>42FM-86</b> ..... <b>\$208</b>
<b>42FF-53</b> ..... <b>\$159</b>			<b>42FM-97</b> ..... <b>\$231</b>
<b>42FF-63</b> ..... <b>\$170</b>	<b>Female/Male</b>		<b>42FM-98</b> ..... <b>\$231</b>
<b>42FF-75</b> ..... <b>\$187</b>	<b>42FM-12</b> ..... <b>\$111</b>		<b>42FM-100</b> ..... <b>\$245</b>
<b>42FF-76</b> ..... <b>\$188</b>	<b>42FM-27</b> ..... <b>\$129</b>		<b>42FM-110</b> ..... <b>\$245</b>
<b>42FF-82</b> ..... <b>\$196</b>	<b>42FM-38</b> ..... <b>\$143</b>		
<b>42FF-86</b> ..... <b>\$201</b>	<b>42FM-41</b> ..... <b>\$149</b>		

## VILLA DAISYLINK OR OASIS MINI CABLE LENGTHS NEEDED FOR DAISY-CHAINING

Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cutout Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
<b>Infeed Position</b>	Left or Right	Center	Left or Right	Center	Left or Right	Center
<b>Reference</b>	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED


## RECEPTION DESKS AND RETURNS

- Offered with **Straight** and **Bow** front
- Transactional tops available in 1" or 1 1/2" thick top with a variety of edge details
- Worksurface available in 1" thickness with A3 edge only


## TOP AND BASE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry


## Reception Desks:




## Reception Returns:



## TRANSACTION TOP THICKNESS/EDGE DETAIL




## GLAZING (Center Panels)



## GROMMETS - RECEPTION DESKS ONLY


- Two grommets are standard in position **AG1** and **AG3**
- Standard grommets can be removed at an upcharge
- Optional grommets available in **AG2**



- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.

## POWER BLOCK

- A Power Block (model **PMSPDM**) may be ordered on transaction tops.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9 foot black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as PMSPDM, Add **\$352**. Power Blocks are available in standard worksurface locations (left, center or right). Order as E1, E2 or E3. Add **\$103**.




Power Block **PMSPDM** Add **\$352**

Specify location **E1, E2 or E3** Add **\$103**


## TASK LIGHT

- Illuminates worksurface and optional glazed center panel
- Specify LED task light separately. Use PLED50 for 60", 66" and 72" wide reception units. Use PLED50 or PLED100 for 84" and 96" wide units. See page 570 for details.



## RECEPTION RETURNS - PIGEON


- Available in all laminates
- Worksurface available in 1" thickness with A3 edge only
- Collator shelves offered in Black (BLK) or Brushed Cobalt (BRC)
- One grommet is standard in position **AG3**
- Standard grommet can be removed at an upcharge
- Optional grommet available in position **AG2**, see upcharges above
- Power blocks are available in positions **E2 and E3**




## RECEPTION RETURNS - BOOKCASE

- Available in all laminates listed above
- Worksurface available in 1" thickness with A3 edge only
- One grommet is standard in position **AG2**
- Standard grommet can be removed at an upcharge
- Optional grommet available in position **AG3** for **54", 60" and 72" wide units only**
- Power blocks are available in positions **E2 and E3** for **54", 60" and 72" wide units only**

## RECEPTION DESKS



Reception Desk



Reception Desk - Bow Front

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
Z3096RDS	35.5 x 96 x 42.8-43.3	70	385	23.23	<b>\$3814</b>	<b>\$4029</b>	<b>\$798</b>	<b>\$903</b>
Z3084RDS	35.5 x 89.4 x 42.8-43.3	70	351	20.48	<b>\$3389</b>	<b>\$3582</b>	<b>\$688</b>	<b>\$790</b>
Z3072RDS	35.5 x 77.4 x 42.8-43.3	70	315	17.99	<b>\$3126</b>	<b>\$3293</b>	<b>\$578</b>	<b>\$679</b>
Z3066RDS	35.5 x 71.4 x 42.8-43.3	70	298	16.98	<b>\$2970</b>	<b>\$3131</b>	<b>\$522</b>	<b>\$624</b>
Z3060RDS	35.5 x 65.4 x 42.8-43.3	70	280	15.48	<b>\$2830</b>	<b>\$2977</b>	<b>\$467</b>	<b>\$565</b>
Z2496RDS	30 x 96 x 42.8-43.3	70	353	21.98	<b>\$3595</b>	<b>\$3810</b>	<b>\$798</b>	<b>\$773</b>
Z2484RDS	30 x 89.4 x 42.8-43.3	70	320	19.49	<b>\$3204</b>	<b>\$3397</b>	<b>\$688</b>	<b>\$679</b>
Z2472RDS	30 x 77.4 x 42.8-43.3	70	287	16.98	<b>\$2951</b>	<b>\$3122</b>	<b>\$578</b>	<b>\$582</b>
Z2466RDS	30 x 71.4 x 42.8-43.3	70	272	15.99	<b>\$2796</b>	<b>\$2957</b>	<b>\$522</b>	<b>\$534</b>
Z2460RDS	30 x 65.4 x 42.8-43.3	70	256	15	<b>\$2665</b>	<b>\$2812</b>	<b>\$467</b>	<b>\$484</b>

**Z24xxRDS units are not freestanding; they must be connected to a return. Z30xxRDS units can be specified as freestanding.** Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

- **Zxx96RDS** units feature a 90" w/worksurface

Z3096RDB	35.5 x 96 x 42.8-43.3	70	382	23.23	<b>\$3814</b>	<b>\$4029</b>	<b>\$798</b>	<b>\$903</b>
Z3084RDB	35.5 x 89.4 x 42.8-43.3	70	348	20.48	<b>\$3389</b>	<b>\$3582</b>	<b>\$688</b>	<b>\$790</b>
Z3072RDB	35.5 x 77.4 x 42.8-43.3	70	312	17.99	<b>\$3126</b>	<b>\$3293</b>	<b>\$578</b>	<b>\$679</b>
Z3066RDB	35.5 x 71.4 x 42.8-43.3	70	295	16.98	<b>\$2970</b>	<b>\$3131</b>	<b>\$522</b>	<b>\$624</b>
Z3060RDB	35.5 x 65.4 x 42.8-43.3	70	277	15.99	<b>\$2830</b>	<b>\$2977</b>	<b>\$467</b>	<b>\$565</b>
Z2496RDB	30 x 96 x 42.8-43.3	70	350	21.98	<b>\$3595</b>	<b>\$3788</b>	<b>\$798</b>	<b>\$773</b>
Z2484RDB	30 x 89.4 x 42.8-43.3	70	317	19.49	<b>\$3204</b>	<b>\$3397</b>	<b>\$688</b>	<b>\$679</b>
Z2472RDB	30 x 77.4 x 42.8-43.3	70	284	16.98	<b>\$2951</b>	<b>\$3122</b>	<b>\$578</b>	<b>\$582</b>
Z2466RDB	30 x 71.4 x 42.8-43.3	70	269	15.99	<b>\$2796</b>	<b>\$2957</b>	<b>\$522</b>	<b>\$534</b>
Z2460RDB	30 x 65.4 x 42.8-43.3	70	253	15	<b>\$2665</b>	<b>\$2812</b>	<b>\$467</b>	<b>\$484</b>

**Z24xxRDB units are not freestanding; they must be connected to a return. Z30xxRDB units can be specified as freestanding.** Standard with two grommets. Accommodates shells of all depths. Shipped RTA (ready to assemble) in 3 cartons.

- **Zxx96RDB** units feature a 90" w/worksurface

### Required Specifications





Top finish  
Top/edge detail  
Base/surround finish  
Transaction top finish

### Optional Specifications

HP laminate  
Additional grommet  
Glazed center panel

### Accessories

Power block

HIGH RECEPTION RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>High Reception Return - LEFT</b></p>	D x W x H								
	Z2472HRRL	25 x 75.7 x 39.8	70	151	8.2	<b>\$1428</b>	N/A	N/A	<b>\$390</b>
	Z2460HRRL	25 x 63.7 x 39.8	70	131.2	7	<b>\$1248</b>	N/A	N/A	<b>\$325</b>
	Z2454HRRL	25 x 57.7 x 39.8	70	120.9	5.75	<b>\$1133</b>	N/A	N/A	<b>\$293</b>
	Z2448HRRL	25 x 51.7 x 39.8	70	110.9	5.25	<b>\$1052</b>	N/A	N/A	<b>\$262</b>
	Z2442HRRL	25 x 45.7 x 39.8	70	100.8	4.8	<b>\$970</b>	N/A	N/A	<b>\$228</b>
	Z2436HRRL	25 x 39.7 x 39.8	70	90.7	4.3	<b>\$887</b>	N/A	N/A	<b>\$196</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.</p>									
 <p><b>High Reception Return - LEFT</b></p>	Z2072HRRL	20.9 x 75.7 x 39.8	70	139	8.2	<b>\$1258</b>	N/A	N/A	<b>\$325</b>
	Z2060HRRL	20.9 x 63.7 x 39.8	70	121	7	<b>\$1097</b>	N/A	N/A	<b>\$273</b>
	Z2054HRRL	20.9 x 57.7 x 39.8	70	111	5.75	<b>\$990</b>	N/A	N/A	<b>\$244</b>
	Z2048HRRL	20.9 x 51.7 x 39.8	70	102	5.25	<b>\$920</b>	N/A	N/A	<b>\$220</b>
	Z2042HRRL	20.9 x 45.7 x 39.8	70	92	4.8	<b>\$844</b>	N/A	N/A	<b>\$192</b>
	Z2036HRRL	20.9 x 39.7 x 39.8	70	83	4.3	<b>\$769</b>	N/A	N/A	<b>\$167</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b>. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.</p>									
 <p><b>High Reception Return - RIGHT</b></p>	Z2472HRRR	25 x 75.7 x 39.8	70	151	8.2	<b>\$1428</b>	N/A	N/A	<b>\$390</b>
	Z2460HRRR	25 x 63.7 x 39.8	70	131.2	7	<b>\$1248</b>	N/A	N/A	<b>\$325</b>
	Z2454HRRR	25 x 57.7 x 39.8	70	120.9	5.75	<b>\$1133</b>	N/A	N/A	<b>\$293</b>
	Z2448HRRR	25 x 51.7 x 39.8	70	110.9	5.25	<b>\$1052</b>	N/A	N/A	<b>\$262</b>
	Z2442HRRR	25 x 45.7 x 39.8	70	100.8	4.8	<b>\$970</b>	N/A	N/A	<b>\$228</b>
	Z2436HRRR	25 x 39.7 x 39.8	70	90.7	4.3	<b>\$887</b>	N/A	N/A	<b>\$196</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.</p>									
 <p><b>High Reception Return - RIGHT</b></p>	Z2072HRRR	20.9 x 75.7 x 39.8	70	139	8.2	<b>\$1258</b>	N/A	N/A	<b>\$325</b>
	Z2060HRRR	20.9 x 63.7 x 39.8	70	121	7	<b>\$1097</b>	N/A	N/A	<b>\$273</b>
	Z2054HRRR	20.9 x 57.7 x 39.8	70	111	5.75	<b>\$990</b>	N/A	N/A	<b>\$244</b>
	Z2048HRRR	20.9 x 51.7 x 39.8	70	102	5.25	<b>\$920</b>	N/A	N/A	<b>\$220</b>
	Z2042HRRR	20.9 x 45.7 x 39.8	70	92	4.8	<b>\$844</b>	N/A	N/A	<b>\$192</b>
	Z2036HRRR	20.9 x 39.7 x 39.8	70	83	4.3	<b>\$769</b>	N/A	N/A	<b>\$167</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b>. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.</p>									

**Required Specifications**

Top finish  
Top/edge detail  
Base/surround finish

**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block

## LOW RECEPTION RETURNS



Low Reception Return - LEFT



Low Reception Return - LEFT



Low Reception Return - RIGHT



Low Reception Return - RIGHT

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2472LRRL	25 x 75.7 x 29.1	70	141	6.75	<b>\$1387</b>	N/A	N/A	<b>\$390</b>
Z2460LRRL	25 x 63.7 x 29.1	70	122	5.75	<b>\$1198</b>	N/A	N/A	<b>\$325</b>
Z2454LRRL	25 x 57.7 x 29.1	70	112.9	5.5	<b>\$1096</b>	N/A	N/A	<b>\$293</b>
Z2448LRRL	25 x 51.7 x 29.1	70	103.4	5	<b>\$1017</b>	N/A	N/A	<b>\$262</b>
Z2442LRRL	25 x 45.7 x 29.1	70	94	4.5	<b>\$935</b>	N/A	N/A	<b>\$228</b>
Z2436LRRL	25 x 39.7 x 29.1	70	84.3	4	<b>\$851</b>	N/A	N/A	<b>\$196</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRL	20.9 x 75.7 x 29.1	70	128.8	6.75	<b>\$1220</b>	N/A	N/A	<b>\$325</b>
Z2060LRRL	20.9 x 63.7 x 29.1	70	111.3	5.75	<b>\$1047</b>	N/A	N/A	<b>\$273</b>
Z2054LRRL	20.9 x 57.7 x 29.1	70	102.8	5.5	<b>\$959</b>	N/A	N/A	<b>\$244</b>
Z2048LRRL	20.9 x 51.7 x 29.1	70	94.1	5	<b>\$887</b>	N/A	N/A	<b>\$220</b>
Z2042LRRL	20.9 x 45.7 x 29.1	70	85.3	4.5	<b>\$813</b>	N/A	N/A	<b>\$192</b>
Z2036LRRL	20.9 x 39.7 x 29.1	70	76.3	4	<b>\$740</b>	N/A	N/A	<b>\$167</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2472LRRR	25 x 75.7 x 29.1	70	141	6.75	<b>\$1387</b>	N/A	N/A	<b>\$390</b>
Z2460LRRR	25 x 63.7 x 29.1	70	122	5.75	<b>\$1198</b>	N/A	N/A	<b>\$325</b>
Z2454LRRR	25 x 57.7 x 29.1	70	112.9	5.5	<b>\$1096</b>	N/A	N/A	<b>\$293</b>
Z2448LRRR	25 x 51.7 x 29.1	70	103.4	5	<b>\$1017</b>	N/A	N/A	<b>\$262</b>
Z2442LRRR	25 x 45.7 x 29.1	70	94	4.5	<b>\$935</b>	N/A	N/A	<b>\$228</b>
Z2436LRRR	25 x 39.7 x 29.1	70	84.3	4	<b>\$851</b>	N/A	N/A	<b>\$196</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

Z2072LRRR	20.9 x 75.7 x 29.1	70	128.8	6.75	<b>\$1220</b>	N/A	N/A	<b>\$325</b>
Z2060LRRR	20.9 x 63.7 x 29.1	70	111.3	5.75	<b>\$1047</b>	N/A	N/A	<b>\$273</b>
Z2054LRRR	20.9 x 57.7 x 29.1	70	102.8	5.5	<b>\$959</b>	N/A	N/A	<b>\$244</b>
Z2048LRRR	20.9 x 51.7 x 29.1	70	94.1	5	<b>\$887</b>	N/A	N/A	<b>\$220</b>
Z2042LRRR	20.9 x 45.7 x 29.1	70	85.3	4.5	<b>\$813</b>	N/A	N/A	<b>\$192</b>
Z2036LRRR	20.9 x 39.7 x 29.1	70	76.3	4	<b>\$740</b>	N/A	N/A	<b>\$167</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of **20" depths**. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

## Required Specifications

Top finish  
Top/edge detail  
Base/surround finish






## Optional Specifications

HP laminate  
Additional grommet

## Accessories

Power block



TRANSACTIONAL RETURNS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z2472TSRL	29.7 x 75.7 x 36.5-37	70	166	9.75	<b>\$1697</b>	<b>\$1832</b>	N/A	<b>\$390</b>
	Z2460TSRL	29.7 x 63.7 x 36.5-37	70	144	8.75	<b>\$1466</b>	<b>\$1582</b>	N/A	<b>\$325</b>
	Z2454TSRL	29.7 x 57.7 x 36.5-37	70	132	7.5	<b>\$1332</b>	<b>\$1440</b>	N/A	<b>\$293</b>
	Z2448TSRL	29.7 x 51.7 x 36.5-37	70	121	7	<b>\$1225</b>	<b>\$1319</b>	N/A	<b>\$262</b>
	Z2442TSRL	29.7 x 45.7 x 36.5-37	70	109	6.25	<b>\$1124</b>	<b>\$1211</b>	N/A	<b>\$228</b>
	Z2436TSRL	29.7 x 39.7 x 36.5-37	70	96	5.5	<b>\$1019</b>	<b>\$1095</b>	N/A	<b>\$196</b>
<b>Transactional Return - LEFT</b> <b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.									
	Z2072TSRL	25.6 x 75.7 x 36.5-37	70	153	8.25	<b>\$1528</b>	<b>\$1663</b>	N/A	<b>\$325</b>
	Z2060TSRL	25.6 x 63.7 x 36.5-37	70	132	7.25	<b>\$1312</b>	<b>\$1428</b>	N/A	<b>\$273</b>
	Z2054TSRL	25.6 x 57.7 x 36.5-37	70	120	6.25	<b>\$1188</b>	<b>\$1296</b>	N/A	<b>\$244</b>
	Z2048TSRL	25.6 x 51.7 x 36.5-37	70	110	5.5	<b>\$1090</b>	<b>\$1184</b>	N/A	<b>\$220</b>
	Z2042TSRL	25.6 x 45.7 x 36.5-37	70	100	5	<b>\$992</b>	<b>\$1079</b>	N/A	<b>\$192</b>
	Z2036TSRL	25.6 x 39.7 x 36.5-37	70	89	4.4	<b>\$900</b>	<b>\$976</b>	N/A	<b>\$167</b>
<b>Transactional Return - LEFT</b> <b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b> . Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.									
	Z2472TSRR	29.7 x 75.7 x 36.5-37	70	166	9.75	<b>\$1697</b>	<b>\$1832</b>	N/A	<b>\$390</b>
	Z2460TSRR	29.7 x 63.7 x 36.5-37	70	144	8.75	<b>\$1466</b>	<b>\$1582</b>	N/A	<b>\$325</b>
	Z2454TSRR	29.7 x 57.7 x 36.5-37	70	132	7.5	<b>\$1332</b>	<b>\$1440</b>	N/A	<b>\$293</b>
	Z2448TSRR	29.7 x 51.7 x 36.5-37	70	121	7	<b>\$1225</b>	<b>\$1319</b>	N/A	<b>\$262</b>
	Z2442TSRR	29.7 x 45.7 x 36.5-37	70	109	6.25	<b>\$1124</b>	<b>\$1211</b>	N/A	<b>\$228</b>
	Z2436TSRR	29.7 x 39.7 x 36.5-37	70	96	5.5	<b>\$1019</b>	<b>\$1095</b>	N/A	<b>\$196</b>
<b>Transactional Return - RIGHT</b> <b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.									
	Z2072TSRR	25.6 x 75.7 x 36.5-37	70	153	8.25	<b>\$1528</b>	<b>\$1663</b>	N/A	<b>\$325</b>
	Z2060TSRR	25.6 x 63.7 x 36.5-37	70	132	7.25	<b>\$1312</b>	<b>\$1428</b>	N/A	<b>\$273</b>
	Z2054TSRR	25.6 x 57.7 x 36.5-37	70	120	6.25	<b>\$1188</b>	<b>\$1296</b>	N/A	<b>\$244</b>
	Z2048TSRR	25.6 x 51.7 x 36.5-37	70	110	5.5	<b>\$1090</b>	<b>\$1184</b>	N/A	<b>\$220</b>
	Z2042TSRR	25.6 x 45.7 x 36.5-37	70	100	5	<b>\$992</b>	<b>\$1079</b>	N/A	<b>\$192</b>
	Z2036TSRR	25.6 x 39.7 x 36.5-37	70	89	4.4	<b>\$900</b>	<b>\$976</b>	N/A	<b>\$167</b>
<b>Transactional Return - RIGHT</b> <b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b> . Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.									
	Z2472TBRL	32.7 x 75.7 x 36.5-37	70	168.2	9.75	<b>\$1697</b>	<b>\$1832</b>	N/A	<b>\$390</b>
	Z2460TBRL	32.7 x 63.7 x 36.5-37	70	145.3	8.5	<b>\$1466</b>	<b>\$1582</b>	N/A	<b>\$325</b>
	Z2454TBRL	32.7 x 57.7 x 36.5-37	70	134.4	7.5	<b>\$1332</b>	<b>\$1440</b>	N/A	<b>\$293</b>
	Z2448TBRL	32.7 x 51.7 x 36.5-37	70	122.2	7	<b>\$1225</b>	<b>\$1319</b>	N/A	<b>\$262</b>
	Z2442TBRL	32.7 x 45.7 x 36.5-37	70	110.9	6.25	<b>\$1124</b>	<b>\$1211</b>	N/A	<b>\$228</b>
	Z2436TBRL	32.7 x 39.7 x 36.5-37	70	98.4	5.5	<b>\$1019</b>	<b>\$1095</b>	N/A	<b>\$196</b>
<b>Transactional Return, Bow Front - LEFT</b> <b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.									

**Required Specifications**

Top finish  
Base/surround finish  
Transaction top finish




**Optional Specifications**

HP laminate  
Additional grommet

**Accessories**

Power block




TRANSACTIONAL RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Transactional Return, Bow Front - LEFT</b></p>		D x W x H							
	Z2072TBRL	28.6 x 75.7 x 36.5-37	70	155.6	8.25	<b>\$1528</b>	<b>\$1663</b>	N/A	<b>\$325</b>
	Z2060TBRL	28.6 x 63.7 x 36.5-37	70	134.2	7.5	<b>\$1312</b>	<b>\$1428</b>	N/A	<b>\$273</b>
	Z2054TBRL	28.6 x 57.7 x 36.5-37	70	124	6.5	<b>\$1188</b>	<b>\$1296</b>	N/A	<b>\$244</b>
	Z2048TBRL	28.6 x 51.7 x 36.5-37	70	112.6	6	<b>\$1090</b>	<b>\$1184</b>	N/A	<b>\$220</b>
	Z2042TBRL	28.6 x 45.7 x 36.5-37	70	101.9	5.25	<b>\$992</b>	<b>\$1079</b>	N/A	<b>\$192</b>
	Z2036TBRL	28.6 x 39.7 x 36.5-37	70	90.1	4.7	<b>\$900</b>	<b>\$976</b>	N/A	<b>\$167</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b>. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.</p>									
 <p><b>Transactional Return, Bow Front - RIGHT</b></p>	Z2472TBRR	32.7 x 75.7 x 36.5-37	70	168.2	9.75	<b>\$1697</b>	<b>\$1832</b>	N/A	<b>\$390</b>
	Z2460TBRR	32.7 x 63.7 x 36.5-37	70	145.3	8.5	<b>\$1466</b>	<b>\$1582</b>	N/A	<b>\$325</b>
	Z2454TBRR	32.7 x 57.7 x 36.5-37	70	134.4	7.5	<b>\$1332</b>	<b>\$1440</b>	N/A	<b>\$293</b>
	Z2448TBRR	32.7 x 51.7 x 36.5-37	70	122.2	7	<b>\$1225</b>	<b>\$1319</b>	N/A	<b>\$262</b>
	Z2442TBRR	32.7 x 45.7 x 36.5-37	70	110.9	6.25	<b>\$1124</b>	<b>\$1211</b>	N/A	<b>\$228</b>
	Z2436TBRR	32.7 x 39.7 x 36.5-37	70	98.4	5.5	<b>\$1019</b>	<b>\$1095</b>	N/A	<b>\$196</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.</p>									
 <p><b>Transactional Return, Bow Front - RIGHT</b></p>	Z2072TBRR	28.6 x 75.7 x 36.5-37	70	155.6	8.25	<b>\$1528</b>	<b>\$1663</b>	N/A	<b>\$325</b>
	Z2060TBRR	28.6 x 63.7 x 36.5-37	70	134.2	7.5	<b>\$1312</b>	<b>\$1428</b>	N/A	<b>\$273</b>
	Z2054TBRR	28.6 x 57.7 x 36.5-37	70	124	6.5	<b>\$1188</b>	<b>\$1296</b>	N/A	<b>\$244</b>
	Z2048TBRR	28.6 x 51.7 x 36.5-37	70	112.6	6	<b>\$1090</b>	<b>\$1184</b>	N/A	<b>\$220</b>
	Z2042TBRR	28.6 x 45.7 x 36.5-37	70	101.9	5.25	<b>\$992</b>	<b>\$1079</b>	N/A	<b>\$192</b>
	Z2036TBRR	28.6 x 39.7 x 36.5-37	70	90.1	4.7	<b>\$900</b>	<b>\$976</b>	N/A	<b>\$167</b>
<p><b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of <b>20" depths</b>. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.</p>									

Required Specifications	Optional Specifications	Accessories
Top finish Transaction top finish Base/surround finish	HP laminate Additional grommet	Power block

PIGEON RECEPTION RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z2472PRRL	31 x 75.7 x 39.8	70	171.3	9.75	\$1923	N/A	N/A	\$390
	Z2460PRRL	31 x 63.7 x 39.8	70	149	8.25	\$1690	N/A	N/A	\$325
	Z2454PRRL	31 x 57.7 x 39.8	70	136.4	7.5	\$1571	N/A	N/A	\$293
Pigeon Reception Return - LEFT*	<b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.								
	Z2072PRRL	26.9 x 75.7 x 39.8	70	159	9.75	\$1758	N/A	N/A	\$325
	Z2060PRRL	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1538	N/A	N/A	\$273
	Z2054PRRL	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1430	N/A	N/A	\$244
	<b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.								
	Z2472PRRR	31 x 75.7 x 39.8	70	171.3	9.75	\$1923	N/A	N/A	\$390
	Z2460PRRR	31 x 63.7 x 39.8	70	149	8.25	\$1690	N/A	N/A	\$325
	Z2454PRRR	31 x 57.7 x 39.8	70	136.4	7.5	\$1571	N/A	N/A	\$293
	<b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.								
	Z2072PRRR	26.9 x 75.7 x 39.8	70	159	9.75	\$1758	N/A	N/A	\$325
	Z2060PRRR	26.9 x 63.7 x 39.8	70	138.2	8.25	\$1538	N/A	N/A	\$273
	Z2054PRRR	26.9 x 57.7 x 39.8	70	126.2	7.5	\$1430	N/A	N/A	\$244
	<b>Not freestanding, must be connected to a reception desk.</b> Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of 20" depths. Connecting hardware included. Widths and depths listed are outside dimensions including transaction top overhang on the front and sides. Model numbers reflect the primary worksurface dimensions.								

Required Specifications	Optional Specifications	Accessories
Top finish Base/surround finish Pigeon hole finish Collator finish	HP laminate Additional grommet	Power block

TRANSACTIONAL RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
		D x W x H							
	Z1272BRRL	13.7 x 75.7 x 39.8	70	158	7.5	<b>\$1537</b>	N/A	N/A	<b>\$196</b>
	Z1260BRRL	13.7 x 63.7 x 39.8	70	139	6.25	<b>\$1359</b>	N/A	N/A	<b>\$167</b>

**Bookcase Reception Return - LEFT**

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - LEFT**

Z1254BRRL	13.7 x 57.7 x 39.8	65	131	5.75	<b>\$1258</b>	N/A	N/A	<b>\$149</b>
Z1248BRRL	13.7 x 51.7 x 39.8	70	114	5.25	<b>\$1120</b>	N/A	N/A	<b>\$134</b>
Z1242BRRL	13.7 x 45.7 x 39.8	65	106	4.6	<b>\$1053</b>	N/A	N/A	<b>\$118</b>
Z1236BRRL	13.7 x 39.7 x 39.8	65	98	4.1	<b>\$987</b>	N/A	N/A	<b>\$101</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT**

Z1272BRRR	13.7 x 75.7 x 39.8	70	158	7.5	<b>\$1537</b>	N/A	N/A	<b>\$196</b>
Z1260BRRR	13.7 x 63.7 x 39.8	70	139	6.25	<b>\$1359</b>	N/A	N/A	<b>\$167</b>


**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.



**Bookcase Reception Return - RIGHT**

Z1254BRRR	13.7 x 57.7 x 39.8	65	131	5.75	<b>\$1258</b>	N/A	N/A	<b>\$149</b>
Z1248BRRR	13.7 x 51.7 x 39.8	70	114	5.25	<b>\$1120</b>	N/A	N/A	<b>\$134</b>
Z1242BRRR	13.7 x 45.7 x 39.8	65	106	4.6	<b>\$1053</b>	N/A	N/A	<b>\$118</b>
Z1236BRRR	13.7 x 39.7 x 39.8	65	98	4.1	<b>\$987</b>	N/A	N/A	<b>\$101</b>

**Not freestanding, must be connected to a reception desk.** Grommet in worksurface. Shipped RTA (ready to assemble). Accommodates shells of all depths. Connecting hardware included. Widths and depths listed are outside dimensions including outside surrounds. Model numbers reflect the primary worksurface dimensions.

RECEPTION DESK VERTICAL STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
	ZRDVS13	8.6 x 13.4 x 12.2	70	12.50	.80	<b>\$253</b>	N/A	N/A	N/A

**Reception Desk - Vertical Storage\***

Collator shelves for use under Zira Reception transaction top. Shipped assembled in 1 carton.

#### Required Specifications


Top finish  
Transaction top finish  
Base/surround finish

#### Optional Specifications

HP laminate  
Additional grommet

#### Accessories


Power block

RECEPTION DESKS W/LAMINATE OVERLAY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
		<b>D x W x H</b>							
	Z3696RFSLL	36 x 96 x 44.7	70	307	15.72	<b>\$5273</b>	n/a	n/a	<b>\$740</b>
	Z3690RFSLL	36 x 90 x 44.7	70	297	14.73	<b>\$5051</b>	n/a	n/a	<b>\$698</b>
	Z3684RFSLL	36 x 84 x 44.7	70	297	13.74	<b>\$4339</b>	n/a	n/a	<b>\$648</b>
	Z3678RFSLL	36 x 78 x 44.7	70	248	12.72	<b>\$4152</b>	n/a	n/a	<b>\$604</b>
	Z3672RFSLL	36 x 72 x 44.7	70	235	11.74	<b>\$3960</b>	n/a	n/a	<b>\$556</b>
	Z3096RFSLL	29.7 x 96 x 44.7	70	287	15.21	<b>\$5096</b>	n/a	n/a	<b>\$617</b>
	Z3090RFSLL	29.7 x 90 x 44.7	70	279	14.49	<b>\$4910</b>	n/a	n/a	<b>\$580</b>
	Z3084RFSLL	29.7 x 84 x 44.7	70	245	13.23	<b>\$4208</b>	n/a	n/a	<b>\$545</b>
	Z3078RFSLL	29.7 x 78 x 44.7	70	232	12.72	<b>\$4026</b>	n/a	n/a	<b>\$507</b>
	Z3072RFSLL	29.7 x 72 x 44.7	70	221	12.25	<b>\$3859</b>	n/a	n/a	<b>\$465</b>

Reception Desk, Laminate Overlay, Left

**Not freestanding; for use with ZxxxxFRRR returns.** 1" thick worksurface with matching edge. Transaction top is 1.5" thick only, edge profile optional. Shipped RTA (ready to assemble) in 3 cartons.


- Slating detail is 17.9"W for 72", 78" and 84" wide units; 30"W for 90" and 96" wide units.
- Z30xx models will not accommodate both a monitor and a keyboard; undermount keyboard is recommended.

	Z3696RFSRL	36 x 96 x 44.7	70	307	15.72	<b>\$5273</b>	n/a	n/a	<b>\$740</b>
	Z3690RFSRL	36 x 90 x 44.7	70	297	14.73	<b>\$5051</b>	n/a	n/a	<b>\$698</b>
	Z3684RFSRL	36 x 84 x 44.7	70	297	13.74	<b>\$4339</b>	n/a	n/a	<b>\$648</b>
	Z3678RFSRL	36 x 78 x 44.7	70	248	12.72	<b>\$4152</b>	n/a	n/a	<b>\$604</b>
	Z3672RFSRL	36 x 72 x 44.7	70	235	11.74	<b>\$3960</b>	n/a	n/a	<b>\$556</b>
	Z3096RFSRL	29.7 x 96 x 44.7	70	287	15.21	<b>\$5096</b>	n/a	n/a	<b>\$617</b>
	Z3090RFSRL	29.7 x 90 x 44.7	70	279	14.49	<b>\$4910</b>	n/a	n/a	<b>\$580</b>
	Z3084RFSRL	29.7 x 84 x 44.7	70	245	13.23	<b>\$4208</b>	n/a	n/a	<b>\$545</b>
	Z3078RFSRL	29.7 x 78 x 44.7	70	232	12.72	<b>\$4026</b>	n/a	n/a	<b>\$507</b>
	Z3072RFSRL	29.7 x 72 x 44.7	70	221	12.25	<b>\$3859</b>	n/a	n/a	<b>\$465</b>

Reception Desk, Laminate Overlay, Right

**Not freestanding; for use with ZxxxxFRRL returns.** 1" thick worksurface with matching edge. Transaction top is 1.5" thick only, edge profile optional. Shipped RTA (ready to assemble) in 3 cartons.

- Slating detail is 17.9"W for 72", 78" and 84" wide units; 30"W for 90" and 96" wide units.
- Z30xx models will not accommodate both a monitor and a keyboard; undermount keyboard tray is recommended.

DOUBLE RECEPTION DESK W/LAMINATE OVERLAY	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
	Z36120RFDL	36 x 120 x 44.7	70	308	14.97	<b>\$6096</b>	n/a	n/a	<b>\$1538</b>
	Z36114RFDL	36 x 114 x 44.7	70	294	13.98	<b>\$5905</b>	n/a	n/a	<b>\$1463</b>
	Z36108RFDL	36 x 108 x 44.7	70	281	13.23	<b>\$5637</b>	n/a	n/a	<b>\$1385</b>
	Z36102RFDL	36 x 102 x 44.7	70	268	12.49	<b>\$5450</b>	n/a	n/a	<b>\$1311</b>
	Z3696RFDL	36 x 96 x 44.7	70	237	11.23	<b>\$5197</b>	n/a	n/a	<b>\$617</b>
	Z30120RFDL	29.7 x 120 x 44.7	70	286	14.22	<b>\$5935</b>	n/a	n/a	<b>\$1385</b>
	Z30114RFDL	29.7 x 114 x 44.7	70	274	13.47	<b>\$5753</b>	n/a	n/a	<b>\$1315</b>
	Z30108RFDL	29.7 x 108 x 44.7	70	261	12.72	<b>\$5495</b>	n/a	n/a	<b>\$1246</b>
	Z30102RFDL	29.7 x 102 x 44.7	70	249	11.98	<b>\$5314</b>	n/a	n/a	<b>\$1181</b>
	Z3096RFDL	29.7 x 96 x 44.7	70	254	11.74	<b>\$5071</b>	n/a	n/a	<b>\$617</b>

Double Reception Desk, Laminate Overlay

**Not freestanding; for use with a left and right hand ZxxxxFRR(R/L) return.** 1" thick worksurface with matching edge. Transaction top is 1.5" thick only, edge profile optional. Slating detail is 30"W. Shipped RTA (ready to assemble) in 3 cartons.

- Z30xx models will not accommodate both a monitor and a keyboard; undermount keyboard tray is recommended.

**Required Specifications**

Top surface material (TFL or HPL)  
Top finish  
Top/edge detail  
Base/surround finish





Transaction top finish  
Glazing (GF or RG)

**Optional Specifications**

Grommet or cut-out

**Accessories**

Power block

RECEPTION RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
 <p><b>Reception Return, w/Overhang - Left</b></p>		<b>D x W x H</b>							
	Z3996FRRL	36 x 96 x 30.9	70	211	11.74	<b>\$2066</b>	n/a	n/a	<b>\$740</b>
	Z3990FRRL	36 x 90 x 30.9	70	201	11.26	<b>\$1990</b>	n/a	n/a	<b>\$698</b>
	Z3984FRRL	36 x 84 x 30.9	70	192	10.76	<b>\$1925</b>	n/a	n/a	<b>\$648</b>
	Z3978FRRL	36 x 78 x 30.9	70	182	10	<b>\$1844</b>	n/a	n/a	<b>\$604</b>
	Z3972FRRL	36 x 72 x 30.9	70	172	9.5	<b>\$1763</b>	n/a	n/a	<b>\$556</b>
<p><b>ADA Compliant. Not freestanding; for use with ZxxxxRFSLR or RFDL models.</b> 1" thick worksurface with matching straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.</p>									
 <p><b>Reception Return, w/Overhang - Right</b></p>	Z3996FRRR	36 x 96 x 30.9	70	211	11.74	<b>\$2066</b>	n/a	n/a	<b>\$740</b>
	Z3990FRRR	36 x 90 x 30.9	70	201	11.26	<b>\$1990</b>	n/a	n/a	<b>\$698</b>
	Z3984FRRR	36 x 84 x 30.9	70	192	10.76	<b>\$1925</b>	n/a	n/a	<b>\$648</b>
	Z3978FRRR	36 x 78 x 30.9	70	182	10	<b>\$1844</b>	n/a	n/a	<b>\$604</b>
	Z3972FRRR	36 x 72 x 30.9	70	172	9.5	<b>\$1763</b>	n/a	n/a	<b>\$556</b>
	<p><b>ADA Compliant. Not freestanding; for use with ZxxxxRFSLL or RFDL models.</b> 1" thick worksurface with matching straight edge. ADA accessible; worksurface overhang depth to overlay is 11-7/8", elsewhere it is 18-5/8". Shipped RTA (ready to assemble) in 2 cartons.</p>								
 <p><b>Reception Return, Flush Front - Left</b></p>	Z2796FRRL	24 x 96 x 30.9	70	179	10.26	<b>\$1859</b>	n/a	n/a	<b>\$495</b>
	Z2790FRRL	24 x 90 x 30.9	70	171	9.76	<b>\$1793</b>	n/a	n/a	<b>\$465</b>
	Z2784FRRL	24 x 84 x 30.9	70	163	9.5	<b>\$1738</b>	n/a	n/a	<b>\$434</b>
	Z2778FRRL	24 x 78 x 30.9	70	155	9	<b>\$1672</b>	n/a	n/a	<b>\$401</b>
	Z2772FRRL	24 x 72 x 30.9	60	147	4.25	<b>\$1607</b>	n/a	n/a	<b>\$372</b>
	<p><b>Not freestanding; for use with ZxxxxRFSLR or RFDL models.</b> 1" thick worksurface with matching straight edge. Shipped RTA (ready to assemble) in 2 cartons.</p>								
 <p><b>Reception Return, Flush Front - Right</b></p>	Z2796FRRR	24 x 96 x 30.9	70	179	10.26	<b>\$1859</b>	n/a	n/a	<b>\$495</b>
	Z2790FRRR	24 x 90 x 30.9	70	171	9.76	<b>\$1793</b>	n/a	n/a	<b>\$465</b>
	Z2784FRRR	24 x 84 x 30.9	70	163	9.5	<b>\$1738</b>	n/a	n/a	<b>\$434</b>
	Z2778FRRR	24 x 78 x 30.9	70	155	9	<b>\$1672</b>	n/a	n/a	<b>\$401</b>
	Z2772FRRR	24 x 72 x 30.9	60	147	4.25	<b>\$1607</b>	n/a	n/a	<b>\$372</b>
	<p><b>Not freestanding; for use with ZxxxxRFSLL or RFDL models.</b> 1" thick worksurface with matching straight edge. Shipped RTA (ready to assemble) in 2 cartons.</p>								

#### Required Specifications

Top surface material (TFL or HPL)  
Top/overlay finish  
Base finish

#### Optional Specifications

Grommet or cut-out

#### Accessories

Power block

## FREESTANDING RECEPTION DESKS




Reception Desk, Freestanding

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP	GLAZE ADD	HP ADD
Z2496RD	24 x 96 x 47.5	65	262	10.5	<b>\$3500</b>	n/a	n/a	<b>\$495</b>
Z2484RD	24 x 84 x 47.5	65	238	9.24	<b>\$3278</b>	n/a	n/a	<b>\$434</b>
Z2472RD	24 x 72 x 47.5	65	217	8.5	<b>\$3112</b>	n/a	n/a	<b>\$372</b>
Z2466RD	24 x 66 x 47.5	65	206	8	<b>\$3006</b>	n/a	n/a	<b>\$341</b>
Z2460RD	24 x 60 x 47.5	65	196	7.5	<b>\$2920</b>	n/a	n/a	<b>\$310</b>

1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Freestanding unit; does not accept returns. Shipped RTA (ready to assemble) in 2 cartons.

- Slating detail is 17.9"W for 60"-84" wide units; 30"W for 96" wide units.

## L-SHAPED RECEPTION DESKS W/ RIGHT HAND RETURNS



L-Shaped Reception Desk, Freestanding w/Right Hand Return

**60" wide:**

Z24607224R	96 x 60 x 47.5	65	314	12.28	<b>\$4758</b>	n/a	n/a	<b>\$682</b>
Z24606024R	84 x 60 x 47.5	65	297	11.47	<b>\$4551</b>	n/a	n/a	<b>\$620</b>
Z24605424R	78 x 60 x 47.5	65	288	11.17	<b>\$4460</b>	n/a	n/a	<b>\$590</b>
Z24604824R	72 x 60 x 47.5	65	279	10.87	<b>\$4369</b>	n/a	n/a	<b>\$560</b>
Z24604224R	66 x 60 x 47.5	65	271	10.57	<b>\$4278</b>	n/a	n/a	<b>\$529</b>
Z24603624R	60 x 60 x 47.5	65	262	10.18	<b>\$4167</b>	n/a	n/a	<b>\$496</b>

**66" wide:**

Z24667224R	96 x 66 x 47.5	65	324	12.66	<b>\$4869</b>	n/a	n/a	<b>\$713</b>
Z24666024R	84 x 66 x 47.5	65	306	11.98	<b>\$4667</b>	n/a	n/a	<b>\$651</b>
Z24665424R	78 x 66 x 47.5	65	298	11.56	<b>\$4571</b>	n/a	n/a	<b>\$621</b>
Z24664824R	72 x 66 x 47.5	65	289	11.26	<b>\$4460</b>	n/a	n/a	<b>\$591</b>
Z24664224R	66 x 66 x 47.5	65	280	10.96	<b>\$4394</b>	n/a	n/a	<b>\$560</b>
Z24663624R	60 x 66 x 47.5	65	271	10.57	<b>\$4278</b>	n/a	n/a	<b>\$527</b>

**72" wide:**

Z24727224R	96 x 72 x 47.5	65	334	12.96	<b>\$4960</b>	n/a	n/a	<b>\$744</b>
Z24726024R	84 x 72 x 47.5	65	316	12.16	<b>\$4783</b>	n/a	n/a	<b>\$682</b>
Z24725424R	78 x 72 x 47.5	65	309	11.86	<b>\$4687</b>	n/a	n/a	<b>\$652</b>
Z24724824R	72 x 72 x 47.5	65	299	11.56	<b>\$4596</b>	n/a	n/a	<b>\$622</b>
Z24724224R	66 x 72 x 47.5	65	290	11.26	<b>\$4511</b>	n/a	n/a	<b>\$591</b>
Z24723624R	60 x 72 x 47.5	65	282	10.87	<b>\$4369</b>	n/a	n/a	<b>\$558</b>

**84" wide:**

Z24847224R	96 x 84 x 47.5	65	354	13.56	<b>\$5167</b>	n/a	n/a	<b>\$806</b>
Z24846024R	84 x 84 x 47.5	65	337	12.75	<b>\$5006</b>	n/a	n/a	<b>\$744</b>
Z24845424R	78 x 84 x 47.5	65	328	12.46	<b>\$4915</b>	n/a	n/a	<b>\$714</b>
Z24844824R	72 x 84 x 47.5	65	319	12.16	<b>\$4829</b>	n/a	n/a	<b>\$684</b>
Z24844224R	66 x 84 x 47.5	65	311	11.86	<b>\$4733</b>	n/a	n/a	<b>\$653</b>
Z24843624R	60 x 84 x 47.5	65	302	11.47	<b>\$4622</b>	n/a	n/a	<b>\$620</b>

Primary and return surfaces are 24"D nominally. 1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Freestanding unit with **right hand return**. Return is standard with center grommet, not optional. Shipped RTA (ready to assemble) in 3 cartons.

- Slating detail is 17.9"W for 60"-84" wide units; 30"W for 96" wide units.

**Required Specifications**

Top surface material (TFL or HPL)  
Worksurface finish  
Transaction top edge detail  
Base finish



Transaction top finish

**Optional Specifications**

Grommet or cut-out

**Accessories**

Power block

L-SHAPED RECEPTION DESKS W/ LEFT HAND RETURN	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP	GLAZE ADD	HP ADD
D x W x H									
 <p><b>L-Shaped Reception Desk, Freestanding w/Left Hand Return</b></p>	<b>60" wide:</b>								
	Z24607224L	96 x 60 x 47.5	65	314	12.28	<b>\$4758</b>	n/a	n/a	<b>\$682</b>
	Z24606024L	84 x 60 x 47.5	65	297	11.47	<b>\$4551</b>	n/a	n/a	<b>\$620</b>
	Z24605424L	78 x 60 x 47.5	65	288	11.17	<b>\$4460</b>	n/a	n/a	<b>\$590</b>
	Z24604824L	72 x 60 x 47.5	65	279	10.87	<b>\$4369</b>	n/a	n/a	<b>\$560</b>
	Z24604224L	66 x 60 x 47.5	65	271	10.57	<b>\$4278</b>	n/a	n/a	<b>\$529</b>
	Z24603624L	60 x 60 x 47.5	65	262	10.18	<b>\$4167</b>	n/a	n/a	<b>\$496</b>
	<b>66" wide:</b>								
	Z24667224L	96 x 66 x 47.5	65	324	12.66	<b>\$4869</b>	n/a	n/a	<b>\$713</b>
	Z24666024L	84 x 66 x 47.5	65	306	11.98	<b>\$4667</b>	n/a	n/a	<b>\$651</b>
	Z24665424L	78 x 66 x 47.5	65	298	11.56	<b>\$4571</b>	n/a	n/a	<b>\$621</b>
	Z24664824L	72 x 66 x 47.5	65	289	11.26	<b>\$4460</b>	n/a	n/a	<b>\$591</b>
	Z24664224L	66 x 66 x 47.5	65	280	10.96	<b>\$4394</b>	n/a	n/a	<b>\$560</b>
	Z24663624L	60 x 66 x 47.5	65	271	10.57	<b>\$4278</b>	n/a	n/a	<b>\$527</b>
	<b>72" wide:</b>								
	Z24727224L	96 x 72 x 47.5	65	334	12.96	<b>\$4960</b>	n/a	n/a	<b>\$744</b>
	Z24726024L	84 x 72 x 47.5	65	316	12.16	<b>\$4783</b>	n/a	n/a	<b>\$682</b>
	Z24725424L	78 x 72 x 47.5	65	309	11.86	<b>\$4687</b>	n/a	n/a	<b>\$652</b>
	Z24724824L	72 x 72 x 47.5	65	299	11.56	<b>\$4596</b>	n/a	n/a	<b>\$622</b>
	Z24724224L	66 x 72 x 47.5	65	290	11.26	<b>\$4511</b>	n/a	n/a	<b>\$591</b>
	Z24723624L	60 x 72 x 47.5	65	282	10.87	<b>\$4369</b>	n/a	n/a	<b>\$558</b>
	<b>84" wide:</b>								
	Z24847224L	96 x 84 x 47.5	65	354	13.56	<b>\$5167</b>	n/a	n/a	<b>\$806</b>
	Z24846024L	84 x 84 x 47.5	65	337	12.75	<b>\$5006</b>	n/a	n/a	<b>\$744</b>
	Z24845424L	78 x 84 x 47.5	65	328	12.46	<b>\$4915</b>	n/a	n/a	<b>\$714</b>
	Z24844824L	72 x 84 x 47.5	65	319	12.16	<b>\$4829</b>	n/a	n/a	<b>\$684</b>
	Z24844224L	66 x 84 x 47.5	65	311	11.86	<b>\$4733</b>	n/a	n/a	<b>\$653</b>
	Z24843624L	60 x 84 x 47.5	65	302	11.47	<b>\$4622</b>	n/a	n/a	<b>\$620</b>
 <p><b>U-Shaped Reception Desk, Freestanding w/Left &amp; Right Hand Returns</b></p>	Primary and return surfaces are 24"D nominally. 1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Freestanding unit with <b>left hand return</b> . Return is standard with center grommet, not optional. Shipped RTA (ready to assemble) in 3 cartons.								
	• Slating detail is 17.9"W for 60"-84" wide units; 30"W for 96" wide units.								
	Z24967224D	96 x 96 x 47.5	65	505	20.4	<b>\$7031</b>	n/a	n/a	<b>\$1239</b>
	Z24966024D	96 x 84 x 47.5	65	469	18.88	<b>\$6596</b>	n/a	n/a	<b>\$1115</b>
	Z24965424D	96 x 78 x 47.5	65	452	18.2	<b>\$6415</b>	n/a	n/a	<b>\$1055</b>
	Z24964824D	96 x 72 x 47.5	65	434	17.6	<b>\$6238</b>	n/a	n/a	<b>\$995</b>
	Z24964224D	96 x 66 x 47.5	65	417	16.88	<b>\$6096</b>	n/a	n/a	<b>\$933</b>
	Z24963624D	96 x 60 x 47.5	65	399	16.2	<b>\$5804</b>	n/a	n/a	<b>\$867</b>
	Primary and return surfaces are 24"D nominally. 1" thick worksurface with matching edge. Transaction top 1" thick only, edge profile optional. Slating detail is 30" wide. Freestanding unit with <b>left and right hand returns</b> . Returns each have one standard with center grommet, not optional. Shipped RTA (ready to assemble) in 4 cartons.								

**Required Specifications**

Top surface material (TFL or HPL)  
Top/overlay finish  
Base finish

**Optional Specifications**

Grommet or cut-out

**Accessories**

Power block



## GENERAL INFORMATION

- Comprehensive range of personal storage in a variety of sizes and configurations starting at 27.5"/28"H single column widths up to 66.5"/67"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared work spaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Available in two depths with door front in thermally fused laminate to add warmth and complement desking products or millwork.
- Multiple door pull options to match Global Desking series
- Units have internal drill points for optional ganging.
- Ships fully assembled.

## CONSTRUCTION

- Tops are available in 1" or 1.5" thick thermally fused laminate tops with a variety of edge details
- Side panels utilize 1" thick material
- Shelves and backs utilize 11/16" thick material.
- Tops are sealed with Global's preferred edge in matching color. Woodgrain surfaces feature edging with matching printed woodgrain
- Constructed of 45 lb. density particleboard with high performance thermally fused laminate
- Virtually no loose hardware
- Leveling glides are standard

## LOCKS

- Locks are standard on all lockers. Finish will coordinate with handles and/or aluminum doors.
- Please note that Flared Brass (HW) handle defaults to Black locks

## SHIPPING

- Shipped assembled, 1 per carton, unless otherwise noted.

## PRODUCT CODE BREAKDOWN:

**ZL**- indicates Zira locker

**##** - 3rd & 4th position indicates height

**##** - 5th & 6th position indicates width

**F** - indicates 18"D overall / **L** - indicates 24"D overall

**#** - 8th position indicates the number of columns side to side

**#** - 9th position indicates the number of rows top to bottom

**L** or **R** - indicates doors installed for left or right hand hinge


## FINISH OPTIONS

- Must specify finish for top, case and doors separately


### Thermally fused laminate finish options:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## Top Thickness/Edge Detail



**A3** 1" top, standard flat edge




**AR** 1" top, bicut edge



**C3** 1.5" top, standard flat edge



**CR** 1.5" top, bicut edge



**CF** 1.5" top, fluted edge

## HANDLES

- To order handles, please specify corresponding code to image as below (**HS**, **HO**, **HW**, **HX**, **HV**, **HU**, **HQ**, **HZ**, or **HR**):



**HS** Flared Silver



**HV** Square Edge Silver



**HO** Crescent Black



**HW** Flared Brass



**HU** Square Edge Black



**HZ** Dimpled Nickel



**HX** Flared Black



**HQ** Bar Silver



**HR** Bar Black

## INTERIOR SHELF AND HANGING OPTIONS


- Hooks and hat shelves are standard in certain units. See individual product description for details
- When standard, hat shelf is 11/16" thick and includes 9" of clearance.
- A chrome coat hook is affixed to the left or right side wall of the opening (based on left and right handed units) on single row lockers 40.5" and up, and on double row lockers 53.5"h and up.
- When standard, a chrome coat hook is affixed to the door.

## GANGING

- **All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/BIFMA X5.6 Storage standards.**
- Units ship factory ready for ganging and include pre-drills on cabinet interiors as well as the necessary hardware to connect unit to unit.




SINGLE COLUMN LOCKERS




Left shown

One Column, One Row - 27.5/28" H



Left shown

One Column, One Row - 40.5/41" H



Left shown

One Column, One Row - 53.5/54" H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
ZL2712F11L	18 x 12 x 27.5-28	92.5	52	5	<b>\$748</b>	<b>\$768</b>
ZL2712F11R	18 x 12 x 27.5-28	92.5	52	5	<b>\$748</b>	<b>\$768</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ZL4012F11L	18 x 12 x 40.5-41	92.5	71	7.09	<b>\$966</b>	<b>\$1004</b>
ZL4015F11L	18 x 15 x 40.5-41	100	74	8.75	<b>\$1044</b>	<b>\$1082</b>
ZL4018F11L	18 x 18 x 40.5-41	100	86	10.25	<b>\$1141</b>	<b>\$1179</b>
ZL4012L11L	24 x 12 x 40.5-41	100	89	9.35	<b>\$1062</b>	<b>\$1100</b>
ZL4015L11L	24 x 15 x 40.5-41	100	97	11.25	<b>\$1159</b>	<b>\$1179</b>
ZL4018L11L	24 x 18 x 40.5-41	125	105	13.25	<b>\$1256</b>	<b>\$1298</b>
ZL4012F11R	18 x 12 x 40.5-41	92.5	71	7.09	<b>\$966</b>	<b>\$1004</b>
ZL4015F11R	18 x 15 x 40.5-41	100	74	8.75	<b>\$1044</b>	<b>\$1082</b>
ZL4018F11R	18 x 18 x 40.5-41	100	86	10.25	<b>\$1141</b>	<b>\$1179</b>
ZL4012L11R	24 x 12 x 40.5-41	100	89	9.35	<b>\$1062</b>	<b>\$1100</b>
ZL4015L11R	24 x 15 x 40.5-41	100	97	11.25	<b>\$1159</b>	<b>\$1179</b>
ZL4018L11R	24 x 18 x 40.5-41	125	105	13.25	<b>\$1256</b>	<b>\$1298</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ZL5312F11L	18 x 12 x 53.5-54	100	92	9.25	<b>\$1237</b>	<b>\$1257</b>
ZL5315F11L	18 x 15 x 53.5-54	100	101	11.25	<b>\$1358</b>	<b>\$1395</b>
ZL5318F11L	18 x 18 x 53.5-54	100	111	13	<b>\$1490</b>	<b>\$1551</b>
ZL5312L11L	24 x 12 x 53.5-54	100	115	12	<b>\$1358</b>	<b>\$1395</b>
ZL5315L11L	24 x 15 x 53.5-54	100	126	14.5	<b>\$1455</b>	<b>\$1492</b>
ZL5318L11L	24 x 18 x 53.5-54	100	136	17	<b>\$1593</b>	<b>\$1648</b>
ZL5312F11R	18 x 12 x 53.5-54	100	92	9.25	<b>\$1237</b>	<b>\$1257</b>
ZL5315F11R	18 x 15 x 53.5-54	100	101	11.25	<b>\$1358</b>	<b>\$1395</b>
ZL5318F11R	18 x 18 x 53.5-54	100	111	13	<b>\$1490</b>	<b>\$1551</b>
ZL5312L11R	24 x 12 x 53.5-54	100	115	12	<b>\$1358</b>	<b>\$1395</b>
ZL5315L11R	24 x 15 x 53.5-54	100	126	14.5	<b>\$1455</b>	<b>\$1492</b>
ZL5318L11R	24 x 18 x 53.5-54	100	136	17	<b>\$1593</b>	<b>\$1648</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.


Required Specifications

Top Finish  
Door Finish  
Top/Edge Detail  
Handles

Optional Specifications

Key #

Accessories


**SINGLE COLUMN LOCKERS**


Left shown

**One Column, One Row - 66.5/67"H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL6612F11L	18 x 12 x 66.5-67	100	111	11.5	<b>\$1413</b>	<b>\$1438</b>
ZL6615F11L	18 x 15 x 66.5-67	100	122	13.75	<b>\$1515</b>	<b>\$1552</b>
ZL6618F11L	18 x 18 x 66.5-67	125	127	16.25	<b>\$1690</b>	<b>\$1727</b>
ZL6612L11L	24 x 12 x 66.5-67	100	139	15	<b>\$1569</b>	<b>\$1612</b>
ZL6615L11L	24 x 15 x 66.5-67	100	151	18	<b>\$1671</b>	<b>\$1726</b>
ZL6618L11L	24 x 18 x 66.5-67	125	163	22	<b>\$1829</b>	<b>\$1884</b>
ZL6612F11R	18 x 12 x 66.5-67	100	111	11.5	<b>\$1413</b>	<b>\$1438</b>
ZL6615F11R	18 x 15 x 66.5-67	100	122	13.75	<b>\$1515</b>	<b>\$1552</b>
ZL6618F11R	18 x 18 x 66.5-67	125	127	16.25	<b>\$1690</b>	<b>\$1727</b>
ZL6612L11R	24 x 12 x 66.5-67	100	139	15	<b>\$1569</b>	<b>\$1612</b>
ZL6615L11R	24 x 15 x 66.5-67	100	151	18	<b>\$1671</b>	<b>\$1726</b>
ZL6618L11R	24 x 18 x 66.5-67	125	163	22	<b>\$1829</b>	<b>\$1884</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes hat shelf and coat hook.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.


**ONE COLUMN LOCKERS, TWO ROWS**


Left shown

**One Column, Two Rows - 27.5/28"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL2712F12L	18 x 12 x 27.5-28	92.5	55	5	<b>\$888</b>	<b>\$919</b>
ZL2712F12R	18 x 12 x 27.5-28	92.5	55	5	<b>\$888</b>	<b>\$919</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.



Left shown

**One Column, Two Rows - 66.5/67"H**

ZL6612F12L	18 x 12 x 66.5-67	100	112	11.5	<b>\$1575</b>	<b>\$1607</b>
ZL6618F12L	18 x 18 x 66.5-67	100	135	16.25	<b>\$1840</b>	<b>\$1889</b>
ZL6612L12L	24 x 12 x 66.5-67	100	140	15	<b>\$1725</b>	<b>\$1763</b>
ZL6618L12L	24 x 18 x 66.5-67	125	165	21.25	<b>\$2004</b>	<b>\$2059</b>
ZL6612F12R	18 x 12 x 66.5-67	100	112	11.5	<b>\$1575</b>	<b>\$1607</b>
ZL6618F12R	18 x 18 x 66.5-67	100	135	16.25	<b>\$1840</b>	<b>\$1889</b>
ZL6612L12R	24 x 12 x 66.5-67	100	140	15	<b>\$1725</b>	<b>\$1763</b>
ZL6618L12R	24 x 18 x 66.5-67	125	165	21.25	<b>\$2004</b>	<b>\$2059</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening. Includes coat hook in each opening
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

**Required Specifications**


Top Finish      Base Finish  
Door Finish  
Top/Edge Detail  
Handles

**Optional Specifications**

Key #


**Accessories**

ONE COLUMN LOCKERS, THREE ROWS



Left shown

One Column, Three Rows - 53.5/54"H



Left shown

One Column, Three Rows - 66.5/67"H


MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL5312F13L	18 x 12 x 53.5-54	92.5	96	9.25	<b>\$1394</b>	<b>\$1425</b>
ZL5318F13L	18 x 18 x 53.5-54	100	118	13.25	<b>\$1665</b>	<b>\$1708</b>
ZL5312L13L	24 x 12 x 53.5-54	100	121	12.25	<b>\$1520</b>	<b>\$1558</b>
ZL5318L13L	24 x 18 x 53.5-54	100	145	17.25	<b>\$1805</b>	<b>\$1919</b>
ZL5312F13R	18 x 12 x 53.5-54	92.5	96	9.25	<b>\$1394</b>	<b>\$1425</b>
ZL5318F13R	18 x 18 x 53.5-54	100	118	13.25	<b>\$1665</b>	<b>\$1708</b>
ZL5312L13R	24 x 12 x 53.5-54	100	121	12.25	<b>\$1520</b>	<b>\$1558</b>
ZL5318L13R	24 x 18 x 53.5-54	100	145	17.25	<b>\$1805</b>	<b>\$1919</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ZL6612F13L	18 x 12 x 66.5-67	92.5	115	11.5	<b>\$1575</b>	<b>\$1607</b>
ZL6618F13L	18 x 18 x 66.5-67	100	140	16.25	<b>\$1864</b>	<b>\$1925</b>
ZL6612L13L	24 x 12 x 66.5-67	100	144	15	<b>\$1719</b>	<b>\$1757</b>
ZL6618L13L	24 x 18 x 66.5-67	100	171	21.25	<b>\$2034</b>	<b>\$2089</b>
ZL6612F13R	18 x 12 x 66.5-67	92.5	115	11.5	<b>\$1575</b>	<b>\$1607</b>
ZL6618F13R	18 x 18 x 66.5-67	100	140	16.25	<b>\$1864</b>	<b>\$1925</b>
ZL6612L13R	24 x 12 x 66.5-67	100	144	15	<b>\$1719</b>	<b>\$1757</b>
ZL6618L13R	24 x 18 x 66.5-67	100	171	21.25	<b>\$2034</b>	<b>\$2089</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

ONE COLUMN LOCKERS, FOUR ROWS



Left shown

One Column, Four Rows - 66.5/67"H

ZL6612F14L	18 x 12 x 66.5-67	92.5	119	11.5	<b>\$1749</b>	<b>\$1781</b>
ZL6612L14L	24 x 12 x 66.5-67	100	149	15	<b>\$1900</b>	<b>\$1938</b>
ZL6612F14R	18 x 12 x 66.5-67	92.5	119	11.5	<b>\$1749</b>	<b>\$1781</b>
ZL6612L14R	24 x 12 x 66.5-67	100	149	15	<b>\$1900</b>	<b>\$1938</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications


Top Finish  
Door Finish  
Top/Edge Detail  
Handles

Optional Specifications

Key #

Accessories

## TWO COLUMN LOCKERS, ONE ROW




Left shown

Two Columns, One Row - 40.5/41"H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL4024F21L	18 x 24 x 40.5-41	100	118	13.25	<b>\$1635</b>	<b>\$1695</b>
ZL4030F21L	18 x 30 x 40.5-41	100	133	16.5	<b>\$1767</b>	<b>\$1841</b>
ZL4024L21L	24 x 24 x 40.5-41	100	149	17.25	<b>\$1797</b>	<b>\$1865</b>
ZL4030L21L	24 x 30 x 40.5-41	125	166	21.25	<b>\$1937</b>	<b>\$2022</b>
ZL4024F21R	18 x 24 x 40.5-41	100	118	13.25	<b>\$1635</b>	<b>\$1695</b>
ZL4030F21R	18 x 30 x 40.5-41	100	133	16.5	<b>\$1767</b>	<b>\$1841</b>
ZL4024L21R	24 x 24 x 40.5-41	100	149	17.25	<b>\$1797</b>	<b>\$1865</b>
ZL4030L21R	24 x 30 x 40.5-41	125	166	21.25	<b>\$1937</b>	<b>\$2022</b>

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening

## TWO COLUMN LOCKERS, TWO ROWS




Left shown

Two Columns, Two Rows - 27.5/28"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1" TOP	1.5" TOP
ZL2724F22L	18 x 24 x 27.5-28	100	94	9.5	<b>\$1520</b>	<b>\$1575</b>
ZL2724F22R	18 x 24 x 27.5-28	100	94	9.5	<b>\$1520</b>	<b>\$1575</b>

- Select suffix **(L)** for left hand / **(R)** for right hand opening.




Left shown

Two Columns, Two Rows - 40.5/41"H

ZL4024F22L	18 x 24 x 40.5-41	100	125	13.25	<b>\$1787</b>	<b>\$1842</b>
ZL4030F22L	18 x 30 x 40.5-41	100	142	16.25	<b>\$1937</b>	<b>\$2005</b>
ZL4024L22L	24 x 24 x 40.5-41	100	158	17.25	<b>\$1961</b>	<b>\$2029</b>
ZL4030L22L	24 x 30 x 40.5-41	100	178	21.25	<b>\$2123</b>	<b>\$2209</b>
ZL4024F22R	18 x 24 x 40.5-41	100	125	13.25	<b>\$1787</b>	<b>\$1842</b>
ZL4030F22R	18 x 30 x 40.5-41	100	142	16.25	<b>\$1937</b>	<b>\$2005</b>
ZL4024L22R	24 x 24 x 40.5-41	100	158	17.25	<b>\$1961</b>	<b>\$2029</b>
ZL4030L22R	24 x 30 x 40.5-41	100	178	21.25	<b>\$2123</b>	<b>\$2209</b>

- Select suffix **(L)** for left hand / **(R)** for right hand opening.



Left shown

Two Columns, Two Rows - 66.5/67"H

ZL6624F22L	18 x 24 x 66.5-67	100	187	21.25	<b>\$2666</b>	<b>\$2721</b>
ZL6636F22L	18 x 36 x 66.5-67	125	235	31	<b>\$3131</b>	<b>\$3210</b>
ZL6636L22L	24 x 36 x 66.5-67	125	283	40	<b>\$3365</b>	<b>\$3462</b>
ZL6624F22R	18 x 24 x 66.5-67	100	187	21.25	<b>\$2666</b>	<b>\$2721</b>
ZL6636F22R	18 x 36 x 66.5-67	125	235	31	<b>\$3131</b>	<b>\$3210</b>
ZL6636L22R	24 x 36 x 66.5-67	125	283	40	<b>\$3365</b>	<b>\$3462</b>

- Select suffix **(L)** for left hand / **(R)** for right hand opening. Includes coat hook in each opening and on each door.

## Required Specifications


Top Finish      Base Finish  
 Door Finish  
 Top/Edge Detail  
 Handles

## Optional Specifications

Key #

## Accessories

## TWO COLUMN LOCKERS, THREE ROWS




Left shown

**Two Columns, Three Rows - 53.5/54"H**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
ZL5324F23L	18 x 24 x 53.5-54	100	163	17.25	<b>\$2383</b>	<b>\$2444</b>
ZL5330F23L	18 x 30 x 53.5-54	100	185	21.25	<b>\$2587</b>	<b>\$2655</b>
ZL5336F23L	18 x 36 x 53.5-54	100	207	25.25	<b>\$2836</b>	<b>\$2921</b>
ZL5324L23L	24 x 24 x 53.5-54	100	205	22.5	<b>\$2607</b>	<b>\$2674</b>
ZL5330L23L	24 x 30 x 53.5-54	100	230	27.5	<b>\$2823</b>	<b>\$2909</b>
ZL5336L23L	24 x 36 x 53.5-54	125	252	32.75	<b>\$3075</b>	<b>\$3172</b>
ZL5324F23R	18 x 24 x 53.5-54	100	163	17.25	<b>\$2383</b>	<b>\$2444</b>
ZL5330F23R	18 x 30 x 53.5-54	100	185	21.25	<b>\$2587</b>	<b>\$2655</b>
ZL5336F23R	18 x 36 x 53.5-54	100	207	25.25	<b>\$2836</b>	<b>\$2921</b>
ZL5324L23R	24 x 24 x 53.5-54	100	205	22.5	<b>\$2607</b>	<b>\$2674</b>
ZL5330L23R	24 x 30 x 53.5-54	100	230	27.5	<b>\$2823</b>	<b>\$2909</b>
ZL5336L23R	24 x 36 x 53.5-54	125	252	32.75	<b>\$3075</b>	<b>\$3172</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.




Left shown

**Two Columns, Three Rows - 66.5-67"H**

ZL6624F23L	18 x 24 x 66.5-67	100	194	21.25	<b>\$2660</b>	<b>\$2715</b>
ZL6630F23L	18 x 30 x 66.5-67	100	219	26	<b>\$2889</b>	<b>\$2957</b>
ZL6636F23L	18 x 36 x 66.5-67	125	246	31	<b>\$3180</b>	<b>\$3265</b>
ZL6624L23L	24 x 24 x 66.5-67	100	243	27.5	<b>\$2908</b>	<b>\$2975</b>
ZL6630L23L	24 x 30 x 66.5-67	100	271	33.75	<b>\$3155</b>	<b>\$3234</b>
ZL6636L23L	24 x 36 x 66.5-67	125	297	40	<b>\$3438</b>	<b>\$3535</b>
ZL6624F23R	18 x 24 x 66.5-67	100	194	21.25	<b>\$2660</b>	<b>\$2715</b>
ZL6630F23R	18 x 30 x 66.5-67	100	219	26	<b>\$2889</b>	<b>\$2957</b>
ZL6636F23R	18 x 36 x 66.5-67	125	246	31	<b>\$3180</b>	<b>\$3265</b>
ZL6624L23R	24 x 24 x 66.5-67	100	243	27.5	<b>\$2908</b>	<b>\$2975</b>
ZL6630L23R	24 x 30 x 66.5-67	100	271	33.75	<b>\$3155</b>	<b>\$3234</b>
ZL6636L23R	24 x 36 x 66.5-67	125	297	40	<b>\$3438</b>	<b>\$3535</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

## TWO COLUMN LOCKERS, FOUR ROWS



Left shown

**Two Columns, Four Rows - 66.5/67"H**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
ZL6624F24L	18 x 24 x 66.5-67	100	201	21.25	<b>\$3010</b>	<b>\$3065</b>
ZL6624L24L	24 x 24 x 66.5-67	100	252	27.5	<b>\$3269</b>	<b>\$3343</b>
ZL6624F24R	18 x 24 x 66.5-67	100	201	21.25	<b>\$3010</b>	<b>\$3065</b>
ZL6624L24R	24 x 24 x 66.5-67	100	252	27.5	<b>\$3269</b>	<b>\$3343</b>

- Select suffix **(L)** for **left** hand / **(R)** for **right** hand opening.

### Required Specifications


Top Finish  
Door Finish  
Top/Edge Detail  
Handles

### Optional Specifications

Key #

### Accessories

## THREE COLUMN LOCKERS, ONE ROW




Left shown

Three Columns, One Row - 40.5/41"H

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
ZL4036F31L	18 x 36 x 40.5-41	100	165	19.5	<b>\$2268</b>	<b>\$2354</b>
ZL4036L31L	24 x 36 x 40.5-41	100	203	25.25	<b>\$2455</b>	<b>\$2551</b>
ZL4036F31R	18 x 36 x 40.5-41	100	165	19.5	<b>\$2268</b>	<b>\$2354</b>
ZL4036L31R	24 x 36 x 40.5-41	100	203	25.25	<b>\$2455</b>	<b>\$2551</b>

- Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening




Left shown

Three Columns, One Row - 53.5/54"H

ZL5336F31L	18 x 36 x 53.5-54	100	215	25.25	<b>\$2798</b>	<b>\$2884</b>
ZL5336L31L	24 x 36 x 53.5-54	100	265	32.75	<b>\$3070</b>	<b>\$3167</b>
ZL5336F31R	18 x 36 x 53.5-54	100	215	25.25	<b>\$2798</b>	<b>\$2884</b>
ZL5336L31R	24 x 36 x 53.5-54	100	265	32.75	<b>\$3070</b>	<b>\$3167</b>

- Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.




Left shown

Three Columns, One Row - 66.5/67"H

ZL6636F31L	18 x 36 x 66.5-67	100	258	31	<b>\$3180</b>	<b>\$3259</b>
ZL6636L31L	24 x 36 x 66.5-67	125	317	40	<b>\$3480</b>	<b>\$3576</b>
ZL6636F31R	18 x 36 x 66.5-67	100	258	31	<b>\$3180</b>	<b>\$3259</b>
ZL6636L31R	24 x 36 x 66.5-67	125	317	40	<b>\$3480</b>	<b>\$3576</b>

- Select suffix (L) for left hand / (R) for right hand opening. Includes hat shelf and coat hook in each opening.

## THREE COLUMN LOCKERS, TWO ROWS




Left shown

Three Columns, Two Rows - 40.5/41"H

ZL4036F32L	18 x 36 x 40.5-41	100	176	19.5	<b>\$2492</b>	<b>\$2571</b>
ZL4036L32L	24 x 36 x 40.5-41	100	218	25.25	<b>\$2702</b>	<b>\$2798</b>
ZL4036F32R	18 x 36 x 40.5-41	100	176	19.5	<b>\$2492</b>	<b>\$2571</b>
ZL4036L32R	24 x 36 x 40.5-41	100	218	25.25	<b>\$2702</b>	<b>\$2798</b>

- Select suffix (L) for left hand / (R) for right hand opening.



Left shown

Three Columns, Two Rows - 53.5/54"H

ZL5336F32L	18 x 36 x 53.5-54	100	219	25.25	<b>\$3365</b>	<b>\$3444</b>
ZL5336L32L	24 x 36 x 53.5-54	100	269	32.75	<b>\$3613</b>	<b>\$3709</b>
ZL5336F32R	18 x 36 x 53.5-54	100	219	25.25	<b>\$3365</b>	<b>\$3444</b>
ZL5336L32R	24 x 36 x 53.5-54	100	269	32.75	<b>\$3613</b>	<b>\$3709</b>

- Select suffix (L) for left hand / (R) for right hand opening. Includes coat hook in each opening and on each door.

## Required Specifications


Top Finish  
Door Finish  
Top/Edge Detail  
Handles

Base Finish


## Optional Specifications

Key #


## Accessories

THREE COLUMN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		D x W x H					
 <div>Left shown</div> <div>Three Columns, Two Rows - 66.5/67"H</div>	ZL6636F32L	18 x 36 x 66.5-67	100	262	31	\$3788	\$3867
	ZL6636L32L	24 x 36 x 66.5-67	100	322	40	\$4083	\$4179
	ZL6636F32R	18 x 36 x 66.5-67	100	262	31	\$3788	\$3867
	ZL6636L32R	24 x 36 x 66.5-67	100	322	40	\$4083	\$4179

- Select suffix (L) for **left** hand / (R) for **right** hand opening. Includes coat hook in each opening and on each door.

THREE COLUMN LOCKERS, THREE ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1"TOP	1.5" TOP
		D x W x H					
 <div>Left shown</div> <div>Three Columns, Three Rows - 53.5/54"H</div>	ZL5336F33L	18 x 36 x 53.5-54	100	229	25.25	\$3360	\$3439
	ZL5336L33L	24 x 36 x 53.5-54	100	283	32.75	\$3624	\$3721
	ZL5336F33R	18 x 36 x 53.5-54	100	229	25.25	\$3360	\$3439
	ZL5336L33R	24 x 36 x 53.5-54	100	283	32.75	\$3624	\$3721

- Select suffix (L) for **left** hand / (R) for **right** hand opening.

 <div>Left shown</div> <div>Three Columns, Three Rows - 66.5/67"H</div>	ZL6636F33L	18 x 36 x 66.5-67	100	272	31	\$3781	\$3860
	ZL6636L33L	24 x 36 x 66.5-67	100	336	40	\$4101	\$4198
	ZL6636F33R	18 x 36 x 66.5-67	100	272	31	\$3781	\$3860
	ZL6636L33R	24 x 36 x 66.5-67	100	336	40	\$4101	\$4198

- Select suffix (L) for **left** hand / (R) for **right** hand opening.

Required Specifications	Optional Specifications	Accessories
Top Finish	Key #	
Door Finish		
Top/Edge Detail		
Handles		

# benching



Bridges II

374






**bridges II** connect  
share  
achieve


Our desire was to develop an environment for collaborative teamwork which would facilitate connection, or bridging of people and ideas. A set of components which would even serve as a catalyst, inviting team members out of their cocooned comfort zones and encouraging them to engage, co-create. With Bridges II you can develop an environment of collaborative teamwork through workspace configuration that enhances line communication and bridges people with a spectrum of ideas and interfaces. Bridges II features a set of components that facilitate communication and streamline interaction through product that efficiently adapts and creatively configures. The product focuses on advancing engagement and collaborative creation through quick adaptations necessary to meet the needs of a fast paced and ever changing work environment. With flexible building components, Bridges II fits numerous applications, from boardrooms to multi-person workstations. It is easy to customize and reconfigure to fit specific requirements.

## Features and Benefits

- High performance thermally fused laminate tops are 1" thick
- High pressure laminate tops are 1-1/16" thick
- Flat 3mm edge profile on all sides
- Worksurfaces provided with pilot holes for alignment
- Numerous Power/Data accessories
- Interconnected storage units can form a spine to create space division, storage, cable management and worksurface support
- Leg Options:  
Height adjustable round legs  
Fixed height rectangular legs



Rectangular Leg



Power Trough



Round Leg

**GENERAL INFORMATION****Flexible Building components**

- Single leg tables (freestanding or mobile)
- Training Rooms
- Boardrooms
- Libraries
- 1 person general and private office
- 2 person workstation
- 3 person workstation
- 6+ person workstation
- Storage spine-based workstation

**Easy to customize and reconfigure** to fit specific requirements. From the facility manager's perspective, all workstations can be standardized to form a linear worksurface and power/data services, and their respective function or purpose can be governed by the type, quantity and placement of adjacent components like dividers, storage cabinets, shelves and accessories. These adjacent components can be easily reconfigured with minimal down time - without having to invite electrical and IT crews.

**Compatible with various environments**

- Clean, simple, elegant design language, with finishes suggesting comfortable, even domestic flavor. Understated to designer combinations, like anodized aluminum and white, give a hint of subtle sophistication.

Choice of **two functionally and visually different leg** supports

- Casters or levelers
- Height adjustable round legs
- Fixed height rectangular legs
- Optional anodized aluminum finish (Rectangular legs only). Refer to individual models for upcharge.

Various **power/data delivery** levels to choose from

- Wire basket to organize cable access under worksurfaces and storage units
- Vertical cable manager integrated into rectangular leg
- Worksurface edge-mounted power/data units (easy to reconfigure, plug into wall/floor outlets), or power troughs
- Single-sided and double-sided below worksurface power/data trough (desktop/floor standing computers and office equipment)
- Worksurface access door (access to below worksurface power outlets and data terminals)
- Above worksurface power/data trough provides immediate access for laptops, tablets and phones
- Storage integrated power/data unit
- Horizontal cable management under storage units with optional wire basket


**Interconnected storage units** can form a spine to create space division, storage, cable management and worksurface support. Storage leg can be configured to act as a ganging bracket.

- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

# B BRIDGES II™ - NOTES

## WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Doors and Drawer Fronts feature a matching 3mm edge. All other surfaces feature a matching self edge.

## TABLES

- All multiple linear workstations are standard with levelers
- Tops square for flush surface-to-surface abutment and to accept desk mounted accessories
- Worksurfaces provided with pilot holes for alignment purposes

## CODES

- This price list uses a numbering system with meaningful alphanumeric characters to create a simple-to-understand product number. This makes specifying the product much easier and more accurate.

Example of a worksurface:

Product code: BRTWS2472AWC + HP

BRT = Bridges II

WS = Type of Worksurface


2472 = Size: Depth x Width

AWC = High Pressure Laminate


HP = Finish

## RECTANGULAR LEG

- For single and shared worksurface support
- Bridges II Rectangular legs are available with:  
Locking Casters (**BRTLCS**) or Levelers (**BRTLVS**)





- Casters and Levelers **CANNOT** be retrofitted
- Levelers have a 2" height range, with 5/16" thread
- Levelers are available in Black only
- Casters are 45mm high with 8mm thread, available in White body / Grey tire combination only
- Leg frame is offered in 8 standard paint finishes and anodized aluminum finish
- Paint finish is a durable, environmentally friendly epoxy powder coating
- When anodized finish is selected, crossbeam is always White



## ROUND LEG

- For single and shared worksurface support
- Tubular steel legs are adjustable in 1" increments
- Height adjustment allows the user to easily set the height of a table
- Legs have a height adjustment of 24" - 32" in 1" increments with levelers and 27" - 35" with casters
- Bridges II Round legs are available with:  
Locking Casters (**BRTLCS**) or Levelers (**BRTLVR**)



- Casters and Levelers CAN be retrofitted
- Levelers have a 1" height range, with 3/8-16" thread
- Levelers are available in Chrome only
- Casters available in Tungsten/Black combination only
- Casters are 3" diameter with an overall height of 3 3/4" with 3/8-16" thread
- Inner legs are available in Chrome only
- Leg frame is offered in 8 standard paint finishes
- Paint finish is a durable, environmentally friendly epoxy powder coating

## FINISHES

### Metal Frame Finishes:

BLK	Black
BZD	Blizzard**
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
SDT	Stonedust**
TPE	Taupe
TUN	Tungsten
ANO*	Anodized Aluminum - Upcharge applies. Refer to models for upcharge.
*ANO is a process, not a paint finish.	
**Textured finish	

### Laminate Top Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black - Coordinates with BLK Metal Frame Finish
BZD	Blizzard
BRC	Brushed Cobalt - Coordinates with TUN Metal Frame Finish
CMB	Clear Maple
CGY	Custom Grey - Coordinates with SIL Metal Frame Finish
DES	Dark Espresso
DWT	Designer White - Coordinates with DWT Metal Frame Finish
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SDT	Stonedust
SOG	Storm Grey - Coordinates with CHR Metal Frame Finish
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

**Edgeband Finishes:**

AAE	Absolute Acajou
ASE	Asian Night
ACE	Avant Cherry
AHE	Avant Honey
BLK	Black
BRC	Brushed Cobalt
BZD	Blizzard
CHR	Charcoal ( <i>use w/SOG</i> )
CME	Clear Maple
DEE	Dark Espresso
DWE	Designer White
FAS	Fashionista
FCL	First Class
NEV	Nevada
QTM	Quartered Mahogany
SBY	Sheer Beauty
SIL	Silver ( <i>use w/CGY</i> )
SDT	Stonedust
TPE	Taupe
WHE	Walnut Heights
CBE	White Chocolate
WCE	Winter Cherry

**Chassis/Accent Finishes:**

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black - Coordinates with BLK Metal Frame Finish
BRC	Brushed Cobalt - Coordinates with TUN Metal Frame Finish
BZD	Blizzard
CGY	Custom Grey - Coordinates with SIL Metal Frame Finish
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White - Coordinates with DWT Metal Frame Finish
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SOG	Storm Grey - Coordinates with CHR Metal Frame Finish
SDT	Stonedust
STG	String - Coordinates with NEV Metal Frame Finish
WHC	White Chocolate
WHE	Walnut Heights
WCR	Winter Cherry

**Metal Beam Finishes:**

BLK	Black
BZD	Blizzard*
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
SDT	Stonedust*
TPE	Taupe
TUN	Tungsten


\*Textured finish

**FABRIC TABLE DIVIDERS / SEAT PRIVACY PARTITIONS**Bridges II Fabric Table Dividers are available in: **Anchorage, Lola, Merge****COLLABORATIVE SEATING**


- All standard seating fabrics and grades apply.

**30"W UNITS STORAGE CAPACITY CHART**


Side to Side




Side to Side Letter/Front to Back Legal

**36"W UNITS STORAGE CAPACITY CHART**


Side to Side Letter




Side to Side Legal



Side to Side Letter/Front to Back Legal



RECTANGULAR LEG PACKAGES



Single Line 1 Person Pod with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTS1P2484L	24 x 84 x 29	70	75	4.92	\$1687	\$165
BRTS1P2478L	24 x 78 x 29	85	72	4.82	\$1638	\$158
BRTS1P2472L	24 x 72 x 29	85	69	4.73	\$1581	\$163
BRTS1P2466L	24 x 66 x 29	85	66	4.65	\$1564	\$145
BRTS1P2463L	24 x 62.5 x 29	85	63	4.57	\$1552	\$141
BRTS1P2460L	24 x 60 x 29	85	60	4.48	\$1535	\$140
BRTS1P2454L	24 x 54 x 29	85	57	4.4	\$1482	\$122
BRTS1P2451L	24 x 50.5 x 29	85	54	4.3	\$1441	\$117
BRTS1P2448L	24 x 48 x 29	85	51	4.2	\$1403	\$111
BRTS1P2442L	24 x 42 x 29	92.5	48	4.1	\$1342	\$91
BRTS1P2436L	24 x 36 x 29	92.5	45	4	\$1258	\$78
BRTS1P3084L	30 x 84 x 29	70	84	5.2	\$1769	\$176
BRTS1P3078L	30 x 78 x 29	70	81	5.1	\$1701	\$163
BRTS1P3072L	30 x 72 x 29	70	78	5.01	\$1661	\$161
BRTS1P3066L	30 x 66 x 29	70	75	4.9	\$1621	\$155
BRTS1P3063L	30 x 62.5 x 29	70	72	4.8	\$1609	\$150
BRTS1P3060L	30 x 60 x 29	85	69	4.73	\$1593	\$145
BRTS1P3054L	30 x 54 x 29	85	66	4.6	\$1556	\$121
BRTS1P3051L	30 x 50.5 x 29	85	63	4.5	\$1528	\$127
BRTS1P3048L	30 x 48 x 29	85	60	4.41	\$1502	\$122
BRTS1P3042L	30 x 42 x 29	85	57	4.3	\$1469	\$120
BRTS1P3036L	30 x 36 x 29	85	54	4.2	\$1357	\$83

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.

- Anodized Aluminum Leg - Add **\$165.** list upcharge


Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

Optional Specifications

Anodized Aluminum Leg  
HP laminate

## RECTANGULAR LEG PACKAGES



Single Line 1 Person Pod with Casters

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTS1P2484C	24 x 84 x 29	70	75	4.92	<b>\$1769</b>	<b>\$165</b>
BRTS1P2478C	24 x 78 x 29	85	72	4.82	<b>\$1720</b>	<b>\$158</b>
BRTS1P2472C	24 x 72 x 29	85	69	4.73	<b>\$1674</b>	<b>\$155</b>
BRTS1P2466C	24 x 66 x 29	85	66	4.65	<b>\$1647</b>	<b>\$145</b>
BRTS1P2463C	24 x 62.5 x 29	85	63	4.57	<b>\$1633</b>	<b>\$141</b>
BRTS1P2460C	24 x 60 x 29	85	60	4.48	<b>\$1619</b>	<b>\$140</b>
BRTS1P2454C	24 x 54 x 29	85	57	4.4	<b>\$1564</b>	<b>\$122</b>
BRTS1P2451C	24 x 50.5 x 29	85	54	4.3	<b>\$1526</b>	<b>\$117</b>
BRTS1P2448C	24 x 48 x 29	85	51	4.2	<b>\$1485</b>	<b>\$111</b>
BRTS1P2442C	24 x 42 x 29	92.5	48	4.1	<b>\$1422</b>	<b>\$91</b>
BRTS1P2436C	24 x 36 x 29	92.5	45	4	<b>\$1343</b>	<b>\$78</b>
BRTS1P3084C	30 x 84 x 29	70	84	5.2	<b>\$1867</b>	<b>\$163</b>
BRTS1P3078C	30 x 78 x 29	70	81	5.1	<b>\$1783</b>	<b>\$163</b>
BRTS1P3072C	30 x 72 x 29	70	78	5.01	<b>\$1743</b>	<b>\$138</b>
BRTS1P3066C	30 x 66 x 29	70	75	4.9	<b>\$1704</b>	<b>\$155</b>
BRTS1P3063C	30 x 62.5 x 29	70	72	4.8	<b>\$1692</b>	<b>\$150</b>
BRTS1P3060C	30 x 60 x 29	85	69	4.73	<b>\$1675</b>	<b>\$145</b>
BRTS1P3054C	30 x 54 x 29	85	66	4.6	<b>\$1640</b>	<b>\$121</b>
BRTS1P3051C	30 x 50.5 x 29	85	63	4.5	<b>\$1611</b>	<b>\$127</b>
BRTS1P3048C	30 x 48 x 29	85	60	4.41	<b>\$1584</b>	<b>\$122</b>
BRTS1P3042C	30 x 42 x 29	85	57	4.3	<b>\$1553</b>	<b>\$120</b>
BRTS1P3036C	30 x 36 x 29	85	54	4.2	<b>\$1440</b>	<b>\$83</b>

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs.

- Anodized Aluminum Leg - Add **\$165**. list upcharge


## Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish


## Optional Specifications

Anodized Aluminum Leg  
HP laminate


RECTANGULAR LEG PACKAGES



Single Line 2 Person Pod with Levelers



Single Line 3 Person Pod with Levelers



Single Line 4 Person Pod with Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTS2P2484L	24 x 168 x 29	70	149	7.41	\$2956	\$326
BRTS2P2478L	24 x 156 x 29	70	140	7.27	\$2856	\$310
BRTS2P2472L	24 x 144 x 29	70	131	7.13	\$2767	\$302
BRTS2P2466L	24 x 132 x 29	70	122	6.95	\$2709	\$285
BRTS2P2460L	24 x 120 x 29	70	113	6.71	\$2650	\$277
BRTS2P2454L	24 x 108 x 29	70	104	6.45	\$2542	\$241
BRTS2P2448L	24 x 96 x 29	70	95	6.21	\$2386	\$217
BRTS2P3084L	30 x 168 x 29	70	173	8.25	\$3101	\$351
BRTS2P3078L	30 x 156 x 29	70	164	7.97	\$2964	\$323
BRTS2P3072L	30 x 144 x 29	70	155	7.69	\$2903	\$314
BRTS2P3066L	30 x 132 x 29	70	140	7.41	\$2805	\$302
BRTS2P3060L	30 x 120 x 29	70	131	7.13	\$2749	\$285
BRTS2P3054L	30 x 108 x 29	70	122	6.85	\$2670	\$241
BRTS2P3048L	30 x 96 x 29	70	113	6.57	\$2563	\$241
BRTS3P2484L	24 x 252 x 29	70	219	9.74	\$4227	\$487
BRTS3P2478L	24 x 234 x 29	70	206	9.53	\$4077	\$463
BRTS3P2472L	24 x 216 x 29	70	192	9.32	\$3942	\$451
BRTS3P2466L	24 x 198 x 29	70	179	9.11	\$3853	\$428
BRTS3P2460L	24 x 180 x 29	70	165	8.89	\$3770	\$392
BRTS3P2454L	24 x 162 x 29	70	152	8.68	\$3607	\$357
BRTS3P2448L	24 x 144 x 29	70	138	8.47	\$3371	\$321
BRTS3P3084L	30 x 252 x 29	65	263	11.59	\$4434	\$524
BRTS3P3078L	30 x 234 x 29	70	246	11.16	\$4229	\$484
BRTS3P3072L	30 x 216 x 29	70	229	10.72	\$4105	\$471
BRTS3P3066L	30 x 198 x 29	70	212	10.3	\$3987	\$451
BRTS3P3060L	30 x 180 x 29	70	195	9.87	\$3905	\$428
BRTS3P3054L	30 x 162 x 29	70	178	9.44	\$3789	\$357
BRTS3P3048L	30 x 144 x 29	70	161	9.01	\$3628	\$357
BRTS4P2484L	24 x 336 x 29	70	291	13.67	\$5493	\$650
BRTS4P2478L	24 x 312 x 29	70	273	13.18	\$5296	\$616
BRTS4P2472L	24 x 288 x 29	70	254	12.69	\$5147	\$609
BRTS4P2466L	24 x 264 x 29	70	236	12.2	\$4999	\$567
BRTS4P2460L	24 x 240 x 29	70	217	11.71	\$4884	\$550
BRTS4P2454L	24 x 216 x 29	70	199	11.22	\$4669	\$475
BRTS4P2448L	24 x 192 x 29	70	180	10.73	\$4355	\$428
BRTS4P3084L	30 x 336 x 29	65	345	14.87	\$5762	\$698
BRTS4P3078L	30 x 312 x 29	65	323	14.3	\$5491	\$639
BRTS4P3072L	30 x 288 x 29	70	301	13.73	\$5327	\$625
BRTS4P3066L	30 x 264 x 29	70	279	13.16	\$5170	\$598
BRTS4P3060L	30 x 240 x 29	70	257	12.59	\$5064	\$567
BRTS4P3054L	30 x 216 x 29	70	235	12.02	\$4905	\$475
BRTS4P3048L	30 x 192 x 29	70	213	11.45	\$4691	\$475

Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **\$243**. list upcharge

Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.

- Anodized Aluminum Leg - Add **\$325**. list upcharge

Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.




- Anodized Aluminum Leg - Add **\$407**. list upcharge

Required Specifications

- Top finish
- Edge finish
- Metal finish (legs)
- Beam finish

Optional Specifications

- Anodized Aluminum Leg
- HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Back-to-Back 2 Person Pod with Levelers</b></p>	BRTBAR2P2484L	50.5 x 84 x 29	70	146	9.4	<b>\$2792</b>	<b>\$326</b>
	BRTBAR2P2478L	50.5 x 78 x 29	85	137	9.2	<b>\$2691</b>	<b>\$310</b>
	BRTBAR2P2472L	50.5 x 72 x 29	85	128	9.02	<b>\$2601</b>	<b>\$302</b>
	BRTBAR2P2466L	50.5 x 66 x 29	85	119	8.76	<b>\$2542</b>	<b>\$285</b>
	BRTBAR2P2460L	50.5 x 60 x 29	85	110	8.56	<b>\$2487</b>	<b>\$277</b>
	BRTBAR2P3084L	62.5 x 84 x 29	70	174	10.4	<b>\$2875</b>	<b>\$351</b>
	BRTBAR2P3078L	62.5 x 78 x 29	70	163	9.8	<b>\$2747</b>	<b>\$310</b>
	BRTBAR2P3072L	62.5 x 72 x 29	70	152	9.54	<b>\$2659</b>	<b>\$310</b>
	BRTBAR2P3066L	62.5 x 66 x 29	70	141	9.25	<b>\$2578</b>	<b>\$302</b>
	BRTBAR2P3060L	62.5 x 60 x 29	85	130	9	<b>\$2522</b>	<b>\$285</b>
<p>Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$165</b>. list upcharge</li> </ul>							
 <p><b>Back-to-Back 2 Person Pod with Access Door and Levelers</b></p>	BRTBAR2PA2484L	50.5 x 84 x 29	70	146	9.4	<b>\$2935</b>	<b>\$583</b>
	BRTBAR2PA2478L	50.5 x 78 x 29	85	137	9.2	<b>\$2853</b>	<b>\$521</b>
	BRTBAR2PA2472L	50.5 x 72 x 29	85	128	9.02	<b>\$2792</b>	<b>\$500</b>
	BRTBAR2PA2466L	50.5 x 66 x 29	85	119	8.76	<b>\$2689</b>	<b>\$438</b>
	BRTBAR2PA2460L	50.5 x 60 x 29	85	110	8.56	<b>\$2585</b>	<b>\$397</b>
	BRTBAR2PA3084L	62.5 x 84 x 29	70	174	10.4	<b>\$3204</b>	<b>\$708</b>
	BRTBAR2PA3078L	62.5 x 78 x 29	70	163	9.8	<b>\$3101</b>	<b>\$666</b>
	BRTBAR2PA3072L	62.5 x 72 x 29	70	152	9.54	<b>\$3039</b>	<b>\$605</b>
	BRTBAR2PA3066L	62.5 x 66 x 29	70	141	9.25	<b>\$2935</b>	<b>\$542</b>
	BRTBAR2PA3060L	62.5 x 60 x 29	85	130	9	<b>\$2792</b>	<b>\$500</b>
<p>Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$165</b>. list upcharge</li> </ul>							
 <p><b>Back-to-Back 2 Person Pod with Access Doors and Levelers</b></p>	BRTBAR2PDA2484L	50.5 x 84 x 29	70	146	9.4	<b>\$3167</b>	<b>\$625</b>
	BRTBAR2PDA2478L	50.5 x 78 x 29	85	137	9.2	<b>\$3078</b>	<b>\$560</b>
	BRTBAR2PDA2472L	50.5 x 72 x 29	85	128	9.02	<b>\$3011</b>	<b>\$537</b>
	BRTBAR2PDA2466L	50.5 x 66 x 29	85	119	8.76	<b>\$2902</b>	<b>\$471</b>
	BRTBAR2PDA2460L	50.5 x 60 x 29	85	110	8.56	<b>\$2791</b>	<b>\$425</b>
	BRTBAR2PDA3084L	62.5 x 84 x 29	70	174	10.4	<b>\$3455</b>	<b>\$759</b>
	BRTBAR2PDA3078L	62.5 x 78 x 29	70	163	9.8	<b>\$3345</b>	<b>\$714</b>
	BRTBAR2PDA3072L	62.5 x 72 x 29	70	152	9.54	<b>\$3280</b>	<b>\$647</b>
	BRTBAR2PDA3066L	62.5 x 66 x 29	70	141	9.25	<b>\$3167</b>	<b>\$578</b>
	BRTBAR2PDA3060L	62.5 x 60 x 29	85	130	9	<b>\$3011</b>	<b>\$537</b>
<p>Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$165</b>. list upcharge</li> </ul>							

**Required Specifications**


Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

**Optional Specifications**


Anodized Aluminum Leg  
HP laminate




RECTANGULAR LEG PACKAGES



Back-to-Back 4 Person Pod with Levelers



Back-to-Back 4 Person Pod with Access Door and Levelers



Back-to-Back 4 Person Pod with Access Door and Levelers

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR4P2484L	50.5 x 168 x 29	70	272	15.66	\$4999	\$650
BRTBAR4P2478L	50.5 x 156 x 29	70	256	15.2	\$4800	\$616
BRTBAR4P2472L	50.5 x 144 x 29	70	240	14.74	\$4622	\$598
BRTBAR4P2466L	50.5 x 132 x 29	70	224	14.28	\$4504	\$567
BRTBAR4P2460L	50.5 x 120 x 29	70	208	13.82	\$4388	\$550
BRTBAR4P3084L	62.5 x 168 x 29	70	333	16.86	\$5206	\$698
BRTBAR4P3078L	62.5 x 156 x 29	70	313	16.32	\$4933	\$639
BRTBAR4P3072L	62.5 x 144 x 29	70	293	15.78	\$4767	\$625
BRTBAR4P3066L	62.5 x 132 x 29	70	273	15.24	\$4612	\$598
BRTBAR4P3060L	62.5 x 120 x 29	70	253	14.7	\$4504	\$567

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams.

- Anodized Aluminum Leg - Add **\$243**. list upcharge

BRTBAR4PA2484L	50.5 x 168 x 29	70	272	15.66	\$5288	\$1162
BRTBAR4PA2478L	50.5 x 156 x 29	70	256	15.2	\$5123	\$1036
BRTBAR4PA2472L	50.5 x 144 x 29	70	240	14.74	\$4999	\$994
BRTBAR4PA2466L	50.5 x 132 x 29	70	224	14.28	\$4792	\$873
BRTBAR4PA2460L	50.5 x 120 x 29	70	208	13.82	\$4585	\$791
BRTBAR4PA3084L	62.5 x 168 x 29	70	333	16.86	\$5783	\$1406
BRTBAR4PA3078L	62.5 x 156 x 29	70	313	16.32	\$5577	\$1324
BRTBAR4PA3072L	62.5 x 144 x 29	70	293	15.78	\$5455	\$1203
BRTBAR4PA3066L	62.5 x 132 x 29	70	273	15.24	\$5247	\$1078
BRTBAR4PA3060L	62.5 x 120 x 29	70	253	14.7	\$4959	\$994

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$243**. list upcharge

BRTBAR4PDA2484L	50.5 x 168 x 29	70	272	15.66	\$5706	\$1248
BRTBAR4PDA2478L	50.5 x 156 x 29	70	256	15.2	\$5527	\$1112
BRTBAR4PDA2472L	50.5 x 144 x 29	70	240	14.74	\$5393	\$1071
BRTBAR4PDA2466L	50.5 x 132 x 29	70	224	14.28	\$5173	\$932
BRTBAR4PDA2460L	50.5 x 120 x 29	70	208	13.82	\$4946	\$846
BRTBAR4PDA3084L	62.5 x 168 x 29	70	333	16.86	\$6241	\$1511
BRTBAR4PDA3078L	62.5 x 156 x 29	70	313	16.32	\$6017	\$1424
BRTBAR4PDA3072L	62.5 x 144 x 29	70	293	15.78	\$5885	\$1289
BRTBAR4PDA3066L	62.5 x 132 x 29	70	273	15.24	\$5661	\$1158
BRTBAR4PDA3060L	62.5 x 120 x 29	70	253	14.7	\$5351	\$1067

Back-to-back 4 Person workstation consists of four worksurfaces, two back-to-back outer leg assemblies, 1 back-to-back narrow leg assembly, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$243**. list upcharge


Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish


Optional Specifications

Anodized Aluminum Leg  
HP laminate


## RECTANGULAR LEG PACKAGES



Back-to-Back 6 Person Pod with Levelers



Back-to-Back 6 Person Pod with Access Door and Levelers



Back-to-Back 6 Person Pod with Access Door and Levelers

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

BRTBAR6P2484L	50.5 x 252 x 29	70	434	22.88	<b>\$7208</b>	<b>\$970</b>
BRTBAR6P2478L	50.5 x 234 x 29	70	409	22.1	<b>\$6909</b>	<b>\$922</b>
BRTBAR6P2472L	50.5 x 216 x 29	70	359	21.32	<b>\$6639</b>	<b>\$898</b>
BRTBAR6P2466L	50.5 x 198 x 29	70	329	20.54	<b>\$6465</b>	<b>\$847</b>
BRTBAR6P2460L	50.5 x 180 x 29	70	308	19.76	<b>\$6251</b>	<b>\$821</b>

BRTBAR6P3084L	62.5 x 252 x 29	70	493	24.53	<b>\$7498</b>	<b>\$1046</b>
BRTBAR6P3078L	62.5 x 234 x 29	70	462	23.75	<b>\$7088</b>	<b>\$958</b>
BRTBAR6P3072L	62.5 x 216 x 29	70	431	22.86	<b>\$6842</b>	<b>\$935</b>
BRTBAR6P3066L	62.5 x 198 x 29	70	400	21.97	<b>\$6605</b>	<b>\$898</b>
BRTBAR6P3060L	62.5 x 180 x 29	70	369	21.08	<b>\$6403</b>	<b>\$847</b>

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams.

- Anodized Aluminum Leg - Add **\$325** list upcharge

BRTBAR6PA2484L	50.5 x 252 x 29	70	434	22.88	<b>\$7643</b>	<b>\$1740</b>
BRTBAR6PA2478L	50.5 x 234 x 29	70	409	22.1	<b>\$7396</b>	<b>\$1553</b>
BRTBAR6PA2472L	50.5 x 216 x 29	70	359	21.32	<b>\$7208</b>	<b>\$1490</b>
BRTBAR6PA2466L	50.5 x 198 x 29	70	329	20.54	<b>\$6899</b>	<b>\$1305</b>
BRTBAR6PA2460L	50.5 x 180 x 29	70	308	19.76	<b>\$6548</b>	<b>\$1179</b>

BRTBAR6PA3084L	62.5 x 252 x 29	70	493	24.53	<b>\$8365</b>	<b>\$2109</b>
BRTBAR6PA3078L	62.5 x 234 x 29	70	462	23.75	<b>\$8055</b>	<b>\$1987</b>
BRTBAR6PA3072L	62.5 x 216 x 29	70	431	22.86	<b>\$7869</b>	<b>\$1800</b>
BRTBAR6PA3066L	62.5 x 198 x 29	70	400	21.97	<b>\$7560</b>	<b>\$1615</b>
BRTBAR6PA3060L	62.5 x 180 x 29	70	369	21.08	<b>\$7085</b>	<b>\$1490</b>

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$325** list upcharge

BRTBAR6PDA2484L	50.5 x 252 x 29	70	434	22.88	<b>\$8246</b>	<b>\$1862</b>
BRTBAR6PDA2478L	50.5 x 234 x 29	70	409	22.1	<b>\$7978</b>	<b>\$1668</b>
BRTBAR6PDA2472L	50.5 x 216 x 29	70	359	21.32	<b>\$7778</b>	<b>\$1603</b>
BRTBAR6PDA2466L	50.5 x 198 x 29	70	329	20.54	<b>\$7443</b>	<b>\$1338</b>
BRTBAR6PDA2460L	50.5 x 180 x 29	70	308	19.76	<b>\$7064</b>	<b>\$1269</b>

BRTBAR6PDA3084L	62.5 x 252 x 29	70	493	24.53	<b>\$9026</b>	<b>\$2267</b>
BRTBAR6PDA3078L	62.5 x 234 x 29	70	462	23.75	<b>\$8689</b>	<b>\$2132</b>
BRTBAR6PDA3072L	62.5 x 216 x 29	70	431	22.86	<b>\$8490</b>	<b>\$1931</b>
BRTBAR6PDA3066L	62.5 x 198 x 29	70	400	21.97	<b>\$8154</b>	<b>\$1731</b>
BRTBAR6PDA3060L	62.5 x 180 x 29	70	369	21.08	<b>\$7645</b>	<b>\$1600</b>

Back-to-back 6 Person workstation consists of six worksurfaces, two back-to-back outer leg assemblies, two back-to-back narrow leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add **\$325** list upcharge


## Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish


## Optional Specifications

Anodized Aluminum Leg  
HP laminate


RECTANGULAR LEG PACKAGES



Back-to-Back 8 Person Pod with Levelers



Back-to-Back 8 Person Pod with Access Door and Levelers



Back-to-Back 8 Person Pod with Access Door and Levelers

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR8P2484L	50.5 x 336 x 29	70	556	28.30	\$9417	\$1294
BRTBAR8P2478L	50.5 x 312 x 29	70	520	27.30	\$9021	\$1226
BRTBAR8P2472L	50.5 x 288 x 29	70	484	26.30	\$8657	\$1193
BRTBAR8P2466L	50.5 x 264 x 29	70	448	25.30	\$8427	\$1127
BRTBAR8P2460L	50.5 x 240 x 29	70	412	24.42	\$8235	\$1094
BRTBAR8P3084L	62.5 x 336 x 29	70	669	30.58	\$9788	\$1394
BRTBAR8P3078L	62.5 x 312 x 29	70	625	29.48	\$9243	\$1275
BRTBAR8P3072L	62.5 x 288 x 29	70	581	28.38	\$8915	\$1242
BRTBAR8P3066L	62.5 x 264 x 29	70	536	27.28	\$8599	\$1193
BRTBAR8P3060L	62.5 x 240 x 29	70	492	26.18	\$8383	\$1127

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams.

- Anodized Aluminum Leg - Add \$407. list upcharge

BRTBAR8PA2484L	50.5 x 336 x 29	70	556	28.30	\$9993	\$2316
BRTBAR8PA2478L	50.5 x 312 x 29	70	520	27.30	\$9663	\$2068
BRTBAR8PA2472L	50.5 x 288 x 29	70	484	26.30	\$9417	\$1987
BRTBAR8PA2466L	50.5 x 264 x 29	70	448	25.30	\$9003	\$1740
BRTBAR8PA2460L	50.5 x 240 x 29	70	412	24.42	\$8633	\$1572
BRTBAR8PA3084L	62.5 x 336 x 29	70	669	30.58	\$10946	\$2811
BRTBAR8PA3078L	62.5 x 312 x 29	70	625	29.48	\$10529	\$2646
BRTBAR8PA3072L	62.5 x 288 x 29	70	581	28.38	\$10283	\$2399
BRTBAR8PA3066L	62.5 x 264 x 29	70	536	27.28	\$9871	\$2151
BRTBAR8PA3060L	62.5 x 240 x 29	70	492	26.18	\$9293	\$1987

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

- Anodized Aluminum Leg - Add \$407. list upcharge

BRTBAR8PDA2484L	50.5 x 336 x 29	70	556	28.30	\$10784	\$2488
BRTBAR8PDA2478L	50.5 x 312 x 29	70	520	27.30	\$10424	\$2222
BRTBAR8PDA2472L	50.5 x 288 x 29	70	484	26.30	\$10160	\$2136
BRTBAR8PDA2466L	50.5 x 264 x 29	70	448	25.30	\$9714	\$1869
BRTBAR8PDA2460L	50.5 x 240 x 29	70	412	24.42	\$9313	\$1691
BRTBAR8PDA3084L	62.5 x 336 x 29	70	669	30.58	\$11808	\$2808
BRTBAR8PDA3078L	62.5 x 312 x 29	70	625	29.48	\$11360	\$2845
BRTBAR8PDA3072L	62.5 x 288 x 29	70	581	28.38	\$11092	\$2580
BRTBAR8PDA3066L	62.5 x 264 x 29	70	536	27.28	\$10652	\$2307
BRTBAR8PDA3060L	62.5 x 240 x 29	70	492	26.18	\$10025	\$2136

Back-to-back 8 Person workstation consists of eight worksurfaces, two back-to-back outer leg assemblies, three back-to-back narrow leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.


- Anodized Aluminum Leg - Add \$407. list upcharge

Required Specifications


Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

Optional Specifications

Anodized Aluminum Leg  
HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	BRT36P2484C	24 x 84 x 36	70	120.68	6.42	<b>\$3543</b>	<b>\$196</b>
	BRT36P2478C	24 x 78 x 36	70	114.16	6.13	<b>\$3454</b>	<b>\$183</b>
	BRT36P2472C	24 x 72 x 36	70	107.64	5.83	<b>\$3366</b>	<b>\$175</b>
	BRT36P2466C	24 x 66 x 36	70	101.12	5.62	<b>\$3300</b>	<b>\$171</b>
	BRT36P2460C	24 x 60 x 36	70	94.60	5.41	<b>\$3229</b>	<b>\$162</b>
	BRT36P2454C	24 x 54 x 36	70	88.08	5.19	<b>\$3127</b>	<b>\$141</b>
	BRT36P2448C	24 x 48 x 36	70	81.56	4.98	<b>\$2970</b>	<b>\$128</b>
	BRT36P2442C	24 x 42 x 36	70	76.04	4.76	<b>\$2865</b>	<b>\$109</b>
	BRT36P2436C	24 x 36 x 36	70	68.52	4.55	<b>\$2777</b>	<b>\$88</b>
	BRT36P3084C	30 x 84 x 36	70	148.11	7.32	<b>\$4049</b>	<b>\$210</b>
	BRT36P3078C	30 x 78 x 36	70	139.96	6.95	<b>\$3935</b>	<b>\$190</b>
	BRT36P3072C	30 x 72 x 36	70	131.81	6.59	<b>\$3837</b>	<b>\$183</b>
	BRT36P3066C	30 x 66 x 36	70	123.66	6.32	<b>\$3743</b>	<b>\$183</b>
	BRT36P3060C	30 x 60 x 36	70	115.51	6.06	<b>\$3666</b>	<b>\$171</b>
	BRT36P3054C	30 x 54 x 36	70	107.36	5.79	<b>\$3569</b>	<b>\$141</b>
	BRT36P3048C	30 x 48 x 36	70	99.21	5.53	<b>\$3415</b>	<b>\$141</b>
	BRT36P3042C	30 x 42 x 36	70	91.06	5.26	<b>\$3338</b>	<b>\$134</b>
	BRT36P3036C	30 x 36 x 36	70	83.91	5	<b>\$3197</b>	<b>\$100</b>
	BRT36P3684C	36 x 84 x 36	70	161.97	8.91	<b>\$4533</b>	<b>\$238</b>
	BRT36P3678C	36 x 78 x 36	70	152.82	8.50	<b>\$4419</b>	<b>\$225</b>
	BRT36P3672C	36 x 72 x 36	70	144.67	8.10	<b>\$4291</b>	<b>\$210</b>
	BRT36P3666C	36 x 66 x 36	70	135.52	7.79	<b>\$4174</b>	<b>\$196</b>
	BRT36P3660C	36 x 60 x 36	70	126.37	7.48	<b>\$4045</b>	<b>\$175</b>
	BRT36P3654C	36 x 54 x 36	70	118.22	7.18	<b>\$3917</b>	<b>\$162</b>
	BRT36P3648C	36 x 48 x 36	70	109.07	6.87	<b>\$3741</b>	<b>\$141</b>
	BRT36P3642C	36 x 42 x 36	70	99.92	6.56	<b>\$3620</b>	<b>\$128</b>
	Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam. 40mm dia. locking casters with 8mm thread, white body and grey tires.						
	• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.						
	• Anodized Aluminum Leg - Add <b>\$165</b> . list upcharge						

36"H Single Table with Casters

	BRT36P2484L	24 x 84 x 36	70	120.20	6.42	<b>\$3426</b>	<b>\$196</b>
	BRT36P2478L	24 x 78 x 36	70	113.68	6.13	<b>\$3341</b>	<b>\$183</b>
	BRT36P2472L	24 x 72 x 36	70	107.16	5.83	<b>\$3249</b>	<b>\$175</b>
	BRT36P2466L	24 x 66 x 36	70	100.64	5.62	<b>\$3186</b>	<b>\$171</b>
	BRT36P2460L	24 x 60 x 36	70	94.12	5.41	<b>\$3111</b>	<b>\$162</b>
	BRT36P2454L	24 x 54 x 36	70	87.60	5.19	<b>\$3010</b>	<b>\$141</b>
	BRT36P2448L	24 x 48 x 36	70	81.08	4.98	<b>\$2853</b>	<b>\$128</b>
	BRT36P2442L	24 x 42 x 36	70	75.56	4.76	<b>\$2749</b>	<b>\$109</b>
	BRT36P2436L	24 x 36 x 36	85	68.04	4.55	<b>\$2660</b>	<b>\$88</b>
	BRT36P3084L	30 x 84 x 36	70	147.63	7.32	<b>\$3931</b>	<b>\$210</b>
	BRT36P3078L	30 x 78 x 36	70	139.48	6.96	<b>\$3820</b>	<b>\$190</b>
	BRT36P3072L	30 x 72 x 36	70	131.33	6.59	<b>\$3721</b>	<b>\$183</b>
	BRT36P3066L	30 x 66 x 36	70	123.18	6.32	<b>\$3629</b>	<b>\$183</b>
	BRT36P3060L	30 x 60 x 36	70	115.03	6.06	<b>\$3549</b>	<b>\$171</b>
	BRT36P3054L	30 x 54 x 36	70	106.88	5.79	<b>\$3451</b>	<b>\$141</b>
	BRT36P3048L	30 x 48 x 36	70	98.73	5.53	<b>\$3300</b>	<b>\$141</b>
	BRT36P3042L	30 x 42 x 36	70	90.58	5.26	<b>\$3221</b>	<b>\$134</b>
	BRT36P3036L	30 x 36 x 36	70	83.43	5	<b>\$3082</b>	<b>\$100</b>
	BRT36P3684L	36 x 84 x 36	70	161.49	8.91	<b>\$4420</b>	<b>\$238</b>
	BRT36P3678L	36 x 78 x 36	70	152.34	8.50	<b>\$4302</b>	<b>\$225</b>
	BRT36P3672L	36 x 72 x 36	70	144.19	8.10	<b>\$4177</b>	<b>\$210</b>
	BRT36P3666L	36 x 66 x 36	70	135.04	7.79	<b>\$4056</b>	<b>\$196</b>
	BRT36P3660L	36 x 60 x 36	70	125.89	7.48	<b>\$3930</b>	<b>\$175</b>
	BRT36P3654L	36 x 54 x 36	70	117.74	7.18	<b>\$3798</b>	<b>\$162</b>
	BRT36P3648L	36 x 48 x 36	70	108.59	6.87	<b>\$3628</b>	<b>\$141</b>
	BRT36P3642L	36 x 42 x 36	70	99.44	6.56	<b>\$3505</b>	<b>\$128</b>
	Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams, and one bottom table beam.						
	• 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.						
	• Anodized Aluminum Leg - Add <b>\$165</b> . list upcharge						

36"H Single Table with Levelers

**Required Specifications**

Top finish  
Edge finish  
Metal finish (legs)

**Optional Specifications**

Anodized Aluminum Leg  
HP laminate

RECTANGULAR LEG PACKAGES


MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE HP ADD

D x W x H

BRT36A2484L	24 x 84 x 36	70	106.36	4.74	\$2769	\$196
BRT36A2478L	24 x 78 x 36	70	99.84	4.45	\$2687	\$183
BRT36A2472L	24 x 72 x 36	70	93.32	4.15	\$2596	\$175
BRT36A2466L	24 x 66 x 36	70	86.80	3.94	\$2533	\$171
BRT36A2460L	24 x 60 x 36	70	80.28	3.73	\$2457	\$162
BRT36A2454L	24 x 54 x 36	70	73.76	3.51	\$2355	\$141
BRT36A2448L	24 x 48 x 36	70	67.24	3.30	\$2200	\$128
BRT36A2442L	24 x 42 x 36	70	61.72	3.08	\$2096	\$109
BRT36A2436L	24 x 36 x 36	70	54.20	2.87	\$2007	\$88

BRT36A3084L	30 x 84 x 36	65	131.77	5.56	\$3238	\$210
BRT36A3078L	30 x 78 x 36	65	123.62	5.19	\$3124	\$190
BRT36A3072L	30 x 72 x 36	65	115.47	4.83	\$3026	\$183
BRT36A3066L	30 x 66 x 36	65	107.32	4.56	\$2934	\$183
BRT36A3060L	30 x 60 x 36	65	99.17	4.30	\$2853	\$171
BRT36A3054L	30 x 54 x 36	65	91.02	4.03	\$2757	\$141
BRT36A3048L	30 x 48 x 36	70	82.87	3.77	\$2604	\$141
BRT36A3042L	30 x 42 x 36	70	74.72	3.50	\$2525	\$134
BRT36A3036L	30 x 36 x 36	70	67.57	3.24	\$2386	\$100

BRT36A3684L	36 x 84 x 36	70	143.70	6.65	\$3627	\$238
BRT36A3678L	36 x 78 x 36	70	134.55	6.24	\$3508	\$225
BRT36A3672L	36 x 72 x 36	70	126.40	5.84	\$3382	\$210
BRT36A3666L	36 x 66 x 36	70	117.25	5.53	\$3263	\$196
BRT36A3660L	36 x 60 x 36	70	108.10	5.22	\$3136	\$175
BRT36A3654L	36 x 54 x 36	70	99.95	4.92	\$3005	\$162
BRT36A3648L	36 x 48 x 36	70	90.80	4.61	\$2831	\$141
BRT36A3642L	36 x 42 x 36	70	81.65	4.30	\$2711	\$128




36"H Add-On with Levelers

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.  
• 24"D tables include 3 horizontal structural beams. 30"/36" D tables include 4 horizontal structural beams.  
• Anodized Aluminum Leg - Add \$83. list upcharge

BRT42P2484C	24 x 84 x 42	70	122.58	6.98	\$3604	\$196
BRT42P2478C	24 x 78 x 42	70	116.06	6.69	\$3521	\$183
BRT42P2472C	24 x 72 x 42	70	109.54	6.39	\$3430	\$175
BRT42P2466C	24 x 66 x 42	70	103.02	6.18	\$3366	\$171
BRT42P2460C	24 x 60 x 42	70	96.50	5.97	\$3291	\$162
BRT42P2454C	24 x 54 x 42	70	89.98	5.75	\$3191	\$141
BRT42P2448C	24 x 48 x 42	70	83.46	5.54	\$3034	\$128
BRT42P2442C	24 x 42 x 42	85	77.94	5.32	\$2931	\$109
BRT42P2436C	24 x 36 x 42	85	70.42	5.11	\$2842	\$88

BRT42P3084C	30 x 84 x 42	70	150.01	7.92	\$4112	\$210
BRT42P3078C	30 x 78 x 42	70	141.86	7.55	\$4000	\$190
BRT42P3072C	30 x 72 x 42	70	133.71	7.19	\$3901	\$183
BRT42P3066C	30 x 66 x 42	70	125.56	6.92	\$3808	\$183
BRT42P3060C	30 x 60 x 42	70	117.41	6.66	\$3731	\$171
BRT42P3054C	30 x 54 x 42	70	109.26	6.39	\$3631	\$141
BRT42P3048C	30 x 48 x 42	70	101.11	6.13	\$3482	\$141
BRT42P3042C	30 x 42 x 42	70	92.96	5.86	\$3402	\$134
BRT42P3036C	30 x 36 x 42	70	85.81	5.60	\$3263	\$100

BRT42P3684C	36 x 84 x 42	70	163.87	9.69	\$4599	\$238
BRT42P3678C	36 x 78 x 42	70	154.72	9.28	\$4482	\$225
BRT42P3672C	36 x 72 x 42	70	146.57	8.88	\$4356	\$210
BRT42P3666C	36 x 66 x 42	70	137.42	8.57	\$4236	\$196
BRT42P3660C	36 x 60 x 42	70	128.27	8.26	\$4110	\$175
BRT42P3654C	36 x 54 x 42	70	120.12	7.96	\$3980	\$162
BRT42P3648C	36 x 48 x 42	85	110.97	7.65	\$3806	\$141
BRT42P3642C	36 x 42 x 42	85	101.82	7.34	\$3684	\$128



42"H Pod with Casters


Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.  
40mm dia. locking casters with 8mm thread, white body and grey tires.  
• 24"D tables include 3 horizontal structural beams. 30"/36" D tables include 4 horizontal structural beams.  
• Anodized Aluminum Leg - Add \$165. list upcharge

Required Specifications

Top finish  
Edge finish  
Metal finish (legs)

Optional Specifications


Anodized Aluminum Leg  
HP laminate

RECTANGULAR LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	<b>D x W x H</b>						
	BRT42P2484L	24 x 84 x 42	70	122.10	6.98	<b>\$3491</b>	<b>\$196</b>
	BRT42P2478L	24 x 78 x 42	70	115.58	6.69	<b>\$3405</b>	<b>\$183</b>
	BRT42P2472L	24 x 72 x 42	70	109.06	6.39	<b>\$3315</b>	<b>\$175</b>
	BRT42P2466L	24 x 66 x 42	70	102.54	6.18	<b>\$3249</b>	<b>\$171</b>
	BRT42P2460L	24 x 60 x 42	70	96.02	5.97	<b>\$3178</b>	<b>\$162</b>
	BRT42P2454L	24 x 54 x 42	70	89.50	5.75	<b>\$3075</b>	<b>\$141</b>
	BRT42P2448L	24 x 48 x 42	85	82.98	5.54	<b>\$2918</b>	<b>\$128</b>
	BRT42P2442L	24 x 42 x 42	85	77.46	5.32	<b>\$2814</b>	<b>\$109</b>
	BRT42P2436L	24 x 36 x 42	85	69.94	5.11	<b>\$2726</b>	<b>\$88</b>
	BRT42P3084L	30 x 84 x 42	70	149.53	7.92	<b>\$4001</b>	<b>\$210</b>
	BRT42P3078L	30 x 78 x 42	70	141.38	7.55	<b>\$3887</b>	<b>\$190</b>
	BRT42P3072L	30 x 72 x 42	70	133.23	7.19	<b>\$3789</b>	<b>\$183</b>
	BRT42P3066L	30 x 66 x 42	70	125.08	6.92	<b>\$3696</b>	<b>\$183</b>
	BRT42P3060L	30 x 60 x 42	70	116.93	6.66	<b>\$3617</b>	<b>\$171</b>
	BRT42P3054L	30 x 54 x 42	70	108.78	6.39	<b>\$3519</b>	<b>\$141</b>
	BRT42P3048L	30 x 48 x 42	70	100.63	6.13	<b>\$3369</b>	<b>\$141</b>
	BRT42P3042L	30 x 42 x 42	70	92.48	5.86	<b>\$3289</b>	<b>\$134</b>
	BRT42P3036L	30 x 36 x 42	70	85.33	5.60	<b>\$3151</b>	<b>\$100</b>
	BRT42P3684L	36 x 84 x 42	70	163.39	9.69	<b>\$4485</b>	<b>\$238</b>
	BRT42P3678L	36 x 78 x 42	70	154.24	9.28	<b>\$4367</b>	<b>\$225</b>
	BRT42P3672L	36 x 72 x 42	70	146.09	8.88	<b>\$4240</b>	<b>\$210</b>
	BRT42P3666L	36 x 66 x 42	70	136.94	8.57	<b>\$4123</b>	<b>\$196</b>
	BRT42P3660L	36 x 60 x 42	70	127.79	8.26	<b>\$3994</b>	<b>\$175</b>
	BRT42P3654L	36 x 54 x 42	70	119.64	7.96	<b>\$3864</b>	<b>\$162</b>
	BRT42P3648L	36 x 48 x 42	85	110.49	7.65	<b>\$3690</b>	<b>\$141</b>
	BRT42P3642L	36 x 42 x 42	85	101.34	7.34	<b>\$3571</b>	<b>\$128</b>

**42"H Pod with Levelers**

Single table assembly consists of one worksurface, two H leg assemblies, horizontal structural beams and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$165**. list upcharge

	BRT42A2484L	24 x 84 x 42	70	107.31	5.02	<b>\$2803</b>	<b>\$196</b>
	BRT42A2478L	24 x 78 x 42	70	100.79	4.73	<b>\$2717</b>	<b>\$183</b>
	BRT42A2472L	24 x 72 x 42	70	94.27	4.43	<b>\$2631</b>	<b>\$175</b>
	BRT42A2466L	24 x 66 x 42	70	87.75	4.22	<b>\$2563</b>	<b>\$171</b>
	BRT42A2460L	24 x 60 x 42	70	81.23	4.01	<b>\$2492</b>	<b>\$162</b>
	BRT42A2454L	24 x 54 x 42	70	74.71	3.79	<b>\$2389</b>	<b>\$141</b>
	BRT42A2448L	24 x 48 x 42	70	68.19	3.58	<b>\$2234</b>	<b>\$128</b>
	BRT42A2442L	24 x 42 x 42	70	62.67	3.36	<b>\$2035</b>	<b>\$109</b>
	BRT42A2436L	24 x 36 x 42	70	55.15	3.15	<b>\$1952</b>	<b>\$88</b>
	BRT42A3084L	30 x 84 x 42	65	132.72	5.86	<b>\$3271</b>	<b>\$210</b>
	BRT42A3078L	30 x 78 x 42	65	124.57	5.49	<b>\$3157</b>	<b>\$190</b>
	BRT42A3072L	30 x 72 x 42	65	116.42	5.13	<b>\$3057</b>	<b>\$183</b>
	BRT42A3066L	30 x 66 x 42	70	108.27	4.86	<b>\$2967</b>	<b>\$183</b>
	BRT42A3060L	30 x 60 x 42	70	100.12	4.60	<b>\$2889</b>	<b>\$171</b>
	BRT42A3054L	30 x 54 x 42	70	91.97	4.33	<b>\$2791</b>	<b>\$141</b>
	BRT42A3048L	30 x 48 x 42	70	83.82	4.07	<b>\$2639</b>	<b>\$141</b>
	BRT42A3042L	30 x 42 x 42	70	75.67	3.80	<b>\$2560</b>	<b>\$134</b>
	BRT42A3036L	30 x 36 x 42	70	68.52	3.54	<b>\$2419</b>	<b>\$100</b>
	BRT42A3684L	36 x 84 x 42	70	114.65	7.04	<b>\$3656</b>	<b>\$238</b>
	BRT42A3678L	36 x 78 x 42	70	135.50	6.63	<b>\$3543</b>	<b>\$225</b>
	BRT42A3672L	36 x 72 x 42	70	127.35	6.23	<b>\$3414</b>	<b>\$210</b>
	BRT42A3666L	36 x 66 x 42	70	118.20	5.92	<b>\$3297</b>	<b>\$196</b>
	BRT42A3660L	36 x 60 x 42	70	109.05	5.61	<b>\$3167</b>	<b>\$175</b>
	BRT42A3654L	36 x 54 x 42	70	100.90	5.31	<b>\$3038</b>	<b>\$162</b>
	BRT42A3648L	36 x 48 x 42	70	91.75	5	<b>\$2864</b>	<b>\$141</b>
	BRT42A3642L	36 x 42 x 42	70	82.60	4.69	<b>\$2742</b>	<b>\$128</b>

**42"H Add-On with Levelers**

Single table assembly consists of one worksurface, one H leg assembly, horizontal structural beams, and one bottom table beam.

- 24"D tables include 3 horizontal structural beams. 30"/36"D tables include 4 horizontal structural beams.
- Anodized Aluminum Leg - Add **\$83**. list upcharge

**Required Specifications**

Top finish  
Edge finish  
Metal finish (legs)

**Optional Specifications**

Anodized Aluminum Leg  
HP laminate




## MODEL#

## DIMENSIONS

**FREIGHT CLASS**

## WT/LBS.


## CUBIC FT.

**LIST PRICE****HP ADD**

### Single Line 1 Person Pod with Levelers Round Leg

D x W x H						
BRTS1P2484LR	24 x 84 x 29	70	75	4.92	\$1739	\$165
BRTS1P2478LR	24 x 78 x 29	85	72	4.82	\$1687	\$158
BRTS1P2472LR	24 x 72 x 29	85	69	4.73	\$1644	\$155
BRTS1P2466LR	24 x 66 x 29	85	66	4.65	\$1613	\$145
BRTS1P2463LR	24 x 62.5 x 29	85	63	4.57	\$1600	\$141
BRTS1P2460LR	24 x 60 x 29	85	60	4.48	\$1584	\$140
BRTS1P2454LR	24 x 54 x 29	85	57	4.40	\$1552	\$101
BRTS1P2451LR	24 x 50.5 x 29	85	54	4.30	\$1490	\$94
BRTS1P2448LR	24 x 48 x 29	85	51	4.20	\$1453	\$111
BRTS1P2442LR	24 x 42 x 29	92.5	48	4.10	\$1392	\$70
BRTS1P2436LR	24 x 36 x 29	92.5	45	4	\$1346	\$49
BRTS1P3084LR	30 x 84 x 29	70	75	4.92	\$1777	\$176
BRTS1P3078LR	30 x 78 x 29	85	72	4.82	\$1711	\$163
BRTS1P3072LR	30 x 72 x 29	85	69	4.73	\$1668	\$138
BRTS1P3066LR	30 x 66 x 29	85	66	4.65	\$1631	\$155
BRTS1P3063LR	30 x 62.5 x 29	85	63	4.57	\$1619	\$150
BRTS1P3060LR	30 x 60 x 29	85	60	4.48	\$1603	\$123
BRTS1P3054LR	30 x 54 x 29	85	57	4.40	\$1564	\$122
BRTS1P3051LR	30 x 50.5 x 29	85	54	4.30	\$1537	\$127
BRTS1P3048LR	30 x 48 x 29	85	51	4.20	\$1488	\$122
BRTS1P3042LR	30 x 42 x 29	92.5	48	4.10	\$1458	\$120
BRTS1P3036LR	30 x 36 x 29	92.5	45	4	\$1305	\$87

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam.



### Single Line 1 Person Pod with Casters Round Leg




BRTS1P2484CR	24 x 84 x 29	70	75	4.92	<b>\$1835</b>	<b>\$165</b>
BRTS1P2478CR	24 x 78 x 29	85	72	4.82	<b>\$1788</b>	<b>\$158</b>
BRTS1P2472CR	24 x 72 x 29	85	69	4.73	<b>\$1742</b>	<b>\$155</b>
BRTS1P2466CR	24 x 66 x 29	85	66	4.65	<b>\$1714</b>	<b>\$145</b>
BRTS1P2463CR	24 x 62.5 x 29	85	63	4.57	<b>\$1701</b>	<b>\$141</b>
BRTS1P2460CR	24 x 60 x 29	85	60	4.48	<b>\$1684</b>	<b>\$140</b>
BRTS1P2454CR	24 x 54 x 29	85	57	4.40	<b>\$1649</b>	<b>\$101</b>
BRTS1P2451CR	24 x 50.5 x 29	85	54	4.30	<b>\$1591</b>	<b>\$94</b>
BRTS1P2448CR	24 x 48 x 29	85	51	4.20	<b>\$1552</b>	<b>\$111</b>
BRTS1P2442CR	24 x 42 x 29	92.5	48	4.10	<b>\$1488</b>	<b>\$70</b>
BRTS1P2436CR	24 x 36 x 29	92.5	45	4	<b>\$1446</b>	<b>\$49</b>
BRTS1P3084CR	30 x 84 x 29	70	75	4.92	<b>\$1877</b>	<b>\$176</b>
BRTS1P3078CR	30 x 78 x 29	85	72	4.82	<b>\$1809</b>	<b>\$163</b>
BRTS1P3072CR	30 x 72 x 29	85	69	4.73	<b>\$1772</b>	<b>\$136</b>
BRTS1P3066CR	30 x 66 x 29	85	66	4.65	<b>\$1728</b>	<b>\$155</b>
BRTS1P3063CR	30 x 62.5 x 29	85	63	4.57	<b>\$1716</b>	<b>\$150</b>
BRTS1P3060CR	30 x 60 x 29	85	60	4.48	<b>\$1701</b>	<b>\$123</b>
BRTS1P3054CR	30 x 54 x 29	85	57	4.40	<b>\$1663</b>	<b>\$122</b>
BRTS1P3051CR	30 x 50.5 x 29	85	54	4.30	<b>\$1634</b>	<b>\$127</b>
BRTS1P3048CR	30 x 48 x 29	85	51	4.20	<b>\$1589</b>	<b>\$122</b>
BRTS1P3042CR	30 x 42 x 29	92.5	48	4.10	<b>\$1556</b>	<b>\$120</b>
BRTS1P3036CR	30 x 36 x 29	92.5	45	4	<b>\$1404</b>	<b>\$87</b>

Single Line Table Assemblies consist of one worksurface, two leg assemblies, and one supporting structural beam. 40mm locking casters with grey tires; steel horizontal beams, aluminum legs.

## Optional Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

Anodized Aluminum Leg  
HP laminate

ROUND LEG PACKAGES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Single Line 2 Person Pod with Levelers Round Leg</b></p>	BRTS2P2484LR	24 x 168 x 29	70	149	7.41	<b>\$3049</b>	<b>\$310</b>
	BRTS2P2478LR	24 x 156 x 29	70	140	7.27	<b>\$2931</b>	<b>\$310</b>
	BRTS2P2472LR	24 x 144 x 29	70	131	7.13	<b>\$2841</b>	<b>\$302</b>
	BRTS2P2466LR	24 x 132 x 29	70	122	6.95	<b>\$2792</b>	<b>\$277</b>
	BRTS2P2460LR	24 x 120 x 29	70	113	6.71	<b>\$2726</b>	<b>\$277</b>
	BRTS2P2454LR	24 x 108 x 29	70	104	6.45	<b>\$2617</b>	<b>\$241</b>
	BRTS2P2448LR	24 x 96 x 29	70	95	6.21	<b>\$2460</b>	<b>\$217</b>
	BRTS2P3084LR	30 x 168 x 29	70	173	8.25	<b>\$3112</b>	<b>\$351</b>
	BRTS2P3078LR	30 x 156 x 29	70	164	7.97	<b>\$2976</b>	<b>\$323</b>
	BRTS2P3072LR	30 x 144 x 29	70	155	7.69	<b>\$2893</b>	<b>\$314</b>
	BRTS2P3066LR	30 x 132 x 29	70	140	7.41	<b>\$2815</b>	<b>\$302</b>
	BRTS2P3060LR	30 x 120 x 29	70	131	7.13	<b>\$2763</b>	<b>\$285</b>
	BRTS2P3054LR	30 x 108 x 29	70	122	6.85	<b>\$2685</b>	<b>\$241</b>
	BRTS2P3048LR	30 x 96 x 29	70	113	6.57	<b>\$2578</b>	<b>\$241</b>
Single Line 2 Person workstation consists of two worksurfaces, three leg assemblies, and two supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.							
 <p><b>Single Line 3 Person Pod with Levelers Round Leg</b></p>	BRTS3P2484LR	24 x 252 x 29	70	219	9.74	<b>\$4325</b>	<b>\$487</b>
	BRTS3P2478LR	24 x 234 x 29	70	206	9.53	<b>\$4176</b>	<b>\$463</b>
	BRTS3P2472LR	24 x 216 x 29	70	192	9.32	<b>\$4040</b>	<b>\$451</b>
	BRTS3P2466LR	24 x 198 x 29	70	179	9.11	<b>\$3954</b>	<b>\$428</b>
	BRTS3P2460LR	24 x 180 x 29	70	165	8.89	<b>\$3866</b>	<b>\$414</b>
	BRTS3P2454LR	24 x 162 x 29	70	152	8.68	<b>\$3706</b>	<b>\$357</b>
	BRTS3P2448LR	24 x 144 x 29	70	138	8.47	<b>\$3471</b>	<b>\$321</b>
	BRTS3P3084LR	30 x 263 x 29	65	263	11.59	<b>\$4448</b>	<b>\$524</b>
	BRTS3P3078LR	30 x 234 x 29	70	246	11.16	<b>\$4243</b>	<b>\$484</b>
	BRTS3P3072LR	30 x 216 x 29	70	229	10.72	<b>\$4121</b>	<b>\$471</b>
	BRTS3P3066LR	30 x 198 x 29	70	212	10.30	<b>\$4003</b>	<b>\$451</b>
	BRTS3P3060LR	30 x 180 x 29	70	195	9.87	<b>\$3922</b>	<b>\$428</b>
	BRTS3P3054LR	30 x 162 x 29	70	178	9.44	<b>\$3805</b>	<b>\$357</b>
	BRTS3P3048LR	30 x 144 x 29	70	161	9.01	<b>\$3643</b>	<b>\$357</b>
Single Line 3 Person workstation consists of three worksurfaces, four leg assemblies, and three supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.							
 <p><b>Single Line 4 Person Pod with Levelers Round Leg</b></p>	BRTS4P2484LR	24 x 336 x 29	70	291	13.67	<b>\$5619</b>	<b>\$650</b>
	BRTS4P2478LR	24 x 312 x 29	70	273	13.18	<b>\$5420</b>	<b>\$616</b>
	BRTS4P2472LR	24 x 288 x 29	70	254	12.69	<b>\$5240</b>	<b>\$598</b>
	BRTS4P2466LR	24 x 264 x 29	70	236	12.20	<b>\$5123</b>	<b>\$567</b>
	BRTS4P2460LR	24 x 240 x 29	70	217	11.71	<b>\$4991</b>	<b>\$567</b>
	BRTS4P2454LR	24 x 216 x 29	70	199	11.22	<b>\$4792</b>	<b>\$475</b>
	BRTS4P2448LR	24 x 192 x 29	70	180	10.73	<b>\$4429</b>	<b>\$475</b>
	BRTS4P3084LR	30 x 336 x 29	65	345	14.87	<b>\$5783</b>	<b>\$698</b>
	BRTS4P3078LR	30 x 312 x 29	65	323	14.30	<b>\$5513</b>	<b>\$639</b>
	BRTS4P3072LR	30 x 288 x 29	70	301	13.73	<b>\$5347</b>	<b>\$625</b>
	BRTS4P3066LR	30 x 264 x 29	70	279	13.16	<b>\$5188</b>	<b>\$598</b>
	BRTS4P3060LR	30 x 240 x 29	70	257	12.59	<b>\$5081</b>	<b>\$567</b>
	BRTS4P3054LR	30 x 216 x 29	70	235	12.02	<b>\$4925</b>	<b>\$475</b>
	BRTS4P3048LR	30 x 192 x 29	70	213	11.45	<b>\$4710</b>	<b>\$475</b>
Single Line 4 Person workstation consists of four worksurfaces, five leg assemblies, and four supporting structural beams. One leg can be shared by 2 adjoining worksurfaces.							

**Required Specifications**


Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

**Optional Specifications**


Anodized Aluminum Leg  
HP laminate




ROUND LEG PACKAGES




Back-to-Back 2 Person Pod with Levelers Round Leg



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 2 Person Pod with Access Door and Levelers, Round Leg



Back-to-Back 4 Person Pod with Levelers Round Leg

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTBAR2P2484LR	50.5 x 84 x 29	70	146	9.40	\$2836	\$326
BRTBAR2P2478LR	50.5 x 78 x 29	85	137	9.20	\$2759	\$310
BRTBAR2P2472LR	50.5 x 72 x 29	85	128	9.02	\$2667	\$302
BRTBAR2P2466LR	50.5 x 66 x 29	85	119	8.76	\$2608	\$285
BRTBAR2P2460LR	50.5 x 60 x 29	85	110	8.56	\$2552	\$277
BRTBAR2P3084LR	62.5 x 84 x 29	70	174	10.40	\$2941	\$351
BRTBAR2P3078LR	62.5 x 78 x 29	70	163	9.80	\$2805	\$323
BRTBAR2P3072LR	62.5 x 72 x 29	70	152	9.54	\$2721	\$302
BRTBAR2P3066LR	62.5 x 66 x 29	70	141	9.25	\$2643	\$302
BRTBAR2P3060LR	62.5 x 60 x 29	85	130	9	\$2373	\$500

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams.

BRTBAR2PA2484LR	50.5 x 84 x 29	70	146	9.40	\$2981	\$583
BRTBAR2PA2478LR	50.5 x 78 x 29	85	137	9.20	\$2918	\$521
BRTBAR2PA2472LR	50.5 x 72 x 29	85	128	9.02	\$2856	\$500
BRTBAR2PA2466LR	50.5 x 66 x 29	85	119	8.76	\$2752	\$438
BRTBAR2PA2460LR	50.5 x 60 x 29	85	110	8.56	\$2650	\$397
BRTBAR2PA3084LR	62.5 x 84 x 29	70	174	10.40	\$3230	\$708
BRTBAR2PA3078LR	62.5 x 78 x 29	70	163	9.80	\$3127	\$666
BRTBAR2PA3072LR	62.5 x 72 x 29	70	152	9.54	\$3061	\$605
BRTBAR2PA3066LR	62.5 x 66 x 29	70	141	9.25	\$2959	\$542
BRTBAR2PA3060LR	62.5 x 60 x 29	85	130	9	\$2815	\$500

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

BRTBAR2PDA2484LR	50.5 x 84 x 29	70	146	9.40	\$3216	\$627
BRTBAR2PDA2478LR	50.5 x 78 x 29	85	137	9.20	\$3151	\$559
BRTBAR2PDA2472LR	50.5 x 72 x 29	85	128	9.02	\$3080	\$537
BRTBAR2PDA2466LR	50.5 x 66 x 29	85	119	8.76	\$2972	\$469
BRTBAR2PDA2460LR	50.5 x 60 x 29	85	110	8.56	\$2862	\$429
BRTBAR2PDA3084LR	62.5 x 84 x 29	70	174	10.40	\$3483	\$759
BRTBAR2PDA3078LR	62.5 x 78 x 29	70	163	9.80	\$3372	\$714
BRTBAR2PDA3072LR	62.5 x 72 x 29	70	152	9.54	\$3302	\$651
BRTBAR2PDA3066LR	62.5 x 66 x 29	70	141	9.25	\$3193	\$582
BRTBAR2PDA3060LR	62.5 x 60 x 29	85	130	9	\$3037	\$538

Back-to-back 2 Person workstation consists of two worksurfaces, two back-to-back leg assemblies, and two supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

BRTBAR4P2484LR	50.5 x 168 x 29	70	272	15.66	\$5140	\$650
BRTBAR4P2478LR	50.5 x 156 x 29	70	256	15.20	\$4941	\$616
BRTBAR4P2472LR	50.5 x 144 x 29	70	240	14.74	\$4760	\$598
BRTBAR4P2466LR	50.5 x 132 x 29	70	224	14.28	\$4645	\$567
BRTBAR4P2460LR	50.5 x 120 x 29	70	208	13.82	\$4529	\$550
BRTBAR4P3084LR	62.5 x 168 x 29	70	333	16.86	\$5306	\$698
BRTBAR4P3078LR	62.5 x 156 x 29	70	313	16.32	\$5033	\$639
BRTBAR4P3072LR	62.5 x 144 x 29	70	293	15.78	\$4869	\$625
BRTBAR4P3066LR	62.5 x 132 x 29	70	273	15.24	\$4669	\$598
BRTBAR4P3060LR	62.5 x 120 x 29	70	253	14.70	\$4645	\$567




Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams.

Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

Optional Specifications

Anodized Aluminum Leg  
HP laminate

ROUND LEG PACKAGES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTBAR4PA2484LR	50.5 x 168 x 29	70	272	15.66	<b>\$5288</b>	<b>\$1162</b>
	BRTBAR4PA2478LR	50.5 x 156 x 29	70	256	15.20	<b>\$5123</b>	<b>\$1036</b>
	BRTBAR4PA2472LR	50.5 x 144 x 29	70	240	14.74	<b>\$4999</b>	<b>\$994</b>
	BRTBAR4PA2466LR	50.5 x 132 x 29	70	224	14.28	<b>\$4792</b>	<b>\$873</b>
	BRTBAR4PA2460LR	50.5 x 120 x 29	70	208	13.82	<b>\$4585</b>	<b>\$791</b>
	BRTBAR4PA3084LR	62.5 x 168 x 29	70	333	16.86	<b>\$5783</b>	<b>\$1406</b>
	BRTBAR4PA3078LR	62.5 x 156 x 29	70	313	16.32	<b>\$5577</b>	<b>\$1324</b>
	BRTBAR4PA3072LR	62.5 x 144 x 29	70	293	15.78	<b>\$5455</b>	<b>\$1203</b>
	BRTBAR4PA3066LR	62.5 x 132 x 29	70	273	15.24	<b>\$5247</b>	<b>\$1078</b>
	BRTBAR4PA3060LR	62.5 x 120 x 29	70	253	14.70	<b>\$4959</b>	<b>\$994</b>
<p>Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p>							
	BRTBAR4PDA2484LR	50.5 x 168 x 29	70	272	15.66	<b>\$5856</b>	<b>\$1248</b>
	BRTBAR4PDA2478LR	50.5 x 156 x 29	70	256	15.20	<b>\$5678</b>	<b>\$1113</b>
	BRTBAR4PDA2472LR	50.5 x 144 x 29	70	240	14.74	<b>\$5544</b>	<b>\$1070</b>
	BRTBAR4PDA2466LR	50.5 x 132 x 29	70	224	14.28	<b>\$5420</b>	<b>\$937</b>
	BRTBAR4PDA2460LR	50.5 x 120 x 29	70	208	13.82	<b>\$5100</b>	<b>\$847</b>
	BRTBAR4PDA3084LR	62.5 x 168 x 29	70	333	16.86	<b>\$6346</b>	<b>\$1514</b>
	BRTBAR4PDA3078LR	62.5 x 156 x 29	70	313	16.32	<b>\$6123</b>	<b>\$1424</b>
	BRTBAR4PDA3072LR	62.5 x 144 x 29	70	293	15.78	<b>\$5989</b>	<b>\$1289</b>
	BRTBAR4PDA3066LR	62.5 x 132 x 29	70	273	15.24	<b>\$5856</b>	<b>\$1067</b>
	BRTBAR4PDA3060LR	62.5 x 120 x 29	70	253	14.70	<b>\$5500</b>	<b>\$1070</b>
<p>Back-to-back 4 Person workstation consists of four worksurfaces, three back-to-back outer leg assemblies, and four supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.</p>							
	BRTBAR6P2484LR	50.5 x 252 x 29	70	434	22.88	<b>\$7422</b>	<b>\$970</b>
	BRTBAR6P2478LR	50.5 x 234 x 29	70	409	22.10	<b>\$7125</b>	<b>\$922</b>
	BRTBAR6P2472LR	50.5 x 216 x 29	70	359	21.32	<b>\$6854</b>	<b>\$898</b>
	BRTBAR6P2466LR	50.5 x 198 x 29	70	329	20.54	<b>\$6678</b>	<b>\$847</b>
	BRTBAR6P2460LR	50.5 x 180 x 29	70	308	19.76	<b>\$6508</b>	<b>\$834</b>
	BRTBAR6P3084LR	62.5 x 252 x 29	70	493	24.53	<b>\$7684</b>	<b>\$1031</b>
	BRTBAR6P3078LR	62.5 x 234 x 29	70	462	23.75	<b>\$7262</b>	<b>\$958</b>
	BRTBAR6P3072LR	62.5 x 216 x 29	70	431	22.86	<b>\$7014</b>	<b>\$935</b>
	BRTBAR6P3066LR	62.5 x 198 x 29	70	400	21.97	<b>\$6777</b>	<b>\$898</b>
	BRTBAR6P3060LR	62.5 x 180 x 29	70	369	21.08	<b>\$6617</b>	<b>\$847</b>
<p>Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back outer leg assemblies, and six supporting structural beams.</p>							


**Required Specifications**

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

**Optional Specifications**


Anodized Aluminum Leg  
HP laminate

ROUND LEG PACKAGES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------------------	--------	------------	---------------	---------	-----------	------------	--------

		D x W x H					
	BRTBAR6PA2484LR	50.5 x 252 x 29	70	434	22.88	<b>\$7856</b>	<b>\$1740</b>
	BRTBAR6PA2478LR	50.5 x 234 x 29	70	409	22.10	<b>\$7608</b>	<b>\$1553</b>
	BRTBAR6PA2472LR	50.5 x 216 x 29	70	359	21.32	<b>\$7422</b>	<b>\$1490</b>
	BRTBAR6PA2466LR	50.5 x 198 x 29	70	329	20.54	<b>\$7112</b>	<b>\$1305</b>
	BRTBAR6PA2460LR	50.5 x 180 x 29	70	308	19.76	<b>\$6803</b>	<b>\$1179</b>
	BRTBAR6PA3084LR	62.5 x 252 x 29	70	493	24.53	<b>\$8538</b>	<b>\$2109</b>
	BRTBAR6PA3078LR	62.5 x 234 x 29	70	462	23.75	<b>\$8229</b>	<b>\$1987</b>
	BRTBAR6PA3072LR	62.5 x 216 x 29	70	431	22.86	<b>\$8042</b>	<b>\$1800</b>
	BRTBAR6PA3066LR	62.5 x 198 x 29	70	400	21.97	<b>\$7732</b>	<b>\$1615</b>
	BRTBAR6PA3060LR	62.5 x 180 x 29	70	369	21.08	<b>\$7299</b>	<b>\$1490</b>

Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg


Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.



Back-to-Back 6 Person Pod with Access Door and Levelers, Round Leg

BRTBAR6PDA2484LR	50.5 x 252 x 29	70	434	22.88	<b>\$8477</b>	<b>\$1866</b>
BRTBAR6PDA2478LR	50.5 x 234 x 29	70	409	22.10	<b>\$8207</b>	<b>\$1667</b>
BRTBAR6PDA2472LR	50.5 x 216 x 29	70	359	21.32	<b>\$8008</b>	<b>\$1600</b>
BRTBAR6PDA2466LR	50.5 x 198 x 29	70	329	20.54	<b>\$7671</b>	<b>\$1404</b>
BRTBAR6PDA2460LR	50.5 x 180 x 29	70	308	19.76	<b>\$7343</b>	<b>\$1268</b>
BRTBAR6PDA3084LR	62.5 x 252 x 29	70	493	24.53	<b>\$9211</b>	<b>\$2267</b>
BRTBAR6PDA3078LR	62.5 x 234 x 29	70	462	23.75	<b>\$8876</b>	<b>\$2129</b>
BRTBAR6PDA3072LR	62.5 x 216 x 29	70	431	22.86	<b>\$8678</b>	<b>\$1931</b>
BRTBAR6PDA3066LR	62.5 x 198 x 29	70	400	21.97	<b>\$8339</b>	<b>\$1736</b>
BRTBAR6PDA3060LR	62.5 x 180 x 29	70	369	21.08	<b>\$7876</b>	<b>\$1599</b>

Back-to-back 6 Person workstation consists of six worksurfaces, four back-to-back leg assemblies, and six supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.




Back-to-Back 8 Person Pod with Levelers Round Leg

BRTBAR8P2484LR	50.5 x 336 x 29	70	556	28.30	<b>\$9721</b>	<b>\$1275</b>
BRTBAR8P2478LR	50.5 x 312 x 29	70	520	27.30	<b>\$9310</b>	<b>\$1226</b>
BRTBAR8P2472LR	50.5 x 288 x 29	70	484	26.30	<b>\$8945</b>	<b>\$1193</b>
BRTBAR8P2466LR	50.5 x 264 x 29	70	448	25.30	<b>\$8713</b>	<b>\$1127</b>
BRTBAR8P2460LR	50.5 x 240 x 29	70	412	24.42	<b>\$8482</b>	<b>\$1094</b>
BRTBAR8P3084LR	62.5 x 336 x 29	70	669	30.58	<b>\$10035</b>	<b>\$1394</b>
BRTBAR8P3078LR	62.5 x 312 x 29	70	625	29.48	<b>\$9490</b>	<b>\$1275</b>
BRTBAR8P3072LR	62.5 x 288 x 29	70	581	28.38	<b>\$9161</b>	<b>\$1242</b>
BRTBAR8P3066LR	62.5 x 264 x 29	70	536	27.28	<b>\$8847</b>	<b>\$1193</b>
BRTBAR8P3060LR	62.5 x 240 x 29	70	492	26.18	<b>\$8633</b>	<b>\$1127</b>


Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams.

Required Specifications	Optional Specifications
Top finish	Anodized Aluminum Leg
Edge finish	HP laminate
Metal finish (legs)	
Beam finish	

ROUND LEG PACKAGES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BRTBAR8PA2484LR	50.5 x 336 x 29	70	556	28.30	<b>\$10283</b>	<b>\$2316</b>
	BRTBAR8PA2478LR	50.5 x 312 x 29	70	520	27.30	<b>\$9953</b>	<b>\$2068</b>
	BRTBAR8PA2472LR	50.5 x 288 x 29	70	484	26.30	<b>\$9706</b>	<b>\$1987</b>
	BRTBAR8PA2466LR	50.5 x 264 x 29	70	448	25.30	<b>\$9293</b>	<b>\$1740</b>
	BRTBAR8PA2460LR	50.5 x 240 x 29	70	412	24.42	<b>\$8878</b>	<b>\$1572</b>
	BRTBAR8PA3084LR	62.5 x 336 x 29	70	669	30.58	<b>\$11193</b>	<b>\$2811</b>
	BRTBAR8PA3078LR	62.5 x 312 x 29	70	625	29.48	<b>\$10777</b>	<b>\$2646</b>
	BRTBAR8PA3072LR	62.5 x 288 x 29	70	581	28.38	<b>\$10529</b>	<b>\$2399</b>
	BRTBAR8PA3066LR	62.5 x 264 x 29	70	536	27.28	<b>\$10118</b>	<b>\$2151</b>
	BRTBAR8PA3060LR	62.5 x 240 x 29	70	492	26.18	<b>\$9540</b>	<b>\$1987</b>

**Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg**



Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

	BRTBAR8PDA2484LR	50.5 x 336 x 29	70	556	28.30	<b>\$11092</b>	<b>\$2488</b>
	BRTBAR8PDA2478LR	50.5 x 312 x 29	70	520	27.30	<b>\$10737</b>	<b>\$2221</b>
	BRTBAR8PDA2472LR	50.5 x 288 x 29	70	484	26.30	<b>\$10472</b>	<b>\$2129</b>
	BRTBAR8PDA2466LR	50.5 x 264 x 29	70	448	25.30	<b>\$10025</b>	<b>\$1869</b>
	BRTBAR8PDA2460LR	50.5 x 240 x 29	70	412	24.42	<b>\$9580</b>	<b>\$1691</b>
	BRTBAR8PDA3084LR	62.5 x 336 x 29	70	669	30.58	<b>\$12073</b>	<b>\$3020</b>
	BRTBAR8PDA3078LR	62.5 x 312 x 29	70	625	29.48	<b>\$11626</b>	<b>\$2845</b>
	BRTBAR8PDA3072LR	62.5 x 288 x 29	70	581	28.38	<b>\$11360</b>	<b>\$2580</b>
	BRTBAR8PDA3066LR	62.5 x 264 x 29	70	536	27.28	<b>\$10918</b>	<b>\$2310</b>
	BRTBAR8PDA3060LR	62.5 x 240 x 29	70	492	26.18	<b>\$10293</b>	<b>\$2132</b>

**Back-to-Back 8 Person Pod with Access Door and Levelers, Round Leg**

Back-to-back 8 Person workstation consists of eight worksurfaces, five back-to-back leg assemblies, and eight supporting structural beams. These tables feature dual access doors providing a central connection point for monitor lifts. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.

## RETURNS

	BRTSLDT72C	72 x 48 x 29	92.5	28.50	2.40	<b>\$830</b>	N/A
	Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. <b>Worksurface not included.</b> Legs are for 24"d worksurfaces. 40mm dia. locking casters with 8mm thread, white body and grey tires. Maximum length of sliding table surface is 48". <b>CANNOT be used on single line pods with rectangular legs.</b>						
	BRTSLDT72CR	72 x 48 x 29	92.5	28.50	2.40	<b>\$830</b>	N/A
	Includes leg, leg support, sliding bracket hardware, 72" rail and hardware to secure table. <b>Worksurface not included.</b> Legs are for 24"d worksurfaces. 3" dia. locking casters are standard. Maximum length of sliding table surface is 48".						

**Rail Sliding Table Kit - Rectangular Legs**

- Anodized Aluminum Leg - Add **\$56** list upcharge

**Rail Sliding Table Kit - Round Legs**


### Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

### Optional Specifications

Anodized Aluminum Leg  
HP laminate

**HP ADD**




### Boardroom Table with Rectangular Leg and Levelers

D x W x H						
BRTBRDP276L	52.5 x 276 x 29	70	474	23.42	<b>\$9033</b>	<b>\$1132</b>
BRTBRDP240L	52.5 x 240 x 29	70	408	22.64	<b>\$8687</b>	<b>\$1059</b>
BRTBRDP204L	52.5 x 204 x 29	70	340	20.74	<b>\$7040</b>	<b>\$834</b>
BRTBRDP180L	52.5 x 180 x 29	70	308	19.82	<b>\$6807</b>	<b>\$784</b>
BRTBRDP132L	52.5 x 132 x 29	70	228	15.02	<b>\$5064</b>	<b>\$537</b>
BRTBRDP120L	52.5 x 120 x 29	85	210	14.56	<b>\$4944</b>	<b>\$513</b>

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg - Add **\$325** list upcharge
- BRTBRDP276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDP120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables




### Boardroom Table with Rectangular Leg, Access Door and Levelers

BRTBRDPA276L	52.5 x 276 x 29	70	474	23.42	<b>\$9603</b>	<b>\$1727</b>
BRTBRDPA240L	52.5 x 240 x 29	70	408	22.64	<b>\$9272</b>	<b>\$1093</b>
BRTBRDPA204L	52.5 x 204 x 29	70	340	20.74	<b>\$7416</b>	<b>\$900</b>
BRTBRDPA180L	52.5 x 180 x 29	70	308	19.82	<b>\$7005</b>	<b>\$1024</b>
BRTBRDPA132L	52.5 x 132 x 29	70	228	15.02	<b>\$5210</b>	<b>\$734</b>
BRTBRDPA120L	52.5 x 120 x 29	85	210	14.56	<b>\$5003</b>	<b>\$630</b>

Boardroom Table assemblies consist of 2 or more back-to-back tables with end tables on either side. Inset support legs, levelers. Worksurfaces, supporting structure and connecting hardware included.

- Anodized Aluminum Leg - Add **\$325** list upcharge
- BRTBRDPA276L consists of (6) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA240L consists of (6) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA204L consists of (4) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA180L consists of (4) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA132L consists of (2) 24" x 72" back-to-back tables and (2) 30" x 50.5" end tables
- BRTBRDPA120L consists of (2) 24" x 60" back-to-back tables and (2) 30" x 50.5" end tables




### Square Meeting Table with Rectangular Legs

BRTSQ42L	42 x 42 x 29	70	85	4.20	<b>\$1564</b>	<b>\$171</b>
BRTSQ42C	42 x 42 x 29	70	85	4.20	<b>\$1647</b>	<b>\$171</b>

3mm edging. Select BRTSQ42L for levelers or BRTSQ42C for casters.

- Anodized Aluminum Leg - Add **\$165** list upcharge



### Round Meeting Table with Rectangular Legs

BRTR42L	42 x 42 x 29	70	65	3.90	<b>\$1564</b>	<b>\$171</b>
BRTR42C	42 x 42 x 29	70	65	3.90	<b>\$1647</b>	<b>\$171</b>

3mm edging. Select BRTR42L for levelers or BRTR42C for casters.

- Anodized Aluminum Leg - Add **\$165** list upcharge






### Required Specifications

Top finish  
Edge finish  
Metal finish (legs)  
Beam finish

## Optional Specifications

HP laminate  
Anodized aluminum leg  
Table-edge mounted power module (Meeting  
Tables)

Below worksurface power trough with power distribution module (Meeting Tables)







LEG ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	<b>D x W x H</b>						
	BRTSL24C	24 x 2.5 x 28	150	8	1.34	<b>\$557</b>	N/A
	BRTSL30C	30 x 2.5 x 28	150	8	1.41	<b>\$562</b>	N/A
	BRTSL36C	36 x 2.5 x 28	150	8	1.81	<b>\$684</b>	N/A
<b>Single Rectangular Leg Assembly with Casters</b>		Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$83</b> list upcharge</li> </ul>					
	BRTSL24L	24 x 2.5 x 28	150	8	1.34	<b>\$504</b>	N/A
	BRTSL30L	30 x 2.5 x 28	150	8	1.34	<b>\$526</b>	N/A
	BRTSL36L	36 x 2.5 x 28	125	9	1.50	<b>\$463</b>	N/A
	<b>Single Rectangular Leg Assembly with Levelers</b>						
Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Table or Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$83</b> list upcharge</li> <li>Please specify two beams when using BRTSL36L.</li> </ul>							
	BRTBA34L	34 x 2.5 x 28	150	10	2.47	<b>\$500</b>	N/A
	BRTBA51L	50.5 x 2.5 x 28	150	12	2.96	<b>\$542</b>	N/A
	BRTBA63L	62.5 x 2.5 x 28	150	13	3.21	<b>\$565</b>	N/A
	<b>Back-to-Back Rectangular Leg Assembly with Levelers</b>						
Two double leg assemblies combined with support beams form the structure of the Bridges II series Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$83</b> list upcharge</li> </ul>							
	BRTHL3624C	24 x 2.5 x 35	100	14	1.68	<b>\$717</b>	N/A
	BRTHL3630C	30 x 2.5 x 35	100	16	1.76	<b>\$758</b>	N/A
	BRTHL3636C	36 x 2.5 x 35	125	18	2.26	<b>\$858</b>	N/A
	BRTHL4224C	24 x 2.5 x 41	125	15	1.96	<b>\$749</b>	N/A
	BRTHL4230C	30 x 2.5 x 41	100	17	2.06	<b>\$791</b>	N/A
	BRTHL4236C	36 x 2.5 x 41	125	19	2.65	<b>\$888</b>	N/A
<b>Single H Leg Assembly with Casters</b>		Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. 40mm white locking casters with grey tires; steel horizontal beams, aluminum legs. For proper installation, the following beams are required: <ul style="list-style-type: none"> <li>24"D legs - 4 beams (3 under the surface and one at the bottom)</li> <li>30"D/36"D legs - 5 beams (4 under the surface and one at the bottom)</li> <li>Anodized Aluminum Leg - Add <b>\$83</b> list upcharge</li> </ul>					
	BRTHL3624L	24 x 2.5 x 35	100	14	1.68	<b>\$660</b>	N/A
	BRTHL3630L	30 x 2.5 x 35	100	16	1.76	<b>\$700</b>	N/A
	BRTHL3636L	36 x 2.5 x 35	125	18	2.26	<b>\$800</b>	N/A
	BRTHL4224L	24 x 2.5 x 41	125	15	1.96	<b>\$691</b>	N/A
	BRTHL4230L	30 x 2.5 x 41	100	17	2.06	<b>\$733</b>	N/A
	BRTHL4236L	36 x 2.5 x 41	125	19	2.65	<b>\$831</b>	N/A
<b>Single H Leg Assembly with Levelers</b>		Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line Tables. One leg can be shared by two adjoining worksurfaces. For proper installation, the following beams are required: <ul style="list-style-type: none"> <li>24"D legs - 4 beams (3 under the surface and one at the bottom)</li> <li>30"D/36"D legs - 5 beams (4 under the surface and one at the bottom)</li> <li>Anodized Aluminum Leg - Add <b>\$83</b> list upcharge</li> </ul>					

**Required Specifications**






Metal finish (legs)

**Optional Specifications**

Anodized aluminum leg

LEG ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRTSLL24L	24 x 2.5 x 28	92.5	11	1.01	\$475	N/A
	BRTSLL30L	30 x 2.5 x 28	92.5	13.75	1.26	\$510	N/A
	BRTSLL36L	36 x 2.5 x 28	92.5	16.50	1.51	\$546	N/A
Single Loop Leg	Two single leg assemblies combined with support beams form the structure of the Bridges II series Single Line tables. One leg can be shared by two adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$83 list upcharge						
	BRTBALL51L	50.5 x 2.5 x 28	92.5	23.14	2.12	\$660	N/A
	BRTBALL63L	62.5 x 2.5 x 28	92.5	28.64	2.62	\$690	N/A
Back-to-Back Loop Leg	Two back-to-back leg assemblies form the structure of the Bridges II series Single Line Back-to-Back Table. One double leg can be shared by four adjoining worksurfaces. Leveling glides; steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$83 list upcharge						
	BRT120L42	34 x 2.5 x 28	250	6.60	2.80	\$955	N/A
	One 120° corner leg kit combined with two single or double leg assemblies and support beams form the structure of the Bridges II 120° Tables. 120° corner leg kit includes one corner leg and adjacent, telescopic beams to support BRTWAC120xxxx or BRTWAC120xxxxA 120° worksurfaces. Telescopic horizontal beams allow single or double leg assemblies to be positioned either under the worksurface (end of a run) or to be shared by adjoining worksurfaces. Levelers, steel horizontal beams, aluminum legs. • Anodized Aluminum Leg - Add \$49 list upcharge						
	BRTLVS	1 x 1 x 2.5	70	.03	.01	\$12	N/A
	5/16" thread with black base. Leveler has 2" adjustment range. Casters and levelers on Rectangular legs cannot be interchanged on site.						
	BRTLCS	2.6 x 2.7 x 2.5	70	.06	.01	\$38	N/A
	Locking. 40mm diameter with 8mm thread, white body, light grey tires. Casters and levelers on Rectangular legs cannot be interchanged on site.						
	BRTSL	24 x 3 x 28	125	8	1.25	\$442	N/A
	Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard. Locking casters are available on single tables. Specify <b>BRTLCR</b> .						

Required Specifications	Optional Specifications
Top finish	Anodized Aluminum Leg
Edge finish	HP laminate
Metal finish (legs)	


LEG ASSEMBLIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Single Table Round Leg Assembly, Fixed Height</b></p>  <p><b>Double Table Round Leg Assembly</b></p>  <p><b>Double Table Round Leg Assembly, Fixed Height</b></p>  <p><b>120° Round Corner Leg Assembly</b></p>  <p><b>120° Fixed Height Corner Leg Assembly</b></p>	<p><b>D x W x H</b></p>						
	BRTFSL	24 x 2.5 x 28	150	5	.97	<b>\$379</b>	N/A
	Two single table leg assemblies combined with a single beam form the supporting structure of the Bridges II series Single Line Table. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.						
	BRTDL	50 x 3 x 28	150	12	2.81	<b>\$573</b>	N/A
	Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.						
	BRTFDL	50 x 2.5 x 28	250	8	2.03	<b>\$515</b>	N/A
	Two double table leg assemblies combined with two single beams form the supporting structure of the Bridges II series Back-to-Back Tables. One leg can be shared by two adjoining worksurfaces. Leveling glides are standard.						
	BRTCRL42	16 x 18 x 28	92.5	15	1.50	<b>\$883</b>	N/A
	Provides support for worksurfaces connected at 120°. Single leg and beam assembly for 120° worksurface planning. Works with <b>BRTWAC120xxxx</b> or <b>BRTWAC120xxxxA</b> 120° worksurfaces. For a single application, two <b>BRTSL</b> (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.						
	<ul style="list-style-type: none"> <li>When joining to an existing table, the beam extends to reach the shared leg.</li> </ul>						
	BRTFCRL42	16 x 18 x 28	92.5	13	1.50	<b>\$821</b>	N/A
	Provides support for worksurfaces connected at 120°, supported by fixed height legs. Single leg and beam assembly for 120° worksurface planning. Works with <b>BRTWAC120xxxx</b> or <b>BRTWAC120xxxxA</b> 120° worksurfaces. For a single application, two <b>BRTFSL</b> (single legs) must be added. To join a back-to-back table application, leg assembly will join to existing pod.						
	<ul style="list-style-type: none"> <li>When joining to an existing table, the beam extends to reach the shared leg.</li> </ul>						

**Required Specifications**


Metal finish (legs)



LEG ASSEMBLIES




Leveler for Round Leg Table



Caster for Round Leg Table



Round Table Leg Assembly



Leg Support Cantilever

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
BRTLVR	2.13 x 2.13 x 2	70	.20	.01	\$12	N/A

3/8" thread with black base. Leveler has 1" height adjustment range. Field retrofittable on round leg.

BRTLCR	1.5 x 3 x 3.75	70	.30	.01	\$38	N/A
--------	----------------	----	-----	-----	------	-----

Locking. 3" diameter with 3/8" -16 threaded stem. Field retrofittable on round leg.

BRTRL	24 x 24 x 28	125	16	2.33	\$909	N/A
-------	--------------	-----	----	------	-------	-----

Four leg assembly. Leveling Glides are standard. Locking casters are available. Specify (4) BRTLCR. Maximum table diameter is 42". Includes all connecting hardware.

BRTLSC	2 x 9 x 5	70	.50	.01	\$158	N/A
--------	-----------	----	-----	-----	-------	-----

Provides stability for leg supports.

<b>Required Specifications</b>	<b>Optional Specifications</b>
Metal Finish (legs)	Casters (BRTRL)

## BEAM APPLICATIONS

D x W x H

## Table supporting structures - BEAMS

Legs are connected with supporting beams. There is one beam for a single line of tables while two beams connect back-to-back table structures. Adjustable clamps at either end of the beam can be adjusted to accommodate the following applications in both single table as well as back-to-back table configurations.

## STANDARD TABLE BEAM

## Single table beam application (1)

Designed to bridge two legs to form support for a single table, or for two back-to-back worksurfaces. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface.

## End of run table beam application (2)

Supports one table leg assembly tucked under the worksurface (one adjustable clamp pushed all the way in), while the other table leg assembly can be shared between two adjacent worksurfaces (adjustable clamp pulled out to extend the beam).

## Interconnecting table beam application (3)

Supports both table leg assemblies extended to support adjacent worksurfaces on either side. Adjustable clamps at either end of the beam are pushed all the way in to allow both table legs to be tucked under the worksurface. Single table beam application supports single table leg assemblies with legs on both sides tucked under the worksurface.

## TELESCOPIC TABLE BEAM (4)

Supports a return connected perpendicularly to a 24" or 30" deep primary worksurface. The Telescopic beam is connected to a single or back-to-back leg on one side and to any-worksurface supporting beam on the opposite side. Telescopic beam clamp allows the table leg to be tucked under the worksurface or shared between two adjacent worksurfaces.

## STORAGE TABLE BEAM (5)


The Storage beam is connected to a single or back-to-back leg on one side and to the worksurface on the opposite side - thus saving one leg assembly. Assembly worksurface is connected to storage units with included storage brackets. Storage table beam's flexibility allows for a single table application (with the table leg tucked in under the worksurface) as well as for a double table installation (two adjacent tables supported by a shared leg in the middle and two storage cabinets at the opposite ends).

## STORAGE TABLE BEAM ADAPTER (6)

Connects to a storage table beam. This assembly allows a worksurface to be supported by a leg on one side and a spine (formed by interconnected storage cabinets) on the opposite side.



BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTSB84C	1 x 79 x 2	60	8.02	.15	<b>\$339</b>
	BRTSB78C	1 x 73 x 2	60	7.38	.12	<b>\$332</b>
	BRTSB72C	1 x 67 x 2	60	6.74	.09	<b>\$322</b>
	BRTSB66C	1 x 61 x 2	60	6.09	.08	<b>\$309</b>
	BRTSB63C	1 x 57.5 x 2	60	5.72	.08	<b>\$305</b>
	BRTSB60C	1 x 55 x 2	60	5.45	.07	<b>\$299</b>
	BRTSB54C	1 x 49 x 2	60	4.86	.06	<b>\$287</b>
	BRTSB51C	1 x 45.5 x 2	60	4.81	.05	<b>\$280</b>
	BRTSB48C	1 x 43 x 2	60	4.60	.05	<b>\$268</b>
	BRTSB42C	1 x 37 x 2	60	3.59	.04	<b>\$257</b>
	BRTSB36C	1 x 31 x 2	60	3.31	.03	<b>\$254</b>
	BRTSB30C	1 x 25 x 2	60	2.70	.02	<b>\$253</b>
	BRTSB24C	1 x 19 x 2	60	2.03	.01	<b>\$245</b>
	BRTSB15C	1 x 10 x 2	70	1.28	.01	<b>\$196</b>







Standard Table Beam

Standard Table Beam bridges two legs to form support for a single table, or two back-to-back worksurfaces. Adjustable clamps at either end of the beam accommodate **standard table beam, end of run and interconnecting table beam applications**. Adjustable brackets ship attached to the beam. Specify Standard Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect to legs. Powder coated steel beam and aluminum cast clamps.




## Required Specifications

Metal Finish

BEAMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Bottom Table Beam</b></p>		<b>D x W x H</b>				
	BRTBB84C	1 x 79 x 2	60	10.32	.15	<b>\$382</b>
	BRTBB78C	1 x 73 x 2	60	9.68	.12	<b>\$372</b>
	BRTBB72C	1 x 67 x 2	60	9.04	.09	<b>\$360</b>
	BRTBB66C	1 x 61 x 2	60	8.40	.09	<b>\$348</b>
	BRTBB60C	1 x 55 x 2	60	7.75	.08	<b>\$336</b>
	BRTBB54C	1 x 49 x 2	60	7.11	.07	<b>\$323</b>
	BRTBB48C	1 x 43 x 2	60	6.74	.07	<b>\$300</b>
	BRTBB42C	1 x 37 x 2	60	5.83	.06	<b>\$287</b>
	BRTBB36C	1 x 31 x 2	60	5.19	.05	<b>\$284</b>
<p>Bottom table beam connects to the lower cross beam on the 36" and 42" high "H" leg to create the footrest. One beam required for each table. Cannot be used as a substitute for the standard table beam. Specify bottom table beam that corresponds to the worksurface length. Includes all hardware necessary to connect to "H" leg. Powder coated steel beam and aluminum cast clamps.</p>						
 <p><b>Telescopic Table Beam</b></p>	BRTTB84C	1 x 96.5 x 2	60	10.32	.15	<b>\$520</b>
	BRTTB78C	1 x 90.5 x 2	60	9.68	.12	<b>\$511</b>
	BRTTB72C	1 x 84.5 x 2	60	9.04	.09	<b>\$500</b>
	BRTTB66C	1 x 78.5 x 2	60	8.40	.09	<b>\$488</b>
	BRTTB60C	1 x 72.5 x 2	60	7.75	.08	<b>\$477</b>
	BRTTB54C	1 x 66.5 x 2	60	7.11	.07	<b>\$460</b>
	BRTTB48C	1 x 60.5 x 2	60	6.74	.07	<b>\$434</b>
	BRTTB42C	1 x 54.5 x 2	60	5.83	.06	<b>\$417</b>
	BRTTB36C	1 x 48.5 x 2	60	5.19	.05	<b>\$391</b>
<p>Provides support for a worksurface connected perpendicularly to a run of primary tables. Can be adjusted to accommodate 24" and 30" primary worksurfaces. One end of the beam is attached to a Leg Assembly while the other end is secured, off module to the perpendicular Standard Table Beam, End of Run or Interconnecting Beam. Specify Telescopic Table Beam size corresponding nominally to the return worksurface length.</p>						
 <p><b>Storage Table Beam</b></p>	BRTSTB84C	1 x 80.75 x 2	60	8.64	.09	<b>\$373</b>
	BRTSTB78C	1 x 74.75 x 2	60	7.99	.08	<b>\$364</b>
	BRTSTB72C	1 x 68.75 x 2	60	7.35	.08	<b>\$351</b>
	BRTSTB66C	1 x 62.75 x 2	60	6.74	.07	<b>\$339</b>
	BRTSTB60C	1 x 54.75 x 2	60	5.85	.06	<b>\$322</b>
	BRTSTB54C	1 x 50.75 x 2	60	5.43	.05	<b>\$299</b>
	BRTSTB48C	1 x 44.75 x 2	60	4.78	.05	<b>\$284</b>
	BRTSTB42C	1 x 38.75 x 2	60	4.16	.04	<b>\$280</b>
	BRTSTB36C	1 x 32.75 x 2	60	3.50	.03	<b>\$268</b>
<p>Allows a worksurface to be supported by a leg on one side and storage tower(s) or spine of 21" and 25"h interconnected storage units on the opposite side. Specify Storage Table Beam size corresponding nominally to the worksurface length. Includes all hardware necessary to connect the storage beam to the legs and worksurface.</p>						
 <p><b>Storage Table Beam Adapter</b></p>	BRTSA21	1 x 15.2 x 6.5	60	2.15	.05	<b>\$128</b>
	BRTSA25	1 x 15.2 x 2.75	60	4.30	.02	<b>\$110</b>
<p>Allows a worksurface to be supported by a leg on one side and storage spine on the opposite side. A typical storage spine is formed by series of Interconnected 21" or 25"h storage cabinets of corresponding depth. The 21" or 25" adaptors provide structural support, acting as supports between the top of the storage cabinet spine and the bottom of the perpendicular worksurfaces. The flexible leg/beam/adaptor assembly arrangement allows the leg to be tucked in under the worksurface or to be shared by two adjacent worksurfaces. Specify Storage Beam nominally 18" shorter than worksurfaces for storage spine support application. Specify <b>BRTSA21</b> or <b>BRTSA25</b> depending on height of storage units forming the spine. Includes all hardware necessary to connect the adapter to the beam, worksurface and storage spine.</p>						





#### Required Specifications

Metal Finish







WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Rectangular Worksurface</b></p>	D x W x H						
	BRTWS2484	24 x 84 x 1	60	55	1.80	<b>\$532</b>	<b>\$165</b>
	BRTWS2478	24 x 78 x 1	60	51	1.70	<b>\$490</b>	<b>\$158</b>
	BRTWS2472	24 x 72 x 1	60	47	1.54	<b>\$460</b>	<b>\$155</b>
	BRTWS2466	24 x 66 x 1	60	43	1.41	<b>\$438</b>	<b>\$145</b>
	BRTWS2463	24 x 62.5 x 1	65	39	1.41	<b>\$431</b>	<b>\$147</b>
	BRTWS2460	24 x 60 x 1	60	39	1.30	<b>\$420</b>	<b>\$140</b>
	BRTWS2454	24 x 54 x 1	65	35	1.20	<b>\$379</b>	<b>\$123</b>
	BRTWS2451	24 x 50.5 x 1	65	31	1.06	<b>\$383</b>	<b>\$123</b>
	BRTWS2448	24 x 48 x 1	65	31	1.06	<b>\$320</b>	<b>\$111</b>
	BRTWS2442	24 x 42 x 1	60	28	.90	<b>\$268</b>	<b>\$91</b>
	BRTWS2436	24 x 36 x 1	60	23	.71	<b>\$205</b>	<b>\$70</b>
	BRTWS3084	30 x 84 x 1	60	69	2.24	<b>\$572</b>	<b>\$176</b>
	BRTWS3078	30 x 78 x 1	60	64	2.10	<b>\$515</b>	<b>\$163</b>
	BRTWS3072	30 x 72 x 1	65	59	2	<b>\$485</b>	<b>\$161</b>
	BRTWS3066	30 x 66 x 1	60	54	1.80	<b>\$455</b>	<b>\$155</b>
	BRTWS3063	30 x 62.5 x 1	65	49	1.77	<b>\$445</b>	<b>\$150</b>
	BRTWS3060	30 x 60 x 1	65	49	1.77	<b>\$438</b>	<b>\$145</b>
	BRTWS3054	30 x 54 x 1	60	44	1.44	<b>\$408</b>	<b>\$123</b>
	BRTWS3051	30 x 50.5 x 1	65	39	1.41	<b>\$402</b>	<b>\$128</b>
	BRTWS3048	30 x 48 x 1	65	39	1.41	<b>\$379</b>	<b>\$123</b>
	BRTWS3042	30 x 42 x 1	60	34	1.12	<b>\$356</b>	<b>\$120</b>
	BRTWS3036	30 x 36 x 1	65	30	1.06	<b>\$254</b>	<b>\$87</b>
	BRTWS3663	36 x 62.5 x 1	65	53	1.94	<b>\$666</b>	<b>\$173</b>
	BRTWS3651	36 x 50.5 x 1	65	43	1.71	<b>\$593</b>	<b>\$100</b>
Flat 3 mm edge profile on all sides.							
 <p><b>Rectangular Worksurface with Access Door</b></p>	BRTWSAA2484	24 x 84 x 1	60	51	1.70	<b>\$633</b>	<b>\$308</b>
	BRTWSAA2478	24 x 78 x 1	60	47	1.54	<b>\$600</b>	<b>\$275</b>
	BRTWSA2472	24 x 72 x 1	60	47	1.54	<b>\$551</b>	<b>\$254</b>
	BRTWSA2466	24 x 66 x 1	60	43	1.41	<b>\$512</b>	<b>\$220</b>
	BRTWSA2460	24 x 60 x 1	60	39	1.30	<b>\$471</b>	<b>\$200</b>
	BRTWSA2454	24 x 54 x 1	65	35	1.20	<b>\$418</b>	<b>\$191</b>
	BRTWSA2448	24 x 48 x 1	65	31	1.06	<b>\$379</b>	<b>\$171</b>
	BRTWSA2442	24 x 42 x 1	60	28	.90	<b>\$336</b>	<b>\$150</b>
	BRTWSAA3084	30 x 84 x 1	60	64	2.10	<b>\$752</b>	<b>\$372</b>
	BRTWSAA3078	30 x 78 x 1	65	59	2	<b>\$709</b>	<b>\$349</b>
	BRTWSA3072	30 x 72 x 1	65	59	2	<b>\$655</b>	<b>\$304</b>
	BRTWSA3066	30 x 66 x 1	60	54	1.80	<b>\$615</b>	<b>\$273</b>
	BRTWSA3060	30 x 60 x 1	65	49	1.77	<b>\$551</b>	<b>\$254</b>
	BRTWSA3054	30 x 54 x 1	60	44	1.44	<b>\$500</b>	<b>\$231</b>
	BRTWSA3048	30 x 48 x 1	65	39	1.41	<b>\$448</b>	<b>\$200</b>
	BRTWSA3042	30 x 42 x 1	60	34	1.12	<b>\$397</b>	<b>\$179</b>
	Flat 3 mm edge profile on all sides. Worksurfaces 42" to 72" w have one access door. 78" w and 84" w worksurfaces have two access doors. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						
 <p><b>Rectangular Boardroom Table Top Extension, Round Corners</b></p>	BRTWBE2451R	24 x 50.5 x 1	65	31	1.06	<b>\$355</b>	<b>\$123</b>
	BRTWBE2463R	24 x 62.5 x 1	65	39	1.41	<b>\$411</b>	<b>\$145</b>
	BRTWBE3051R	30 x 50.5 x 1	65	39	1.41	<b>\$383</b>	<b>\$123</b>
	BRTWBE3063R	30 x 62.5 x 1	65	49	1.77	<b>\$427</b>	<b>\$155</b>
Flat 3 mm edge profile on all sides. Boardroom table extensions convert existing 24" or 30" deep back-to-back Bridges table assembly into a boardroom table. 24" and 30" d rectangular top with round corner can only be supported by 34" double leg and extension beams. <i>No freestanding and mobile application.</i>							

**Required Specifications**Top finish  
Edge finish**Optional Specifications**

HP laminate

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Rectangular Worksurface with 2 Access Doors</b></p>		D x W x H					
	BRTWSAA2484	24 x 84 x 1	60	51	1.70	\$633	\$308
	BRTWSAA2478	24 x 78 x 1	60	47	1.54	\$600	\$275
	BRTWSAA2472	24 x 72 x 1	60	43	1.41	\$593	\$274
	BRTWSAA2466	24 x 66 x 1	60	39	1.30	\$551	\$241
	BRTWSAA2460	24 x 60 x 1	65	35	1.20	\$507	\$217
	BRTWSAA3084	30 x 84 x 1	60	64	2.10	\$752	\$372
	BRTWSAA3078	30 x 78 x 1	65	59	2	\$709	\$349
	BRTWSAA3072	30 x 72 x 1	60	54	1.80	\$702	\$329
	BRTWSAA3066	30 x 66 x 1	65	49	1.77	\$663	\$290
	BRTWSAA3060	30 x 60 x 1	60	44	1.44	\$593	\$274
	Flat 3 mm edge profile on all sides. Access doors are offset 10" (60" worksurfaces) and 13.5" (worksurfaces 66" and wider) from either side of worksurface. Anodized aluminum worksurface doors provide access to power/data trough below worksurface. Worksurfaces with access doors CANNOT be combined with above worksurface power troughs. Dimension between doors is 8" for 60" and 66" surfaces, 20" for 78", and 26" for 84".						
	BRTWS2451	24 x 50.5 x 1	65	31	1.06	\$383	\$123
	BRTWS3051	30 x 50.5 x 1	65	39	1.41	\$402	\$128
	BRTWS3651	36 x 50.5 x 1	65	43	1.71	\$593	\$100
	BRTWS4251	42 x 50.5 x 1	65	48	1.93	\$655	\$176
	BRTWS4851	48 x 50.5 x 1	65	52	2.07	\$745	\$195
	BRTWS5151	50.5 x 50.5 x 1	65	55	2.12	\$797	\$185
	BRTWS5451	54 x 50.5 x 1	65	59	2.19	\$861	\$241
	BRTWS6051	60 x 50.5 x 1	65	63	2.26	\$979	\$247
 <p><b>Meeting Table Top</b></p>	BRTWS2463	24 x 62.5 x 1	65	39	1.41	\$431	\$147
	BRTWS3063	30 x 62.5 x 1	65	49	1.77	\$445	\$150
	BRTWS3663	36 x 62.5 x 1	65	53	1.94	\$666	\$173
	BRTWS4263	42 x 62.5 x 1	65	57	2.07	\$797	\$209
	BRTWS4863	48 x 62.5 x 1	65	61	2.13	\$957	\$242
	BRTWS5463	54 x 62.5 x 1	65	63	2.21	\$1075	\$272
	BRTWS6063	60 x 62.5 x 1	65	67	2.34	\$1198	\$298
	Can create convenient, flexible extension of the back-to-back Bridges table assembly. Worksurfaces provided with pilot holes for alignment purposes.						
	• Meeting table top 50.5" long side matches 24" deep back-to-back Bridges table assembly						
	• Meeting table top 62.5" long side matches 30" deep back-to-back Bridges table assembly						
 <p><b>120° Worksurface</b></p>	BRTWAC120424224	24 x 42 x 1	65	31	1.06	\$944	\$310
	BRTWAC120424230	30 x 42 x 1	65	39	1.41	\$1028	\$315
 <p><b>120° Worksurface with Access Door</b></p>	BRTWAC120A424224	24 x 42 x 1	65	31	1.06	\$1005	\$337
	BRTWAC120A424230	30 x 42 x 1	65	39	1.41	\$1086	\$421
	5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation.						
	5-sided worksurface can be used for a single, freestanding table, can form a pod of two or three tables, or can be combined with rectangular worksurfaces to create a larger workstation. Access door is offset 13.5" from either side of worksurface. Anodized aluminum worksurface door provides access to power/data trough below worksurface. Worksurface with access doors CANNOT be combined with above worksurface power trough.						

Required Specifications	Optional Specifications
Top finish	HP laminate
Edge finish	

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Rectangular Meeting Table Top*</b></p>		<b>D x W x H</b>					
	BRTMT5151	50.5 x 50.5 x 1	65	55	2.12	<b>\$749</b>	<b>\$418</b>
	50.5" long side matches 24"d back-to-back table assembly.						
 <p><b>Round Meeting Table Top*</b></p>	BRTMTR42	42 x 42 x 1	65	40	1.76	<b>\$500</b>	<b>\$127</b>
 <p><b>Flat Bracket</b></p>	BHBF01	4 x 3	70	.50	.01	<b>\$24</b>	
	Constructed of cold rolled steel. May be used to ensure alignment of neighboring worksurfaces.						
 <p><b>Display Wall Table Top w/Scoop*</b></p>	BRTWS6051SCP	60 x 50.5 x 1	60	75	1.75	<b>\$958</b>	<b>\$243</b>
	BRTWS5451SCP	54 x 50.5 x 1	60	68	1.58	<b>\$846</b>	<b>\$237</b>
	BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	<b>\$938</b>	<b>\$238</b>
 <p><b>Monitor Facing Double Workstation**</b></p>	BRTWS6063SCP	60 x 62.5 x 1	60	93	2.17	<b>\$1172</b>	<b>\$290</b>
	BRTWS5463SCP	54 x 62.5 x 1	60	84	1.95	<b>\$1057</b>	<b>\$266</b>
	BRTWS4863SCP	48 x 62.5 x 1	60	75	1.74	<b>\$938</b>	<b>\$238</b>
	Display wall mounts to the end of back-to-back table assembly supported by rectangular legs. As opposed to two separate back-to-back worksurfaces, the display wall table top provides one continuous, uninterrupted surface with a scoop cutout next to the display wall (the scoop facilitates cable passage from below the table). Table top 50.5"w side matches 24"d back-to-back table assemblies. Meeting table tops 62.5"w side matches 30"d back-to-back table assemblies.						
 <p><b>Monitor Facing Back of Double Workstation**</b></p>	BRTTVFT63	4 x 62.5 x 52	100	74	7.52	<b>\$1872</b>	
	BRTTVFT51	4 x 50.5 x 52	92.5	62	6.08	<b>\$1772</b>	
	<p>Display wall faces the double workstation; facilitates seated presentation area. Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify <b>WHB</b> to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with BRTWSxxxxSCP Display Wall Table Top with Scoop.</p> <ul style="list-style-type: none"> <li>• Included vertical cable manager passes through the gap between 2 back-to-back worksurfaces. Should you need one continuous, uninterrupted surface specify Display Wall Table Top with Scoop (<b>BRTWSxxxxSCP</b>).</li> <li>• Add <b>\$1215</b> for white, dry erase on 51"w model, and <b>\$1621</b> for 63"w</li> </ul>						
	BRTTVBK63	4 x 62.5 x 52	100	74	7.52	<b>\$1872</b>	
	BRTTVBK51	4 x 50.5 x 52	92.5	62	6.08	<b>\$1772</b>	
	<p>Display wall support board mounts to end of back-to-back table assembly supported by rectangular legs. Display faces back of the double workstation (combine with collaborative seating). Includes laminate board, TV/display brackets (black), mounting hardware, vertical cable manager (black). Slim (22mm) bracket capable of supporting displays/TVs up to 50" (resp. 62") wide, up to 80lbs. When installed, top of the 52" x 50.5" (resp. 62.5") wide board reaches 65.5"h. 1" LP laminate board with 3mm edging. Specify <b>WHB</b> to add HP white, dry-erase marker board laminate on non-display board surface and standard HP laminate on the opposite side. Display wall mounts to the end of back-to-back table assembly supported by rectangular legs or back-to-back table structure with Display Wall Table Top with Scoop (<b>BRTWSxxxxSCP</b>).</p> <ul style="list-style-type: none"> <li>• Add <b>\$1215</b> for white, dry erase on 51"w model, and <b>\$1621</b> for 63"w</li> </ul>						

**Required Specifications**

Top finish  
Edge finish

**Optional Specifications**

HP laminate

## POWER DELIVERY / CABLE MANAGEMENT


D x W x H

At the basic level, table and floor based office equipment is serviced by a wall or floor power supply. As the operation grows, there might be a need to organize excessive cable clutter.

**Wire Basket (1)** connects to the underside of worksurfaces with sprig brackets, and cables are simply dropped and coiled into them. *Wire Basket is not to be used with power troughs.*

**Cable Snake (2)** Installed in proximity of floor monument to manage vertical cable clutter..

Table clamped, single circuit **Desk Top Power Data Modules (3)** deliver services to desk height, while tapping into wall or floor power supply. Again, the excessive cables can be managed with Cable Trays.




Ceiling pole **BRTCPP (4)** manages power and data cables between ceiling and above or below worksurface power troughs.


**Above and Below Worksurface Power/Data Troughs (5)** can be installed between back-to-back tables for extended below and above desk height power/data distribution. 8 wire, 4-circuit system. (2 + 2 circuit configuration)

**NOTE:** Specify **BRTHH58 (8)** to distribute power from double-sided, back-to-back below worksurface power trough to a single-sided, below worksurface power trough at the end of a table run.


**Leg shroud (9)** attaches to 34" w legs and manages power floor feed, as well as data cables from floor monument.



**Single Sided Power/Data Troughs (6)** can be installed to the underside of a single table.





**Storage power/data box BRTVCM (7)** attaches to storage units and provides access to one duplex/data terminal on top storage surface. Integrated single circuit module can be plugged to floor monument under the storage or to a wall outlet



### 4-2-2 Wiring Schematic

#### 8-Wire Shared Neutral

#### "2 + 2" - 2 Utility Circuits, 2 Dedicated



#### 8 Wires

4 Lines (12 ga.)  
2 Neutrals (10 ga.)  
2 Grounds (12 ga.)

#### 4 Circuits


2 Utility circuits  
2 Dedicated Circuits

#### Receptacles

Duplex - Up to 12 duplex receptacles per circuit  
(Up to 48 per infeed)

#### Specifications

System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.


POWER DELIVERY / CABLE MANAGEMENT	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 36"	BRTEETB84SKIT	11.6 x 78.34 x 2.5	100	12	1.31	<b>\$1203</b>
	BRTEETB78SKIT	11.6 x 72.34 x 2.5	100	11	1.21	<b>\$1152</b>
	BRTEETB72SKIT	11.6 x 66.34 x 2.5	100	9.80	1.11	<b>\$749</b>
	BRTEETB66SKIT	11.6 x 60.34 x 2.5	100	8.90	1.01	<b>\$725</b>
	BRTEETB60SKIT	11.6 x 54.34 x 2.5	100	8	.91	<b>\$698</b>
	BRTEETB54SKIT	11.6 x 48.34 x 2.5	100	7.10	.81	<b>\$684</b>
	BRTEETB48SKIT	11.6 x 42.34 x 2.5	100	6.20	.71	<b>\$655</b>
	BRTEETB42SKIT	11.6 x 36.34 x 2.5	100	5.30	.61	<b>\$605</b>
	BRTEETB36SKIT	11.6 x 30.34 x 2.5	125	4.50	.59	<b>\$551</b>

42" - 72"

### Below Worksurface Single Power/Data Trough

Formed steel trough is secured below a single table worksurface; outlets are facing the rear worksurface edge. Cannot be used on back-to-back tables. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex and 42-72" trough can house two duplexes. Specify jumpers between tables separately. Base feed entry at either end and not suitable for ceiling feed. Each trough provides one opening at 1.37" x 2.68" for terminal plate (not supplied). One terminal plate can accommodate up to 4 data/communication terminals (jacks). Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36SKIT through BRTEETB72SKIT consist of one single sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78SKIT and BRTEETB84SKIT consist of two single-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78SKIT includes (1) BRTEETB36SKIT, (1) BRTEETB42SKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETB42SKIT and (1) JUMPER
- For 120° table applications, please specify BRTEETB36SKIT single trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black **BRTPDS** Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.



42" - 72"

### Below Worksurface Double Power/Data Trough

BRTEETB84DKIT	8.5 x 78.3 x 2.5	92.5	9.80	.96	<b>\$1553</b>
BRTEETB78DKIT	8.5 x 72.3 x 2.5	92.5	9	.88	<b>\$1531</b>
BRTEETB72DKIT	8.5 x 66.3 x 2.5	92.5	8.30	.81	<b>\$903</b>
BRTEETB66DKIT	8.5 x 60.3 x 2.5	92.5	7.50	.74	<b>\$883</b>
BRTEETB60DKIT	8.5 x 54.3 x 2.5	92.5	6.80	.66	<b>\$852</b>
BRTEETB54DKIT	8.5 x 48.3 x 2.5	92.5	6	.59	<b>\$830</b>
BRTEETB48DKIT	8.5 x 42.3 x 2.5	92.5	5.30	.52	<b>\$811</b>
BRTEETB42DKIT	8.5 x 36.3 x 2.5	92.5	4.50	.44	<b>\$778</b>
BRTEETB36DKIT	8.5 x 30.3 x 2.5	92.5	3.80	.37	<b>\$759</b>

Formed steel trough is secured below worksurface; outlets between back-to-back stations supported by double table legs. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough can house one duplex per side and 42-72" trough can house two duplexes per side. Specify jumpers between tables separately. Ceiling feed entry through slots at either end; base feed entry at either end. Each trough provides one opening at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/communication plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETB36DKIT through BRTEETB72DKIT consist of one double-sided steel trough, Power Distribution housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETB78DKIT and BRTEETB84DKIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETB78DKIT includes (1) BRTEETB36DKIT, (1) BRTEETB42DKIT and (1) JUMPER
- BRTEETB84SKIT includes (2) BRTEETD42SKIT and (1) JUMPER
- For back-to-back 120° table applications, please specify BRTEETB42DKIT double trough kit for tables with BRTWAC120xx and BRTWAC120Axx worksurfaces. BRTEHH28 may be used as usual.
- Specify duplex receptacles separately
- Each trough includes one black **BRTPDS** Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.

#### Required Specifications

Metal Finish (Power/Data Troughs)




ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 36"  42" - 72"		D x W x H				
	BRTEETA84KIT	2.5 x 84 x 3.5	65	9.49	.42	<b>\$1348</b>
	BRTEETA78KIT	2.5 x 78 x 3.5	65	8.81	.39	<b>\$1297</b>
	BRTEETA72KIT	2.5 x 71.9 x 3.5	65	8.12	.36	<b>\$852</b>
	BRTEETA66KIT	2.5 x 65.9 x 3.5	65	7.45	.33	<b>\$842</b>
	BRTEETA60KIT	2.5 x 59.9 x 3.5	65	6.77	.30	<b>\$778</b>
	BRTEETA54KIT	2.5 x 53.9 x 3.5	65	6.09	.27	<b>\$759</b>
	BRTEETA48KIT	2.5 x 47.9 x 3.5	65	5.41	.24	<b>\$718</b>
	BRTEETA42KIT	2.5 x 41.9 x 3.5	65	4.73	.21	<b>\$676</b>
	BRTEETA36KIT	2.5 x 35.9 x 3.5	65	4.06	.18	<b>\$625</b>

Above Worksurface Power Trough

Formed steel trough is secured between back-to-back stations. Cannot be used on single table assemblies. Specify Duplex receptacles separately. *Covers for duplex openings are not supplied.* 36" trough side. **Specify jumpers between tables separately.** Ceiling feed entry through can house one duplex per side and 42-72" trough can house two duplexes per slots at either end; base feed entry at either end. Each trough provides two openings at 1.37" x 2.68" (one per side) for data/communication terminal plates. A single terminal plate (not supplied) can accommodate up to 4 data/comm plates. Data/comm plate spacer BRTPDS available to accommodate larger cable-to-terminal bending radius.

- BRTEETA36KIT through BRTEETA72KIT consist of one double-sided steel trough, Power Distribution Housing, mounting brackets and one charcoal grey extruded Data/Communication cable manager.
- BRTEETA78KIT and BRTEETA84KIT consist of two double-sided steel troughs, two Power Distribution Housings, mounting brackets and two charcoal grey extruded Data/Communication cable managers.
- BRTEETA78KIT includes (1) BRTEETA36KIT, (1) BRTEETA42KIT and (1) JUMPER
- BRTEETA84KIT includes (2) BRTEETA42KIT and (1) JUMPER
- Specify above worksurface power trough end cap BRTEEC to finish open ends of the power trough
- Each trough includes one black BRTPDS Data/Comm spacer, extending the depth behind the Data/Comm opening by 0.6". White (BRTPDSW) and Silver (BRTPDSS). Data/Comm spacers are available as a special order for **\$63** list, see **BRTPDS**.




Back-to-Back Storage Tower Gap Filler Kit

BRTEST15KIT	15.5 x 2.5 x 3.5	65	2	.08	<b>\$562</b>
BRTEST24KIT	24 x 2.5 x 3.5	70	2.50	.12	<b>\$610</b>
BRTEST30KIT	31 x 2.5 x 3.5	70	3.50	.16	<b>\$650</b>
BRTEST48KIT	48 x 2.5 x 3.5	70	4	.24	<b>\$717</b>

Consists of a formed sheet metal cover and four brackets which allow the cover to be mounted at either above worksurface power trough level or below worksurface power trough level. Versatile brackets secure the cover trough at corners, to the bottom of back-to-back worksurface supported by either shared 51" or 63" legs or storage beam and storage towers.

- Note: the back-to-back storage tower gap filler is not compatible with single, freestanding tables.
- The BRTEST15kit and BRTEST24kit cover the gap between two back-to-back BRTT5024x or BRTT5030x storage towers
- The BRTEST30kit and BRTEST48kit cover the gap between two pairs of back-to-back BRTT5024x or BRTT5030x storage towers








Above Worksurface Power Trough

BRTEEC	.5 x 2.25 x 3	70	.10	.01	<b>\$12</b>
--------	---------------	----	-----	-----	-------------

Covers the end of the worksurface power trough. Specify two per linear trough assembly. White finish only.


**Required Specifications**  
Metal Finish (Power/Data Troughs)

ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		<b>D x W x H</b>				
	BRTEHH28	.5 x 28 x 2	70	1	1.17	<b>\$179</b>
	BRTEHH40	.5 x 40.5 x 2	70	1.10	1.25	<b>\$191</b>
	BRTEHH44	.5 x 44.5 x 2	70	1.5	1.17	<b>\$206</b>
	BRTEHH52	.5 x 52.5 x 2	300	2.0	1.17	<b>\$217</b>
	BRTEHH58	.5 x 58.5 x 2	300	2.2	1.17	<b>\$226</b>
	BRTEHH76	.5 x 76.5 x 2	250	2.8	1.17	<b>\$252</b>
	Distributes power between Power Distribution Housings. <ul style="list-style-type: none"> <li>• BRTEHH28 distributes power between back-to-back or single sided troughs in a straight run.</li> <li>• BRTEHH40 distributes power from back-to-back to single sided power troughs</li> <li>• BRTEHH44 distributes power between back-to-back power troughs separated by (1) pair of storage cabinets without wardrobes. Specify BRTEST15KIT separately.</li> <li>• BRTEHH52 distributes power from back-to-back power troughs separated by (1) pair of storage cabinets with wardrobes. Specify BRTEST24KIT separately.</li> <li>• BRTEHH58 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets without wardrobes. Specify BRTEST30KIT separately.</li> <li>• BRTEHH58 also distributes power from double-sided, back-to-back below worksurface power troughs to a single sided, below worksurface power trough at the end of a table run.</li> <li>• BRTEHH76 distributes power from back-to-back power troughs separated by (2) pairs of storage cabinets with wardrobes. Specify BRTEST48KIT separately.</li> </ul>					
	BRTEBF	6 x 4 x 72	250	4	2	<b>\$578</b>
	BRTEBF120	6 x 4 x 120	250	6	2	<b>\$805</b>
	BRTEBF144	6 x 4 x 144	150	8	2	<b>\$865</b>
	Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.					
	BRTEBFK	6 x 4 x 100	250	4	2	<b>\$907</b>
	Provides single power entry from floor or wall located building power supply. Connects to Power Distribution Housing. Must be hard wired to the building power supply by a licensed electrician.					
	BRTCPP	1.5 x 4.75 x 99	65	13	.48	<b>\$314</b>
	Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.					
	BRTECF120	6 x 6 x 120	250	5	2	<b>\$476</b>
	BRTECF144	6 x 6 x 144	250	5	2	<b>\$530</b>
	Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.					


**Required Specifications**

Metal Finish (BRTCPP)


ELECTRICAL COMPONENTS




Ceiling Feed - New York Electrical



Duplex Receptacles







Power/Data Cable Basket



34" Leg Shroud

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRTECFK120	6 x 6 x 120	250	5	2	<b>\$712</b>
BRTECFK144	6 x 6 x 144	250	5	2	<b>\$790</b>
Provides single power entry from ceiling, through ceiling pole into Power Trough, into Power Distribution Module. An 8 wire (4 circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling Pole not included.					
BRTE8D1	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRTE8D2	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRTE8DA	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRTE8DB	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRTE8DXW1	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRTE8DXW2	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRTE8DXWA	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRTE8DXWB	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit XW identifies white color plastic, all others standard in black.					
<ul style="list-style-type: none"><li>• BRTE8D1 / BRTE8DXW1 - Circuit #1 (utility circuit)</li><li>• BRTE8D2 / BRTE8DXW2 - Circuit #2 (utility circuit)</li><li>• BRTE8DA / BRTE8DXWA - Circuit A (dedicated circuit)</li><li>• BRTE8DB / BRTE8DXWB - Circuit B (dedicated circuit)</li></ul>					
BRTCB76KIT	8 x 34 x 1	70	1.56	.15	<b>\$281</b>
BRTCB70	8 x 70 x 1	100	3.22	.34	<b>\$204</b>
BRTCB64	8 x 64 x 1	92.5	2.94	.29	<b>\$190</b>
BRTCB58	8 x 58 x 1	92.5	2.66	.26	<b>\$184</b>
BRTCB52	8 x 52 x 1	100	2.39	.24	<b>\$173</b>
BRTCB46	8 x 46 x 1	92.5	2.16	.21	<b>\$163</b>
BRTCB40	8 x 40 x 1	70	1.80	.18	<b>\$155</b>
BRTCB34	8 x 34 x 1	70	1.56	.15	<b>\$149</b>
BRTCB28	8 x 28 x 1	70	1.20	.13	<b>\$131</b>
BRTCB22	8 x 22 x 1	70	1.01	.10	<b>\$123</b>
BRTCB16	8 x 16 x 1	70	.73	.07	<b>\$116</b>
BRTCB8	8 x 8 x 1	70	.36	.03	<b>\$104</b>
Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below storage cabinet's bottom where it keeps the cords and cables off the floor and manages them under storage cabinets along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.					
<ul style="list-style-type: none"><li>• Wide Cable Baskets can span under several storage cabinets. Specify Cable Basket a min. 8" shorter than the storage cabinet spine assembly.</li></ul>					
BRTDLSHS34	5 x 30 x 29	92.5	62	5.25	<b>\$575</b>
A two part steel enclosure creates 5" deep and 30" wide cable management cavity between 34" rectangular table legs. Hides floor power feeds as well as data/communication cables rising from floor monuments to the underside of Bridges II tables. Secures to BRTBA34L rectangular leg and to underside of worksurfaces. Specify powder coat finish.					




**Required Specifications**  
Metal Finish (BRTDLSHS34)

ELECTRICAL COMPONENTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Cable Snake</b>		<b>D x W x H</b>				
	BRTCS	2 x 8 x 30	70	3	.19	<b>\$162</b>
Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.						
 <b>Wire Manager</b>	BRTCM43	46 x 5 x 3	92.5	8	.67	<b>\$67</b>
	BRTCM55	58 x 5 x 3	92.5	9	.85	<b>\$77</b>
Replacement wire manager can be added. Wire Manager neatly organizes and stores electrical and communication cables. Two lengths: 46" for tops 60" and under; 58" for tops 72". Black Plastic only.						
 <b>Data/Comm Spacer</b>	B RTPDS	.6 x 4.75 x 2.04	70	.10	.01	<b>\$63</b>
	B RTPDSW	.6 x 4.75 x 2.04	70	.10	.01	<b>\$63</b>
	B RTPDSS	.6 x 4.75 x 2.04	70	.10	.01	<b>\$63</b>
Data/Comm plate spacer extends the depth behind data/comm jacks by 0.6" in order to accommodate larger data/comm cable bending radius. B RTPDS is Black, B RTPDSW is White and B RTPDSS is Silver.						
 <b>Vertical Cable Manager*</b>	BRTVCM2118	18 x 6 x 21	92.5	14	1.31	<b>\$1139</b>
	BRTVCM2518	18 x 6 x 25	92.5	17	1.56	<b>\$1162</b>
	BRTVCM2124	24 x 6 x 21	100	17	1.75	<b>\$1203</b>
	BRTVCM2524	24 x 6 x 25	92.5	22	2.08	<b>\$1222</b>
Facilitates power/data transfer from a floor monument under storage cabinets. The units can join other 18" or 24" deep storage units to form a storage spine. Removable top with a Below worksurface Power/Data Module provides easy access. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top, unfinished cut-out edges. Universal connecting hardware included. Below Worksurface Power/Data Module included. Provides power - two outlets; 72"L 3-prong power cord. White face plate, outlets and coupler & jack adapters; anodized aluminum bracket supports; thumb screws, black cord. Provides data - two coupler/jack ports; includes Voice/Data Adapter Kit to accept various couplers & jacks (Not Included).						

ACCESSORIES / TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H	BRACKET/EXTRUSION FINISH			
<ul style="list-style-type: none"><li>• 9mm thick panels offered in 18 finishes</li><li>• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives</li><li>• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly</li><li>• Variation in fiber mix and color are inherent to the character of the product</li></ul>			BLK	Black	CHR	Charcoal
			DWT	Designer White	FOG	Fog
			NEV	Nevada	SIL	Silver
			TPE	Taupe	TUN	Tungsten
			ANO	Anodized Aluminum - upcharge applies. <i>Available on select models only. Refer to model for availability and upcharge.</i>		




FELT COLORS

(AMT) Amethyst	(APR) Apricot
(BLK) Black	(BSK) Blue Smoke
(BRI) Brick	(CNN) Carnation
(DEN) Denim	(EMD) Emerald
(GPH) Graphite	(HVT) Harvest
(LAP) Lapis	(MTS) Mist
(NVY) Navy	(PWT) Pewter
(RBY) Ruby	(SHR) Shamrock
(SFR) Sunflower	(WHT) White

FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAFDD84	7.5 x 81 x 16.88	125	6.30	1	<b>\$757</b>
	BRTAFDD78	7.5 x 75 x 16.88	125	5.90	.92	<b>\$722</b>
	BRTAFDD72	7.5 x 69 x 16.88	125	5.40	.85	<b>\$687</b>
	BRTAFDD66	7.5 x 63 x 16.88	125	5	.77	<b>\$651</b>
	BRTAFDD60	7.5 x 57 x 16.88	125	4.60	.70	<b>\$615</b>
	BRTAFDD54	7.5 x 51 x 16.88	125	4.10	.63	<b>\$582</b>
	BRTAFDD48	7.5 x 45 x 16.88	125	3.70	.55	<b>\$409</b>
	BRTAFDD42	7.5 x 39 x 16.88	125	3.20	.48	<b>\$363</b>
	BRTAFDD36	7.5 x 33 x 16.88	125	2.80	.41	<b>\$325</b>
	Secures between two back-to-back tables; provides privacy, divides space. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. <ul style="list-style-type: none"><li>• Anodized Aluminum extrusion - Add <b>\$175</b> list upcharge</li></ul>					
	BRTAFPPD30M	6.5 x 30.24 x 16.85	100	2.60	.27	<b>\$308</b>
	BRTAFPPD24M	6.5 x 24.24 x 16.85	100	2.10	.22	<b>\$273</b>
	BRTAFPPD63S	6.5 x 62.81 x 16.85	100	4.20	.46	<b>\$639</b>
	BRTAFPPD51S	6.5 x 50.81 x 16.85	100	4.20	.46	<b>\$570</b>
	BRTAFPPD30S	6.5 x 30.24 x 16.85	92.5	2.70	.27	<b>\$316</b>
	BRTAFPPD24S	6.5 x 24.24 x 16.85	92.5	2.30	.22	<b>\$281</b>
<b>Perpendicular Side to Side Felt Divider</b>	Secures to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg; provides privacy, divides space. 9mm felt material is tackable. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes. <ul style="list-style-type: none"><li>• Anodized Aluminum extrusion - Add <b>\$175</b> list upcharge</li></ul>					

Required Specifications

- Top finish\*
- Edge finish\*
- Chassis finish\*

FELT DIVIDERS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTAFEDN24	4.05 x 25.46 x 30.68	250	3.3	1.12	<b>\$472</b>
	BRTAFEDN30	4.05 x 31.46 x 30.68	250	3.98	1.29	<b>\$530</b>
	BRTAFEDN51	4.05 x 50.56 x 30.68	150	6.22	1.46	<b>\$972</b>
	BRTAFEDN63	4.05 x 62.56 x 30.68	150	7.57	1.63	<b>\$1107</b>
<p>Secures to the side bottom of a single or back-to-back table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p>						
	BRTAFDSN84	4.05 x 78 x 30.68	125	9.24	1.2	<b>\$1322</b>
	BRTAFDSN78	4.05 x 72 x 30.68	125	8.57	1.11	<b>\$1259</b>
	BRTAFDSN72	4.05 x 69 x 30.68	125	7.89	1.02	<b>\$1198</b>
	BRTAFDSN66	4.05 x 63 x 30.68	125	7.21	0.93	<b>\$1043</b>
	BRTAFDSN60	4.05 x 57 x 30.68	125	6.54	0.84	<b>\$996</b>
	BRTAFDSN54	4.05 x 51 x 30.68	125	5.87	0.74	<b>\$936</b>
	BRTAFDSN48	4.05 x 45 x 30.68	125	5.19	0.65	<b>\$774</b>
<p>Secures to the rear bottom of a single table; provides privacy above and below the worksurface. 9mm felt material is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p> <ul style="list-style-type: none"> <li>• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.</li> </ul>						
	BRTAFMPSN84	4.17 x 77.75 x 13.82	65	31.12	1.2	<b>\$565</b>
	BRTAFMPSN78	4.17 x 71.75 x 13.82	65	28.72	1.11	<b>\$535</b>
	BRTAFMPSN72	4.17 x 65.75 x 13.82	65	26.32	1.02	<b>\$507</b>
	BRTAFMPSN66	4.17 x 59.75 x 13.82	65	23.92	0.93	<b>\$479</b>
	BRTAFMPSN60	4.17 x 53.75 x 13.82	65	21.51	0.84	<b>\$451</b>
	BRTAFMPSN54	4.17 x 47.75 x 13.82	65	19.11	0.74	<b>\$432</b>
	BRTAFMPSN48	4.17 x 41.75 x 13.82	65	16.71	0.65	<b>\$317</b>
<p>Secures to the rear bottom of a single table; provides privacy below the worksurface. 9mm felt material is tackable. Installed divider measures 15" below the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify. Brackets and extrusion available in all standard Bridges II paint finishes.</p> <ul style="list-style-type: none"> <li>• 66" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door.</li> </ul>						


**Required Specifications**

Felt color  
Bracket/extrusion finish


**Optional Specifications**

Anodized extrusion

## TABLE DIVIDERS




36" - 72"




78" - 84"

**Table Divider - Glass**




36" - 72"




78" - 84"

**Parallel Table Divider - Glass**



**Perpendicular End of Run Divider - Glass**



**Shared Perpendicular Side to Side Divider, Middle - Glass, Rounded Corners**

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

### D x W x H

BRTAGDD84	.25 x 81 x 16	60	29	.18	<b>\$925</b>
BRTAGDD78	.25 x 75 x 16	60	27	.17	<b>\$873</b>
BRTAGDD72	.25 x 69 x 16	60	25	.16	<b>\$749</b>
BRTAGDD66	.25 x 63 x 16	60	23	.14	<b>\$698</b>
BRTAGDD60	.25 x 57 x 16	60	21	.13	<b>\$644</b>
BRTAGDD54	.25 x 51 x 16	60	18	.11	<b>\$615</b>
BRTAGDD48	.25 x 45 x 16	60	16	.10	<b>\$565</b>
BRTAGDD42	.25 x 39 x 16	60	14	.09	<b>\$521</b>
BRTAGDD36	.25 x 33 x 16	60	12	.07	<b>\$471</b>

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGDS84	.25 x 81 x 32	60	55	.35	<b>\$1763</b>
BRTAGDS78	.25 x 75 x 32	60	51	.33	<b>\$1676</b>
BRTAGDS72	.25 x 69 x 32	60	47	.30	<b>\$1403</b>
BRTAGDS66	.25 x 63 x 32	60	43	.28	<b>\$1319</b>
BRTAGDS60	.25 x 57 x 32	60	39	.25	<b>\$1234</b>
BRTAGDS54	.25 x 51 x 32	60	35	.23	<b>\$1152</b>
BRTAGDS48	.25 x 45 x 32	60	31	.20	<b>\$1065</b>
BRTAGDS42	.25 x 39 x 32	60	27	.18	<b>\$981</b>
BRTAGDS36	.25 x 33 x 32	60	23	.15	<b>\$899</b>

Secures to the rear edge of a single table; provides privacy, divides space while not obstructing available light. 36" - 72" wide dividers include 2 support brackets. 78" and 84" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGED63	.25 x 62.5 x 32	60	35	.23	<b>\$1848</b>
BRTAGED51	.25 x 50.5 x 32	60	31	.20	<b>\$1676</b>
BRTAGED30	.25 x 30 x 32	60	27	.18	<b>\$940</b>
BRTAGED24	.25 x 24 x 32	60	23	.15	<b>\$858</b>






Secures to the rear edge of a single or double back-to-back table; provides privacy, divides space while not obstructing available light. Installed divider reaches 15.7" from the top of the worksurface and 15" below the worksurface. Rounded front top corner of 24" and 30" deep glass dividers. 51" and 63" glass dividers for back-to-back tables have both top corners rounded. 24" and 30" wide dividers include 2 support brackets; 51" and 63" wide dividers include 3. Frosted tempered glass. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

BRTAGPPD24M	.25 x 24 x 16	60	9	.06	<b>\$538</b>
BRTAGPPD30M	.25 x 30 x 16	60	11.25	.07	<b>\$566</b>

Provides privacy, divides space while not obstructing available light. 24M and 30M kits are designed to be installed on tables with **recessed** legs (round legs, 34" rectangular legs). 24" and 30" kits consist of a wide rear bracket, narrow front bracket (white powder coated steel), tempered glass with **rounded** top corners (acid etched on one side), bracket-fitting gaskets and mounting screws securing the brackets to the underside of the worksurface. Satin chrome lower bracket, upper is available in all standard Bridges II paint finishes.

### Required Specifications

Bracket finish

TABLE DIVIDERS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Shared Perpendicular Side to Side Divider, Middle - Glass, Square Corners</b></p>	BRTAGPPD24MQ	.25 x 24 x 16	60	9	.06	<b>\$538</b>
	BRTAGPPD30MQ	.25 x 30 x 16	60	11.25	.07	<b>\$566</b>
 <p><b>Shared Perpendicular Side to Side Divider, Seam - Glass, Rounded Corners</b></p>	BRTAGPPD24S	.25 x 24 x 16	60	9	.05	<b>\$538</b>
	BRTAGPPD30S	.25 x 30 x 16	60	11.25	.07	<b>\$566</b>
 <p><b>Shared Perpendicular Side to Side Divider, Seam - Glass, Square Corners</b></p>	BRTAGPPD24SQ	.25 x 24 x 16	60	9	.05	<b>\$538</b>
	BRTAGPPD30SQ	.25 x 30 x 16	60	11.25	.07	<b>\$566</b>
 <p><b>Modesty Panel - Glass</b></p> <p>36" - 72"</p> <p>78" - 84"</p>	BRTAGMPS84	.25 x 77.75 x 13.25	60	24	.14	<b>\$1152</b>
	BRTAGMPS78	.25 x 71.75 x 13.25	60	22	.13	<b>\$1110</b>
	BRTAGMPS72	.25 x 65.75 x 13.25	60	20	.12	<b>\$878</b>
	BRTAGMPS66	.25 x 59.75 x 13.25	60	19	.11	<b>\$835</b>
	BRTAGMPS60	.25 x 53.75 x 13.25	60	17	.10	<b>\$793</b>
	BRTAGMPS54	.25 x 47.75 x 13.25	60	15	.09	<b>\$752</b>
	BRTAGMPS48	.25 x 41.75 x 13.25	60	11	.06	<b>\$711</b>
	BRTAGMPS42	.25 x 35.75 x 13.25	60	11	.06	<b>\$666</b>
	BRTAGMPS36	.25 x 29.75 x 13.25	60	9	.05	<b>\$626</b>
	<p>Secures to the rear edge of a single table, between table legs; provides privacy. Installed divider reaches 15" below the worksurface. 36" - 72" wide modesty panels include 2 mounting brackets. 78" and 84" wide modesty panels include 3 mounting brackets. Tempered glass, acid etched on one side (similar to frosted), and satin chrome disc fasteners. Brackets are available in all standard Bridges II paint finishes.</p>					
 <p><b>Perpendicular Laminate Side to Side Divider - Extended*</b></p>	BRTLPE36	.75 x 36 x 16	60	11	.25	<b>\$321</b>
	BRTLPE30	.75 x 30 x 16	60	9	.21	<b>\$280</b>
<p>Protrudes by 6" beyond the front worksurface edge for added privacy. Secures off-module or on-module to the front and back edge of worksurface, regardless of type of leg support - supporting brackets can straddle over shared leg. 3/4" LP PVC edge boards. Brackets are available in all standard Bridges II paint finishes.</p> <ul style="list-style-type: none"> <li>Specify BRTLPE30 for 24"d worksurfaces and BRTLPE36 for 30"d worksurfaces</li> </ul>						

**Required Specifications**


Chassis/Accent Finish\*

Bracket finish


Edge finish\*




TABLE DIVIDERS



Perpendicular Laminate Side to Side Double Divider - Extended




36" - 72"




78" - 84"

Table Divider - Laminate




36" - 72"



78" - 84"

High Table Divider - Laminate



High Perpendicular Side-to-Side Divider - Laminate

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRTLDPSE75	.75 x 75 x 16	60	22	.52	<b>\$573</b>
BRTLDPSE63	.75 x 63 x 16	60	18	.44	<b>\$515</b>

Protrudes by 6" beyond the front worksurface edge for added privacy. Installs on-module, between two BRTLPPD dividers. It is secured to the front edge of both worksurfaces, regardless of type of leg support - supporting brackets can straddle over shared leg. Brackets are available in all standard Bridges II paint finishes. 3/4" LP PVC edge boards.

- Can ONLY be installed on-module between two BRTLPPD dividers.
- Specify BRTLDPSE63 for 24"d back-to-back worksurfaces and BRTLDPSE75 for 30"d back-to-back worksurfaces

BRTLPPD84	.75 x 81 x 16	60	24	.56	<b>\$697</b>
BRTLPPD78	.75 x 75 x 16	60	23	.52	<b>\$674</b>
BRTLPPD72	.75 x 69 x 16	60	21	.47	<b>\$537</b>
BRTLPPD66	.75 x 63 x 16	60	19	.43	<b>\$503</b>
BRTLPPD60	.75 x 57 x 16	60	17	.39	<b>\$480</b>
BRTLPPD54	.75 x 51 x 16	60	15	.35	<b>\$460</b>
BRTLPPD48	.75 x 45 x 16	60	14	.31	<b>\$434</b>
BRTLPPD42	.75 x 39 x 16	60	12	.27	<b>\$404</b>
BRTLPPD36	.75 x 33 x 16	60	10	.22	<b>\$367</b>

Secures between two back-to-back tables; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface. 36"- 72"wide dividers include 2 support brackets and one pass-through grommet. 78"and 84" wide dividers include 3 support brackets and 2 pass-through grommets. 3/4" PVC edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes.

- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

BRTLPPS84	.75 x 81 x 32	60	50	1.16	<b>\$1090</b>
BRTLPPS78	.75 x 75 x 32	60	47	1.08	<b>\$1046</b>
BRTLPPS72	.75 x 69 x 32	60	43	1	<b>\$856</b>
BRTLPPS66	.75 x 63 x 32	60	40	.91	<b>\$811</b>
BRTLPPS60	.75 x 57 x 32	60	36	.83	<b>\$765</b>
BRTLPPS54	.75 x 51 x 32	60	32	.75	<b>\$708</b>
BRTLPPS48	.75 x 45 x 32	60	29	.66	<b>\$674</b>
BRTLPPS42	.75 x 39 x 32	60	25	.56	<b>\$628</b>
BRTLPPS36	.75 x 33 x 32	60	22	.50	<b>\$514</b>


Installed on one side only. Secures to the back of a single table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. 36"- 72"wide dividers include 2 support brackets. 78"and 84" wide dividers include 4 support brackets. 3/4" self edged boards. Integrated anodized aluminum accessory rail, white cut out and rail trims. Brackets are available in all standard Bridges II paint finishes. Integrated modesty panel.

- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

BRTLPPD24	.75 x 24 x 16	60	7	.16	<b>\$255</b>
BRTLPPD30	.75 x 30 x 16	60	9	.20	<b>\$277</b>

Secures off-module to front and back edges of a table; provides privacy, divides space. Can be installed anywhere along worksurface or over the seam of two adjacent worksurfaces. Cannot be installed at the end of a run. Installed divider measures 15.7" from the top of the worksurface. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes.

**Required Specifications**  
Chassis/Accent finish  
Bracket finish  
Edge finish

TABLE DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		<b>D x W x H</b>				
	BRTLPE24	.75 x 24 x 32	60	7	.16	<b>\$405</b>
	BRTLPE30	.75 x 30 x 32	60	9	.20	<b>\$434</b>
	BRTLPE51	.75 x 50.5 x 32	60	15	.35	<b>\$684</b>
	BRTLPE63	.75 x 62.5 x 32	60	19	.43	<b>\$776</b>

**Perpendicular End of Run Divider, Laminate\***

Secures to the side edge of a table; provides privacy, divides space. Installed divider measures 15.7" from the top of the worksurface and 15" below the worksurface. Integrated modesty panel. 3/4" self edged boards. Brackets are available in all standard Bridges II paint finishes. For Rectangular leg only.

- BRTLPE51 divider matches 24" deep back-to-back assemblies
- BRTLPE63 divider matches 30" deep back-to-back assemblies





MODESTY PANEL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	BRTMPS84	.75 x 78.5 x 14	60	22	.51	<b>\$615</b>
	BRTMPS78	.75 x 72.5 x 14	60	20	.47	<b>\$593</b>
	BRTMPS72	.75 x 66.5 x 14	60	19	.43	<b>\$572</b>
	BRTMPS66	.75 x 60.5 x 14	60	17	.40	<b>\$551</b>
	BRTMPS60	.75 x 54.5 x 14	60	16	.36	<b>\$532</b>
	BRTMPS54	.75 x 48.5 x 14	60	14	.32	<b>\$512</b>
	BRTMPS48	.75 x 42.5 x 14	60	13	.29	<b>\$489</b>
	BRTMPS42	.75 x 36.5 x 14	60	11	.25	<b>\$471</b>
	BRTMPS36	.75 x 30.5 x 14	60	9	.21	<b>\$448</b>

**Laminate Modesty Panel\***

Secures to the back edge of a table; provides privacy, divides space. Installed divider measures 15" below the worksurface. 3/4" self edged boards. Flips down for easy access to underside of worksurface. Brackets are available in all standard Bridges II paint finishes.

#### Required Specifications

Chassis/Accent finish  
Bracket finish  
Edge finish

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Laminate End of Run Gable*</b></p>		<b>D x W x H</b>				
	BRTPEG24	.75 x 24 x 14	60	6	.14	<b>\$264</b>
	BRTPEG24H21	.75 x 24 x 20.5	60	9	.21	<b>\$305</b>
	BRTPEG24H27	.75 x 24 x 26.5	60	12	.26	<b>\$356</b>
	BRTPEG30	.75 x 30 x 14	60	8	.18	<b>\$284</b>
	BRTPEG30H21	.75 x 30 x 20.5	60	12	.26	<b>\$324</b>
	BRTPEG30H27	.75 x 30 x 26.5	60	15	.33	<b>\$378</b>
	BRTPEG51	.75 x 50.5 x 14	60	13	.30	<b>\$460</b>
	BRTPEG51H21	.75 x 50.5 x 20.5	60	20	.43	<b>\$556</b>
	BRTPEG51H27	.75 x 50.5 x 26.5	60	26	.56	<b>\$644</b>
	BRTPEG63	.75 x 62.5 x 14	60	16	.38	<b>\$500</b>
	BRTPEG63H21	.75 x 62.5 x 20.5	60	25	.53	<b>\$595</b>
	BRTPEG63H27	.75 x 62.5 x 26.5	60	32	.69	<b>\$684</b>
 <p><b>Table End Gap Filler</b></p>	BRTTEGF	4.5 x 2.5 x 1	70	.03	.01	<b>\$18</b>
	<p>Injection molded block fills the gap finishing the end of back-to-back table assemblies. Secures to the bottom of two back-to-back worksurfaces. Injection molded resin, white.</p>					
 <p><b>Single Table Accessory Rail</b></p>	BRLBST84	2.95 x 81 x 13.5	70	10.24	.61	<b>\$584</b>
	BRLBST78	2.95 x 75 x 13.5	70	9.69	.56	<b>\$567</b>
	BRLBST72	2.95 x 69 x 13.5	70	9.15	.52	<b>\$550</b>
	BRLBST66	2.95 x 63 x 13.5	70	8.61	.48	<b>\$532</b>
	BRLBST60	2.95 x 57 x 13.5	70	8.07	.43	<b>\$514</b>
	BRLBST54	2.95 x 51 x 13.5	70	7.52	.39	<b>\$503</b>
	BRLBST48	2.95 x 45 x 13.5	70	6.98	.35	<b>\$485</b>
	BRLBST42	2.95 x 39 x 13.5	70	6.44	.30	<b>\$468</b>
	BRLBST36	2.95 x 33 x 13.5	65	5.90	.26	<b>\$445</b>
	Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.					
 <p><b>Back-To-Back Accessory Rail</b></p>	BRLBB2B84	7.50 x 81 x 13.5	65	17.69	.74	<b>\$963</b>
	BRLBB2B78	7.50 x 75 x 13.5	65	16.61	.69	<b>\$928</b>
	BRLBB2B72	7.50 x 69 x 13.5	65	15.52	.63	<b>\$894</b>
	BRLBB2B66	7.50 x 63 x 13.5	65	14.44	.58	<b>\$860</b>
	BRLBB2B60	7.50 x 57 x 13.5	65	13.36	.53	<b>\$826</b>
	BRLBB2B54	7.50 x 51 x 13.5	65	12.27	.48	<b>\$801</b>
	BRLBB2B48	7.50 x 45 x 13.5	65	11.19	.42	<b>\$765</b>
	BRLBB2B42	7.50 x 39 x 13.5	65	10.10	.37	<b>\$731</b>
	BRLBB2B36	7.50 x 33 x 13.5	65	9.02	.32	<b>\$688</b>
	Table mounted accessory rail. Compatible with standard accessories. Includes end caps and mounting hardware.					

#### Required Specifications

Chassis/Accent finish\*

Edge finish\*

Bracket finish\*

**FRAMED DIVIDERS****Single Table Or Single Table Row Application; 16" and 30" high dividers**

D x W x H


Table Mounted Framed Divider for single table or single table row; recessed 1.5" at both ends, mounted to the table with 0.6" gap at the back.  
 BRTMFD/BRTMLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.  
 BRTMFD/BRTMLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Single Table End of Run Framed Divider;  
 BREFD/BRELD 24" (21" actual for 24" deep work surfaces),  
 BREFD/BRELD 30" (27" actual for 30" deep work surfaces),  
 BREFD/BRELD 36" (33" actual for 36" deep work surfaces),

Two brackets secure the divider to the side edge of work surface. Flush with rear edge, 3" recessed from front work surface edge.

Perpendicular Shared Framed Divider;  
 BRSPFD/BRSLD 24" (21" actual for 24" deep work surfaces),  
 BRSPFD/BRSLD 30" (27" actual for 30" deep work surfaces),  
 BRSPFD/BRSLD 36" (33" actual for 36" deep work surfaces),


Single bracket secures the divider to the rear edge of work surface; Can be mounted off-module or over the seam of two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surface edge.

**Back-To-Back Table Application; 16" dividers**

Perpendicular Back 2 Back Parallel Framed Divider secured between two back-to-back tables; recessed 1.5" at both ends; 0.6" gap between the divider and work surfaces.  
 BRPFD/BRPLD 36" (33" actual) - 66" (63" actual) dividers have 2 mounting brackets.  
 BRPFD/BRPLD 72" (69" actual) - 84" (81" actual) dividers have 3 mounting brackets.

Perpendicular Shared Frame Back 2 Back Framed Divider;  
 BRSPFD/BRSLD 51" (45" actual for 24" deep back-to-back work surfaces)  
 BRSPFD/BRSLD 63" (57" actual for 30" deep back-to-back work surfaces).  
 One bracket secures the divider through the gap between work surfaces; two brackets locate top of the divider between two adjacent Parallel dividers.  
 NOTE: cannot be used on its own without the two Parallel dividers.  
 3" recessed from front work surface edges.

Perpendicular Back-To-Back End of Run Framed Divider;  
 BREDFD/BREDLD 51" (45" actual for 24" deep back-to-back work surfaces)  
 BREDFD/BREDLD 63" (57" actual for 30" deep back-to-back work surfaces).  
 Three brackets secure the divider to both side edges of work surfaces.  
 3" recessed from front work surface edges.







Perpendicular Shared Framed Divider;  
 BRSPFD/BRSLD 24" (21" actual for 24" deep work surfaces).  
 BRSPFD/BRSLD 30" (27" actual for 30" deep work surfaces).






Single bracket secures the divider to the rear edge of work surface; Can be mounted off-module or over the seam of the two adjacent work surfaces. Flush with the rear edge, 3" recessed from front work surfaces edge.

Perpendicular Single Table End of Run Framed Divider;  
 BREFD/BRELD 24" (21" actual for 24" deep work surfaces).  
 BREFD/BRELD 30" (27" actual for 30" deep work surfaces).

Two brackets secure the divider to the side edge of work surface. Flush with the rear edge, 3" recessed from front work surface edge.

FRAMED DIVIDERS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
	Back-to-Back Parallel Framed Divider Fabric		D x W x H							
		BRPFD84	1.25 x 81 x 16	70	32	1.95	\$966			
		BRPFD78	1.25 x 75 x 16	70	28	1.81	\$917			
		BRPFD72	1.25 x 69 x 16	70	24	1.57	\$906			
		BRPFD66	1.25 x 63 x 16	85	20	1.53	\$871			
		BRPFD60	1.25 x 57 x 16	92.5	15	1.39	\$821			
		BRPFD54	1.25 x 51 x 16	92.5	13	1.25	\$692			
		BRPFD48	1.25 x 45 x 16	85	11	.75	\$655			
		BRPFD42	1.25 x 39 x 16	100	9	.97	\$569			
		BRPFD36	1.25 x 33 x 16	100	8	.83	\$556			
Secures to the underside of the worksurface. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.										
• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door										
	Back-to-Back Parallel Framed Divider*						LIST PRICE	HP ADD	DE ADD	DM ADD
		BRPLD84	1.25 x 81 x 16	70	32	2.25	\$679	\$342	\$777	\$1969
		BRPLD78	1.25 x 75 x 16	70	28	2.08	\$667	\$309	\$778	\$1960
		BRPLD72	1.25 x 69 x 16	70	24	1.92	\$660	\$277	\$777	\$1945
		BRPLD66	1.25 x 63 x 16	85	20	1.75	\$637	\$288	\$648	\$1768
		BRPLD60	1.25 x 57 x 16	92.5	15	1.58	\$615	\$238	\$657	\$1652
		BRPLD54	1.25 x 51 x 16	92.5	13	1.42	\$514	\$209	\$686	\$1681
		BRPLD48	1.25 x 45 x 16	85	11	1.25	\$441	\$159	\$307	\$806
		BRPLD42	1.25 x 39 x 16	100	9	1.08	\$391	\$127	\$261	\$695
		BRPLD36	1.25 x 33 x 16	100	8	.92	\$372	\$117	\$234	\$613
Secures to the underside of the worksurface. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. 36" to 54" dividers include 2 support brackets. 60" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.										
• 60" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door										
	Perpendicular Single Table End of Run Framed Divider, Fabric						LIST PRICE			
		BREFD36	1.25 x 33 x 16	85	12	.92	\$490			
		BREFD30	1.25 x 27 x 16	85	11	.75	\$444			
		BREFD24	1.25 x 21 x 16	70	9	.58	\$431			
Connects to the perpendicular end of a single or back-to-back table. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. Brackets are available in all standard Bridges II paint finishes.										
	Perpendicular Single Table End of Run Framed Divider, Laminate*						LIST PRICE	HP ADD	DE ADD	DM ADD
		BRELD36	1.25 x 33 x 16	70	20	.92	\$321	\$118	\$234	\$364
		BRELD30	1.25 x 27 x 16	65	17	.75	\$310	\$104	\$178	\$280
		BRELD24	1.25 x 21 x 16	65	14	.58	\$278	\$87	\$161	\$244
Connects to the perpendicular end of a single or back-to-back table. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 2 support brackets. Two brackets secure the divider to the side edge of worksurface. Flush with the rear edge, 3" recessed from front worksurface edge. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.										

Required Specifications	Optional Specifications
Fabric	HP laminate*
Finish	Dry erase/dry erase magnetic whiteboard*
Bracket finish	

SHARED FRAMED DIVIDERS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
	Perpendicular Shared Framed Divider, Fabric		D x W x H							
		BRSFD36	1.25 x 33 x 16	85	12	.92	\$479			
		BRSFD30	1.25 x 27 x 16	85	11	.75	\$431			
		BRSFD24	1.25 x 21 x 16	70	9	.58	\$418			
		Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.								
	Perpendicular Shared Framed Divider, Laminate*						LIST PRICE	HP ADD	DE ADD	DM ADD
		BRSLD36	1.25 x 33 x 16	70	20	.92	\$321	\$118	\$178	\$667
		BRSLD30	1.25 x 27 x 16	65	17	.75	\$300	\$104	\$135	\$594
		BRSLD24	1.25 x 21 x 16	65	14	.58	\$278	\$77	\$114	\$444
		Connects anywhere along and between worksurfaces to divide space and create privacy. Divider is fastened under the worksurface flush to the back of the table and recessed 3" from the front edge on the user side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with a support bracket at the back and a spacer plate with double sided adhesive at the front. Brackets are available in all standard Bridges II paint finishes.								
	Perpendicular Back-to-Back End of Run Framed Divider, Fabric						LIST PRICE			
		BREDFD63	1.25 x 57 x 16	85	21	1.58	\$758			
		BREDFD51	1.25 x 45 x 16	85	18	1.25	\$668			
		Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. Brackets are available in all standard Bridges II paint finishes.								
	Perpendicular Back-to-Back End of Run Framed Divider, Laminate*						LIST PRICE	HP ADD	DE ADD	DM ADD
		BREDLD63	1.25 x 57 x 16	70	32	1.58	\$556	\$238	\$510	\$990
		BREDLD51	1.25 x 45 x 16	70	26	1.25	\$452	\$157	\$243	\$473
		Connects to the end of run on a back-to-back tables to create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (LP), high pressure laminate (HP), dry erase whiteboard (DE) or dry erase magnetic whiteboard (DM). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 large and 2 small support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side. Brackets are available in all standard Bridges II paint finishes.								
	Perpendicular Back-to-Back Shared Framed Divider, Fabric						LIST PRICE			
		BRSDFD63	1.25 x 57 x 16	85	20	1.58	\$719			
		BRSDFD51	1.25 x 45 x 16	85	17	1.25	\$629			
		Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Fabric divider is tackable and always railroaded. Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.								
		• Cannot be used on its own without the two parallel dividers								


**Required Specifications**

Fabric  
Finish  
Bracket finish

**Optional Specifications**

HP laminate\*  
Dry erase/dry erase magnetic whiteboard\*

SHARED FRAMED DIVIDERS



Perpendicular Back-to-Back Shared Framed Divider, Laminate\*




Table Mounted Framed Divider, Fabric\*




Table Mounted Framed Divider, Laminate\*



Ceiling Pole for Wellness Screens

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
					LIST PRICE	HP ADD	DE ADD	DM ADD
BRSDLD63	1.25 x 57 x 16	70	32	1.58	\$533	\$228	\$502	\$1818
BRSDLD51	1.25 x 45 x 16	70	26	1.25	\$432	\$157	\$233	\$888

Connects between parallel framed dividers for back-to-back tables to divide space and create privacy. Divider is fastened under the worksurface and recessed 3" from the user edge on either side. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**). Installed divider measures 15.7" from top of worksurface. Divider comes with 1 center support bracket, 2 spacer plates with adhesive and 2 top spacer clamps. Brackets are available in all standard Bridges II paint finishes.

- Cannot be used on its own without the two parallel dividers

					LIST PRICE			
BRTMFD84	1.25 x 81 x 30	70	43	4.22	\$1096			
BRTMFD78	1.25 x 75 x 30	70	40	3.91	\$1020			
BRTMFD72	1.25 x 69 x 30	70	37	3.59	\$981			
BRTMFD66	1.25 x 63 x 30	85	33	3.28	\$948			
BRTMFD60	1.25 x 57 x 30	92.5	30	2.97	\$834			
BRTMFD54	1.25 x 51 x 30	92.5	27	2.66	\$744			
BRTMFD48	1.25 x 45 x 30	85	25	2.34	\$668			
BRTMFD42	1.25 x 39 x 30	100	22	2.03	\$594			
BRTMFD36	1.25 x 33 x 30	100	20	1.90	\$504			

Parallel divider for single tables. Fabric divider is tackable and always railroaded. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

- 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

					LIST PRICE	HP ADD	DE ADD	DM ADD
BRTMLD84	1.25 x 81 x 30	70	83	4.22	\$1387	\$455	\$1318	\$3034
BRTMLD78	1.25 x 75 x 30	70	77	3.91	\$1366	\$457	\$1318	\$3034
BRTMLD72	1.25 x 69 x 30	70	71	3.59	\$691	\$307	\$1772	\$3686
BRTMLD66	1.25 x 63 x 30	85	66	3.28	\$660	\$309	\$1779	\$3696
BRTMLD60	1.25 x 57 x 30	92.5	60	2.97	\$637	\$219	\$1787	\$3696
BRTMLD54	1.25 x 51 x 30	92.5	54	2.66	\$605	\$219	\$1685	\$3492
BRTMLD48	1.25 x 45 x 30	85	48	2.34	\$584	\$219	\$695	\$1659
BRTMLD42	1.25 x 39 x 30	100	42	2.03	\$562	\$219	\$704	\$1547
BRTMLD36	1.25 x 33 x 30	100	38	1.90	\$542	\$219	\$385	\$1200

Parallel divider for single tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 0.6" gap between worksurface and divider allows for cable pass thru. Installed divider reaches 15.7" up and 15" down from top of worksurface. 36" to 66" dividers include 2 support brackets. 72" to 84" dividers include 3 support brackets. Brackets are available in all standard Bridges II paint finishes.

- 72" - 84" dividers require 3 support brackets and cannot be used with worksurfaces that have a single access door

BRTADPCPP	1.5 x 4.75 x 99	65	13	.48	\$665
-----------	-----------------	----	----	-----	-------

Brings ceiling feed conduit and data cables from the ceiling down to Power Troughs at desk height. Accommodates 10' ceiling heights. Two part construction allows power/data conduit lay-in. Attaches to a junction between two adjacent Power Troughs in back-to-back applications only. Not for use on single sided Bridges II troughs. Includes mounting hardware and ceiling bezel. Painted Finish.

- Screens must be specified 6" shorter than the nominal worksurface dimension in order to accommodate this ceiling feed.

Required Specifications

Fabric  
Finish  
Bracket finish\*

## BACK-TO-BACK WELLNESS SCREENS

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H




24"H Back-to-Back Wellness Screen

BRTADP5136H24	50.50 x 36 x 24.63	150	33	6.31	<b>\$1739</b>
BRTADP5142H24	50.50 x 42 x 24.63	150	34.50	7.36	<b>\$1773</b>
BRTADP5148H24	50.50 x 48 x 24.63	150	36	8.42	<b>\$1810</b>
BRTADP5154H24	50.50 x 54 x 24.63	250	37.50	9.47	<b>\$1846</b>
BRTADP5160H24	50.50 x 60 x 24.63	250	39	10.52	<b>\$1881</b>
BRTADP5166H24	50.50 x 66 x 24.63	250	40.50	11.57	<b>\$1919</b>
BRTADP5172H24	50.50 x 72 x 24.63	250	42	12.63	<b>\$1953</b>
BRTADP5178H24	50.50 x 78 x 24.63	250	43.50	13.68	<b>\$1990</b>
BRTADP5184H24	50.50 x 84 x 24.63	250	45	14.73	<b>\$2026</b>

BRTADP6336H24	62.50 x 36 x 24.63	150	46.50	7.81	<b>\$1879</b>
BRTADP6342H24	62.50 x 42 x 24.63	150	48	9.11	<b>\$1913</b>
BRTADP6348H24	62.50 x 48 x 24.63	150	49.50	10.42	<b>\$1952</b>
BRTADP6354H24	62.50 x 54 x 24.63	150	51	11.72	<b>\$1987</b>
BRTADP6360H24	62.50 x 60 x 24.63	150	52.50	13.02	<b>\$2022</b>
BRTADP6366H24	62.50 x 66 x 24.63	250	54	14.32	<b>\$2059</b>
BRTADP6372H24	62.50 x 72 x 24.63	250	55	15.63	<b>\$2095</b>
BRTADP6378H24	62.50 x 78 x 24.63	250	57.35	16.93	<b>\$2132</b>
BRTADP6384H24	62.50 x 84 x 24.63	250	58.50	18.23	<b>\$2168</b>

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP51xxH24 are for configurations with 24" deep surfaces.**
- **BRTADP63xxH24 are for configurations with 30" deep surfaces.**



30"H Back-to-Back Wellness Screen

BRTADP5136H30	50.50 x 36 x 30.63	150	35.50	6.31	<b>\$1926</b>
BRTADP5142H30	50.50 x 42 x 30.63	150	37	7.36	<b>\$1969</b>
BRTADP5148H30	50.50 x 48 x 30.63	150	38.50	8.42	<b>\$2008</b>
BRTADP5154H30	50.50 x 54 x 30.63	150	40	9.47	<b>\$2054</b>
BRTADP5160H30	50.50 x 60 x 30.63	250	41.50	10.52	<b>\$2094</b>
BRTADP5166H30	50.50 x 66 x 30.63	250	43	11.57	<b>\$2138</b>
BRTADP5172H30	50.50 x 72 x 30.63	250	44.50	12.63	<b>\$2177</b>
BRTADP5178H30	50.50 x 78 x 30.63	250	46	13.68	<b>\$2219</b>
BRTADP5184H30	50.50 x 84 x 30.63	250	47.50	14.73	<b>\$2261</b>

BRTADP6336H30	62.50 x 36 x 30.63	125	49	7.81	<b>\$2165</b>
BRTADP6342H30	62.50 x 42 x 30.63	150	50.50	9.11	<b>\$2206</b>
BRTADP6348H30	62.50 x 48 x 30.63	150	52	10.42	<b>\$2248</b>
BRTADP6354H30	62.50 x 54 x 30.63	150	53.50	11.72	<b>\$2289</b>
BRTADP6360H30	62.50 x 60 x 30.63	150	55	13.02	<b>\$2331</b>
BRTADP6366H30	62.50 x 66 x 30.63	250	56.50	14.32	<b>\$2373</b>
BRTADP6372H30	62.50 x 72 x 30.63	250	58	15.63	<b>\$2414</b>
BRTADP6378H30	62.50 x 78 x 30.63	250	59.50	16.93	<b>\$2456</b>
BRTADP6384H30	62.50 x 84 x 30.63	250	61	18.23	<b>\$2498</b>

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).


- **BRTADP51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADP63xxH30 are for configurations with 30" deep surfaces.**

## Required Specifications


Frame finish



BACK-TO-BACK WELLNESS SCREENS



24"H Back-to-Back Wellness Screen Extension Kit



30"H Back-to-Back Wellness Screen Extension Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRTADPE5136H24	50.50 x 36 x 24.63	150	26.35	6.31	\$1178
BRTADPE5142H24	50.50 x 42 x 24.63	250	27.85	7.36	\$1214
BRTADPE5148H24	50.50 x 48 x 24.63	250	29.35	8.42	\$1250
BRTADPE5154H24	50.50 x 54 x 24.63	250	30.85	9.47	\$1284
BRTADPE5160H24	50.50 x 60 x 24.63	250	32.35	10.52	\$1322
BRTADPE5166H24	50.50 x 66 x 24.63	250	33.85	11.57	\$1358
BRTADPE5172H24	50.50 x 72 x 24.63	250	35.35	12.63	\$1398
BRTADPE5178H24	50.50 x 78 x 24.63	250	36.85	13.68	\$1432
BRTADPE5184H24	50.50 x 84 x 24.63	250	38.35	14.73	\$1467
BRTADPE6336H24	62.50 x 36 x 24.63	150	39.85	7.81	\$1249
BRTADPE6342H24	62.50 x 42 x 24.63	150	41.35	9.11	\$1283
BRTADPE6348H24	62.50 x 48 x 24.63	150	42.85	10.42	\$1320
BRTADPE6354H24	62.50 x 54 x 24.63	250	44.35	11.72	\$1357
BRTADPE6360H24	62.50 x 60 x 24.63	250	45.85	13.02	\$1394
BRTADPE6366H24	62.50 x 66 x 24.63	250	47.35	14.32	\$1432
BRTADPE6372H24	62.50 x 72 x 24.63	250	48.85	15.63	\$1465
BRTADPE6378H24	62.50 x 78 x 24.63	250	50.35	16.93	\$1502
BRTADPE6384H24	62.50 x 84 x 24.63	250	51.85	18.23	\$1539

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH24 are for configurations with 24" deep surfaces.
- BRTADPE63xxH24 are for configurations with 30" deep surfaces.

BRTADPE5136H30	50.50 x 36 x 30.63	150	28.85	6.31	\$1294
BRTADPE5142H30	50.50 x 42 x 30.63	150	30.35	7.36	\$1336
BRTADPE5148H30	50.50 x 48 x 30.63	250	31.85	8.42	\$1379
BRTADPE5154H30	50.50 x 54 x 30.63	250	33.35	9.47	\$1422
BRTADPE5160H30	50.50 x 60 x 30.63	250	34.85	10.52	\$1462
BRTADPE5166H30	50.50 x 66 x 30.63	250	36.35	11.57	\$1504
BRTADPE5172H30	50.50 x 72 x 30.63	250	37.85	12.63	\$1547
BRTADPE5178H30	50.50 x 78 x 30.63	250	39.35	13.68	\$1586
BRTADPE5184H30	50.50 x 84 x 30.63	250	40.85	14.73	\$1629
BRTADPE6336H30	62.50 x 36 x 30.63	150	42.35	7.81	\$1376
BRTADPE6342H30	62.50 x 42 x 30.63	150	43.85	9.11	\$1420
BRTADPE6348H30	62.50 x 48 x 30.63	150	45.35	10.42	\$1461
BRTADPE6354H30	62.50 x 54 x 30.63	250	46.85	11.72	\$1502
BRTADPE6360H30	62.50 x 60 x 30.63	250	48.35	13.02	\$1544
BRTADPE6366H30	62.50 x 66 x 30.63	250	49.85	14.32	\$1585
BRTADPE6372H30	62.50 x 72 x 30.63	250	51.35	15.63	\$1629
BRTADPE6378H30	62.50 x 78 x 30.63	250	52.85	16.93	\$1668
BRTADPE6384H30	62.50 x 84 x 30.63	250	54.35	18.23	\$1711

Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE51xxH30 are for configurations with 24" deep surfaces.
- BRTADPE63xxH30 are for configurations with 30" deep surfaces.

Required Specifications  
Frame finish

<

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADP30xxH24 are for configurations with 30" deep surfaces.**


Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- **BRTADP24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADP30xxH30 are for configurations with 30" deep surfaces.**


#### Required Specifications

Frame finish

SINGLE TABLE WELLNESS SCREENS



24”H Single Table Wellness Screen Extension Kit



30”H Single Table Wellness Screen Extension Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRTADPE2436H24	31.75 x 36 x 24.63	150	21.05	3.97	\$900
BRTADPE2442H24	31.75 x 42 x 24.63	150	22.60	4.63	\$989
BRTADPE2448H24	31.75 x 48 x 24.63	150	24.15	5.29	\$1026
BRTADPE2454H24	31.75 x 54 x 24.63	150	25.70	5.95	\$1061
BRTADPE2460H24	31.75 x 60 x 24.63	150	27.25	6.61	\$1096
BRTADPE2466H24	31.75 x 66 x 24.63	250	28.80	7.28	\$1134
BRTADPE2472H24	31.75 x 72 x 24.63	250	30.35	7.94	\$1170
BRTADPE2478H24	31.75 x 78 x 24.63	250	31.90	8.60	\$1206
BRTADPE2484H24	31.75 x 84 x 24.63	250	33.45	9.26	\$1240
BRTADPE3036H24	37.75 x 36 x 24.63	125	35	4.72	\$937
BRTADPE3042H24	37.75 x 42 x 24.63	125	36.55	5.51	\$1023
BRTADPE3048H24	37.75 x 48 x 24.63	125	38.10	6.29	\$1061
BRTADPE3054H24	37.75 x 54 x 24.63	150	39.65	7.08	\$1096
BRTADPE3060H24	37.75 x 60 x 24.63	150	41.20	7.87	\$1134
BRTADPE3066H24	37.75 x 66 x 24.63	150	42.75	8.65	\$1168
BRTADPE3072H24	37.75 x 72 x 24.63	150	44.30	9.44	\$1203
BRTADPE3078H24	37.75 x 78 x 24.63	150	45.85	10.01	\$1240
BRTADPE3084H24	37.75 x 84 x 24.63	150	47.40	10.01	\$1276

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH24 are for configurations with 24” deep surfaces.
- BRTADPE30xxH24 are for configurations with 30” deep surfaces.

BRTADPE2436H30	31.75 x 36 x 30.63	150	22.85	3.97	\$991
BRTADPE2442H30	31.75 x 42 x 30.63	150	24.40	4.63	\$1085
BRTADPE2448H30	31.75 x 48 x 30.63	150	25.95	5.29	\$1125
BRTADPE2454H30	31.75 x 54 x 30.63	150	27.50	5.95	\$1167
BRTADPE2460H30	31.75 x 60 x 30.63	150	29.05	6.61	\$1210
BRTADPE2466H30	31.75 x 66 x 30.63	150	30.60	7.28	\$1250
BRTADPE2472H30	31.75 x 72 x 30.63	150	32.15	7.94	\$1291
BRTADPE2478H30	31.75 x 78 x 30.63	250	33.70	8.60	\$1333
BRTADPE2484H30	31.75 x 84 x 30.63	250	35.25	9.26	\$1375
BRTADPE3036H30	37.75 x 36 x 30.63	125	36.80	4.72	\$1031
BRTADPE3042H30	37.75 x 42 x 30.63	125	38.35	5.51	\$1125
BRTADPE3048H30	37.75 x 48 x 30.63	125	39.90	6.29	\$1167
BRTADPE3054H30	37.75 x 54 x 30.63	150	41.45	7.08	\$1207
BRTADPE3060H30	37.75 x 60 x 30.63	150	43	7.87	\$1250
BRTADPE3066H30	37.75 x 66 x 30.63	150	44.55	8.65	\$1291
BRTADPE3072H30	37.75 x 72 x 30.63	150	46.10	9.44	\$1332
BRTADPE3078H30	37.75 x 78 x 30.63	150	47.65	10.22	\$1375
BRTADPE3084H30	37.75 x 84 x 30.63	150	49.20	11.01	\$1415

Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR).

- BRTADPE24xxH30 are for configurations with 24” deep surfaces.
- BRTADPE30xxH30 are for configurations with 30” deep surfaces.

Required Specifications  
Frame finish

## BACK-TO-BACK FELT DIVIDER SCREENS

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT./LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H




24"H Back-to-Back Felt Divider Screen

BRTADF5136H24	50.50 x 36 x 24.60	150	28	6.31	<b>\$1371</b>
BRTADF5142H24	50.50 x 42 x 24.60	150	29.50	7.36	<b>\$1395</b>
BRTADF5148H24	50.50 x 48 x 24.60	150	31	8.42	<b>\$1422</b>
BRTADF5154H24	50.50 x 54 x 24.60	250	32.50	9.47	<b>\$1445</b>
BRTADF5160H24	50.50 x 60 x 24.60	250	34	10.52	<b>\$1476</b>
BRTADF5166H24	50.50 x 66 x 24.60	250	35.50	11.57	<b>\$1502</b>
BRTADF5172H24	50.50 x 72 x 24.60	250	37	12.63	<b>\$1529</b>
BRTADF5178H24	50.50 x 78 x 24.60	250	38.50	13.68	<b>\$1558</b>
BRTADF5184H24	50.50 x 84 x 24.60	250	40	14.73	<b>\$1608</b>
BRTADF6336H24	62.50 x 36 x 24.60	150	41.50	7.81	<b>\$1476</b>
BRTADF6342H24	62.50 x 42 x 24.60	150	43	9.11	<b>\$1502</b>
BRTADF6348H24	62.50 x 48 x 24.60	150	44.50	10.42	<b>\$1529</b>
BRTADF6354H24	62.50 x 54 x 24.60	150	46	11.72	<b>\$1555</b>
BRTADF6360H24	62.50 x 60 x 24.60	150	47.50	13.02	<b>\$1581</b>
BRTADF6366H24	62.50 x 66 x 24.60	250	49	14.32	<b>\$1608</b>
BRTADF6372H24	62.50 x 72 x 24.60	250	50.50	15.63	<b>\$1634</b>
BRTADF6378H24	62.50 x 78 x 24.60	250	52	16.93	<b>\$1661</b>
BRTADF6384H24	62.50 x 84 x 24.60	250	53.50	18.23	<b>\$1713</b>

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTAPF51xxH24 are for configurations with 24" deep surfaces.**
- **BRTAPF63xxH24 are for configurations with 30" deep surfaces.**



30"H Back-to-Back Felt Divider Screen

BRTADF5136H30	50.50 x 36 x 30.60	150	30.50	6.31	<b>\$1366</b>
BRTADF5142H30	50.50 x 42 x 30.60	150	32	7.36	<b>\$1391</b>
BRTADF5148H30	50.50 x 48 x 30.60	150	33.50	8.42	<b>\$1416</b>
BRTADF5154H30	50.50 x 54 x 30.60	150	35	9.47	<b>\$1440</b>
BRTADF5160H30	50.50 x 60 x 30.60	250	36.50	10.52	<b>\$1465</b>
BRTADF5166H30	50.50 x 66 x 30.60	250	38	11.57	<b>\$1488</b>
BRTADF5172H30	50.50 x 72 x 30.60	250	39.50	12.63	<b>\$1515</b>
BRTADF5178H30	50.50 x 78 x 30.60	250	41	13.68	<b>\$1542</b>
BRTADF5184H30	50.50 x 84 x 30.60	250	42.50	14.73	<b>\$1598</b>
BRTADF6336H30	62.50 x 36 x 30.60	125	44	7.81	<b>\$1534</b>
BRTADF6342H30	62.50 x 42 x 30.60	150	45.50	9.11	<b>\$1558</b>
BRTADF6348H30	62.50 x 48 x 30.60	150	47	10.42	<b>\$1581</b>
BRTADF6354H30	62.50 x 54 x 30.60	150	48.50	11.72	<b>\$1605</b>
BRTADF6360H30	62.50 x 60 x 30.60	150	50	13.02	<b>\$1631</b>
BRTADF6366H30	62.50 x 66 x 30.60	250	51.50	14.32	<b>\$1657</b>
BRTADF6372H30	62.50 x 72 x 30.60	250	53	15.63	<b>\$1681</b>
BRTADF6378H30	62.50 x 78 x 30.60	250	54.50	16.93	<b>\$1706</b>
BRTADF6384H30	62.50 x 84 x 30.60	250	56	18.23	<b>\$1763</b>


Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADF51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADF63xxH30 are for configurations with 30" deep surfaces.**


## Required Specifications

Frame finish

BACK-TO-BACK FELT DIVIDER SCREENS



24”H Back-to-Back Felt Divider Screen Extension Kit



30”H Back-to-Back Felt Divider Screen Extension Kit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
BRTADFE5136H24	50.50 x 36 x 24.60	150	23.35	6.31	\$935
BRTADFE5142H24	50.50 x 42 x 24.60	250	24.85	7.36	\$961
BRTADFE5148H24	50.50 x 48 x 24.60	250	26.35	8.42	\$988
BRTADFE5154H24	50.50 x 54 x 24.60	250	27.85	9.47	\$1014
BRTADFE5160H24	50.50 x 60 x 24.60	250	29.35	10.52	\$1040
BRTADFE5166H24	50.50 x 66 x 24.60	250	30.85	11.57	\$1067
BRTADFE5172H24	50.50 x 72 x 24.60	250	32.35	12.63	\$1093
BRTADFE5178H24	50.50 x 78 x 24.60	250	33.85	13.68	\$1121
BRTADFE5184H24	50.50 x 84 x 24.60	250	35.35	14.73	\$1174
BRTADFE6336H24	62.50 x 36 x 24.60	150	36.85	7.81	\$985
BRTADFE6342H24	62.50 x 42 x 24.60	150	38.35	9.11	\$1011
BRTADFE6348H24	62.50 x 48 x 24.60	150	39.85	10.42	\$1039
BRTADFE6354H24	62.50 x 54 x 24.60	250	41.35	11.72	\$1064
BRTADFE6360H24	62.50 x 60 x 24.60	250	42.85	13.02	\$1092
BRTADFE6366H24	62.50 x 66 x 24.60	250	44.35	14.32	\$1118
BRTADFE6372H24	62.50 x 72 x 24.60	250	45.85	15.63	\$1145
BRTADFE6378H24	62.50 x 78 x 24.60	250	47.35	16.93	\$1171
BRTADFE6384H24	62.50 x 84 x 24.60	250	48.85	18.23	\$1224

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1”. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH24 are for configurations with 24” deep surfaces.
- BRTADFE63xxH24 are for configurations with 30” deep surfaces.

BRTADFE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$932
BRTADFE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$957
BRTADFE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$982
BRTADFE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1007
BRTADFE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1031
BRTADFE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1057
BRTADFE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1081
BRTADFE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$1106
BRTADFE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$1163
BRTADFE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$981
BRTADFE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1006
BRTADFE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1030
BRTADFE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1055
BRTADFE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1080
BRTADFE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$1105
BRTADFE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$1129
BRTADFE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$1154
BRTADFE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$1210

Provides an extension to privacy in an open plan environment. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25” from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1”. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides and 6.25” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE51xxH30 are for configurations with 24” deep surfaces.
- BRTADFE63xxH30 are for configurations with 30” deep surfaces.

Required Specifications

Frame finish  
Felt finish

## SINGLE FELT DIVIDER SCREENS

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT./LBS.


## CUBIC FT.

## LIST PRICE

## D x W x H

BRTADF2436H24	31.50 x 36 x 24.60	125	22.55	3.94	<b>\$998</b>
BRTADF2442H24	31.50 x 42 x 24.60	125	24.10	4.59	<b>\$1024</b>
BRTADF2448H24	31.50 x 48 x 24.60	150	25.65	5.25	<b>\$1051</b>
BRTADF2454H24	31.50 x 54 x 24.60	150	27.20	5.91	<b>\$1076</b>
BRTADF2460H24	31.50 x 60 x 24.60	150	28.75	6.56	<b>\$1105</b>
BRTADF2466H24	31.50 x 66 x 24.60	150	30.30	7.22	<b>\$1130</b>
BRTADF2472H24	31.50 x 72 x 24.60	150	31.85	7.88	<b>\$1157</b>
BRTADF2478H24	31.50 x 78 x 24.60	150	33.40	8.53	<b>\$1184</b>
BRTADF2484H24	31.50 x 84 x 24.60	150	34.95	9.19	<b>\$1236</b>

BRTADF3036H24	37.75 x 36 x 24.60	100	36.50	4.72	<b>\$1031</b>
BRTADF3042H24	37.75 x 42 x 24.60	125	38.05	5.51	<b>\$1060</b>
BRTADF3048H24	37.75 x 48 x 24.60	125	39.60	6.29	<b>\$1086</b>
BRTADF3054H24	37.75 x 54 x 24.60	150	41.15	7.08	<b>\$1112</b>
BRTADF3060H24	37.75 x 60 x 24.60	150	41.70	7.87	<b>\$1139</b>
BRTADF3066H24	37.75 x 66 x 24.60	150	44.25	8.65	<b>\$1167</b>
BRTADF3072H24	37.75 x 72 x 24.60	150	45.80	9.44	<b>\$1190</b>
BRTADF3078H24	37.75 x 78 x 24.60	150	47.35	10.22	<b>\$1217</b>
BRTADF3084H24	37.75 x 84 x 24.60	150	48.90	11.01	<b>\$1271</b>




24"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADF24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADF30xxH24 are for configurations with 30" deep surfaces.**

BRTADF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	<b>\$991</b>
BRTADF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	<b>\$1017</b>
BRTADF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	<b>\$1040</b>
BRTADF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	<b>\$1064</b>
BRTADF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	<b>\$1089</b>
BRTADF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	<b>\$1113</b>
BRTADF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	<b>\$1139</b>
BRTADF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	<b>\$1163</b>
BRTADF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	<b>\$1222</b>

BRTADF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	<b>\$1039</b>
BRTADF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	<b>\$1063</b>
BRTADF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	<b>\$1088</b>
BRTADF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	<b>\$1112</b>
BRTADF3060H30	37.75 x 60 x 30.60	125	45	7.87	<b>\$1139</b>
BRTADF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	<b>\$1163</b>
BRTADF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	<b>\$1187</b>
BRTADF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	<b>\$1211</b>
BRTADF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	<b>\$1269</b>



30"H Single Table Felt Divider Screen

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.


- **BRTADF24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADF30xxH30 are for configurations with 30" deep surfaces.**

## Required Specifications


Frame finish

Felt finish

SINGLE TABLE FELT DIVIDER SCREENS



24”H Single Table Felt Divider Screen Extension Kit



30”H Single Table Felt Divider Screen Extension Kit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
BRTADFE2436H24	31.50 x 36 x 24.60	150	18.55	3.94	\$756
BRTADFE2442H24	31.50 x 42 x 24.60	150	20.10	4.59	\$827
BRTADFE2448H24	31.50 x 48 x 24.60	150	21.65	5.25	\$855
BRTADFE2454H24	31.50 x 54 x 24.60	150	23.20	5.91	\$881
BRTADFE2460H24	31.50 x 60 x 24.60	150	24.75	6.56	\$908
BRTADFE2466H24	31.50 x 66 x 24.60	250	26.30	7.22	\$935
BRTADFE2472H24	31.50 x 72 x 24.60	250	27.85	7.88	\$961
BRTADFE2478H24	31.50 x 78 x 24.60	250	29.40	8.53	\$988
BRTADFE2484H24	31.50 x 84 x 24.60	250	30.95	9.19	\$1040
BRTADFE3036H24	37.75 x 36 x 24.60	125	32.50	4.72	\$783
BRTADFE3042H24	37.75 x 42 x 24.60	125	34.05	5.51	\$856
BRTADFE3048H24	37.75 x 48 x 24.60	125	35.60	6.29	\$883
BRTADFE3054H24	37.75 x 54 x 24.60	150	37.15	7.08	\$909
BRTADFE3060H24	37.75 x 60 x 24.60	150	38.70	7.87	\$937
BRTADFE3066H24	37.75 x 66 x 24.60	150	40.25	8.65	\$963
BRTADFE3072H24	37.75 x 72 x 24.60	150	41.80	9.44	\$990
BRTADFE3078H24	37.75 x 78 x 24.60	150	43.35	10.01	\$1017
BRTADFE3084H24	37.75 x 84 x 24.60	150	44.90	10.01	\$1070

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE24xxH24 are for configurations with 24” deep surfaces.
- BRTADFE30xxH24 are for configurations with 30” deep surfaces.

BRTADFE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	\$792
BRTADFE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	\$864
BRTADFE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	\$888
BRTADFE2454H30	31.50 x 54 x 30.60	150	25	5.91	\$913
BRTADFE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	\$938
BRTADFE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	\$963
BRTADFE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	\$988
BRTADFE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	\$1011
BRTADFE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	\$1070
BRTADFE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	\$821
BRTADFE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	\$897
BRTADFE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	\$922
BRTADFE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	\$948
BRTADFE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	\$973
BRTADFE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	\$998
BRTADFE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	\$1023
BRTADFE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	\$1047
BRTADFE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	\$1105


Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- BRTADFE24xxH30 are for configurations with 24” deep surfaces.
- BRTADFE30xxH30 are for configurations with 30” deep surfaces.

Required Specifications

Frame finish  
Felt finish




BACK-TO-BACK GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		D x W x H					
	BRTADG5136H24	50.50 x 36 x 24.60	150	28	6.31	\$1540	\$471
	BRTADG5142H24	50.50 x 42 x 24.60	150	29.50	7.36	\$2389	\$485
	BRTADG5148H24	50.50 x 48 x 24.60	150	31	8.42	\$2445	\$491
	BRTADG5154H24	50.50 x 54 x 24.60	250	32.50	9.47	\$2500	\$506
	BRTADG5160H24	50.50 x 60 x 24.60	250	34	10.52	\$2554	\$513
	BRTADG5166H24	50.50 x 66 x 24.60	250	35.50	11.57	\$2609	\$527
	BRTADG5172H24	50.50 x 72 x 24.60	250	37	12.63	\$2665	\$542
	BRTADG5178H24	50.50 x 78 x 24.60	250	38.50	13.68	\$2721	\$547
	BRTADG5184H24	50.50 x 84 x 24.60	250	40	14.73	\$2776	\$560
	BRTADG6336H24	62.50 x 36 x 24.60	150	41.50	7.81	\$2554	\$513
	BRTADG6342H24	62.50 x 42 x 24.60	150	43	9.11	\$2603	\$527
	BRTADG6348H24	62.50 x 48 x 24.60	150	44.50	10.42	\$2665	\$542
	BRTADG6354H24	62.50 x 54 x 24.60	150	46	11.72	\$2714	\$547
	BRTADG6360H24	62.50 x 60 x 24.60	150	47.50	13.02	\$2776	\$560
	BRTADG6366H24	62.50 x 66 x 24.60	250	49	14.32	\$2830	\$568
	BRTADG6372H24	62.50 x 72 x 24.60	250	50.50	15.63	\$2879	\$582
	BRTADG6378H24	62.50 x 78 x 24.60	250	52	16.93	\$2941	\$595
BRTADG6384H24	62.50 x 84 x 24.60	250	53.50	18.23	\$2990	\$603	

24"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADG51xxH24 are for configurations with 24" deep surfaces.**
- **BRTADG63xxH24 are for configurations with 30" deep surfaces.**

	BRTADG5136H30	50.50 x 36 x 30.60	150	30.50	6.31	\$2466	\$498
	BRTADG5142H30	50.50 x 42 x 30.60	150	32	7.36	\$2528	\$513
	BRTADG5148H30	50.50 x 48 x 30.60	150	33.50	8.42	\$2576	\$520
	BRTADG5154H30	50.50 x 54 x 30.60	150	35	9.47	\$2639	\$533
	BRTADG5160H30	50.50 x 60 x 30.60	250	36.50	10.52	\$2693	\$542
	BRTADG5166H30	50.50 x 66 x 30.60	250	38	11.57	\$2748	\$554
	BRTADG5172H30	50.50 x 72 x 30.60	250	39.50	12.63	\$2782	\$560
	BRTADG5178H30	50.50 x 78 x 30.60	250	41	13.68	\$2865	\$575
	BRTADG5184H30	50.50 x 84 x 30.60	250	42.50	14.73	\$2920	\$589
	BRTADG6336H30	62.50 x 36 x 30.60	125	44	7.81	\$2768	\$560
	BRTADG6342H30	62.50 x 42 x 30.60	150	45.50	9.11	\$2824	\$568
	BRTADG6348H30	62.50 x 48 x 30.60	150	47	10.42	\$2879	\$582
	BRTADG6354H30	62.50 x 54 x 30.60	150	48.50	11.72	\$2941	\$595
	BRTADG6360H30	62.50 x 60 x 30.60	150	50	13.02	\$2996	\$603
	BRTADG6366H30	62.50 x 66 x 30.60	250	51.50	14.32	\$3043	\$616
	BRTADG6372H30	62.50 x 72 x 30.60	250	53	15.63	\$3087	\$621
	BRTADG6378H30	62.50 x 78 x 30.60	250	54.50	16.93	\$3161	\$637
	BRTADG6384H30	62.50 x 84 x 30.60	250	56	18.23	\$3224	\$651

30"H Back-to-Back Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADG51xxH30 are for configurations with 24" deep surfaces.**
- **BRTADG63xxH30 are for configurations with 30" deep surfaces.**

**Required specifications**


Frame finish

**Optional specifications**


Frosted glass (FRST)



BACK-TO-BACK GLASS DIVIDER SCREENS



24"H Back-to-Back Glass Divider  
Screen Extension Kit



30"H Back-to-Back Glass Divider  
Screen Extension Kit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
BRTADGE5136H24	50.50 x 36 x 24.60	150	23.35	6.31	\$1540	\$311
BRTADGE5142H24	50.50 x 42 x 24.60	250	24.85	7.36	\$1597	\$326
BRTADGE5148H24	50.50 x 48 x 24.60	250	26.35	8.42	\$1650	\$334
BRTADGE5154H24	50.50 x 54 x 24.60	250	27.85	9.47	\$1707	\$347
BRTADGE5160H24	50.50 x 60 x 24.60	250	29.35	10.52	\$1762	\$355
BRTADGE5166H24	50.50 x 66 x 24.60	250	30.85	11.57	\$1816	\$368
BRTADGE5172H24	50.50 x 72 x 24.60	250	32.35	12.63	\$1872	\$382
BRTADGE5178H24	50.50 x 78 x 24.60	250	33.85	13.68	\$1926	\$389
BRTADGE5184H24	50.50 x 84 x 24.60	250	35.35	14.73	\$1982	\$403
BRTADGE6336H24	62.50 x 36 x 24.60	150	36.85	7.81	\$1650	\$334
BRTADGE6342H24	62.50 x 42 x 24.60	150	38.35	9.11	\$1707	\$347
BRTADGE6348H24	62.50 x 48 x 24.60	150	39.85	10.42	\$1762	\$355
BRTADGE6354H24	62.50 x 54 x 24.60	250	41.35	11.72	\$1816	\$368
BRTADGE6360H24	62.50 x 60 x 24.60	250	42.85	13.02	\$1863	\$373
BRTADGE6366H24	62.50 x 66 x 24.60	250	44.35	14.32	\$1926	\$389
BRTADGE6372H24	62.50 x 72 x 24.60	250	45.85	15.63	\$1982	\$403
BRTADGE6378H24	62.50 x 78 x 24.60	250	47.35	16.93	\$2031	\$408
BRTADGE6384H24	62.50 x 84 x 24.60	250	48.85	18.23	\$2093	\$422

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).


- BRTADGE51xxH24 are for configurations with 24" deep surfaces.
- BRTADGE63xxH24 are for configurations with 30" deep surfaces.

BRTADGE5136H30	50.50 x 36 x 30.60	150	25.85	6.31	\$1631	\$334
BRTADGE5142H30	50.50 x 42 x 30.60	150	27.35	7.36	\$1678	\$340
BRTADGE5148H30	50.50 x 48 x 30.60	250	28.85	8.42	\$1733	\$355
BRTADGE5154H30	50.50 x 54 x 30.60	250	30.35	9.47	\$1796	\$360
BRTADGE5160H30	50.50 x 60 x 30.60	250	31.85	10.52	\$1850	\$373
BRTADGE5166H30	50.50 x 66 x 30.60	250	33.35	11.57	\$1913	\$389
BRTADGE5172H30	50.50 x 72 x 30.60	250	34.85	12.63	\$1941	\$396
BRTADGE5178H30	50.50 x 78 x 30.60	250	36.35	13.68	\$2018	\$408
BRTADGE5184H30	50.50 x 84 x 30.60	250	37.85	14.73	\$2079	\$422
BRTADGE6336H30	62.50 x 36 x 30.60	150	39.35	7.81	\$1733	\$355
BRTADGE6342H30	62.50 x 42 x 30.60	150	40.85	9.11	\$1796	\$360
BRTADGE6348H30	62.50 x 48 x 30.60	150	42.35	10.42	\$1850	\$373
BRTADGE6354H30	62.50 x 54 x 30.60	250	43.85	11.72	\$1907	\$389
BRTADGE6360H30	62.50 x 60 x 30.60	250	45.35	13.02	\$1961	\$396
BRTADGE6366H30	62.50 x 66 x 30.60	250	46.85	14.32	\$2018	\$408
BRTADGE6372H30	62.50 x 72 x 30.60	250	48.35	15.63	\$2058	\$417
BRTADGE6378H30	62.50 x 78 x 30.60	250	49.85	16.93	\$2135	\$430
BRTADGE6384H30	62.50 x 84 x 30.60	250	51.35	18.23	\$2189	\$444

Provides an extension to privacy in an open plan environment. Easy to clean table mounted partitions. Intended to always connect to Back-to-Back Divider Screen Kit. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.25" from the front edge of each surface. Center divider sits over the gap between the worksurface allowing for cable pass-through to trough. Gap for each side is approximately 1". Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides and 6.25" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).

- BRTADGE51xxH30 are for configurations with 24" deep surfaces.
- BRTADGE63xxH30 are for configurations with 30" deep surfaces.


Required specifications	Optional specifications
Frame finish	Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	FRST ADD
	BRTADG2436H24	31.50 x 36 x 24.60	125	22.55	3.94	<b>\$1685</b>	<b>\$340</b>
	BRTADG2442H24	31.50 x 42 x 24.60	125	24.10	4.59	<b>\$1740</b>	<b>\$355</b>
	BRTADG2448H24	31.50 x 48 x 24.60	150	25.65	5.25	<b>\$1796</b>	<b>\$360</b>
	BRTADG2454H24	31.50 x 54 x 24.60	150	27.20	5.91	<b>\$1850</b>	<b>\$373</b>
	BRTADG2460H24	31.50 x 60 x 24.60	150	28.75	6.56	<b>\$1907</b>	<b>\$389</b>
	BRTADG2466H24	31.50 x 66 x 24.60	150	30.30	7.22	<b>\$1961</b>	<b>\$396</b>
	BRTADG2472H24	31.50 x 72 x 24.60	150	31.85	7.88	<b>\$2018</b>	<b>\$408</b>
	BRTADG2478H24	31.50 x 78 x 24.60	150	33.40	8.53	<b>\$2072</b>	<b>\$417</b>
	BRTADG2484H24	31.50 x 84 x 24.60	150	34.95	9.19	<b>\$2127</b>	<b>\$430</b>
	BRTADG3036H24	37.75 x 36 x 24.60	100	36.50	4.72	<b>\$1796</b>	<b>\$360</b>
	BRTADG3042H24	37.75 x 42 x 24.60	125	38.05	5.51	<b>\$1845</b>	<b>\$373</b>
	BRTADG3048H24	37.75 x 48 x 24.60	125	39.60	6.29	<b>\$1907</b>	<b>\$389</b>
	BRTADG3054H24	37.75 x 54 x 24.60	125	41.15	7.08	<b>\$1955</b>	<b>\$396</b>
	BRTADG3060H24	37.75 x 60 x 24.60	150	41.70	7.87	<b>\$2010</b>	<b>\$408</b>
	BRTADG3066H24	37.75 x 66 x 24.60	150	44.25	8.65	<b>\$2066</b>	<b>\$417</b>
	BRTADG3072H24	37.75 x 72 x 24.60	150	45.80	9.44	<b>\$2120</b>	<b>\$430</b>
	BRTADG3078H24	37.75 x 78 x 24.60	150	47.35	10.22	<b>\$2174</b>	<b>\$436</b>
	BRTADG3084H24	37.75 x 84 x 24.60	150	48.90	11.01	<b>\$2231</b>	<b>\$451</b>

24"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- **BRTADG24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADG30xxH24 are for configurations with 30" deep surfaces.**

	BRTADG2436H30	31.50 x 36 x 30.60	125	24.85	3.97	<b>\$1762</b>	<b>\$355</b>
	BRTADG2442H30	31.50 x 42 x 30.60	125	26.40	4.59	<b>\$1810</b>	<b>\$368</b>
	BRTADG2448H30	31.50 x 48 x 30.60	125	27.95	5.25	<b>\$1863</b>	<b>\$373</b>
	BRTADG2454H30	31.50 x 54 x 30.60	150	29.50	5.91	<b>\$1926</b>	<b>\$389</b>
	BRTADG2460H30	31.50 x 60 x 30.60	150	31.05	6.56	<b>\$1982</b>	<b>\$403</b>
	BRTADG2466H30	31.50 x 66 x 30.60	150	32.60	7.22	<b>\$2044</b>	<b>\$417</b>
	BRTADG2472H30	31.50 x 72 x 30.60	150	34.14	7.88	<b>\$2072</b>	<b>\$417</b>
	BRTADG2478H30	31.50 x 78 x 30.60	150	34.70	8.53	<b>\$2148</b>	<b>\$436</b>
	BRTADG2484H30	31.50 x 84 x 30.60	150	37.25	9.19	<b>\$2209</b>	<b>\$444</b>
	BRTADG3036H30	37.75 x 36 x 30.60	100	38.80	4.72	<b>\$1863</b>	<b>\$373</b>
	BRTADG3042H30	37.75 x 42 x 30.60	100	40.35	5.51	<b>\$1926</b>	<b>\$389</b>
	BRTADG3048H30	37.75 x 48 x 30.60	125	41.90	6.29	<b>\$1982</b>	<b>\$403</b>
	BRTADG3054H30	37.75 x 54 x 30.60	125	43.45	7.08	<b>\$2031</b>	<b>\$408</b>
	BRTADG3060H30	37.75 x 60 x 30.60	125	45	7.87	<b>\$2093</b>	<b>\$422</b>
	BRTADG3066H30	37.75 x 66 x 30.60	150	46.55	8.65	<b>\$2148</b>	<b>\$436</b>
	BRTADG3072H30	37.75 x 72 x 30.60	150	48.10	9.44	<b>\$2189</b>	<b>\$444</b>
	BRTADG3078H30	37.75 x 78 x 30.60	150	49.65	10.22	<b>\$2266</b>	<b>\$457</b>
	BRTADG3084H30	37.75 x 84 x 30.60	150	51.20	11.01	<b>\$2314</b>	<b>\$465</b>

30"H Single Table Glass Divider Screen

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20% upcharge for frosted glass (FRST).**

- **BRTADG24xxH30 are for configurations with 24" deep surfaces.**
- **BRTADG30xxH30 are for configurations with 30" deep surfaces.**

**Required specifications**  
Frame finish


**Optional specifications**  
Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE FRST ADD

D x W x H

BRTADGE2436H24	31.50 x 36 x 24.60	150	18.55	3.94	\$1210	\$243
BRTADGE2442H24	31.50 x 42 x 24.60	150	20.10	4.59	\$1320	\$272
BRTADGE2448H24	31.50 x 48 x 24.60	150	21.65	5.25	\$1367	\$278
BRTADGE2454H24	31.50 x 54 x 24.60	150	23.20	5.91	\$1423	\$292
BRTADGE2460H24	31.50 x 60 x 24.60	150	24.75	6.56	\$1479	\$299
BRTADGE2466H24	31.50 x 66 x 24.60	250	26.30	7.22	\$1534	\$311
BRTADGE2472H24	31.50 x 72 x 24.60	250	27.85	7.88	\$1588	\$320
BRTADGE2478H24	31.50 x 78 x 24.60	250	29.40	8.53	\$1645	\$334
BRTADGE2484H24	31.50 x 84 x 24.60	250	30.95	9.19	\$1699	\$347
BRTADGE3036H24	37.75 x 36 x 24.60	125	32.50	4.72	\$1265	\$257
BRTADGE3042H24	37.75 x 42 x 24.60	125	34.05	5.51	\$1375	\$278
BRTADGE3048H24	37.75 x 48 x 24.60	125	35.60	6.29	\$1429	\$292
BRTADGE3054H24	37.75 x 54 x 24.60	150	37.15	7.08	\$1485	\$299
BRTADGE3060H24	37.75 x 60 x 24.60	150	38.70	7.87	\$1540	\$311
BRTADGE3066H24	37.75 x 66 x 24.60	150	40.25	8.65	\$1597	\$326
BRTADGE3072H24	37.75 x 72 x 24.60	150	41.80	9.44	\$1650	\$334
BRTADGE3078H24	37.75 x 78 x 24.60	150	43.35	10.01	\$1707	\$347
BRTADGE3084H24	37.75 x 84 x 24.60	150	44.90	10.01	\$1762	\$355




24" H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

- **BRTADGE24xxH24 are for configurations with 24" deep surfaces.**
- **BRTADGE30xxH24 are for configurations with 30" deep surfaces.**

Required specifications  
Frame finish

Optional specifications  
Frosted glass (FRST)

SINGLE TABLE GLASS DIVIDER SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	FRST ADD
		<b>D x W x H</b>					
	BRTADGE2436H30	31.50 x 36 x 30.60	150	20.35	3.94	<b>\$1265</b>	<b>\$1522</b>
	BRTADGE2442H30	31.50 x 42 x 30.60	150	21.90	4.59	<b>\$1375</b>	<b>\$278</b>
	BRTADGE2448H30	31.50 x 48 x 30.60	150	23.45	5.25	<b>\$1429</b>	<b>\$292</b>
	BRTADGE2454H30	31.50 x 54 x 30.60	150	25	5.91	<b>\$1491</b>	<b>\$305</b>
	BRTADGE2460H30	31.50 x 60 x 30.60	150	26.55	6.56	<b>\$1547</b>	<b>\$311</b>
	BRTADGE2466H30	31.50 x 66 x 30.60	150	28.10	7.22	<b>\$1610</b>	<b>\$326</b>
	BRTADGE2472H30	31.50 x 72 x 30.60	150	29.65	7.88	<b>\$1637</b>	<b>\$334</b>
	BRTADGE2478H30	31.50 x 78 x 30.60	250	31.20	8.53	<b>\$1713</b>	<b>\$347</b>
	BRTADGE2484H30	31.50 x 84 x 30.60	250	32.75	9.19	<b>\$1775</b>	<b>\$360</b>
	BRTADGE3036H30	37.75 x 36 x 30.60	125	34.30	4.72	<b>\$1327</b>	<b>\$272</b>
	BRTADGE3042H30	37.75 x 42 x 30.60	125	35.85	5.51	<b>\$1429</b>	<b>\$292</b>
	BRTADGE3048H30	37.75 x 48 x 30.60	125	37.40	6.29	<b>\$1491</b>	<b>\$305</b>
	BRTADGE3054H30	37.75 x 54 x 30.60	150	38.95	7.08	<b>\$1547</b>	<b>\$311</b>
	BRTADGE3060H30	37.75 x 60 x 30.60	150	40.50	7.87	<b>\$1610</b>	<b>\$326</b>
	BRTADGE3066H30	37.75 x 66 x 30.60	150	42.05	8.65	<b>\$1659</b>	<b>\$334</b>
	BRTADGE3072H30	37.75 x 72 x 30.60	150	43.60	9.44	<b>\$1693</b>	<b>\$340</b>
	BRTADGE3078H30	37.75 x 78 x 30.60	150	45.15	10.22	<b>\$1775</b>	<b>\$360</b>
	BRTADGE3084H30	37.75 x 84 x 30.60	150	46.70	11.01	<b>\$1831</b>	<b>\$368</b>

### 30" H Single Table Glass Divider Screen Extension Kit

Provides an extension for privacy in an open plan environment. Intended to always connect to Single Table Divider Screen Kit. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in all Bridges paint finishes. End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (FRST).

- BRTADGE24xxH30 are for configurations with 24" deep surfaces.
- BRTADGE30xxH30 are for configurations with 30" deep surfaces.

**Required specifications**  
Frame finish

**Optional specifications**  
Frosted glass (FRST)

STARTER BEAM

MODEL#


DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE





Starter Beam

D x W x H					
BRPBS1824	24 x 24 x 18	250	20.23	6	\$492
BRPBS1830	24 x 30 x 18	250	21.83	7.5	\$522
BRPBS1836	24 x 36 x 18	250	23.14	9	\$546
BRPBS1842	24 x 42 x 18	250	24.46	10.5	\$570
BRPBS1848	24 x 48 x 18	250	25.77	12	\$601
BRPBS1854	24 x 54 x 18	250	27.08	13.5	\$627
BRPBS1860	24 x 60 x 18	300	28.39	15	\$651
BRPBS1866	24 x 66 x 18	300	29.7	16.5	\$681
BRPBS1872	24 x 72 x 18	300	31.01	18	\$721
BRPBS2624	24 x 24 x 26	250	21.24	8.7	\$524
BRPBS2630	24 x 30 x 26	250	22.84	10.8	\$554
BRPBS2636	24 x 36 x 26	300	24.15	13	\$577
BRPBS2642	24 x 42 x 26	300	25.47	15.2	\$602
BRPBS2648	24 x 48 x 26	300	26.77	17.3	\$633
BRPBS2654	24 x 54 x 26	300	28.09	19.5	\$659
BRPBS2660	24 x 60 x 26	300	29.4	21.7	\$683
BRPBS2666	24 x 66 x 26	300	30.7	28.8	\$713
BRPBS2672	24 x 72 x 26	300	32.02	26	\$753
BRPBS3424	24 x 24 x 34	300	22.25	11.3	\$552
BRPBS3430	24 x 30 x 34	300	23.85	14.2	\$592
BRPBS3436	24 x 36 x 34	300	25.16	17	\$616
BRPBS3442	24 x 42 x 34	300	26.47	19.8	\$641
BRPBS3448	24 x 48 x 34	300	27.78	22.7	\$672
BRPBS3454	24 x 54 x 34	300	29.09	25.5	\$697
BRPBS3460	24 x 60 x 34	300	30.4	28.3	\$722
BRPBS3466	24 x 66 x 34	300	31.71	31.2	\$747
BRPBS3472	24 x 72 x 34	400	33.02	34	\$795

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

Required Specifications

Paint finish

ADD-ON BEAM / TRIM KIT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Add-On Beam</b>		<b>D x W x H</b>				
	BRPBA1824	24 x 24 x 18	250	14.46	6	<b>\$362</b>
	BRPBA1830	24 x 30 x 18	250	16.06	7.5	<b>\$392</b>
	BRPBA1836	24 x 36 x 18	300	17.37	9	<b>\$415</b>
	BRPBA1842	24 x 42 x 18	300	18.68	10.5	<b>\$440</b>
	BRPBA1848	24 x 48 x 18	300	19.99	12	<b>\$471</b>
	BRPBA1854	24 x 54 x 18	300	21.31	13.5	<b>\$497</b>
	BRPBA1860	24 x 60 x 18	300	22.62	15	<b>\$521</b>
	BRPBA1866	24 x 66 x 18	300	23.92	16.5	<b>\$547</b>
	BRPBA1872	24 x 72 x 18	300	25.24	18	<b>\$590</b>
	BRPBA2624	24 x 24 x 26	300	15.5	8.7	<b>\$394</b>
	BRPBA2630	24 x 30 x 26	300	17.11	10.8	<b>\$424</b>
	BRPBA2636	24 x 36 x 26	300	18.42	13	<b>\$447</b>
	BRPBA2642	24 x 42 x 26	300	19.73	15.2	<b>\$472</b>
	BRPBA2648	24 x 48 x 26	300	21.04	17.3	<b>\$503</b>
	BRPBA2654	24 x 54 x 26	300	22.35	19.5	<b>\$529</b>
	BRPBA2660	24 x 60 x 26	300	23.66	21.7	<b>\$553</b>
	BRPBA2666	24 x 66 x 26	300	24.97	23.8	<b>\$579</b>
	BRPBA2672	24 x 72 x 26	300	26.28	26	<b>\$622</b>
	BRPBA3424	24 x 24 x 34	300	16.55	11.3	<b>\$432</b>
	BRPBA3430	24 x 30 x 34	300	18.15	14.2	<b>\$462</b>
	BRPBA3436	24 x 36 x 34	300	19.46	17	<b>\$485</b>
	BRPBA3442	24 x 42 x 34	300	20.77	19.8	<b>\$510</b>
	BRPBA3448	24 x 48 x 34	400	22.08	22.7	<b>\$541</b>
	BRPBA3454	24 x 54 x 34	400	23.4	25.5	<b>\$567</b>
	BRPBA3460	24 x 60 x 34	400	24.71	28.3	<b>\$591</b>
	BRPBA3466	24 x 66 x 34	400	26.01	31.2	<b>\$617</b>
	BRPBA3472	24 x 72 x 34	400	27.33	34	<b>\$661</b>
 <b>Flat Top Trim Kit</b>						
	BRPBTC24	2.61 x 24 x 0.2	70	0.24	0.01	<b>\$13</b>
	BRPBTC30	2.61 x 30 x 0.2	70	0.61	0.01	<b>\$16</b>
	BRPBTC36	2.61 x 36 x 0.2	70	0.73	0.01	<b>\$19</b>
	BRPBTC42	2.61 x 42 x 0.2	70	0.85	0.01	<b>\$21</b>
	BRPBTC48	2.61 x 48 x 0.2	70	0.97	0.01	<b>\$25</b>
	BRPBTC54	2.61 x 54 x 0.2	70	1.1	0.02	<b>\$28</b>
	BRPBTC60	2.61 x 60 x 0.2	70	1.22	0.02	<b>\$28</b>
	BRPBTC66	2.61 x 66 x 0.2	70	1.34	0.02	<b>\$32</b>
	BRPBTC72	2.61 x 72 x 0.2	70	1.47	0.02	<b>\$37</b>
<b>Required Specifications</b>						
Paint finish						

Add-on beam connects to the Starter Beam and serves to extend the run of powerbeams as desired. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face place on each side while 24" wide beams accommodate one electrical duplex and one communication face place on each side. Add-on beam consists of horizontal channel, raceway covers, two legs, one foot and a pair of beam-to-beam connecting capture strips. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. The foot has a depth of 24". Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

Attaches on top of beams to add privacy or divide space. Flat top trim is made of aluminum extrusion. Specify finish.

## TOP TRIM KITS

## MODEL#

## DIMENSIONS

**FREIGHT CLASS**

## WT/LBS.


**CUBIC FT.**

**LIST PRICE****FRST ADD**

## D x W x H

BRPBEG0824	2.61 x 24 x 8	60	9.42	0.3	<b>\$152</b>	<b>\$99</b>
BRPBEG0830	2.61 x 30 x 8	60	11.79	0.4	<b>\$161</b>	<b>\$99</b>
BRPBEG0836	2.61 x 36 x 8	60	14.15	0.4	<b>\$170</b>	<b>\$99</b>
BRPBEG0842	2.61 x 42 x 8	60	16.52	0.5	<b>\$180</b>	<b>\$99</b>
BRPBEG0848	2.61 x 48 x 8	60	18.88	0.6	<b>\$198</b>	<b>\$110</b>
BRPBEG0854	2.61 x 54 x 8	60	19.52	0.7	<b>\$219</b>	<b>\$124</b>
BRPBEG0860	2.61 x 60 x 8	65	20.58	0.7	<b>\$240</b>	<b>\$138</b>
BRPBEG0866	2.61 x 66 x 8	65	21.55	0.8	<b>\$261</b>	<b>\$151</b>
BRPBEG0872	2.61 x 72 x 8	65	23.62	0.9	<b>\$289</b>	<b>\$164</b>

BRPBEG1624	2.61 x 24 x 16	70	9.81	0.6	<b>\$158</b>	<b>\$99</b>
BRPBEG1630	2.61 x 30 x 16	70	12.37	0.7	<b>\$194</b>	<b>\$117</b>
BRPBEG1636	2.61 x 36 x 16	70	14.85	0.9	<b>\$218</b>	<b>\$148</b>
BRPBEG1642	2.61 x 42 x 16	70	17.34	1	<b>\$247</b>	<b>\$173</b>
BRPBEG1648	2.61 x 48 x 16	70	19.82	1.2	<b>\$277</b>	<b>\$198</b>
BRPBEG1654	2.61 x 54 x 16	70	21.25	1.3	<b>\$307</b>	<b>\$194</b>
BRPBEG1660	2.61 x 60 x 16	70	23.62	1.5	<b>\$337</b>	<b>\$247</b>
BRPBEG1666	2.61 x 66 x 16	70	25.98	1.6	<b>\$367</b>	<b>\$272</b>
BRPBEG1672	2.61 x 72 x 16	70	28.35	1.7	<b>\$404</b>	<b>\$296</b>




### Embedded Glass and Top Trim Kit\*

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass.

BRPBEF0824	2.61 x 24 x 8	70	1.32	0.3	<b>\$74</b>
BRPBEF0830	2.61 x 30 x 8	70	1.65	0.4	<b>\$79</b>
BRPBEF0836	2.61 x 36 x 8	70	1.99	0.4	<b>\$103</b>
BRPBEF0842	2.61 x 42 x 8	150	2.32	0.5	<b>\$108</b>
BRPBEF0848	2.61 x 48 x 8	150	2.65	0.6	<b>\$194</b>
BRPBEF0854	2.61 x 54 x 8	150	2.98	0.7	<b>\$199</b>
BRPBEF0860	2.61 x 60 x 8	150	3.32	0.7	<b>\$203</b>
BRPBEF0866	2.61 x 66 x 8	150	3.65	0.8	<b>\$208</b>
BRPBEF0872	2.61 x 72 x 8	150	3.98	0.9	<b>\$218</b>

BRPBEF1624	2.61 x 24 x 16	70	1.83	0.6	<b>\$74</b>
BRPBEF1630	2.61 x 30 x 16	250	2.3	0.7	<b>\$79</b>
BRPBEF1636	2.61 x 36 x 16	250	2.76	0.9	<b>\$103</b>
BRPBEF1642	2.61 x 42 x 16	250	3.22	1	<b>\$108</b>
BRPBEF1648	2.61 x 48 x 16	250	3.68	1.16	<b>\$194</b>
BRPBEF1654	2.61 x 54 x 16	250	4.14	1.3	<b>\$199</b>
BRPBEF1660	2.61 x 60 x 16	250	4.61	1.5	<b>\$203</b>
BRPBEF1666	2.61 x 66 x 16	250	5.07	1.6	<b>\$208</b>
BRPBEF1672	2.61 x 72 x 16	250	5.53	1.7	<b>\$218</b>



### Embedded PET Felt and Top Trim Kit\*\*


Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

### Required Specifications

Paint finish  
Felt finish\*\*

## Optional Specifications

Frosted glass (FRST)\*




### Embedded Perforated PET Felt and Top Trim Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

D x W x H					
BRPBEFP0824	2.61 x 24 x 8	70	1.32	0.3	<b>\$148</b>
BRPBEFP0830	2.61 x 30 x 8	70	1.65	0.4	<b>\$157</b>
BRPBEFP0836	2.61 x 36 x 8	70	1.99	0.4	<b>\$206</b>
BRPBEFP0842	2.61 x 42 x 8	150	2.32	0.5	<b>\$215</b>
BRPBEFP0848	2.61 x 48 x 8	150	2.65	0.6	<b>\$388</b>
BRPBEFP0854	2.61 x 54 x 8	150	2.98	0.7	<b>\$397</b>
BRPBEFP0860	2.61 x 60 x 8	150	3.32	0.7	<b>\$406</b>
BRPBEFP0866	2.61 x 66 x 8	150	3.65	0.8	<b>\$415</b>
BRPBEFP0872	2.61 x 72 x 8	150	3.98	0.9	<b>\$436</b>
BRPBEFP1624	2.61 x 24 x 16	70	1.83	0.6	<b>\$148</b>
BRPBEFP1630	2.61 x 30 x 16	250	2.3	0.7	<b>\$157</b>
BRPBEFP1636	2.61 x 36 x 16	250	2.76	0.9	<b>\$206</b>
BRPBEFP1642	2.61 x 42 x 16	250	3.22	1	<b>\$215</b>
BRPBEFP1648	2.61 x 48 x 16	250	3.68	1.2	<b>\$388</b>
BRPBEFP1654	2.61 x 54 x 16	250	4.14	1.3	<b>\$397</b>
BRPBEFP1660	2.61 x 60 x 16	250	4.61	1.5	<b>\$406</b>
BRPBEFP1666	2.61 x 66 x 16	250	5.07	1.6	<b>\$415</b>
BRPBEFP1672	2.61 x 72 x 16	250	5.53	1.7	<b>\$436</b>

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, perforated PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.



### Overpanel Frame

BPX30P0824	2.61 x 24 x 8	100	4	0.44	<b>\$134</b>
BPX30P0830	2.61 x 30 x 8	125	4	0.66	<b>\$147</b>
BPX30P0836	2.61 x 36 x 8	150	4	0.71	<b>\$159</b>
BPX30P0842	2.61 x 42 x 8	150	5	0.88	<b>\$174</b>
BPX30P0848	2.61 x 48 x 8	150	5	0.93	<b>\$185</b>
BPX30P0854	2.61 x 54 x 8	150	6	1.04	<b>\$196</b>
BPX30P0860	2.61 x 60 x 8	150	6	1.2	<b>\$207</b>
BPX30P0866	2.61 x 66 x 8	150	7	1.31	<b>\$301</b>
BPX30P0872	2.61 x 72 x 8	150	8	1.42	<b>\$392</b>
BPX30P1624	2.61 x 24 x 16	125	5	0.73	<b>\$134</b>
BPX30P1630	2.61 x 30 x 16	150	5	1.09	<b>\$147</b>
BPX30P1636	2.61 x 36 x 16	150	5	1.19	<b>\$159</b>
BPX30P1642	2.61 x 42 x 16	150	6	1.46	<b>\$174</b>
BPX30P1648	2.61 x 48 x 16	250	6	1.55	<b>\$185</b>
BPX30P1654	2.61 x 54 x 16	150	7	1.73	<b>\$196</b>
BPX30P1660	2.61 x 60 x 16	250	7	2.01	<b>\$207</b>
BPX30P1666	2.61 x 66 x 16	150	9	2.17	<b>\$301</b>
BPX30P1672	2.61 x 72 x 16	150	10	2.37	<b>\$392</b>

Attaches on top of beams to add privacy or divide space. Consists of extruded aluminum frame and bayonets connecting the frame to the top of the beam vertical leg. Any tile can be attached to either side to enclose the frame. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**) or PET felt and top trim kit (**BRPBEF**) separately.

- Maximum height of beam with overpanel is 42".


### Required Specifications

Paint finish




**LIST PRICE**

D x W x H					GR 1	GR 2	LAMINATE
BP3FT0824	2.61 x 24 x 8	125	1	0.3	\$156	\$156	\$170
BP3FT0830	2.61 x 30 x 8	125	2	0.4	\$178	\$178	\$197
BP3FT0836	2.61 x 36 x 8	125	2	0.4	\$211	\$211	\$237
BP3FT0842	2.61 x 42 x 8	150	2	0.6	\$227	\$227	\$249
BP3FT0848	2.61 x 48 x 8	150	3	0.7	\$237	\$237	\$257
BP3FT0854	2.61 x 54 x 8	60	3	0.1	\$246	\$246	\$267
BP3FT0860	2.61 x 60 x 8	125	4	0.8	\$254	\$254	\$274
BP3FT0866	2.61 x 66 x 8	150	4	0.9	\$443	\$443	\$533
BP3FT0872	2.61 x 72 x 8	150	4	1	\$569	\$569	\$711
BP3FT1624	2.61 x 24 x 16	125	2	0.3	\$156	\$156	\$170
BP3FT1630	2.61 x 30 x 16	125	3	0.4	\$178	\$178	\$197
BP3FT1636	2.61 x 36 x 16	125	3	0.4	\$211	\$211	\$237
BP3FT1642	2.61 x 42 x 16	150	3	0.6	\$227	\$227	\$249
BP3FT1648	2.61 x 48 x 16	150	4	0.7	\$237	\$237	\$257
BP3FT1654	2.61 x 54 x 16	60	4	0.1	\$246	\$246	\$267
BP3FT1660	2.61 x 60 x 16	125	5	0.8	\$254	\$254	\$274
BP3FT1666	2.61 x 66 x 16	150	5	0.9	\$443	\$443	\$533
BP3FT1672	2.61 x 72 x 16	125	6	1	\$569	\$569	\$711

**Removable Face Tile, Fabric or Laminate\***

Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

BP3AT0824	2.61 x 24 x 8	85	2.3	0.17	<b>\$185</b>
BP3AT0830	2.61 x 30 x 8	85	2.9	0.21	<b>\$197</b>
BP3AT0836	2.61 x 36 x 8	85	3.5	0.25	<b>\$238</b>
BP3AT0842	2.61 x 42 x 8	85	4.1	0.29	<b>\$281</b>
BP3AT0848	2.61 x 48 x 8	85	4.7	0.33	<b>\$326</b>
BP3AT0854	2.61 x 54 x 8	85	5.3	0.38	<b>\$356</b>
BP3AT0860	2.61 x 60 x 8	85	5.9	0.42	<b>\$402</b>
BP3AT0866	2.61 x 66 x 8	85	6.5	0.46	<b>\$577</b>
BP3AT0872	2.61 x 72 x 8	85	7	0.5	<b>\$750</b>
BP3AT1624	2.61 x 24 x 16	85	4.7	0.33	<b>\$185</b>
BP3AT1630	2.61 x 30 x 16	85	5.7	0.42	<b>\$197</b>
BP3AT1636	2.61 x 36 x 16	85	7	0.5	<b>\$238</b>
BP3AT1642	2.61 x 42 x 16	85	8.2	0.58	<b>\$281</b>
BP3AT1648	2.61 x 48 x 16	85	9.4	0.67	<b>\$326</b>
BP3AT1654	2.61 x 54 x 16	85	10.6	0.75	<b>\$356</b>
BP3AT1660	2.61 x 60 x 16	85	11.9	0.83	<b>\$402</b>
BP3AT1666	2.61 x 66 x 16	85	13	0.91	<b>\$577</b>
BP3AT1672	2.61 x 72 x 16	85	14	1	<b>\$750</b>







### Removable Face Tile, Accessory

Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.

## Required Specifications

Fabric or Finish\*  
Paint finish

REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
	D x W x H						
	BP3GT0824	2.61 x 24 x 8	70	3.1	0.2	\$152	\$42
	BP3GT0830	2.61 x 30 x 8	70	3.9	0.2	\$193	\$42
	BP3GT0836	2.61 x 36 x 8	70	4.7	0.3	\$235	\$39
	BP3GT0842	2.61 x 42 x 8	70	5.5	0.3	\$271	\$44
	BP3GT0848	2.61 x 48 x 8	70	6.3	0.3	\$315	\$40
	BP3GT0854	2.61 x 54 x 8	70	7.1	0.4	\$350	\$44
	BP3GT0860	2.61 x 60 x 8	70	7.8	0.4	\$394	\$41
	BP3GT0866	2.61 x 66 x 8	70	8.6	0.5	\$561	\$42
	BP3GT0872	2.61 x 72 x 8	70	9.4	0.5	\$731	\$41
	BP3GT1624	2.61 x 24 x 16	70	5.8	0.3	\$152	\$42
	BP3GT1630	2.61 x 30 x 16	70	7.2	0.4	\$193	\$42
	BP3GT1636	2.61 x 36 x 16	70	8.7	0.5	\$235	\$44
	BP3GT1642	2.61 x 42 x 16	70	10.2	0.6	\$271	\$44
	BP3GT1648	2.61 x 48 x 16	70	11.6	0.7	\$315	\$40
	BP3GT1654	2.61 x 54 x 16	70	13.1	0.8	\$350	\$44
	BP3GT1660	2.61 x 60 x 16	70	14.6	0.8	\$394	\$41
	BP3GT1666	2.61 x 66 x 16	70	16	0.9	\$561	\$42
	BP3GT1672	2.61 x 72 x 16	70	17.5	1	\$731	\$41
	Removable glass tile attaches to the overpanel frame to add visual accessibility and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard. Add 20% upcharge for frosted glass (FRST).						
	BRP3PS018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.						
	BRP3PS60018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS60026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS60034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way.						
	BRP3PS45018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS45026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS45034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates two beams at a 45° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.						

Required Specifications	Optional Specifications
Paint finish	Frosted glass (FRST)*



Post Trim

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRPVTRF18	2.61 x 2.61 x 18	70	0.5	0.01	<b>\$46</b>
BRPVTRF26	2.61 x 2.61 x 26	70	0.72	0.02	<b>\$67</b>
BRPVTRF34	2.61 x 2.61 x 34	70	0.94	0.03	<b>\$89</b>
BRPVTRF42	2.61 x 2.61 x 42	70	1.16	0.04	<b>\$130</b>


Attaches to post. Consists of extruded aluminum post and one pair of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.



Overpanel End Trim

BA3VTEF8	0.13 x 2.61 x 8	70	0.2	0.01	<b>\$26</b>
BA3VTEF16	0.13 x 2.61 x 16	70	0.5	0.01	<b>\$55</b>
BA3VTEF32	0.13 x 2.61 x 32	xx	1.1	0.06	<b>\$82</b>


Attaches to sides of overpanel extension frame. Consists of extruded aluminum post, die-cast corner and one pair of capture strip connectors. When specified as an add-on, use with overpanel frame. Alternatively, we recommend using the BRPVTRFxx of the appropriate size for a clean, seamless trim.



Round Disc Base for Post

BRPRB	7.5 x 7.5 x 6.5	60	3.67	0.01	<b>\$285</b>
-------	-----------------	----	------	------	--------------

Attaches to the bottom of a **BRP3PS** post to provide stability at an intersection. Round metal plate is 1/4" thick.



Post Extension

BEPE81	2.61 x 2.61 x 81	65	9	0.4	<b>\$227</b>
--------	------------------	----	---	-----	--------------

Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only.  
Post extension will accept:  
- (75) 5.6mm dia. data cables  
- (60) 5.6mm (0.22") dia. data cables with 1 power feed  
- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds






Post Extension for Over Panels

BH3PE008	2.61 x 2.61 x 8	x	1	0.03	<b>\$51</b>
BH3PE016	2.61 x 2.61 x 16	x	2	0.07	<b>\$62</b>
BH3PE032	2.61 x 2.61 x 32	x	4	0.14	<b>\$109</b>
BH3PE45016	2.61 x 2.61 x 16	x	2	0.07	<b>\$62</b>
BH3PE45032	2.61 x 2.61 x 32	x	4	0.14	<b>\$109</b>
BH3PE60016	2.61 x 2.61 x 16	x	2	0.07	<b>\$62</b>
BH3PE60032	2.61 x 2.61 x 32	x	4	0.14	<b>\$109</b>

Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.


**Required Specifications**  
Paint finish

END OF RUN GALLERY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 <p><b>End of Run Gallery Panel, T-config</b></p>	<b>D x W x H</b>					
	B3LEP4227NC	1 x 26.5 x 42	60	29.49	0.64	<b>\$1020</b>
	B3LEP4251NC	1 x 51 x 42	60	55.17	1.24	<b>\$1497</b>
	B3LEP4263NC	1 x 63 x 42	60	68.01	1.53	<b>\$1677</b>
	B3LEP4275NC	1 x 75 x 42	60	80.86	1.82	<b>\$1866</b>
	B3LEP5027NC	1 x 26.5 x 50	60	35.25	0.77	<b>\$1190</b>
	B3LEP5051NC	1 x 51 x 50	60	65.92	1.48	<b>\$1738</b>
	B3LEP5063NC	1 x 63 x 50	60	81.27	1.82	<b>\$1959</b>
	B3LEP5075NC	1 x 75 x 50	60	96.62	2.17	<b>\$2210</b>
	<p><b>No connectors</b> for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> <li>Power beam and overpanel must add up to height of gallery panels.</li> </ul>					
 <p><b>Left End of Run Gallery Panel, L-config</b></p>	B3LSEPL4215NC	1 x 14.25 x 42	60	16.64	0.35	<b>\$839</b>
	B3LSEPL4227NC	1 x 27 x 42	60	29.47	0.66	<b>\$1142</b>
	B3LSEPL4233NC	1 x 33 x 42	60	35.89	0.8	<b>\$1231</b>
	B3LSEPL4239NC	1 x 39 x 42	60	42.32	0.95	<b>\$1294</b>
	B3LSEPL5015NC	1 x 14.25 x 50	60	19.9	0.41	<b>\$956</b>
	B3LSEPL5027NC	1 x 27 x 50	60	35.23	0.78	<b>\$1298</b>
	B3LSEPL5033NC	1 x 33 x 50	60	42.9	0.95	<b>\$1406</b>
	B3LSEPL5039NC	1 x 39 x 50	60	50.57	1.13	<b>\$1505</b>
	<p><b>No connectors</b> for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> <li>Power beam and overpanel must add up to height of gallery panels.</li> </ul>					
 <p><b>Right End of Run Gallery Panel, L-config</b></p>	B3LSEPR4215NC	1 x 14.25 x 42	60	16.64	0.35	<b>\$839</b>
	B3LSEPR4227NC	1 x 27 x 42	60	29.47	0.66	<b>\$1142</b>
	B3LSEPR4233NC	1 x 33 x 42	60	35.89	0.8	<b>\$1231</b>
	B3LSEPR4239NC	1 x 39 x 42	60	42.32	0.95	<b>\$1294</b>
	B3LSEPR5015NC	1 x 14.25 x 50	60	19.9	0.41	<b>\$956</b>
	B3LSEPR5027NC	1 x 27 x 50	60	35.23	0.78	<b>\$1298</b>
	B3LSEPR5033NC	1 x 33 x 50	60	42.9	0.95	<b>\$1406</b>
	B3LSEPR5039NC	1 x 39 x 50	60	50.57	1.13	<b>\$1505</b>
	<p><b>No connectors</b> for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> <li>Power beam and overpanel must add up to height of gallery panels.</li> </ul>					


**Required Specifications**

Laminate finish  
Edge finish  
Paint finish


## END OF RUN GALLERY PANELS



End of Run Gallery Panel, T-config



Left End of Run Gallery Panel, L-config



Right End of Run Gallery Panel, L-config

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
B3LEP4251	1 x 51 x 42	60	55.25	1.24	<b>\$1530</b>
B3LEP4263	1 x 63 x 42	60	68.1	1.53	<b>\$1708</b>
B3LEP4275	1 x 75 x 42	60	80.95	1.82	<b>\$1899</b>
B3LEP5051	1 x 51 x 50	60	66.01	1.48	<b>\$1771</b>
B3LEP5063	1 x 63 x 50	60	81.36	1.82	<b>\$1992</b>
B3LEP5075	1 x 75 x 50	60	96.71	2.17	<b>\$2244</b>

**With connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:

- Right side is compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.
- Left side is compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.
- Power beam and overpanel must add up to height of gallery panels.

B3LSEPL4227	1 x 27 x 42	60	29.51	0.66	<b>\$1157</b>
B3LSEPL4233	1 x 33 x 42	60	35.94	0.8	<b>\$1247</b>
B3LSEPL4239	1 x 39 x 42	60	42.36	0.95	<b>\$1309</b>
B3LSEPL5027	1 x 27 x 50	60	35.27	0.78	<b>\$1313</b>
B3LSEPL5033	1 x 33 x 50	60	42.94	0.95	<b>\$1425</b>
B3LSEPL5039	1 x 39 x 50	60	50.62	1.13	<b>\$1524</b>

**With connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the *left* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.

B3LSEPR4227	1 x 27 x 42	60	29.51	0.66	<b>\$1157</b>
B3LSEPR4233	1 x 33 x 42	60	35.94	0.8	<b>\$1247</b>
B3LSEPR4239	1 x 39 x 42	60	42.36	0.95	<b>\$1309</b>
B3LSEPR5027	1 x 27 x 50	60	35.27	0.78	<b>\$1313</b>
B3LSEPR5033	1 x 33 x 50	60	42.94	0.95	<b>\$1425</b>
B3LSEPR5039	1 x 39 x 50	60	50.62	1.13	<b>\$1524</b>


**With connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the *right* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.


### Required Specifications

Laminate finish  
Edge finish  
Paint finish

GALLERY PANEL EXTENSIONS



Left Gallery Panel Extension



Right Gallery Panel Extension

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

	D x W x H				
B3LXPL4224	1 x 24 x 42	60	25.83	0.58	\$595
B3LXPL4230	1 x 30 x 42	60	32.27	0.58	\$685
B3LXPL4236	1 x 36 x 42	60	38.68	0.88	\$775
B3LXPL4242	1 x 42 x 42	60	45.11	1.02	\$863
B3LXPL4248	1 x 48 x 42	60	51.53	1.17	\$953
B3LXPL5024	1 x 24 x 50	60	30.83	0.69	\$709
B3LXPL5030	1 x 30 x 50	60	38.51	0.87	\$821
B3LXPL5036	1 x 36 x 50	60	46.18	1.04	\$931
B3LXPL5042	1 x 42 x 50	60	53.86	1.22	\$1039
B3LXPL5048	1 x 48 x 50	60	61.53	1.39	\$1151

**With connectors** for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with models: **B3LEPxxx**, **B3LSEPL**, **B3LMPxxx**, **B3LSMP** and **B3LXPLxxx** only.
- Left side is compatible with **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

B3LXPR4224	1 x 24 x 42	60	25.83	0.58	\$595
B3LXPR4230	1 x 30 x 42	60	25.83	0.58	\$685
B3LXPR4236	1 x 36 x 42	60	38.68	0.88	\$775
B3LXPR4242	1 x 42 x 42	60	45.11	1.02	\$863
B3LXPR4248	1 x 48 x 42	60	51.53	1.17	\$953
B3LXPR5024	1 x 24 x 50	60	30.83	0.69	\$709
B3LXPR5030	1 x 30 x 50	60	38.51	0.87	\$821
B3LXPR5036	1 x 36 x 50	60	46.18	1.04	\$931
B3LXPR5042	1 x 42 x 50	60	53.86	1.22	\$1039
B3LXPR5048	1 x 48 x 50	60	61.53	1.39	\$1151

**With connectors** for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with **B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx** only.
- Left side is compatible with left hand panels **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

**Required Specifications**  
Laminate finish  
Edge finish  
Paint finish

GALLERY PANEL EXTENSIONS

MODEL#


DIMENSIONS

FREIGHT CLASS


WT/LBS.

CUBIC FT.

LIST PRICE



Left Gallery Panel Extension



Right Gallery Panel Extension

D x W x H					
B3LXPL4212NC	1 x 12 x 42	60	12.95	0.29	\$348
B3LXPL4224NC	1 x 24 x 42	60	25.83	0.58	\$580
B3LXPL4230NC	1 x 30 x 42	60	32.22	0.73	\$669
B3LXPL4236NC	1 x 36 x 42	60	38.65	0.88	\$756
B3LXPL4242NC	1 x 42 x 42	60	45.07	1.02	\$849
B3LXPL4248NC	1 x 48 x 42	60	51.5	1.17	\$935
B3LXPL5012NC	1 x 12 x 50	60	15.45	0.35	\$435
B3LXPL5024NC	1 x 24 x 50	60	30.8	0.69	\$695
B3LXPL5030NC	1 x 30 x 50	60	38.47	0.87	\$803
B3LXPL5036NC	1 x 36 x 50	60	46.15	1.04	\$912
B3LXPL5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
B3LXPL5048NC	1 x 48 x 50	60	61.5	1.39	\$1137

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

B3LXPR4212NC	1 x 12 x 42	60	12.95	0.29	<b>\$348</b>
B3LXPR4224NC	1 x 24 x 42	60	25.83	0.58	<b>\$580</b>
B3LXPR4230NC	1 x 30 x 42	60	32.22	0.73	<b>\$669</b>
B3LXPR4236NC	1 x 36 x 42	60	38.65	0.88	<b>\$756</b>
B3LXPR4242NC	1 x 42 x 42	60	45.07	1.02	<b>\$849</b>
B3LXPR4248NC	1 x 48 x 42	60	51.5	1.17	<b>\$935</b>
B3LXPR5012NC	1 x 12 x 50	60	15.45	0.35	<b>\$435</b>
B3LXPR5024NC	1 x 24 x 50	60	30.8	0.69	<b>\$695</b>
B3LXPR5030NC	1 x 30 x 50	60	38.47	0.87	<b>\$803</b>
B3LXPR5036NC	1 x 36 x 50	60	46.15	1.04	<b>\$912</b>
B3LXPR5042NC	1 x 42 x 50	60	53.82	1.22	<b>\$1028</b>
B3LXPR5048NC	1 x 48 x 50	60	61.5	1.39	<b>\$1137</b>

**No connectors** for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).


- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

**Required Specifications**  
Laminate finish  
Edge finish  
Paint finish






GALLERY PANEL - 3WAY RETURNS



Left End of Run 3-Way Return\*



Right End of Run 3-Way Return\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
B3L3PL4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PL4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PL4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PL4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PL5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PL5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PL5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PL5073	1 x 73 x 50	60	93.47	2.11	\$1718

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.


- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

B3L3PR4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PR4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PR4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PR4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PR5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PR5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PR5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PR5073	1 x 73 x 50	60	93.47	2.11	\$1718


Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPR**xxxx, **B3LMP**xxxx and **B3LXPR**xxxx only.

GALLERY PANEL ACCESSORIES



Gallery Panel Bottom Inline Bracket



Gallery Panel Corner Bracket


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
B3HLPBB01	8 x 1.5 x 7	70	1	0.5	\$81
B3HLPCB01	4 x 1.5 x 7	100	4	0.5	\$79

Connects two gallery panels at the bottom with screws. Available in all Bridges II paint colors. Specify finish.

Connects two gallery panels at 90 degrees with screws. Available in all Bridges II paint colors. Specify finish.

**Required Specifications**  
Laminate finish\*  
Edge finish\*  
Paint finish


PRIVACY GLASS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
---------------	--------	------------	---------------	---------	-----------	------------	----------



Privacy Glass for 1" Laminate Panels\*

D x W x H						
B3PMP24G18W	1 x 24 x 8	60	4.84	0.11	\$457	\$91
B3PMP30G18W	1 x 30 x 8	60	6.06	0.14	\$496	\$99
B3PMP36G18W	1 x 36 x 8	60	7.28	0.17	\$528	\$105
B3PMP42G18W	1 x 42 x 8	60	8.5	0.19	\$551	\$111
B3PMP48G18W	1 x 48 x 8	60	9.72	0.22	\$581	\$116
B3PMP24G16W	1 x 24 x 16	60	8.92	0.22	\$457	\$91
B3PMP30G16W	1 x 30 x 16	60	11.17	0.28	\$496	\$99
B3PMP36G16W	1 x 36 x 16	60	13.43	0.33	\$528	\$105
B3PMP42G16W	1 x 42 x 16	60	15.68	0.39	\$551	\$111
B3PMP48G16W	1 x 48 x 16	60	17.92	0.44	\$581	\$116

Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). **Add 20% upcharge for frosted glass (FRST).**








Felt Divider for 1" Laminate Panels\*\*

B3PFD0824W	1 x 24 x 8	70	1.32	0.11	\$183
B3PFD0830W	1 x 30 x 8	70	1.65	0.14	\$213
B3PFD0836W	1 x 36 x 8	70	1.99	0.17	\$252
B3PFD0842W	1 x 42 x 8	85	2.32	0.19	\$284
B3PFD0848W	1 x 48 x 8	85	2.65	0.22	\$416
B3PFD0854W	1 x 54 x 8	92.5	2.98	0.25	\$455
B3PFD0860W	1 x 60 x 8	92.5	3.32	0.28	\$488
B3PFD0866W	1 x 66 x 8	92.5	3.65	0.31	\$515
B3PFD0872W	1 x 72 x 8	85	3.98	0.33	\$581
B3PFD1624W	1 x 24 x 16	70	1.83	0.22	\$208
B3PFD1630W	1 x 30 x 16	100	2.3	0.28	\$240
B3PFD1636W	1 x 36 x 16	100	2.76	0.33	\$268
B3PFD1642W	1 x 42 x 16	100	3.22	0.39	\$307
B3PFD1648W	1 x 48 x 16	100	3.68	0.44	\$457
B3PFD1654W	1 x 54 x 16	100	4.14	0.5	\$498
B3PFD1660W	1 x 60 x 16	100	4.61	0.56	\$533
B3PFD1666W	1 x 66 x 16	100	5.07	0.61	\$561
B3PFD1672W	1 x 72 x 16	100	5.53	0.67	\$638

Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.

Required Specifications	Optional Specifications
Paint finish	Frosted glass (FRST)*
Felt finish**	

ELECTRICAL - POWER BEAM		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
		BRTECI	4.63 x 1.5 x 1.5	70	0.06	0.01	\$119
<b>I Connector</b>		Inline coupler used to connect two <b>BRTEHHxx</b> pass-thru cables (sold separately; see page 449).					
		BRT8D1	1.25 x 4.63 x 2	70	0.1	0.01	\$37
		BRT8D2	1.25 x 4.63 x 2	70	0.1	0.01	\$37
<b>Duplex Receptacles</b>		BRT8DB	1.25 x 4.63 x 2	70	0.1	0.01	\$37
		BRT8DA	1.25 x 4.63 x 2	70	0.1	0.01	\$37
<b>Duplex Receptacles</b>		Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit. <ul style="list-style-type: none"><li>• BRT8D1 - Circuit #1 (utility circuit)</li><li>• BRT8D2 - Circuit #2 (utility circuit)</li><li>• BRT8DB - Circuit B (utility circuit)</li><li>• BRT8DA - Circuit A (dedicated circuit)</li></ul>					
		BRTEDU1B	1.25 x 4.63 x 2	300	3.82	2	\$424
		BRTEDU1W	1.25 x 4.63 x 2	300	6.98	2	\$424
<b>USB Receptacles</b>		Snaps into Power Distribution Housing. USB charging module provides convenient charging power access though dual ports on face of receptacles. <ul style="list-style-type: none"><li>• Two USB ports.</li><li>• 2 amp ouput, considered as circuit #1.</li></ul>					
		BRTE3D24	2.6 x 9.25 x 2	70	0.83	1.2	\$262
		BRTE3D30	2.6 x 15.25 x 2	70	1.28	1.2	\$301
<b>Power Distribution Housing Kit</b>		BRTE3D36	2.6 x 21.25 x 2	70	1.62	1.7	\$317
		BRTE3D42	2.6 x 27.25 x 2	300	2	2	\$334
		BRTE3D48	2.6 x 33.25 x 2	400	2.32	2.5	\$348
		BRTE3D54	2.6 x 39.25 x 2	400	2.66	3.2	\$359
		BRTE3D60	2.6 x 45.25 x 2	400	3.04	3.2	\$374
		BRTE3D66	2.6 x 51.25 x 2	300	3.76	3.3	\$580
		BRTE3D72	2.6 x 57.25 x 2	300	3.76	3.3	\$580
<b>Power Distribution Housing Kit</b>		Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. <b>BRTE3D36</b> is for use with a 36" beam. <ul style="list-style-type: none"><li>• 24" wide beam allows for only one (1) duplex receptacle per beam side.</li></ul>					
		BRTEJC16	0.5 x 16.75 x 2	70	0.66	1.2	\$205
		BRTEJC20	0.5 x 20.75 x 2	70	0.78	1.2	\$215
<b>Jumper Cable</b>		Electrically connects two Power Distribution Housings. <ul style="list-style-type: none"><li>• BE8JC16 electrically connects two Power Beams positioned side by side.</li><li>• BE8JC20 electrically connects two Power Beams separated by a post.</li><li>• Wires are concealed in a flexible metal conduit.</li><li>• <b>Cannot go through a post in a corner application.</b> Please use the Jumper Cable Mesh for this application.</li></ul>					

Required Specifications

## ELECTRICAL - POWER BEAM

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT./LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H




Jumper Cable Mesh

BRTEJMJ19	0.05 x 19 x 2	70	0.75	1.2	<b>\$170</b>
BRTEJMS20	0.05 x 19 x 2	70	0.75	1.2	<b>\$221</b>

Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application.


- BRTEJMJ19 - Wires are covered with a durable nylon mesh.
- BRTEJMS20 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.



Housing to Housing Pass-Thru Cable

BRTEHH40	.5 x 40.5 x 2	70	1.44	1.25	<b>\$191</b>
BRTEHH46	.5 x 46.5 x 2	70	1.71	1.2	<b>\$270</b>
BRTEHH52	.5 x 52.5 x 2	300	1.95	1.17	<b>\$217</b>
BRTEHH58	.5 x 58.5 x 2	300	2.21	1.17	<b>\$226</b>
BRTEHH64	.5 x 64.5 x 2	300	2.37	1.2	<b>\$306</b>
BRTEHH70	.5 x 70.5 x 2	250	2.6	1.2	<b>\$317</b>
BRTEHH76	.5 x 76.5 x 2	250	2.81	1.17	<b>\$252</b>
BRTEHH82	.5 x 82.5 x 2	250	3.03	1.2	<b>\$339</b>
BRTEHH88	.5 x 88.5 x 2	250	3.05	1.2	<b>\$350</b>
BRTEHH94	.5 x 94.5 x 2	250	3.3	1.2	<b>\$363</b>
BRTEHH100	.5 x 100.5 x 2	250	3.47	1.2	<b>\$374</b>
BRTEHH106	.5 x 106.5 x 2	250	3.87	1.2	<b>\$389</b>
BRTEHH118	.5 x 118.5 x 2	250	4.08	1.2	<b>\$410</b>
BRTEHH130	.5 x 130.5 x 2	250	4.73	1.2	<b>\$433</b>
BRTEHH142	.5 x 142.5 x 2	150	4.99	1.2	<b>\$457</b>


Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.



Housing to Jumper Pass-Thru Cable

BRTEHJ24	.5 x 24 x 2	70	0.9	1.2	<b>\$197</b>
BRTEHJ30	.5 x 30 x 2	70	1.3	1.2	<b>\$211</b>
BRTEHJ36	.5 x 36 x 2	70	1.44	1.2	<b>\$221</b>
BRTEHJ42	.5 x 42 x 2	70	1.71	1.2	<b>\$230</b>
BRTEHJ48	.5 x 48 x 2	70	1.95	1.2	<b>\$241</b>
BRTEHJ54	.5 x 54 x 2	300	2.21	1.2	<b>\$249</b>
BRTEHJ60	.5 x 60 x 2	300	2.37	1.2	<b>\$257</b>
BRTEHJ72	.5 x 72 x 2	250	2.81	1.2	<b>\$274</b>
BRTEHJ84	.5 x 84 x 2	250	3.05	1.2	<b>\$300</b>
BRTEHJ96	.5 x 96 x 2	250	3.3	1.2	<b>\$320</b>
BRTEHJ108	.5 x 108 x 2	250	3.87	1.2	<b>\$339</b>
BRTEHJ120	.5 x 120 x 2	250	4.08	1.2	<b>\$359</b>
BRTEHJ144	.5 x 144 x 2	250	4.59	1.2	<b>\$381</b>

Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.



Base Feed &amp; Housing for Power Beam\*





BRTBPEFH18	2.5 x 6 x 18	85	2.7	0.2	<b>\$699</b>
BRTBPEFH26	2.5 x 6 x 26	65	5.41	0.2	<b>\$745</b>
BRTBPEFH34	2.5 x 6 x 34	65	7.03	0.3	<b>\$780</b>

Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.





- Specify **BRTBPEFH18** for 18"H power beams; **BRTBPEFH26** for 26"H power beams; **BRTBPEFH34** for 34"H power beams.
- Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration.
- Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg.

## Required Specifications

Paint finish\*

ELECTRICAL - POWER BEAM		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	Ceiling Feed - Single		D x W x H				
		BRTECF120	6 x 6 x 120	250	5.25	2	\$476
		BRTECF144	6 x 6 x 144	250	6	2	\$530
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or <b>BRTEHJxx</b> Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					
	Ceiling Feed - Double	BRTECF1202	3 x 6 x 120	250	5.24	2	\$995
		BRTECF1442	3 x 6 x 144	250	5.96	2	\$1121
		Provides dual power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or <b>BRTEHJxx</b> Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. <ul style="list-style-type: none"><li>For use in the middle of a run to distribute power in two directions <b>OR</b> at the beginning of a run where second Ceiling Feed harness is connected to BRTEHJxx and distributes power underneath Power Distribution Housing to pick up a second circuit grouping in a long panel run.</li></ul>					
	Ceiling Feed - New York Electrical	BRTECFK120	6 x 6 x 120	250	5.25	2	\$712
		BRTECFK144	6 x 6 x 144	250	6	2	\$790
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or <b>BRTEHJxx</b> Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					
	Hardwire Junction Box - Chicago	BRTECHJB	x	70	5.25	0.01	\$342
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or <b>BRTEHJxx</b> Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					

Required Specifications

STORAGE	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>File Pedestal</b></p>	BRT21BF18L	18 x 15.5 x 21	70	58	3.39	<b>\$911</b>	<b>\$68</b>
	BRT21BF24L	24 x 15.5 x 21	85	64	4.52	<b>\$1059</b>	<b>\$68</b>
	BRT21BF30L	30 x 15.5 x 21	85	72	5.65	<b>\$1162</b>	<b>\$88</b>
	BRT21BF18C	18 x 15.5 x 21	70	58	3.39	<b>\$911</b>	<b>\$68</b>
	BRT21BF24C	24 x 15.5 x 21	85	64	4.52	<b>\$1139</b>	<b>\$68</b>
	BRT21BF30C	30 x 15.5 x 21	85	72	5.65	<b>\$1242</b>	<b>\$88</b>
<p>Can join with other 21"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One file drawer. Fits under table beams even with optional seat cushion. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li> <li>18" deep storage components will not accept legal size paper</li> </ul>							
 <p><b>Box/File Pedestal</b></p>	BRT25BF18L	18 x 15.5 x 25	70	69	3.89	<b>\$1036</b>	<b>\$68</b>
	BRT25BF24L	24 x 15.5 x 25	85	74	5.02	<b>\$1203</b>	<b>\$68</b>
	BRT25BF30L	30 x 15.5 x 25	85	82	6.15	<b>\$1305</b>	<b>\$88</b>
	BRT25BF18C	18 x 15.5 x 25	70	69	3.89	<b>\$1119</b>	<b>\$68</b>
	BRT25BF24C	24 x 15.5 x 25	85	74	5.02	<b>\$1283</b>	<b>\$68</b>
	BRT25BF30C	30 x 15.5 x 25	85	82	6.15	<b>\$1387</b>	<b>\$88</b>
<p>Can join with other 25"h storage units of corresponding depth to form a spine or slide out on casters to serve as an additional worksurface. One box drawer, one file drawer. Optional cable basket suspends off storage unit's bottom and manages cables and data cables under storage spine. (Leveler models only.) 1" top; metal handles; powder coated aluminum or anodized aluminum legs. Specify "L" models for levelers or "C" models for 40mm white/grey locking casters. Black pencil tray included.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li> <li>18" deep storage components will not accept legal size paper</li> </ul>							
 <p><b>Sliding Door Storage</b></p>	BRT21LS30L	18 x 30 x 21	100	53	6.56	<b>\$994</b>	<b>\$88</b>
	BRT21LS36L	18 x 36 x 21	125	60	7.87	<b>\$1100</b>	<b>\$88</b>
	BRT21LS42L	18 x 42 x 21	125	67	9.18	<b>\$1203</b>	<b>\$88</b>
<p>Can join with other 21"h storage units of corresponding depth to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li> <li>18" deep storage components will not accept legal size paper</li> </ul>							
 <p><b>Shared Sliding Door Storage</b></p>	BRT21LSS30L	24 x 30 x 21	125	69	8.75	<b>\$1387</b>	<b>\$88</b>
	BRT21LSS36L	24 x 36 x 21	125	78	10.50	<b>\$1511</b>	<b>\$110</b>
	BRT21LSS42L	24 x 42 x 21	125	87	12.25	<b>\$1634</b>	<b>\$128</b>
<p>Offers two 11" deep storage compartments on either side. For use beside a table assembly, between two adjacent workstations. Can join with other 21"h, 24"d storage units to form a spine. Optional 15.5" x 18" cushion. Storage compartment internal height: 12.36". Sliding door locks on left side. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"> <li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li> </ul>							









**Required Specifications**

Metal finish  
 Top finish  
 Chassis finish  
 Drawer/door front finish





Edge finish

**Optional Specifications**

Anodized Aluminum Leg  
 HP laminate (tops only)  
 Cable Basket

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Shared File/Open Storage*</b>		D x W x H					
	BRT21LSO42L	24 x 42 x 21	100	124	14	<b>\$1861</b>	<b>\$150</b>
 <b>Shared Storage Unit*</b>							
	BRT25LBF042L	24 x 42 x 25	100	154	16.66	<b>\$2337</b>	<b>\$128</b>
MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>21"H Lateral File Drawer, No Top</b>	BRT21F3018U	18 x 30 x 13	92.5	47	4.06	<b>\$1075</b>	n/a
	BRT21F3618U	18 x 36 x 13	92.5	51	4.88	<b>\$1188</b>	n/a
 <b>21"H Open Storage, No Top</b>	BRT21F4218U	18 x 42 x 13	100	56	5.69	<b>\$1379</b>	n/a
	BRT21F3024U	24 x 30 x 13	100	51	5.42	<b>\$1101</b>	n/a
 <b>21"H Lateral File Drawer, No Top</b>	BRT21F3624U	24 x 36 x 13	100	55	6.5	<b>\$1226</b>	n/a
	BRT21F4224U	24 x 42 x 13	125	60	7.58	<b>\$1441</b>	n/a
 <b>21"H Open Storage, No Top</b>	BRT21L03018U	18 x 30 x 13	125	25	4.06	<b>\$339</b>	n/a
	BRT21L03618U	18 x 36 x 13	150	29	4.88	<b>\$504</b>	n/a
 <b>21"H Open Storage, No Top</b>	BRT21L04218U	18 x 42 x 13	150	32	5.69	<b>\$548</b>	n/a
	BRT21L03024U	24 x 30 x 13	150	29	5.42	<b>\$352</b>	n/a
 <b>21"H Open Storage, No Top</b>	BRT21L03624U	24 x 36 x 13	150	33	6.5	<b>\$524</b>	n/a
	BRT21L04224U	24 x 42 x 13	150	36	7.58	<b>\$569</b>	n/a

Required Specifications	Optional Specifications
Metal finish*	Anodized Aluminum Leg*
Top finish*	HP laminate* (tops only)
Chassis finish	Cable Basket
Drawer/door front finish	Cushion (BRT21LSO42L)

MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	BRT25L03018U	18 x 30 x 17	125	40	5.31	<b>\$501</b>	n/a
	BRT25L03618U	18 x 36 x 17	125	46	6.38	<b>\$687</b>	n/a
	BRT25L04218U	18 x 42 x 17	125	52	7.44	<b>\$710</b>	n/a
	BRT25L03024U	24 x 30 x 17	125	44	7.08	<b>\$534</b>	n/a
	BRT25L03624U	24 x 36 x 17	150	50	8.5	<b>\$714</b>	n/a
	BRT25L04224U	24 x 42 x 17	150	56	9.92	<b>\$745</b>	n/a
	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One box opening with glass shelf. <b>Top and legs to be ordered separately.</b>						
	<ul style="list-style-type: none"> <li>25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.</li> </ul>						
	BRT25LBF3018U	18 x 30 x 17	92.5	58	5.31	<b>\$1289</b>	n/a
	BRT25LBF3618U	18 x 36 x 17	85	78	6.38	<b>\$1497</b>	n/a
	BRT25LBF4218U	18 x 42 x 17	100	68	7.44	<b>\$1594</b>	n/a
	BRT25LBF3024U	24 x 30 x 17	100	62	7.08	<b>\$1340</b>	n/a
	BRT25LBF3624U	24 x 36 x 17	100	82	8.5	<b>\$1556</b>	n/a
	BRT25LBF4224U	24 x 42 x 17	125	72	9.92	<b>\$1659</b>	n/a
	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer. <b>Top and legs to be ordered separately.</b> Metal handles. Black pencil tray included.						
	<ul style="list-style-type: none"> <li>18" deep storage components will not accept legal size paper</li> <li>25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.</li> </ul>						
	BRT25L2D3018U	18 x 30 x 17	125	39	5.31	<b>\$955</b>	n/a
	BRT25L2D3618U	18 x 36 x 17	125	45	6.38	<b>\$1025</b>	n/a
	BRT25L2D4218U	18 x 42 x 17	125	54	7.44	<b>\$1067</b>	n/a
	BRT25L2D3024U	24 x 30 x 17	125	43	7.08	<b>\$1110</b>	n/a
	BRT25L2D3624U	24 x 36 x 17	150	49	8.5	<b>\$1210</b>	n/a
	BRT25L2D4224U	24 x 42 x 17	150	58	9.92	<b>\$1260</b>	n/a
	Positioned usually beside a table assembly or between two adjacent workstations. Can join with other 25" h storage units to form a storage spine. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. <b>Top and legs to be ordered separately.</b> Storage compartment internal height is 16.5". Metal handles.						
	<ul style="list-style-type: none"> <li>25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.</li> </ul>						
	BRT29L2D3018U	18 x 30 x 21	125	49	6.56	<b>\$1089</b>	n/a
	BRT29L2D3618U	18 x 36 x 21	125	55	7.88	<b>\$1137</b>	n/a
	BRT29L2D4218U	18 x 42 x 21	125	64	9.19	<b>\$1187</b>	n/a
	BRT29L2D3024U	24 x 30 x 21	125	53	8.75	<b>\$1277</b>	n/a
	BRT29L2D3624U	24 x 36 x 21	150	59	10.5	<b>\$1335</b>	n/a
	BRT29L2D4224U	24 x 42 x 21	150	68	12.25	<b>\$1365</b>	n/a
	Positioned usually beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29" h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. Two lockable doors, glass shelf included. <b>Top and legs to be ordered separately.</b> Storage compartment internal height is 20.5". Metal handles.						
	<ul style="list-style-type: none"> <li>25" high Bridges storage should not be used under back-to-back Bridges table applications using Below Worksurface Trough. Storage will not fit under the trough.</li> </ul>						




**Required Specifications**

Chassis finish  
Drawer/door front finish\*




**Optional Specifications**

Cable Basket



STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <div>29"H Box/File/Open Storage, No Top</div>		D x W x H					
	BRT29LOBF3018U	18 x 30 x 21	92.5	70	6.56	\$1517	n/a
	BRT29LOBF3618U	18 x 36 x 21	100	78	7.88	\$1711	n/a
	BRT29LOBF4218U	18 x 42 x 21	100	86	9.19	\$1880	n/a
	BRT29LOBF3024U	24 x 30 x 21	100	74	8.75	\$1579	n/a
	BRT29LOBF3624U	24 x 36 x 21	125	82	10.52	\$1780	n/a
	BRT29LOBF4224U	24 x 42 x 21	125	90	12.25	\$1955	n/a
	Positioned beside a table assembly or between two adjacent workstations. Units are level with Bridges tops and can join other 29"h storage units to form a credenza or serve as an additional return worksurface. Floor clearance allows for installation of optional cable basket to manage cords and data cables under storage spine. One locking file drawer, one box drawer and one open compartment. <b>Top and legs to be ordered separately.</b> Storage compartment internal height: 3.9". Metal handles. Black pencil tray included.						
	• 18" deep storage components will not accept legal size paper						
 <div>Worksurface for Modular Storage*</div>	BRTWU1830	18 x 30 x 1	60	15	0.5	\$191	\$68
	BRTWU1836	18 x 36 x 1	60	18	0.59	\$218	\$74
	BRTWU1842	18 x 42 x 1	60	21	0.68	\$286	\$97
	BRTWU1860	18 x 60 x 1	65	29	0.97	\$451	\$133
	BRTWU1866	18 x 66 x 1	65	32	1.1	\$473	\$150
	BRTWU1872	18 x 72 x 1	65	35	1.2	\$493	\$162
	BRTWU1878	18 x 78 x 1	65	38	1.3	\$521	\$171
	BRTWU1884	18 x 84 x 1	65	41	1.4	\$571	\$179
	BRTWU1890	18 x 90 x 1	65	44	1.5	\$594	\$185
	BRTWU1896	18 x 96 x 1	65	47	1.6	\$618	\$193
	BRTWU2430	24 x 30 x 1	60	20	0.65	\$200	\$61
	BRTWU2436	24 x 36 x 1	60	24	0.78	\$222	\$76
	BRTWU2442	24 x 42 x 1	60	28	0.9	\$292	\$96
	BRTWU2460	24 x 60 x 1	60	39	1.3	\$461	\$152
	BRTWU2466	24 x 66 x 1	60	43	1.41	\$480	\$157
	BRTWU2472	24 x 72 x 1	60	47	1.54	\$501	\$41
	BRTWU2478	24 x 78 x 1	60	51	1.7	\$537	\$172
	BRTWU2484	24 x 84 x 1	60	55	1.8	\$582	\$182
	BRTWU2490	24 x 90 x 1	60	59	1.9	\$605	\$187
	BRTWU2496	24 x 96 x 1	60	63	2	\$629	\$196
 <div>Modular Storage Leg**</div>							
	BRT18LEGL	18 x 2.5 x 8	150	8	1.34	\$73	n/a
	BRT24LEGL	24 x 2.5 x 8	150	8	1.34	\$80	n/a
	Two single legs form the structure of the Bridges II series modular storage. A single leg can be used at the end of each modular storage unit or can be used to support where two modular units meet. Leveling glides, steel frame, aluminum legs.						
	• Anodized Aluminum leg - Add \$39 list upcharge						

Required Specifications	Optional Specifications
Top finish*	HP laminate* (tops only)
Edge finish	Anodized Aluminum Leg**
Chassis finish	Cable Basket (storage unit)
Metal finish**	


STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Center Mount Shelf**</b></p>		<b>D x W x H</b>					
	BRTCMS36	12 x 36 x 6.75	100	15.20	1.69	<b>\$397</b>	n/a
	BRTCMS30	12 x 30 x 6.75	100	12.60	1.41	<b>\$280</b>	n/a
 <p><b>Table Mounted End Shelf*</b></p>							
	BRTTES24	15.5 x 24 x 15	100	29	3.22	<b>\$769</b>	<b>\$68</b>
	BRTTES30	15.5 x 30 x 15	100	34	4.03	<b>\$842</b>	<b>\$76</b>
	BRTTES51	15.5 x 50.5 x 15	100	57	6.79	<b>\$1387</b>	<b>\$138</b>
	BRTTES63	15.5 x 62.5 x 15	100	68	8.40	<b>\$1523</b>	<b>\$178</b>
 <p><b>Single Sided Elevated Table Shelf*</b></p>							
	BRTSTS0824	12 x 24 x 8	92.5	14	1.33	<b>\$273</b>	<b>\$88</b>
	BRTSTS0830	12 x 30 x 8	100	16	1.66	<b>\$314</b>	<b>\$88</b>
	BRTSTS0851	12 x 50.5 x 8	100	25	2.80	<b>\$500</b>	<b>\$128</b>
	BRTSTS0863	12 x 62.5 x 8	100	28	3.47	<b>\$565</b>	<b>\$191</b>
	BRTSTS1324	12 x 24 x 13	100	18	2.16	<b>\$296</b>	<b>\$88</b>
	BRTSTS1330	12 x 30 x 13	125	21	2.70	<b>\$336</b>	<b>\$88</b>
	BRTSTS1351	12 x 50.5 x 13	125	32	4.55	<b>\$500</b>	<b>\$128</b>
	BRTSTS1363	12 x 62.5 x 13	125	38	5.64	<b>\$583</b>	<b>\$171</b>
	BRTSTS1624	12 x 24 x 16	125	19	2.66	<b>\$336</b>	<b>\$88</b>
	BRTSTS1630	12 x 30 x 16	100	29	3.33	<b>\$397</b>	<b>\$88</b>
	BRTSTS1651	12 x 50.5 x 16	150	33	5.61	<b>\$583</b>	<b>\$150</b>
	BRTSTS1663	12 x 62.5 x 16	150	39	6.94	<b>\$666</b>	<b>\$191</b>
<p>Open, shared center mount shelf “floats” 6.75” above the gap formed by two back-to-back worksurfaces. Accepts <b>BRTESBBIN</b> Elevated Shelf Binder Bin - The 30”w shelf accommodates two; 36”w shelf accommodates up to three. Shelves overhang the support structure by 6” on either side. Aluminum/die cast structure attaches to the underside of both worksurfaces.</p> <ul style="list-style-type: none"> <li>• Not compatible with BRITEETA Above Worksurface Power Trough and Worksurfaces with Access Doors</li> <li>• Anodized Aluminum support structure - Add <b>\$91</b> list upcharge</li> </ul>							
<p>Single or double open shelf/extended worksurface. Secured to the end of single or back-to-back Bridges table. All mounting hardware included. Storage compartment internal height: 13.25”. 1” top.</p>							
<p>Secured perpendicularly to the single or back-to-back Bridges table. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Optional Elevated Shelf Binder Bin (<b>BRTESBBIN</b>) rests on top surface for enhanced privacy. 8”h provides additional storage space without obstructing view and reaches 16” module height when combined w/8”h Binder shelf. Internal height: 6.6”. 16”h lines up with top of 16” table dividers (15.8”). Specify 12” narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6”.</p> <ul style="list-style-type: none"> <li>• Please refer to the <b>Compatibility Guide</b> on page 468 to determine available accessories</li> </ul>							

**Required Specifications**


Top finish  
Edge finish  
Metal finish\*\*  
Chassis/Accent finish\*

**Optional Specifications**

HP laminate (tops only)  
Elevated Shelf Binder Bin  
Anodized Aluminum\*\*



### Shared Elevated Table Shelf



### Table Supported Shared Overhead

	D x W x H					
BRTBTS0836	12 x 36 x 8	100	16	2	\$418	\$88
BRTBTS0842	12 x 42 x 8	100	19	2.33	\$460	\$88
BRTBTS0848	12 x 48 x 8	125	21	2.66	\$500	\$128
BRTBTS0854	12 x 54 x 8	125	23	3	\$521	\$150
BRTBTS0860	12 x 60 x 8	125	26	3.33	\$583	\$171
BRTBTS0866	12 x 66 x 8	125	28	3.66	\$625	\$191
BRTBTS0872	12 x 72 x 8	125	30	4	\$666	\$191
BRTBTS0878	12 x 78 x 8	125	32	4.33	\$708	\$211
BRTBTS0884	12 x 84 x 8	125	35	4.66	\$749	\$231
BRTBTS1336	12 x 36 x 13	125	22	3.25	\$500	\$110
BRTBTS1342	12 x 42 x 13	125	25	3.79	\$565	\$110
BRTBTS1348	12 x 48 x 13	125	28	4.33	\$605	\$150
BRTBTS1354	12 x 54 x 13	125	30	4.87	\$666	\$150
BRTBTS1360	12 x 60 x 13	150	33	5.86	\$708	\$150
BRTBTS1366	12 x 66 x 13	150	36	6.45	\$725	\$254
BRTBTS1372	12 x 72 x 13	125	39	6.50	\$830	\$211
BRTBTS1378	12 x 78 x 13	150	42	7.04	\$893	\$211
BRTBTS1384	12 x 84 x 13	150	44	7.58	\$955	\$231
BRTBTS1636	12 x 36 x 16	125	25	4	\$521	\$88
BRTBTS1642	12 x 42 x 16	125	28	4.66	\$583	\$128
BRTBTS1648	12 x 48 x 16	150	31	5.33	\$644	\$128
BRTBTS1654	12 x 54 x 16	150	34	6	\$684	\$171
BRTBTS1660	12 x 60 x 16	150	38	6.66	\$749	\$171
BRTBTS1666	12 x 66 x 16	150	41	7.33	\$811	\$171
BRTBTS1672	12 x 72 x 16	150	44	8	\$873	\$191
BRTBTS1678	12 x 78 x 16	150	47	8.66	\$911	\$211
BRTBTS1684	12 x 84 x 16	150	50	9.33	\$977	\$231

Rests on back-to-back Bridges tables. Cut outs in both supporting side gables allow placement over above worksurface power/data troughs. Integrated anodized aluminum accessory rail. White cut out and accessory rail trims. Three heights available. 8" h provides additional storage space without obstructing view; reaches 16" module height when combined w/8" Binder shelf. Internal height: 6.6". 16" h lines up with top of 16" table dividers (15.8"). Specify 12" narrower shared elevated shelf immediately adjacent to the perpendicular elevated shelf. Internal height: 14.6". Optional Elevated Shelf Binder Bin (**BRTESBBIN**) rests on top surface for enhanced privacy. 1" top.

- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

BRTBAS048	12 x 48 x 21	125	54	7	\$830	\$128
-----------	--------------	-----	----	---	-------	-------

One compartment per side. White magnetic back wall. Lines up with 50" h floor standing storage. Fits over the gap between two parallel back-to-back Bridges tables. Fits over worksurface power/data trough. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (**BRTESBBIN**) rests on top surface for enhanced privacy. 1" top.




- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

### Required Specifications

Top finish  
Edge finish  
Chassis/accent finish

### Optional Specifications

HP laminate (tops only)  
Elevated Shelf Binder Bin


MODULAR STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Shared Elevated Overhead*</b></p>	<b>D x W x H</b>						
	BRTBASL36	16 x 36 x 21	250	23.50	6.56	<b>\$2397</b>	<b>\$161</b>
	BRTBASL42	16 x 42 x 21	250	27.50	7.65	<b>\$2564</b>	<b>\$196</b>
	BRTBASL48	16 x 48 x 21	250	31.40	8.75	<b>\$2698</b>	<b>\$232</b>
	BRTBASL54	16 x 54 x 21	250	35.30	9.84	<b>\$2903</b>	<b>\$243</b>
	BRTBASL60	16 x 60 x 21	250	35.30	9.84	<b>\$3060</b>	<b>\$251</b>
	BRTBASL66	16 x 66 x 21	250	43.20	12.03	<b>\$3453</b>	<b>\$293</b>
	BRTBASL72	16 x 72 x 21	250	47.10	13.12	<b>\$3635</b>	<b>\$327</b>
	BRTBASL78	16 x 78 x 21	250	51	14.21	<b>\$3826</b>	<b>\$352</b>
	BRTBASL84	16 x 84 x 21	250	55	15.31	<b>\$3876</b>	<b>\$485</b>
 <p><b>45" High Shared Storage Divider**</b></p>	BRTSDS48	12 x 48 x 16	92.5	54	5.33	<b>\$666</b>	<b>\$128</b>
	<p>Divides side-to-side workstations. Two shared, open shelves. One compartment per side. White magnetic back wall. Rests on top of shared 25" box/file/open and back-to-back worksurface. Top of unit is 15.7" from the top of the worksurface. Storage compartment internal height: 12.8". Optional Elevated Shelf Binder Bin (BRTESBBIN) rests on top surface for enhanced privacy. 1" top, white powder-coated steel central partition and backs.</p>						
 <p><b>Open Single Sided Storage</b></p>	BRT21HO3616	16 x 36 x 21	100	81	9	<b>\$1194</b>	<b>\$161</b>
	BRT21HO4216	16 x 42 x 21	100	81	9	<b>\$1282</b>	<b>\$185</b>
	BRT21HO4816	16 x 48 x 21	250	31.40	8.75	<b>\$1367</b>	<b>\$210</b>
	BRT21HO5416	16 x 54 x 21	250	35.30	9.84	<b>\$1452</b>	<b>\$237</b>
	BRT21HO6016	16 x 60 x 21	250	35.30	9.84	<b>\$1547</b>	<b>\$264</b>
	BRT21HO6616	16 x 66 x 21	250	43.20	12.03	<b>\$1646</b>	<b>\$288</b>
	BRT21HO7216	16 x 72 x 21	250	47.10	13.12	<b>\$1707</b>	<b>\$326</b>
	BRT21HO7816	16 x 78 x 21	250	51	14.21	<b>\$1835</b>	<b>\$339</b>
	BRT21HO8416	16 x 84 x 21	250	55	15.31	<b>\$1909</b>	<b>\$366</b>
	<p>Table supported single sided open storage. Storage compartment internal height: 14". 1" top.</p> <ul style="list-style-type: none"> <li>• Cannot be used in conjunction with above worksurface power trough.</li> <li>• To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.</li> <li>• To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.</li> <li>• Please refer to the <b>Compatibility Guide</b> on page 468 to determine available accessories</li> </ul>						

**Required Specifications**

Top finish  
 Edge finish  
 Chassis finish\*  
 Drawer/door front finish\*

**Optional Specifications**


HP laminate (tops only)  
 Elevated Shelf Binder Bin\*\*

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BRT21GS3616	16 x 36 x 21	100	87	9	<b>\$1878</b>	<b>\$159</b>
	BRT21GS4216	16 x 42 x 21	100	103	10.50	<b>\$1974</b>	<b>\$184</b>
	BRT21GS4816	16 x 48 x 21	100	108	12	<b>\$2058</b>	<b>\$210</b>
	BRT21GS5416	16 x 54 x 21	100	133	13.50	<b>\$2454</b>	<b>\$237</b>
	BRT21GS6016	16 x 60 x 21	100	144	15	<b>\$2550</b>	<b>\$264</b>
	BRT21GS6616	16 x 66 x 21	100	155	16.50	<b>\$2670</b>	<b>\$288</b>
	BRT21GS7216	16 x 72 x 21	100	164	18	<b>\$2761</b>	<b>\$314</b>
	BRT21GS7816	16 x 78 x 21	100	174	19.50	<b>\$2908</b>	<b>\$338</b>
	BRT21GS8416	16 x 84 x 21	100	181	21	<b>\$2993</b>	<b>\$367</b>

**Open Single Sided Storage,  
1 Glass Door**

Table supported single sided open storage with single sliding glass door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 468 to determine available accessories




**Open Single Sided Storage,  
1 Laminate Door\*\***

BRT21LS3616	16 x 36 x 21	92.5	94	9	<b>\$1824</b>	<b>\$226</b>
BRT21LS4216	16 x 42 x 21	92.5	111	10.50	<b>\$1912</b>	<b>\$260</b>
BRT21LS4816	16 x 48 x 21	100	117	12	<b>\$1996</b>	<b>\$298</b>
BRT21LS5416	16 x 54 x 21	92.5	143	13.50	<b>\$2080</b>	<b>\$336</b>
BRT21LS6016	16 x 60 x 21	92.5	155	15	<b>\$2408</b>	<b>\$368</b>
BRT21LS6616	16 x 66 x 21	92.5	167	16.50	<b>\$2508</b>	<b>\$405</b>
BRT21LS7216	16 x 72 x 21	100	177	18	<b>\$2578</b>	<b>\$444</b>
BRT21LS7816	16 x 78 x 21	100	188	19.50	<b>\$2695</b>	<b>\$480</b>
BRT21LS8416	16 x 84 x 21	100	198	21	<b>\$2768</b>	<b>\$515</b>

Table supported single sided open storage with single sliding laminate door with recessed pull. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 468 to determine available accessories



**Open Double Sided Storage\***

BRT21HDO3616	16 x 36 x 21	100	81	9	<b>\$1238</b>	<b>\$159</b>
BRT21HDO4216	16 x 42 x 21	100	96	10.50	<b>\$1308</b>	<b>\$185</b>
BRT21HDO4816	16 x 48 x 21	100	100	12	<b>\$1370</b>	<b>\$215</b>
BRT21HDO5416	16 x 54 x 21	100	124	13.50	<b>\$1474</b>	<b>\$238</b>
BRT21HDO6016	16 x 60 x 21	100	134	15	<b>\$1552</b>	<b>\$261</b>
BRT21HDO6616	16 x 66 x 21	100	144	16.50	<b>\$1668</b>	<b>\$287</b>
BRT21HDO7216	16 x 72 x 21	100	152	18	<b>\$1722</b>	<b>\$314</b>
BRT21HDO7816	16 x 78 x 21	100	161	19.50	<b>\$1858</b>	<b>\$339</b>
BRT21HDO8416	16 x 84 x 21	100	168	21	<b>\$1910</b>	<b>\$367</b>

Table supported double sided open storage. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.


- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

#### Required Specifications

Top finish  
Edge finish  
Chassis finish\*  
Drawer/door front finish\*\*

#### Optional Specifications


HP laminate (tops only)  
Elevated Shelf Binder Bin

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	BRT21GDS3616	16 x 36 x 21	92.5	94	9	<b>\$2437</b>	<b>\$155</b>
	BRT21GDS4216	16 x 42 x 21	92.5	111	10.50	<b>\$2552</b>	<b>\$185</b>
	BRT21GDS4816	16 x 48 x 21	100	117	12	<b>\$2608</b>	<b>\$211</b>
	BRT21GDS5416	16 x 54 x 21	92.5	143	13.50	<b>\$3373</b>	<b>\$237</b>
	BRT21GDS6016	16 x 60 x 21	92.5	155	15	<b>\$3433</b>	<b>\$264</b>
	BRT21GDS6616	16 x 66 x 21	92.5	167	16.50	<b>\$3661</b>	<b>\$287</b>
	BRT21GDS7216	16 x 72 x 21	100	177	18	<b>\$3742</b>	<b>\$314</b>
	BRT21GDS7816	16 x 78 x 21	100	188	19.50	<b>\$3897</b>	<b>\$338</b>
	BRT21GDS8416	16 x 84 x 21	100	196	21	<b>\$4148</b>	<b>\$366</b>

**Double Sided Storage, Glass Door**

Table supported double sided open storage with sliding glass doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.


- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

**Double Sided Storage, Laminate Door\***

BRT21LDS3616	16 x 36 x 21	92.5	106	9	<b>\$2396</b>	<b>\$159</b>
BRT21LDS4216	16 x 42 x 21	85	126	10.50	<b>\$2547</b>	<b>\$185</b>
BRT21LDS4816	16 x 48 x 21	92.5	134	12	<b>\$2600</b>	<b>\$210</b>
BRT21LDS5416	16 x 54 x 21	85	162	13.50	<b>\$3246</b>	<b>\$237</b>
BRT21LDS6016	16 x 60 x 21	92.5	176	15	<b>\$3302</b>	<b>\$264</b>
BRT21LDS6616	16 x 66 x 21	92.5	190	16.50	<b>\$3525</b>	<b>\$288</b>
BRT21LDS7216	16 x 72 x 21	92.5	203	18	<b>\$3578</b>	<b>\$314</b>
BRT21LDS7816	16 x 78 x 21	92.5	216	19.50	<b>\$3711</b>	<b>\$338</b>
BRT21LDS8416	16 x 84 x 21	92.5	227	21	<b>\$3935</b>	<b>\$366</b>

Table supported double sided open storage with sliding laminate doors and recessed pull. Fits over the gap between two parallel Bridges II back-to-back tables. Storage compartment internal height: 14". 1" top.

- Cannot be used in conjunction with above worksurface power trough.
- To prevent duplex outlet and worksurface access door interference, please specify Overhead of the same width of the supporting worksurface.
- To prevent interference with ceiling feed pole, please specify Overhead 6" shorter in width corresponding with the length of the supporting worksurface.
- Please refer to the **Compatibility Guide** on page 468 to determine available accessories

**50"H Storage Tower w/Coat Storage\***

BRTTW5024L	24 x 24 x 50	100	142	16.66	<b>\$2254</b>	<b>\$150</b>
BRTTW5024R	24 x 24 x 50	100	142	16.66	<b>\$2254</b>	<b>\$150</b>
BRTTW5030L	30 x 24 x 50	125	163	20.83	<b>\$2501</b>	<b>\$150</b>
BRTTW5030R	30 x 24 x 50	125	163	20.83	<b>\$2501</b>	<b>\$150</b>

Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h); coat storage with hinged door. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.

- Anodized Aluminum Leg - Add **\$91** list upcharge





**Required Specifications**

Top finish  
Chassis finish  
Drawer/door front finish  
Metal finish (legs)





Edge finish

**Optional Specifications**

Anodized aluminum leg\*  
HP laminate  
E-Lock\*

STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	BRTTW6624L	24 x 24 x 66	125	170	22	\$2988	\$193
	BRTTW6624R	24 x 24 x 66	125	170	22	\$2988	\$193
	BRTTW6630L	30 x 24 x 66	125	195	27.50	\$3315	\$195
	BRTTW6630R	30 x 24 x 66	125	195	27.50	\$3315	\$234
66" H Storage Tower with Coat Storage	<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h); coat storage with hinged door and 2 shelves. Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"><li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li></ul>						
	BRTT5024L	24 x 15.5 x 50	100	88	10.76	\$1675	\$110
	BRTT5024R	24 x 15.5 x 50	100	88	10.76	\$1675	\$110
	BRTT5030L	30 x 15.5 x 50	125	101	13.45	\$1843	\$128
	BRTT5030R	30 x 15.5 x 50	125	101	13.45	\$1843	\$128
50" H Storage Tower	<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with adjustable glass shelf (50"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 19.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"><li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li></ul>						
	BRTT6624L	24 x 15.5 x 66	100	106	12.91	\$2221	\$140
	BRTT6624R	24 x 15.5 x 66	100	106	12.91	\$2221	\$140
	BRTT6630L	30 x 15.5 x 66	125	121	16.14	\$2441	\$170
	BRTT6630R	30 x 15.5 x 66	125	121	16.14	\$2441	\$170
66" H Storage Tower	<p>Provides storage and privacy at the end of a table. Box/File drawers, open compartment with 2 adjustable glass shelves (66"h). Specify Left or Right handed. Capable of supporting worksurface on one side. Built-in threaded inserts to secure dedicated worksurface supporting beam. Open side storage compartment internal height: 35.6". Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. Black pencil tray included.</p> <ul style="list-style-type: none"><li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li></ul>						
	BRTCS45BBFFL	18 x 36 x 45	92.5	256	24	\$3045	\$159
	BRTCS45BBFFR	18 x 36 x 45	92.5	256	24	\$3045	\$159
Cantilever Storage*	<p>Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 2 locking file drawers. 2 pencil drawers (not locking). Open compartment with adjustable glass shelf, internal dimension of 15.9". Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs.</p> <ul style="list-style-type: none"><li>Anodized Aluminum Leg - Add <b>\$91</b> list upcharge</li></ul>						

Required Specifications	Optional Specifications
Top finish	Anodized aluminum leg
Chassis finish	HP laminate
Drawer/door front finish	E-Lock*
Metal finish (legs)	

STORAGE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
			D x W x H					
	BRTCS45FFFOL	18 x 36 x 45	92.5	256	24	\$3120	\$159	
	BRTCS45FFFOR	18 x 36 x 45	92.5	256	24	\$3120	\$159	
Cantilever Storage*		Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. 3 locking file drawers with 2 locks. Open compartment (10.3" interior dimension). Three fixed open compartments; two above worksurfaces (6.7" interior dimension), one below (3.7" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. • Anodized Aluminum Leg - Add \$91 list upcharge						
								
	BRTCS45BBFOOL	18 x 36 x 45	92.5	256	24	\$2979	\$159	
	BRTCS45BBFOOR	18 x 36 x 45	92.5	256	24	\$2979	\$159	
Cantilever Storage*		Provides storage and privacy anywhere along the length of the bench. The middle opening of the cabinet allows the upper portion to cantilever above the worksurface. Locking file drawer. 2 pencil drawers (not locking). Open compartment (10.3" interior dimension) with adjustable glass shelf. 4 fixed open compartments; two above worksurfaces (6.7" interior dimension), two below (lower 12.2" interior dimension; upper 3.3" interior dimension). Specify Left or Right handed. Optional cable basket suspends off storage unit's bottom and manages cables along the horizontal plane. 1" top; metal handles; powder-coated aluminum or anodized aluminum legs. • Anodized Aluminum Leg - Add \$91 list upcharge						
								
	BRTDS2B2F	16 x 18 x 36	125	85	14	\$1866	n/a	
Pier Storage, Box/File		Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Two lockable file drawers, two box drawers. Black pencil tray included.						
								
	BRTDSOP	16 x 18 x 36	150	75	14	\$1241	n/a	
Pier Storage, Open w/Glass Shelves		Supports side-by-side divider with Box/File on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"						





Required Specifications

Top finish\*  
Edge finish\*  
Chassis finish  
Drawer/door front finish






Optional Specifications

Anodized aluminum leg  
HP laminate (tops only)



STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	BRTDS2D	16 x 18 x 36	150	79	14	\$1667	n/a
	Supports side-by-side divider with hinged, lockable door on opposite sides for side-by-side application. Storage compartment internal height without adjustable shelf: 15"						
	BRT21PHDO4216	16 x 42 x 21	100	96	10.50	\$1080	\$185
	BRT21PHDO4816	16 x 48 x 21	100	100	12	\$1148	\$215
	BRT21PHDO5416	16 x 54 x 21	100	124	13.50	\$1258	\$237
	BRT21PHDO6016	16 x 60 x 21	100	134	15	\$1330	\$264
	BRT21PHDO6616	16 x 66 x 21	100	144	16.50	\$1441	\$286
	BRT21PHDO7216	16 x 72 x 21	100	152	18	\$1518	\$314
	Pier and table supported side-by-side double-sided open storage. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.						
	BRT21PLDS4216	16 x 42 x 21	92.5	126	11	\$2500	\$185
	BRT21PLDS4816	16 x 48 x 21	92.5	134	12	\$2553	\$211
	BRT21PLDS5416	16 x 54 x 21	92.5	162	14	\$3203	\$237
	BRT21PLDS6016	16 x 60 x 21	92.5	176	15	\$3259	\$264
	BRT21PLDS6616	16 x 66 x 21	92.5	190	17	\$3480	\$288
	BRT21PLDS7216	16 x 72 x 21	92.5	203	18	\$3533	\$314
	Pier and table supported side-by-side double-sided storage with sliding laminate doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.						
	BRT21PGDS4216	16 x 42 x 21	92.5	110	10.50	\$2525	\$183
	BRT21PGDS4816	16 x 48 x 21	100	116	12	\$2581	\$210
	BRT21PGDS5416	16 x 54 x 21	92.5	141	13.50	\$3347	\$237
	BRT21PGDS6016	16 x 60 x 21	92.5	153	15	\$3406	\$261
	BRT21PGDS6616	16 x 66 x 21	92.5	165	16.50	\$3634	\$287
	BRT21PGDS7216	16 x 72 x 21	100	175	18	\$3716	\$315
	Pier and table supported side-by-side double-sided storage with sliding glass doors and recessed pull. Divides space and provides storage anywhere along bench or table. Storage compartment internal height: 14". 1" top.						



Required Specifications	Optional Specifications
Top finish*	HP laminate*
Edge finish*	
Chassis finish	
Drawer/door front finish (excl. glass)	

ACCESSORIES	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
 <p><b>Cushion*</b></p>	D x W x H								
	BRTC	18 x 15.5 x 1.25	150	2	.41	1	<b>\$272</b>	7	<b>\$526</b>
						2	<b>\$311</b>	8	<b>\$569</b>
						3	<b>\$341</b>	9	<b>\$618</b>
						4	<b>\$375</b>	10	<b>\$736</b>
						5	<b>\$427</b>	11	<b>\$834</b>
						6	<b>\$476</b>	12	<b>\$938</b>
<p>Optional seat cushion may be added to any storage component. Available in all Global seating fabrics.</p> <ul style="list-style-type: none"> <li>• When added to 25"h storage units, unit will NOT fit under any table with a beam</li> </ul>									
 <p><b>Glide Tray Adapter</b></p>	GAGTA01	2 x 9 x 2.5	70	.50	.03		<b>\$123</b>		
<p>Accommodates the placement of sliding keyboard mechanisms and CPU holders below the cross beam of Bridges tables. Attaches to Glide Tracks of all Productivity Solutions Keyboard Mechanisms and Sliding CPU holders. Mounting hardware included. Available in Black only.</p> <ul style="list-style-type: none"> <li>• Cannot be used with GACPU01. See Productivity Solutions for compatible keyboard mechanisms and sliding CPU holder.</li> </ul>									
 <p><b>CPU Holder on Glide Track</b></p>	GACPU02	9.2 x 11.7 x 18.5	92.5	12.60	1.15		<b>\$269</b>		
<p>Accepts tower CPUs with a width range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. 12" glide track mounted and 360° swivel for easy access to rear of CPU. Manufactured from steel and engineered resin, providing rugged durability and support. Available in Black only.</p>									
 <p><b>Fixed Mount CPU Holder</b></p>	GACPU01	9.2 x 11.7 x 18.5	125	9	1.15		<b>\$243</b>		
<p>Fully adjustable clamping mechanism to accept tower CPUs with a height range of 12.5" to 22.5" and width range of 3.5" to 9.3". Soft touch knob for side clamp adjustment and bayonet lance for vertical height adjustment. Mounts directly to underside of desk surface. CPU Holder can also be mounted directly to an upright desk leg surface or wall via side mounting holes. Manufactured from Steel and Engineered Resin, providing rugged durability and support. Available in black only.</p> <ul style="list-style-type: none"> <li>• Not compatible with GAGTA01</li> </ul>									
 <p><b>Hanging Bracket**</b></p>	BRTHB	3.3 x 1.5 x 3.5	70	.20	.01		<b>\$35</b>		
<p>A formed steel bracket hooks over Bridges II table leg. Can be secured either on the inner or outer side of the leg. Specify metal paint finish.</p>									

**Required Specifications**





Fabric\*







Paint finish\*\*

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Whiteboard		D x W x H				
	BRTWB0924	0.5 x 24 x 8.5	70	1	.56	\$272
White dry-erase marker board surface on white powder coated steel backer. Fits 16" tall Bridges II dividers and single-sided shelves. White dry-erase surface attaches magnetically to the steel backer. When removed, the steel backer can be used as a magnetic board. Please refer to the <b>Compatibility Guide</b> (page 468) to determine available accessories.						
• Available in Tungsten (TUN) or Designer White (DWT) Only						
 Tackboard*						
	BRTTB0924	0.5 x 24 x 8.5	70	1	.56	\$272
Grey tackboard surface on white powder coated steel backer. Fits 16" tall Bridges II dividers and single-sided shelves. Please refer to the <b>Compatibility Guide</b> (page 468) to determine available accessories.						
• Available in Tungsten (TUN) or Designer White (DWT) Only						

Required Specifications





Metal finish  
Fabric\*

MONITOR ARMS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 <p><b>Single Screen Double Extension Arm</b></p>	GAMCSSDE	-- x -- x --	125	7.50	1.09	<b>\$609</b>
 <p><b>Single Screen Double Extension Arm with Height Adjustment</b></p>	GAMCSSDEH	-- x -- x --	125	8.20	1.09	<b>\$730</b>
 <p><b>Dual Screen Double Extension Arm</b></p>	GAMCDSDE	-- x -- x --	100	10.70	1.09	<b>\$1072</b>
 <p><b>Dual Screen Double Extension Arm with Height Adjustment</b></p>	GAMCDSDEH	-- x -- x --	92.5	12.2	1.09	<b>\$1316</b>

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Binder Bin</b></p>	BABB01	10.25 x 4 x 9	100	2	.21	<b>\$75</b>
	Load bar/accessory rail mounted metal binder bin. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components					
 <p><b>Flip Sorter</b></p>	BAFS01	9.25 x 2.75 x 9.25	70	.06	.14	<b>\$58</b>
	Load bar/accessory rail mounted metal flip sorter. Comes with chrome wire. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components					
 <p><b>Slant Sorter</b></p>	BASS01L (Left)	10.25 x 5 x 9.5	70	1	.28	<b>\$47</b>
	BASS01R (Right)	10.25 x 5 x 9.5	70	1	.28	<b>\$47</b>
 <p><b>Letter/Legal Tray</b></p>	BALTO1 (Letter)	9.25 x 13.5 x 2	70	.05	.15	<b>\$62</b>
	BALTO1LGL (Legal)	9.25 x 15 x 2	70	.05	.15	<b>\$76</b>
 <p><b>Media Bin</b></p>	BAMB01	5.25 x 5.75 x 3	70	.08	.05	<b>\$62</b>
	Load bar/accessory rail mounted metal media bin. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components					
 <p><b>Utility Tray</b></p>	BAUT01	3.75 x 5.75 x 3	70	.05	.02	<b>\$41</b>
	Load bar/accessory rail mounted metal utility tray. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components					

#### Required Specifications

Paint finish

ACCESSORIES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Mail Box*</b></p>	BAPP01	2.75 x 16 x 9	100	2	.25	<b>\$94</b>
Load bar/accessory rail mounted metal mail box. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components						
 <p><b>Telephone Holder*</b></p>	BATH01	10 x 9 x 2	125	2	.26	<b>\$91</b>
Load bar/accessory rail mounted metal telephone holder. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components						
 <p><b>Elevated Shelf Binder Bin*</b></p>	BRTESBBIN	12 x 12 x 8	100	6	.66	<b>\$193</b>
Load bar/accessory rail mounted elevated shelf binder bin. • Please refer to the <b>Compatibility Guide</b> on page 468 to determine compatible storage components						
 <p><b>Pencil Drawer</b></p>	PEEPD	15 x 22.5 x 1.5	250	2	0.7	<b>\$174</b>
Provides storage for writing instruments and small items at the worksurface. Attaches to underside of worksurface with drawer slides (included). Black ABS plastic only.						

**Required Specifications**

Paint finish\*

ACCESSORIES

D x W x H

ACCESSORIES COMPATIBILITY GUIDE

	DIVIDERS: BRTLPPD BRTLPPS BR2AFD BR2AHD	Elevated Shelves BRTSTS08 BRTBTS08 8" high	Elevated Shelves BRTSTS13 BRTBTS13 13" high	Elevated Shelves BRTSTS16 BRTBTS16 16" high	Shared Overhead BRTBAS048 12" deep	Shared Overhead with slid- ing doors BRTBASS 16" deep
Binder Bin BABB01	yes	no	no	yes	no	no
Flip Sorter BAFS01	yes	no	yes	no	no	no
Slant Sorter BASS01	yes	no	yes	no	no	no
Letter Tray BALTO1	yes	yes	yes	yes	yes	yes
Media Bin BAMBO1	yes	yes	yes	yes	yes	yes
Utility Tray BAUTO1	yes	yes	yes	yes	yes	yes
Mail Box BAPP01	yes	no	no	yes	no	no
Phone Holder BVATH01	yes	yes	yes	yes	yes	yes
Elevated Shelf Binder Bin BRTEBBIN	no	no	no	no	yes	no
Tackboard BRTTB	yes	no	no	yes	no	no
Whiteboard BRTWB	yes	no	no	yes	no	no

**COLLABORATIVE SEATING****D x W x H**

Bridges collaborative seating collection consists of seating, privacy screens, tables, tablets and power. It is a versatile modular furniture series which can be configured into many space planning scenarios, including corner, in-line, open concept, traditional reception, as well as secluded seating with high privacy partitions.

Furniture pieces can be used as stand alone items or can be mechanically linked together to form a variety of seating configurations.

Seat and backrest can be integrated with Bridges tables.

Corner tables and in-line 6" table modules double as power delivery centers.

Dedicated seat backrests feature dual USB charging port.

Some inline 6" table modules are furnished with grommets to support tablets.




Legs are available in standard Bridges metal painted finishes and anodized aluminum finish.

**Bridges Collaborative Seating upholstery** features a single stitch, thick white thread around the edges. The white, wide stitch along with crisp corners are part of its distinctive personality. In order to achieve crisp edges and to minimize "pillow" effect caused by taut fabric, the upholstery material has been applied deliberately loose, which may over time, produce puckering of the upholstery surface material. This can be easily corrected by stretching the fabric by hand or during vacuuming.

In order to efficiently utilize fabric yield, all 60" seats and backs feature a seam in the middle. The double stitch seam is sewn with a thin thread, closely matching the upholstery material in color.


Some complicated fabric patterns prevent pattern matching and will be upholstered without the seam at the discretion of the factory.

Should you require no middle seam by cutting into the roll, please specify "NO SEAM" at time of your order.





COLLABORATIVE SEATING




Low Table\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BRTST2460F	24 x 60 x 17	150	83.60	14.17	\$938	\$348
BRTST2448F	24 x 48 x 17	125	69	11.33	\$839	\$253
BRTST2424F	24 x 24 x 17	125	40.70	5.67	\$593	\$104

Freestanding 17”h table. Central partition divides space under top surface into two 11” deep compartments. All LP chassis w/ HP or LP top (3mm edging). Bridges storage aluminum leg.

- Anodized Aluminum Leg - Add **\$79** list upcharge
- To convert to mobile - Add an **M** at the end of the product code. Add **\$35** upcharge.

COLLABORATIVE SEATING




Lounge Seat

					GRADE	LIST	GRADE	LIST
BRTSE60NB	24 x 60 x 17	250	47	14.17	1	\$1767	7	\$2370
					2	\$1857	8	\$2579
					3	\$1925	9	\$2740
					4	\$2025	10	\$2920
					5	\$2172	11	\$3285
					6	\$2238	12	\$3679
BRTSE48NB	24 x 48 x 17	250	36.90	11.33	1	\$1527	7	\$2012
					2	\$1601	8	\$2179
					3	\$1655	9	\$2306
					4	\$1737	10	\$2451
					5	\$1851	11	\$2746
					6	\$1907	12	\$3058
BRTSE24NB	24 x 24 x 17	150	22.70	5.57	1	\$839	7	\$1143
					2	\$886	8	\$1247
					3	\$920	9	\$1328
					4	\$972	10	\$1418
					5	\$1044	11	\$1600
					6	\$1077	12	\$1797

Fully upholstered armless lounge seat with metal base. Seats can be freestanding or linked with optional interlocking bracket kit.

- Anodized Aluminum Leg - Add **\$79** list upcharge



Lounge Seat, Full Backrest

BRTSE6060B	24 x 60 x 29	250	70	24.17	1	\$2822	7	\$3906
					2	\$2980	8	\$4280
					3	\$3103	9	\$4568
					4	\$3286	10	\$4890
					5	\$3545	11	\$5554
					6	\$3668	12	\$6261
BRTSE4848B	24 x 48 x 29	250	55.50	19.33	1	\$2435	7	\$3277
					2	\$2558	8	\$3569
					3	\$2654	9	\$3794
					4	\$2797	10	\$4045
					5	\$3001	11	\$4561
					6	\$3095	12	\$5110
BRTSE2424B	24 x 24 x 29	250	33	9.57	1	\$1320	7	\$1864
					2	\$1401	8	\$2051
					3	\$1463	9	\$2196
					4	\$1554	10	\$2358
					5	\$1684	11	\$2690
					6	\$1745	12	\$3042

Fully upholstered armless lounge seat with full backrest and metal base. Backrests are permanently secured to the seats and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.




- Anodized Aluminum Leg - Add **\$79** list upcharge

Required Specifications

Top finish\*      Edge finish\*  
Chassis finish\*  
Fabric  
Paint finish (legs)

Optional Specifications

Anodized Aluminum Leg  
HP laminate\*

COLLABORATIVE SEATING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
 <p><b>Lounge Seat, 24\" Offset Backrest</b></p>	<b>D x W x H</b>								
	BRTSE2448BL	24 x 48 x 29	250	46.10	19.33	1	<b>\$2007</b>	7	<b>\$2731</b>
						2	<b>\$2117</b>	8	<b>\$2983</b>
						3	<b>\$2198</b>	9	<b>\$3175</b>
						4	<b>\$2317</b>	10	<b>\$3387</b>
						5	<b>\$2492</b>	11	<b>\$3831</b>
						6	<b>\$2574</b>	12	<b>\$4302</b>
	BRTSE2448BR (shown)	24 x 48 x 29	250	46.10	19.33	1	<b>\$2007</b>	7	<b>\$2731</b>
						2	<b>\$2117</b>	8	<b>\$2983</b>
						3	<b>\$2198</b>	9	<b>\$3175</b>
						4	<b>\$2317</b>	10	<b>\$3387</b>
						5	<b>\$2492</b>	11	<b>\$3831</b>
						6	<b>\$2574</b>	12	<b>\$4302</b>
Fully upholstered armless lounge seat with one backrest and metal base. Specify backrest as either left or right side. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.									
• Anodized Aluminum Leg - Add <b>\$79</b> list upcharge									
 <p><b>Lounge Seat, Two 24\" Offset Backrests</b></p>	BRTSE2448BODL (shown)	24 x 48 x 29	250	46.10	19.33	1	<b>\$2488</b>	7	<b>\$3452</b>
						2	<b>\$2629</b>	8	<b>\$3786</b>
						3	<b>\$2738</b>	9	<b>\$4041</b>
						4	<b>\$2902</b>	10	<b>\$4330</b>
						5	<b>\$3132</b>	11	<b>\$4919</b>
						6	<b>\$3241</b>	12	<b>\$5545</b>
	BRTSE2448BODR	24 x 48 x 29	250	46.10	19.33	1	<b>\$2488</b>	7	<b>\$3452</b>
						2	<b>\$2629</b>	8	<b>\$3786</b>
						3	<b>\$2738</b>	9	<b>\$4041</b>
						4	<b>\$2902</b>	10	<b>\$4330</b>
						5	<b>\$3132</b>	11	<b>\$4919</b>
						6	<b>\$3241</b>	12	<b>\$5545</b>
Fully upholstered armless lounge seat with two offset backrests and metal base. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit.									
• Anodized Aluminum Leg - Add <b>\$79</b> list upcharge									
 <p><b>Lounge Seat, 21\" USB Backrest</b></p>	BRTSE2148EBL	24 x 48 x 29	250	33	9.67	1	<b>\$2326</b>	7	<b>\$3050</b>
						2	<b>\$2436</b>	8	<b>\$3302</b>
						3	<b>\$2517</b>	9	<b>\$3494</b>
						4	<b>\$2636</b>	10	<b>\$3706</b>
						5	<b>\$2811</b>	11	<b>\$4150</b>
						6	<b>\$2893</b>	12	<b>\$4621</b>
	BRTSE2148EBR (shown)	24 x 48 x 29	250	46.10	19.33	1	<b>\$2326</b>	7	<b>\$3050</b>
						2	<b>\$2436</b>	8	<b>\$3302</b>
						3	<b>\$2517</b>	9	<b>\$3494</b>
						4	<b>\$2636</b>	10	<b>\$3706</b>
						5	<b>\$2811</b>	11	<b>\$4150</b>
						6	<b>\$2893</b>	12	<b>\$4621</b>
Fully upholstered armless lounge seat with one backrest and metal base. 21\"w backrest comes with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 4' long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.									
• Anodized Aluminum Leg - Add <b>\$79</b> list upcharge									


**Required Specifications**

Fabric  
Paint finish (legs)


**Optional Specifications**

Anodized Aluminum Leg


COLLABORATIVE SEATING



Lounge Seat, Two 21" USB Backrests



Lounge Seat, Two Offset USB Backrests




Lounge Seat, 21" USB Backrest


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
D x W x H								
BRTSE2148E2B	24 x 48 x 29	250	57	19.33	1	\$3125	7	\$4088
					2	\$3266	8	\$4422
					3	\$3372	9	\$4678
					4	\$3536	10	\$4964
					5	\$3767	11	\$5553
					6	\$3878	12	\$6181
Fully upholstered armless lounge seat with two backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.								
• Anodized Aluminum Leg - Add \$79 list upcharge								
BRTSE2148EBODL (shown)	24 x 48 x 29	250	57	19.33	1	\$3125	7	\$4088
					2	\$3266	8	\$4422
					3	\$3372	9	\$4678
					4	\$3536	10	\$4964
					5	\$3767	11	\$5553
					6	\$3878	12	\$6181
BRTSE2148EBODR	24 x 48 x 29	250	57	19.33	1	\$3125	7	\$4088
					2	\$3266	8	\$4422
					3	\$3372	9	\$4678
					4	\$3536	10	\$4964
					5	\$3767	11	\$5553
					6	\$3878	12	\$6181
Fully upholstered armless lounge seat with two offset backrests and metal base. Both 21" w backrests come with embedded dual USB port in its side. Note: The side mounted power/USB outlets always point to the center of the seat. Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right backrest configuration. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.								
• Anodized Aluminum Leg - Add \$79 list upcharge								
BRTSE2124EBL	24 x 24 x 29	250	46.10	19.33	1	\$1638	7	\$2183
					2	\$1719	8	\$2370
					3	\$1782	9	\$2514
					4	\$1872	10	\$2676
					5	\$2002	11	\$3008
					6	\$2066	12	\$3360
BRTSE2124EBR (shown)	24 x 24 x 29	250	46.10	19.33	1	\$1638	7	\$2183
					2	\$1719	8	\$2370
					3	\$1782	9	\$2514
					4	\$1872	10	\$2676
					5	\$2002	11	\$3008
					6	\$2066	12	\$3360
Fully upholstered armless lounge seat with one backrest and metal base. 21" w backrest comes with embedded dual USB port in its side. Note: Each USB outlet offers 2 amps. AC/DC transformer plugs into the wall or floor monument (approx. 52" long cable available from the bottom of the seat). Transformer power consumption: 0.68 amps. Specify either left or right. Backrests are permanently secured to the bench and cannot be reconfigured on site. Seats can be freestanding or linked with optional interlocking bracket kit. White USB outlets.								
• Anodized Aluminum Leg - Add \$79 list upcharge								

Required Specifications	Optional Specifications
Fabric	Anodized Aluminum Leg
Metal Finish (legs)	

## COLLABORATIVE SEATING



Integrated Lounge Seat, Single-Sided



Integrated Lounge Seat, Double-Sided

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
BRTSINT60S	24 x 60 x 29	125	155	24.17	1	\$5639	7	\$6699
					2	\$5776	8	\$7074
					3	\$5896	9	\$7365
					4	\$6081	10	\$7686
					5	\$6340	11	\$8349
					6	\$6464	12	\$9055
BRTSINT48S	24 x 48 x 29	100	182	19.33	1	\$5395	7	\$6238
					2	\$5519	8	\$6530
					3	\$5615	9	\$6757
					4	\$5759	10	\$7006
					5	\$5961	11	\$7522
					6	\$6056	12	\$8073

Fully upholstered armless lounge seat with full width backrest and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The single-sided kit consists of 24"x 48" or 24"x 60" seat, full width back, three-sided below worksurface enclosure, 6" d worksurface module with access door, 30"x 48" or 30"x 60" w worksurface with access door and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• **Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs.** Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side

- Anodized Aluminum Leg - Add **\$79!** list upcharge
- High pressure laminate - Add **\$284** list upcharge

BRTSINT60D	24 x 60 x 29	125	155	24.17	1	\$7320	7	\$8404
					2	\$7478	8	\$8778
					3	\$7601	9	\$9066
					4	\$7784	10	\$9388
					5	\$8043	11	\$10052
					6	\$8167	12	\$10760
BRTSINT48D	24 x 48 x 29	100	182	19.33	1	\$6548	7	\$7390
					2	\$6671	8	\$7682
					3	\$6767	9	\$7907
					4	\$6910	10	\$8158
					5	\$7114	11	\$8674
					6	\$7209	12	\$9223

Fully upholstered armless lounge bench with full backrests and metal legs integrated into Bridges 62.5" d back-to-back linear table assembly. The double-sided kit consists of two 24"x 48" or 24"x 60" seats, full width backs, three-sided below worksurface enclosures, 6" d worksurface modules with access doors and supporting hardware. The seat module accommodates continuation of power and data distribution services below worksurfaces (specify Below Worksurface Power Trough and power components separately). The 6" d worksurface module with access door provides access to Below Worksurface Power Trough. Backrests are permanently secured to the bench and cannot be reconfigured on site. Tables not included.

• **Only compatible with back-to-back 30" d worksurfaces (62.5" total depth) supported by Bridges rectangular legs.** Not compatible with round legs, 24" d worksurfaces; not compatible with single line table assemblies 24" and 30" d. The kit cannot be used at the end of a table run, nor can it be used as a standalone, freestanding configuration. It must always be supported by back-to-back table assemblies on either side.

- Anodized Aluminum Leg - Add **\$79** list upcharge
- High pressure laminate - Add **\$284** list upcharge


## Required Specifications

Fabric  
Laminate finish (enclosure)  
Edge finish (enclosure)  
Metal finish (legs)


## Optional Specifications

Anodized Aluminum Leg  
HP laminate (enclosure)


SEATING PARTITIONS




Seat Partitions




Seat Privacy Partitions



Square Table Block\*



Square Table Block Ganging Bracket Kit



Ganging Bracket Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
D x W x H						
BRTPP2448L1	28.7 x 53 x 25	300	41	22.01	\$2068	
BRTPP2424L1	28.7 x 29 x 25	250	32	12.04	\$1547	

Fully upholstered 2.5" thick, 3-part, low level partition kit wraps around 24" or 48" bridges seat. The seat front is recessed by 2.5". The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

BRTPP2448L2	28.7 x 53 x 50	400	41	44.01	\$2996	
BRTPP2424L2	28.7 x 29 x 50	300	32	24.08	\$2342	

Fully upholstered 2.5" thick, 3-part, two tier partition kit wraps around 24" or 48" bridges seat. The 50"h assembly provides seated visual privacy. 2.5" thick upholstered partitions improve acoustic privacy for focused time away from the team or for a quiet phone call. Recessed seat extends the partition at the front by 2.5" for enhanced sense of privacy. The kit is secured to seats on-site (brackets connecting seat legs to the inner side of the partition are included). Upholstered kits consist of 2" hollow core boards, 1/4" foam, fabric, levelers and connecting hardware. Note: Seats and backrests are not included.

BRTS2424B	24 x 24 x 25	250	32	12.04	\$660	\$96
BRTS2424BP	24 x 24 x 25	125	59.30	8.33	\$1312	\$96

Freestanding 24" square table block serves as a visual anchor whenever a bridges seat needs to turn a corner or split into 2, 3 or 4 directions. BRTS2424BP can be positioned directly over a floor monument, which will supply power to the top-mounted power module. This option includes 24"x 24" block chassis and flush-mounted Duo power module (two outlets and two 2.1 amp USB ports, white face plate, outlets and bezel, 72" long three prong black cord). The square table block can function as a self-supporting, freestanding unit or it can be secured permanently to adjacent bridges seats with optional interconnecting brackets listed below. 2 Square Table Ganging Bracket Kits included.

BRTSTBG	2.4 x 5 x 1.1	70	.05	.01	\$51	n/a
---------	---------------	----	-----	-----	------	-----


Two square table block ganging brackets connect seat legs permanently to the side of the 24" square table block on site. The kit employs machine screws connecting legs to seats, and ships with wood screws which provide permanent connection to the square table block. Includes 2 brackets and screws. Black powdercoat finish.

BRTSTSB	1.3 x 6 x .1	70	.03	.01	\$23	n/a
---------	--------------	----	-----	-----	------	-----


Two ganging brackets connect seat temporarily to adjacent in-line seat or 24"d bridges storage. Black powdercoat finish.

Required Specifications	Optional Specifications
Fabric	Anodized Aluminum Leg
Laminate finish (enclosure)	HP laminate (enclosure)
Edge finish (enclosure)	
Metal finish (legs)	

## COLLABORATIVE SEATING

**Inline 6" Block**

BRTS2406B



Inline table - no power module or swivel arm

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD


## D x W x H

BRTS2406B	24 x 6 x 25	92.5	21	2.08	<b>\$566</b>	<b>\$51</b>
BRTS2406BP	24 x 6 x 25	92.5	23.30	2.08	<b>\$1219</b>	<b>\$51</b>
BRTS2406B2P	24 x 6 x 25	92.5	24.30	2.08	<b>\$1873</b>	<b>\$51</b>
BRTS2406BT	24 x 6 x 25	85	25.60	2.08	<b>\$1080</b>	<b>\$51</b>
BRTS2406BPT	24 x 6 x 25	92.5	24.30	2.08	<b>\$1733</b>	<b>\$51</b>

Multifunctional inline 6" table block divides seating areas, serves as a utility surface, can support tablet arms, lamps, and double as a power delivery center. It is permanently secured between two Bridges seats and cannot be placed at the end of a run. Two Square Table Block Ganging Brackets (BRTSTBG) connect seat legs permanently to the side of the in-line table block on site. The included kit employs machine screws connecting legs to seats and ships with wood screws, which provide permanent connection to the in-line 6" block. Black powdercoat finish. The chassis is available without power module, with one power module or with two vertically embedded power modules. Vertical panel flush-mounted Duo module provides two outlets and two 2.1 amp USB ports; 72" cord exits through the bottom and plugs into a floor monument under seats, white face plate and bezel. 2 Square Table Ganging Bracket Kits included.


- BRTS2406BT and BRTS2406BPT include 9.5" x 14.5" swivel tablet. If top is specified in high pressure laminate, tablet will also be manufactured in high pressure laminate.

BRTS2406BP




Inline table w/front power module

BRTS2406B2P




Inline table w/front and rear power module

BRTS2406BT



Inline table w/swivel tablet arm

BRTS2406BPT



Inline table w/front power module and swivel tablet arm

**Required Specifications**

Top finish  
Edge finish  
Chassis/Accent finish  
Fabric

**Optional Specifications**

HP laminate (top only)



Divide is a modular desk-mounted panel system that can be retro installed on many Global Desks. The panels can be vertically stacked to provide varying degrees of privacy. The panels are available in laminate or fabric tackboards as well as glazed panels that allow light to pass through. Divide's off-desk accessories help to organize paperwork and free up the workspace. Divide is offered in many laminate and fabric color options to complement any office environment.



#### Features and Benefits

- Available as fabric, glazed or laminate partitioning panels in an array of heights and widths
- Easy to specify: choose the desired panel height and width and its corresponding height divide post(s)
- A built-in paper management rail (on fabric and glazed panels) is designed to accommodate off-desk accessories for workspace organization.
- Laminate panels offer an optional wire access cutout at the bottom of each panel (order as SCP2)
- Laminate transaction tops are offered in various shapes and sizes, and are standard as either 1" thick or 1.5" thick to match
- All Adaptabilities, Genoa, and Zira laminate colors are offered as well as a wide variety of fabrics



## GENERAL INFORMATION

- Divide is a desk mounted panel system that can be field installed at any time on many Global desks
- Vertical stacking of varying heights provides semi-private to private work areas
- Designed for use on the Adaptabilities, Genoa, and Zira laminate desk series', and may be retrofitted onto non-Global square edged product if necessary.
- Panels are available in 12", 18", 24" and 36" heights and can be stacked to produce heights of 24", 30", 36" and 42" for a virtually limitless variety of configurations
- Progressive, desk mounted partition system consisting of three major categories:
  - Divide posts - to support the partitions
  - Partitioning screens - a variety of widths and heights to create personalized privacy; offered in laminate, glaze or select fabrics
  - Transaction tops - laminate tops ideal for creating reception stations
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)
- Model numbers reflect total width of panel and posts

## DIVIDE POSTS


- Available in 6 standard heights:
  - 12" high - to create **semi-private** spaces and to support Transaction Tops
  - 18" high - to create **semi-private** spaces and to support Transaction Tops
  - 24" high - to create **semi-private** spaces
  - 30" high - to create **semi-private** spaces
  - 36" high - to create **private** spaces and to match the height of 36" high hutches and/or 65" high Adaptabilities, Genoa and Zira cabinets
  - 42" high - to create **private** spaces and to match the height of 42" high hutches and/or 72" high Zira cabinets
- Posts are field installed. Each plate divider includes: 1 post mounting plate, 1 threaded rod, 3 cover strips and 1 top cap plus mounting hardware (contains 8 screws, 1 washer, 1 locking nut). 2 divide posts are required per partitioning panel.
- Available in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.

## PARTITIONING SCREENS


- Available in 4 standard heights: 12", 18", 24" and 36" and can be used in combinations to create systems consisting of 12", 18", 24", 30", 36" and 42" heights.
- Available in 3 materials:
  - **Laminate:** available in all laminate colors used on Adaptabilities, Genoa and Zira (see right). Accent edging at top and bottom is Black (**BLK**) only. Optional wire access scoop cut-out is offered, centered at the bottom of the panel - order as **SCP2** after model #. Woodgrain direction is horizontal for all sizes.
  - **Glazed:** choice of **ribbed** or **frosted** glazing. Frosted material is 3mm thick Acrylic P95; Ribbed material is 10mm thick multiwall UV protected polycarbonate. Top and bottom rail are optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify. Top rail is designed to accommodate off-desk accessories. Glazed panels are also available with 4" raised bottom for pass-through option.
  - **Fabric:** available in all Grade 1, 2, 3 and 4 panel fabrics and select seating fabrics only (see right). Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**), finish please specify. Top rail is designed to accommodate off-desk accessories.
- Filler panels are included with each Divide panel. To be used between two posts in a straight run from worksurface to worksurface.
- Special width panels are available in laminate or glazed material options only. For pricing, contact Specials.

## TRANSACTION TOPS

- Tops are available in 1" or 1.5" thick thermally fused laminate
- Tops are sealed with Global's preferred edging in matching color
- Woodgrain surfaces feature edging in matching printed woodgrain
- Transaction tops are available with optional edges at no upcharge. Please specify (see right column).



**A3** 1" top, standard




**AR** 1" top, bicut edge



**C3** 1.5" top, standard



**CR** 1.5" top, bicut edge



**CF** 1.5" top, fluted edge

- Includes all necessary flat mounting plates and joining plates.
- Features pre-drilled locating holes to allow for quick alignment with the divide post
- Available with a radius cut on one or both ends (each radius adds a 6" overhang).
- Woodgrain surfaces feature edging with matching printed woodgrain
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## LAMINATE AND EDGE FINISHES (laminate panels and transaction tops)

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## FABRICS (fabric screens)

Fabric screens can be upholstered in the following fabrics only:


- Anchorage
- Imprint
- Lola
- Merge




# D DIVIDE™ - NOTES

## PLEASE NOTE:

- Divide screens cannot be centered between two back to back workspaces.
- Screens must be installed on one worksurface or the other.
- Divide cannot be used with Adaptabilities reception units.
- When panels are mounted on a 30" deep worksurface from Adaptabilities, Genoa or Zira, please specify 29" wide panel



Correct Installation



Incorrect Installation

## HOW TO ORDER DIVIDE SCREENS

example: DTB 1236 GN31

DTB 12 36\* AN52

**Fabric Code**


**Width\*** (of worksurface to be used on)

**Height** (of screen)

**Style Code** (fabric, glazed or laminate)

**\*NOTE:** Number denotes width of worksurface to use - please see dimensions in price book for actual dimensions of the screen.

## PARTS AND COMPONENTS



## INSTALLATION IS AS SIMPLE AS 1...2...3

- 1) Attach the threaded **Post Mounting Plate** with enclosed screws to the top side of the worksurface.
- 2) **Divider Post** is bolted to the Mounting Plate.
- 3) **Top Cap** is attached to the top of the Divide Post.

**12"H System**




12" panel



12" raised panel

**18"H System**



18" panel




18" raised panel


**24"H System**



24" panel




24" raised panel




(2) 12" panels

**30"H System**




12" panel + 18" panel


**36"H System**




36" panel



36" raised panel




(2) 18" panels




(3) 12" panels

**42"H System**




18" panel + 24" panel




(1) 18" panel  
(2) 12" panels


FABRIC PANELS



Fabric Panel - 12" High



Fabric Panel - 18" High



Fabric Panel - 24" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR.3	GR.4	GR.5
D x W x H									
DTB1220	.68 x 14.8 x 12	92.5	3	.30	\$288	\$324	\$352	\$395	\$449
DTB1224	.68 x 18.9 x 12	85	4	.30	\$301	\$337	\$363	\$399	\$459
DTB1229	.68 x 24.5 x 12	92.5	4	.40	\$319	\$358	\$383	\$426	\$479
DTB1230	.68 x 24.8 x 12	85	5	.40	\$319	\$358	\$383	\$426	\$479
DTB1236	.68 x 30.8 x 12	85	5	.40	\$354	\$391	\$416	\$455	\$510
DTB1242	.68 x 36.8 x 12	85	6	.50	\$412	\$449	\$474	\$510	\$570
DTB1248	.68 x 42.8 x 12	92.5	7	.60	\$446	\$481	\$508	\$543	\$602
DTB1260	.68 x 54.8 x 12	85	9	.70	\$477	\$514	\$541	\$580	\$637
DTB1266	.68 x 60.8 x 12	85	10	.80	\$503	\$539	\$567	\$604	\$661
DTB1272	.68 x 66.8 x 12	85	11	.80	\$535	\$572	\$599	\$636	\$693

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB1820	.68 x 14.8 x 18	85	4	.30	\$319	\$358	\$383	\$426	\$479
DTB1824	.68 x 18.9 x 18	85	5	.40	\$335	\$370	\$397	\$432	\$491
DTB1829	.68 x 24.5 x 18	85	6	.50	\$354	\$391	\$416	\$455	\$510
DTB1830	.68 x 24.8 x 18	85	6	.50	\$354	\$391	\$416	\$455	\$510
DTB1836	.68 x 30.8 x 18	92.5	7	.60	\$412	\$449	\$474	\$510	\$570
DTB1842	.68 x 36.8 x 18	92.5	8	.70	\$450	\$486	\$511	\$547	\$604
DTB1848	.68 x 42.8 x 18	85	10	.80	\$477	\$514	\$541	\$580	\$637
DTB1860	.68 x 54.8 x 18	85	12	.90	\$503	\$539	\$567	\$604	\$661
DTB1866	.68 x 60.8 x 18	85	14	1	\$535	\$572	\$599	\$636	\$693
DTB1872	.68 x 66.8 x 18	85	14	1.10	\$599	\$636	\$663	\$702	\$759

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

DTB2420	.68 x 14.8 x 24	92.5	4	.40	\$354	\$391	\$416	\$455	\$510
DTB2424	.68 x 18.9 x 24	100	4	.50	\$354	\$391	\$416	\$455	\$510
DTB2429	.68 x 24.5 x 24	92.5	6	.60	\$412	\$449	\$474	\$510	\$570
DTB2430	.68 x 24.8 x 24	92.5	6	.60	\$412	\$449	\$474	\$510	\$570
DTB2436	.68 x 30.8 x 24	92.5	7	.70	\$446	\$481	\$508	\$543	\$602
DTB2442	.68 x 36.8 x 24	92.5	8	.80	\$477	\$514	\$541	\$580	\$637
DTB2448	.68 x 42.8 x 24	92.5	9	.90	\$503	\$539	\$567	\$604	\$661
DTB2460	.68 x 54.8 x 24	92.5	11	1.10	\$535	\$572	\$599	\$636	\$693
DTB2466	.68 x 60.8 x 24	92.5	12	1.20	\$599	\$636	\$663	\$702	\$759
DTB2472	.68 x 66.8 x 24	92.5	14	1.40	\$651	\$688	\$716	\$752	\$811

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB2429 for panels placed along the depth side of a 30" deep worksurface.**


- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

Required Specifications

Fabric

Rail Finish

FABRIC PANELS



Fabric Panel - 36" High\*


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GR.1	GR.2	GR.3	GR.4	GR.5
D x W x H									
DTB3620	.68 x 14.8 x 36	92.5	6	.60	\$436	\$464	\$485	\$517	\$563
DTB3624	.68 x 18.9 x 36	92.5	7	.70	\$436	\$464	\$485	\$517	\$563
DTB3629	.68 x 24.5 x 36	92.5	9	.90	\$588	\$616	\$637	\$669	\$715
DTB3630	.68 x 24.8 x 36	92.5	9	.90	\$588	\$616	\$637	\$669	\$715
DTB3636	.68 x 30.8 x 36	92.5	10	1	\$664	\$693	\$715	\$747	\$792
DTB3642	.68 x 36.8 x 36	92.5	12	1.20	\$712	\$740	\$761	\$793	\$839
DTB3648	.68 x 42.8 x 36	92.5	14	1.30	\$830	\$858	\$879	\$911	\$957
DTB3660	.68 x 54.8 x 36	92.5	17	1.60	\$968	\$996	\$1017	\$1049	\$1095
DTB3666	.68 x 60.8 x 36	92.5	19	1.80	\$1078	\$1107	\$1129	\$1161	\$1206
DTB3672	.68 x 66.8 x 36	92.5	21	1.90	\$1140	\$1168	\$1189	\$1221	\$1267

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DTB3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.
- When specifying a Grade 1, 2, 3, 4 or 5 seating fabric, please note fabric pattern will run horizontally
- Divide Post **MUST** be ordered separately. Two posts are required per panel.

GLAZED PANELS

LIST PRICE




Glazed Panel - 12" High\*\*

DGP1220	.68 x 14.8 x 12	125	2	.30	\$283
DGP1224	.68 x 18.9 x 12	92.5	3	.30	\$301
DGP1229	.68 x 24.5 x 12	125	3	.40	\$357
DGP1230	.68 x 24.8 x 12	92.5	4	.40	\$357
DGP1236	.68 x 30.8 x 12	92.5	4	.40	\$415
DGP1242	.68 x 36.8 x 12	92.5	5	.50	\$471
DGP1248	.68 x 42.8 x 12	100	5	.60	\$556
DGP1260	.68 x 54.8 x 12	92.5	7	.70	\$651
DGP1266	.68 x 60.8 x 12	100	7	.80	\$712
DGP1272	.68 x 66.8 x 12	92.5	8	.80	\$770

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).



Glazed Panel - 12" High, Raised\*\*

DRGP1220	.68 x 14.8 x 12	60	2	.02	\$252
DRGP1224	.68 x 18.9 x 12	60	3	.03	\$292
DRGP1229	.68 x 24.5 x 12	60	3	.03	\$343
DRGP1230	.68 x 24.8 x 12	60	4	.03	\$343
DRGP1236	.68 x 30.8 x 12	60	4	.04	\$402
DRGP1242	.68 x 36.8 x 12	60	5	.05	\$455
DRGP1248	.68 x 42.8 x 12	60	5	.05	\$540
DRGP1260	.68 x 54.8 x 12	60	7	.07	\$639
DRGP1266	.68 x 60.8 x 12	60	7	.07	\$698
DRGP1272	.68 x 66.8 x 12	60	8	.08	\$758


4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (BLK) or Tungsten (TUN) finish, please specify.
- Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (GF) or Ribbed (RG).


Required Specifications

Fabric\*  
Glaze\*\*  
Rail Finish


GLAZED PANELS



Glazed Panel - 18" High



Glazed Panel - 18" High, Raised



Glazed Panel - 24" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DGP1820	.68 x 14.8 x 18	92.5	3	.30	<b>\$316</b>
DGP1824	.68 x 18.9 x 18	125	3	.40	<b>\$341</b>
DGP1829	.68 x 24.5 x 18	100	4	.50	<b>\$399</b>
DGP1830	.68 x 24.8 x 18	100	4	.50	<b>\$399</b>
DGP1836	.68 x 30.8 x 18	100	5	.60	<b>\$461</b>
DGP1842	.68 x 36.8 x 18	125	5	.70	<b>\$514</b>
DGP1848	.68 x 42.8 x 18	125	6	.80	<b>\$616</b>
DGP1860	.68 x 54.8 x 18	100	8	.90	<b>\$736</b>
DGP1866	.68 x 60.8 x 18	100	8	1	<b>\$796</b>
DGP1872	.68 x 66.8 x 18	100	9	1.10	<b>\$860</b>

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

DRGP1820	.68 x 14.8 x 18	60	3	.03	<b>\$292</b>
DRGP1824	.68 x 18.9 x 18	60	3	.04	<b>\$331</b>
DRGP1829	.68 x 24.5 x 18	60	4	.05	<b>\$383</b>
DRGP1830	.68 x 24.8 x 18	60	4	.05	<b>\$383</b>
DRGP1836	.68 x 30.8 x 18	60	5	.06	<b>\$450</b>
DRGP1842	.68 x 36.8 x 18	60	5	.06	<b>\$501</b>
DRGP1848	.68 x 42.8 x 18	60	6	.07	<b>\$600</b>
DRGP1860	.68 x 54.8 x 18	60	8	.09	<b>\$717</b>
DRGP1866	.68 x 60.8 x 18	100	8	1	<b>\$777</b>
DRGP1872	.68 x 66.8 x 18	100	9	1.10	<b>\$842</b>

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

DGP2420	.68 x 14.8 x 24	125	3	.40	<b>\$341</b>
DGP2424	.68 x 18.9 x 24	100	4	.50	<b>\$382</b>
DGP2429	.68 x 24.5 x 24	125	4	.60	<b>\$457</b>
DGP2430	.68 x 24.8 x 24	100	5	.60	<b>\$457</b>
DGP2436	.68 x 30.8 x 24	125	5	.70	<b>\$528</b>
DGP2442	.68 x 36.8 x 24	125	6	.80	<b>\$599</b>
DGP2448	.68 x 42.8 x 24	125	7	.90	<b>\$703</b>
DGP2460	.68 x 54.8 x 24	100	9	1.10	<b>\$854</b>
DGP2466	.68 x 60.8 x 24	100	10	1.20	<b>\$931</b>
DGP2472	.68 x 66.8 x 24	125	10	1.40	<b>\$1002</b>

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP2429 for panels placed along the depth side of a 30" deep worksurface.**


- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

Required Specifications


Glaze

Rail finish


## GLAZED PANELS



Glazed Panel - 24" High, Raised



Glazed Panel - 36" High



Glazed Panel - 36" High, Raised

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DRGP2420	.68 x 14.8 x 24	60	3	.04	<b>\$331</b>
DRGP2424	.68 x 18.9 x 24	60	4	.05	<b>\$371</b>
DRGP2429	.68 x 24.5 x 24	60	4	.06	<b>\$442</b>
DRGP2430	.68 x 24.8 x 24	60	5	.06	<b>\$442</b>
DRGP2436	.68 x 30.8 x 24	60	5	.07	<b>\$515</b>
DRGP2442	.68 x 36.8 x 24	60	6	.08	<b>\$586</b>
DRGP2448	.68 x 42.8 x 24	60	7	.09	<b>\$684</b>
DRGP2460	.68 x 54.8 x 24	100	9	1.10	<b>\$837</b>
DRGP2466	.68 x 60.8 x 24	100	10	1.20	<b>\$913</b>
DRGP2472	.68 x 66.8 x 24	125	10	1.30	<b>\$987</b>

4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

DGP3620	.68 x 14.8 x 36	125	4	.60	<b>\$415</b>
DGP3624	.68 x 18.9 x 36	150	4	.70	<b>\$457</b>
DGP3629	.68 x 24.5 x 36	150	5	.90	<b>\$546</b>
DGP3630	.68 x 24.8 x 36	125	6	.90	<b>\$546</b>
DGP3636	.68 x 30.8 x 36	125	7	1	<b>\$644</b>
DGP3642	.68 x 36.8 x 36	125	8	1.20	<b>\$736</b>
DGP3648	.68 x 42.8 x 36	125	9	1.30	<b>\$860</b>
DGP3660	.68 x 54.8 x 36	125	11	1.60	<b>\$1038</b>
DGP3666	.68 x 60.8 x 36	125	12	1.80	<b>\$1130</b>
DGP3672	.68 x 66.8 x 36	125	13	1.90	<b>\$1220</b>

Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. **Specify DGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).

DRGP3620	.68 x 14.8 x 36	60	4	.06	<b>\$402</b>
DRGP3624	.68 x 18.9 x 36	60	4	.07	<b>\$442</b>
DRGP3629	.68 x 24.5 x 36	60	5	.08	<b>\$534</b>
DRGP3630	.68 x 24.8 x 36	60	6	.08	<b>\$534</b>
DRGP3636	.68 x 30.8 x 36	125	7	1	<b>\$632</b>
DRGP3642	.68 x 36.8 x 36	125	8	1.10	<b>\$717</b>
DRGP3648	.68 x 42.8 x 36	125	9	1.30	<b>\$842</b>
DRGP3660	.68 x 54.8 x 36	125	11	1.60	<b>\$1012</b>
DRGP3666	.68 x 60.8 x 36	125	12	1.70	<b>\$1104</b>
DRGP3672	.68 x 66.8 x 36	125	13	1.90	<b>\$1195</b>


4" gap at bottom. Features built-in accessory rail. Includes matching filler panel. Ships 1 set per carton. Raised glazed panels to be offered on the lower level only. **Specify DRGP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Top and bottom rail optional in Black (**BLK**) or Tungsten (**TUN**) finish, please specify.
- *Model # depicts size of worksurface to be used on - see NOTES on page 478 for additional ordering information.*
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Glazing is available in Frosted (**GF**) or Ribbed (**RG**).


## Required Specifications

Glaze  
Rail finish


LAMINATE PANELS



Laminate Panel - 12" High



Laminate Panel - 18" High



Laminate Panel - 24" High

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DLP1220	.68 x 14.8 x 12	70	5	.30	<b>\$94</b>
DLP1224	.68 x 18.9 x 12	70	5	.30	<b>\$111</b>
DLP1229	.68 x 24.5 x 12	70	7	.40	<b>\$140</b>
DLP1230	.68 x 24.8 x 12	70	7	.40	<b>\$140</b>
DLP1236	.68 x 30.8 x 12	70	8	.40	<b>\$154</b>
DLP1242	.68 x 36.8 x 12	70	10	.50	<b>\$175</b>
DLP1248	.68 x 42.8 x 12	70	11	.60	<b>\$196</b>
DLP1260	.68 x 54.8 x 12	70	14	.70	<b>\$212</b>
DLP1266	.68 x 60.8 x 12	70	16	.80	<b>\$234</b>
DLP1272	.68 x 66.8 x 12	70	17	.80	<b>\$264</b>

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP1229 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see *NOTES* on page 478 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

DLP1820	.68 x 14.8 x 18	65	7	.30	<b>\$113</b>
DLP1824	.68 x 18.9 x 18	70	8	.40	<b>\$128</b>
DLP1829	.68 x 24.5 x 18	70	10	.50	<b>\$152</b>
DLP1830	.68 x 24.8 x 18	70	10	.50	<b>\$152</b>
DLP1836	.68 x 30.8 x 18	70	12	.60	<b>\$172</b>
DLP1842	.68 x 36.8 x 18	70	15	.70	<b>\$196</b>
DLP1848	.68 x 42.8 x 18	70	17	.80	<b>\$227</b>
DLP1860	.68 x 54.8 x 18	65	21	.90	<b>\$249</b>
DLP1866	.68 x 60.8 x 18	65	23	1	<b>\$273</b>
DLP1872	.68 x 66.8 x 18	65	25	1.10	<b>\$301</b>

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP1829 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see *NOTES* on page 478 for additional ordering information.
- Divide panel **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.


DLP2420	.68 x 14.8 x 24	65	9	.40	<b>\$128</b>
DLP2424	.68 x 18.9 x 24	70	11	.50	<b>\$139</b>
DLP2429	.68 x 24.5 x 24	70	13	.60	<b>\$172</b>
DLP2430	.68 x 24.8 x 24	70	13	.60	<b>\$172</b>
DLP2436	.68 x 30.8 x 24	65	16	.70	<b>\$190</b>
DLP2442	.68 x 36.8 x 24	65	19	.80	<b>\$221</b>
DLP2448	.68 x 42.8 x 24	65	22	.90	<b>\$252</b>
DLP2460	.68 x 54.8 x 24	65	28	1.10	<b>\$283</b>
DLP2466	.68 x 60.8 x 24	65	30	1.20	<b>\$315</b>
DLP2472	.68 x 66.8 x 24	65	33	1.40	<b>\$344</b>

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP2429 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see *NOTES* on page 478 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

**Required Specifications**  
Laminate finish. Note: woodgrain finishes are horizontal on all sizes.

LAMINATE PANELS



Laminate Panel - 36" High\*

MODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE

	D x W x H				
DLP3620	.68 x 14.8 x 36	70	13	.60	<b>\$156</b>
DLP3624	.68 x 18.9 x 36	65	16	.70	<b>\$172</b>
DLP3629	.68 x 24.5 x 36	70	20	.90	<b>\$210</b>
DLP3630	.68 x 24.8 x 36	70	20	.90	<b>\$210</b>
DLP3636	.68 x 30.8 x 36	65	24	1	<b>\$242</b>
DLP3642	.68 x 36.8 x 36	65	28	1.20	<b>\$280</b>
DLP3648	.68 x 42.8 x 36	65	33	1.30	<b>\$315</b>
DLP3660	.68 x 54.8 x 36	65	41	1.60	<b>\$362</b>
DLP3666	.68 x 60.8 x 36	65	45	1.80	<b>\$399</b>
DLP3672	.68 x 66.8 x 36	65	50	1.90	<b>\$438</b>

Includes matching filler panel. Scoop option (**SCP2**) available, **Add \$42**. Ships 1 set per carton. **Specify DLP3629 for panels placed along the depth side of a 30" deep worksurface.**

- Model # depicts size of worksurface to be used on - see *NOTES* on page 478 for additional ordering information.
- Divide Post **MUST** be ordered separately. Two posts are required per panel.
- Accent edging at top and bottom Black (**BLK**) only.

DIVIDE POSTS



Divide Post

MODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE

DPOST12	1.68 x 1.68 x 12	70	2	.10	<b>\$129</b>
DPOST18	1.68 x 1.68 x 18	70	2	.10	<b>\$175</b>
DPOST24	1.68 x 1.68 x 24	60	3	.10	<b>\$228</b>
DPOST30	1.68 x 1.68 x 30	60	4	.10	<b>\$316</b>
DPOST36	1.68 x 1.68 x 36	70	4	.20	<b>\$362</b>
DPOST42	1.68 x 1.68 x 42	65	5	.20	<b>\$402</b>

For supporting panels. Includes one post mounting plate, one top cap, three cover strips, threaded rod and all mounting hardware. Installation templates are supplied with each project. Available in Black (**BLK**) or Tungsten (**TUN**), please specify.

- Requires 2 divide posts per panel
- Divide post is mounted 1.063" from worksurface edge.



Post-to-Wall Filler Strip

DFS12	1.43 x .75 x 12	150	2	.50	<b>\$72</b>
DFS18	1.43 x .75 x 18	150	2	.50	<b>\$72</b>
DFS24	1.43 x .75 x 24	150	2	.50	<b>\$72</b>
DFS30	1.43 x .75 x 30	150	2	.50	<b>\$76</b>
DFS36	1.43 x .75 x 36	150	2	.50	<b>\$76</b>
DFS42	1.43 x .75 x 42	150	3	.60	<b>\$76</b>

Used to fill gap between divide post and an adjacent wall, wardrobe unit, or hutch. Ships 1 per carton. Black only.

Required Specifications


Laminate finish\*. Note: woodgrain finishes are horizontal on all sizes.



TRANSACTION TOPS

D x W x H

- To order a radius end on one side of a transaction top, add the suffix “D” to the model number (ex. DATT30D). Add a **15% upcharge**.
- To order a radius end on both sides of a transaction top, add the suffix “DD” to the model number (ex. DATT30DD). Add a **20% upcharge**.
- Each radius end adds a 6” overhang per side (see illustrations below).




Transaction top is offset 6” from edge of worksurface in both directions.

Transaction top is offset 4” from the center of divider post towards the inside and 8” towards the outside.


Transaction Top Offset

- 4” from the center of the Divider Post to the inside of worksurface
- 8” from the center of the Divider Post to the outside of worksurface




Two Way Connector Transaction Top (DATT2W/DCTT2W)

Use with a corner worksurface to link transaction tops together.



Radius End Transaction Top - one side

Add suffix “D” to model number for radius end on one side.



Radius End Transaction Top - two sides

Add suffix “DD” to model number for radius end on both sides.

STRAIGHT TRANSACTION TOPS

MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE

DATT14	12 x 14 x 1	65	7	.30	<b>\$282</b>
DATT18	12 x 18 x 1	70	8	.40	<b>\$282</b>
DATT20	12 x 20 x 1	70	9	.50	<b>\$282</b>
DATT23	12 x 23 x 1	70	10	.50	<b>\$320</b>
DATT24	12 x 24 x 1	70	10	.50	<b>\$320</b>
DATT29	12 x 29 x 1	70	12	.60	<b>\$342</b>
DATT30	12 x 30 x 1	70	12	.60	<b>\$342</b>
DATT36	12 x 36 x 1	70	14	.70	<b>\$362</b>
DATT42	12 x 42 x 1	70	16	.80	<b>\$382</b>
DATT48	12 x 48 x 1	70	18	.90	<b>\$382</b>
DATT54	12 x 54 x 1	70	21	1	<b>\$431</b>
DATT60	12 x 60 x 1	70	23	1.10	<b>\$431</b>
DATT66	12 x 66 x 1	70	25	1.20	<b>\$481</b>
DATT72	12 x 72 x 1	70	27	1.30	<b>\$481</b>



Straight Transaction Top - 1” thick

12” deep x 1” thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.





- Add “D” to model number for radius end on one side, ADD **15% upcharge**.
- Add “DD” to model number for radius end on both sides, ADD **20% upcharge**.
- Each radius adds 6” overhang per side.

Required Specifications

Laminate Finish  
Edge Detail

Optional Specifications

Radius End

TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Straight Transaction Top - 1½" thick</b></p>		<b>D x W x H</b>				
	DCTT14	12 x 14 x 1.5	60	9	.30	<b>\$391</b>
	DCTT18	12 x 18 x 1.5	65	11	.40	<b>\$391</b>
	DCTT20	12 x 14.8 x 1.5	65	12	.50	<b>\$391</b>
	DCTT23	12 x 23 x 1.5	65	14	.50	<b>\$454</b>
	DCTT24	12 x 18.9 x 1.5	65	14	.50	<b>\$454</b>
	DCTT29	12 x 24.5 x 1.5	65	17	.60	<b>\$483</b>
	DCTT30	12 x 30 x 1.5	65	17	.60	<b>\$483</b>
	DCTT36	12 x 36 x 1.5	65	20	.70	<b>\$506</b>
	DCTT42	12 x 42 x 1.5	65	23	.80	<b>\$506</b>
	DCTT48	12 x 48 x 1.5	65	26	.90	<b>\$506</b>
	DCTT54	12 x 54 x 1.5	65	29	1	<b>\$576</b>
	DCTT60	12 x 60 x 1.5	65	32	1.10	<b>\$576</b>
	DCTT66	12 x 66 x 1.5	65	35	1.20	<b>\$630</b>
	DCTT72	12 x 72 x 1.5	65	38	1.30	<b>\$630</b>
<p>12" deep x 1½" thick top. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> <li>• Add "D" to model number for radius end on one side, ADD <b>15% upcharge</b>.</li> <li>• Add "DD" to model number for radius end on both sides, ADD <b>20% upcharge</b>.</li> <li>• Each radius adds 6" overhang per side.</li> </ul>						
GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Gallery Corner Transaction Top - 1" thick</b></p>	DA1GC36	36 x 36 x 1	125	32	5	<b>\$859</b>
	DA1GC42	42 x 42 x 1	150	38	6.50	<b>\$859</b>
<p>One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> <li>• Woodgrain runs in one direction.</li> </ul>						
 <p><b>Gallery Corner Transaction Top - 1½" thick</b></p>	DC1GC36	36 x 36 x 1.5	100	43	5	<b>\$1069</b>
	DC1GC42	42 x 42 x 1.5	125	50	6.50	<b>\$1069</b>
<p>One piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> <li>• Woodgrain runs in one direction.</li> </ul>						
2 PIECE GALLERY CORNER TRANSACTION TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>2 Piece Gallery Corner Transaction Top - 1" thick</b></p>	DA2GC36	36 x 36 x 1	70	29	1.90	<b>\$610</b>
	DA2GC42	42 x 42 x 1	70	33	1.90	<b>\$610</b>
<p>Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.</p> <ul style="list-style-type: none"> <li>• Woodgrain runs in two directions.</li> </ul>						

Required Specifications	Optional Specifications
Laminate Finish	Radius End (DCTT models)
Edge Detail	

2 PIECE GALLERY CORNER TRANSACTION TOPS




2 Piece Gallery Corner  
Transaction Top - 1½" thick

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DC2GC36	36 x 36 x 1.5	70	39	1.90	<b>\$818</b>
DC2GC42	42 x 42 x 1.5	65	45	1.90	<b>\$818</b>

Two piece corner top to be used on 36" and 42" 5-sided corners. Cut-out maximizes use of worksurface space allowing for computer screen. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs in two directions.

2-WAY CONNECTOR TRANSACTION TOPS




2-Way Connector  
Transaction Top - 1" thick

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
DATT2W	12 x 12 x 1	70	6	.30	<b>\$385</b>

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.




2-Way Connector  
Transaction Top - 1½" thick

DCTT2W	12 x 12 x 1.5	65	7	.30	<b>\$450</b>
--------	---------------	----	---	-----	--------------

Used as a corner piece to link two transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.

4-WAY CONNECTOR TRANSACTION TOPS




4-Way Connector  
Transaction Top - 1" thick

DATT4W	12 x 12 x 1	65	8	.30	<b>\$411</b>
--------	-------------	----	---	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Adaptabilities, Genoa, Halton and Zira Series worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.



4-Way Connector  
Transaction Top - 1½" thick

DCTT4W	12 x 12 x 1.5	60	10	.30	<b>\$527</b>
--------	---------------	----	----	-----	--------------

Used as a corner piece to link four transaction tops. Deduct 6" from each side adjoining the corner piece. Includes all necessary Flat Plates, Joining Plates and screws. Thickness matches Zira worksurfaces. Ships 1 set per carton.

- Woodgrain runs diagonally.

Required Specifications

Laminate Finish  
Edge Detail

# personal storage



Sidebar Storage

490



Sidebar storage is well suited to the modern workplace. Fun, unique and functional storage items provide personal touches to the workspace all while maintaining a practical appeal.

### Features and Benefits

- All surfaces are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Surfaces available in four detail options.
- Tapered feet feature adjustable glides and can be painted in Black (BLK) or Tungsten (TTU).
- Tiered storage enhances the visuals of any office setting



Foot options



Stack-on storage



Low credenza storage with cushion

## GENERAL INFORMATION

- SideBar is a great complement to Bungee & Bungee SL training tables as well as Zira Desking.
- High pressure tops are available on all SideBar laminates at an extended lead time – please refer to model # for availability and pricing.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## CONSTRUCTION

- Tops are 1" thick thermally fused laminate (**TFL**) or optional 1-1/16" thick high pressure laminate (**HPL**) available in a variety of edge details
- All finishes feature edging in matching color (i.e. woodgrain surfaces feature edging with matching printed woodgrain)
- Constructed of 45 lb. density particleboard covered on both sides with high performance thermally fused laminate (**TFL**) or high pressure laminate surfaces (**HPL**)
- Leveling glides are standard on all floor units
- Premium full extension progressive ball bearing slides on file drawers and box drawers
- All drawer fronts are edge banded on all four sides
- Products specified with the high pressure laminate option (**HPL**) are finished on the underside of the surface with a kraft paper backing.

## STORAGE

- Tops of all storage units are 1" thick, available in a variety of edge details
- Drawer and open cavity heights are built on a common module of 13.5". In open cavities, this height accommodates standard size binders.
- All lateral files feature a foolproof interlock device
- 75 lb. box – 150 lb. file drawer weight capacity with full height sides. Pencil tray included in box drawer.
- All storage is standard with handles unless otherwise noted
- All drawers are locking unless otherwise noted
- All shelves are fixed

## FEET

- Levelers adjust up to 1".
- Storage unit feet will coordinate with handle finish (brass handles will default to Black [BLK] feet).
- If no handle selection is available, legs and feet are available in Tungsten (**TTU**) or Black (**TBL**)

## LOCKS

- Locks are standard on all storage modules unless otherwise noted. Lock finish will coordinate with handle finish (brass handles will default to Black [BK] locks).

## SHIPPING

- Most items are shipped assembled, 1 per carton, unless otherwise noted. Items are easy to assemble

S

SIDEBAR STORAGE - NOTES

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops (upcharge applies)

3. SPECIFY FINISH

Top/Base/Door, Drawer and Cabinet Finishes:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

Edge:


<b>AB</b>	Split color edge with Black Trim
<b>AS</b>	Split color edge with Silver Trim
<b>A3</b>	Standard edge
<b>AR</b>	Bicut edge

Feet:


Storage Feet are available in Tungsten (**TTU**) or Black (**TBL**).

4. SPECIFY OPTIONS

EDGE OPTIONS



**A3** - square corner, standard edge



**AR** - square corner, bicut edge



**AS** - square corner, Silver



**AB** - square corner, Black

HANDLES

- Handles are standard on most drawers/storage modules. All other drawers, including mobile and hanging pedestals, can be ordered with a choice of nine handle options to be **factory installed**. Each handle is identified by the letters “**HU**”, “**HV**”, “**HW**”, “**HX**” “**HS**”, “**HZ**”, “**HO**”, “**HQ**”, and “**HR**”. To specify a handle, please specify the code after the model number. To order a handle as an option, please specify the code when ordering. List Price is **\$58**.



**HS** Flared Silver



**HV** Square Edge Silver



**HO** Crescent Black



**HW** Flared Brass



**HU** Square Edge Black



**HZ** Dimpled Nickel




**HX** Flared Black




**HQ** Bar Silver



**HR** Bar Black

MOBILE PEDESTAL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Mobile Pedestal*</b>		D x W x H					
	S1619MP	19 x 16 x 25	85	76	6	\$1054	n/a
	S1623MP	23 x 16 x 25	92.5	82	7	\$1095	n/a
<p>Box/File drawers on fully progressive ball bearing slides, accommodate letter and legal size hanging files. Pedestal top is inset within side panels. Includes counterweight to prevent tipping. Drawers are locking. Handles are standard. Only front casters are locking.</p> <ul style="list-style-type: none"><li>File drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.</li></ul>							

MOBILE PEDESTAL	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
	CU1517	17 x 15 x 1.5	125	6	.90	1	\$155	7	\$442
						2	\$201	8	\$541
						3	\$232	9	\$618
						4	\$281	10	\$701
						5	\$347	11	\$874
						6	\$381	12	\$1064
	CU1520	20 x 15 x 1.5	70	1	1	1	\$167	7	\$452
						2	\$210	8	\$552
						3	\$242	9	\$628
						4	\$292	10	\$712
						5	\$359	11	\$886
						6	\$390	12	\$1075
	<p>Cushion for Mobile Pedestals**</p> <p>Cushion attaches with Velcro strips.</p> <ul style="list-style-type: none"><li>• CU1517 for use on S1619MP. CU1520 for use on S1623MP.</li></ul>								


Required Specifications

- Top finish\*
- Drawer front finish\*
- Handles\*
- Fabric\*\*



S

SIDEBAR STORAGE


STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	S3012A0	12 x 30 x 22.85	125	49	7	<b>\$659</b>	n/a
	S3612A0	12 x 36 x 22.85	125	61	8.25	<b>\$762</b>	n/a

30"w

36"w


Low Bookcase

Open bookcases accommodate binders in every cavity. One fixed shelf. 36"w units feature a fixed vertical divider.




2 High Bookcase

Open bookcases accommodate binders in every cavity. Two fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 2.




3 High Bookcase

Open bookcases accommodate binders in every cavity. Three fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 3.



4 High Bookcase


Open bookcases accommodate binders in every cavity. Four fixed shelves. 36"w units feature a fixed vertical divider. Matches Tier 4.



2 High Lateral File

Two file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 2.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.







3 High Lateral File

Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 3.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications

Top finish	Handles
Top/edge detail	Leg Finish (Bookcases only)
Base finish	Shelf Finish (Open Units)
Drawer Front Finish (Units w/doors)	


STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>3 High Lateral File - Open</b>	D x W x H						
	S3020HZ	20 x 30 x 63.35	100	239	27.50	<b>\$2689</b>	n/a
	S3024HZ	24 x 30 x 63.35	125	246	32.50	<b>\$2817</b>	n/a
	S3620HZ	20 x 36 x 63.35	125	253	32.75	<b>\$2911</b>	n/a
	S3624HZ	24 x 36 x 63.35	125	275	38.75	<b>\$3055</b>	n/a
Three file drawers. Handles are standard. Lock secures all drawers. Front-to-back and side-to-side letter/legal filing capability. Matches Tier 4. • Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.							
 <b>2 High Storage Cabinet</b>	S3020DX	20 x 30 x 36.35	125	122	16.50	<b>\$1380</b>	n/a
	S3024DX	24 x 30 x 36.35	125	139	19.50	<b>\$1486</b>	n/a
	S3620DX	20 x 36 x 36.35	125	151	19.50	<b>\$1618</b>	n/a
	S3624DX	24 x 36 x 36.35	125	173	23	<b>\$1764</b>	n/a
	Laminate doors are standard. Handles are standard. Two fixed shelves. Standard with lock. Matches Tier 2.						
 <b>3 High Storage Cabinet</b>	S3020FX	20 x 30 x 49.85	125	167	22	<b>\$1710</b>	n/a
	S3024FX	24 x 30 x 49.85	125	190	26	<b>\$1845</b>	n/a
	S3620FX	20 x 36 x 49.85	100	209	23.75	<b>\$2026</b>	n/a
	S3624FX	24 x 36 x 49.85	125	238	30.75	<b>\$2218</b>	n/a
	Laminate doors are standard. Handles are standard. Three fixed shelves. Standard with lock. Matches Tier 3.						
 <b>4 High Storage Cabinet</b>	S3020HX	20 x 30 x 63.35	125	212	27.50	<b>\$2048</b>	n/a
	S3024HX	24 x 30 x 63.35	125	241	32.50	<b>\$2222</b>	n/a
	Laminate doors are standard. Handles are standard. Includes four fixed shelves. Standard with lock. Matches Tier 4.						

Required Specifications	
Top finish	Handles
Top/edge detail	
Base finish	
Door / Drawer Front Finish	


S

SIDEBAR STORAGE

LOW CREDENZAS



Low Credenza - Lateral Drawer



Low Credenza - Lateral Drawer

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S4220ASL	20 x 42 x 22.85	125	110	15	\$1326	\$213
S4224ASL	24 x 42 x 22.85	125	123	17.50	\$1422	\$250
S4820ASL	20 x 48 x 22.85	125	121	17	\$1435	\$250
S4824ASL	24 x 48 x 22.85	125	136	20	\$1534	\$282

S4220ASR	20 x 42 x 22.85	125	110	15	\$1326	\$213
S4224ASR	24 x 42 x 22.85	125	123	17.50	\$1422	\$250
S4820ASR	20 x 48 x 22.85	125	121	17	\$1435	\$250
S4824ASR	24 x 48 x 22.85	125	136	20	\$1534	\$282

Lateral file drawer is standard on one side, open cavity on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42" w cabinet has a 30" w lateral drawer.
- 48" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.


S6020ASL	20 x 60 x 22.85	125	138	21	\$1581	\$319
S6024ASL	24 x 60 x 22.85	125	156	24.75	\$1692	\$353
S7220ASL	20 x 72 x 22.85	125	159	20.75	\$1764	\$353
S7224ASL	24 x 72 x 22.85	125	179	25	\$1879	\$422

S6020ASR	20 x 60 x 22.85	125	138	21	\$1581	\$319
S6024ASR	24 x 60 x 22.85	125	156	24.75	\$1692	\$353
S7220ASR	20 x 72 x 22.85	125	159	20.75	\$1764	\$353
S7224ASR	24 x 72 x 22.85	125	179	25	\$1879	\$422


Lateral file drawer is standard on one side, open cavity on the other. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 60" w cabinet has a 30" w lateral drawer.
- 72" w cabinet has a 36" w lateral drawer.
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

MEDIUM CREDENZAS



Medium Credenza - Box/File



Medium Credenza w/Lateral File

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S3020BZ	20 x 30 x 29.6	100	113	13.75	\$1408	\$178
S3024BZ	24 x 30 x 29.6	125	126	16.25	\$1499	\$178
S3620BZ	20 x 36 x 29.6	125	128	16.25	\$1540	\$178
S3624BZ	24 x 36 x 29.6	100	142	16.75	\$1632	\$213

Wide box and lateral file. Handles are standard. Lock secures both drawers.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S3020BY	20 x 30 x 29.6	100	116	13.75	\$1337	\$178
S3024BY	24 x 30 x 29.6	100	131	16.25	\$1443	\$178
S3620BY	20 x 36 x 29.6	100	132	16.25	\$1472	\$178
S3624BY	24 x 36 x 29.6	100	149	16.75	\$1581	\$213

Open cavity and lateral file. Handles are standard. Standard with lock.

- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications


Top finish  
Top/edge detail  
Base finish  
Door/drawer front finish

Handles


Optional Specifications

HP laminate

MEDIUM CRENZAS



Medium Credenza - Box/Lateral File



Medium Credenza - Mixed Drawers

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S4220BSL	20 x 42 x 29.6	125	142	18.75	\$1666	\$213
S4224BSL	24 x 42 x 29.6	125	160	22	\$1777	\$250
S4820BSL	20 x 48 x 29.6	125	155	21.25	\$1806	\$250
S4824BSL	24 x 48 x 29.6	125	173	25	\$1923	\$282
S4220BSR	20 x 42 x 29.6	125	142	18.75	\$1666	\$213
S4224BSR	24 x 42 x 29.6	125	160	22	\$1777	\$250
S4820BSR	20 x 48 x 29.6	125	155	21.25	\$1806	\$250
S4824BSR	24 x 48 x 29.6	125	173	25	\$1923	\$282

Wide box and lateral file is standard on one side, open cavity with fixed shelf on the other. Handles are standard. Specify left or right handed. Standard with lock. Front-to-back and side-to-side letter/legal filing capability.

- 42" w credenza has a 30" w box/lateral file
- 48" w credenza has a 36" w box/lateral file
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

S4220BQL	20 x 42 x 29.6	100	165	18.75	\$2119	\$213
S4224BQL	24 x 42 x 29.6	100	184	22	\$2250	\$250
S4820BQL	20 x 48 x 29.6	100	179	21.25	\$2254	\$250
S4824BQL	24 x 48 x 29.6	100	184	22	\$2250	\$282
S4220BQR	20 x 42 x 29.6	100	165	18.75	\$2119	\$213
S4224BQR	24 x 42 x 29.6	100	184	22	\$2250	\$250
S4820BQR	20 x 48 x 29.6	100	179	21.25	\$2254	\$250
S4824BQR	24 x 48 x 29.6	100	184	22	\$2250	\$282

Box/file is standard on one side, open cavity and lateral file on the other side. Specify left or right handed. Handles are standard. Standard with locks. Front-to-back and side-to-side letter/legal filing capability.


- 42" w credenza has a 30" w lateral drawer
- 48" w credenza has a 36" w lateral drawer
- Lateral file drawer construction is for accommodating hanging files and NOT for stacking material on the drawer bottom.

Required Specifications	Optional Specifications
Top finish	HP laminate
Top/edge detail	
Base finish	
Door/drawer front finish	




# S SIDEBAR STORAGE


## STACK-ON STORAGE




**Stack-On Bookcases**




**Stack-On Bookcase w/Collators\*\***



**Stack-On Bookcases**



**Stack-On Storage Cabinet\***



**Stack-On Mixed Storage Cabinet\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S1214A0	14.3 x 12 x 13.5	92.5	23	2.20	<b>\$264</b>	n/a
S2414A0	14.3 x 24 x 13.5	100	37	4	<b>\$400</b>	n/a
S3014A0	14.3 x 30 x 13.5	100	41	5	<b>\$442</b>	n/a
S3614A0	14.3 x 36 x 13.5	125	46	5.90	<b>\$483</b>	n/a

Designed to be placed on top of credenzas. Open cavity. Unit rests directly on credenza top.

- Sxx14A0 Stack-On bookcases add 1 tier when placed on any storage unit.

S1214B0	14.3 x 12 x 20.25	92.5	35	3.10	<b>\$380</b>	n/a
S2414B0	14.3 x 24 x 20.25	92.5	59	5.75	<b>\$625</b>	n/a
S3014B0	14.3 x 30 x 20.25	100	68	7	<b>\$699</b>	n/a
S3614B0	14.3 x 36 x 20.25	100	77	8.50	<b>\$804</b>	n/a

Designed to be placed on top credenzas. Open cavity with collator below. Unit rests directly on credenza top.

- Sxx14B0 Stack-On bookcases add 1.5 tiers when placed on any storage unit.

S1214D0	14.3 x 12 x 27	92.5	41	4	<b>\$428</b>	n/a
S2414D0	14.3 x 24 x 27	100	68	7.50	<b>\$671</b>	n/a
S3014D0	14.3 x 30 x 27	100	76	9.25	<b>\$736</b>	n/a
S3614D0	14.3 x 36 x 27	125	85	11	<b>\$817</b>	n/a

Designed to be placed on top of credenzas. Open cavities with fixed shelf. Unit rests directly on credenza top.

- Sxx14D0 Stack-On bookcases add 2 tiers when placed on any storage unit.

S1215DTL	15 x 12 x 27	92.5	47	4.20	<b>\$561</b>	n/a
S1215DTR	15 x 12 x 27	92.5	47	4.20	<b>\$561</b>	n/a
S2415DT	15 x 24 x 27	92.5	79	7.75	<b>\$938</b>	n/a
S3015DT	15 x 30 x 27	100	91	9.50	<b>\$1027</b>	n/a
S3615DT	15 x 36 x 27	100	103	11.25	<b>\$1145</b>	n/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes fixed shelf. For 12" w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15DT/DTL/DTR Stack-On storage cabinets add 2 tiers when placed on any storage unit.

S2415DNL	15 x 24 x 27	100	73	7.75	<b>\$804</b>	n/a
S3015DNL	15 x 30 x 27	100	83	9.50	<b>\$882</b>	n/a
S3615DNL	15 x 36 x 27	100	94	11.25	<b>\$986</b>	n/a
S4215DNL	15 x 42 x 27	100	117	13	<b>\$1260</b>	n/a
S2415DNR	15 x 24 x 27	100	73	7.75	<b>\$804</b>	n/a
S3015DNR	15 x 30 x 27	100	83	9.50	<b>\$882</b>	n/a
S3615DNR	15 x 36 x 27	100	94	11.25	<b>\$986</b>	n/a
S4215DNR	15 x 42 x 27	100	117	13	<b>\$1260</b>	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavity with one fixed shelf on the other side. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.


- Sxx15DNL/DNR Stack-On mixed storage cabinets add 2 tiers when placed on any storage unit.

### Required Specifications


Top finish  
Top/edge detail  
Base finish  
Door/drawer front finish\*

Handles\*  
Collator finish\*\*


## STACK-ON STORAGE




**Stack-On Bookcase w/Collators**



**Stack-On Closed Storage\*  
Cabinet w/Collators**



**Stack-On Mixed Storage\*  
Cabinet w/Collators**



**Stack-On Bookcases**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S1214EO	14.3 x 12 x 33.75	92.5	53	5	<b>\$554</b>	n/a
S2414EO	14.3 x 24 x 33.75	100	90	9.25	<b>\$915</b>	n/a
S3014EO	14.3 x 30 x 33.75	100	102	11.25	<b>\$1013</b>	n/a
S3614EO	14.3 x 36 x 33.75	100	115	13.25	<b>\$1150</b>	n/a

Designed to be placed on top of credenzas. Open cavities with one fixed shelf and collator below. Unit rests directly on credenza top.

- Sxx14EO Stack-On bookcases add 2.5 tiers when placed on any storage unit.

S1215ETL	15 x 12 x 33.75	92.5	59	5.25	<b>\$685</b>	n/a
S1215ETR	15 x 12 x 33.75	92.5	59	5.25	<b>\$685</b>	n/a
S2415ET	15 x 24 x 33.75	92.5	102	9.50	<b>\$1173</b>	n/a
S3015ET	15 x 30 x 33.75	100	117	11.75	<b>\$1298</b>	n/a
S3615ET	15 x 36 x 33.75	100	133	14	<b>\$1472</b>	n/a

Designed to be placed on top of credenzas. Laminate doors are standard with one fixed shelf and collator below. For 12\"w units specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15ET/ETL/ETR Stack-On storage cabinets add 2.5 tiers when placed on any storage unit.

S2415ENL	15 x 24 x 33.75	92.5	96	9.50	<b>\$1041</b>	n/a
S3015ENL	15 x 30 x 33.75	100	110	11.75	<b>\$1158</b>	n/a
S3615ENL	15 x 36 x 33.75	100	124	14	<b>\$1312</b>	n/a
S4215ENL	15 x 42 x 33.75	100	154	16	<b>\$1636</b>	n/a

S2415ENR	15 x 24 x 33.75	92.5	96	9.50	<b>\$1041</b>	n/a
S3015ENR	15 x 30 x 33.75	100	110	11.75	<b>\$1158</b>	n/a
S3615ENR	15 x 36 x 33.75	100	124	14	<b>\$1312</b>	n/a
S4215ENR	15 x 42 x 33.75	100	154	16	<b>\$1636</b>	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side with one fixed shelf. Open cavities on the other side, with one fixed shelf and collator below. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15ENL/ENR Stack-On mixed storage cabinets add 2.5 tiers when placed on any storage unit.

S1214FO	14.3 x 12 x 40.5	100	59	6	<b>\$597</b>	n/a
S2414FO	14.3 x 24 x 40.5	100	98	10.75	<b>\$930</b>	n/a
S3014FO	14.3 x 30 x 40.5	100	110	13.25	<b>\$1019</b>	n/a
S3614FO	14.3 x 36 x 40.5	125	123	15.75	<b>\$1130</b>	n/a

Designed to be placed on top of credenzas. Open cavities with two fixed shelves. Unit rests directly on credenza top.

- Sxx14FO Stack-On bookcases add 3 tiers when placed on any storage unit.

### Required Specifications


Top finish  
Top/edge detail  
Base finish  
Door/drawer front finish\*

Handles\*  
Collator finish


S

SIDEBAR STORAGE


STACK-ON STORAGE



Stack-On Storage Cabinet



Stack-On Mixed Storage Cabinet



Stack-On Wardrobe Cabinet

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
S1215FTL	15 x 12 x 40.5	92.5	68	6.25	\$762	n/a
S1215FTR	15 x 12 x 40.5	92.5	68	6.25	\$762	n/a
S2415FT	15 x 24 x 40.5	92.5	116	11.25	\$1271	n/a
S3015FT	15 x 30 x 40.5	100	132	14	\$1394	n/a
S3615FT	15 x 36 x 40.5	100	150	16.50	\$1553	n/a

Designed to be placed on top of credenzas. Laminate doors are standard, with two fixed shelves. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15FT/FTL/FTR Stack-On storage cabinets add 3 tiers when placed on any storage unit.

S2415FNL	15 x 24 x 40.5	100	107	11.25	\$1102	n/a
S3015FNL	15 x 30 x 40.5	100	121	14	\$1206	n/a
S3615FNL	15 x 36 x 40.5	100	137	16.50	\$1347	n/a
S4215FNL	15 x 42 x 40.5	100	171	19	\$1722	n/a
S2415FNR	15 x 24 x 40.5	100	107	11.25	\$1102	n/a
S3015FNR	15 x 30 x 40.5	100	121	14	\$1206	n/a
S3615FNR	15 x 36 x 40.5	100	137	16.50	\$1347	n/a
S4215FNR	15 x 42 x 40.5	100	171	19	\$1722	n/a

Designed to be placed on top of credenzas. Laminate doors are standard on one side, with two fixed shelves. Open cavities on the other side, with two fixed shelves. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- Sxx15FNL/FNR Stack-On mixed storage cabinets add 3 tiers when placed on any storage unit.

S1224FTL	24 x 12 x 40.5	100	83	9.50	\$900	n/a
S1224FTR	24 x 12 x 40.5	100	83	9.50	\$900	n/a

Designed to be placed on top of credenzas. Laminate doors are standard. Includes hanging rod. Specify left or right handed. Handles are standard. Standard with locks. Unit rests directly on credenza top.

- S1224FTL/FTR Stack-On wardrobe cabinets add 3 tiers when placed on any storage unit.

Required Specifications

Top finish  
Top/edge detail  
Base finish  
Door/drawer front finish

Handles

# wellness solutions








Wellness Solutions

502



LAMINATE PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
<ul style="list-style-type: none"><li>• Surface mounted wellness guard provides a physical divider</li><li>• Acrylic glazing is clear and support rails are painted Designer White (DWT).</li><li>• Kit includes all hardware to install on an existing surface</li><li>• Aluminum extruded posts</li></ul>		<b>Laminate Finishes (for GCBMSGxxxxLP):</b>				
	ACJ	Absolute Acajou	DES	Dark Espresso		
	ASN	Asian Night	DWT	Designer White		
	AWC	Avant Cherry	QTM	Quartered Mahogany		
	AWH	Avant Honey	SOG	Storm Grey		
	BLK	Black	WHE	Walnut Heights		
	BRC	Brushed Cobalt	WHC	White Chocolate		
	CMB	Clear Maple	WCR	Winter Cherry		

WELLNESS SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	GCTCSG3636LP	3 x 36 x 36	300	20.20	2.92	<b>\$648</b>
	GCTCSG3648LP	3 x 48 x 36	300	22.80	3.98	<b>\$806</b>
	GCTCSG3636W	3 x 36 x 36	300	20.20	2.92	<b>\$665</b>
	GCTCSG3648W	3 x 48 x 36	300	22.80	3.98	<b>\$824</b>
	Includes clamp mount brackets, for use with existing worksurface or transaction top. Select model ending in <b>LP</b> for tops up to 1-1/8" thick or <b>W</b> for tops up to 1 1/2" thick					
	GCBMSG3636LP	5 x 36 x 36	300	20.20	2.92	<b>\$648</b>
	GCBMSG3648LP	5 x 48 x 36	300	22.80	3.98	<b>\$806</b>
	Includes flat face surface mounting brackets, for use with existing worksurface or transaction top.					
	GCBMSG3636LP	12 x 36 x 36	250	28.45	2.92	<b>\$718</b>
	GCBMSG3648LP	12 x 48 x 36	250	34.17	3.98	<b>\$924</b>
	12"D, board mounted. Available in all standard Global laminate finishes.					
	GCAMSG3636LP	2 x 36 x 36	300	20.20	2.92	<b>\$530</b>
	GCAMSG3648LP	2 x 48 x 36	300	22.80	3.98	<b>\$688</b>
	No mounting hardware included; drilling required. For use with existing worksurface or transaction top.					
	<b>Sold individually:</b>					
	GCFSGS1618-1	15 x 18 x 15.75	150	5.15	0.97	<b>\$526</b>
	GCFSGA1923-1	15.75 x 23 x 19	92.5	7.30	0.67	<b>\$603</b>
	<b>Sold in packs of 5:</b>					
	GCFSGS1618-5	15 x 18 x 15.75	150	25.75	4.86	<b>\$2506</b>
	GCFSGA1923-5	15.75 x 23 x 19	92.5	36.50	3.37	<b>\$2905</b>
	Self-supported tri-fold wellness screens create a physical divider. Lightweight and foldable for easy transport or storage. Acrylic glazing is 3mm with clear finish. Includes non-marring base bumpers and integrated handles.					
	<ul style="list-style-type: none"> <li>• Models ending in -1 are a single unit, individually packed</li> <li>• Models ending in -5 are a bundle of 5 units, bulk packed.</li> </ul>					

**Required Specifications**  
Finish\*

**LIST PRICE**

- (HVT) Harvest  
(LAP) Lapis  
(MTS) Mist  
(NVY) Navy  
(PWT) Pewter  
(RBY) Ruby  
(SHR) Shamrock  
(SFR) Sunflower  
(WHT) White

**LIST PRICE**

Provides privacy and room separation. PET felt screen with steel flat feet. 60" wide divider has a crossbar in the middle.



Provides privacy and room separation. PET felt screen with steel feet with casters. 60" wide divider has a crossbar in the middle.



Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. PET felt screen with steel flat foot. 60" wide divider has a crossbar in the middle. Extends 24" from the worksurface. Sits 24" or 30" above worksurface.

## USA 503

## FREESTANDING DIVIDERS - GLASS

## MODEL#

## DIMENSIONS


## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H




Glass Screen - Flat Feet

GCUPFSG5424	20 x 24 x 51.75	250	30.83	14.38	<b>\$955</b>
GCUPFSG5430	20 x 30 x 51.75	300	34.95	17.97	<b>\$1038</b>
GCUPFSG5436	20 x 36 x 51.75	300	39.07	21.56	<b>\$1119</b>
GCUPFSG5442	20 x 42 x 51.75	300	43.19	25.16	<b>\$1202</b>
GCUPFSG5448	20 x 48 x 51.75	300	47.31	28.75	<b>\$1285</b>
GCUPFSG5460	20 x 60 x 51.75	300	55.56	35.94	<b>\$1449</b>

GCUPFSG6024	20 x 24 x 57.75	250	33.11	16.04	<b>\$1012</b>
GCUPFSG6030	20 x 30 x 57.75	300	37.74	20.05	<b>\$1102</b>
GCUPFSG6036	20 x 36 x 57.75	300	42.36	24.06	<b>\$1192</b>
GCUPFSG6042	20 x 42 x 57.75	300	46.99	28.07	<b>\$1283</b>
GCUPFSG6048	20 x 48 x 57.75	300	51.61	32.08	<b>\$1374</b>
GCUPFSG6060	20 x 60 x 57.75	300	60.86	40.1	<b>\$1554</b>

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (**FRST**), add 20%.




Glass Screen - Casters

GCUPMSG5424	20 x 24 x 52.05	250	31.99	14.46	<b>\$1368</b>
GCUPMSG5430	20 x 30 x 52.05	300	36.11	18.07	<b>\$1450</b>
GCUPMSG5436	20 x 36 x 52.05	300	40.24	21.69	<b>\$1532</b>
GCUPMSG5442	20 x 42 x 52.05	300	44.36	25.3	<b>\$1614</b>
GCUPMSG5448	20 x 48 x 52.05	300	48.48	28.92	<b>\$1696</b>
GCUPMSG5460	20 x 60 x 52.05	300	56.72	36.15	<b>\$1861</b>

GCUPMSG6024	20 x 24 x 58.05	250	34.28	16.13	<b>\$1424</b>
GCUPMSG6030	20 x 30 x 58.05	300	38.9	20.16	<b>\$1515</b>
GCUPMSG6036	20 x 36 x 58.05	300	43.53	24.19	<b>\$1604</b>
GCUPMSG6042	20 x 42 x 58.05	300	48.15	28.22	<b>\$1695</b>
GCUPMSG6048	20 x 48 x 58.05	300	52.78	32.25	<b>\$1785</b>
GCUPMSG6060	20 x 60 x 58.05	300	62.03	40.31	<b>\$1966</b>

Provides privacy and room separation. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat feet.

- For frosted glass (**FRST**), add 20%.



Shared Divider Glass Screen

GCUPSHG5448	20 x 48 x 53.57	300	36.17	29.76	<b>\$1054</b>
GCUPSHG5454	20 x 54 x 53.57	300	38.51	33.48	<b>\$1102</b>

GCUPSHG6048	20 x 48 x 59.57	300	40.52	33.09	<b>\$1140</b>
GCUPSHG6054	20 x 54 x 59.57	300	43.36	37.23	<b>\$1195</b>

Provides privacy and divides space for workstations. Divider stands on the floor and sits on the worksurface. Has no mechanical connection to any surface. Lightweight and easy to clean and move. Aluminum frame, clear glass screen with steel flat foot. Extends 24" from the worksurface. Sits 24" or 30" above worksurface.





- For frosted glass (**FRST**), add 20%.

## Required Specifications

Frame/foot finish

## Optional Specifications

Frosted glass (FRST)



LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
<ul style="list-style-type: none"><li>Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core</li><li>Minimal footprint for storage</li><li>Easy to connect</li><li>Easy to reconfigure</li><li>Easy to clean</li><li>Panels available in Designer White (<b>DWT</b>) or Absolute Acajou (<b>ACJ</b>) laminates</li><li>Frames available in Designer White (<b>DWT</b>) or Tungsten (<b>TUN</b>)</li><li>Width options: 36", 42", 48", 60" wide</li><li>66" high</li><li>1.3" thick.</li></ul>						
LINKING PANELS - SEGMENTED	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DLSP6636	1.3 x 36 x 66	92.5	35	3	\$900
	DLSP6642	1.3 x 42 x 66	92.5	41	3.46	\$926
	DLSP6648	1.3 x 48 x 66	92.5	47	3.93	\$944
	DLSP6660	1.3 x 60 x 66	85	59	4.90	\$1449
	Segmented panels offer a thermally fused laminate lower and high pressure upper pressed on a lightweight core. Minimal footprint for storage. Laminate core available in Designer White ( <b>DWT</b> ) or Absolute Acajou ( <b>ACJ</b> ). Aluminum extrusion comes in powder coated paint finish in Designer White ( <b>DWT</b> ) or Absolute Acajou ( <b>ACJ</b> ). Comes complete with hinge kits and levelers on both legs.					
	DLSPWS1830SCPLP	18 x 30 x 1	60	15	.50	\$210
	Straight rectangular laminate worksurface, non handed, can be interchanged on site, and features a scoop for cable pass-through. Available in Designer White ( <b>DWT</b> ) or Absolute Acajou ( <b>ACJ</b> ). Edging available in Designer White ( <b>DWE</b> ) or Absolute Acajou ( <b>ACJ</b> ).					
	DLSPHOMC	12 x 3 x 21	100	4	.42	\$165
	Installs on horizontal rails of panels to provide worksurface support. Frees up space under the worksurface. Powder coated paint finish in Designer White ( <b>DWT</b> ) or Tungsten ( <b>TUN</b> ).					
	DLSPHBRKT	3 x 2.25 x 0.75	70	.10	.05	\$15
	Extruded aluminum bracket that is bolted to the underside of the worksurface. Bracket supports worksurface at any location along the middle rail of the panel. Includes mounting hardware. Powder coated paint finish in Designer White ( <b>DWT</b> ) or Tungsten ( <b>TUN</b> ).					

LAMINATE LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						



- Laminate linking panels provide privacy.
- Standard height of 54" or 66", width in 6" increments from 24" to 60".
- Aluminum extrusion comes in powder coated paint finish: Designer White (**DWT**) or Tungsten (**TUN**).
- Laminate core offered in Designer White (**DWT**) or Absolute Acajou (**ACJ**).
- Edge banded to match laminate finish.
- Panels come complete with hinge kits

#### Planning Diagrams

- When supported on one side (by 90° turn, supporting "T" legs or wall mounting), panels can run two long OR a maximum of 8'.
- When supported on both sides (by 90° turn, supporting "T" legs or wall mounting), panels can run three long OR a maximum of 13'.



For longer, unsupported runs, panels must maintain a 135° angle (or less) to remain stable.

LAMINATE LINKING PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DPL5424	1.3 x 24 x 54	92.5	18	1.62	<b>\$684</b>
	DPL5430	1.3 x 30 x 54	92.5	23	2.08	<b>\$759</b>
	DPL5436	1.3 x 36 x 54	92.5	27	2.47	<b>\$834</b>
	DPL5442	1.3 x 42 x 54	92.5	32	2.85	<b>\$909</b>
	DPL5448	1.3 x 48 x 54	92.5	37	3.25	<b>\$983</b>
	DPL5454	1.3 x 54 x 54	92.5	42	3.63	<b>\$1060</b>
	DPL5460	1.3 x 60 x 54	92.5	47	4.02	<b>\$1135</b>
	DPL6624	1.3 x 24 x 66	92.5	23	2.04	<b>\$777</b>
	DPL6630	1.3 x 30 x 66	92.5	29	2.52	<b>\$859</b>
	DPL6636	1.3 x 36 x 66	92.5	35	3	<b>\$941</b>
	DPL6642	1.3 x 42 x 66	92.5	41	3.46	<b>\$1023</b>
	DPL6648	1.3 x 48 x 66	92.5	47	3.93	<b>\$1107</b>
	DPL6654	1.3 x 54 x 66	92.5	53	4.40	<b>\$1190</b>
	DPL6660	1.3 x 60 x 66	92.5	59	4.90	<b>\$1271</b>
	Levelers on both legs.					
	DPLSCH5424	1.3 x 24 x 54	92.5	18	1.62	<b>\$819</b>
	DPLSCH5430	1.3 x 30 x 54	92.5	23	2.08	<b>\$899</b>
	DPLSCH5436	1.3 x 36 x 54	92.5	27	2.47	<b>\$978</b>
	DPLSCH5442	1.3 x 42 x 54	92.5	32	2.85	<b>\$1057</b>
	DPLSCH5448	1.3 x 48 x 54	92.5	37	3.25	<b>\$1135</b>
	DPLSCH5454	1.3 x 54 x 54	92.5	42	3.63	<b>\$1214</b>
	DPLSCH5460	1.3 x 60 x 54	92.5	47	4.02	<b>\$1292</b>
	DPLSCH6624	1.3 x 24 x 66	92.5	23	2.04	<b>\$911</b>
	DPLSCH6630	1.3 x 30 x 66	92.5	29	2.52	<b>\$999</b>
	DPLSCH6636	1.3 x 36 x 66	92.5	35	3	<b>\$1087</b>
	DPLSCH6642	1.3 x 42 x 66	92.5	41	3.46	<b>\$1172</b>
	DPLSCH6648	1.3 x 48 x 66	92.5	47	3.93	<b>\$1257</b>
	DPLSCH6654	1.3 x 54 x 66	92.5	53	4.40	<b>\$1376</b>
	DPLSCH6660	1.3 x 60 x 66	92.5	59	4.90	<b>\$1432</b>
	Single locking caster on one leg, leveler on the other.					

#### Required Specifications

Frame finish  
Laminate finish

**LIST PRICE**


Flat foot on both legs. Freestanding.

Double locking caster base on both legs. Freestanding.

Single locking caster on one leg and double locking caster base on the other. Freestanding.

## USA 507

LAMINATE PANELS



Laminate Panel -  
Leveler/Double Caster


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DPLDCHN5424	1.3 x 24 x 54	65	18	1.62	\$759
DPLDCHN5430	1.3 x 30 x 54	70	23	2.08	\$826
DPLDCHN5436	1.3 x 36 x 54	70	27	2.47	\$900
DPLDCHN5442	1.3 x 42 x 54	70	32	2.85	\$971
DPLDCHN5448	1.3 x 48 x 54	70	37	3.25	\$1040
DPLDCHN5454	1.3 x 54 x 54	70	42	3.63	\$1112
DPLDCHN5460	1.3 x 60 x 54	70	47	4.02	\$1184
DPLDCHN6624	1.3 x 24 x 66	65	23	2.04	\$842
DPLDCHN6630	1.3 x 30 x 66	70	29	2.52	\$922
DPLDCHN6636	1.3 x 36 x 66	70	35	3	\$998
DPLDCHN6642	1.3 x 42 x 66	70	41	3.46	\$1074
DPLDCHN6648	1.3 x 48 x 66	70	47	3.93	\$1154
DPLDCHN6654	1.3 x 54 x 66	70	53	4.40	\$1234
DPLDCHN6660	1.3 x 60 x 66	70	59	4.90	\$1310

Leveler on one leg and double locking caster base on the other. Freestanding.


LINKING PANEL ACCESSORIES




Wall Connection



Expanding Kit



Door and Door Catch Kit



PET Felt Over Panel

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
DPLWA54	2 x 2 x 54	70	2.3	0.13	\$178
DPLWA66	2 x 2 x 66	65	3.5	0.15	\$203

Connects linking panels to walls. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of vertical extrusion, charcoal PVC cover and hinge kits.

DPLEKIT	2 x 2 x 3	70	1	.05	\$310
---------	-----------	----	---	-----	-------

Connects two linking panels in a straight line. This kit will accommodate any special width by overlapping the panels. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of a top and bottom bracket and all necessary hardware.

DPDC01	1.3 x 3 x 6	60	2	.05	\$195
--------	-------------	----	---	-----	-------

Converts any linking panel into a door. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit consists of striker plate, two hinge kits, single caster foot assembly and 1" caster.

DPLOP24	1.05 x 24 x 16.8	70	1.74	.39	\$161
DPLOP30	1.05 x 30 x 16.8	150	2.20	.49	\$191
DPLOP36	1.05 x 36 x 16.8	150	2.67	.59	\$223
DPLOP42	1.05 x 42 x 16.8	150	3.14	.70	\$247
DPLOP48	1.05 x 48 x 16.8	150	3.60	.80	\$368
DPLOP54	1.05 x 54 x 16.8	150	4.07	.90	\$398
DPLOP60	1.05 x 60 x 16.8	150	4.53	1.01	\$431

For laminate panels. Sits atop laminate panel and bridges the gap between the 66"H laminate linking panel and top of the consultation booth. Available in Designer White (**DWT**) or Tungsten (**TUN**) paint finish. Kit contains aluminum extrusion and felt insert.

Required Specifications  
Finish

# acoustic solutions



Priva

510



Softpod

513





Priva acoustic pods provide a place for personal privacy, focus and online collaboration, away from the noise of the open office. Integrated ventilation and low-voltage LED lighting are motion-sensor activated to reduce energy consumption. The tempered glass entrance door, in combination with optional glass back panel, reduces the sense of confinement. Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.

A laptop shelf, two AC outlets and two USB-A charging ports support the range of today's electronic and communication devices. The exterior is available in a variety of laminate finishes to coordinate with other furnishings. The interior can be finished in laminate or PET, for industry-leading sound absorption. Hinge and handle trim is available in Black or anodized Silver. Mechanical fasteners to affix the pod to the floor are available.



#### Features and Benefits


- Quiet and private
- Plug-and-play
- Internal frame is comprised of 14-gauge steel beams
- Easily clean high touch surfaces
- Slim, modern design
- Optional PET interior for greater acoustic properties
- Fixed touch-down shelf with power unit
- Special retractable casters enable Priva to be relocated easily



Two AC outlets and two USB-A charging ports, plus laminate touch-down shelf



Easy to clean



Ventilation fan and LED lights

**GENERAL INFORMATION**




- Priva is the culmination of 2 years of research and development of an acoustic phone booth that inhibits sound transmission between the interior and exterior creating a private room-in-room for workplace applications.
- Assembles in less than 90 minutes. Once complete, simply plug in and get to work!
- Priva has been tested and complies with all BIFMA mechanical tests.
- For environmental certification, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

**CONSTRUCTION**

- Exterior is clad in ¾" thermally fused laminate with a 10mm tempered glass door and glass (POD1G) or laminate back panel (POD1L).
- Exterior corner details are made of extruded aluminum
- Internal frame is comprised of 14 gauge steel beams
- Interior is clad in PET (recommended for greater acoustic properties)
- Laminate interior is optional.
- Pod ceiling is Designer White laminate
- Interior carpet flooring is comprised of eco-friendly nylon fiber, solution dyed with a polypropylene backing.
- Laminate touch-down shelf is standard in Designer White (DWT) laminate.

**DIMENSIONS**

- Exterior: 44"w x 38"d x 88"h
- Interior: 36"w x 36"d x 80"h
- Door: 32"w x 88"h
- Shelf: 24"w x 8"d x 40"h

**Exterior Dimensions****Interior Dimensions - Side View****Interior Dimensions - Front View****POWER + CONNECTIVITY**

- Two AC outlets and two charging USB-A ports, coupled with an occupancy sensor controlling two 12V DC fans and an LED light circuit, ensure comfort in even the smallest of enclosed spaces, while keeping power consumption at a minimum.
- One 10 foot power cord with 3-prong plug

**ACOUSTIC RATINGS**

- NIC-36, STI .24

**AIRFLOW SPECIFICATIONS**

- CFM 55

**FINISHES****Exterior Finishes:**

ACJ	Absolute Acajou
ASN	Asian Night
BLK	Black
BRC	Brushed Cobalt
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
SBY	Sheer Beauty
SOG	Storm Grey
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

**Exterior Frame Finishes**

BK	Black
CR	Charcoal
DW	Designer White
TU	Tungsten

**Interior Finishes - select Laminate or PET****PET:**


GPH	Graphite
MTS	Mist
PWT	Pewter



**Laminate:**

BLK	Black
DWT	Designer White
SOG	Storm Grey

**Hardware Finishes (Handle + Hinge)**

BK	Black
SI	Silver
Interior Finish (Laminate or PET)	




SINGLE USER POD		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <div>Front ViewRear View</div>			D x W x H				
		POD1G	38 x 44 x 88	65	1323	44.80	\$27095
<b>Single User Pod - Glass Back Panel</b>		Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a <b>glass back panel</b> .					
 <div>Front ViewRear View</div>							
		POD1L	38 x 44 x 88	65	1323	44.80	\$27095
<b>Single User Pod - Laminate Back Panel</b>		Acoustic pod includes laminate exterior with aluminum frame. PET interior provides acoustic privacy. Laminate interior optional for easy cleaning. Door is 10mm tempered glass with a <b>laminate back panel</b> .					



Softpod™ responds to the changing landscape of today's workplace and educational environments, providing a place for focus and engagement as you move through your day. Now featuring meeting pods and height adjustable surfaces—including a new 2-divider pod, which offers a compact footprint with an ample worksurface, and the option of lockable casters for easy relocation.

The new 3-divider pod with a height adjustable table (HAT) delivers a sit-stand range from 22.5" to 48.9", from the top of the worksurface to the floor. The HAT power solution creates new planning opportunities for end-to-end pod connections.

Softpod layouts with 6-dividers and 7-dividers can be configured to provide meeting or lounge spaces with power support for monitors and mobile charging. Worksurfaces accommodate 2-4 people. Optional PET Felt or corner semi-transparent extension panels provide additional privacy. Additional features such as hanging shelves, coat and bag hooks, and nameplates are available for all pod configurations.



Hanging shelf with dry erase board



Corner PET Felt extension divider



Pull out pantry storage

#### Features and Benefits

- 120° footprint supports clusters of one or more pods in a layout
- Integrated wiring solutions deliver power and data above and below the worksurface
- Simple kit of parts makes it easy to specify with quick fulfillment + installation
- Panels are comprised of two layers of 50% recycled sound-absorbing PET felt bonded to a slim internal aluminum framework
- New 3-divider pod with a height adjustable table (HAT) delivers a sit-stand range from 22.5" to 48.9"
- User can easily add/remove privacy + accessory elements
- Casual storage and accessories support hybrid schedules
- Pods can be equipped with power and data solutions

## GENERAL INFORMATION

- Available as 2, 3, 4, 5, 6 and 7-sided pods in a range of colors.
- New 3 divider pod with height adjustable table delivers sit-stand range from 22.5" to 48.9", from top of worksurface to floor.
- Easy to specify and install.
- Easily add, subtract or rearrange each Softpod workstation without having to take anything apart
- High and low pressure laminate work surfaces are durable and easy to clean. Choose from a range of finishes to suit your style.
- The inner and outer panel sides can be specified in different colors to offer visual appeal or to help workers identify groups or individual work areas within open spaces.
- 6 and 7-sided pods can be configured to create meeting or lounge spaces, with power support for monitors and mobile charging. Worksurfaces accommodate 2-4 people comfortably.
- PET felt panels and internal aluminum framework can be recycled.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- Standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## METAL LEG FINISHES:

BLK	Black	SDT	Stonedust
BZD	Blizzard	SIL	Silver
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

## PET FELT COLORS:

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBY	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

## LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
CMB	Clear Maple	SBY	Sheer Beauty
CGY	Custom Grey*	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

\*Coordinates w/SIL edgeband finish

## EDGE FINISHES (Laminate Surfaces Only)

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CHR	Charcoal ( <i>use w/SOG</i> )	SIL	Silver*
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry
FCL	First Class		*Coordinates w/CGY laminate

## Divider:

- PET felt / aluminum composition
- Channel edge allows for add-on privacy
- Acoustic rating of .60 NRC and 13 STC

## PET Felt features:


- Tackable acoustic material
- Soft form capability

## Electrical:


- Simple interconnect / direct plug-in
- Hard wire formats

## Storage:

- Solution based




## Height Adjustable Pod






## Freestanding Lounge Pods



\*Seating Specified Separately

## Meeting Pods



\*Seating Specified Separately

**Softpods**

HX2P5452SW  
Softpod with 2 Dividers  
and Worksurface



HX2PM5452SW  
Mobile Softpod  
with 2 Dividers and  
Worksurface



HX3PM5472SW  
Mobile Softpod  
with 3 Dividers and  
Worksurface



HX3P5472SW  
Softpod with  
3 Dividers and  
Worksurface



HX4PM5472SW  
Mobile Softpod  
with 4 Dividers and  
Worksurface



HX4P5472R/LW  
Softpod with 4 Dividers  
and Wraparound  
Worksurface



HX4PM5472LW/RW  
Mobile Softpod with  
4 Dividers and Wrap-  
around Worksurface



HX5P5472SW  
Softpod with 5 Dividers  
and Worksurface



HX5P5472R/LW  
Softpod with 5 Dividers and  
Wrap Around Worksurface



HXP5430  
Single J-divider

**Height Adjustable Tables**

HX3PH5472SW  
Softpod with 3 Dividers  
and Height Adjustable  
Worksurface

**Freestanding Pods**

HX3PF  
Freestanding Softpod  
with 3 Dividers



HX3PFM  
Freestanding Mobile  
Softpod with 3 Dividers



HX4PF  
Freestanding Softpod  
with 4 Dividers



HX4PFM  
Freestanding Mobile  
Softpod with 4 Dividers



HX5PF  
Freestanding Softpod  
with 5 Dividers



HX5PFM  
Freestanding Mobile  
Softpod with 5 Dividers



HX6PF  
Freestanding Softpod  
with 6 Dividers




HX7PF  
Freestanding Softpod  
with 7 Dividers

**Meeting Pods**

HX6PFD  
Meeting Pod with 6 Dividers  
with D Top Worksurface



HX7PFD  
Meeting Pod with 7 Dividers  
with D Top Worksurface

**Extensions**

HXPACFE  
End PET Felt Extension  
Divider Add-on



HXPACFE  
Corner PET Felt  
Extension Divider Add-on



HXPATCFE  
Top Corner PET Felt  
Extension Divider Add-on



HXPA1CFE  
PET Felt Extension Divider  
Add-on for Softpod with 2 Dividers



HXPA2CFE  
PET Felt Extension Divider  
Add-on for Softpod with 3 Dividers



HXPACFEH  
PET Felt Extension Panel Add-on for  
Softpod Height Adjustable Table



HXPACFES  
Corner Semitransparent  
Extension Panel Add-on






# S SOFTPOD - STATEMENT OF LINE

## Electrical

PS3525057/5002  
Clamp Mount module



PS3526057/6002  
Undermount module




HXEUWC  
Under Worksurface  
Edge USB charger




GAADG  
Access Door  
Module




GAADCT  
Access Door Module  
with Cable Tray




PMDSA10  
ModPower On Surface  
Starter Unit



PMDCA3  
ModPower Middle  
Mounted Unit



PMDEA3  
ModPower End  
Mounted Unit



PSDPC22W  
Slim Desktop Power  
Module, 2 Duplex



PSDPC32W  
Slim Desktop Power  
Module, 3 Duplex




PMDCLIPS  
ModPower cable  
management clips




PMDJ36BK  
ModPower  
interconnecting jumper




PMDSF10  
ModPower In Surface  
Starter Unit



PMDCF3  
ModPower In  
Surface Middle Unit



PMDEF3  
ModPower In  
Surface End Unit




HXEPK  
Station 2-Circuit  
Power Kit




HXECS  
Cable Shroud



HXEHP  
Height Adjustable  
Power Kit



HXEPPJ  
Station to Station  
Jumper Kit




HXEPPJ  
Station to Station  
Jumper



HXECF  
Ceiling Feed



HXEBF  
Base Feed



HXECFP  
Ceiling Feed Pole



HXEPGK  
Divider Grommet  
Kit



HXEPGCS  
Divider Grommet  
Connector / Spacer



## Accessories

LINLAMPS  
LED Single Arm  
Lamp



LINLAMPD  
LED Double Arm  
Lamp



RNDLAMPS  
LED Single Arm  
Lamp



RNDLAMPD  
LED Double Arm  
Lamp



HXAHS  
Hanging Shelf



HXAHSWB  
Hanging Shelf with  
Dry Erase Board



HXARWS  
Rear Wall Shelf



HXACHS  
Coat/Bag Hook  
for Dividers




HXACTH  
Coat/Bag Hook  
for Dividers Edge




HXABH  
Under Surface  
Bag Hook



HXNP  
Name Plate




HXPCKIT  
Connection Kit




## Storage


HXSCSOL  
Under Worksurface  
Casual Storage Unit  
(lockable)




HXSCSO  
Under Worksurface  
Casual Storage Unit




FFPO  
Pantry Storage




## FOOTPRINT




HX2P5452SW  
Softpod with 2 Dividers




HX3P5472SW  
Softpod with 3 Dividers




HX3PH5472SW  
Height Adjustable Softpod




HX5P5472SW Softpod with 5 Dividers




Single Softpod with 5 Dividers




HX4P5472SW  
Softpod with 4 Dividers




HX6PFD  
Softpod with 6 Dividers and D Top Worksurface



HX7PFD  
Softpod with 7 Dividers and D Top Worksurface




HX6PFD  
Softpod with 6 Dividers and D Top Worksurface



HX7PFD  
Softpod with 7 Dividers and D Top Worksurface


## OFF GRID PLANNING

The flexible format of Softpod offers a variety of planning options and encourages both on and off grid layouts. From a single or cluster of Softpods this versatile system adapts to your needs.



## Agile


The freestanding, single Softpod can flex to support any number of employees in a hybrid work environment. The pods can be easily reconfigured and adjusted as needs change. Its small kit of parts and thoughtfully designed features make it easy to specify and keep inventory counts low



## Scalable

The adaptable dividers give the ability to address the level of privacy needed on a station to station basis.


### Softpod PRIVACY



Less Privacy


More Privacy

### Extensions - PRIVACY




**QUICK SPECIFICATION**


Softpod's small and complete kits allows for quick and efficient movement of product from time of specification to installation



**Single Pod with 3 Dividers**



**Single Pod with 4 Dividers**





**Single Pod with 4 Dividers  
and Wrap Around Surface**




**Single Pod with 5 Dividers**



**Single Pod with 5 Dividers and  
Wrap Around Surface**


**POWER CONNECTIONS****Plug In**

Simple casual wire - Direct plug-in or hard wired.


**Daisy Chain Interconnect System**

Plug-in power supply and interlinked, pre-determined universal modules. If specified, one module is shipped with the station and interconnected on site.

Integrating additional station (C) requires disconnecting A from B and plugging in the C on site.



**Dual Circuit Power**

Outlets mounted below worksurfaces.



● **Feed Location**

## SPACE PLANNING




**POD FORMATS**

Align units in cluster plan  
Option unit type and orientation

(A) Worksurfaces must have opposing alignment



Flat and curved dividers are non-handed and symmetrical. The addition of the legs determines if the j-dividers becomes LEFT handed or RIGHT handed. Any j-divider can be configured and reconfigured LEFT or RIGHT.




Power/ data is delivered through screen walls via grommet

Grommet tethers units together


Maximum 4 unit cluster per 2 circuits



## PLANNING FOR SINGLE SOFTPOD WITH 2 DIVIDERS




Touchdown




Around Column

## PLANNING FOR SINGLE SOFTPOD WITH 3 DIVIDERS




Touchdown




Around Column

PLANNING FOR SINGLE SOFTPOD WITH 4 DIVIDERS


Cluster of 2 Softpods




Cluster of 3 Softpods




Cluster of 4 Softpods




PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS - CENTER



Cluster of 2 Softpods




Cluster of 3 Softpods




Cluster of 4 Softpods




## PLANNING FOR SINGLE SOFTPOD WITH 5 DIVIDERS, LEFT/RIGHT



Cluster of 2 softPODs




Cluster of 3 softPODs




Cluster of 4 softPODs

## PLANNING WITH COLLABORATION POD FOR MEETING AND LOUNGE SETTINGS


\*Seating specified separately




Meeting with D Worksurface



Freestanding Pods for Lounge Settings




Meeting with D Worksurface




Freestanding Pods for Lounge Settings

**END TO END CONNECTIONS**


Softpod allows for end to end connection to meet a variety of planning needs:




Softpod with 2 Dividers




Softpod with 2 Dividers




Softpod with 3 Dividers




Softpod with 3 Dividers




Softpod with 4 Dividers




Softpod with 5 Dividers



HXPCKIT





\* Reuse leg from existing pod



PRIVACY EXTENSIONS

Flexible privacy extensions can be added to any softPOD workstation to adjust the level of privacy based on the user's needs.




**End PET Felt  
Extension Divider  
Add-on**  
Height: 25.5"  
Depth: 9mm  
Width: 9.5"  
PET Felt  
- solid



**Top Corner PET  
Felt Extension  
Divider Add-on**  
Height: 37"  
Depth: 9mm  
Width: 19.5"  
PET Felt  
- solid  
- perforated




**Corner PET Felt  
Extension Divider  
Add-on**  
Height: 11.5"  
Depth: 9mm  
Width: 38.5"  
PET Felt  
- solid  
- perforated



**Corner  
Semitransparent  
Extension Panel  
Add-on**  
Height: 11.5"  
Depth: 9mm  
Width: 29.5"  
Acrylic  
- Semitransparent





**Top PET Felt  
Extension Divider  
Add-on for  
Softpod  
with 2 Dividers**  
Height: 11.5"  
Depth: 9mm  
Width: 55.5"  
PET Felt  
- solid  
- perforated





**Top PET Felt  
Extension Divider  
Add-on for  
Softpod  
with 3 Dividers**  
Height: 11.5"  
Depth: 9mm  
Width: 78.3"  
PET Felt  
- solid  
- perforated

**PRIVACY EXTENSIONS**


PET Felt - Solid





PET Felt - Perforated

**PET FELT COLOR PROGRAMMING**

PET Felt finishes may be the same or different for the interior and exterior of the Softpod. Only one finish may be applied to either the interior or exterior of each divider within each Softpod. Extensions may be in any single PET Felt color to complement or contrast. Due to variations in the color of felt, we recommend a contrasting or complementary color.







## WORKSURFACE DIMENSIONS AND GRAIN DIRECTION




- A single worksurface to be used within Softpod dividers.
- The surface is non-handed with pre-determined mounting points.
- Choose from either standard LP - low pressure laminate or HP - high pressure laminate, with PVC edge.

- A single wraparound worksurface to be used within Softpod dividers.
- The surface is handed L -left or R -right with pre-determined mounting points.
- Compatible with only 4 or 5 divider station configurations
- Choose from either standard LP - low pressure laminate or HP - high pressure laminate, with PVC edge.




GROMMET LOCATIONS

**GAADDCT/  
GAADCTPD**




**GAADDCT/  
GAADCTPD**




Right Hand Shown


- Grommet cut-out option for GAADS series and ModPower. Top right (TR) or top left (TL). Grommets must be ordered separately.
- GAAD grommet is not available in combination with HXECS (Cable Shroud) and HXEPK (2 Circuit Power Kit).



**PMDSF10  
PMDCF3  
PMDEF3**




**PMDSF10  
PMDCF3  
PMDEF3**




Right Hand Shown

- Grommets must be ordered separately.
- GAAD grommet is not available in combination with HXECS (Cable Shroud) and HXEPK (2 Circuit Power Kit).




## ELECTRICAL


- Power and data lines can enter Softpod via floor, ceiling, or through grommet in the divider. The grommet opening is built into every Softpod divider at a specific location, but it is covered by an on-site removable PET plug.
- A grommet on a single Softpod can also facilitate cable access to a wall outlet.
- Grommets installed on specific dividers facilitate passage of wires through Softpod dividers into adjacent Softpods.
- Orientation of worksurfaces plays an important role when planning Softpod cluster layouts with the need to pass cables between individual Softpods as the cables are best hidden underneath.
- Worksurfaces must have opposing alignment.
- Align units in cluster plan option unit type & orientation.





(A) Worksurfaces must have opposing alignment.



- Ceiling pole attaches to the divider grommet under worksurface.
- Location of the ceiling pole on the inside of the Softpod is determined by the contoured recess at the back of worksurface.
- White dots below indicate possible ceiling feed pole location within the Pod (must be at the same location as worksurface contoured recess).
- Grey dots indicate possible Ceiling feed pole location outside of the Pod (because cables pass through the divider grommets and under the worksurface).
- Black arrows indicate possible power and data cable passage between Softpods (because cables pass through the divider grommet under the worksurface, through the second divider grommet and into the adjacent Softpod, under worksurface).
- In either case, the cables enter or exit the Softpod through the divider grommet.



Recommended  
Maximum 4 unit  
cluster per 2 circuits.




● Ceiling Feed Pole Location

**ELECTRICAL OPTIONS**


## Direct Plug In

- Direct or floor monument outlet plug-in




## Grommet Application

- In surface.




## Grommet Application

- In surface Daisy Chain.





## Daisy Chain Interconnect System

- Direct or floor monument outlet plug-in




## Dual Circuit Power


- Hardwired



## Floor Feed



## Ceiling Feed






## ELECTRICAL

### 2 Circuit, 4 Wire Power Distribution

The 4-wire, 2-circuit electrical components are housed in a metal trough, mounted under worksurface, immediately adjacent to the worksurface contoured recess.






**HEIGHT ADJUSTABLE****HX3PH5472SW**



Softpod with 3 Dividers and Height Adjustable Worksurface

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface.

Includes all connecting hardware, tubular legs and supporting brackets

**HXEHP**

Optional electrical kit for use with height adjustable Softpod, includes electrical housing with receptacles, under worksurface cable basket, and black neoprene sock for wire management



Height Range of 22.5" - 48.9" (from top of surface to floor)

## HEIGHT ADJUSTABLE BASE SPECIFICATION

### Construction:

- Leg column size: 70mm
- Leg and foot materials: steel
- Glide adjustment range: 18mm
- Weight capacity: 1200N/leg
- Operation speed: 1.4 inches/sec (35mm/sec)
- Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

### Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

### Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs **N3** for three column:


- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs

- Voltage: 120V
- Temperatures: below 70°C.
- Color: Black
- Overload protection:  
Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show.  
Current limitations: single port not larger than 7A, total ports not larger than 15A.
- Type of plug: three prong
- Cord length: 1 meter


### Handset K50C:

- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification


## HEIGHT ADJUSTABLE POWER

**Side to side**


Required jumper length - 36"  
HXEPPJ36

**End to end**


Required jumper length - 90"  
HXEPPJ72  
HXEPPJ18  
BE8C11

**Back to back**

Required jumper length - 24"  
HXEPPJ24

**Line**

Required jumper length - 72"  
HXEPPJ72



## STORAGE

### Hook

For hanging small items like earphones.

### Shelf


PET Felt liner with rear hole to direct power cords for charging.

### Rear Access


Tuck valuable items out of sight

### Bag Drop

Area for storing personal items.




**Optional Lockable  
Door Unit Available.**




### Pantry Storage

Multifunction, customizable storage


ACCESSORIES




**HXNP**  
**Name Plate**  
Height: 3.5"  
Depth: 0.5"  
Width: 11"  
• Two sided white dry erase surface.




**HXAHS**  
**Hanging Shelf**  
Height: 16"  
Depth: 3"  
Width: 23.5"  
• Optional dry erase board available




**HXARWS**  
**Rear Wall Shelf**  
Height: 3/4"  
Depth: 4.5"  
Width: 32.5"  
• Laminate  
NOTE : Not compatible with Ceiling Feed Pole or any monitor mounts.






**HXABG**  
**Under Surface Bag Hook**






**HXACHT**  
**Coat, Bag Hook for horizontal divider edge**



**HXACHS**  
**Coat, Bag Hook for Dividers**




SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX2P5452SW	30 x 49 x 54	92.5	87	7.86	\$2934	\$308
Softpod w/2 Dividers and Worksurface*	<p>Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 4-7/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	D x W x H						
	HX2PM5452SW	30 x 49 x 54	150	87	17.88	\$2964	\$306
Mobile Softpod w/2 Dividers* and Worksurface	<p>Complete 2 divider pod consisting of two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 4-7/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	D x W x H						
	HX3PF	30 x 72 x 54	125	85	14.1	\$3161	n/a
Softpod w/3 Dividers	<p>Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Mobile Softpod w/3 Dividers</b>	<b>D x W x H</b>						
	HX3PFM	30 x 72 x 54	125	85	14.1	<b>\$3204</b>	n/a
	<p>Complete 3 divider pod consisting of one straight back divider and two side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
 <b>Softpod w/3 Dividers and Worksurface*</b>	HX3P5472SW	30 x 72 x 54	125	141	22.92	<b>\$4320</b>	<b>\$568</b>
 <b>Mobile Softpod w/3 Dividers and Worksurface</b>	<p>Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	HX3PM5472SW	30 x 72 x 54	150	127	23.2	<b>\$4317</b>	<b>\$636</b>
	<p>Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b> PET felt interior finish PET felt exterior finish Laminate finish* Edge finish* / Leg finish	<b>Optional specifications</b> HP laminate* Grommet option*	<b>Accessories</b> Keyboard tray* Power block*
---	---	--



SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX3PH5472SW	30 x 72 x 54	150	133	23.48	\$6487	\$636
							
	HX4PF	30 x 72 x 54	125	85	14.1	\$4318	n/a
							
	HX4PFM	30 x 72 x 54	100	117	14.1	\$4373	n/a

Softpod w/3 Dividers and Height Adjustable Worksurface\*

Complete 3 divider pod consisting of one straight back divider, two side j-dividers and one height adjustable worksurface. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.
- Panel legs are powder coated paint. Specify standard paint finish.
- Height adjustable legs are powder coated. Specify Black (BLK), Blizzard (BZD), Charcoal (CHR), Designer White (DWT), Nevada (NEV), Stonedust (SDT), Silver (SIL), Taupe (TPE) and Tungsten (TUN).
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Softpod w/4 Dividers

Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.




- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.

Mobile Softpod w/4 Dividers




Complete 4 divider pod consisting of one straight back divider and three side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.

- Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.
- The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).
- Metal legs and stiffeners are powder coated paint. Specify standard paint finish.
- Complete pod includes all connecting hardware, tubular legs and supporting brackets.
- Extensions, electrical, storage and accessories are specified separately.




Required specifications	Optional specifications	Accessories
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX4P5472SW	65 x 72 x 54	125	170	25.41	\$5423	\$568
Softpod w/4 Dividers and Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• J-divider may be installed on the left or right.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	Left:						
	HX4P5472LW	65 x 72 x 54	100	117	14.1	\$5904	\$800
	Right:						
	HX4P5472RW	65 x 72 x 54	125	185	25.41	\$5904	\$800
Softpod w/4 Dividers and Wraparound Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
	Left:						
	HX4PM5472LW	65 x 72 x 54	125	168	25.4	\$5854	\$895
	Right:						
	HX4PM5472RW	65 x 72 x 54	125	168	25.4	\$5854	\$895
Mobile Softpod w/4 Dividers and Wraparound Worksurface	<p>Complete 4 divider pod consisting of one straight back divider, three side j-dividers and one standard wraparound worksurface. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs with casters are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate	Keyboard tray
PET felt exterior finish	Grommet option	Power block
Laminate finish		
Edge finish / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	HX5PF	65 x 72 x 54	150	148	28.24	\$5474	n/a
Softpod w/5 Dividers	<p>Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
							
	HX5PFM	65 x 72 x 54	150	148	28.24	\$5544	n/a
Mobile Softpod w/5 Dividers	<p>Complete 5 divider pod consisting of one straight back divider and four side j-dividers. Installed pod measures 54" h from the floor and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Metal legs with casters and stiffeners are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						
							
	HX5P5472SW	65 x 72 x 54	125	198	25.41	\$6623	\$569
Softpod w/5 Dividers and Worksurface*	<p>Complete 5 divider pod consisting of one straight back divider, four side j-dividers and one standard worksurface. Installed pod measures 54" h from the floor, 25" from top of surface and has a clearance of 6-3/8" at floor level.</p> <ul style="list-style-type: none"><li>• Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li><li>• The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li><li>• Worksurface choice of thermally fused (LP) or high pressure (HP) laminate with PVC edge.</li><li>• Metal legs are powder coated paint. Specify standard paint finish.</li><li>• Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li><li>• J-dividers can be installed both on left or right side or one on each side.</li><li>• Extensions, electrical, storage and accessories are specified separately.</li></ul>						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
PET felt interior finish	HP laminate*	Keyboard tray*
PET felt exterior finish	Grommet option*	Power block*
Laminate finish*		
Edge finish* / Leg finish		

SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><i>right shown</i></p> <p><b>Softpod w/5 Dividers and* Wraparound Worksurface</b></p>	D x W x H						
	Left:						
	HX5P5472LW	65 x 72 x 54	100	213.36	25.41	<b>\$7034</b>	<b>\$799</b>
	Right:						
	HX5P5472RW	65 x 72 x 54	100	213.36	25.41	<b>\$7034</b>	<b>\$799</b>
 <p><b>Softpod w/6 Dividers</b></p>							
	HX6PF	65 x 96 x 54	125	171	28.24	<b>\$6627</b>	n/a
 <p><b>Softpod w/6 Dividers and D-Top* Worksurface</b></p>							
	HX6PFD	54 x 96 x 54	300	218	191	<b>\$7543</b>	<b>\$341</b>

**Required specifications**





PET felt interior finish  
 PET felt exterior finish  
 Laminate finish\*  
 Edge finish\* / Leg finish

**Optional specifications**






HP laminate\*  
 Grommet option\*

**Accessories**

Keyboard tray\*  
 Power block\*






SOFTPODS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	HX7PF	65 x 119 x 54	125	193	28.24	<b>\$7450</b>	n/a
<b>Softpod w/7 Dividers</b>	<p>Complete 7 divider pod consisting of two straight back dividers and four side j-dividers. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"> <li>Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>Extensions, electrical, storage and accessories are specified separately.</li> </ul>						
							
	HX7PFD	65 x 119 x 54	100	247	30.76	<b>\$8559</b>	<b>\$341</b>
<b>Softpod w/7 Dividers and D-Top* Worksurface</b>	<p>Complete 7 divider pod consisting of two straight back dividers, four side j-dividers and one collaborative worksurface. Installed pod measures 54”h from the floor and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"> <li>Dividers are surfaced with tackable PET felt. Interior PET felt color may be different than the outer.</li> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>Metal legs and stiffeners are powder coated paint. Specify standard paint finish.</li> <li>Complete pod includes all connecting hardware, tubular legs and supporting brackets.</li> <li>Extensions, electrical, storage and accessories are specified separately.</li> </ul>						
							
	HXP5430AP	6 x 30 x 54	300	28.3	16.17	<b>\$1237</b>	
<b>Single J-divider</b>	<p><i>To be ordered as an add-on to a previously ordered 3-divider or 4-divider pod.</i> A single divider is curved; non-handed; symmetrical along the horizontal axis. J-dividers are surfaced with PET felt. Interior PET felt color may be different than the outer. Installed pod measures 54”h from the floor, 25” from top of surface and has a clearance of 6-3/8” at floor level.</p> <ul style="list-style-type: none"> <li>The divider perimeter reveal trim accepts privacy extensions and is made of polypropylene available only in Charcoal (CHR).</li> <li>J-divider comes complete with top connector kit, shared leg kit and trim.</li> <li>If a single J-divider is ordered as an add-on to a previous order, the PET felt finish may or may not match based on dyelot and fading.</li> <li>J-divider is not freestanding.</li> </ul>						
							
	HXPCKIT	2.25 x 6 x 2.25	70	1	0.04	<b>\$42</b>	
<b>Connection Kit</b>	<p>Kit consists of all hardware required to connect two Softpods end-to-end. For use in specials when a customer wants to link several Softpods together.</p>						

<b>Required specifications</b> PET felt interior finish PET felt exterior finish Laminate finish* Edge finish* / Leg finish	<b>Optional specifications</b> HP laminate* Grommet option*	<b>Accessories</b> Keyboard tray* Power block*
---	---	--






SOFTPOD EXTENSIONS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	HXPAAEFE	0.35 x 9.3 x 25.4	70	0.63	0.05	<b>\$60</b>
<b>End PET Felt Extension Divider Add-on</b>	<p>Designed to add 8.7" of additional depth privacy at the end of the divider. Fits into the base perimeter reveal and placement is user oriented.</p> <ul style="list-style-type: none"> <li>PET felt divider surface is tackable.</li> <li><i>Not available with perforated pattern.</i></li> </ul>					
	HXPACFE	0.35 x 38.3 x 11.69	70	1.16	0.09	<b>\$106</b>
<b>Corner PET Felt Extension Divider Add-on</b>	HXPACFEP	0.35 x 38.3 x 11.69	70	1.16	0.09	<b>\$412</b>
<p>Designed to add 11.1" of additional height privacy at the top corner of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.</p> <ul style="list-style-type: none"> <li>PET felt divider surface is tackable.</li> <li>Perforated pattern option available, shown with "P" at the end of the code.</li> </ul>						
	HXPATCFE	0.35 x 19.5 x 37.1	70	1.25	0.15	<b>\$116</b>
<b>Top Corner PET Felt Extension Divider Add-on</b>	HXPATCFEP	0.35 x 19.5 x 37.1	70	1.25	0.15	<b>\$275</b>
<p>Designed to add 8.7" of additional height privacy at the top of the divider and 11.1" depth at the end of the divider. Fits into the divider perimeter reveal and placement is user oriented. Pod with Corner PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.</p> <ul style="list-style-type: none"> <li>PET felt divider surface is tackable.</li> <li>Perforated pattern option available, shown with "P" at the end of the code.</li> </ul>						
	HXPA1CFE	0.35 x 55.51 x 11.69	70	2	0.13	<b>\$193</b>
<b>PET Felt Extension Divider Add-on for Softpod w/2 Dividers</b>	HXPA1CFEP	0.35 x 55.51 x 11.69	70	2	0.13	<b>\$386</b>
<p>Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.</p> <ul style="list-style-type: none"> <li>PET felt divider surface is tackable.</li> <li>Perforated pattern option available, shown with "P" at the end of the code.</li> </ul>						
	HXPA2CFE	0.35 x 55.51 x 11.69	70	3	0.19	<b>\$220</b>
<b>PET Felt Extension Divider Add-on for Softpod w/3 Dividers</b>	HXPA2CFEP	0.35 x 55.51 x 11.69	70	3	0.19	<b>\$437</b>
<p>Designed to add 11.1" of additional privacy at the top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with PET Felt Extension Divider Add-on installed measures 65" from floor, 36" from top of worksurface.</p> <ul style="list-style-type: none"> <li>PET felt divider surface is tackable.</li> <li>Perforated pattern option available, shown with "P" at the end of the code.</li> </ul>						

**Required specifications**

PET felt finish

SOFTPOD EXTENSIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Corner Semitransparent Extension Panel Add-on*</b>		D x W x H				
	HXPACFES	16.8 x 29.50 x 11.69	70	1	3.35	<b>\$1051</b>
 <b>PET Felt Extension Panel Add-on for Softpod Height Adjustable Table**</b>	Designed to add 11" of additional privacy on top of the divider assembly. Fits into the base perimeter reveal and placement is user oriented. Pod with Extension Panel Add-on installed measures 65" from floor, 36" from top of worksurface. Divider is frosted for added privacy. • Available in three colors: Translucent ( <b>TNC</b> ), Blue ( <b>TNB</b> ) and Yellow ( <b>TNY</b> ). Specify finish.					
	HXPACFEH	16.8 x 29.50 x 11.69	250	6	1.65	<b>\$441</b>
	HXPACFHP	16.8 x 29.50 x 11.69	250	6	1.65	<b>\$884</b>
POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>DPC Slim Desktop 2 Power/USB-A + C</b>	PSDPC22W	2.25 x 4.88 x 2.25	60	2.5	0.05	<b>\$324</b>
	Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.					
 <b>DPC Slim Desktop 3 Power/USB-A + C</b>	PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.05	<b>\$432</b>
	Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face.					
 <b>Under Worksurface/Edge USB Charger</b>	HXEUWC	4 x 3 x 1	70	0.31	0.01	<b>\$546</b>
	Under surface table-mounted module with dual USB-A & -C charging ports. Consists of one 15 watt USB-C charging outlet and one 2.1 amp USB-A charging outlet. Unit has white housing, white powder coated mounting bracket and white electrical cord.					

**Required specifications**  
Acrylic color\*  
PET felt finish\*\*

POWER/DATA	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Cable Shroud**</b></p>	HXECS	9.73 x 23.5 x 20.85	70	1.62	2.87	<b>\$113</b>
	<p>Secures to the bottom of the worksurface and clips to the bottom of straight section of any divider. Includes all connecting hardware. Specify PET felt color.</p>					
	HXEPGK	2.75 x 5.5 x 3.25	70	0.27	0.02	<b>\$44</b>
 <p><b>Divider Grommet Kit**</b></p>	<p>Facilitates passage of wires through any softPOD divider. Can be located either below or above the worksurface. Installed on site; no need to order special dividers. Powder coated die-cast aluminum divider grommet - specify Charcoal (CHR) or White (DWT). Can be installed on a single panel or to connect two panels when used in conjunction with the Divider Grommet Connector/Spacer.</p>					
 <p><b>Divider Grommet Connector/Spacer</b></p>	HXEPGCS	2.75 x 5.5 x 3.25	70	0.04	0.01	<b>\$21</b>
 <p><b>Softpod Height Adjustable Power Kit</b></p>	 <p>Converts any divider grommet kit into a connector. Clamps two dividers together through the divider grommet opening. Can be located above or below the worksurface at pre-determined locations. Specify with the Divider Grommet Kit or use with the Divider Grommet Kit included in the Station 2-Circuit Power Kit. Made of injection molded ABS in Charcoal (CHR).</p> <ul style="list-style-type: none"> <li>• For dual pod connection, only 1 HXEPGK is needed.</li> </ul>					
	HXEHP	8.06 x 22 x 21.5	150	5	1	<b>\$872</b>
<p>Consists of two duplexes, cable basket and electrical housing. Accommodates one standard data plate (data cover included).</p> <ul style="list-style-type: none"> <li>• Facilitates 2-circuit power delivery.</li> <li>• Facilitates interconnection of two stations. Please specify Station to Station Jumper Kit.</li> <li>• Specify duplex circuit #1, #2 or combination #1+2.</li> <li>• Ceiling or base feed not included. Specify separately.</li> <li>• Includes all connecting hardware and supporting brackets.</li> </ul>						


**Required specifications**  
 PET felt finish\*  
 Grommet finish\*\*



Required specifications

POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
------------	--------	------------	---------------	---------	-----------	------------

- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".



MODPOWER DAISY-CHAIN SOLUTION	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------------------------	--------	------------	---------------	---------	-----------	------------



ModPower In-Surface Starter Unit

PMDSF10MG	2.75 x 7.63 x 2.63	250	3.44	1	\$555
PMDSF10WH	2.75 x 7.63 x 2.63	250	3.44	1	\$555

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower In-Surface Middle Unit

PMDCF3MG	2.75 x 7.63 x 2.63	250	2.44	1	\$522
PMDCF3WH	2.75 x 7.63 x 2.63	250	2.44	1	\$522

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower In-Surface End Unit

PMDEF3MG	2.75 x 7.63 x 2.63	70	1.85	1	\$457
PMDEF3WH	2.75 x 7.63 x 2.63	70	1.85	1	\$457

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## MODPOWER/ELECTRICAL



ModPower On-Surface Starter Unit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	<b>\$587</b>
PMDSA10WH	1.75 x 6.13 x 2.5	150	4.33	1	<b>\$587</b>

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower On-Surface Middle Unit

PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	<b>\$555</b>
PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	<b>\$555</b>


Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower On-Surface End Unit

PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	<b>\$489</b>
PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	<b>\$489</b>

Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



ModPower Cable Management Clips

PMDCLIPS	2.5 x 2.6 x .6	70	0.03	0.02	<b>\$98</b>
----------	----------------	----	------	------	-------------


Package of 10 clips.



ModPower Interconnecting Jumper

PMDJ36BK	-- x 36 x --	70	1.38	0.09	<b>\$329</b>
----------	--------------	----	------	------	--------------







Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.



Station 2-Circuit Power Kit

HXEPK11	9.73 x 23.5 x 20.85	300	3.92	2.76	<b>\$463</b>
HXEPK12	9.73 x 23.5 x 20.85	300	3.92	2.76	<b>\$463</b>
HXEPK22	9.73 x 23.5 x 20.85	300	3.92	2.76	<b>\$463</b>

Station 2-Circuit power kit consists of two duplexes, trough, cable shroud and divider grommet. Accommodates up to two standard data plates (data plates not included). Accommodates center mount single or dual screen monitor arm. Facilitates 2-circuit power delivery. Facilitates power connection between stations. Specify Station to Station Jumper Kit. Specify duplex circuit #1, #2 or combination of #1+2. Ceiling or base feed not included - specify separately. Trough is powder coated metal in Charcoal (CHR). Includes all connecting hardware, supporting brackets and through divider grommet.


ELECTRICAL/ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Station to Station Jumper Kit</b></p>		<b>D x W x H</b>				
	HXEPPJ78	2 x 78.5 x 2	92.5	2	0.18	<b>\$418</b>
	HXEPPJ72	2 x 72.5 x 2	92.5	2	0.17	<b>\$414</b>
	HXEPPJ60	2 x 60.5 x 2	70	1	0.14	<b>\$382</b>
	HXEPPJ48	2 x 48.5 x 2	70	1	0.11	<b>\$346</b>
	HXEPPJ36	2 x 36.5 x 2	70	1	0.08	<b>\$261</b>
	HXEPPJ30	2 x 30.5 x 2	70	1	0.07	<b>\$240</b>
	HXEPPJ24	2 x 24.5 x 2	70	1	0.06	<b>\$210</b>
	HXEPPJ18	2 x 18.5 x 2	70	1	0.04	<b>\$191</b>
Facilitates interconnection of two stations (under the worksurface). Black neoprene sock of equal length included. Mounting clips included (qty. based on length).						
 <p><b>Base Feed</b></p>	HXEBF	2 x 72 x 2	60	5.6	0.06	<b>\$391</b>
Provides single power entry from floor into 2-Circuit Power Kit under worksurface. 6' long liquid tight whip plugs into the side of the left or right duplex. Must be hard wired to the building power supply by a licensed electrician. Base feed jumper included.						
 <p><b>Ceiling Feed</b></p>	HXECF	2 x 144 x 2	60	5.6	0.06	<b>\$266</b>
Ceiling feed plugs into side of left or right duplex mounted within the 2-Circuit Power Kit. 10' long metal conduit, ready to be hardwired to building power supply. Strain relief fitting provided; junction box is not included. To be used with HXECFP - Ceiling Feed Pole.						
 <p><b>Ceiling Pole**</b></p>	HXECFP	1.5 x 6 x 116	85	5.49	0.38	<b>\$224</b>
Manages power and data cables between ceiling and worksurface. Aluminum extrusion with PVC cover secures to the divider grommet and passes below worksurface through the worksurface contoured recess. Includes mounting hardware and ceiling bezel. Hardware for securing the pole above ceiling tile is not included. Specify paint finish. Ceiling Feed HXECF must be ordered separately. PVC cover is standard in Charcoal (CHR). Cover can be removed to access cabling inside.						
 <p><b>Under Worksurface Casual Storage Unit*</b></p>	HXSCSO	24 x 8 x 21	150	20.18	4.22	<b>\$486</b>
Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface.						
<ul style="list-style-type: none"> <li>• Select from standard PET and paint finishes.</li> <li>• Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).</li> </ul>						
 <p><b>Under Worksurface Lockable Casual Storage Unit**</b></p>	HXSCSOL	24 x 8 x 21	100	37	4.22	<b>\$1138</b>
	HXSCSOR	24 x 8 x 21	100	37	4.22	<b>\$1138</b>
Open storage with shelf; extension at the back provides side compartment. Sheet metal construction with PET felt liner, 24"D. Secures to bottom of worksurface.						
<ul style="list-style-type: none"> <li>• Select from standard PET and paint finishes.</li> <li>• Order coat hook HXACHS, attaches to either left or right side of storage unit (sold separately).</li> <li>• Lockable cabinet with key - laminate with PVC edge. Specify finishes.</li> <li>• <i>Cannot be installed on height adjustable Softpod.</i></li> </ul>						

**Required specifications**

Paint finish\*


PET felt color\*

Laminate finish\*\*

PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Left (NL) shown <b>Pantry Storage**</b>		D x W x H					
	FFPO1224H54NL	24 x 12 x 54	70	138	9	\$2717	\$31
	FFPO1230H54NL	30 x 12 x 54	85	153	11	\$2847	\$31
	FFPO1236H54NL	36 x 12 x 54	92.5	167	14	\$2978	\$43
	FFPO1224H54NR	24 x 12 x 54	70	138	9	\$2717	\$31
	FFPO1230H54NR	30 x 12 x 54	85	153	11	\$2847	\$31
	FFPO1236H54NR	36 x 12 x 54	92.5	167	14	\$2978	\$43
	FFPO1824H54NL	24 x 18 x 54	92.5	166	14	\$3149	\$43
	FFPO1830H54NL	30 x 18 x 54	92.5	182	17	\$3291	\$55
	FFPO1836H54NL	36 x 18 x 54	100	197	20	\$3433	\$61
	FFPO1824H54NR	24 x 18 x 54	92.5	166	14	\$3149	\$43
	FFPO1830H54NR	30 x 18 x 54	92.5	182	17	\$3291	\$55
	FFPO1836H54NR	36 x 18 x 54	100	197	20	\$3433	\$61

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.




FFPO1224H54NLUSB	24 x 12 x 54	70	138	9	\$3330	\$31
FFPO1230H54NLUSB	30 x 12 x 54	85	153	11	\$3460	\$31
FFPO1236H54NLUSB	36 x 12 x 54	92.5	167	14	\$3590	\$43
FFPO1224H54NRUSB	24 x 12 x 54	70	138	9	\$3330	\$31
FFPO1230H54NRUSB	30 x 12 x 54	85	153	11	\$3460	\$31
FFPO1236H54NRUSB	36 x 12 x 54	92.5	167	14	\$3590	\$43
FFPO1824H54NLUSB	24 x 18 x 54	92.5	166	14	\$3760	\$43
FFPO1830H54NLUSB	30 x 18 x 54	92.5	182	17	\$3904	\$55
FFPO1836H54NLUSB	36 x 18 x 54	100	197	20	\$4045	\$61
FFPO1824H54NRUSB	24 x 18 x 54	92.5	166	14	\$3760	\$43
FFPO1830H54NRUSB	30 x 18 x 54	92.5	182	17	\$3904	\$55
FFPO1836H54NRUSB	36 x 18 x 54	100	197	20	\$4045	\$61

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

<b>Required specifications</b>	<b>Optional specifications</b>
Laminate finish	HP laminate
	Dry-erase board

PANTRY STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H							
	FFPW1224H42NL	24 x 12 x 42	70	128	7	\$2969	\$34
	FFPW1230H42NL	30 x 12 x 42	70	143	9	\$3105	\$41
	FFPW1236H42NL	36 x 12 x 42	85	157	11	\$3238	\$51
	FFPW1824H42NL	24 x 18 x 42	85	156	11	\$3438	\$52
	FFPW1830H42NL	30 x 18 x 42	85	172	13	\$3588	\$63
	FFPW1836H42NL	36 x 18 x 42	92.5	187	16	\$3738	\$76
	FFPW1224NL	24 x 12 x 50	70	133	8	\$3236	\$30
	FFPW1230NL	30 x 12 x 50	85	148	10	\$3378	\$59
	FFPW1236NL	36 x 12 x 50	92.5	162	15	\$3521	\$85
	FFPW1824NL	24 x 18 x 50	85	161	12	\$3781	\$59
	FFPW1830NL	30 x 18 x 50	92.5	177	15	\$3935	\$97
	FFPW1836NL	36 x 18 x 50	92.5	192	18	\$4091	\$128
	FFPW1224H54NL	24 x 12 x 54	70	138	9	\$3298	\$32
	FFPW1230H54NL	30 x 12 x 54	85	153	11	\$3439	\$38
	FFPW1236H54NL	36 x 12 x 54	92.5	167	14	\$3583	\$44
	FFPW1824H54NL	24 x 18 x 54	92.5	166	14	\$3855	\$44
	FFPW1830H54NL	30 x 18 x 54	92.5	182	17	\$4009	\$57
	FFPW1836H54NL	36 x 18 x 54	100	197	20	\$4166	\$64
	FFPW1224H42NR	24 x 12 x 42	70	128	7	\$2969	\$34
	FFPW1230H42NR	30 x 12 x 42	70	143	9	\$3105	\$41
	FFPW1236H42NR	36 x 12 x 42	85	157	11	\$3238	\$51
	FFPW1824H42NR	24 x 18 x 42	85	156	11	\$3438	\$52
	FFPW1830H42NR	30 x 18 x 42	85	172	13	\$3588	\$63
	FFPW1836H42NR	36 x 18 x 42	92.5	187	16	\$3738	\$76
	FFPW1224NR	24 x 12 x 50	70	133	8	\$3236	\$30
	FFPW1230NR	30 x 12 x 50	85	148	10	\$3378	\$59
	FFPW1236NR	36 x 12 x 50	92.5	162	15	\$3521	\$85
	FFPW1824NR	24 x 18 x 50	85	161	12	\$3781	\$59
	FFPW1830NR	30 x 18 x 50	92.5	177	15	\$3935	\$97
	FFPW1836NR	36 x 18 x 50	92.5	192	18	\$4091	\$128
	FFPW1224H54NR	24 x 12 x 54	70	138	9	\$3298	\$32
	FFPW1230H54NR	30 x 12 x 54	85	153	11	\$3439	\$38
	FFPW1236H54NR	36 x 12 x 54	92.5	167	14	\$3583	\$44
	FFPW1824H54NR	24 x 18 x 54	92.5	166	14	\$3855	\$44
	FFPW1830H54NR	30 x 18 x 54	92.5	182	17	\$4009	\$57
	FFPW1836H54NR	36 x 18 x 54	100	197	20	\$4166	\$64



Left (NL) shown

**Pantry Storage w/Wardrobe**

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.


- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

**Required specifications**

Laminate finish

**Optional specifications**

HP laminate  
Dry-erase board


PANTRY STORAGE	MODEL#	DIMENSIONS		FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H						
	FFPW1224H42NLUSB	24	12 x 42	70	128	7	\$3645	\$34
	FFPW1230H42NLUSB	30	12 x 42	70	143	9	\$3781	\$41
	FFPW1236H42NLUSB	36	12 x 42	85	157	11	\$3914	\$51
	FFPW1824H42NLUSB	24	18 x 42	85	158	11	\$4115	\$52
	FFPW1830H42NLUSB	30	18 x 42	85	172	13	\$4266	\$63
	FFPW1836H42NLUSB	36	18 x 42	92.5	187	16	\$4415	\$76
	FFPW1224NLUSB	24	12 x 50	70	133	8	\$3912	\$30
	FFPW1230NLUSB	30	12 x 50	85	148	10	\$4055	\$59
	FFPW1236NLUSB	36	12 x 50	92.5	162	15	\$4199	\$85
	FFPW1824NLUSB	24	18 x 50	85	161	12	\$4459	\$59
	FFPW1830NLUSB	30	18 x 50	92.5	177	15	\$4611	\$97
	FFPW1836NLUSB	36	18 x 50	92.5	192	18	\$4767	\$128
	FFPW1224H54NLUSB	24	12 x 54	70	138	9	\$3975	\$32
	FFPW1230H54NLUSB	30	12 x 54	85	153	11	\$4117	\$38
	FFPW1236H54NLUSB	36	12 x 54	92.5	167	14	\$4260	\$44
	FFPW1824H54NLUSB	24	18 x 54	92.5	166	14	\$4531	\$44
	FFPW1830H54NLUSB	30	18 x 54	92.5	182	17	\$4686	\$57
	FFPW1836H54NLUSB	36	18 x 54	100	197	20	\$4842	\$64
	FFPW1224H42NRUSB	24	12 x 42	70	128	7	\$3645	\$34
	FFPW1230H42NRUSB	30	12 x 42	70	143	9	\$3781	\$41
	FFPW1236H42NRUSB	36	12 x 42	85	157	11	\$3914	\$51
	FFPW1824H42NRUSB	24	18 x 42	85	158	11	\$4115	\$52
	FFPW1830H42NRUSB	30	18 x 42	85	172	13	\$4266	\$63
	FFPW1836H42NRUSB	36	18 x 42	92.5	187	16	\$4415	\$76
	FFPW1224NRUSB	24	12 x 50	70	133	8	\$3912	\$30
	FFPW1230NRUSB	30	12 x 50	85	148	10	\$4055	\$59
	FFPW1236NRUSB	36	12 x 50	92.5	162	15	\$4199	\$85
	FFPW1824NRUSB	24	18 x 50	85	161	12	\$4459	\$59
	FFPW1830NRUSB	30	18 x 50	92.5	177	15	\$4611	\$97
	FFPW1836NRUSB	36	18 x 50	92.5	192	18	\$4767	\$128
	FFPW1224H54NRUSB	24	12 x 54	70	138	9	\$3975	\$32
	FFPW1230H54NRUSB	30	12 x 54	85	153	11	\$4117	\$38
	FFPW1236H54NRUSB	36	12 x 54	92.5	167	14	\$4260	\$44
	FFPW1824H54NRUSB	24	18 x 54	92.5	166	14	\$4531	\$44
	FFPW1830H54NRUSB	30	18 x 54	92.5	182	17	\$4686	\$57
	FFPW1836H54NRUSB	36	18 x 54	100	197	20	\$4842	\$64


Pantry Storage w/Wardrobe and USB

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

Required specifications	Optional specifications
Laminate finish	HP laminate
	Dry-erase board

PANTRY STORAGE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	<b>Felt Pantry Storage Bin</b>		D x W x H					
		FFPSB0912	8.6 x 11.8 x 7.5	70	8.6	0.03	<b>\$72</b>	
		Crafted from recycled PET felt, felt bins are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.						

	<b>Felt Pantry Storage Tray</b>							
		FFPST0609	5.9 x 8.6 x 2.6	70	0.28	0.08	<b>\$30</b>	
		Crafted from recycled PET felt, felt trays are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.						



TASK LIGHTING


D x W x H

Mounting Options for Voyage and Revo Lights:

- Freestanding Base (FS)
- Freestanding Base with USB charge port (FSUSB) - Add \$110.
- Surface Mount (SM)
- Clamp Mount (CM)

REVO + VOYAGE

MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE




Voyage - Single Arm

LINLAMPS      6 x 6 x 14.1      60      2.66      .01      \$709

Fully articulating body with single arm. 6’ power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

- Occupancy Sensor (OS) - Add \$83




Voyage - Double Arm

LINLAMPD      6 x 6 x 21.6      60      2.66      .01      \$726

Fully articulating body with double arm. 6’ power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

- Occupancy Sensor (OS) - Add \$83




Revo - Single Arm

RNDLAMPS      6 x 6 x 14.1      60      2.66      .01      \$709

Fully articulating body with single arm. 6’ power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.

- Occupancy Sensor (OS) - Add \$83



Revo - Double Arm

RNDLAMPD      6 x 6 x 21.6      60      2.66      .01      \$726

Fully articulating body with double arm. 6’ power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL Listed: UL 1153:2014.








- Occupancy Sensor (OS) - Add \$83

Required Specifications

Finish  
Mount

Optional Specifications

Occupancy Sensor

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Hanging Shelf*</b>		D x W x H					
	HXAHS	3 x 23.5 x 16	150	8.8	1.91	<b>\$155</b>	n/a
		Suspends from the divider's top reveal. Installed board measures 16" from top; 9" from top of worksurface. Shelf is painted metal, tray insert is PET felt. Magnetic.					
 <b>Hanging Shelf w/Dry Erase Board*</b>							
	HXAHSWB	3 x 23.5 x 16	150	9.57	1.91	<b>\$592</b>	n/a
		Suspends from the divider's top reveal. Installed board measures 16" from top; 9" from top of worksurface. White surface, painted metal frame, tray insert is PET felt. Magnetic.					
 <b>Rear Wall Shelf**</b>							
	HXARWS	4.5 x 32.25 x 0.75	250	2.8	1.13	<b>\$158</b>	<b>\$44</b>
		3/4" laminate shelf; non-handed, with pre-determined mounting points. 2.5" front radii. <i>Not compatible with Ceiling Feed Pole or any monitor mounts.</i>					
 <b>Coat/Bag Hook for Dividers*</b>							
	HXACHS	0.75 x 1.25 x 2	70	0.05	0.01	<b>\$45</b>	n/a
		Can be installed anywhere along the divider perimeter reveal or either side of the Under Surface Casual Storage Unit. Made of die-cast aluminum; plug insert is PET felt.					
 <b>Coat/Bag Hook for Divider Edge*</b>							
	HXACHT	0.75 x 1.25 x 2	70	0.23	0.01	<b>\$53</b>	n/a
		Can be installed anywhere along the divider perimeter reveal or either or both sides of any divider. Made of die-cast aluminum with steel brackets; plug insert is PET felt.					
 <b>Under Surface Bag Hook*</b>							
	HXABH	0.75 x 1.25 x 2	70	0.18	0.01	<b>\$49</b>	n/a
		Can be secured to the bottom of worksurface. Made of die-cast aluminum with steel brackets; plug insert is PET felt.					
 <b>Name Plate</b>							
	HXNP	0.5 x 10.75 x 3.625	70	0.26	0.01	<b>\$90</b>	n/a
		Sits inside the divider top reveal. Two-sided white dry erase surface laminated to 1/2" PET felt. Can be mounted horizontally or vertically.					

**Required specifications**  
Paint finish\*  
Laminate finish\*\*

**Optional Specifications**  
HP laminate\*\*



**Productivity Solutions™ by Global** is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support

**Features and Benefits**

- Manual height adjustable table has counterbalanced spring mechanism
- Five keyboard support mechanisms
- Four keyboard trays
- Monitor arm options
- Wire management and power/data options
- Meets ANSI-BIFMA, Greenguard Indoor Air Quality, Greenguard Gold Certified



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism



Foli electric height adjustable table



Manual height adjustable desk

## MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism
- Exceptional ergonomic alternative to traditional desking
- Sit-Stand design promotes increased circulation, improving performance and comfort
- Can be used alone or in conjunction with Global desks.

**Please note:** Global desks are 1" or 1.5" thick.

- Meets ANSI/BIFMA requirements

## TOP FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## CONSTRUCTION

- 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate

## DIMENSIONS

- When designing workstations, leave 1" clearance on either side to prevent finger pinch

## EDGE

- Preferred matching edge

## BASE

- Heavy duty steel formed legs with radius detail are available in Black only
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish. Black only.
- Black plastic leveling glides offer 0.5" adjustability

## GROMMETS

- Grommets available in standard worksurface locations (left, center or right)
- Order as: **AG1, AG2 or AG3. Add \$103.**




- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep

## MECHANISM

- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26"
- 7 year warranty

## SHIPPING

- Shipped RTA (Ready to Assemble)
- Easy to assemble with Phillips or Robertson screwdriver

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
 <p>Rectangular Table</p>	<b>Rectangular Tops:</b>					
	HTM3058T	30 x 58 x 1	70	50	2.50	<b>\$589</b>
	HTM3046T	30 x 46 x 1	70	40	2	<b>\$494</b>
	HTM2458T	24 x 58 x 1	70	40	2	<b>\$452</b>
	HTM2446T	24 x 46 x 1	70	32	1.50	<b>\$420</b>
	<b>Base:</b>					
	KEZLIFT	24 x 34.5 x 26-46	70	88	5.40	<b>\$3154</b>
	Paddle activated height adjustable base. Height adjustable from 26" to 46". Keyboard tray and mechanism not necessary					
	• <b>Specify base separately from top</b>					

## Required Specifications

Top Finish

FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES

D x W x H

- Electric height adjustment allows for easy movement from sitting to standing and back throughout the day. Foli's work surface moves with you and your work without interruption.
- Foli offers a universal freestanding design and finish options to easily integrate with existing Global workstation configurations, becoming a natural part of your office space
- Whether in a private or general office, touch-down space, collaborative area or home office, Foli supports a more active and healthy work style
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick.

TOP FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

EDGE

- Preferred matching edge

CONSTRUCTION

- Tops are 1" thick, constructed of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick.
- Steel constructed leg tubing, feet and cross bar
- 108" 3-prong power cord
- Table frame designed with 3.15" x 2.35" rectangular outer leg with large tubing facing down
- "T" leg, flat foot design with adjustable glides
- Expandable cross bars for table widths of 48", 54", 60", 66" and 72"
- Available table depths of 23" and 29"
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.


BASE

- 3-stage steel constructed leg tubing, feet and cross bar
- Dual motors are concealed within column.
- Provides height adjustment from 22.6" to 48.6" (26" adjustability with 1" top)
- Leveling glides offer 1" adjustability
- Operates at 1.3" per second
- Lifts 265 lbs.
- Shadow power draw 0.5 watts
- Base available in a Silver powder coated finish, will never mar during adjustment
- Open front cross bar to accomodate articulating keyboard platforms.
- Easy to use, push button controller with digital readout.
- Anti-collision feature standard


GROMMETS

- Grommets available in standard table top locations (left, center or right). Order as: **AG1, AG2 or AG3 - Add \$103**
- Return tops: cut-out available in center only (**AG2**)
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


Grommet hole dimensions:



Grommet:



Grommet Locations:



POWER BLOCK

- A power block (model **PMSPDM**) may be installed on all Foli tables
- The power block module includes one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord with NEMA plug. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- Power block cut-out dimensions are 2.75"D x 6"W.
- Specify the power block cut-out location when ordering the table. The power block is ordered separately. Order power block separately as **PMSPDM, Add \$352**. Power blocks are available in standard worksurface locations (left, center or right). Specify **E1, E2 or E3 cut-out location. Add \$103**.
- Return tops: cut-out available in center only (**E2**)



Power Block **PMSPDM. Add \$352**



Specify location **E1, E2 or E3. Add \$103**

SHIPPING

- Shipped unassembled in 1 carton
- Easy to assemble.

## FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

## Rectangular Tops:

PHAT2970T	29 x 70 x 1	65	70	2.6	<b>\$626</b>	<b>\$314</b>
PHAT2964T	29 x 64 x 1	65	64	2.4	<b>\$597</b>	<b>\$299</b>
PHAT2958T	29 x 58 x 1	65	59	2.2	<b>\$571</b>	<b>\$286</b>
PHAT2952T	29 x 52 x 1	65	52	2	<b>\$560</b>	<b>\$281</b>
PHAT2946T	29 x 46 x 1	65	44	1.8	<b>\$546</b>	<b>\$273</b>
PHAT2370T	23 x 70 x 1	65	57	2.1	<b>\$621</b>	<b>\$311</b>
PHAT2364T	23 x 64 x 1	65	52	1.9	<b>\$573</b>	<b>\$287</b>
PHAT2358T	23 x 58 x 1	65	47	1.8	<b>\$547</b>	<b>\$274</b>
PHAT2352T	23 x 52 x 1	65	46	1.6	<b>\$493</b>	<b>\$247</b>
PHAT2346T	23 x 46 x 1	60	44	1.4	<b>\$460</b>	<b>\$231</b>

## Base:

PH3T6601	10 x -- x 26.8	65	67	2.83	<b>\$1337</b>	n/a
----------	----------------	----	----	------	---------------	-----

All table frames are easy to assemble with few parts. Lifts 265 lbs. Base manufactured so that leg paint will never mar during height adjustment. Leg assembly tubing, feet and upper structure assemblies constructed of steel. Table frame designed with 3.15" x 2.36" rectangular outer leg with the large tube facing down. Flat foot design with adjustable glides. I-profile crossbars that are expandable in fixed steps to create a variety of size table widths. Height range is 22.6" to 48.6" (26" adjustability with 1" top). Operates at 1.3" per second. Shadow power draw is 0.5 watts. Maximum power draw is 1.5A. Base finish in Silver powder coat only.

- **Specify base separately from top**
- **Recommended torque range for installing all fasteners is 3-5 foot pounds and should not be exceeded. In addition, no impact drivers or high-torque equipment are to be used for any fasteners included in the table assembly kits, as this creates a high risk for damage that is not covered under warranty. The use of hand tools is highly recommended.**

## Return Tops:

PHAR2947T	29 x 47 x 1	65	44	1.8	<b>\$546</b>	<b>\$273</b>
PHAR2941T	29 x 41 x 1	65	41	1.6	<b>\$540</b>	<b>\$271</b>
PHAR2935T	29 x 35 x 1	65	35	1.4	<b>\$540</b>	<b>\$271</b>
PHAR2347T	23 x 47 x 1	60	44	1.4	<b>\$460</b>	<b>\$231</b>
PHAR2341T	23 x 41 x 1	65	32	1.2	<b>\$438</b>	<b>\$220</b>
PHAR2335T	23 x 35 x 1	65	27	1.1	<b>\$397</b>	<b>\$199</b>

## Third Leg Kit:

PH3TLK6601	10 x -- x 26.8	85	19	1.3	<b>\$917</b>	n/a
------------	----------------	----	----	-----	--------------	-----

Third leg kit to be used with a Foli freestanding table to create an electric height adjustable L station. Post leg with return kit replaces one of the T-legs on freestanding table; the T-leg from the freestanding table is then moved to support one side of the return top. Cross bar is included to connect and support the return top to the freestanding table top. May be configured for left or right hand returns. All three legs plug into the freestanding table's controller and the three motors will electronically synchronize. The overall footprint with a return kit is not to exceed 72"W x 72"D. The 48"W return kit is only to be used with a 24"D primary table. 36" and 42"W return kits may be used with either 24"D or 30"D primary tables.

P79100014	- x - x 1.5	60	2	0.4	<b>\$83</b>	N/A
-----------	-------------	----	---	-----	-------------	-----

Pack of four casters, two locking and two non-locking. Interchangeable on site with levelers on Foli electric height adjustable table PHATxxxx models only.

- **Cannot be used with Third Leg Kit**

## Required Specifications


Top Finish

## Optional Specifications

High Pressure Laminate  
Grommet




Top




Base

## Foli Rectangular Table



## Return Kit



## 1.5" Dual Wheel Casters

PET FELT PANELS PRIVACY SCREEN AND MODESTY PANELS

- PET felt privacy screens and modesty panels add seated privacy to open plan deskings or tables.
- 9mm thick panels offered in 18 felt colors.
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting
- Privacy screen upmount brackets adapt to 1" thick TFL or 11/16" thick HPL tops and do not mar the top surface.
- Clamps are included. Available in satin anodized finish only.


- FELT COLORS**
- |                  |                 |
|------------------|-----------------|
| (AMT) Amethyst   | (HVT) Harvest   |
| (APR) Apricot    | (LAP) Lapis     |
| (BLK) Black      | (MTS) Mist      |
| (BSK) Blue Smoke | (NVY) Navy      |
| (BRI) Brick      | (PWT) Pewter    |
| (CNN) Carnation  | (RBY) Ruby      |
| (DEN) Denim      | (SHR) Shamrock  |
| (EMD) Emerald    | (SFR) Sunflower |
| (GPH) Graphite   | (WHT) White     |

PET FELT PRIVACY SCREENS

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

D x W x H


PT9PP3013-1	.36 x 30 x 12.5	250	2.12	.57	<b>\$190</b>
PT9PP3613-1	.36 x 36 x 12.5	250	2.38	.69	<b>\$201</b>
PT9PP4213-1	.36 x 42 x 12.5	250	2.63	.80	<b>\$270</b>
PT9PP4813-1	.36 x 48 x 12.5	250	3.31	.91	<b>\$279</b>
PT9PP5413-1	.36 x 54 x 12.5	250	3.57	1.03	<b>\$349</b>
PT9PP6013-1	.36 x 60 x 12.5	250	3.82	1.14	<b>\$359</b>
PT9PP6613-1	.36 x 66 x 12.5	250	4.50	1.25	<b>\$428</b>
PT9PP7213-1	.36 x 72 x 12.5	250	4.76	1.36	<b>\$438</b>
PT9PP7813-1	.36 x 78 x 12.5	250	5.01	1.48	<b>\$448</b>



PET Felt Privacy Screen - 1 pk.

PET felt privacy screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel




PET Felt Privacy Screen - 4 pk.

PT9PP3013-4	0.36 x 30 x 12.5	85	7.64	.60	<b>\$717</b>
PT9PP3613-4	0.36 x 36 x 12.5	85	8.56	.71	<b>\$759</b>
PT9PP4213-4	0.36 x 42 x 12.5	92.5	9.48	.83	<b>\$1025</b>
PT9PP4813-4	0.36 x 48 x 12.5	85	11.90	.98	<b>\$1064</b>
PT9PP5413-4	0.36 x 54 x 12.5	92.5	12.80	1.09	<b>\$1333</b>
PT9PP6013-4	0.36 x 60 x 12.5	92.5	13.80	1.20	<b>\$1368</b>
PT9PP6613-4	0.36 x 66 x 12.5	85	16.20	1.32	<b>\$1634</b>
PT9PP7213-4	0.36 x 72 x 12.5	92.5	17.10	1.43	<b>\$1672</b>
PT9PP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	<b>\$1705</b>

PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel



PET Felt Privacy Screen - 12 pk.

PT9PP3013-12	0.36 x 30 x 12.5	92.5	21.60	1.92	<b>\$2104</b>
PT9PP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	<b>\$2217</b>
PT9PP4213-12	0.36 x 42 x 12.5	60	26.90	.80	<b>\$3004</b>
PT9PP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	<b>\$3114</b>
PT9PP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	<b>\$3916</b>
PT9PP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	<b>\$4013</b>
PT9PP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	<b>\$4801</b>
PT9PP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	<b>\$4898</b>
PT9PP7813-12	0.36 x 78 x 12.5	92.5	51.10	4.85	<b>\$4997</b>


PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel


Required Specifications

Finish


## PET FELT MODESTY PANELS



PET Felt Modesty Panel - 1 pk.



PET Felt Modesty Panel - 4 pk.



PET Felt Modesty Panel - 12 pk.

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
PT9MP3013-1	.36 x 30 x 12.5	250	2.12	.57	<b>\$168</b>
PT9MP3613-1	.36 x 36 x 12.5	250	2.38	.69	<b>\$178</b>
PT9MP4213-1	.36 x 42 x 12.5	250	2.63	.80	<b>\$235</b>
PT9MP4813-1	.36 x 48 x 12.5	250	3.31	.91	<b>\$244</b>
PT9MP5413-1	.36 x 54 x 12.5	250	3.57	1.03	<b>\$317</b>
PT9MP6013-1	.36 x 60 x 12.5	250	3.82	1.14	<b>\$324</b>
PT9MP6613-1	.36 x 66 x 12.5	250	4.50	1.25	<b>\$380</b>
PT9MP7213-1	.36 x 72 x 12.5	250	4.76	1.36	<b>\$393</b>
PT9MP7813-1	.36 x 78 x 12.5	250	5.01	1.48	<b>\$402</b>

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

PT9MP3013-4	0.36 x 30 x 12.5	85	7.64	.60	<b>\$627</b>
PT9MP3613-4	0.36 x 36 x 12.5	85	8.56	.71	<b>\$667</b>
PT9MP4213-4	0.36 x 42 x 12.5	92.5	9.48	.83	<b>\$888</b>
PT9MP4813-4	0.36 x 48 x 12.5	85	11.90	.98	<b>\$927</b>
PT9MP5413-4	0.36 x 54 x 12.5	92.5	12.80	1.09	<b>\$1196</b>
PT9MP6013-4	0.36 x 60 x 12.5	92.5	13.80	1.20	<b>\$1231</b>
PT9MP6613-4	0.36 x 66 x 12.5	85	16.20	1.32	<b>\$1449</b>
PT9MP7213-4	0.36 x 72 x 12.5	92.5	17.10	1.43	<b>\$1488</b>
PT9MP7813-4	0.36 x 78 x 12.5	92.5	18	1.54	<b>\$1523</b>

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

PT9MP3013-12	0.36 x 30 x 12.5	92.5	21.60	1.92	<b>\$1828</b>
PT9MP3613-12	0.36 x 36 x 12.5	92.5	24.30	2.26	<b>\$1942</b>
PT9MP4213-12	0.36 x 42 x 12.5	92.5	26.90	2.60	<b>\$2592</b>
PT9MP4813-12	0.36 x 48 x 12.5	92.5	33.80	3.05	<b>\$2700</b>
PT9MP5413-12	0.36 x 54 x 12.5	92.5	36.40	3.39	<b>\$3501</b>
PT9MP6013-12	0.36 x 60 x 12.5	92.5	39	3.72	<b>\$3598</b>
PT9MP6613-12	0.36 x 66 x 12.5	92.5	45.90	4.18	<b>\$4248</b>
PT9MP7213-12	0.36 x 72 x 12.5	92.5	48.50	4.51	<b>\$4347</b>
PT9MP7813-12	0.36 x 78 x 12.5	92.5	51.10	4.85	<b>\$4444</b>

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**



- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

## Required Specifications

Finish



PET TRI-FOLD SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
<ul style="list-style-type: none"><li>• 9mm thick panels offered in 18 finishes</li><li>• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives</li><li>• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly</li><li>• Variation in fiber mix and color are inherent to the character of the product.</li></ul>			<b>FELT COLORS</b>			
			(AMT) Amethyst			(HVT) Harvest
			(APR) Apricot			(LAP) Lapis
			(BLK) Black			(MTS) Mist
			(BSK) Blue Smoke			(NVY) Navy
			(BRI) Brick			(PWT) Pewter
			(CNN) Carnation			(RBY) Ruby
			(DEN) Denim			(SHR) Shamrock
			(EMD) Emerald			(SFR) Sunflower
			(GPH) Graphite			(WHT) White




PET TRI-FOLD SCREENS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PSDTP3224	15.5 x 31.5 x 23.5	85	7	0.5	<b>\$323</b>
	Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.					
	PSFSP3260	15.5 x 31.5 x 60	92.5	13	1.2	<b>\$731</b>
	Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.					

Required Specifications

Finish

G7 MONITOR ARMS





- Free up valuable space on surfaces
- Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide
- Built-in cable management on arm and at the back of the base.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishes: Black (**BLK**), Designer White (**DWT**), Tungsten (**TUN**).

G7 MONITOR ARMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>G7 Monitor Arm, Single</b>   <b>G7 Monitor Arm, Double</b>   <b>G7 Mini Slide Monitor Arm</b>	D x W x H					
	PSMA1	5.5 x -- x 21	85	6.6	0.47	<b>\$370</b>
	For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum 20.5" extension from rear of the desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34". Some assembly required. <ul style="list-style-type: none"><li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li><li>• Also accommodates mini slide arm, <b>PSMS</b>.</li></ul>					
	PSMA2	5.5 x -- x 21	85	11.44	0.8	<b>\$612</b>
	For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum 20.5" extension from rear of the desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34" (per arm). Some assembly required. <ul style="list-style-type: none"><li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li><li>• Also accommodates mini slide arm, <b>PSMS</b>.</li></ul>					
	PSMS	6 x 11 x 4.5	92.5	3.3	0.29	<b>\$122</b>
	For use with <b>PSMA1</b> and <b>PSMA2</b> monitor arms only. Provides 9" of lateral adjustment for the monitor and allows for better positioning when used side by side. Some assembly required. Loading capacity of 13.2 lbs. Quick release VESA plate. <ul style="list-style-type: none"><li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li><li>• If for <b>PSMA1</b>, order (1)</li><li>• If for <b>PSMA2</b>, order (2)</li></ul>					

Required Specifications


Finish

MONITOR ARMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
<ul style="list-style-type: none"><li>• Free up valuable space on surfaces</li><li>• Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.</li><li>• Clamps on worksurfaces 0.5" to 2.625" thick.</li><li>• 9" vertical height adjustment on 12" post</li><li>• For use in grommets up to 3.5" wide</li><li>• Built-in cable management</li><li>• Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)</li><li>• Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.</li><li>• Available finishes: Silver (<b>SIL</b>) standard; Black (<b>BLK</b>) and White (<b>WTE</b>) where noted otherwise.</li></ul>						


MONITOR ARMS, SINGLE SCREEN	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	MON1SPP	-- x -- x --	150	5.80	1.20	<b>\$357</b>
<b>Single Screen Pole Position</b>	No extension arms. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.					
	MON1SSE	-- x -- x --	150	6.20	1.20	<b>\$482</b>
<b>Single Screen Single Extension Arm</b>	9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.					
	MON1SSEH	-- x -- x --	125	7.20	1.10	<b>\$616</b>
<b>Single Screen Single Extension Arm with Height Adjustment</b>	Counterbalanced arm provides an additional 13" of height adjustment. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. 9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.					
	MON1SDE	-- x -- x --	125	7.50	1.20	<b>\$601</b>
<b>Single Screen Double Extension Arm</b>	Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.					

**Required Specifications**  
Finish


MONITOR ARMS



Single Screen Double Extension Arm  
w/Height Adjustment



Single Screen Double Extension Arm  
- Light Duty



Single Screen Double Extension Arm  
- Medium Duty

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
MON1SDEH	29.3 x 9.5 x 12.5	125	8.20	1.10	\$722

Counterbalanced arm provides an additional 12.4" of height adjustment. Double extension allows 24.5" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

M7750LD	5.5 x -- x --	100	10.34	1.12	\$826
---------	---------------	-----	-------	------	-------


For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7750LDB or **White finish** #M7750LDW.

M7755MD	5.5 x -- x --	100	10.34	1.12	\$880
---------	---------------	-----	-------	------	-------

For use with monitors weighing 10 to 30 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width. • Also available in **Black finish** #M7755MDB or **White finish** #M7755MDW.

MONITOR ARMS, DUAL SCREEN



Dual Screen Double Extension Arm

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

M7760DSS	26 x 8.4-30.75 x 24.4	92.5	14.75	1.3	\$1141
----------	-----------------------	------	-------	-----	--------


For use with monitors weighing 6 to 28 lbs. total and maximum width of 24" diagonal. Adjustable counterbalance provides free floating fingertip control. Maximum of 30.8" extension from rear of desk to back of monitor; folds to 8.4". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7760DSB or **White finish** #M7760DSW.


Required Specifications

Finish

MONITOR ARMS, DUAL SCREEN



Dual Screen Double Extension Arm



Dual Screen Double Extension Arm with Height Adjustment

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------


MON2SDE	D x W x H	100	10.70	1.20	\$1062
	-- x -- x 12.5				

For dual monitor applications. 32" maximum monitor width. Supports a 20lb. load capacity per screen. Double extension arms reach out up to 19". Top of mounting pole is 12.5" from worksurface. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

MON2SDEH	-- x -- x 12.5	150	6	1.20	\$1316
----------	----------------	-----	---	------	--------

For dual monitor applications. 35" maximum monitor width. Supports a 20 lb. load capacity per screen. Counterbalanced arms provide an additional 12.4" of height adjustment. Double extension arms reach out up to 23.5". Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Both arms can be set at the same height. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity.

MONITOR ARMS, QUAD SCREEN





Parabolic Quad Screen Beam Mount

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------





MONQSBM	-- x -- x --	65	18.30	.70	\$1720
---------	--------------	----	-------	-----	--------

Supports four monitors. Two outside single extension arms tilt 180° and swing 180° side-to-side. All displays can be rotated from landscape to portrait. Beam is 63.9"w. Minor assembly required. Supports 20 lb. load capacity. 21" maximum monitor width. Bracket for grommet mount only included.


Required Specifications  
Finish

SIT-STAND WORKSTATIONS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H						
	M6011WS	28 x -- x --	125	36	4.8	\$3497	
<b>Single Screen Sit-Stand Workstation with Keyboard Tray and Shelf</b>		Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Monitor weight limit from 5 to 25 lbs. Silver/Grey (SG) finish. Assembly required. <ul style="list-style-type: none"><li>Also available in <b>Black/Black (B/B) finish</b> #M6011WSBB or <b>White/Grey (WG) finish</b> #M6011WSWG.</li></ul>					
	D x W x H						
	M6021WS	28 x -- x --	100	42	4.8	\$3872	
<b>Dual Screen Sit-Stand Workstation with Keyboard Tray and Shelf</b>		Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Accommodates most 24" monitors weighing up to 8 lbs. each and offers independent screen adjustments. Silver/Grey (SG) finish. Assembly required. <ul style="list-style-type: none"><li>Also available in <b>Black/Black (B/B) finish</b> #M6021WSBB or <b>White/Grey (WG) finish</b> #M6021WSWG.</li></ul>					


Required Specifications  
Finish

KEYBOARD MECHANISMS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Tray with Sliding Mouse Support</b>	D x W x H					
	KT01	10.5 x 21.3 x 2	70	7	.40	<b>\$293</b>
	Mouse surface slides below support for left or right mouse positioning. Keyboard surface is 21”w x 11”d. Mouse surface extends 9” beyond the side of the tray. Compatible with all Global keyboard mechanisms. ABS plastic tray and sliding mouse tray. • <b>Specify mechanism separately (see next page)</b>					
 <b>27” HDPE Tray</b>	KT27M02	11.5 x 27.5 x .38	70	6	.40	<b>\$377</b>
	Allows mouse to be easily positioned at the same height as, and to the left or right of, the keyboard. Palm rest is easily removable. Includes anti-slip strips. High Density Polyethylene (HDPE) surface material. SSU palm rest. Compatible with all Global keyboard mechanisms. • <b>Specify mechanism separately (see next page)</b>					
 <b>Tray with Height Adjustable Mouse Support - Black</b>	KTMT03	11.5 x 23 x 2.8	100	5.80	.60	<b>\$407</b>
	Low profile tray with highly adjustable Mouse Support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes Mouse Fence with Cable Manager and anti-slip strips. Keyboard tray is 20.5”w x 11”d and mouse support is 11” in diameter. Tray support material is a compact phenolic panel; mouse tray in ABS plastic. Plug-in gel-feel foam palm rest. • <b>Specify mechanism separately (see next page)</b>					
 <b>Soft Touch Keyboard Support Mechanism</b>	KSM01-21	23.8 x 9 x 4.3	85	9.20	.70	<b>\$291</b>
	KSM01-18	19.7 x 7.4 x 3.6	85	7.60	.60	<b>\$291</b>
	KSM01-12	13 x 5 x 2.4	85	5.10	.40	<b>\$291</b>
	Soft Touch knob for simultaneous height and tilt adjustment. Spring-assist mechanism. Compatible with all Global keyboard mechanisms. Good for single users who do not adjust their keyboard often. • KSM01-21 requires 21.75” of depth clearance under the surface for installation. • KSM01-18 requires 18” of depth clearance under the surface for installation. • KSM01-12 requires 12” of depth clearance under the surface for installation. • <b>Specify keyboard tray separately (see previous page)</b>					


## KEYBOARD MECHANISMS




**Lift-N-Lock Keyboard Support Mechanism**



**Slim Fit Keyboard Support Mechanism**



**Trackless Keyboard Support Mechanism**



**Lift-N-Lock Sit-Stand Mechanism**

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H

KSM02-21	23.8 x 9 x 9.7	85	9.70	.70	<b>\$381</b>
KSM02-18	19.7 x 7.4 x 8.2	85	8	.60	<b>\$381</b>
KSM02-12	13 x 5 x 5.4	85	5.40	.40	<b>\$381</b>

Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray.

Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions or for multiple users.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.

• **Specify keyboard tray separately (see previous page)**

Black:

KSFK-21	17.5 x 7.5 x 4.75	70	9	.60	<b>\$381</b>
KSFK-18	17.5 x 7.5 x 4.75	70	8.30	.50	<b>\$381</b>
KSFK-12	17.5 x 7.5 x 4.75	85	7.30	.50	<b>\$381</b>

Warm White:

KSFK-21-W	17.5 x 7.5 x 4.75	85	9	0.7	<b>\$453</b>
-----------	-------------------	----	---	-----	--------------

Super slim profile accommodates leg clearance requirements of more users. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.

• **Specify keyboard tray separately (see previous page)**

Black:

KSTRKLS-B	14.5 x 7.5 x 5.25	70	6	0.3	<b>\$534</b>
-----------	-------------------	----	---	-----	--------------

Super slim profile trackless keyboard mechanism designed to fit worksurfaces such as height adjustable tables and benching systems, where space is limited and conventional track mounted keyboard mechanisms will not fit. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Compatible with all Global keyboard trays.

• **Specify keyboard tray separately (see previous page)**




KSM03-21	23.8 x 9 x 9.7	85	11.80	.90	<b>\$611</b>
KSM03-18	19.7 x 7.4 x 8	85	9.70	.70	<b>\$611</b>
KSM03-12	13 x 5 x 5.3	85	6.50	.50	<b>\$611</b>

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Compatible with all Global keyboard mechanisms. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Recommended for single users who alternate between sitting and standing.


- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.

• **Specify keyboard tray separately (see previous page)**




CPU ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<div><p><b>CPU Holder on Casters</b></p></div> <div><p><b>Power Park CPU Holder</b></p></div> <div><p><b>CPU Holder on Glide Track</b></p></div>		D x W x H				
	PCPU-HC	15 x 11 x 10.37	70	8	0.45	\$201
	Adjusts 5" - 9" in width. Front locking casters. Assembly hardware included. Height without CPU is 10.4". Depth without CPU is 15". Black only.					
	PCPU-HO	15 x 5-11 x 18	92.5	11.5	1	\$176
	Desk mounted CPU Holder. Adjusts 5" - 11" in width. Mounting hardware included. Height without CPU is 18". Depth without CPU is 15". Black only.					
	PCPU-GT	-- x -- x --	100	12.6	1.4	\$435
	Accepts tower CPUs with widths from 3.5" to 9.3" and heights from 12.5" to 22.5". 17" glide track and 360° swivel for easy access to rear of CPU. Steel and engineered resin construction.					


## TASK LIGHTING




LED Task Light



Starter LED Task Light



Add-On LED Task Light



Occupancy Sensor

## MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

## D x W x H

PLED30	1.5 x 15.5 x .5	150	2	0.5	<b>\$522</b>
PLED50	1.5 x 23.5 x .5	150	2	.50	<b>\$601</b>
PLED100	1.5 x 43.5 x .5	125	3	.50	<b>\$697</b>

Energy efficient LED. Ultra slim design. Suitable for hanging under hutch or wallhung units. 6' power cord. UL listed: UL 153.

PLEDS240	0.94 x 22.9 x .79	70	2.5	0.13	<b>\$257</b>
PLEDS360	0.94 x 33.5 x .79	70	2.8	0.16	<b>\$296</b>
PLEDS480	0.94 x 45.5 x .79	70	3.2	0.21	<b>\$329</b>

Undercabinet slim profile LED linear light fixture with lens and On/Off switch. May be used as stand-alone or extended with add-on section below (PLEDAxxx). Plug-in power supply with 72" cord length plus 78" DC cable. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

	PLEDS240	PLEDS360	PLEDS480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18

PLEDA240	0.94 x 22.9 x .79	70	2.5	0.13	<b>\$210</b>
PLEDA360	0.94 x 33.5 x .79	70	2.8	0.16	<b>\$249</b>
PLEDA480	0.94 x 45.5 x .79	70	3.2	0.21	<b>\$282</b>

Undercabinet slim profile LED linear add-on light fixture with lens. Daisy chain unit with 39" linking cable, no power supply. Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

	PLEDA240	PLEDA360	PLEDA480
Nominal size	24"W	36"W	48"W
Number of LEDs	36	54	72
Total light output (lumens)	580	780	1150
Power input per light (watts)	9	13.5	18

PLEDOS	0.93 x 4.4 x 1.3	70	0.40	0.01	<b>\$104</b>
--------	------------------	----	------	------	--------------

Inline add-on controller for dimming and occupancy sensor. UL listed: UL153.





## Required Specifications

Finish  
Mount







## Optional Specifications






Occupancy Sensor

TASK LIGHTING	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
Mounting Options for Voyage and Revo Lights: Freestanding Base (FS) Freestanding Base with USB charge port (FSUSB) - Add \$110. Surface Mount (SM) Clamp Mount (CM)						




REVO + VOYAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Voyage - Single Arm	LINLAMPS	6 x 6 x 14.1	60	2.66	.01	\$709
	Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014. • Occupancy Sensor (OS) - Add \$83					
 Voyage - Double Arm	LINLAMPD	6 x 6 x 21.6	60	2.66	.01	\$726
	Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014. • Occupancy Sensor (OS) - Add \$83					
 Revo - Single Arm	RNDLAMPS	6 x 6 x 14.1	60	2.66	.01	\$709
	Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014. • Occupancy Sensor (OS) - Add \$83					
 Revo - Double Arm	RNDLAMPD	6 x 6 x 21.6	60	2.66	.01	\$726
	Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014. • Occupancy Sensor (OS) - Add \$83					

Required Specifications	Optional Specifications
Finish Mount	Occupancy Sensor

POWER/DATA	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Cable Snake</b></p>	PCSN01	2 x 3 x 31.25	92.5	2.10	.20	<b>\$144</b>
	Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Silver ( <b>SIL</b> ) plastic only.					
 <p><b>Cable Snake Extension</b></p>	PCSN01E	- x - x -	92.5	2.1	0.2	<b>\$116</b>
Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.						
 <p><b>Power/Data Block</b></p>	PMSPPM	3.5 x 6.5 x 2.75	70	2	.10	<b>\$352</b>
Worksurface power and data module. Two power receptacles and two data receptacles. 9' black cord included. Specify position and add <b>\$103</b> for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black only. Cut-out dimensions: 5.95" x 2.75". UL listed: UL 1363.						
 <p><b>Mini Adapt Power Module</b></p>	PEUTEM	3 x 3.8 x 2	70	1	.18	<b>\$236</b>
Two power receptacles. Attaches to edge of table or desk through grommet hole. 6' black cord. Black only.						
 <p><b>DPC Slim Desktop 2 Power/USB-A and -C</b></p>	PSDPC22W	2.25 x 4.88 x 2.25	60	2.5	0.5	<b>\$324</b>
Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.						
 <p><b>DPC Slim Desktop 3 Power/USB-A and -C</b></p>	PSDPC32W	2.25 x 6 x 2.25	60	2.6	0.5	<b>\$432</b>
Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.						

POWER / DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Isle Power Tower</b>		<b>D x W x H</b>				
	PTISL96GB	18 x 18 x 25.5	92.5	68	6.50	<b>\$4005</b>
	PTISL96GW	18 x 18 x 25.5	92.5	68	6.50	<b>\$4005</b>
	PTISL96SP	18 x 18 x 25.5	92.5	68	6.50	<b>\$4005</b>
Includes three standard duplexes each with (2) 110V power outlets, and three USB A+C duplexes each with (2) 110V power outlets, (1) 55W USB-C power delivery port and (1) 1.5A, 5V USB-A port; total of (12) 110V power outlets, (3) USB-C and (3) USB-A ports. 9' cord with molded plug. Available in Gloss Black ( <b>GB</b> ), Gloss White ( <b>GW</b> ) and Silver Pearl ( <b>SP</b> ) as indicated by last letter of model number.						
 <b>Vesta Portable Power Tower</b>	PPVST3WF	12 x 12 x 28.25	250	10	4.30	<b>\$1683</b>
	Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.					
 <b>Cove Mini - Charging USB</b>	COV-SM-U-_-108	--	70	1.5	.25	<b>\$403</b>
	Retrofits into any AG or POG grommet cut-out (grommet cover must be removed). Includes two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A. <ul style="list-style-type: none"><li>• This unit utilizes the entire grommet, eliminating available wire pass thru</li><li>• Replace _ with <b>B</b> for <b>Black</b></li><li>• Replace _ with <b>S</b> for <b>Silver</b></li></ul>					
 <b>Cove Mini - Power &amp; Charging USB</b>	COV-SM-1U-_-108	--	70	1.5	.25	<b>\$429</b>
	Retrofits into any AG or POG grommet cut-out (grommet cover must be removed). Includes one power outlet and two 2.1 AMP USB charging ports. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A. <ul style="list-style-type: none"><li>• This unit utilizes the entire grommet, eliminating available wire pass thru</li><li>• Replace _ with <b>B</b> for <b>Black</b></li><li>• Replace _ with <b>S</b> for <b>Silver</b></li></ul>					
 <b>Cove Mini - Power</b>	COV-SM-2-_-108	--	70	1.5	.25	<b>\$266</b>
	Retrofits into any AG or POG grommet cut-out (grommet cover must be removed). Includes two power outlets. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A. <ul style="list-style-type: none"><li>• This unit utilizes the entire grommet, eliminating available wire pass thru</li><li>• Replace _ with <b>B</b> for <b>Black</b></li><li>• Replace _ with <b>S</b> for <b>Silver</b></li></ul>					

**Required Specifications**  
Finish

POWER / DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PS3525057	3.2 x 5.5 x 3	60	3.01	0.2	\$533
	PS3525002	3.2 x 5.5 x 3	60	3.01	0.2	\$533
						
	PS3526057	2.8 x 5.5 x 1.8	60	3.2	0.2	\$533
	PS3526002	2.8 x 5.5 x 1.8	60	3.2	0.2	\$533
						
	PS3526957	3.2 x 5.5 x 3	60	3.01	0.2	\$613
	PS3526902	3.2 x 5.5 x 3	60	3.01	0.2	\$613

Clamp Mount 2 Power/USB-A&C

Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3525057 - White module with Silver bracket.
- PS3525002 - Black module with Silver bracket

Under Mount 2 Power/USB-A&C

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.

- PS3526057 - White module with Silver bracket
- PS3526002 - Black module with Silver bracket.






Clamp Mount 3 Power/USB-A&C

Ashley Trio clamp mount power module with three 15-amp 120 Volt AC receptacles; 2.4-amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. NOTE: HDMI, RJ45 and VGA connectors are not included. UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3526957 - White module with Silver bracket.
- PS3526902 - Black module with Silver bracket

Required Specifications

Finish

POWER/DATA	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PRTMCS401B	4.22 x 10.78 x 4.86	100	4.3	0.51	\$486
	PRTMCS401T	4.22 x 10.78 x 4.86	100	4.3	0.51	\$486
	PRTMCS401W	4.22 x 10.78 x 4.86	100	4.3	0.51	\$486
						
	PRTMCS421B	4.22 x 10.78 x 4.86	100	4.3	0.51	\$638
	PRTMCS421T	4.22 x 10.78 x 4.86	100	4.3	0.51	\$638
	PRTMCS421W	4.22 x 10.78 x 4.86	100	4.3	0.51	\$638
						
	PRTMCD602B	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$555
	PRTMCD602T	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$555
	PRTMCD602W	6.22 x 10.78 x 4.86	92.5	5.9	0.51	\$555
						
	PRTMCD622B	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$699
	PRTMCD622T	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$699
	PRTMCD622W	6.22 x 10.78 x 4.86	92.5	6.1	0.51	\$699
						
	PRTMCD642B	6.22 x 10.78 x 4.86	85	6.3	0.51	\$842
	PRTMCD642T	6.22 x 10.78 x 4.86	85	6.3	0.51	\$842
	PRTMCD642W	6.22 x 10.78 x 4.86	85	6.3	0.51	\$842

Single-sided recessed power block with **one regular duplex and one telecom knockout on top; one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 581. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey. Corresponding cut-out options are **R1, R2 or R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".










Single-sided recessed power block with **one power/USB-A/USB-C duplex and one telecom knockout on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 581. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **R1, R2 or R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".

Double-sided recessed power block with **two regular power duplexes and two telecom knockouts on top; one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 581. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey. Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".

Double-sided recessed power block with **one regular power duplex, one power/USB-A/USB-C duplex and two telecom knockouts on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 581. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".






Double-sided recessed power block with **two power/USB-A/USB-C duplexes and two telecom knockouts on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 581. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".

Required Specifications  
Finish

TELECOM PLATES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	PTEL01	- x - x -	70	0.01	0.05	\$175
Includes 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.						
	PTEL12	- x - x -	70	1	0.01	\$221
	Grey telecom plate with (2) RJ45 cat 6 data jacks. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL02	- x - x -	70	0.01	0.05	\$237
	Includes 2 x RJ45 cat 6 data and 1 RJ11 cat phone. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL03	- x - x -	70	0.01	0.05	\$363
	Includes 4 x RJ45 cat 6 data. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL13	- x - x -	70	1	0.01	\$400
	Grey telecom plate with (4) RJ45 cat 6 data jacks. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL04	- x - x -	70	0.01	0.05	\$309
	Includes 1 x RJ45 cat 6 data, mini stereo and 15 pin HD VGA. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL05	- x - x -	70	0.01	0.05	\$428
	Includes mini stereo, 15 pin HD VGA and HDMI. Black telecom plate. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL14	2 x 3.25 x -	70	1	0.01	\$515
	Grey telecom plate with mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
	PTEL08	- x - x -	70	1	0.01	\$188
	Grey telecom plate with (1) USB-C port w/20" male pigtail and (1) USB-A port w/72" pigtail; requires powered USB transformer #PUSBTRSF ordered separately. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					

Required Specifications  
Finish




TELECOM PLATES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<div> Powered USB Transformer</div> <div> Telecom Plate - 2 USB-A</div> <div> Telecom Plate - 2 RJ45, 1HDMI</div> <div> Telecom Plate - 1 HDMI, 1 USB-A</div> <div> Telecom Plate - 1 HDMI</div>			D x W x H				
		PUSBTRSF	- x - x -	70	1	0.01	\$125
		Powered USB transformer, 25w, 100-240 VAC, 5-9VDC (1) USB-C and (2) USB-A female ports - provides power for PTEL08. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
		PTEL09	- x - x -	70	1	0.01	\$252
		Grey telecom plate with (2) USB-A ports each 2/72" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
		PTEL10	- x - x -	70	1	0.01	\$517
		Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
		PTEL11	- x - x -	70	1	0.01	\$412
		Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					
		PTEL15	- x - x -	70	1	0.10	\$474
		Grey telecom plate with (1) HDMI female/female with 36" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.					



## POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Cut-outs are available on the following series: **2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Edventure study carrels and Zook rectangular and flip-top tables**. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".

## In Surface






## On Surface



## Cable management cord clips:

Included with each unit (2 clips per cord) and are available separately in packs of 10.

MODPOWER DAISY-CHAIN SOLUTION	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
	PMDSF10MG	2.75 x 7.63 x 2.63	250	3.44	1	\$555
	PMDSF10WH	2.75 x 7.63 x 2.63	250	3.44	1	\$555
	PMDCF3MG	2.75 x 7.63 x 2.63	250	2.44	1	\$522
	PMDCF3WH	2.75 x 7.63 x 2.63	250	2.44	1	\$522
	PMDEF3MG	2.75 x 7.63 x 2.63	70	1.85	1	\$457
	PMDEF3WH	2.75 x 7.63 x 2.63	70	1.85	1	\$457

## ModPower In-Surface Starter Unit






Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## ModPower In-Surface Middle Unit

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## ModPower In-Surface End Unit




Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

MODPOWER MODULES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	PMDSA10MG	1.75 x 6.13 x 2.5	150	4.33	1	\$587
	PMDSA10WH	1.75 x 6.13 x 2.5	150	4.33	1	\$587
ModPower On-Surface Starter Unit	Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.					
	PMDCA3MG	1.75 x 6.13 x 2.5	250	3.33	1	\$555
	PMDCA3WH	1.75 x 6.13 x 2.5	250	3.33	1	\$555
ModPower On-Surface Middle Unit	Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.					
	PMDEA3MG	1.75 x 6.13 x 2.5	250	2.75	1	\$489
	PMDEA3WH	1.75 x 6.13 x 2.5	250	2.75	1	\$489
ModPower On-Surface End Unit	Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.					
	PMDCLIPS	2.5 x 2.6 x .6	70	0.03	0.02	\$98
	Package of 10 clips.					
	PMDJ36BK	-- x 36 x --	70	1.38	0.09	\$329
	Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.					




Required Specifications



Finish







OFFICE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Coat Tree</b>		D x W x H				
	PCOS2	25 x 25 x 60	300	8	4.67	<b>\$529</b>
	PCOS3	25 x 25 x 60	300	8	4.67	<b>\$529</b>
Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS. 3 per carton • PCOS2 is finished in Black. PCOS3 is finished in Chrome.						
 <b>Coat Tree*</b>	PCT	25 x 25 x 65	250	6	3	<b>\$678</b>
Square tube. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Absolute (AAM), Black (BKM), Cherry (ACM), Cherry Latte (CLM), Cocoa Vanilla (CVM), English Oak (EOM), Fruitwood (TFM), Honey (AHM), Gray (HGM), Mahogany (TMM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Sandy Beach (SBM), Walnut (TWM), White (WHM) and Winter Cherry (WCM). Ships UPS. 1 per carton.						
 <b>Anti-Fatigue Mat</b>	PAFM3018	29.4 x 17.63 x .75	85	4.4	0.3	<b>\$182</b>
	PAFM4820	48 x 20 x .75	85	7.7	0.59	<b>\$292</b>
	Polyurethane anti-fatigue mat offers increased comfort and helps reduce strain while standing. Tapered, no-curl edges prevent tripping hazards. Anti-slip backing is suitable for low pile carpet or hard flooring. Black only.					

**Required Specifications**  
Finish\*

BOARDROOM ACCESSORIES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE																								
		D x W x H																													
<b>CONFERENCE CABINET NOTES</b> <ul style="list-style-type: none"><li>Visual boards feature a self edge all around.</li><li>Available finishes:<table><tr><td>ACJ</td><td>Absolute Acajou</td><td>ASN</td><td>Asian Night</td><td>AWC</td><td>Avant Cherry</td><td>AWH</td><td>Avant Honey</td></tr><tr><td>BLK</td><td>Black</td><td>BRC</td><td>Brushed Cobalt</td><td>DES</td><td>Dark Espresso</td><td>DWT</td><td>Designer White</td></tr><tr><td>QTM</td><td>Quartered Mahogany</td><td>SOG</td><td>Storm Grey</td><td>WHC</td><td>White Chocolate</td><td>WCR</td><td>Winter Cherry</td></tr></table></li></ul>		ACJ	Absolute Acajou	ASN	Asian Night	AWC	Avant Cherry	AWH	Avant Honey	BLK	Black	BRC	Brushed Cobalt	DES	Dark Espresso	DWT	Designer White	QTM	Quartered Mahogany	SOG	Storm Grey	WHC	White Chocolate	WCR	Winter Cherry						
ACJ	Absolute Acajou	ASN	Asian Night	AWC	Avant Cherry	AWH	Avant Honey																								
BLK	Black	BRC	Brushed Cobalt	DES	Dark Espresso	DWT	Designer White																								
QTM	Quartered Mahogany	SOG	Storm Grey	WHC	White Chocolate	WCR	Winter Cherry																								
	<table><tr><td>GVB4848</td><td>4 x 48 x 48</td><td>85</td><td>122</td><td>9.25</td><td>\$1806</td></tr><tr><td>AVB4848</td><td>4 x 48 x 48</td><td>70</td><td>135</td><td>9</td><td>\$1758</td></tr></table>						GVB4848	4 x 48 x 48	85	122	9.25	\$1806	AVB4848	4 x 48 x 48	70	135	9	\$1758													
	GVB4848	4 x 48 x 48	85	122	9.25	\$1806																									
AVB4848	4 x 48 x 48	70	135	9	\$1758																										
<b>Visual Board*</b>		<p>Includes white board and two side opening doors containing cork board on right door and 50-sheet paper writing pad on left door. Marker board can be used for projection. Set of 4 dry markers and eraser included.</p> <ul style="list-style-type: none"><li><b>NOTE:</b> Care should be taken to mount the units. Units should be mounted to wall studs using correct fasteners. Failure to do so may result in collapse of the unit and subsequent personal injury. <b>Mounting hardware not included.</b> Mounting hardware used should be based on wall material. Consult an installation professional for proper wall mounting.</li></ul>																													
	<table><tr><td>Z361872VB</td><td>36 x 18 x 72</td><td>250</td><td>187</td><td>38.50</td><td>\$3147</td></tr></table>						Z361872VB	36 x 18 x 72	250	187	38.50	\$3147																			
	Z361872VB	36 x 18 x 72	250	187	38.50	\$3147																									
<p>Angled visual board with paper pad on one side and dry erase board on the opposite side. Unique push handles are standard. Locking casters included. Decorative aluminum trim is standard on the lip of each shelf. Height aligns with 36" buffets. Shipped RTA (ready to assemble).</p>																															
PENCIL DRAWERS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE																								
	<table><tr><td>W1624PDR</td><td>16 x 24 x 2.25</td><td>92.5</td><td>5</td><td>.50</td><td>\$386</td></tr><tr><td>W1518PDR</td><td>18 x 15 x 2.25</td><td>92.5</td><td>4</td><td>.40</td><td>\$292</td></tr></table>						W1624PDR	16 x 24 x 2.25	92.5	5	.50	\$386	W1518PDR	18 x 15 x 2.25	92.5	4	.40	\$292													
	W1624PDR	16 x 24 x 2.25	92.5	5	.50	\$386																									
W1518PDR	18 x 15 x 2.25	92.5	4	.40	\$292																										
<b>Pencil Drawer</b>		<p>Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble).</p> <ul style="list-style-type: none"><li>May be used with all casegoods.</li></ul>																													

KEYBOARD DRAWERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Keyboard Shelf</b>	KS20	D x W x H 11 x 20 x 3.5	92.5	10	1	<b>\$283</b>
	Pull-out laminate shelf. Specify finish from list available in each series. • <b>Not available</b> on Adaptabilities - see page 41 for comparable Adaptabilities option.					
 <b>Keyboard Drawer</b>	MPOKL	11 x 24 x 3.5	92.5	10	1	<b>\$292</b>
	Pull-out laminate drawer. Specify finish from list available in each series. • <b>Not available</b> on Adaptabilities - see page 41 for comparable Adaptabilities option.					

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Wire Manager Grommet</b>	AG1	1.875 d x 3.25 w	100	--	--	<b>\$103</b>
	AG2					
	AG3					
 <b>L Bracket</b>	MLB90	4.5 x 1.5	70	1	.01	<b>\$64</b>
	Used to attach worksurfaces to end panels. Black only.					
	CST318	4.5 x 3	70	1	.01	<b>\$60</b>
 <b>Flat Bracket</b>	Used as a mending plate to give additional worksurface support. Black only.					

CENTER DRAWERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<b>CENTER DRAWER NOTES</b> • Center drawers must be dealer or end user installed. Drawers do not fill entire center space opening. Approximate kneespace widths are: 30" x 60" DP      25½"      30" x 66" DP      31½" 30" x 72" DP      37½"      30" x 66"/20" x 40" L      22½" 30" x 66"/24" x 48" L      24½"      36" x 72"/24" x 48" L      30½"						
 <b>Center Drawer*</b>	CD20	18 x 20 x 3	100	8	1	<b>\$228</b>
	Laminate drawer front is attached to a 4-sided frame. Recommended for use on small L-shaped units, and on 30" x 60" and 66" desks.					

**Required Specifications**  
Finish\*

HANDLES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	GEN225-SIL	-- x 5 x --	70	1	.01	<b>\$37</b>
<b>Silver Handle (HV)</b>	<p>Silver finish, square edge handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN225-BLK	-- x 5 x --	70	1	.01	<b>\$37</b>
<b>Matte Black Handle (HU)</b>	<p>Black matte finish, square edge handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN217	-- x 5.25 x --	70	1	.01	<b>\$37</b>
<b>Flared Brass Handle (HW)</b>	<p>Satin brass finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN165	-- x 5.25 x --	70	1	.01	<b>\$37</b>
<b>Flared Black Handle (HX)</b>	<p>Black matte finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN189-HS	-- x 4.5 x --	70	1	.01	<b>\$37</b>
<b>Flared Silver Handle (HS)</b>	<p>Silver finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN190	-- x 4.9 x --	70	1	.01	<b>\$37</b>
<b>Dimpled Nickel Handle (HZ)</b>	<p>Nickel matte finish, dimpled handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>					
	GEN256	-- x 4.75 x --	70	1	.01	<b>\$37</b>
<b>Crescent Black Handle (H0)</b>	<p>Black matte finish, crescent handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li> </ul>					

**Required Specifications**

Finish (Drawers)



HANDLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
A silver-colored, rectangular bar handle with a slightly raised, beveled top edge and a smooth finish.		D x W x H -- x 4.6 x --				
	CS0003-SIL	-- x 4.6 x --	70	1	.01	\$37
	Silver finish, bar handle style <b>For use on pedestals and all lateral files.</b> <ul style="list-style-type: none"><li>• This handle has a measurement of 96mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li></ul>					
A black-colored, rectangular bar handle with a slightly raised, beveled top edge and a smooth finish.		-- x 4.6 x --				
	CS0003-BLK	-- x 4.6 x --	70	1	.01	\$37
	Black finish, bar handle style <b>For use on pedestals and all lateral files.</b> <ul style="list-style-type: none"><li>• This handle has a measurement of 96mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li></ul>					
A silver-colored, square-edged handle with a T-shaped profile, designed for mounting on the side of a cabinet or pedestal.		-- x 6.375 x --				
	BRH1	-- x 6.375 x --	70	1	.01	\$37
	Silver Finish, square edged handle style. For use on all pedestals and storage cabinets with handles. <ul style="list-style-type: none"><li>• This handle has a measurement of 128mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Bridges II pedestals and cabinets only</b>, see series notes for option code and price.</li></ul>					

# table power + technology solutions



- Global is pleased to offer a range of sophisticated electrical and technology options for training and conference tables.
- Worksurface cut-outs for units must be specified separately, please see appropriate product note pages for details.
- Daisy chaining is generally defined as having multiple power units connect to one another from a single electrical infeed source.
- The daisy-chain units below utilize a 4-wire, 2 circuit system (when hardwired by a licensed electrician to a building power source) or can run a single circuit (when utilizing the 42AP1-72 plug and play infeed).
- The following maximums are to National Electric Code (NEC) – some local codes vary from NEC code – it is the customer's responsibility to follow all applicable local codes and guidelines.

Product	Max units per circuit
Villa I	8 units per circuit
Villa II	4 units per circuit
Villa USB	8 units per circuit
Oasis Mini A	3 units per circuit
Oasis Mini B	3 units per circuit

#### Electrical System


4-2 Wiring Schematic

4-Wire Shared Neutral

Complies with National Electric Code

UL Listed

All circuits rated for 20 AMP



#### VILLA I, VILLA II AND VILLA USB DETAILS

- Each Villa unit is available two ways. Corded units includes three-prong plugs to connect directly into a standard outlet. DaisyLink kits can be specified separately to daisy-chain multiple units off of a single infeed. Infeeds are specified separately.
- Villa I units include two power outlets and either two knockouts or two data ports included, **all accessible at the surface**.
- Villa II units include two power outlets and either two knockouts for data or two data ports included accessible at the surface. Another two power outlets are **accessible below the surface**.
- Villa USB includes two power outlets, two 2.1 AMP charging USB ports and either two data knockouts or two data ports included, **all accessible at the surface**.

#### OASIS MINI DETAILS


- Each Oasis Mini (except for Chicago Mini Oasis) is available two ways. Corded units includes three-prong plugs to connect directly into a standard outlet. DaisyLink units must have interconnecting cords specified separately to daisy-chain multiple units off of a single infeed. Infeeds are specified separately.
- Oasis Mini A units includes six power outlets and two telecom plate knockouts
- Oasis Mini B units includes four power outlets and three telecom plate knockouts
- Oasis Mini USB units include six power outlets, two 2.1 AMP charging USB ports and one telecom plate knockouts

#### TELECOM PLATE DETAILS


- Telecom plates are for use on Oasis Mini units only, providing a means to provide different types of telephone, data and audio visual connections to the worksurface. For every telecom plate knockout on a Oasis Mini unit, please specify one telecom plate. If telecom plates are not required, it is recommended blank telecom plates are specified - see page 602 for details.

#### EXAMPLE LAYOUTS - TRAINING TABLES

- Single Power Block Kits Available on training tables 36" – 72" (**must specify V2 cut-out on table**):
- Each single block kit includes 1 Power Block and 1 Grommet Cover, 1 Female/Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.




- Double Power Block Kits Available on 60", 66" and 72" (must specify V1 and V3 cut-out on table):
- Each double block kit includes 2 Power Blocks and 2 Grommet Covers, 2 Female/Female Interconnecting Cable and 1 Female/Male Interconnecting Cable. Cable clamps for management of these cables are also included.




#### VILLA CUT-OUTS

- Optional Villa cut-out available in standard worksurface locations (left, center or right) **for Rectangular Tables**. Order as: **V1, V2 or V3**. **Add \$103 for each cut-out**.
- Villa cut-outs may be placed at non-standard locations. Please contact customer service.



#### OASIS MINI CUT-OUTS

- Optional Oasis Mini cut-out available in standard worksurface locations (left, center or right) **for Rectangular Tables**. Order as: **M1, M2 or M3**. **Add \$103 for each cut-out**.
- Oasis Mini cut-outs may be placed at non-standard locations. Please contact customer care.
- Oasis Mini is only available on Zira Boardroom Tables**



<

**Required Specifications**

Finish

Power Infeed

Cut-out location

# T

## TABLE POWER + TECHNOLOGY SOLUTIONS


### VILLA I, CENTER POSITION- DAISYLINK KITS

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE


D x W x H

VIF-41-UDKO_-36K	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_-42K	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_-48K	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_-54K	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_60SK	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_66SK	--	70	10	.45	<b>\$724</b>
VIF-41-UDKO_72SK	--	70	10	.45	<b>\$724</b>


Villa Power Base



Villa Flush Lid



**Villa I USB**  
**Data Knockouts, No Data Ports**




Includes **one power block** with **two power receptacles**, **two 2.1 AMP USB charging ports** and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service.

UL listed: UL 183 and CSA Certified.


- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

VIF-41-UD_-36K	--	70	10	.45	<b>\$886</b>
VIF-41-UD_-42K	--	70	10	.45	<b>\$886</b>
VIF-41-UD_-48K	--	70	10	.45	<b>\$886</b>
VIF-41-UD_-54K	--	70	10	.45	<b>\$886</b>
VIF-41-UD_60SK	--	70	10	.45	<b>\$886</b>
VIF-41-UD_66SK	--	70	10	.45	<b>\$886</b>
VIF-41-UD_72SK	--	70	10	.45	<b>\$886</b>


Villa Power Base



Villa Flush Lid



**Villa I USB**  
**Data Knockouts, Data Ports Included**



Includes **one power block** with **two power receptacles**, **two 2.1 AMP USB charging ports** and two RJ45 Cat 6 for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service.

UL listed: UL 183 and CSA Certified.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables
- Not compatible with Terina tables or Junction wire managers (JNECxx)

#### Required Specifications

Finish  
Power Infeed  
Cutout location

VILLA II, CENTER POSITION - DAISYLINK KITS



MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE

D x W x H

VIF2-41-DKO_72SK	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_66SK	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_60SK	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_54K	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_48K	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_42K	--	65	12	.45	<b>\$624</b>
VIF2-41-DKO_36K	--	65	12	.45	<b>\$624</b>

Villa II Power Base

Villa II Flush Lid



Cable Clamps



**Data Knockouts, No Data Ports**


Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

VIF2-41-D_-72SK	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-66SK	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-60SK	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-54K	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-48K	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-42K	--	65	12	.45	<b>\$789</b>
VIF2-41-D_-36K	--	65	12	.45	<b>\$789</b>

Villa II Power Base

Villa II Flush Lid



Cable Clamps



**Data Knockouts, Data Ports Included**

Includes **one power block** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45 Cat 6 Data**, grommet cover, one female/female interconnecting cable, one female/male interconnecting cable and four cable clamps. **V2 cut-out must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.


- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

**Required Specifications**

Finish  
Power Infeed  
Cutout location

T
TABLE POWER + TECHNOLOGY SOLUTIONS


VILLA I, LEFT & RIGHT POSITION - DAISYLINK KITS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE



Data Knockouts, No Data Ports

Table with 6 columns: Model#, Dimensions (D x W x H), Freight Class, Weight (WT/LBS.), Volume (CUBIC FT.), and List Price. Rows include GL-VIF41KO\_72DK, GL-VIF41KO\_66DK, GL-VIF41KO\_60DK, 42 FF Cable, 42 FM Cable, and Cable Clamps.


Includes two power blocks with two power receptacles and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.



Data Knockouts, Data Ports Included

Table with 6 columns: Model#, Dimensions (D x W x H), Freight Class, Weight (WT/LBS.), Volume (CUBIC FT.), and List Price. Rows include GL-VIF41D\_72DK, GL-VIF41D\_66DK, GL-VIF41D\_60DK, 42 FF Cable, 42 FM Cable, and Cable Clamps.

Includes two power blocks with two power receptacles and two RJ45 Cat 6 data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.




Villa I USB

Table with 6 columns: Model#, Dimensions (D x W x H), Freight Class, Weight (WT/LBS.), Volume (CUBIC FT.), and List Price. Rows include GL-VIF41UKO\_72DK, GL-VIF41UKO\_66DK, GL-VIF41UKO\_60DK, 42 FF Cable, 42 FM Cable, and Cable Clamps.


Includes two power blocks with two power receptacles, two 2.1 AMP USB charging ports and two knockouts for data, grommet cover, two female/female interconnecting cables, one female/male interconnecting cable and four cable clamps. V1 & V3 cut-outs must be specified on training table (see product notes section for more details and cut-out upcharge). Power Infeed required and sold separate (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

Required Specifications
Finish
Power infeed
Cut-out location

VILLA II, LEFT & RIGHT POSITION - DAISYLINK KITSMODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE




Data Knockouts, No Data Ports



Data Knockouts, Data Ports Included


D x W x H					
GLVIF241KO_72DK	--	60	22	.23	\$1051
GLVIF241KO_66DK	--	60	22	.23	\$1051
GLVIF241KO_60DK	--	60	22	.23	\$1051



Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables

GL-VIF241D_72DK	--	60	22	.23	\$1379
GL-VIF241D_66DK	--	60	22	.23	\$1379
GL-VIF241D_60DK	--	60	22	.23	\$1379



Includes **two power blocks** with **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45 Cat 6 data** in each block, two grommet covers, two female/female interconnecting cables, one female/male interconnecting cable and 6 cable clamps. **V1 & V3 cut-outs must be specified on training table** (see product notes section for more details and cut-out upcharge). **Power Infeed required and sold separate** (see page 603). For multiple circuit configurations, please contact customer service. UL listed: UL 183 and CSA Certified.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables or Zira Boardroom Tables


Required Specifications  
Finish  
Power Infeed  
Cut-out location




# T

## TABLE POWER + TECHNOLOGY SOLUTIONS

### VILLA I - CORDED UNITS



Data Knockouts, No Data Ports



Data Knockouts, Data Ports Included

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
VIL-C-DKO-_-108	3.25 x 8.75 x 2.25	100	4	.45	<b>\$266</b>
VIL-C-DKO-_-72	3.25 x 8.75 x 2.25	100	4	.45	<b>\$266</b>

Villa I with 3-prong plug. Includes **two power receptacles** and two knockouts for data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see page 599). UL listed: UL 962A and CUL listed.


- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Compatible with Zira Collaborative tables
- -108 models include a 108" long cord. -72 models include a 72" long cord.

VIL-C-D-_-108	3.25 x 8.75 x 2.25	100	4	.45	<b>\$429</b>
VIL-C-D-_-72	3.25 x 8.75 x 2.25	100	4	.45	<b>\$429</b>


Villa I with 3-prong plug. Includes **two power receptacles** and **two RJ45** Cat 6 data. A third convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see page 599). UL listed: UL 962A and CUL listed.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Compatible with Zira Collaborative tables

### VILLA II - CORDED UNITS



Data Knockouts, No Data Ports



Data Knockouts, Data Ports Included

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
VIL2-C2-DKO_-108	3.25 x 11 x 2.25	85	6	.45	<b>\$363</b>
VIL2-C2-DKO_-72	3.25 x 11 x 2.25	85	6	.45	<b>\$363</b>

Villa II with 3-prong plug. Includes **four power receptacles** (two worksurface accessible, two below worksurface) and two knockouts for data. A fifth convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see below). UL listed: UL 962A and CUL listed.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Not compatible with Zira Collaborative tables

VIL2-C2-D-_-108	3.25 x 11 x 2.25	85	6	.45	<b>\$529</b>
VIL2-C2-D-_-72	3.25 x 11 x 2.25	85	6	.45	<b>\$529</b>


Villa II with 3-prong plug. Includes **four power receptacles** (two worksurface accessible, two below worksurface) and **two RJ45** Cat 6 data. A fifth convenience receptacle is provided below the worksurface. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover is required and sold separate** (see below). UL listed: UL 962A and CUL listed.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**
- Not compatible with Zira Collaborative tables


#### Required Specifications

Finish  
Power Infeed  
Cutout location


## VILLA DAISYLINK



Villa I, DaisyLink



Villa II, DaisyLink



Villa USB, DaisyLink

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

D x W x H

VIL-4-1-DKO-__	--	100	4	.45	<b>\$233</b>
----------------	----	-----	---	-----	--------------

Villa I for use in hardwire or DaisyLink applications. Includes **two power receptacles** and **two knockouts for data in each block**. **V1, V2 or V3 cut-out(s) must be specified on table** (see product notes section for more details and cut-out upcharge). **Power infeed required and sold separate** (see page 603). *Please see our **Daisy-Chain guide** on page 604 for appropriate cable lengths and important notes.* **Grommet cover is required and sold separate** (see page 599). UL listed: UL 183 and CSA Certified.

- Replace \_\_ with **B** for **Black** or **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

VIL2-4-1-DKO-__	--	85	6	.45	<b>\$331</b>
-----------------	----	----	---	-----	--------------

Villa II for use in hardwire or DaisyLink applications. Includes **four power receptacles (two worksurface accessible, two below worksurface)** and **two knockouts for data in each block**. **V1, V2 or V3 cut-out(s) must be specified on table** (see product notes section for more details and cut-out upcharge). **Power infeed and connecting cables sold separate** (see page 603). *Please see our **Daisy-Chain guide** on page 604 for appropriate cable lengths and important notes.*

**Grommet cover is required and sold separate** (see page 599). UL listed: UL 183 and CSA Certified.


- Replace \_\_ with **B** for **Black** or **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables.
- Not compatible with Zira Collaborative tables.
- Intended for use on Zira Boardroom tables, Kadin and Swap tables

VIL-4-1-U-DKO-__	--	85	6	.45	<b>\$429</b>
------------------	----	----	---	-----	--------------

Villa USB for use in hardwire or DaisyLink applications. Includes **two power receptacles, two 2.1 AMB USB charging ports, and two knockouts for data in each block**. **V1, V2 or V3 cut-out(s) must be specified on table** (see product notes section for more details and cut-out upcharge). **Power infeed and connecting cables sold separate** (see page 603). *Please see our **Daisy-Chain guide** on page 604 for appropriate cable lengths and important notes.* **Grommet cover is required and sold separate** (see page 599). UL listed: UL 183 and CSA Certified.

- Replace \_\_ with **B** for **Black** or **S** for **Silver Pearl**
- Villa DaisyLink kits are not recommended for use on 2gether tables
- Not compatible with Zira Collaborative tables, Terina tables or Junction wire managers (JNECxx)
- Intended for use on Zira Boardroom tables, Kadin and Swap tables


## VILLA GROMMET COVERS



Villa Grommet Cover

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

VIL-GROM-F-__	3.5 x 5.75 x .94	70	1	.08	<b>\$135</b>
---------------	------------------	----	---	-----	--------------



Powder coated flush metal grommet to be used with Villa I and Villa II **corded** series power blocks. Cut-outs in tables must be specified separately. **V1, V2 or V3 cut-out(s) must be specified on training table** (see product notes section for more details and cut-out upcharge). **Grommet cover remains open while in use.**





- **Cannot be used with PMSPDM.**
- Replace \_\_ with **B** for **Black** or **S** for **Silver Pearl**

**Required Specifications**

Finish  
Power Infeed  
Cutout location

T

TABLE POWER + TECHNOLOGY SOLUTIONS

OASIS MINI	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	OAM-A-PC-__	15 x 9 x 5.25	92.5	16	1.53	\$1945
						
	OAM-A-PC-4-1-__	15 x 9 x 5.25	92.5	16	1.53	\$2227
						
	OAM-B-PC-__	15 x 9 x 5.25	92.5	16	1.53	\$1945
						
	OAM-B-PC-4-1-__	15 x 9 x 5.25	92.5	16	1.53	\$2227

Oasis Mini A, Corded

Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (**telecom plates sold separate**, see page 602) and two 108" 3-prong plugs. **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). Cut-out dimensions: 14.12"x 8.25". UL Listed: UL 962A.

- **Cannot be daisy-chained.**
- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**

Oasis Mini A, DaisyLink Version

**For hardwire and daisy chain applications.** Mini Oasis A unit. 15" Trough with six power receptacles, two telecom plate cut-outs (**telecom plates sold separate**, see page 602). **Power infeed sold separate** (see page 603). **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. *Please see our **Daisy-Chain guide** on page 604 for appropriate cable lengths and important notes.* UL Listed: UL 183.

- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**

Oasis Mini B, Corded

Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (**telecom plates sold separate**, see page 602) and one 108" 3-prong plug. **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.

- **Cannot be daisy-chained.**
- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**

Oasis Mini B, DaisyLink Version

**For hardwire and daisy chain applications.** Mini Oasis B unit. 15" Trough with four power receptacles, three telecom plate cut-outs (**telecom plates sold separate**, see page 602). **Power infeed sold separate** (see page 603). **M1, M2 or M3 cut-out(s) must be specified on conference table** (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. *Please see our **Daisy-Chain guide** on page 604 for appropriate cable lengths and important notes.* UL Listed: UL 183.





- Replace \_ with **B** for **Black**
- Replace \_ with **S** for **Silver Pearl**

Required Specifications

Finish

Power Infeed

Cut-out location

OASIS MINI	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Oasis Mini USB, Corded</b>	D x W x H					
	OAM-U-PC-__	15 x 9 x 5.25	92.5	16	1.53	\$2177
						
 <b>Oasis Mini USB, DaisyLink Version</b>	Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 602) and two 108" 3-prong plugs. <b>M1, M2 or M3 cut-out(s) must be specified on conference table</b> (see product notes section for more details and cut-out upcharge). UL Listed: UL 962A.					
	<ul style="list-style-type: none"><li>• <b>Cannot be daisy-chained.</b></li><li>• Replace __ with <b>B</b> for <b>Black</b></li><li>• Replace __ with <b>S</b> for <b>Silver Pearl</b></li></ul>					
	OAM-U-PC-4-1-__	15 x 9 x 5.25	92.5	16	1.53	\$2457
 <b>Oasis Mini, Chicago Code</b>	For hardware and daisy chain applications. Mini Oasis USB unit. 15" trough with six power receptacles, two 2.1 AMP USB charging ports and one telecom plate cut-out (telecom plates sold separate, see page 602). <b>Power infeed sold separate</b> (see page 603). <b>M1, M2 or M3 cut-out(s) must be specified on conference table</b> (see product notes section for more details and cut-out upcharge). For multiple circuit configurations, please contact customer service. <i>Please see our Daisy-Chain guide on page 604 for appropriate cable lengths and important notes.</i> UL Listed: UL 183.					
	<ul style="list-style-type: none"><li>• Replace __ with <b>B</b> for <b>Black</b></li><li>• Replace __ with <b>S</b> for <b>Silver Pearl</b></li></ul>					
	GL-OAMPD_P72HW	15 x 9 x 5.25	92.5	16	1.53	\$2652
	Mini Oasis for Chicago code includes electrical trough with (2) separate hardware inserts. Each insert includes (3) simplex outlets and (1) telecom plate cut-out (telecom plates sold separate, see page 602). <b>M1, M2 or M3 cut-out(s) must be specified on conference table</b> (see product notes section for more details and cut-out upcharge). Each component is UL Listed: UL 962A.					
	<ul style="list-style-type: none"><li>• <b>Cannot be daisy-chained.</b></li><li>• Replace __ with <b>B</b> for <b>Black</b></li><li>• Replace __ with <b>S</b> for <b>Silver Pearl</b></li></ul>					

Required Specifications












- Finish
- Power Infeed
- Cut-out location

# T TABLE POWER + TECHNOLOGY SOLUTIONS

## TOP TELECOM PLATES

D x W x H

NOT COMPATIBLE WITH VILLA UNITS

TOP TELECOM PLATE	MODEL	CONFIGURATION	LIST PRICE
	A-__-A-B	Telecom plate with RJ11 Cat 3 Phone and RJ45 Cat 6 Data	\$116
	A-__-B-B	(2) RJ45 Cat 6 Connectors	\$151
	A-__-B-B-B	(3) RJ45 Cat 6 Connectors	\$220
	A-__-B-B-B-B	(4) RJ45 Cat 6 Connectors	\$292
	A-__-B-C51-L	RJ45 Cat 6 Data, Mini-Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$260
	A-__-B-B-C51	(2) RJ45 Cat 6 Data and (1) 15 pin HD VGA Female/Female with 72" patch cord attached.	\$271
	A-__-A-B-102	RJ11 Cat 3 phone, RJ45 Cat 6 Data and USB with 72" patch cord attached.	\$260
	A-__-B	RJ45 Cat 6 Data	\$81
	A-__-C51-L	Mini Stereo Inline and 15 pin HD VGA Female/Female with 72" patch cord attached.	\$204
	A-__-CRDMINDER	Cordminder Plate - 2 5/8" holes and 1 7/8" holes	\$46
	A-__-C45-C51-L	HDMI Female/Female with 36" patch cord attached. Mini Stereo Inline and 15 Pin HD VGA Female/Female with 72" patch cord attached.	\$355






### Required Specifications

Finish




Power Infeed

Cut-out location

## TOP TELECOM PLATES

		D x W x H	
TOP TELECOM PLATE	MODEL	CONFIGURATION	LIST PRICE
	A-__-C45	HDMI Female/Female with 36" patch cord attached.	\$175
	A-__-A-B-B	(1) RJ11 Cat 3 Phone and (2) RJ45 Cat 6 data.	\$190
	A-__	Blank telecom plate	\$29
	A-__-102	USB with 72" patch cord attached.	\$81
	A-__-C51	15 pin HD VGA Female/Female with 72" patch cord attached.	\$131
<ul style="list-style-type: none"><li>• Replace _ with <b>BL</b> for <b>Black</b></li><li>• Replace _ with <b>GR</b> for <b>Grey</b></li></ul>			

## POWER INFEEDS

 <p><b>Plug and Play Infeed</b></p>	42AP1-72	--	--	--	--	\$261
	Single Circuit 20 AMP Power Infeed with 72" 3-prong plug. Provides single power entry from floor or wall mounted standard power supply. Connects to Oasis Mini or Villa units that require a separate infeed. UL Listed: UL 1286.					
 <p><b>Multi-Circuit Hardwire Power Infeed</b></p>	42SB2-108	--	--	--	--	\$217
	42SB2-72	--	--	--	--	\$169
	42SB2-36	--	--	--	--	\$123
 <p><b>3 Way Power Splitter</b></p>	Multi-Circuit Hardwire Infeed (up to 20 AMPS per circuit), two circuits. Provides single power entry from floor or wall located building power supply. Connects to Oasis Mini or Villa units that require a power infeed. <b>TO BE HARDWIRED BY A LICENSED ELECTRICIAN.</b> UL Listed: UL 183.					
	DAISY-T	--	70	1	1	\$200
Daisy-T power manager includes two male and one female connection. For use in splitting a power source two ways. UL Listed: UL 183.						

### Required Specifications

Finish  
Power Infeed  
Cut-out location

## TOP TELECOM PLATES



### Interconnecting Cables


	D x W x H
42FF-__	
Female/Female	
42FM-__	
Female/Male	

UL Listed: UL 183 and CSA Certified. For appropriate quantity and sizes, please refer to the chart on the next page.


### Interconnecting Cables - Common Cable Lengths (in inches)

Female/Female				Female/Male	
42FF-27	\$124	42FF-97	\$231	42FM-12	\$111
42FF-38	\$138	42FF-98	\$231	42FM-27	\$129
42FF-41	\$142	42FF-100	\$219	42FM-38	\$143
42FF-50	\$155	42FF-101	\$222	42FM-41	\$149
42FF-53	\$159	42FF-103	\$222	42FM-50	\$161
42FF-63	\$170	42FF-110	\$234	42FM-63	\$178
42FF-65	\$174	42FF-113	\$240	42FM-75	\$193
42FF-75	\$187			42FM-82	\$203
42FF-76	\$188			42FM-85	\$175
42FF-77	\$189			42FM-86	\$208
42FF-82	\$196			42FM-97	\$231
42FF-85	\$200			42FM-98	\$231
42FF-86	\$201			42FM-100	\$245
42FF-89	\$206			42FM-110	\$245


### DRAWING 1A - OASIS MINI A & OASIS MINI USB




### DRAWING 1B - OASIS MINI B




### DRAWING 2A - OASIS MINI A & OASIS MINI USB




**DRAWING 2B - OASIS MINI B**




**DRAWING 3 - OASIS MINI A & OASIS MINI USB**




**DRAWING 4 - OASIS MINI A & OASIS MINI USB**



**DRAWING 5 - OASIS MINI B**



**DRAWING 6 - OASIS MINI B**





## OASIS MINI A, B &amp; USB CABLE LENGTHS NEEDED FOR DAISY-CHAINING

Model #	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Villa DaisyLink, Oasis Mini USB Oasis Mini A Oasis Mini B	Oasis Mini USB Oasis Mini A	Oasis Mini USB Oasis Mini A	Villa DaisyLink or Oasis Mini B	Villa DaisyLink or Oasis Mini B
<b>Cut-out Positions</b>	V1, V3, M1, M3	V1, V3, M1, M3	M1, M2 & M3	M1, M2 & M3	V1, V2, V3, M1, M2, M3	V1, V2, V3, M1, M2, M3
<b>Infeed Position</b>	Left or Right	Center	Left or Right	Center	Left or Right	Center
<b>Reference</b>	Drawing 1A/1B	Drawing 2A/2B	Drawing 3	Drawing 4	Drawing 5	Drawing 6
Z4896BE Z4896RTE Z4896REE Z4896BW	(1) 42FF-53 SPECIFY INFEED	(1) 42FF-27 (1) 42FM-27 (1) DAISY-T SPECIFY INFEED	N/A	N/A	N/A	N/A
Z48120BE Z48120RTE Z48120REE Z48120BW	(1) 42FF-76 SPECIFY INFEED	(1) 42FF-38 (1) 42FM-38 (1) DAISY-T SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(3) 42FF-41 SPECIFY INFEED	(2) 42FF-41 SPECIFY INFEED	(2) 42FF-41 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48144BE Z48144RTE Z48144REE Z48144BW	(1) 42FF-100 SPECIFY INFEED	(1) 42FF-50 (1) 42FM-50 (1) DAISY-T SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(3) 42FF-53 SPECIFY INFEED	(2) 42FF-53 SPECIFY INFEED	(2) 42FF-53 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48168BE Z48168RTE Z48168REE Z48168BW	(1) 42FF-63 (1) 42FM-63 SPECIFY INFEED	(1) 42FF-63 (1) 42FM-63 (1) DAISY-T SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(3) 42FF-65 SPECIFY INFEED	(2) 42FF-65 SPECIFY INFEED	(2) 42FF-65 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48192BE Z48192RTE Z48192REE Z48192BW	(1) 42FF-75 (1) 42FM-75 SPECIFY INFEED	(1) 42FF-75 (1) 42FM-75 (1) DAISY-T SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(3) 42FF-77 SPECIFY INFEED	(2) 42FF-77 SPECIFY INFEED	(2) 42FF-77 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48216BE Z48216RTE Z48216REE Z48216BW	(1) 42FF-86 (1) 42FM-86 SPECIFY INFEED	(1) 42FF-85 (1) 42FM-85 (1) DAISY-T SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(3) 42FF-89 SPECIFY INFEED	(2) 42FF-89 SPECIFY INFEED	(2) 42FF-89 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48240BE Z48240RTE Z48240REE Z48240BW	(1) 42FF-98 (1) 42FM-98 SPECIFY INFEED	(1) 42FF-97 (1) 42FM-97 (1) DAISY-T SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(3) 42FF-101 SPECIFY INFEED	(2) 42FF-101 SPECIFY INFEED	(2) 42FF-101 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48264BE Z48264RTE Z48264REE Z48264BW	(1) 42FF-110 (1) 42FM-110 SPECIFY INFEED	(1) 42FF-110 (1) 42FM-110 (1) DAISY-T SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(3) 42FF-113 SPECIFY INFEED	(2) 42FF-113 SPECIFY INFEED	(2) 42FF-113 (1) 42FM-12 (1) DAISY-T SPECIFY INFEED
Z48288BE Z48288RTE Z48288REE Z48288BW	(1) 42FF-82 (2) 42FM-82 SPECIFY INFEED	(2) 42FF-41 (2) 42FM-41 (1) DAISY-T SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(3) 42FF-63 (3) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 SPECIFY INFEED	(2) 42FF-63 (2) 42FM-63 (1) DAISY-T SPECIFY INFEED

# tables and accessories

## café, meeting and conference

Anywhere Table Collection.....	610	Kadin.....	748
Collaborative Spaces.....	649	Swap.....	757

## training

2gether.....	611	Edventure.....	695
Bungee.....	624	FreeFit.....	703
Bungee SL.....	530	Junction.....	741
Connectables.....	676	Terina.....	802
Duet.....	692	Zook.....	806

## reception and occasional

Citi.....	818	River+ tables.....	827
Drift tables.....	822	Sirena tables.....	830
Lite Lift II.....	826	Wind.....	831
Occasional tables.....	820	Work tables.....	832

## GENERAL INFORMATION

- 2gether is a series of multi-purpose flip-top tables for collaboration, classroom, training and conference applications.
- “Easy Touch” mechanism allows you to flip the tables up or down with maximum ease
- Adjustable leveling casters provide smooth mobility
- Offset “Y” sculpted legs allow for parallel space-saving table nesting, to minimize footprint required for storage
- Optional modesty panels with integrated wire troughs are available
- Grommets are available on 24” deep worksurfaces
- Available sizes: 18”D x 60”W, 24”D x 60”W and 72”W
- Shipped easy to assemble. Each component is packaged individually; legs are shipped 1 per carton.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## WORKSURFACES

- 1” thick tops are constructed of 45 lb. density particleboard with high performance thermally fused laminate

## CONSTRUCTION

- “Easy touch” lever located at both sides of table for flip-top operation from either side
- Global’s preferred matching edge
- Tops are pre-drilled with threaded steel inserts
- Tops 60” and 72” wide feature a built-in support bar
- 14.25” high optional articulating modesty panel attaches to underside of flip-top
- Bumpers on legs and undercarriage prevent tables from being damaged while nested
- Grommets optional on 24” deep tops only
- Champagne base finish
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## LAMINATE FINISHES


ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## GANGING PLATES

- Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

## GROMMETS


- Available only on 24” deep worksurfaces
- Additional grommets available in standard worksurface locations (left, center or right). Order as: **AG1, AG2 or AG3. Add \$103**
- Grommet hole dimensions are 3 ¼” wide x 1 7/8” deep.



- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.

## POWER BLOCK

- Available only on 24” deep worksurfaces
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9’ black cord included. Power Block dimensions are 3 ½” deep x 6 ½” wide x 2 ¾” high.
- A Power Block (model **PMSPDM**) may be ordered for **24” Deep Tables** in place of standard grommets.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, Add \$352**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103**.




For 48”w units

For 60” and 72”w units.

Power Block **PMSPDM, Add \$352** Specify location **E1, E2 or E3, Add \$103**

## VILLA CUT-OUTS

- Available only on 24” deep worksurfaces
- A Villa Power Block is available for daisy-chaining or corded for use on individual tables (see page 593 for Villa details). Villa Power Block dimensions vary by model. Villa cut-out dimensions are 3” deep x 5 ¼” wide.
- Villa DaisyLink **kits** are not for use on 2gether tables.
- A Villa cut-out may be ordered for 24” Deep Tables. Order as **V1, V2 or V3, Add \$103 for each cut-out**.
- Order Villa Power Block and Villa Grommet Cover separately, see page 593 for pricing and details






For 48”w units

For 60” and 72”w units.

## MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to 2gether tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- To be used with rectangular tables **IT2460RX** and **IT2472RX** only.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side). **Add \$103**
  - **MPD** for two cut-outs in the left and right positions, 15” from ends to center of unit on approach side. **Add \$204**.

RECTANGULAR TOP	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	IT2472RX	24 x 72 x 29	92.5	97.20	8.68	\$2383	\$292
	IT2460RX	24 x 60 x 29	92.5	86	7.68	\$2228	\$258
	IT1860RX	18 x 60 x 29	92.5	75	6.98	\$2145	\$228
	Flip-top table on four adjustable leveling casters, two locking. Easy-touch lever located at both ends of the table allows for activation on either side of the table; offset Y leg accommodates in-line nesting for space-saving storage. Nested dimensions: first 18D tables: 22.2" + 5.6" per additional table nested; first 24D tables: 25.1" + 5.6" per additional table nested. . Wire management channel included. Champagne finish leg. Black/dark grey casters. Optional articulating modesty panel available. Shipped easy to assemble in 3 cartons.						
	IT72MP	2.75 x 63 x 14.25	125	13.20	2	\$350	
	IT60MP	2.75 x 51 x 14.25	125	11.40	1.60	\$322	
	Articulating modesty for use with flip-top 2gether tables. Champagne finish.						
	CNGFP	5 x 2.5 x 1.13	70	.20	.10	\$74	
Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. <b>Sold individually.</b>							

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Laminate finish	HP laminate	Modesty panel Ganging connector



Sturdy and economically priced, Global's Anywhere Table Collection is ideal for boardrooms, meeting spaces and cafeterias.

Table tops are offered in seven shapes - round, square, rectangular, boat, racetrack, rectangular with bow ends, and wedge - and a variety of bases (including metal options, laminate drum base, arch base or slab base). Add to this an impressive variety of laminate finishes that can be mixed and matched and you'll find Global can satisfy any and every business need.

From cafeterias to large boardrooms, from traditional to contemporary, Global's range of table components, shapes, sizes and colors will enhance any office décor.

#### **Features and Benefits**

- Tables 96" wide or less are standard with one-piece tops.
- Tables 120" and 144" wide are standard with two-piece tops.
- Tops are available in 1" thick thermally fused laminate, or 1-1/16" and 1-1/2" thick high pressure laminate.
- All tops are edged with 2mm thick matching or complementary finish edgeband.
- Square, rectangular and wedge shaped tops are standard with 90° corners. Optional with 2" corner radius corners.

GENERAL INFORMATION

- Practical and economical table solutions for cafeteria, meeting spaces and more.
- Tops are available in 1” thick thermally fused laminate, 1-1/16” high pressure laminate or 1-1/2” thick high pressure laminate.
- Multiple base styles available including metal options, and laminate drum base, arch base or slab base.
- Tables up to 96” wide are standard with one-piece tops; 120” and 144” wide are standard with two-piece tops.
- Variety of top shapes: round, square, rectangular, boat, racetrack, rectangular with bow ends, and wedge.
- All tops are edged with 2mm thick matching or complementary finish edgeband.
- Integrated power distribution solutions available, specified separately.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

CONSTRUCTION

- 1” thick tops are made of 45 lb. density particle board covered on both sides with high performance, thermally fused laminate with 2mm thick edgeband.
- Tops are optional in high pressure laminate in 1-1/16” thick or 1.5” thick material. Products specified in high pressure laminate are finished on the underside of the surface with a kraft paper backing.
- Square, rectangular and wedge shaped tops are standard with 90° corner radius. Optional 2” corner radius available. Specify option **(2R)**. Refer to model for upcharge.

BASES

- Drum bases are high pressure laminate over a sonotube inner wall. 1.5” diameter glides offer 0.5” of leveling adjustment. No additional counterweight required.
- Powering Drum Bases: Drum bases include a 3” diameter cut-out in the bottom to allow cords to exit near the levelers. They are not equipped with internal wire pass-throughs for daisy chaining. To accommodate top-access wiring, a 3” diameter cut-out can be field-added to the upper side of the base as needed.
- Laminate slab bases are 1” thick thermally fused laminate, 1.5” diameter glides offer 0.5” of leveling adjustment.
- Laminate arch bases for 36”D tops are 4-3/8” thick; for 48”D tops are 5” thick overall. Interior frame is covered in masonite and HPL on curved side; flat side is thermally fused laminate. 1.5” dia. glides offer 0.5” of leveling adjustment.
- Two 5.5”H support panels run between each slab or arch base component creating a concealed cavity for cable management.
- Tapered blade base (two and four feet style) consists of 2” diameter column, 16 GA with 11”x11” 12 GA mounting plate.
- Tubular base consists of 2” dia round tube, 16 GA with 11”x11” 12 GA mounting plate.

LAMINATE AND EDGE BAND FINISHES

<b>ACJ</b>	Absolute Acajou	<b>FCL</b>	First Class
<b>ASN</b>	Asian Night	<b>NBL</b>	Noce Biondo
<b>AWC</b>	Avant Cherry	<b>NGL</b>	Noce Grigio
<b>AWH</b>	Avant Honey	<b>NEL</b>	Noce Leggero
<b>BLK</b>	Black	<b>NML</b>	Noce Medio
<b>BZD</b>	Blizzard	<b>QTM</b>	Quartered Mahogany
<b>BRC</b>	Brushed Cobalt	<b>SBY</b>	Sheer Beauty
<b>CMB</b>	Clear Maple	<b>SOG</b>	Storm Grey
<b>CGY</b>	Custom Grey	<b>SDT</b>	Stonedust
<b>DES</b>	Dark Espresso	<b>WHE</b>	Walnut Heights
<b>DWT</b>	Designer White	<b>WHC</b>	White Chocolate
<b>FAS</b>	Fashionista	<b>WCR</b>	Winter Cherry

- Select material type:
  - **1TF** for product with 1” thick thermally fused laminate top
  - **1HP** for product with 1-1/6” thick high pressure laminate top, upcharge applies
  - **2HP** for product with 1.5” thick high pressure laminate top, upcharge applies
- The above laminate finishes are also available in **high pressure laminate** tops in 1-1/16” or 1.5” thick material. Upcharge applies.

- 2mm thick edge band, finish specified separately from top surface in contrasting or matching finish.
- Laminate base finish to be specified separately in contrasting or matching finish

METAL BASE FINISHES

- Available for TRD4TSxx, TSQ4TSxx, TRD4RSxx, TSQ4RSxx, TRD TTxx, TSQ TTxx and TRT2Txxxx, TRB2Txxxx, TBT2Txxxx, TRC2Txxxx, TWG2Txxxx tables.

Paint finishes

<b>TBL</b>	Black	<b>TIN</b>	Ink
<b>TBZ</b>	Buzz Blue	<b>TKA</b>	Kalua
<b>TCC</b>	Cactus	<b>TLA</b>	Latte
<b>TCR</b>	Carrot	<b>TMO</b>	Mocha
<b>TIV</b>	Cloud	<b>TNE</b>	Nevada
<b>TDW</b>	Designer White	<b>TSN</b>	Sand
<b>TDJ</b>	Dijon	<b>TSR</b>	Scarlet
<b>TEG</b>	Eggplant	<b>TSH</b>	Shadow
<b>TFO</b>	Fog	<b>TOA</b>	Toast
<b>TFR</b>	Frost	<b>TTU</b>	Tungsten

Plated finishes - upcharge applies (see chart below)


<b>BCH</b>	Brushed Chrome
<b>CHM</b>	Polished Chrome

PLATED FINISH UPCHARGES	CHM	BCH
4-prong single tapered base or round tubular:		
T__4TS__	\$28	\$84
T__4RS__	\$28	\$84
Trumpet base:		
TRDTT__	\$39	\$95
TSQTT__	\$39	\$95
2-prong tapered base:		
T__2T7236	\$56	\$167
T__2T9636	\$56	\$167
T__2T9648	\$56	\$167
T__2T12036	\$84	\$250
T__2T12048	\$84	\$250
T__2T14448	\$84	\$250

## GROMMETS AND CUT-OUTS FOR POWER BLOCKS

- Power blocks can be specified separately to deliver power and data to the table surface.
- Not all cut-out/power block locations are available on all table sizes due to base positioning. Please refer to the table on the right.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Standard cut-out options are centerline on the table horizontally; position 1 (left), position 2 (center) or position 3 (right).  
Order as **AG1, E1, M1, R1, T1, V1**, etc. **Add \$103** for each cut-out.
- Multiple cut-outs may be ordered and multiple power blocks may be accommodated.
- Select power block option from Productivity Solutions, beginning on page page 580.
- Cut-outs may be placed in non-standard locations.  
Order as **AGS, ES, MS, RS, TS**, or **VS** - **Add \$103**.  
A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out.

## POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS



\*Drum bases not equipped for daisy chain models. See base notes for clarification.

## SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.

## SHIPPING

- Shipped easy to assemble.

## CUT-OUT OPTIONS

Model #	Position 1	Position 2	Position 3	Custom
tables with one centered metal base				
TRD4TS_	N/A	N/A	N/A	N/A
TSQ4TS_	N/A	N/A	N/A	N/A
TRD4RS_	N/A	N/A	N/A	N/A
TSQ4RS_	N/A	N/A	N/A	N/A
TRDTT_	N/A	N/A	N/A	N/A
TSQTT_	N/A	N/A	N/A	N/A
TRDXB_	N/A	N/A	N/A	N/A
TSQXB_	N/A	N/A	N/A	N/A
	add 1 to code (e.g. E1)	add 2 to code (e.g. E2)	add 3 to code (e.g. E3)	
drum base tables				
T__DM7236	AG, E, R, T, V	N/A	AG, E, R, T, V	S
T__DM9636	AG, E, R, T, V	AG, E, M, R, T, V	AG, E, R, T, V	S
T__DM9648	AG, E, R, T, V	N/A	AG, E, R, T, V	S
T__DM12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	S
T__DM12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__DM14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
slab base tables				
T__LS7236	N/A	AG, E, R, T, V	N/A	S
T__LS9636	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	S
T__LS9648	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__LS12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	S
T__LS12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__LS14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
arch base tables				
T__AH7236	N/A	AG, E, R, T, V	N/A	S
T__AH9636	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	S
T__AH9648	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__AH12036	AG, E, R, T, V	AG, E, R, T, V	AG, E, R, T, V	S
T__AH12048	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__AH14448	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
tables with 2 or 3 tapered blade bases				
T__2T7236	N/A	AG, E, M, R, T, V	N/A	S
T__2T9636	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__2T9648	AG, E, M, R, T, V	AG, E, M, R, T, V	AG, E, M, R, T, V	S
T__2T12036	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	S
T__2T12048	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	S
T__2T14448	AG, E, M, R, T, V	N/A	AG, E, M, R, T, V	S

**BASE SIZE CHARTS (table width is nominal)****Round or Square Tops:**

Top	Slab	Drum	Arch	Cross	4-Prong Tapered	Trumpet	Tube
24"	N/A	N/A	N/A	N/A	N/A	24"	N/A
30"	N/A	N/A	N/A	N/A	28"	24"	26"
36"	N/A	N/A	N/A	N/A	32"	24"*	30"
42"	N/A	N/A	N/A	30"	32"	N/A	N/A
48"	N/A	N/A	N/A	30"	N/A	N/A	N/A
60"	N/A	N/A	N/A	36"	N/A	N/A	N/A

\*36" square top with trumpet base not available.

**Rectangular, Rectangular with Bow Ends, Boat, Racetrack or Wedge Tops:**

Top	Slab	Drum	Arch	Cross	2-Prong Tapered	Trumpet
36" x 72"	24"	18"	24"	n/a	32"	n/a
36" x 96"	24"	18"	24"	n/a	32"	n/a
48" x 96"	28"	18"	28"	n/a	32"	n/a
48" x 120"	28"	24"	28"	n/a	32"	n/a
48" x 144"	28"	24"	28"	n/a	32"	n/a

**TABLE NOTES - ESTIMATED CAPACITY**

- Use the following chart as a guideline to determine the size of a table and the number of chairs needed. All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.

NUMBER OF CHAIRS							
Top Size	Round	Square	Rectangular	Rectangular w/bow ends	Boat	Racetrack	Wedge
30" x 30"	3	3	N/A	N/A	N/A	N/A	N/A
36" x 36"	4	4	N/A	N/A	N/A	N/A	N/A
42" x 42"	4	4	N/A	N/A	N/A	N/A	N/A
48" x 48"	4	4	N/A	N/A	N/A	N/A	N/A
60" x 60"	5	6	N/A	N/A	N/A	N/A	N/A
30" x 60"	N/A	N/A	4-6	4-6	4-6	4-6	N/A
36" x 72"	N/A	N/A	4-6	4-6	4-6	4-6	4-6
36" x 96"	N/A	N/A	6-8	6-8	6-8	6-8	6-8
48" x 96"	N/A	N/A	6-8	6-8	6-8	6-8	6-8
48" x 120"	N/A	N/A	8-10	8-10	8-10	8-10	8-10
48" x 144"	N/A	N/A	10-12	10-12	10-12	10-12	10-12



## BASE OPTIONS

### Laminate



**cross base**  
(round and square tables)



**arch base**



**drum base**



**slab base**

### Metal



**4-prong tapered base**  
(round and square tables)



**tubular base**  
(round and square tables)



**trumpet base**  
(round and square tables)



**2-prong tapered base**

## TABLE TOP STYLES



**round**



**square**



**boat**



**rectangular**



**rectangular, bow end**



**racetrack**



**wedge**

- Square, rectangular and wedge shaped tops are available with optional radiused corners. Upcharge applies.
- Edge profiles:



**1.5" HPL top (2HP)**  
**1-1/16" HPL top (1HP)**  
(not shown)



**1" TFL top (1TF)**



**2" radius corner (2R)**

## ROUND AND SQUARE TABLES

**Round Table, Tapered Blade Base**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R ADD
TRD4TS30	30 x 30 x 29	150	35.5	8.04	<b>\$486</b>	<b>\$98</b>	<b>\$118</b>	n/a
TRD4TS36	36 x 36 x 29	150	48	11.8	<b>\$571</b>	<b>\$129</b>	<b>\$155</b>	n/a
TRD4TS42	42 x 42 x 29	150	62	12.3	<b>\$665</b>	<b>\$177</b>	<b>\$212</b>	n/a

1" thick thermally fused round top with four prong metal tapered blade base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.

**Square Table, Tapered Blade Base\***

TSQ4TS30	30 x 30 x 29	150	35.5	8.1	<b>\$486</b>	<b>\$98</b>	<b>\$118</b>	<b>\$23</b>
TSQ4TS36	36 x 36 x 29	150	48	11.8	<b>\$571</b>	<b>\$129</b>	<b>\$155</b>	<b>\$30</b>
TSQ4TS42	42 x 42 x 29	150	62	12.3	<b>\$665</b>	<b>\$177</b>	<b>\$212</b>	<b>\$40</b>

1" thick thermally fused square top with four prong metal tapered blade base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.

**Round Table, Tubular Steel Base**

TRD4RS30	30 x 30 x 29	150	36	8.3	<b>\$515</b>	<b>\$98</b>	<b>\$118</b>	n/a
TRD4RS36	36 x 36 x 29	150	49	11.8	<b>\$634</b>	<b>\$129</b>	<b>\$155</b>	n/a

1" thick thermally fused round top with round tubular steel base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.

**Square Table, Tubular Steel Base\***

TSQ4RS30	30 x 30 x 29	150	36	8.3	<b>\$515</b>	<b>\$98</b>	<b>\$118</b>	<b>\$23</b>
TSQ4RS36	36 x 36 x 29	150	49	11.8	<b>\$634</b>	<b>\$129</b>	<b>\$155</b>	<b>\$30</b>

1" thick thermally fused square top with round tubular steel base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.

**Round Table, Trumpet Base**

TRDTT24	24 x 24 x 29	250	33	12.7	<b>\$755</b>	<b>\$63</b>	<b>\$76</b>	n/a
TRDTT30	30 x 30 x 29	250	42	13.1	<b>\$820</b>	<b>\$98</b>	<b>\$118</b>	n/a
TRDTT36	36 x 36 x 29	150	54	13.5	<b>\$897</b>	<b>\$129</b>	<b>\$155</b>	n/a

1" thick thermally fused round top with metal trumpet base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.




**Required Specifications**

Top material/thickness  
Top finish  
Edge  
Base finish

**Optional Specifications**

HP laminate  
Plated base finish  
Radius corners\*

# A ANYWHERE TABLE COLLECTION

ROUND AND SQUARE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R ADD
 <p><b>Square Table, Trumpet Base<sup>†*</sup></b></p>		<b>D x W x H</b>							
	TSQTT24	24 x 24 x 29	250	33	12.7	<b>\$755</b>	<b>\$63</b>	<b>\$76</b>	<b>\$16</b>
	TSQTT30	30 x 30 x 29	250	42	13.1	<b>\$820</b>	<b>\$98</b>	<b>\$118</b>	<b>\$23</b>
<p>1" thick thermally fused square top with metal trumpet base. Radius corners top optional, upcharge applies. <i>36" Square not available.</i> High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Service. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 2 cartons.</p>									
 <p><b>Round Table, Laminate Cross Base</b></p>	TRDXB42	42 x 42 x 29.5	70	72	4	<b>\$815</b>	<b>\$177</b>	<b>\$212</b>	n/a
	TRDXB48	48 x 48 x 29.5	70	91	5	<b>\$970</b>	<b>\$201</b>	<b>\$241</b>	n/a
	TRDXB60	60 x 60 x 29.5	70	144	8.8	<b>\$1324</b>	<b>\$287</b>	<b>\$345</b>	n/a
<p>1" thick thermally fused round top with laminate cross base. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and base separately. Shipped easy to assemble in 2 cartons.</p>									
 <p><b>Square Table, Laminate Cross Base<sup>†*</sup></b></p>	TSQXB42	42 x 42 x 29.5	70	72	4	<b>\$815</b>	<b>\$177</b>	<b>\$212</b>	<b>\$40</b>
	TSQXB48	48 x 48 x 29.5	70	91	5	<b>\$970</b>	<b>\$201</b>	<b>\$241</b>	<b>\$50</b>
	TSQXB60	60 x 60 x 29.5	70	144	8.8	<b>\$1361</b>	<b>\$287</b>	<b>\$345</b>	<b>\$74</b>
<p>1" thick thermally fused square top with laminate cross base. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and base separately. Shipped easy to assemble in 2 cartons.</p>									

## Required Specifications

Top material/thickness  
Top finish  
Edge  
Base finish






## Optional Specifications

HP laminate  
Plated base finish†  
Radius corners\*

	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1T/1TOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R ADD
 <b>Rectangular Table, Drum Base*</b>		D x W x H							
	TRTDM7236	36 x 72 x 29.5	85	215	15.2	<b>\$1690</b>	<b>\$246</b>	<b>\$295</b>	<b>\$58</b>
	TRTDM9636	36 x 96 x 29.5	92.5	240	23	<b>\$1882</b>	<b>\$342</b>	<b>\$410</b>	<b>\$77</b>
	TRTDM9648	48 x 96 x 29.5	125	274	35.6	<b>\$2402</b>	<b>\$418</b>	<b>\$502</b>	<b>\$100</b>
One piece 1" thick thermally fused rectangular top with two laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
 <b>Rectangular Table, Drum Base*</b>	TRTDM12036	36 x 120 x 29.5	100	274	31.92	<b>\$2850</b>	<b>\$537</b>	<b>\$644</b>	<b>\$118</b>
	TRTDM12048	48 x 120 x 29.5	125	374	49.7	<b>\$3552</b>	<b>\$646</b>	<b>\$775</b>	<b>\$144</b>
	TRTDM14448	48 x 144 x 29.5	125	412	53.08	<b>\$3779</b>	<b>\$736</b>	<b>\$884</b>	<b>\$167</b>
Two piece 1" thick thermally fused rectangular top with three laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.									
 <b>Rectangular Table, Drum Base Bow Ends</b>	TRBDM7236	36 x 72 x 29.5	92.5	240	23	<b>\$1690</b>	<b>\$246</b>	<b>\$295</b>	n/a
	TRBDM9636	36 x 96 x 29.5	85	215	15.2	<b>\$1882</b>	<b>\$342</b>	<b>\$410</b>	n/a
	TRBDM9648	48 x 96 x 29.5	125	274	35.6	<b>\$2402</b>	<b>\$418</b>	<b>\$502</b>	n/a
One piece 1" thick thermally fused rectangular top with bow ends; two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
 <b>Rectangular Table, Drum Base Bow Ends</b>	TRBDM12036	36 x 120 x 29.5	92.5	334	31.92	<b>\$2850</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TRBDM12048	48 x 120 x 29.5	125	374	49.7	<b>\$3552</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TRBDM14448	48 x 144 x 29.5	125	412	53.08	<b>\$3779</b>	<b>\$736</b>	<b>\$884</b>	n/a
Two piece 1" thick thermally fused rectangular top with bow ends; three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
 <b>Boat Shaped Table, Drum Base</b>	TBTDM7236	36 x 72 x 29.5	85	215	15.2	<b>\$1690</b>	<b>\$246</b>	<b>\$295</b>	n/a
	TBTDM9636	36 x 96 x 29.5	92.5	240	23	<b>\$1882</b>	<b>\$342</b>	<b>\$410</b>	n/a
	TBTDM9648	48 x 96 x 29.5	125	274	35.6	<b>\$2402</b>	<b>\$418</b>	<b>\$502</b>	n/a
One piece 1" thick thermally fused boat shaped top with two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Cut-out for grommet/power blocks	
Edge	Radius corners*	
Base finish		

# A ANYWHERE TABLE COLLECTION

TABLES W/DRUM BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R ADD
		D x W x H							
	TBTDM12036	36 x 120 x 29.5	92.5	334	31.92	<b>\$2850</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TBTDM12048	48 x 120 x 29.5	125	374	49.7	<b>\$3552</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TBTDM14448	48 x 144 x 29.5	125	412	53.08	<b>\$3779</b>	<b>\$736</b>	<b>\$884</b>	n/a
Two piece 1" thick thermally fused boat shaped top with three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.									
	TRCDM7236	36 x 72 x 29.5	85	215	15.2	<b>\$1690</b>	<b>\$246</b>	<b>\$295</b>	n/a
	TRCDM9636	36 x 96 x 29.5	92.5	240	23	<b>\$1882</b>	<b>\$342</b>	<b>\$410</b>	n/a
	TRCDM9648	48 x 96 x 29.5	125	274	35.6	<b>\$2402</b>	<b>\$418</b>	<b>\$502</b>	n/a
One piece 1" thick thermally fused racetrack top with two laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TRCDM12036	36 x 120 x 29.5	92.5	334	31.92	<b>\$2850</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TRCDM12048	48 x 120 x 29.5	125	374	49.7	<b>\$3552</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TRCDM14448	48 x 144 x 29.5	125	412	53.08	<b>\$3779</b>	<b>\$736</b>	<b>\$884</b>	n/a
Two piece 1" thick thermally fused racetrack top with three laminate drum bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.									
	TWGDM7236	48-36 x 72 x 29.5	85	215	15.2	<b>\$1690</b>	<b>\$246</b>	<b>\$295</b>	<b>\$58</b>
	TWGDM9636	48-36 x 96 x 29.5	92.5	240	23	<b>\$1882</b>	<b>\$342</b>	<b>\$410</b>	<b>\$77</b>
	TWGDM9648	60-48 x 96 x 29.5	125	274	35.6	<b>\$2402</b>	<b>\$418</b>	<b>\$502</b>	<b>\$100</b>
One piece 1" thick thermally fused wedge top with two laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TWGDM12048	60-48 x 120 x 29.5	125	374	49.7	<b>\$3552</b>	<b>\$646</b>	<b>\$775</b>	<b>\$144</b>
	TWGDM14448	60-48 x 144 x 29.5	125	412	53.08	<b>\$3779</b>	<b>\$736</b>	<b>\$884</b>	<b>\$167</b>
Two piece 1" thick thermally fused wedge top with three laminate drum bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.									

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Cut-out for grommet/power blocks	
Edge	Radius corners*	
Base finish		

TABLES W/SLAB BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R CORNER
		D x W x H							
	TRTLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	\$58
	TRTLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	\$77
	TRTLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	\$100
	TRTLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	\$118
	TRTLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	\$144
	TRTLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	\$167
	TRBLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	n/a
	TRBLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	n/a
	TRBLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	n/a
	TRBLS12036	36 x 120 x 29.5	85	259	19.94	\$2035	\$537	\$644	n/a
	TRBLS12048	48 x 120 x 29.5	85	319	23.74	\$2366	\$646	\$775	n/a
	TRBLS14448	48 x 144 x 29.5	85	365	27.63	\$2660	\$736	\$884	n/a
	TBTLS7236	36 x 72 x 29.5	65	137	5.99	\$1086	\$246	\$295	n/a
	TBTLS9636	36 x 96 x 29.5	85	189.5	14.07	\$1343	\$342	\$410	n/a
	TBTLS9648	48 x 96 x 29.5	85	237	17.54	\$1617	\$418	\$502	n/a

Rectangular Table, Slab Base\*

One piece 1" thick thermally fused rectangular top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

Rectangular Table, Slab Base\*

Two piece 1" thick thermally fused rectangular top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 4 cartons.

Rectangular Table, Slab Base Bow Ends

One piece 1" thick thermally fused rectangular top with bow ends; laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

Rectangular Table, Slab Base Bow Ends






Two piece 1" thick thermally fused rectangular top with bow ends; laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

Boat Shaped Table, Slab Base

One piece 1" thick thermally fused boat shaped top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Cut-out for grommet/power blocks	
Edge	Radius corners*	
Base finish		

# A ANYWHERE TABLE COLLECTION

TABLES W/SLAB BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R ADD
		D x W x H							
	TBTL12036	36 x 120 x 29.5	85	259	19.94	<b>\$2035</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TBTL12048	48 x 120 x 29.5	85	319	23.74	<b>\$2366</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TBTL14448	48 x 144 x 29.5	85	365	27.63	<b>\$2660</b>	<b>\$736</b>	<b>\$884</b>	n/a
Two piece 1" thick thermally fused boat shaped top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TRCLS7236	36 x 72 x 29.5	65	137	5.99	<b>\$1086</b>	<b>\$246</b>	<b>\$295</b>	n/a
	TRCLS9636	36 x 96 x 29.5	85	189.5	14.07	<b>\$1343</b>	<b>\$342</b>	<b>\$410</b>	n/a
	TRCLS9648	48 x 96 x 29.5	85	237	17.54	<b>\$1617</b>	<b>\$418</b>	<b>\$502</b>	n/a
One piece 1" thick thermally fused racetrack top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TRCLS12036	36 x 120 x 29.5	85	259	19.94	<b>\$2035</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TRCLS12048	48 x 120 x 29.5	85	319	23.74	<b>\$2366</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TRCLS14448	48 x 144 x 29.5	85	365	27.63	<b>\$2660</b>	<b>\$736</b>	<b>\$884</b>	n/a
Two piece 1" thick thermally fused racetrack top with laminate slab bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TWGLS7236	48-36 x 72 x 29.5	65	137	5.99	<b>\$1086</b>	<b>\$246</b>	<b>\$295</b>	<b>\$58</b>
	TWGLS9636	48-36 x 96 x 29.5	85	189.5	14.07	<b>\$1343</b>	<b>\$342</b>	<b>\$410</b>	<b>\$77</b>
	TWGLS9648	60-48 x 96 x 29.5	85	237	17.54	<b>\$1617</b>	<b>\$418</b>	<b>\$502</b>	<b>\$100</b>
One piece 1" thick thermally fused wedge top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TWGLS12048	60-48 x 120 x 29.5	85	365	27.63	<b>\$2366</b>	<b>\$646</b>	<b>\$775</b>	<b>\$144</b>
	TWGLS14448	60-48 x 144 x 29.5	85	365	27.63	<b>\$2660</b>	<b>\$736</b>	<b>\$884</b>	<b>\$167</b>
Two piece 1" thick thermally fused wedge top with laminate slab bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Cut-out for grommet/power blocks	
Edge	Radius corners*	
Base finish		



TABLES W/ARCH BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD(1HP)	1.5" ADD(2HP)	2R ADD
		D x W x H							
	TRBAH7236	36 x 72 x 29.5	70	157	8.56	\$1498	\$246	\$295	n/a
	TRBAH9636	36 x 96 x 29.5	85	209.5	16.65	\$1756	\$342	\$410	n/a
	TRBAH9648	48 x 96 x 29.5	85	257	21.14	\$2168	\$418	\$502	n/a
One piece 1" thick thermally fused rectangular top with bow ends; laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TRBAH12036	36 x 120 x 29.5	85	278	20.66	\$2433	\$537	\$644	n/a
	TRBAH12048	48 x 120 x 29.5	85	329	25.93	\$2902	\$646	\$775	n/a
	TRBAH14448	48 x 144 x 29.5	85	375	29.82	\$3197	\$736	\$884	n/a
Two piece 1" thick thermally fused rectangular top with bow ends; laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TBTAH7236	36 x 72 x 29.5	70	157	8.56	\$1498	\$246	\$295	n/a
	TBTAH9636	36 x 96 x 29.5	85	209.5	16.65	\$1756	\$342	\$410	n/a
	TBTAH9648	48 x 96 x 29.5	85	257	21.14	\$2168	\$418	\$502	n/a
One piece 1" thick thermally fused boat shaped top with laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									
	TBTAH12036	36 x 120 x 29.5	85	278	20.66	\$2433	\$537	\$644	n/a
	TBTAH12048	48 x 120 x 29.5	85	329	25.93	\$2902	\$646	\$775	n/a
	TBTAH14448	48 x 144 x 29.5	85	375	29.82	\$3197	\$736	\$884	n/a
Two piece 1" thick thermally fused boat shaped top with laminate arch bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. 5.5"H runners between base components, creating a concealed cavity for power modules. Specify laminate finish for top and bases separately. Shipped easy to assemble in 3 cartons.									

Required Specifications	Optional Specifications	Accessories
Top material/thickness	HP laminate	Power block
Top finish	Cut-out for grommet/power blocks	
Edge		
Base finish		



# A ANYWHERE TABLE COLLECTION

## TABLES W/TAPERED BLADE BASE

### TAPERED BLADE BASE NOTES:

- Tables with 2 bases: foot is a slight V

D x W x H

- Tables with 3 bases: middle base is straight

## TABLES W/TAPERED BLADE BASE

### MODEL#

### DIMENSIONS

### FREIGHT CLASS

### WT/LBS.

### CUBIC FT.

### 1TFTOP

### HP ADD (1HP)

### 1.5" ADD (2HP)

### 2R CORNER

D x W x H

TRT2T7236

36 x 72 x 28.75

92.5

103

10.18

**\$1258**

**\$246**

**\$295**

**\$60**

TRT2T9636

36 x 96 x 28.75

100

148.5

17.96

**\$1451**

**\$342**

**\$410**

**\$80**

TRT2T9648

48 x 96 x 28.75

100

187

21.05

**\$1681**

**\$418**

**\$502**

**\$103**



Rectangular Table, Tapered Blade Base\*

One piece 1" thick thermally fused rectangular top with (2) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TRT2T12036

36 x 120 x 28.75

100

192

22.93

**\$2186**

**\$537**

**\$644**

**\$122**

TRT2T12048

48 x 120 x 28.75

100

240

26.74

**\$2452**

**\$646**

**\$775**

**\$149**

TRT2T14448

48 x 144 x 28.75

100

280

30.12

**\$2680**

**\$736**

**\$884**

**\$171**



Rectangular Table, Tapered Blade Base\*

Two piece 1" thick thermally fused rectangular top with (3) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TRB2T7236

36 x 72 x 28.75

92.5

103

10.18

**\$1258**

**\$246**

**\$295**

n/a

TRB2T9636

36 x 96 x 28.75

100

148.5

17.96

**\$1451**

**\$342**

**\$410**

n/a

TRB2T9648

48 x 96 x 28.75

100

187

21.05

**\$1681**

**\$418**

**\$502**

n/a



Rectangular Table, Tapered Blade Base Bow Ends

One piece 1" thick thermally fused rectangular top with bow ends; (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TRB2T12036

36 x 120 x 29.5

100

192

22.93

**\$2186**

**\$537**

**\$644**

n/a

TRB2T12048

48 x 120 x 29.5

100

240

26.74

**\$2452**

**\$646**

**\$775**

n/a

TRB2T14448

48 x 144 x 29.5

100

280

30.12

**\$2680**

**\$736**

**\$884**

n/a



Rectangular Table, Tapered Blade Base Bow Ends

Two piece 1" thick thermally fused rectangular top with bow ends; (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

TBT2T7236

36 x 72 x 28.75

92.5

103

10.18

**\$1258**

**\$246**

**\$295**

n/a

TBT2T9636

36 x 96 x 28.75

100

148.5

17.96

**\$1451**

**\$342**

**\$410**

n/a

TBT2T9648

48 x 96 x 28.75

100

187

21.05

**\$1681**

**\$418**

**\$502**

n/a



Boat Shaped Table, Tapered Blade Base

One piece 1" thick thermally fused boat shaped top with (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.

### Required Specifications






Top material/thickness  
Top finish  
Edge  
Base finish

### Optional Specifications

HP laminate  
Plated base finish  
Cut-out for grommet/power blocks  
Radius corners\*

### Accessories

Power block

TABLES W/TAPERED BLADE BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	1TFTOP	HP ADD.(1HP)	1.5" ADD.(2HP)	2R CORNER
		<b>D x W x H</b>							
	TBT2T12036	36 x 120 x 28.75	100	192	22.93	<b>\$2186</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TBT2T12048	48 x 120 x 28.75	100	240	26.74	<b>\$2452</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TBT2T14448	48 x 144 x 28.75	100	280	30.12	<b>\$2680</b>	<b>\$736</b>	<b>\$884</b>	n/a
<p>Two piece 1" thick thermally fused boat shaped top with (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.</p>									
	TRC2T7236	36 x 72 x 28.75	92.5	103	10.18	<b>\$1258</b>	<b>\$246</b>	<b>\$295</b>	n/a
	TRC2T9636	36 x 96 x 28.75	100	148.5	17.96	<b>\$1451</b>	<b>\$342</b>	<b>\$410</b>	n/a
	TRC2T9648	48 x 96 x 28.75	100	187	21.05	<b>\$1681</b>	<b>\$418</b>	<b>\$502</b>	n/a
<p>One piece 1" thick thermally fused boat shaped top with (2) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.</p>									
	TRC2T12036	36 x 120 x 28.75	100	192	22.93	<b>\$2186</b>	<b>\$537</b>	<b>\$644</b>	n/a
	TRC2T12048	48 x 120 x 28.75	100	240	26.74	<b>\$2452</b>	<b>\$646</b>	<b>\$775</b>	n/a
	TRC2T14448	48 x 144 x 28.75	100	280	30.12	<b>\$2680</b>	<b>\$736</b>	<b>\$884</b>	n/a
<p>Two piece 1" thick thermally fused boat shaped top with (3) two-prong metal tapered blade bases. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.</p>									
	TWG2T7236	48-36 x 72 x 29.5	92.5	103	10.18	<b>\$1258</b>	<b>\$246</b>	<b>\$295</b>	<b>\$60</b>
	TWG2T9636	48-36 x 96 x 29.5	100	148.5	17.96	<b>\$1451</b>	<b>\$342</b>	<b>\$410</b>	<b>\$80</b>
	TWG2T9648	60-48 x 96 x 29.5	100	187	21.05	<b>\$1681</b>	<b>\$418</b>	<b>\$502</b>	<b>\$103</b>
<p>One piece 1" thick thermally fused wedge top with (2) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.</p>									
	TWG2T12048	60-48 x 120 x 29.5	100	240	26.74	<b>\$2452</b>	<b>\$646</b>	<b>\$775</b>	<b>\$149</b>
	TWG2T14448	60-48 x 144 x 29.5	100	280	30.12	<b>\$2680</b>	<b>\$736</b>	<b>\$884</b>	<b>\$171</b>
<p>Two piece 1" thick thermally fused wedge top with (3) two-prong metal tapered blade bases. Radius corners top optional, upcharge applies. High pressure laminate tops optional in 1-1/16" and 1.5" thick. Overall height increases when HPL material selected. Overall weight increases when 1.5" thick HPL tops selected, contact Customer Care. Base available in paint or plated finishes; upcharge applies for plated finishes. Shipped easy to assemble in 3 cartons.</p>									

#### Required Specifications

Top material/thickness  
Top finish  
Edge  
Base finish

#### Optional Specifications

HP laminate  
Plated base finish  
Cut-out for grommet/power blocks  
Radius corners\*

#### Accessories

Power block


## BUNGEE™ TABLES




Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multi-functional space that may require frequent configurations. Tables are sold complete with legs and Bungee cords so they may quickly and easily be connected together without searching for tools or worrying about loose parts.

Bungee tables feature rounded corners with a unique “bubble molding” that is engineered to compress under the tension of the Bungee cords. The compressed molding creates a seal that serves to locate and align interconnected tables while also providing a soft and forgiving edge.


Choose from a variety of top shapes and laminate finishes to create your individual style. In addition, most tables offer a choice of tapered legs or spider legs in a Tungsten or Black finish with adjustable levelers or optional casters. Optional modesty panels, grommets, wire management and power blocks further enhance your workspace.



Flip-Top tables can be nested and easily stored by activating the single hand release mechanism from the left or right side.



Optional locking casters are available in Tungsten or Black (standard on Flip-Top models).



Bungee cords are utilized to quickly and easily reconfigure tables

### Features and Benefits

- Bungee tables are complete with Top, Legs and Bungee cords
- Bungee cords provide a fast and easy method of reconfiguring tables without requiring a tool
- Tops are 1" thick and are offered in a variety of shapes and sizes
- Legs are offered in tapered or spider design in a Tungsten or Black finish.
- Levelers on legs are standard.
- Laminate modesty panels and filler modesty inserts help conceal wires and enhance visual appeal
- Wire management tracks neatly contain wires, using two separate channels for data and voice wires
- Optional grommets or power blocks offer technological flexibility
- Models with handles feature a bow handle in Silver or Black Nickel finish
- Metal feet are height adjustable and offered in Black or Tungsten finish
- Boardrooms were never easier to specify - table “sets” and accessories such as AV Cabinets and Credenza Buffets are specified with one model number

## GENERAL INFORMATION

- Bungee is a series of freestanding tables and accessories designed for classrooms, training rooms, boardrooms and any other multifunctional space that requires frequent reconfigurations.
- Bungee tables come complete with a work top, a set of legs and built-in Bungee cord connectors
- Bungee cords allow the movement and reconfiguration of tables without a risk of damage or losing loose parts
- High pressure tops are available in all Bungee laminate finishes at an extended lead time - please see model # for pricing.
- Unique “bubble molding” edging is specially engineered to create a secure seal to align interconnected tables.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## CONSTRUCTION



- Tops are 1" thick thermally fused laminate (**TFL**); optional in 1-1/16" thick high pressure laminate (**HPL** - upcharge applies). Modesty panels are 11/16" thick.
- All components are made of 45 lb. commercial density particle board, covered on both sides with high performance, thermally fused laminate.
- Tops 54" and over feature a built-in support bar.
- Products specified with the high pressure laminate option (**HPL**) are finished on the underside of the surface with a kraft paper backing.

## BUNGEE CORDS

- Bungee cords are patented elastic devices designed to provide a rapid, no-tool method of attaching tables of the same depth.
- The elastic nature of cords allows two connected tables to be moved around without risk of damage to the table top or connecting hardware.
- Bungee cords are included with all freestanding tables and carry a lifetime warranty.

## EDGE DETAIL

- Bungee comes with a choice of four edge styles (check model for edge availability):



**A3** - square corner, standard edge **AR** - square corner, bicut edge



**AS** - square corner, Silver

**AB** - square corner, Black




**BS** - rounded corner, Silver

**BB** - rounded corner, Black

- **BB/BS** - Bungee Bubble Edge: unique “bubble” molding is engineered to compress under the tension of the Bungee cords, creating a seal that serves to locate and align interconnected tables.
- **AB/AS** - Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- **A3** - Global's preferred edge. Coordinates well with Adaptabilities and Zira 1" tops.
- **AR** - Bicut edge. Coordinates well with Zira 1" tops.
- **NOTE**: Trapezoid tables can only be specified with Bubble Edge (Rounded Corners).
- **NOTE**: Boardroom Table sets allow for all edge types but **ONLY** with rounded corners (when AS/AB/A3/AR are selected, the table will be produced with rounded corners).

## LEGS

- Tables feature two styles of legs - tapered leg and spider leg. Available in Black (**TBL**) or Tungsten (**TTU**) finish. For added durability, paint finish is textured.
- Levelers are standard. Levelers adjust 3mm-10mm in height. Optional locking casters are available at no upcharge, specify Black (**TBC**) or Tungsten (**TTC**). For added durability, paint finish is textured.



Tapered Leg



Spider Leg

## HANDLES

- Metal handles are standard on all drawers and doors. Handles are offered in two finishes: Silver (**HS**) or Black Nickel (**HT**), please specify
- Handle finish will match leg finish.



bow handle, Silver finish (**HS**)



bow handle, Black Nickel finish (**HT**)

## FEET

- Metal feet are standard on all cabinets. Feet adjust 3/4" in height.
- Feet are available in Tungsten Finish (**TTU**) or Black Finish (**BLK**).



**TTU** - Tungsten




**BLK** - Black Nickel

# B BUNGEE™ TABLES - NOTES / HOW TO SPECIFY


## MODESTY PANELS

- Panels are 9.5" high, recessed 3/4" from the back and inset 7" from the sides.
- Available in all Bungee laminate finishes.
- Edge available in Silver finish (**SI**) or Black finish (**BK**). Please specify.




## FILLER MODESTY PANELS

- Used to fill the space between two modesty panels when two tables are linked together. Helps conceal wires and enhance visual appeal.
- Reversible - Black on one side, Silver on the other.




## WIRE MANAGEMENT

- Wire management tracks are mounted to the underside of the worksurface. Available in 5" and 22" track lengths.
- 5" track includes one wire clamp; 22" track includes two wire clamps.
- Data and voice wires can be routed separately using two separate channels on each clamp.
- Available in Black only.



5" Wire Management Track



22" Wire Management Track

## HOW TO SPECIFY BUNGEE TABLES

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops (upcharge applies)

### 3. SPECIFY FINISH

#### LAMINATE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

#### Edge:

<b>BB</b>	Bungee bubble edge with Black trim
<b>BS</b>	Bungee bubble edge with Silver trim
<b>AB</b>	Split color edge with Black trim
<b>AS</b>	Split color edge with Silver trim
<b>A3</b>	Matching edge
<b>AR</b>	Matching bicut edge

#### Legs with Glides:

<b>TBL</b>	Black
<b>TTU</b>	Tungsten

#### Handles:

<b>HS</b>	Silver
<b>HT</b>	Black Nickel

#### Feet:

<b>BLK</b>	Black Nickel
------------	--------------

#### Legs with Casters:

<b>TBC</b>	Black
<b>TTC</b>	Tungsten

#### Modesty Panel Edge:

<b>SI</b>	Silver
<b>BK</b>	Black Nickel




## 4. SPECIFY OPTIONS


### GROMMETS

- Optional Grommets available in standard worksurface locations (left, center or right) **for Rectangular Tops 48" and up**. Order as: **AG1, AG2 or AG3 - Add \$103**
- Additional grommets are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **AG2 - Add \$103**.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


#### Grommet hole dimensions




#### Grommet



#### Rectangular Tops



For **36"** and **42"** wide units



For **48"**, **60"** and **72"** wide units



#### Trapezoid Tables

Grommet Location - **AG2...Add \$103**


### POWER BLOCK

- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- A Power Block (model **PMSPDM**) may be ordered for **Rectangular Tables 60" and up** in place of standard grommets. Order as **E1, E2 or E3 - Add \$103**.
- Additional Power Blocks are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **E2 - Add \$103**.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, Add \$352**.
- Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103**.
- **See above for examples of placement.**




Power Block **PMSPDM Add \$352**

#### Rectangular Tops



For **36"**, **42"** and **48"** wide units




For **60"** and **72"** wide units


### VILLA CUT-OUTS

- Optional Villa cut-out available in standard worksurface locations (left, center or right) **for Rectangular Tables 60" and up**. Order as: **V1, V2 or V3 - Add \$103 for each cut-out**.
- Additional power block cut-outs are available in **center position only** for **Rectangular Tops (36", 42" and 48") and Trapezoid Tables**. Order as **V2 - Add \$103**.
- Villa cut-outs may be placed at non-standard locations. Please contact customer care.
- To purchase a Villa Power Block, you must specify both the Villa Power Block cut-out location and the Power Block model #. Please see page 593 for Villa models.

#### Rectangular Tops



For **36"**, **42"** and **48"** wide units



For **60"** and **72"** wide units



### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Bungee rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **42" to 72" wide non-flip tables and 48" to 72" wide flip tables. Add \$103**
  - **MPD** for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for **60", 66" and 72" wide rectangular tables. Add \$205**.

# B BUNGEE™ TABLES - NOTES

## CONNECTING CONDITIONS


- Bungee cords allow for fast and easy reconfiguring of tables whenever needed. Due to the elastic nature of the Bungee cord, two tables connected with Bungee cords can be moved around without risk of damage to the table top or the connecting hardware.
- Connecting tables is simple and intuitive. Tools are not required and there are no loose parts that may be misplaced.
- Bungee cords connect tables of the same depth in all directions.
- Rectangular Tables 48" and longer connect in both Straight and "L" configurations. Rectangular Tables 36" and 42" connect in Straight configurations only.




Rectangular Tables




Round Wedge Tables




Trapezoid Tables




Teardrop Tables



Half Moon Tables




Flat Round Tables



Square Tables



Keystone Tables



Wedge Tables


## SAMPLE TABLE CONFIGURATIONS

- The following table configurations can be created using Bungee Boardroom Table Sets only.

Meeting/Boardroom Table




Meeting/Boardroom Table




Meeting/Boardroom Table




Training



Training



Lecture / AV Presentations




Small Teaming Stations







Large Teaming Stations



## FLIP TOP TABLE NESTING DIAGRAM



RECTANGULAR TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	B2036REF	20 x 36 x 28.7	92.5	59	5.26	<b>\$931</b>	<b>\$190</b>
	B2042REF	20 x 42 x 28.7	92.5	62	5.76	<b>\$965</b>	<b>\$252</b>
	B2048REF	20 x 48 x 28.7	92.5	67	6	<b>\$1002</b>	<b>\$252</b>
	B2060REF	20 x 60 x 28.7	92.5	74	7	<b>\$1134</b>	<b>\$346</b>
	B2072REF	20 x 72 x 28.7	92.5	81	7.26	<b>\$1243</b>	<b>\$391</b>
	B2436REF	24 x 36 x 28.7	92.5	65	5.76	<b>\$986</b>	<b>\$190</b>
	B2442REF	24 x 42 x 28.7	92.5	69	6	<b>\$1019</b>	<b>\$252</b>
	B2448REF	24 x 48 x 28.7	92.5	72	6.5	<b>\$1053</b>	<b>\$252</b>
	B2460REF	24 x 60 x 28.7	92.5	82	7.26	<b>\$1216</b>	<b>\$376</b>
	B2472REF	24 x 72 x 28.7	92.5	91	8	<b>\$1313</b>	<b>\$584</b>
	B3036REF	30 x 36 x 28.7	100	70	7.26	<b>\$973</b>	<b>\$354</b>
	B3042REF	30 x 42 x 28.7	92.5	78	7.5	<b>\$1019</b>	<b>\$391</b>
	B3048REF	30 x 48 x 28.7	92.5	81	7.5	<b>\$1046</b>	<b>\$376</b>
	B3060REF	30 x 60 x 28.7	92.5	92	8.26	<b>\$1216</b>	<b>\$470</b>
	B3072REF	30 x 72 x 28.7	92.5	102	9	<b>\$1332</b>	<b>\$584</b>
	B3642REF	36 x 42 x 28.7	150	83	15	<b>\$1117</b>	<b>\$376</b>
	B3648REF	36 x 48 x 28.7	92.5	91	8	<b>\$1225</b>	<b>\$356</b>
	B3660REF	36 x 60 x 28.7	92.5	103	9	<b>\$1332</b>	<b>\$442</b>
	B3672REF	36 x 72 x 28.7	92.5	116	10	<b>\$1488</b>	<b>\$561</b>
<p>Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.</p> <ul style="list-style-type: none"> <li>• <b>Tables 48” and longer connect in both Straight and “L” configurations</b></li> <li>• <b>Tables 36” and 42” connect in Straight configurations only.</b></li> <li>• Available with optional locking casters, specify option “TBC” or “TTC”.</li> </ul>							
	B2036RES	20 x 36 x 28.7	100	57	6.76	<b>\$1046</b>	<b>\$190</b>
	B2042RES	20 x 42 x 28.7	100	60	7.26	<b>\$1081</b>	<b>\$252</b>
	B2048RES	20 x 48 x 28.7	100	65	7.5	<b>\$1117</b>	<b>\$252</b>
	B2060RES	20 x 60 x 28.7	100	72	8.5	<b>\$1258</b>	<b>\$346</b>
	B2072RES	20 x 72 x 28.7	100	79	8.76	<b>\$1374</b>	<b>\$391</b>
	B2436RES	24 x 36 x 28.7	100	62	7.26	<b>\$1107</b>	<b>\$190</b>
	B2442RES	24 x 42 x 28.7	150	64	15	<b>\$1134</b>	<b>\$252</b>
	B2448RES	24 x 48 x 28.7	125	71	10	<b>\$1177</b>	<b>\$252</b>
	B2460RES	24 x 60 x 28.7	125	80	10.76	<b>\$1332</b>	<b>\$376</b>
	B2472RES	24 x 72 x 28.7	125	89	11.26	<b>\$1443</b>	<b>\$584</b>
	B3036RES	30 x 36 x 28.7	125	72	10.26	<b>\$1134</b>	<b>\$354</b>
	B3042RES	30 x 42 x 28.7	125	80	10.5	<b>\$1169</b>	<b>\$391</b>
	B3048RES	30 x 48 x 28.7	125	83	10.5	<b>\$1206</b>	<b>\$431</b>
	B3060RES	30 x 60 x 28.7	100	94	11.26	<b>\$1374</b>	<b>\$431</b>
	B3072RES	30 x 72 x 28.7	100	104	12	<b>\$1473</b>	<b>\$585</b>
<p>Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.</p> <ul style="list-style-type: none"> <li>• <b>Tables 48” and longer connect in both Straight and “L” configurations</b></li> <li>• <b>Tables 36” and 42” connect in Straight configurations only.</b></li> <li>• Available with optional locking casters, specify option “TBC” or “TTC”.</li> </ul>							

#### Required Specifications

Top material  
Top finish  
Edge  
Leg finish

#### Optional Specifications

Grommet  
Casters  
Modesty panel  
HP laminate


#### Accessories

Power block




B BUNGEE™ TABLES


TRAPEZOID TABLES



Trapezoid Table - Tapered Legs\*



Trapezoid Table - Tapered Legs\*



Trapezoid Table - Spider Legs\*

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
B2460TRF	24 x 60 x 28.7	100	71	7.5	\$1117	\$376
B2466TRF	24 x 66 x 28.7	100	74	8	\$1145	\$584
B2472TRF	24 x 72 x 28.7	100	78	8.26	\$1231	\$584
B3060TRF	30 x 60 x 28.7	100	78	8.5	\$1193	\$431
B3066TRF	30 x 66 x 28.7	100	81	9.5	\$1243	\$584
B3072TRF	30 x 72 x 28.7	100	85	9.5	\$1321	\$584

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.

- Available with bubble edge (BB or BS) only.

B3672TRF	36 x 72 x 28.7	100	91	10.5	\$1525	\$561
----------	----------------	-----	----	------	--------	-------

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.


- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option “TBC” or “TTC”.

B2060TRS	20 x 60 x 28.7	125	67	8.76	\$1206	\$346
B2066TRS	20 x 66 x 28.7	125	68	9	\$1243	\$391
B2072TRS	20 x 72 x 28.7	125	74	9.26	\$1292	\$391
B2460TRS	24 x 60 x 28.7	125	69	9.26	\$1243	\$376
B2466TRS	24 x 66 x 28.7	125	72	9.76	\$1292	\$584
B2472TRS	24 x 72 x 28.7	125	76	10	\$1347	\$584
B3060TRS	30 x 60 x 28.7	125	79	11.5	\$1336	\$431
B3066TRS	30 x 66 x 28.7	125	83	12.5	\$1386	\$584
B3072TRS	30 x 72 x 28.7	125	87	12.5	\$1462	\$584


Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option “TBC” or “TTC”.

KEYSTONE TABLES



Keystone Table - Tapered Legs



Keystone Table - Tapered Legs

B30KSF	30 x 62 x 28.7	150	69	15.2	\$1185	\$470
B24KSF	24 x 51 x 28.7	150	60	13	\$1096	\$316
B20KSF	20 x 43.75 x 28.7	150	58	13	\$1083	\$252

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

B36KSF	36 x 74.13 x 28.7	150	84	16.8	\$1463	\$662
--------	-------------------	-----	----	------	--------	-------

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be “Bungee-tied” to other tables of 24” and 30” depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

Required Specifications


Top material  
Top finish  
Edge  
Leg finish

Optional Specifications

Grommet  
Casters  
Modesty panel\*  
HP laminate

Accessories


Power block

KEYSTONE TABLE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	B30KSS	30 x 62 x 28.7	150	77	15.2	<b>\$1383</b>	<b>\$468</b>
	B24KSS	24 x 51 x 28.7	150	66	13	<b>\$1287</b>	<b>\$292</b>
	B20KSS	20 x 43.75 x 28.7	150	64	13	<b>\$1265</b>	<b>\$252</b>

**Keystone Table - Spider Legs**

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of 24" and 30" depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.


- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

WEDGE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	B24WEF	24 x 63 x 28.7	150	54	13.2	<b>\$1146</b>	<b>\$315</b>
	B20WEF	20 x 57 x 28.7	150	46	10.2	<b>\$1050</b>	<b>\$252</b>

**Wedge Table - Tapered Legs**

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.


- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

	B36WEF	36 x 80 x 28.7	150	84	18.8	<b>\$1561</b>	<b>\$561</b>
	B30WEF	30 x 70 x 28.7	150	70	14.4	<b>\$1383</b>	<b>\$391</b>

**Wedge Table - Tapered Legs**

Freestanding table includes five tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.


- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

	B30WES	30 x 70 x 28.7	150	73	14.4	<b>\$1370</b>	<b>\$395</b>
	B24WES	24 x 63 x 28.7	150	62	13.2	<b>\$1280</b>	<b>\$315</b>
	B20WES	20 x 57 x 28.7	150	52	10.2	<b>\$1185</b>	<b>\$252</b>

**Wedge Table - Spider Legs**

Freestanding table includes two spider legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels are NOT available.

- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

HALF MOON TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	B2040HMF	20 x 40 x 28.7	100	49	6	<b>\$737</b>	<b>\$252</b>

**Half Moon Table - Tapered Legs**

Freestanding table includes three tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

	B2448HMF	24 x 48 x 28.7	100	69	7.76	<b>\$959</b>	<b>\$252</b>
	B3060HMF	30 x 60 x 28.7	100	81	8.5	<b>\$1019</b>	<b>\$431</b>

**Half Moon Table - Tapered Legs**

Freestanding table includes four tapered legs with levelers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option **"TBC"** or **"TTC"**.

#### Required Specifications

Top material  
Top finish  
Edge  
Leg finish

#### Optional Specifications


Casters  
HP laminate

#### Accessories

Power block (position 2 only)

B BUNGEE™ TABLES

HALF MOON TABLES




Half Moon Table - Tapered Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
B3672HMF	36 x 72 x 28.7	100	110	11.5	\$1434	\$561

Freestanding table includes five tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “TBC” or “TTC”.




Half Moon Table - Spider Legs

B2448HMS	24 x 48 x 28.7	125	67	9.26	\$1090	\$252
B3060HMS	30 x 60 x 28.7	125	83	11.5	\$1169	\$431

Freestanding table includes two spider legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with optional locking casters, specify option “TBC” or “TTC”.

SQUARE TABLES




Square Table - Tapered Legs

B2424SQF	24 x 24 x 28.7	92.5	55	4.6	\$912	\$161
B3030SQF	30 x 30 x 28.7	100	65	7.5	\$931	\$238
B3636SQF	36 x 36 x 28.7	100	78	8	\$1064	\$283

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels available, see page 633.

- Available with optional locking casters, specify option “TBC” or “TTC”.

ROUND WEDGE TABLES




Round Wedge 120° Table

B2042RWF	20 x 42 x 28.7	100	76	8.26	\$1019	\$547
B2448RWF	24 x 48 x 28.7	125	85	10.76	\$1046	\$547
B3057RWF	30 x 57 x 28.7	100	102	12	\$1243	\$779

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.

- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option “TBC” or “TTC”.

TEARDROP TABLES



Teardrop 90° Table

B2036TDF	20 x 36 x 28.7	100	71	8	\$959	\$354
B2442TDF	24 x 42 x 28.7	100	81	8.5	\$1046	\$547
B3048TDF	30 x 48 x 28.7	100	91	11	\$1150	\$509

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be “Bungee-tied” to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.


- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option “TBC” or “TTC”.

Required Specifications

Top material  
Top finish  
Edge  
Leg finish

Optional Specifications


Casters  
HP laminate

FLAT ROUND TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	B2030FRF	20 x 30 x 28.7	100	56	6	<b>\$931</b>	<b>\$316</b>
	B2036FRF	20 x 36 x 28.7	100	66	7.26	<b>\$931</b>	<b>\$354</b>
	B2436FRF	24 x 36 x 28.7	100	64	7.26	<b>\$931</b>	<b>\$354</b>
	B2442FRF	24 x 42 x 28.7	100	76	8.26	<b>\$1107</b>	<b>\$547</b>
	B3042FRF	30 x 42 x 28.7	100	74	8	<b>\$1107</b>	<b>\$547</b>
	B3048FRF	30 x 48 x 28.7	100	88	11	<b>\$1107</b>	<b>\$500</b>
	B3648FRF	36 x 48 x 28.7	125	85	11	<b>\$1225</b>	<b>\$779</b>
	B3652FRF	36 x 52 x 28.7	100	93	11	<b>\$1225</b>	<b>\$779</b>

Flat Round Table\*

Freestanding table includes four tapered legs with levellers and Bungee cords. Each table can be "Bungee-tied" to other tables of the same depth. Shipped RTA (ready to assemble). Modesty panels or Filler Modestys are NOT available.


- Available with bubble edge (BB or BS) only.
- Available with optional locking casters, specify option "TBC" or "TTC".

MODESTY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	BX36QMP	.69 x 21 x 9.6	250	3	1.3	<b>\$122</b>	N/A
	BX42QMP	.69 x 27 x 9.6	250	4	1.4	<b>\$128</b>	N/A
	BX48QMP	.69 x 33 x 9.6	250	4	1.6	<b>\$136</b>	N/A
	BX60QMP	.69 x 45 x 9.6	250	5	2.1	<b>\$147</b>	N/A
	BX66QMP	.69 x 51 x 9.6	250	6	2.4	<b>\$154</b>	N/A
	BX72QMP	.69 x 57 x 9.6	250	7	2.6	<b>\$161</b>	N/A

Modesty Panel

For use on **Rectangular** and **Square** Tables. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).


- Modesty panel model number indicates the width of table to be used on.

	BXM60QMP	.69 x 27 x 9.6	300	4	2.1	<b>\$128</b>	N/A
	BXM66QMP	.69 x 33 x 9.6	300	4	2.4	<b>\$136</b>	N/A
	BXM72QMP	.69 x 39 x 9.6	300	5	2.6	<b>\$141</b>	N/A
	BXL60QMP	.69 x 21 x 9.6	300	3	2.1	<b>\$126</b>	N/A
	BXL66QMP	.69 x 27 x 9.6	300	4	2.4	<b>\$128</b>	N/A
	BXL72QMP	.69 x 33 x 9.6	300	4	2.6	<b>\$136</b>	N/A

Modesty Panel

For use on **Trapezoid** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes.

- Edge available in Silver finish (**SI**) or Black finish (**BK**).
- Modesty panel model number indicates the width of table to be used on.
- Specify **BXM** models for 24"D tables and **BXL** models for 30"D tables.

	BXWQMP	.69 x 27 x 9.6	250	4	1.5	<b>\$128</b>	N/A
---	--------	----------------	-----	---	-----	--------------	-----

Modesty Panel

For use on **Wedge** Tables. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes.





Edge available in Silver finish (**SI**) or Black finish (**BK**).

**Required Specifications**

Top material\*  
Top finish  
Edge  
Leg finish\*


**Optional Specifications**

Casters\*  
HP laminate\*

FILLER MODESTY PANELS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
		D x W x H					
	BSFMS	.25 x 21 x 9	70	1	0.03	\$134	N/A
Filler Modesty Panel - Straight	Used to fill the space between two <b>square</b> modesty panels where tables are linked in a straight configuration. Available in Silver ( <b>SI</b> ) or Black ( <b>BK</b> ). Please specify.						
	BSWFM	9 x 19.6 x .25	70	1	1.5	\$144	N/A
	Used to fill the space between a straight modesty panel and a wedge table. Use for regular wedge table - tapered legs and flip-top wedge - spider legs. Available in Silver ( <b>SI</b> ) or Black ( <b>BK</b> ). Please specify.						
	B23IFMS	.06 x 23 x 9	250	3	1.5	\$160	N/A
	B29IFMS	.06 x 29 x 9	250	3	1.5	\$160	N/A
	B30IFMS	.06 x 30 x 9	70	3	0.15	\$160	N/A
	Used to fill the space (inside curve) between two modesty panels where tables are linked at an angle or curve. Use for the inside curve of Round Wedge Tables, Teardrop Tables, or Trapezoid Tables. Available in Silver ( <b>SI</b> ) or Black ( <b>BK</b> ). Please specify. <ul style="list-style-type: none"><li>• Use model <b>B23IFMS</b> for Trapezoid Tables inside curve only.</li><li>• Use model <b>B29IFMS</b> for Teardrop Tables inside curve only.</li><li>• Use model <b>B30IFMS</b> for Round Wedge Tables inside curve only.</li></ul>						
	B56S	.06 x 56 x 9	250	4	1.5	\$229	N/A
	B62S	.06 x 62 x 9	250	4	1.5	\$249	N/A
	B71S	.06 x 71 x 9	250	4	1.5	\$300	N/A
	Used to fill the space (outside curve) between two modesty panels where tables are linked at an angle or curve. Use for Teardrop Tables only ( <b>B2036TDF</b> , <b>B2442TDF</b> and <b>B3048TDF</b> ). Available in Silver ( <b>SI</b> ) or Black ( <b>BK</b> ). Please specify. <ul style="list-style-type: none"><li>• Use model <b>B56S</b> for <b>B2036TDF</b> Teardrop Tables outside curve only.</li><li>• Use model <b>B62S</b> for <b>B2442TDF</b> Teardrop Tables outside curve only.</li><li>• Use model <b>B71S</b> for <b>B3048TDF</b> Teardrop Tables outside curve only.</li></ul>						
Filler Modesty Panel - Outside Curve							

Required Specifications

















Finish

WIRE MANAGEMENT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	BWMS5	2 x 5 x 3.5	70	1	.10	<b>\$19</b>	N/A
	BWMD22	2 x 22 x 3.5	70	1	.10	<b>\$26</b>	N/A

**Wire Management - 5" /22" Track**

Retrofittable track mounts to the underside of worksurface. Includes wire clamp that can route data and voice wires separately. Black only.

- For a 5" track, order model **BWMS5** - includes one wire clamp.
- For a 22" track, order model **BWMD22** - includes two wire clamps.

BOARDROOM TABLE SETS						
<b>11 Foot Configurations</b>  	Meeting/Boardroom Table	Meeting/Boardroom Table	Training	Lecture / AV Presentations	Small Teaming Stations	Large Teaming Stations
						
						
<b>Boardroom Table Set - 11 foot</b>  	BK132F	60 x 132 x 28.7	70	290	19.25	<b>\$4495</b> <b>\$1711</b>
	Set includes four freestanding tables with <b>tapered legs</b> and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 625 . Shipped easy to assemble in 6 cartons. Modesty panel set available, order <b>BXK132QMP</b> . <b>• Due to the unique geometry of the tables, all edge types will feature rounded corners.</b>					
<b>Boardroom Table Set - 11 foot</b>  	BK132S	60 x 132 x 28.7	85	290	22.25	<b>\$5043</b> <b>\$1711</b>
	Set includes four freestanding tables with <b>spider legs</b> and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 625 . Shipped easy to assemble in 6 cartons. Modesty panel set available, order <b>BXK132QMP</b> . <b>• Due to the unique geometry of the tables, all edge types will feature rounded corners.</b>					
	BXK132QMP	.69 x 45 x 9.6	92.5	13	1.10	<b>\$495</b> <b>N/A</b>
For use on <b>11 foot Boardroom Table Set</b> . Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes.						

#### Required Specifications


Top finish  
Edge  
Leg finish

#### Optional Specifications


Casters  
Grommet  
Modesty panel  
HP laminate

BOARDROOM TABLE SETS


13/15 Foot Configurations



Boardroom Table Set - 13 and 15 foot



Boardroom Table Set - 13 and 15 foot



Modesty Panel Set for Boardroom Table

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
Meeting/Boardroom Table	Lecture / AV Presentations	Training			Small Teaming Stations	Large Teaming Stations
Meeting/Boardroom Table	Lecture / AV Presentations	Meeting/Boardroom Table	Training		Small Teaming Stations	
BK156F	60 x 156 x 28.7	85	374	26.25	\$6616	\$2170
BK180F	60 x 180 x 28.7	85	420	29.75	\$7209	\$2479

Set includes six freestanding tables with **tapered legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 625 . Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/ BK180QMP**.

- Due to the unique geometry of the tables, all edge types will feature rounded corners.

BK156S	60 x 156 x 28.7	85	374	28.75	\$6826	\$2170
BK180S	60 x 180 x 28.7	85	420	32.50	\$7401	\$2479

Set includes six freestanding tables with **spider legs** and Bungee cords for tool free ganging. Leg finish or legs with casters optional, see page 625 . Shipped easy to assemble in 9 cartons. Modesty panel set available, order **BK156QMP/ BK180QMP**.

- Due to the unique geometry of the tables, all edge types will feature rounded corners.

BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$837	N/A
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$801	N/A

For use on **13 & 15 foot Boardroom Table Set**. Includes mounting bracket and wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Use model **BXK156QMP** for **BK156F/S** Boardroom Table Set.
- Use model **BXK180QMP** for **BK180F/S** Boardroom Table Set.

Required Specifications

Top material  
Top finish  
Edge  
Leg + caster finish



Optional Specifications

Grommet  
Modesty panel  
HP laminate

Accessories

Power block

## RECTANGULAR TABLE - FLIP TOP





**Flip-Top Rectangular Table - Spider Legs**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BX2442RES	24 x 42 x 29.2	250	66	20.75	<b>\$1656</b>	<b>\$249</b>
BX2448RES	24 x 48 x 29.2	250	72	23.5	<b>\$1678</b>	<b>\$249</b>
BX2460RES	24 x 60 x 29.2	250	84	29	<b>\$1717</b>	<b>\$309</b>
BX2466RES	24 x 66 x 29.2	250	97	31.75	<b>\$1732</b>	<b>\$370</b>
BX2472RES	24 x 72 x 29.2	250	102	34.75	<b>\$1764</b>	<b>\$370</b>
BX3042RES	30 x 42 x 29.2	250	73	25.5	<b>\$1656</b>	<b>\$309</b>
BX3048RES	30 x 48 x 29.2	250	73	28.75	<b>\$1678</b>	<b>\$309</b>
BX3060RES	30 x 60 x 29.2	250	94	35.75	<b>\$1724</b>	<b>\$384</b>
BX3066RES	30 x 66 x 29.2	250	106	39.25	<b>\$1742</b>	<b>\$461</b>
BX3072RES	30 x 72 x 29.2	250	112	42.5	<b>\$1780</b>	<b>\$461</b>

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- **Tables 48" and longer connect in both Straight and "L" configurations**
- **Standard with locking casters**
- **Due to hardware placement, tables placed in back-to-back configurations will not be able to be "Bungee-tied" together.**

## TRAPEZOID TABLES - FLIP TOP




**Flip-Top Trapezoid Table - Spider Legs**

BX2460TRS	24 x 60 x 29.2	150	112	28	<b>\$1552</b>	<b>\$309</b>
BX2466TRS	24 x 66 x 29.2	250	112	31	<b>\$1578</b>	<b>\$370</b>
BX2472TRS	24 x 72 x 29.2	250	112	33	<b>\$1600</b>	<b>\$370</b>
BX3060TRS	30 x 60 x 29.2	250	112	35.5	<b>\$1586</b>	<b>\$384</b>
BX3066TRS	30 x 66 x 29.2	250	112	39	<b>\$1609</b>	<b>\$461</b>
BX3072TRS	30 x 72 x 29.2	250	112	42.5	<b>\$1632</b>	<b>\$461</b>


Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth. Folding modesty panels available, see next page.

- **Available with bubble edge (BB or BS) only.**
- **Standard with locking casters**

## KEYSTONE TABLES - FLIP TOP



**Flip-Top Keystone Table - Spider Legs**



BX24KSS	24 x 51 x 29.2	125	112	16.5	<b>\$1544</b>	<b>\$309</b>
BX30KSS	30 x 62 x 29.2	125	112	16.5	<b>\$1609</b>	<b>\$461</b>

Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be "Bungee-tied" to other tables of the same depth.

- **Modesty panels or Filler Modestys are NOT available.**
- **Standard with locking casters**

### Required Specifications

Top material  
Top finish  
Edge  
Leg + caster finish

### Optional Specifications

Grommet  
Modesty panel  
HP laminate


### Accessories

Power block



B BUNGEE™ TABLES

WEDGE TABLES - FLIP TOP



Flip-Top Wedge Table - Spider Legs

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BX24WES	24 x 63 x 29	60	76	33	\$1944	\$442
BX30WES	30 x 70 x 29.2	250	84	33	\$1976	\$442





Table features a flip-top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of the table. Tables can be nested when folded. Each table can be “Bungee-tied” to other tables of the same depth. Folding modesty panels available, see below.

- Standard with locking casters

MODESTY PANELS - FLIP TOP




Modesty Panel

BX36QMP	.69 x 21 x 9.6	250	3	1.3	\$122	N/A
BX42QMP	.69 x 27 x 9.6	250	4	1.4	\$128	N/A
BX48QMP	.69 x 33 x 9.6	250	4	1.6	\$136	N/A
BX60QMP	.69 x 45 x 9.6	250	5	2.1	\$147	N/A
BX66QMP	.69 x 51 x 9.6	250	6	2.4	\$154	N/A
BX72QMP	.69 x 57 x 9.6	250	7	2.6	\$161	N/A

For use on **Flip Top Rectangular Tables**. Includes hinged mounting bracket. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.




Modesty Panel

BXM60QMP	.69 x 27 x 9.6	300	4	2.1	\$128	N/A
BXM66QMP	.69 x 33 x 9.6	300	4	2.4	\$136	N/A
BXM72QMP	.69 x 39 x 9.6	300	5	2.6	\$141	N/A
BXL60QMP	.69 x 21 x 9.6	300	3	2.1	\$126	N/A
BXL66QMP	.69 x 27 x 9.6	300	4	2.4	\$128	N/A
BXL72QMP	.69 x 33 x 9.6	300	4	2.6	\$136	N/A

For use on **Flip Top Trapezoid Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table; may be used on long side but leaves a larger gap. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.
- Specify **BXM** models for 24”D tables and **BXL** models for 30”D tables.



Modesty Panel

BXWQMP	.69 x 27 x 9.6	250	4	1.5	\$128	N/A
--------	----------------	-----	---	-----	-------	-----

For use on **Flip Top Wedge Tables**. Includes hinged mounting bracket. Intended for use on the short side of the table. Available in all Bungee laminate finishes. Edge available in Silver finish (**SI**) or Black finish (**BK**).

- Modesty panel model number indicates the width of table to be used on.

Required Specifications





Top material  
Top finish  
Edge  
Leg + caster finish







Optional Specifications

Grommet  
Modesty panel  
HP laminate




Accessories

Power block

BOARDROOM TABLE SET - FLIP TOP	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
<div>4 pc. Configurations</div> <div></div> <div></div> <div><b>Boardroom Table Set - 4pc. Flip Top</b></div> <div></div> <div><b>Square Modesty Panel Set for 4pc. Flip Top Table</b></div>	D x W x H						
	BXK132S	60 x 132 x 29.2	250	352	151.25	\$6350	\$1748
	<div></div> <p>Set includes four freestanding tables with <b>spider legs</b> and Bungee cords for tool free ganging. Only legs with casters available, see page 625 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 4 cartons. Modesty panel set available, order <b>BXK132QMP</b>.</p> <ul style="list-style-type: none"><li>• Due to the unique geometry of the tables, all edge types will feature rounded corners.</li></ul>						
	BXK132QMP	.69 x 45 x 9.6	150	13	2.5	\$495	N/A
	<p>For use on <b>4 pc. flip top table kits</b>. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (<b>SI</b>) or Black finish (<b>BK</b>).</p>						
<b>Required Specifications</b>		<b>Optional Specifications</b>					
Top material		HP laminate					
Top finish							
Edge							
Leg + caster finish							

MODESTY PANEL SETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD														
		D x W x H																				
6 pc. Configurations																						
	<table><tr><td>BXK156S</td><td>60 x 156 x 29.2</td><td>250</td><td>452</td><td>181.75</td><td>\$9400</td><td>\$2018</td></tr><tr><td>BXK180S</td><td>60 x 180 x 29.2</td><td>250</td><td>507</td><td>209.50</td><td>\$9628</td><td>\$2321</td></tr></table>								BXK156S	60 x 156 x 29.2	250	452	181.75	\$9400	\$2018	BXK180S	60 x 180 x 29.2	250	507	209.50	\$9628	\$2321
	BXK156S	60 x 156 x 29.2	250	452	181.75	\$9400	\$2018															
BXK180S	60 x 180 x 29.2	250	507	209.50	\$9628	\$2321																
																						
	<p>Set includes six freestanding tables with <b>spider legs</b> and Bungee cords for tool free ganging. Only legs with casters available, see page 625 for finish choices. All tables feature a flip top worksurface for ease of storage. Single hand release mechanism can be activated from left or right side of table. Tables can be nested when folded. Shipped in 6 cartons. Modesty panel set available, order <b>BXK156QMP/ BXK180QMP</b>.</p> <p>• Due to the unique geometry of the tables, all edge types will feature rounded corners.</p>																					
	<table><tr><td>BXK156QMP</td><td>.69 x 33 x 9.6</td><td>125</td><td>20</td><td>2.9</td><td>\$837</td><td>N/A</td></tr><tr><td>BXK180QMP</td><td>.69 x 45 x 9.6</td><td>125</td><td>25</td><td>3.2</td><td>\$801</td><td>N/A</td></tr></table>								BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$837	N/A	BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$801	N/A
	BXK156QMP	.69 x 33 x 9.6	125	20	2.9	\$837	N/A															
BXK180QMP	.69 x 45 x 9.6	125	25	3.2	\$801	N/A																
	<p>For use on <b>6 pc. flip top table kits</b>. Modesty panels flip down for storage. Features black wire access sweep. Available in all Bungee laminate finishes. Edge available in Silver finish (<b>SI</b>) or Black finish (<b>BK</b>).</p>																					

Required Specifications	Optional Specifications	Accessories
Top material	Grommet	Power block
Top finish		
Edge		
Leg + caster finish		

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Credenza Buffet</b>	<b>D x W x H</b>						
	B2072BUF	20 x 72 x 42	100	305	37.50	<b>\$3921</b>	<b>\$579</b>
	Pull-out shelf. Top transaction shelf is edged with bubble molding. Side storage compartments feature a laminate door and one adjustable shelf each. Center storage features frosted aluminum doors with one adjustable shelf. Leveler feet are standard. <ul style="list-style-type: none"><li>• Some assembly required.</li></ul>						
 <b>Audio/Visual Cabinet</b>	B249072AV	24 x 90 x 72	92.5	530	52.52	<b>\$6463</b>	<b>\$584</b>
	Top pigeon holes and center adjustable shelf accommodate electronic equipment, CDs and other media. Bottom storage compartments feature laminate doors and one adjustable shelf. Side storage towers feature frosted aluminum doors with three adjustable shelves each. Accommodates TVs up to 58"w x 34"h x 24"d. <ul style="list-style-type: none"><li>• Some assembly required.</li></ul>						
 <b>Lectern</b>	B44LEC	17 x 22 x 44	250	36	12.50	<b>\$986</b>	<b>\$190</b>
	Features angled stand with pencil ledge. Locking casters. <b>Specify CS or CK.</b>						


Required Specifications	Optional Specifications	Accessories
Top material	Grommet	Power block
Top finish		
Edge		
Leg finish		

## GENERAL INFORMATION

- Introducing Bungee SL - a product line to complement and coordinate with the top selling Bungee training tables series.
- Bungee SL takes the popular aesthetic of the Bungee series and allows tables to be specified in shared leg and permanent applications - great for benching, training, teaming and academic areas.
- Bungee SL tops and legs are sold separately, increasing the flexibility of the product in the future and allows for space saving in areas where real estate is a premium.
- High pressure tops are available in all Bungee SL laminates at an extended lead time - please refer to model # for pricing.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## CONSTRUCTION

- Tops are 1" thick thermally fused laminate (**TFL**) or optional 1-1/16" thick high pressure laminate (**HPL**).
- All laminate components are made of 45 lb. density particle board with high performance thermally fused laminate surface or high pressure laminate surface with a kraft paper backing.
- Tops 60" and over feature a built-in support bar. The support bar is 10" from the **approach** side, and clearance to the bottom of the support bar is 27" from the floor.
- **BUNGEE CORDS ARE NOT INCLUDED AND ARE NOT COMPATIBLE WITH BUNGEE SL TOPS**



## EDGE DETAIL

- Bungee SL comes with a choice of four edge styles:



**A3** - square corner, standard edge



**AR** - square corner, bicut edge



**AS** - square corner, Silver



**AB** - square corner, Black



**BS** - rounded corner, Silver




**BB** - rounded corner, Black

- **BB/BS** - Bungee bubble edge: unique "bubble" molding found on original Bungee
- **AB/AS** - Split color PVC edge: edge matches split color aesthetic of the bubble edge, but allows for 90 degree corners and a cleaner look.
- **A3** - 2mm preferred matching edge. Coordinates well with Adaptabilities and Zira 1" tops.
- **AR** - Bicut edge. Coordinates well with Adaptabilities and Zira 1" tops.

## LEGS

- Two leg styles are available: tapered and spider leg. Available in Black (**TBL**) or Tungsten (**TTU**) finish, please specify. For added durability, paint finish is textured. Levelers are standard; casters are not available for Bungee SL legs. Levelers adjust 3mm - 10mm in height.



## MODESTY PANELS

- For modesty panels without power and data management, please see **Bungee modesty panels**, page 624

## WIRE MANAGEMENT / POWER OPTIONS

- Refer to **Productivity Solutions** for additional power and charging solutions.

## SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the \* symbol beside the product name.

1. SPECIFY MODEL NUMBER

2. SPECIFY MATERIAL TYPE

- **TFL** for product with thermally fused laminate tops
- **HPL** for product with high pressure laminate tops (upcharge applies)

3. SPECIFY FINISH

Laminate Finishes:

ACJ	Absolute Acajou	NBL	Noce Biondo
ASN	Asian Night	NGL	Noce Grigio
AWC	Avant Cherry	NEL	Noce Leggero
AWH	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
BZD	Blizzard	SDT	Stonedust
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	WHE	Walnut Heights
DES	Dark Espresso	WHC	White Chocolate
DWT	Designer White	WCR	Winter Cherry
FAS	Fashionista		

Edge:

<b>BB</b>	Bungee bubble edge with Black trim
<b>BS</b>	Bungee bubble edge with Silver trim
<b>AB</b>	Split color edge with Black trim
<b>AS</b>	Split color edge with Silver trim
<b>A3</b>	Matching edge
<b>AR</b>	Matching bicut edge

Legs:


<b>TBL</b>	Black
<b>TTU</b>	Tungsten

4. SPECIFY OPTIONS


GROMMETS

- Optional grommets available in standard worksurface locations (left, center or right) **for rectangular tops 48" and up**. Order as: **AG1, AG2 or AG3 - Add \$103**
- Optional grommets are available in **center position only for rectangular tops (36" and 42")**, **keystone, half moon and wedge tops**. Order as **AG2 - Add \$103**.
- Grommet hole dimensions are 3.25" wide x 1.875" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


Grommet hole dimensions




Grommet




Keystone




Half Moon




Wedge



Rectangular Tops



For 36" and 42" wide units




For 48", 60" and 72" wide units

## 4. SPECIFY OPTIONS (CONT'D)


### POWER BLOCK

- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5"D x 6.5"W x 2.75"H. Power block cut-out dimensions are 2.75"D x 6"W.
- A power block cut-out (model **PMSPDM**) may be ordered for **rectangular tops** (48" and up) in place of standard grommets. Order as **E1, E2 or E3. Add \$103.**
- A power block cut-out (model **PMSPDM**) may be ordered in the **center position** only for **rectangular tops** (36" and 42"), **keystone** and **half moon tops**. Order as **E2. Add \$103.**
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block separately as **PMSPDM. Add \$352.**


#### Keystone




#### Half Moon




#### Power Block



#### Rectangular Tops



For **36"**, **42"** and **48"** wide units




For **60"** and **72"** wide units


### VILLA POWER BLOCK (CORDED VERSION ONLY)

- A Villa power block (corded) is available in four options (see page 594 for details). Villa power block (corded) dimensions vary by model. Villa cut-out dimensions are 3"D x 5.25"W.
- A Villa cut-out may be ordered for **rectangular tops 48" and up**. Order as: **V1, V2 or V3 - Add \$103 for each cut-out.**
- A Villa cut-out may be ordered in the **center position only** for **rectangular tops** (36" and 42"), **keystone** and **half moon tops**. Order as: **V2 - Add \$103.**
- Order Villa power block and Villa grommet cover separately. See page 594 for pricing and details.


#### Keystone




#### Half Moon




#### Villa Power Block



#### Rectangular Tops











For **36"**, **42"** and **48"** wide units



For **60"** and **72"** wide units

### MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to Bungee SL rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **42" to 72" wide rectangular tables. Add \$103**
  - MPD** for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for **60", 66" and 72" wide rectangular tables. Add \$205.**

TOPS WITH SQUARE CORNERS (A3, AR OR AB/AS EDGE)	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Rectangular Top - Square Corners</b></p>		<b>D x W x H</b>					
	BS3072REC	30 x 72 x 1	70	60	4	<b>\$613</b>	<b>\$527</b>
	BS3060REC	30 x 60 x 1	70	53	3.4	<b>\$512</b>	<b>\$438</b>
	BS3048REC	30 x 48 x 1	70	46	2.7	<b>\$315</b>	<b>\$353</b>
	BS3042REC	30 x 42 x 1	70	42	2.4	<b>\$306</b>	<b>\$309</b>
	BS3036REC	30 x 36 x 1	70	38	2.1	<b>\$244</b>	<b>\$267</b>
	BS2472REC	24 x 72 x 1	70	51	3.3	<b>\$536</b>	<b>\$422</b>
	BS2460REC	24 x 60 x 1	70	44	2.8	<b>\$468</b>	<b>\$353</b>
	BS2448REC	24 x 48 x 1	70	37	2.3	<b>\$268</b>	<b>\$282</b>
	BS2442REC	24 x 42 x 1	70	33	2	<b>\$253</b>	<b>\$250</b>
 <p><b>Keystone Top - Square Corners</b></p>	BS2436REC	24 x 36 x 1	70	29	1.8	<b>\$239</b>	<b>\$213</b>
	BS2072REC	20 x 72 x 1	85	43	2.9	<b>\$498</b>	<b>\$353</b>
	BS2060REC	20 x 60 x 1	70	37	2.4	<b>\$422</b>	<b>\$297</b>
	BS2048REC	20 x 48 x 1	70	30	2	<b>\$252</b>	<b>\$250</b>
	BS2042REC	20 x 42 x 1	70	27	1.8	<b>\$233</b>	<b>\$213</b>
 <p><b>Half Moon Top - Square Corners</b></p>	BS2036REC	20 x 36 x 1	70	24	1.5	<b>\$219</b>	<b>\$213</b>
	Rectangular 1" thick worksurface with <b>Square Corners</b> . Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573). <ul style="list-style-type: none"> <li>• For worksurfaces to be used as a return, please see Return Tops.</li> <li>• Legs sold separately.</li> </ul>						
	BS30KSF	30.5 x 62.75 x 28.7	150	37	7.2	<b>\$1185</b>	<b>\$527</b>
 <p><b>90° Wedge Top - Square Corners</b></p>	BS24KSF	28.75 x 52 x 28.7	150	29	5.6	<b>\$1096</b>	<b>\$385</b>
	BS20KSF	27.75 x 44 x 28.7	150	25	4.8	<b>\$1083</b>	<b>\$319</b>
 <p><b>90° Corner - Square Corners</b></p>	BS3060HMF	29.75 x 59.4 x 28.7	150	36	6.6	<b>\$1019</b>	<b>\$438</b>
	BS2448HMF	24 x 48.2 x 28.7	150	24	4.6	<b>\$959</b>	<b>\$282</b>
 <p><b>90° Corner - Square Corners</b></p>	BS24WE	26.8 x 26.8 x 1	92.5	15	1.5	<b>\$297</b>	<b>\$250</b>
	BS20WE	22.8 x 22.8 x 1	100	10	1.2	<b>\$219</b>	<b>\$213</b>
 <p><b>90° Corner - Square Corners</b></p>	1" thick worksurface with <b>Square Corners</b> . Includes (2) Tapered legs. <i>Not available with Spider Legs</i> . Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.						
	BS30CN	33.2 x 33.2 x 28.7	125	36	2.50	<b>\$665</b>	<b>\$207</b>
 <p><b>90° Corner - Square Corners</b></p>	1" thick worksurface with <b>Square Corners</b> . Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels. <ul style="list-style-type: none"> <li>• Legs sold separately.</li> </ul>						
	Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. <i>Not available with Spider Legs</i> .						

**Required Specifications**

Top Finish  
Top / Edge Detail

**Optional Specifications**

Grommet  
Modesty Panel (Rectangular tops only)  
HP Laminate

**Accessories**

Power Block  
Villa Power Block (Corded)





Rectangular Return Tops - Square Corners

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BS3054RRE	30 x 54 x 1	70	50	3.1	\$335	\$397
BS3048RRE	30 x 48 x 1	70	46	2.7	\$315	\$353
BS3042RRE	30 x 42 x 1	70	42	2.4	\$306	\$309
BS3036RRE	30 x 36 x 1	70	38	2.1	\$244	\$267
BS2454RRE	24 x 54 x 1	70	40	2.5	\$290	\$319
BS2448RRE	24 x 48 x 1	70	37	2.3	\$268	\$282
BS2442RRE	24 x 42 x 1	70	33	2	\$253	\$250
BS2436RRE	24 x 36 x 1	70	29	1.8	\$239	\$213
BS2054RRE	20 x 54 x 1	70	33	2.2	\$275	\$267
BS2048RRE	20 x 48 x 1	70	30	2	\$252	\$238
BS2042RRE	20 x 42 x 1	70	27	1.8	\$233	\$213
BS2036RRE	20 x 36 x 1	70	24	1.5	\$219	\$178

Rectangular 1" thick worksurface with **Square Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 633).

- For worksurfaces to be used as a main surface, please see Rectangular Tops.
- Legs sold separately.

TOPS WITH ROUNDED CORNERS (BB/BS EDGES ONLY)




Rectangular Top - Rounded Corners

BB3072REC	30 x 72 x 1	85	59	4	\$785	\$527
BB3060REC	30 x 60 x 1	70	52	3.4	\$657	\$438
BB3048REC	30 x 48 x 1	70	45	2.7	\$400	\$353
BB3042REC	30 x 42 x 1	70	41	2.4	\$391	\$309
BB3036REC	30 x 36 x 1	70	37	2.1	\$316	\$267
BB2472REC	24 x 72 x 1	70	50	3.3	\$688	\$422
BB2460REC	24 x 60 x 1	70	43	2.8	\$599	\$353
BB2448REC	24 x 48 x 1	70	36	2.3	\$340	\$282
BB2442REC	24 x 42 x 1	70	32	2	\$325	\$250
BB2436REC	24 x 36 x 1	70	28	1.8	\$306	\$213
BB2072REC	20 x 72 x 1	85	42	2.9	\$638	\$353
BB2060REC	20 x 60 x 1	70	36	2.4	\$540	\$297
BB2048REC	20 x 48 x 1	85	29	2	\$322	\$250
BB2042REC	20 x 42 x 1	85	26	1.8	\$297	\$213
BB2036REC	20 x 36 x 1	70	23	1.5	\$277	\$213

Rectangular 1" thick worksurface with **Rounded Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in "end of run" or shared leg positions. Tops 60" and up include a built-in support bar. Shipped RTA (ready to assemble). Compatible standard modesty panels (see page 633).

- For worksurfaces to be used as a return, please see Return Tops
- Legs sold separately.



Keystone Top - Rounded Corners

BB30KSF	30.5 x 62.75 x 28.7	150	36	7.2	\$1185	\$527
BB24KSF	28.75 x 52 x 28.7	150	28	5.6	\$1096	\$385
BB20KSF	27.75 x 44 x 28.7	150	24	4.8	\$1083	\$319

1" thick worksurface with **Rounded Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tops of 20", 24" or 30" depths. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

Required Specifications


Top Finish  
Top / Edge Detail

Optional Specifications

Grommet  
Modesty Panel  
HP Laminate

Accessories

Power Block  
Villa Power Block (Corded)

**Half Moon Top - Rounded Corners**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
BB3060HMF	29.75 x 59.4 x 28.7	150	35	6.6	<b>\$1019</b>	<b>\$438</b>
BB2448HMF	24 x 48.2 x 28.7	150	23	4.6	<b>\$959</b>	<b>\$282</b>

1" thick worksurface with **Rounded Corners**. Includes (2) Tapered legs. *Not available with Spider Legs*. Connects to other tables equaling the same length. Shipped RTA (ready to assemble). Modesty panels or filler panels are NOT available.

**90° Wedge Top - Rounded Corners**

BB24WE	26.8 x 26.8 x 1	100	14	1.5	<b>\$380</b>	<b>\$250</b>
BB20WE	22.8 x 22.8 x 1	125	9	1.2	<b>\$277</b>	<b>\$213</b>


1" thick worksurface with **Rounded Corners**. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) in shared positions only. Shipped RTA (ready to assemble). Accepts filler modesty panels.

- Legs sold separately.

BB3054RRE	30 x 54 x 1	70	50	3.06	<b>\$430</b>	<b>\$397</b>
BB3048RRE	30 x 48 x 1	70	46	2.75	<b>\$400</b>	<b>\$353</b>
BB3042RRE	30 x 42 x 1	70	42	2.44	<b>\$391</b>	<b>\$309</b>
BB3036RRE	30 x 36 x 1	70	38	2.13	<b>\$316</b>	<b>\$267</b>

BB2454RRE	24 x 54 x 1	70	40	2.54	<b>\$370</b>	<b>\$319</b>
BB2448RRE	24 x 48 x 1	70	37	2.28	<b>\$340</b>	<b>\$282</b>
BB2442RRE	24 x 42 x 1	70	33	2.03	<b>\$325</b>	<b>\$250</b>
BB2436RRE	24 x 36 x 1	70	29	1.77	<b>\$306</b>	<b>\$213</b>


BB2054RRE	20 x 54 x 1	70	33	2.2	<b>\$351</b>	<b>\$267</b>
BB2048RRE	20 x 48 x 1	70	30	1.97	<b>\$322</b>	<b>\$238</b>
BB2042RRE	20 x 42 x 1	70	27	1.75	<b>\$297</b>	<b>\$213</b>
BB2036RRE	20 x 36 x 1	70	24	1.53	<b>\$277</b>	<b>\$178</b>

**Rectangular Return Tops - Rounded Corners**

Rectangular 1" thick worksurface with **Rounded Corners**. Includes two flat brackets to attach to another worksurface on one end. Can accept Tapered (B29TPLEG) or Spider Legs (B2XSPLEG / B30SPLEG) on the other end. 54" tops include a built-in support bar. Shipped RTA (ready to assemble). Compatible with standard modesty panels (see page 573).

- For worksurfaces to be used as a main surface, please see Rectangular Tops
- Legs sold separately.

BB30CN	33.17 x 33.17 x 28.7	125	36	2.50	<b>\$715</b>	<b>\$207</b>
--------	----------------------	-----	----	------	--------------	--------------

**90° Corner - Rounded Corners**

Connects to 30" Deep Rectangular Tables. Includes (1) Tapered leg. *Not available with Spider Legs*.

**Required Specifications**






Top Finish  
Top / Edge Detail

**Optional Specifications**

Grommet  
Filler Modesty Panel (Wedge Tops only)  
Modesty Panel (Rectangular Return Tops)  
HP Laminate

**Accessories**

Power Block  
Villa Power Block (Corded)

LEGS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Spider Legs for 30"D Tables*</b>		<b>D x W x H</b>				
	B30SPLEG	25 x 6 x 27.7	150	16	2.9	<b>\$430</b>
Spider leg with levellers. Shipped/sold one per carton. <b>Tops sold separately.</b> <ul style="list-style-type: none"><li>• Available in Tungsten (<b>TTU</b>) or Black (<b>TBL</b>). Please specify.</li><li>• <b>To be used with 30"D tops only</b></li></ul>						
 <b>Spider Legs for 20" &amp; 24"D Tables*</b>						
	B2XSPLEG	20 x 6 x 27.7	125	14	2.2	<b>\$371</b>
Spider leg with levellers. Shipped/sold one per carton. <b>Tops sold separately.</b> <ul style="list-style-type: none"><li>• Available in Tungsten (<b>TTU</b>) or Black (<b>TBL</b>). Please specify.</li><li>• <b>To be used with 20" &amp; 24" deep tops only</b></li></ul>						
 <b>Tapered Leg*</b>						
	B29TPLEG	6 x 6 x 27.7	85	11	0.8	<b>\$176</b>
Tapered leg with levellers for tables of all depths. Shipped/sold one per carton. <b>Tops sold separately.</b> <ul style="list-style-type: none"><li>• Available in Tungsten (<b>TTU</b>) or Black (<b>TBL</b>). Please specify.</li></ul>						
 <b>Flat Bracket</b>						
	B6PLT	6 x 6 x .25	70	2	0.1	<b>\$61</b>
To be used as a mending plate for Bungee SL. Black only. Shipped/sold one per pack.						
 <b>Power/Data Block</b>						
	PMSPDM	3.5 x 6.5 x 2.75	70	2	.10	<b>\$352</b>
Worksurface power and data module. Two power receptacles and two data receptacles. 9' cord. Specify position and <b>add \$103</b> for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black ( <b>BLK</b> ) only.						

Required Specifications

Leg finish\*



Bring people together. Collaborative Spaces™ fosters teamwork through adaptable environments that can transform at a moment's notice or evolve over time. Optimize existing spaces with individual pieces or create new ones with the full range of mobile team carts, work tables and accessories. Scale up, scale down, create a space for the way you work.

Collaborative Spaces' range of laptop tables can transform any area into a productive workspace. Hospitality carts to support team meetings in relaxed settings, with all the essentials to keep the team fueled up.

Create learning hubs with large workshop and collaboration tables and shelf carts for all the resources they require to get their ideas out into the world. Collaborative Spaces is designed to withstand demanding environments in education.

#### Features and Benefits

- Tables offered with small (1.5") or large (9") radius corners
- Tables are available with glides or casters
- Media units and power accessories provide means for hybrid collaboration
- Accessories like undersurface bag hooks and trays for bag drops keep items out of the way and off the floor.
- PET felt screens provide privacy and noise reduction while dividing space. PET felt screens clip onto shelf carts with included brackets.
- Laptop shelves and media trays can be added to media carts.
- Wire management accessories at the leg and undersurface hide excess cables.
- Undersurface power modules can be positioned anywhere along the table edge.



Optional recessed power tray



Optional steel mesh tray keeps bags and other personal items off the floor




Cart mounted PET Felt privacy panel

## GENERAL INFORMATION

- Collaborative Spaces™ includes a range of products that complement each other.
- Series includes collaboration and workshop tables in three heights: 29", 36" and 42"; occasional tables, laptop tables, team carts, and a variety of accessories.
- Aluminum beams provide strength and rigidity for long term use.
- Combine elements to demark space, absorb ambient noise and afford visual privacy.
- PET felt wire manager hangs from underside of worksurface to organize wires.
- Collaborative Spaces' robust aluminum framework supports high-traffic applications and is 100% recyclable.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## CONSTRUCTION

- All tables are standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Power modules and grommets are not included and must be specified separately.
- Table legs and bases are painted aluminum finish.
- Tables are shipped knocked down and must be assembled on site.
- Corner radius for small radius table tops is 1.5".
- Corner radius for large radius tables tops is 9".
- Top end overhang for large tables is 10.5"
- Worksurface support beams and footrests (where applicable) are centered for tables 18" and 24" deep.
- Worksurface support beams and footrests (where applicable) are 9" from the outside table edges for tables 30" deep.
- Worksurface support beams and footrests (where applicable) are 12" from the outside table edges for tables 36 to 48" deep.
- The top of footrests on café height tables is 8.4" above the floor.
- The top of footrests on bar height tables is 14.4" above the floor.
- Cart shelf load capacities : 120 lbs. for 42" wide (Hospitality Cart), 140 lbs. for 48" wide and 175 lbs. for 60" wide.

## HOW TO SPECIFY:

**Example: SCTWSL2472:**

*Other Options:*

<b>SC</b>	Spaces Collaborative	C	Cafe height table - 36"
<b>W</b>	Work height table - 29"	B	Bar height table - 42"
<b>S</b>	Small radius - 1.5"	L	Large radius - 9"
<b>L</b>	Levelers	C	Casters, available in Black (BLK) or Grey (GRC)
<b>24</b>	Depth		
<b>72</b>	Width		
<b>LP</b>	Low pressure laminate	HP	High pressure laminate

## FINISHES

### Metal Finishes:

BLK	Black
BZD	Blizzard
CHR	Charcoal
DWT	Designer White
INK	Ink
NEV	Nevada
SIL	Silver
SDT	Stonedust
TPE	Taupe
TUN	Tungsten

### Laminate Finishes (thermally fused and high pressure laminates):

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black
BZD	Blizzard
BRC	Brushed Cobalt - Coordinates with TUN edgeband finish
CGY	Custom Grey - Coordinates with SIL edgeband finish
CMB	Clear Maple
DES	Dark Espresso
DWT	Designer White
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SDT	Stonedust
SOG	Storm Grey - Coordinates with CHR edgeband finish
WHC	White Chocolate
WHE	Walnut Heights
WCR	Winter Cherry

## Edgeband Finishes:

AAE	Absolute Acajou	NGL	Noce Grigio
ASE	Asian Night	NEL	Noce Leggero
ACE	Avant Cherry	NML	Noce Medio
AHE	Avant Honey	NEV	Nevada
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
BZD	Blizzard	SIL	Silver (use w/CGY)
CHR	Charcoal (use w/SOG)	SDT	Stonedust
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	TUN	Tungsten (use w/BRC)
DWE	Designer White	WHE	Walnut Heights
FAS	Fashionista	CBE	White Chocolate
FCL	First Class	WCE	Winter Cherry
NBL	Noce Biondo		

## Caster Finish:


BLK	Black
GRC	Grey

## PET Felt Colors:


(AMT) Amethyst	(APR) Apricot
(BLK) Black	(BSK) Blue Smoke
(BRI) Brick	(CNN) Carnation
(DEN) Denim	(EMD) Emerald
(GPH) Graphite	(HVT) Harvest
(LAP) Lapis	(MTS) Mist
(NVY) Navy	(PWT) Pewter
(RBY) Ruby	(SHR) Shamrock
(SFR) Sunflower	(WHT) White


## POWER ACCESSORY CUT-OUT LOCATIONS

- Cut-outs for SCTAPT<sub>x</sub> / SCTAPR<sub>x</sub> power modules available centered on depth, in center position only. Order as **02, 0S**, add **\$103**.
- Cut-out not available for 18" and 24" deep tables.
- These rules apply to both small and large radius table tops. *Small radius top shown.*



- Cut-outs for SCTAPS<sub>x</sub> / SCTAPR<sub>x</sub> power modules available, centered on depth in left, center and right positions. Order as **C1, C2, C3, CS**, add **\$103**.
- Cut-out not available for 18" and 24" deep tables.
- **C2** cut-outs available on all table widths. Add **\$103**.
- **C1** and **C3** cut-outs only available on 90" + 96"w tables. Add **\$103**.
- These rules apply to both small and large radius table tops. *Small radius top shown.*



**HP ADD**

### Core Collaboration Table, 29"H, Small Radius, Levelers

D x W x H						
SCTWD1836	18 x 36 x 29	70	35.54	2.33	<b>\$760</b>	<b>\$90</b>
SCTWD1842	18 x 42 x 29	70	38.52	2.52	<b>\$790</b>	<b>\$109</b>
SCTWD1848	18 x 48 x 29	70	47.05	2.71	<b>\$874</b>	<b>\$124</b>
SCTWD1854	18 x 54 x 29	70	50.88	2.9	<b>\$913</b>	<b>\$139</b>
SCTWD1860	18 x 60 x 29	70	54.7	3.08	<b>\$947</b>	<b>\$208</b>
SCTWD1866	18 x 66 x 29	70	58.52	3.27	<b>\$992</b>	<b>\$233</b>
SCTWD1872	18 x 72 x 29	70	62.34	3.46	<b>\$1037</b>	<b>\$252</b>
SCTWD2436	24 x 36 x 29	85	41.51	3.11	<b>\$814</b>	<b>\$124</b>
SCTWD2442	24 x 42 x 29	85	45.49	3.36	<b>\$854</b>	<b>\$144</b>
SCTWD2448	24 x 48 x 29	70	55.02	3.61	<b>\$943</b>	<b>\$163</b>
SCTWD2454	24 x 54 x 29	70	59.83	3.86	<b>\$997</b>	<b>\$183</b>
SCTWD2460	24 x 60 x 29	70	64.65	4.11	<b>\$1037</b>	<b>\$271</b>
SCTWD2466	24 x 66 x 29	70	69.46	4.36	<b>\$1091</b>	<b>\$301</b>
SCTWD2472	24 x 72 x 29	70	74.27	4.61	<b>\$1140</b>	<b>\$331</b>
SCTWD3036	30 x 36 x 29	85	47.47	3.89	<b>\$868</b>	<b>\$154</b>
SCTWD3042	30 x 42 x 29	85	52.45	4.2	<b>\$919</b>	<b>\$177</b>
SCTWD3048	30 x 48 x 29	85	62.98	4.51	<b>\$1017</b>	<b>\$203</b>
SCTWD3054	30 x 54 x 29	85	68.78	4.83	<b>\$1076</b>	<b>\$227</b>
SCTWD3060	30 x 60 x 29	85	74.59	5.14	<b>\$1125</b>	<b>\$340</b>
SCTWD3066	30 x 66 x 29	85	80.4	5.45	<b>\$1185</b>	<b>\$374</b>
SCTWD3072	30 x 72 x 29	60	86.2	2.76	<b>\$1243</b>	<b>\$409</b>

Consists of four individual legs and one surface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Tables from 48" to 72" include a center worksurface support beam.
- Center worksurface support beam eliminates the possibility of a grommet cut-out.

### Required specifications

Laminate finish  
Edge finish  
Paint finish


### Optional specifications

HP laminate

## Accessories


Table leg cable organizer,  
PET felt modesty panel,  
Table mounted bag hook,  
Nik power modules, PET felt wire manager




COLLABORATION TABLES - 29"H	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Standard Collaboration Table, 29"H, Small Radius, Levelers</b></p>		<b>D x W x H</b>					
	SCTWSL1836	18 x 36 x 29	70	40.05	2.33	<b>\$1159</b>	<b>\$94</b>
	SCTWSL1842	18 x 42 x 29	70	43.65	2.52	<b>\$1234</b>	<b>\$109</b>
	SCTWSL1848	18 x 48 x 29	70	50.15	2.71	<b>\$1470</b>	<b>\$124</b>
	SCTWSL1854	18 x 54 x 29	70	53.75	2.9	<b>\$1505</b>	<b>\$138</b>
	SCTWSL1860	18 x 60 x 29	70	57.34	3.08	<b>\$1564</b>	<b>\$154</b>
	SCTWSL1866	18 x 66 x 29	70	60.93	3.27	<b>\$1598</b>	<b>\$169</b>
	SCTWSL1872	18 x 72 x 29	70	64.52	3.46	<b>\$1678</b>	<b>\$183</b>
	SCTWSL1878	18 x 78 x 29	70	68.12	3.65	<b>\$1712</b>	<b>\$198</b>
	SCTWSL1884	18 x 84 x 29	70	71.71	3.83	<b>\$1746</b>	<b>\$212</b>
	SCTWSL1890	18 x 90 x 29	70	75.31	4.02	<b>\$1875</b>	<b>\$227</b>
	SCTWSL1896	18 x 96 x 29	70	78.9	4.21	<b>\$1905</b>	<b>\$247</b>
	SCTWSL2436	24 x 36 x 29	85	43.05	3.11	<b>\$1249</b>	<b>\$124</b>
	SCTWSL2442	24 x 42 x 29	85	46.65	3.36	<b>\$1332</b>	<b>\$144</b>
	SCTWSL2448	24 x 48 x 29	85	53.15	3.61	<b>\$1574</b>	<b>\$163</b>
	SCTWSL2454	24 x 54 x 29	85	56.75	3.86	<b>\$1618</b>	<b>\$183</b>
	SCTWSL2460	24 x 60 x 29	85	60.34	4.11	<b>\$1687</b>	<b>\$203</b>
	SCTWSL2466	24 x 66 x 29	85	63.93	4.36	<b>\$1727</b>	<b>\$222</b>
	SCTWSL2472	24 x 72 x 29	85	67.52	4.61	<b>\$1815</b>	<b>\$242</b>
	SCTWSL2478	24 x 78 x 29	85	71.12	4.86	<b>\$1855</b>	<b>\$267</b>
	SCTWSL2484	24 x 84 x 29	85	74.71	5.11	<b>\$1894</b>	<b>\$287</b>
	SCTWSL2490	24 x 90 x 29	85	78.31	5.36	<b>\$2033</b>	<b>\$306</b>
	SCTWSL2496	24 x 96 x 29	85	81.9	5.61	<b>\$2072</b>	<b>\$325</b>
	SCTWSL3036	30 x 36 x 29	92.5	46.05	3.89	<b>\$1500</b>	<b>\$153</b>
	SCTWSL3042	30 x 42 x 29	92.5	49.65	4.2	<b>\$1633</b>	<b>\$178</b>
	SCTWSL3048	30 x 48 x 29	85	56.15	4.51	<b>\$1914</b>	<b>\$203</b>
	SCTWSL3054	30 x 54 x 29	85	59.75	4.83	<b>\$1963</b>	<b>\$227</b>
	SCTWSL3060	30 x 60 x 29	85	63.34	5.14	<b>\$2067</b>	<b>\$257</b>
	SCTWSL3066	30 x 66 x 29	85	66.93	5.45	<b>\$2117</b>	<b>\$281</b>
	SCTWSL3072	30 x 72 x 29	85	70.52	5.76	<b>\$2259</b>	<b>\$306</b>
	SCTWSL3078	30 x 78 x 29	85	74.12	6.08	<b>\$2333</b>	<b>\$331</b>
	SCTWSL3084	30 x 84 x 29	92.5	77.71	6.7	<b>\$2383</b>	<b>\$355</b>
	SCTWSL3090	30 x 90 x 29	85	81.31	6.39	<b>\$2619</b>	<b>\$380</b>
	SCTWSL3096	30 x 96 x 29	85	84.9	7.01	<b>\$2668</b>	<b>\$405</b>
<p>Consists of two leg assemblies, worksurface support beams, and worksurface with a small 1.5" radius at each corner.</p> <ul style="list-style-type: none"> <li>• Worksurface choice of thermally fused or high pressure laminate with PVC edge.</li> <li>• Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.</li> <li>• Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".</li> <li>• 18" and 24" deep tables feature one worksurface support beam.</li> <li>• 30" deep tables feature two worksurface support beams.</li> </ul>							




## COLLABORATION TABLES - 36" CAFE HEIGHT



For 18" and 24"D surfaces



For 30"D tables, 36" to 72"W



For 30"D tables, 78" to 96"W

**Café Height Collaboration Table, 36"H,  
Small Radius, Levelers**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
SCTCSL1836	18 x 36 x 36	70	50.14	2.33	<b>\$1648</b>	<b>\$94</b>
SCTCSL1842	18 x 42 x 36	70	54.34	2.52	<b>\$1766</b>	<b>\$109</b>
SCTCSL1848	18 x 48 x 36	65	61.46	2.71	<b>\$2003</b>	<b>\$119</b>
SCTCSL1854	18 x 54 x 36	65	65.66	2.9	<b>\$2033</b>	<b>\$139</b>
SCTCSL1860	18 x 60 x 36	65	69.87	3.08	<b>\$2126</b>	<b>\$149</b>
SCTCSL1866	18 x 66 x 36	65	74.07	3.27	<b>\$2156</b>	<b>\$168</b>
SCTCSL1872	18 x 72 x 36	65	78.28	3.46	<b>\$2284</b>	<b>\$183</b>
SCTCSL1878	18 x 78 x 36	65	82.48	3.65	<b>\$2318</b>	<b>\$199</b>
SCTCSL1884	18 x 84 x 36	65	86.69	3.83	<b>\$2348</b>	<b>\$218</b>
SCTCSL1890	18 x 90 x 36	65	90.9	4.02	<b>\$2575</b>	<b>\$227</b>
SCTCSL1896	18 x 96 x 36	65	95.1	4.21	<b>\$2604</b>	<b>\$247</b>
SCTCSL2436	24 x 36 x 36	70	67.83	3.11	<b>\$1766</b>	<b>\$124</b>
SCTCSL2442	24 x 42 x 36	70	74.58	3.36	<b>\$1894</b>	<b>\$144</b>
SCTCSL2448	24 x 48 x 36	65	84.23	3.61	<b>\$2136</b>	<b>\$163</b>
SCTCSL2454	24 x 54 x 36	65	90.98	3.86	<b>\$2175</b>	<b>\$183</b>
SCTCSL2460	24 x 60 x 36	65	97.73	4.11	<b>\$2274</b>	<b>\$203</b>
SCTCSL2466	24 x 66 x 36	65	104.48	4.36	<b>\$2314</b>	<b>\$227</b>
SCTCSL2472	24 x 72 x 36	65	111.23	4.61	<b>\$2451</b>	<b>\$242</b>
SCTCSL2478	24 x 78 x 36	65	117.98	4.86	<b>\$2490</b>	<b>\$267</b>
SCTCSL2484	24 x 84 x 36	65	124.73	5.11	<b>\$2530</b>	<b>\$287</b>
SCTCSL2490	24 x 90 x 36	65	131.48	5.36	<b>\$2762</b>	<b>\$306</b>
SCTCSL2496	24 x 96 x 36	65	138.23	5.61	<b>\$2807</b>	<b>\$321</b>
SCTCSL3036	30 x 36 x 36	70	86.09	3.89	<b>\$2215</b>	<b>\$154</b>
SCTCSL3042	30 x 42 x 36	65	95.44	4.2	<b>\$2437</b>	<b>\$177</b>
SCTCSL3048	30 x 48 x 36	65	107.7	4.51	<b>\$2683</b>	<b>\$207</b>
SCTCSL3054	30 x 54 x 36	65	117.05	4.83	<b>\$2732</b>	<b>\$233</b>
SCTCSL3060	30 x 60 x 36	65	126.41	5.14	<b>\$2895</b>	<b>\$257</b>
SCTCSL3066	30 x 66 x 36	65	135.76	5.45	<b>\$2944</b>	<b>\$282</b>
SCTCSL3072	30 x 72 x 36	65	145.11	5.76	<b>\$3186</b>	<b>\$302</b>
SCTCSL3078	30 x 78 x 36	65	156.91	6.08	<b>\$3418</b>	<b>\$331</b>
SCTCSL3084	30 x 84 x 36	65	166.26	6.7	<b>\$3467</b>	<b>\$355</b>
SCTCSL3090	30 x 90 x 36	65	175.62	6.39	<b>\$3896</b>	<b>\$380</b>
SCTCSL3096	30 x 96 x 36	65	184.97	7.01	<b>\$3945</b>	<b>\$405</b>

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

**Required specifications**




Laminate finish  
Edge finish  
Paint finish

**Optional specifications**

HP laminate  
Power accessory cut-out

**Accessories**

Table leg cable organizer,  
PET felt modesty panel,  
Table mounted bag hook,  
Nik power modules, PET felt wire manager

COLLABORATION TABLES - 42" BAR HEIGHT		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p>For 18" and 24"D surfaces</p>			<b>D x W x H</b>					
		SCTBSL1836	18 x 36 x 42	65	70.28	3.11	<b>\$1781</b>	<b>\$89</b>
		SCTBSL1842	18 x 42 x 42	65	77.02	3.36	<b>\$1899</b>	<b>\$104</b>
		SCTBSL1848	18 x 48 x 42	65	86.68	3.61	<b>\$2130</b>	<b>\$124</b>
		SCTBSL1854	18 x 54 x 42	65	93.43	3.86	<b>\$2166</b>	<b>\$139</b>
		SCTBSL1860	18 x 60 x 42	65	100.18	4.11	<b>\$2254</b>	<b>\$154</b>
		SCTBSL1866	18 x 66 x 42	65	106.93	4.36	<b>\$2289</b>	<b>\$168</b>
		SCTBSL1872	18 x 72 x 42	65	113.68	4.61	<b>\$2417</b>	<b>\$183</b>
		SCTBSL1878	18 x 78 x 42	65	120.43	4.86	<b>\$2447</b>	<b>\$198</b>
		SCTBSL1884	18 x 84 x 42	65	127.18	5.11	<b>\$2481</b>	<b>\$212</b>
		SCTBSL1890	18 x 90 x 42	65	133.93	5.36	<b>\$2703</b>	<b>\$226</b>
		SCTBSL1896	18 x 96 x 42	65	140.67	5.61	<b>\$2738</b>	<b>\$242</b>
 <p>For 30"D tables, 36" to 72"W</p>		SCTBSL2436	24 x 36 x 42	65	52.58	2.33	<b>\$1899</b>	<b>\$124</b>
		SCTBSL2442	24 x 42 x 42	65	56.79	2.52	<b>\$2027</b>	<b>\$139</b>
		SCTBSL2448	24 x 48 x 42	65	63.9	2.71	<b>\$2269</b>	<b>\$163</b>
		SCTBSL2454	24 x 54 x 42	65	68.11	2.9	<b>\$2308</b>	<b>\$183</b>
		SCTBSL2460	24 x 60 x 42	65	72.31	3.08	<b>\$2407</b>	<b>\$203</b>
		SCTBSL2466	24 x 66 x 42	65	76.52	3.27	<b>\$2447</b>	<b>\$222</b>
		SCTBSL2472	24 x 72 x 42	65	80.72	3.46	<b>\$2580</b>	<b>\$247</b>
		SCTBSL2478	24 x 78 x 42	65	84.93	3.65	<b>\$2624</b>	<b>\$262</b>
		SCTBSL2484	24 x 84 x 42	65	89.13	3.83	<b>\$2663</b>	<b>\$287</b>
		SCTBSL2490	24 x 90 x 42	65	93.34	4.02	<b>\$2895</b>	<b>\$306</b>
		SCTBSL2496	24 x 96 x 42	65	97.55	4.21	<b>\$2935</b>	<b>\$326</b>
 <p>For 30"D tables, 78" to 96"W</p>		SCTBSL3036	30 x 36 x 42	65	88.53	3.89	<b>\$2348</b>	<b>\$149</b>
		SCTBSL3042	30 x 42 x 42	65	97.89	4.2	<b>\$2565</b>	<b>\$178</b>
		SCTBSL3048	30 x 48 x 42	65	110.14	4.51	<b>\$2816</b>	<b>\$203</b>
		SCTBSL3054	30 x 54 x 42	65	117.05	4.83	<b>\$2865</b>	<b>\$227</b>
		SCTBSL3060	30 x 60 x 42	65	126.41	5.14	<b>\$3028</b>	<b>\$252</b>
		SCTBSL3066	30 x 66 x 42	65	135.76	5.45	<b>\$3077</b>	<b>\$277</b>
		SCTBSL3072	30 x 72 x 42	65	145.11	5.76	<b>\$3315</b>	<b>\$306</b>
		SCTBSL3078	30 x 78 x 42	65	159.35	6.08	<b>\$3551</b>	<b>\$331</b>
		SCTBSL3084	30 x 84 x 42	65	168.71	6.7	<b>\$3600</b>	<b>\$355</b>
		SCTBSL3090	30 x 90 x 42	65	178.06	6.39	<b>\$4029</b>	<b>\$380</b>
		SCTBSL3096	30 x 96 x 42	65	187.41	7.01	<b>\$4078</b>	<b>\$405</b>

**Bar Height Collaboration Table, 42"H,  
Small Radius, Levelers**

Consists of two leg assemblies, worksurface support beam(s), footrest(s), and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- 18" and 24" deep tables feature one worksurface support beam and one footrest.
- 30" deep tables feature two worksurface support beams and two footrests.
- 30" deep tables 78" wide and greater include a reinforcement cantilever for added stability.

**Required specifications**

Laminate finish  
Edge finish  
Paint finish


**Optional specifications**

HP laminate  
Power accessory cut-out


**Accessories**

Table leg cable organizer,  
PET felt modesty panel,  
Table mounted bag hook,  
Nik power modules, PET felt wire manager


## WORKSHOP TABLES - 29"H



**Workshop Table, 29"H,  
Small Radius, Levelers**



**Workshop Table, 29"H,  
Small Radius, Casters\***



**Workshop Table, 29"H,  
Small Radius, Casters/Levelers\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCTSWSL3636	36 x 36 x 29	70	79.31	4.67	<b>\$1594</b>	<b>\$183</b>
SCTSWSL3642	36 x 42 x 29	70	88.73	5.04	<b>\$1791</b>	<b>\$218</b>
SCTSWSL3648	36 x 48 x 29	70	101.24	5.42	<b>\$2023</b>	<b>\$241</b>
SCTSWSL3654	36 x 54 x 29	70	110.76	5.79	<b>\$2077</b>	<b>\$276</b>
SCTSWSL3660	36 x 60 x 29	70	120.27	6.17	<b>\$2190</b>	<b>\$306</b>
SCTSWSL4242	42 x 42 x 29	70	99.72	5.88	<b>\$1825</b>	<b>\$253</b>
SCTSWSL4248	42 x 48 x 29	70	113.52	6.32	<b>\$2121</b>	<b>\$287</b>
SCTSWSL4254	42 x 54 x 29	70	124.41	6.76	<b>\$2185</b>	<b>\$321</b>
SCTSWSL4260	42 x 60 x 29	70	135.31	7.19	<b>\$2308</b>	<b>\$355</b>
SCTSWSL4848	48 x 48 x 29	70	125.8	7.22	<b>\$2235</b>	<b>\$321</b>
SCTSWSL4854	48 x 54 x 29	70	138.07	7.72	<b>\$2304</b>	<b>\$365</b>
SCTSWSL4860	48 x 60 x 29	70	150.35	8.22	<b>\$2432</b>	<b>\$409</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSC3636	36 x 36 x 29	70	79.4	4.67	<b>\$1875</b>	<b>\$183</b>
SCTSWSC3642	36 x 42 x 29	70	88.92	5.04	<b>\$2012</b>	<b>\$218</b>
SCTSWSC3648	36 x 48 x 29	70	101.33	5.42	<b>\$2244</b>	<b>\$242</b>
SCTSWSC3654	36 x 54 x 29	70	110.85	5.79	<b>\$2299</b>	<b>\$276</b>
SCTSWSC3660	36 x 60 x 29	70	120.36	6.17	<b>\$2412</b>	<b>\$306</b>
SCTSWSC4242	42 x 42 x 29	70	99.81	5.88	<b>\$2106</b>	<b>\$248</b>
SCTSWSC4248	42 x 48 x 29	70	113.61	6.32	<b>\$2343</b>	<b>\$286</b>
SCTSWSC4254	42 x 54 x 29	70	124.5	6.76	<b>\$2407</b>	<b>\$98</b>
SCTSWSC4260	42 x 60 x 29	70	135.4	7.19	<b>\$2530</b>	<b>\$356</b>
SCTSWSC4848	48 x 48 x 29	70	125.89	7.22	<b>\$2451</b>	<b>\$326</b>
SCTSWSC4854	48 x 54 x 29	70	138.16	7.72	<b>\$2526</b>	<b>\$365</b>
SCTSWSC4860	48 x 60 x 29	70	150.44	8.22	<b>\$2653</b>	<b>\$184</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSWSX3636	36 x 36 x 29	70	79.36	4.67	<b>\$1731</b>	<b>\$184</b>
SCTSWSX3642	36 x 42 x 29	70	88.87	5.04	<b>\$1875</b>	<b>\$212</b>
SCTSWSX3648	36 x 48 x 29	70	101.29	5.42	<b>\$2136</b>	<b>\$242</b>
SCTSWSX3654	36 x 54 x 29	70	110.8	5.79	<b>\$2190</b>	<b>\$276</b>
SCTSWSX3660	36 x 60 x 29	70	120.31	6.17	<b>\$2304</b>	<b>\$306</b>
SCTSWSX4242	42 x 42 x 29	70	99.77	5.88	<b>\$1969</b>	<b>\$247</b>
SCTSWSX4248	42 x 48 x 29	70	113.56	6.32	<b>\$2235</b>	<b>\$282</b>
SCTSWSX4254	42 x 54 x 29	70	124.46	6.76	<b>\$2299</b>	<b>\$321</b>
SCTSWSX4260	42 x 60 x 29	70	135.36	7.19	<b>\$2417</b>	<b>\$355</b>
SCTSWSX4848	48 x 48 x 29	70	125.71	7.22	<b>\$2343</b>	<b>\$325</b>
SCTSWSX4854	48 x 54 x 29	70	137.99	7.72	<b>\$2417</b>	<b>\$366</b>
SCTSWSX4860	48 x 60 x 29	70	150.27	8.22	<b>\$2545</b>	<b>\$405</b>

Consists of one leg assembly with casters, one leg assembly with levelers, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC). Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

**Required specifications**

Laminate finish  
Edge finish  
Paint finish  
Caster finish\*


**Optional specifications**

HP laminate  
Grommet option


**Accessories**

Table leg cable organizer  
Table mounted bag hook  
Nik power modules  
PET felt wire manager

## LARGE COLLABORATION TABLES - 29"H



**Large Collaboration Table, 29"H,  
Small Radius, Levelers**



**Large Collaboration Table, 29"H,  
Large Radius, Levelers**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
<b>D x W x H</b>						
SCTLWSL3666	36 x 66 x 29	70	129.78	6.54	<b>\$2250</b>	<b>\$335</b>
SCTLWSL3672	36 x 72 x 29	70	139.3	6.92	<b>\$2402</b>	<b>\$366</b>
SCTLWSL3678	36 x 78 x 29	70	148.81	7.29	<b>\$2481</b>	<b>\$396</b>
SCTLWSL3684	36 x 84 x 29	70	158.32	7.67	<b>\$2535</b>	<b>\$430</b>
SCTLWSL3690	36 x 90 x 29	70	167.84	8.04	<b>\$2782</b>	<b>\$458</b>
SCTLWSL3696	36 x 96 x 29	70	177.35	8.42	<b>\$2841</b>	<b>\$488</b>
SCTLWSL4266	42 x 66 x 29	70	146.21	7.63	<b>\$2372</b>	<b>\$390</b>
SCTLWSL4272	42 x 72 x 29	70	127.1	8.07	<b>\$2530</b>	<b>\$430</b>
SCTLWSL4278	42 x 78 x 29	70	168	8.51	<b>\$2619</b>	<b>\$464</b>
SCTLWSL4284	42 x 84 x 29	70	178.89	8.94	<b>\$2683</b>	<b>\$499</b>
SCTLWSL4290	42 x 90 x 29	70	189.79	9.38	<b>\$2940</b>	<b>\$533</b>
SCTLWSL4296	42 x 96 x 29	70	200.68	9.82	<b>\$3004</b>	<b>\$567</b>
SCTLWSL4866	48 x 66 x 29	70	162.63	8.72	<b>\$2505</b>	<b>\$450</b>
SCTLWSL4872	48 x 72 x 29	70	174.91	9.22	<b>\$2674</b>	<b>\$488</b>
SCTLWSL4878	48 x 78 x 29	70	187.18	9.72	<b>\$2767</b>	<b>\$528</b>
SCTLWSL4884	48 x 84 x 29	70	199.46	10.22	<b>\$2841</b>	<b>\$568</b>
SCTLWSL4890	48 x 90 x 29	70	211.74	10.72	<b>\$3103</b>	<b>\$612</b>
SCTLWSL4896	48 x 96 x 29	70	224.01	11.22	<b>\$3176</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTLWLL3666	36 x 66 x 29	70	123.52	6.54	<b>\$2190</b>	<b>\$336</b>
SCTLWLL3672	36 x 72 x 29	70	133.03	6.92	<b>\$2250</b>	<b>\$365</b>
SCTLWLL3678	36 x 78 x 29	70	142.55	7.29	<b>\$2363</b>	<b>\$395</b>
SCTLWLL3684	36 x 84 x 29	70	152.06	7.67	<b>\$2417</b>	<b>\$430</b>
SCTLWLL3690	36 x 90 x 29	70	161.57	8.04	<b>\$2570</b>	<b>\$458</b>
SCTLWLL3696	36 x 96 x 29	70	171.09	8.42	<b>\$2649</b>	<b>\$488</b>
SCTLWLL4266	42 x 66 x 29	70	139.94	7.63	<b>\$2314</b>	<b>\$395</b>
SCTLWLL4272	42 x 72 x 29	70	150.84	8.07	<b>\$2378</b>	<b>\$430</b>
SCTLWLL4278	42 x 78 x 29	70	161.73	8.51	<b>\$2501</b>	<b>\$464</b>
SCTLWLL4284	42 x 84 x 29	70	172.63	8.94	<b>\$2565</b>	<b>\$498</b>
SCTLWLL4290	42 x 90 x 29	70	183.52	9.38	<b>\$2723</b>	<b>\$533</b>
SCTLWLL4296	42 x 96 x 29	70	194.42	9.82	<b>\$2787</b>	<b>\$568</b>
SCTLWLL4866	48 x 66 x 29	70	156.37	8.72	<b>\$2447</b>	<b>\$449</b>
SCTLWLL4872	48 x 72 x 29	70	168.64	9.22	<b>\$2520</b>	<b>\$489</b>
SCTLWLL4878	48 x 78 x 29	70	180.92	9.72	<b>\$2649</b>	<b>\$528</b>
SCTLWLL4884	48 x 84 x 29	70	193.2	10.22	<b>\$2723</b>	<b>\$567</b>
SCTLWLL4890	48 x 90 x 29	70	205.48	10.72	<b>\$2890</b>	<b>\$608</b>
SCTLWLL4896	48 x 96 x 29	70	217.75	11.22	<b>\$2984</b>	<b>\$652</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- *Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.*

**Required specifications**

Laminate finish  
Edge finish  
Paint finish


**Optional specifications**

HP laminate  
Power accessory cut-out

**Accessories**

Collaboration table media unit,  
Table leg cable organizer,  
Table mounted bag hook,  
Nik power modules, PET felt wire manager

## LARGE COLLABORATION TABLES - 29"H




**Large Collaboration Table, 29"H,  
Small Radius, Casters\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCTLWSC3666	36 x 66 x 29	70	129.87	6.54	<b>\$2471</b>	<b>\$336</b>
SCTLWSC3672	36 x 72 x 29	70	139.39	6.92	<b>\$2624</b>	<b>\$366</b>
SCTLWSC3678	36 x 78 x 29	70	148.9	7.29	<b>\$2703</b>	<b>\$395</b>
SCTLWSC3684	36 x 84 x 29	70	158.41	7.67	<b>\$2757</b>	<b>\$430</b>
SCTLWSC3690	36 x 90 x 29	70	167.93	8.04	<b>\$3004</b>	<b>\$458</b>
SCTLWSC3696	36 x 96 x 29	70	177.44	8.42	<b>\$3062</b>	<b>\$489</b>
SCTLWSC4266	42 x 66 x 29	70	146.3	7.63	<b>\$2595</b>	<b>\$389</b>
SCTLWSC4272	42 x 72 x 29	70	157.19	8.07	<b>\$2752</b>	<b>\$430</b>
SCTLWSC4278	42 x 78 x 29	70	168.09	8.51	<b>\$2841</b>	<b>\$464</b>
SCTLWSC4284	42 x 84 x 29	70	178.98	8.94	<b>\$2905</b>	<b>\$499</b>
SCTLWSC4290	42 x 90 x 29	70	189.88	9.38	<b>\$3161</b>	<b>\$533</b>
SCTLWSC4296	42 x 96 x 29	70	200.77	9.82	<b>\$2974</b>	<b>\$572</b>
SCTLWSC4866	48 x 66 x 29	70	162.72	8.72	<b>\$2728</b>	<b>\$449</b>
SCTLWSC4872	48 x 72 x 29	70	175	9.22	<b>\$2895</b>	<b>\$488</b>
SCTLWSC4878	48 x 78 x 29	70	187.27	9.22	<b>\$2989</b>	<b>\$528</b>
SCTLWSC4884	48 x 84 x 29	70	199.55	10.22	<b>\$3062</b>	<b>\$568</b>
SCTLWSC4890	48 x 90 x 29	70	211.83	10.72	<b>\$3324</b>	<b>\$612</b>
SCTLWSC4896	48 x 96 x 29	70	224.1	11.22	<b>\$3398</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".



**Large Collaboration Table, 29"H,  
Large Radius, Casters**

SCTLWLC3666	36 x 66 x 29	70	123.61	6.54	<b>\$2412</b>	<b>\$336</b>
SCTLWLC3672	36 x 72 x 29	70	133.12	6.92	<b>\$2471</b>	<b>\$366</b>
SCTLWLC3678	36 x 78 x 29	70	142.64	7.29	<b>\$2584</b>	<b>\$396</b>
SCTLWLC3684	36 x 84 x 29	70	152.15	7.67	<b>\$2639</b>	<b>\$430</b>
SCTLWLC3690	36 x 90 x 29	70	161.66	8.04	<b>\$2792</b>	<b>\$458</b>
SCTLWLC3696	36 x 96 x 29	70	171.18	8.42	<b>\$2871</b>	<b>\$488</b>
SCTLWLC4266	42 x 66 x 29	70	140.03	7.63	<b>\$2535</b>	<b>\$395</b>
SCTLWLC4272	42 x 72 x 29	70	150.93	8.07	<b>\$2599</b>	<b>\$430</b>
SCTLWLC4278	42 x 78 x 29	70	161.82	8.51	<b>\$2723</b>	<b>\$464</b>
SCTLWLC4284	42 x 84 x 29	70	172.72	8.94	<b>\$2787</b>	<b>\$499</b>
SCTLWLC4290	42 x 90 x 29	70	183.62	9.38	<b>\$2944</b>	<b>\$533</b>
SCTLWLC4296	42 x 96 x 29	70	194.51	9.82	<b>\$3034</b>	<b>\$567</b>
SCTLWLC4866	48 x 66 x 29	70	156.46	8.72	<b>\$2668</b>	<b>\$449</b>
SCTLWLC4872	48 x 72 x 29	70	168.73	9.22	<b>\$2743</b>	<b>\$488</b>
SCTLWLC4878	48 x 78 x 29	70	181.01	9.72	<b>\$2871</b>	<b>\$528</b>
SCTLWLC4884	48 x 84 x 29	70	193.29	10.22	<b>\$2944</b>	<b>\$568</b>
SCTLWLC4890	48 x 90 x 29	70	205.57	10.72	<b>\$3112</b>	<b>\$606</b>
SCTLWLC4896	48 x 96 x 29	70	217.84	11.22	<b>\$3206</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- *Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.*

**Required specifications**

Laminate finish  
Edge finish  
Paint finish  
Caster finish


**Optional specifications**

HP laminate  
Grommet option

**Accessories**

Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Table mounted bag hook, Nik power modules, PET felt wire manager

## WORKSHOP TABLES - 36"H




**Café Height Workshop Table, 36"H**  
**Small Radius, Levelers**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
SCTSCSL3636	36 x 36 x 36	70	96.82	5.67	<b>\$2343</b>	<b>\$183</b>
SCTSCSL3642	36 x 42 x 36	70	107.56	6.21	<b>\$2570</b>	<b>\$217</b>
SCTSCSL3648	36 x 48 x 36	70	121.2	6.75	<b>\$2831</b>	<b>\$242</b>
SCTSCSL3654	36 x 54 x 36	70	131.93	7.29	<b>\$2886</b>	<b>\$276</b>
SCTSCSL3660	36 x 60 x 36	70	142.67	7.83	<b>\$3058</b>	<b>\$306</b>
SCTSCSL4242	42 x 42 x 36	70	119.68	7.05	<b>\$2634</b>	<b>\$252</b>
SCTSCSL4248	42 x 48 x 36	70	134.7	7.65	<b>\$2955</b>	<b>\$286</b>
SCTSCSL4254	42 x 54 x 36	70	146.81	8.26	<b>\$3019</b>	<b>\$321</b>
SCTSCSL4260	42 x 60 x 36	70	158.93	8.86	<b>\$3201</b>	<b>\$355</b>
SCTSCSL4848	48 x 48 x 36	70	148.2	8.56	<b>\$3103</b>	<b>\$325</b>
SCTSCSL4854	48 x 54 x 36	70	161.7	9.22	<b>\$3176</b>	<b>\$366</b>
SCTSCSL4860	48 x 60 x 36	70	175.2	9.89	<b>\$3364</b>	<b>\$405</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".



**Café Height Workshop Table, 36"H**  
**Small Radius, Casters\***

SCTSCSC3636	36 x 36 x 36	70	96.66	5.67	<b>\$2599</b>	<b>\$184</b>
SCTSCSC3642	36 x 42 x 36	70	107.39	6.21	<b>\$2826</b>	<b>\$212</b>
SCTSCSC3648	36 x 48 x 36	70	107.39	6.21	<b>\$3083</b>	<b>\$247</b>
SCTSCSC3654	36 x 54 x 36	70	131.77	7.29	<b>\$3142</b>	<b>\$271</b>
SCTSCSC3660	36 x 60 x 36	70	142.5	7.83	<b>\$3309</b>	<b>\$306</b>
SCTSCSC4242	42 x 42 x 36	70	119.51	7.05	<b>\$2944</b>	<b>\$248</b>
SCTSCSC4248	42 x 48 x 36	70	134.53	7.65	<b>\$3210</b>	<b>\$282</b>
SCTSCSC4254	42 x 54 x 36	70	146.65	8.26	<b>\$3275</b>	<b>\$320</b>
SCTSCSC4260	42 x 60 x 36	70	158.77	8.86	<b>\$3452</b>	<b>\$356</b>
SCTSCSC4848	48 x 48 x 36	70	148.03	8.56	<b>\$3358</b>	<b>\$326</b>
SCTSCSC4854	48 x 54 x 36	70	161.53	9.22	<b>\$3428</b>	<b>\$370</b>
SCTSCSC4860	48 x 60 x 36	70	175.03	9.89	<b>\$3615</b>	<b>\$409</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

**Required specifications**

Laminate finish  
Edge finish  
Paint finish  
Caster finish\*


**Optional specifications**

HP laminate  
Grommet option


**Accessories**

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager


## LARGE COLLABORATION TABLES - 36"




For 66" and 72"W tables



For 78" to 96"W tables

**Large Café Height Collaboration Table, 36"H, Small Radius, Levelers\***

For 66" and 72"W tables



For 78" to 96"W tables

**Large Café Height Collaboration Table, 36"H, Large Radius, Levelers**

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCTLCSL3666	36 x 66 x 36	70	153.4	8.38	<b>\$3112</b>	<b>\$336</b>
SCTLCSL3672	36 x 72 x 36	70	164.14	8.92	<b>\$3358</b>	<b>\$366</b>
SCTLCSL3678	36 x 78 x 36	70	177.32	9.46	<b>\$3606</b>	<b>\$395</b>
SCTLCSL3684	36 x 84 x 36	70	188.05	10	<b>\$3660</b>	<b>\$429</b>
SCTLCSL3690	36 x 90 x 36	70	198.79	10.54	<b>\$4099</b>	<b>\$454</b>
SCTLCSL3696	36 x 96 x 36	70	209.52	11.08	<b>\$4153</b>	<b>\$488</b>
SCTLCSL4266	42 x 66 x 36	70	171.05	9.47	<b>\$3265</b>	<b>\$390</b>
SCTLCSL4272	42 x 72 x 36	70	183.17	10.07	<b>\$3516</b>	<b>\$430</b>
SCTLCSL4278	42 x 78 x 36	70	197.73	10.67	<b>\$3768</b>	<b>\$464</b>
SCTLCSL4284	42 x 84 x 36	70	209.84	11.28	<b>\$3832</b>	<b>\$445</b>
SCTLCSL4290	42 x 90 x 36	70	221.96	11.88	<b>\$4281</b>	<b>\$533</b>
SCTLCSL4296	42 x 96 x 36	70	234.08	12.49	<b>\$4345</b>	<b>\$568</b>
SCTLCSL4866	48 x 66 x 36	70	188.69	10.56	<b>\$3437</b>	<b>\$445</b>
SCTLCSL4872	48 x 72 x 36	70	202.19	11.22	<b>\$3699</b>	<b>\$488</b>
SCTLCSL4878	48 x 78 x 36	70	218.14	11.89	<b>\$3955</b>	<b>\$529</b>
SCTLCSL4884	48 x 84 x 36	70	231.63	12.56	<b>\$4029</b>	<b>\$567</b>
SCTLCSL4890	48 x 90 x 36	70	245.13	13.22	<b>\$4483</b>	<b>\$606</b>
SCTLCSL4896	48 x 96 x 36	70	258.63	13.89	<b>\$4552</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

SCTLCLL3666	36 x 66 x 36	70	143.48	8.38	<b>\$2998</b>	<b>\$336</b>
SCTLCLL3672	36 x 72 x 36	70	154.21	8.92	<b>\$3053</b>	<b>\$370</b>
SCTLCLL3678	36 x 78 x 36	70	164.95	9.46	<b>\$3225</b>	<b>\$396</b>
SCTLCLL3684	36 x 84 x 36	70	175.68	10	<b>\$3285</b>	<b>\$424</b>
SCTLCLL3690	36 x 90 x 36	70	186.42	10.54	<b>\$3531</b>	<b>\$454</b>
SCTLCLL3696	36 x 96 x 36	70	199.6	11.08	<b>\$3773</b>	<b>\$488</b>
SCTLCLL4266	42 x 66 x 36	70	161.12	9.47	<b>\$3152</b>	<b>\$390</b>
SCTLCLL4272	42 x 72 x 36	70	173.24	10.07	<b>\$3216</b>	<b>\$424</b>
SCTLCLL4278	42 x 78 x 36	70	185.36	10.67	<b>\$3394</b>	<b>\$458</b>
SCTLCLL4284	42 x 84 x 36	70	197.47	11.28	<b>\$3457</b>	<b>\$498</b>
SCTLCLL4290	42 x 90 x 36	70	209.59	11.88	<b>\$3709</b>	<b>\$538</b>
SCTLCLL4296	42 x 96 x 36	70	224.15	12.49	<b>\$3512</b>	<b>\$572</b>
SCTLCLL4866	48 x 66 x 36	70	178.77	10.56	<b>\$3319</b>	<b>\$450</b>
SCTLCLL4872	48 x 72 x 36	125	688	99	<b>\$3394</b>	<b>\$488</b>
SCTLCLL4878	48 x 78 x 36	125	726	107	<b>\$3581</b>	<b>\$528</b>
SCTLCLL4884	48 x 84 x 36	70	219.26	12.56	<b>\$3649</b>	<b>\$572</b>
SCTLCLL4890	48 x 90 x 36	70	232.76	13.22	<b>\$3915</b>	<b>\$608</b>
SCTLCLL4896	48 x 96 x 36	70	248.71	13.89	<b>\$4172</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- *Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.*

**Required specifications**

Laminate finish  
Edge finish  
Paint finish

**Optional specifications**


HP laminate  
Power accessory cut-out

**Accessories**


Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager




## LARGE COLLABORATION TABLES - 36"




For 66" and 72"W tables



For 78" to 96"W tables

**Large Café Height Collaboration Table, 36"H, Small Radius, Casters\***

For 66" and 72"W tables



For 78" to 96"W tables

**Large Café Height Collaboration Table, 36"H, Large Radius, Casters**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
<b>D x W x H</b>						
SCTLCSC3666	36 x 66 x 36	70	153.24	8.38	<b>\$3369</b>	<b>\$335</b>
SCTLCSC3672	36 x 72 x 36	70	163.97	8.92	<b>\$3615</b>	<b>\$366</b>
SCTLCSC3678	36 x 78 x 36	70	177.15	9.46	<b>\$3857</b>	<b>\$395</b>
SCTLCSC3684	36 x 84 x 36	70	187.89	10	<b>\$3915</b>	<b>\$425</b>
SCTLCSC3690	36 x 90 x 36	70	198.62	10.54	<b>\$4350</b>	<b>\$458</b>
SCTLCSC3696	36 x 96 x 36	70	209.36	11.08	<b>\$4409</b>	<b>\$484</b>
SCTLCSC4266	42 x 66 x 36	70	170.88	9.47	<b>\$3516</b>	<b>\$390</b>
SCTLCSC4272	42 x 72 x 36	70	183	10.07	<b>\$3773</b>	<b>\$424</b>
SCTLCSC4278	42 x 78 x 36	70	197.56	10.67	<b>\$4024</b>	<b>\$460</b>
SCTLCSC4284	42 x 84 x 36	70	209.68	11.28	<b>\$4088</b>	<b>\$499</b>
SCTLCSC4290	42 x 90 x 36	70	221.8	11.88	<b>\$4532</b>	<b>\$533</b>
SCTLCSC4296	42 x 96 x 36	70	233.91	12.41	<b>\$4596</b>	<b>\$568</b>
SCTLCSC4866	48 x 66 x 36	70	188.53	10.56	<b>\$3689</b>	<b>\$450</b>
SCTLCSC4872	48 x 72 x 36	70	202.03	11.22	<b>\$3951</b>	<b>\$488</b>
SCTLCSC4878	48 x 78 x 36	70	217.97	11.89	<b>\$4212</b>	<b>\$529</b>
SCTLCSC4884	48 x 84 x 36	70	231.47	12.56	<b>\$4281</b>	<b>\$572</b>
SCTLCSC4890	48 x 90 x 36	70	244.97	13.22	<b>\$4734</b>	<b>\$612</b>
SCTLCSC4896	48 x 96 x 36	70	258.47	13.89	<b>\$4808</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.

SCTLCLC3666	36 x 66 x 36	70	143.31	8.38	<b>\$3250</b>	<b>\$336</b>
SCTLCLC3672	36 x 72 x 36	70	154.05	8.92	<b>\$3309</b>	<b>\$366</b>
SCTLCLC3678	36 x 78 x 36	70	164.78	9.46	<b>\$3477</b>	<b>\$400</b>
SCTLCLC3684	36 x 84 x 36	70	175.52	10	<b>\$3536</b>	<b>\$424</b>
SCTLCLC3690	36 x 90 x 36	70	186.25	10.54	<b>\$3782</b>	<b>\$460</b>
SCTLCLC3696	36 x 96 x 36	70	199.43	11.08	<b>\$4024</b>	<b>\$489</b>
SCTLCLC4266	42 x 66 x 36	70	160.96	9.47	<b>\$3403</b>	<b>\$390</b>
SCTLCLC4272	42 x 72 x 36	70	173.07	10.07	<b>\$3467</b>	<b>\$424</b>
SCTLCLC4278	42 x 78 x 36	70	185.19	10.67	<b>\$3645</b>	<b>\$464</b>
SCTLCLC4284	42 x 84 x 36	70	197.31	11.28	<b>\$3709</b>	<b>\$499</b>
SCTLCLC4290	42 x 90 x 36	70	209.43	11.88	<b>\$3965</b>	<b>\$533</b>
SCTLCLC4296	42 x 96 x 36	70	223.98	12.49	<b>\$4217</b>	<b>\$567</b>
SCTLCLC4866	48 x 66 x 36	70	178.6	10.56	<b>\$3576</b>	<b>\$445</b>
SCTLCLC4872	48 x 72 x 36	70	192.1	11.22	<b>\$3645</b>	<b>\$488</b>
SCTLCLC4878	48 x 78 x 36	70	205.6	11.89	<b>\$3832</b>	<b>\$528</b>
SCTLCLC4884	48 x 84 x 36	70	219.1	12.56	<b>\$3906</b>	<b>\$568</b>
SCTLCLC4890	48 x 90 x 36	70	232.6	13.22	<b>\$4168</b>	<b>\$612</b>
SCTLCLC4896	48 x 96 x 36	70	248.54	12.89	<b>\$4429</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.
- *Large radius tables are not compatible with SCTAMxx and SCTAMTxx Media Units.*

**Required specifications**

Laminate finish  
Edge finish  
Paint finish  
Caster finish

**Optional specifications**


HP laminate  
Power accessory cut-out

**Accessories**


Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager



## LARGE COLLABORATION TABLES - 42"



**Bar Height Workshop Table, 42"H**  
**Small Radius, Levelers**



**Bar Height Workshop Table, 42"H**  
**Small Radius, Casters\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
SCTSBSL3636	36 x 36 x 42	70	99.27	5.67	<b>\$2477</b>	<b>\$183</b>
SCTSBSL3642	36 x 42 x 42	70	110	6.21	<b>\$2703</b>	<b>\$212</b>
SCTSBSL3648	36 x 48 x 42	70	123.64	6.75	<b>\$2959</b>	<b>\$248</b>
SCTSBSL3654	36 x 54 x 42	70	134.38	7.29	<b>\$3019</b>	<b>\$271</b>
SCTSBSL3660	36 x 60 x 42	70	145.11	7.83	<b>\$3186</b>	<b>\$306</b>
SCTSBSL4242	42 x 42 x 42	70	122.12	7.05	<b>\$2822</b>	<b>\$247</b>
SCTSBSL4248	42 x 48 x 42	70	137.14	7.65	<b>\$3088</b>	<b>\$286</b>
SCTSBSL4254	42 x 54 x 42	70	149.26	8.26	<b>\$3152</b>	<b>\$321</b>
SCTSBSL4260	42 x 60 x 42	70	161.38	8.86	<b>\$3329</b>	<b>\$356</b>
SCTSBSL4848	48 x 48 x 42	70	150.64	8.56	<b>\$3236</b>	<b>\$325</b>
SCTSBSL4854	48 x 54 x 42	70	164.14	9.22	<b>\$3309</b>	<b>\$366</b>
SCTSBSL4860	48 x 60 x 42	70	177.64	9.89	<b>\$3492</b>	<b>\$411</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

SCTSBSC3636	36 x 36 x 42	70	99.1	5.67	<b>\$2653</b>	<b>\$184</b>
SCTSBSC3642	36 x 42 x 42	70	109.84	6.21	<b>\$2880</b>	<b>\$212</b>
SCTSBSC3648	36 x 48 x 42	70	123.48	6.75	<b>\$3137</b>	<b>\$247</b>
SCTSBSC3654	36 x 54 x 42	70	134.21	7.29	<b>\$3195</b>	<b>\$272</b>
SCTSBSC3660	36 x 60 x 42	70	144.95	7.83	<b>\$3364</b>	<b>\$306</b>
SCTSBSC4242	42 x 42 x 42	70	121.95	7.05	<b>\$2998</b>	<b>\$248</b>
SCTSBSC4248	42 x 48 x 42	70	136.98	7.65	<b>\$3265</b>	<b>\$282</b>
SCTSBSC4254	42 x 54 x 42	70	149.09	8.26	<b>\$3329</b>	<b>\$321</b>
SCTSBSC4260	42 x 60 x 42	70	161.21	8.86	<b>\$3506</b>	<b>\$355</b>
SCTSBSC4848	48 x 48 x 42	70	150.47	8.56	<b>\$3413</b>	<b>\$326</b>
SCTSBSC4854	48 x 54 x 42	70	163.97	9.22	<b>\$3487</b>	<b>\$365</b>
SCTSBSC4860	48 x 60 x 42	70	177.47	9.89	<b>\$3669</b>	<b>\$409</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (**BLK**) or Grey (**GRC**).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".

**Required specifications**

Laminate finish  
Edge finish  
Paint finish  
Caster finish\*


**Optional specifications**

HP laminate  
Power accessory cut-out


**Accessories**

Collaboration table media unit, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager

## LARGE COLLABORATION TABLES - 42"



For 66" and 72"W tables




For 78" to 96"W tables

**Large Bar Height Collaboration Table, 42"H, Small Radius, Levelers\***


MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
SCTLBSL3666	36 x 66 x 42	70	155.85	8.38	<b>\$3246</b>	<b>\$336</b>
SCTLBSL3672	36 x 72 x 42	70	166.58	8.92	<b>\$3492</b>	<b>\$366</b>
SCTLBSL3678	36 x 78 x 42	70	179.76	9.46	<b>\$3763</b>	<b>\$395</b>
SCTLBSL3684	36 x 84 x 42	70	190.5	10	<b>\$3817</b>	<b>\$430</b>
SCTLBSL3690	36 x 90 x 42	70	201.23	10.54	<b>\$4256</b>	<b>\$458</b>
SCTLBSL3696	36 x 96 x 42	70	211.97	11.08	<b>\$4311</b>	<b>\$488</b>
SCTLBSL4266	42 x 66 x 42	70	173.49	9.47	<b>\$3394</b>	<b>\$389</b>
SCTLBSL4272	42 x 72 x 42	70	185.61	10.07	<b>\$3649</b>	<b>\$425</b>
SCTLBSL4278	42 x 78 x 42	70	200.17	10.67	<b>\$3930</b>	<b>\$460</b>
SCTLBSL4284	42 x 84 x 42	70	212.29	11.28	<b>\$3994</b>	<b>\$499</b>
SCTLBSL4290	42 x 90 x 42	70	224.41	11.88	<b>\$4438</b>	<b>\$533</b>
SCTLBSL4296	42 x 96 x 42	70	236.52	12.49	<b>\$4502</b>	<b>\$462</b>
SCTLBSL4866	48 x 66 x 42	70	191.14	10.56	<b>\$3566</b>	<b>\$449</b>
SCTLBSL4872	48 x 72 x 42	70	204.64	11.22	<b>\$3827</b>	<b>\$488</b>
SCTLBSL4878	48 x 78 x 42	70	220.58	11.89	<b>\$4118</b>	<b>\$529</b>
SCTLBSL4884	48 x 84 x 42	70	234.08	12.56	<b>\$4187</b>	<b>\$572</b>
SCTLBSL4890	48 x 90 x 42	70	247.58	13.22	<b>\$4641</b>	<b>\$612</b>
SCTLBSL4896	48 x 96 x 42	70	261.08	13.89	<b>\$4714</b>	<b>\$652</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.



For 66" and 90"W tables



For 96"W tables

**Large Bar Height Collaboration Table, 42"H, Large Radius, Levelers**

SCTLBLL3666	36 x 66 x 42	70	145.92	8.38	<b>\$3132</b>	<b>\$331</b>
SCTLBLL3672	36 x 72 x 42	70	156.66	8.92	<b>\$3186</b>	<b>\$366</b>
SCTLBLL3678	36 x 78 x 42	70	167.39	9.46	<b>\$3521</b>	<b>\$395</b>
SCTLBLL3684	36 x 84 x 42	70	178.13	10	<b>\$3576</b>	<b>\$261</b>
SCTLBLL3690	36 x 90 x 42	70	188.86	10.54	<b>\$3822</b>	<b>\$297</b>
SCTLBLL3696	36 x 96 x 42	70	202.04	11.08	<b>\$3902</b>	<b>\$488</b>
SCTLBLL4266	42 x 66 x 42	70	163.57	9.47	<b>\$3280</b>	<b>\$390</b>
SCTLBLL4272	42 x 72 x 42	70	175.68	10.07	<b>\$3344</b>	<b>\$425</b>
SCTLBLL4278	42 x 78 x 42	70	187.8	10.67	<b>\$3684</b>	<b>\$301</b>
SCTLBLL4284	42 x 84 x 42	70	199.92	11.28	<b>\$3748</b>	<b>\$336</b>
SCTLBLL4290	42 x 90 x 42	70	212.04	11.88	<b>\$4005</b>	<b>\$370</b>
SCTLBLL4296	42 x 96 x 42	70	226.6	12.49	<b>\$4093</b>	<b>\$572</b>
SCTLBLL4866	48 x 66 x 42	70	181.21	10.56	<b>\$3452</b>	<b>\$445</b>
SCTLBLL4872	48 x 72 x 42	70	194.71	11.22	<b>\$3521</b>	<b>\$488</b>
SCTLBLL4878	48 x 78 x 42	70	208.21	11.89	<b>\$3876</b>	<b>\$360</b>
SCTLBLL4884	48 x 84 x 42	70	221.71	12.56	<b>\$3945</b>	<b>\$405</b>
SCTLBLL4890	48 x 90 x 42	70	235.21	13.22	<b>\$4207</b>	<b>\$449</b>
SCTLBLL4896	48 x 96 x 42	70	251.15	13.89	<b>\$4305</b>	<b>\$651</b>

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Levelers have 1" adjustment for leveling.
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- *Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.*

**Required specifications**

Laminate finish  
Edge finish  
Paint finish


**Optional specifications**

HP laminate  
Power accessory cut-out


**Accessories**

Collaboration table media unit\*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager

LARGE COLLABORATION TABLES - 42"




For 66" and 72"W tables




For 78" to 96"W tables

Large Bar Height Collaboration Table, 42"H, Small Radius, Casters\*



For 66" and 90"W tables



For 96"W tables

Large Bar Height Collaboration Table, 42"H, Large Radius, Casters

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
SCTLBSC3666	36 x 66 x 42	70	155.68	8.38	\$3422	\$336
SCTLBSC3672	36 x 72 x 42	70	166.42	8.92	\$3669	\$366
SCTLBSC3678	36 x 78 x 42	70	179.6	9.46	\$3941	\$395
SCTLBSC3684	36 x 84 x 42	70	190.33	10	\$3994	\$430
SCTLBSC3690	36 x 90 x 42	70	201.07	10.54	\$4434	\$458
SCTLBSC3696	36 x 96 x 42	70	211.8	11.08	\$4487	\$489
SCTLBSC4266	42 x 66 x 42	70	173.33	9.47	\$3570	\$390
SCTLBSC4272	42 x 72 x 42	70	185.45	10.07	\$3827	\$424
SCTLBSC4278	42 x 78 x 42	70	200	10.67	\$4108	\$460
SCTLBSC4284	42 x 84 x 42	70	212.12	11.28	\$4172	\$494
SCTLBSC4290	42 x 90 x 42	70	224.24	11.88	\$4616	\$533
SCTLBSC4296	42 x 96 x 42	70	236.36	12.49	\$4680	\$567
SCTLBSC4866	48 x 66 x 42	70	190.97	10.56	\$3743	\$450
SCTLBSC4872	48 x 72 x 42	70	204.47	11.22	\$4005	\$488
SCTLBSC4878	48 x 78 x 42	70	220.41	11.89	\$4296	\$528
SCTLBSC4884	48 x 84 x 42	70	233.91	12.56	\$4365	\$572
SCTLBSC4890	48 x 90 x 42	70	247.41	13.22	\$4819	\$612
SCTLBSC4896	48 x 96 x 42	70	260.91	13.89	\$4892	\$647

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a small 1.5" radius at each corner.

- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 78" wide and greater include a reinforcement cantilever for added stability.


SCTLBLC3666	36 x 66 x 42	70	145.75	8.38	\$3304	\$336
SCTLBLC3672	36 x 72 x 42	70	156.49	8.92	\$3364	\$365
SCTLBLC3678	36 x 78 x 42	70	167.23	9.46	\$3531	\$400
SCTLBLC3684	36 x 84 x 42	70	177.96	10	\$3591	\$424
SCTLBLC3690	36 x 90 x 42	70	188.7	10.54	\$3837	\$460
SCTLBLC3696	36 x 96 x 42	70	201.87	11.08	\$4078	\$489
SCTLBLC4266	42 x 66 x 42	70	163.4	9.47	\$3457	\$390
SCTLBLC4272	42 x 72 x 42	70	175.52	10.07	\$3521	\$424
SCTLBLC4278	42 x 78 x 42	70	187.63	10.67	\$3699	\$464
SCTLBLC4284	42 x 84 x 42	70	199.75	11.28	\$3763	\$498
SCTLBLC4290	42 x 90 x 42	70	211.87	11.88	\$4020	\$533
SCTLBLC4296	42 x 96 x 42	70	226.43	12.49	\$4271	\$567
SCTLBLC4866	48 x 66 x 42	70	181.04	10.56	\$3630	\$445
SCTLBLC4872	48 x 72 x 42	70	197.54	11.22	\$3699	\$488
SCTLBLC4878	48 x 78 x 42	70	208.04	11.89	\$3887	\$528
SCTLBLC4884	48 x 84 x 42	70	221.54	12.56	\$3960	\$567
SCTLBLC4890	48 x 90 x 42	70	235.04	13.22	\$4221	\$613
SCTLBLC4896	48 x 96 x 42	70	250.98	13.89	\$4483	\$651

Consists of two leg assemblies, two worksurface support beams, dual footrests, and one worksurface with a large 9" radius at each corner with 10.5" overhang on each end.


- Worksurface choice of thermally fused or high pressure laminate with PVC edge.
- Legs are painted extruded aluminum. Casters are lockable, in a choice of two finishes - Black (BLK) or Grey (GRC).
- Cut-outs for power modules are limited to specific sizes/configurations, please see "Power Accessory Cut-out Locations".
- Tables 96" wide and greater include a reinforcement cantilever for added stability.
- Large radius tables are not compatible with SCTAMxx and SCTAMTx Media Units.

Required specifications	Optional specifications	Accessories
Laminate finish Edge finish Paint finish Caster finish	HP laminate Power accessory cut-out	Collaboration table media unit*, Table leg cable organizer, PET felt modesty panel, Wire mesh storage tray, Table mounted bag hook, Nik power modules, PET felt wire manager

ACCESSORIES



Collaboration Table Media Unit\*



Collaboration Table Media Unit\* with TV Mount




Table Leg Cable Organizer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
SCTAM36	11.25 x 36 x 43	150	46.28	10.08	\$966	n/a
SCTAM42	11.25 x 42 x 43	150	52.5	11.76	\$991	n/a
SCTAM48	11.25 x 48 x 43	150	58.83	13.44	\$1067	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate to accept TV mounts. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- TV mount not included.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.







SCTAMT36	11.25 x 36 x 43	150	47.58	10.08	\$1216	n/a
SCTAMT42	11.25 x 42 x 43	150	53.8	11.76	\$1240	n/a
SCTAMT48	11.25 x 48 x 43	150	60.13	13.44	\$1316	n/a

Can be affixed to all small radius tables of the same nominal width. User side is thermally fused laminate and includes a TV mount. Side facing away from users features a tackable PET panel affixed to the thermally fused laminate with a 0.5" inset.

- Worksurface available in thermally fused laminate only.
- PET felt backer available in all standard finishes.
- Brackets and reinforcement bar is painted metal.
- Units 36" wide can accept TV's up to 40", not exceeding 50 lbs.
- Units 42" wide can accept TV's up to 43", not exceeding 50 lbs.
- Units 48" wide can accept TV's up to 55", not exceeding 50 lbs.

SCTAL23	2.21 x 2.965 x 23	70	0.6	0.09	\$44	n/a
---------	-------------------	----	-----	------	------	-----







Organizer snaps on to any leg to manage wires vertically. Black only.



ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
  		<b>D x W x H</b>					
	SCTAP36	4.75 x 33 x 11	70	1.78	1	<b>\$98</b>	n/a
	SCTAP42	4.75 x 39 x 11	70	1.99	1.18	<b>\$106</b>	n/a
	SCTAP48	4.75 x 45 x 11	300	2.14	1.36	<b>\$106</b>	n/a
	SCTAP54	4.75 x 51 x 11	300	2.38	1.54	<b>\$111</b>	n/a
	SCTAP60	4.75 x 57 x 11	300	2.53	1.72	<b>\$134</b>	n/a
	SCTAP66	4.75 x 63 x 11	300	2.68	1.9	<b>\$139</b>	n/a
	SCTAP72	4.75 x 69 x 11	300	2.87	2.09	<b>\$144</b>	n/a
	SCTAP78	4.75 x 75 x 11	300	3.05	2.27	<b>\$149</b>	n/a
	SCTAP84	4.75 x 81 x 11	300	3.23	2.45	<b>\$163</b>	n/a
	SCTAP90	4.75 x 87 x 11	300	3.41	2.63	<b>\$178</b>	n/a
	SCTAP96	4.75 x 93 x 11	300	3.59	2.81	<b>\$193</b>	n/a
	PET felt modesty panel with metal brackets for use on Core, Standard and Workshop tables. <ul style="list-style-type: none"> <li>Specify matching nominal width to table.</li> <li>Modesty panels 36" to 54" include two brackets.</li> <li>Modesty panels 60" to 90" include three brackets.</li> <li>Modesty panels 96" include four brackets.</li> <li>PET felt available in standard finishes.</li> </ul>						
	SCTAT4848	22 x 42 x 1.6	100	7.85	0.98	<b>\$264</b>	n/a
	SCTAT4854	22 x 48 x 1.6	100	8.97	1.1	<b>\$297</b>	n/a
	SCTAT4860	22 x 54 x 1.6	100	10.09	1.22	<b>\$336</b>	n/a
	SCTAT4866	22 x 60 x 1.6	100	11.19	1.34	<b>\$381</b>	n/a
	SCTAT4872	22 x 66 x 1.6	100	12.29	1.47	<b>\$507</b>	n/a
	SCTAT4878	22 x 72 x 1.6	100	13.4	1.59	<b>\$521</b>	n/a
	SCTAT4884	22 x 78 x 1.6	100	14.52	1.71	<b>\$538</b>	n/a
	SCTAT4890	22 x 84 x 1.6	100	15.62	1.83	<b>\$621</b>	n/a
	SCTAT4896	22 x 90 x 1.6	100	16.72	1.96	<b>\$639</b>	n/a
	Steel storage tray is attached between dual stretchers on tables 48"d x 48"w and larger. <ul style="list-style-type: none"> <li>Specify matching nominal width to table.</li> <li>Cannot be combined with SCTAM/SCTAMT media units on tables with casters larger than 78"w.</li> </ul>						
	SCTAH	0.65 x 1.5 x 3.5	70	0.3	0.01	<b>\$22</b>	n/a
	Steel hook for use on Collaborative tables. Specify standard metal paint finish. Maximum capacity of 10 lbs.						
	SCTAPEA	2.10 x 6 x 3.7	60	4	0.03	<b>\$608</b>	n/a
	SCTAPEB	2.10 x 6 x 3.7	60	4	0.03	<b>\$578</b>	n/a
	SCTAPEEC	2.10 x 6 x 3.7	60	4	0.03	<b>\$671</b>	n/a
	SCTAPED	2.10 x 6 x 3.7	60	4	0.03	<b>\$795</b>	n/a
	SCTAPEE	2.10 x 6 x 3.7	60	4	0.03	<b>\$593</b>	n/a
	Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following: <ul style="list-style-type: none"> <li>A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>B = 2 AC</li> <li>C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>E = 3 AC</li> </ul>						



**Required specifications**

PET felt finish\*

Paint finish\*\*

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Nik In-Surface Power Module</b></p>	D x W x H						
	SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	<b>\$681</b>	n/a
	SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	<b>\$849</b>	n/a
	SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	<b>\$598</b>	n/a
 <p><b>Nik Below Surface Power Module</b></p>	<p>Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>						
	SCTAPBA	2.10 x 6 x 3.7	60	4	0.03	<b>\$474</b>	n/a
	SCTAPBB	2.10 x 6 x 3.7	60	4	0.03	<b>\$430</b>	n/a
	SCTAPBC	2.10 x 6 x 3.7	60	4	0.03	<b>\$504</b>	n/a
 <p>SCTAPPBS</p>  <p>SCTAPPBD</p> <p><b>Below Surface Power Bar</b></p>	<p>Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"> <li>• A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• B = 2 AC</li> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>						
	SCTAPPBS	1.95 x 21 x 1.95	60	2.7	0.06	<b>\$366</b>	n/a
	SCTAPPBD	4 x 10.6 x 2.3	60	2.7	0.06	<b>\$898</b>	n/a
	<p>Available in black only.</p> <ul style="list-style-type: none"> <li>• Single (SCTAPPBS) includes 8 outlets on a single side</li> <li>• Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.</li> </ul>						
 <p><b>Collaborative Spaces Power Tray</b></p>	<p>Black plastic power tray with removable grey accessory trays. Top tray is offset for cable storage underneath. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is O2 (where applicable). Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>						
	SCTAPTC	10.51 x 23.26 x 4.53	85	7.73	0.64	<b>\$1012</b>	n/a
	SCTAPTD	10.51 x 23.26 x 4.53	85	7.73	0.64	<b>\$1179</b>	n/a
	SCTAPTE	10.51 x 23.26 x 4.53	85	7.73	0.64	<b>\$928</b>	n/a
 <p><b>Collaborative Spaces Organizer Tray</b></p>	<p>Black plastic power tray with removable grey accessory trays. 10ft. cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>						
	SCTAOTC	8.32 x 12.40 x 4.28	70	1.5	0.26	<b>\$756</b>	n/a
	SCTAOTD	8.32 x 12.40 x 4.28	70	1.5	0.26	<b>\$919</b>	n/a
	SCTAOTE	8.32 x 12.40 x 4.28	70	1.5	0.26	<b>\$671</b>	n/a

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Collaborative Spaces Recessed Power Tray</b></p>		<b>D x W x H</b>					
	SCTAPRC	10.51 x 23.26 x 6.4	125	6.06	0.91	<b>\$898</b>	n/a
	SCTAPRD	10.51 x 23.26 x 6.4	125	6.06	0.91	<b>\$1061</b>	n/a
	SCTAPRE	10.51 x 23.26 x 6.4	125	6.06	0.91	<b>\$814</b>	n/a
<p>Black plastic power tray. Recessed tray sits 3.7" below surface to keep cables out of sight. 10ft. cord. Corresponding cut-out option is O2 (where applicable). Specify configuration, last letter of the code represents the following:</p> <ul style="list-style-type: none"> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>							
 <p><b>Collaborative Spaces PET Felt* Wire Manager</b></p>	SCTACT	26 x 11 x 4	70	1.1	0.66	<b>\$104</b>	n/a
	<p>PET Felt Wire Manager hangs from four brackets under the surface. Includes Black painted metal brackets. PET felt available in standard finishes.</p>						

TEAM CARTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Coat Rack Cart</b></p>	SCCR1848	18 x 48 x 72	300	56.82	36.04	<b>\$2346</b>	n/a
	SCCR1860	18 x 60 x 72	300	62.77	45.05	<b>\$2420</b>	n/a
<p>Cart includes side rails for compatible accessories and a single top rail for hanging coats, jackets, etc.</p> <ul style="list-style-type: none"> <li>• Shelf available in thermally fused laminate.</li> <li>• Painted aluminum frame available in standard paint finishes.</li> <li>• 48" w cart shelf has a capacity of 140 lbs., evenly distributed.</li> <li>• 60" w cart shelf has a capacity of 175 lbs., evenly distributed</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>							
 <p><b>Shelf Cart*</b></p>	SCCS1848	18 x 48 x 72	250	123.88	36.04	<b>\$4387</b>	n/a
	<p>Cart includes four fixed shelves with metal trim detail. Vertical rails accept PET privacy panels (sold separately) to create space division within open areas.</p> <ul style="list-style-type: none"> <li>• Horizontal top rail accepts compatible accessories.</li> <li>• Shelf available in thermally fused laminate.</li> <li>• Painted aluminum frame available in standard paint finishes.</li> <li>• Each shelf has a capacity of 140 lbs., evenly distributed.</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						

**Required specifications**

PET felt finish\*

Laminate finish

Paint finish

Edge finish




Caster finish

**Accessories**PET privacy panel (*shelf cart only*)

Accessory cup

Hook for team cart

Laptop shelf (*coat rack cart only*)

TEAM CARTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Media Cart</b></p>	D x W x H						
	SCCMPE1848	18 x 48 x 72	150	171.42	36.04	<b>\$4534</b>	n/a
	SCCMPE1860	18 x 60 x 72	150	214.23	45.05	<b>\$5089</b>	n/a
	SCCMNE1848	18 x 48 x 72	150	170.92	36.04	<b>\$4313</b>	n/a
	SCCMNE1860	18 x 60 x 72	150	213.73	45.05	<b>\$4866</b>	n/a
	<p>Cart includes includes a bottom shelf and thermally fused laminate TV board. Short side panels feature small cut-out for wire pass through and hook for wire management.</p> <ul style="list-style-type: none"> <li>• Side rails accept compatible accessories.</li> <li>• Shelf available in thermally fused laminate.</li> <li>• Back panel is removable for access to cavity for cable management. Back panel is whiteboard laminate.</li> <li>• SCCMEP models include a power bar (SCCAMP) mounted internally.</li> <li>• SCCMNE models do not include any power.</li> <li>• Units 48" wide can accept TV's up to 55", not exceeding 50lbs.</li> <li>• Units 60" wide can accept TV's up to 60", not exceeding 50lbs.</li> <li>• Painted aluminum frame available in standard paint finishes</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> <li>• Note: TV mount included. <i>TV and video conferencing units are not included.</i></li> </ul>						
 <p><b>Single-Sided Whiteboard Cart</b></p>	SCCSW1848	18 x 48 x 72	250	106.37	36.04	<b>\$3885</b>	n/a
	SCCSW1860	18 x 60 x 72	150	191.07	45.05	<b>\$4554</b>	n/a
 <p><b>Double-Sided Whiteboard Cart</b></p>	SCCDW1848	18 x 48 x 72	150	153.96	36.04	<b>\$5238</b>	n/a
	SCCDW1860	18 x 60 x 72	150	191.07	45.05	<b>\$6484</b>	n/a
	<p>Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panel is whiteboard only.</p> <ul style="list-style-type: none"> <li>• Side rails accept compatible accessories.</li> <li>• Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).</li> <li>• Shelf available in thermally fused laminate.</li> <li>• Painted aluminum frame available in standard paint finishes.</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						
	<p>Cart includes one fixed shelf with metal trim detail, accessible from behind whiteboard. Front of vertical whiteboard panels is whiteboard only.</p> <ul style="list-style-type: none"> <li>• Side rails accept compatible accessories.</li> <li>• Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).</li> <li>• Shelf available in thermally fused laminate.</li> <li>• Painted aluminum frame available in standard paint finishes.</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						

**Required specifications**





Laminate finish  
Edge finish  
Paint finish  
Caster finish

**Accessories**





Concealed power unit (SCCMNExxxx only)  
Media tray (SCCMPExxxx/MNExxxx only)  
Accessory cup

Hook for team cart  
Laptop shelf



TEAM CARTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	SCCCW1848	18 x 48 x 72	250	115.66	36.04	<b>\$4193</b>	n/a
	SCCCW1860	18 x 60 x 72	250	150.33	45.05	<b>\$4819</b>	n/a
	<p>Cart includes two fixed shelves with metal trim detail, accessible from behind whiteboard. Bottom shelf is accessible from both sides of cart; top shelf accessible from behind write board. Front of vertical whiteboard panel is whiteboard only.</p> <ul style="list-style-type: none"> <li>Side rails accept compatible accessories.</li> <li>Back of vertical whiteboard panel is Designer White laminate (DWT) with Designer White edging (DWE).</li> <li>Shelves available in thermally fused laminate.</li> <li>Painted aluminum frame available in standard paint finishes.</li> <li>48" w cart shelf has a capacity of 140 lbs., evenly distributed.</li> <li>60" w cart shelf has a capacity of 175 lbs., evenly distributed</li> <li>Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						
	SCCRW1848	18 x 48 x 72	150	188	42.05	<b>\$6466</b>	n/a
	SCCRW1860	18 x 60 x 72	150	245.61	52.56	<b>\$7383</b>	n/a
	<p>Cart includes two fixed shelves with spacers for removable whiteboards. Includes five lightweight removable whiteboard panels.</p> <ul style="list-style-type: none"> <li>One whiteboard can be stored at the top and four at the bottom.</li> <li>Cart accepts five lightweight removable whiteboard panels maximum.</li> <li>Whiteboards feature whiteboard front; back in Designer White laminate (DWT) with Designer White edging (DWE).</li> <li>Hanging bracket finish matches the cart frame finish.</li> <li>Shelves available in thermally fused laminate.</li> <li>Side rails accept compatible accessories.</li> <li>Painted aluminum frame available in standard paint finishes.</li> <li>Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						
	SCCEW1848	18 x 48 x 72	300	82.31	42.05	<b>\$3167</b>	n/a
	SCCEW1860	18 x 60 x 72	250	105.7	52.56	<b>\$3350</b>	n/a
	<p>Cart includes two fixed shelves with spacers for removable whiteboards.</p> <ul style="list-style-type: none"> <li>Cart accepts five lightweight removable whiteboard panels maximum.</li> <li>One whiteboard can be stored at the top and four at the bottom.</li> <li>To order Removable Whiteboard, specify SCCAWB3336 for the 48" wide cart and SCCAWB3348 for the 60" wide cart.</li> <li>Hanging bracket finish matches the cart frame finish.</li> <li>Shelves available in thermally fused laminate.</li> <li>Side rails accept compatible accessories.</li> <li>Painted aluminum frame available in standard paint finishes.</li> <li>Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> </ul>						

Required specifications	Accessories
Laminate finish	Accessory cup
Edge finish	Hook for team cart
Paint finish	Whiteboard
Caster finish	Laptop shelf

TEAM CARTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Hospidity Cart*</b></p>		<b>D x W x H</b>					
	SCHC2233	22 x 43 x 41	150	81.31	15.39	<b>\$3423</b>	n/a
	SCHC2239	22 x 49 x 41	150	95	17.96	<b>\$3564</b>	n/a
<p>Cart includes three fixed shelves with metal trim.</p> <ul style="list-style-type: none"> <li>• Surfaces available in thermally fused laminate.</li> <li>• Legs and handles are painted aluminum available in standard paint finishes.</li> <li>• 33" w cart shelf has a capacity of 120 lbs., evenly distributed.</li> <li>• 39" w cart shelf has a capacity of 140 lbs., evenly distributed</li> <li>• Casters are lockable, in a choice of two finishes - Black (<b>BLK</b>) or Grey (<b>GRC</b>).</li> <li>• Note: size is inclusive of handles, shelf sizing is approximately 10" shorter.</li> </ul>							
TEAM CART ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>Cart Mounted PET Felt Privacy Panels**</b></p>	SCCAPP3248	0.5 x 48 x 32	85	4.16	0.32	<b>\$289</b>	n/a
	SCCAPP3260	0.5 x 60 x 32	85	5.16	0.4	<b>\$428</b>	n/a
<p>Lightweight removable PET Felt panels, specify SCCAPP3248 for the 48" w cart and SCCAPP3260 for the 60" w cart.</p> <ul style="list-style-type: none"> <li>• Snaps onto (SCCEWxxxx) vertical rails at various shelf heights to create space division and privacy.</li> <li>• Cover caps painted metal finish should be specified to match the cart finish.</li> <li>• PET felt available in standard finishes.</li> </ul>							
 <p><b>Concealed Power Unit</b></p>	SCCAMP	3 x 3 x 1.5	70	0.5	0.01	<b>\$325</b>	n/a
	<p>Provided inside SCCMEPxxxx media units, can be added to SCCNMExxxx in field. Includes two AC outlets. 10ft cord.</p> <ul style="list-style-type: none"> <li>• Compatible with Mobile Media Carts only.</li> <li>• Black (BLK) finish only.</li> </ul>						
 <p><b>Media Tray**</b></p>	SCCAMT	5.60 x 14.57 x 13.80	70	12	0.65	<b>\$720</b>	n/a
	SCCAMTPC	5.60 x 14.57 x 13.80	70	12	0.65	<b>\$1401</b>	n/a
	SCCAMTPD	5.60 x 14.57 x 13.80	70	12	0.65	<b>\$1569</b>	n/a
	SCCAMTPE	5.60 x 14.57 x 13.80	70	12	0.65	<b>\$1318</b>	n/a
	<p>Attaches to the front of the SCCMEPxxxx/SCCNMExxxx to provide a wire catch, wireless receiver area and easily accessible power at the front of the media carts</p> <ul style="list-style-type: none"> <li>• Compatible with Mobile Media Carts only.</li> <li>• Tray is painted metal with a PET Felt insert. PET felt available in standard finishes.</li> <li>• SCCAMT is empty and has no power capabilities.</li> <li>• Specify configuration, last letter of the code represents the following</li> <li>• C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port</li> <li>• D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port</li> <li>• E = 3 AC</li> </ul>						






**Required specifications**

Laminate finish / Edge finish\*

Paint finish\*

Caster finish\*

PET Felt finish\*\*






TEAM CART ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
<div>  <p>Accessory Cup</p>  <p>Hook for Team Cart</p>  <p>Whiteboard<sup>1</sup></p>  <p>Whiteboard Wall Rail</p>  <p>Laptop Shelf*</p> </div>	D x W x H						
	SCCAC	3 x 3 x 1.5	70	0.15	0.02	<b>\$15</b>	n/a
	Hangs onto any team cart horizontal top or side rail. Black (BLK) finish only.						
	SCCAH	3 x 3 x 1.5	70	0.1	0.01	<b>\$11</b>	n/a
	Hangs onto any team cart horizontal top or side rail. Black (BLK) finish only. Maximum capacity of 10lbs.						
	SCCAWB3336	0.50 x 36 x 33	60	17.62	0.34	<b>\$648</b>	n/a
	SCCAWB3348	0.50 x 48 x 33	400	23.32	46	<b>\$801</b>	n/a
	Lightweight removable whiteboard panels. Specify SCCAWB3336 for the 48" w cart and SCCAWB3348 for the 60" w cart. <ul style="list-style-type: none"> <li>Back of whiteboard is Designer White (DWT) with Designer White edging (DWE).</li> <li>Cover caps painted metal finish should be specified to match the cart finish.</li> <li>Horizontal and vertical mounting on wall rail(s).</li> </ul>						
	SCCAWBR36	1 x 36 x 2	70	1.27	0.04	<b>\$67</b>	n/a
	SCCAWBR48	1 x 48 x 2	70	1.71	0.05	<b>\$83</b>	n/a
	SCCAWBR72	1 x 72 x 2	60	2.54	0.08	<b>\$129</b>	n/a
	SCCAWBR96	1 x 96 x 2	60	3.42	0.11	<b>\$159</b>	n/a
	Wall rail for whiteboards. Accepts SCCAWBxxxx. Metal extrusion in Black (BLK) only.						
	SCCALS1219	12 x 19 x 3	65	11.07	0.4	<b>\$315</b>	n/a
	Laminate laptop shelf with dual bracket. Can be flipped vertically to store when cart is not in use. <ul style="list-style-type: none"> <li>Shelf available in thermally fused laminate.</li> <li>Bracket included is painted metal finish and should be specified to match the cart finish.</li> </ul>						

**Required specifications**



Laminate finish\*

Edge finish\*

Paint finish\*1

OCCASIONAL TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Occasional Side Table, Round Top	D x W x H						
	SCOR1818	18 x 18 x 21	150	18.52	3.94	\$711	n/a
	SCOR2424	24 x 24 x 21	250	26.53	7.01	\$837	n/a
	Includes leg assembly, cross beams and one worksurface. <ul style="list-style-type: none"><li>• Surface available in thermally fused laminate.</li><li>• Legs and cross beam are painted aluminum available in standard paint finishes.</li></ul>						
 Occasional Side Table, Square Top	SCOC1818	18 x 18 x 21	150	21.12	3.94	\$711	n/a
	SCOC2424	24 x 24 x 21	150	31.2	7.01	\$837	n/a
	Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner. <ul style="list-style-type: none"><li>• Surface available in thermally fused laminate.</li><li>• Legs and cross beam are painted aluminum available in standard paint finishes.</li></ul>						
 Occasional Side Table, Square Top, Larger Radius	SCOCL1818	18 x 18 x 21	150	21.12	3.94	\$711	n/a
	SCOCL2424	24 x 24 x 21	150	31.2	7.01	\$837	n/a
	Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner. <ul style="list-style-type: none"><li>• Surface available in thermally fused laminate.</li><li>• Legs and cross beam are painted aluminum available in standard paint finishes.</li></ul>						
 Occasional Coffee Table, Round Top	SCOCR2424	24 x 24 x 17	150	25.55	5.67	\$810	n/a
	SCOCR3030	30 x 30 x 17	150	35.76	8.86	\$960	n/a
	SCOCR3636	36 x 36 x 17	250	48.13	12.76	\$1141	n/a
	Includes leg assembly, cross beams and one worksurface. <ul style="list-style-type: none"><li>• Surface available in thermally fused laminate.</li><li>• Legs and cross beam are painted aluminum available in standard paint finishes.</li></ul>						
 Occasional Coffee Table, Square Top	SCOCS2424	24 x 24 x 17	150	30.22	5.67	\$810	n/a
	SCOCS3030	30 x 30 x 17	150	43.1	8.86	\$960	n/a
	Includes leg assembly, cross beams and one worksurface with a small 1.5" radius at each corner. <ul style="list-style-type: none"><li>• Surface available in thermally fused laminate.</li><li>• Legs and cross beam are painted aluminum available in standard paint finishes.</li></ul>						

**Required specifications**  
Laminate finish  
Edge finish  
Paint finish

OCCASIONAL TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p>Occasional Coffee Table, Square Top, Larger Radius</p>		D x W x H					
	SCOCSL2424	18 x 18 x 21	150	29.11	5.67	\$810	n/a
	SCOCSL3030	24 x 24 x 21	150	41.99	8.86	\$960	n/a
 <p>Occasional Coffee Table, Racetrack Top</p>							
	SCOCC2442	24 x 42 x 17	150	42.78	9.93	\$1018	n/a
	SCOCC3048	30 x 48 x 17	150	57.13	14.18	\$1211	n/a

Includes leg assembly, cross beams and one worksurface with a larger 9" radius at each corner.

- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

Includes leg assembly, cross beams and one racetrack worksurface.





- Surface available in thermally fused laminate.
- Legs and cross beam are painted aluminum available in standard paint finishes.

**Required specifications**

Laminate finish

Edge finish

Paint finish

LAPTOP TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <b>Laptop Table, Racetrack Top, Wheel and Foot Base</b>   <b>Laptop Table, Racetrack Top, Foot Base</b>   <b>Laptop Table, Rectangular Top, Wheel and Foot Base</b>   <b>Laptop Table, Rectangular Top, Foot Base</b>	D x W x H						
	SCLCC1633	16 x 33 x 26	250	25.6	6.51	\$1258	n/a
	Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one racetrack surface. <ul style="list-style-type: none"><li>• Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.</li><li>• Each bag hook accepts up to 10 lbs. and is painted to match the legs.</li><li>• Legs, beams and hook are painted aluminum available in standard paint finishes.</li><li>• Wheel insert is painted to match the legs and beams.</li><li>• Surface available in thermally fused laminate.</li></ul>						
	SCLCB1633	16 x 33 x 26	250	23.85	6.51	\$760	n/a
	Includes two leg assemblies with a foot and one racetrack surface. <ul style="list-style-type: none"><li>• Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.</li><li>• Each bag hook accepts up to 10 lbs. and is painted to match the legs.</li><li>• Legs, beams and hook are painted aluminum available in standard paint finishes.</li><li>• Surface available in thermally fused laminate.</li></ul>						
	SCLTC1633	16 x 33 x 26	150	27.64	6.51	\$1258	n/a
	Includes leg assembly and two wheels with rubber trim, one leg assembly with a foot, and one rectangular surface with a small 1.5" radius at each corner. <ul style="list-style-type: none"><li>• Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.</li><li>• Each bag hook accepts up to 10 lbs. and is painted to match the legs.</li><li>• Legs, beams and hooks are painted aluminum available in standard paint finishes.</li><li>• Wheel insert is painted to match the legs and beams.</li><li>• Surface available in thermally fused laminate.</li></ul>						
	SCLTB1633	16 x 33 x 26	250	25.88	6.51	\$760	n/a
	Includes two leg assemblies with a foot and one rectangular surface with a small 1.5" radius at each corner. <ul style="list-style-type: none"><li>• Two bag hooks included, one on the exterior of each leg, mounted just under the surface for easy access.</li><li>• Each bag hook accepts up to 10 lbs. and is painted to match the legs.</li><li>• Legs, beams and hook are painted aluminum available in standard paint finishes.</li><li>• Surface available in thermally fused laminate.</li></ul>						

Required specifications	Optional specifications	Accessories
Laminate finish Edge finish Paint finish	HP laminate Power accessory cut-out	Table leg cable organizer, PET felt modesty panel, Table mounted bag hook, Nik power modules, PET felt wire manager



**ConnectTABLES®** provides solutions for a variety of day-to-day work environments. Designed as easy-to-use linking or freestanding tables, ConnectTABLES is limited only by your imagination.

## Open Conference

Many ConnectTABLES® tops can be assembled to be freestanding. When combined with locking casters and the flip top “T” leg, the result is easy storage and complete portability.

## Meeting Rooms

ConnectTABLES® modular units will provide quick and affordable answers for all sizes and shapes of rooms and applications.

## Educational and Training Rooms

ConnectTABLES® table tops configure easily into temporary or permanent educational applications.

### Features and Benefits


- Optional, easy-to-use thumbscrews allow installation without tools.
- Optional zinc-plated steel ganging hardware connects free standing tops without moving “T” Leg position.
- Optional modesty panel wire management unit available.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Optional Black grommets for convenient wire management can be ordered “factory installed”.
- Tops are 1” thick and constructed of 45 lb. density particleboard.
- Optional casters available with or without manual locks provide mobility.
- ConnectTABLES® tops are available in all Global laminate finishes with three leg and two edge color options.



T Leg with leveling glides



Modesty Panel



Optional ganging connector

## GENERAL INFORMATION

- ConnectABLES® is an affordable and highly flexible system of modular tables. Designed as easy-to-use linking or freestanding tables, ConnectABLES adapts to most every requirement: seminar or training room, meeting room, personal workstations, educational, conferencing and team cluster workgroups.
- ConnectABLES have nine basic top shapes available in various sizes.
- ConnectABLES edges **do not match** any other Global product in either color or style.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

## WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate. Optional high pressure laminate tops are 1-1/16" thick.
- Laminate finishes are available in High Pressure. Contact Customer Care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- **ConnectABLES® edges do not match any other Global product in either color or style.**
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## CONSTRUCTION

- Some components can stand alone when the "T" base is set in the freestanding position. When the "T" base is in the linking position, all the components can be used in grouping configurations (clusters).
- Optional wire grommets not available on 45° wedge and the 60° triangle.
- Rectangular tops 54" in length and longer are supplied with a 16" gauge steel support channel. Top is pre-drilled for placement.
- Shipped RTA (ready to assemble). Quick and easy to assemble.
- Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.
- Elliptical column cover, glides, casters, thumbscrews and endcaps available in Black only.
- Must specify top, edge, and "T" base color with each order.

## LEGS

- "T" leg is coated with environmentally friendly, recyclable paint electrostatically applied epoxy powder coating for a very durable finish in three colors as specified below. Only the bottom horizontal portion of the painted leg is visible.
- Black plastic leveling glides offer 1" adjustability.
- Two black plastic elliptical column caps cover each leg column.
- Casters will not affect table height when used in conjunction with or in place of glides.
- Casters can facilitate mobility in installations which need to be moved frequently.

## LAMINATE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

## EDGE COLORS


Black (BK)                      Grey (GR)

## LEG COLORS

Black (TBL)                      Shadow (TSH)  
Tungsten (TTU)                      Chrome (CHM) - optional on foot only, upcharge applies

## GROMMETS

- Optional Grommets available in standard worksurface locations (left, center or right) **for Rectangular Tables**. Order as: **AG1, AG2 or AG3. Add \$103**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.




- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.
- If adding **Cove mini power block** to **AG** cut-out, cannot use with modesties.

## POWER BLOCK

- An individually corded power block (model **PMSPDM**) may be ordered on all worksurfaces. Units cannot be daisy chained and cannot be used with modesties.
- Power block is configured with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power block dimensions are 3.5" deep x 6.5" wide x 2.75" high.
- To purchase a power block, you must specify both the power block cut-out location and the power block model #. Order power block as **PMSPDM. Add \$352**. Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103**.





Power Block **PMSPDM, Add \$352**



Specify location **E1, E2 or E3, Add \$103**.

## EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS



## MODPOWER DAISY CHAIN SOLUTION


- Add flexible power and USB charging to Connectables rectangular tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions page 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **30" to 72" wide rectangular tables. Add \$103**
  - **MPD** for two cut-outs in the left and right positions, 18.25" from ends to center of unit on approach side for **60", 66" and 72" wide rectangular tables. Add \$204**.



# C CONNECTABLES® - NOTES

## VILLA CUT-OUTS










- Optional Villa cut-out available in standard worksurface locations (left, center or right) **for Rectangular Tables**. Order as: **V1, V2 or V3** - Add \$103 for each cut-out.
- Villa cut-outs may be placed at non-standard locations. Please contact customer care.



## TOP & EDGE OPTIONS

- ConnectTABLES® have nine basic top shapes available in various sizes. All top shapes have a variety of straight or curved edges which are referred to as **Working (W)**, **Connecting (C)** or **End (E)** edges. Edges can also have a combination of edge types as shown.


\*cannot freestand



**Working Edge (1)** - Edges designated with the letter “W” indicate that this is a **working** or sitting edge. These edges can be connected with optional ganging hardware in free-standing applications.

**Connecting Edge (2)** - Edges designated with the letter “C” indicate that this is a **connecting** edge. These edges can be connected to any other connecting edge of equal width, regardless of the top shape or size.


**End Edge (3)** - Edges designated with the letter “E” indicate that this is an **end** edge or an edge that can finish a run of tops. If a top has two end edges it can be freestanding. 90° crescent tops can be freestanding if the optional center leg is added.




## FREESTANDING AND CONNECTING CONDITIONS

**Freestanding tables** are defined as any one worksurface supported by two or more legs; **connecting tables** are defined as more than one work surface supported by a single leg at each point of connection. The rule for determining the quantity of legs of an open configuration is the number of worksurfaces plus one (**See Figure 1**).

On closed configurations, the number of legs is equal to the number of worksurfaces (**See Figure 2**). There are some exceptions, such as when optional third legs are used on quarter round or 90° crescent shapes.



**Figure 1. Open Configuration**  
Number of Surfaces = 5  
Number of Legs = 6



**Figure 2. Closed Configuration**  
Number of Surfaces = 6  
Number of Legs = 6

## FREESTANDING CONDITIONS

- All square, rectangle and trapezoid shapes are able to act as freestanding tables (**Figure 3**).
- When Trapezoid tops are freestanding, legs must be on the outer left and right sides (**Figure 4**).
- 90° crescent work surfaces have provision for an optional third center leg for additional stability when heavy loads are applied to the outside edge. They can also be used as freestanding tables when a third leg is added (**Figure 5**).
- All freestanding tables can be connected with optional ganging hardware.
- Freestanding tables can be ganged with connected tables in some cases, providing that the number and size of connected tables is easily movable (**Figure 6**).
- **DO NOT DRAG TABLES WHEN RE-CONFIGURING.**





Figure 3 - Freestanding Tables



Incorrect

Correct

Figure 4 - Trapezoid Tops




Figure 5 - Adding a Third Leg




Figure 6 - Ganging with Connected Tables

## CONNECTING CONDITIONS

- Any two worksurfaces of equal depth (24"D, 30"D or 36"D) can be connected with one leg, at the connecting or end edges (**Figure 8**).
- Half round work surfaces can be used in the following ways: They must be of equal width when connected to each other (**Figure 7**) or the connecting shapes must be equal to half the width of the connecting half round (**Figure 8**).
- ConnectABLES® is designed with the leg to be fastened parallel to connecting edges, but in some cases you may wish to fasten legs at 90° to connecting edges. This could allow for increased leg or knee clearance, depending on the intended use (**Figure 9**).
- Quarter round and 90° crescent work surfaces have provision for an optional third leg for additional stability when heavy loads are applied to the outside edge. For quarter round work surfaces, it is recommended that configuration "A" be used since the outside end of the center leg in configuration "B" is almost flush with the outside edge of the worksurface. If configuration "B" is installed against a wall or where there will be no traffic flow, then configuration "B" can be used.




Figure 7




Figure 8






Figure 9 - 90° Leg Connections



Configuration A





Configuration B

# C CONNECTABLES® - PUTTING IT ALL TOGETHER

Legs are fastened to worksurfaces utilizing a steel-to-steel connection. Each leg comes equipped with four ¼" x 7/8" machine screws. Screws are inserted through the four oval shaped holes only. Do not use wood screws! When fastening legs to work surfaces, hand thread screws into position to prevent any cross threading. When all screws have been hand threaded, tighten firmly with screwdriver to secure. Optional thumbscrews can be used in place of machine screws. Thumbscrews eliminate the need for a screwdriver, whether assembling or disassembling tables. **Do not use power tools for assembly of legs.**

## FREESTANDING TABLES





1. Turn work surface upside-down on clean floor. (You may want to use carton from packaging as a protective assembly surface to protect the top from scratching.)
2. Position leg mounting plate holes over threaded steel inserts in top.
3. Fasten each leg to top with four ¼" x 7/8" screws.
4. Turn table right-side up.
5. Level table by adjusting glides.



## CONNECTING TABLES

1. Determine approximate location of desired configuration in room and turn work surfaces upside-down on floor. (Remember you are working in reverse.)
2. Position leg mounting plate so it is centered over the connecting edge of the first work surface. Fasten leg with two ¼" x 7/8" screws.
3. Repeat step 2 and 3 on the opposite edge of the first work surface.
4. Turn table right-side up.
5. Turn table right-side up and fasten to the previous top from the underside.
6. To add additional work surfaces repeat step 6.
7. When all the tops have been connected, level complete configuration by adjusting glides.


**Note:** Use the same procedures as above when using optional thumb screws.




**OPTIONAL CASTERS**

1. Turn work surface upside-down on floor.
2. Remove existing glide if previously installed.
3. Fasten caster to T-leg by threading caster stem into base of T-leg and secure by tightening lock nut.
4. If casters are used in combination with gliders, level table by adjusting glides.


**Note:** Casters are available in locking or non-locking styles.

**OPTIONAL GANGING HARDWARE**

1. Optional ganging hardware should be used when quick and frequent reconfigurations are required.
2. Turn work surfaces to be ganged upside-down on floor.
3. Remove ganging hardware from package. Holes with steel inserts are located in the corner of tops.
4. Fasten ganging hardware to each work surface with supplied thumb screws.
5. Projected arm from ganging hardware can pivot out of the way when not in use.



SQUARE TOPS




Square Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H					
CNS2424	24 x 24 x 1	70	18	1	\$460	\$231
CNS3030	30 x 30 x 1	70	27	1.56	\$560	\$282
CNS3636	36 x 36 x 1	70	39	2	\$600	\$302

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

RECTANGULAR TOPS




Rectangle Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNR2030	20 x 30 x 1	70	22	1.25	\$333	\$169
CNR2036	36 x 20 x 1	60	22.5	0.46	\$369	\$186
CNR2042	20 x 42 x 1	70	31	1.75	\$397	\$200
CNR2048	20 x 48 x 1	70	35	2	\$441	\$223
CNRU2054	20 x 54 x 1	60	33.75	0.69	\$547	\$276
CNRU2060	20 x 60 x 1	65	37.5	1.4	\$588	\$297
CNRU2066	20 x 66 x 1	60	41.25	0.84	\$636	\$322
CNRU2072	20 x 72 x 1	60	45	1	\$679	\$340
CNR2430	24 x 30 x 1	70	22	1.25	\$333	\$169
CNR2436	24 x 36 x 1	70	26	1.5	\$369	\$186
CNR2442	24 x 42 x 1	70	31	1.75	\$397	\$200
CNR2448	24 x 48 x 1	70	35	2	\$441	\$223
CNRU2454	24 x 54 x 1	70	42	2.34	\$547	\$276
CNRU2460	24 x 60 x 1	70	47	2.5	\$588	\$297
CNRU2466	24 x 66 x 1	70	52	2.8	\$636	\$322
CNRU2472	24 x 72 x 1	70	57	3	\$679	\$340
CNR3036	30 x 36 x 1	70	33	1.88	\$441	\$223
CNR3042	30 x 42 x 1	70	38	2.19	\$481	\$241
CNR3048	30 x 48 x 1	70	44	2.5	\$509	\$257
CNRU3054	30 x 54 x 1	70	52	2.8	\$629	\$316
CNRU3060	30 x 60 x 1	70	59	3.13	\$676	\$339
CNRU3066	30 x 66 x 1	70	64	3.44	\$722	\$364
CNRU3072	30 x 72 x 1	70	70	3.75	\$768	\$386
CNR3642	36 x 42 x 1	60	52.5	1.6	\$636	\$322
CNR3648	36 x 48 x 1	60	60	1.8	\$696	\$350
CNRU3654	36 x 54 x 1	60	70	2	\$841	\$422
CNRU3660	36 x 60 x 1	60	78	2.2	\$932	\$470
CNRU3666	36 x 66 x 1	60	87	2.4	\$1021	\$514
CNRU3672	36 x 72 x 1	60	94	2.6	\$1111	\$559

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations. **Tops 54" and longer are standard with a 16 gauge steel support channel.**

TRAPEZOID TOPS



Trapezoid Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNT2048	17.5 x 48 x 1	60	26.25	0.55	\$464	\$234
CNT2060	17.5 x 60 x 1	65	44	1.85	\$556	\$281
CNT2448	20.5 x 48 x 1	92.5	21	2	\$464	\$234
CNT2460	20.5 x 60 x 1	65	44	1.85	\$556	\$281
CNT3060	25.75 x 60 x 1	92.5	35	3.13	\$609	\$306
CNT3072	25.75 x 72 x 1	60	66	2.2	\$679	\$340
CNT3660	31 x 60 x 1	60	66	2.2	\$867	\$436
CNT3672	31 x 72 x 1	65	79.2	3.5	\$1035	\$520

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

Required Specifications

Top Finish  
Edge Finish


Optional Specifications

Grommet

Accessories

Power Block

90° CRESCENT TOPS




90° Crescent Top

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
CNC2430	30 x 30 x 1	85	20	1.56	\$485	\$243
CNC3036	36 x 36 x 1	85	30	2.25	\$687	\$344
CNC3642	42 x 42 x 1	70	50	3.15	\$943	\$473

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- **CNC2430** for use with 24" deep tops
- **CNC3036** for use with 30" deep tops
- **CNC3642** for use with 36" deep tops
- **CNC2430** does not require a center leg

QUARTER ROUND TOPS




Quarter Round Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNQ2424	24 x 24 x 1	85	14	1	\$306	\$155
CNQ3030	30 x 30 x 1	85	21	1.56	\$370	\$187
CNQ3636	36 x 36 x 1	60	45	1.3	\$524	\$264

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

45° WEDGE TOPS




45° Wedge Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNW2424	24 x 24 x 1	92.5	10	1	\$327	\$167
CNW3030	30 x 30 x 1	100	14	1.56	\$398	\$200

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

THREE WAY CONNECTOR TOPS




Three Way Connector Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNY2424	24 x 24 x 1	85	13	1	\$306	\$155
CNY3030	30 x 30 x 1	92.5	18	1.56	\$370	\$187

T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

HALF ROUND TOPS




Half Round Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNHFS2448	24 x 48 x 1	70	36	2	\$467	\$235
CNHFS3060	30 x 60 x 1	70	56	3.13	\$604	\$305
CNHFS3672	36 x 72 x 1	65	81	3.3	\$1035	\$520

T-mold edging. Predrilled with threaded steel inserts for freestanding and linking installations.

- *Requires two legs for freestanding*

EXTENDED HALF ROUND TOPS




Extended Half Round Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
CNHE24	28 x 48 x 1	65	50	1.88	\$571	\$287
CNHE30	36 x 60 x 1	65	75	2.87	\$794	\$400
CNHE36	42 x 72 x 1	65	102	3.88	\$1263	\$633


T-mold edging. Predrilled with threaded steel inserts for **linking installations ONLY**.

Required Specifications	Optional Specifications	Accessories
Top Finish Edge Finish	Grommet	Power Block


## MODESTY PANELS



Modesty Panel



Modesty Panel



Modesty Panel

MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	----------	-----------	------------

## D x W x H

CNCA2430	2.75 x 35 x 11.75	150	2.8	0.5	<b>\$272</b>
CNCA3036	2.75 x 43 x 11.75	150	3.3	0.6	<b>\$317</b>
CNCA3642	2.75 x 53 x 11.75	150	3.9	0.7	<b>\$415</b>

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

CNQA2424	2.75 x 27 x 11.75	150	2.2	0.4	<b>\$233</b>
CNQA3030	2.75 x 35 x 11.75	150	2.8	0.5	<b>\$272</b>
CNQA3636	2.75 x 44 x 11.75	150	3.3	0.6	<b>\$317</b>

For use with **CNQ quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

CNRA2030	2.75 x 29 x 11.75	150	2.8	0.5	<b>\$233</b>
CNRA2036	2.75 x 35 x 11.75	150	3.3	0.6	<b>\$272</b>
CNRA2042	2.75 x 41 x 11.75	150	3.9	0.7	<b>\$317</b>
CNRA2048	2.75 x 47 x 11.75	150	4.4	0.8	<b>\$359</b>
CNRA2054	2.75 x 53 x 11.75	150	5	0.9	<b>\$415</b>
CNRA2060	2.75 x 59 x 11.75	150	5.5	1	<b>\$450</b>
CNRA2066	2.75 x 65 x 11.75	150	6.1	1.1	<b>\$494</b>
CNRA2072	2.75 x 71 x 11.75	150	6.6	1.2	<b>\$538</b>

CNRA2430	2.75 x 29 x 11.75	150	2.8	0.5	<b>\$233</b>
CNRA2436	2.75 x 35 x 11.75	150	3.3	0.6	<b>\$272</b>
CNRA2442	2.75 x 41 x 11.75	150	3.9	0.7	<b>\$317</b>
CNRA2448	2.75 x 47 x 11.75	150	4.4	0.8	<b>\$359</b>
CNRA2454	2.75 x 53 x 11.75	150	5	0.9	<b>\$415</b>
CNRA2460	2.75 x 59 x 11.75	150	5.5	1	<b>\$450</b>
CNRA2466	2.75 x 65 x 11.75	150	6.1	1.1	<b>\$494</b>
CNRA2472	2.75 x 71 x 11.75	150	6.6	1.2	<b>\$538</b>

CNRA3036	2.75 x 35 x 11.75	150	3.3	0.6	<b>\$272</b>
CNRA3042	2.75 x 41 x 11.75	150	3.9	0.7	<b>\$317</b>
CNRA3048	2.75 x 47 x 11.75	150	4.4	0.8	<b>\$359</b>
CNRA3054	2.75 x 53 x 11.75	150	5	0.9	<b>\$415</b>
CNRA3060	2.75 x 59 x 11.75	150	5.5	1	<b>\$450</b>
CNRA3066	2.75 x 65 x 11.75	150	6.1	1.1	<b>\$494</b>
CNRA3072	2.75 x 71 x 11.75	150	6.6	1.2	<b>\$538</b>

CNRA3642	2.75 x 41 x 11.75	150	3.9	0.7	<b>\$317</b>
CNRA3648	2.75 x 47 x 11.75	150	4.4	0.8	<b>\$359</b>
CNRA3654	2.75 x 53 x 11.75	150	5	0.9	<b>\$415</b>
CNRA3660	2.75 x 59 x 11.75	150	5.5	1	<b>\$450</b>
CNRA3666	2.75 x 65 x 11.75	150	6.1	1.1	<b>\$494</b>
CNRA3672	2.75 x 71 x 11.75	150	6.6	1.2	<b>\$538</b>

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

## Required Specifications

Top Finish  
Edge Finish


## Optional Specifications

Grommet

## Accessories

Power Block

## MODESTY PANELS



Modesty Panel


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

## D x W x H

CNSA2424	2.75 x 23 x 11.75	150	2.2	0.4	<b>\$186</b>
CNSA3030	2.75 x 29 x 11.75	150	2.8	0.5	<b>\$233</b>
CNSA3636	2.75 x 35 x 11.75	150	3.3	0.6	<b>\$272</b>

For use with **long side of CNS square tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel

CNTA2048L	20 x 43	150	4.4	0.8	<b>\$317</b>
CNTA2060L	2.750 x 55	150	5.5	1.2	<b>\$415</b>


CNTA2448L	2.75 x 43 x 11.75	150	4.4	0.8	<b>\$317</b>
CNTA2460L	2.75 x 55 x 11.75	150	5.5	1.2	<b>\$415</b>

CNTA3060L	2.75 x 55 x 11.75	150	5.5	1.2	<b>\$415</b>
CNTA3072L	2.75 x 67 x 11.75	150	6.6	1.4	<b>\$494</b>

CNTA3660L	2.75 x 55 x 11.75	150	5.5	1.2	<b>\$415</b>
CNTA3672L	2.75 x 67 x 11.75	150	6.6	1.4	<b>\$494</b>

For use with **long side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel

CNTA2048S	20 x 24	150	2.2	0.4	<b>\$186</b>
CNTA2060S	20 x 36	150	2.8	0.5	<b>\$272</b>


CNTA2448S	2.75 x 23 x 11.75	150	2.2	0.4	<b>\$186</b>
CNTA2460S	2.75 x 35 x 11.75	150	2.2	0.4	<b>\$272</b>

CNTA3060S	2.75 x 29 x 11.75	150	2.8	0.5	<b>\$233</b>
CNTA3072S	2.75 x 41 x 11.75	150	2.8	0.5	<b>\$317</b>

CNTA3660S	2.75 x 23 x 11.75	150	3.3	0.6	<b>\$186</b>
CNTA3672S	2.75 x 35 x 11.75	150	3.3	0.6	<b>\$272</b>

For use with **short side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel

CNWA2424	2.75 x 17 x 11.75	150	2.2	0.4	<b>\$144</b>
CNWA3030	2.75 x 22 x 11.75	150	2.8	0.5	<b>\$186</b>

For use with **CNW wedge tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel

CNYA2424	2.75 x 22 x 11.75	150	2.2	0.4	<b>\$175</b>
CNYA3030	2.75 x 27 x 11.75	150	2.8	0.5	<b>\$212</b>

For use with **CNY triangle tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top.

- *Can not be used when worksurface tops are attached to flip top legs.*

## Required Specifications

Top Finish  
Edge Finish

## Optional Specifications


Grommet

## Accessories


Power Block




## WIRE MANAGEMENT UNITS



Wire Management Unit



Wire Management Unit



Wire Management Unit

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
CNCB2430	2.75 x 35 x 6	70	1.5	0.5	<b>\$206</b>
CNCB3036	2.75 x 43 x 6	70	1.8	0.6	<b>\$229</b>
CNCB3642	2.75 x 53 x 6	250	2.1	0.7	<b>\$298</b>

For use with **CNC crescent tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*

CNQB2424	2.75 x 27 x 6	70	1.2	0.4	<b>\$173</b>
CNQB3030	2.75 x 35 x 6	70	1.5	0.5	<b>\$206</b>
CNQB3636	2.75 x 44 x 6	70	1.8	0.6	<b>\$265</b>

For use with **CNQ quarter round tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*

CNRB2030	2.75 x 29 x 6	70	1.5	0.5	<b>\$173</b>
CNRB2036	2.75 x 35 x 6	70	1.8	0.6	<b>\$206</b>
CNRB2042	2.75 x 41 x 6	250	2.1	0.7	<b>\$229</b>
CNRB2048	2.75 x 47 x 6	250	2.4	0.8	<b>\$317</b>
CNRB2054	2.75 x 53 x 6	250	2.7	0.9	<b>\$333</b>
CNRB2060	2.75 x 59 x 6	250	3	1	<b>\$333</b>
CNRB2066	2.75 x 65 x 6	250	3.3	1.1	<b>\$333</b>
CNRB2072	2.75 x 71 x 6	250	3.6	1.2	<b>\$450</b>
CNRB2430	2.75 x 29 x 6	70	1.5	0.5	<b>\$173</b>
CNRB2436	2.75 x 35 x 6	70	1.8	0.6	<b>\$206</b>
CNRB2442	2.75 x 41 x 6	250	2.1	0.7	<b>\$229</b>
CNRB2448	2.75 x 47 x 6	250	2.4	0.8	<b>\$317</b>
CNRB2454	2.75 x 53 x 6	250	2.7	0.9	<b>\$333</b>
CNRB2460	2.75 x 59 x 6	250	3	1	<b>\$333</b>
CNRB2466	2.75 x 65 x 6	250	3.3	1.1	<b>\$333</b>
CNRB2472	2.75 x 71 x 6	250	3.6	1.2	<b>\$450</b>
CNRB3036	2.75 x 35 x 6	70	1.8	0.6	<b>\$206</b>
CNRB3042	2.75 x 41 x 6	250	2.1	0.7	<b>\$229</b>
CNRB3048	2.75 x 47 x 6	250	2.4	0.8	<b>\$265</b>
CNRB3054	2.75 x 53 x 6	250	2.7	0.9	<b>\$298</b>
CNRB3060	2.75 x 59 x 6	250	3	1	<b>\$333</b>
CNRB3066	2.75 x 65 x 6	250	3.3	1.1	<b>\$392</b>
CNRB3072	2.75 x 71 x 6	250	3.6	1.2	<b>\$450</b>
CNRB3642	2.75 x 41 x 6	250	2.1	0.7	<b>\$229</b>
CNRB3648	2.75 x 47 x 6	250	2.4	0.8	<b>\$298</b>
CNRB3654	2.75 x 53 x 6	250	2.7	0.9	<b>\$298</b>
CNRB3660	2.75 x 59 x 6	250	3	1	<b>\$333</b>
CNRB3666	2.75 x 65 x 6	250	3.3	1.1	<b>\$333</b>
CNRB3672	2.75 x 71 x 6	250	3.6	1.2	<b>\$450</b>

For use with **CNR/CNRU rectangular tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*

## Required Specifications

Top Finish  
Edge Finish


## Optional Specifications

Grommet

## Accessories

Power Block

## WIRE MANAGEMENT UNITS



Wire Management Unit


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

## D x W x H

CNSB2424	2.75 x 23 x 6	70	1.8	0.4	<b>\$138</b>
CNSB3030	2.75 x 29 x 6	70	1.5	0.5	<b>\$173</b>
CNSB3636	2.75 x 35 x 6	70	1.8	0.6	<b>\$206</b>

For use with **CNS square tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*




Wire Management Unit

CNTB2048L	0 x 43	250	2.4	0.8	<b>\$229</b>
CNTB2060L	0 x 55	250	3	1	<b>\$298</b>
CNTB2448L	2.75 x 43 x 6	250	2.4	0.8	<b>\$229</b>
CNTB2460L	2.75 x 55 x 6	250	3	1	<b>\$298</b>
CNTB3060L	2.75 x 55 x 6	250	3	1	<b>\$298</b>
CNTB3072L	2.75 x 67 x 6	250	3.6	1.2	<b>\$415</b>
CNTB3660L	2.75 x 55 x 6	250	3	1	<b>\$298</b>
CNTB3672L	2.75 x 67 x 6	250	3.6	1.2	<b>\$415</b>

For use with **long side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*




Wire Management Unit

CNTB2048S	0 x 24	70	1.2	0.4	<b>\$138</b>
CNTB2060S	0 x 36	70	1.5	0.5	<b>\$206</b>
CNTB2448S	2.75 x 23 x 6	70	1.2	0.4	<b>\$138</b>
CNTB2460S	2.75 x 35 x 6	70	1.2	0.4	<b>\$206</b>
CNTB3060S	2.75 x 29 x 6	70	1.5	0.5	<b>\$173</b>
CNTB3072S	2.75 x 41 x 6	70	1.5	0.5	<b>\$229</b>
CNTB3660S	2.75 x 23 x 6	70	1.8	0.6	<b>\$138</b>
CNTB3672S	2.75 x 35 x 6	70	1.8	0.6	<b>\$206</b>

For use with **short side of CNT trapezoid tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*




Wire Management Unit

CNWB2424	2.75 x 17 x 6	70	1.2	0.4	<b>\$113</b>
CNWB3030	2.75 x 22 x 6	70	1.5	0.5	<b>\$138</b>

For use with **CNW wedge tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*



Wire Management Unit

CNYB2424	2.75 x 22 x 6	70	1.2	0.4	<b>\$138</b>
CNYB3030	2.75 x 27 x 6	70	1.5	0.5	<b>\$173</b>

For use with **CNY triangle tops**. 6" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Cannot be used when worksurface tops are attached to flip top legs.*

## Required Specifications

Top Finish  
Edge Finish


## Optional Specifications

Grommet


## Accessories

Power Block


## MODESTY PANEL WITH WIRE MANAGEMENT



Modesty Panel with Wire Management



Modesty Panel with Wire Management



Modesty Panel with Wire Management

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
CNCC2430	2.75 x 35 x 11.75	100	4.3	0.5	<b>\$298</b>
CNCC3036	2.75 x 43 x 11.75	100	5.1	0.6	<b>\$338</b>
CNCC3642	2.75 x 53 x 11.75	100	6	0.7	<b>\$438</b>

For use with **CNC crescent tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

CNQC2424	2.75 x 27 x 11.75	100	3.4	0.4	<b>\$249</b>
CNQC3030	2.75 x 35 x 11.75	100	4.3	0.5	<b>\$298</b>
CNQC3636	2.75 x 44 x 11.75	100	5.1	0.6	<b>\$338</b>

For use with **CNC quarter round tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

CNRC2030	2.75 x 29 x 11.75	100	4.3	0.5	<b>\$249</b>
CNRC2036	2.75 x 35 x 11.75	100	5.1	0.6	<b>\$298</b>
CNRC2042	2.75 x 41 x 11.75	100	6	0.7	<b>\$338</b>
CNRC2048	2.75 x 47 x 11.75	100	6.8	0.8	<b>\$393</b>
CNRC2054	2.75 x 53 x 11.75	100	7.7	0.9	<b>\$438</b>
CNRC2060	2.75 x 59 x 11.75	100	8.5	1	<b>\$486</b>
CNRC2066	2.75 x 65 x 11.75	100	9.4	1.1	<b>\$526</b>
CNRC2072	2.75 x 71 x 11.75	100	10.2	1.2	<b>\$556</b>
CNRC2430	2.75 x 29 x 11.75	100	4.3	0.5	<b>\$249</b>
CNRC2436	2.75 x 35 x 11.75	100	5.1	0.6	<b>\$298</b>
CNRC2442	2.75 x 41 x 11.75	100	6	0.7	<b>\$338</b>
CNRC2448	2.75 x 47 x 11.75	100	6.8	0.8	<b>\$393</b>
CNRC2454	2.75 x 53 x 11.75	100	7.7	0.9	<b>\$438</b>
CNRC2460	2.75 x 59 x 11.75	100	8.5	1	<b>\$486</b>
CNRC2466	2.75 x 65 x 11.75	100	9.4	1.1	<b>\$526</b>
CNRC2472	2.75 x 71 x 11.75	100	10.2	1.2	<b>\$556</b>
CNRC3036	2.75 x 35 x 11.75	100	5.1	0.6	<b>\$298</b>
CNRC3042	2.75 x 41 x 11.75	100	6	0.7	<b>\$338</b>
CNRC3048	2.75 x 47 x 11.75	100	6.8	0.8	<b>\$393</b>
CNRC3054	2.75 x 53 x 11.75	100	7.7	0.9	<b>\$438</b>
CNRC3060	2.75 x 59 x 11.75	100	8.5	1	<b>\$486</b>
CNRC3066	2.75 x 65 x 11.75	100	9.4	1.1	<b>\$526</b>
CNRC3072	2.75 x 71 x 11.75	100	10.2	1.2	<b>\$556</b>
CNRC3642	2.75 x 41 x 11.75	100	6	0.7	<b>\$338</b>
CNRC3648	2.75 x 47 x 11.75	100	6.8	0.8	<b>\$393</b>
CNRC3654	2.75 x 53 x 11.75	100	7.7	0.9	<b>\$438</b>
CNRC3660	2.75 x 59 x 11.75	100	8.5	1	<b>\$486</b>
CNRC3666	2.75 x 65 x 11.75	100	9.4	1.1	<b>\$526</b>
CNRC3672	2.75 x 71 x 11.75	100	10.2	1.2	<b>\$556</b>

For use with **CNR/CNRU rectangular tops**. 11 ¾" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

## Required Specifications

Top Finish  
Leg Finish  
Edge Finish


## Optional Specifications

Grommet

## Accessories

Power Block

## MODESTY PANEL WITH WIRE MANAGEMENT



Modesty Panel with Wire Management


## MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

## D x W x H

CNSC2424	2.75 x 23 x 11.75	100	3.5	0.4	<b>\$206</b>
CNSC3030	2.75 x 29 x 11.75	100	4.3	0.5	<b>\$249</b>
CNSC3636	2.75 x 35 x 11.75	100	5.1	0.6	<b>\$298</b>

For use with **CNC square tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel with Wire Management

CNTC2048L	2.75 x 43 x 11.75	100	6.8	0.8	<b>\$338</b>
CNTC2060L	2.75 x 55 x 11.75	100	8.5	1	<b>\$438</b>

CNTC2448L	2.75 x 43 x 11.75	100	6.8	0.8	<b>\$338</b>
CNTC2460L	2.75 x 55 x 11.75	100	8.5	1	<b>\$438</b>

CNTC3060L	2.75 x 55 x 11.75	100	8.5	1	<b>\$438</b>
CNTC3072L	2.75 x 67 x 11.75	100	10.2	1.2	<b>\$526</b>

CNTC3660L	2.75 x 55 x 11.75	100	8.5	1	<b>\$438</b>
CNTC3672L	2.75 x 67 x 11.75	100	10.2	1.2	<b>\$526</b>

For use with **long side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

CNTC2048S	2.75 x 23 x 11.75	100	3.4	0.4	<b>\$206</b>
CNTC2060S	2.75 x 35 x 11.75	100	3.5	0.5	<b>\$298</b>


CNTC2448S	2.75 x 23 x 11.75	100	3.4	0.4	<b>\$206</b>
CNTC2460S	2.75 x 35 x 11.75	100	3.4	0.4	<b>\$298</b>

CNTC3060S	2.75 x 29 x 11.75	100	4.3	0.5	<b>\$249</b>
CNTC3072S	2.75 x 41 x 11.75	100	4.3	0.5	<b>\$338</b>

CNTC3660S	2.75 x 23 x 11.75	100	5.1	0.6	<b>\$206</b>
CNTC3672S	2.75 x 35 x 11.75	100	5.1	0.6	<b>\$298</b>

For use with **short side of CNT trapezoid tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*




Modesty Panel with Wire Management

CNWC2424	2.75 x 17 x 11.75	100	3.4	0.4	<b>\$169</b>
CNWC3030	2.75 x 22 x 11.75	100	4.3	0.5	<b>\$206</b>

For use with **CNW wedge tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*



Modesty Panel with Wire Management

CNYC2424	2.75 x 22 x 11.75	100	3.4	0.4	<b>\$206</b>
CNYC3030	2.75 x 27 x 11.75	100	4.3	0.5	<b>\$249</b>

For use with **CNY triangle tops**. 11 3/4" high, Black plastic, attractive ribbed design. Includes two fold-away installation clips and flexible privacy strips. Connects to predrilled holes in table top. Can be used with or without wire management grommet.

- *Can not be used when worksurface tops are attached to flip top legs.*

## Required Specifications






Top Finish  
Leg Finish  
Edge Finish

## Optional Specifications

Grommet

## Accessories

Power Block

T LEGS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 "T" Leg		D x W x H				
	GCNTLEG18	5.25 x 17.1 x 27.63	125	15	2.1	\$314
	GCNTLG18P	5.25 x 17.1 x 27.63	100	17	2.1	\$616
 "T" Leg						
	GCNTLEG24	5.25 x 20.8 x 27.63	150	9	2.1	\$314
	GCNTLG24P	5.25 x 20.8 x 27.63	100	17	2.1	\$616
 "T" Leg						
	GCNTLEG30	5.25 x 27.25 x 27.63	250	10	2.6	\$338
	GCNTLG30P	5.25 x 27.25 x 27.63	125	19	2.6	\$671
 "T" Leg						
	GCNTLEG36	5.75 x 33.25 x 27.63	150	14	3.3	\$679
	GCNTLG36P	5.25 x 33.25 x 27.63	100	27	3.3	\$1345
 Flip Top "T" Leg						
	CNTFLEG24	1.75 x 20.8 x 28	150	10	2.4	\$583

18" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 20" tops.**

- For a single leg, order **GCNTLEG18**.
- For a pair of legs (set of 2), order **GCNTLG18P**.
- Chrome (CHM) is available (on foot only). **Add \$103** list for model GCNTLEG18 and **\$199** list for model GCNTLG18P.

20" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 24" tops.**

- For a single leg, order **GCNTLEG24**.
- For a pair of legs (set of 2), order **GCNTLG24P**.
- Chrome (CHM) is available (on foot only). **Add \$103** list for model GCNTLEG24 and **\$199** list for model GCNTLG24P.

26" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 30" tops.**

- For a single leg, order **GCNTLEG30**.
- For a pair of legs (set of 2), order **GCNTLG30P**.
- Chrome (CHM) is available (on foot only). **Add \$103** list for model GCNTLEG30 and **\$199** list for model GCNTLG30P.

32" long with double post plastic elliptical column cover, leveling glides and end caps. **For assembly with 36" tops.**


- For a single leg, order **GCNTLEG36**.
- For a pair of legs (set of 2), order **GCNTLG36P**.
- Chrome (CHM) is available (on foot only). **Add \$103** list for model GCNTLEG36 and **\$199** list for model GCNTLG36P.

20" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 24" deep rectangular and square tops only.** Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews.

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per **each leg**.
- Chrome (CHM) is available (on foot only). **Add \$103** list.

Required Specifications  
Leg Finish

T LEGS




Flip Top "T" Leg

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

CNTFLEG30	D x W x H	150	14	3	\$616
	1.75 x 27.25 x 28				

26" long with plastic elliptical column cover, leveling glides and end caps. **For assembly with 30" deep rectangular and square tops only.** Hinged plate with locking mechanism to lock in open or closed position. Cannot be installed with thumbscrews.

- Can not be used when modesty panels and wire management are attached to worksurface tops.
- List Price is per **each leg**.
- Chrome (CHM) is available (on foot only). **Add \$103** list




Casters

CNCP	- x - x 1.5	70	0.8	0.05	\$68
------	-------------	----	-----	------	------

Set of (2) 1½" dual wheel casters, one locking. Suggested for hard floor surfaces and industrial carpeting. Casters are fully interchangeable with glides. Black only.


- For use with *ConnectABLES* units only.
- Casters **DO NOT** affect table height.



Thumbscrews

CNTS	1.25 x 1.25 x 1.5	70	0.04	0.02	\$43
------	-------------------	----	------	------	------

Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "T" legs to tops without tools. Black only.



Ganging Connector

CNGFP	5 x 2.5 x 1.13	70	0.2	0.1	\$74
-------	----------------	----	-----	-----	------

Black epoxy coated 13 gauge steel with 2 thumbscrews included. Used to connect tabletops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of all tops to accommodate this plate. **Sold individually.**

**Required Specifications**

Leg Finish



Duet tables are multi-purpose stacking tables that offer optimum space utilization and flexibility. Their personality and simple design make them ideal for use in any learning or training environment at post-secondary and adult levels. Temporarily and easily convert auditoriums and other spaces into examination and seminar spaces. They can be partnered with stacking chairs such as Duet or Popcorn in matching or complementary colors (stacking chairs can be found in the Multi-Purpose section of the Seating price list).

The one-piece molded top and modesty are gently contoured providing an eased edge with an elegant waterfall transition from top to modesty.

Tops are available in a wide array of colors in 0.5" thick polypropylene. Polypropylene material offers strength and ease of cleaning with a slightly textured surface to offer scratch resistance.

#### Features and Benefits


- One-piece molded top and modesty are 0.5" thick polypropylene.
- Tables are rated 250 lbs. capacity.
- Surface includes factory installed metal inserts for solid and secure connection to the sled frame.
- 0.5" diameter solid steel rod sled frame.
- Bumpers on the underside for protection when stacking.
- Model with ADA width compliant frame is available.
- Shipped fully assembled.



One-piece top and modesty.



Stacks 5 high on floor or 20 high on dolly.



Ganging frame to keep tables evenly aligned.


GENERAL INFORMATION

- Duet tables are multi-purpose stacking tables ideal for auditoriums, seminars or any learning or training environment.
- Lightweight and easy to handle whether stacking for storage or setting up a room.
- Made of durable materials to withstand more demanding environments.
- Shipped fully assembled. Packaged 4 per carton.
- Global products are in compliance with stringent emission guidelines set out by the Greenguard Environmental Institute under the standards for low emitting products and materials. [www.greenguard.org](http://www.greenguard.org).
- Covered by Global's Lifetime Warranty.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

WORKSURFACES

- Top and modesty are a one-piece injection molded design in 0.5" thick polypropylene.
- Available in a wide array of colors (see right column "FINISHES") to complement any space or to define sections by color.
- One-piece molded top and modesty are contoured providing an eased user edge, with an elegant waterfall transition from top to modesty.

26"W x 18"D x 9.75"H



CONSTRUCTION

- Surface includes molded in threaded inserts to provide a secure metal-to-metal connection to the sled frame.
- Bumpers are included on the underside of top and inside modesty to protect surfaces when stacking.

FRAME

- 0.5" diameter solid steel rod sled frame.
- Available in a durable Chrome finish.
- Model with ganging frame keeps tables evenly positioned and aligned. No tools or fasteners required for ganging; the frames simply interlock.
- Model with ADA compliant frame is also available. The frame is 33" wide and the polypropylene top/modesty remain a constant size.
- Tables are standard without glides and are suitable for carpet, rubber or cork flooring.
- Glide options are available (see right column "GLIDES"). Glides must be chosen to best suit flooring type and site conditions. Upcharges apply.

DOLLY

- For space saving storage and transport.
- Constructed from 1.5" x 0.5" steel tubing with heavy duty casters (two locking) and a removable handle.
- Dolly can stack up to 20 tables.
- Stacking height on dolly is up to 68".

FINISHES

BZB	Buzz Blue	FRO	Frost
CCT	Cactus	INK	Ink
CRO	Carrot	LAB	Latte
IVC	Cloud	BLK	Night
DJN	Dijon	SND	Sand
EGP	Eggplant	SAR	Scarlet
FOG	Fog	SHW	Shadow

GLIDES

CG	Clear polycarbonate (for carpet, rubber or concrete flooring). Height added to table: 0.18". <b>Add \$19/set.</b>
SG	Glides with stainless steel pads (for carpet or rubber flooring). Height added to table: 0.17". <b>Add \$36/set.</b>
FG	Glides with felt pads (for vinyl, cork or laminate flooring). Height added to table: 0.24". <b>Add \$36/set.</b>
RG	Glides with rubber pads (for vinyl, hardwood, laminate, stone or ceramic flooring). Height added to table: 0.16". <b>Add \$36/set.</b>

SPECIFICATIONS

- Specifications marked with an \* are applicable to only those products which have the\* symbol beside the product name.

EXAMPLE DUET TABLE ORDER CODE:

Duet stacking table, polypropylene surface in Latte, clear polycarbonate glides


DTS1828P	-LAB	-CG
Model #	Surface finish	Glides




D

DUET™ TABLES


STACKING TABLES



Stacking Table\*



Stacking Table, Ganging Frame\*



Stacking Table, 32" Wide\*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
DTS1828P	25 x 29 x 28	150	26	17.75	\$545

One-piece polypropylene top and modesty with Chrome frame. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W

DTS1828PG	25 x 30.75 x 28	150	26	17.75	\$581
-----------	-----------------	-----	----	-------	-------

One-piece polypropylene top and modesty with Chrome ganging frame. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 28"W

DTA1832P	25 x 33 x 28	150	26	17.75	\$616
----------	--------------	-----	----	-------	-------

ADA (American with Disabilities Act) compliant. 33" wide. One-piece polypropylene top and modesty with Chrome frame. Underside clearance is 27.1"H (extra height if glides are selected). Stacks up to 5 high on floor only; dolly does not accommodate. Shipped fully assembled, 4 per carton.

- Price shown is per table. It is recommended to order in multiples of 4.
- Please be sure to select the appropriate glide (see previous page) for the flooring surface, as scratches could occur.
- Worksurface is 18"D x 32"W

DOLLY



Dolly

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
DTD20	29.5 x 63 x 38.5	250	50	21	\$791

For use with tables DTS1828P and DTS1828PG. Can stack up to 20 tables. Black only. Removable handle for storage. Shipped fully assembled in 1 carton.

Required Specifications	Optional Specifications	Accessories
Finish	Grommet	Power Block



Edventure is a value series collection that offers a range of teacher desks, student desks and study carrels for more traditional learning environments. Designed to withstand daily rigorous use, traditional style meets modern performance.

Tops are available in a wide array of finishes in 1" thick thermally fused laminate or 1 1/16" high pressure laminate with matching or complementary 2mm PVC edgebanding. Edventure's color palette also includes nine new bold finishes available on select components in high pressure laminate only.

Mobile teacher desks offer versatility with storage options for educators on the move.

Single and connecting study carrels create quiet work areas with optional power and data to stay connected.

#### Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 1/16" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- Matching or complementary 2mm PVC edgebanding.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- H-leg design on teacher and student desks.
- Teacher's desk includes modesty panel and is available with or without casters.
- Teacher's desk with left or right hand box/box/file pedestal available on casters only.
- Study carrel features curved side panels for seated privacy with a 29"H worksurface.
- Easy to assemble.



H-legs with cross bar.



Mobile teacher desk with modesty panel.



Freestanding and add-on study carrels.

### GENERAL INFORMATION

- Edventure series is an affordable collection of teacher desks, student desks and study carrels with personal storage options, that bring a traditional element to the classroom.
- Simple and elegant design respects space requirements to accommodate various teaching styles.
- Edventure series is a high achiever, built to withstand the most demanding environments.
- Shipped easy to assemble.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

### WORKSURFACES

- Tops are available in 1" thick thermally fused laminate or 1 1/16" thick high pressure laminate.
- Available in an array of finishes in both thermally fused laminate or high pressure laminate.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

### CONSTRUCTION

- Top core is made of 45 lb. density particle board.
- Surfaces include factory installed metal inserts for solid and secure leg connections.

### EDGE DETAIL

- Global's preferred 2mm PVC edgebanding is standard.
- Edgebanding may be specified in a matching or a complementary finish for tops in standard Global laminates.

### LEGS

- H-legs are 28" high and constructed from 2" x 2" square tubing with a 1" x 2" rectangular cross bar and adjustable leveling glides.
- Available in Black (**TBL**), Buzz Blue (**TBZ**), Cactus (**TCC**), Carrot (**TCR**), Cloud (**TIV**), Designer White (**TDW**), Dijon (**TDJ**), Eggplant (**TEG**), Fog (**TFO**), Frost (**TFR**), Ink (**TIN**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Scarlet (**TSR**), Shadow (**TSH**), Toast (**TOA**) or Tungsten (**TTU**) painted finishes, Sandtex finish applied.

### CASTERS

- Teacher desks are available with locking casters. See models ending in C.
- Casters are 3.5" high overall.

### MODESTY PANELS

- 12"H modesty panel is included with teacher desks.
- Available in an array of finishes (see 698) in thermally fused laminate with matching edges only.

### SPECIFICATIONS



- Specifications marked with an \* are applicable to only those products which have the\* symbol beside the product name.

### STUDY CARRELS

- The study carrel features a 29" high worksurface and curved side panels for privacy.
- Freestanding (starter) and add-on models are available. Legs and privacy panels are shared between adjoining add-on carrels.
- The back panel is inset to hide connecting fasteners from user's view. The inset back also creates a wire drop for the optional LED task light cord.
- Carrels with an optional shelf are available. See models ending in **S**.
- Optional LED task light is available for carrel with shelf, see page 700
- Optional Cove Daisylink system is available to bring power, USB charging or data to the carrel surface for desktop access, see 702

### GROMMETS

- Optional grommets are available in standard worksurface locations (left, center or right) for **teacher desks** and **study carrels**. Order as: **AG1, AG2 or AG3**. Add **\$103**.
- Grommet hole dimensions are 3.25"W x 1.875"D
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models - **AG2** option only
  - ENFC6024/7224, ENFC5924/7124 models - **AG1 and AG3** option only



### POWER BLOCK


- A power block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord included. Power block dimensions are 6.5"W x 3.5"D x 2.75"H. Units cannot be daisy-chained.
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models - **E2** option only
  - ENFC6024/7224, ENFC5924/7124 models - **E1 and E3** option only




Power block **PMSPDM**. Add **\$352**. Specify location **E1, E2 or E3**. Add **\$103**.

**VILLA CUT-OUTS**

- Optional Villa cut-out available in standard worksurface locations (left, center or right) for Rectangular tables. Order as: **V1, V2 or V3 - Add \$103 for each cut-out.**
  - ENSTxxxx, ENAC2924/3524, ENFC3024/3624 models - **V2** option only
  - ENFC6024/7224, ENFC5924/7124 models - **V1 and V3** option only

**COVE DAISYLINK COMPONENTS**

- A daisy-chain power solution with a unique “no particular order” feature, making installation or reconfiguration easy.
- Cove Daisylink modules must be ordered separately and are available for study carrels only.
- Specify the cut-out for Cove Daisylink modules when ordering the study carrels; order the Cove kits (modules and jumpers) and infeed separately.
- When **CV** cut-out is specified on 29”, 30”, 35” and 36” study carrels, **one** cut-out in the center position is included. **Add \$103.**  
When **CV** cut-out is specified on 59”, 60”, 71” and 72” study carrels, **two** cut-outs in the left and right positions are included. **Add \$192.**
- For Cove Daisylink components, see 702
- Maximum of 9 Cove modules per each infeed.

**MODPOWER DAISY CHAIN SOLUTION**

- Add flexible power and USB charging to Edventure study carrels. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions on page 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - **MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the back edge of surface) for **29” to 72” wide study carrels. Add \$103**
  - **MPD** for two cut-outs in the left and right positions, 15” from ends to center of unit on the back edge of surface for **59” to 72” wide study carrels. Add \$204.**

FINISHES

Thermally Fused or High Pressure Laminate Tops

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

*Note: Modesty panel available in thermally fused laminate finishes only. Modesty panel and pedestal edging will match thermally fused laminate finish specified.*

Leg finishes

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

2mm Thick Edgebanding

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CME	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

TO SPECIFY:

1. SPECIFY MODEL NUMBER

2. SPECIFY THE FOLLOWING:

FOR TEACHER AND STUDENT DESKS:

- Top finish
- Optional HP laminate
- Edge finish (top only)
- Modesty finish if applicable
- Pedestal finish if applicable
- Leg finish
- Optional AG grommet or cut-out for PMSPDM, if applicable
- Optional key alike or select number (#101-120) applicable with teacher's desks with pedestals

FOR STUDY CARRELS:

- Top surface finish (shelf, if applicable, will be in the same finish)
- Optional HP laminate
- Edge finish
- Leg finish
- Surround finish (side and back panels)
- Optional cut-out(s) for Cove Daisylink or ModPower components







EXAMPLE EDVENTURE ORDER CODES:

Teacher desk

ENTD7230	-ACJ	-HPL	-AAE	-TTU	-ACJ
Model #	Top finish	High pressure laminate	Edge finish	Leg finish	Modesty panel finish

Study carrel

ENFC3024	-ACJ	-HPL	-AAE	-TTU	-ACJ	-CV
Model #	Top finish	High pressure laminate	Top edge finish	Leg finish	Surround finish	Cut-out for Cove

TEACHER DESKS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	Teacher Desk, 24"D		D x W x H					
		ENTD4824	24 x 48 x 29	70	74	4.6	\$1141	\$180
		ENTD5424	24 x 54 x 29	70	80	4.7	\$1155	\$207
		ENTD6024	24 x 60 x 29	70	86	4.9	\$1172	\$221
12"H modesty panel included. Shipped easy to assemble in 2 cartons.								
	Teacher Desk, 30"D	ENTD6030	30 x 60 x 29	70	96	6.4	\$1247	\$239
		ENTD6630	30 x 66 x 29	70	103	6.6	\$1289	\$291
		ENTD7230	30 x 72 x 29	70	110	6.8	\$1332	\$311
		12"H modesty panel included. Shipped easy to assemble in 2 cartons.						
MOBILE TEACHER DESKS		MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD
	Mobile Teacher Desk, 24"D	ENTD4824C	24 x 48 x 29	70	75	4.6	\$1323	\$180
		ENTD5424C	24 x 54 x 29	70	81	4.7	\$1339	\$194
		ENTD6024C	24 x 60 x 29	70	87	4.9	\$1356	\$209
		12"H modesty panel included. Shipped easy to assemble in 2 cartons.						
		Mobile Teacher Desk, 30"D	ENTD6030C	30 x 60 x 29	70	98	5.4	\$1431
	12"H modesty panel included. Shipped easy to assemble in 2 cartons.							
	Mobile Teacher Desk, BBF - Left*		ET6024BBFLC	24 x 60 x 29	85	155	12.37	\$2541
		ET6624BBFLC	24 x 66 x 29	85	161	12.57	\$2586	\$223
		ET7224BBFLC	24 x 72 x 29	85	167	12.75	\$2635	\$238
		ET6030BBFLC	30 x 60 x 29	85	193	14.67	\$2685	\$223
		ET6630BBFLC	30 x 66 x 29	85	201	14.85	\$2732	\$272
		ET7230BBFLC	30 x 72 x 29	85	210	15.06	\$2780	\$292
Inset 12"H modesty panel and flush left hand locking box/box/file pedestal included. Top box drawer is non-locking. Shipped easy to assemble (BBF pedestal is fully assembled) in 3 cartons.								
	Mobile Teacher Desk, BBF - Right*	ET6024BBFRC	24 x 60 x 29	85	155	12.37	\$2541	\$208
		ET6624BBFRC	24 x 66 x 29	85	161	12.57	\$2586	\$223
		ET7224BBFRC	24 x 72 x 29	85	167	12.75	\$2635	\$238
		ET6030BBFRC	30 x 60 x 29	85	193	14.67	\$2685	\$223
		ET6630BBFRC	30 x 66 x 29	85	201	14.85	\$2732	\$272
		ET7230BBFRC	30 x 72 x 29	85	210	15.06	\$2780	\$292
Inset 12"H modesty panel and flush right hand locking box/box/file pedestal included. Top box drawer is non-locking. Shipped easy to assemble (BBF pedestal is fully assembled) in 3 cartons.								


**Required specifications**


Top finish  
Edge finish  
Leg finish  
Modesty finish


Pedestal finish\*


**Optional specifications**


HP laminate  
AG grommet or cut-out for PMSPDM\*  
Key alike/select key\*


STUDENT DESK	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
	D x W x H						
	ENST3020	20 x 30 x 29	85	49	3.9	\$579	\$123
Student Desk**	Shipped easy to assemble in 2 cartons.						

FREESTANDING OR STARTER STUDY CARRELS	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	CUT-OUT ADD
	ENFC3024	24 x 30 x 50	70	89	4.44	\$1113	\$127	\$103
	ENFC3624	24 x 36 x 50	70	97.5	4.72	\$1162	\$149	\$103
	ENFC6024	24 x 60 x 50	70	115	5.8	\$1355	\$221	\$205
	ENFC7224	24 x 72 x 50	70	123.5	6.34	\$1448	\$254	\$205
	Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. Bring power and USB charging to the user with Cove Daisylink components, see 702. Shipped easy to assemble in 2 cartons.							






	ENFC3024S	24 x 30 x 50	70	93	4.44	\$1170	\$147	\$103
	ENFC3624S	24 x 36 x 50	70	102.5	4.72	\$1225	\$171	\$103
	ENFC6024S	24 x 60 x 50	70	122	5.8	\$1452	\$262	\$205
	ENFC7224S	24 x 72 x 50	70	131.5	6.34	\$1561	\$300	\$205
	Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. Shelf is 6" deep and accepts optional LED task light. Bring power and USB charging to the user with Cove Daisylink components, see 702. Shipped easy to assemble in 2 cartons.							

ADD-ON STUDY CARRELS	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	CUT-OUT ADD
	ENAC2924	24 x 29 x 50	85	63	4.4	\$837	\$127	\$103
	ENAC3524	24 x 35 x 50	70	71.5	4.67	\$884	\$149	\$103
	ENAC5924	24 x 59 x 50	70	89	5.75	\$1083	\$221	\$205
	ENAC7124	24 x 71 x 50	70	97.5	6.3	\$1176	\$254	\$205
	Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. Bring power and USB charging to the user with Cove Daisylink components, see 702. Shipped easy to assemble in 2 cartons.							

	ENAC2924S	24 x 29 x 50	70	67	4.4	\$890	\$147	\$103
	ENAC3524S	24 x 35 x 50	70	76.5	4.67	\$946	\$171	\$103
	ENAC5924S	24 x 59 x 50	70	96	5.75	\$1183	\$262	\$205
	ENAC7124S	24 x 59 x 50	70	105.5	6.3	\$1289	\$300	\$205
	Features a 29" high worksurface with curved side privacy panels. Shown with optional cut-out. Shelf is 6" deep and accepts optional LED task light. Bring power and USB charging to the user with Cove Daisylink components, see 702. Clearance from worksurface to shelf is 14". Shipped easy to assemble in 2 cartons.							

	PLED30	1.5 x 15.5 x .5	150	2	.50	\$522	
	PLED50	1.5 x 23.5 x .5	150	2	.50	\$601	
	PLED100	1.5 x 43.5 x .5	125	3	.50	\$697	
	Energy efficient LED. Ultra slim design. Suitable for mounting on the underside of the shelf of a study carrel. 6' power cord.						

<b>Required specifications</b>	<b>Optional specifications</b>	<b>Accessories</b>
Top finish*	HP laminate*	Cove Daisylink modules*
Edge finish*	Cut-out for Cove Daisylink modules*	LED task lights*
Leg finish*		
Surround finish*		

COVE DAISYLINK COMPONENTS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
			<b>D x W x H</b>				
		ECV2PU30B	2 x 30 x -	60	4.5	0.5	<b>\$682</b>
		ECV2PU30S	2 x 30 x -	60	4.5	0.5	<b>\$682</b>
<b>Single Power/USB for 29"/30" Carrels</b>		Cove single desktop module with two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black ( <b>B</b> ) or Silver ( <b>S</b> ) - indicated by last letter of the model number. Infeed to be ordered separately.					
							
		ECV2PU36B	2 x 36 x -	60	4.6	0.5	<b>\$686</b>
		ECV2PU36S	2 x 36 x -	60	4.6	0.5	<b>\$686</b>
<b>Single Power/USB for 35"/36" Carrels</b>		Cove single desktop module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black ( <b>B</b> ) or Silver ( <b>S</b> ) - indicated by last letter of the model number. Infeed to be ordered separately.					
							
		ECV2PU60B	2 x 60 x -	60	4.6	0.5	<b>\$1259</b>
		ECV2PU60S	2 x 60 x -	60	4.6	0.5	<b>\$1259</b>
<b>Double Power/USB for 59"/60" Carrels</b>		Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black ( <b>B</b> ) or Silver ( <b>S</b> ) - indicated by last letter of the model number.					
							
		ECV2PU72B	2 x 72 x -	60	4.6	0.5	<b>\$1281</b>
		ECV2PU72S	2 x 72 x -	60	4.6	0.5	<b>\$1281</b>
<b>Double Power/USB for 71"/72" Carrels</b>		Cove double desktop modules - each module includes two power outlets and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black ( <b>B</b> ) or Silver ( <b>S</b> ) - indicated by last letter of the model number.					
							
		ECVPUD30B	2 x 30 x -	60	4.6	0.5	<b>\$642</b>
		ECVPUD30S	2 x 30 x -	60	4.6	0.5	<b>\$642</b>
<b>Single Power/Data/USB for 29"/30" Carrels</b>		Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 14" female/male connecting cable and one 14" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 30" wide starter carrels, one 30" wide starter carrel and one 29" wide add-on carrel, or two 29" wide add-on carrels. Available in Black ( <b>B</b> ) or Silver ( <b>S</b> ) - indicated by last letter of the model number. Infeed to be ordered separately.					

**Required specifications**


Paint finish, case\*  
 Laminate finish\*\*  
 Edge finish (ENMST1824 only)  
 Trim finish (ENLS182 only)

**Optional specifications**


Key alike\*  
 HP laminate (ENMST1824 only)




COVE DAISYLINK COMPONENTS



Single Power/Data/USB  
for 35"/36" Carrels




Double Power/Data/USB  
for 59"/60" Carrels




Double Power/Data/USB  
for 71"/72" Carrels



Single-Circuit Corded Infeed, 72"



Multi-Circuit Power Hardwire  
Infeed, 72"



Jumper Guards - Set of 4

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
ECVPUD36B	2 x 36 x -	60	4.60	0.5	\$649
ECVPUD36S	2 x 36 x -	60	4.60	0.5	\$649
Cove single desktop module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 17" female/male connecting cable and one 17" female/female connecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 36" wide starter carrels, one 36" wide starter carrel and one 35" wide add-on carrel, or two 35" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.					
ECVPUD60B	2 x 60 x -	60	4.6	0.5	\$1185
ECVPUD60S	2 x 60 x -	60	4.6	0.5	\$1185
Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 12" female/male connecting cable, one 12" female/female connecting cable and one 26" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 60" wide starter carrels, one 60" wide starter carrel and one 59" wide add-on carrel, or two 59" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.					
ECVPUD72B	2 x 72 x -	60	4.6	0.5	\$1196
ECVPUD72S	2 x 72 x -	60	4.6	0.5	\$1196
Cove double desktop modules - each module includes one power outlet, two data knockouts and two 2.1A USB charging ports. Includes four cable clamps, one 15" female/male connecting cable, one 15" female/female connecting cable and one 31" female/female interconnecting cable. Data/telecom options to be ordered separately. Connecting cables will daisy-chain modules between two 72" wide starter carrels, one 72" wide starter carrel and one 71" wide add-on carrel, or two 71" wide add-on carrels. Available in Black (B) or Silver (S) - indicated by last letter of the model number. Infeed to be ordered separately.					
42AP1-72	72"W	70	1	1.80	\$261
72" corded infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules).					
42SB2-72	72"W	70	1	1.80	\$169
Hardwire infeed to start a run of Cove Daisylink modules. Maximum of 9 Cove modules per each infeed (Cove double counts as two modules). Certified electrician required for installation.					
ENCVG12	5 x 12 x 3.1	85	14	1.1	\$151
Metal channel to protect jumper connection to Cove Daisylink module. Black only. Mounts directly to the underside of surface.					

<b>Required specifications</b> Top finish* Edge finish* Leg finish* Surround finish*	<b>Optional specifications</b> HP laminate* Cut-out for Cove Daisylink modules*	<b>Accessories</b> Cove Daisylink modules* LED task lights*
--	---	---



FreeFit offers a universal freestanding design with finish options on bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your workspace. With two concealed motors on each base, FreeFit adjusts at 1.5" per second while emitting just 44db. Select from two table ranges – standard range accommodates most users, while extended range meets BIFMA ergonomics guidelines accommodating an extensive array of user needs.

#### Features and Benefits

- Tops are 1" thick thermally fused laminate or 1 1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base
- Steel constructed leg tubing, feet and cross bar
- Table frames include expandable width upper cross bars
- Standard up/down handset. Optional digital readout handset.



Add a 3rd leg kit to create an electric height adjustable L station.

GENERAL INFORMATION

- FreeFit Height Adjustable Tables allow for easy movement from sitting to standing and back throughout the day.
- FreeFit offers a universal freestanding design with finish options on the bases and surfaces that allow you to easily integrate with existing Global workstation configurations, becoming a part of your office space.
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

ORDERING GUIDELINES  
CODES

The price list uses a numbering system with meaningful alphanumeric characters to create a simple to understand product number. This makes specifying the product much easier and more accurate.

SPECIFICATION EXAMPLE OF A HEIGHT ADJUSTABLE TABLE:

Ordered as components, please order:

1. BASE

**PRODUCT CODE:** **FT** - FreeFit  
**5** - Standard Range Legs  
**2** - Leg Quantity  
**SF** - Small Frame  
**24** - Depth

OPTIONS:

Frame Style: **5** - Standard Range Frame 27.5" to 47"  
**6** - Extended Range Frame 22.5" to 48.5"

Leg Quantity: **1** - 1 leg for return kit  
**2** - 2 leg table kit  
**4** - 4 leg table kit

Frame Size: **BF** - Base Frame, for 30" to 42" wide tables  
**SF** - Small Frame, for 48" to 60" wide tables  
**LF** - Large Frame, for 66" to 84" wide tables

Worksurface Depth: **24** - For 23" deep worksurfaces  
**30** - For 29" and 35" deep worksurfaces

Leg Style: **CL** - C-shaped table leg  
**TL** - T-shaped table leg

Controller Style: **S** - Standard controller  
**D** - Display controller, add \$47 list (\$94 list for back-to-back benching and media tables).

Base Finish: BLK Black  
DWT Designer White  
TUN Tungsten

2. TOP

**PRODUCT CODE:** **FTWR2436**

Top: **LP** - Low Pressure laminate, 1" thick  
**HP** - High Pressure laminate, 1-1/16" thick

Top Finish Laminate: Select Color

Top PVC Edge Finish: Select Color

3. ACCESSORIES

**PRODUCT CODE:** **FTAEC12**

Base Finish: BLK Black  
BZD Blizzard  
CHR Charcoal  
DWT Designer White  
FOG Fog  
NEV Nevada  
SIL Silver  
SDT Stonedust  
TPE Taupe  
TUN Tungsten

**CONSTRUCTION**

- Table frames feature 3.15" x 1.97" rectangular outer leg with larger tube attached to the foot.
- Open base design with ample room for chair and user's legs
- Flat foot design includes ½" adjustable glides
- Table frames include expandable width upper cross bars.
- Open base design has no lower crossbars.
- All table frames are easy to assemble with few parts.
- Tables are designed so that the paint will never mar on the leg during operation.
- Steel construction of the leg assembly tubing, feet and upper structure assemblies.
- Powder coat finishes for bases are offered in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE) or Tungsten (TUN).
- All standard Global laminate finishes are available.
- All bases lift 350 lbs on two leg tables.
- Operates at 1.5" per second.
- 108" 3-prong power cord
- Standard Range Frame adjusts from 27.5" to 47" including the worksurface.
- Extended Range Frame adjusts from 22.5" to 48.5" including the worksurface.
- Worksurfaces and troughs are sold separate from the base.
- 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate.
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.
- Products specified with the high pressure laminate option are 1-1/16" thick and finished on the underside of the surface with a kraft paper backing.
- Steel constructed leg tubing, feet and cross bar.
- Back-to-back benching kits feature a pad foot with ½" adjustable glides
- Foot on single sided benching is 3.55"W x 1"H (with glides fully recessed).
- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.
- All products meet or exceed ANSI-BIFMA X5.5-2014 and 7.1 VOC. and CSA-C22.2 No. 6809, CAN/CGSB-44.228-2008.
- **All components** are UL 962 listed.

**STANDARD RANGE COLUMNS**

The 2-part lifting column is a perfect choice for a wide range of different desk applications in the office.


- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 350 lbs. for 2 legged configurations; 525 lbs. for 3 legged configurations.
- Max. speed 1.5"/second unloaded
- Standard installation dimension 25.4"
- Standard stroke length 19.7"
- Weight: Approximately 14.3 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile) and 1.71" x 2.89" (inner profile)
- Motor housing dimensions: 6.97" x 3.82" x 1.81"
- Low noise level
- No visible gliding pads
- Standard Range Tables have 2-stages and feature an adjustment range of 27.5" – 45.5" (18" travel).

**EXTENDED RANGE COLUMNS**

The 3-part construction ensures a short installation dimension combined with a long stroke length making the Extended Range Column the optimum choice no matter the height of the person using it. The middle profile of the column moves synchronously so the profiles are always in the same height optimizing the desk design and the stability.

- Compact design where guide and actuator functions are an integrated unit
- Reinforced column and optimized motor housing design for extra strength and stability
- Max. load 350 lbs. for 2 legged configurations; 525 lbs. for 3 legged configurations.
- Max. speed 1.5"/second unloaded
- Installation dimension: 22" / 20.4" (BIFMA)
- Stroke length: 25.6" / 26.2" (BIFMA)

- Weight: 17.2 lbs. per column
- Column dimensions: 1.97" x 3.15" (outer profile), 1.71" x 2.89" (middle profile), 1.46" x 2.64" (inner profile)
- Low noise level
- No visible gliding pads



Standard range (2 stage)

Extended range (3-stage)

**FOOT TYPE**

- FreeFit offers two foot styles, either a "T" or "C".
- Feet offered in two lengths: 22.75" and 28".
- Foot offers a recessed connection for the column and connects from the bottom with 4 bolts.
- Adjustable glides are standard

**DESK MOUNT FRAME**

- Can be specified in three lengths:  
Base Frame (**BF**) for tables 30" - 42" long (nominal dimensions)  
Short Frame (**SF**) for tables 48" - 60" long (nominal dimensions)  
Long Frame (**LF**) for tables 66" - 84" long (nominal dimensions)
- All metal parts are Black
- Cantilever length: 21.7"
- Central or off-center placement of columns (T-desk or C-desk)
- Includes all connecting hardware

**CONTROL BOX**


- Two leg tables come standard with a 200 W Control Box
  - Mains voltage 120 VAC, 60 Hz
  - Ultra-compact; 8.25" long
  - Lightweight control box; weight is approximately 1 lb.
- Three Leg Tables come standard with a 300 W Control Box
  - can be connected up to 4 columns
  - Mains voltage 100-240 VAC, 50-60 Hz (universal)
  - Ultra-compact; 10.5" long
  - Lightweight control box; weight is approximately 1.1 lbs.
- Common features for the (200 W and 300 W):
  - Ultra-low; only 1.5" high
  - Environment: Operation Storage
    - Ambient temperature: 5 to 40 °C -10 to +50 °C
    - Relative humidity: 20 to 80 % at 30 °C 20 to 80 % at 30 °C
    - Atmospheric pressure: 700 to 1060 hPa 700 to 1060 hPa
  - Compact high-power SMPS (Switch Mode Power Supply)
  - Color: Black
  - Protection against overload (EOP), by individual current limitation
  - The control box is designed with a soft start/stop function
  - Autodetection of the number and type of columns connected
  - Cable grooves at the bottom to optimise cable management
  - White plugs for easy recognition when mounting/dismounting
  - PVC-Free™
  - Low standby power consumption – only 0.1 W.
  - Exchangeable standard mains cable

## STANDARD HANDSET


- Features Bluetooth® connection, two favorite positions and an LED reminder to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Pulsating orange and green LED lights remind users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962

## DISPLAY HANDSET

- Features Bluetooth® connection, four favorite positions, a display to guide users, and a light strip to prompt users to change position.
- Controller is activated by tilting the desk panel in the same direction as the desk is intended to drive.
- Display controller features a modern, discreet design with a glossy surface and integrated display to ensure a clean and minimalist design.
- The display provides guidance to users when operating the desk.
- Via pulsating orange and green lights, the light strip reminds users to change positions.
- Using the integrated Bluetooth® and downloading the Desk Control App, users can also be reminded via notifications on their computer or smart devices.
- Black only. Black cable with RJ45 modular plug. 63" long.
- PVC-Free™, featuring ZERO™. Very low power consumption in standby mode.
- Approved according to EN 60335-1 and UL962
- Specify **(D)**, add **\$63** list (**\$125** list for back-to-back benching and media tables).
- A basic handset without Bluetooth® capabilities is available and must be purchased separately, replacing the **S** or **D** handset in the field. See 723 for details and pricing.



Standard handset (**S**)



Display handset (**D**)

## ANTI-COLLISION SENSOR

- Features enhanced Anti-Collision protection which can limit material damage to a desk or an object if a collision occurs during driving of the desk.
- The sensor is a compact plug-in adapter based on gyroscope-technology, and it detects even slight tilting of the desk when the desk is driving up or down.
- Upon detected tilting, the system stops and drives in the opposite direction to avoid collision and damage to the desk or the object.
- The sensor can detect both hard and soft obstacles.
- The Anti-Collision Sensor is standard on all desks.
- Reacts to angle changes bigger than 0.7° per second
- Just plug it in – no mounting required
- ZERO™ power capable
- PVC-Free™

## BATTERY BOX

- A high-performance lithium-Ion battery with a capacity of 2.15 Ah.
- On a full charge the table can cycle from 35 to 45 stroke lengths based upon the range of column selected and load on the table.
- Compact unit for easy handling and installation
- Battery alarm (audio) when charging is needed
- Battery charging indicator (LED light bars) indicating the capacity level
- Thermal switch protection, overcurrent protection
- Color: black
- Battery capacity: 2.15 Ah / 52 Wh
- Nominal voltage: 24 V DC
- Discharge current: 9 A (max)
- Maximum charging voltage: 40 V DC
- Charging current: 0.5 A
- Weight: 1.32 lbs.

## USAGE

- Ambient temperature: 41 to 104 °C
- Storage temperature: 32 to 113 °C

Approved according to:

- EN 62133 (Battery safety testing)
- UL 1642 (Lithium cells, standard test)
- UN 38.3 (transportation of Lithium batteries)
- UL 2054 (Household and commercial batteries)
- EN 60335-1 with CBH Advanced

GROMMETS


- Grommets available in standard worksurface locations - see diagram on next page for specific position. Order as: **AG1, AG2 or AG3. Add \$103.**

GROMMET WITH ACCESS DOOR OPTIONS FOR FREEFIT BENCHING


- Access door option is specified by first selecting a grommet position left or right of center, use code GL or GR, add \$83 list (see diagram on next page for specific position).
- Access doors are specified separately, using the code + list pricing below.
- Available in Black (**BLK**), Designer White (**DWT**) or Tungsten (**TUN**) paint finishes
- Device holder is only available in white plastic.
- CSA certified power bar includes (3) outlets and (2) charging USB ports (2.1 amp).




Standard Access Door (**GAADG**). Add **\$96.**




Access Door with Device Holder (**GAADGDH**). Add **\$104.**




Access Door with Cable Tray (**GAADCT**). Add **\$155.**



Access Door with Cable Tray & Device Holder (**GAADCTDH**). Add **\$163.**



Access Door with Cable Tray & Power Bar (**GAADCTPD**). Add **\$327.**



Access Door with Cable Tray, Power Bar & Device Holder (**GAADCTPDDH**). Add **\$337.**

FINISHES

Laminate Top Finishes:

ACJ	Absolute Acajou
ASN	Asian Night
AWC	Avant Cherry
AWH	Avant Honey
BLK	Black - Coordinates with BLK metal frame finish
BZD	Blizzard
BRC	Brushed Cobalt - Coordinates with TUN edgeband finish
CMB	Clear Maple
CGY	Custom Grey - Coordinates with SIL edgeband finish
DES	Dark Espresso
DWT	Designer White - Coordinates with DWT Metal Frame Finish
FAS	Fashionista
FCL	First Class
NBL	Noce Biondo
NGL	Noce Grigio
NEL	Noce Leggero
NML	Noce Medio
QTM	Quartered Mahogany
SBY	Sheer Beauty
SDT	Stonedust
SOG	Storm Grey
STG	String
WHE	Walnut Heights
WHC	White Chocolate
WCR	Winter Cherry

Base Finishes


BLK	Black
BZD	Blizzard*
CHR	Charcoal
DWT	Designer White
FOG	Fog
NEV	Nevada
SIL	Silver
SDT	Stonedust*
TPE	Taupe
TUN	Tungsten

*\*textured finish*


Edgeband Finishes:

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	NEV	Nevada (use w/STG)
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CHR	Charcoal (use w/SOG)	SIL	Silver (use w/CGY)
CME	Clear Maple	SDT	Stonedust
DEE	Dark Espresso	TPE	Taupe
DWE	Designer White	WHE	Walnut Heights
FAS	Fashionista	CBE	White Chocolate
FCL	First Class	WCE	Winter Cherry

## ACCESS DOOR CUT-OUT DIMENSIONS




## CUT-OUT LOCATIONS



**Rectangular Worksurfaces: 46", 52" & 58"**

**End of Run Table Top: 51"**


**Rectangular Return/Extension Return Worksurface: All sizes**




**Rectangular Worksurfaces: 64", 70", 76", & 82"**

**End of Run Table Top: 63"**

## Access Door grommet in left position (GL)




## Access Door grommet in right position (GR)



**Select one or the other; both options are not available in one surface.**


**Rectangular Worksurfaces: 46"-82"**

**End of Run Table Top: 51" & 63"**



**90° Corner Table Tops**

**Extended 90° Corner Table Tops**



**Media Table Tops**

**Required specifications**

Top finish  
Edge finish

**Optional specifications**

HP laminate  
Grommet




WORKSURFACES

MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE      HP ADD

D x W x H


FTWRR2329	23 x 29 x 1	70	20	1.16	\$290	\$72
FTWRR2335	23 x 35 x 1	70	24	1.40	\$392	\$86
FTWRR2341	23 x 41 x 1	70	28	1.64	\$433	\$113
FTWRR2347	23 x 47 x 1	70	32	1.88	\$455	\$136
FTWRR2353	23 x 53 x 1	70	36	2.12	\$487	\$153
FTWRR2359	23 x 59 x 1	70	40	2.36	\$536	\$171
FTWRR2929	29 x 29 x 1	70	25	1.46	\$363	\$89
FTWRR2935	29 x 35 x 1	70	30	1.76	\$536	\$103
FTWRR2941	29 x 41 x 1	70	35	2.06	\$536	\$144
FTWRR2947	29 x 47 x 1	70	40	2.36	\$543	\$153
FTWRR2953	29 x 53 x 1	70	46	2.67	\$555	\$153
FTWRR2959	29 x 59 x 1	70	51	2.97	\$647	\$178



Rectangular Return Worksurfaces

Rectangular return worksurfaces are non-handed and can be interchanged on site. Includes two flat brackets for connection. For use with FT51SR/LR or FT61SR/LR. To determine the appropriate return base, use the following chart:

Main Surface	Return Surface	Return Base
FTWR23xx	FTWRR(23/29)29	FT51/61SR
FTWR23xx	FTWRR(23/29)35	FT51/61SR
FTWR23xx	FTWRR(23/29)41	FT51/61SR
FTWR23xx	FTWRR(23/29)47	FT51/61LR
FTWR23xx	FTWRR(23/29)53	FT51/61LR
FTWR23xx	FTWRR(23/29)59	FT51/61LR
FTWR29xx	FTWRR(23/29)29	FT51/61SR
FTWR29xx	FTWRR(23/29)35	FT51/61SR
FTWR29xx	FTWRR(23/29)41	FT51/61LR
FTWR29xx	FTWRR(23/29)47	FT51/61LR
FTWR29xx	FTWRR(23/29)53	FT51/61LR
FTWR29xx	FTWRR(23/29)59	FT51/61LR




Rectangular End of Run Worksurfaces

Rectangular return worksurfaces are non-handed and can be interchanged on site.

- For 23" deep worksurfaces, use with FT52xx24 or FT62xx24.
- For 29" deep worksurfaces, use with FT52xx30 or FT62xx30.
- For back-to-back bases, please use the following chart:  
FTWR(23/29)51, FT52BSF24/30 or FT62BSF24/30  
FTWR(23/29)62, FT52BLF24/30 or FT62BLF24/30

FTWCC234023	40 x 40 x 1	60	80	1.5	\$881	\$89
FTWCC234623	46 x 46 x 1	60	95	2	\$907	\$91
FTWCC235223	52 x 52 x 1	70	80	4.69	\$1052	\$91
FTWCC235823	58 x 58 x 1	70	100	5.84	\$1346	\$137
FTWCC294029	40 x 40 x 1	60	80	1.5	\$881	\$89
FTWCC294629	46 x 46 x 1	70	63	3.67	\$893	\$92
FTWCC295229	52 x 52 x 1	70	80	4.69	\$1052	\$110
FTWCC295829	58 x 58 x 1	70	100	5.84	\$1346	\$137



90° Corner Worksurface

For tables that connect with 23" deep worksurfaces, use with FT539FS24CL or FT639FS24CL. For tables that connect with 29" deep worksurfaces, use with FT539FS30CL or FT639FS30CL.

Required specifications

Top finish  
Edge finish

Optional specifications

HP laminate  
Grommet

## EXTENDED CORNER WORKSURFACES

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.


## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

FTWEC23584023	58 x 40 x 1	60	115	2.6	<b>\$1187</b>	<b>\$297</b>
FTWEC23644023	64 x 40 x 1	60	127	2.8	<b>\$1319</b>	<b>\$329</b>
FTWEC23704023	70 x 40 x 1	60	138	3.1	<b>\$1441</b>	<b>\$362</b>
FTWEC23764023	76 x 40 x 1	60	150	3.3	<b>\$1539</b>	<b>\$379</b>
FTWEC23824023	82 x 40 x 1	60	162	3.6	<b>\$1633</b>	<b>\$406</b>
FTWEC23584623	58 x 46 x 1	60	115	2.55	<b>\$1240</b>	<b>\$309</b>
FTWEC23644623	64 x 46 x 1	60	127	2.81	<b>\$1379</b>	<b>\$344</b>
FTWEC23704623	70 x 46 x 1	60	138	3.07	<b>\$1507</b>	<b>\$378</b>
FTWEC23764623	76 x 46 x 1	60	150	3.34	<b>\$1609</b>	<b>\$399</b>
FTWEC23824623	82 x 46 x 1	60	162	3.6	<b>\$1707</b>	<b>\$426</b>
FTWEC23585223	58 x 52 x 1	60	130	2.88	<b>\$1276</b>	<b>\$321</b>
FTWEC23645223	64 x 52 x 1	60	143	3.18	<b>\$1420</b>	<b>\$356</b>
FTWEC23705223	70 x 52 x 1	60	156	3.48	<b>\$1552</b>	<b>\$389</b>
FTWEC23765223	76 x 52 x 1	60	170	3.77	<b>\$1657</b>	<b>\$411</b>
FTWEC23825223	82 x 52 x 1	60	183	4.07	<b>\$1756</b>	<b>\$438</b>
FTWEC23645823	64 x 58 x 1	60	160	3.54	<b>\$1462</b>	<b>\$364</b>
FTWEC23705823	70 x 58 x 1	60	174	3.88	<b>\$1599</b>	<b>\$400</b>
FTWEC23765823	76 x 58 x 1	60	189	4.21	<b>\$1707</b>	<b>\$425</b>
FTWEC23825823	82 x 58 x 1	60	204	4.54	<b>\$1809</b>	<b>\$455</b>
FTWEC29584029	58 x 40 x 1	60	115	2.2	<b>\$1235</b>	<b>\$308</b>
FTWEC29644029	64 x 40 x 1	60	127	2.4	<b>\$1374</b>	<b>\$340</b>
FTWEC29704029	70 x 40 x 1	60	138	2.7	<b>\$1499</b>	<b>\$376</b>
FTWEC29764029	76 x 40 x 1	60	150	2.9	<b>\$1600</b>	<b>\$394</b>
FTWEC29824029	82 x 40 x 1	60	162	3.1	<b>\$1697</b>	<b>\$424</b>
FTWEC29584629	58 x 46 x 1	60	115	2.55	<b>\$1291</b>	<b>\$322</b>
FTWEC29644629	64 x 46 x 1	60	127	2.81	<b>\$1434</b>	<b>\$357</b>
FTWEC29704629	70 x 46 x 1	60	138	3.07	<b>\$1567</b>	<b>\$394</b>
FTWEC29764629	76 x 46 x 1	60	150	3.34	<b>\$1673</b>	<b>\$413</b>
FTWEC29824629	82 x 46 x 1	60	152	3.6	<b>\$1774</b>	<b>\$441</b>
FTWEC29585229	58 x 52 x 1	60	130	2.88	<b>\$1330</b>	<b>\$334</b>
FTWEC29645229	64 x 52 x 1	60	143	3.18	<b>\$1476</b>	<b>\$370</b>
FTWEC29705229	70 x 52 x 1	60	156	3.48	<b>\$1615</b>	<b>\$404</b>
FTWEC29765229	76 x 52 x 1	60	170	3.77	<b>\$1722</b>	<b>\$426</b>
FTWEC29825229	82 x 52 x 1	60	183	4.07	<b>\$1828</b>	<b>\$456</b>
FTWEC29645829	64 x 58 x 1	60	160	3.54	<b>\$1520</b>	<b>\$380</b>
FTWEC29705829	70 x 58 x 1	60	174	3.88	<b>\$1664</b>	<b>\$415</b>
FTWEC29765829	76 x 58 x 1	60	189	4.21	<b>\$1774</b>	<b>\$440</b>
FTWEC29825829	82 x 58 x 1	60	204	4.54	<b>\$1881</b>	<b>\$469</b>



A	B	C	D
DEPTH	WIDTH	LENGTH	DEPTH

Ext. 90° Corner Workspace, Left


For tables that connect with 23" deep (**A** and **D**) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (**A** and **D**) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

## Required specifications

Top finish  
Edge finish


## Optional specifications

HP laminate  
Grommet



A	B	C	D
DEPTH	WIDTH	LENGTH	DEPTH

Ext. 90° Corner Worksurface, Right



Rectangular Extension\*\*  
Return Worksurface

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
FTWEC23405823	58 x 40 x 1	60	115	2.6	\$1187	\$300
FTWEC23406423	64 x 40 x 1	60	127	2.8	\$1319	\$329
FTWEC23407023	70 x 40 x 1	60	138	3.1	\$1441	\$362
FTWEC23407623	76 x 40 x 1	60	150	3.3	\$1539	\$379
FTWEC23408223	82 x 40 x 1	60	162	3.6	\$1633	\$406
FTWEC23465823	58 x 46 x 1	60	115	2.55	\$1240	\$309
FTWEC23466423	64 x 46 x 1	60	127	2.81	\$1379	\$344
FTWEC23467023	70 x 46 x 1	60	138	3.07	\$1507	\$378
FTWEC23467623	76 x 46 x 1	60	150	3.34	\$1609	\$399
FTWEC23468223	82 x 46 x 1	60	162	3.6	\$1707	\$426
FTWEC23525823	58 x 52 x 1	60	130	2.88	\$1276	\$321
FTWEC23526423	64 x 52 x 1	60	143	3.18	\$1420	\$356
FTWEC23527023	70 x 52 x 1	60	156	3.48	\$1552	\$389
FTWEC23527623	76 x 52 x 1	60	170	3.77	\$1657	\$411
FTWEC23528223	82 x 52 x 1	60	183	4.07	\$1756	\$438
FTWEC23586423	64 x 58 x 1	60	160	3.54	\$1462	\$364
FTWEC23587023	70 x 58 x 1	60	174	3.88	\$1599	\$400
FTWEC23587623	76 x 58 x 1	60	189	4.21	\$1707	\$425
FTWEC23588223	82 x 58 x 1	60	204	4.54	\$1809	\$455
FTWEC29405829	58 x 40 x 1	60	115	2.2	\$1235	\$308
FTWEC29406429	64 x 40 x 1	60	127	2.4	\$1374	\$340
FTWEC29407029	70 x 40 x 1	60	138	2.7	\$1499	\$376
FTWEC29407629	76 x 40 x 1	60	127	2.4	\$1600	\$394
FTWEC29408229	82 x 40 x 1	60	162	3.1	\$1697	\$424
FTWEC29465829	58 x 46 x 1	60	115	2.55	\$1291	\$322
FTWEC29466429	64 x 46 x 1	60	127	2.81	\$1434	\$357
FTWEC29467029	70 x 46 x 1	60	138	3.07	\$1567	\$394
FTWEC29467629	76 x 46 x 1	60	150	3.34	\$1673	\$413
FTWEC29468229	82 x 46 x 1	60	162	3.6	\$1774	\$441
FTWEC29525829	58 x 52 x 1	60	130	2.88	\$1330	\$334
FTWEC29526429	64 x 52 x 1	60	143	3.18	\$1476	\$370
FTWEC29527029	70 x 52 x 1	60	156	3.48	\$1615	\$404
FTWEC29527629	76 x 52 x 1	60	170	3.77	\$1722	\$426
FTWEC29528229	82 x 52 x 1	60	183	4.07	\$1828	\$456
FTWEC29586429	64 x 58 x 1	60	160	3.54	\$1520	\$380
FTWEC29587029	70 x 58 x 1	60	174	3.88	\$1664	\$415
FTWEC29587629	76 x 58 x 1	60	189	4.21	\$1774	\$440
FTWEC29588229	82 x 58 x 1	60	204	4.54	\$1881	\$469

For tables that connect with 23" deep (A and D) worksurfaces, use with FT539F(S/L)24CL or FT539F(S/L)24CL bases. For tables that connect with 29" deep (A and D) worksurfaces, use with FT539F(S/L)30CL or FT639F(S/L)30CL bases. Must use with FTWRExxxx return surfaces only.

FTWRE2324	23 x 24 x 1	70	16	0.96	\$225	\$72
FTWRE2330	23 x 30 x 1	70	20	1.2	\$244	\$72
FTWRE2336	23 x 36 x 1	70	25	1.44	\$272	\$86
FTWRE2924	29 x 24 x 1	70	21	1.21	\$267	\$79
FTWRE2930	29 x 30 x 1	70	26	1.51	\$284	\$89
FTWRE2936	29 x 36 x 1	70	31	1.81	\$329	\$103

### Worksurfaces to be used only with Extended 90° Corner Worksurfaces.

- FTWRE23 to be used with FTWEC23xxxx23
- FTWRE29 to be used with FTWEC29xxxx29


### Required specifications

Top finish  
Edge finish


### Optional specifications

HP laminate  
Grommet


## BASES




Standard Range Base\*



Extended Range Base\*



Standard Range Return Kit



Extended Range Return Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	----------	-----------	------------

## D x W x H

FT52BF24	24 x 30-42 x 27.5-47	60	67	1.47	<b>\$1337</b>
FT52SF24	24 x 48-60 x 27.5-47	60	67	1.47	<b>\$1472</b>
FT52LF24	24 x 66-84 x 27.5-47	60	67	1.47	<b>\$1479</b>
FT52BF30	30-36 x 30-42 x 27.5-47	60	67	1.47	<b>\$1348</b>
FT52SF30	30-36 x 48-60 x 27.5-47	60	67	1.47	<b>\$1483</b>
FT52LF30	30-36 x 66-84 x 27.5-47	60	67	1.47	<b>\$1489</b>

Kit includes one beam, two cantilevers, two standard range columns, and two C or T styled feet. **BF** indicates base frame for 30" to 42" tables. **SF** indicates small frame for 48" to 60" tables. **LF** indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (**S**). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (**D**), add **\$63** list. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.

FT62BF24	24 x 30-42 x 22.5-48.5	60	67	1.47	<b>\$1429</b>
FT62SF24	24 x 48-60 x 22.5-48.5	60	67	1.47	<b>\$1569</b>
FT62LF24	24 x 66-84 x 22.5-48.5	60	67	1.47	<b>\$1577</b>
FT62BF30	30-36 x 30-42 x 22.5-48.5	60	67	1.47	<b>\$1439</b>
FT62SF30	30-36 x 48-60 x 22.5-48.5	60	67	1.47	<b>\$1582</b>
FT62LF30	30-36 x 66-84 x 22.5-48.5	60	67	1.47	<b>\$1586</b>

Kit includes one beam, two cantilevers, two extended range columns, and two C or T styled feet. **BF** indicates base frame for 30" to 42" tables. **SF** indicates small frame for 48" to 60" tables. **LF** indicates large frame: 66" to 84" tables. For 23" deep worksurfaces, use 24" leg. For 29" and 35" deep worksurface, use 30" leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify (**S**). For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify (**D**), add **\$63** list. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.

FT51SRNL	-- x 24-48 x 27.5-47	60	61	1.47	<b>\$901</b>
FT51LRNL	-- x 54-72 x 27.5-47	60	61	1.47	<b>\$920</b>

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 710 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.

- When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.

FT61SRNL	-- x 24-48 x 22.5-48.5	60	61	1.47	<b>\$948</b>
FT61LRNL	-- x 54-72 x 22.5-48.5	60	61	1.47	<b>\$968</b>

Kit includes one beam, one cantilever, one standard range columns, and one pad foot. See chart on 710 to determine whether SR or LR kit is required. For 23" deep worksurfaces, use 24" return. For 29" and 35" deep worksurface, use 30" return. Specify paint finish: Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). UL Listed: UL 962.




- When using the return kit for a 23"d return and a 29"/35" deep desk, a new foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.

## Required specifications

Base finish  
Leg style\*

## Optional specifications

Digital handset

BASES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	FT54BSFNL	24 x -- x 27.5-47	60	123	2.94	\$3281
	FT54BLFNL	24 x -- x 27.5-47	60	123	2.94	\$3290
						
	FT64BSFNL	10 x -- x 22.5-48.5	60	123	2.94	\$3465
	FT64BLFNL	10 x -- x 22.5-48.5	60	123	2.94	\$3477
						
	FT52BSF24	24 x -- x 27.5-47	60	72	1.47	\$1855
	FT52BLF24	24 x -- x 27.5-47	60	72	1.47	\$1865
	FT52BSF30	30 x -- x 27.5-47	60	72	1.47	\$1924
	FT52BLF30	30 x -- x 27.5-47	60	72	1.47	\$1935

Back-to-Back Standard Range Base

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. **30" or larger depth worksurfaces cannot be used with Back to Back bases.** Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.





Back-to-Back Extended Range Base

Back-to-back height adjustable bases includes four height adjustable columns with pad feet, two sets of cross rails for surface support and two short beams to attach the columns back-to-back. Combine with surfaces & trough kits (sold separately) to create a complete workstation. For 50.5" depth, use two x 23" deep worksurfaces. For 62.5" depth, use two x 29" deep worksurfaces. **30" or larger depth worksurfaces cannot be used with Back to Back bases.** Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.


Standard Range Single Frame

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT52BSF24 + FT52BLF24. Use 29" deep worksurfaces with FT52BSF30 + FT52BLF30. **30" or larger depth worksurfaces cannot be used with benching bases.** Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.

Required specifications	Optional specifications
Base finish	Digital handset
Leg style*	

**BASES****Extended Range Single Frame****Standard Range Media Table Base****Extended Range Media Table Base**

FS Base



FL Base

**Standard Range 90° Base, Equal Sides****MODEL#****DIMENSIONS****FREIGHT CLASS****WT./LBS.****CUBIC FT.****LIST PRICE****D x W x H**

FT62BSF24	24 x -- x 22.5-48.5	60	72	1.47	<b>\$2010</b>
FT62BLF24	24 x -- x 22.5-48.5	60	72	1.47	<b>\$2015</b>
FT62BSF30	30 x -- x 22.5-48.5	60	72	1.47	<b>\$2021</b>
FT62BLF30	30 x -- x 22.5-48.5	60	72	1.47	<b>\$2027</b>

Single sided height adjustable bases includes two height adjustable columns with "T" feet, one set of cross rails for surface support and two short beams to attach the columns to a trough kit. Combine with single surfaces & trough kits (sold separately) to create a complete workstation. Use 23" deep worksurfaces with FT62BSF24 + FT62BLF24. Use 29" deep worksurfaces with FT62BSF30 + FT62BLF30. **30" or larger depth worksurfaces cannot be used with benching bases.** Duplex receptacles are not included, please specify separately. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.

FTM5B2BSF	54-60 x 60 x 27.5-47	60	123	2.94	<b>\$3281</b>
FTM5B2BLF	54-60 x 60 x 27.5-47	60	123	2.94	<b>\$3290</b>

Kit includes two beams, four cantilevers, four standard range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66" to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.

FTM6B2BSF	54-60 x 60 x 22.5-48.5	60	123	2.94	<b>\$3465</b>
FTM6B2BLF	54-60 x 60 x 22.5-48.5	60	123	2.94	<b>\$3477</b>

Kit includes two beams, four cantilevers, four extended range columns and two controllers. SF indicates small base for 60" sided tables. LF indicates large base for 66" to 84" sided tables. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base. Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$125** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.

FT539FS24CL	54-60 x 42-60 x 27.5-47	60	101	1.47	<b>\$2142</b>
FT539FS30CL	54-60 x 42-60 x 27.5-47	60	101	1.47	<b>\$2155</b>
FT539FL24CL	66-84 x 66-84 x 27.5-47	60	101	1.47	<b>\$2181</b>
FT539FL30CL	66-84 x 66-84 x 27.5-47	60	101	1.47	<b>\$2162</b>

Kit includes two equal length beams, three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. **FS** indicates small base for 54" to 60" sided tables. **FL** indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep work surface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.

Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify **(S)**. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify **(D)**, add **\$63** list. Specify paint finish: Black **(BLK)**, Charcoal **(CHR)**, Designer White **(DWT)**, Fog **(FOG)**, Nevada **(NEV)**, Silver **(SIL)**, Taupe **(TPE)**, Tungsten **(TUN)**. UL Listed: UL 962.




- When using a 23" d return with the FT539FS30CL/LF30CL a 24" foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.

**Required specifications**

Base finish


**Optional specifications**

Digital handset

BASES	MODEL#	D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	FT539FSL24CL	66-84 x 42-60 x 27.5-47	60	101	1.47	<b>\$2162</b>
	FT539FSL30CL	66-84 x 42-60 x 27.5-47	60	101	1.47	<b>\$2173</b>
<p>Kit includes two beams (one small, one large), three cantilevers, one standard range corner column, two standard range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.</p> <p>Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify <b>(S)</b>. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify <b>(D)</b>, add <b>\$63</b> list. Specify paint finish: Black <b>(BLK)</b>, Charcoal <b>(CHR)</b>, Designer White <b>(DWT)</b>, Fog <b>(FOG)</b>, Nevada <b>(NEV)</b>, Silver <b>(SIL)</b>, Taupe <b>(TPE)</b>, Tungsten <b>(TUN)</b>. UL Listed: UL 962.</p> <ul style="list-style-type: none"><li>When using a 23"d return with the FT539FSL30CL a 24" foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.</li></ul>						
	FT639FS24CL	48-60 x 42-60 x 22.5-48.5	60	101	1.47	<b>\$2288</b>
	FT639FS30CL	48-60 x 42-60 x 22.5-48.5	60	101	1.47	<b>\$2300</b>
	FT639FL24CL	66-84 x 66-84 x 22.5-48.5	60	101	1.47	<b>\$2326</b>
	FT639FL30CL	66-84 x 66-84 x 22.5-48.5	60	101	1.47	<b>\$2338</b>
<p>Kit includes two equal length beams, three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. <b>FS</b> indicates small base for 54" to 60" sided tables. <b>FL</b> indicates large base: 66" to 84" sided tables. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.</p> <p>Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify <b>(S)</b>. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify <b>(D)</b>, add <b>\$63</b> list. Specify paint finish: Black <b>(BLK)</b>, Charcoal <b>(CHR)</b>, Designer White <b>(DWT)</b>, Fog <b>(FOG)</b>, Nevada <b>(NEV)</b>, Silver <b>(SIL)</b>, Taupe <b>(TPE)</b>, Tungsten <b>(TUN)</b>. UL Listed: UL 962.</p> <ul style="list-style-type: none"><li>When using a 23"d return with the FT639FS30CL/LF30CL a 24" foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.</li></ul>						
	FT639FSL24CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	<b>\$2307</b>
	FT639FSL30CL	48-84 x 48-60 x 22.5-48.5	60	101	1.47	<b>\$2319</b>
<p>Kit includes two beams (one small, one large), three cantilevers, one extended range corner column, two extended range columns, and two C styled feet. For 23" deep worksurfaces, use 24" CL leg. For 29" and 35" deep worksurface, use 30" CL leg. For enhanced collision detection, an Anti Collision Desk Sensor is included with every base.</p> <p>Standard up/down controller with 2 memory positions, reminder settings + Bluetooth capability is standard - specify <b>(S)</b>. For a Display controller with height readout, 4 memory positions, reminder settings + Bluetooth capabilities, specify <b>(D)</b>, add <b>\$63</b> list. Specify paint finish: Black <b>(BLK)</b>, Charcoal <b>(CHR)</b>, Designer White <b>(DWT)</b>, Fog <b>(FOG)</b>, Nevada <b>(NEV)</b>, Silver <b>(SIL)</b>, Taupe <b>(TPE)</b>, Tungsten <b>(TUN)</b>. UL Listed: UL 962.</p> <ul style="list-style-type: none"><li>When using a 23"d return with the FT639FSL30CL a 24" foot must be ordered separately. See FTFOOT24TL/CL (723) for specification information.</li></ul>						

Required specifications	Optional specifications	Accessories
Top finish	HP laminate	Keyboard tray
Base finish	Digital handset	Power block
Foot style	Grommet	
Foot configuration	Insulation type	

## LAMINATE LEG SHROUDS

**Laminat Leg Shroud, for C-Leg - Left\*\***

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.


## CUBIC FT.

## LIST PRICE

## D x W x H


FTB23L	9 x 23 x 18	65	47	2	<b>\$609</b>
FTB29L	9 x 29 x 18	70	55	3	<b>\$630</b>
FTB35L	9 x 35 x 18	70	67	3	<b>\$657</b>

Laminat housing to cover a FreeFit C-leg on the left side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminat finish, PVC edge finish and felt finish.

**Laminat Leg Shroud, for C-Leg - Right\*\***


FTB23R	9 x 23 x 18	65	47	2	<b>\$609</b>
FTB29R	9 x 29 x 18	70	55	3	<b>\$630</b>
FTB35R	9 x 35 x 18	70	67	3	<b>\$657</b>

Laminat housing to cover a FreeFit C-leg on the right side. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminat finish, PVC edge finish and felt finish.

**Laminat Leg Shroud for T-Leg\*\***

FTB23	9 x 23 x 18	65	47	2	<b>\$609</b>
FTB29	9 x 29 x 18	70	55	3	<b>\$630</b>
FTB35	9 x 35 x 18	70	67	3	<b>\$657</b>

Laminat housing to cover a FreeFit T-leg. Includes a felt liner at the top. Short side panel is removable to access interior. Specify laminat finish, PVC edge finish and felt finish.

**Laminat Leg Shroud for Media Bases**

FTB54	9 x 54 x 18	70	110	5	<b>\$1238</b>
FTB64	9 x 64 x 18	70	134	6	<b>\$1440</b>

Laminat shroud for a FreeFit media table base. Includes a felt liner at the top. Side panel is removable to access interior. Specify laminat finish, PVC edge finish and felt finish.

**Required specifications**

Laminat finish  
Edge finish  
Felt finish





POWER DELIVERY/CABLE MANAGEMENT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						

4-2-2 Wiring Schematic

8-Wire Shared Neutral

"2 + 2" - 2 Utility Circuits, 2 Dedicated




8 Wires	4 Circuits	Receptacles	Specifications
4 Lines (12 ga.) 2 Neutrals (10 ga.) 2 Grounds (12 ga.)	2 Utility circuits 2 Dedicated Circuits	Duplex - Up to 12 duplex receptacles per circuit (Up to 48 per infeed)	System rated for connection to a grounded 120/240 V single phase, 20A, 60Hz or 120/208 V, 3 phase, 20A, 60Hz branch circuit for U.S. and 15A if product is marked with a C-UL Mark. Outlets rated 15A max.

TROUGH KITS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------	--------	------------	---------------	---------	-----------	------------



Back-to-Back Trough Kit


For back-to-back benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.



Single Sided Trough Kit

FTBGL48KITNB	--	92.5	3.50	.30	<b>\$1685</b>
FTBGL54KITNB	--	92.5	3.50	.30	<b>\$1766</b>
FTBGL60KITNB	--	92.5	3.50	.30	<b>\$1866</b>
FTBGL66KITNB	--	92.5	3.50	.30	<b>\$1919</b>
FTBGL72KITNB	--	92.5	3.50	.30	<b>\$1973</b>

For single-sided benching applications. Trough kits contain all items needed for a single sided workstation when combined with the single-sided height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.




End of Run Trough Kit

FTSGL51T24KITNB	--	92.5	3.50	.30	<b>\$1766</b>
-----------------	----	------	------	-----	---------------

For perpendicular end of run benching applications. Trough kits contain all items needed for a standard back-to-back workstation when combined with the back-to-back height adjustable base and worksurfaces (both sold separately). Kits include two cable chains and one back-to-back power trough with distribution housing included. Specify duplexes separately.

Required specifications  
Base finish

## ACCESS DOORS



GAADG

GAADGDH

### Access Door Module

#### MODEL#

#### DIMENSIONS

#### FREIGHT CLASS

#### WT/LBS.


#### CUBIC FT.

#### LIST PRICE

#### D x W x H

GAADG	5.54 x 10.09 x 1.08	--	2	0.04	<b>\$96</b>
GAADGDH	5.54 x 10.09 x 1.08	--	2	0.04	<b>\$104</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Available in all standard base finishes. GAADGDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.




GAADCT

GAADCTDH

### Access Door Module w/Cable Tray

GAADCT	5.54 x 10.09 x 5.07	--	4	0.19	<b>\$155</b>
GAADCTDH	5.54 x 10.09 x 5.07	--	4	0.19	<b>\$163</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a power bar. Sides are open for easy access. Available in all standard base finishes. GAADCTDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.



GAADCTPD


GAADCTPDDH

### Access Door Module w/Cable Tray and Power Bar


GAADCTPD	5.54 x 10.09 x 6.96	--	4	0.20	<b>\$327</b>
GAADCTPDDH	5.54 x 10.09 x 6.96	--	4	0.20	<b>\$337</b>

Soft close door is set back from edge to allow for cable pass thru when closed. Cable tray comes standard with one telecom knockout and platform to mount a powerbar. Power bar with 3 simplex and 2 USB, CSA Certified. Sides are open for easy access. Available in all standard base finishes. GAADCTPDDH includes device holder for most mobile phones or tablets. Holder is only available in White. FreeFit can only accommodate one grommet per worksurface.


## ELECTRICAL COMPONENTS




**Duplex Receptacles**



**Ceiling Feed Post\***



**Ceiling Feed Harness**



**Table to Table Connector\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
BRE8D1	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRE8D2	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRE8DA	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRE8DB	1.25 x 4.63 x 2	70	.10	.01	<b>\$45</b>
BRE8DXW1	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRE8DXW2	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRE8DXWA	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>
BRE8DXWB	1.25 x 4.63 x 2	70	.10	.01	<b>\$63</b>

Snaps into Power Distribution Housing. Up to 13 duplex receptacles per circuit. XW identifies white color plastic, all others standard in black.

- BRE8D1 / BRE8DXW1 - Circuit #1 (utility circuit)
- BRE8D2 / BRE8DXW2 - Circuit #2 (utility circuit)
- BRE8DA / BRE8DXWA - Circuit A (dedicated circuit)
- BRE8DB / BRE8DXWB - Circuit B (dedicated circuit)

BWAECECF	2.5 x 4.74 x 99.32	92.5	3.50	.30	<b>\$457</b>
----------	--------------------	------	------	-----	--------------

Ceiling pole brings ceiling feed conduit and data cables from the ceiling down to Power troughs height. Accommodates 10' ceiling heights. A two part construction allows power/data conduit lay-in. Includes mounting hardware and ceiling bezel. Ceiling feed harness sold separately.

BWAECECFH120	6 x 6 x 120	250	5	2	<b>\$565</b>
BWAECECFH144	6 x 6 x 144	250	6	3	<b>\$627</b>

Ceiling feed provides a single power entry from ceiling, through Ceiling pole into Power Trough, into Power Distribution Housing. An 8-wire (4-circuit) metal conduit harness with included metal junction box for hard wiring to the building power supply above ceiling tile. Must be hard wired to the building power supply by a licensed electrician. Ceiling feed post sold separately.

FTAETTC12	2.3 x 16 x 3	60	6	.12	<b>\$436</b>
FTAETTC18	2.3 x 22 x 3	60	8	.15	<b>\$471</b>
FTAETTC24	2.3 x 28 x 3	60	9	.18	<b>\$497</b>
FTAETTC30	2.3 x 34 x 3	60	10.60	.22	<b>\$524</b>
FTAETTC36	2.3 x 40 x 3	60	12	.24	<b>\$550</b>
FTAETTC42	2.3 x 46 x 3	60	11.60	.28	<b>\$592</b>
FTAETTC48	2.3 x 52 x 3	60	14	.30	<b>\$630</b>

Connects Freefit legs and trough provide to power data/communication pass thru. Connector kit consists of formed steel housing, mounting brackets, housing to housing harness (jumper) and one charcoal grey extruded data/communication cable manager. Knock out on top cover allows for ceiling post connection. Cover included. Specify paint finish.

- FTAETTC12 is used between two single sided or back to back stations that are 70"w (72" nominal) or less.
- FTAETTC18 is used between two single sided or back to back stations that are 76"w (78" nominal).
- FTAETTC24 is used between two single sided or back to back stations that are 82"w (84" nominal), or when separating two stations (up to 70"w) with a 12"w storage piece.
- FTAETTC30 is used to separate 2 workstations 70"w (72" nominal) or less with an 18"w storage unit in between the surfaces.
- FTAETTC36 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 12"w storage units or (1) 24"w storage unit.
- FTAETTC42 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 15"w storage units or (1) 30"w storage unit
- FTAETTC48 is used between two single sided or back to back stations that are 70"w (72" nominal) or less with (2) 18"w storage units or (1) 36"w storage unit.

### Required specifications

Base finish\*

## ELECTRICAL COMPONENTS







Table to Bridges Connector\*




Leg Wire Manager\*




Base Feed\*



Base Feed\* - New York Electrical



Back-to-Back End Gable\*



Under Worksurface Cable Basket

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

## D x W x H

FTTABRC	14 x 2.3 x 15	100	2.40	.28	<b>\$370</b>
---------	---------------	-----	------	-----	--------------

Connects Freefit back-to-back benching to Bridges 29"H table with below worksurface power trough. Please specify paint finish on bracket. Wire manager is always Charcoal.

FTACCL	3.2 x 2 x 16	70	.06	.06	<b>\$566</b>
--------	--------------	----	-----	-----	--------------

Provides wire management from under FreeFit worksurface, down the leg and to the floor. Can only be used on FreeFit regular and media tables. Not for use on back-to-back tables. Kit includes wire manager housing, magnets, screws and cable chain. Magnetically fastens to the FreeFit leg and cable chain is screwed to worksurfaces. Please specify housing paint finish.

FTAEFF	8.75 x 2 x 10.8	92.5	3.50	.30	<b>\$938</b>
--------	-----------------	------	------	-----	--------------

Floor feed housing for FreeFit benching applications only. Includes liquitite whip , 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEFF-NYC	14 x 2.55 x 13.41	92.5	3.50	.30	<b>\$792</b>
------------	-------------------	------	------	-----	--------------

Floor feed housing for FreeFit benching applications only. Includes liquitite whip , 72"L. Must be hard wired to the building power supply by a licensed electrician.

FTAEG18H	30.65 x .75 x 18	60	10	.24	<b>\$511</b>
----------	------------------	----	----	-----	--------------

FTAEG22H	30.65 x .75 x 22	60	13	.30	<b>\$550</b>
----------	------------------	----	----	-----	--------------

Optional back-to-back FreeFit Benching end gable is intended to be installed at the end of a FreeFit back-to-back table run. Made of 3/4" thermally fused laminate, it reduces the number of visible elements below the worksurface. Two heights are available. Specify FTAEG18H for extended range bases and FTAEG22H for standard range bases.

FFTCB36	8 x 8 x 1	70	.36	.03	<b>\$129</b>
---------	-----------	----	-----	-----	--------------

FFTCB48	8 x 16 x 1	70	.73	.07	<b>\$144</b>
---------	------------	----	-----	-----	--------------

FFTCB54	8 x 22 x 1	70	1.01	.10	<b>\$150</b>
---------	------------	----	------	-----	--------------

FFTCB60	8 x 28 x 1	70	1.20	.13	<b>\$157</b>
---------	------------	----	------	-----	--------------

FFTCB66	8 x 34 x 1	70	1.56	.15	<b>\$183</b>
---------	------------	----	------	-----	--------------

FFTCB72	8 x 40 x 1	70	1.80	.18	<b>\$191</b>
---------	------------	----	------	-----	--------------

FFTCB78	8 x 46 x 1	92.5	2.16	.21	<b>\$203</b>
---------	------------	------	------	-----	--------------

FFTCB84	8 x 52 x 1	100	2.39	.24	<b>\$210</b>
---------	------------	-----	------	-----	--------------

Shallow, 8" wide basket manages cable excess. It can be easily unclipped from steel brackets (included). Specify cable basket 30" shorter than worksurface. Steel wire construction, chrome finish baskets; black steel hanging brackets, fasteners.

## Required specifications

Base finish\*

ELECTRICAL COMPONENTS/ACCESSORIES

MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE


D x W x H



Cable Snake

BRACS	2 x 8 x 30	70	3	.19	<b>\$163</b>
BRACSH	2 x 8 x 49	70	3	.19	<b>\$309</b>


Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.



Battery and Charger

FTBATT	8 x 3 x 1.5	70	1.54	.02	<b>\$497</b>
--------	-------------	----	------	-----	--------------


Battery Pak with charging cable mounts to the underside of the worksurface. Features LED bars indicating capacity level and audio alarm when it needs to be charged. On a full charge, the table can cycle from 35 to 45 stroke lengths depending upon the range of column selected and load on the table.



Power Bar with USB

BWAEGC00158GC	1 x 2.3 x 1.3	70	1	.50	<b>\$156</b>
---------------	---------------	----	---	-----	--------------

Power Bar with 3 receptacles + 2 USB and power switch. Standard with 6' cord. Rating 15A, 125V, AC 60Hz, 1875W. USB output 5V, 2.6A (max.) White case, white cord. Available to retrofit CTL/CTR or CTDHL/CTDHR.



PC Holder

FTACPU	21 x 8 x 21	300	3.57	2.04	<b>\$477</b>
--------	-------------	-----	------	------	--------------


Accepts tower CPU's with a width range from 7.6" to 2.25" - and a maximum height of 18". Durable sheet metal construction. Please specify paint finish.



Dual Wheel Casters

BRTLCS	2.7 x 2.5 x 2.6	70	0.06	.01	<b>\$38</b>
--------	-----------------	----	------	-----	-------------

Locking caster. Interchangeable with glides on FreeFit bases. 40mm dia. caster with 8mm thread. White body, light grey tires.











Single Table Accessory Rail\*

BRLBST36	2.95 x 33 x 16	65	5.90	.26	<b>\$445</b>
BRLBST42	2.95 x 39 x 16	70	6.44	.30	<b>\$468</b>
BRLBST48	2.95 x 45 x 16	70	6.98	.35	<b>\$485</b>
BRLBST54	2.95 x 51 x 16	70	7.52	.39	<b>\$503</b>
BRLBST60	2.95 x 57 x 16	70	8.07	.43	<b>\$514</b>
BRLBST66	2.95 x 63 x 16	70	8.61	.48	<b>\$532</b>
BRLBST72	2.95 x 69 x 16	70	9.15	.52	<b>\$550</b>
BRLBST78	2.95 x 75 x 16	70	9.69	.56	<b>\$567</b>
BRLBST84	2.95 x 81 x 16	70	10.24	.61	<b>\$584</b>

Table mounted accessory rail. Compatible with standard Bins, Trays and Sorters. Includes end caps and mounting hardware. Please specify paint finish. To ensure proper connection and clearance on tables 46" wide and up, choose accessory rail 13" smaller than the actual table width (70" wide table gets 57" wide rail). Tables 40" wide and smaller use 33" wide accessory rail.


Required specifications  
Base finish\*

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Anti-Collision Desk Sensor USB Plug</b>	<b>D x W x H</b>					
	FTACDS	8 x 3 x 1.5	60	1.54	.01	<b>\$53</b>
 <b>Reminder Controller - LED Display + Bluetooth</b>	FTDPG1C	3 x 4.3 x 1	70	0.4	.01	<b>\$116</b>
	Provides enhanced anti-collision detection. Plugs directly into control box. Only one USB plug required for table assembly. This is a replacement part. One sensor ships standard with every table.					
 <b>Diode Reminder Controller - Memory + Bluetooth</b>	FTDPG1M	3 x 4.3 x 1	70	0.4	.01	<b>\$47</b>
	Up/down drive with 4 memory positions. LED light strip reminder, table height display. Bluetooth enabled, connects to Desk Control App. This is a replacement part. Every base comes standard with a controller.					
 <b>Display Handset</b>	FTDHNBT	3 x 4.3 x 1	70	1	.01	<b>\$118</b>
	Up/down drive with 2 memory positions. Bluetooth enabled, connects to Desk Control App. This is a replacement part. Every base comes standard with a controller.					
 <b>T-Foot*</b>	FTFOOT24TL	23 x 3 x 1.16	60	4.4	.10	<b>\$129</b>
	FTFOOT30TL	29 x 3 x 1.16	60	4.85	.10	<b>\$140</b>
 <b>C-Foot*</b>	FTFOOT24CL	23 x 3 x 1.16	60	4.4	.10	<b>\$142</b>
	FTFOOT30CL	29 x 3 x 1.16	60	4.85	.10	<b>\$154</b>
 <b>Replacement Glides</b>	FTSETGLIDE	- x - x 1.5	70	.06	.10	<b>\$10</b>
	Replacement single "T" foot or as an optional addition to a 3 leg table.					
 <b>TV Mount</b>	FTMT5145	4 x 51 x 40.5	250	16.82	4.8	<b>\$975</b>
	Replacement single "C" foot or as an optional addition to a 3 leg table.					

**Required specifications**


Base finish\*

## PANTRY STORAGE - 42"H



Left (NL) shown

### Pantry Storage



Left (NL) shown

### Pantry Storage - w/USB

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
FFPO1224H42NL	24 x 12 x 42	70	128	7	\$2469	\$31
FFPO1230H42NL	30 x 12 x 42	70	143	9	\$2594	\$38
FFPO1236H42NL	36 x 12 x 42	85	157	11	\$2717	\$43
FFPO1224H42NR	24 x 12 x 42	70	128	7	\$2469	\$31
FFPO1230H42NR	30 x 12 x 42	70	143	9	\$2594	\$38
FFPO1236H42NR	36 x 12 x 42	85	157	11	\$2717	\$43
FFPO1824H42NL	24 x 18 x 42	85	156	11	\$2842	\$43
FFPO1830H42NL	30 x 18 x 42	85	172	13	\$2978	\$55
FFPO1836H42NL	36 x 18 x 42	92.5	187	16	\$3113	\$67
FFPO1824H42NR	24 x 18 x 42	85	156	11	\$2842	\$43
FFPO1830H42NR	30 x 18 x 42	85	172	13	\$2978	\$55
FFPO1836H42NR	36 x 18 x 42	92.5	187	16	\$3113	\$67

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFPO1224H42NLUSB	24 x 12 x 42	70	128	7	\$3080	\$31
FFPO1230H42NLUSB	30 x 12 x 42	70	143	9	\$3205	\$38
FFPO1236H42NLUSB	36 x 12 x 42	85	157	11	\$3330	\$43
FFPO1224H42NRUSB	24 x 12 x 42	70	128	7	\$3080	\$31
FFPO1230H42NRUSB	30 x 12 x 42	70	143	9	\$3205	\$38
FFPO1236H42NRUSB	36 x 12 x 42	85	157	11	\$3330	\$43
FFPO1824H42NLUSB	24 x 18 x 42	85	156	11	\$3453	\$43
FFPO1830H42NLUSB	30 x 18 x 42	85	172	13	\$3590	\$55
FFPO1836H42NLUSB	36 x 18 x 42	92.5	187	16	\$3725	\$67
FFPO1824H42NRUSB	24 x 18 x 42	85	156	11	\$3453	\$43
FFPO1830H42NRUSB	30 x 18 x 42	85	172	13	\$3590	\$55
FFPO1836H42NRUSB	36 x 18 x 42	92.5	187	16	\$3725	\$67

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.


#### Required specifications

Laminate finish

#### Optional specifications

HP laminate  
Dry-erase board

## PANTRY STORAGE - 49.5"H



Left (NL) shown

## Pantry Storage


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

## D x W x H

FFPO1224NL	24 x 12 x 49.5	70	133	8	\$2633	\$83
FFPO1230NL	30 x 12 x 49.5	85	148	10	\$2760	\$103
FFPO1236NL	36 x 12 x 49.5	92.5	162	15	\$2885	\$117
FFPO1224NR	24 x 12 x 49.5	70	133	8	\$2633	\$83
FFPO1230NR	30 x 12 x 49.5	85	148	10	\$2760	\$103
FFPO1236NR	36 x 12 x 49.5	92.5	162	15	\$2885	\$117
FFPO1824NL	24 x 18 x 49.5	85	161	12	\$3058	\$111
FFPO1830NL	30 x 18 x 49.5	92.5	177	15	\$3192	\$137
FFPO1836NL	36 x 18 x 49.5	92.5	192	18	\$3333	\$157
FFPO1824NR	24 x 18 x 49.5	85	161	12	\$3058	\$111
FFPO1830NR	30 x 18 x 49.5	92.5	177	15	\$3192	\$137
FFPO1836NR	36 x 18 x 49.5	92.5	192	18	\$3333	\$157

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.



Left (NL) shown

## Pantry Storage - w/USB

FFPO1224NLUSB	24 x 12 x 49.5	70	133	8	\$3244	\$83
FFPO1230NLUSB	30 x 12 x 49.5	85	148	10	\$3371	\$103
FFPO1236NLUSB	36 x 12 x 49.5	92.5	162	15	\$3498	\$117
FFPO1224NRUSB	24 x 12 x 49.5	70	133	8	\$3244	\$83
FFPO1230NRUSB	30 x 12 x 49.5	85	148	10	\$3371	\$103
FFPO1236NRUSB	36 x 12 x 49.5	92.5	162	15	\$3498	\$117
FFPO1824NLUSB	24 x 18 x 49.5	85	161	12	\$3666	\$111
FFPO1830NLUSB	30 x 18 x 49.5	92.5	177	15	\$3806	\$137
FFPO1836NLUSB	36 x 18 x 49.5	92.5	192	18	\$3946	\$157
FFPO1824NRUSB	24 x 18 x 49.5	85	161	12	\$3666	\$111
FFPO1830NRUSB	30 x 18 x 49.5	92.5	177	15	\$3806	\$137
FFPO1836NRUSB	36 x 18 x 49.5	92.5	192	18	\$3946	\$157

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

## Required specifications


Laminate finish

## Optional specifications

HP laminate  
Dry-erase board




## PANTRY STORAGE - 54"H



Left (NL) shown

### Pantry Storage



Left (NL) shown

### Pantry Storage - w/USB

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
FFPO1224H54NL	24 x 12 x 54	70	138	9	<b>\$2717</b>	<b>\$31</b>
FFPO1230H54NL	30 x 12 x 54	85	153	11	<b>\$2847</b>	<b>\$31</b>
FFPO1236H54NL	36 x 12 x 54	92.5	167	14	<b>\$2978</b>	<b>\$43</b>
FFPO1224H54NR	24 x 12 x 54	70	138	9	<b>\$2717</b>	<b>\$31</b>
FFPO1230H54NR	30 x 12 x 54	85	153	11	<b>\$2847</b>	<b>\$31</b>
FFPO1236H54NR	36 x 12 x 54	92.5	167	14	<b>\$2978</b>	<b>\$43</b>
FFPO1824H54NL	24 x 18 x 54	92.5	166	14	<b>\$3149</b>	<b>\$43</b>
FFPO1830H54NL	30 x 18 x 54	92.5	182	17	<b>\$3291</b>	<b>\$55</b>
FFPO1836H54NL	36 x 18 x 54	100	197	20	<b>\$3433</b>	<b>\$61</b>
FFPO1824H54NR	24 x 18 x 54	92.5	166	14	<b>\$3149</b>	<b>\$43</b>
FFPO1830H54NR	30 x 18 x 54	92.5	182	17	<b>\$3291</b>	<b>\$55</b>
FFPO1836H54NR	36 x 18 x 54	100	197	20	<b>\$3433</b>	<b>\$61</b>

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

FFPO1224H54NLUSB	24 x 12 x 54	70	138	9	<b>\$3330</b>	<b>\$31</b>
FFPO1230H54NLUSB	30 x 12 x 54	85	153	11	<b>\$3460</b>	<b>\$31</b>
FFPO1236H54NLUSB	36 x 12 x 54	92.5	167	14	<b>\$3590</b>	<b>\$43</b>
FFPO1224H54NRUSB	24 x 12 x 54	70	138	9	<b>\$3330</b>	<b>\$31</b>
FFPO1230H54NRUSB	30 x 12 x 54	85	153	11	<b>\$3460</b>	<b>\$31</b>
FFPO1236H54NRUSB	36 x 12 x 54	92.5	167	14	<b>\$3590</b>	<b>\$43</b>
FFPO1824H54NLUSB	24 x 18 x 54	92.5	166	14	<b>\$3760</b>	<b>\$43</b>
FFPO1830H54NLUSB	30 x 18 x 54	92.5	182	17	<b>\$3904</b>	<b>\$55</b>
FFPO1836H54NLUSB	36 x 18 x 54	100	197	20	<b>\$4045</b>	<b>\$61</b>
FFPO1824H54NRUSB	24 x 18 x 54	92.5	166	14	<b>\$3760</b>	<b>\$43</b>
FFPO1830H54NRUSB	30 x 18 x 54	92.5	182	17	<b>\$3904</b>	<b>\$55</b>
FFPO1836H54NRUSB	36 x 18 x 54	100	197	20	<b>\$4045</b>	<b>\$61</b>

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of two fixed shelves on the top and bottom. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Two accessory rails (each 18.25" long) are standard and will accept metal accessories (sold separately - see previous page). Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPOxxxx will not allow binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

#### Required specifications


Laminate finish

#### Optional specifications

HP laminate  
Dry-erase board

**PANTRY STORAGE W/WARDROBE**
**MODEL#**
**DIMENSIONS**
**FREIGHT CLASS**
**WT/LBS.**
**CUBIC FT.**
**LIST PRICE**
**HP ADD**
**D x W x H**

FFPW1224H42NL	24 x 12 x 42	70	128	7	<b>\$2969</b>	<b>\$34</b>
FFPW1230H42NL	30 x 12 x 42	70	143	9	<b>\$3105</b>	<b>\$41</b>
FFPW1236H42NL	36 x 12 x 42	85	157	11	<b>\$3238</b>	<b>\$51</b>
FFPW1824H42NL	24 x 18 x 42	85	156	11	<b>\$3438</b>	<b>\$52</b>
FFPW1830H42NL	30 x 18 x 42	85	172	13	<b>\$3588</b>	<b>\$63</b>
FFPW1836H42NL	36 x 18 x 42	92.5	187	16	<b>\$3738</b>	<b>\$76</b>
FFPW1224NL	24 x 12 x 50	70	133	8	<b>\$3236</b>	<b>\$30</b>
FFPW1230NL	30 x 12 x 50	85	148	10	<b>\$3378</b>	<b>\$59</b>
FFPW1236NL	36 x 12 x 50	92.5	162	15	<b>\$3521</b>	<b>\$85</b>
FFPW1824NL	24 x 18 x 50	85	161	12	<b>\$3781</b>	<b>\$59</b>
FFPW1830NL	30 x 18 x 50	92.5	177	15	<b>\$3935</b>	<b>\$97</b>
FFPW1836NL	36 x 18 x 50	92.5	192	18	<b>\$4091</b>	<b>\$128</b>
FFPW1224H54NL	24 x 12 x 54	70	138	9	<b>\$3298</b>	<b>\$32</b>
FFPW1230H54NL	30 x 12 x 54	85	153	11	<b>\$3439</b>	<b>\$38</b>
FFPW1236H54NL	36 x 12 x 54	92.5	167	14	<b>\$3583</b>	<b>\$44</b>
FFPW1824H54NL	24 x 18 x 54	92.5	166	14	<b>\$3855</b>	<b>\$44</b>
FFPW1830H54NL	30 x 18 x 54	92.5	182	17	<b>\$4009</b>	<b>\$57</b>
FFPW1836H54NL	36 x 18 x 54	100	197	20	<b>\$4166</b>	<b>\$64</b>
FFPW1224H42NR	24 x 12 x 42	70	128	7	<b>\$2969</b>	<b>\$34</b>
FFPW1230H42NR	30 x 12 x 42	70	143	9	<b>\$3105</b>	<b>\$41</b>
FFPW1236H42NR	36 x 12 x 42	85	157	11	<b>\$3238</b>	<b>\$51</b>
FFPW1824H42NR	24 x 18 x 42	85	156	11	<b>\$3438</b>	<b>\$52</b>
FFPW1830H42NR	30 x 18 x 42	85	172	13	<b>\$3588</b>	<b>\$63</b>
FFPW1836H42NR	36 x 18 x 42	92.5	187	16	<b>\$3738</b>	<b>\$76</b>
FFPW1224NR	24 x 12 x 50	70	133	8	<b>\$3236</b>	<b>\$30</b>
FFPW1230NR	30 x 12 x 50	85	148	10	<b>\$3378</b>	<b>\$59</b>
FFPW1236NR	36 x 12 x 50	92.5	162	15	<b>\$3521</b>	<b>\$85</b>
FFPW1824NR	24 x 18 x 50	85	161	12	<b>\$3781</b>	<b>\$59</b>
FFPW1830NR	30 x 18 x 50	92.5	177	15	<b>\$3935</b>	<b>\$97</b>
FFPW1836NR	36 x 18 x 50	92.5	192	18	<b>\$4091</b>	<b>\$128</b>
FFPW1224H54NR	24 x 12 x 54	70	138	9	<b>\$3298</b>	<b>\$32</b>
FFPW1230H54NR	30 x 12 x 54	85	153	11	<b>\$3439</b>	<b>\$38</b>
FFPW1236H54NR	36 x 12 x 54	92.5	167	14	<b>\$3583</b>	<b>\$44</b>
FFPW1824H54NR	24 x 18 x 54	92.5	166	14	<b>\$3855</b>	<b>\$44</b>
FFPW1830H54NR	30 x 18 x 54	92.5	182	17	<b>\$4009</b>	<b>\$57</b>
FFPW1836H54NR	36 x 18 x 54	100	197	20	<b>\$4166</b>	<b>\$64</b>


*Left (NL) shown*
**Pantry Storage w/Wardrobe**

The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

- For Dry-erase marker board, specify **DE** and **add \$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.

**Required specifications**

Laminate finish


**Optional specifications**

HP laminate  
Dry-erase board

PANTRY STORAGE W/WARDROBE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
---------------------------	--------	------------	---------------	---------	-----------	------------	--------

D x W x H

FFPW1224H42NLUSB	24 x 12 x 42	70	128	7	\$3645	\$34
FFPW1230H42NLUSB	30 x 12 x 42	70	143	9	\$3781	\$41
FFPW1236H42NLUSB	36 x 12 x 42	85	157	11	\$3914	\$51
FFPW1824H42NLUSB	24 x 18 x 42	85	158	11	\$4115	\$52
FFPW1830H42NLUSB	30 x 18 x 42	85	172	13	\$4266	\$63
FFPW1836H42NLUSB	36 x 18 x 42	92.5	187	16	\$4415	\$76
FFPW1224NLUSB	24 x 12 x 50	70	133	8	\$3912	\$30
FFPW1230NLUSB	30 x 12 x 50	85	148	10	\$4055	\$59
FFPW1236NLUSB	36 x 12 x 50	92.5	162	15	\$4199	\$85
FFPW1824NLUSB	24 x 18 x 50	85	161	12	\$4459	\$59
FFPW1830NLUSB	30 x 18 x 50	92.5	177	15	\$4611	\$97
FFPW1836NLUSB	36 x 18 x 50	92.5	192	18	\$4767	\$128
FFPW1224H54NLUSB	24 x 12 x 54	70	138	9	\$3975	\$32
FFPW1230H54NLUSB	30 x 12 x 54	85	153	11	\$4117	\$38
FFPW1236H54NLUSB	36 x 12 x 54	92.5	167	14	\$4260	\$44
FFPW1824H54NLUSB	24 x 18 x 54	92.5	166	14	\$4531	\$44
FFPW1830H54NLUSB	30 x 18 x 54	92.5	182	17	\$4686	\$57
FFPW1836H54NLUSB	36 x 18 x 54	100	197	20	\$4842	\$64
FFPW1224H42NRUSB	24 x 12 x 42	70	128	7	\$3645	\$34
FFPW1230H42NRUSB	30 x 12 x 42	70	143	9	\$3781	\$41
FFPW1236H42NRUSB	36 x 12 x 42	85	157	11	\$3914	\$51
FFPW1824H42NRUSB	24 x 18 x 42	85	158	11	\$4115	\$52
FFPW1830H42NRUSB	30 x 18 x 42	85	172	13	\$4266	\$63
FFPW1836H42NRUSB	36 x 18 x 42	92.5	187	16	\$4415	\$76
FFPW1224NRUSB	24 x 12 x 50	70	133	8	\$3912	\$30
FFPW1230NRUSB	30 x 12 x 50	85	148	10	\$4055	\$59
FFPW1236NRUSB	36 x 12 x 50	92.5	162	15	\$4199	\$85
FFPW1824NRUSB	24 x 18 x 50	85	161	12	\$4459	\$59
FFPW1830NRUSB	30 x 18 x 50	92.5	177	15	\$4611	\$97
FFPW1836NRUSB	36 x 18 x 50	92.5	192	18	\$4767	\$128
FFPW1224H54NRUSB	24 x 12 x 54	70	138	9	\$3975	\$32
FFPW1230H54NRUSB	30 x 12 x 54	85	153	11	\$4117	\$38
FFPW1236H54NRUSB	36 x 12 x 54	92.5	167	14	\$4260	\$44
FFPW1824H54NRUSB	24 x 18 x 54	92.5	166	14	\$4531	\$44
FFPW1830H54NRUSB	30 x 18 x 54	92.5	182	17	\$4686	\$57
FFPW1836H54NRUSB	36 x 18 x 54	100	197	20	\$4842	\$64





Left (NL) shown

Pantry Storage w/Wardrobe and USB




The pull out cabinet serves as a multifunctional, customizable storage unit that both defines space and enhances privacy in an open plan environment. Internal organization consists of one fixed shelf at the top. Top shelf comes with grey felt surface and grommet which allows for cable passage from the USB outlet (located below the top shelf). USB outlet includes one USB-A and one USB-C port. A 2-prong power cord exits the cabinet through the floor at the back. The two middle shelves are adjustable. Wardrobe includes coat hook. Interior cabinet shelves and back are standard in Designer White. Cabinet shell, drawer and top can be specified in any standard laminate. FFPW12xx will not accept binders.

- For Dry-erase marker board, specify **DE** and add **\$418**. If specified, the dry-erase marker laminate will be applied to the external surface of the pull-out drawer side wall.






<b>Required specifications</b>	<b>Optional specifications</b>
Laminate finish	HP laminate
	Dry-erase board

PANTRY STORAGE ACCESSORIES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	Felt Pantry Storage Bin		D x W x H				
		FFPSB0912	8.6 x 11.8 x 7.5	70	8.6	0.03	\$72
		Crafted from recycled PET felt, felt bins are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.					
	Felt Pantry Storage Tray						
		FFPST0609	5.9 x 8.6 x 2.6	70	0.28	0.08	\$30
		Crafted from recycled PET felt, felt trays are an intuitive and versatile organization solution within pantry units. Felt is 9mm. Specify finish.					

**Required specifications**  
Felt finish

CUBE STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<div><p>Left (BBFMKL) shown</p><p><b>Mobile Pedestal - BBF</b></p></div>	D x W x H					
	Without lock:					
	FTSSP12BBFML	12 x 12 x 28	70	35	2.33	<b>\$930</b>
	FTSSP12BBFMR	12 x 12 x 28	70	35	2.33	<b>\$930</b>
	With Lock:					
	FTSSP12BBFMKL	12 x 12 x 28	70	35	2.33	<b>\$1013</b>
	FTSSP12BBFMKR	12 x 12 x 28	70	35	2.33	<b>\$1013</b>
	Mobile pedestal with two open boxes in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify <b>"K"</b> before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).					
	Without lock:					
	FTSSP12BFML	12 x 12 x 22	70	28	1.83	<b>\$730</b>
<div><p>Left (BFMKL) shown</p><p><b>Mobile Pedestal - BF</b></p></div>	FTSSP12BFMR	12 x 12 x 22	70	28	1.83	<b>\$730</b>
	With Lock:					
	FTSSP12BFMKL	12 x 12 x 22	70	28	1.83	<b>\$812</b>
	FTSSP12BFMKR	12 x 12 x 22	70	28	1.83	<b>\$812</b>
	Mobile pedestal with one open box in the middle, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify <b>"K"</b> before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).					
	Without lock:					
	FTSSP12SFML	12 x 12 x 28	70	35	2.33	<b>\$848</b>
	FTSSP12SFMR	12 x 12 x 28	70	35	2.33	<b>\$848</b>
	With Lock:					
	FTSSP12SFMKL	12 x 12 x 28	70	35	2.33	<b>\$1061</b>
<div><p>Left (SFMKL) shown</p><p><b>Mobile Pedestal - FF</b></p></div>	FTSSP12SFMKR	12 x 12 x 28	70	35	2.33	<b>\$1061</b>
	Mobile pedestal with one closed storage box at the top, one file box at the bottom and a top accessory tray. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Closed storage box interior dimensions: 10-1/2"H x 11-13/16"W x 10-7/16"D. Includes four locking casters, metal wire divider and optional lock (must specify <b>"K"</b> before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. Door locks, if specified are located on the top right corner for the right pedestal and top left corner for the left pedestal of each box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Accessory tray is PET felt. Shipped RTA (ready to assemble).					

**Required specifications**  
Metal finish  
Laminate finish

HANGING PEDESTALS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p>Left (BFBKL) shown</p> <p><b>Hanging Pedestal - BFB</b></p>	<b>D x W x H</b>					
	Without lock:					
	FTSSPH12BFBKL	12 x 12 x 24	92.5	26	2.33	<b>\$724</b>
	FTSSPH12BFBKR	12 x 12 x 24	92.5	26	2.33	<b>\$724</b>
	With Lock:					
	FTSSPH12BFBKL	12 x 12 x 24	92.5	26	2.33	<b>\$805</b>
	FTSSPH12BFBKR	12 x 12 x 24	92.5	26	2.33	<b>\$805</b>
	Hanging pedestal with one file box in the middle and two open boxes, one at the top and one at the bottom. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).					
 <p>Left (BFBKL) shown</p> <p><b>Hanging Pedestal - FB</b></p>	Without lock:					
	FTSSPH12BFL	12 x 12 x 18.5	92.5	20	1.83	<b>\$522</b>
	FTSSPH12BFR	12 x 12 x 18.5	92.5	20	1.83	<b>\$522</b>
	With Lock:					
	FTSSPH12BFL	12 x 12 x 18.5	92.5	20	1.83	<b>\$605</b>
	FTSSPH12BFR	12 x 12 x 18.5	92.5	20	1.83	<b>\$605</b>
	Hanging pedestal with one file box at the bottom and one open box at the top. Attaches to the underside of a worksurface with supplied screws. File box interior dimensions: 11-7/8"H x 11-13/16"W x 10-7/16"D. Includes metal wire divider and optional lock (must specify "K" before the left or right option). Metal wire divider is chrome and sits 3-7/16" from either side and is interchangeable. File door lock, if specified, is located on the top right corner for the right pedestal and top left corner for the left pedestal. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).					
 <p><b>Hanging Pedestal Box*</b></p>	FTSSPH12B	12 x 12 x 6	125	6	0.96	<b>\$203</b>
	Hanging pedestal open box. Attaches to the underside of a worksurface with supplied screws to create an open box. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).					
 <p><b>Hanging Pedestal - Two Open Boxes*</b></p>	FTSSPH12BB	12 x 12 x 6	100	12	1.42	<b>\$404</b>
	Hanging pedestal with two open boxes. Attaches to the underside of a worksurface with supplied screws. Bottom, middle and top shelves, front door and back are made of 3/4" LP laminate. Sides are made of powder coated metal. Shipped RTA (ready to assemble).					
 <p><b>Felt Shelf Liner</b></p>	FTFELT03BC	12 x 12 x 6	70	0.01	0.03	<b>\$39</b>
	Felt shelf liner can be added to any closed back shelf. Front edge is cut at 45°.					

**Required specifications**


Metal finish\*

Laminate finish\*

## BACK-TO-BACK TABLE - 21"H DIVIDERS

D x W x H

- FreeFit table mounted dividers for single table or single table row; recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").
- The center of all dividers is always mounted 2.250" from worksurface's rear edge. Please note the gap between the divider and the worksurface therefore varies, depending on the divider thickness (1.250" framed dividers. 0.750" frameless LP and 0.250" frameless glass).
- 48" (33" actual) - 66" (51" actual) dividers have 2 mounting brackets.
- 72" (57" actual) dividers have 3 mounting brackets.



- Application example illustrates relationship between 57" divider and 72" (70" actual) FreeFit table.
- Example Order:  
BWATMFD72  
(actual dimension of 57") for  
BWA2D3072A8  
(actual dimension of 70").


# BACK-TO-BACK TABLE - 37"H DIVIDERS

FreeFit Back-to-Back stationary dividers; stationary, shared, secured to table structure; recessed 6.5" at both ends (for example - 72" (70" actual) FreeFit table mounted divider measures 57").

The center of all dividers is always mounted 2.250" from worksurface's rear edge. Please note the gap between the divider and the worksurface therefore varies, depending on the divider thickness (1.250" Framed dividers, 0.750" frameless LP and 0.250" frameless glass).

48" (33" actual) divider for 48" (46" actual) table  
 54" (39" actual) divider for 54" (52" actual) table  
 60" (45" actual) divider for 60" (58" actual) table  
 66" (51" actual) divider for 66" (64" actual) table  
 72" (57" actual) divider for 72" (70" actual) table

Framed dividers (Tackable fabric,  
 LP, HP, Dryerase, Magnetic/dry-erase)  
 Frameless LP  
 Frameless glass







Application example illustrates relationship between 57" shared divider and 72" (70" actual) FreeFit Back-to-Back table.




- Example Order:  
 BWASFD72  
 (actual dimension of 57") for  
 BWA2D6072A8  
 (actual dimension of 70").



FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H			FELT COLORS			
<ul style="list-style-type: none"><li>• 9mm thick panels offered in 18 finishes</li><li>• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives</li><li>• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly</li><li>• Variation in fiber mix and color are inherent to the character of the product</li></ul>	BRACKET FINISH		(AMT) Amethyst	(APR) Apricot		
	BLK	Black	NEV	Nevada	(BSK) Blue Smoke	
	CHR	Charcoal	SIL	Silver	(CNN) Carnation	
	DWT	Designer White	TPE	Taupe	(EMD) Emerald	
	FOG	Fog	TUN	Tungsten	(HVT) Harvest	
			(LAP) Lapis	(MTS) Mist		
			(NVY) Navy	(PWT) Pewter		
			(RBY) Ruby	(SHR) Shamrock		
			(SFR) Sunflower	(WHT) White		

FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Modesty Felt Divider</b>	BWAFMPSN36	4.17 x 21 x 13.94	70	1.84	0.71	<b>\$200</b>
	BWAFMPSN42	4.17 x 27 x 13.94	250	2.32	0.91	<b>\$218</b>
	BWAFMPSN48	4.17 x 33 x 13.94	250	2.44	1.11	<b>\$303</b>
	BWAFMPSN54	4.17 x 39 x 13.94	250	2.86	1.31	<b>\$340</b>
	BWAFMPSN60	4.17 x 45 x 13.94	250	3.27	1.51	<b>\$384</b>
	BWAFMPSN66	4.17 x 51 x 13.94	250	3.68	1.72	<b>\$542</b>
	BWAFMPSN72	4.17 x 57 x 13.94	250	4.09	1.92	<b>\$577</b>
	9mm thick PET felt divider is tackable. Fastens to the underside of the worksurface. Installed divider measures 15" below top of the worksurface. Kit includes felt modesty, support extrusion and left and right brackets. Available in 9 PET felt colors. Please specify.					
 <b>Parallel Felt Divider</b>	BWAFPN36	5.86 x 21 x 18.24	300	2.21	1.3	<b>\$212</b>
	BWAFPN42	5.86 x 27 x 18.24	300	2.77	1.67	<b>\$239</b>
	BWAFPN48	5.86 x 33 x 18.24	300	2.82	2.04	<b>\$324</b>
	BWAFPN54	5.86 x 39 x 18.24	300	3.29	2.41	<b>\$363</b>
	BWAFPN60	5.86 x 45 x 18.24	300	3.75	2.78	<b>\$413</b>
	BWAFPN66	5.86 x 51 x 18.24	300	4.22	3.15	<b>\$579</b>
	BWAFPN72	5.86 x 57 x 18.24	300	4.69	3.53	<b>\$617</b>
	Connects parallel on Freefit tables. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" high from the top of the worksurface. Kit includes felt divider, support extrusion and left and right brackets.					
 Single  End of Run <b>Felt Wrap Around Divider*</b>	BWAFWR2346	18.46 x 46.84 x 18.24	65	26.58	1.07	<b>\$625</b>
	BWAFWR2352	18.46 x 52.84 x 18.24	65	28.4	1.21	<b>\$661</b>
	BWAFWR2358	18.46 x 58.84 x 18.24	65	30.22	1.34	<b>\$696</b>
	BWAFWR2364	18.46 x 64.84 x 18.24	60	32.02	0.74	<b>\$920</b>
	BWAFWR2370	18.46 x 70.84 x 18.24	60	33.84	0.81	<b>\$980</b>
	BWAFWR2946	24.46 x 46.84 x 18.24	65	30.74	1.07	<b>\$707</b>
	BWAFWR2952	24.46 x 52.84 x 18.24	60	32.55	0.6	<b>\$929</b>
	BWAFWR2958	24.46 x 58.84 x 18.24	60	34.37	0.67	<b>\$991</b>
	BWAFWR2964	24.46 x 64.84 x 18.24	60	36.19	0.74	<b>\$1052</b>
	BWAFWR2970	24.46 x 70.84 x 18.24	60	38	0.81	<b>\$1113</b>
	<b>End of Run:</b>					
	BWAFWR2351	18.46 x 51.34 x 18.24	65	27.94	1.05	<b>\$630</b>
	BWAFWR2951	24.46 x 51.34 x 18.24	60	32.09	0.62	<b>\$928</b>
	BWAFWR2363	18.46 x 63.34 x 18.24	70	31.57	1.5	<b>\$916</b>
	BWAFWR2963	24.46 x 63.34 x 18.24	60	35.73	0.87	<b>\$1048</b>
	Wraps around Freefit tables to provide privacy. 9mm thick PET felt divider is tackable. Fastens to the underside of the worksurface. Installed divider measures 15.7" from the top of the worksurface. Divider extends 1.5" past the back of the worksurface. Please choose standard base finish for the extrusion and brackets.					
	<ul style="list-style-type: none"><li>• Anodized Aluminum extrusion - Add <b>\$167!</b> list upcharge</li><li>• <b>Note:</b> Cannot use ceiling feed option with this divider.</li></ul>					


Required Specifications	Optional Specifications
Felt color	Anodized extrusion
Bracket finish	

FELT DIVIDERS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <p><b>Felt Parallel Divider</b></p>		<b>D x W x H</b>				
	BWAFPDN36	5.86 x 21 x 30.68	300	2.79	2.18	<b>\$314</b>
	BWAFPDN42	5.86 x 27 x 30.68	300	3.56	2.81	<b>\$342</b>
	BWAFPDN48	5.86 x 33 x 30.68	150	3.82	3.43	<b>\$486</b>
	BWAFPDN54	5.86 x 39 x 30.68	150	4.5	4.06	<b>\$538</b>
	BWAFPDN60	5.86 x 45 x 30.68	150	5.17	4.68	<b>\$628</b>
	BWAFPDN66	5.86 x 51 x 30.68	150	5.85	5.31	<b>\$961</b>
	BWAFPDN72	5.86 x 57 x 30.68	150	6.53	5.93	<b>\$1020</b>
<p>Felt divider and modesty panel kit secures to the rear bottom of a regular FreeFit table and provides privacy above and below the worksurface. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface and 15" below the top of the worksurface. Kit includes two felt dividers, support extrusion and left and right brackets.</p>						
  <p><b>Corner Wrap Felt Divider</b></p>	BW AFC2432L	18.52 x 32.46 x 18.24	150	3.82	6.35	<b>\$441</b>
	BW AFC2432R	18.52 x 32.46 x 18.24	150	3.82	6.35	<b>\$441</b>
	BW AFC2438L	18.52 x 38.46 x 18.24	250	5.46	7.52	<b>\$503</b>
	BW AFC2438R	18.52 x 38.46 x 18.24	250	5.46	7.52	<b>\$503</b>
	BW AFC2448L	18.52 x 47.46 x 18.24	250	6.16	9.28	<b>\$542</b>
	BW AFC2448R	18.52 x 47.46 x 18.24	250	6.16	9.28	<b>\$542</b>
	BW AFC3032L	24.52 x 32.46 x 18.24	250	5.72	8.40	<b>\$498</b>
	BW AFC3032R	24.52 x 32.46 x 18.24	250	5.72	8.40	<b>\$498</b>
	BW AFC3038L	24.52 x 38.46 x 18.24	250	6.19	9.95	<b>\$534</b>
	BW AFC3038R	24.52 x 38.46 x 18.24	250	6.19	9.95	<b>\$534</b>
	BW AFC3048L	24.52 x 47.46 x 18.24	250	6.89	12.28	<b>\$573</b>
	BW AFC3048R	24.52 x 47.46 x 18.24	250	6.89	12.28	<b>\$573</b>
	<p>Felt Corner Wrap secures to the side and rear bottom of a FreeFit table, wraps around one side and provides limited privacy. 9mm thick PET felt divider is tackable. Installed divider measures 15.7" from the top of the worksurface. Kit includes felt dividers, support extrusion and large and small brackets.</p>					

**Required Specifications**

Felt color  
Bracket finish

## TABLE MOUNTED DIVIDERS




**Table Mounted Framed Divider, Fabric\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
BWATMFD48	1.25 x 33 x 21.5	85	16	1.23	<b>\$460</b>
BWATMFD54	1.25 x 39 x 21.5	85	18	1.46	<b>\$567</b>
BWATMFD60	1.25 x 45 x 21.5	85	20	1.68	<b>\$619</b>
BWATMFD66	1.25 x 51 x 21.5	85	22	1.90	<b>\$695</b>
BWATMFD72	1.25 x 57 x 21.5	85	26	2.13	<b>\$759</b>

Connects parallel on Freefit single and back-to-back tables. Fabric divider is tackable. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. Available in the following textiles:


- Global: **Anchorage, Lola, and Merge.**



**Table Mounted Framed Divider, Laminate\*\***

					LIST PRICE	HP ADD	DE ADD	DM ADD
BWATMLD48	1.25 x 33 x 21.5	85	35	1.23	<b>\$302</b>	<b>\$176</b>	<b>\$363</b>	<b>\$553</b>
BWATMLD54	1.25 x 39 x 21.5	85	39	1.46	<b>\$340</b>	<b>\$227</b>	<b>\$452</b>	<b>\$698</b>
BWATMLD60	1.25 x 45 x 21.5	85	44	1.68	<b>\$404</b>	<b>\$240</b>	<b>\$475</b>	<b>\$743</b>
BWATMLD66	1.25 x 51 x 21.5	85	48	1.90	<b>\$465</b>	<b>\$329</b>	<b>\$993</b>	<b>\$1472</b>
BWATMLD72	1.25 x 57 x 21.5	85	52	2.13	<b>\$506</b>	<b>\$332</b>	<b>\$987</b>	<b>\$1463</b>


Connects parallel on Freefit single and back-to-back tables. Divider infill can be specified in low pressure laminate (**LP**), high pressure laminate (**HP**), dry erase whiteboard (**DE**) or dry erase magnetic whiteboard (**DM**) user side only. Fastens to the underside of the worksurface. 1.625" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. When dry erase magnetic whiteboard (DM) is specified it is applied user side ONLY and dry erase whiteboard (DE) is applied on the opposite side.



**Table Mounted Laminate Divider\*\***

BWATMLLD48	.75 x 33 x 21.5	125	16	1.23	<b>\$362</b>
BWATMLLD54	.75 x 39 x 21.5	125	18	1.46	<b>\$383</b>
BWATMLLD60	.75 x 45 x 21.5	125	20	1.68	<b>\$405</b>
BWATMLLD66	.75 x 51 x 21.5	125	22	1.90	<b>\$598</b>
BWATMLLD72	.75 x 57 x 21.5	125	26	2.13	<b>\$618</b>

Connects parallel on Freefit single and back-to-back tables. Laminate divider with integrated accessory rail, installed on one side only. Integrated anodized aluminum accessory rail, white cut out and rail trims; white power coat brackets. 3/4" LP PVC edged boards. Specify laminate and PVC edge. Fastens to the underside of the worksurface. 1.88" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 5.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets.



**Table Mounted Glass Divider**

BWATMGD48	.25 x 33 x 21.5	125	16	1.23	<b>\$772</b>
BWATMGD54	.25 x 39 x 21.5	125	19	1.46	<b>\$830</b>
BWATMGD60	.25 x 45 x 21.5	125	22	1.68	<b>\$889</b>
BWATMGD66	.25 x 51 x 21.5	125	24	1.90	<b>\$942</b>
BWATMGD72	.25 x 57 x 21.5	125	28	2.13	<b>\$1004</b>

Frameless glass divider connects parallel on Freefit single and back-to-back tables. Tempered glass, acid etched on one side (similar to frosted), satin chrome disc fasteners and white powder coated steel support brackets. Fastens to the underside of the worksurface. 2.13" gap between worksurface and divider allows for cable pass-through. Installed divider measures 15.7" from top of worksurface and 4.75" below the worksurface. 48" to 66" dividers include 2 support brackets. 72" divider includes 3 support brackets. 1/2" radius on all four corners.

### Required specifications

Fabric\*  
Laminate finish\*\*  
Metal frame finish


**Required specifications**

Fabric\*


Laminate finish\*\*

Metal frame finish

WELLNESS SCREENS- POLYCARBONATE



24”H Polycarbonate Divider Screen



30”H Polycarbonate Divider Screen

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
FFTDP2436H24	31.75 x 34 x 24.6	125	26.55	3.94	\$1200
FFTDP2442H24	31.75 x 40 x 24.6	125	28.10	4.59	\$1238
FFTDP2448H24	31.75 x 46 x 24.6	150	29.65	5.25	\$1272
FFTDP2454H24	31.75 x 52 x 24.6	150	31.20	5.94	\$1309
FFTDP2460H24	31.75 x 58 x 24.6	150	32.75	6.56	\$1346
FFTDP2466H24	31.75 x 64 x 24.6	150	34.30	7.22	\$1380
FFTDP2472H24	31.75 x 70 x 24.6	150	35.85	7.88	\$1418
FFTDP2478H24	31.75 x 76 x 24.6	150	37.40	8.53	\$1455
FFTDP2484H24	31.75 x 82 x 24.6	150	38.95	9.19	\$1490
FFTDP3036H24	37.75 x 34 x 24.6	100	40.50	4.72	\$1284
FFTDP3042H24	37.75 x 40 x 24.6	125	42.05	5.51	\$1322
FFTDP3048H24	37.75 x 46 x 24.6	125	43.60	6.29	\$1358
FFTDP3054H24	37.75 x 52 x 24.6	125	45.15	7.08	\$1398
FFTDP3060H24	37.75 x 58 x 24.6	150	46.70	7.85	\$1432
FFTDP3066H24	37.75 x 64 x 24.6	150	48.25	8.65	\$1467
FFTDP3072H24	37.75 x 70 x 24.6	150	49.80	9.44	\$1504
FFTDP3078H24	37.75 x 76 x 24.6	150	51.35	10.22	\$1540
FFTDP3084H24	37.75 x 82 x 24.6	150	52.90	11.01	\$1578

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).

- FFTDP24xxH24 are for configurations with 23" deep surfaces.
- FFTDP30xxH24 are for configurations with 29" deep surfaces.

FFTDP2436H30	31.75 x 34 x 30.6	125	26.55	3.94	\$1346
FFTDP2442H30	31.75 x 40 x 30.6	125	28.10	4.59	\$1389
FFTDP2448H30	31.75 x 46 x 30.6	150	29.65	5.25	\$1432
FFTDP2454H30	31.75 x 52 x 30.6	150	31.20	5.91	\$1472
FFTDP2460H30	31.75 x 58 x 30.6	150	32.75	6.56	\$1515
FFTDP2466H30	31.75 x 64 x 30.6	150	34.30	7.22	\$1555
FFTDP2472H30	31.75 x 70 x 30.6	150	35.85	7.88	\$1598
FFTDP2478H30	31.75 x 76 x 30.6	150	37.40	8.53	\$1638
FFTDP2484H30	31.75 x 82 x 30.6	150	38.95	9.19	\$1681
FFTDP3036H30	37.75 x 34 x 30.6	100	40.50	4.72	\$1428
FFTDP3042H30	37.75 x 40 x 30.6	125	42.05	5.51	\$1472
FFTDP3048H30	37.75 x 46 x 30.6	125	43.60	6.29	\$1514
FFTDP3054H30	37.75 x 52 x 30.6	125	45.15	7.08	\$1552
FFTDP3060H30	37.75 x 58 x 30.6	150	46.70	7.87	\$1594
FFTDP3066H30	37.75 x 64 x 30.6	150	48.25	8.65	\$1637
FFTDP3072H30	37.75 x 70 x 30.6	150	49.80	9.44	\$1676
FFTDP3078H30	37.75 x 76 x 30.6	150	51.35	10.22	\$1720
FFTDP3084H30	37.75 x 82 x 30.6	150	52.90	11.01	\$1763

Powder coated aluminum frame, translucent ribbed polycarbonate. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 7.25" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 7.25" at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN).


- FFTDP24xxH30 are for configurations with 23" deep surfaces.
- FFTDP30xxH30 are for configurations with 29" deep surfaces.

Required specifications  
Frame finish

## WELLNESS SCREENS - GLASS

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE FRST ADD

D x W x H



24"H Single Table Glass Divider Screen


FFTDG2436H24	31.50 x 36 x 24.60	125	26.55	3.94	<b>\$1671</b>	<b>\$339</b>
FFTDG2442H24	31.50 x 42 x 24.60	125	28.10	4.59	<b>\$1727</b>	<b>\$347</b>
FFTDG2448H24	31.50 x 48 x 24.60	150	29.65	5.25	<b>\$1783</b>	<b>\$360</b>
FFTDG2454H24	31.50 x 54 x 24.60	150	31.20	5.91	<b>\$1837</b>	<b>\$373</b>
FFTDG2460H24	31.50 x 60 x 24.60	150	32.75	6.56	<b>\$1898</b>	<b>\$382</b>
FFTDG2466H24	31.50 x 66 x 24.60	150	34.30	7.22	<b>\$1948</b>	<b>\$396</b>
FFTDG2472H24	31.50 x 72 x 24.60	150	35.85	7.88	<b>\$2018</b>	<b>\$408</b>
FFTDG2478H24	31.50 x 78 x 24.60	150	37.40	8.53	<b>\$2058</b>	<b>\$417</b>
FFTDG2484H24	31.50 x 84 x 24.60	150	38.95	9.19	<b>\$2112</b>	<b>\$430</b>

FFTDG3036H24	37.75 x 36 x 24.60	100	40.50	4.72	<b>\$1783</b>	<b>\$360</b>
FFTDG3042H24	37.75 x 42 x 24.60	125	42.05	5.51	<b>\$1831</b>	<b>\$368</b>
FFTDG3048H24	37.75 x 48 x 24.60	125	43.60	6.29	<b>\$1886</b>	<b>\$382</b>
FFTDG3054H24	37.75 x 54 x 24.60	150	45.15	7.08	<b>\$1941</b>	<b>\$396</b>
FFTDG3060H24	37.75 x 60 x 24.60	150	46.70	7.87	<b>\$1996</b>	<b>\$403</b>
FFTDG3066H24	37.75 x 66 x 24.60	150	48.25	8.65	<b>\$2058</b>	<b>\$417</b>
FFTDG3072H24	37.75 x 72 x 24.60	150	49.80	9.44	<b>\$2106</b>	<b>\$422</b>
FFTDG3078H24	37.75 x 78 x 24.60	150	51.35	10.22	<b>\$2161</b>	<b>\$436</b>
FFTDG3084H24	37.75 x 84 x 24.60	150	52.90	11.01	<b>\$2218</b>	<b>\$451</b>

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

• **FFTDG24xxH24 are for configurations with 24" deep surfaces.**

• **FFTDG30xxH24 are for configurations with 30" deep surfaces.**



30"H Single Table Glass Divider Screen

FFTDG2436H30	31.50 x 36 x 30.60	125	28.85	3.97	<b>\$1755</b>	<b>\$355</b>
FFTDG2442H30	31.50 x 42 x 30.60	125	30.40	4.59	<b>\$1810</b>	<b>\$368</b>
FFTDG2448H30	31.50 x 48 x 30.60	125	31.95	5.25	<b>\$1863</b>	<b>\$373</b>
FFTDG2454H30	31.50 x 54 x 30.60	150	33.50	5.91	<b>\$1926</b>	<b>\$389</b>
FFTDG2460H30	31.50 x 60 x 30.60	150	35.05	6.56	<b>\$1982</b>	<b>\$403</b>
FFTDG2466H30	31.50 x 66 x 30.60	150	36.60	7.22	<b>\$2031</b>	<b>\$408</b>
FFTDG2472H30	31.50 x 72 x 30.60	150	38.15	7.88	<b>\$2072</b>	<b>\$417</b>
FFTDG2478H30	31.50 x 78 x 30.60	150	39.70	8.53	<b>\$2148</b>	<b>\$436</b>
FFTDG2484H30	31.50 x 84 x 30.60	150	41.25	9.19	<b>\$2209</b>	<b>\$444</b>

FFTDG3036H30	37.75 x 36 x 30.60	100	42.80	4.72	<b>\$1863</b>	<b>\$373</b>
FFTDG3042H30	37.75 x 42 x 30.60	100	44.35	5.51	<b>\$1926</b>	<b>\$389</b>
FFTDG3048H30	37.75 x 48 x 30.60	125	45.90	6.29	<b>\$1975</b>	<b>\$403</b>
FFTDG3054H30	37.75 x 54 x 30.60	125	47.45	7.08	<b>\$2031</b>	<b>\$408</b>
FFTDG3060H30	37.75 x 60 x 30.60	125	49	7.87	<b>\$2093</b>	<b>\$422</b>
FFTDG3066H30	37.75 x 66 x 30.60	150	50.55	8.65	<b>\$2148</b>	<b>\$436</b>
FFTDG3072H30	37.75 x 72 x 30.60	150	52.10	9.44	<b>\$2174</b>	<b>\$436</b>
FFTDG3078H30	37.75 x 78 x 30.60	150	53.65	10.22	<b>\$2258</b>	<b>\$457</b>
FFTDG3084H30	37.75 x 84 x 30.60	150	55.20	11.01	<b>\$2314</b>	<b>\$465</b>

Provides privacy in an open plan environment. Easy to clean table mounted partitions. Powder coated aluminum frame with 4mm clear (CLR) glass. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237" from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5", allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25" overhang at the sides, 1.5" at the back, and 6.237" at the front. Frame and hardware available in Black (**BLK**), Charcoal (**CHR**), Designer White (**DWT**), Fog (**FOG**), Nevada (**NEV**), Silver (**SIL**), Taupe (**TPE**), Tungsten (**TUN**). End trim cap is only available in Charcoal (CHR). **Add 20%** upcharge for frosted glass (**FRST**).

• **FFTDG24xxH30 are for configurations with 24" deep surfaces.**

• **FFTDG30xxH30 are for configurations with 30" deep surfaces.**


## Required specifications

Frame finish


## Optional specifications

Frosted glass (FRST)

FELT DIVIDER SCREENS



24”H Single Table Felt Divider Screen



30”H Single Table Felt Divider Screen

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
FFTDF2436H24	31.50 x 36 x 24.60	125	22.55	3.94	\$998
FFTDF2442H24	31.50 x 42 x 24.60	125	24.10	4.59	\$1024
FFTDF2448H24	31.50 x 48 x 24.60	150	25.65	5.25	\$1051
FFTDF2454H24	31.50 x 54 x 24.60	150	27.20	5.91	\$1076
FFTDF2460H24	31.50 x 60 x 24.60	150	28.75	6.56	\$1105
FFTDF2466H24	31.50 x 66 x 24.60	150	30.30	7.22	\$1133
FFTDF2472H24	31.50 x 72 x 24.60	150	31.85	7.88	\$1157
FFTDF2478H24	31.50 x 78 x 24.60	150	33.40	8.53	\$1184
FFTDF2484H24	31.50 x 84 x 24.60	150	34.95	9.19	\$1236
FFTDF3036H24	37.75 x 36 x 24.60	100	36.50	4.72	\$1031
FFTDF3042H24	37.75 x 42 x 24.60	125	38.05	5.51	\$1125
FFTDF3048H24	37.75 x 48 x 24.60	125	39.60	6.29	\$1086
FFTDF3054H24	37.75 x 54 x 24.60	150	41.15	7.08	\$1112
FFTDF3060H24	37.75 x 60 x 24.60	150	41.70	7.87	\$1139
FFTDF3066H24	37.75 x 66 x 24.60	150	44.25	8.65	\$1167
FFTDF3072H24	37.75 x 72 x 24.60	150	45.80	9.44	\$1190
FFTDF3078H24	37.75 x 78 x 24.60	150	47.35	10.22	\$1217
FFTDF3084H24	37.75 x 84 x 24.60	150	48.90	11.01	\$1271

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the FreeFit table. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- FFTDF24xxH24 are for configurations with 24” deep surfaces.
- FFTDF30xxH24 are for configurations with 30” deep surfaces.

FFTDF2436H30	31.50 x 36 x 30.60	125	24.85	3.97	\$991
FFTDF2442H30	31.50 x 42 x 30.60	125	26.40	4.59	\$1017
FFTDF2448H30	31.50 x 48 x 30.60	125	27.95	5.25	\$1040
FFTDF2454H30	31.50 x 54 x 30.60	150	29.50	5.91	\$1064
FFTDF2460H30	31.50 x 60 x 30.60	150	31.05	6.56	\$1089
FFTDF2466H30	31.50 x 66 x 30.60	150	32.60	7.22	\$1113
FFTDF2472H30	31.50 x 72 x 30.60	150	34.14	7.88	\$1139
FFTDF2478H30	31.50 x 78 x 30.60	150	34.70	8.53	\$1163
FFTDF2484H30	31.50 x 84 x 30.60	150	37.25	9.19	\$1222
FFTDF3036H30	37.75 x 36 x 30.60	100	38.80	4.72	\$1039
FFTDF3042H30	37.75 x 42 x 30.60	100	40.35	5.51	\$1063
FFTDF3048H30	37.75 x 48 x 30.60	125	41.90	6.29	\$1088
FFTDF3054H30	37.75 x 54 x 30.60	125	43.45	7.08	\$1112
FFTDF3060H30	37.75 x 60 x 30.60	125	45	7.87	\$1139
FFTDF3066H30	37.75 x 66 x 30.60	150	46.55	8.65	\$1163
FFTDF3072H30	37.75 x 72 x 30.60	150	48.10	9.44	\$1187
FFTDF3078H30	37.75 x 78 x 30.60	150	49.65	10.22	\$1211
FFTDF3084H30	37.75 x 84 x 30.60	150	51.20	11.01	\$1269

Provides privacy in an open plan environment. Powder coated aluminum frame with 9mm felt. Includes all hardware to connect. Brackets are painted steel. Side dividers extend 6.237” from the front edge of each surface. Back divider extends over the back edge of the worksurface by 1.5”, allowing for cable pass-through to trough. Width and depth are nominal sizes representing the sizes of the Bridges configuration. Allow for .25” overhang at the sides, 1.5” at the back, and 6.237” at the front. Frame and hardware available in Black (BLK), Charcoal (CHR), Designer White (DWT), Fog (FOG), Nevada (NEV), Silver (SIL), Taupe (TPE), Tungsten (TUN). End trim cap is only available in Charcoal (CHR). 9mm PET felt material is tackable and available in 9 colors.

- FFTDF24xxH30 are for configurations with 24” deep surfaces.
- FFTDF30xxH30 are for configurations with 30” deep surfaces.

Required Specifications

Frame finish  
Felt finish





Designed by Zoëy Chu, **Junction™** provides an affordable solution for boardroom, classroom and presentation room applications. Offered in 20", 24" and 30" depths and a variety of table top shapes to create unique configurations.

A freestanding or shared leg configuration with the unique "Y" leg allows you to either create a permanent table or one that can be reconfigured quickly and easily. A straight leg is available for use with half round and keystone tops.

Shared leg configurations allow more legroom and can also decrease cost because they use fewer components. Freestanding configurations provide more flexibility for changing environments.

#### Features and Benefits

- Tops are 1" thick and constructed of 45 lb. density particleboard.
- Optional Radius Corners (RM) available at no upcharge.
- Optional modesty panel with integrated wire trough available.
- Casters available with or without manual locks provide mobility.
- Black grommets for convenient wire management can be ordered factory installed.
- Optional, easy-to-use thumbscrews allow installation without tools.
- JUNCTION™ tops are available in Global laminate finishes with 2 leg options.



Y Leg Design



Modesty Panel



Shared leg configuration provides more legroom and decreases the overall costs



## GENERAL INFORMATION

- Junction is a series of multi-purpose tables for classroom, training room and boardroom applications
- Ability for tables to be set up as freestanding or shared leg configuration
- Unique design by Zooey Chu
- Half round, trapezoid and Keystone tops are available to create a variety of configurations
- Rectangular tops are available in 20", 24" and 30" depths
- Optional modesty panels with integrated wire troughs are available for use with rectangular tops
- Optional large electrical manager provides a safe environment for equipment wires
- Special width tops are available. Use next size up.
- Shipped R.T.A. (Ready to Assemble). Each component is packaged individually; Legs are shipped one per carton.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## WORKSURFACES

- Tops are 1" thick, made of 45 lb. density particle board covered on both sides with high performance thermally fused laminate.
- Laminate finishes are available in High Pressure. Contact Customer care for a quote.
- If other than a Global standard laminate finish is preferred, contact Customer Care. Information needed includes the name of the laminate manufacturer, color name, number and model of table. You will then be given a quote for this special order.
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

## CONSTRUCTION

- Rectangular tops 54" in length and longer include a steel support channel for structural rigidity
- Tops are pre-drilled with threaded steel inserts
- Special width tops are available. Use next size up.
- Adjustable levelers offer up to 1" adjustability.

## EDGE DETAIL

- Tops are sealed with Global's preferred edge in matching color.
- Optional Radius corners (**RM**) are available on rectangular tops at no upcharge.

## LEGS

- Unique Y design
- Straight leg available for assembly with Half Round tops and Keystone tops
- Heavy duty steel construction
- Coated with environmentally friendly recycled paint that provides a durable finish
- Black plastic leveling glides offer 5/8" adjustability
- Available in Black (**TBL**), Cloud (**TIV**), Designer White (**TDW**), Fog (**TFO**), Frost (**TFR**), Kalua (**TKA**), Latte (**TLA**), Mocha (**TMO**), Nevada (**TNE**), Sand (**TSN**), Shadow (**TSH**), Toast (**TOA**) or Tungsten (**TTU**) finish.
- Y Legs: 17.5" leg span - 20"D top, 21.5" leg span - 24"D top, 24.5" leg span - 30"D top.

## CASTERS

- Optional casters are available
- 1½" Dual wheel casters with or without manual lock. Full 360° swivel.
- Can be used in any combination with or without standard glides
- Suggested for carpeted surfaces
- Available in Black only
- Sold in packages of two

## GANGING

- Ganging plates are available for ganging workstations together
- Ganging plates are black epoxy coated steel plates with two thumbscrews
- Provides maximum stability and torque reduction

## FLUSH PLATE

- Suggested for top clusters (fixed configurations for additional stability)
- Sold individually and shipped with two thumbscrews for mounting
- No tools required
- Flush plate allows for ganging together of two or more tops

## WIRE MANAGEMENT

- Available for managing additional larger wires and power connectors
- 3½" high x 4¼" deep Black PVC channel attaches to the underside of top

### 1. SPECIFY MODEL NUMBER

### 2. SPECIFY FINISH

Laminate Finishes:				Legs:	
ACJ	Absolute Acajou	NBL	Noce Biondo	TBL	Black
ASN	Asian Night	NGL	Noce Grigio	TIV	Cloud
AWC	Avant Cherry	NEL	Noce Leggero	TDW	Designer White
AWH	Avant Honey	NML	Noce Medio	TFO	Fog
BLK	Black	QTM	Quartered Mahogany	TFR	Frost
BZD	Blizzard	SBY	Sheer Beauty	TKA	Kalua
BRC	Brushed Cobalt	SDT	Stonedust	TLA	Latte
CMB	Clear Maple	SOG	Storm Grey	TMO	Mocha
CGY	Custom Grey	WHE	Walnut Heights	TNE	Nevada
DES	Dark Espresso	WHC	White Chocolate	TSN	Sand
DWT	Designer White	WCR	Winter Cherry	TSH	Shadow
FAS	Fashionista			TOA	Toast
FCL	First Class			TTU	Tungsten


### 3. SPECIFY OPTIONS

#### Modesty Panels

- 11¼" high panel attaches to the underside of rectangular tops
- Standard with integrated wire trough
- Available in black PVC

#### Grommets

- Grommets are available in **Rectangular and Trapezoid** Tops (left, center or right). See below for available locations. Order as: **AG1, AG2 or AG3. Add \$103.** For **Keystone** worksurface locations, order as **AG2. Add \$103.**
- Grommet hole dimensions are 3 ¼" wide x 1 7/8" deep.



- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103.** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


#### Power Block

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 ½" deep x 6 ½" wide x 2 ¾" high.
- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, ADD \$352.** Power Blocks are available in standard worksurface locations (left, center or right). Order as **E1, E2 or E3. Add \$103.**




Power Block **PMSPDM, Add \$352**

#### EXAMPLES OF GROMMET AND POWER BLOCK POSITIONS




#### VILLA CUT-OUTS

- Optional Villa cut-out available in standard worksurface locations (left, center or right) **for Rectangular Tables.** Order as: **V1, V2 or V3. Add \$103 for each cut-out.**
- Villa cut-outs may be placed at non-standard locations. Please contact customer service.



## RECTANGULAR TOPS




Rectangular Top

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
JNR2042	20 x 42 x 1	65	26	1.1	<b>\$396</b>
JNR2048	20 x 48 x 1	65	29	1.15	<b>\$441</b>
JNRU2054	20 x 54 x 1	65	33	1.3	<b>\$547</b>
JNRU2060	20 x 60 x 1	65	37	1.4	<b>\$588</b>
JNRU2066	20 x 66 x 1	65	41	1.55	<b>\$635</b>
JNRU2072	20 x 72 x 1	65	45	1.66	<b>\$678</b>
JNR2442	24 x 42 x 1	65	31	1.25	<b>\$396</b>
JNR2448	24 x 48 x 1	65	35	1.4	<b>\$441</b>
JNRU2454	24 x 54 x 1	65	42	1.52	<b>\$547</b>
JNRU2460	24 x 60 x 1	65	47	1.67	<b>\$588</b>
JNRU2466	24 x 66 x 1	65	52	1.82	<b>\$635</b>
JNRU2472	24 x 72 x 1	65	57	2	<b>\$678</b>
JNR3042	30 x 42 x 1	65	38	1.51	<b>\$481</b>
JNR3048	30 x 48 x 1	65	44	1.7	<b>\$506</b>
JNRU3054	30 x 54 x 1	65	52	1.9	<b>\$629</b>
JNRU3060	30 x 60 x 1	65	59	2.1	<b>\$675</b>
JNRU3066	30 x 66 x 1	65	64	2.26	<b>\$722</b>
JNRU3072	30 x 72 x 1	65	70	2.5	<b>\$768</b>

Pre-drilled with threaded steel inserts for freestanding and linking installations. **Tops 54" and longer are standard with a 16 gauge steel support channel.**

## HALF ROUND TOPS




Half Round Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
JNHFS2040	20 x 40 x 1	70	23	1.05	<b>\$419</b>
JNHFS2048	20 x 48 x 1	65	27.5	1.15	<b>\$434</b>
JNHFS2448	24 x 48 x 1	65	34	1.4	<b>\$466</b>
JNHFS2454	27 x 54 x 1	65	38.25	1.52	<b>\$550</b>
JNHFS3060	30 x 60 x 1	60	53	1.67	<b>\$603</b>
JNHFS3066	33 x 66 x 1	60	58.3	1.82	<b>\$755</b>

Pre-drilled with threaded steel inserts for freestanding and linking installations. Four legs are required for freestanding configurations.

- **JNHFS2040/JNHFS2048** for use with 20" deep joining edge
- **JNHFS2448/JNHFS2454** for use with 24" deep joining edge
- **JNHFS3060/JNHFS3066** for use with 30" deep joining edge

## TRAPEZOID TOPS



Trapezoid Top

MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
JNTT2048	15.25 x 48 x 1	65	27.5	1.15	<b>\$409</b>
JNTT2060	15.25 x 60 x 1	65	34	1.4	<b>\$486</b>
JNTT2448	20.5 x 48 x 1	65	33	1.4	<b>\$463</b>
JNTT2460	20.5 x 60 x 1	65	41.25	1.67	<b>\$556</b>
JNTT3060	25.75 x 60 x 1	65	50.5	2.1	<b>\$608</b>
JNTT3072	25.75 x 72 x 1	65	61	2.5	<b>\$678</b>


Pre-drilled with threaded steel inserts for linking installations. **Not freestanding.**

- **JNTT2048/JNTT2060** for use with 20" deep joining edge
- **JNTT2448/JNTT2460** for use with 24" deep joining edge
- **JNTT3060/JNTT3072** for use with 30" deep joining edge

**Required Specifications**  
Finish

**Optional Specifications**  
Grommet


**Accessories**  
Power Block

KEYSTONE TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		<b>D x W x H</b>				
	JN5S2424	24 x 42 x 1	65	35	1.4	<b>\$472</b>
	JN5S3030	30 x 54 x 1	65	53	2.1	<b>\$603</b>

**Keystone Top**


Pre-drilled with threaded steel inserts for linking installations. **Keystone shape is for V configurations/shared applications only; not intended for freestanding applications.**

- **JN5S2424** for use with 20" deep joining edge
- **JN5S3030** for use with 24" deep joining edge

MODESTY PANELS	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	JNMP42	6.92 x 29.19 x 11.25	250	3.7	1.5	<b>\$327</b>
	JNMP48	6.92 x 35.19 x 11.25	250	4.5	1.75	<b>\$367</b>
	JNMP54	6.92 x 41.19 x 11.25	250	5	2	<b>\$411</b>
	JNMP60	6.92 x 47.19 x 11.25	250	5.9	2.25	<b>\$451</b>
	JNMP66	6.92 x 53.19 x 11.25	250	6.6	2.5	<b>\$483</b>
	JNMP72	6.92 x 59.19 x 11.25	250	7.4	2.75	<b>\$524</b>


**Modesty Panel**

For use with **JNR rectangular tops**. 11 ¼" high, Black plastic, attractive ribbed design. Includes integrated wire trough. Connects to predrilled holes in table top.

WIRE MANAGEMENT	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE
	JNEC5S	4.14 x 12.5 x 3.63	70	1	0.1	<b>\$89</b>

**Wire Manager**

For use with **JN5S Keystone Tops**. For managing additional wires and power connectors. 3½"H Black PVC channel connects to predrilled holes in table top.

	JNEC42	4.14 x 41.75 x 3.63	125	2.52	0.33	<b>\$208</b>
	JNEC48	4.14 x 47.75 x 3.63	125	2.88	0.38	<b>\$241</b>
	JNEC54	4.14 x 53.75 x 3.63	125	3.24	0.43	<b>\$273</b>
	JNEC60	4.14 x 59.75 x 3.63	125	3.6	0.48	<b>\$302</b>
	JNEC66	4.14 x 65.75 x 3.63	125	3.96	0.53	<b>\$316</b>
	JNEC72	4.14 x 71.75 x 3.63	125	4.32	0.58	<b>\$411</b>







**Wire Manager**

For use with **JNR Rectangular Tops**. For managing additional wires and power connectors. 3½"H Black PVC channel connects to predrilled holes in the table top.



**Required Specifications**  
Finish

**Optional Specifications**  
Grommet

**Accessories**  
Power Block

LEGS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
<div>  <p><b>"Y" Leg</b></p> </div> <div>  <p><b>"Y" Leg</b></p> </div> <div>  <p><b>"Y" Leg</b></p> </div> <div>  <p><b>Straight Leg</b></p> </div> <div>  <p><b>Casters</b></p> </div> <div>  <p><b>Thumbscrews</b></p> </div>		<b>D x W x H</b>				
	GJNLEG20	17.25 x 2 x 27.5	150	8.5	2	<b>\$314</b>
	Leg span is 17½". Leveling glides are standard. <b>For assembly with 20" deep tops</b> <ul style="list-style-type: none"> <li>List price is per each leg.</li> <li>See 743 for available finishes.</li> </ul>					
	GJNLEG24	21.5 x 2 x 27.5	150	10	2.5	<b>\$314</b>
	Leg span is 21½". Leveling glides are standard. <b>For assembly with 24" deep tops</b> <ul style="list-style-type: none"> <li>List Price is per each leg.</li> <li>See 743 for available finishes.</li> </ul>					
	GJNLEG30	24.5 x 2 x 27.5	250	11	2.85	<b>\$338</b>
	Leg span is 24½". Leveling glides are standard. <b>For assembly with 30" deep tops</b> <ul style="list-style-type: none"> <li>List Price is per each leg.</li> <li>See 743 for available finishes.</li> </ul>					
	JNLEG	1 x 2 x 27.3	150	6	1.3	<b>\$277</b>
	Leveling glides are standard. <b>For assembly with half round and keystone tops.</b> Mounting plate is 11" deep by 5" wide. <ul style="list-style-type: none"> <li>List Price is per each leg.</li> <li>See 743 for available finishes.</li> </ul>					
	JNCP	--	--	--	--	<b>\$68</b>
	Set of (2) 1½" dual wheel casters, one locking. Suggested for carpeted surfaces. Casters are fully interchangeable with glides. Black only. <ul style="list-style-type: none"> <li>For use with Junction units only</li> <li>Casters DO NOT affect table height</li> </ul>					
	JNTS	--	--	--	--	<b>\$39</b>
	Triangular thumbscrew with ¾" steel thread. Set of 4. Can be used in place of factory supplied screws to allow installation of "Y" legs to tops without tools. Black only.					

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Finish	Grommet (Keystone)	Power Block (Keystone)

ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Ganging Flush Plate</b>	D x W x H					
	JNGFP	--	--	--	--	\$71
 <b>Flush Plate</b>	Black epoxy coated steel plates with 2 thumbscrews included. Used to connect table tops together for additional stability or for connecting freestanding tops together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.					
	JNFP1	5.25 d x 5.25 w	--	--	--	\$39
	JNFP4	5.25 d x 5.25 w	--	--	--	\$142
Assures alignment on adjoining worksurfaces of the same height. Bolts included. Available in Black only. <b>JNFP1</b> - 1 per carton. <b>JNFP4</b> - 4 per carton.						

Required Specifications  
Finish



Kadin adds modern flair to your meeting space. From formal conference rooms to intimate meeting spaces or open forums, Kadin fits wherever people meet. Choose from round, square or rectangular tops in a variety of sizes with multiple edge options. Table depths start at 36", available widths are almost limitless. Surfaces are offered in architectural grade veneer and high-pressure laminate. The beautifully sculpted leg support maximizes leg clearance to keep guests comfortable. Extending from the leg support, the beam structure and connectors create visual interest as people come together. Pre-configured base assemblies make it easy to specify.

#### Features and Benefits

- Constructed of 45lb. density particleboard with high pressure laminate or grade A veneers
- 3 top shapes
- Solid die-cast aluminum leg with adjustable glide
- 5 edge options
- Metal bases available in 8 finishes
- Beam available in 7 finishes to match leg



90° connector



60° connector (for three leg tables only)



Beam construction

**GENERAL INFORMATION**

- Laminate or veneer tops with multiple edge options
- Three top shapes - round, square, rectangular
- Pre-configured assemblies make specifying easy
- Kadin pairs perfectly with storage from a number of Global desking series
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

**TABLES WITH LAMINATE TOPS:  
CONSTRUCTION**

- Constructed of 45 lb. density particleboard with high pressure laminate
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- Solid die-cast aluminum leg with adjustable glide

**WORKSURFACES**


- Available in 1-1/16" or 1-7/16" high pressure laminate tops with a 3mm PVC edge or 1-3/16" high pressure laminate top with a 3mm PVC edge trim
- Laminate surfaces offer a selection of matching + coordinating edge band, specify separately from the surface finish
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces. If woodgrain laminate is chosen, the woodgrain pattern may not line up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly
- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.

**EDGES**

- Tables with **B** Edge are 1-1/16" thick and have a 3mm PVC edge
- Tables with a **W** Edge are 1-7/16" thick and have a 3mm PVC edge
- Tables with a **KL** edge are 1-3/16" thick with a 3mm PVC edge and a 2" undercut knife profile
- Square and Rectangular Tables with a **B** or **W** edge have a 1" radius at each corner. For 90° corners, please add **NR** at the end of the product code. No upcharge.
- Square and Rectangular tables with a **KL** edge have 90° corners. There is no radius corner option for the KL edge.

**GROMMETS**

- Grommets available in standard table top locations (left, center or right).  
Order as: **AG1, AG2 or AG3. Add \$103**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.



- Actual grommet locations will vary according to base selection.

**WIRE MANAGEMENT**

- For vertical and horizontal wire management, please refer to wire management section below, or Productivity Solutions on page 474.

**CUT-OUTS FOR POWER BLOCKS**

- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes. **Add \$103 for each cut-out.**
- Cut-outs may be placed at non-standard locations. Please contact customer care.
- Match power block desired with cut-out code and location from above grid
- Power module cut-out locations are not available on all models – please see diagrams to the right for restrictions.

\***Oasis Mini** is not available on 36"D models due to space restrictions caused by beam placement. **Only available on 60" square and 60" round 4-leg tables.**

**TABLES WITH VENEER TOPS:  
CONSTRUCTION**



- Constructed of 45 lb. density particleboard with grade A veneers
- Tables are pre-drilled with factory installed inserts for easy metal-to-metal base connection
- Solid die-cast aluminum leg with adjustable glide

**WORKSURFACES**

- 1-3/16" thick veneer tops with choice of edge.
- Tables up to and including 96" long are manufactured in one piece, 108" to 180" long are manufactured in two pieces, and over 192" are manufactured in three pieces.
- Veneer wood grain will run with the **length** of the table and align at the seam up to 180"
- Veneer wood grain will run with the **depth** of the table (i.e. cross grain) on tables 192" and up.
- Tables in two or three pieces will have the joining edge finished; hardware will be shipped for assembly

**EDGES**

- Tables with a **FV** edge are 1-3/16" thick with a flat 3mm hardwood edge, stained to match to veneer.
- Tables with a **KV** edge are 1-3/16" thick with a flat 3mm hardwood edge and 2" undercut knife edge profile.
- Square and Rectangular Tables with the **FV** and **KV** edge have 90° corners. There is no radius corner option.





## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISH

### LAMINATE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey*	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

\*Coordinates w/SIL edgeband finish

### EDGE FINISHES (Laminate Surfaces Only)

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
BRC	Brushed Cobalt	SIL	Silver <i>(use w/CGY)</i>
CHR	Charcoal <i>(use w/SOG)</i>	SDT	Stonedust
CME	Clear Maple	SOG	Storm Grey
DEE	Dark Espresso	TPE	Taupe
DWE	Designer White	WHE	Walnut Heights
FAS	Fashionista	CBE	White Chocolate
FCL	First Class	WCE	Winter Cherry

### LEG FINISHES

CHM	Chrome	BLK	Black
CHR	Charcoal	BZD	Blizzard*
DWT	Designer White	NEV	Nevada
SIL	Silver	SDT	Stonedust*
TPE	Taupe	TUN	Tungsten

\*textured finish

### BEAM FINISHES

BLK	Black	CHR	Charcoal
DWT	Designer White	NEV	Nevada
SIL	Silver	TPE	Taupe
TUN	Tungsten		

### VENEER FINISHES:

Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWV	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced
JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced


## 3. SPECIFY OPTIONS

### Edge Options:

#### “B” Edges

Laminate surface  
with PVC edge

HP (B) 1-1/16”  
Thickness



#### “W” Edges

Laminate surface  
with PVC edge

HP (W) 1-7/16”  
Thickness



#### “KL” Edges

Laminate surface  
with PVC edge

HP (KL) 1-3/16”  
Thickness



#### “FV” Edges

Veneer surface  
with Hardwood edge


(FV) 1-3/16”  
Thickness



#### “KV” Edges


Veneer surface  
with Hardwood edge

(KV) 1-3/16”  
Thickness




### CUT-OUT LOCATIONS:

#### Square Table - position 2 only




#### Round Table - position 2 only




#### Rectangular Table

- Cut-out only in position 2: LKD3648, LKD3654, LKD4248, LKD4254, LKD4854
- One cut-out choice only (position 1, 2 or 3): LKD3660, LKD3666, LKD3672, LKD4260, LKD4266, LKD4272
- Up to 3 cut-outs in position 1, 2 and/or 3: LKD3678, LKD3684, LKD3696, LKD4278, LKD4284, LKD4296, LKD4878, LKD4884, LKD4896




#### Rectangular Table - 2 piece top

- Up to 2 cut-outs in position 1 and/or 3 - all sizes




#### Rectangular Table - 3 piece top

- Up to 3 cut-outs in position 1, 2 and/or 3 - all sizes




Note: Grommet orientation follows the length of table.

SQUARE TABLES - LAMINATE	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	B-EDGE	W-EDGE	KL-EDGE
	LKD3636	36 x 36 x 29-29.5	100	73	4	<b>\$1943</b>	<b>\$2183</b>	<b>\$2263</b>
	LKD4242	42 x 42 x 29-29.5	100	86	4	<b>\$2323</b>	<b>\$2551</b>	<b>\$2743</b>
	LKD4848	48 x 48 x 29-29.5	92.5	107	5	<b>\$2727</b>	<b>\$3005</b>	<b>\$3192</b>
	LKD5454	54 x 54 x 29-29.5	85	120	5	<b>\$3003</b>	<b>\$3341</b>	<b>\$3822</b>
	LKD6060	60 x 60 x 29-29.5	92.5	135	6	<b>\$3309</b>	<b>\$3713</b>	<b>\$4373</b>


**Square Table - Laminate Top\***

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

SQUARE TABLES - VENEER						FV EDGE	KV EDGE
	LKD3636K	36 x 36 x 29-29.5	100	73	4	<b>\$2694</b>	<b>\$2790</b>
	LKD4242K	42 x 42 x 29-29.5	92.5	86	4	<b>\$3208</b>	<b>\$3337</b>
	LKD4848K	48 x 48 x 29-29.5	92.5	107	5	<b>\$3800</b>	<b>\$3969</b>
	LKD5454K	54 x 54 x 29-29.5	85	120	5	<b>\$4602</b>	<b>\$4812</b>
	LKD6060K	60 x 60 x 29-29.5	92.5	135	6	<b>\$5341</b>	<b>\$5599</b>


**Square Table - Veneer Top**

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

ROUND TABLES - LAMINATE						B-EDGE	W-EDGE	KL-EDGE
	LKD36DIA	36 x 36 x 29-29.5	92.5	66	3	<b>\$1566</b>	<b>\$1813</b>	<b>\$2111</b>
	LKD42DIA	42 x 42 x 29-29.5	85	78	3	<b>\$1931</b>	<b>\$2162</b>	<b>\$2697</b>
	LKD48DIA	48 x 48 x 29-29.5	85	99	4	<b>\$2292</b>	<b>\$2579</b>	<b>\$3274</b>
	LKD54DIA	54 x 54 x 29-29.5	85	111	4	<b>\$2569</b>	<b>\$2916</b>	<b>\$4003</b>
	LKD60DIA	60 x 60 x 29-29.5	85	126	5	<b>\$2870</b>	<b>\$3285</b>	<b>\$4718</b>

**Round Table - 3 Legs\***

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes three legs, three 60-degree connectors and three leg beams.

	LKD436DIA	36 x 36 x 29-29.5	100	66	3	<b>\$2036</b>	<b>\$2276</b>	<b>\$2453</b>
	LKD442DIA	42 x 42 x 29-29.5	92.5	78	3	<b>\$2323</b>	<b>\$2551</b>	<b>\$2974</b>
	LKD448DIA	48 x 48 x 29-29.5	92.5	99	4	<b>\$2727</b>	<b>\$3005</b>	<b>\$3606</b>
	LKD454DIA	54 x 54 x 29-29.5	85	111	4	<b>\$3003</b>	<b>\$3341</b>	<b>\$4264</b>
	LKD460DIA	60 x 60 x 29-29.5	92.5	126	5	<b>\$3309</b>	<b>\$3713</b>	<b>\$5006</b>

**Round Table - 4 Legs\***

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

**Required Specifications**

Top Finish  
Leg Finish  
Edge Finish\*  
Edge Style


**Optional Specifications**

Grommet

**Accessories**

Power Block

## ROUND TABLES - VENEER



Round Table - 3 Legs



Round Table - 4 Legs

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
--------	------------	---------------	---------	-----------	---------	---------

### D x W x H


LKD36DIAK	36 x 36 x 29-29.5	92.5	66	3	\$2565	\$2687
LKD42DIAK	42 x 42 x 29-29.5	85	78	3	\$3231	\$3392
LKD48DIAK	48 x 48 x 29-29.5	85	99	4	\$3978	\$4200
LKD54DIAK	54 x 54 x 29-29.5	85	111	4	\$4923	\$5195
LKD60DIAK	60 x 60 x 29-29.5	85	126	5	\$5884	\$6216

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes three legs, three 60-degree connectors and three leg beams.

LKD436DIAK	36 x 36 x 29-29.5	100	66	3	\$2806	\$2928
LKD442DIAK	42 x 42 x 29-29.5	92.5	78	3	\$3484	\$3645
LKD448DIAK	48 x 48 x 29-29.5	92.5	99	4	\$4284	\$4506
LKD454DIAK	54 x 54 x 29-29.5	85	111	4	\$5157	\$5429
LKD460DIAK	60 x 60 x 29-29.5	92.5	126	5	\$6144	\$6476

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

## RECTANGULAR TABLES - LAMINATE



Rectangular Table\*

B-EDGE	W-EDGE	KL-EDGE
--------	--------	---------

LKD3648	36 x 48 x 29-29.5	100	75	4	\$2405	\$2650	\$2720
LKD3654	36 x 54 x 29-29.5	92.5	81	4	\$2511	\$2785	\$2971
LKD3660	36 x 60 x 29-29.5	100	88	5	\$2618	\$2917	\$3149
LKD3666	36 x 66 x 29-29.5	100	95	5	\$2727	\$3052	\$3327
LKD3672	36 x 72 x 29-29.5	92.5	101	5	\$2831	\$3180	\$3506
LKD3678	36 x 78 x 29-29.5	92.5	105	5	\$2938	\$3313	\$3686
LKD3684	36 x 84 x 29-29.5	92.5	108	5	\$3045	\$3448	\$3863
LKD3696	36 x 96 x 29-29.5	100	115	6	\$3260	\$3714	\$4223
LKD4248	42 x 48 x 29-29.5	92.5	87	4	\$2576	\$2818	\$2956
LKD4254	42 x 54 x 29-29.5	100	90	5	\$2703	\$2971	\$3231
LKD4260	42 x 60 x 29-29.5	100	94	5	\$2830	\$3117	\$3440
LKD4266	42 x 66 x 29-29.5	92.5	101	5	\$2955	\$3270	\$3646
LKD4272	42 x 72 x 29-29.5	92.5	106	5	\$3084	\$3420	\$3857
LKD4278	42 x 78 x 29-29.5	100	110	6	\$3206	\$3569	\$4061
LKD4284	42 x 84 x 29-29.5	100	113	6	\$3334	\$3720	\$4269
LKD4296	42 x 96 x 29-29.5	92.5	129	6	\$3587	\$4020	\$4684
LKD4854	48 x 54 x 29-29.5	100	94	5	\$2932	\$3228	\$3497
LKD4860	48 x 60 x 29-29.5	100	99	5	\$3073	\$3397	\$3733
LKD4866	48 x 66 x 29-29.5	100	107	6	\$3215	\$3562	\$3967
LKD4872	48 x 72 x 29-29.5	100	114	6	\$3356	\$3729	\$4203
LKD4878	48 x 78 x 29-29.5	92.5	120	6	\$3496	\$3901	\$4438
LKD4884	48 x 84 x 29-29.5	92.5	125	6	\$3639	\$4068	\$4674
LKD4896	48 x 96 x 29-29.5	92.5	149	7	\$3918	\$4401	\$5143

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

### Required Specifications

Top Finish  
Leg Finish  
Edge Finish\*  
Edge Style

### Optional Specifications

Grommet

### Accessories

Power Block

## RECTANGULAR TABLES - LAMINATE

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.


## CUBIC FT.

## B-EDGE

## W-EDGE KL-EDGE


## D x W x H

LKD36108	36 x 108 x 29-29.5	92.5	154	7	<b>\$4484</b>	<b>\$4821</b>	<b>\$5335</b>
LKD36120	36 x 120 x 29-29.5	125	164	8	<b>\$4713</b>	<b>\$5088</b>	<b>\$5692</b>
LKD42108	42 x 108 x 29-29.5	150	124	8	<b>\$4783</b>	<b>\$5166</b>	<b>\$5848</b>
LKD42120	42 x 120 x 29-29.5	150	141	9	<b>\$5036</b>	<b>\$5454</b>	<b>\$6263</b>
LKD48108	48 x 108 x 29-29.5	150	127	9	<b>\$5146</b>	<b>\$5561</b>	<b>\$6372</b>
LKD48120	48 x 120 x 29-29.5	150	151	9	<b>\$5433</b>	<b>\$5896</b>	<b>\$6838</b>
LKD48132	48 x 132 x 29-29.5	150	164	10	<b>\$5714</b>	<b>\$6220</b>	<b>\$7311</b>
LKD48144	48 x 144 x 29-29.5	125	181	10	<b>\$5787</b>	<b>\$6301</b>	<b>\$7772</b>
LKD48156	48 x 156 x 29-29.5	150	191	11	<b>\$6277</b>	<b>\$6865</b>	<b>\$8252</b>
LKD48168	48 x 168 x 29-29.5	125	206	11	<b>\$6557</b>	<b>\$7181</b>	<b>\$8722</b>
LKD48180	48 x 180 x 29-29.5	125	220	12	<b>\$7045</b>	<b>\$7743</b>	<b>\$9198</b>
LKD54144	54 x 144 x 29-29.5	150	193	11	<b>\$6464</b>	<b>\$7058</b>	<b>\$8533</b>
LKD54168	54 x 168 x 29-29.5	150	214	12	<b>\$7086</b>	<b>\$7765</b>	<b>\$9586</b>
LKD60144	60 x 144 x 29-29.5	150	206	12	<b>\$6847</b>	<b>\$7491</b>	<b>\$9219</b>
LKD60168	60 x 168 x 29-29.5	150	227	13	<b>\$7524</b>	<b>\$8265</b>	<b>\$10379</b>



Rectangular Table - 2 piece top

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.



Rectangular Table - 3 piece top

LKD48192	48 x 192 x 29-29.5	150	279	14	<b>\$7926</b>	<b>\$8633</b>	<b>\$10408</b>
LKD54192	54 x 192 x 29-29.5	150	288	15	<b>\$8520</b>	<b>\$9292</b>	<b>\$11393</b>
LKD54216	54 x 216 x 29-29.5	150	270	16	<b>\$9136</b>	<b>\$9998</b>	<b>\$12439</b>
LKD54240	54 x 240 x 29-29.5	150	298	17	<b>\$9757</b>	<b>\$10712</b>	<b>\$13494</b>
LKD60192	60 x 192 x 29-29.5	150	257	16	<b>\$9024</b>	<b>\$9859</b>	<b>\$12303</b>
LKD60216	60 x 216 x 29-29.5	150	283	17	<b>\$9703</b>	<b>\$10638</b>	<b>\$13466</b>
LKD60240	60 x 240 x 29-29.5	150	311	18	<b>\$10378</b>	<b>\$11408</b>	<b>\$14624</b>

Tops feature 3mm pvc edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.

## Required Specifications

Top Finish  
Leg Finish  
Edge Finish  
Edge Style

## Optional Specifications

Grommet

## Accessories

Power Block

RECTANGULAR TABLES - VENEER

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

FV EDGE

KV EDGE


D x W x H

LKD3648K	36 x 48 x 29-29.5	100	75	4	<b>\$3173</b>	<b>\$3297</b>
LKD3654K	36 x 54 x 29-29.5	92.5	81	4	<b>\$3482</b>	<b>\$3623</b>
LKD3660K	36 x 60 x 29-29.5	100	88	5	<b>\$3719</b>	<b>\$3876</b>
LKD3666K	36 x 66 x 29-29.5	100	95	5	<b>\$3957</b>	<b>\$4130</b>
LKD3672K	36 x 72 x 29-29.5	92.5	101	5	<b>\$4194</b>	<b>\$4379</b>
LKD3678K	36 x 78 x 29-29.5	92.5	105	5	<b>\$4433</b>	<b>\$4637</b>
LKD3684K	36 x 84 x 29-29.5	92.5	108	5	<b>\$4673</b>	<b>\$4892</b>
LKD3696K	36 x 96 x 29-29.5	100	115	6	<b>\$5149</b>	<b>\$5399</b>
LKD4248K	42 x 48 x 29-29.5	92.5	87	4	<b>\$3485</b>	<b>\$3630</b>
LKD4254K	42 x 54 x 29-29.5	100	90	5	<b>\$3830</b>	<b>\$3995</b>
LKD4260K	42 x 60 x 29-29.5	100	94	5	<b>\$4107</b>	<b>\$4289</b>
LKD4266K	42 x 66 x 29-29.5	92.5	101	5	<b>\$4382</b>	<b>\$4582</b>
LKD4272K	42 x 72 x 29-29.5	92.5	106	5	<b>\$4658</b>	<b>\$4877</b>
LKD4278K	42 x 78 x 29-29.5	100	110	6	<b>\$4935</b>	<b>\$5169</b>
LKD4284K	42 x 84 x 29-29.5	100	113	6	<b>\$5208</b>	<b>\$5463</b>
LKD4296K	42 x 96 x 29-29.5	92.5	129	6	<b>\$5761</b>	<b>\$6048</b>
LKD4854K	48 x 54 x 29-29.5	100	94	5	<b>\$4182</b>	<b>\$4372</b>
LKD4860K	48 x 60 x 29-29.5	100	99	5	<b>\$4493</b>	<b>\$4702</b>
LKD4866K	48 x 66 x 29-29.5	100	107	6	<b>\$4807</b>	<b>\$5035</b>
LKD4872K	48 x 72 x 29-29.5	100	114	6	<b>\$5119</b>	<b>\$5369</b>
LKD4878K	48 x 78 x 29-29.5	92.5	120	6	<b>\$5432</b>	<b>\$5704</b>
LKD4884K	48 x 84 x 29-29.5	92.5	125	6	<b>\$5746</b>	<b>\$6034</b>
LKD4896K	48 x 96 x 29-29.5	92.5	149	7	<b>\$6371</b>	<b>\$6703</b>


Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes four legs, four 90-degree connectors and four leg beams.

LKD36108K	36 x 108 x 29-29.5	125	154	7	<b>\$6360</b>	<b>\$6640</b>
LKD36120K	36 x 120 x 29-29.5	125	164	8	<b>\$6837</b>	<b>\$7146</b>
LKD42108K	42 x 108 x 29-29.5	150	124	8	<b>\$7056</b>	<b>\$7381</b>
LKD42120K	42 x 120 x 29-29.5	150	141	9	<b>\$7606</b>	<b>\$7968</b>
LKD48108K	48 x 108 x 29-29.5	150	127	9	<b>\$7748</b>	<b>\$8118</b>
LKD48120K	48 x 120 x 29-29.5	150	151	9	<b>\$8375</b>	<b>\$8786</b>
LKD48132K	48 x 132 x 29-29.5	150	164	10	<b>\$9000</b>	<b>\$9454</b>
LKD48144K	48 x 144 x 29-29.5	125	181	10	<b>\$9626</b>	<b>\$10117</b>
LKD48156K	48 x 156 x 29-29.5	150	191	11	<b>\$10253</b>	<b>\$10787</b>
LKD48168K	48 x 168 x 29-29.5	125	206	11	<b>\$10878</b>	<b>\$11451</b>
LKD48180K	48 x 180 x 29-29.5	125	220	12	<b>\$11505</b>	<b>\$12121</b>
LKD54144K	54 x 144 x 29-29.5	150	193	11	<b>\$10613</b>	<b>\$11168</b>
LKD54168K	54 x 168 x 29-29.5	150	214	12	<b>\$12015</b>	<b>\$12664</b>
LKD60144K	60 x 144 x 29-29.5	150	206	12	<b>\$11533</b>	<b>\$12149</b>
LKD60168K	60 x 168 x 29-29.5	150	227	13	<b>\$13083</b>	<b>\$13802</b>

Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes six legs, four 90-degree connectors, two 3-way connectors and four leg beams.



Rectangular Table



Rectangular Table - 2 piece top

Required Specifications

Top Finish

Leg Finish


Edge Style

Optional Specifications

Grommet

Accessories

Power Block

RECTANGULAR TABLES - VENEER	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	FV EDGE	KV EDGE
 <p><b>Rectangular Table - 3 piece top</b></p>		<b>D x W x H</b>					
	LKD48192K	48 x 192 x 29-29.5	150	279	14	<b>\$12878</b>	<b>\$13533</b>
	LKD54192K	54 x 192 x 29-29.5	150	288	15	<b>\$14170</b>	<b>\$14909</b>
	LKD54216K	54 x 216 x 29-29.5	150	270	16	<b>\$15573</b>	<b>\$16403</b>
	LKD54240K	54 x 240 x 29-29.5	150	298	17	<b>\$16973</b>	<b>\$17895</b>
	LKD60192K	60 x 192 x 29-29.5	150	257	16	<b>\$15396</b>	<b>\$16217</b>
	LKD60216K	60 x 216 x 29-29.5	150	283	17	<b>\$16946</b>	<b>\$17868</b>
	LKD60240K	60 x 240 x 29-29.5	150	311	18	<b>\$18496</b>	<b>\$19519</b>
	<p>Tops feature hardwood edge and metal inserts for ease of assembly to base. Also includes eight legs, four 90-degree connectors, four 3-way connectors and eight leg beams.</p>						

Required Specifications	Optional Specifications	Accessories
Top Finish Leg Finish Edge Style	Grommet	Power Block

## WIRE MANAGEMENT

**Cable Snake**

## MODEL #

## DIMENSIONS

## FREIGHT CLASS

## WT/LB.

## CUBIC FT.

## LIST PRICE

PCSN01

D x W x H  
-- x -- x --

92.5

2.10

.20

**\$144**

Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Length under desk is 31.25". Silver (**SIL**) plastic only.

**Cable Snake**

BRTCS

2 x 8 x 30


70

3

.19

**\$162**

Flexible cable management trough. Two pathways within the snake, one for data/communication and one for routing power cables. Translucent White finish only.

**Wire Manager**

PEWM5.5

2 x 66 x 2

70

.60

.10

**\$211**

PEWM5

2 x 60 x 2

70

.60

.10

**\$177**

PEWM4.5

2 x 54 x 2

70

.50

.10

**\$158**

PEWM4

2 x 48 x 2

70

.50

.10

**\$144**

PEWM3.5

2 x 42 x 2

70

.40

.10

**\$124**

PEWM3

2 x 36 x 2

70

.40

.10

**\$111**

PEWM2.5

2 x 30 x 2

70

.30

.10

**\$91**

PEWM2

2 x 24 x 2

70

.30

.10

**\$75**

PEWM1.5

2 x 18 x 2

70

.20

.10

**\$59**

PEWM1

2 x 12 x 2


70

.20

.10

**\$43**

Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (**BLK**) only.

**Power/Data Cable Basket**

BRTCB76KIT

8 x 34 x 1

70

1.56

.15

**\$281**

BRTCB70

8 x 70 x 1

100

3.22

.34

**\$204**

BRTCB64

8 x 64 x 1

92.5

2.94

.29

**\$190**

BRTCB58

8 x 58 x 1

92.5

2.66

.26

**\$184**

BRTCB52

8 x 52 x 1

100

2.39

.24

**\$173**

BRTCB46

8 x 46 x 1

92.5

2.16

.21

**\$163**

BRTCB40

8 x 40 x 1

70

1.80

.18

**\$155**

BRTCB34

8 x 34 x 1

70

1.56

.15

**\$149**

BRTCB28

8 x 28 x 1

70

1.20

.13

**\$131**

BRTCB22

8 x 22 x 1

70

1.01

.10

**\$123**

BRTCB16

8 x 16 x 1

70

.73

.07

**\$116**

BRTCB8

8 x 8 x 1


70

.36


.03

**\$104**

Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.



Global's Swap collection is a comprehensive offering including laptop tables, casual meeting tables, café tables, huddle tables and more. Suitable for a variety of applications: break rooms, dedicated/enclosed meeting rooms, casual/open area meeting spaces (lounge, seated, counter and bar height options), and private office (accommodate smaller 3-4 person discussions). Tops and bases are sold separately for ease of specification. Mix and match capabilities to create spaces for multi-purpose use. Choose your top, choose your base. Create the combination you desire for the way you want to work.



Top shapes



1/2" thick steel square and round metal bases



Optional power & data modules  
(on select top sizes)



Factory installed metal inserts for easy  
metal-to-metal base connection

**Features and Benefits**

- Tops are available in various materials to help perfect your interior design. Material choices include: (1) thermally fused laminate, (2) high pressure laminate (3) veneer and (4) solid surface.
- (1) High performance thermally fused laminate tops are 1" thick, with 45 lb. density particle board and feature 2mm thick edgeband.
- (2) High pressure laminate tops are 1-3/16" thick, with either 2mm flat edge or knife edge profiles. Tops with flat edge have 45 lb. density particle board core, tops with knife edge have MDF core.
- (3) Veneer tops are 1-3/16" thick overall with matching flat edge or knife edge
- (4) Solid surface tops are 1-1/4" thick with a plywood or particleboard melamine subtop depending on size, available with flat edge or knife edge
- Bases are constructed of a solid steel metal plate and cover - round or square.
- Power block cut-outs are available on most tables.
- 6 heights:  
Coffee table height at 16"H  
End table height at 22"H  
Lounge height at 27"H  
Seated height at 29"H  
Counter height at 36"H  
Bar height at 41.5"H



## GENERAL INFORMATION

- Swap is a series of tables for use in casual meeting spaces, lounges, café areas and more.
- The right proportions, flawless surfaces and a solid foundation is sure to become your favorite table series to spec.
- Finish palette coordinates with most Global laminate and veneer casegoods series, as well as a variety of solid surface options to choose from – tables can stand-alone or blend with other solutions.
- Each component is packed individually. Bases are shipped assembled, 1 per carton. Easy to assemble.
- Global's counter and bar height stools are a perfect complement to Swap tables with counter and bar height bases.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com)

## WORKSURFACES

- **Four** material choices: high performance thermally fused laminate, high pressure laminate, veneer and solid surface.
- **Thermally fused laminate** tops are 1" thick overall, constructed of 45 lb. density particle board core; 2 mm thick flat edge band to match, contrast with, or complement the top surface or corresponding base finish.
- **High pressure laminate** tops are 1-3/16" thick overall with choice of edge detail. 2mm thick flat edge to match, contrast with or complement the top surface or corresponding base finish on a 45lbs density particle board core. Also available with knife edge detail; edge finish would match top surface; core material is MDF. Recommended for counter applications or other high use areas. Product codes with **suffix LK** indicate high pressure laminate with knife edge.
- **Veneer** tops are 1-3/16" thick overall with choice of edge detail - flat edge or knife edge. Edge finish to correspond to surface finish. When flat edge, core material is 45 lbs density particle board; when knife edge, core material is MDF. Product codes with **suffix V** indicate veneer.
- **Solid surface** tops are 1.25" thick overall with choice of edge detail - flat edge or knife edge. Solid surface material is 0.5" thick with built up edge profile over a particle board or plywood subtop depending on overall top size. Product codes with **suffix SF** indicate solid surface with flat edge; product codes with **suffix SK** indicate solid surface with knife edge. There is no edge finish selection on solid surface tops. For detailed material information, please reference WilsonArt's Solid Surface collection.
- Please see model # for pricing and availability of various material and edge options.
- Refer to 759 or the Global website for available finish options
- While not all sizes are available in all materials:
  - Worksurfaces of 96" or less in length are standard in one piece (1 carton)
  - Worksurfaces 120" to 144" in length are standard in two pieces (2 cartons)
  - Worksurfaces 96", 120" and 144" x 48" include support channels

## BASES

- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified. **Top plates and base plates vary by base size and will only work with table shape sizes as referenced on the following pages.**
- Bases are constructed of a round or square solid steel metal plate for counter balance, covered with a finished steel shroud, affixed with four bolts to a 3" diameter cold rolled steel tube.
- GRB14H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GSB13H25 and GSOB13H25 attach to tops with a 6" x 6" steel plate, welded to a 1.5" diameter steel tube, bolted to a 0.5" thick solid steel counter balance. Not to be used on tops greater than 22" x 22" in size.
- GRB22H15, GRB22H21, GRB22H26, GRB22, GRB22H35, GRB22H41, GSB19H15, GSB19H21, GSB19H26,w GSB19, GSB19H35 and GSB19H41 attach to tops with a 6"x 6" steel plate, welded to a 3" diameter steel tube, bolted to a 0.5" thick solid steel counter balance.
- **Top plate and base plate of GRB22 and GSB19 models in all heights, have pass-through cut-outs to accommodate a single port simplex or dual USB module to deliver power or USB charging to the surface.** This allows the module to be mounted directly above the base and to pass the unit's cord through the base column resulting in the cord and plug head exiting from the bottom of the base for plugging into a floor or wall mount power source.
- GRB28, GRB34, GSB23 and GSB28 attach to tops with an 11" x 11" steel plate, welded to a 4" diameter steel tube, bolted to a 0.375" thick solid steel counter balance.
- Bases are available PAINTED in "Sandtex" finish for extra durability. Also available in plated finishes (see 759) at an upcharge and with an extended lead time. Please see model # for pricing.
- All bases include six height adjustable glides with 0.75" of adjustability.
- Round bases available in 22", 28" and 34" dia.
- Square bases available in 18.5", 22.5" and 28.5".

## 1. SPECIFY MODEL NUMBER

## 2. SPECIFY FINISHES

**Laminate Finishes** (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

**Bases (paint finishes):**

TBL	Black	TIN	Ink
TBZ	Buzz Blue	TKA	Kalua
TCC	Cactus	TLA	Latte
TCR	Carrot	TMO	Mocha
TIV	Cloud	TNE	Nevada
TDW	Designer White	TSN	Sand
TDJ	Dijon	TSR	Scarlet
TEG	Eggplant	TSH	Shadow
TFO	Fog	TOA	Toast
TFR	Frost	TTU	Tungsten

**Solid Surface** (applicable for product codes ending in **SF** or **SK** only):

**Grade 1:**

SWH Designer White

**Grade 2** (upcharge applies):

SBT Beige Tempest

SHS Hot Stone

SBX Black Onyx Mirage

SFW Frosty White Mirage

SMG Milk Glass Spectra

SNM Northern Melange

**Bases (plated finishes - upcharge applies):**

CHM	Polished Chrome
BCH	Brushed Chrome

**Veneer Finishes** (applicable for product codes ending in **V** only):

Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWV	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced

JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced
VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

## 3. SPECIFY EDGE PROFILE (where applicable)

- Thermally fused laminate and high pressure with flat edge tops:
  - Flat edge (**FE**) - default profile
  - 3" radiused corners (**R3**) - optional for square and rectangular tops, upcharge applies.



**FE** - Flat edge



**FE** - contrasting flat edge

- High pressure laminate tops (models ending in **LK**):
  - Knife edge only



- Veneer tops (models ending in **V**):
  - Flat edge (**FE**) - default profile
  - Knife edge (**KS**) - optional



**FE** - flat edge



**KS** - knife edge

- Solid surface tops (models ending in **SF**):
  - Flat edge (**FE**) - default profile
  - 3" radiused corners (**R3**) - optional for square and rectangular tops, upcharge applies.



**FE** - flat edge




**R3** - radiused corners

- Solid surface tops (models ending in **SK**):
  - Knife edge (**KS**) - default profile
  - Knife edge with 3" radiused corners (**KR**), optional for square and rectangular tops, upcharge applies



**KS** - knife edge



**KR** - solid surface knife edge w/3" radiused corners

4. SPECIFY EDGE FINISH

Edge finish only applicable for thermally fused laminate tops and HPL tops with FE flat edge

AAE	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASE	Asian Night	DEE	Dark Espresso	QTM	Quartered Mahogany
ACE	Avant Cherry	DWE	Designer White	SBY	Sheer Beauty
AHE	Avant Honey	FAS	Fashionista	SDT	Stonedust
BLK	Black	FCL	First Class	SOG	Storm Grey
BZD	Blizzard	NBL	Noce Biondo	WHE	Walnut Heights
BRC	Brushed Cobalt	NGL	Noce Grigio	CBE	White Chocolate
CME	Clear Maple	NEL	Noce Leggero	WCE	Winter Cherry

5. SPECIFY OPTIONS


POWER BLOCKS AND CUT-OUT LOCATIONS

- A power block delivers power/data to the table surface
- Power block modules are ordered separately
- Not all power block locations are available on all table sizes. Please refer to the top/base chart on the following pages for more information.
- To purchase a power block, you must specify the power block cut-out location when ordering the top and order the power block separately.
- Optional cut-out available in standard worksurface locations (left, center or right) for all table shapes.  
Order as **E1, M1, R1, T1, V1**, etc. **Add \$103** for each cut-out.
- Cut-outs may be placed in non-standard locations.  
Order as **ES, MS, RS, TS**, or **VS** - **Add \$103**.  
A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out. Please refer to the CUSTOM GROMMET LOCATION FORM in the back reference section. Cut-outs may NOT be placed directly over the bases.
- Select power block option from Productivity Solutions pages 459-462.

SINGLE PORT MODULES

- Single port module with one tamper resistant simplex or one USB-A + USB-C charging port centered over the base, available for tops supported with single GRB22xx or GSB19xx base in any height
- Specify optional cut-out (**Q2**) to accommodate when specifying tops. **Add \$103**
- Modules are listed on product pages with applicable tops and bases. Modules are ordered separately.

SPUSBACRW72  
SPUSBACRB72  
SPTRSMXRW72  
SPTRSMXRB72




- For White face plate modules, specify code ending in (**W72**); for Black face plate modules, specify code ending in (**B72**)

POWER BLOCK OPTIONS AND CUT-OUT LOCATIONS


PMSPPM




PRTMCS401B  
PRTMCS401T  
PRTMCS401W  
PRTMCS421B  
PRTMCS421T  
PRTMCS421W



PRTMCD602B  
PRTMCD602T  
PRTMCD602W  
PRTMCD622B  
PRTMCD622T  
PRTMCD622W  
PRTMCD642B  
PRTMCD642T  
PRTMCD642W



VILLA



\*OASIS MINI A



\*OASIS MINI B



\*M cut-out not available on Solid Surface tops

SPECIFICATIONS












- Required and optional specifications marked with an \* on the pricelist pages with products are applicable to only those products which have the \* symbol beside the product name.











TABLE NOTES - ESTIMATED CAPACITY

- Use the following to determine the size of a table and the number of chairs needed for a conference area.
- All estimates are based on an average chair width of 23" with a 4" clearance between chairs. Adjust accordingly for a different chair size.








NUMBER OF CHAIRS					
Top Size	Round	Square	Rectangular	Boat	Racetrack
24 x 24	2	2	N/A	N/A	N/A
24 x 30	N/A	N/A	2-3	N/A	N/A
24 x 36	N/A	N/A	3-4	N/A	N/A
30 x 30	3	4	N/A	N/A	N/A
30 x 36	N/A	N/A	4	N/A	N/A
30 x 42	N/A	N/A	4	N/A	N/A
36 x 36	4	4	N/A	N/A	N/A
36 x 42	N/A	N/A	4	N/A	N/A
42 x 42	4	4	N/A	N/A	N/A
48 x 48	4	4	N/A	N/A	N/A
54 x 54	5	6	N/A	N/A	N/A
60 x 60	5	6	N/A	N/A	N/A
24 x 60	N/A	N/A	4-6	N/A	N/A
24 x 66	N/A	N/A	4-6	N/A	N/A
24 x 72	N/A	N/A	4-6	N/A	N/A
24 x 84	N/A	N/A	4-6	N/A	N/A
24 x 96	N/A	N/A	6-8	N/A	N/A
30 x 60	N/A	N/A	4-6	4-6	4-6
30 x 66	N/A	N/A	4-6	4-6	4-6
30 x 72	N/A	N/A	4-6	4-6	4-6
30 x 84	N/A	N/A	4-6	4-6	4-6
30 x 96	N/A	N/A	6-8	6-8	6-8
36 x 60	N/A	N/A	4-6	4-6	4-6
36 x 66	N/A	N/A	4-6	4-6	4-6
36 x 72	N/A	N/A	4-6	4-6	4-6
36 x 84	N/A	N/A	4-6	4-6	4-6
36 x 96	N/A	N/A	6-8	6-8	6-8
48 x 84	N/A	N/A	6-8	6-8	6-8
48 x 96	N/A	N/A	6-8	6-8	6-8
48 x 120	N/A	N/A	8-10	8-10	8-10
48 x 144	N/A	N/A	10-12	10-12	10-12

# S SWAP TABLES - NOTES


APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP											POWER MGMT OPTIONS	
Table Shape/Size	Model # for Top	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"h		Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
		Round base 22" 	Square base 19" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Round 												
Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.												
24" diameter	GRBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" diameter	GRBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" diameter	GRBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" diameter	GRBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
48" diameter	GRBTP48_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A		1	1	None
54" diameter	GRBTP54_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
60" diameter	GRBTP60_	N/A	N/A	GRB34	GSB28	N/A	N/A	N/A		1	1	None
Square 												
24" square	GSBTP24_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
30" square	GSBTP30_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36" square	GSBTP36_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42" square	GSBTP42_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
54" square	GSBTP54_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
60" square	GSBTP60_	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	1	1	None
Rectangular 												
30x24 Rectangular	GSBTP2430_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x24 Rectangular	GSBTP2436_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
36x30 Rectangular	GSBTP3036_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	1	1	Q2 only
42x30 Rectangular	GSBTP3042_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
42x36 Rectangular	GSBTP3642_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	1	1	None
60X24 Rectangular	GRT5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, M2, R2, T2, V2
66X24 Rectangular	GRT5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72X24 Rectangular	GRT6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84X24 Rectangular	GRT7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right
96X24 Rectangular	GRT8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x30 Rectangular	GRT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x36 Rectangular	GRT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, M2, R2, T2, V2
66x30 Rectangular	GRT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x36 Rectangular	GRT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Rectangular	GRT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Rectangular	GRT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right E1/2/3, M1/2/3, R1/2/3, T1/2/3, V1/2/3
84x30 Rectangular	GRT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Rectangular	GRT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Rectangular	GRT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Rectangular	GRT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Both ends: E1/3, M1/3, R1/3, T1/3, V1/3
96x42 Rectangular	GRT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
96x48 Rectangular	GRT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Rectangular	GRT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Rectangular	GRT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP												POWER MGMT OPTIONS
Table Shape/Size	Model # for Top	Lounge Height 27"H		Seated Height 28.5"H		Counter Height 36"H		Bar Height 41.5"h		Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
		Round base 22" 	Square base 19" 	Round base 22", 28", 34" 	Square base 18.5", 22.5", 28.5" 	Round base 22" 	Square base 18.5" 	Round base 22" 	Square base 18.5" 			
Racetrack  Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.												
60X24 Racetrack	GRC5STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, M2, R2, T2, V2
66X24 Racetrack	GRC5HSTP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72X24 Racetrack	GRC6STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84X24 Racetrack	GRC7STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right
96X24 Racetrack	GRC8STP_	GRB22H26	GSB19H26	N/A	N/A	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
60x30 Racetrack	GRC5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, M2, R2, T2, V2
60X36 Racetrack	GRC5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Racetrack	GRC5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Racetrack	GRC5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Racetrack	GRC6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Racetrack	GRC6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: E1/2/3, M1/2/3, R1/2/3, T1/2/3, V1/2/3
84x30 Racetrack	GRC7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Racetrack	GRC7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Racetrack	GRC8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Racetrack	GRC8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x42 Racetrack	GRC8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: E1/3, M1/3, R1/3, T1/3
96x48 Racetrack	GRC8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Racetrack	GRC10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Racetrack	GRC12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
Boat Shape 												
60x30 Boat shape	GBT5NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	Center: E2, M2, R2, T2, V2
60X36 Boat shape	GBT5TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66x30 Boat shape	GBT5NHTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
66X36 Boat shape	GBT5HTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x30 Boat shape	GBT6NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
72x36 Boat shape	GBT6TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	3 positions - Left/ Center/Right: E1/2/3, M1/2/3, R1/2/3, T1/2/3, V1/2/3
84x30 Boat shape	GBT7NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
84x36 Boat shape	GBT7TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x30 Boat shape	GBT8NTP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96x36 Boat shape	GBT8TP_	GRB22H26	GSB19H26	GRB22	GSB19	GRB22H35	GSB19H35	GRB22H41	GSB19H41	2	1	
96X42 Boat shape	GBT8MTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	Both ends: E1/3, M1/3, R1/3, T1/3, V1/3
96x48 Boat shape	GBT8WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	2	1	
120x48 Boat shape	GBT10WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	
144x48 Boat shape	GBT12WTP_	N/A	N/A	GRB28	GSB23	N/A	N/A	N/A	N/A	3	2	

# S SWAP TABLES - NOTES

APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape/Size	Model # for Top	Laptop height 25.6"H				Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
		Round base 14" Centered column	Square base 12.5" Centered column	Round base N/A	Square base 12.5" Offset column			
								
Round Laptop Tables <input type="radio"/> Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.								
16.5" dia centered base	GRBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20" dia centered base	GRBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22" dia centered base	GRBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5" dia offset base	GRBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20" dia offset base	GRBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22" dia offset base	GRBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Square Laptop Tables <input type="checkbox"/>								
16.5"x16.5" centered base	GSBTP16_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
20"x20" centered base	GSBTP20_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
22"x22" centered base	GSBTP22_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16.5"x16.5" offset base	GSBOTP16_	N/A	N/A	N/A	GSOB13H25	1	1	None
20"x20" offset base	GSBOTP20_	N/A	N/A	N/A	GSOB13H25	1	1	None
22"x22" offset base	GSBOTP22_	N/A	N/A	N/A	GSOB13H25	1	1	None
Rectangular Laptop Tables <input type="checkbox"/>								
16"x20" centered base	GSBTP1620_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x22" centered base	GSBTP1622_	GRB14H25	GSB13H25	N/A	N/A	1	1	None
16"x20" offset base	GSBOT1620_	N/A	N/A	N/A	GSOB13H25	1	1	None
16"x22" offset base	GSBOT1622_	N/A	N/A	N/A	GSOB13H25	1	1	None
APPLICABLE BASE OPTIONS FOR CORRESPONDING TOP						POWER MGMT OPTIONS		
Table Shape/Size	Model # for Top	Coffee Table 16"H		End Table 22"H		Base Qty.	# top pieces	Optional cut-outs in tops applicable for power modules ordered separately
		Round base 22"	Square base 18.5"	Round base 22"	Square base 18.5"			
								
Round Coffee/End Tables <input type="radio"/> *Nominal base plate dimension indicated by 4th and 5th characters in base model numbers.								
24" dia	GRBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" dia	GRBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" dia	GRBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
Square Coffee/End Tables <input type="checkbox"/>								
24" square	GSBTP24_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
30" square	GSBTP30_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only
36" square	GSBTP36_	GRB22H15	GSB19H15	GRB22H21	GSB19H21	1	1	Q2 only

ROUND LAPTOP TABLES FOR CENTER BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
-------------------------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------



Round laptop table for center base

D x W x H

**TFL, flat edge <sup>(1)</sup>**

GRBTP16	16 x 16.5 x 1	70	6	0.3	<b>\$228</b>	<b>\$107</b>	n/a	n/a	n/a
GRBTP20	20 x 20 x 1	70	9	0.5	<b>\$261</b>	<b>\$123</b>	n/a	n/a	n/a
GRBTP22	22 x 22 x 1	70	9	0.5	<b>\$296</b>	<b>\$135</b>	n/a	n/a	n/a

**HPL, knife edge**

GRBTP16LK	16 x 16.5 x 1.19	125	7.5	1	<b>\$560</b>	n/a	n/a	n/a	n/a
GRBTP20LK	20 x 20 x 1.19	125	11	1.5	<b>\$635</b>	n/a	n/a	n/a	n/a
GRBTP22LK	22 x 22 x 1.19	150	11	2	<b>\$687</b>	n/a	n/a	n/a	n/a

**Veneer <sup>(2)</sup>**

GRBTP16V	16 x 16.5 x 1.19	125	7.5	1	<b>\$842</b>	n/a	n/a	n/a	<b>\$80</b>
GRBTP20V	20 x 20 x 1.19	125	11	1.5	<b>\$912</b>	n/a	n/a	n/a	<b>\$80</b>
GRBTP22V	22 x 22 x 1.19	150	11	2	<b>\$981</b>	n/a	n/a	n/a	<b>\$80</b>

**Solid Surface, flat edge <sup>(3)</sup>**

GRBTP16SF	16 x 16.5 x 1.25	70	11	0.6	<b>\$1760</b>	n/a	<b>\$93</b>	n/a	n/a
GRBTP20SF	20 x 20 x 1.25	70	16	1	<b>\$2066</b>	n/a	<b>\$124</b>	n/a	n/a
GRBTP22SF	22 x 22 x 1.25	70	20	1	<b>\$2164</b>	n/a	<b>\$179</b>	n/a	n/a

**Solid Surface, knife edge <sup>(3)</sup>**

GRBTP16SK	16 x 16.5 x 1.25	70	11	0.6	<b>\$1863</b>	n/a	<b>\$106</b>	n/a	n/a
GRBTP20SK	20 x 20 x 1.25	70	16	1	<b>\$2176</b>	n/a	<b>\$129</b>	n/a	n/a
GRBTP22SK	22 x 22 x 1.25	70	20	1	<b>\$2280</b>	n/a	<b>\$185</b>	n/a	n/a

**Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column** (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>


**Applicable Bases**

GRB14H25  
GSB13H25



S SWAP TABLES

SQUARE LAPTOP TABLES FOR CENTER BASE



Square Tops, for Center Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
D x W x H									
TFL, flat edge <sup>(1) (4)</sup>									
GSBTP16	16.5 x 16.5 x 1	65	7	0.3	\$228	\$107	n/a	\$24	n/a
GSBTP20	20 x 20 x 1	70	11	0.5	\$261	\$123	n/a	\$27	n/a
GSBTP22	22 x 22 x 1	65	13	0.5	\$296	\$135	n/a	\$30	n/a
HPL, knife edge									
GSBTP16LK	16.5 x 16.5 x 1.19	100	8.5	1	\$373	n/a	n/a	n/a	n/a
GSBTP20LK	20 x 20 x 1.19	100	13	1.5	\$469	n/a	n/a	n/a	n/a
GSBTP22LK	22 x 22 x 1.19	100	16	2	\$512	n/a	n/a	n/a	n/a
Veneer <sup>(2)</sup>									
GSBTP16V	16.5 x 16.5 x 1.19	100	8.5	1	\$481	n/a	n/a	n/a	\$76
GSBTP20V	20 x 20 x 1.19	100	13	1.5	\$602	n/a	n/a	n/a	\$92
GSBTP22V	22 x 22 x 1.19	100	16	2	\$661	n/a	n/a	n/a	\$103
Solid Surface, flat edge <sup>(3) (4)</sup>									
GSBTP16SF	16.5 x 16.5 x 1.25	65	14	0.6	\$1507	n/a	\$87	\$103	n/a
GSBTP20SF	20 x 20 x 1.25	70	21	1	\$1808	n/a	\$129	\$103	n/a
GSBTP22SF	22 x 22 x 1.25	65	26	1	\$1906	n/a	\$155	\$103	n/a
Solid Surface, knife edge <sup>(3) (4)</sup>									
GSBTP16SK	16.5 x 16.5 x 1.25	65	14	0.6	\$1863	n/a	\$106	\$216	n/a
GSBTP20SK	20 x 20 x 1.25	70	21	1	\$2176	n/a	\$137	\$216	n/a
GSBTP22SK	22 x 22 x 1.25	65	26	1	\$2280	n/a	\$185	\$216	n/a

Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications

Top finish  
Edge finish<sup>(1)</sup>


Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>

Applicable Bases

GRB14H25  
GSB13H25

RECTANGULAR LAPTOP TABLES FOR CENTER BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
---	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------



Rectangular Tops, for Center Base

D x W x H

**TFL, flat edge** <sup>(1) (4)</sup>

GSBTP1620	20 x 16 x 1	65	9	0.4	<b>\$238</b>	<b>\$118</b>	n/a	<b>\$23</b>	n/a
GSBTP1622	22 x 16 x 1	70	11	0.5	<b>\$272</b>	<b>\$123</b>	n/a	<b>\$28</b>	n/a

**HPL, knife edge**

GSBTP1620LK	16 x 20 x 1.19	92.5	11	1	<b>\$481</b>	n/a	n/a	n/a	n/a
GSBTP1622LK	16 x 22 x 1.19	100	13	1.5	<b>\$528</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

GSBTP1620V	16 x 20 x 1.19	92.5	11	1	<b>\$593</b>	n/a	n/a	n/a	<b>\$92</b>
GSBTP1622V	16 x 22 x 1.19	100	13	1.5	<b>\$651</b>	n/a	n/a	n/a	<b>\$96</b>

**Solid Surface, flat edge** <sup>(3) (4)</sup>

GSBTP1620SF	20 x 16 x 1.25	70	17	0.8	<b>\$1674</b>	n/a	<b>\$106</b>	<b>\$103</b>	n/a
GSBTP1622SF	22 x 16 x 1.25	65	19	0.8	<b>\$1697</b>	n/a	<b>\$111</b>	<b>\$103</b>	n/a

**Solid Surface, knife edge** <sup>(3) (4)</sup>

GSBTP1620SK	20 x 16 x 1.25	70	17	0.8	<b>\$2010</b>	n/a	<b>\$129</b>	<b>\$216</b>	n/a
GSBTP1622SK	22 x 16 x 1.25	65	19	0.8	<b>\$2047</b>	n/a	<b>\$149</b>	<b>\$216</b>	n/a

**Only applicable bases to use with above tops: GRB14H25 or GSB13H25 round or square base with centered column** (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>

**Applicable Bases**

GRB14H25  
GSB13H25

ROUND LAPTOP TABLES FOR OFFSET BASE



Round laptop table for offset base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1)</sup>

GRBOTP16	16 x 16.5 x 1	70	6	0.3	<b>\$228</b>	<b>\$107</b>	n/a	n/a	n/a
GRBOTP20	20 x 20 x 1	70	9	0.5	<b>\$261</b>	<b>\$123</b>	n/a	n/a	n/a
GRBOTP22	22 x 22 x 1	70	11	0.7	<b>\$296</b>	<b>\$135</b>	n/a	n/a	n/a

HPL, knife edge

GRBOTP16LK	16 x 16.5 x 1.19	100	8	1	<b>\$560</b>	n/a	n/a	n/a	n/a
GRBOTP20LK	20 x 20 x 1.19	100	13	1.5	<b>\$635</b>	n/a	n/a	n/a	n/a
GRBOTP22LK	22 x 22 x 1.19	100	16	2	<b>\$687</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GRBOTP16V	16 x 16.5 x 1.19	100	8	1	<b>\$842</b>	n/a	n/a	n/a	<b>\$80</b>
GRBOTP20V	20 x 20 x 1.19	100	13	1.5	<b>\$912</b>	n/a	n/a	n/a	<b>\$80</b>
GRBOTP22V	22 x 22 x 1.19	100	16	2	<b>\$981</b>	n/a	n/a	n/a	<b>\$80</b>

Solid Surface, flat edge <sup>(3)</sup>

GRBOTP16SF	16 x 16.5 x 1.25	70	11	0.6	<b>\$1760</b>	n/a	<b>\$93</b>	n/a	n/a
GRBOTP20SF	20 x 20 x 1.25	70	16	1	<b>\$2066</b>	n/a	<b>\$124</b>	n/a	n/a
GRBOTP22SF	22 x 22 x 1.25	70	20	1	<b>\$2164</b>	n/a	<b>\$179</b>	n/a	n/a

Solid Surface, knife edge <sup>(3)</sup>

GRBOTP16SK	16 x 16.5 x 1.25	70	11	0.6	<b>\$1863</b>	n/a	<b>\$106</b>	n/a	n/a
GRBOTP20SK	20 x 20 x 1.25	70	16	1	<b>\$2176</b>	n/a	<b>\$129</b>	n/a	n/a
GRBOTP22SK	22 x 22 x 1.25	70	20	1	<b>\$2280</b>	n/a	<b>\$185</b>	n/a	n/a

Only applicable base to use with above tops: GSOB13H25 square base with offset column (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications

Top finish  
Edge finish<sup>(1)</sup>


Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>

Applicable Bases

GSOB13H25

SQUARE LAPTOP TABLES FOR CENTER BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------------------------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------



Square Tops, for Offset Base

D x W x H

**TFL, flat edge** <sup>(1) (4)</sup>

GSBOTP16	16.5 x 16.5 x 1	65	7	0.3	<b>\$228</b>	<b>\$107</b>	n/a	<b>\$24</b>	n/a
GSBOTP20	20 x 20 x 1	70	11	0.5	<b>\$261</b>	<b>\$123</b>	n/a	<b>\$27</b>	n/a
GSBOTP22	22 x 22 x 1	70	13	0.7	<b>\$296</b>	<b>\$135</b>	n/a	<b>\$30</b>	n/a

**HPL, knife edge**

GSBOTP16LK	16.5 x 16.5 x 1.19	100	8.5	1	<b>\$373</b>	n/a	n/a	n/a	n/a
GSBOTP20LK	20 x 20 x 1.19	100	13	1.5	<b>\$469</b>	n/a	n/a	n/a	n/a
GSBOTP22LK	22 x 22 x 1.19	100	16	2	<b>\$512</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

GSBOTP16V	16.5 x 16.5 x 1.19	100	8.5	1	<b>\$481</b>	n/a	n/a	n/a	<b>\$76</b>
GSBOTP20V	20 x 20 x 1.19	100	13	1.5	<b>\$602</b>	n/a	n/a	n/a	<b>\$92</b>
GSBOTP22V	22 x 22 x 1.19	100	16	2	<b>\$661</b>	n/a	n/a	n/a	<b>\$103</b>

**Solid Surface, flat edge** <sup>(3) (4)</sup>

GSBOTP16SF	16.5 x 16.5 x 1.25	65	14	0.6	<b>\$1507</b>	n/a	<b>\$87</b>	<b>\$103</b>	n/a
GSBOTP20SF	20 x 20 x 1.25	70	21	1	<b>\$1808</b>	n/a	<b>\$129</b>	<b>\$103</b>	n/a
GSBOTP22SF	22 x 22 x 1.25	65	26	1	<b>\$1906</b>	n/a	<b>\$155</b>	<b>\$103</b>	n/a

**Solid Surface, knife edge** <sup>(3) (4)</sup>

GSBOTP16SK	16.5 x 16.5 x 1.25	65	14	0.6	<b>\$1863</b>	n/a	<b>\$106</b>	<b>\$216</b>	n/a
GSBOTP20SK	20 x 20 x 1.25	70	21	1	<b>\$2176</b>	n/a	<b>\$137</b>	<b>\$216</b>	n/a
GSBOTP22SK	22 x 22 x 1.25	65	26	1	<b>\$2280</b>	n/a	<b>\$185</b>	<b>\$216</b>	n/a

**Only applicable base to use with above tops: GSOB13H25 square base with offset column** (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**


HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>

**Applicable Bases**

GSOB13H25

S SWAP TABLES

RECTANGULAR LAPTOP TABLES FOR OFFSET BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
---	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------



Rectangular Tops, for Offset Base

D x W x H										
<b>TFL, flat edge</b> <sup>(1) (4)</sup>										
GSBOT1620	20 x 16 x 1	65	9	0.4	<b>\$238</b>	<b>\$118</b>	n/a	<b>\$25</b>	n/a	
GSBOT1622	22 x 16 x 1	70	11	0.5	<b>\$272</b>	<b>\$123</b>	n/a	<b>\$26</b>	n/a	
<b>HPL, knife edge</b>										
GSBOT1620LK	16 x 20 x 1.19	125	11	1.5	<b>\$481</b>	n/a	n/a	n/a	n/a	
GSBOT1622LK	16 x 22 x 1.19	125	13	2	<b>\$528</b>	n/a	n/a	n/a	n/a	
<b>Veneer</b> <sup>(2)</sup>										
GSBOT1620V	16 x 20 x 1.19	125	11	1.5	<b>\$593</b>	n/a	n/a	n/a	<b>\$92</b>	
GSBOT1622V	16 x 22 x 1.19	125	13	2	<b>\$651</b>	n/a	n/a	n/a	<b>\$96</b>	
<b>Solid Surface, flat edge</b> <sup>(3) (4)</sup>										
GSBOT1620SF	20 x 16 x 1.25	70	17	0.8	<b>\$1674</b>	n/a	<b>\$106</b>	<b>\$103</b>	n/a	
GSBOT1622SF	22 x 16 x 1.25	65	19	0.8	<b>\$1697</b>	n/a	<b>\$111</b>	<b>\$103</b>	n/a	
<b>Solid Surface, knife edge</b> <sup>(3) (4)</sup>										
GSBOT1620SK	20 x 16 x 1.25	70	17	0.8	<b>\$2010</b>	n/a	<b>\$129</b>	<b>\$216</b>	n/a	
GSBOT1622SK	22 x 16 x 1.25	65	19	0.8	<b>\$2047</b>	n/a	<b>\$149</b>	<b>\$216</b>	n/a	

**Only applicable base to use with above tops: GSOB13H25 square base with offset column** (see 771). Tops feature metal inserts for ease of assembly to base. One base required.

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Applicable Bases</b>
Top finish	HP laminate <sup>(1)</sup>	GSOB13H25
Edge finish <sup>(1)</sup>	Knife edge <sup>(2)</sup>	
	Grade 2 solid surface <sup>(3)</sup>	
	3" radiused corners <sup>(4)</sup>	



ROUND TOPS, 24-36"



Round Tops, 24-36"

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1)</sup>

GRBTP24	24 x 24 x 1	70	16	1	<b>\$261</b>	<b>\$133</b>	n/a	n/a	n/a
GRBTP30	30 x 30 x 1	70	25	1.5	<b>\$302</b>	<b>\$153</b>	n/a	n/a	n/a
GRBTP36	36 x 36 x 1	70	36	2	<b>\$385</b>	<b>\$195</b>	n/a	n/a	n/a

HPL, knife edge

GRBTP24LK	24 x 24 x 1.19	100	19	2	<b>\$799</b>	n/a	n/a	n/a	n/a
GRBTP30LK	30 x 30 x 1.19	92.5	30	3	<b>\$1002</b>	n/a	n/a	n/a	n/a
GRBTP36LK	36 x 36 x 1.19	92.5	43	4	<b>\$1200</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GRBTP24V	24 x 24 x 1.19	100	19	2	<b>\$971</b>	n/a	n/a	n/a	<b>\$65</b>
GRBTP30V	30 x 30 x 1.19	92.5	30	3	<b>\$1173</b>	n/a	n/a	n/a	<b>\$80</b>
GRBTP36V	36 x 36 x 1.19	92.5	43	4	<b>\$1386</b>	n/a	n/a	n/a	<b>\$80</b>

Solid Surface, flat edge <sup>(3)</sup>

GRBTP24SF	24 x 24 x 1.25	70	24	1.2	<b>\$2219</b>	n/a	<b>\$179</b>	n/a	n/a
GRBTP30SF	29.8 x 29.8 x 1.25	70	37	1.8	<b>\$2421</b>	n/a	<b>\$247</b>	n/a	n/a
GRBTP36SF	36 x 36 x 1.25	70	53	2.5	<b>\$3094</b>	n/a	<b>\$369</b>	n/a	n/a

Solid Surface, knife edge <sup>(3)</sup>

GRBTP24SK	24 x 24 x 1.25	70	24	1.2	<b>\$2280</b>	n/a	<b>\$192</b>	n/a	n/a
GRBTP30SK	29.8 x 29.8 x 1.25	70	37	1.8	<b>\$2512</b>	n/a	<b>\$265</b>	n/a	n/a
GRBTP36SK	36 x 36 x 1.25	70	53	2.5	<b>\$3278</b>	n/a	<b>\$393</b>	n/a	n/a

Only applicable bases to use with above tops: GRB22Hxx or GSB19Hxx round or square base @ 15", 21" 26", 28" 35" or 40.5"H (see 775). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications

Top finish  
Edge finish<sup>(1)</sup>


Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>

Applicable Bases

GRB22H15	GRB22H35	GSB19H26
GRB22H21	GRB22H41	GSB19
GRB22H26	GSB19H15	GSB19H35
GRB22	GSB19H21	GSB19H41

## SQUARE TOPS, 24-36"



Square Tops, 24-36"

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1) (4)</sup>

GSBTP24	24 x 24 x 1	70	20	1	<b>\$269</b>	<b>\$137</b>	n/a	<b>\$28</b>	n/a
GSBTP30	30 x 30 x 1	70	30	1.5	<b>\$313</b>	<b>\$157</b>	n/a	<b>\$39</b>	n/a
GSBTP36	36 x 36 x 1	70	44	2	<b>\$396</b>	<b>\$199</b>	n/a	<b>\$41</b>	n/a

## HPL, knife edge

GSBTP24LK	24 x 24 x 1.19	85	24	2	<b>\$719</b>	n/a	n/a	n/a	n/a
GSBTP30LK	30 x 30 x 1.19	85	36	3	<b>\$789</b>	n/a	n/a	n/a	n/a
GSBTP36LK	36 x 36 x 1.19	85	53	4	<b>\$854</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GSBTP24V	24 x 24 x 1.19	85	24	2	<b>\$1002</b>	n/a	n/a	n/a	<b>\$70</b>
GSBTP30V	30 x 30 x 1.19	85	36	3	<b>\$1067</b>	n/a	n/a	n/a	<b>\$76</b>
GSBTP36V	36 x 36 x 1.19	85	53	4	<b>\$1135</b>	n/a	n/a	n/a	<b>\$70</b>

Solid Surface, flat edge <sup>(3) (4)</sup>

GSBTP24SF	24 x 24 x 1.25	65	30	1.2	<b>\$1961</b>	n/a	<b>\$185</b>	<b>\$103</b>	n/a
GSBTP30SF	29.8 x 29.8 x 1.25	65	47	1.8	<b>\$2421</b>	n/a	<b>\$247</b>	<b>\$103</b>	n/a
GSBTP36SF	36 x 36 x 1.25	65	68	2.5	<b>\$3149</b>	n/a	<b>\$301</b>	<b>\$103</b>	n/a

Solid Surface, knife edge <sup>(3) (4)</sup>

GSBTP24SK	24 x 24 x 1.25	65	30	1.2	<b>\$2022</b>	n/a	<b>\$198</b>	<b>\$216</b>	n/a
GSBTP30SK	29.8 x 29.8 x 1.25	65	47	1.8	<b>\$3033</b>	n/a	<b>\$277</b>	<b>\$216</b>	n/a
GSBTP36SK	36 x 36 x 1.25	65	68	2.5	<b>\$3756</b>	n/a	<b>\$344</b>	<b>\$216</b>	n/a

**Only applicable bases to use with above tops: GRB22Hxx or GSB19Hxx round or square base @ 15", 21" 26", 28" 35" or 40.5"H** (see 775). Tops feature metal inserts for ease of assembly to base. One base required. .

## Required Specifications

Top finish  
Edge finish<sup>(1)</sup>

## Optional Specifications

HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>


## Applicable Bases

GRB22H15	GRB22H35	GSB19H26
GRB22H21	GRB22H41	GSB19
GRB22H26	GSB19H15	GSB19H35
GRB22	GSB19H21	GSB19H41



S SWAP TABLES

RECTANGULAR TOPS, SMALL



Rectangular Tops, small

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1) (4)</sup>

GSBTP2430	24 x 30 x 1	70	20	0.91	<b>\$300</b>	<b>\$137</b>	n/a	<b>\$31</b>	n/a
GSBTP2436	24 x 36 x 1	70	24	1.08	<b>\$325</b>	<b>\$149</b>	n/a	<b>\$34</b>	n/a
GSBTP3036	30 x 36 x 1	65	31	1.34	<b>\$376</b>	<b>\$171</b>	n/a	<b>\$39</b>	n/a

HPL, knife edge

GSBTP2430LK	24 x 30 x 1.19	100	24	2.5	<b>\$719</b>	n/a	n/a	n/a	n/a
GSBTP2436LK	24 x 36 x 1.19	100	29	3	<b>\$854</b>	n/a	n/a	n/a	n/a
GSBTP3036LK	30 x 36 x 1.19	92.5	37	3.5	<b>\$900</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GSBTP2430V	24 x 30 x 1.19	100	24	2.5	<b>\$1002</b>	n/a	n/a	n/a	<b>\$70</b>
GSBTP2436V	24 x 36 x 1.19	100	29	3	<b>\$1067</b>	n/a	n/a	n/a	<b>\$76</b>
GSBTP3036V	30 x 36 x 1.19	92.5	37	3.5	<b>\$1135</b>	n/a	n/a	n/a	<b>\$70</b>

Solid Surface, flat edge <sup>(3) (4)</sup>

GSBTP2430SF	29.8 x 24 x 1.25	70	38	1.8	<b>\$2121</b>	n/a	<b>\$185</b>	<b>\$103</b>	n/a
GSBTP2436SF	36 x 24 x 1.25	70	45	2.1	<b>\$2390</b>	n/a	<b>\$235</b>	<b>\$103</b>	n/a
GSBTP3036SF	36 x 29.8 x 1.25	65	57	2.1	<b>\$2714</b>	n/a	<b>\$258</b>	<b>\$103</b>	n/a

Solid Surface, knife edge <sup>(3) (4)</sup>

GSBTP2430SK	29.8 x 24 x 1.25	70	38	1.8	<b>\$2555</b>	n/a	<b>\$227</b>	<b>\$216</b>	n/a
GSBTP2436SK	36 x 24 x 1.25	70	45	2.1	<b>\$2775</b>	n/a	<b>\$283</b>	<b>\$216</b>	n/a
GSBTP3036SK	36 x 29.8 x 1.25	65	57	2.1	<b>\$3131</b>	n/a	<b>\$314</b>	<b>\$216</b>	n/a

Applicable bases to use with above tops: GRB22Hxx or GSB19Hxx round or square base @ 15", 21" 26", 28" 35" or 40.5"H (see 775). Tops feature metal inserts for ease of assembly to base. One base required.

Required Specifications



Top finish  
Edge finish<sup>(1)</sup>

Optional Specifications

HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>

Applicable Bases

GRB22H15	GRB22H35	GSB19H26
GRB22H21	GRB22H41	GSB19
GRB22H26	GSB19H15	GSB19H35
GRB22	GSB19H21	GSB19H41

**BASES FOR TOPS 24"-36"**

**22" Dia Round Bases\***

**18.5" Square Bases\***

**Single Port Module w/USB-A + USB-C**

**Single Port Module w/one Simplex**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH
D x W x H						
GRB22H15	22 x 22 x 15	92.5	47.6	4.69	<b>\$966</b>	<b>\$157</b>
GRB22H21	22 x 22 x 21	125	48.6	6.45	<b>\$982</b>	<b>\$145</b>
GRB22H26	22 x 22 x 26	150	50	8.63	<b>\$995</b>	<b>\$157</b>
GRB22	22 x 22 x 28	150	55	9.33	<b>\$927</b>	<b>\$157</b>
GRB22H35	22 x 22 x 35	150	57.1	12	<b>\$972</b>	<b>\$155</b>
GRB22H41	22 x 22 x 40.5	150	58.3	14	<b>\$989</b>	<b>\$171</b>

**GRB22H15** - coffee table height

**GRB22H21** - end table height

**GRB22H26** - lounge height

**GRB22** - seated height

**GRB22H35** - counter height

**GRB22H41** - bar height

GSB19H15	18.5 x 18.5 x 15	85	43.7	3.52	<b>\$982</b>	<b>\$142</b>
GSB19H21	18.5 x 18.5 x 21	100	44.8	4.84	<b>\$995</b>	<b>\$142</b>
GSB19H26	18.5 x 18.5 x 26	125	47	5.94	<b>\$1070</b>	<b>\$142</b>
GSB19	18.5 x 18.5 x 28	100	50	6.06	<b>\$1004</b>	<b>\$155</b>
GSB19H35	18.5 x 18.5 x 35	125	51.8	7.52	<b>\$1064</b>	<b>\$155</b>
GSB19H41	18.5 x 18.5 x 40.5	125	53.2	8.77	<b>\$1102</b>	<b>\$171</b>

**GSB19H15** - coffee table height

**GSB19H21** - end table height

**GSB19H26** - lounge height

**GSB19** - seated height

**GSB19H35** - counter height

**GSB19H41** - bar height

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Base top plate and base plate include pass-through for single port power or USB module (sold separately). Available in painted finishes listed on 759; plated finishes as available on 759 (upcharge applies).

**White**

SPUSBACRW72	2.25 x - x 2.75	70	0.18	0.05	<b>\$276</b>	N/A
-------------	-----------------	----	------	------	--------------	-----

**Black**

SPUSBACRB72	2.25 x - x 2.75	70	0.18	0.05	<b>\$276</b>	N/A
-------------	-----------------	----	------	------	--------------	-----

Single port module with USB-A and USB-C charging ports. Round module with 72" cord. Specify top with **Q2** cut-out to accommodate.

**White**

SPTRSMXRW72	2.25 x - x 2.75	70	0.18	0.05	<b>\$106</b>	N/A
-------------	-----------------	----	------	------	--------------	-----

**Black**

SPTRSMXRB72	2.25 x - x 2.75	70	0.18	0.05	<b>\$106</b>	N/A
-------------	-----------------	----	------	------	--------------	-----

Single port module with one tamper resistant simplex. Round module with 72" cord. Specify top with **Q2** cut-out to accommodate.

**Required Specifications**

Finish

**Optional Specifications**

Plated finish\*

Cut-out

**ROUND TOPS, 42"-48"**

MODEL#

## DIMENSIONS

## FREIGHT CLASS

WT/LBS.

**CUBIC FT.**

**LIST PRICE**

**HP ADD GR. 2 ADD**

### R3 ADD

KS ADD



D x W x H

**TFL, flat edge <sup>(1)</sup>**

GRBTP42	42 x 42 x 1	70	44	2.5	<b>\$536</b>	<b>\$271</b>	n/a	n/a	n/a
GRBTP48	48 x 48 x 1	70	56	3	<b>\$572</b>	<b>\$287</b>	n/a	n/a	n/a

### HPL, knife edge

GRBTP42LK	42 x 42 x 1.19	92.5	53	5	<b>\$1491</b>	n/a	n/a	n/a	n/a
GRBTP48LK	48 x 48 x 1.19	92.5	67	6.5	<b>\$1704</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

GRBTP42V	42 x 42 x 1.19	92.5	53	5	<b>\$1791</b>	n/a	n/a	n/a	<b>\$76</b>
GRBTP48V	48 x 48 x 1.19	92.5	67	6.5	<b>\$2046</b>	n/a	n/a	n/a	<b>\$86</b>

**Solid Surface, flat edge** <sup>(3)</sup>

GRBTP42SF	42 x 42 x 1.25	70	73	3.4	<b>\$4196</b>	n/a	<b>\$472</b>	n/a	n/a
GRBTP48SF	48 x 48 x 1.25	70	95	4.3	<b>\$4778</b>	n/a	<b>\$601</b>	n/a	n/a

**Solid Surface, knife edge <sup>(3)</sup>**

GRBTP42SK	42 x 42 x 1.25	70	73	3.4	<b>\$4417</b>	n/a	<b>\$528</b>	n/a	n/a
GRBTP48SK	48 x 48 x 1.25	70	95	4.3	<b>\$5329</b>	n/a	<b>\$669</b>	n/a	n/a

**Applicable bases to use with above tops: GRB28 or GSB23 round or square base @ 28"** (see 778). Tops feature metal inserts for ease of assembly to base. One base required.

### Required Specifications

Top finish  
Edge finish<sup>(1)</sup>


### Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>

### Applicable Bases

GRB28  
GSB23

## SQUARE + RECTANGULAR TOPS, 42"



Square and Rectangular Tops

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

**TFL, flat edge** <sup>(1) (4)</sup>

GSBTP3042	30 x 42 x 1	65	36	1.55	<b>\$441</b>	<b>\$200</b>	n/a	<b>\$45</b>	n/a
GSBTP3642	36 x 42 x 1	65	43	1.86	<b>\$553</b>	<b>\$252</b>	n/a	<b>\$60</b>	n/a
GSBTP42	42 x 42 x 1	65	58	2.5	<b>\$546</b>	<b>\$276</b>	n/a	<b>\$56</b>	n/a

**HPL, knife edge**

GSBTP3042LK	30 x 42 x 1.19	92.5	43	4	<b>\$1056</b>	n/a	n/a	n/a	n/a
GSBTP3642LK	36 x 42 x 1.19	92.5	52	4.5	<b>\$1119</b>	n/a	n/a	n/a	n/a
GSBTP42LK	42 x 42 x 1.19	85	70	5	<b>\$1168</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

GSBTP3042V	30 x 42 x 1.19	92.5	43	4	<b>\$1327</b>	n/a	n/a	n/a	<b>\$60</b>
GSBTP3642V	36 x 42 x 1.19	92.5	52	4.5	<b>\$1386</b>	n/a	n/a	n/a	<b>\$70</b>
GSBTP42V	42 x 42 x 1.19	85	70	5	<b>\$1625</b>	n/a	n/a	n/a	<b>\$76</b>

**Solid Surface, flat edge** <sup>(3) (4)</sup>

GSBTP3042SF	42 x 29.8 x 1.25	65	66	2.9	<b>\$2849</b>	n/a	<b>\$314</b>	<b>\$103</b>	n/a
GSBTP3642SF	42 x 36 x 1.25	65	79	2.9	<b>\$3658</b>	n/a	<b>\$419</b>	<b>\$103</b>	n/a
GSBTP42SF	42 x 42 x 1.25	65	92	3.4	<b>\$3810</b>	n/a	<b>\$454</b>	<b>\$103</b>	n/a

**Solid Surface, knife edge** <sup>(3) (4)</sup>

GSBTP3042SK	42 x 29.8 x 1.25	65	66	2.9	<b>\$3339</b>	n/a	<b>\$369</b>	<b>\$216</b>	n/a
GSBTP3642SK	42 x 36 x 1.25	65	79	2.9	<b>\$4221</b>	n/a	<b>\$498</b>	<b>\$216</b>	n/a
GSBTP42SK	42 x 42 x 1.25	65	92	3.4	<b>\$4417</b>	n/a	<b>\$553</b>	<b>\$216</b>	n/a

**Applicable bases to use with above tops: GRB28 or GSB23 round or square base @ 28"** (see 778). Tops feature metal inserts for ease of assembly to base. One base required.

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>

**Applicable Bases**

GRB28  
GSB23


S

SWAP TABLES


BASES FOR TOPS 42" - 48"

MODEL#                      DIMENSIONS                      FREIGHT CLASS                      WT/LBS.                      CUBIC FT.                      LIST PRICE                      CHM/BCH

D x W x H



28" Round Base



23" Square Base


GRB28	28 x 28 x 28	125	100	15.63	\$1596	\$171
seated height						

GSB23	22.5 x 22.5 x 28	100	82	9.33	\$1467	\$95
seated height						

Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).

Required Specifications  
Finish

Optional Specifications  
Plated finish

ROUND TOPS, 54"-60"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
<div>  </div> <div>Round Tops, 54"-60"</div>	D x W x H									
	<b>TFL, flat edge <sup>(1)</sup></b>									
	GRBTP54	54 x 54 x 1	70	73	4.5	<b>\$764</b>	<b>\$384</b>	n/a	n/a	n/a
	GRBTP60	60 x 60 x 1	70	92	5	<b>\$790</b>	<b>\$398</b>	n/a	n/a	n/a
	<b>HPL, knife edge</b>									
	GRBTP54LK	54 x 54 x 1.19	92.5	88	8	<b>\$1923</b>	n/a	n/a	n/a	n/a
	GRBTP60LK	60 x 60 x 1.19	92.5	110	10	<b>\$2370</b>	n/a	n/a	n/a	n/a
	<b>Veneer <sup>(2)</sup></b>									
	GRBTP54V	54 x 54 x 1.19	92.5	88	8	<b>\$2611</b>	n/a	n/a	n/a	<b>\$103</b>
	GRBTP60V	60 x 60 x 1.19	92.5	110	10	<b>\$3223</b>	n/a	n/a	n/a	<b>\$111</b>
	<b>Solid Surface, flat edge <sup>(3)</sup></b>									
	GRBTP54SF	54 x 54 x 1.25	70	120	5.4	<b>\$5175</b>	n/a	<b>\$736</b>	n/a	n/a
	GRBTP60SF	60 x 60 x 1.25	70	148	6.7	<b>\$6798</b>	n/a	<b>\$920</b>	n/a	n/a
	<b>Solid Surface, knife edge <sup>(3)</sup></b>									
	GRBTP54SK	54 x 54 x 1.25	70	120	5.4	<b>\$6119</b>	n/a	<b>\$926</b>	n/a	n/a
	GRBTP60SK	60 x 60 x 1.25	70	148	6.7	<b>\$7485</b>	n/a	<b>\$1122</b>	n/a	n/a
	<b>Applicable bases to use with above tops: GRB34 or GSB28 round or square base @ 28"</b> (see 780). Tops feature metal inserts for ease of assembly to base. One base required.									

Required Specifications

Top finish

Edge finish<sup>(1)</sup>

Optional Specifications

HP laminate<sup>(1)</sup>

Knife edge<sup>(2)</sup>

Grade 2 solid surface<sup>(3)</sup>



Applicable Bases

GRB34

GSB28

S

SWAP TABLES

BASES FOR TOPS 54" - 60" ROUND		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH												
 34" Round Base	D x W x H																			
	<table><tr><td>GRB34</td><td>34 x 34 x 28</td><td>125</td><td>135</td><td>20.56</td><td>\$1951</td><td>\$171</td></tr><tr><td colspan="7">seated height</td></tr></table>							GRB34	34 x 34 x 28	125	135	20.56	\$1951	\$171	seated height					
GRB34	34 x 34 x 28	125	135	20.56	\$1951	\$171														
seated height																				
 28" Square Base	<table><tr><td>GSB28</td><td>28.5 x 28.5 x 28</td><td>125</td><td>125</td><td>15.63</td><td>\$1822</td><td>\$80</td></tr><tr><td colspan="6">seated height</td></tr></table>							GSB28	28.5 x 28.5 x 28	125	125	15.63	\$1822	\$80	seated height					
	GSB28	28.5 x 28.5 x 28	125	125	15.63	\$1822	\$80													
seated height																				
Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).																				


Required Specifications

Finish

Optional Specifications

Plated finish

## RECTANGULAR LOUNGE TOPS, 24"D



Rectangular Lounge Tops

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1) (4)</sup>

GRT5STP	24 x 60 x 1	65	41	1.79	<b>\$503</b>	<b>\$228</b>	n/a	<b>\$52</b>	n/a
GRT5HSTP	24 x 66 x 1	65	46	1.97	<b>\$588</b>	<b>\$269</b>	n/a	<b>\$60</b>	n/a
GRT6STP	24 x 72 x 1	65	49	2.14	<b>\$614</b>	<b>\$277</b>	n/a	<b>\$62</b>	n/a
GRT7STP	24 x 84 x 1	65	57	2.49	<b>\$710</b>	<b>\$322</b>	n/a	<b>\$72</b>	n/a
GRT8STP	24 x 96 x 1	65	66	2.84	<b>\$762</b>	<b>\$343</b>	n/a	<b>\$77</b>	n/a

## HPL, knife edge

GRT5STPLK	24 x 60 x 1.19	85	49	4	<b>\$1067</b>	n/a	n/a	n/a	n/a
GRT5HSTPLK	24 x 66 x 1.19	85	55	4.5	<b>\$1135</b>	n/a	n/a	n/a	n/a
GRT6STPLK	24 x 72 x 1.19	92.5	59	5	<b>\$1200</b>	n/a	n/a	n/a	n/a
GRT7STPLK	24 x 84 x 1.19	85	68	5.5	<b>\$1332</b>	n/a	n/a	n/a	n/a
GRT8STPLK	24 x 96 x 1.19	85	79	6.5	<b>\$1518</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GRT5STPV	24 x 60 x 1.19	85	49	4	<b>\$1332</b>	n/a	n/a	n/a	<b>\$70</b>
GRT5HSTPV	24 x 66 x 1.19	85	55	4.5	<b>\$1402</b>	n/a	n/a	n/a	<b>\$70</b>
GRT6STPV	24 x 72 x 1.19	92.5	59	5	<b>\$1534</b>	n/a	n/a	n/a	<b>\$70</b>
GRT7STPV	24 x 84 x 1.19	85	68	5.5	<b>\$1801</b>	n/a	n/a	n/a	<b>\$70</b>
GRT8STPV	24 x 96 x 1.19	85	79	6.5	<b>\$2067</b>	n/a	n/a	n/a	<b>\$70</b>

Solid Surface, flat edge <sup>(3) (4)</sup>

GRT5STPSF	24 x 60 x 1.25	65	75	2.8	<b>\$4105</b>	n/a	<b>\$461</b>	<b>\$103</b>	n/a
GRT5HSTPSF	24 x 66 x 1.25	65	83	3.1	<b>\$4288</b>	n/a	<b>\$472</b>	<b>\$103</b>	n/a
GRT6STPSF	24 x 71.8 x 1.25	65	90	3.3	<b>\$4521</b>	n/a	<b>\$485</b>	<b>\$103</b>	n/a
GRT7STPSF	24 x 84 x 1.25	65	105	3.9	<b>\$5023</b>	n/a	<b>\$632</b>	<b>\$103</b>	n/a
GRT8STPSF	24 x 96 x 1.25	65	120	4.4	<b>\$5513</b>	n/a	<b>\$645</b>	<b>\$103</b>	n/a

Solid Surface, knife edge <sup>(3) (4)</sup>

GRT5STPSK	24 x 60 x 1.25	65	75	2.8	<b>\$4625</b>	n/a	<b>\$491</b>	<b>\$216</b>	n/a
GRT5HSTPSK	24 x 66 x 1.25	65	83	3.1	<b>\$4809</b>	n/a	<b>\$516</b>	<b>\$216</b>	n/a
GRT6STPSK	24 x 71.8 x 1.25	65	90	3.3	<b>\$5041</b>	n/a	<b>\$540</b>	<b>\$216</b>	n/a
GRT7STPSK	24 x 84 x 1.25	65	105	3.9	<b>\$5745</b>	n/a	<b>\$699</b>	<b>\$216</b>	n/a
GRT8STPSK	24 x 96 x 1.25	65	120	4.4	<b>\$6253</b>	n/a	<b>\$725</b>	<b>\$216</b>	n/a

**Applicable bases to use with above tops: GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H** (see 786). Tops feature metal inserts for ease of assembly to base. Two bases required. 24"D tops not recommended with 28"H bases.

## Required Specifications

Top finish  
Edge finish<sup>(1)</sup>

## Optional Specifications


HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>  
Cut-out for grommet/power blocks

## Applicable Bases

GRB22H26 GSB19H26  
GRB22H35 GSB19H35  
GRB22H41 GSB19H41



RACETRACK TOPS, 24"D	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
----------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------




Racetrack Tops, 24"D

D x W x H										
TFL, flat edge <sup>(1)</sup>										
GRC5STP	24 x 60 x 1	65	41	1.79	<b>\$503</b>	<b>\$228</b>	n/a	n/a	n/a	n/a
GRC5HSTP	24 x 66 x 1	65	46	1.97	<b>\$588</b>	<b>\$269</b>	n/a	n/a	n/a	n/a
GRC6STP	24 x 72 x 1	65	49	2.14	<b>\$614</b>	<b>\$277</b>	n/a	n/a	n/a	n/a
GRC7STP	24 x 84 x 1	65	57	2.49	<b>\$710</b>	<b>\$322</b>	n/a	n/a	n/a	n/a
GRC8STP	24 x 96 x 1	65	66	2.84	<b>\$762</b>	<b>\$343</b>	n/a	n/a	n/a	n/a
HPL, knife edge										
GRC5STPLK	24 x 60 x 1.19	85	49	4	<b>\$1332</b>	n/a	n/a	n/a	n/a	n/a
GRC5HSTPLK	24 x 66 x 1.19	85	55	4.5	<b>\$1465</b>	n/a	n/a	n/a	n/a	n/a
GRC6STPLK	24 x 72 x 1.19	92.5	59	5	<b>\$1599</b>	n/a	n/a	n/a	n/a	n/a
GRC7STPLK	24 x 84 x 1.19	85	68	5.5	<b>\$1732</b>	n/a	n/a	n/a	n/a	n/a
GRC8STPLK	24 x 96 x 1.19	85	79	6.5	<b>\$1864</b>	n/a	n/a	n/a	n/a	n/a
Veneer <sup>(2)</sup>										
GRC5STPV	24 x 60 x 1.19	85	49	4	<b>\$1599</b>	n/a	n/a	n/a	n/a	<b>\$240</b>
GRC5HSTPV	24 x 66 x 1.19	85	55	4.5	<b>\$1759</b>	n/a	n/a	n/a	n/a	<b>\$267</b>
GRC6STPV	24 x 72 x 1.19	92.5	59	5	<b>\$1919</b>	n/a	n/a	n/a	n/a	<b>\$288</b>
GRC7STPV	24 x 84 x 1.19	85	68	5.5	<b>\$2237</b>	n/a	n/a	n/a	n/a	<b>\$288</b>
GRC8STPV	24 x 96 x 1.19	85	79	6.5	<b>\$2556</b>	n/a	n/a	n/a	n/a	<b>\$288</b>

**Applicable bases to use with above tops:** GRB22Hxx round or GSB19Hxx square base @ 26"H, 35"H & 40.5"H (see 786). Tops feature metal inserts for ease of assembly to base. **Two bases required.** 24"D tops not recommended with 28"H bases.

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Applicable Bases, two required</b>
Top finish	HP laminate <sup>(1)</sup> , Knife edge <sup>(2)</sup>	GRB22H26    GSB19H26
Edge finish <sup>(1)</sup>	Grade 2 solid surface <sup>(3)</sup>	GRB22        GSB19
	3" radiused corners <sup>(4)</sup>	GRB22H35    GSB19H35
	Cut-out for grommet/power blocks	GRB22H41    GSB19H41

**RECTANGULAR TOPS, 60"-96"W**


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

**D x W x H**
**TFL, flat edge <sup>(1) (4)</sup>**

GRT5NTP	30 x 60 x 1	70	46	2.5	<b>\$573</b>	<b>\$290</b>	n/a	<b>\$58</b>	n/a
GRT5NHTP	30 x 66 x 1	65	56	2.44	<b>\$579</b>	<b>\$262</b>	n/a	<b>\$59</b>	n/a
GRT6NTP	30 x 72 x 1	70	62	3	<b>\$622</b>	<b>\$314</b>	n/a	<b>\$63</b>	n/a
GRT7NTP	30 x 84 x 1	100	72	7.5	<b>\$775</b>	<b>\$390</b>	n/a	<b>\$78</b>	n/a
GRT8NTP	30 x 96 x 1	100	80	8.5	<b>\$843</b>	<b>\$423</b>	n/a	<b>\$86</b>	n/a
GRT5TP	36 x 60 x 1	92.5	70	6.6	<b>\$587</b>	<b>\$265</b>	n/a	<b>\$60</b>	n/a
GRT5HTP	36 x 66 x 1	92.5	79	7.21	<b>\$618</b>	<b>\$281</b>	n/a	<b>\$62</b>	n/a
GRT6TP	36 x 72 x 1	100	72	8	<b>\$717</b>	<b>\$359</b>	n/a	<b>\$73</b>	n/a
GRT7TP	36 x 84 x 1	100	85	8.75	<b>\$833</b>	<b>\$420</b>	n/a	<b>\$85</b>	n/a
GRT8TP	36 x 96 x 1	92.5	94	9	<b>\$912</b>	<b>\$460</b>	n/a	<b>\$92</b>	n/a

**HPL, knife edge**

GRT5NTPLK	30 x 60 x 1.19	92.5	55	5	<b>\$1188</b>	n/a	n/a	n/a	n/a
GRT5NHTPLK	30 x 66 x 1.19	85	67	5.5	<b>\$1305</b>	n/a	n/a	n/a	n/a
GRT6NTPLK	30 x 72 x 1.19	85	74	6	<b>\$1429</b>	n/a	n/a	n/a	n/a
GRT7NTPLK	30 x 84 x 1.19	85	86	7	<b>\$1658</b>	n/a	n/a	n/a	n/a
GRT8NTPLK	30 x 96 x 1.19	85	96	8	<b>\$1896</b>	n/a	n/a	n/a	n/a
GRT5TPLK	36 x 60 x 1.19	85	84	6	<b>\$1429</b>	n/a	n/a	n/a	n/a
GRT5HTPLK	36 x 66 x 1.19	85	95	6.5	<b>\$1566</b>	n/a	n/a	n/a	n/a
GRT6TPLK	36 x 72 x 1.19	85	86	7	<b>\$1710</b>	n/a	n/a	n/a	n/a
GRT7TPLK	36 x 84 x 1.19	85	102	8	<b>\$1992</b>	n/a	n/a	n/a	n/a
GRT8TPLK	36 x 96 x 1.19	85	113	9	<b>\$2280</b>	n/a	n/a	n/a	n/a

**Veneer <sup>(2)</sup>**

GRT5NTPV	30 x 60 x 1.19	92.5	55	5	<b>\$1651</b>	n/a	n/a	n/a	<b>\$80</b>
GRT5NHTPV	30 x 66 x 1.19	85	67	5.5	<b>\$1763</b>	n/a	n/a	n/a	<b>\$80</b>
GRT6NTPV	30 x 72 x 1.19	85	74	6	<b>\$1896</b>	n/a	n/a	n/a	<b>\$103</b>
GRT7NTPV	30 x 84 x 1.19	85	86	7	<b>\$2217</b>	n/a	n/a	n/a	<b>\$119</b>
GRT8NTPV	30 x 96 x 1.19	85	96	8	<b>\$2530</b>	n/a	n/a	n/a	<b>\$135</b>
GRT5TPV	36 x 60 x 1.19	85	84	6	<b>\$1896</b>	n/a	n/a	n/a	<b>\$103</b>
GRT5HTPV	36 x 66 x 1.19	85	95	6.5	<b>\$2078</b>	n/a	n/a	n/a	<b>\$135</b>
GRT6TPV	36 x 72 x 1.19	85	86	7	<b>\$2265</b>	n/a	n/a	n/a	<b>\$151</b>
GRT7TPV	36 x 84 x 1.19	85	102	8	<b>\$2642</b>	n/a	n/a	n/a	<b>\$187</b>
GRT8TPV	36 x 96 x 1.19	85	113	9	<b>\$3026</b>	n/a	n/a	n/a	<b>\$187</b>

**Solid Surface, flat edge <sup>(3) (4)</sup>**

GRT5NTPSF	29.8 x 60 x 1.25	65	94	3.4	<b>\$4276</b>	n/a	<b>\$454</b>	<b>\$103</b>	n/a
GRT5NHTPSF	29.8 x 66 x 1.25	65	104	3.8	<b>\$4589</b>	n/a	<b>\$528</b>	<b>\$103</b>	n/a
GRT6NTPSF	29.8 x 71.8 x 1.25	65	113	4.1	<b>\$5238</b>	n/a	<b>\$736</b>	<b>\$103</b>	n/a
GRT7NTPSF	29.8 x 84 x 1.25	65	132	4.8	<b>\$6076</b>	n/a	<b>\$725</b>	<b>\$103</b>	n/a
GRT8NTPSF	29.8 x 96 x 1.25	65	150	5.4	<b>\$6689</b>	n/a	<b>\$939</b>	<b>\$103</b>	n/a
GRT5TPSF	36 x 60 x 1.25	65	113	4.1	<b>\$5691</b>	n/a	<b>\$675</b>	<b>\$103</b>	n/a
GRT5HTPSF	36 x 66 x 1.25	65	124	4.5	<b>\$5874</b>	n/a	<b>\$675</b>	<b>\$103</b>	n/a
GRT6TPSF	36 x 71.8 x 1.25	65	135	4.9	<b>\$6487</b>	n/a	<b>\$736</b>	<b>\$103</b>	n/a
GRT7TPSF	36 x 84 x 1.25	65	158	5.7	<b>\$7056</b>	n/a	<b>\$889</b>	<b>\$103</b>	n/a
GRT8TPSF	36 x 96 x 1.25	65	180	6.5	<b>\$7571</b>	n/a	<b>\$932</b>	<b>\$103</b>	n/a

**Solid Surface, knife edge <sup>(3) (4)</sup>**

GRT5NTPSK	29.8 x 60 x 1.25	65	94	3.4	<b>\$4680</b>	n/a	<b>\$516</b>	<b>\$216</b>	n/a
GRT5NHTPSK	29.8 x 66 x 1.25	65	104	3.8	<b>\$5054</b>	n/a	<b>\$601</b>	<b>\$216</b>	n/a
GRT6NTPSK	29.8 x 71.8 x 1.25	65	113	4.1	<b>\$5697</b>	n/a	<b>\$823</b>	<b>\$216</b>	n/a
GRT7NTPSK	29.8 x 84 x 1.25	65	132	4.8	<b>\$6535</b>	n/a	<b>\$823</b>	<b>\$216</b>	n/a
GRT8NTPSK	29.8 x 96 x 1.25	65	150	5.4	<b>\$7258</b>	n/a	<b>\$1048</b>	<b>\$216</b>	n/a
GRT5TPSK	36 x 60 x 1.25	65	113	4.1	<b>\$6303</b>	n/a	<b>\$761</b>	<b>\$216</b>	n/a
GRT5HTPSK	36 x 66 x 1.25	65	124	4.5	<b>\$6462</b>	n/a	<b>\$773</b>	<b>\$216</b>	n/a
GRT6TPSK	36 x 71.8 x 1.25	65	135	4.9	<b>\$7159</b>	n/a	<b>\$846</b>	<b>\$216</b>	n/a
GRT7TPSK	36 x 84 x 1.25	65	158	5.7	<b>\$7736</b>	n/a	<b>\$1012</b>	<b>\$216</b>	n/a
GRT8TPSK	36 x 96 x 1.25	65	180	6.5	<b>\$8237</b>	n/a	<b>\$1068</b>	<b>\$216</b>	n/a

**Applicable bases to use with above tops, TWO bases required: rounds GRB22H26, GRB22, GRB22H35, GRB22H41, or squares GSB19H26, GSB19, GSB19H35, GSB19H41(see 786). Tops feature metal inserts for ease of assembly to base.**

**Rectangular Tops\***
**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**


HP laminate<sup>(1)</sup>, Knife edge<sup>(2)</sup>  
Grade 2 solid surface<sup>(3)</sup>  
3" radiused corners<sup>(4)</sup>  
Cut-out for grommet/power blocks

**Applicable Bases, two required**

GRB22H26    GSB19H26  
GRB22        GSB19  
GRB22H35    GSB19H35  
GRB22H41    GSB19H41

S SWAP TABLES

RACETRACK TOPS, 60"-96"W



Racetrack Tops, 60"-96"W

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1)</sup>

GRC5NTP	30 x 60 x 1	70	46	2.5	<b>\$583</b>	<b>\$293</b>	n/a	n/a	n/a
GRC5NHTP	30 x 66 x 1	65	56	2.44	<b>\$589</b>	<b>\$269</b>	n/a	n/a	n/a
GRC6NTP	30 x 72 x 1	70	62	3	<b>\$633</b>	<b>\$319</b>	n/a	n/a	n/a
GRC7NTP	30 x 84 x 1	100	72	7.5	<b>\$789</b>	<b>\$397</b>	n/a	n/a	n/a
GRC8NTP	30 x 96 x 1	100	80	8.5	<b>\$860</b>	<b>\$432</b>	n/a	n/a	n/a
GRC5TP	36 x 60 x 1	92.5	70	6.6	<b>\$599</b>	<b>\$272</b>	n/a	n/a	n/a
GRC5HTP	36 x 66 x 1	92.5	79	7.21	<b>\$630</b>	<b>\$285</b>	n/a	n/a	n/a
GRC6TP	36 x 72 x 1	100	72	7.5	<b>\$729</b>	<b>\$367</b>	n/a	n/a	n/a
GRC7TP	36 x 84 x 1	100	85	8.75	<b>\$851</b>	<b>\$428</b>	n/a	n/a	n/a
GRC8TP	36 x 96 x 1	92.5	94	9	<b>\$930</b>	<b>\$467</b>	n/a	n/a	n/a

HPL, knife edge

GRC5NTPLK	30 x 60 x 1.19	92.5	55	5	<b>\$1662</b>	n/a	n/a	n/a	n/a
GRC5NHTPLK	30 x 66 x 1.19	85	67	5.5	<b>\$1822</b>	n/a	n/a	n/a	n/a
GRC6NTPLK	30 x 72 x 1.19	85	74	6	<b>\$1992</b>	n/a	n/a	n/a	n/a
GRC7NTPLK	30 x 84 x 1.19	85	86	7	<b>\$2141</b>	n/a	n/a	n/a	n/a
GRC8NTPLK	30 x 96 x 1.19	85	96	8	<b>\$2301</b>	n/a	n/a	n/a	n/a
GRC5TPLK	36 x 60 x 1.19	85	84	6	<b>\$1822</b>	n/a	n/a	n/a	n/a
GRC5HTPLK	36 x 66 x 1.19	85	95	6.5	<b>\$1981</b>	n/a	n/a	n/a	n/a
GRC6TPLK	36 x 72 x 1.19	85	86	7	<b>\$2152</b>	n/a	n/a	n/a	n/a
GRC7TPLK	36 x 84 x 1.19	85	102	8	<b>\$2471</b>	n/a	n/a	n/a	n/a
GRC8TPLK	36 x 96 x 1.19	85	113	9	<b>\$2792</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GRC5NTPV	30 x 60 x 1.19	92.5	55	5	<b>\$1880</b>	n/a	n/a	n/a	<b>\$283</b>
GRC5NHTPV	30 x 66 x 1.19	85	67	5.5	<b>\$2030</b>	n/a	n/a	n/a	<b>\$305</b>
GRC6NTPV	30 x 72 x 1.19	85	74	6	<b>\$2184</b>	n/a	n/a	n/a	<b>\$325</b>
GRC7NTPV	30 x 84 x 1.19	85	86	7	<b>\$2552</b>	n/a	n/a	n/a	<b>\$380</b>
GRC8NTPV	30 x 96 x 1.19	85	96	8	<b>\$2909</b>	n/a	n/a	n/a	<b>\$432</b>
GRC5TPV	36 x 60 x 1.19	85	84	6	<b>\$2184</b>	n/a	n/a	n/a	<b>\$325</b>
GRC5HTPV	36 x 66 x 1.19	85	95	6.5	<b>\$2392</b>	n/a	n/a	n/a	<b>\$357</b>
GRC6TPV	36 x 72 x 1.19	85	86	7	<b>\$2605</b>	n/a	n/a	n/a	<b>\$390</b>
GRC7TPV	36 x 84 x 1.19	85	102	8	<b>\$3042</b>	n/a	n/a	n/a	<b>\$390</b>
GRC8TPV	36 x 96 x 1.19	85	113	9	<b>\$3478</b>	n/a	n/a	n/a	<b>\$517</b>

Applicable bases to use with above tops, TWO bases required: rounds GRB22H26, GRB22, GRB22H35, GRB22H41, or squares GSB19H26, GSB19, GSB19H35, GSB19H41 (see 786). Tops feature metal inserts for ease of assembly to base.

Required Specifications

Top finish  
Edge finish<sup>(1)</sup>


Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Cut-out for grommet/power blocks

Applicable Bases, two required

GRB22H26	GSB19H26
GRB22	GSB19
GRB22H35	GSB19H35
GRB22H41	GSB19H41

## BOAT SHAPED, 60"-96"W



## Boat-Shaped Tops, 60"-96"W

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------

D x W x H

TFL, flat edge <sup>(1)</sup>

GBT5NTP	30 x 60 x 1	70	46	2.5	<b>\$583</b>	<b>\$293</b>	n/a	n/a	n/a
GBT5NHTP	30 x 66 x 1	65	56	2.44	<b>\$589</b>	<b>\$269</b>	n/a	n/a	n/a
GBT6NTP	30 x 72 x 1	70	62	3	<b>\$633</b>	<b>\$319</b>	n/a	n/a	n/a
GBT7NTP	30 x 84 x 1	100	72	7.5	<b>\$789</b>	<b>\$397</b>	n/a	n/a	n/a
GBT8NTP	30 x 96 x 1	100	80	8.5	<b>\$860</b>	<b>\$432</b>	n/a	n/a	n/a
GBT5TP	36 x 60 x 1	92.5	70	6.6	<b>\$599</b>	<b>\$272</b>	n/a	n/a	n/a
GBT5HTP	36 x 66 x 1	92.5	79	7.21	<b>\$630</b>	<b>\$285</b>	n/a	n/a	n/a
GBT6TP	36 x 72 x 1	100	72	7.5	<b>\$729</b>	<b>\$367</b>	n/a	n/a	n/a
GBT7TP	36 x 84 x 1	100	85	8.75	<b>\$851</b>	<b>\$428</b>	n/a	n/a	n/a
GBT8TP	36 x 96 x 1	92.5	94	9	<b>\$930</b>	<b>\$467</b>	n/a	n/a	n/a

## HPL, knife edge

GBT5NTPLK	30 x 60 x 1.19	92.5	55	5	<b>\$1662</b>	n/a	n/a	n/a	n/a
GBT5NHTPLK	30 x 66 x 1.19	85	67	5.5	<b>\$1822</b>	n/a	n/a	n/a	n/a
GBT6NTPLK	30 x 72 x 1.19	85	74	6	<b>\$1992</b>	n/a	n/a	n/a	n/a
GBT7NTPLK	30 x 84 x 1.19	85	86	7	<b>\$2141</b>	n/a	n/a	n/a	n/a
GBT8NTPLK	30 x 96 x 1.19	85	96	8	<b>\$2301</b>	n/a	n/a	n/a	n/a
GBT5TPLK	36 x 60 x 1.19	85	84	6	<b>\$1822</b>	n/a	n/a	n/a	n/a
GBT5HTPLK	36 x 66 x 1.19	85	95	6.5	<b>\$1981</b>	n/a	n/a	n/a	n/a
GBT6TPLK	36 x 72 x 1.19	85	86	7	<b>\$2152</b>	n/a	n/a	n/a	n/a
GBT7TPLK	36 x 84 x 1.19	85	102	8	<b>\$2471</b>	n/a	n/a	n/a	n/a
GBT8TPLK	36 x 96 x 1.19	85	113	9	<b>\$2792</b>	n/a	n/a	n/a	n/a

Veneer <sup>(2)</sup>

GBT5NTPV	30 x 60 x 1.19	92.5	55	5	<b>\$1880</b>	n/a	n/a	n/a	<b>\$283</b>
GBT5NHTPV	30 x 66 x 1.19	85	67	5.5	<b>\$2030</b>	n/a	n/a	n/a	<b>\$305</b>
GBT6NTPV	30 x 72 x 1.19	85	74	6	<b>\$2184</b>	n/a	n/a	n/a	<b>\$325</b>
GBT7NTPV	30 x 84 x 1.19	85	86	7	<b>\$2552</b>	n/a	n/a	n/a	<b>\$380</b>
GBT8NTPV	30 x 96 x 1.19	85	96	8	<b>\$2909</b>	n/a	n/a	n/a	<b>\$432</b>
GBT5TPV	36 x 60 x 1.19	85	84	6	<b>\$2184</b>	n/a	n/a	n/a	<b>\$325</b>
GBT5HTPV	36 x 66 x 1.19	85	95	6.5	<b>\$2392</b>	n/a	n/a	n/a	<b>\$357</b>
GBT6TPV	36 x 72 x 1.19	85	86	7	<b>\$2605</b>	n/a	n/a	n/a	<b>\$390</b>
GBT7TPV	36 x 84 x 1.19	85	102	8	<b>\$3042</b>	n/a	n/a	n/a	<b>\$454</b>
GBT8TPV	36 x 96 x 1.19	85	113	9	<b>\$3478</b>	n/a	n/a	n/a	<b>\$517</b>

**Applicable bases to use with above tops, TWO bases required: rounds GRB22H26, GRB22, GRB22H35, GRB22H41, OR squares GSB19H26, GSB19, GSB19H35, GSB19H41** (see 786). Tops feature metal inserts for ease of assembly to base.

- GBTxNPT - 30"D at center, 24"D at ends; GBTxTP - 36"D at center, 28"D at ends.

## Required Specifications

Top finish  
Edge finish<sup>(1)</sup>

## Optional Specifications


HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Cut-out for grommet/power blocks

## Applicable Bases, two required


GRB22H26	GSB19H26
GRB22	GSB19
GRB22H35	GSB19H35
GRB22H41	GSB19H41

S SWAP TABLES

BASES FOR TOPS 60"- 96" WIDE



22" Dia Round Bases



18.5" Square Bases


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH
D x W x H						
GRB22H26	22 x 22 x 26	150	50	8.63	\$995	\$157
GRB22	22 x 22 x 28	150	55	9.33	\$927	\$157
GRB22H35	22 x 22 x 35	150	57.1	12	\$972	\$155
GRB22H41	22 x 22 x 40.5	150	58.3	14	\$989	\$171
GRB22H26 - lounge height      GRB22 - seated height      GRB22H35 - counter height      GRB22H41 - bar height						
GSB19H26	18.5 x 18.5 x 26	125	47	5.94	\$1070	\$142
GSB19	18.5 x 18.5 x 28	100	50	6.06	\$1004	\$155
GSB19H35	18.5 x 18.5 x 35	125	51.8	7.52	\$1064	\$155
GSB19H41	18.5 x 18.5 x 40.5	125	53.2	8.77	\$1102	\$171
GSB19H26 - lounge height      GSB19 - seated height      GSB19H35 - counter height      GSB19H41 - bar height						
Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).						

Required Specifications

Finish

Optional Specifications

Plated finish

RECTANGULAR TOPS 96" - 144"	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
	D x W x H									
	TFL, flat edge <sup>(1) (4)</sup>									
	1 Piece top - 2 bases required									
	GRT8MTP	42 x 96 x 1	92.5	128	11.84	<b>\$1536</b>	<b>\$695</b>	n/a	<b>\$155</b>	n/a
	GRT8WTP	48 x 96 x 1	85	190	14	<b>\$1555</b>	<b>\$593</b>	n/a	<b>\$157</b>	n/a
	2 Piece tops - 3 bases required									
	GRT10WTP	48 x 120 x 1	85	220	17	<b>\$1956</b>	<b>\$793</b>	n/a	<b>\$196</b>	n/a
	GRT12WTP	48 x 144 x 1	65	262	10.5	<b>\$2279</b>	<b>\$897</b>	n/a	<b>\$228</b>	n/a
	HPL, knife edge									
	1 Piece top - 2 bases required									
	GRT8MTPLK	42 x 96 x 1.19	85	154	11	<b>\$3116</b>	n/a	n/a	n/a	n/a
	GRT8WTPLK	48 x 96 x 1.19	70	228	12	<b>\$3494</b>	n/a	n/a	n/a	n/a
	2 Piece tops - 3 bases required									
	GRT10WTPLK	48 x 120 x 1.19	70	264	15	<b>\$4740</b>	n/a	n/a	n/a	n/a
	GRT12WTPLK	48 x 144 x 1.19	70	314	18	<b>\$5673</b>	n/a	n/a	n/a	n/a
	Veneer <sup>(2)</sup>									
	1 Piece top - 2 bases required									
	GRT8MTPV	42 x 96 x 1.19	85	154	11	<b>\$3985</b>	n/a	n/a	n/a	<b>\$396</b>
	GRT8WTPV	48 x 96 x 1.19	70	228	12	<b>\$4491</b>	n/a	n/a	n/a	<b>\$449</b>
	2 Piece tops - 3 bases required									
	GRT10WTPV	48 x 120 x 1.19	70	264	15	<b>\$5980</b>	n/a	n/a	n/a	<b>\$598</b>
	GRT12WTPV	48 x 144 x 1.19	70	314	18	<b>\$7157</b>	n/a	n/a	n/a	<b>\$714</b>
Rectangular Tops, 96-144"	<b>Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" &amp; 144"W tops</b> (see 790). Tops feature metal inserts for ease of assembly to base.									

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
3" radiused corners<sup>(4)</sup>  
Cut-out for grommet/power blocks

**Applicable Bases**

GRB28  
GSB23

## MODEL#

## DIMENSIONS

**FREIGHT CLASS**

## WT/LBS.


## CUBIC FT. L.

**LIST PRICE**

**HP ADD GR. 2 ADD**

## R3 ADD

## KS ADD



## D x W x H

**TFL, flat edge <sup>(1)</sup>**

**1 Piece top - 2 bases required**

GRC8MTP	42 x 96 x 1	92.5	128	11.84	<b>\$1536</b>	<b>\$695</b>	n/a	n/a	n/a
GRC8WTP	48 x 96 x 1	85	190	14	<b>\$1555</b>	<b>\$603</b>	n/a	n/a	n/a

**2 Piece tops - 3 bases required**

GRC10WTP	48 x 120 x 1	85	220	17	<b>\$1956</b>	<b>\$810</b>	n/a	n/a	n/a
GRC12WTP	48 x 144 x 1	85	262	21	<b>\$2279</b>	<b>\$915</b>	n/a	n/a	n/a

### HPL, knife edge

**1 Piece top - 2 bases required**

GRC8MTPLK	42 x 96 x 1.19	85	154	11	<b>\$3729</b>	n/a	n/a	n/a	n/a
GRC8WTPK	48 x 96 x 1.19	70	228	12	<b>\$4262</b>	n/a	n/a	n/a	n/a

**2 Piece tops - 3 bases required**

GRC10WTPLK	48 x 120 x 1.19	70	264	15	<b>\$5327</b>	n/a	n/a	n/a	n/a
GRC12WTPLK	48 x 144 x 1.19	70	314	18	<b>\$6392</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

**1 Piece top - 2 bases required**

GRC8MTPV	42 x 96 x 1.19	85	154	11	<b>\$4740</b>	n/a	n/a	n/a	<b>\$474</b>
GRC8WTPV	48 x 96 x 1.19	70	228	12	<b>\$5272</b>	n/a	n/a	n/a	<b>\$528</b>

**2 Piece tops - 3 bases required**

GRC10WTPV	48 x 120 x 1.19	70	264	15	<b>\$6924</b>	n/a	n/a	n/a	<b>\$694</b>
GRC12WTPV	48 x 144 x 1.19	70	314	18	<b>\$8202</b>	n/a	n/a	n/a	<b>\$822</b>

**Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" & 144"W tops** (see 790). Tops feature metal inserts for ease of assembly to base.

### Racetrack Tops, 96-144"

### Required Specifications


Top finish  
Edge finish<sup>(1)</sup>

## Optional Specifications

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Cut-out for grommet/power blocks

### Applicable Bases

GRB28  
GSB23

BOAT TOPS 96" - 144"		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
		D x W x H									
		TFL, flat edge <sup>(1)</sup>									
		1 Piece top - 2 bases required									
		GBT8MTP	42 x 96 x 1	92.5	128	11.84	<b>\$1536</b>	<b>\$695</b>	n/a	n/a	n/a
		GBT8WTP	48 x 96 x 1	85	190	14	<b>\$1555</b>	<b>\$603</b>	n/a	n/a	n/a
		2 Piece tops - 3 bases required									
		GBT10WTP	48 x 120 x 1	85	220	17	<b>\$1956</b>	<b>\$810</b>	n/a	n/a	n/a
		GBT12WTP	48 x 144 x 1	85	262	21	<b>\$2279</b>	<b>\$915</b>	n/a	n/a	n/a
		HPL, knife edge									
		1 Piece top - 2 bases required									
		GBT8MTPLK	42 x 96 x 1.19	85	154	11	<b>\$3729</b>	n/a	n/a	n/a	n/a
		GBT8WTPLK	48 x 96 x 1.19	70	228	12	<b>\$4262</b>	n/a	n/a	n/a	n/a
		2 Piece tops - 3 bases required									
		GBT10WTPLK	48 x 120 x 1.19	70	264	15	<b>\$5327</b>	n/a	n/a	n/a	n/a
		GBT12WTPLK	48 x 144 x 1.19	70	314	18	<b>\$6392</b>	n/a	n/a	n/a	n/a
		Veneer <sup>(2)</sup>									
		1 Piece top - 2 bases required									
		GBT8MTPV	42 x 96 x 1.19	85	154	11	<b>\$4740</b>	n/a	n/a	n/a	<b>\$474</b>
		GBT8WTPV	48 x 96 x 1.19	70	228	12	<b>\$5272</b>	n/a	n/a	n/a	<b>\$528</b>
		2 Piece tops - 3 bases required									
		GBT10WTPV	48 x 120 x 1.19	70	264	15	<b>\$6924</b>	n/a	n/a	n/a	<b>\$694</b>
		GBT12WTPV	48 x 144 x 1.19	70	314	18	<b>\$8202</b>	n/a	n/a	n/a	<b>\$822</b>
Boat Tops, 96"-144"		<b>Applicable bases to use with above tops: round GRB28 or square GSB23. TWO bases required for 96"W tops or THREE bases required for 120" &amp; 144"W tops</b> (see 790). Tops feature metal inserts for ease of assembly to base. • GBTxM - 42"deep at center and 33"deep at ends; GBTxW - 48"deep at center and 38"deep at ends.									

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Cut-out for grommet/power blocks



**Applicable Bases**

GRB28  
GSB23



S

SWAP TABLES

BASES FOR TOPS 96"- 144" WIDE		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH
 28" Dia Round Base		D x W x H						
		GRB28	28 x 28 x 28	125	100	15.63	\$1596	\$171
		seated height						
 23" Square Base		GSB23	22.5 x 22.5 x 28	100	82	9.33	\$1467	\$95
		seated height						
		Base comes fully assembled and features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).						

Required Specifications

Finish

Optional Specifications

Plated finish

RECTANGULAR TOPS FOR DUAL COLUMN BASE

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.


LIST PRICE

HP ADD

GR. 2 ADD

R3 ADD

KS ADD



Rectangular Top\*

D x W x H

**TFL, flat edge** <sup>(1) (4)</sup>

GRTD5TP	36 x 60 x 1	100	60	6.6	<b>\$698</b>	<b>\$325</b>	n/a	<b>\$71</b>	n/a
GRTD5HTP	36 x 66 x 1	100	69	7.21	<b>\$762</b>	<b>\$356</b>	n/a	<b>\$77</b>	n/a
GRTD6TP	36 x 72 x 1	100	75	7.82	<b>\$785</b>	<b>\$366</b>	n/a	<b>\$79</b>	n/a
GRTD5MTP	42 x 60 x 1	100	73	7.62	<b>\$775</b>	<b>\$359</b>	n/a	<b>\$78</b>	n/a
GRTD5HMTP	42 x 66 x 1	100	81	8.32	<b>\$827</b>	<b>\$385</b>	n/a	<b>\$84</b>	n/a
GRTD6MTP	42 x 72 x 1	100	89	9.02	<b>\$851</b>	<b>\$396</b>	n/a	<b>\$86</b>	n/a

**HPL, knife edge**

GRTD5TPLK	36 x 60 x 1.19	85	72	6	<b>\$1429</b>	n/a	n/a	n/a	n/a
GRTD5HTPLK	36 x 66 x 1.19	85	83	6.5	<b>\$1566</b>	n/a	n/a	n/a	n/a
GRTD6TPLK	36 x 72 x 1.19	85	90	7	<b>\$1710</b>	n/a	n/a	n/a	n/a
GRTD5MTPLK	42 x 60 x 1.19	85	88	7	<b>\$1658</b>	n/a	n/a	n/a	n/a
GRTD5HMTPLK	42 x 66 x 1.19	85	97	7.5	<b>\$1828</b>	n/a	n/a	n/a	n/a
GRTD6MTPLK	42 x 72 x 1.19	85	107	8	<b>\$1992</b>	n/a	n/a	n/a	n/a

**Veneer** <sup>(2)</sup>

GRTD5TPV	36 x 60 x 1.19	85	72	6	<b>\$1896</b>	n/a	n/a	n/a	<b>\$193</b>
GRTD5HTPV	36 x 66 x 1.19	85	83	6.5	<b>\$2078</b>	n/a	n/a	n/a	<b>\$209</b>
GRTD6TPV	36 x 72 x 1.19	85	90	7	<b>\$2265</b>	n/a	n/a	n/a	<b>\$224</b>
GRTD5MTPV	42 x 60 x 1.19	85	88	7	<b>\$2206</b>	n/a	n/a	n/a	<b>\$220</b>
GRTD5HMTPV	42 x 66 x 1.19	85	97	7.5	<b>\$2423</b>	n/a	n/a	n/a	<b>\$240</b>
GRTD6MTPV	42 x 72 x 1.19	85	107	8	<b>\$2642</b>	n/a	n/a	n/a	<b>\$267</b>

Top features metal inserts for ease of assembly to base. One dual column base #GDCB36H28 required (see 794). Limited cut-out options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

**Required Specifications**

Top finish  
Edge finish<sup>(1)</sup>


**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
3" radiused corners<sup>(4)</sup>  
Cut-out for grommet/power blocks

**Applicable Bases**

GDCB36H28

RACETRACK TOPS FOR DUAL COLUMN BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
-------------------------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------




Racetrack Tops for Dual Column Base

D x W x H										
TFL, flat edge <sup>(1)</sup>										
GRCD5TP	36 x 60 x 1	100	60	6.6	<b>\$698</b>	<b>\$325</b>	n/a	n/a	n/a	n/a
GRCD5HTP	36 x 66 x 1	100	69	7.21	<b>\$762</b>	<b>\$356</b>	n/a	n/a	n/a	n/a
GRCD6TP	36 x 72 x 1	100	75	7.82	<b>\$785</b>	<b>\$366</b>	n/a	n/a	n/a	n/a
GRCD5MTP	42 x 60 x 1	100	73	7.62	<b>\$775</b>	<b>\$359</b>	n/a	n/a	n/a	n/a
GRCD5HMTTP	42 x 66 x 1	100	81	8.32	<b>\$827</b>	<b>\$385</b>	n/a	n/a	n/a	n/a
GRCD6MTP	42 x 72 x 1	100	89	9.02	<b>\$851</b>	<b>\$396</b>	n/a	n/a	n/a	n/a
HPL, knife edge										
GRCD5TPLK	36 x 60 x 1.19	85	72	6	<b>\$1997</b>	n/a	n/a	n/a	n/a	n/a
GRCD5HTPLK	36 x 66 x 1.19	85	83	6.5	<b>\$2132</b>	n/a	n/a	n/a	n/a	n/a
GRCD6TPLK	36 x 72 x 1.19	85	90	7	<b>\$2265</b>	n/a	n/a	n/a	n/a	n/a
GRCD5MTPLK	42 x 60 x 1.19	85	88	7	<b>\$2397</b>	n/a	n/a	n/a	n/a	n/a
GRCD5HMTPLK	42 x 66 x 1.19	85	97	7.5	<b>\$2530</b>	n/a	n/a	n/a	n/a	n/a
GRCD6MTPLK	42 x 72 x 1.19	85	107	8	<b>\$2664</b>	n/a	n/a	n/a	n/a	n/a
Veneer <sup>(2)</sup>										
GRCD5TPV	36 x 60 x 1.19	85	72	6	<b>\$2397</b>	n/a	n/a	n/a	<b>\$240</b>	
GRCD5HTPV	36 x 66 x 1.19	85	83	6.5	<b>\$2530</b>	n/a	n/a	n/a	<b>\$252</b>	
GRCD6TPV	36 x 72 x 1.19	85	90	7	<b>\$2664</b>	n/a	n/a	n/a	<b>\$267</b>	
GRCD5MTPV	42 x 60 x 1.19	85	88	7	<b>\$2797</b>	n/a	n/a	n/a	<b>\$283</b>	
GRCD5HMTPV	42 x 66 x 1.19	85	97	7.5	<b>\$2929</b>	n/a	n/a	n/a	<b>\$294</b>	
GRCD6MTPV	42 x 72 x 1.19	85	107	8	<b>\$3062</b>	n/a	n/a	n/a	<b>\$305</b>	

Top features metal inserts for ease of assembly to base. One dual column base #GDCB36H28 required (see 794). Limited cut-out options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

Required Specifications	Optional Specifications	Applicable Bases
Top finish Edge finish <sup>(1)</sup>	HP laminate <sup>(1)</sup> Knife edge <sup>(2)</sup> Cut-out for grommet/power blocks	GDCB36H28

BOAT SHAPED TOPS FOR DUAL COLUMN BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD	R3 ADD	KS ADD
---------------------------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------	--------	--------



D x W x H

**TFL, flat edge <sup>(1)</sup>**

GBTD5TP	36 x 60 x 1	100	60	6.6	<b>\$698</b>	<b>\$325</b>	n/a	n/a	n/a
GBTD5HTP	36 x 66 x 1	100	69	7.21	<b>\$762</b>	<b>\$356</b>	n/a	n/a	n/a
GBTD6TP	36 x 72 x 1	100	75	7.82	<b>\$785</b>	<b>\$366</b>	n/a	n/a	n/a
GBTD5MTP	42 x 60 x 1	100	73	7.62	<b>\$775</b>	<b>\$359</b>	n/a	n/a	n/a
GBTD5HMTP	42 x 66 x 1	100	81	8.32	<b>\$827</b>	<b>\$385</b>	n/a	n/a	n/a
GBTD6MTP	42 x 72 x 1	100	89	9.02	<b>\$851</b>	<b>\$396</b>	n/a	n/a	n/a

**HPL, knife edge**

GBTD5TPLK	36 x 60 x 1.19	85	72	6	<b>\$1997</b>	n/a	n/a	n/a	n/a
GBTD5HTPLK	36 x 66 x 1.19	85	83	6.5	<b>\$2132</b>	n/a	n/a	n/a	n/a
GBTD6TPLK	36 x 72 x 1.19	85	90	7	<b>\$2265</b>	n/a	n/a	n/a	n/a
GBTD5MTPLK	42 x 60 x 1.19	85	88	7	<b>\$2397</b>	n/a	n/a	n/a	n/a
GBTD5HMTPK	42 x 66 x 1.19	85	97	7.5	<b>\$2530</b>	n/a	n/a	n/a	n/a
GBTD6MTPLK	42 x 72 x 1.19	85	107	8	<b>\$2664</b>	n/a	n/a	n/a	n/a

**Veneer <sup>(2)</sup>**

GBTD5TPV	36 x 60 x 1.19	85	72	6	<b>\$2397</b>	n/a	n/a	n/a	<b>\$240</b>
GBTD5HTPV	36 x 66 x 1.19	85	83	6.5	<b>\$2530</b>	n/a	n/a	n/a	<b>\$252</b>
GBTD6TPV	36 x 72 x 1.19	85	90	7	<b>\$2664</b>	n/a	n/a	n/a	<b>\$267</b>
GBTD5MTPV	42 x 60 x 1.19	85	88	7	<b>\$2797</b>	n/a	n/a	n/a	<b>\$283</b>
GBTD5HMTPV	42 x 66 x 1.19	85	97	7.5	<b>\$2929</b>	n/a	n/a	n/a	<b>\$294</b>
GBTD6MTPV	42 x 72 x 1.19	85	107	8	<b>\$3062</b>	n/a	n/a	n/a	<b>\$305</b>

**Boat Tops for Dual Column Base**

Top features metal inserts for ease of assembly to base. One dual column base #GDCB36H28 required (see 794). Limited cut-out options available for power modules include A2, E2, J2, V2 or AG2 only. Power modules corresponding to applicable cut-out codes ordered separately.

Boat tops:

- 36" deep at the center, are 28" deep across ends; 42" deep at the center, are 33" deep at the ends.

**Required Specifications**


Top finish  
Edge finish<sup>(1)</sup>

**Optional Specifications**

HP laminate<sup>(1)</sup>  
Knife edge<sup>(2)</sup>  
Cut-out for grommet/power blocks

**Applicable Bases**



GDCB36H28

DUAL COLUMN BASE FOR GxTDxxx TOPS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH
 <b>28"H Dual Column Base</b>	D x W x H						
	<b>Base valid for tops on pages 775-777:</b>						
	GDCB36H28	36 x 19 x 28	100	116.23	12.16	<b>\$2588</b>	<b>\$604</b>
	seated height						
	<b>Order the quantity of bases as indicated by each top size.</b>						
Base ships knocked-down; assembly required. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate top(s). Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).							

Required Specifications	Optional Specifications
Finish	Plated finish

## HUDDLE TABLES OVERVIEW



- Three heights available: seated desk height - 29", counter height - 36", bar height - 41.5" with D top, wedge, rectangular or soft ellipse shaped tops.
- Bring teams together to huddle, share and collaborate.
- Tops include metal inserts for ease of assembly to metal base. All tops are standard with an edge scoop to help manage cables from wall mounted flat screen monitors and/or edge mounting power module (PS305057/PS305002 as an example). Support channels are included with tops over 60" wide.
- Optional cut-outs available where noted. Add **\$103** per cut-out. Only available in position 1 or position 2.



Interior width for base opening:  
27.13"/33.3"/39.13"

Please take note when used in conjunction with Zira wall panels.

- Laminate kits are sold separately from metal bases for huddle tables.
- Metal bases ship fully assembled and include 0.5" adjustable glides and metal screws for attaching to the top. Be sure to specify bases specific to huddle tables GRHB22Hxx or GSHB19Hxx.

D-TOP HUDDLE TABLES	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 <p><b>29"H D-Top Huddle</b></p>	GDH364829	48 x 36 x 29	70	77.05	3.94	<b>\$1138</b>	<b>\$355</b>
	GDH366029	60 x 36 x 29	70	86.95	4.46	<b>\$1387</b>	<b>\$503</b>
	GDH367229	72 x 36 x 29	70	97	4.98	<b>\$1547</b>	<b>\$600</b>
	GDH426029	60 x 42 x 29	70	99.82	5.18	<b>\$1556</b>	<b>\$576</b>
	GDH427229	72 x 42 x 29	70	111.5	5.78	<b>\$1744</b>	<b>\$686</b>
	GDH428429	84 x 42 x 29	92.5	123.1	11.98	<b>\$1929</b>	<b>\$800</b>
	GDH429629	96 x 42 x 29	92.5	134.74	13.3	<b>\$2085</b>	<b>\$891</b>
	GDH486029	60 x 48 x 29	70	112.6	5.88	<b>\$1735</b>	<b>\$651</b>
	GDH487229	72 x 48 x 29	70	126	6.58	<b>\$1943</b>	<b>\$777</b>
	GDH488429	84 x 48 x 29	92.5	139.24	13.5	<b>\$2077</b>	<b>\$858</b>
 <p><b>36"H D-Top Huddle</b></p>	GDH364836	48 x 36 x 36	70	85.95	4.3	<b>\$1174</b>	<b>\$355</b>
	GDH366036	60 x 36 x 36	70	95.85	4.84	<b>\$1422</b>	<b>\$503</b>
	GDH367236	72 x 36 x 36	70	105.9	5.36	<b>\$1580</b>	<b>\$600</b>
	GDH426036	60 x 42 x 36	70	109.82	5.6	<b>\$1595</b>	<b>\$576</b>
	GDH427236	72 x 42 x 36	70	121.5	6.22	<b>\$1781</b>	<b>\$686</b>
	GDH428436	84 x 42 x 36	92.5	133.1	12.4	<b>\$1968</b>	<b>\$800</b>
	GDH429636	96 x 42 x 36	92.5	144.74	13.74	<b>\$2124</b>	<b>\$891</b>
	GDH486036	60 x 48 x 36	70	123.6	6.38	<b>\$1778</b>	<b>\$651</b>
	GDH487236	72 x 48 x 36	70	137	7.08	<b>\$1987</b>	<b>\$777</b>
	GDH488436	84 x 48 x 36	92.5	150.24	14	<b>\$2121</b>	<b>\$858</b>
	GDH489636	96 x 48 x 36	92.5	163.56	15.5	<b>\$2289</b>	<b>\$960</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only (see 800).

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only (see 800).

## Required Specifications

Top finish  
Laminate base finish  
Edge

## Optional Specifications


HP laminate  
Power block cut-out

## Accessories

Power block

S SWAP TABLES

D-TOP HUDDLE TABLES






41.5"H D-Top Huddle

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
D x W x H						
GDH364841	48 x 36 x 41.5	70	92.65	4.58	\$1234	\$355
GDH366041	60 x 36 x 41.5	70	102.55	5.1	\$1481	\$503
GDH367241	72 x 36 x 41.5	70	112.6	5.62	\$1643	\$600
GDH426041	60 x 42 x 41.5	70	117.32	5.92	\$1663	\$576
GDH427241	72 x 42 x 41.5	70	129	6.52	\$1851	\$686
GDH428441	84 x 42 x 41.5	92.5	140.6	12.72	\$2040	\$800
GDH429641	96 x 42 x 41.5	92.5	152.24	14.06	\$2193	\$891
GDH486041	60 x 48 x 41.5	70	130.1	6.74	\$1855	\$651
GDH487241	72 x 48 x 41.5	70	143.5	7.42	\$2062	\$777
GDH488441	84 x 48 x 41.5	92.5	156.74	14.52	\$2199	\$858
GDH489641	96 x 48 x 41.5	92.5	170.06	15.84	\$2368	\$960

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H41** or **GS HB19H41** only (see 800).

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Top finish	HP laminate	Power block
Laminate base finish	Power block cut-out	
Edge		

WEDGE HUDDLE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
		<b>D x W x H</b>					
	GWH486029	60 x 48 x 29	70	112.6	5.88	<b>\$1732</b>	<b>\$647</b>
	GWH487229	72 x 48 x 29	70	126	6.58	<b>\$1943</b>	<b>\$777</b>
	GWH488429	84 x 48 x 29	92.5	139.24	13.5	<b>\$2077</b>	<b>\$858</b>
	GWH489629	96 x 48 x 29	92.5	152.56	15	<b>\$2247</b>	<b>\$960</b>
							
	GWH486036	60 x 48 x 36	70	123.6	6.38	<b>\$1774</b>	<b>\$647</b>
	GWH487236	72 x 48 x 36	70	137	7.08	<b>\$1987</b>	<b>\$777</b>
	GWH488436	84 x 48 x 36	92.5	150.24	14	<b>\$2121</b>	<b>\$858</b>
	GWH489636	96 x 48 x 36	92.5	163.56	15.5	<b>\$2289</b>	<b>\$960</b>
							
	GWH486041	60 x 48 x 41.5	70	130.1	6.74	<b>\$1849</b>	<b>\$647</b>
	GWH487241	72 x 48 x 41.5	70	143.5	7.42	<b>\$2062</b>	<b>\$777</b>
	GWH488441	84 x 48 x 41.5	92.5	156.74	14.34	<b>\$2199</b>	<b>\$858</b>
	GWH489641	96 x 48 x 41.5	92.5	170.06	15.84	<b>\$2368</b>	<b>\$960</b>

29"H Wedge Huddle

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only (see 800).

36"H Wedge Huddle

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only (see 800).

41.5"H Wedge Huddle

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only.

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only (see 800).

**Required Specifications**

Top finish  
Laminate base finish  
Edge

**Optional Specifications**

HP laminate  
Power block cut-out


**Accessories**

Power block




# S SWAP TABLES


## RECTANGULAR HUDDLE TABLES



**29"H Rectangular Huddle**



**36"H Rectangular Huddle**



**41.5"H Rectangular Huddle\***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
--------	------------	---------------	---------	-----------	------------	--------

### D x W x H

GRH364829	48 x 36 x 29	70	77.05	3.94	<b>\$1138</b>	<b>\$355</b>
GRH366029	60 x 36 x 29	70	86.95	4.46	<b>\$1387</b>	<b>\$503</b>
GRH367229	72 x 36 x 29	70	97	4.98	<b>\$1547</b>	<b>\$600</b>
GRH426029	60 x 42 x 29	70	99.82	5.18	<b>\$1556</b>	<b>\$576</b>
GRH427229	72 x 42 x 29	100	111.5	5.78	<b>\$1744</b>	<b>\$686</b>
GRH428429	84 x 42 x 29	92.5	123.1	11.98	<b>\$1929</b>	<b>\$800</b>
GRH429629	96 x 42 x 29	150	134.74	13.3	<b>\$2085</b>	<b>\$891</b>
GRH486029	60 x 48 x 29	70	112.6	5.88	<b>\$1735</b>	<b>\$651</b>
GRH487229	72 x 48 x 29	70	126	6.58	<b>\$1943</b>	<b>\$777</b>
GRH488429	84 x 48 x 29	92.5	139.24	13.5	<b>\$2077</b>	<b>\$858</b>
GRH489629	96 x 48 x 29	92.5	152.56	15	<b>\$2247</b>	<b>\$960</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H28** or **GSHB19H28** only (see 800)

GRH364836	48 x 36 x 36	70	85.95	4.3	<b>\$1174</b>	<b>\$355</b>
GRH366036	60 x 36 x 36	70	95.85	4.84	<b>\$1422</b>	<b>\$503</b>
GRH367236	72 x 36 x 36	70	105.9	5.36	<b>\$1580</b>	<b>\$600</b>
GRH426036	60 x 42 x 36	70	109.82	5.6	<b>\$1595</b>	<b>\$576</b>
GRH427236	72 x 42 x 36	70	121.5	6.22	<b>\$1781</b>	<b>\$686</b>
GRH428436	84 x 42 x 36	92.5	133.1	12.4	<b>\$1968</b>	<b>\$800</b>
GRH429636	96 x 42 x 36	92.5	144.74	13.74	<b>\$2124</b>	<b>\$891</b>
GRH486036	60 x 48 x 36	70	123.6	6.38	<b>\$1778</b>	<b>\$651</b>
GRH487236	72 x 48 x 36	70	137	7.08	<b>\$1987</b>	<b>\$777</b>
GRH488436	84 x 48 x 36	92.5	150.24	14	<b>\$2121</b>	<b>\$858</b>
GRH489636	96 x 48 x 36	150	163.56	15.5	<b>\$2289</b>	<b>\$960</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H35** or **GSHB19H35** only (see 800).

GRH364841	48 x 36 x 41.5	70	92.65	4.58	<b>\$1234</b>	<b>\$355</b>
GRH366041	60 x 36 x 41.5	70	102.55	5.1	<b>\$1481</b>	<b>\$503</b>
GRH367241	72 x 36 x 41.5	70	112.6	5.62	<b>\$1643</b>	<b>\$600</b>
GRH426041	60 x 42 x 41.5	70	117.32	5.92	<b>\$1663</b>	<b>\$576</b>
GRH427241	72 x 42 x 41.5	70	129	6.52	<b>\$1851</b>	<b>\$686</b>
GRH428441	84 x 42 x 41.5	92.5	140.6	12.72	<b>\$2040</b>	<b>\$800</b>
GRH429641	96 x 42 x 41.5	92.5	152.24	14.06	<b>\$2193</b>	<b>\$891</b>
GRH486041	60 x 48 x 41.5	70	130.1	6.74	<b>\$1855</b>	<b>\$651</b>
GRH487241	72 x 48 x 41.5	70	143.5	7.42	<b>\$2062</b>	<b>\$777</b>
GRH488441	84 x 48 x 41.5	92.5	156.74	14.34	<b>\$2199</b>	<b>\$858</b>
GRH489641	96 x 48 x 41.5	92.5	170.06	15.84	<b>\$2368</b>	<b>\$960</b>

Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).

- Metal bases sold separately. Compatible with **GRHB22H41** or **GSHB19H41** only (see 800).

### Required Specifications




Top finish  
Laminate base finish  
Edge

### Optional Specifications

HP laminate  
Power block cut-out

### Accessories

Power block

SOFT ELLIPSE HUDDLE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE	HP ADD
	<b>D x W x H</b>						
	GSEH364829	48 x 36 x 29	70	77.05	3.94	<b>\$1138</b>	<b>\$355</b>
	GSEH366029	60 x 36 x 29	70	86.95	4.46	<b>\$1387</b>	<b>\$503</b>
	GSEH367229	72 x 36 x 29	70	97	4.98	<b>\$1547</b>	<b>\$600</b>
	GSEH426029	60 x 42 x 29	70	99.82	5.18	<b>\$1556</b>	<b>\$576</b>
	GSEH427229	72 x 42 x 29	70	111.5	5.78	<b>\$1744</b>	<b>\$686</b>
	GSEH428429	84 x 42 x 29	92.5	123.1	11.98	<b>\$1929</b>	<b>\$800</b>
	GSEH429629	96 x 42 x 29	92.5	134.7	13.3	<b>\$2085</b>	<b>\$891</b>
	GSEH486029	60 x 48 x 29	70	112.6	11.78	<b>\$1735</b>	<b>\$651</b>
	GSEH487229	72 x 48 x 29	70	126	6.58	<b>\$1943</b>	<b>\$777</b>
	GSEH488429	84 x 48 x 29	92.5	139.2	13.5	<b>\$2077</b>	<b>\$858</b>
	GSEH489629	96 x 48 x 29	92.5	152.6	15	<b>\$2247</b>	<b>\$960</b>
	Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).						
	• Metal bases sold separately. Compatible with <b>GRHB22H28</b> or <b>GSHB19H28</b> only (see 800).						
	GSEH364836	48 x 36 x 36	70	86	4.3	<b>\$1174</b>	<b>\$355</b>
	GSEH366036	60 x 36 x 36	70	95.9	4.84	<b>\$1422</b>	<b>\$503</b>
	GSEH367236	72 x 36 x 36	70	105.9	5.36	<b>\$1580</b>	<b>\$600</b>
	GSEH426036	60 x 42 x 36	70	109.8	5.6	<b>\$1595</b>	<b>\$576</b>
	GSEH427236	72 x 42 x 36	70	121.5	6.22	<b>\$1781</b>	<b>\$686</b>
	GSEH428436	84 x 42 x 36	92.5	133.1	12.4	<b>\$1968</b>	<b>\$800</b>
	GSEH429636	96 x 42 x 36	92.5	144.74	13.74	<b>\$2124</b>	<b>\$891</b>
	GSEH486036	60 x 48 x 36	70	123.6	12.76	<b>\$1778</b>	<b>\$651</b>
	GSEH487236	72 x 48 x 36	70	137	7.08	<b>\$1987</b>	<b>\$777</b>
	GSEH488436	84 x 48 x 36	92.5	150.24	14	<b>\$2121</b>	<b>\$858</b>
	GSEH489636	96 x 48 x 36	92.5	163.56	15.5	<b>\$2289</b>	<b>\$960</b>
	Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).						
	• Metal bases sold separately. Compatible with <b>GRHB22H35</b> or <b>GSHB19H35</b> only (see 800).						
	GSEH364841	48 x 36 x 41.5	92.5	92.65	9.16	<b>\$1234</b>	<b>\$355</b>
	GSEH366041	60 x 36 x 41.5	70	102.55	5.1	<b>\$1481</b>	<b>\$503</b>
	GSEH367241	72 x 36 x 41.5	70	112.6	5.62	<b>\$1643</b>	<b>\$600</b>
	GSEH426041	60 x 42 x 41.5	70	117.32	5.92	<b>\$1663</b>	<b>\$576</b>
	GSEH427241	72 x 42 x 41.5	70	129	6.52	<b>\$1851</b>	<b>\$686</b>
	GSEH428441	84 x 42 x 41.5	92.5	140.6	12.72	<b>\$2040</b>	<b>\$800</b>
	GSEH429641	96 x 42 x 41.5	92.5	152.24	14.06	<b>\$2193</b>	<b>\$891</b>
	GSEH486041	60 x 48 x 41.5	70	130.1	6.74	<b>\$1855</b>	<b>\$651</b>
	GSEH487241	72 x 48 x 41.5	70	143.5	14.86	<b>\$2062</b>	<b>\$777</b>
	GSEH488441	84 x 48 x 41.5	92.5	156.74	14.34	<b>\$2199</b>	<b>\$858</b>
	GSEH489641	96 x 48 x 41.5	92.5	170.06	15.84	<b>\$2368</b>	<b>\$960</b>
	Laminate u-base support is 8"D with 7" inside clearance to wall. Access wall through 14.5"H x 9.5"W hinged door with touch latch in front panel of u-base support. U-base includes 0.5" adjustable glides. U-base side panels are tapered at the bottom to clear most baseboards. Cut-outs available in positions 1 and 2 only; except 36" x 48"D models (cut-out available in position 1 only).						
	• Metal bases sold separately. Compatible with <b>GRHB22H41</b> or <b>GSHB19H41</b> only (see 800).						

**Required Specifications**

Top finish  
Laminate base finish  
Edge



**Optional Specifications**

HP laminate  
Power block cut-out

**Accessories**

Power block

S SWAP TABLES

HUDDLE BASES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	CHM/BCH
 22" Round Huddle Base		D x W x H						
		SELECT BASE COMPATIBLE WITH TOP HEIGHT:						
		GRHB22H28	22 x 22 x 28	92.5	10	1	\$1117	\$134
		GRHB22H35	22 x 22 x 35	150	62	12.67	\$1117	\$160
		GRHB22H41	22 x 22 x 40.5	150	63	14.17	\$1165	\$168
		GRHB22H28 - seated height      GRHB22H35 - counter height      GRHB22H41 - bar height						
		Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).						
 18.5" Square Huddle Base		GSHB19H28	18.5 x 18.5 x 28	125	55	6.94	\$1193	\$129
		GSHB19H35	18.5 x 18.5 x 35	125	57	8.8	\$1193	\$146
		GSHB19H41	18.5 x 18.5 x 40.5	150	58	9.84	\$1250	\$160
		GSHB19H28 - seated height      GSHB19H35 - counter height      GSHB19H41 - bar height						
		Metal base ships fully assembled. Features 0.5" adjustable glides to level on uneven surfaces. Screws included with base for attaching to appropriate huddle table laminate pieces. Be sure to double check huddle table laminate pieces and metal bases are correct corresponding heights. Available in paint finishes listed on 759; plated finishes as available on 759 (upcharge applies).						

Required Specifications

Finish

Optional Specifications


Plated finish



Terina is a simple flip top table series that transforms any space into sophisticated areas for training, meetings and collaboration. Terina features unique and elegant aluminum, angled t-leg design paired with high pressure laminate or veneer surface, with optional modesty panels. Surface power modules offer an easy way to charge electronic devices without the need to drop down cords. Wires are managed below the worksurface with snap-in cable clips. Terina can be ganged together with optional flush ganging plates. Single hand release mechanism is active from the center of the user side of the table. Tables can be nested together in an upright position to minimize storage space.

#### Features and Benefits

- Training, meeting or conferencing. A multi-purpose table that allows you quickly and simply adapt your space to suit your needs.
- Simple flip top mechanism designed for single handed operation.
- Tops offered in high pressure laminate or wood veneer
- 10" modesty panel articulates when tables fold down
- Legs and crossbeam offered in 7 paint finishes
- Optional flush ganging plates
- Tables can be nested together when not in use.



Optional power block includes power and data



Optional ganging plates and daisy chain power management



Tables can be nested together when not in use.

GENERAL INFORMATION

- Terina flip top tables transform any space into sophisticated areas for training, meetings and collaboration.
- Simple flip top mechanism is designed for one handed operation.
- Unique, angled “T” leg design.
- Shipped R.T.A. (Ready to Assemble).
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

WORKSURFACES

- Laminate surfaces are 1-1/16” thick tops constructed of 45 lb. density particle board with high pressure laminate and finished on the underside of the surface with a kraft paper backing.
- Veneer surfaces are 1-3/16” thick tops constructed of 45 lb. density particle board and are balanced on the underside with veneer (unfinished)
- Worksurfaces are pre-drilled for alignment of the Terina base

BASE

- Tables feature an aluminum leg, cross beam and die-cast foot.
- Legs and cross beam are available in (7) different finish options.
- Die-cast foot is always in polished aluminum finish.
- Foot span is 23”

EDGING

- Laminate surfaces offer a selection of matching + coordinated edgeband. Specify separately from the surface finish.
- Veneer tops are finished with a 6mm hardwood edge, stained to match

CASTERS


- Casters are standard on all tables.
- 2-3/8” dual wheel casters with manual lock. Full 360° swivel.
- Suggested for carpeted surfaces.
- Available in grey only

GANGING PLATES

- Ganging plates are available for ganging adjoining tables together.
- Ganging plates are black epoxy coated steel plates with two thumbscrews

WIRE MANAGEMENT

- Wire management option is a snap-in channel that fits on the interior of the leg or on the underside of the flip-top cross beam



MODESTY PANELS

- 10” modesty panel affixes to the top and base, articulating when it folds down.
- Available in all standard laminates
- Modesty panels up to 60”w have vertical grain. Modesty panels 66” and wider will have horizontal grain.

LAMINATE FINISHES

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey*	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

*\*coordinates with SIL edgeband finish*

EDGE FINISHES (Laminate Surfaces Only)

AAE	Absolute Acajou	NBL	Noce Biondo
ASE	Asian Night	NGL	Noce Grigio
ACE	Avant Cherry	NEL	Noce Leggero
AHE	Avant Honey	NML	Noce Medio
BLK	Black	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
BZD	Blizzard	SIL	Silver*
CHR	Charcoal (use w/SOG)	SDT	Stonedust
CME	Clear Maple	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry
FCL	First Class		

*\*coordinates with CGY laminate*

LEG FINISHES

BLK	Black	BZD	Blizzard*
CHR	Charcoal	DWT	Designer White
NEV	Nevada	SIL	Silver
SDT	Stonedust*	TPE	Taupe
TUN	Tungsten		


*\*textured finish*

**VENEER FINISHES:**

Code	Finish	Veneer Type	Cut
AMW	Almond Cherry	Cherry	Flat Sliced
ACW	Amber Cherry	Cherry	Flat Sliced
BTW	Biscotti	White Oak	Rift
CAW	Cocoa Walnut	Walnut	Flat Sliced
CRW	Coral	White Oak	Rift
DCW	Dark Cherry	Cherry	Flat Sliced
DWW	Dark Walnut	Walnut	Flat Sliced
EWV	Espresso Walnut	Walnut	Flat Sliced
EVW	Evening Oak	White Oak	Rift
GRW	Grey on Oak	White Oak	Rift
HAW	Hazelnut	Maple	Flat Sliced
JAW	Java	White Oak	Rift
LTW	Latte Walnut	Walnut	Flat Sliced
MHW	Mahogany on Walnut	Walnut	Flat Sliced
MTW	Milestone	White Oak	Rift
MPW	Natural Maple	Maple	Flat Sliced
NLW	Natural Walnut	Walnut	Flat Sliced
RCW	Red Cherry	Cherry	Flat Sliced
ULW	Umber Walnut	Walnut	Flat Sliced
VNW	Vintage Cherry	Cherry	Flat Sliced
WLW	Walnut	Walnut	Flat Sliced
WCW	Warm Cherry	Cherry	Flat Sliced
WMW	White Maple	Maple	Flat Sliced

**GROMMETS**

- Grommets are available in all tops (left, center or right). Order as: **AG1, AG2 or AG3. Add \$103.**
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Available on all table widths and depths
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.**



**Grommet hole dimensions****Grommet**

- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103.** A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing above). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.



**POWER BLOCK**

- A Power Block (model **PMSPDM**) may be ordered on all worksurfaces.
- A Power Block is a rectangular worksurface power/data module with one electrical duplex receptacle and two data (RJ45) receptacles. 9' black cord included. Power Block dimensions are 3 1/2" deep x 6 1/2" wide x 2 3/4" high.
- A Power Block cut-out (for model **PMSPDM**) may be ordered for **tops 60" and up in any standard location.** Order as **E1, E2 or E3. Add \$103.**
- A Power Block cut-out (for model **PMSPDM**) may be ordered in the **center position** only for **48" and 54" tops.** Order as **E2. Add \$103.**

- To purchase a Power Block, you must specify both the Power Block cut-out location and the Power Block model #. Order Power Block as **PMSPDM, Add \$352.**
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.**

Power Block **PMSPDM, Add \$352****E Cutouts- 24\"/>****E Cutouts- 30\"/>****VILLA CUT-OUTS**

- A Villa cut-out may be ordered for **tops 60" and up in any standard location.** Order as: **V1, V2 or V3 - Add \$103 for each cut-out.**
- A Villa cut-out may be ordered in the **center position only** for **48" and 54" tops.** Order as: **V2 - Add \$103.**
- Villa with USB is not compatible with Terina tables**
- Please note limited user space when cut-outs are specified. See dimensions on diagram below.**

**V Cutouts- 24\"/>****V Cutouts- 30\"/>**

## RECTANGULAR TABLES



Rectangular Table - Laminate Top\*



Rectangular Table - Veneer Top

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GFT2472R	24 x 72 x 29	100	66	6.98	<b>\$2024</b>
GFT2466R	24 x 66 x 29	250	61	20.96	<b>\$1985</b>
GFT2460R	24 x 60 x 29	250	55	20.96	<b>\$1952</b>
GFT2454R	24 x 54 x 29	250	53	17.96	<b>\$1907</b>
GFT2448R	24 x 48 x 29	250	48	17.96	<b>\$1745</b>
GFT3072R	30 x 72 x 29	100	68	6.98	<b>\$2086</b>
GFT3066R	30 x 66 x 29	100	66	6.98	<b>\$2064</b>
GFT3060R	30 x 60 x 29	100	61	6.98	<b>\$2031</b>
GFT3054R	30 x 54 x 29	100	55	5.99	<b>\$1985</b>
GFT3048R	30 x 48 x 29	100	53	5.99	<b>\$1863</b>

Tables feature a flip-top **laminate** worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxM).


- Casters are available in grey only.

GFT2472RV	24 x 72 x 29	100	66	6.98	<b>\$3360</b>
GFT2466RV	24 x 66 x 29	250	61	20.96	<b>\$3194</b>
GFT2460RV	24 x 60 x 29	250	55	20.96	<b>\$3027</b>
GFT2454RV	24 x 54 x 29	250	53	17.96	<b>\$2932</b>
GFT2448RV	24 x 48 x 29	250	48	17.96	<b>\$2833</b>
GFT3072RV	30 x 72 x 29	100	68	6.98	<b>\$3862</b>
GFT3066RV	30 x 66 x 29	100	66	6.98	<b>\$3651</b>
GFT3060RV	30 x 60 x 29	100	66	6.98	<b>\$3439</b>
GFT3054RV	30 x 54 x 29	100	55	5.99	<b>\$3220</b>
GFT3048RV	30 x 48 x 29	100	53	5.99	<b>\$3006</b>


Tables feature a flip-top **veneer** worksurface for ease of storage. Single hand release mechanism is active from the center of the user side of the table. Leg can be painted in a variety of finishes. Foot is always in polished aluminum. Each table can be ganged together with GFCNGFP ganging plates (see next page). Modesty panels are available (see GFTxxMx).

- Casters are available in grey only.

## MODESTY PANELS



Modesty Panel - Laminate\*



Modesty Panel - Veneer

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
GFT72M	.75 x 70 x 10	92.5	20	2	<b>\$369</b>
GFT66M	.75 x 64 x 10	100	18	2	<b>\$351</b>
GFT60M	.75 x 58 x 10	70	15	1	<b>\$337</b>
GFT54M	.75 x 52 x 10	85	13	1	<b>\$323</b>
GFT48M	.75 x 46 x 10	92.5	11	1	<b>\$307</b>

Laminate modesty panel for use on GFTxxxxR Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

- Modesty panels up to 60" w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

GFT72MV	.75 x 70 x 10	92.5	20	2	<b>\$1027</b>
GFT66MV	.75 x 64 x 10	100	18	2	<b>\$955</b>
GFT60MV	.75 x 58 x 10	70	15	1	<b>\$867</b>
GFT54MV	.75 x 52 x 10	85	13	1	<b>\$780</b>
GFT48MV	.75 x 46 x 10	92.5	11	1	<b>\$708</b>

Veneer modesty panel for use on GFTxxxxRx Tables. Articulating modesty panel includes necessary hardware to attach. Can be retrofitted.

- Modesty panels up to 60" w have vertical grain. Modesty panels 66" and wider will have horizontal grain.

## Required Specifications

Top finish  
Leg finish  
Edge finish\*

## Optional Specifications

Grommet

## Accessories

Power block  
Wire management  
Ganging plate



## POWER/DATA



Clamp Mount 2 Power/USB-A&amp;C

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H

PS3525057

3.2 x 5.5 x 3

60

3.01

0.2

**\$533**

PS3525002

3.2 x 5.5 x 3

60

3.01

0.2

**\$533**

Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS3525057 - White module with Silver bracket.
- PS3525002 - Black module with Silver bracket



Under Mount 2 Power/USB-A&amp;C

PS3526057

2.8 x 5.5 x 1.8

60

3.2

0.2

**\$533**

PS3526002

2.8 x 5.5 x 1.8

60

3.2

0.2

**\$533**

Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.

- PS3526057 - White module with Silver bracket
- PS3526002 - Black module with Silver bracket.



Clamp Mount 3 Power/USB-A&amp;C

PS3526957

3.2 x 5.5 x 3

60

3.01

0.2

**\$613**

PS3526902

3.2 x 5.5 x 3

60

3.01

0.2

**\$613**

Ashley Trio clamp mount power module with three 15-amp 120 Volt AC receptacles; 2.4-amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. NOTE: HDMI, RJ45 and VGA connectors are not included. UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.

- PS305217 - White module with Silver bracket.
- PS305212 - Black module with Silver bracket

## WIRE MANAGEMENT

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE



Wire Manager

GFTCM04BLK

2 x 10 x 2


70

1

1

**\$58**

Set of four, 10" long grey plastic extrusions. Can be snapped into the inside of each leg for wire management from the surface to the floor, or snapped into the cross beam of the table to keep wires tucked neatly below the worksurface.



Ganging Flush Plate

GFCNGFP

.1 x 5 x 2.5

70

1

.01

**\$58**

Black epoxy coated steel plates with 2 thumbscrews included. Used to connect worksurfaces together. Holes with steel inserts are located in the corner of the tops to accommodate this plate. Sold individually.

## Required Specifications

Finish

Edge finish\*





Zook was designed for today's dynamic and diverse learning environments. The tables are lightweight and can be reconfigured easily to create interactive environments and support collaboration.

Choose from a variety of organic and geometric shaped table tops to optimize flexibility. They are available in a wide array of sizes and finishes in both thermally fused laminate and high pressure laminate. Zook's color palette also includes nine new bold finishes available in high pressure laminate only.

Tops are available in 1" thick thermally fused laminate or 1-1/16" high pressure laminate with Global's preferred matching edge or a new optional ergo friendly edge.

#### Features and Benefits


- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate.
- Tops are constructed of 45 lb. density particle board.
- Global's preferred matching edge or optional ergo friendly edge.
- Tops are available in organic and geometric shapes.
- Surfaces include factory installed metal inserts for solid and secure leg connections.
- Group table's cable tower is constructed from thermally fused laminate with a removable access panel and inside clearance of 9" x 9". Available on group tables ZK44848P, ZK45959P and ZK65990 only.
- Easy to assemble



Variety of organic and geometric shapes



Multiple table configurations. Ideal for group study and encouraging collaboration.



Optional ergo friendly edge

## GENERAL INFORMATION

- Zook is a series of tables designed for classrooms and diverse learning environments.
- Organic shapes and rectangular tops are available to create a variety of configurations that naturally bring people together.
- Choose from Zook group tables for groups of 4 to 6 people comfortably, pod tables for individuals, activity tables, or flip top tables.
- Create spaces that encourage discussion and the sharing of ideas
- Supports multi-use, active learning spaces and a variety of teaching styles
- Materials and workmanship stand up to the rigorous demands of today's learning environments
- Shipped easy to assemble. Tops include factory installed metal inserts to accept leg attachment.
- For environmental certifications, please visit [globalfurnituregroup.com](http://globalfurnituregroup.com).

### ZOOK GROUP TABLES

- Organic shaped tops available in three sizes: 48" x 48", 59" x 59" or 59" x 90".
- Tops supported by 3" diameter fixed height post legs.
- Select models available with cut-out options for power modules; these select models also include a cable tower for managing cables to floor monuments..

### ZOOK POD TABLES

- Available in four geometric shapes; three that when used adjacent to one another, can create various pod configurations as well as rectangular tables in a number of sizes.
- ADA compliant heights available for select models.
- 1.5" diameter fixed height post legs.
- Tables may be specified on levelers or with casters for greater mobility and flexibility

### ZOOK ACTIVITY TABLES

- Available in three shapes, all based on a 54" wide footprint.
- Tops are available with two types of mating edges: curved or straight. When planning to mate tables, do not mix mating edge styles.
- 2" diameter tapered legs on levelers or casters.

### ZOOK FLIP-TOP TABLES

- Available in three sizes, 30"w x 22"d with concave shaped top; 30"w x 24"d and 60"w x 24"d rectangular top with radius corners.
- Supported by Y legs, equipped with smooth glide casters (two locking). Tungsten (TTU) finish only.
- 60"w tables optional with AG1, AG2, AG3 grommet; ZKFR3024 available with optional AG2 grommet
- Modesty panels are available separately in Tungsten (TUN) finish only.
- Tops and bases sold separately.
- **Caution:** to meet BIFMA standards for performance and stability, appropriate base size must be specified with corresponding top sizes identified.

### WORKSURFACES


- Tops are available in 1" thick thermally fused laminate or 1-1/16" thick high pressure laminate
- Available in many finishes in both thermally fused laminate or high pressure laminate
- Worksurface core is made of 45 lb. density particleboard
- Surfaces include factory-installed metal inserts for solid and secure leg connections

### WRITEABLE SURFACE OPTION


- Available on group, pod, activity, flip-top and rectangular tables
- High gloss White, non-magnetic dry-erase surface
- Complementary or contrasting edge to be specified, darker edge finish recommended
- Specify (WRW) for top finish. For upcharge, refer to finish option per product.

### EDGE DETAIL

- Global's preferred (2mm flat edge) matching edge is standard
- Optional ergo-friendly edge is available at an upcharge (varies by item; see product for details).
- Rectangular tops feature rounded 2.5" radius corners



Ergo friendly edge




2mm flat edge

### LEGS


- **Group tables:** 3" diameter steel post legs, 28" high with adjustable 3" diameter plastic glides. Each leg includes a 6" x 6" metal top plate and ships with truss head screws to connect to tops. See 808 for available finishes.
- **Pod tables:** 1.5" diameter tube steel legs, available with adjustable levelers or dual wheel locking casters. Each leg includes top plate and hardware for mounting. See 808 for available finishes. Optional Chrome (CHM) finish is available for pod tables only. **Add \$84** for three-legged models or **add \$109** for four-legged models
- **Activity tables:** 2" diameter tapered legs available with adjustable levelers or optional locking casters. Each leg includes top plate and hardware for mounting. See 808 for available finishes. Optional Chrome (CHM) finish is available. **Add \$175**.

#### Group tables




3" dia. leg

#### Pod tables




1.5" dia. leg




1.5" dia. leg  
with caster

#### Activity Tables



Tapered leg  
with leveler




Tapered leg  
with caster

### CASTERS

- Pod table models ending in C indicate legs equipped with 1.5" dia locking casters. Casters are black only.
- Activity table models ending in C indicate legs equipped with 2" dia locking casters. Casters are black only.

### GROUP TABLE with CABLE TOWER

- Constructed from thermally fused laminate with a removable access panel
- Inside clearance of 8" x 8.6" will conceal most floor monuments, but still provide easy access.
- Available on group tables ZK44848P, ZK45959P and ZK65990P only.
- Must specify cut-out option when ordering group tables to accommodate select power module. Power modules sold separately.
- Available in Black (BLK), Brushed Cobalt (BRC) or Designer White (DWT) finish



Cable tower

1. SPECIFY MODEL NUMBER

2. SPECIFY TOP FINISH

Thermally Fused and High Pressure Laminate Finishes:

ACJ	Absolute Acajou	CGY	Custom Grey	NML	Noce Medio
ASN	Asian Night	DES	Dark Espresso	QTM	Quartered Mahogany
AWC	Avant Cherry	DWT	Designer White	SBY	Sheer Beauty
AWH	Avant Honey	FAS	Fashionista	SOG	Storm Grey
BLK	Black	FCL	First Class	SDT	Stonedust
BZD	Blizzard	NBL	Noce Biondo	WHE	Walnut Heights
BRC	Brushed Cobalt	NGL	Noce Grigio	WHC	White Chocolate
CMB	Clear Maple	NEL	Noce Leggero	WCR	Winter Cherry

3. SPECIFY EDGE FINISH

2mm Thick Edgebanding:

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CME	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

Ergo Friendly Edge Finishes (optional - upcharge applies)

EBL	Black
ECP	Latte
ECG	Charcoal Grey
EDW	Designer White
EGR	Grey

4. SPECIFY LEG FINISH

Legs:

TBL	Black
TBZ	Buzz Blue
TCC	Cactus
TCR	Carrot
TIV	Cloud
TDW	Designer White
TDJ	Dijon
TEG	Eggplant
TFO	Fog
TFR	Frost
TIN	Ink
TKA	Kalua
TLA	Latte
TMO	Mocha
TNE	Nevada
TSN	Sand
TSR	Scarlet
TSH	Shadow
TOA	Toast
TTU	Tungsten
CHM	Chrome**

\*\*Upcharges apply for CHM. Refer to model for upcharges.

**Note:** Leg finish is not optional for flip-top tables. Available in Tungsten (TTU) only.

FINISH	ACTIVITY	FLIP-TOP	GROUP	POD
Black TBL	•	N/A	•	•
Buzz Blue TBZ	•	N/A	•	•
Cactus TCC	•	N/A	•	•
Carrot TCR	•	N/A	•	•
Chrome CHM	•	N/A	N/A	•
Cloud TIV	•	N/A	•	•
Designer White TDW	•	N/A	•	•
Dijon TDJ	•	N/A	•	•
Eggplant TEG	•	N/A	•	•
Fog TFO	•	N/A	•	•
Frost TFR	•	N/A	•	•
Ink TIN	•	N/A	•	•
Kalua TKA	•	N/A	•	•
Latte TLA	•	N/A	•	•
Mocha TMO	•	N/A	•	•
Nevada TNE	•	N/A	•	•
Sand TSN	•	N/A	•	•
Scarlet TSR	•	N/A	•	•
Shadow TSH	•	N/A	•	•
Toast TOA	•	N/A	•	•
Tungsten TTU	•	•	•	•

SPECIFY CABLE TOWER FINISH - ZK44848P, ZK45959P and ZK65990P only

Cable Tower Finishes:

- BLKBlack
- BRCBrushed Cobalt
- DWTDesigner White

SPECIFY CUT-OUT OPTION - remember to order power module separately

POWER BLOCK AND CUT-OUT OPTIONS

- A power block delivers power/data to the table surface.
- Power block modules must be ordered separately and available for models ZK44848P, ZK45959P and ZK465990P only.
- Must specify the power block cut-out option when ordering the table.
- Optional cut-out available in the **center position** only and corresponds to select power modules. Order as **R2** or **T2** depending on the power module ordered.
- For a custom size cut-out (must be in center position), please contact Customer Care
- Select power block option from Productivity Solutions, beginning on page 580.

PRTMCS401B


PRTMCS401T

PRTMCS401W

PRTMCS421B

PRTMCS421T

PRTMCS421W



PRTMCD602B

PRTMCD602T

PRTMCD602W

PRTMCD622B


PRTMCD622T

PRTMCD622W

PRTMCD642B

PRTMCD642T

PRTMCD642W



- Match power block desired with cut-out code and location from above grid.
- Example: For power block module # PRTMCS401B, specify cut-out option R2.

MODPOWER DAISY CHAIN SOLUTION

- Add flexible power and USB charging to select Zook tables. Connect up to four units with a single corded infeed with NEMA plug.
- ModPower units are sold separately, refer to Productivity Solutions 583.
- Begin run with a starter unit which includes a corded infeed. Add additional middle or end units as required. Middle and end units are equipped with connecting cables.
- On-surface modules clamp on or screw mount to the table tops.
- In-surface modules require table top cut-outs for mounting. Specify cut-out option:
  - MPS** for a single cut-out to accommodate one ModPower in-surface unit (cut-out will be centered on the approach side) for **ZKRxxxx(L/C)**, **ZKFR3024\*** and **ZKFR6024\***. **Add \$103**
  - MPD** for two cut-outs in the left and right positions, 15" from ends to center of unit on the approach side for **ZKR54xx(L/C)**, **ZKR60xx(L/C)**, **ZKR72xx(L/C)** and **ZKFR6024\***. **Add \$204.**

*\*Note: not for use with Zook flip-top tables if optional modesty panel is specified.*

EXAMPLE ZOOK ORDER CODES:


Group table

ZK65590P	-ACJ	-HPL	-ECG	-TTU	-BRC	-U2
Model #	Top finish	High pressure laminate	Ergo friendly edge and finish	Leg finish	Cable tower finish	Cut out option


Pod table

ZK412529L	-ACJ	-HPL	-WHE	-TTU
Model #	Top finish	High pressure laminate	2mm edge finish	Leg finish


**4-6 PERSON GROUP TABLES**




**4-Person Table, 20"H**




**4-Person Table, 29"H**




**4-Person Table w/Cable Tower, 29"H\***



**6-Person Table, 20"H**



**6-Person Table, 29"H**



**6-Person Table w/Cable Tower, 29"H\***

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
ZK4484820	48 x 48 x 20	60	92	7.10	<b>\$1160</b>	<b>\$338</b>	<b>\$97</b>	<b>\$364</b>
ZK4595920	59 x 59 x 20	65	123	9	<b>\$1192</b>	<b>\$400</b>	<b>\$206</b>	<b>\$544</b>

4-person table includes top and four steel post legs. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 5 cartons.

ZK44848	48 x 48 x 29	60	215	7.10	<b>\$1235</b>	<b>\$338</b>	<b>\$97</b>	<b>\$364</b>
ZK45959	59 x 59 x 29	65	220	9.20	<b>\$1270</b>	<b>\$400</b>	<b>\$206</b>	<b>\$544</b>

4-person table includes top and four steel post legs. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 5 cartons.

ZK44848P	48 x 48 x 29	65	265	8.86	<b>\$1684</b>	<b>\$338</b>	<b>\$97</b>	<b>\$364</b>
ZK45959P	59 x 59 x 29	65	270	10.96	<b>\$1718</b>	<b>\$400</b>	<b>\$206</b>	<b>\$544</b>

4-person table includes top, four steel post legs and cable tower. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 6 cartons. For power block options, see page 580.

ZK6599020	59 x 90 x 20	70	247.50	14	<b>\$1844</b>	<b>\$700</b>	<b>\$304</b>	<b>\$900</b>
-----------	--------------	----	--------	----	---------------	--------------	--------------	--------------

6-person table includes top and seven steel post legs. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 19" high each with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 8 cartons.

ZK65990	59 x 90 x 29	70	245	13.43	<b>\$1962</b>	<b>\$700</b>	<b>\$304</b>	<b>\$900</b>
---------	--------------	----	-----	-------	---------------	--------------	--------------	--------------

6-person table includes top and seven steel post legs. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high each with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 8 cartons.

ZK65990P	59 x 90 x 29	70	295	15.28	<b>\$2322</b>	<b>\$700</b>	<b>\$304</b>	<b>\$900</b>
----------	--------------	----	-----	-------	---------------	--------------	--------------	--------------

6-person table includes top, seven steel post legs and cable tower. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 3" in diameter x 28" high with an adjustable 3" diameter plastic glide and a 6" x 6" metal top plate. Shipped easy to assemble in 8 cartons. For power block options, see page 580.

**Required specifications**









Top finish  
Edge finish  
Leg finish

**Optional specifications**

HP laminate  
Ergo friendly edge and finish  
Power block cut-out\*  
Writeable surface (WRW)

**Accessories**

Power block\*

POD TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
Sample pod table configurations		D x W x H								
		ZK412529L shown in left, forward and right facing position	ZK302529L x 4 shown in alternating straight line orientation	ZK412529L x 4	ZK302529L x 6	ZK312129L x 6				
										
POD TABLES - 29" HIGH		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
		ZK302529L	24.6 x 30 x 29	70	37	2	\$417	\$74	\$34	\$167
	Small Pod Table w/3 Legs	Triangular table with three round tube 18 gauge steel legs. Can be used individually, can alternate front-to-back in a straight row, or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed. • Chrome (CHM) is available on legs. <b>Add \$84</b> list.								
		ZK352129L	20.9 x 35 x 29	70	41	2.40	\$524	\$89	\$40	\$167
	Medium Pod Table w/4 Legs	Trapezoid table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed. • Chrome (CHM) is available on legs. <b>Add \$109</b> list.								
		ZK412529L	25.7 x 41 x 29	70	48	2.24	\$538	\$113	\$47	\$194
	Large Pod Table w/3 Legs	Triangular table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed. • Chrome (CHM) is available on legs. <b>Add \$84</b> list.								


POD TABLES - 32" HIGH




Medium Pod Table w/4 Legs




Large Pod Table w/3 Legs



Small Mobile Pod Table w/3 Legs



Medium Mobile Pod Table w/4 Legs



Large Mobile Pod Table w/3 Legs

MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
ZK352132L	20.9 x 35 x 32	70	41	2.55	\$535	\$89	\$40	\$167

**ADA compliant** table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$109** list.

ZK412532L	25.7 x 41 x 32	70	48	2.36	\$544	\$113	\$47	\$194
-----------	----------------	----	----	------	-------	-------	------	-------

**ADA compliant** table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 31" high with adjustable levelers. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$84** list.

ZK302529C	24.6 x 30 x 29	70	37	2	\$446	\$74	\$34	\$167
-----------	----------------	----	----	---	-------	------	------	-------

Triangular table with three round tube 18 gauge steel legs. Can be used individually, can alternate front-to-back in a straight row, or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$84** list.

ZK352129C	20.9 x 35 x 29	70	41	2.40	\$566	\$89	\$40	\$167
-----------	----------------	----	----	------	-------	------	------	-------

Trapezoid table with four round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of six to create a round table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$109** list.

ZK412529C	25.7 x 41 x 29	70	48	2.24	\$569	\$113	\$47	\$194
-----------	----------------	----	----	------	-------	-------	------	-------

Triangular table with three round tube 18 gauge steel legs. Can be used individually or can be arranged in groups of four to create a square table effect. Top includes factory installed metal inserts for solid and secure leg connections. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Shipped easy to assemble in 4 cartons, top separate from legs; legs individually packed


- Chrome (CHM) is available on legs. **Add \$84** list.

Required specifications

Top finish  
Edge finish  
Leg finish

Optional specifications


HP laminate  
Ergo friendly edge and finish  
Writeable surface (WRW)  
Chrome (CHM) legs

RECTANGULAR TABLES - 29" HIGH	MODEL #	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
	ZKR3020L	20 x 30 x 29	70	50	2.55	<b>\$496</b>	<b>\$118</b>	<b>\$38</b>	<b>\$154</b>
	ZKR3620L	20 x 36 x 29	70	51	2.65	<b>\$513</b>	<b>\$139</b>	<b>\$40</b>	<b>\$167</b>
	ZKR4820L	20 x 48 x 29	70	58	2.95	<b>\$566</b>	<b>\$183</b>	<b>\$47</b>	<b>\$189</b>
	ZKR5420L	20 x 54 x 29	70	64	3.15	<b>\$657</b>	<b>\$207</b>	<b>\$52</b>	<b>\$200</b>
	ZKR6020L	20 x 60 x 29	70	70	3.25	<b>\$682</b>	<b>\$228</b>	<b>\$56</b>	<b>\$211</b>
	ZKR7220L	20 x 72 x 29	65	85	3.55	<b>\$746</b>	<b>\$275</b>	<b>\$62</b>	<b>\$228</b>

Rectangular Table, 20" Deep

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$109** list.




Rectangular Table, 24" Deep

ZKR3024L	24 x 30 x 29	70	51	2.75	<b>\$499</b>	<b>\$139</b>	<b>\$39</b>	<b>\$167</b>
ZKR3624L	24 x 36 x 29	70	53	2.85	<b>\$538</b>	<b>\$169</b>	<b>\$41</b>	<b>\$177</b>
ZKR4824L	24 x 48 x 29	70	59	3.25	<b>\$600</b>	<b>\$220</b>	<b>\$48</b>	<b>\$206</b>
ZKR5424L	24 x 54 x 29	70	65	3.35	<b>\$696</b>	<b>\$248</b>	<b>\$54</b>	<b>\$216</b>
ZKR6024L	24 x 60 x 29	70	71	3.55	<b>\$726</b>	<b>\$273</b>	<b>\$57</b>	<b>\$228</b>
ZKR7224L	24 x 72 x 29	70	86	3.95	<b>\$794</b>	<b>\$327</b>	<b>\$64</b>	<b>\$256</b>

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with adjustable levelers. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.


- Chrome (CHM) is available on legs. **Add \$109** list.

MOBILE RECTANGULAR TABLES - 29" HIGH	MODEL #	DIMENSIONS	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
	ZKR3020C	20 x 30 x 29	70	50	2.55	<b>\$537</b>	<b>\$118</b>	<b>\$47</b>	<b>\$154</b>
	ZKR3620C	20 x 36 x 29	70	51	2.65	<b>\$550</b>	<b>\$139</b>	<b>\$40</b>	<b>\$167</b>
	ZKR4820C	20 x 48 x 29	70	58	2.95	<b>\$603</b>	<b>\$183</b>	<b>\$47</b>	<b>\$189</b>
	ZKR5420C	20 x 54 x 29	70	64	3.15	<b>\$697</b>	<b>\$207</b>	<b>\$52</b>	<b>\$200</b>
	ZKR6020C	20 x 60 x 29	70	70	3.25	<b>\$723</b>	<b>\$228</b>	<b>\$56</b>	<b>\$211</b>
	ZKR7220C	20 x 72 x 29	65	85	3.55	<b>\$785</b>	<b>\$275</b>	<b>\$62</b>	<b>\$228</b>

Mobile Rectangular Table, 20" Deep

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$109** list.



Mobile Rectangular Table, 24" Deep

ZKR3024C	24 x 30 x 29	70	51	2.75	<b>\$540</b>	<b>\$139</b>	<b>\$39</b>	<b>\$167</b>
ZKR3624C	24 x 36 x 29	70	53	2.85	<b>\$579</b>	<b>\$169</b>	<b>\$41</b>	<b>\$177</b>
ZKR4824C	24 x 48 x 29	70	59	3.25	<b>\$642</b>	<b>\$220</b>	<b>\$48</b>	<b>\$206</b>
ZKR5424C	24 x 54 x 29	70	65	3.35	<b>\$736</b>	<b>\$248</b>	<b>\$54</b>	<b>\$216</b>
ZKR6024C	24 x 60 x 29	70	71	3.55	<b>\$766</b>	<b>\$273</b>	<b>\$57</b>	<b>\$228</b>
ZKR7224C	24 x 72 x 29	70	86	3.95	<b>\$837</b>	<b>\$327</b>	<b>\$64</b>	<b>\$256</b>

Table with four round tube 18 gauge steel legs. Legs are 1.5" in diameter x 28" high with 1.5" dual wheel locking casters. Top features 2.5" radius rounded corners and includes factory installed metal inserts for solid and secure leg connections. Tables 54" and wider include support channel. Shipped easy to assemble in 5 cartons, top separate from legs; legs individually packed.

- Chrome (CHM) is available on legs. **Add \$109** list.

#### Required specifications

Top finish  
Edge finish  
Leg finish

#### Optional specifications

HP laminate  
Ergo friendly edge and finish  
Writeable surface (WRW)  
Chrome (CHM) legs





## ACTIVITY TABLES



### Sample activity table configurations

D x W x H



Straight mating edges



Curved mating edges



Mixed shapes  
Curved mating edges shown.  
Can also do the same with  
straight mating edge tables.



### ACTIVITY TABLES - 29" HIGH, CURVED

#### MODEL#

#### DIMENSIONS

#### FREIGHT CLASS


#### WT/LBS.

#### CUBIC FT.

#### LIST PRICE HP ADD

#### ERGO EDGE

#### WRW



**Curved Half Round w/Casters**

ZK54RNDCC

28.4 x 54 x 28.75

65

67.4

1.40

**\$998**


**\$228**

**\$60**

**\$216**

44.3" inside clearance between legs on curved edge, 22.9" on narrow depth side and 24" on other side. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.

- Chrome (CHM) is available on legs. **Add \$175** list.



**Curved Half Hex w/Casters**

ZK54HEXCC

32.4 x 54 x 28.75

65

76.4

1.49

**\$1076**


**\$262**

**\$71**

**\$216**

42.9" inside clearance between legs on curved edge, 22.3" on narrow depth side and 24" on other side. 22.8" on straight end. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.

- Chrome (CHM) is available on legs. **Add \$175** list.



**Wave w/Casters**

ZK54WAVCC

33.8 x 54 x 28.75

65

77.4

1.52

**\$1110**

**\$280**

**\$85**

**\$216**

44.9" inside clearance between legs on curved edge, 21.9" on sides. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.




- Chrome (CHM) is available on legs. **Add \$175** list.

#### Required specifications

Top finish  
Edge finish  
Leg finish

#### Optional specifications

HP laminate  
Ergo friendly edge and finish  
Writeable surface (WRW)  
Chrome (CHM) legs







ACTIVITY TABLES - 29"HIGH, CURVED		MODEL #	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
 <p><b>Curved Half Round w/Levelers*</b></p>	<p>44.3" inside clearance between legs on curved edge, 22.9" on narrow depth side and 24" on other side. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <ul style="list-style-type: none"> <li>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</li> </ul>									
 <p><b>Curved Half Hex w/Levelers*</b></p>	<p>42.9" inside clearance between legs on curved edge, 22.3" on narrow depth side and 24" on other side. 22.8" on straight end. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <ul style="list-style-type: none"> <li>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</li> </ul>									
 <p><b>Wave w/Levelers*</b></p>	<p>44.9" inside clearance between legs on curved edge, 21.9" on sides. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <ul style="list-style-type: none"> <li>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</li> </ul>									

**Required specifications**

Top finish  
Edge finish  
Leg finish

**Optional specifications**

HP laminate  
Ergo friendly edge and finish  
Writeable surface (WRW)  
Chrome (CHM) legs






ACTIVITY TABLES - 29" HIGH, STRAIGHT		MODEL #	DIMENSIONS D x W x H	FREIGHT CLASS	WT/LB.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
 <p><b>Straight Half Round w/Casters</b></p>	 <p><b>Straight Half Hex w/Casters</b></p>	ZK54RNDSC	28.4 x 54 x 28.75	65	67.4	1.40	<b>\$943</b>	<b>\$202</b>	N/A	<b>\$216</b>
		<p>44.2" inside clearance between legs on long side, 23.7" on the sides. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								
		ZK54HEXSC	32.4 x 54 x 28.75	65	73.4	1.49	<b>\$974</b>	<b>\$218</b>	N/A	<b>\$216</b>
		<p>40.6" inside clearance between legs on long side, 21.4" on sides and 22.3" on short side. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								
 <p><b>Rectangular w/Casters</b></p>	 <p><b>Straight Half Round w/Levelers</b></p>	ZK54RECTC	33.8 x 54 x 28.75	65	73.4	1.52	<b>\$1028</b>	<b>\$242</b>	N/A	<b>\$216</b>
		<p>45.3" inside clearance between legs on long sides and 22.3" on short sides. Top includes factory installed inserts for metal-to-metal leg connection. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								
		ZK54RNDSL	28.4 x 54 x 28.25	65	67.4	1.40	<b>\$935</b>	<b>\$202</b>	N/A	<b>\$216</b>
		<p>44.2" inside clearance between legs on long side, 23.7" on the sides. Dual leg position on front interferes with users sitting on ends in a racetrack configuration, oriented to seat two - one on either side. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								
 <p><b>Straight Half Hex w/Levelers</b></p>	 <p><b>Rectangular w/Levelers</b></p>	ZK54HEXSL	32.4 x 54 x 28.25	65	73.4	1.49	<b>\$966</b>	<b>\$218</b>	N/A	<b>\$216</b>
		<p>40.6" inside clearance between legs on long side, 21.4" on sides and 22.3" on short side. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								
		ZK54RECTL	33.8 x 54 x 28.25	65	73.4	1.52	<b>\$1021</b>	<b>\$242</b>	N/A	<b>\$216</b>
		<p>45.3" inside clearance between legs on long sides and 22.3" on short sides. Top includes factory installed inserts for metal-to-metal leg connection. Levelers offer 1.25" of height adjustability. Shipped easy to assemble in 2 cartons, top separate from leg.</p> <p>• Chrome (CHM) is available on legs. <b>Add \$175</b> list.</p>								

**Required specifications**

Top finish  
Edge finish  
Leg finish

**Optional specifications**

HP laminate  
Writeable surface (WRW)  
Chrome (CHM) legs

FLIP-TOP TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	ERGO EDGE	WRW
		D x W x H								
		Top: ZKFC3022T	22 x 30 x 29.5	150	20.6	2.03	\$265	\$136	\$100	\$160
		Base: ZKFTB30		125	26.5	3.6	\$730	n/a	n/a	n/a
		Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.								
										
		Top: ZKFR3024T	24 x 30 x 29.5	70	21.5	1.03	\$296	\$149	\$116	\$167
		Base: ZKFTB30		125	26.5	3.6	\$730	n/a	n/a	n/a
		Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM30) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.								
										
		Top: ZKFR6024T	24 x 60 x 29.5	70	43	1.92	\$432	\$221	\$120	\$228
		Base: ZKFTB60		100	31	3.86	\$829	n/a	n/a	n/a
		Mobile flip-top table with smooth glide locking casters. Easy to operate twist knob with integrated thumb tab. Top includes factory installed inserts for metal-to-metal leg connection. When nested, each additional table adds 5.25" to footprint needed for storage. Optional modesty (ZKFTM60) available separately. Top and base shipped separately. Legs available in Tungsten (TUN) only.								
MODESTY PANELS FOR FLIP-TOP TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE			
		ZKFTM30	0.5 x 17.8 x 13.8	60	6.6	0.22	\$71			
		Hardware included to attach to ZKFC3022 or ZKFR3024. Tungsten finish only. Shipped in 1 carton.								
		ZKFTM60	0.5 x 47.3 x 13.8	65	14.3	0.57	\$138			
		Hardware included to attach <b>ZKFR6024</b> . Tungsten finish only. Shipped in 1 carton.								




**Required Specifications**

Top finish  
Edge finish

**Optional Specifications**

HP laminate  
Ergo friendly edge and finish  
Writeable surface (WRW)

CITI TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
<b>Notes</b>						
• Citi tables complement the contemporary timeless decor of many offices.						
• Legs are <b>standard</b> in Tungsten ( <b>TTU</b> ) and also available in Black ( <b>TBL</b> ) or Shadow ( <b>TSH</b> ) at no charge. A Chrome ( <b>CHM</b> ) finish is available. <b>Add \$117.</b>						
• Table tops are available in either tempered glass or laminate						
• Citi tables are offered in the following finishes to coordinate with Global casegoods and wood seating:						
ACJ	Absolute Acajou	FCL	First Class			
ASN	Asian Night	NBL	Noce Biondo			
AWC	Avant Cherry	NGL	Noce Grigio			
AWH	Avant Honey	NEL	Noce Leggero			
BLK	Black	NML	Noce Medio			
BZD	Blizzard	QTM	Quartered Mahogany			
BRC	Brushed Cobalt	SBY	Sheer Beauty			
CMB	Clear Maple	SOG	Storm Grey			
CGY	Custom Grey	SDT	Stonedust			
DES	Dark Espresso	WHE	Walnut Heights			
DWT	Designer White	WHC	White Chocolate			
FAS	Fashionista	WCR	Winter Cherry			

CITI TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	7885	20 x 24 x 20	100	53	6	<b>\$873</b>
	(laminate top)					
	7886	20 x 24 x 20	92.5	60	6	<b>\$1231</b>
	(glass top)					
Metal tubular legs. Laminate or tempered glass tops available.						
	7887	20 x 40 x 15	100	60	6.50	<b>\$911</b>
	(laminate top)					
	7888	20 x 40 x 15	92.5	75	6.50	<b>\$1417</b>
	(glass top)					
Metal tubular legs. Laminate or tempered glass tops available.						
	7889	33 x 33 x 15	92.5	90	8.75	<b>\$1720</b>
	(glass top)					
Metal tubular legs. Tempered glass top.						

Required Specifications  
Finish

COAT TREES

MODEL#      DIMENSIONS      FREIGHT CLASS      WT/LBS.      CUBIC FT.      LIST PRICE

D x W x H



Coat Tree

PCOS2	25 x 25 x 60	300	8	4.67	<b>\$529</b>
PCOS3	25 x 25 x 60	300	8	4.67	<b>\$529</b>

Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS.

- 3 per carton
- PCOS2 is finished in **Black**.
- PCOS3 is finished in **Chrome**.



Coat Tree

PCT	25 x 25 x 65	250	6	3	<b>\$678</b>
-----	--------------	-----	---	---	--------------

Square tube wood frame. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Absolute (AAM), Black (BKM), Cherry (ACM), English Oak (EOM), Gray (HGM), Honey (AHM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Sandy Beach (SBM), Mahogany (TMM), Fruitwood (TFM), White (WHM), Winter Cherry (WCM) and Walnut (TWM). Ships assembled via UPS.





- 1 per carton

Required Specifications

Finish


# L LAMINATE OCCASIONAL TABLES

LAMINATE OCCASIONAL TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
			D x W x H				
<b>Notes:</b>							
<ul style="list-style-type: none"><li>• High pressure laminate exterior with adjustable plastic glides</li><li>• Premium cylinder tables have a flexible plywood core construction ideal for institutional and high traffic environments</li><li>• Ideal for reception areas - colors coordinate with all Global desks, conference tables and accessories.</li><li>• Ships assembled in one carton.</li><li>• Available to either match or coordinate with most Global laminate desk series. Available finishes:</li></ul>							
ACJ	Absolute Acajou	FCL	First Class				
ASN	Asian Night	NBL	Noce Biondo				
AWC	Avant Cherry	NGL	Noce Grigio				
AWH	Avant Honey	NEL	Noce Leggero				
BLK	Black	NML	Noce Medio				
BZD	Blizzard	QTM	Quartered Mahogany				
BRC	Brushed Cobalt	SBY	Sheer Beauty				
CMB	Clear Maple	SOG	Storm Grey				
CGY	Custom Grey	SDT	Stonedust				
DES	Dark Espresso	WHE	Walnut Heights				
DWT	Designer White	WHC	White Chocolate				
FAS	Fashionista	WCR	Winter Cherry				


LAMINATE OCCASIONAL TABLES		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	<b>Cube Table</b>	GCU1816	18 x 18 x 16	85	40	3.30	<b>\$655</b>
		GCU1821	18 x 18 x 21	92.5	46	4	<b>\$764</b>
		GCU2416	24 x 24 x 16	92.5	63	6	<b>\$764</b>
		GCU2421	24 x 24 x 21	92.5	83	7	<b>\$764</b>
		¾" plywood covered in high pressure laminate. Plastic glides. <b>Flush base.</b>					
	<b>Plinth Cube Table</b>	GCUP1816	18 x 18 x 16	85	40	3	<b>\$725</b>
		GCUP1821	18 x 18 x 21	92.5	46	4	<b>\$837</b>
		GCUP2416	24 x 24 x 16	92.5	63	6	<b>\$837</b>
		GCUP2421	24 x 24 x 21	92.5	83	7	<b>\$837</b>
		¾" plywood covered in high pressure laminate. Plastic glides. <b>Recessed base.</b>					
	<b>Cylinder Table</b>	GCY1816	18 x 18 x 16	85	43	3.30	<b>\$655</b>
		GCY1821	18 x 18 x 21	92.5	49	4.30	<b>\$764</b>
		GCY2416	24 x 24 x 16	125	47	6	<b>\$764</b>
		GCY2421	24 x 24 x 21	100	66	7	<b>\$764</b>
		GCY3016	30 x 30 x 16	125	59	8	<b>\$868</b>
		GCY3021	30 x 30 x 21	125	78	11	<b>\$868</b>
	<b>Plinth Cylinder Table</b>	GCYP1816	18 x 18 x 16	85	43	3.30	<b>\$725</b>
		GCYP1821	18 x 18 x 21	92.5	49	4.30	<b>\$837</b>
		GCYP2416	24 x 24 x 16	125	47	6	<b>\$837</b>
		GCYP2421	24 x 24 x 21	100	66	7	<b>\$837</b>
		GCYP3016	30 x 30 x 16	125	59	8	<b>\$949</b>
		GCYP3021	30 x 30 x 21	125	78	11	<b>\$949</b>
		3/8" foundation board covered in high pressure laminate. Plastic glides. <b>Flush base.</b>					
		3/8" foundation board covered in high pressure laminate. Plastic glides. <b>Recessed base.</b>					

**Required Specifications**  
Finish

LAMINATE OCCASIONAL TABLES



Premium Cylinder Table



Premium Plinth Cylinder Table

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
CPFD1816	18 x 18 x 16	150	30	7	\$1091
CPFD1821	18 x 18 x 21	150	30	7	\$1122
CPFD2416	24 x 24 x 16	250	42	11.50	\$1133
CPFD2421	24 x 24 x 21	250	42	11.50	\$1162
CPFD3016	30 x 30 x 16	250	52	17	\$1282
CPFD3021	30 x 30 x 21	250	52	17	\$1414

11/32" plywood covered in high pressure laminate. Plastic glides. **Flush base.**

CPPD1816	18 x 18 x 16	150	30	7	\$1149
CPPD1821	18 x 18 x 21	150	30	7	\$1178
CPPD2416	24 x 24 x 16	250	42	11.50	\$1190
CPPD2421	24 x 24 x 21	250	42	11.50	\$1219
CPPD3016	30 x 30 x 16	250	52	17	\$1361
CPPD3021	30 x 30 x 21	250	52	17	\$1491

11/32" plywood covered in high pressure laminate. Plastic glides. **Recessed base.**

Required Specifications  
Finish



D DRIFT TABLES

TABLES WITH SLED BASE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD
-----------------------	--------	------------	---------------	---------	-----------	------------	--------	-----------

DRIFT TABLES



model 8041R2616C  
26"W x 16" H Round Table,  
Laminate Surface, Flat Edge,  
Chrome Base



model 8042SQ2816I  
28"W x 16" H Square Table,  
Laminate Surface, Flat Edge,  
Sled Base



Model 8042SQ2816W  
28"W x 16" H Square Table,  
Laminate Surface, Flat Edge  
Wood Base



For Drift seating, see page

EXAMPLE OF TABLE ORDER CODE:

8041R2616I	TFL	ACJ	TBL	CG
Model Number	Surface Type	Top HPL Finish	Base Finish (Sled Base)	Glide Type (Sled Base)

STANDARD FEATURES

- Tables are available in three shapes, multiple sizes, two edge styles, three top materials and three base types including: sled, wood and polished Chrome bases.
- Table bases are fixed and do not swivel.
- Wood bases are made from beechwood and are available in all standard wood finishes.
- Sled bases are standard in painted metal.
- Chrome base tables are available in polished Chrome only.
- All table tops are available with flat edge. High pressure laminate (HPL) and solid surface top tables are also available with knife edge.
- Laminate flat edge tops are available in either (TFL) 1" thick thermally fused laminate with 2mm edgeband or (HPL) 1-1/16" thick high pressure laminate with 2mm edgeband, with upcharge.
- Laminate knife edge tops are 1-3/16" thick with 2.5mm edgeband, available in high pressure laminate (HPL) only.
- Solid surface table tops are 1.25" thick, available on models with flat or knife edge. For detailed material information, please reference WilsonArt's Solid Surface collection.
- Wood and Chrome bases are equipped with White non-marking polycarbonate glides suitable for most hard and carpeted floor surfaces.
- Sled bases are available with clear polycarbonate glides, standard.
- Wood and sled bases may be specified with a variety of optional glide types to suit various flooring materials. (See Glide Types for additional glide options and upcharges.)
- Tables are shipped fully assembled.

Add option codes in the following order:

- **Model Number**  
Specify model number
- **Surface Type** (Laminate, Flat Edge Tables)  
(TFL) Thermally fused laminate  
(HPL) High pressure laminate
- **Top Finish** (TFL or HPL laminate, flat edge tables and HPL laminate knife edge tables only)  
HPL upcharges apply -see model  
(ACJ) Absolute Acajou (ASN) Asian Night  
(AWC) Avant Cherry (AWH) Avant Honey  
(BLK) Black (BZD) Blizzard  
(BRC) Brushed Cobalt (CMB) Clear Maple  
(CGY) Custom Grey (DES) Dark Espresso  
(DWT) Designer White (FAS) Fashionista  
(FCL) First Class (NBL) Noce Biondo  
(NGL) Noce Grigio (NEL) Noce Leggero  
(NML) Noce Medio (QTM) Quartered Mahogany  
(SBY) Sheer Beauty (SOG) Storm Grey  
(SDT) Stonedust (WCR) Winter Cherry  
(WHC) White Chocolate (WHE) Walnut Heights
- **Top Finish** (solid surface, flat and knife edge tables)  
Grade 1  
(SWH) Designer White  
Grade 2, Upcharge applicable, see models.  
(SBT) Beige Tempest  
(SBX) Black Onyx Mirage  
(SMG) Milk Glass Spectra  
(SFW) Frosty White Mirage  
(SHS) Hot Stone  
(SNM) Northern Melange
- **Base finish** (sled base models only)  
Paint finishes:  
(TBL) Black (TTU) Tungsten  
(TSH) Shadow (TDW) Designer White  
(TNE) Nevada (TLA) Latte  
(TKA) Kalua (TMO) Mocha  
(TOA) Toast (TFO) Fog  
(TIV) Cloud (TSN) Sand  
(TFR) Frost (TDJ) Dijon  
(TCR) Carrot (TSR) Scarlet  
(TCC) Cactus (TBZ) Buzz Blue  
(TEG) Eggplant (TIN) Ink  
  
Metallic finish:  
(CHM) Chrome. Add \$42
- **Base Finish** (Chrome base only)  
(CHM) Chrome
- **Glide Type** (sled base)  
(CG) Clear, polycarbonate glide for most floor surfaces (standard)  
(XG) No glide for carpeted surfaces, no charge  
(SG) Steel cushioned glide for carpeted surface.  
Add \$36  
(RG) Rubber, non-slip glide for most hard floor surfaces. Add \$36  
(FG) Felt glide for most hard floor surfaces. Add \$36
- **Glide Type** (wood base)  
(NM) White non-marking nylon glide for most surfaces (standard)  
(SG) Steel cushioned glides for carpeted surfaces.  
Add \$36.  
(RG) Non-slip rubber glides for most hard floor surfaces. Add \$36.  
(FG) Felt glides for most hard floor surfaces. Add \$36.

## TABLES WITH SLED BASE



Round Table with Sled Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD
<b>Laminate, flat edge (TFL laminate)</b>							
8041R2616I	26 x 26 x 16	250	35	10.25	<b>\$592</b>	<b>\$104</b>	n/a
8041R3016I	30 x 30 x 16	250	44	13	<b>\$624</b>	<b>\$122</b>	n/a
8041R2120I	21 x 21 x 20	250	29	8.75	<b>\$620</b>	<b>\$103</b>	n/a
<b>Laminate, knife edge (HPL laminate)</b>							
8041R2616IK	26 x 26 x 16	250	35	10.25	<b>\$1265</b>	n/a	n/a
8041R3016IK	30 x 30 x 16	250	44	13	<b>\$1355</b>	n/a	n/a
8041R2120IK	21 x 21 x 20	250	29	8.75	<b>\$1051</b>	n/a	n/a
<b>Solid surface, flat edge</b>							
8041R2616ISF	26 x 26 x 16	150	48	10.25	<b>\$2472</b>	n/a	<b>\$158</b>
8041R3016ISF	30 x 30 x 16	150	61	13	<b>\$2661</b>	n/a	<b>\$218</b>
8041R2120ISF	21 x 21 x 20	150	37.5	8.75	<b>\$2326</b>	n/a	<b>\$109</b>
<b>Solid surface, knife edge</b>							
8041R2616ISK	26 x 26 x 16	150	48	10.25	<b>\$2529</b>	n/a	<b>\$169</b>
8041R3016ISK	30 x 30 x 16	150	61	13	<b>\$2747</b>	n/a	<b>\$234</b>
8041R2120ISK	21 x 21 x 20	150	37.5	8.75	<b>\$2429</b>	n/a	<b>\$115</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.



Square Table with Sled Base

<b>Laminate, flat edge (TFL laminate)</b>							
8042SQ2216I	22 x 22 x 16	150	34	8	<b>\$592</b>	<b>\$104</b>	n/a
8042SQ2816I	28 x 28 x 16	250	44	11.75	<b>\$624</b>	<b>\$122</b>	n/a
8042SQ1920I	19 x 19 x 20	250	29	7.75	<b>\$600</b>	<b>\$93</b>	n/a
<b>Laminate, knife edge (HPL laminate)</b>							
8042SQ2216IK	22 x 22 x 16	150	34	8	<b>\$1051</b>	n/a	n/a
8042SQ2816IK	28 x 28 x 16	250	44	11.75	<b>\$1317</b>	n/a	n/a
8042SQ1920IK	19 x 19 x 20	250	29	7.75	<b>\$1008</b>	n/a	n/a
<b>Solid surface, flat edge</b>							
8042SQ2216ISF	22 x 22 x 16	150	39.5	8	<b>\$2179</b>	n/a	<b>\$136</b>
8042SQ2816ISF	28 x 28 x 16	150	62.5	11.75	<b>\$2496</b>	n/a	<b>\$218</b>
8042SQ1920ISF	19 x 19 x 20	150	38	7.75	<b>\$2085</b>	n/a	<b>\$164</b>
<b>Solid surface, knife edge</b>							
8042SQ2216ISK	22 x 22 x 16	150	39.5	8	<b>\$2529</b>	n/a	<b>\$164</b>
8042SQ2816ISK	28 x 28 x 16	150	62.5	11.75	<b>\$2975</b>	n/a	<b>\$245</b>
8042SQ1920ISK	19 x 19 x 20	150	38	7.75	<b>\$2429</b>	n/a	<b>\$120</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.



Oval Table with Sled Base

<b>Laminate, flat edge (TFL laminate)</b>							
8043OV2616I	26 x 22 x 16	150	36.5	8.75	<b>\$592</b>	<b>\$104</b>	n/a
8043OV3116I	31 x 26 x 16	250	46	11.75	<b>\$624</b>	<b>\$122</b>	n/a
8043OV2220I	22 x 18 x 20	250	34	10.75	<b>\$620</b>	<b>\$103</b>	n/a
<b>Laminate, knife edge (HPL laminate)</b>							
8043OV2616IK	26 x 22 x 16	150	36.5	8.75	<b>\$1265</b>	n/a	n/a
8043OV3116IK	31 x 26 x 16	250	46	11.75	<b>\$1441</b>	n/a	n/a
8043OV2220IK	22 x 18 x 20	250	34	10.75	<b>\$1175</b>	n/a	n/a
<b>Solid surface, flat edge</b>							
8043OV2616ISF	26 x 22 x 16	150	42	8.75	<b>\$2472</b>	n/a	<b>\$158</b>
8043OV3116ISF	31 x 26 x 16	150	60	11.75	<b>\$2661</b>	n/a	<b>\$218</b>
8043OV2220ISF	22 x 18 x 20	250	38	10.75	<b>\$2326</b>	n/a	<b>\$109</b>
<b>Solid surface, knife edge</b>							
8043OV2616ISK	26 x 22 x 16	150	42	8.75	<b>\$2529</b>	n/a	<b>\$169</b>
8043OV3116ISK	31 x 26 x 16	150	60	11.75	<b>\$2747</b>	n/a	<b>\$234</b>
8043OV2220ISK	22 x 18 x 20	250	38	10.75	<b>\$2429</b>	n/a	<b>\$115</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

## Required Specifications

Surface type  
Top finish  
Base finish  
Glide type

## Optional Specifications

HP laminate  
Grade 2 solid surface  
Cut-out for grommet/power blocks  
Plated base finish

## Accessories

Power block

D DRIFT TABLES

TABLES WITH SLED BASE



Round Table with Polished Chrome Base



Round Table with Wood Base



Square Table with Polished Chrome Base

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------

D x W x H

Laminate, flat edge (TFL laminate)

8041R2616C	26 x 26 x 16	250	38	10.75	\$1117	\$104	n/a
8041R3016C	30 x 30 x 16	250	45	13	\$1148	\$122	n/a

Laminate, knife edge (HPL laminate)

8041R2616CK	26 x 26 x 16	250	38	10.75	\$1790	n/a	n/a
8041R3016CK	30 x 30 x 16	250	45	13	\$1881	n/a	n/a

Solid surface, flat edge

8041R2616CSF	26 x 26 x 16	150	51	10.75	\$2997	n/a	\$158
8041R3016CSF	30 x 30 x 16	150	62.5	13	\$3186	n/a	\$218

Solid surface, knife edge

8041R2616CSK	26 x 26 x 16	150	51	10.75	\$3054	n/a	\$169
8041R3016CSK	30 x 30 x 16	250	31.25	13	\$3272	n/a	\$234

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

Laminate, flat edge (TFL laminate)

8041R2616W	26 x 26 x 16	250	32	10.75	\$1271	\$104	n/a
8041R3016W	30 x 30 x 16	250	40	13	\$1302	\$122	n/a

Laminate, knife edge (HPL laminate)

8041R2616WK	26 x 26 x 16	250	32	10.75	\$1944	n/a	n/a
8041R3016WK	30 x 30 x 16	250	40	13	\$2033	n/a	n/a

Solid surface, flat edge

8041R2616WSF	26 x 26 x 16	150	45.5	10.75	\$3150	n/a	\$158
8041R3016WSF	30 x 30 x 16	150	57.5	13	\$3340	n/a	\$218

Solid surface, knife edge

8041R2616WSK	26 x 26 x 16	150	45.5	10.75	\$3208	n/a	\$169
8041R3016WSK	30 x 30 x 16	150	57.5	13	\$3425	n/a	\$234

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

Laminate, flat edge (TFL laminate)

8042SQ2216C	22.75 x 22.75 x 16	150	36	7.75	\$1117	\$104	n/a
8042SQ2816C	28.5 x 28.5 x 16	250	45	11.5	\$1148	\$122	n/a

Laminate, knife edge (HPL laminate)

8042SQ2216CK	22.75 x 22.75 x 16	150	36	7.75	\$1576	n/a	n/a
8042SQ2816CK	28.5 x 28.5 x 16	250	45	11.5	\$1676	n/a	n/a

Solid surface, flat edge

8042SQ2216CSF	22.75 x 22.75 x 16	150	41	7.75	\$2704	n/a	\$136
8042SQ2816CSF	28.5 x 28.5 x 16	150	57.5	11.5	\$3020	n/a	\$218

Solid surface, knife edge

8042SQ2216CSK	22.75 x 22.75 x 16	150	41	7.75	\$3054	n/a	\$164
8042SQ2816CSK	28.5 x 28.5 x 16	150	57.5	11.5	\$3499	n/a	\$245

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

Required Specifications

Surface type  
Top finish  
Base finish  
Glide type

Optional Specifications

HP laminate  
Grade 2 solid surface  
Cut-out for grommet/power blocks  
Plated base finish

Accessories

Power block

## TABLES WITH SLED BASE



**Square Table with Wood Base**



**Oval Table with Polished Chrome Base**



**Oval Table with Wood Base**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD	GR. 2 ADD
--------	------------	---------------	---------	-----------	------------	--------	-----------

D x W x H

### Laminate, flat edge (HPL laminate)

8042SQ2216W	22.75 x 22.75 x 16	250	30	7.75	<b>\$1271</b>	<b>\$104</b>	n/a
8042SQ2816W	28.5 x 28.5 x 16	250	39	11.5	<b>\$1302</b>	<b>\$122</b>	n/a

### Laminate, knife edge (HPL laminate)

8042SQ2216WK	22.75 x 22.75 x 16	250	30	7.75	<b>\$1730</b>	n/a	n/a
8042SQ2816WK	28.5 x 28.5 x 16	250	39	11.5	<b>\$1830</b>	n/a	n/a

### Solid surface, flat edge

8042SQ2216WSF	22.75 x 22.75 x 16	150	36	7.75	<b>\$2857</b>	n/a	<b>\$136</b>
8042SQ2816WSF	28.5 x 28.5 x 16	150	59	11.5	<b>\$3174</b>	n/a	<b>\$218</b>

### Solid surface, knife edge

8042SQ2216WSK	22.75 x 22.75 x 16	150	36	7.75	<b>\$3208</b>	n/a	<b>\$164</b>
8042SQ2816WSK	28.5 x 28.5 x 16	150	59	11.5	<b>\$3653</b>	n/a	<b>\$245</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

### Laminate, flat edge

8043OV2616C	26 x 22 x 16	150	38	9.25	<b>\$1117</b>	<b>\$104</b>	n/a
8043OV3116C	31 x 26 x 16	250	44	11.75	<b>\$1148</b>	<b>\$122</b>	n/a

### Laminate, knife edge

8043OV2616CK	26 x 22 x 16	150	38	9.25	<b>\$1790</b>	n/a	n/a
8043OV3116CK	31 x 26 x 16	250	44	11.75	<b>\$1965</b>	n/a	n/a

### Solid surface, flat edge

8043OV2616CSF	26 x 22 x 16	150	49.5	9.25	<b>\$2997</b>	n/a	<b>\$158</b>
8043OV3116CSF	31 x 26 x 16	150	61.5	11.75	<b>\$3186</b>	n/a	<b>\$218</b>

### Solid surface, knife edge

8043OV2616CSK	26 x 22 x 16	150	49.5	9.25	<b>\$3054</b>	n/a	<b>\$169</b>
8043OV3116CSK	31 x 26 x 16	150	61.5	11.75	<b>\$3272</b>	n/a	<b>\$234</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

### Laminate, flat edge

8043OV2616W	26 x 22 x 16	250	32	9.25	<b>\$1271</b>	<b>\$104</b>	n/a
8043OV3116W	31 x 26 x 16	250	39	11.75	<b>\$1302</b>	<b>\$122</b>	n/a

### Laminate, knife edge

8043OV2616WK	26 x 22 x 16	250	32	9.25	<b>\$1944</b>	n/a	n/a
8043OV3116WK	31 x 26 x 16	250	39	11.75	<b>\$2119</b>	n/a	n/a

### Solid surface, flat edge

8043OV2616WSF	26 x 22 x 16	150	44.5	9.25	<b>\$3150</b>	n/a	<b>\$158</b>
8043OV3116WSF	31 x 26 x 16	150	56.5	11.75	<b>\$3340</b>	n/a	<b>\$218</b>

### Solid surface, knife edge

8043OV2616WSK	26 x 22 x 16	150	44.5	9.25	<b>\$3208</b>	n/a	<b>\$169</b>
8043OV3116WSK	31 x 26 x 16	150	56.5	11.75	<b>\$3425</b>	n/a	<b>\$234</b>

Finished height will vary depending on material top. Shipped fully assembled in 1 carton.

### Required Specifications

Surface type  
Top finish  
Base finish  
Glide type

### Optional Specifications

HP laminate  
Grade 2 solid surface  
Cut-out for grommet/power blocks  
Plated base finish


### Accessories

Power block

# L LITE LIFT II

LITE LIFT II	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						

- Notes:**
- Lightweight construction allows tables to easily and safely be lifted and moved by one person.
  - Polypropylene top is fully water resistant and easy to clean and maintain.
  - Thick, high impact radius corner helps protect individuals from injury.
  - Folding legs automatically lock by a gravity activated mechanism when opened.
  - Non-marring plastic glides protect floors from scratching when tables are moved.
  - Structural side aprons allow tables to easily stack.
  - Lite Lift II tables pass all BIFMA standards for strength and stability.
  - **Available in Oyster Grey finish only.**

LITE LIFT II TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	MVLFRT48	24 x 48 x 29.25	85	23	1.57	<b>\$331</b>
	MVLFRT60	30 x 60 x 29.25	92.5	30	2.54	<b>\$440</b>
	MVLFRT72	30 x 72 x 29.25	92.5	36	3.06	<b>\$517</b>
	MVLFRT96	30 x 96 x 29.25	92.5	50	4.79	<b>\$759</b>

MVLFRT48 MVLFRT60-MVLFRT96  
**Rectangular Folding Table**

Lightweight, textured, polypropylene Oyster Grey finish top. High impact radius corners. 19 gauge 11/8" diameter steel tubular legs with welded crossbars automatically lock. Legs finished in scuff resistant textured Charcoal Grey epoxy paint. Shipped fully assembled.

- Available in Oyster Grey finish with Charcoal Grey legs only.
- **Note:** Prices shown are for Global Distribution Center, not delivered pricing. All orders will be charged freight, except orders containing other Global products totaling \$2,000 list or more, before adding folding tables and folding chairs. Any Inside Delivery & Set-up charge for these products must be quoted separately.

RIVER+ TABLES

RIVER+ TABLES



42" Square Coffee Table  
model R27858



Outside Curve End Table  
model R27864



18" Dia. Round Laptop Table  
model 7743

STANDARD FEATURES

- A modular series that is composed of straight and curved sections, as well as freestanding units.
- Linking units can be used together in any combination with River+ seating and bench units to create a wide variety of layouts. Ganging hardware is standard and is factory installed. Ganging hardware swivels out of the way when not in use.
- Front and back faces of end (linking) tables angles slightly inwards. This inward slant matches the inward angles of River seating so all units coordinate in visual appearance.
- The standard 6.5", welded steel legs are straight (vertical) as standard. Linking models are optionally available with an angled back leg to visually align with River+ seating units.
- Legs are standard in Chrome with Black, non-marking, height adjustable glides.
- Tables are made with high pressure laminate. Custom high pressure laminate finishes will be considered upon request.
- Laptop tables have 1" thick laminate tops.
- Laptop table painted metal base finishes are available in Black and Tungsten only.

OPTIONAL FEATURES

- Legs of coffee and end (linking) tables are available in 3" (S3) and 8" (S8) heights. All leg heights are available with fixed-to-floor (F3) and (F8) options. Add \$106.
- To match adjacent lounge seating, straight front and angled back 6.5" or 8" legs are available on linking/end tables. Specify (SA). No upcharge.
- Power units are available on all tables except laptop tables. Each unit includes one AC outlet and two USB-a,10 watt charging ports. Add \$661 upcharge per unit.
- Power location options include top, front or end. See electrical placement diagrams. Electrical units must be factory installed.
- Power units are available in either Jet Black (J) or White (W) with 120", three-prong matching cords.
- Most products can be weighted to reduce the ease of movement. For additional weight options, specify (CW). See each model for available additional weight and upcharge.

Please add option codes in the following order:


- **Model number**  
R27855 to R27858 Square coffee tables  
R27859 Rectangular coffee table  
R27860 to R27861 Round coffee tables  
R27862 to R27864 Linking/end tables  
7443 and 7745 Freestanding tables
- **Laminate finishes**  
(ACJ) Absolute Acajou (ASN) Asian Night  
(AWC) Avant Cherry (AWH) Avant Honey  
(BLK) Black (BZD) Blizzard  
(BRC) Brushed Cobalt (CMB) Clear Maple  
(CGY) Custom Grey (DES) Dark Espresso  
(DWT) Designer White (FAS) Fashionista  
(FCL) First Class (NBL) Noce Biondo  
(NGL) Noce Grigio (NEL) Noce Leggero  
(NML), Noce Medio (QTM) Quartered Mahogany  
(SBY) Sheer Beauty (SOG) Storm Grey  
(SDT) Stonedust (WCR) Winter Cherry  
(WHC) White Chocolate (WHE) Walnut Heights  
(colors shown on website)
- **Leg selection**  
(S6) Standard height (6.5") w/adjustable glides. No upcharge.  
(S3) Low (3") w/adjustable glides. No upcharge.  
(S8) High (8") w/adjustable glides. No upcharge.  
(F6) Standard height (6.5"), fixed to floor. Add \$100.  
(F3) Low (3"), fixed to floor. Add \$100.  
(F8) High (8"), fixed to floor. Add \$100.
- **Leg angle** (linking/end tables only)  
(AST) Straight legs. No upcharge.  
(SA) Straight front legs, angled back legs. No upcharge.
- **Leg finish**  
(CHM) Chrome (TBL) Black  
(TDW) Designer White (TFO) Fog  
(TFR) Frost (TIV) Cloud  
(TLA) Latte (TMO) Mocha  
(TNE) Nevada (TOA) Toast  
(TSH) Shadow (TSN) Sand  
(TTU) Tungsten
- **Additional weight**  
(CW) Additional weight. Upcharges vary, see model.
- **Power/USB unit position** (coffee and linking/end tables only, as shown below).  
Add \$661 per unit.  
(NP) No power (no upcharge)  
(LE1) Left end (coffee table only)  
(LE2) Right end (coffee table only)  
(F3) Front center (coffee table only)  
(T1) Top
- **Power unit finish**  
(J) Jet Black  
(W) White
- **(TP) Tamperproof fasteners.** Add \$169.

EXAMPLE RIVER+ TABLE ORDER CODE:


R27858	-ACJ	-S6	-AS	-CM	-	-T1	-W	-
Model number	Laminate	Leg selection	Leg angle	Leg finish	Additional weight	Power/USB	Power finish	Fasteners

ELECTRICAL PLACEMENT






Coffee Tables








Linking Tables



R RIVER+ TABLES

RIVER+ TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>24" Square Coffee Table</b>	R27855	24 x 24 x 17	250	40	10.7	<b>\$1566</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. • Add <b>\$540</b> for 36 lbs. (CW)					
 <b>30" Square Coffee Table</b>	R27856	30 x 30 x 17	250	53	15.3	<b>\$1649</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. • Add <b>\$405</b> for 27 lbs. (CW)					
 <b>36" Square Coffee Table</b>	R27857	36 x 36 x 17	250	75	20.6	<b>\$1890</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. No counterweight.					
 <b>42" Square Coffee Table</b>	R27858	42 x 42 x 17	150	115	26.7	<b>\$2101</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. No counterweight.					
 <b>Rectangular Coffee Table</b>	R27859	20 x 40 x 17	250	55	14.2	<b>\$1716</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. • Add <b>\$271</b> for 18 lbs. (CW)					

<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Top finish Leg finish	Counterweight	Power Block

ROUND COFFEE TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>36" Dia. Round Coffee Table</b>   <b>42" Dia. Round Coffee Table</b>   <b>Rectangular End Table</b>   <b>Inside Curve End Table</b>   <b>Outside Curve End Table</b>	<b>D x W x H</b>					
	R27860	36 x 36 x 17	150	63	15.3	<b>\$2033</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. • Add <b>\$271</b> for 18 lbs. (CW)					
	R27861	42 x 42 x 17	150	85	20.6	<b>\$2230</b>
	Freestanding unit only. 1 per carton. For power/USB unit, see electrical placement chart. No counterweight.					
	R27862	15 x 28 x 17	300	40	20.6	<b>\$1665</b>
	1 per carton. Includes ganging hardware (2 sides). For power/USB unit, see electrical placement chart. • Add <b>\$540</b> for 36 lbs. (CW)					
	R27863	17 x 28 x 17	250	47	13.3	<b>\$2188</b>
	1 per carton. Includes ganging hardware (2 sides). For power/USB unit, see electrical placement chart. • Add <b>\$540</b> for 36 lbs. (CW)					
	R27864	17 x 28 x 17	250	47	13.3	<b>\$2188</b>
	1 per carton. Includes ganging hardware (2 sides). For power/USB unit, see electrical placement chart. • Add <b>\$540</b> for 36 lbs. (CW)					




<b>Required Specifications</b>	<b>Optional Specifications</b>	<b>Accessories</b>
Top finish Leg finish	Counterweight	Power Block



S SIRENA TABLES

RECTANGULAR TOP		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
<b>Notes:</b>							
<ul style="list-style-type: none"><li>Modern tables for reception areas, meeting rooms, and private office use.</li><li>Sirena tables are offered in the following finishes to coordinate with Global desking and wood seating:</li></ul>							
ACJ	Absolute Acajou	DES	Dark Espresso	NML	Noce Medio		
ASN	Asian Night	DWT	Designer White	SBY	Sheer Beauty		
AWC	Avant Cherry	FAS	Fashionista	SDT	Stonedust		
AWH	Avant Honey	FCL	First Class	WHE	Walnut Heights		
BZD	Blizzard	NBL	Noce Biondo	WHC	White Chocolate		
CMB	Clear Maple	NGL	Noce Grigio	WCR	Winter Cherry		
CGY	Custom Grey	NEL	Noce Leggero				

- Laminate tops are 1.5" thick to coordinate with Global desking and wood seating
- Table legs are available in Black (**TBL**) or Tungsten (**TTU**) at no upcharge. Not available in Chrome.
- Legs are 1.5" steel tubing, tapered toward the bottom of the leg to 0.875", equipped with self-leveling pivoting steel glide.

SIRENA TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	3400	22 x 48 x 15	250	52	17.25	\$1959
Coffee Table	Rectangular coffee table.					
	3401	22 x 56 x 15	250	60	19.75	\$2165
Coffee Table	Rectangular coffee table.					
	3402	22 x 17 x 15	250	26	7.75	\$1571
End Table	Rectangular end table.					

Required Specifications	Optional Specifications	Accessories
Finish	Grommet	Power Block

WIND TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------	--------	------------	---------------	---------	-----------	------------

Notes:

D x W x H

- Wind tables complement the modern decor of many offices.
- Legs are standard in Chrome (**CHM**). Also available in Black (**TBL**), Shadow (**TSH**) or Tungsten (**TTU**) finish at no upcharge.
- 1" laminate tops are offered in the following finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	DWT	Designer White	SDT	Stonedust
ASN	Asian Night	FAS	Fashionista	WHE	Walnut Heights
AWC	Avant Cherry	FCL	First Class	WHC	White Chocolate
AWH	Avant Honey	NBL	Noce Biondo	WCR	Winter Cherry
BLK	Black	NGL	Noce Grigio		
BZD	Blizzard	NEL	Noce Leggero		
BRC	Brushed Cobalt	NML	Noce Medio		
CMB	Clear Maple	QTM	Quartered Mahogany		
CGY	Custom Grey	SBY	Sheer Beauty		
DES	Dark Espresso	SOG	Storm Grey		

• Table tops are available in high pressure laminate at a 20% upcharge for the following model numbers: 3366, 3367, 3368, 3870 and 3871; specify (**HPL**) in addition to the finish. HPL is not available on 3878, 3879 or 3880.

WIND TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------	--------	------------	---------------	---------	-----------	------------



Square Corner Table

3366	24 x 24 x 17	250	36	11.50	<b>\$985</b>
------	--------------	-----	----	-------	--------------

Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.



Rectangular Coffee Table

3367	20 x 48 x 15	250	52	16	<b>\$1302</b>
------	--------------	-----	----	----	---------------

Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.



Square Coffee Table

3368	36 x 36 x 15	250	66	22	<b>\$1762</b>
------	--------------	-----	----	----	---------------


Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.



Round Corner Table

3870	24 x 24 x 17	250	35	11.50	<b>\$1077</b>
------	--------------	-----	----	-------	---------------

Steel tubular base. Tops are available with a laminate finish. Shipped assembled in 1 carton.






Round Coffee Table

3871	36 x 36 x 15	250	57	22	<b>\$1584</b>
------	--------------	-----	----	----	---------------

Steel tubular base in Chrome finish.

**Required Specifications**  
Top finish  
Leg finish


# W WIND LINEAR TABLES

WIND LINEAR TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Freestanding Rectangular End Table*</b>   <b>Freestanding Corner Table*</b>   <b>Freestanding Coffee Table*</b>	D x W x H					
	3878	25 x 20 x 16	250	38	11.50	<b>\$1408</b>
	Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.					
	3879	25 x 25 x 16	250	40	11.50	<b>\$1536</b>
	Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.					
	3880	54 x 20 x 15	250	52	16	<b>\$1713</b>
	Steel tubular base. Laminate top is 5" thick with opening on front for storage and visual recess at rear. Shipped assembled in 1 carton.					

WORK TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
-------------	--------	------------	---------------	---------	-----------	------------

- Notes:
- Work tables are offered in the following top finishes to coordinate with Global casegoods and wood seating:

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SOG	Storm Grey
CGY	Custom Grey	SDT	Stonedust
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry
  - Legs available in Chrome (**CHM**)

WORK TABLES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 <b>Work Tables</b>	GATMS6030	30 x 60 x 29	70	132	8	<b>\$735</b>
	GATMS7230	30 x 72 x 29	92.5	87	8	<b>\$838</b>
	GATMS7236	36 x 72 x 29	70	132	8	<b>\$1031</b>
	1" high performance thermally fused laminate with self edge top. Black metal skirt. Rectangular top with metal legs and leveling glides. Self edge is standard. Shipped easy to assemble in 1 carton.					

<b>Required Specifications</b>	<b>Optional Specifications</b>
Top finish	Leg finish*

# textiles and finishes

## Care and Cleaning

### Textiles

**Fabrics:** To extend the life of your seating upholstered in fabric, regularly dust the chair to prevent airborne particles from penetrating the fabric surface.

For light soiling, use a damp cloth and blot the spot with very slight pressure, taking care never to soak the fabric. Dry with a clean cloth by blotting - never rub fabric. More intense stains can be treated the same way, but with a mild detergent. Always test fabric first in an unseen area before using any cleaning method.

**Leather:** For regular cleaning, simply use a soft damp cloth, taking care not to soak the leather. For more thorough treatment, soak a soft cloth in mild soap solution and wipe surface in a light circular motion. Repeat with clean water. Allow to dry and polish with a soft dry cloth. Do not use detergents, aerosol sprays or other polishes.

### Hard Surfaces

**Wood Veneer Finishes:** Waxing or polishing catalyzed finishes is not recommended because this will give a greasy, cloudy or uneven appearance to the product and could void your warranty. Global's conversion varnish is best cleaned by wiping the surface with a damp cloth, followed by a soft dry cloth in the direction of the grain. If the surfaces are heavily soiled, a gentle product like "Windex" can be used, following the same instructions as above.

**Laminate, painted & plated metal finishes, and solid surfaces:** Wipe the surface with a clean soft damp cloth; if needed, a mild soap solution (i.e. Ivory dishwashing liquid) can be used. To prevent streaks, dry the surface with a clean, dry soft cloth moving in a circular motion.

---

### Textiles

- **Water-Based Cleaner:** Spot clean, using the foam only from a water-based cleaning agent, such as a mild detergent or non-solvent upholstery shampoo product. Apply foam with a soft brush in a circular motion. Vacuum when dry. Pretest small area before proceeding.
- **Solvent Cleaner:** Spot clean, using a mild water-free solvent or dry cleaning product. Clean only in a well-ventilated room and avoid any product containing carbon tetrachloride or other toxic materials. Pretest a small area before proceeding.
- **Water/Solvent Cleaner:** Spot clean with a mild solvent, an upholstery shampoo, or the foam from a mild detergent. When using a solvent or dry cleaning product, follow instructions carefully and clean only in a well-ventilated room. Avoid any product that contains carbon tetrachloride or other toxic materials. With either method, pretest a small area before proceeding.
- **Vacuum Only:** Clean this fabric only by vacuuming or light brushing to prevent accumulation of dust and grime. Water-based foam cleaning agents of any kind may cause excessive shrinking, staining, or distortion of the surface pile and therefore, should not be used.
- **Crypton Cleaning:** Generally stains are removed with plain water and powdered enzyme detergent. Upholstery foam shampoo, waterbased cleaning products and germicidal detergents can be used. Be sure to remove all residue from cleaning products with clean water. Do not use solvent-based cleaners or dry cleaning products.
- These recommendations and codes were developed by fabric specialists. However, because of the various ways fabric can be stained or damaged, there is no guarantee that the results will be completely successful. Use suggested methods on your own responsibility. To help prevent overall soil, frequent vacuuming or light brushing to remove dust and grime is recommended. Use professional furniture cleaning services when overall soiled condition has been reached.

# TEXTILES + FINISHES

## Textile Price Grades - Global Textiles

Grade 1	Carrera, Dobby, Fusion, Illusion, Jenny, Quilt, Terrace, Trak, Urban, Waterfall, Wavelength
Grade 2	Allante FRee, Elevate, Etch, GC Linen, Imprint, Luxhide, Release
Grade 3	Non standard GLOBAL textiles
Grade 4	Non standard GLOBAL textiles
Grade 5	Non standard GLOBAL textiles
Grade 6	Novaro Genuine Leather, non standard GLOBAL textiles
Grade 7	Non standard GLOBAL textiles
Grade 8	Non standard GLOBAL textiles
Grade 9	Non standard GLOBAL textiles
Grade 11	Non standard GLOBAL textiles
Grade 10	Non standard GLOBAL textiles
Grade 12	Non standard GLOBAL textiles

Please refer to individual seating series for availability of a particular textile.

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, Architex, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI Interiors, Luum Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

## Blend Seating Textiles

The grid below outlines the grade structure for using multiple textiles on select seating series. Blended textiles occur when one textile is chosen for one part of the chair and a different textile is selected for another part of the chair, resulting in a revised blended grade. For opportunities regarding more than two different textiles, please contact Global CustomerCare for approval process and grading.

		FIRST TEXTILE SELECTED																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18
SECOND TEXTILE SELECTED	1	1																	
	2	2	2																
	3	3	3	3															
	4	3	4	4	4														
	5	4	4	5	5	5													
	6	5	5	5	6	6	6												
	7	5	6	6	6	7	7	7											
	8	6	6	7	7	7	8	8	8										
	9	7	7	7	8	8	8	9	9	9									
	10	8	8	8	8	9	9	9	10	10	10								
	11	9	9	9	9	9	10	10	10	11	11	11							
	12	10	10	10	10	10	10	11	11	11	12	12	12						
	13	11	11	11	11	11	11	12	12	12	12	13	13	13					
	14	11	12	12	12	12	12	12	13	13	13	13	14	14	14				
	15	12	12	13	13	13	13	13	13	14	14	14	14	15	15	15			
	16	13	13	13	14	14	14	14	14	14	15	15	15	15	16	16	16		
	17	14	14	14	14	15	15	15	15	15	15	16	16	16	16	17	17	17	
	18	15	15	15	15	15	16	16	16	16	16	16	17	17	17	17	18	18	18

## TEXTILE AND COLOR LISTINGS

### Grade 1

#### Carrera 100% Polyester

CE84 Zest	CE85 Savannah	CE86 Slate	CE87 Rainforest	CE88 Aspen	CE89 Dune	CE90 Flannel
CE91 Azure	CE92 Chili	CE93 Jute	CE95 Ink	CE96 Sangria	CE97 Java	CE98 Charcoal

#### Dobby 96% Recycled Polyester / 4% Virgin Polyester

DB30 Snowcap	DB31 Bonsai	DB32 Cloud	DB33 Sand	DB34 Pewter	DB35 Santa Fe	DB36 Corfu
DB37 Medium Taupe	DB38 Charcoal	DB39 Berry	DB40 Royal	DB41 Titanium	DB42 Black	

#### Fusion 90% Virgin Polyester / 10% Post-Consumer Recycled Polyester

FU71 Tangerine	FU72 Fresh	FU73 Moss	FU74 Tomato	FU75 Aqua	FU76 Sandstone	FU77 Granite
FU78 Poppy	FU79 Cadet	FU80 Oasis	FU81 Graphite	FU82 Viola	FU83 Cobalt	FU84 Flax
FU85 Carbon						

#### Illusion 100% Virgin Polyester

II01 Cappuccino	II02 Paprika	II03 Tropic	II04 Wicker	II05 Hemp	II06 Cayenne	II07 Maui
II08 Dusk	II09 Smoke	II10 Currant	II11 Fiji	II12 Ozone	II13 Ebony	

#### Jenny 100% Polyester

JN01 Midnite	JN02 Ebony	JN03 Slate	JN07 Vermilion	JN08 Admiral	JN11 Charcoal	JN25 Silver Lining
JN26 Oatmeal	JN27 Sunflower	JN28 Cascade	JN29 Harvest	JN30 Melon	JN31 Berry	JN32 Green Grass
JN33 Roast						

#### Quilt 100% Polyester

QL10 Black	QL11 Charcoal Grey	QL14 Navy	QL16 Wine	QL19 Silver	QL20 Feather	QL21 Dune
QL22 Meadow	QL23 Cadet	QL24 Geranium	QL25 Daisy	QL26 Quest	QL27 Punch	QL28 Tangerine
QL29 Cocoa						

#### Terrace 70% Virgin Polyester / 30% Post-Consumer Recycled Polyester

TC61 Tigerlily	TC62 Shadow	TC63 Cobble	TC64 Cherry Blossom	TC65 Bluebell	TC66 Apple	TC67 Haze
TC68 Cerise	TC69 Twilight	TC70 Wintergreen	TC71 Ironwork	TC72 Pine Cone	TC73 Flirt	TC74 Echo
TC75 Glacier						

#### Trak 100% Recycled Polyester

TK40 Taupe	TK41 Mustard	TK42 Latte	TK43 Cement	TK44 Silver	TK45 Copper	TK46 Teal
TK47 Apple	TK48 Steel	TK49 Merlot	TK50 Midnight Sky	TK51 Mocha	TK52 Carbon	

#### Urban 62% Recycled Polyester / 32% Polyester

UR10 Red Rose	UR11 Ocean Blue	UR12 Blue Bayou	UR13 Green Grass	UR17 Earth	UR18 Brown Ridge	UR19 White Sand
UR20 Granite Rock	UR21 Gravel Road	UR22 Black Coal				

#### Waterfall 60% Virgin Polyester / 40% Post-Consumer Recycled Polyester

WA40 Trance	WA41 Tryst	WA42 Splash	WA43 Victoria	WA44 Imagine	WA45 Sky	WA46 Rainforest
WA47 Rumble	WA48 Prism	WA49 Tranquility	WA50 Grand	WA51 Rushing	WA52 Magestic	WA53 Pacific
WA54 Dance						

#### Wavelength 100% Virgin Polyester

WV01 Lime	WV02 Mint	WV03 Stone	WV04 Flame	WV05 Mykonos	WV06 Savannah	WV07 Mesa
WV08 Plasma	WV09 Cancun	WV10 Quartz	WV11 Moonrock	WV12 Rubine	WV13 Corfu	WV14 Bluejay
WV14 Panther						

### Grade 2

#### Elevate 80% Post-Consumer Recycled Polyester / 20% Rayon

EL51 Halo	EL52 Dove	EL53 Safari	EL54 Sunglow	EL55 Margarita	EL56 Fiji	EL57 Mist
EL58 Blaze	EL59 Wasabi	EL60 Mystic	EL61 Mica	EL62 Cherry	EL63 Scuba	EL64 Lapis
EL65 Onyx						

#### Etch 80% Post-Consumer Recycled Polyester / 20% Rayon

ET81 Drift	ET82 Citron	ET83 Calypso	ET84 Mandarin	ET85 Crisp	ET86 Iris	ET87 Nickel
ET88 Paprika	ET89 Nutmeg	ET90 Marine	ET91 Magnet	ET92 Infrared	ET93 Espresso	ET94 Indigo
ET95 Anthracite						

#### Imprint 100% Post-Consumer Polyester

IM70 Almond	IM71 Cork	IM72 Sand	IM73 Currie	IM74 Candy Apple	IM75 Ocean	IM76 Navy
IM77 Green Tea	IM78 Celery	IM79 Oregano	IM80 Walnut	IM81 Paprika	IM82 Graphite	IM83 Slate
IM84 Licorice						

# TEXTILES + FINISHES

**Grade 2 (Vinyl)** For availability of chair series in Vinyl, please contact a Global Sales Representative.

Allante Free 100% Vinyl Face / 100% Polyester Backing								
A01F Illusion	A02F Bright White	A03F White Crush	A04F Ivory	A05F Ice	A06F Bleached Sand	A07F Taupe Fawn		
A08F Warm Smoke	A09F Autumn Rain	A10F Cookie	A11F Sierra Brick	A12F Gibraltar	A13F Chateau Grey	A14F Garden Green		
A15F Oasis Green	A16F Ink Black	A17F Purple Impulse	A18F Italian Rose	A19F Mountain Sky	A20F Old Navy	A21F Galaxy		
A22F Red Truffle	A23F Chocolate Sundae	A24F Province Blue	A25F Eclipse					

GC Linen 100% Vinyl Face									
LE50 Potters Clay	LE51 Pearl	LE52 Tan	LE53 Storm	LE54 Butter	LE55 Haystack	LE56 Ganache			
LE57 Sunset	LE58 Burnt Orange	LE59 Cayenne	LE60 Navy	LE61 Bamboo	LE62 Gray	LE63 Charcoal			
LE64 Moss									

<b>Luxhide</b> 100% Vinyl Face / Bonded Leather Backing													
BL20	Black	BL22	Parchment	BL23	Saddle	BL24	Dark Brown	BL26	Burgundy	BL27	Charcoal	BL28	White
BL34	Light Grey												

<b>Release</b> 100% Vinyl Face							
RL11 White	RL12 Chalk	RL13 Stone	RL14 Taupe	RL15 Orange	RL16 Country	RL17 Tuscan	
RL18 Cottage	RL19 Yellow	RL21 Red Barn	RL22 Brave Red	RL23 Gypsy Red	RL24 Cajun	RL25 Vineyard	
RL26 Olive	RL27 Bonsai	RL28 Summer's Dream	RL29 Calico	RL31 Green	RL32 Blue	RL33 Black	
RL34 Cool Grey	RL35 Thunder Grey	RL36 Navy	RL37 Dark Chocolate	RL38 Espresso			

Grade 6						
Novaro Genuine Leather 100% Leather						
N050 Ash	N051 Asphalt	N052 Bison	N053 Blueberry	N054 Cloud	N055 Clove	N056 Cordovan
N057 Doe	N058 Linen	N059 Marina	N060 Phantom	N061 Pigeon	N062 Scarlet	N063 Turtle
N064 Wheat						

## PANEL/TACKBOARD FABRICS

## GRADE 2

**Lola** 100% Polyester.

LL11 Medium Taupe	LL12 Caramel Cream	LL14 Blue Mist	LL35 Spray	LL36 Granite	LL37 Cinder	LL38 Sandstone
-------------------	--------------------	----------------	------------	--------------	-------------	----------------

## GRADE 3

**Anchorage** 65% Pre-consumer Polyester / 35% Post-consumer Polyester

AN40 Birch	AN41 Green Apple	AN42 Lapis	AN43 Straw	AN44 Wolf	AN45 Goose	AN46 Angora
AN47 Cumin	AN48 Asteroid	AN49 Geranium	AN50 Thistle	AN51 Graphite	AN52 Slate	AN53 Quarry Blue
AN54 Onyx	AN55 Pumpkin	AN56 Red Delicious	AN57 Sunshine	AN59 Waterfall	AN61 Vanilla	AN62 Cobalt
AN64 Cloud						

**Merge** 100% Polyester / 75% Post-consumer Recycled Polyester

MG20 Fawn	MG21 Marshmallow	MG22 Driftwood	MG23 Dove	MG24 Graphite	MG25 Slate	MG26 Eucalyptus
MG27 Fire Engine	MG28 Mediterranean	MG29 Midnight				

## FINISHES

**Seating Finishes - Metal & Polymer:** *Please consult each Seating Series for finish availability.*

Black (BK)	Charcoal Grey (CHR)	Chrome (CHM)	Fog (FG)	Polished Aluminum (ALU)	Tungsten (TUN)
------------	---------------------	--------------	----------	-------------------------	----------------

**Seating Finishes - Plastic** (Duet, Popcorn, Sonic and Stream)

Buzz Blue (BZB)	Cactus (CCT)	Carrot (CRO)	Cloud (IVC)	Dijon (DJN)	Eggplant (EGP)	Fog (FOG)
Frost (FRO)	Ink (INK)	Latte (LAB)	Night (BLK)	Sand (SND)	Scarlet (SAR)	Shadow (SHW)

**Seating Finishes - Wood** Seating finishes will not necessarily match Casegoods finishes. This is due to the fact that Seating and Casegoods finishes use different wood species and are manufactured at multiple locations.

Absolute (AAM)	Black (BKM)	Cherry (ACM)	Espresso Cafe (ECM)	English Oak (EOM)	Fruitwood (TFM)	Gray (HGM)
Honey (AHM)	Mahogany (TMM)	Maple (AVM)	Medium Walnut (MWM)	Natural Walnut (NLW)	Night (ASM)	Noce Biondo (NBM)
Noce Grigio (NGM)	Noce Leggero (NEM)	Noce Medio (NMM)	Shaker Cherry (SKM)	Walnut (TWM)	WC Cream (WTM)	White (WHM)
Winter Cherry (WCM)						

**Desks, Workstations, Tables and Accessories - Laminate**

Absolute Acajou (ACJ)	Asian Night (ASN)	Avant Cherry (AWC)	Avant Honey (AWH)	Black (BLK)	Blizzard (BZD)	Brushed Cobalt (BRC)
Clear Maple (CMB)	Custom Grey (CGY)	Dark Espresso (DES)	Designer White (DWT)	Fashionista (FAS)	First Class (FCL)	Noce Biondo (NBL)
Noce Grigio (NGL)	Noce Leggero (NEL)	Noce Medio (NML)	Quartered Mahogany (QTM)	Sheer Beauty (SBL)	Stonedust (SDT)	Storm Grey (SOG)
Walnut Heights (WHE)	White Chocolate (WHC)	Winter Cherry (WCR)				

**Desks, Workstations, Tables and Accessories - Wood Veneer**

Almond Cherry (AMW)	Amber Cherry (ACW)	Biscotti (BTW)	Cocoa Walnut (CAW)	Coral (CRW)	Dark Cherry (DCW)	Dark Walnut (DWW)
Espresso Walnut (EWW)	Evening Oak (EVW)	Grey on Oak (GRW)	Hazelnut (HAW)	Java (JAW)	Latte Walnut (LTW)	Mahogany on Walnut (MHW)
Milestone (MTW)	Natural Maple (MPW)	Natural Walnut (NLW)	Red Cherry (RCW)	Vintage Cherry (VNW)	Umber Walnut (ULW)	Walnut (WLW)
Warm Cherry (WCW)	White Maple (WMW)					

**Metal Leg Finishes** (*check series for applicable finishes*)

Black (TBL)	Brushed Chrome (BCH)	Buzz Blue (TBZ)	Cactus (TCC)	Carrot (TCR)	Cloud (TIV)	Chrome (CHM)
Designer White (TDW)	Dijon (TDJ)	Eggplant (TEG)	Fog (TFO)	Frost (TFR)	Ink (TIN)	Kalua (TKA)
Latte (TLA)	Mocha (TMO)	Nevada (TNE)	Sand (TSN)	Scarlet (TSR)	Shadow (TSH)	Toast (TOA)
Tungsten (TTU)						

**Metal File + Storage Finishes**

Business Grey (BGR)	Black Coffee Textured (BKC)	Black (BLK)	Bone (BNE)	Blizzard Textured (BZD)	Charcoal (CHR)
Claret (CLT)	Dark Chocolate Textured (DCH)	Desert Putty (DPT)	Designer White (DWT)	Fog (FOG)	Grey (GRY)
Light Grey (LGR)	Ice (ICE)	Ivory (IVR)	Mocha Textured (MCH)	Metro (MET)	Moss (MOS)
Nevada (NEV)	Navy (NVY)	Oyster (OYS)	Stonedust Textured (SDT)	Storm Grey (SGR)	Silver (SIL)
Sky (SKY)	Stone (STN)	Taupe (TPE)	Tahiti Sand (TSA)	Tungsten (TUN)*	Willow (WIL)

\*10% upcharge applies

**PET Felt Finishes**

Amethyst (AMT)	Apricot (APR)	Black (BLK)	Blue Smoke (BSK)	Brick (BRI)	Carnation (CNN)
Denim (DEN)	Emerald (EMD)	Graphite (GPH)	Harvest (HVT)	Lapis (LAP)	Mist (MTS)
Navy (NVY)	Pewter (PWT)	Ruby (RBY)	Shamrock (SHR)	Sunflower (SFR)	White (WHT)



TEXTILES + FINISHES - LAMINATE FINISH CHART

FINISH CODE:	ACJ	ASN	AWC	AWH	BLK	BRC	BZD	CMB	CGY	DES	DWT	FAS	FCL	NBL	NGL	NEL	NML	QTM	SBY	SOG	SDT	WHC	WHE	WCR
LAMINATE DESKING																								
Adaptabilities	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Genoa	•	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•			•	•	•
Princeton	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•
Zira	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
METAL DESKING																								
StreamLINE II	•	•	•	•	•	•		•		•	•	•	•	•	•	•	•	•	•	•		•	•	•
BENCHING																								
Bridges II	•	•	•	•	•*	•*	•	•	•	•	•	•	•	•	•	•	•		•	•*	•	•	•	•
FreeFit	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
PANELS + COMPONENTS																								
Divide	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - MEETING + CONFERENCE																								
Anywhere Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Bungee / Bungee SL	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Connectables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Junction	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Kadin	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		•	•	•	•	•	
Swap	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Terina	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Zira Boardroom	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - RECEPTION + OCCASIONAL																								
Citi	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Occasional Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Reception Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Work Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Sirena Tables	•	•	•	•			•	•	•	•	•	•	•	•	•	•	•		•		•	•	•	•
Wind Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - TRAINING																								
2gether	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
TABLES - HEIGHT ADJUSTABLE																								
Foli Tables	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
FILING + STORAGE																								
Lateral File Tops	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
WOOD VENEER DESKING																								
Corby - Laminate chassis	•	•			•			•	•	•	•	•	•	•	•	•	•		•	•		•	•	•
Dufferin - Laminate chassis					•				•		•									•				
* Bridges II finishes coordinate with metal paint finishes as follows: Black (BLK) - Black Paint (BLK); Brushed Cobalt (BRC) - Tungsten Paint (TUN); Storm Grey (SOG) - Charcoal Paint (CHR); Designer White (DWT) - Designer White Paint (DWT); Custom Grey (CGY) - Silver Paint (SIL); String (STG) - Nevada Paint (NEV).																								

LAMINATE FINISHES COORDINATION CHART			
LAMINATE FINISH		COORDINATING WOOD FINISH	
ACJ	Absolute Acajou	AAM	Absolute
ASN	Asian Night	ASM	Night
AWC	Avant Cherry	ACM	Cherry
AWH	Avant Honey	AHM	Honey
BLK	Black	BKM	Black
CMB	Clear Maple	AVM	Maple
DES	Dark Espresso	ECM	Espresso Cafe
DWT	Designer White	WHM	White
NBL	Noce Biondo	NBM	Noce Biondo
NEL	Noce Leggero	NEM	Noce Leggero
NGL	Noce Grigio	NGM	Noce Grigio
NML	Noce Medio	NMM	Noce Medio
QTM	Quartered Mahogany	TMM	Mahogany
WCR	Winter Cherry	WCM	Winter Cherry
WHC	White Chocolate	WTM	WC Cream
WHE	Walnut Heights	MWM	Medium Walnut
LAMINATE FINISHES WITH NO COORDINATING WOOD FINISHES		WOOD FINISHES WITH NO COORDINATING LAMINATE FINISHES	
BRC	Brushed Cobalt	EOM	English Oak
BZD	Blizzard	HGM	Grey
CGY	Custom Grey	NLW	Natural Walnut
FAS	Fashionista	SKM	Shaker Cherry
FCL	First Class	TFM	Fruitwood
SBY	Sheer Beauty	TWM	Walnut
SOG	Storm Grey		
SDT	Stonedust		

# THINK GLOBAL/THINK GREEN



**LEVEL 3 CERTIFIED**  
Many programs in various categories



**LEED PARTNERSHIP PROGRAM**  
Products can help you earn credits



**GREENGUARD CERTIFIED**  
Children & Schools Certified

**THE ENVIRONMENT** We believe now more than ever, that it is our responsibility to protect the environment and our precious natural resources for future generations. The growing importance of energy and environmental concerns continues to challenge us in this ever changing marketplace.

As an industry leader, Global continues to take proactive steps towards reducing the negative impacts on the environment. We are building "healthier" offices; investing in Research & Development and new technologies; reducing waste and the consumption of energy; and improving the quality of the air we breathe, all which can have a significant impact on our quality of life.



Epoxy Powder coating process is solvent free. No harmful VOC's or lead. No toxins are released into the atmosphere.



Global's recycled fabrics offer affordable, environmentally responsible alternatives to commercial textiles. We recycle 35,000 lbs of fabric offcuts weekly.



Global has the products and resources to help your projects achieve LEED certification.



New technology allows us to reduce glue usage by 50%. In addition, our polyurethane glue reduces emissions and requires less energy to apply.

powder paint process:  
**98% paint recovery and reuse**

more recycled fabric  
**less to the landfill**

talk to us about our  
**leed partnership program**


we've diverted  
**90% of our wood waste from landfill in four years**

For further information on Global's environmental initiatives, please visit <https://www.globalfurnituregroup.com/us/company/environmental-commitment>

# CUSTOM GROMMET LOCATION FORM

This form is for use with rectangular and square units only. Application drawings must be provided for any other shape units.

Model # \_\_\_\_\_ (Please use one page for each model #)





Operator Side

## Template for Tops

X = \_\_\_\_\_

Y = \_\_\_\_\_




## Template for Modesty Panels

X = \_\_\_\_\_

Y = \_\_\_\_\_

Note: X = Taken from outermost edge


Note: Y = Taken from underside of top



## Template for Legs

XR = \_\_\_\_\_

YR = \_\_\_\_\_



# THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES


Zira boardroom tables only (96" table)

Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply. Note: Shaded grey areas represent position of bases.

## CUT-OUT POSITION(S)

- ☐ Position 1 - over left base - always 24.6" to center point of cut-out from left edge - use option code **CCU1**
- ☐ Position 2 - center of table - use option code **CCU2**
- ☐ Position 3 - over right base - always 24.6" to center point of cut-out from right edge - use option code **CCU3**
- ☐ Custom position(s) - indicate on diagram below w/dimensions to **center point** of cut-outs - use option code **CCUS**



## CUT-OUT CRITERIA

All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table due to wire management runners below the worksurface.


Power and data modules that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

### Indicate cut-out size:

\_\_\_\_\_ " X dimension of cut-out runs the width of the table.

\_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.

Y dimension not to exceed 14"



Dealer PO# \_\_\_\_\_

Internal use only

Global order# \_\_\_\_\_

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES


Zira boardroom tables only (120" - 168" table)

Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply. Note: Shaded grey areas represent position of bases.

CUT-OUT POSITION(S)

- ☐ Position 1 - over left base - always 25.2" to center point of cut-out from left edge - use option code **CCU1**
- ☐ Position 2 - center of table - use option code **CCU2**
- ☐ Position 3 - over right base - always 25.2" to center point of cut-out from right edge - use option code **CCU3**
- ☐ Custom position(s) - indicate on diagram below w/dimensions to **center point** of cut-outs - use option code **CCUS**



CUT-OUT CRITERIA

All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table due to wire management runners below the worksurface.


Power and data modules that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

Indicate cut-out size:

\_\_\_\_\_ " X dimension of cut-out runs the width of the table.

\_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.

Y dimension not to exceed 14"



Dealer PO# \_\_\_\_\_

Internal use only

Global order# \_\_\_\_\_

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES


Zira boardroom tables only (192" - 288" table)

Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply. Note: Shaded grey areas represent position of bases.

CUT-OUT POSITION(S)

- ☐ Position 1 - over left base - always 25.2" to center point of cut-out from left edge - use option code **CCU1**
- ☐ Position 2 - center of table - use option code **CCU2**
- ☐ Position 3 - over right base - always 25.2" to center point of cut-out from right edge - use option code **CCU3**
- ☐ Custom position(s) - indicate on diagram below w/dimensions to **center point** of cut-outs - use option code **CCUS**



CUT-OUT CRITERIA


All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table due to wire management runners below the worksurface.

Power and data modules that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

Indicate cut-out size:

- \_\_\_\_\_ " X dimension of cut-out runs the width of the table.
- \_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.  
Y dimension not to exceed 14"



Dealer PO# \_\_\_\_\_

Global Order# \_\_\_\_\_

Internal Use Only

Global Trailer/Load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES


Zira boardroom tables only (square tables)

Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply. Note: Shaded grey area represents position of base.

CUT-OUT POSITION(S)

☐ Position 2 - center of table - use option code **CCU2**



CUT-OUT CRITERIA


All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table.

Power and data modules that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

\_\_\_\_\_ " X dimension of cut-out runs the width of the table.

\_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.  
Y dimension not to exceed 11"



Dealer PO# \_\_\_\_\_

Global order# \_\_\_\_\_

Internal use only

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_



THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES


Zira media tables only

Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply. Note: Shaded grey area represents position of base.

CUT-OUT POSITION(S)

- ☐ Position 1 - over left base - always 24.6" to center point of cut-out from left edge - use option code **CCU1**
- ☐ Custom position(s) - indicate on diagram below w/ dimensions to **center point** of cut-outs - use option code **CCUS**



CUT-OUT CRITERIA


All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table due to wire management runners below the worksurface.

Power and data modules that extend more than 3.75" below the worksurface **CANNOT** be positioned over bases.

\_\_\_\_\_ " X dimension of cut-out runs the width of the table.

\_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.  
Y dimension not to exceed 14"



Dealer PO# \_\_\_\_\_

Global order# \_\_\_\_\_

Internal use only

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

# THIS FORM IS TO BE USED FOR NON-STANDARD CUT-OUT SIZES

Zira collaborative tables only


Model # \_\_\_\_\_ (please use one page for each model #)

Please check all that apply.

## CUT-OUT POSITION(S)

- ☐ Position 1 - always 24.6" to center point of cut-out from left edge - use option code **CCU1**
- ☐ Position 2 - center of table - use option code **CCU2**
- ☐ Position 3 - always 24.6" to center point of cut-out from right edge - use option code **CCU3**
- ☐ Custom position(s) - Please indicate on diagram below with dimensions to **center point** of cut-outs - use option code **CCUS**

Width



Depth


## CUT-OUT CRITERIA

All cut-outs require a minimum 8mm radius at each corner.

Cut-outs **must be centered** on the depth of each table due to wire management runners below the worksurface.

\_\_\_\_\_ " X dimension of cut-out runs the width of the table.

\_\_\_\_\_ " Y dimension of cut-out runs the depth of the table.  
Y dimension not to exceed 10"



Dealer PO# \_\_\_\_\_

Internal use only

Global order# \_\_\_\_\_

Global trailer/load #: L \_\_\_\_\_ ID #: \_\_\_\_\_

This illustrated price list has been designed to facilitate fast reference and easy use. All products are categorized into “seating”, “desks”, “files”, “panels”, “tables” and “modular furniture”, and are listed numerically within their categories. The line drawings match actual photographs (where possible) to aid in instant recognition of the total range within a series.

Sales of Global Furniture Group products are made only on Global’s standard terms and conditions of sale which are contained in this Price Book. These standard terms and conditions may be modified or supplemented only by a separately written document signed by Global’s authorized personnel at its head office in Marlton, NJ. Any term or condition contained in any purchase order or other form used by dealer/purchaser to order goods (including standard, printed language) which is different from, in addition to, or in any way inconsistent with Global’s standard terms and conditions shall be of no force or effect whatsoever.

All illustrations, specifications and prices in this book are based on the latest product information available at the time of publication. Global reserves the right to make changes, at any time and without prior notice, to prices, colors, materials, specifications and models offered.

Description

Each product shown or described in this price list is standard Global product. Variations are noted at the beginning of each series. Any variations from what is standard may require additional delivery time and cost and may affect the warranty given. Sizes and weights shown are approximate and are subject to slight changes from time to time.

Prices and Payment

The prices shown in this book, as well as those quoted by Global, are in United States dollars for orders shipped to destinations in the U.S. and Mexico.

If shipping date requested is more than 90 days from date of order, Global shall have the right to use published list prices effective at the time of shipment.

Orders are invoiced at the time of shipment. Terms of payment are net 30 days from date of invoice (1% 15 days) unless otherwise stated. The customer agrees that Global shall have the right to enforce a charge amounting to 1.5% per month (18% per year) on invoices outstanding more than 30 days.

If dealer/purchaser’s most recent annual net volume is less than \$5,000.00, payment must be made in advance.

Any products sold by Global shall remain the personal property of Global until fully paid.

Prices are suggested list prices only and are subject to change without notice. Global will, however, attempt to keep dealer/purchasers up-to-date on all developments including price changes.

Taxes

All prices shown in this book are exclusive of sales, use, excise and other applicable taxes and are the dealer/purchaser’s responsibility as per the invoice issued by Global. If dealer/purchaser claims an exemption from such taxes, it shall be the dealer/purchaser’s responsibility to furnish Global with an appropriate exemption certificate at time of order.

Ordering Information

To avoid errors and/or duplication Global requires that all orders be submitted in writing. All orders submitted to Global in writing will be acknowledged on Global’s acknowledgement forms governing the transaction. The details appearing

on this acknowledgement will describe the items to be shipped and the approximate shipping date. It is the dealer/purchaser’s responsibility to determine that the information in the acknowledgment is correct. In the event of an error, the dealer/purchaser must notify Global immediately by telephone followed by written confirmation. Shipping dates are assigned to orders based on the item having the longest manufacturing lead time.

When ordering, please provide the following information:

- 1) Account number (if possible)

2) P.O. number

3) “Bill to” and “ship to” name and address

4) Complete model number

5) Description

6) Options:

a. Upholstery fabric type and color (specify by name and number)

b. Color of paint finish, laminate or wood (if applicable)

c. Trim options (frame)

d. Arms

e. Base, Casters

f. Mechanism

g. Accessories

Dealer/purchaser is responsible for providing correct information when placing an order. Orders with incorrect information (finish, etc.) will be scheduled for manufacturing upon receipt of complete information.

All phone orders must be confirmed in writing by the customer within 7 days.

To prevent a delay in processing orders, please specify delivery routing.

Changes and Cancellations

After the date of Global’s acknowledgment of a dealer/purchaser’s order, the order may not be changed or cancelled by dealer/purchaser without the written consent of Global. Special order items, C.O.M. and fabric-covered items already in production are not subject to change or cancellation under any circumstances. Fabric-covered items are considered to be in production once the fabric is scheduled for cutting. Other standard items already in production are subject to a minimum 35% cancellation charge.

Errors and Omissions

All quotations, acknowledgements and invoices are subject to corrections for any errors and omissions.

FINISHES

Wood Finishes

For custom stain requests, submit a special request for quotation. Non-standard wood finish orders will incur a one time charge of \$250 net to dealer per matching custom wood stain. This one time fee will be valid for 5 years from the time of matching. After 5 years, a new \$250 net to dealer charge will apply. All custom wood stain products will receive a 10% list per unit upcharge, included on the special quote. Requests with unit quantities of 30 or more, may be considered for reduced or eliminated upcharge. At time of order, a 3” x 3” color sample is required to be submitted with order. Extended order lead time is required for custom matching and approval process.

File Finishes

All non-standard finishes must be approved by Global prior to acceptance of order and may be subject to an upcharge.

Laminate Tops - Pricing for all non-standard finishes and sizes must be provided by Global Customer Service and may be subject to an upcharge.

Desk Finishes

Because the distinctive characteristics and the nature of wood products cause variations, exact matches are not always possible. Global has launched a finishes program between marketing companies within the Global Group to match products as best as possible when same finishes are specified.

C.O.M. (Customers Own Material)

Use of Customer’s Own Material must be approved by Global prior to acceptance of order. Please refer to back of the Seating List Price Book and fill out the Authorization Request Form. Photocopy and use this form as often as necessary. The customer must provide a 12” x 12” fabric sample and advise how the fabric is to be applied. **Fabric yardage requirement will be advised by the factory, and additional yardage may be required if pattern requires matching.** Yardage shown in the List Price Book does not allow for pattern repeat/ matching. Send to the address provided on shipping document upon approval from Global. If C.O.M. is difficult to apply or if product shall be modified, extra charges shall be made. Global reserves the right to cancel an order at any time if C.O.M. is inadequate for any reason. Customer’s Own Material must be shipped freight and duties paid to our factory. Such shipment must be fully identified with purchaser’s order number, RGA # provided by Global, and the item for which material is intended. Performance of C.O.M. when applied to product is the sole responsibility of the purchaser. Global’s standard product warranty shall not apply to C.O.M. Use of C.O.M. will not reduce the published list price.

Textile Grading

All products are priced according to their standard fabric and fabric grade. Lower grade fabrics are available (unless otherwise specified) at same price as standard. The listing of prices for each model indicates the prices for higher upholstery grades. Prices are based on yardage in imperial measurements.

TEXTILE PRICE GRADES - GLOBAL TEXTILES

Grade	Upholstery (Seating Fabrics)
1	Carrera, Dobby, Fusion, Illusion, Jenny, Quilt, Terrace, Trak, Urban, Waterfall, Wavelength
2	Allante FRee, Elevate, Etch, GC Linen, Imprint, Luxhide, Release
6	Novaro Genuine Leather

Grade Upholstery (Panel Fabrics)

2	Lola
3	Anchorage, Merge

The charts above do not include Textiles offered by Alliance Partners: Arc-Com Fabrics, CF Stinson, Designtex, Knoll Textiles, Green Hides, LDI Interiors, Lum Textiles, Maharam, Mayer Fabrics, Momentum, and Ultrafabrics.

Upholstery Coverings

Slight variations in color may occur between dye lots. Although Global attempts to minimize these variances, they do occur and must be accepted as normal and will not be considered defects.

Yardage

Required yardage (ydg) is based on unmatched materials with widths of 54” for seating. Yardage calculations are based on imperial measurements.

**Arms**

A wide selection of arms are available for some series. See Arm Charts for details.

**Delays**

Global's shipping confirmation will state a shipping date which is Global's best estimate at the time the order is acknowledged. However, Global shall not incur any obligation or liability to Purchaser for failure to ship by specified date unless Global has agreed to an unequivocal shipping date in a separately signed written document executed by its authorized personnel at its head office. In addition, Global shall not be liable for any loss or damage resulting from any delay or failure in shipment or other failure to perform all or any part of the agreement between the parties with respect to the goods shown on the face of the order acknowledgement where such delay, failure, loss or damage is the proximate result of any act of any governmental authority or political subdivision thereof, revolution, riot, civil disorder or disturbance, delay or default in transportation, strike disputes among or between labor unions or other labor disputes, delay or inability in obtaining materials and facilities, fire, flood, act of God or any cause not within the reasonable control of the company, whether of the class of causes enumerated or otherwise.

**F.O.B.**

F.O.B. point is Global's Factory, Downsview, Ontario, Canada, or any Global Regional Distribution Center.

**FedEx and UPS Shipments**

Seating products marked with a FedEx or UPS symbol are packaged for shipment via FedEx or UPS.

**Handling**

Non-UPS/FedEx orders under \$10,000 list incur \$100 net handling fee. Small packages (FedEx, UPS) incur \$25 net handling fee per carton (up to four cartons).

**Special Delivery Requirements**

Global's delivered pricing provides for dock delivery during normal business hours (considered to be 8 am to 4 pm Monday through Friday) to customer/end user only. Additional delivery requirements such as inside delivery, lift gate, limited access sites, installations and weekend deliveries will incur an additional expense and will be the responsibility of the dealer.

**Service**

Service requests are normally the responsibility of Global's authorized dealers. Where this cannot be accomplished on a local level, service problems should be referred to Global's Customer Service Department in the nearest distribution center.

**Returns**

No returns of goods will be accepted without written consent and shipping instruction of Global. A minimum re-stocking charge of 35% is made on all authorized returns for credit or refund, provided goods are received by Global in the condition in which they left the factory. This may increase depending on the type of product. Global's Return Goods Authorization (R.G.A.) numbers must appear prominently on all authorized returns. Global will not be responsible for freight costs. No credit will be given if goods cannot be reused as new. Special order items, non-stock items and C.O.M. products are in no event subject to return. All returns must be approved and authorized in writing by Global Customer Service. Global reserves the right to refuse delivery of any unauthorized returns.

**Claims**

All goods are sold F.O.B. plant or Global Distribution Center. Global is not responsible for damage which occurs in transit (or in storage). The carrier signs for all goods received in apparently good order. It is the dealer/purchaser's responsibility to examine goods upon receipt and to file any claims with the carrier for losses or damage to the product occurring during transit, including concealed damage.

Any claims made against Global for apparent defects, errors or shortages must be made by the dealer/purchaser, in writing, within 15 working days after any delivery. Failure by the dealer/purchaser to make any claim against Global within 15 days shall constitute acceptance of the goods and a waiver of any apparent defects, errors or shortages.

**Suspension**

In the event that the dealer/purchaser defaults in the payment of any sum due to Global, or in the event the dealer/purchaser's financial condition becomes unsatisfactory to Global, Global shall have the right to defer or discontinue shipment of any goods until such time as the default is cured or the dealer/purchaser provides assurance of payment to Global.

**Copyright**

All catalogs, photographs, drawings, price lists and other printed material are protected by copyright. All rights reserved.

**Trademarks**

All trademarks are owned by Global Furniture Group other than OBUSFORME™ which is owned by OBUSFORME LTD. and are used under license. OBUSFORME® and the distinctive backrest design are registered trademarks of OBUSFORME LTD.

**Designs and Patents**

Many of the products produced by Global are protected by design registrations, design patents and/or patents. Design and specifications are subject to change, discontinuance or additions without notice.

**Cubic Measure**

The stated cubage is an approximate cubic foot measure to calculate freight costs. The figure shown is the volume for one carton and is subject to change without notice. It is most economical to purchase the specified number per carton.

**Combined Shipments**

Global will make every effort to combine shipments and orders on written request. However, Global cannot be held responsible where such request is not complied with.

**Offer of Sale**

Possession of this price list or any other literature shall not imply the company's willingness to sell to the holder and shall not be construed as a direct offer of sale.

If a conflict arises between: (i) prices found in software support packages furnished to the customer by Global or by any other source on behalf of Global; and (ii) Global's current printed price lists, then the most current shall prevail.

**Disclaimer**

All dimensions are in inches. Prices shown are current manufacturer's suggested list prices at the time of printing. All applicable taxes are extra. Descriptions, specifications and prices are subject to change without notice. Errors and omissions are subject to correction.

**Flammability**

The foam used in Global chairs meets the requirements of California TB117. In addition to the foam, upholstery materials must also meet the California TB117 smolder resistant requirements. Please contact Customer Care to determine if a selected textile meets the California TB117 requirement.

**This list price book is effective as of July 14, 2025.**

For periodic updates, please check the PDF at [www.globalfurnituregroup.com/resources](http://www.globalfurnituregroup.com/resources). Global warrants that all commercial products are free from defects in material and workmanship, for the life of the product, to the original purchaser.

Global will repair or replace, at Global's option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages. The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week for users weighing up to 300 pounds.

General Commercial Seating

Global's warranty for general commercial seating covers all chair components including pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats, backs and other structural components.

Exceptions to the warranty for general commercial seating are as follows:

- Foam, textiles (as sampled on Global branded and textile program cards), mesh material and electrical devices, are warranted for five (5) Years. Novaro Leather is warranted for 1 year.
- Control mechanisms are warranted for twelve (12) Years
- Heavy duty seating and Indoor/Outdoor Furniture are not defined as General commercial seating (see below for warranty exceptions)

Heavy Duty Seating

Global offers products designed for multiple shift applications (24 hours a day / 7 days a week) and larger individuals weighing up to 400, 500 and/or 600 pounds (depending on series and/or model). Global warrants these products for twelve (12) years to the original purchaser. All components (including control mechanisms, pneumatic cylinders, bases, casters, glides, frames, arms, plastic seats/backs, etc.) are covered for 24/7 applications under the warranty. The exceptions are foam, upholstery and textiles, which are covered for five (5) years. Fabric or upholstery material on these products must exceed 100,000 double rubs for the textile portion of the warranty to apply. Heavy Duty product series that apply under this warranty can be found in the Heavy Duty section of this list price book.

Outdoor Furniture

Global offers products designed for use indoors or outdoors. Global warrants these products for three (3) years to the original purchaser. This warranty applies to single shift (eight (8) hour day, forty (40) hour week) for users weighing up to 275 pounds, unless noted otherwise. Outdoor furniture must be stored indoors during inclement or extreme weather such as extreme cold, extreme heat, or excessive wind.

Exceptions to the warranty for indoor/outdoor furniture is as follows:

- Only Global branded textiles and Alliance Partner carded textile program materials expressly identified for outdoor application are covered for three (3) years when used outdoors.

Global's Warranty does not apply (for any product category) to the following:

- Products not purchased directly from authorized Global resellers
- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on [globalfurnituregroup.com](http://globalfurnituregroup.com)

Seating Warranty Summary

Seating Type	Components Warranty For Original Purchaser	Use Time For Warranty Coverage	Exceptions
General Commercial Seating	Lifetime	8 Hours/5 Days Per Week	Foam/Upholstery/Textiles/Mesh/Electrical Devices - 5 Years Control Mechanisms - 12 Years
Heavy Duty Seating	12 Years	24 Hours/7 Days Per Week	Foam/Upholstery/Textiles - 5 Years
Indoor/Outdoor Furniture	3 Years	8 Hours/5 Days Per Week	Outdoor Use Textiles – 3 Years

Textiles and Finishes

Global warrants Global branded textiles and Alliance Partner carded textile programs inclusive of fabrics, vinyls and leather products for five (5) years, with the exception of Novaro Leather, which has a one (1) year warranty. Global does not warrant COM (Customer Own Materials) or graded-in materials (non-carded) and purchased by Global for a customer. For graded-in or COM products, please contact the textile supplier for performance information and warranty details. Please refer to our website at [globalfurnituregroup.com](http://globalfurnituregroup.com) for detailed information on cleaning and disinfecting procedures. Improper usage of disinfecting/cleaning products may void the warranty. Global textiles and finishes are updated periodically to meet the demand and trends of the market. As a result, some textiles and finishes may be discontinued by Global or the manufacturer. In the event that a textile or finish is discontinued, Global will make every reasonable effort to provide an alternative product(s) of comparable function.

Global will repair or replace, at Global’s option, as the sole remedy for any defect covered by the warranty. The warranty applies to products manufactured after March 22, 2016

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Files, Desks, Modular Furniture, Tables, Panels & Accessories

Global warrants all components of metal storage and filing, laminate and wood veneer desks, laminate and wood veneer tables, metal leg components and panels for the lifetime of the product to the original purchaser.

The warranty applies to single shift, standard commercial usage, defined as a standard eight (8) hour day, forty (40) hour week. Load restrictions apply, refer to individual product descriptions.

Exceptions to the warranty for files/desks/tables and panels are as follows:

- Electrical devices, panel and tackboard textiles, adjustable keyboard mechanisms, non-electrical table mechanisms, monitor arms, lecterns, coat trees and task lights - five (5) years
- Laminate folding tables - one (1) year
- Motorized electrical components - two (2) years
- Keyless lock options - two (2) years

Files, Desks, Modular Furniture, Tables, Panels & Accessories Warranty Summary

Product Type	Components Warranty For Original Purchaser	Exceptions
Metal storage and filing	Lifetime	keyless lock options - 2 years
Laminate/wood veneer desks and modular furniture	Lifetime	tackboard textiles, electrical devices, task lights - 5 years
Boardroom, conference, training and general tables	Lifetime	electrical devices - 5 years moving parts - 5 years
Electric height adjustable bases	7 years	battery pack - 1 year
Non-electric height adjustable bases	5 years	
Productivity Solutions and Accessories (adjustable keyboard mechanisms, monitor arms, coat trees, writeable surfaces/whiteboards)	5 years	writeable surfaces/whiteboards - 3 years
Overbed tables	2 years	
Panels	Lifetime	panel textiles, electrical devices, task lights - 5 years

Global's Warranty does not apply (for any product category) to the following:

- Nominal or normal amount of wear and tear that can occur over time
- Failures which result from negligence, abuse, accident or misuse
- Failure to apply, install or maintain products according to Global's written instructions and warnings
- Modifications, attachments or repair methods not approved by Global
- Damage caused by a carrier in transit, or delivery/installation contractors
- The matching of colors, grains or textures (wood, leather, etc.) of natural materials
- Products exposed to extreme hot or cold temperatures or excessively dry or humid environments
- Colorfastness or the matching of color of textiles, dye lots of textile can vary
- Damage by markings or staining; damage by sharp objects or imprinting from instruments
- Damage to textiles or laminate and wood surfaces/edges from exposure to sunlight (including UV rays)
- Products used for rental purposes
- Purchased parts are warranted for one (1) year
- Failure to follow specific cleaning and disinfecting instructions posted on [globalfurnituregroup.com](http://globalfurnituregroup.com)

Global's warranty does not cover the costs of transportation or labor. Repair or replacement will be at Global's option.

Global makes no warranty that any of its products are suitable for any particular purpose and makes no other warranties, express or implied, other than those set out here. As codes and standards vary from one jurisdiction to another, references to compliance are solely for convenience and without any representation as to accuracy or suitability. Users must verify the suitability of such information or product for their specific application. In no event shall Global be liable in either tort or contract for any loss or direct, special, incidental, consequential, or exemplary damages.

Global's warranty applies to products sold within the United States of America, Mexico, the Commonwealth of Puerto Rico and Canada.