



**Productivity Solutions™ by Global** is a comprehensive series of ergonomically sound products, naturally connecting people with technology to enhance comfort and productivity. Designed to fit you and your technology and fully integrate with Global products to create complete office solutions that meet the needs of today's diverse workplaces.

Designed with human capabilities and comfort in mind, Productivity Solutions by Global provide a good fit for today's workers and meet or exceed ergonomics standards, guidelines and ANSI/BIFMA standards for performance, durability and safety.

FIT = move + match + support

**Features and Benefits**

- Manual height adjustable table has counterbalanced spring mechanism
- Five keyboard support mechanisms
- Four keyboard trays
- Monitor arm options
- Wire management and power/data options
- Meets ANSI-BIFMA, Greenguard Indoor Air Quality, Greenguard Gold Certified



Monitor arm



Power/data module



Lift-N-lock keyboard mechanism



Manual height adjustable desk

Foli electric height adjustable table

## MANUAL HEIGHT ADJUSTABLE TABLES

- Manually operated height adjustable tables with counterbalanced spring mechanism
- Exceptional ergonomic alternative to traditional desking
- Sit-Stand design promotes increased circulation, improving performance and comfort
- Can be used alone or in conjunction with Global desks.

**Please note:** Global desks are 1" or 1.5" thick.

- Meets ANSI/BIFMA requirements

## TOP FINISHES

|     |                 |     |                    |
|-----|-----------------|-----|--------------------|
| ACJ | Absolute Acajou | FCL | First Class        |
| ASN | Asian Night     | NBL | Noce Biondo        |
| AWC | Avant Cherry    | NGL | Noce Grigio        |
| AWH | Avant Honey     | NEL | Noce Leggero       |
| BLK | Black           | NML | Noce Medio         |
| BZD | Blizzard        | QTM | Quartered Mahogany |
| BRC | Brushed Cobalt  | SBY | Sheer Beauty       |
| CMB | Clear Maple     | SOG | Storm Grey         |
| CGY | Custom Grey     | SDT | Stonedust          |
| DES | Dark Espresso   | WHE | Walnut Heights     |
| DWT | Designer White  | WHC | White Chocolate    |
| FAS | Fashionista     | WCR | Winter Cherry      |

## CONSTRUCTION

- 1" thick tops constructed of 45 lb. density particle board with high performance thermally fused laminate

## DIMENSIONS

- When designing workstations, leave 1" clearance on either side to prevent finger pinch

## EDGE

- Preferred matching edge

## BASE

- Heavy duty steel formed legs with radius detail are available in Black only
- Easy to reach tension control supports loads up to 100 lbs.
- Environmentally friendly, recyclable epoxy powder coating provides a durable finish. Black only.
- Black plastic leveling glides offer 0.5" adjustability

## GROMMETS

- Grommets available in standard worksurface locations (left, center or right)
- Order as: **AG1, AG2 or AG3. Add \$103.**




- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep

## MECHANISM

- Counterbalanced height adjustable base supports weights up to 100 lbs.
- Height range from floor to underside of modesty shroud is 17" when surface height is 26"
- 7 year warranty

## SHIPPING

- Shipped RTA (Ready to Assemble)
- Easy to assemble with Phillips or Robertson screwdriver



Top

Base

Rectangular Table

| MODEL#                   | DIMENSIONS<br>D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE    |
|--------------------------|-------------------------|---------------|---------|-----------|---------------|
| <b>Rectangular Tops:</b> |                         |               |         |           |               |
| HTM3058T                 | 30 x 58 x 1             | 70            | 50      | 2.50      | <b>\$589</b>  |
| HTM3046T                 | 30 x 46 x 1             | 70            | 40      | 2         | <b>\$494</b>  |
| HTM2458T                 | 24 x 58 x 1             | 70            | 40      | 2         | <b>\$452</b>  |
| HTM2446T                 | 24 x 46 x 1             | 70            | 32      | 1.50      | <b>\$420</b>  |
| <b>Base:</b>             |                         |               |         |           |               |
| KEZLIFT                  | 24 x 34.5 x 26-46       | 70            | 88      | 5.40      | <b>\$3154</b> |

Paddle activated height adjustable base. Height adjustable from 26" to 46". Keyboard tray and mechanism not necessary

- Specify base separately from top**

## Required Specifications

Top Finish

FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES

D x W x H

- Electric height adjustment allows for easy movement from sitting to standing and back throughout the day. Foli's work surface moves with you and your work without interruption.
- Foli offers a universal freestanding design and finish options to easily integrate with existing Global workstation configurations, becoming a natural part of your office space
- Whether in a private or general office, touch-down space, collaborative area or home office, Foli supports a more active and healthy work style
- Can be used alone or in conjunction with Global desks. Please note Global desks are 1" or 1.5" thick.

TOP FINISHES

|     |                 |     |                    |
|-----|-----------------|-----|--------------------|
| ACJ | Absolute Acajou | FCL | First Class        |
| ASN | Asian Night     | NBL | Noce Biondo        |
| AWC | Avant Cherry    | NGL | Noce Grigio        |
| AWH | Avant Honey     | NEL | Noce Leggero       |
| BLK | Black           | NML | Noce Medio         |
| BZD | Blizzard        | QTM | Quartered Mahogany |
| BRC | Brushed Cobalt  | SBY | Sheer Beauty       |
| CMB | Clear Maple     | SOG | Storm Grey         |
| CGY | Custom Grey     | SDT | Stonedust          |
| DES | Dark Espresso   | WHE | Walnut Heights     |
| DWT | Designer White  | WHC | White Chocolate    |
| FAS | Fashionista     | WCR | Winter Cherry      |

TOP DETAILS

- Tops are 1" thick, constructed of 45 lb. density particle board with high performance thermally fused laminate on both sides.
- Optional high pressure laminate (HPL) tops are 1-1/16" thick.
- HPL tops have a kraft paper backing on the underside.

BASE

- Lower tube dimensions: 80mm x 60mm (3.149" x 2.362"); this is the largest tube in the assembly.
- Leg style: off-center feet with "C"-leg and sidebar configuration.
- Width adjustability: base expands from 47.8" to 71.4" (commonly referenced as 48"-72").
- Foot depth: 23.6".
- Sidebar depth: 19.7".
- Leg construction: 3-stage steel tubing with dual motors concealed inside the column.
- Power cord: 108", 3-prong.
- Height adjustment range: 21.5"-47.7" (not including top thickness).
- Glide leveling adjustment: up to 0.45".
- Operating speed: 1.3" per second.
- Lifting capacity: 300 lbs.
- Power consumption: shadow draw 0.3 watts or less; max power draw 1.5A.
- Base finish options: Black (BLK), Designer White (DWT) and Tungsten (TUN).
- Controller: push-button with digital readout and four memory positions and built in accelerometer.
- Motor Current Detection System included as standard.


ASSEMBLY GUIDELINES

- All table frames are easy to assemble with few parts.
- Recommended torque for all fasteners is 3-5 ft-lbs and should not be exceeded.
- Do not use impact drivers or high-torque equipment; this can cause damage that is not covered under warranty.
- Hand tools are strongly recommended.
- Installation Guide available at [globalfurnituregroup.com](http://globalfurnituregroup.com)


GROMMETS

- Grommets available in standard table top locations (left, center or right). Order as: **AG1, AG2 or AG3 - Add \$103**
- Return tops: cut-out available in center only (AG2)
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.
- Grommets may be placed at non-standard locations. Order as: **AGS - Add \$103**. A drawing must be supplied with vertical and horizontal dimensions to the center of the cut-out (as in drawing below). Please refer to CUSTOM GROMMET LOCATION FORM in the back reference section.


Grommet hole dimensions:



Grommet:



Grommet Locations:



POWER BLOCK

- A power block (model **PMSPDM**) may be installed on all Foli tables
- The power block module includes one electrical duplex receptacle and two data (RJ45) receptacles. 9' Black cord with NEMA plug. Power block dimensions are 6.5"W x 3.5"D x 2.75"H.
- Power block cut-out dimensions are 2.75"D x 6"W.
- Specify the power block cut-out location when ordering the table. The power block is ordered separately. Order power block separately as **PMSPDM, Add \$352**. Power blocks are available in standard worksurface locations (left, center or right). Specify **E1, E2 or E3 cut-out location. Add \$103**.
- Return tops: cut-out available in center only (E2)



Power Block **PMSPDM. Add \$352**



Specify location **E1, E2 or E3. Add \$103**

SHIPPING

- Shipped unassembled in 1 carton
- Easy to assemble.

## FOLI ELECTRIC HEIGHT ADJUSTABLE TABLES

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## HP ADD

## D x W x H

## Rectangular Tops:

|           |             |    |    |     |              |              |
|-----------|-------------|----|----|-----|--------------|--------------|
| PHAT2970T | 29 x 70 x 1 | 65 | 70 | 2.6 | <b>\$626</b> | <b>\$314</b> |
| PHAT2964T | 29 x 64 x 1 | 65 | 64 | 2.4 | <b>\$597</b> | <b>\$299</b> |
| PHAT2958T | 29 x 58 x 1 | 65 | 59 | 2.2 | <b>\$571</b> | <b>\$286</b> |
| PHAT2952T | 29 x 52 x 1 | 65 | 52 | 2   | <b>\$560</b> | <b>\$281</b> |
| PHAT2946T | 29 x 46 x 1 | 65 | 44 | 1.8 | <b>\$546</b> | <b>\$273</b> |

|           |             |    |    |     |              |              |
|-----------|-------------|----|----|-----|--------------|--------------|
| PHAT2370T | 23 x 70 x 1 | 65 | 57 | 2.1 | <b>\$621</b> | <b>\$311</b> |
| PHAT2364T | 23 x 64 x 1 | 65 | 52 | 1.9 | <b>\$573</b> | <b>\$287</b> |
| PHAT2358T | 23 x 58 x 1 | 65 | 47 | 1.8 | <b>\$547</b> | <b>\$274</b> |
| PHAT2352T | 23 x 52 x 1 | 65 | 46 | 1.6 | <b>\$493</b> | <b>\$247</b> |
| PHAT2346T | 23 x 46 x 1 | 60 | 44 | 1.4 | <b>\$460</b> | <b>\$231</b> |

## Base:

|         |                |    |    |     |               |     |
|---------|----------------|----|----|-----|---------------|-----|
| PH3T665 | 10 x -- x 26.8 | 65 | 83 | 3.2 | <b>\$1020</b> | n/a |
|---------|----------------|----|----|-----|---------------|-----|

- Available in Black (**BLK**), Designer White (**DWT**), Tungsten (**TUN**)
- Specify base separately from top



Top



Base

## Foli Rectangular Table



Top



base

## Return Kit

## Return Tops:


|           |             |    |    |     |              |              |
|-----------|-------------|----|----|-----|--------------|--------------|
| PHAR2947T | 29 x 47 x 1 | 65 | 44 | 1.8 | <b>\$546</b> | <b>\$273</b> |
| PHAR2941T | 29 x 41 x 1 | 65 | 41 | 1.6 | <b>\$540</b> | <b>\$271</b> |
| PHAR2935T | 29 x 35 x 1 | 65 | 35 | 1.4 | <b>\$540</b> | <b>\$271</b> |

|           |             |    |    |     |              |              |
|-----------|-------------|----|----|-----|--------------|--------------|
| PHAR2347T | 23 x 47 x 1 | 60 | 44 | 1.4 | <b>\$460</b> | <b>\$231</b> |
| PHAR2341T | 23 x 41 x 1 | 65 | 32 | 1.2 | <b>\$438</b> | <b>\$220</b> |
| PHAR2335T | 23 x 35 x 1 | 65 | 27 | 1.1 | <b>\$397</b> | <b>\$199</b> |

## Third Leg Kit:

|           |                |    |      |      |              |     |
|-----------|----------------|----|------|------|--------------|-----|
| PH3TLK665 | 10 x -- x 26.8 | 60 | 44.5 | 1.22 | <b>\$546</b> | n/a |
|-----------|----------------|----|------|------|--------------|-----|

- Available in Black (**BLK**), Designer White (**DWT**), Tungsten (**TUN**).
- The third leg kit is used with a Foli freestanding table to create an electric height-adjustable L-station.
- The post leg with return kit replaces one of the C-legs on the freestanding table.
- The removed C-leg is then repositioned to support one side of the return top.
- A crossbar is included to connect and support the return top to the freestanding table top.
- The configuration can be set up for either left-hand or right-hand returns.
- All three legs plug into the freestanding table's controller, allowing the three motors to electronically synchronize.
- The overall footprint with a return kit must not exceed 72"W x 72"D.
- The 48"W return kit may only be used with a 24"D primary table.
- The 36"W and 42"W return kits may be used with either 24"D or 30"D primary tables.



## 1.5" Dual Wheel Casters

|           |             |    |   |     |             |     |
|-----------|-------------|----|---|-----|-------------|-----|
| P79100014 | - x - x 1.5 | 60 | 2 | 0.4 | <b>\$83</b> | N/A |
|-----------|-------------|----|---|-----|-------------|-----|

Pack of four casters, two locking and two non-locking. Interchangeable on site with levelers on Foli electric height adjustable table PHATxxxx models only.

- **Cannot be used with Third Leg Kit**

## Required Specifications

Top Finish  
Base finish

## Optional Specifications

High Pressure Laminate  
Grommet

## PET FELT PANELS PRIVACY SCREEN AND MODESTY PANELS

- PET felt privacy screens and modesty panels add seated privacy to open plan deskings or tables.
- 9mm thick panels offered in 18 felt colors.
- Made from 100% PET (polyester) fiber with a high content of post-recycled material (50%), free of added chemicals, binders and adhesives.
- Lightweight material is tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly.
- Variation in fiber mix and color are inherent to the character of the product.
- Requires a free clear edge of 1.5"D x length of privacy screen or modesty panel for mounting
- Privacy screen upmount brackets adapt to 1" thick TFL or 11/16" thick HPL tops and do not mar the top surface.
- Clamps are included. Available in satin anodized finish only.

### D x W x H

### FELT COLORS

(AMT) Amethyst  
(APR) Apricot  
(BLK) Black  
(BSK) Blue Smoke  
(BRI) Brick  
(CNN) Carnation  
(DEN) Denim  
(EMD) Emerald  
(GPH) Graphite

(HVT) Harvest  
(LAP) Lapis  
(MTS) Mist  
(NVY) Navy  
(PWT) Pewter  
(RBY) Ruby  
(SHR) Shamrock  
(SFR) Sunflower  
(WHT) White

### PET FELT PRIVACY SCREENS

### MODEL#

### DIMENSIONS

### FREIGHT CLASS


### WT/LBS.

### CUBIC FT.

### LIST PRICE

### D x W x H


|             |                 |     |      |      |              |
|-------------|-----------------|-----|------|------|--------------|
| PT9PP3013-1 | .36 x 30 x 12.5 | 250 | 2.12 | .57  | <b>\$190</b> |
| PT9PP3613-1 | .36 x 36 x 12.5 | 250 | 2.38 | .69  | <b>\$201</b> |
| PT9PP4213-1 | .36 x 42 x 12.5 | 250 | 2.63 | .80  | <b>\$270</b> |
| PT9PP4813-1 | .36 x 48 x 12.5 | 250 | 3.31 | .91  | <b>\$279</b> |
| PT9PP5413-1 | .36 x 54 x 12.5 | 250 | 3.57 | 1.03 | <b>\$349</b> |
| PT9PP6013-1 | .36 x 60 x 12.5 | 250 | 3.82 | 1.14 | <b>\$359</b> |
| PT9PP6613-1 | .36 x 66 x 12.5 | 250 | 4.50 | 1.25 | <b>\$428</b> |
| PT9PP7213-1 | .36 x 72 x 12.5 | 250 | 4.76 | 1.36 | <b>\$438</b> |
| PT9PP7813-1 | .36 x 78 x 12.5 | 250 | 5.01 | 1.48 | <b>\$448</b> |



PET Felt Privacy Screen - 1 pk.

PET felt privacy screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel




PET Felt Privacy Screen - 4 pk.

|             |                  |      |       |      |               |
|-------------|------------------|------|-------|------|---------------|
| PT9PP3013-4 | 0.36 x 30 x 12.5 | 85   | 7.64  | .60  | <b>\$717</b>  |
| PT9PP3613-4 | 0.36 x 36 x 12.5 | 85   | 8.56  | .71  | <b>\$759</b>  |
| PT9PP4213-4 | 0.36 x 42 x 12.5 | 92.5 | 9.48  | .83  | <b>\$1025</b> |
| PT9PP4813-4 | 0.36 x 48 x 12.5 | 85   | 11.90 | .98  | <b>\$1064</b> |
| PT9PP5413-4 | 0.36 x 54 x 12.5 | 92.5 | 12.80 | 1.09 | <b>\$1333</b> |
| PT9PP6013-4 | 0.36 x 60 x 12.5 | 92.5 | 13.80 | 1.20 | <b>\$1368</b> |
| PT9PP6613-4 | 0.36 x 66 x 12.5 | 85   | 16.20 | 1.32 | <b>\$1634</b> |
| PT9PP7213-4 | 0.36 x 72 x 12.5 | 92.5 | 17.10 | 1.43 | <b>\$1672</b> |
| PT9PP7813-4 | 0.36 x 78 x 12.5 | 92.5 | 18    | 1.54 | <b>\$1705</b> |

PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel



PET Felt Privacy Screen - 12 pk.

|              |                  |      |       |      |               |
|--------------|------------------|------|-------|------|---------------|
| PT9PP3013-12 | 0.36 x 30 x 12.5 | 92.5 | 21.60 | 1.92 | <b>\$2104</b> |
| PT9PP3613-12 | 0.36 x 36 x 12.5 | 92.5 | 24.30 | 2.26 | <b>\$2217</b> |
| PT9PP4213-12 | 0.36 x 42 x 12.5 | 60   | 26.90 | .80  | <b>\$3004</b> |
| PT9PP4813-12 | 0.36 x 48 x 12.5 | 92.5 | 33.80 | 3.05 | <b>\$3114</b> |
| PT9PP5413-12 | 0.36 x 54 x 12.5 | 92.5 | 36.40 | 3.39 | <b>\$3916</b> |
| PT9PP6013-12 | 0.36 x 60 x 12.5 | 92.5 | 39    | 3.72 | <b>\$4013</b> |
| PT9PP6613-12 | 0.36 x 66 x 12.5 | 92.5 | 45.90 | 4.18 | <b>\$4801</b> |
| PT9PP7213-12 | 0.36 x 72 x 12.5 | 92.5 | 48.50 | 4.51 | <b>\$4898</b> |
| PT9PP7813-12 | 0.36 x 78 x 12.5 | 92.5 | 51.10 | 4.85 | <b>\$4997</b> |


PET Felt Privacy Screen available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. Privacy screen clamps for use on 1" surfaces only.

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel


### Required Specifications

Finish


## PET FELT MODESTY PANELS



**PET Felt Modesty Panel - 1 pk.**



**PET Felt Modesty Panel - 4 pk.**



**PET Felt Modesty Panel - 12 pk.**

| MODEL#      | DIMENSIONS<br>D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|-------------|-------------------------|---------------|---------|-----------|--------------|
| PT9MP3013-1 | .36 x 30 x 12.5         | 250           | 2.12    | .57       | <b>\$168</b> |
| PT9MP3613-1 | .36 x 36 x 12.5         | 250           | 2.38    | .69       | <b>\$178</b> |
| PT9MP4213-1 | .36 x 42 x 12.5         | 250           | 2.63    | .80       | <b>\$235</b> |
| PT9MP4813-1 | .36 x 48 x 12.5         | 250           | 3.31    | .91       | <b>\$244</b> |
| PT9MP5413-1 | .36 x 54 x 12.5         | 250           | 3.57    | 1.03      | <b>\$317</b> |
| PT9MP6013-1 | .36 x 60 x 12.5         | 250           | 3.82    | 1.14      | <b>\$324</b> |
| PT9MP6613-1 | .36 x 66 x 12.5         | 250           | 4.50    | 1.25      | <b>\$380</b> |
| PT9MP7213-1 | .36 x 72 x 12.5         | 250           | 4.76    | 1.36      | <b>\$393</b> |
| PT9MP7813-1 | .36 x 78 x 12.5         | 250           | 5.01    | 1.48      | <b>\$402</b> |

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

|             |                  |      |       |      |               |
|-------------|------------------|------|-------|------|---------------|
| PT9MP3013-4 | 0.36 x 30 x 12.5 | 85   | 7.64  | .60  | <b>\$627</b>  |
| PT9MP3613-4 | 0.36 x 36 x 12.5 | 85   | 8.56  | .71  | <b>\$667</b>  |
| PT9MP4213-4 | 0.36 x 42 x 12.5 | 92.5 | 9.48  | .83  | <b>\$888</b>  |
| PT9MP4813-4 | 0.36 x 48 x 12.5 | 85   | 11.90 | .98  | <b>\$927</b>  |
| PT9MP5413-4 | 0.36 x 54 x 12.5 | 92.5 | 12.80 | 1.09 | <b>\$1196</b> |
| PT9MP6013-4 | 0.36 x 60 x 12.5 | 92.5 | 13.80 | 1.20 | <b>\$1231</b> |
| PT9MP6613-4 | 0.36 x 66 x 12.5 | 85   | 16.20 | 1.32 | <b>\$1449</b> |
| PT9MP7213-4 | 0.36 x 72 x 12.5 | 92.5 | 17.10 | 1.43 | <b>\$1488</b> |
| PT9MP7813-4 | 0.36 x 78 x 12.5 | 92.5 | 18    | 1.54 | <b>\$1523</b> |

PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

|              |                  |      |       |      |               |
|--------------|------------------|------|-------|------|---------------|
| PT9MP3013-12 | 0.36 x 30 x 12.5 | 92.5 | 21.60 | 1.92 | <b>\$1828</b> |
| PT9MP3613-12 | 0.36 x 36 x 12.5 | 92.5 | 24.30 | 2.26 | <b>\$1942</b> |
| PT9MP4213-12 | 0.36 x 42 x 12.5 | 92.5 | 26.90 | 2.60 | <b>\$2592</b> |
| PT9MP4813-12 | 0.36 x 48 x 12.5 | 92.5 | 33.80 | 3.05 | <b>\$2700</b> |
| PT9MP5413-12 | 0.36 x 54 x 12.5 | 92.5 | 36.40 | 3.39 | <b>\$3501</b> |
| PT9MP6013-12 | 0.36 x 60 x 12.5 | 92.5 | 39    | 3.72 | <b>\$3598</b> |
| PT9MP6613-12 | 0.36 x 66 x 12.5 | 92.5 | 45.90 | 4.18 | <b>\$4248</b> |
| PT9MP7213-12 | 0.36 x 72 x 12.5 | 92.5 | 48.50 | 4.51 | <b>\$4347</b> |
| PT9MP7813-12 | 0.36 x 78 x 12.5 | 92.5 | 51.10 | 4.85 | <b>\$4444</b> |



PET felt modesty panel available in 9 finishes, please specify. 2, 3 or 4 clamps are included depending on width. Clamps available in satin anodized finish only. **Specify a nominal size 6" shorter than worksurface size.**

- Up to 42"w - 2 clamps per panel
- 48"-60"w - 3 clamps per panel
- 66"-78"w - 4 clamps per panel

### Required Specifications

Finish

| PET TRI-FOLD SCREENS                                                                                                                                                                                                                                                                                                                                                                                                                                                          | MODEL# | DIMENSIONS | FREIGHT CLASS    | WT/LBS.         | CUBIC FT. | LIST PRICE |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|------------------|-----------------|-----------|------------|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        | D x W x H  |                  |                 |           |            |
| <ul style="list-style-type: none"><li>• 9mm thick panels offered in 18 finishes</li><li>• Made from 100% PET (polyester) fiber with a high content (50%) of post-recycled material, free of added chemicals, binders and adhesives</li><li>• Lightweight panels are tackable, impact and tear resistant, bacteria resistant, moisture resistant, and installation friendly</li><li>• Variation in fiber mix and color are inherent to the character of the product.</li></ul> |        |            | FELT COLORS      |                 |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (AMT) Amethyst   | (HVT) Harvest   |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (APR) Apricot    | (LAP) Lapis     |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (BLK) Black      | (MTS) Mist      |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (BSK) Blue Smoke | (NVY) Navy      |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (BRI) Brick      | (PWT) Pewter    |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (CNN) Carnation  | (RBY) Ruby      |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (DEN) Denim      | (SHR) Shamrock  |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (EMD) Emerald    | (SFR) Sunflower |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            | (GPH) Graphite   | (WHT) White     |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |        |            |                  |                 |           |            |




| PET TRI-FOLD SCREENS                                                              | MODEL#                                                                                                                                                                                                                                            | DIMENSIONS         | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|-----------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------|---------|-----------|--------------|
|                                                                                   |                                                                                                                                                                                                                                                   | D x W x H          |               |         |           |              |
|  | PSDTP3224                                                                                                                                                                                                                                         | 15.5 x 31.5 x 23.5 | 85            | 7       | 0.5       | <b>\$323</b> |
|                                                                                   | Lightweight freestanding desktop partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble. |                    |               |         |           |              |
|  | PSFSP3260                                                                                                                                                                                                                                         | 15.5 x 31.5 x 60   | 92.5          | 13      | 1.2       | <b>\$731</b> |
|                                                                                   | Lightweight freestanding floor partition. Move wherever you need to provide a focus space. 9mm thick PET Felt, no hardware connections. Folds flat for storage when not in use. Ships in two pieces with a puzzle-like joint. Easy to assemble.   |                    |               |         |           |              |

Required Specifications

Finish

## G7 MONITOR ARMS

- Free up valuable space on surfaces
- Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.
- Clamps on worksurfaces 0.5" to 2.625" thick.
- For use in grommets up to 3.5" wide
- Built-in cable management on arm and at the back of the base.
- Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)
- Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.
- Available finishes: Black (**BLK**), Designer White (**DWT**), Tungsten (**TUN**).





| G7 MONITOR ARMS                                                                                                                                                                                                                                                                                                                                                                                                   | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | DIMENSIONS    | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------|---------|-----------|--------------|
| <div>  <p><b>G7 Monitor Arm, Single</b></p> </div> <div>  <p><b>G7 Monitor Arm, Double</b></p> </div> <div>  <p><b>G7 Mini Slide Monitor Arm</b></p> </div> | D x W x H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |               |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | PSMA1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 5.5 x -- x 21 | 85            | 6.6     | 0.47      | <b>\$370</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | <p>For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum 20.5" extension from rear of the desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34". Some assembly required.</p> <ul style="list-style-type: none"> <li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li> <li>• Also accommodates mini slide arm, <b>PSMS</b>.</li> </ul>           |               |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | PSMA2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 5.5 x -- x 21 | 85            | 11.44   | 0.8       | <b>\$612</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | <p>For use with monitors weighing 4.4 to 19.8 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum 20.5" extension from rear of the desk to back of monitor, folds to 4.5". Monitor can rotate for portrait or landscape viewing with -90° to 45° tilt adjustment. 180° lockout function. Maximum monitor width of 34" (per arm). Some assembly required.</p> <ul style="list-style-type: none"> <li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li> <li>• Also accommodates mini slide arm, <b>PSMS</b>.</li> </ul> |               |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | PSMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | 6 x 11 x 4.5  | 92.5          | 3.3     | 0.29      | <b>\$122</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                   | <p>For use with <b>PSMA1</b> and <b>PSMA2</b> monitor arms only. Provides 9" of lateral adjustment for the monitor and allows for better positioning when used side by side. Some assembly required. Loading capacity of 13.2 lbs. Quick release VESA plate.</p> <ul style="list-style-type: none"> <li>• Available in Black (<b>BLK</b>), Designer White (<b>DWT</b>) and Tungsten (<b>TUN</b>).</li> <li>• If for <b>PSMA1</b>, order (1)</li> <li>• If for <b>PSMA2</b>, order (2)</li> </ul>                                                                                                |               |               |         |           |              |

Required Specifications

Finish




| MONITOR ARMS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |        |            |               |         |           |            |
| <ul style="list-style-type: none"><li>• Free up valuable space on surfaces</li><li>• Attach to any standard 1" to 1.5" thick surface surface with flush edge by a desk clamp or through a grommet. Mounting hardware included.</li><li>• Clamps on worksurfaces 0.5" to 2.625" thick.</li><li>• 9" vertical height adjustment on 12" post</li><li>• For use in grommets up to 3.5" wide</li><li>• Built-in cable management</li><li>• Quick connect option is standard with hole patterns to meet Video Electronics Standards Association (VESA) standards (75mm x 75mm or 100mm x 100mm)</li><li>• Monitor arm components are 100% recycled aluminum die cast material, providing stability and durability.</li><li>• Available finishes: Silver (<b>SIL</b>) standard; Black (<b>BLK</b>) and White (<b>WTE</b>) where noted otherwise.</li></ul> |        |            |               |         |           |            |


| MONITOR ARMS, SINGLE SCREEN                                                         | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                            | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|---------|-----------|--------------|
|    | MON1SPP                                                                                                                                                                                                                                                                                                                                                                                                                                           | -- x -- x -- | 150           | 5.80    | 1.20      | <b>\$357</b> |
| <b>Single Screen Pole Position</b>                                                  | No extension arms. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.                                                                                                                                                                                                                                                                                                                                              |              |               |         |           |              |
|     | MON1SSE                                                                                                                                                                                                                                                                                                                                                                                                                                           | -- x -- x -- | 150           | 6.20    | 1.20      | <b>\$482</b> |
| <b>Single Screen Single Extension Arm</b>                                           | 9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.                                                                                                                                                                                    |              |               |         |           |              |
|  | MON1SSEH                                                                                                                                                                                                                                                                                                                                                                                                                                          | -- x -- x -- | 125           | 7.20    | 1.10      | <b>\$616</b> |
| <b>Single Screen Single Extension Arm with Height Adjustment</b>                    | Counterbalanced arm provides an additional 13" of height adjustment. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. 9.5" horizontal reach from center of pole to front of monitor mounting plate. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width. |              |               |         |           |              |
|  | MON1SDE                                                                                                                                                                                                                                                                                                                                                                                                                                           | -- x -- x -- | 125           | 7.50    | 1.20      | <b>\$601</b> |
| <b>Single Screen Double Extension Arm</b>                                           | Double extension allows 19" of horizontal back and forth movement. Arm folds back to post for more desk space. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.                                                                                                                                                   |              |               |         |           |              |

**Required Specifications**  
Finish


MONITOR ARMS



Single Screen Double Extension Arm  
w/Height Adjustment



Single Screen Double Extension Arm  
- Light Duty



Single Screen Double Extension Arm  
- Medium Duty

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

| MODEL#   | D x W x H         | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------|-------------------|---------------|---------|-----------|------------|
|          |                   |               |         |           |            |
| MON1SDEH | 29.3 x 9.5 x 12.5 | 125           | 8.20    | 1.10      | \$722      |

Counterbalanced arm provides an additional 12.4" of height adjustment. Double extension allows 24.5" of horizontal back and forth movement. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity. No maximum monitor width.

|         |               |     |       |      |       |
|---------|---------------|-----|-------|------|-------|
| M7750LD | 5.5 x -- x -- | 100 | 10.34 | 1.12 | \$826 |
|---------|---------------|-----|-------|------|-------|


For use with monitors weighing 5 to 20 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7750LDB or **White finish** #M7750LDW.

|         |               |     |       |      |       |
|---------|---------------|-----|-------|------|-------|
| M7755MD | 5.5 x -- x -- | 100 | 10.34 | 1.12 | \$880 |
|---------|---------------|-----|-------|------|-------|

For use with monitors weighing 10 to 30 lbs. Adjustable counterbalance provides free floating fingertip control. Maximum of 26.7" extension from rear of desk to back of monitor; folds to 4.5". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width. • Also available in **Black finish** #M7755MDB or **White finish** #M7755MDW.

MONITOR ARMS, DUAL SCREEN



Dual Screen Double Extension Arm

MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE

|          |                       |      |       |     |        |
|----------|-----------------------|------|-------|-----|--------|
| M7760DSS | 26 x 8.4-30.75 x 24.4 | 92.5 | 14.75 | 1.3 | \$1141 |
|----------|-----------------------|------|-------|-----|--------|


For use with monitors weighing 6 to 28 lbs. total and maximum width of 24" diagonal. Adjustable counterbalance provides free floating fingertip control. Maximum of 30.8" extension from rear of desk to back of monitor; folds to 8.4". Monitor can rotate 180° for portrait or landscape viewing with -90° to 45° tilt adjustment. Integral monitor weight adjustment gauge. Aluminum die cast construction. VESA plate edge clamp and grommet mount included. Silver finish. Some assembly required. Supports 20 lb. load capacity. No maximum monitor width.

• Also available in **Black finish** #M7760DSB or **White finish** #M7760DSW.


Required Specifications

Finish

MONITOR ARMS, DUAL SCREEN



Dual Screen Double Extension Arm



Dual Screen Double Extension Arm with Height Adjustment

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|---------|-----------|------------|
|--------|------------|---------------|---------|-----------|------------|


|         |                |     |       |      |        |
|---------|----------------|-----|-------|------|--------|
| MON2SDE | D x W x H      | 100 | 10.70 | 1.20 | \$1062 |
|         | -- x -- x 12.5 |     |       |      |        |

For dual monitor applications. 32" maximum monitor width. Supports a 20lb. load capacity per screen. Double extension arms reach out up to 19". Top of mounting pole is 12.5" from worksurface. Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Minor assembly required.

|          |                |     |   |      |        |
|----------|----------------|-----|---|------|--------|
| MON2SDEH | -- x -- x 12.5 | 150 | 6 | 1.20 | \$1316 |
|----------|----------------|-----|---|------|--------|

For dual monitor applications. 35" maximum monitor width. Supports a 20 lb. load capacity per screen. Counterbalanced arms provide an additional 12.4" of height adjustment. Double extension arms reach out up to 23.5". Easy to use Allen wrench allows user to adjust the counterbalance mechanism for easy movement of the monitor. Both arms can be set at the same height. Displays are able to tilt 180°, swing 180° side-to-side and rotate from landscape to portrait. Cable manager comes on extension arm and hides all cables. Minor assembly required. Supports 20 lb. load capacity.

MONITOR ARMS, QUAD SCREEN





Parabolic Quad Screen Beam Mount

| MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|--------|------------|---------------|---------|-----------|------------|
|--------|------------|---------------|---------|-----------|------------|





|         |              |    |       |     |        |
|---------|--------------|----|-------|-----|--------|
| MONQSBM | -- x -- x -- | 65 | 18.30 | .70 | \$1720 |
|---------|--------------|----|-------|-----|--------|

Supports four monitors. Two outside single extension arms tilt 180° and swing 180° side-to-side. All displays can be rotated from landscape to portrait. Beam is 63.9"w. Minor assembly required. Supports 20 lb. load capacity. 21" maximum monitor width. Bracket for grommet mount only included.


Required Specifications  
Finish

| SIT-STAND WORKSTATIONS                                                            |           | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------------------------------------------------------------------------------|-----------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|---------------|---------|-----------|------------|
|  | D x W x H |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |               |         |           |            |
|                                                                                   | M6011WS   | 28 x -- x --                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 125        | 36            | 4.8     | \$3497    |            |
| <b>Single Screen Sit-Stand Workstation with Keyboard Tray and Shelf</b>           |           | Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Monitor weight limit from 5 to 25 lbs. Silver/Grey (SG) finish. Assembly required. <ul style="list-style-type: none"><li>Also available in <b>Black/Black (B/B) finish</b> #M6011WSBB or <b>White/Grey (WG) finish</b> #M6011WSWG.</li></ul>                                                               |            |               |         |           |            |
|  | D x W x H |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |               |         |           |            |
|                                                                                   | M6021WS   | 28 x -- x --                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 100        | 42            | 4.8     | \$3872    |            |
| <b>Dual Screen Sit-Stand Workstation with Keyboard Tray and Shelf</b>             |           | Desktop edge (rear, side or corner) or grommet mount on 24" or 30" deep worksurfaces. Transition between seated and standing positions, HFES compliant. Over 22" of gas assisted height adjustment plus independent height adjustable mechanism for the keyboard tray. Additional 9.5" of independent counterbalance height adjustment for the monitor. 45° of tilt and 90° of portrait to landscape rotation. Accommodates most 24" monitors weighing up to 8 lbs. each and offers independent screen adjustments. Silver/Grey (SG) finish. Assembly required. <ul style="list-style-type: none"><li>Also available in <b>Black/Black (B/B) finish</b> #M6021WSBB or <b>White/Grey (WG) finish</b> #M6021WSWG.</li></ul> |            |               |         |           |            |
|                                                                                   |           |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |            |               |         |           |            |


Required Specifications  
Finish

| KEYBOARD MECHANISMS                                                                                                                          | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|----------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------|---------|-----------|--------------|
| <br><b>Tray with Sliding Mouse Support</b>                   | D x W x H                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |                   |               |         |           |              |
|                                                                                                                                              | KT01                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | 10.5 x 21.3 x 2   | 70            | 7       | .40       | <b>\$293</b> |
|                                                                                                                                              | Mouse surface slides below support for left or right mouse positioning. Keyboard surface is 21”w x 11”d. Mouse surface extends 9” beyond the side of the tray. Compatible with all Global keyboard mechanisms. ABS plastic tray and sliding mouse tray.<br>• <b>Specify mechanism separately (see next page)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                   |               |         |           |              |
|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |               |         |           |              |
| <br><b>27” HDPE Tray</b>                                     | KT27M02                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | 11.5 x 27.5 x .38 | 70            | 6       | .40       | <b>\$377</b> |
|                                                                                                                                              | Allows mouse to be easily positioned at the same height as, and to the left or right of, the keyboard. Palm rest is easily removable. Includes anti-slip strips. High Density Polyethylene (HDPE) surface material. SSU palm rest. Compatible with all Global keyboard mechanisms.<br>• <b>Specify mechanism separately (see next page)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                   |               |         |           |              |
|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |               |         |           |              |
|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |               |         |           |              |
| <br><b>Tray with Height Adjustable Mouse Support - Black</b> | KTMT03                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 11.5 x 23 x 2.8   | 100           | 5.80    | .60       | <b>\$407</b> |
|                                                                                                                                              | Low profile tray with highly adjustable Mouse Support that allows the user to position the mouse surface according to their needs and preferences. Mouse support features include: height adjustment, swivel and tilt. User can easily mount on left or right side of keyboard tray, easily swivel and adjust the height position to maintain neutral postures, and independently adjust the mouse surface tilt so mouse stays on the support when the keyboard tray is tilted. Compatible with all Global keyboard mechanisms. Palm rest is easily removable. Includes Mouse Fence with Cable Manager and anti-slip strips. Keyboard tray is 20.5”w x 11”d and mouse support is 11” in diameter. Tray support material is a compact phenolic panel; mouse tray in ABS plastic. Plug-in gel-feel foam palm rest.<br>• <b>Specify mechanism separately (see next page)</b> |                   |               |         |           |              |
|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |               |         |           |              |
|                                                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |                   |               |         |           |              |
| <br><b>Soft Touch Keyboard Support Mechanism</b>           | KSM01-21                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 23.8 x 9 x 4.3    | 85            | 9.20    | .70       | <b>\$291</b> |
|                                                                                                                                              | KSM01-18                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 19.7 x 7.4 x 3.6  | 85            | 7.60    | .60       | <b>\$291</b> |
|                                                                                                                                              | KSM01-12                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 13 x 5 x 2.4      | 85            | 5.10    | .40       | <b>\$291</b> |
|                                                                                                                                              | Soft Touch knob for simultaneous height and tilt adjustment. Spring-assist mechanism. Compatible with all Global keyboard mechanisms. Good for single users who do not adjust their keyboard often.<br>• KSM01-21 requires 21.75” of depth clearance under the surface for installation.<br>• KSM01-18 requires 18” of depth clearance under the surface for installation.<br>• KSM01-12 requires 12” of depth clearance under the surface for installation.<br>• <b>Specify keyboard tray separately (see previous page)</b>                                                                                                                                                                                                                                                                                                                                             |                   |               |         |           |              |


## KEYBOARD MECHANISMS




**Lift-N-Lock Keyboard Support Mechanism**



**Slim Fit Keyboard Support Mechanism**



**Trackless Keyboard Support Mechanism**



**Lift-N-Lock Sit-Stand Mechanism**

## MODEL# DIMENSIONS FREIGHT CLASS WT./LBS. CUBIC FT. LIST PRICE

| D x W x H |                  |    |      |     |              |  |
|-----------|------------------|----|------|-----|--------------|--|
| KSM02-21  | 23.8 x 9 x 9.7   | 85 | 9.70 | .70 | <b>\$381</b> |  |
| KSM02-18  | 19.7 x 7.4 x 8.2 | 85 | 8    | .60 | <b>\$381</b> |  |
| KSM02-12  | 13 x 5 x 5.4     | 85 | 5.40 | .40 | <b>\$381</b> |  |

Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions or for multiple users.

- KSM02-21 requires 21.75" of depth clearance under the surface for installation.
- KSM02-18 requires 18" of depth clearance under the surface for installation.
- KSM02-12 requires 12" of depth clearance under the surface for installation.
- **Specify keyboard tray separately (see previous page)**

Black:

|         |                   |    |      |     |              |  |
|---------|-------------------|----|------|-----|--------------|--|
| KSFK-21 | 17.5 x 7.5 x 4.75 | 70 | 9    | .60 | <b>\$381</b> |  |
| KSFK-18 | 17.5 x 7.5 x 4.75 | 70 | 8.30 | .50 | <b>\$381</b> |  |
| KSFK-12 | 17.5 x 7.5 x 4.75 | 85 | 7.30 | .50 | <b>\$381</b> |  |

Warm White:

|           |                   |    |   |     |              |  |
|-----------|-------------------|----|---|-----|--------------|--|
| KSFK-21-W | 17.5 x 7.5 x 4.75 | 85 | 9 | 0.7 | <b>\$453</b> |  |
|-----------|-------------------|----|---|-----|--------------|--|

Super slim profile accommodates leg clearance requirements of more users. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Height and depth indicators together in dashboard. Compatible with all Global keyboard mechanisms. Good for single users who frequently change positions and for multiple users. Swivels 360°.

- KSFK-21 requires 21.75" of depth clearance under the surface for installation.
- KSFK-18 requires 18" of depth clearance under the surface for installation.
- KSFK-12 requires 12" of depth clearance under the surface for installation.
- **Specify keyboard tray separately (see previous page)**

Black:

|           |                   |    |   |     |              |  |
|-----------|-------------------|----|---|-----|--------------|--|
| KSTRKLS-B | 14.5 x 7.5 x 5.25 | 70 | 6 | 0.3 | <b>\$534</b> |  |
|-----------|-------------------|----|---|-----|--------------|--|




Super slim profile trackless keyboard mechanism designed to fit worksurfaces such as height adjustable tables and benching systems, where space is limited and conventional track mounted keyboard mechanisms will not fit. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Compatible with all Global keyboard trays.

- **Specify keyboard tray separately (see previous page)**


|          |                |    |       |     |              |  |
|----------|----------------|----|-------|-----|--------------|--|
| KSM03-21 | 23.8 x 9 x 9.7 | 85 | 11.80 | .90 | <b>\$611</b> |  |
| KSM03-18 | 19.7 x 7.4 x 8 | 85 | 9.70  | .70 | <b>\$611</b> |  |
| KSM03-12 | 13 x 5 x 5.3   | 85 | 6.50  | .50 | <b>\$611</b> |  |

Ergonomic support for both seated and standing positions. Curved neck allows user closer access to the desk. Compatible with all Global keyboard mechanisms. Soft touch knob for tilt adjustment and independent tilt adjustment. Locks automatically into position with release of tray. Recommended for single users who alternate between sitting and standing.


- KSM03-21 requires 21.75" of depth clearance under the surface for installation.
- KSM03-18 requires 18" of depth clearance under the surface for installation.
- KSM03-12 requires 12" of depth clearance under the surface for installation.
- **Specify keyboard tray separately (see previous page)**

| CPU ACCESSORIES                                                                                                                                                                                                                                                                                                                                                                                     | MODEL#                                                                                                                                                                                     | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------|-----------|------------|
| <div><p><b>CPU Holder on Casters</b></p></div> <div><p><b>Power Park CPU Holder</b></p></div> <div><p><b>CPU Holder on Glide Track</b></p></div> |                                                                                                                                                                                            | D x W x H       |               |         |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                     | PCPU-HC                                                                                                                                                                                    | 15 x 11 x 10.37 | 70            | 8       | 0.45      | \$201      |
|                                                                                                                                                                                                                                                                                                                                                                                                     | Adjusts 5" - 9" in width. Front locking casters. Assembly hardware included. Height without CPU is 10.4". Depth without CPU is 15". Black only.                                            |                 |               |         |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                     | PCPU-HO                                                                                                                                                                                    | 15 x 5-11 x 18  | 92.5          | 11.5    | 1         | \$176      |
|                                                                                                                                                                                                                                                                                                                                                                                                     | Desk mounted CPU Holder. Adjusts 5" - 11" in width. Mounting hardware included. Height without CPU is 18". Depth without CPU is 15". Black only.                                           |                 |               |         |           |            |
|                                                                                                                                                                                                                                                                                                                                                                                                     | PCPU-GT                                                                                                                                                                                    | -- x -- x --    | 100           | 12.6    | 1.4       | \$435      |
|                                                                                                                                                                                                                                                                                                                                                                                                     | Accepts tower CPUs with widths from 3.5" to 9.3" and heights from 12.5" to 22.5". 17" glide track and 360° swivel for easy access to rear of CPU. Steel and engineered resin construction. |                 |               |         |           |            |


## TASK LIGHTING




LED Task Light



Starter LED Task Light



Add-On LED Task Light



Occupancy Sensor

## MODEL#

## DIMENSIONS

## FREIGHT CLASS

## WT/LBS.

## CUBIC FT.

## LIST PRICE

## D x W x H

|         |                 |     |   |     |              |
|---------|-----------------|-----|---|-----|--------------|
| PLED30  | 1.5 x 15.5 x .5 | 150 | 2 | 0.5 | <b>\$522</b> |
| PLED50  | 1.5 x 23.5 x .5 | 150 | 2 | .50 | <b>\$601</b> |
| PLED100 | 1.5 x 43.5 x .5 | 125 | 3 | .50 | <b>\$697</b> |

Energy efficient LED. Ultra slim design. Suitable for hanging under hutch or wallhung units. 6' power cord. UL listed: UL 153.

|          |                   |    |     |      |              |
|----------|-------------------|----|-----|------|--------------|
| PLEDS240 | 0.94 x 22.9 x .79 | 70 | 2.5 | 0.13 | <b>\$257</b> |
| PLEDS360 | 0.94 x 33.5 x .79 | 70 | 2.8 | 0.16 | <b>\$296</b> |
| PLEDS480 | 0.94 x 45.5 x .79 | 70 | 3.2 | 0.21 | <b>\$329</b> |

Undercabinet slim profile LED linear light fixture with lens and On/Off switch. May be used as stand-alone or extended with add-on section below (PLEDAxxx). Plug-in power supply with 72" cord length plus 78" DC cable. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

|                               | PLEDS240 | PLEDS360 | PLEDS480 |
|-------------------------------|----------|----------|----------|
| Nominal size                  | 24"W     | 36"W     | 48"W     |
| Number of LEDs                | 36       | 54       | 72       |
| Total light output (lumens)   | 580      | 780      | 1150     |
| Power input per light (watts) | 9        | 13.5     | 18       |

|          |                   |    |     |      |              |
|----------|-------------------|----|-----|------|--------------|
| PLEDA240 | 0.94 x 22.9 x .79 | 70 | 2.5 | 0.13 | <b>\$210</b> |
| PLEDA360 | 0.94 x 33.5 x .79 | 70 | 2.8 | 0.16 | <b>\$249</b> |
| PLEDA480 | 0.94 x 45.5 x .79 | 70 | 3.2 | 0.21 | <b>\$282</b> |

Undercabinet slim profile LED linear add-on light fixture with lens. Daisy chain unit with 39" linking cable, no power supply. Add-on units can only be linked up to a total of 48 watts per power supply; this is equivalent to 10 feet of nominal length of light per power supply. Includes magnetic mounting brackets for both steel and laminate units; for laminate units, additional mounting plates are required and included. Light enclosure in clear anodizing finish. Color temperature cool white 4000K. Lifespan rated 30,000 hours. UL listed: UL 153.

|                               | PLEDA240 | PLEDA360 | PLEDA480 |
|-------------------------------|----------|----------|----------|
| Nominal size                  | 24"W     | 36"W     | 48"W     |
| Number of LEDs                | 36       | 54       | 72       |
| Total light output (lumens)   | 580      | 780      | 1150     |
| Power input per light (watts) | 9        | 13.5     | 18       |

|        |                  |    |      |      |              |
|--------|------------------|----|------|------|--------------|
| PLEDOS | 0.93 x 4.4 x 1.3 | 70 | 0.40 | 0.01 | <b>\$104</b> |
|--------|------------------|----|------|------|--------------|

Inline add-on controller for dimming and occupancy sensor. UL listed: UL153.

## Required Specifications





Finish  
Mount

## Optional Specifications




Occupancy Sensor






| TASK LIGHTING                                                                                                                                                                   | MODEL# | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------|---------------|---------|-----------|------------|
| D x W x H                                                                                                                                                                       |        |            |               |         |           |            |
| Mounting Options for Voyage and Revo Lights:<br>Freestanding Base (FS)<br>Freestanding Base with USB charge port (FSUSB) - Add \$110.<br>Surface Mount (SM)<br>Clamp Mount (CM) |        |            |               |         |           |            |

| REVO + VOYAGE                                                                                            | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|---------|-----------|------------|
| <br>Voyage - Single Arm | LINLAMPS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 6 x 6 x 14.1 | 60            | 2.66    | .01       | \$709      |
|                                                                                                          | Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014.<br>• Occupancy Sensor (OS) - Add \$83 |              |               |         |           |            |
| <br>Voyage - Double Arm | LINLAMPD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 6 x 6 x 21.6 | 60            | 2.66    | .01       | \$726      |
|                                                                                                          | Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 337 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014.<br>• Occupancy Sensor (OS) - Add \$83 |              |               |         |           |            |
| <br>Revo - Single Arm  | RNDLAMPS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 6 x 6 x 14.1 | 60            | 2.66    | .01       | \$709      |
|                                                                                                          | Fully articulating body with single arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014.<br>• Occupancy Sensor (OS) - Add \$83 |              |               |         |           |            |
| <br>Revo - Double Arm | RNDLAMPD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 6 x 6 x 21.6 | 60            | 2.66    | .01       | \$726      |
|                                                                                                          | Fully articulating body with double arm. 6' power cord. Touch and hold dimming capability, with auto shut-off after 10 hours. Brightness adjustment from 100% to 15%. 18 fractional LEDs, 294 lumens, 3500K color temperature. 85 CRI. 94% post consumer recyclability by weight. Available in Black (BLK), White (WHT) and Silver (SLV). Mounting accessories sold separately (see above). Optional integrated USB port in base (FSUSB) allows for charging of mobile devices. UL listed: UL 1153:2014.<br>• Occupancy Sensor (OS) - Add \$83 |              |               |         |           |            |

| Required Specifications | Optional Specifications |
|-------------------------|-------------------------|
| Finish<br>Mount         | Occupancy Sensor        |

| POWER/DATA                                                                                                                                                                                                                                                                                                                                                                           | MODEL#   | DIMENSIONS         | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|--------------------|---------------|---------|-----------|--------------|
|  <p><b>Cable Snake</b></p>                                                                                                                                                                                                                                                                          |          | <b>D x W x H</b>   |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PCSN01   | 2 x 3 x 31.25      | 92.5          | 2.10    | .20       | <b>\$144</b> |
| Flexible cable management. Provides access to power/data from floor to underside of worksurface where it attaches. Two pathways within Cable Snake. Silver ( <b>SIL</b> ) plastic only.                                                                                                                                                                                              |          |                    |               |         |           |              |
|  <p><b>Cable Snake Extension</b></p>                                                                                                                                                                                                                                                                |          |                    |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PCSN01E  | - x - x -          | 92.5          | 2.1     | 0.2       | <b>\$116</b> |
| Extension kit to use with cable snake PCSN01. Additional 8 links extend cable snake up to 49" in length. Ideal for height adjustable tables. Silver plastic only.                                                                                                                                                                                                                    |          |                    |               |         |           |              |
|  <p><b>Power/Data Block</b></p>                                                                                                                                                                                                                                                                     |          |                    |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PMSPPM   | 3.5 x 6.5 x 2.75   | 70            | 2       | .10       | <b>\$352</b> |
| Worksurface power and data module. Two power receptacles and two data receptacles. 9' black cord included. Specify position and add <b>\$103</b> for cut-out in worksurface. See diagram E1/E2/E3 for specification location. Black only. Cut-out dimensions: 5.95" x 2.75". UL listed: UL 1363.                                                                                     |          |                    |               |         |           |              |
|  <p><b>Mini Adapt Power Module</b></p>                                                                                                                                                                                                                                                             |          |                    |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PEUTEM   | 3 x 3.8 x 2        | 70            | 1       | .18       | <b>\$236</b> |
| Two power receptacles. Attaches to edge of table or desk through grommet hole. 6' black cord. Black only.                                                                                                                                                                                                                                                                            |          |                    |               |         |           |              |
|  <p><b>DPC Slim Desktop 2 Power/USB-A and -C</b></p>                                                                                                                                                                                                                                              |          |                    |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PSDPC22W | 2.25 x 4.88 x 2.25 | 60            | 2.5     | 0.5       | <b>\$324</b> |
| Desktop power center with two 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A.   |          |                    |               |         |           |              |
|  <p><b>DPC Slim Desktop 3 Power/USB-A and -C</b></p>                                                                                                                                                                                                                                              |          |                    |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                      | PSDPC32W | 2.25 x 6 x 2.25    | 60            | 2.6     | 0.5       | <b>\$432</b> |
| Desktop power center with three 15A tamper resistant power receptacles, one USB-A port and one USB-C port (provides 3.1A). 10' cord with molded plug. Includes three mounting options: a screw-in mounting plate for forward facing outlets; under surface mount bracket; or a clamp mounting kit for 0.5"-1.5" thick surfaces. Gloss White body with Grey face. UL listed: UL 962A. |          |                    |               |         |           |              |

| POWER / DATA                                                                                                                                                                                                                                                                                                                                                                                                                                    | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE    |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------|-----------|---------------|
| <br><b>Isle Power Tower</b>                                                                                                                                                                                                                                                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                       | D x W x H       |               |         |           |               |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 | PTISL96GB                                                                                                                                                                                                                                                                                                                                                                                                                             | 18 x 18 x 25.5  | 92.5          | 68      | 6.50      | <b>\$4005</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 | PTISL96GW                                                                                                                                                                                                                                                                                                                                                                                                                             | 18 x 18 x 25.5  | 92.5          | 68      | 6.50      | <b>\$4005</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 | PTISL96SP                                                                                                                                                                                                                                                                                                                                                                                                                             | 18 x 18 x 25.5  | 92.5          | 68      | 6.50      | <b>\$4005</b> |
| <p>Includes three standard duplexes each with (2) 110V power outlets, and three USB A+C duplexes each with (2) 110V power outlets, (1) 55W USB-C power delivery port and (1) 1.5A, 5V USB-A port; total of (12) 110V power outlets, (3) USB-C and (3) USB-A ports. 9' cord with molded plug.</p> <p>Available in Gloss Black (<b>GB</b>), Gloss White (<b>GW</b>) and Silver Pearl (<b>SP</b>) as indicated by last letter of model number.</p> |                                                                                                                                                                                                                                                                                                                                                                                                                                       |                 |               |         |           |               |
| <br><b>Vesta Portable Power Tower</b>                                                                                                                                                                                                                                                                                                                          | PPVST3WF                                                                                                                                                                                                                                                                                                                                                                                                                              | 12 x 12 x 28.25 | 250           | 10      | 4.30      | <b>\$1683</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>Includes three 110V power outlets (one on top, two on base), two USB-A and one USB-C charging ports. 10' cord with plug. Matte White finish with Fog inserts.</p>                                                                                                                                                                                                                                                                  |                 |               |         |           |               |
| <br><b>Cove Mini - Power</b>                                                                                                                                                                                                                                                                                                                                    | COV-SM-2-_-108                                                                                                                                                                                                                                                                                                                                                                                                                        | --              | 70            | 1.5     | .25       | <b>\$266</b>  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                 | <p>Retrofits into any AG or POG grommet cut-out (grommet cover must be removed). Includes two power outlets. Requires 2" clearance below the worksurface. 9' black cord. UL listed: UL 962A.</p> <ul style="list-style-type: none"><li>• This unit utilizes the entire grommet, eliminating available wire pass thru</li><li>• Replace _ with <b>B</b> for <b>Black</b></li><li>• Replace _ with <b>S</b> for <b>Silver</b></li></ul> |                 |               |         |           |               |

**Required Specifications**  
Finish

| POWER / DATA                                                                                                     | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                              | DIMENSIONS      | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|---------|-----------|------------|
| <br>Clamp Mount 2 Power/USB-A&C |                                                                                                                                                                                                                                                                                                                                                                                                                     | D x W x H       |               |         |           |            |
|                                                                                                                  | PS3525057                                                                                                                                                                                                                                                                                                                                                                                                           | 3.2 x 5.5 x 3   | 60            | 3.01    | 0.2       | \$533      |
|                                                                                                                  | PS3525002                                                                                                                                                                                                                                                                                                                                                                                                           | 3.2 x 5.5 x 3   | 60            | 3.01    | 0.2       | \$533      |
| <br>Under Mount 2 Power/USB-A&C | Ashley Duo clamp mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws.                                                                                                                                         |                 |               |         |           |            |
|                                                                                                                  | <ul style="list-style-type: none"><li>• PS3525057 - White module with Silver bracket.</li><li>• PS3525002 - Black module with Silver bracket</li></ul>                                                                                                                                                                                                                                                              |                 |               |         |           |            |
|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |               |         |           |            |
| <br>Clamp Mount 3 Power/USB-A&C | PS3526057                                                                                                                                                                                                                                                                                                                                                                                                           | 2.8 x 5.5 x 1.8 | 60            | 3.2     | 0.2       | \$533      |
|                                                                                                                  | PS3526002                                                                                                                                                                                                                                                                                                                                                                                                           | 2.8 x 5.5 x 1.8 | 60            | 3.2     | 0.2       | \$533      |
|                                                                                                                  | Ashley Duo under mount power module with two 15 amp 120 Volt AC receptacles; 2.4 amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, UL listed: UL 962A. Mountable under most worksurfaces. Installation template provided.                                                                                                                                                      |                 |               |         |           |            |
| <br>Clamp Mount 3 Power/USB-A&C | <ul style="list-style-type: none"><li>• PS3526057 - White module with Silver bracket</li><li>• PS3526002 - Black module with Silver bracket.</li></ul>                                                                                                                                                                                                                                                              |                 |               |         |           |            |
|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |               |         |           |            |
| <br>Clamp Mount 3 Power/USB-A&C | PS3526957                                                                                                                                                                                                                                                                                                                                                                                                           | 3.2 x 5.5 x 3   | 60            | 3.01    | 0.2       | \$613      |
|                                                                                                                  | PS3526902                                                                                                                                                                                                                                                                                                                                                                                                           | 3.2 x 5.5 x 3   | 60            | 3.01    | 0.2       | \$613      |
|                                                                                                                  | Ashley Trio clamp mount power module with three 15-amp 120 Volt AC receptacles; 2.4-amp USB-A port and 60 watt USB-C power delivery port, 10' power cord with molded plug, and an adapter kit containing blank cover, HDMI, RJ45 or VGA adapter brackets. NOTE: HDMI, RJ45 and VGA connectors are not included. UL listed: UL 962A. Clamp accommodates worksurfaces 0.5" to 1.5" thick; fastened with thumb screws. |                 |               |         |           |            |
| <br>Clamp Mount 3 Power/USB-A&C | <ul style="list-style-type: none"><li>• PS3526957 - White module with Silver bracket.</li><li>• PS3526902 - Black module with Silver bracket</li></ul>                                                                                                                                                                                                                                                              |                 |               |         |           |            |
|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |               |         |           |            |
|                                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                     |                 |               |         |           |            |

Required Specifications

Finish

| POWER/DATA                                                                         | MODEL#     | DIMENSIONS          | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------------------------------------------------------------------------|------------|---------------------|---------------|---------|-----------|------------|
|    |            | D x W x H           |               |         |           |            |
|                                                                                    | PRTMCS401B | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$486      |
|                                                                                    | PRTMCS401T | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$486      |
|                                                                                    | PRTMCS401W | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$486      |
|    |            |                     |               |         |           |            |
|                                                                                    | PRTMCS421B | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$638      |
|                                                                                    | PRTMCS421T | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$638      |
|                                                                                    | PRTMCS421W | 4.22 x 10.78 x 4.86 | 100           | 4.3     | 0.51      | \$638      |
|    |            |                     |               |         |           |            |
|                                                                                    | PRTMCD602B | 6.22 x 10.78 x 4.86 | 92.5          | 5.9     | 0.51      | \$555      |
|                                                                                    | PRTMCD602T | 6.22 x 10.78 x 4.86 | 92.5          | 5.9     | 0.51      | \$555      |
|                                                                                    | PRTMCD602W | 6.22 x 10.78 x 4.86 | 92.5          | 5.9     | 0.51      | \$555      |
|  |            |                     |               |         |           |            |
|                                                                                    | PRTMCD622B | 6.22 x 10.78 x 4.86 | 92.5          | 6.1     | 0.51      | \$699      |
|                                                                                    | PRTMCD622T | 6.22 x 10.78 x 4.86 | 92.5          | 6.1     | 0.51      | \$699      |
|                                                                                    | PRTMCD622W | 6.22 x 10.78 x 4.86 | 92.5          | 6.1     | 0.51      | \$699      |
|  |            |                     |               |         |           |            |
|                                                                                    | PRTMCD642B | 6.22 x 10.78 x 4.86 | 85            | 6.3     | 0.51      | \$842      |
|                                                                                    | PRTMCD642T | 6.22 x 10.78 x 4.86 | 85            | 6.3     | 0.51      | \$842      |
|                                                                                    | PRTMCD642W | 6.22 x 10.78 x 4.86 | 85            | 6.3     | 0.51      | \$842      |

Single-sided recessed power block with **one regular duplex and one telecom knockout on top; one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 591. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey. Corresponding cut-out options are **R1, R2 or R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".







Single-sided recessed power block with **one power/USB-A/USB-C duplex and one telecom knockout on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 591. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by the last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **R1, R2 or R3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 4".

Double-sided recessed power block with **two regular power duplexes and two telecom knockouts on top; one power duplex on bottom**. 10' power cord with straight plug. Specify telecom options separately, see page 591. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey. Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".


Double-sided recessed power block with **one regular power duplex, one power/USB-A/USB-C duplex and two telecom knockouts on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 591. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".

Double-sided recessed power block with **two power/USB-A/USB-C duplexes and two telecom knockouts on top; one power duplex on bottom**. USB-A port charges max 2.4 amps at 5V and USB-C port charges max 3 amps at 5V. 10' power cord with straight plug. Specify telecom options separately, see page 591. Available in Black (**B**), Tungsten (**T**) or Designer White (**W**) as indicated by last letter of model number. Duplexes always Grey (duplex with USB ports is glossy finish). Corresponding cut-out options are **T1, T2 or T3**. Units are not approved for daisy chaining. UL listed: UL 1363. Cut-out dimensions: 10.45" x 6".

Required Specifications  
Finish

| TELECOM PLATES                                                                                                                                                     | MODEL#                                                                                                                                                                                                                           | DIMENSIONS   | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|---------------|---------|-----------|--------------|
| <br><b>Telecom Plate - 2 x 6</b>                                                  | <b>D x W x H</b>                                                                                                                                                                                                                 |              |               |         |           |              |
|                                                                                                                                                                    | PTEL01                                                                                                                                                                                                                           | - x - x -    | 70            | 0.01    | 0.05      | <b>\$175</b> |
| Includes 2 x RJ45 cat 6 data jacks. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data. |                                                                                                                                                                                                                                  |              |               |         |           |              |
| <br><b>Telecom Plate - 2 x 6</b>                                                  | PTEL12                                                                                                                                                                                                                           | - x - x -    | 70            | 1       | 0.01      | <b>\$221</b> |
|                                                                                                                                                                    | Grey telecom plate with (2) RJ45 cat 6 data jacks. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                                     |              |               |         |           |              |
| <br><b>Telecom Plate - 3 x 6</b>                                                  | PTEL02                                                                                                                                                                                                                           | - x - x -    | 70            | 0.01    | 0.05      | <b>\$237</b> |
|                                                                                                                                                                    | Includes 2 x RJ45 cat 6 data and 1 RJ11 cat phone. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                |              |               |         |           |              |
| <br><b>Telecom Plate - 4 x 6</b>                                                  | PTEL03                                                                                                                                                                                                                           | - x - x -    | 70            | 0.01    | 0.05      | <b>\$363</b> |
|                                                                                                                                                                    | Includes 4 x RJ45 cat 6 data. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                                     |              |               |         |           |              |
| <br><b>Telecom Plate - 4 x 6</b>                                                  | PTEL13                                                                                                                                                                                                                           | - x - x -    | 70            | 1       | 0.01      | <b>\$400</b> |
|                                                                                                                                                                    | Grey telecom plate with (4) RJ45 cat 6 data jacks. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                                     |              |               |         |           |              |
| <br><b>Telecom Plate - 3TSV</b>                                                 | PTEL04                                                                                                                                                                                                                           | - x - x -    | 70            | 0.01    | 0.05      | <b>\$309</b> |
|                                                                                                                                                                    | Includes 1 x RJ45 cat 6 data, mini stereo and 15 pin HD VGA. Black telecom plate. To be hardwired by data contractor. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                      |              |               |         |           |              |
| <br><b>Telecom Plate - 3SVH</b>                                                 | PTEL05                                                                                                                                                                                                                           | - x - x -    | 70            | 0.01    | 0.05      | <b>\$428</b> |
|                                                                                                                                                                    | Includes mini stereo, 15 pin HD VGA and HDMI. Black telecom plate. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                                                         |              |               |         |           |              |
| <br><b>Telecom Plate - SVH</b>                                                  | PTEL14                                                                                                                                                                                                                           | 2 x 3.25 x - | 70            | 1       | 0.01      | <b>\$515</b> |
|                                                                                                                                                                    | Grey telecom plate with mini stereo, 15 pin HD VGA with female to male connector cable and HDMI with female to female connector cable. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                     |              |               |         |           |              |
| <br><b>Telecom Plate - 1 USB-C, 1 USB-A</b>                                     | PTEL08                                                                                                                                                                                                                           | - x - x -    | 70            | 1       | 0.01      | <b>\$188</b> |
|                                                                                                                                                                    | Grey telecom plate with (1) USB-C port w/20" male pigtail and (1) USB-A port w/72" pigtail; requires powered USB transformer #PUSBTRSF ordered separately. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data. |              |               |         |           |              |


**Required Specifications**  
Finish

| TELECOM PLATES                                                                                                              |                                                                                                                                                                                                   | MODEL#    | DIMENSIONS | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-----------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|------------|---------------|---------|-----------|------------|
| <br><b>Powered USB Transformer</b>         | D x W x H                                                                                                                                                                                         |           |            |               |         |           |            |
|                                                                                                                             | PUSBTRSF                                                                                                                                                                                          | - x - x - | 70         | 1             | 0.01    | \$125     |            |
|                                                                                                                             | Powered USB transformer, 25w, 100-240 VAC, 5-9VDC (1) USB-C and (2) USB-A female ports - provides power for PTEL08. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.         |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
| <br><b>Telecom Plate - 2 USB-A</b>         | PTEL09                                                                                                                                                                                            | - x - x - | 70         | 1             | 0.01    | \$252     |            |
|                                                                                                                             | Grey telecom plate with (2) USB-A ports each 2/72" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                               |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
| <br><b>Telecom Plate - 2 RJ45, 1HDMI</b>   | PTEL10                                                                                                                                                                                            | - x - x - | 70         | 1             | 0.01    | \$517     |            |
|                                                                                                                             | Grey telecom plate with (2) RJ45 cat 6 data connectors, (1) HDMI w/36" male pigtail; female/female gender changer included. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data. |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
| <br><b>Telecom Plate - 1 HDMI, 1 USB-A</b> | PTEL11                                                                                                                                                                                            | - x - x - | 70         | 1             | 0.01    | \$412     |            |
|                                                                                                                             | Grey telecom plate with (1) HDMI female/female w/36" patchcord and (1) USB-A with 72" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                            |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
| <br><b>Telecom Plate - 1 HDMI</b>          | PTEL15                                                                                                                                                                                            | - x - x - | 70         | 1             | 0.10    | \$474     |            |
|                                                                                                                             | Grey telecom plate with (1) HDMI female/female with 36" patchcord. For use only with PRTMCS4xxxx and PRTMCD6xxxx power blocks with data.                                                          |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |
|                                                                                                                             |                                                                                                                                                                                                   |           |            |               |         |           |            |



## POWER SOLUTIONS FOR FLEXIBLE SPACES

- Perfect for training areas, meeting rooms, in-office workstations and more; Code compliant that allows users to optimize any space providing convenient power access.
- Connect up to four units from a single infeed, delivering AC power and USB charging to the table tops.
- Two styles are available: in-surface modules or on-surface modules.
- Starter modules include 10' corded infeed with three prong NEMA plug.
- Touch safe easy to use connectors from module to module with added latch to prevent unintended separation.
- Each module features three tamper-resistant receptacles, USB-A and USB-C charging ports.
- Overall maximum length joined together not to exceed 48.5 feet per infeed.
- UL listed to **UL962A SD**, the standard for furniture power distribution units on portable/movable workspace tables.
- Certified to CSA standard **C22.2 No. 203-16**.
- When ordering in-surface modules be sure to select corresponding cut-out options when specifying tables. Specify **MPS** for a single centered cut-out on the approach side of the table or **MPD** for two cut-outs in the left and right hand positions. Upcharge will apply per cut-out. Cut-outs are available on the following series: **2gether tables, Bungee rectangular fixed and flip-top tables, Bungee SL tables, ConnecTables, Edventure study carrels and Zook rectangular and flip-top tables**. Surface must be a minimum of 0.5" to a maximum of 1.5" thick for proper mounting of the units.
- On-surface modules come with a clamp mount that will accommodate any material from 0.5" to 1.5" thick; additional brackets are also included for alternate screw in mounting options that can accommodate vertical or horizontal positions.
- In-surface cut-out dimensions: 7.15" x 2.25".

## In Surface



## On Surface



## Cable management cord clips:

Included with each unit (2 clips per cord) and are available separately in packs of 10.

| MODPOWER DAISY-CHAIN SOLUTION                                                       | MODEL#    | DIMENSIONS<br>D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------------------------------------------------------------------------------|-----------|-------------------------|---------------|---------|-----------|------------|
|    | PMDSF10MG | 2.75 x 7.63 x 2.63      | 250           | 3.44    | 1         | \$555      |
|                                                                                     | PMDSF10WH | 2.75 x 7.63 x 2.63      | 250           | 3.44    | 1         | \$555      |
|  | PMDCF3MG  | 2.75 x 7.63 x 2.63      | 250           | 2.44    | 1         | \$522      |
|                                                                                     | PMDCF3WH  | 2.75 x 7.63 x 2.63      | 250           | 2.44    | 1         | \$522      |
|  | PMDEF3MG  | 2.75 x 7.63 x 2.63      | 70            | 1.85    | 1         | \$457      |
|                                                                                     | PMDEF3WH  | 2.75 x 7.63 x 2.63      | 70            | 1.85    | 1         | \$457      |

## ModPower In-Surface Starter Unit

Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.


## ModPower In-Surface Middle Unit

Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Four cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.

## ModPower In-Surface End Unit


Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Two cable management cord clips included. Specify corresponding cut-out code when ordering table: single centered cut-out (**MPS**) or two cut-outs in left and right positions (**MPD**). Available in Magnesium (**MG**) or White (**WH**) finish as indicated by last characters of model number. UL listed: UL 962A.



| MODPOWER MODULES                                                                    | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                      | DIMENSIONS        | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|---------------|---------|-----------|------------|
|    |                                                                                                                                                                                                                                                                                                                                                                                                                             | D x W x H         |               |         |           |            |
|                                                                                     | PMDSA10MG                                                                                                                                                                                                                                                                                                                                                                                                                   | 1.75 x 6.13 x 2.5 | 150           | 4.33    | 1         | \$587      |
|                                                                                     | PMDSA10WH                                                                                                                                                                                                                                                                                                                                                                                                                   | 1.75 x 6.13 x 2.5 | 150           | 4.33    | 1         | \$587      |
| ModPower On-Surface Starter Unit                                                    | Includes infeed, one 10' cord with NEMA plug and one 3' connector cord. Unit is equipped with three 15A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A. |                   |               |         |           |            |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |               |         |           |            |
|                                                                                     | PMDCA3MG                                                                                                                                                                                                                                                                                                                                                                                                                    | 1.75 x 6.13 x 2.5 | 250           | 3.33    | 1         | \$555      |
|                                                                                     | PMDCA3WH                                                                                                                                                                                                                                                                                                                                                                                                                    | 1.75 x 6.13 x 2.5 | 250           | 3.33    | 1         | \$555      |
| ModPower On-Surface Middle Unit                                                     | Includes two 3' connector cords. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Four cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.                              |                   |               |         |           |            |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |               |         |           |            |
|                                                                                     | PMDEA3MG                                                                                                                                                                                                                                                                                                                                                                                                                    | 1.75 x 6.13 x 2.5 | 250           | 2.75    | 1         | \$489      |
|                                                                                     | PMDEA3WH                                                                                                                                                                                                                                                                                                                                                                                                                    | 1.75 x 6.13 x 2.5 | 250           | 2.75    | 1         | \$489      |
| ModPower On-Surface End Unit                                                        | Includes one 3' connector cord. Unit is equipped with three 15A rated 12A tamper-resistant receptacles, one USB-A and one USB-C charging ports, and a circuit breaker. Includes edge clamp and three other mounting methods. Two cable management cord clips included. Available in Magnesium (MG) or White (WH) finish as indicated by last characters of model number. UL listed: UL 962A.                                |                   |               |         |           |            |
|   |                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |               |         |           |            |
|                                                                                     | PMDCLIPS                                                                                                                                                                                                                                                                                                                                                                                                                    | 2.5 x 2.6 x .6    | 70            | 0.03    | 0.02      | \$98       |
|                                                                                     | Package of 10 clips.                                                                                                                                                                                                                                                                                                                                                                                                        |                   |               |         |           |            |
|  |                                                                                                                                                                                                                                                                                                                                                                                                                             |                   |               |         |           |            |
|                                                                                     | PMDJ36BK                                                                                                                                                                                                                                                                                                                                                                                                                    | -- x 36 x --      | 70            | 1.38    | 0.09      | \$329      |
|                                                                                     | Interconnection jumper cord to add an additional 3' of cord length between in-surface and on-surface ModPower units. 3' cord with male and female connector. Package of 2 jumpers. UL listed: UL 962A.                                                                                                                                                                                                                      |                   |               |         |           |            |


Required Specifications

Finish




| OFFICE ACCESSORIES                                                                                                      | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | DIMENSIONS       | FREIGHT CLASS | WT./LBS. | CUBIC FT. | LIST PRICE   |
|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|---------------|----------|-----------|--------------|
|  <p><b>Power/Data Cable Basket</b></p> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | <b>D x W x H</b> |               |          |           |              |
|                                                                                                                         | BRTCB76KIT                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | 8 x 34 x 1       | 70            | 1.56     | 0.15      | <b>\$281</b> |
|                                                                                                                         | BRTCB70                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 70 x 1       | 100           | 3.22     | 0.34      | <b>\$204</b> |
|                                                                                                                         | BRTCB64                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 64 x 1       | 92.5          | 2.94     | 0.29      | <b>\$190</b> |
|                                                                                                                         | BRTCB58                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 58 x 1       | 92.5          | 2.66     | 0.26      | <b>\$184</b> |
|                                                                                                                         | BRTCB52                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 52 x 1       | 100           | 2.39     | 0.24      | <b>\$173</b> |
|                                                                                                                         | BRTCB46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 46 x 1       | 92.5          | 2.16     | 0.21      | <b>\$163</b> |
|                                                                                                                         | BRTCB40                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 40 x 1       | 70            | 1.8      | 0.18      | <b>\$155</b> |
|                                                                                                                         | BRTCB34                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 34 x 1       | 70            | 1.56     | 0.15      | <b>\$149</b> |
|                                                                                                                         | BRTCB28                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 28 x 1       | 70            | 1.2      | 0.13      | <b>\$131</b> |
|                                                                                                                         | BRTCB22                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 22 x 1       | 70            | 1.01     | 0.1       | <b>\$123</b> |
|                                                                                                                         | BRTCB16                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 8 x 16 x 1       | 70            | 0.73     | 0.07      | <b>\$116</b> |
|                                                                                                                         | BRTCB8                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | 8 x 8 x 1        | 70            | 0.36     | 0.03      | <b>\$104</b> |
|                                                                                                                         | <p>Shallow, 8" wide basket manages cable excess and serves to manage cords and cables. It can be easily unclipped from spring steel brackets (included) to rearrange cable connections from below worksurface. Spring steel brackets can suspend the Cable Basket below the worksurface where it keeps the cords and cables off the floor and manages them along the horizontal plane - between floor monuments and Storage Vertical Cable Manager, for example. Tall storage cabinet's legs provide easy access to the Cable Basket where it can easily be unclipped from spring steel brackets to rearrange cable connections. Steel wire construction, chrome finish baskets; black spring steel hanging brackets, fasteners.</p> |                  |               |          |           |              |
|  <p><b>Wire Manager</b></p>           | PEWM5.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2 x 66 x 2       | 70            | .60      | .10       | <b>\$211</b> |
|                                                                                                                         | PEWM5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 60 x 2       | 70            | .60      | .10       | <b>\$177</b> |
|                                                                                                                         | PEWM4.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2 x 54 x 2       | 70            | .50      | .10       | <b>\$158</b> |
|                                                                                                                         | PEWM4                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 48 x 2       | 70            | .50      | .10       | <b>\$144</b> |
|                                                                                                                         | PEWM3.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2 x 42 x 2       | 70            | .40      | .10       | <b>\$124</b> |
|                                                                                                                         | PEWM3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 36 x 2       | 70            | .40      | .10       | <b>\$111</b> |
|                                                                                                                         | PEWM2.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2 x 30 x 2       | 70            | .30      | .10       | <b>\$91</b>  |
|                                                                                                                         | PEWM2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 24 x 2       | 70            | .30      | .10       | <b>\$75</b>  |
|                                                                                                                         | PEWM1.5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2 x 18 x 2       | 70            | .20      | .10       | <b>\$59</b>  |
|                                                                                                                         | PEWM1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 12 x 2       | 70            | .20      | .10       | <b>\$43</b>  |
|                                                                                                                         | <p>Plastic tray flexes to receive and hold electrical and data wires. Quickly attaches with two strips of double-sided tape. Black (<b>BLK</b>) only.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |                  |               |          |           |              |
|  <p><b>Vertical Wire Manager</b></p> | PEVWM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 2 x 22 x 2       | 70            | .30      | .10       | <b>\$73</b>  |
|                                                                                                                         | <p>From underside of worksurface to bottom panel. Capable of holding electrical and data wires in a vertical position. Black (BLK) only. Attaches with two strips of double-sided tape.</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |               |          |           |              |



**Required Specifications**


Finish


| OFFICE ACCESSORIES                                                                                                                                                                                                                                                                                                                                                                                                      | MODEL#                                                                                                                                                                                                                          | DIMENSIONS         | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE   |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------|---------|-----------|--------------|
| <br><b>Coat Tree</b>                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                 | D x W x H          |               |         |           |              |
|                                                                                                                                                                                                                                                                                                                                                                                                                         | PCOS2                                                                                                                                                                                                                           | 25 x 25 x 60       | 300           | 8       | 4.67      | <b>\$529</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                         | PCOS3                                                                                                                                                                                                                           | 25 x 25 x 60       | 300           | 8       | 4.67      | <b>\$529</b> |
| Square tube metal frame, complete with four Chrome double hooks. Adjustable glides. 60" high. Ships UPS. 3 per carton<br>• PCOS2 is finished in Black. PCOS3 is finished in Chrome.                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                 |                    |               |         |           |              |
| <br><b>Coat Tree*</b>                                                                                                                                                                                                                                                                                                                  | PCT                                                                                                                                                                                                                             | 25 x 25 x 65       | 250           | 6       | 3         | <b>\$678</b> |
| Square tube. Complete with four satin brass double hooks. 65" high. Available in the following finishes: Absolute (AAM), Black (BKM), Cherry (ACM), Cherry Latte (CLM), Cocoa Vanilla (CVM), English Oak (EOM), Fruitwood (TFM), Honey (AHM), Gray (HGM), Mahogany (TMM), Maple (AVM), Medium Walnut (MWM), Night (ASM), Sandy Beach (SBM), Walnut (TWM), White (WHM) and Winter Cherry (WCM). Ships UPS. 1 per carton. |                                                                                                                                                                                                                                 |                    |               |         |           |              |
| <br><b>Anti-Fatigue Mat</b>                                                                                                                                                                                                                                                                                                             | PAFM3018                                                                                                                                                                                                                        | 29.4 x 17.63 x .75 | 85            | 4.4     | 0.3       | <b>\$182</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                         | PAFM4820                                                                                                                                                                                                                        | 48 x 20 x .75      | 85            | 7.7     | 0.59      | <b>\$292</b> |
|                                                                                                                                                                                                                                                                                                                                                                                                                         | Polyurethane anti-fatigue mat offers increased comfort and helps reduce strain while standing. Tapered, no-curl edges prevent tripping hazards. Anti-slip backing is suitable for low pile carpet or hard flooring. Black only. |                    |               |         |           |              |

**Required Specifications**  
Finish\*

| BOARDROOM ACCESSORIES                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    | MODEL#                                                                                                                                                                                                                                                                                           | DIMENSIONS      | FREIGHT CLASS | WT/LBS.         | CUBIC FT. | LIST PRICE     |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---------------|-----------------|-----------|----------------|-----|-------------|-----|-------|-----|----------------|-----|---------------|-----|----------------|-----|--------------------|-----|------------|-----|-----------------|-----|---------------|--|--|--|--|--|--|
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                    | D x W x H                                                                                                                                                                                                                                                                                        |                 |               |                 |           |                |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
| <b>CONFERENCE CABINET NOTES</b> <ul style="list-style-type: none"><li>Visual boards feature a self edge all around.</li><li>Available finishes:<table><tr><td>ACJ</td><td>Absolute Acajou</td><td>ASN</td><td>Asian Night</td><td>AWC</td><td>Avant Cherry</td><td>AWH</td><td>Avant Honey</td></tr><tr><td>BLK</td><td>Black</td><td>BRC</td><td>Brushed Cobalt</td><td>DES</td><td>Dark Espresso</td><td>DWT</td><td>Designer White</td></tr><tr><td>QTM</td><td>Quartered Mahogany</td><td>SOG</td><td>Storm Grey</td><td>WHC</td><td>White Chocolate</td><td>WCR</td><td>Winter Cherry</td></tr></table></li></ul> |                    | ACJ                                                                                                                                                                                                                                                                                              | Absolute Acajou | ASN           | Asian Night     | AWC       | Avant Cherry   | AWH | Avant Honey | BLK | Black | BRC | Brushed Cobalt | DES | Dark Espresso | DWT | Designer White | QTM | Quartered Mahogany | SOG | Storm Grey | WHC | White Chocolate | WCR | Winter Cherry |  |  |  |  |  |  |
| ACJ                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Absolute Acajou    | ASN                                                                                                                                                                                                                                                                                              | Asian Night     | AWC           | Avant Cherry    | AWH       | Avant Honey    |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
| BLK                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Black              | BRC                                                                                                                                                                                                                                                                                              | Brushed Cobalt  | DES           | Dark Espresso   | DWT       | Designer White |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
| QTM                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | Quartered Mahogany | SOG                                                                                                                                                                                                                                                                                              | Storm Grey      | WHC           | White Chocolate | WCR       | Winter Cherry  |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | GVB4848            |                                                                                                                                                                                                                                                                                                  | 4 x 48 x 48     | 85            | 122             | 9.25      | <b>\$1806</b>  |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | AVB4848            |                                                                                                                                                                                                                                                                                                  | 4 x 48 x 48     | 70            | 135             | 9         | <b>\$1758</b>  |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Z361872VB          |                                                                                                                                                                                                                                                                                                  | 36 x 18 x 72    | 250           | 187             | 38.50     | <b>\$3147</b>  |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |                    |                                                                                                                                                                                                                                                                                                  |                 |               |                 |           |                |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
| <b>PENCIL DRAWERS</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                    | MODEL#                                                                                                                                                                                                                                                                                           | DIMENSIONS      | FREIGHT CLASS | WT/LBS.         | CUBIC FT. | LIST PRICE     |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | W1624PDR           |                                                                                                                                                                                                                                                                                                  | 16 x 24 x 2.25  | 92.5          | 5               | .50       | <b>\$386</b>   |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | W1518PDR           |                                                                                                                                                                                                                                                                                                  | 18 x 15 x 2.25  | 92.5          | 4               | .40       | <b>\$292</b>   |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |
| <b>Pencil Drawer</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                    | Black ABS plastic. Provides space for writing instruments and small items at the workspace. Attaches to underside of any 24"D and 30"D worksurface with included roller slides. Shipped RTA (ready to assemble). <ul style="list-style-type: none"><li>May be used with all casegoods.</li></ul> |                 |               |                 |           |                |     |             |     |       |     |                |     |               |     |                |     |                    |     |            |     |                 |     |               |  |  |  |  |  |  |

| KEYBOARD DRAWERS                                                                                           | MODEL#                                                                                                                                                                       | DIMENSIONS                 | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------|---------|-----------|------------|
| <br><b>Keyboard Shelf</b>  | KS20                                                                                                                                                                         | D x W x H<br>11 x 20 x 3.5 | 92.5          | 10      | 1         | \$283      |
|                                                                                                            | Pull-out laminate shelf. Specify finish from list available in each series.<br>• <b>Not available</b> on Adaptabilities - see page 41 for comparable Adaptabilities option.  |                            |               |         |           |            |
| <br><b>Keyboard Drawer</b> | MPOKL                                                                                                                                                                        | 11 x 24 x 3.5              | 92.5          | 10      | 1         | \$292      |
|                                                                                                            | Pull-out laminate drawer. Specify finish from list available in each series.<br>• <b>Not available</b> on Adaptabilities - see page 41 for comparable Adaptabilities option. |                            |               |         |           |            |

| ACCESSORIES                                                                                                                                                                                                                                                                                                               | MODEL# | DIMENSIONS       | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|------------------|---------------|---------|-----------|------------|
| <br><b>Wire Manager Grommet</b>                                                                                                                                                                                                           | AG1    | 1.875 d x 3.25 w | 100           | --      | --        | \$103      |
|                                                                                                                                                                                                                                                                                                                           | AG2    |                  |               |         |           |            |
|                                                                                                                                                                                                                                                                                                                           | AG3    |                  |               |         |           |            |
| Rectangular <b>black</b> surface mount that can be factory installed in any worksurface. Indicate position - left ( <b>AG1</b> ), center ( <b>AG2</b> ) or right ( <b>AG3</b> ). <b>See individual Series Notes for further details.</b> To order a grommet cover only, please specify <b>GEN160-UN</b> - \$27 list each. |        |                  |               |         |           |            |
| <br><b>L Bracket</b>                                                                                                                                                                                                                      | MLB90  | 4.5 x 1.5        | 70            | 1       | .01       | \$64       |
| Used to attach worksurfaces to end panels. Black only.                                                                                                                                                                                                                                                                    |        |                  |               |         |           |            |
| <br><b>Flat Bracket</b>                                                                                                                                                                                                                | CST318 | 4.5 x 3          | 70            | 1       | .01       | \$60       |
| Used as a mending plate to give additional worksurface support. Black only.                                                                                                                                                                                                                                               |        |                  |               |         |           |            |

| CENTER DRAWERS                                                                                                                                                                                                                                                                                                                                                       | MODEL#                                                                                                                             | DIMENSIONS  | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|-------------|---------------|---------|-----------|------------|
| <b>CENTER DRAWER NOTES</b><br>• Center drawers must be dealer or end user installed. Drawers do not fill entire center space opening. Approximate kneespace widths are:<br>30" x 60" DP      25½"      30" x 66" DP      31½"<br>30" x 72" DP      37½"      30" x 66"/20" x 40" L      22½"<br>30" x 66"/24" x 48" L      24½"      36" x 72"/24" x 48" L      30½" |                                                                                                                                    |             |               |         |           |            |
| <br><b>Center Drawer*</b>                                                                                                                                                                                                                                                          | CD20                                                                                                                               | 18 x 20 x 3 | 100           | 8       | 1         | \$228      |
|                                                                                                                                                                                                                                                                                                                                                                      | Laminate drawer front is attached to a 4-sided frame. Recommended for use on small L-shaped units, and on 30" x 60" and 66" desks. |             |               |         |           |            |

Required Specifications  
Finish\*

| HANDLES                           | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                              | DIMENSIONS<br>D x W x H | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE  |
|-----------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------|---------|-----------|-------------|
|                                   | GEN225-SIL                                                                                                                                                                                                                                                                                                                                                                                                                                          | -- x 5 x --             | 70            | 1       | .01       | <b>\$37</b> |
| <b>Silver Handle (HV)</b>         | <p>Silver finish, square edge handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>        |                         |               |         |           |             |
|                                   | GEN225-BLK                                                                                                                                                                                                                                                                                                                                                                                                                                          | -- x 5 x --             | 70            | 1       | .01       | <b>\$37</b> |
| <b>Matte Black Handle (HU)</b>    | <p>Black matte finish, square edge handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>   |                         |               |         |           |             |
|                                   | GEN217                                                                                                                                                                                                                                                                                                                                                                                                                                              | -- x 5.25 x --          | 70            | 1       | .01       | <b>\$37</b> |
| <b>Flared Brass Handle (HW)</b>   | <p>Satin brass finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>        |                         |               |         |           |             |
|                                   | GEN165                                                                                                                                                                                                                                                                                                                                                                                                                                              | -- x 5.25 x --          | 70            | 1       | .01       | <b>\$37</b> |
| <b>Flared Black Handle (HX)</b>   | <p>Black matte finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>        |                         |               |         |           |             |
|                                   | GEN189-HS                                                                                                                                                                                                                                                                                                                                                                                                                                           | -- x 4.5 x --           | 70            | 1       | .01       | <b>\$37</b> |
| <b>Flared Silver Handle (HS)</b>  | <p>Silver finish, flared handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>             |                         |               |         |           |             |
|                                   | GEN190                                                                                                                                                                                                                                                                                                                                                                                                                                              | -- x 4.9 x --           | 70            | 1       | .01       | <b>\$37</b> |
| <b>Dimpled Nickel Handle (HZ)</b> | <p>Nickel matte finish, dimpled handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira</b> desks, credenzas and returns, see series notes for option code and price.</li> </ul>      |                         |               |         |           |             |
|                                   | GEN256                                                                                                                                                                                                                                                                                                                                                                                                                                              | -- x 4.75 x --          | 70            | 1       | .01       | <b>\$37</b> |
| <b>Crescent Black Handle (H0)</b> | <p>Black matte finish, crescent handle style. <b>For use on pedestals and all lateral files.</b></p> <ul style="list-style-type: none"> <li>This handle has a measurement of 96mm center to center.</li> <li>Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li> </ul> |                         |               |         |           |             |

**Required Specifications**

Finish (Drawers)

| HANDLES                                                                                                                    | MODEL#                                                                                                                                                                                                                                                                                                                                                                                                                                                 | DIMENSIONS                 | FREIGHT CLASS | WT/LBS. | CUBIC FT. | LIST PRICE |
|----------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|---------------|---------|-----------|------------|
| A silver-colored, rectangular bar handle with a slightly raised, beveled top edge and a smooth finish.                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                        | D x W x H<br>-- x 4.6 x -- |               |         |           |            |
|                                                                                                                            | CS0003-SIL                                                                                                                                                                                                                                                                                                                                                                                                                                             | -- x 4.6 x --              | 70            | 1       | .01       | \$37       |
|                                                                                                                            | Silver finish, bar handle style <b>For use on pedestals and all lateral files.</b> <ul style="list-style-type: none"><li>• This handle has a measurement of 96mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li></ul>                     |                            |               |         |           |            |
| A black-colored, rectangular bar handle with a slightly raised, beveled top edge and a smooth finish.                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                        | -- x 4.6 x --              |               |         |           |            |
|                                                                                                                            | CS0003-BLK                                                                                                                                                                                                                                                                                                                                                                                                                                             | -- x 4.6 x --              | 70            | 1       | .01       | \$37       |
|                                                                                                                            | Black finish, bar handle style <b>For use on pedestals and all lateral files.</b> <ul style="list-style-type: none"><li>• This handle has a measurement of 96mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Zira desks, credenzas and returns only</b>, see series notes for option code and price.</li></ul>                      |                            |               |         |           |            |
| A silver-colored, square-edged handle with a T-shaped profile, designed for mounting on the side of a cabinet or pedestal. |                                                                                                                                                                                                                                                                                                                                                                                                                                                        | -- x 6.375 x --            |               |         |           |            |
|                                                                                                                            | BRH1                                                                                                                                                                                                                                                                                                                                                                                                                                                   | -- x 6.375 x --            | 70            | 1       | .01       | \$37       |
|                                                                                                                            | Silver Finish, square edged handle style. For use on all pedestals and storage cabinets with handles. <ul style="list-style-type: none"><li>• This handle has a measurement of 128mm center to center.</li><li>• Drawer handles on this page are for purchase. Installation is done by the customer. To purchase as a factory installed option on <b>Bridges II pedestals and cabinets only</b>, see series notes for option code and price.</li></ul> |                            |               |         |           |            |