


STARTER BEAM	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------------	--------	------------	---------------	---------	-----------	------------

D x W x H



BRPBS1824	24 x 24 x 18	250	20.23	6	\$492
BRPBS1830	24 x 30 x 18	250	21.83	7.5	\$522
BRPBS1836	24 x 36 x 18	250	23.14	9	\$546
BRPBS1842	24 x 42 x 18	250	24.46	10.5	\$570
BRPBS1848	24 x 48 x 18	250	25.77	12	\$601
BRPBS1854	24 x 54 x 18	250	27.08	13.5	\$627
BRPBS1860	24 x 60 x 18	300	28.39	15	\$651
BRPBS1866	24 x 66 x 18	300	29.7	16.5	\$681
BRPBS1872	24 x 72 x 18	300	31.01	18	\$721
BRPBS2624	24 x 24 x 26	250	21.24	8.7	\$524
BRPBS2630	24 x 30 x 26	250	22.84	10.8	\$554
BRPBS2636	24 x 36 x 26	300	24.15	13	\$577
BRPBS2642	24 x 42 x 26	300	25.47	15.2	\$602
BRPBS2648	24 x 48 x 26	300	26.77	17.3	\$633
BRPBS2654	24 x 54 x 26	300	28.09	19.5	\$659
BRPBS2660	24 x 60 x 26	300	29.4	21.7	\$683
BRPBS2666	24 x 66 x 26	300	30.7	23.8	\$713
BRPBS2672	24 x 72 x 26	300	32.02	26	\$753
BRPBS3424	24 x 24 x 34	300	22.25	11.3	\$552
BRPBS3430	24 x 30 x 34	300	23.85	14.2	\$592
BRPBS3436	24 x 36 x 34	300	25.16	17	\$616
BRPBS3442	24 x 42 x 34	300	26.47	19.8	\$641
BRPBS3448	24 x 48 x 34	300	27.78	22.7	\$672
BRPBS3454	24 x 54 x 34	300	29.09	25.5	\$697
BRPBS3460	24 x 60 x 34	300	30.4	28.3	\$722
BRPBS3466	24 x 66 x 34	300	31.71	31.2	\$747
BRPBS3472	24 x 72 x 34	400	33.02	34	\$795



Starter Beam

Starter beam can serve as a single, standalone unit or the beginning of a longer run of interconnected beams. 30" to 72" wide beams feature knockouts for two electrical duplex and one communication face plate on each side while 24" wide beams accommodate one electrical duplex and one communication face plate on each side. The leg expands by approximately 4" in height to compensate for uneven floors and allow for accurate leveling. Feet depth is 24". Starter Beam consists of horizontal channel, raceway covers, two legs, two 24" deep feet, two vertical end trims and corresponding end trim capture strips. Specify standard Flat Top Trim (**BRPBTC**), Glass and top trim kit (**BRPBEG**), or PET felt and top trim kit (**BRPBEF**) separately. Specify electrical components separately.

Required Specifications
Paint finish

ADD-ON BEAM / TRIM KIT	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Add-On Beam		D x W x H				
	BRPBA1824	24 x 24 x 18	250	14.46	6	\$362
	BRPBA1830	24 x 30 x 18	250	16.06	7.5	\$392
	BRPBA1836	24 x 36 x 18	300	17.37	9	\$415
	BRPBA1842	24 x 42 x 18	300	18.68	10.5	\$440
	BRPBA1848	24 x 48 x 18	300	19.99	12	\$471
	BRPBA1854	24 x 54 x 18	300	21.31	13.5	\$497
	BRPBA1860	24 x 60 x 18	300	22.62	15	\$521
	BRPBA1866	24 x 66 x 18	300	23.92	16.5	\$547
	BRPBA1872	24 x 72 x 18	300	25.24	18	\$590
	BRPBA2624	24 x 24 x 26	300	15.5	8.7	\$394
	BRPBA2630	24 x 30 x 26	300	17.11	10.8	\$424
	BRPBA2636	24 x 36 x 26	300	18.42	13	\$447
	BRPBA2642	24 x 42 x 26	300	19.73	15.2	\$472
	BRPBA2648	24 x 48 x 26	300	21.04	17.3	\$503
	BRPBA2654	24 x 54 x 26	300	22.35	19.5	\$529
	BRPBA2660	24 x 60 x 26	300	23.66	21.7	\$553
	BRPBA2666	24 x 66 x 26	300	24.97	23.8	\$579
	BRPBA2672	24 x 72 x 26	300	26.28	26	\$622
	BRPBA3424	24 x 24 x 34	300	16.55	11.3	\$432
	BRPBA3430	24 x 30 x 34	300	18.15	14.2	\$462
	BRPBA3436	24 x 36 x 34	300	19.46	17	\$485
	BRPBA3442	24 x 42 x 34	300	20.77	19.8	\$510
	BRPBA3448	24 x 48 x 34	400	22.08	22.7	\$541
	BRPBA3454	24 x 54 x 34	400	23.4	25.5	\$567
	BRPBA3460	24 x 60 x 34	400	24.71	28.3	\$591
	BRPBA3466	24 x 66 x 34	400	26.01	31.2	\$617
	BRPBA3472	24 x 72 x 34	400	27.33	34	\$661
 Flat Top Trim Kit						
	BRPBTC24	2.61 x 24 x 0.2	70	0.24	0.01	\$13
	BRPBTC30	2.61 x 30 x 0.2	70	0.61	0.01	\$16
	BRPBTC36	2.61 x 36 x 0.2	70	0.73	0.01	\$19
	BRPBTC42	2.61 x 42 x 0.2	70	0.85	0.01	\$21
	BRPBTC48	2.61 x 48 x 0.2	70	0.97	0.01	\$25
	BRPBTC54	2.61 x 54 x 0.2	70	1.1	0.02	\$28
	BRPBTC60	2.61 x 60 x 0.2	70	1.22	0.02	\$28
	BRPBTC66	2.61 x 66 x 0.2	70	1.34	0.02	\$32
	BRPBTC72	2.61 x 72 x 0.2	70	1.47	0.02	\$37
Required Specifications						
Paint finish						

TOP TRIM KITS

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.


CUBIC FT.

LIST PRICE**FRST ADD**

D x W x H

BRPBEG0824	2.61 x 24 x 8	60	9.42	0.3	\$152	\$99
BRPBEG0830	2.61 x 30 x 8	60	11.79	0.4	\$161	\$99
BRPBEG0836	2.61 x 36 x 8	60	14.15	0.4	\$170	\$99
BRPBEG0842	2.61 x 42 x 8	60	16.52	0.5	\$180	\$99
BRPBEG0848	2.61 x 48 x 8	60	18.88	0.6	\$198	\$110
BRPBEG0854	2.61 x 54 x 8	60	19.52	0.7	\$219	\$124
BRPBEG0860	2.61 x 60 x 8	65	20.58	0.7	\$240	\$138
BRPBEG0866	2.61 x 66 x 8	65	21.55	0.8	\$261	\$151
BRPBEG0872	2.61 x 72 x 8	65	23.62	0.9	\$289	\$164

BRPBEG1624	2.61 x 24 x 16	70	9.81	0.6	\$158	\$99
BRPBEG1630	2.61 x 30 x 16	70	12.37	0.7	\$194	\$117
BRPBEG1636	2.61 x 36 x 16	70	14.85	0.9	\$218	\$148
BRPBEG1642	2.61 x 42 x 16	70	17.34	1	\$247	\$173
BRPBEG1648	2.61 x 48 x 16	70	19.82	1.2	\$277	\$198
BRPBEG1654	2.61 x 54 x 16	70	21.25	1.3	\$307	\$194
BRPBEG1660	2.61 x 60 x 16	70	23.62	1.5	\$337	\$247
BRPBEG1666	2.61 x 66 x 16	70	25.98	1.6	\$367	\$272
BRPBEG1672	2.61 x 72 x 16	70	28.35	1.7	\$404	\$296




Embedded Glass and Top Trim Kit*

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, glass partition, gasket and hardware required to secure the trim to the beam's horizontal channel. Standard with clear tempered glass.

BRPBEF0824	2.61 x 24 x 8	70	1.32	0.3	\$74
BRPBEF0830	2.61 x 30 x 8	70	1.65	0.4	\$79
BRPBEF0836	2.61 x 36 x 8	70	1.99	0.4	\$103
BRPBEF0842	2.61 x 42 x 8	150	2.32	0.5	\$108
BRPBEF0848	2.61 x 48 x 8	150	2.65	0.6	\$194
BRPBEF0854	2.61 x 54 x 8	150	2.98	0.7	\$199
BRPBEF0860	2.61 x 60 x 8	150	3.32	0.7	\$203
BRPBEF0866	2.61 x 66 x 8	150	3.65	0.8	\$208
BRPBEF0872	2.61 x 72 x 8	150	3.98	0.9	\$218

BRPBEF1624	2.61 x 24 x 16	70	1.83	0.6	\$74
BRPBEF1630	2.61 x 30 x 16	250	2.3	0.7	\$79
BRPBEF1636	2.61 x 36 x 16	250	2.76	0.9	\$103
BRPBEF1642	2.61 x 42 x 16	250	3.22	1	\$108
BRPBEF1648	2.61 x 48 x 16	250	3.68	1.16	\$194
BRPBEF1654	2.61 x 54 x 16	250	4.14	1.3	\$199
BRPBEF1660	2.61 x 60 x 16	250	4.61	1.5	\$203
BRPBEF1666	2.61 x 66 x 16	250	5.07	1.6	\$208
BRPBEF1672	2.61 x 72 x 16	250	5.53	1.7	\$218



Embedded PET Felt and Top Trim Kit**

Attaches on top of beams to add privacy or divide space. Trim kit consists of extruded aluminum channel, die-cast channel end covers, PET felt partition and hardware required to secure the trim to the beam's horizontal channel. 9mm PET felt material is tackable and available in 9 colors.

Required Specifications

Paint finish
Felt finish**



Optional Specifications

Frosted glass (FRST)*

<

Required Specifications





Paint finish

REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE		
 Removable Face Tile, Fabric or Laminate*	D x W x H					GR 1	GR 2	LAMINATE
	BP3FT0824	2.61 x 24 x 8	125	1	0.3	\$156	\$156	\$156
	BP3FT0830	2.61 x 30 x 8	125	2	0.4	\$178	\$178	\$178
	BP3FT0836	2.61 x 36 x 8	125	2	0.4	\$211	\$211	\$211
	BP3FT0842	2.61 x 42 x 8	150	2	0.6	\$227	\$227	\$227
	BP3FT0848	2.61 x 48 x 8	150	3	0.7	\$237	\$237	\$237
	BP3FT0854	2.61 x 54 x 8	60	3	0.1	\$246	\$246	\$246
	BP3FT0860	2.61 x 60 x 8	125	4	0.8	\$254	\$254	\$254
	BP3FT0866	2.61 x 66 x 8	150	4	0.9	\$443	\$443	\$443
	BP3FT0872	2.61 x 72 x 8	150	4	1	\$569	\$569	\$569
	BP3FT1624	2.61 x 24 x 16	125	2	0.3	\$156	\$156	\$156
	BP3FT1630	2.61 x 30 x 16	125	3	0.4	\$178	\$178	\$178
	BP3FT1636	2.61 x 36 x 16	125	3	0.4	\$211	\$211	\$211
	BP3FT1642	2.61 x 42 x 16	150	3	0.6	\$227	\$227	\$227
	BP3FT1648	2.61 x 48 x 16	150	4	0.7	\$237	\$237	\$237
	BP3FT1654	2.61 x 54 x 16	60	4	0.1	\$246	\$246	\$246
	BP3FT1660	2.61 x 60 x 16	125	5	0.8	\$254	\$254	\$254
	BP3FT1666	2.61 x 66 x 16	150	5	0.9	\$443	\$443	\$443
	BP3FT1672	2.61 x 72 x 16	125	6	1	\$569	\$569	\$569
	Removable fabric tile attaches to the overpanel frame to add privacy or divide space. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.							
 Removable Face Tile, Accessory	BP3AT0824	2.61 x 24 x 8	85	2.3	0.17	\$185		
	BP3AT0830	2.61 x 30 x 8	85	2.9	0.21	\$197		
	BP3AT0836	2.61 x 36 x 8	85	3.5	0.25	\$238		
	BP3AT0842	2.61 x 42 x 8	85	4.1	0.29	\$281		
	BP3AT0848	2.61 x 48 x 8	85	4.7	0.33	\$326		
	BP3AT0854	2.61 x 54 x 8	85	5.3	0.38	\$356		
	BP3AT0860	2.61 x 60 x 8	85	5.9	0.42	\$402		
	BP3AT0866	2.61 x 66 x 8	85	6.5	0.46	\$577		
	BP3AT0872	2.61 x 72 x 8	85	7	0.5	\$750		
	BP3AT1624	2.61 x 24 x 16	85	4.7	0.33	\$185		
	BP3AT1630	2.61 x 30 x 16	85	5.7	0.42	\$197		
	BP3AT1636	2.61 x 36 x 16	85	7	0.5	\$238		
	BP3AT1642	2.61 x 42 x 16	85	8.2	0.58	\$281		
	BP3AT1648	2.61 x 48 x 16	85	9.4	0.67	\$326		
	BP3AT1654	2.61 x 54 x 16	85	10.6	0.75	\$356		
	BP3AT1660	2.61 x 60 x 16	85	11.9	0.83	\$402		
	BP3AT1666	2.61 x 66 x 16	85	13	0.91	\$577		
	BP3AT1672	2.61 x 72 x 16	85	14	1	\$750		
	Attaches to the overpanel frame to add privacy or divide space. Provides support for accessories. Includes tile clips. Easily interchangeable on site. Specify two tiles per opening of corresponding width. Tiles can be combined. For example, fabric tile on one side and accessory tile on the other.							


Required Specifications

Fabric*

Paint finish

REMOVABLE FACE TILES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
	D x W x H						
	BP3GT0824	2.61 x 24 x 8	70	3.1	0.2	\$152	\$42
	BP3GT0830	2.61 x 30 x 8	70	3.9	0.2	\$193	\$42
	BP3GT0836	2.61 x 36 x 8	70	4.7	0.3	\$235	\$39
	BP3GT0842	2.61 x 42 x 8	70	5.5	0.3	\$271	\$44
	BP3GT0848	2.61 x 48 x 8	70	6.3	0.3	\$315	\$40
	BP3GT0854	2.61 x 54 x 8	70	7.1	0.4	\$350	\$44
	BP3GT0860	2.61 x 60 x 8	70	7.8	0.4	\$394	\$41
	BP3GT0866	2.61 x 66 x 8	70	8.6	0.5	\$561	\$42
	BP3GT0872	2.61 x 72 x 8	70	9.4	0.5	\$731	\$41
	BP3GT1624	2.61 x 24 x 16	70	5.8	0.3	\$152	\$42
	BP3GT1630	2.61 x 30 x 16	70	7.2	0.4	\$193	\$42
	BP3GT1636	2.61 x 36 x 16	70	8.7	0.5	\$235	\$39
	BP3GT1642	2.61 x 42 x 16	70	10.2	0.6	\$271	\$44
	BP3GT1648	2.61 x 48 x 16	70	11.6	0.7	\$315	\$40
	BP3GT1654	2.61 x 54 x 16	70	13.1	0.8	\$350	\$44
	BP3GT1660	2.61 x 60 x 16	70	14.6	0.8	\$394	\$41
	BP3GT1666	2.61 x 66 x 16	70	16	0.9	\$561	\$42
	BP3GT1672	2.61 x 72 x 16	70	17.5	1	\$731	\$41
Removable glass tile attaches to the overpanel frame to add visual accessibility and light transfer. Includes tile clips. Easily interchangeable on site. Specify one glazed tile per opening of corresponding width. Clear tempered glass is standard. Add 20% upcharge for frosted glass (FRST).							
	BRP3PS018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates splitting a beam run up to 4 directions at a 90° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.						
	BRP3PS60018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS60026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS60034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates splitting a beam run up to 3 directions at a 120° angle. Post kit consists of extruded aluminum post and three pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way or 3-way.						
	BRP3PS45018	2.61 x 2.61 x 18	65	3	0.1	\$59	
	BRP3PS45026	2.61 x 2.61 x 26	65	3.6	0.1	\$84	
	BRP3PS45034	2.61 x 2.61 x 34	65	4	0.1	\$109	
	Post facilitates two beams at a 45° angle. Post kit consists of extruded aluminum post and four pairs of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.						

Required Specifications	Optional Specifications
Paint finish	Frosted glass (FRST)*



Post Trim

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
BRPVTRF18	2.61 x 2.61 x 18	70	0.5	0.01	\$46
BRPVTRF26	2.61 x 2.61 x 26	70	0.72	0.02	\$67
BRPVTRF34	2.61 x 2.61 x 34	70	0.94	0.03	\$89
BRPVTRF42	2.61 x 2.61 x 42	70	1.16	0.04	\$130


Attaches to post. Consists of extruded aluminum post and one pair of capture strip connectors. Post vertical trim must be specified according to your post: 2-way, 3-way, or 4-way.



Overpanel End Trim

BA3VTEF8	0.13 x 2.61 x 8	70	0.2	0.01	\$26
BA3VTEF16	0.13 x 2.61 x 16	70	0.5	0.01	\$55
BA3VTEF32	0.13 x 2.61 x 32	xx	1.1	0.06	\$82


Attaches to sides of overpanel extension frame. Consists of extruded aluminum post, die-cast corner and one pair of capture strip connectors. When specified as an add-on, use with overpanel frame. Alternatively, we recommend using the BRPVTRFxx of the appropriate size for a clean, seamless trim.



Round Disc Base for Post

BRPRB	7.5 x 7.5 x 6.5	60	3.67	0.01	\$285
-------	-----------------	----	------	------	-------

Attaches to the bottom of a **BRP3PS** post to provide stability at an intersection. Round metal plate is 1/4" thick.



Post Extension

BEPE81	2.61 x 2.61 x 81	65	9	0.4	\$227
--------	------------------	----	---	-----	-------

Lightweight aluminum pole used to bring power and/or data/communication cables from ceiling to a panel through a post. Attaches to ceiling and post, includes connectors, ceiling trim plate and screws. Ceiling bezel is white only.
Post extension will accept:
- (75) 5.6mm dia. data cables
- (60) 5.6mm (0.22") dia. data cables with 1 power feed
- (45) cables 5.6mm (0.22") dia. data cables with 2 power feeds






Post Extension for Over Panels

BH3PE008	2.61 x 2.61 x 8	x	1	0.03	\$51
BH3PE016	2.61 x 2.61 x 16	x	2	0.07	\$62
BH3PE032	2.61 x 2.61 x 32	x	4	0.14	\$109
BH3PE45016	2.61 x 2.61 x 16	x	2	0.07	\$62
BH3PE45032	2.61 x 2.61 x 32	x	4	0.14	\$109
BH3PE60016	2.61 x 2.61 x 16	x	2	0.07	\$62
BH3PE60032	2.61 x 2.61 x 32	x	4	0.14	\$109

Provides route for ceiling data or electrical cables through the post to the panel. Includes 2 capture strip panel connectors.


Required Specifications
Paint finish

END OF RUN GALLERY PANELS	MODEL#	DIMENSIONS D x W x H	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 <p>End of Run Gallery Panel, T-config</p>	B3LEP4227NC	1 x 26.5 x 42	60	29.49	0.64	\$1020
	B3LEP4251NC	1 x 51 x 42	60	55.17	1.24	\$1497
	B3LEP4263NC	1 x 63 x 42	60	68.01	1.53	\$1677
	B3LEP4275NC	1 x 75 x 42	60	80.86	1.82	\$1866
	B3LEP5027NC	1 x 26.5 x 50	60	35.25	0.77	\$1190
	B3LEP5051NC	1 x 51 x 50	60	65.92	1.48	\$1738
	B3LEP5063NC	1 x 63 x 50	60	81.27	1.82	\$1959
	B3LEP5075NC	1 x 75 x 50	60	96.62	2.17	\$2210
	<p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a panel run on two sides. Attaches to the end of a Bridges Power Beam with capture strips to form a T-configuration. Connection is on the interior face center. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. 					
 <p>Left End of Run Gallery Panel, L-config</p>	B3LSEPL4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
	B3LSEPL4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
	B3LSEPL4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
	B3LSEPL4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
	B3LSEPL5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
	B3LSEPL5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
	B3LSEPL5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
	B3LSEPL5039NC	1 x 39 x 50	60	50.57	1.13	\$1505
	<p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. Total height is inclusive of panel glides extended to their full height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. 					
 <p>Right End of Run Gallery Panel, L-config</p>	B3LSEPR4215NC	1 x 14.25 x 42	60	16.64	0.35	\$839
	B3LSEPR4227NC	1 x 27 x 42	60	29.47	0.66	\$1142
	B3LSEPR4233NC	1 x 33 x 42	60	35.89	0.8	\$1231
	B3LSEPR4239NC	1 x 39 x 42	60	42.32	0.95	\$1294
	B3LSEPR5015NC	1 x 14.25 x 50	60	19.9	0.41	\$956
	B3LSEPR5027NC	1 x 27 x 50	60	35.23	0.78	\$1298
	B3LSEPR5033NC	1 x 33 x 50	60	42.9	0.95	\$1406
	B3LSEPR5039NC	1 x 39 x 50	60	50.57	1.13	\$1505
	<p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run on one side. Attaches to the end of a panel with capture strips to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surface. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.</p> <ul style="list-style-type: none"> Power beam and overpanel must add up to height of gallery panels. 					

Required Specifications

Laminate finish
Edge finish
Paint finish

END OF RUN GALLERY PANELS



End of Run Gallery Panel, T-config



Left End of Run Gallery Panel, L-config



Right End of Run Gallery Panel, L-config

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

B3LEP4251	1 x 51 x 42	60	55.25	1.24	\$1530
B3LEP4263	1 x 63 x 42	60	68.1	1.53	\$1708
B3LEP4275	1 x 75 x 42	60	80.95	1.82	\$1899
B3LEP5051	1 x 51 x 50	60	66.01	1.48	\$1771
B3LEP5063	1 x 63 x 50	60	81.36	1.82	\$1992
B3LEP5075	1 x 75 x 50	60	96.71	2.17	\$2244

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a T-configuration. Connections at both ends as well as on the middle of interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 51" w gallery panel accommodates two 24" deep surfaces; 63" w accommodates two 30" deep surfaces; 75" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges and self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams). End connections are for connecting other gallery panels:

- Right side is compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.
- Left side is compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.
- Power beam and overpanel must add up to height of gallery panels.

B3LSEPL4227	1 x 27 x 42	60	29.51	0.66	\$1157
B3LSEPL4233	1 x 33 x 42	60	35.94	0.8	\$1247
B3LSEPL4239	1 x 39 x 42	60	42.36	0.95	\$1309
B3LSEPL5027	1 x 27 x 50	60	35.27	0.78	\$1313
B3LSEPL5033	1 x 33 x 50	60	42.94	0.95	\$1425
B3LSEPL5039	1 x 39 x 50	60	50.62	1.13	\$1524

With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, right side. Connections for a gallery panel are on the *left* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with left hand Gallery Panels (**B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx**) only.

B3LSEPR4227	1 x 27 x 42	60	29.51	0.66	\$1157
B3LSEPR4233	1 x 33 x 42	60	35.94	0.8	\$1247
B3LSEPR4239	1 x 39 x 42	60	42.36	0.95	\$1309
B3LSEPR5027	1 x 27 x 50	60	35.27	0.78	\$1313
B3LSEPR5033	1 x 33 x 50	60	42.94	0.95	\$1425
B3LSEPR5039	1 x 39 x 50	60	50.62	1.13	\$1524


With connectors for additional gallery panels. Provides floor standing support while enclosing the end of a Bridges Power Beam run. Attaches to the end of a panel with capture strips to form a L-configuration. Connection is on the interior face, left side. Connections for a gallery panel are on the *right* edge. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 27" w gallery panel accommodates a 24" deep surface; 33" w accommodates a 30" deep surface; 39" w accommodates a 36" deep surfaces. Edged in PVC on two exposed edges, self edge on connecting edge and the bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with right hand Gallery Panels (**B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx**) only.


Required Specifications

Laminate finish
Edge finish
Paint finish

GALLERY PANEL EXTENSIONS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------------------------	--------	------------	---------------	---------	-----------	------------



Left Gallery Panel Extension



Right Gallery Panel Extension

	D x W x H				
B3LXPL4224	1 x 24 x 42	60	25.83	0.58	\$595
B3LXPL4230	1 x 30 x 42	60	32.27	0.58	\$685
B3LXPL4236	1 x 36 x 42	60	38.68	0.88	\$775
B3LXPL4242	1 x 42 x 42	60	45.11	1.02	\$863
B3LXPL4248	1 x 48 x 42	60	51.53	1.17	\$953
B3LXPL5024	1 x 24 x 50	60	30.83	0.69	\$709
B3LXPL5030	1 x 30 x 50	60	38.51	0.87	\$821
B3LXPL5036	1 x 36 x 50	60	46.18	1.04	\$931
B3LXPL5042	1 x 42 x 50	60	53.86	1.22	\$1039
B3LXPL5048	1 x 48 x 50	60	61.53	1.39	\$1151

With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the left side. Pin connectors on the right edge and modular connectors on the left edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).



- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with models: **B3LEPxxx**, **B3LSEPL**, **B3LMPxxx**, **B3LSMP** and **B3LXPLxxx** only.
- Left side is compatible with **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

B3LXPR4224	1 x 24 x 42	60	25.83	0.58	\$595
B3LXPR4230	1 x 30 x 42	60	25.83	0.58	\$685
B3LXPR4236	1 x 36 x 42	60	38.68	0.88	\$775
B3LXPR4242	1 x 42 x 42	60	45.11	1.02	\$863
B3LXPR4248	1 x 48 x 42	60	51.53	1.17	\$953
B3LXPR5024	1 x 24 x 50	60	30.83	0.69	\$709
B3LXPR5030	1 x 30 x 50	60	38.51	0.87	\$821
B3LXPR5036	1 x 36 x 50	60	46.18	1.04	\$931
B3LXPR5042	1 x 42 x 50	60	53.86	1.22	\$1039
B3LXPR5048	1 x 48 x 50	60	61.53	1.39	\$1151

With connectors for additional gallery panels. Provides floor standing support while extending a run of gallery panels. Attaches to the right edge of a gallery panel by the pin connectors to allow for additional gallery panels to be added on the right side. Pin connectors on the left edge and modular connectors on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on exposed top edge only; self edge on other three sides. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).


- Power beam and overpanel must add up to height of gallery panels.
- Right side is compatible with **B3LXPRxxxx** and **B3LXPRxxxxNC**, **B3L2PRxxxx** and **B3L3PRxxxx** only.
- Left side is compatible with left hand panels **B3LXPLxxxx** and **B3LXPLxxxxNC**, **B3L2PLxxxx** and **B3L3PLxxxx** only.

Required Specifications
Laminate finish
Edge finish
Paint finish

GALLERY PANEL EXTENSIONS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	Left Gallery Panel Extension		D x W x H				
		B3LXPL4212NC	1 x 12 x 42	60	12.95	0.29	\$348
		B3LXPL4224NC	1 x 24 x 42	60	25.83	0.58	\$580
		B3LXPL4230NC	1 x 30 x 42	60	32.22	0.73	\$669
		B3LXPL4236NC	1 x 36 x 42	60	38.65	0.88	\$756
		B3LXPL4242NC	1 x 42 x 42	60	45.07	1.02	\$849
		B3LXPL4248NC	1 x 48 x 42	60	51.5	1.17	\$935
		B3LXPL5012NC	1 x 12 x 50	60	15.45	0.35	\$435
		B3LXPL5024NC	1 x 24 x 50	60	30.8	0.69	\$695
		B3LXPL5030NC	1 x 30 x 50	60	38.47	0.87	\$803
		B3LXPL5036NC	1 x 36 x 50	60	46.15	1.04	\$912
		B3LXPL5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
		B3LXPL5048NC	1 x 48 x 50	60	61.5	1.39	\$1137
		<p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none">• Power beam and overpanel must add up to height of gallery panels.• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.					
	Right Gallery Panel Extension	B3LXPR4212NC	1 x 12 x 42	60	12.95	0.29	\$348
		B3LXPR4224NC	1 x 24 x 42	60	25.83	0.58	\$580
		B3LXPR4230NC	1 x 30 x 42	60	32.22	0.73	\$669
		B3LXPR4236NC	1 x 36 x 42	60	38.65	0.88	\$756
		B3LXPR4242NC	1 x 42 x 42	60	45.07	1.02	\$849
		B3LXPR4248NC	1 x 48 x 42	60	51.5	1.17	\$935
		B3LXPR5012NC	1 x 12 x 50	60	15.45	0.35	\$435
		B3LXPR5024NC	1 x 24 x 50	60	30.8	0.69	\$695
		B3LXPR5030NC	1 x 30 x 50	60	38.47	0.87	\$803
		B3LXPR5036NC	1 x 36 x 50	60	46.15	1.04	\$912
		B3LXPR5042NC	1 x 42 x 50	60	53.82	1.22	\$1028
		B3LXPR5048NC	1 x 48 x 50	60	61.5	1.39	\$1137
		<p>No connectors for additional gallery panels. Provides floor standing support while enclosing the end of a run of left gallery panels. Attaches to the left edge of a gallery panel by the pin connectors to finish the run. Pin connectors are on the right edge of the interior face. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. Edged in PVC on two exposed edges; self edge on connecting side and bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).</p> <ul style="list-style-type: none">• Power beam and overpanel must add up to height of gallery panels.• Compatible with models: B3LEPxxxx, B3LSEPLxxxx, B3LMPxxxx, B3LSMPxxxx and B3LXPLxxxx only.					

Required Specifications


Laminate finish
Edge finish
Paint finish

END OF RUN RETURNS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	B3L2PL4213	1 x 13 x 42	60	14.02	0.32	\$378
	B3L2PL4225	1 x 25 x 42	60	26.87	0.61	\$669
	B3L2PL4231	1 x 31 x 42	60	33.29	0.75	\$756
	B3L2PL4237	1 x 37 x 42	60	39.72	0.9	\$821
	B3L2PL5013	1 x 13 x 50	60	16.73	0.38	\$471
	B3L2PL5025	1 x 25 x 50	60	32.08	0.72	\$803
	B3L2PL5031	1 x 31 x 50	60	39.75	0.9	\$912
	B3L2PL5037	1 x 37 x 50	60	47.43	1.07	\$1011

Left Gallery Panel End of Run Return

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form an L-configuration. Connection is on the interior face, right side. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.



Right Gallery Panel End of Run Return


B3L2PR4213	1 x 13 x 42	60	14.02	0.32	\$378
B3L2PR4225	1 x 25 x 42	60	26.87	0.61	\$669
B3L2PR4231	1 x 31 x 42	60	33.29	0.75	\$756
B3L2PR4237	1 x 37 x 42	60	39.72	0.9	\$821
B3L2PR5013	1 x 13 x 50	60	16.73	0.38	\$471
B3L2PR5025	1 x 25 x 50	60	32.08	0.72	\$803
B3L2PR5031	1 x 31 x 50	60	39.75	0.9	\$912
B3L2PR5037	1 x 37 x 50	60	47.43	1.07	\$1011

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form an L-configuration. Connection is on the interior face, left side. Includes all attachment hardware and glides. ToThe total height includes the panel glides extended to their maximum height. 25" w gallery panel accommodates a 24" deep surface; 31" w accommodates a 30" deep surface; 37" w accommodates a 36" deep surface. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally (woodgrain will not align at panel seams).


- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPR**xxxx, **B3LMP**xxxx and **B3LXPR**xxxx only.

Required Specifications
Laminate finish
Edge finish
Paint finish

GALLERY PANEL - 3WAY RETURNS



Left End of Run 3-Way Return*



Right End of Run 3-Way Return*

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
B3L3PL4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PL4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PL4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PL4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PL5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PL5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PL5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PL5073	1 x 73 x 50	60	93.47	2.11	\$1718

Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the left edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, grain direction runs horizontally.


- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPL**xxxx, **B3LMP**xxxx, **B3LSMP**xxxx and **B3LXPL**xxxx only.

B3L3PR4225	1 x 25 x 42	60	26.87	0.61	\$561
B3L3PR4249	1 x 49 x 42	60	52.57	1.19	\$907
B3L3PR4261	1 x 61 x 42	60	65.41	1.48	\$1203
B3L3PR4273	1 x 73 x 42	60	78.26	1.77	\$1397
B3L3PR5025	1 x 25 x 50	60	32.08	0.72	\$703
B3L3PR5049	1 x 49 x 50	60	62.77	1.42	\$1246
B3L3PR5061	1 x 61 x 50	60	78.12	1.77	\$1464
B3L3PR5073	1 x 73 x 50	60	93.47	2.11	\$1718


Provides floor standing support while enclosing the end of a gallery panel run. Attaches at the right edge with connectors to form a T-configuration. Connections are on the interior face in the middle. Includes all attachment hardware and glides. The total height includes the panel glides extended to their maximum height. 49" w gallery panel accommodates two 24" deep surfaces; 61" w accommodates two 30" deep surfaces; 73" w accommodates two 36" deep surfaces. Edged in PVC on three exposed edges; self edge on bottom. If woodgrain laminate is selected, woodgrain runs horizontally.

- Power beam and overpanel must add up to height of gallery panels.
- Compatible with models: **B3LEP**xxxx, **B3LSEPR**xxxx, **B3LMP**xxxx and **B3LXPR**xxxx only.

GALLERY PANEL ACCESSORIES



Gallery Panel Bottom Inline Bracket



Gallery Panel Corner Bracket

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
B3HLPBB01	8 x 1.5 x 7	70	1	0.5	\$81


Connects two gallery panels at the bottom with screws. Available in all Bridges II paint colors. Specify finish.

B3HLPCB01	4 x 1.5 x 7	100	4	0.5	\$79
-----------	-------------	-----	---	-----	------

Connects two gallery panels at 90 degrees with screws. Available in all Bridges II paint colors. Specify finish.

Required Specifications
Laminate finish*
Edge finish*
Paint finish


PRIVACY GLASS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	FRST ADD
---------------	--------	------------	---------------	---------	-----------	------------	----------



Privacy Glass for 1" Laminate Panels*

D x W x H						
B3PMP24G18W	1 x 24 x 8	60	4.84	0.11	\$457	\$91
B3PMP30G18W	1 x 30 x 8	60	6.06	0.14	\$496	\$99
B3PMP36G18W	1 x 36 x 8	60	7.28	0.17	\$528	\$105
B3PMP42G18W	1 x 42 x 8	60	8.5	0.19	\$551	\$111
B3PMP48G18W	1 x 48 x 8	60	9.72	0.22	\$581	\$116
B3PMP24G16W	1 x 24 x 16	60	8.92	0.22	\$457	\$91
B3PMP30G16W	1 x 30 x 16	60	11.17	0.28	\$496	\$99
B3PMP36G16W	1 x 36 x 16	60	13.43	0.33	\$528	\$105
B3PMP42G16W	1 x 42 x 16	60	15.68	0.39	\$551	\$111
B3PMP48G16W	1 x 48 x 16	60	17.92	0.44	\$581	\$116

Privacy glass integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and glass tile. Top rail may also be used to hang accessories. Glass and attachment hardware ship separately. Specify paint finish for channel. Standard in Clear (CLR). **Add 20% upcharge for frosted glass (FRST).**



Felt Divider for 1" Laminate Panels**


B3PFD0824W	1 x 24 x 8	70	1.32	0.11	\$183
B3PFD0830W	1 x 30 x 8	70	1.65	0.14	\$213
B3PFD0836W	1 x 36 x 8	70	1.99	0.17	\$252
B3PFD0842W	1 x 42 x 8	85	2.32	0.19	\$284
B3PFD0848W	1 x 48 x 8	85	2.65	0.22	\$416
B3PFD0854W	1 x 54 x 8	92.5	2.98	0.25	\$455
B3PFD0860W	1 x 60 x 8	92.5	3.32	0.28	\$488
B3PFD0866W	1 x 66 x 8	92.5	3.65	0.31	\$515
B3PFD0872W	1 x 72 x 8	85	3.98	0.33	\$581
B3PFD1624W	1 x 24 x 16	70	1.83	0.22	\$208
B3PFD1630W	1 x 30 x 16	100	2.3	0.28	\$240
B3PFD1636W	1 x 36 x 16	100	2.76	0.33	\$268
B3PFD1642W	1 x 42 x 16	100	3.22	0.39	\$307
B3PFD1648W	1 x 48 x 16	100	3.68	0.44	\$457
B3PFD1654W	1 x 54 x 16	100	4.14	0.5	\$498
B3PFD1660W	1 x 60 x 16	100	4.61	0.56	\$533
B3PFD1666W	1 x 66 x 16	100	5.07	0.61	\$561
B3PFD1672W	1 x 72 x 16	100	5.53	0.67	\$638

Privacy felt integrated with aluminum top trim. Attaches on top of gallery panels to add privacy or divide space. Includes aluminum trim with channel, end caps and felt tile. Top rail may also be used to hang accessories. Felt and attachment hardware ship separately. Specify paint finish for channel.

Required Specifications	Optional Specifications
Paint finish	Frosted glass (FRST)*
Felt finish**	

ELECTRICAL - POWER BEAM


MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRICE



I Connector

D x W x H					
BRTECI	4.63 x 1.5 x 1.5	70	0.06	0.01	\$111

Inline coupler used to connect two **BRTEHHxx** pass-thru cables (sold separately; see page 433).




Duplex Receptacles

BRT8D1	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8D2	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8DB	1.25 x 4.63 x 2	70	0.1	0.01	\$37
BRT8DA	1.25 x 4.63 x 2	70	0.1	0.01	\$37

Snaps into Power Distribution Housing. Up to 6 duplex receptacles per circuit.

- BRT8D1 - Circuit #1 (utility circuit)
- BRT8D2 - Circuit #2 (utility circuit)
- BRT8DB - Circuit B (utility circuit)
- BRT8DA - Circuit A (dedicated circuit)




USB Receptacles

BRTEU1B	1.25 x 4.63 x 2	300	3.82	2	\$424
BRTEU1W	1.25 x 4.63 x 2	300	6.98	2	\$424

Snaps into Power Distribution Housing. USB charging module provides convenient charging power access though dual ports on face of receptacles.

- Two USB ports.
- 2 amp ouput, considered as circuit #1.




Power Distribution Housing Kit

BRTE3D24	2.6 x 9.25 x 2	70	0.83	1.2	\$262
BRTE3D30	2.6 x 15.25 x 2	70	1.28	1.2	\$301
BRTE3D36	2.6 x 21.25 x 2	70	1.62	1.7	\$317
BRTE3D42	2.6 x 27.25 x 2	300	2	2	\$334
BRTE3D48	2.6 x 33.25 x 2	400	2.32	2.5	\$348
BRTE3D54	2.6 x 39.25 x 2	400	2.66	3.2	\$359
BRTE3D60	2.6 x 45.25 x 2	400	3.04	3.2	\$374
BRTE3D66	2.6 x 51.25 x 2	300	3.76	3.3	\$580
BRTE3D72	2.6 x 57.25 x 2	300	3.76	3.3	\$580

Provides two duplex receptacles per beam side for all beam widths above 24" wide. Power Distribution Housing is specified per beam size. eg. **BRTE3D36** is for use with a 36" beam.

- 24" wide beam allows for only one (1) duplex receptacle per beam side.



Jumper Cable

BRTEJC16	0.5 x 16.75 x 2	70	0.66	1.2	\$205
BRTEJC20	0.5 x 20.75 x 2	70	0.78	1.2	\$215

Electrically connects two Power Distribution Housings.

- BE8JC16 electrically connects two Power Beams positioned side by side.
- BE8JC20 electrically connects two Power Beams separated by a post.
- Wires are concealed in a flexible metal conduit.
- **Cannot go through a post in a corner application.** Please use the Jumper Cable Mesh for this application.


Required Specifications

ELECTRICAL - POWER BEAM

MODEL# DIMENSIONS FREIGHT CLASS WT./LBS. CUBIC FT. LIST PRICE

D x W x H

BRTEJMJ19	0.05 x 19 x 2	70	0.75	1.2	\$170
BRTEJMS20	0.05 x 19 x 2	70	0.75	1.2	\$221




Jumper Cable Mesh

Electrically connects two Power Distribution Housings in two Power Beams separated by a post in a corner application.

- BRTEJMJ19 - Wires are covered with a durable nylon mesh.
- BRTEJMS20 - Wires are concealed in a flexible metal shroud and covered with a durable nylon mesh.


BRTEHH40	.5 x 40.5 x 2	70	1.44	1.25	\$191
BRTEHH46	.5 x 46.5 x 2	70	1.71	1.2	\$270
BRTEHH52	.5 x 52.5 x 2	300	1.95	1.17	\$217
BRTEHH58	.5 x 58.5 x 2	300	2.21	1.17	\$226
BRTEHH64	.5 x 64.5 x 2	300	2.37	1.2	\$306
BRTEHH70	.5 x 70.5 x 2	250	2.6	1.2	\$317
BRTEHH76	.5 x 76.5 x 2	250	2.81	1.17	\$252
BRTEHH82	.5 x 82.5 x 2	250	3.03	1.2	\$339
BRTEHH88	.5 x 88.5 x 2	250	3.05	1.2	\$350
BRTEHH94	.5 x 94.5 x 2	250	3.3	1.2	\$363
BRTEHH100	.5 x 100.5 x 2	250	3.47	1.2	\$374
BRTEHH106	.5 x 106.5 x 2	250	3.87	1.2	\$389
BRTEHH118	.5 x 118.5 x 2	250	4.08	1.2	\$410
BRTEHH130	.5 x 130.5 x 2	250	4.73	1.2	\$433
BRTEHH142	.5 x 142.5 x 2	150	4.99	1.2	\$457



Housing to Housing Pass-Thru Cable

Distributes power between Power Distribution Housings in Power Beams separated by one or more Power Beams that may not have power. Wires are concealed in a flexible metal conduit.


BRTEHJ24	.5 x 24 x 2	70	0.9	1.2	\$197
BRTEHJ30	.5 x 30 x 2	70	1.3	1.2	\$211
BRTEHJ36	.5 x 36 x 2	70	1.44	1.2	\$221
BRTEHJ42	.5 x 42 x 2	70	1.71	1.2	\$230
BRTEHJ48	.5 x 48 x 2	70	1.95	1.2	\$241
BRTEHJ54	.5 x 54 x 2	300	2.21	1.2	\$249
BRTEHJ60	.5 x 60 x 2	300	2.37	1.2	\$257
BRTEHJ72	.5 x 72 x 2	250	2.81	1.2	\$274
BRTEHJ84	.5 x 84 x 2	250	3.05	1.2	\$300
BRTEHJ96	.5 x 96 x 2	250	3.3	1.2	\$320
BRTEHJ108	.5 x 108 x 2	250	3.87	1.2	\$339
BRTEHJ120	.5 x 120 x 2	250	4.08	1.2	\$359
BRTEHJ144	.5 x 144 x 2	250	4.59	1.2	\$381



Housing to Jumper Pass-Thru Cable

Connects a Power Distribution Housing to a housing connection of a harness. Wires are concealed in a flexible metal conduit.

BRTBPEFH18	2.5 x 6 x 18	85	2.7	0.2	\$699
BRTBPEFH26	2.5 x 6 x 26	65	5.41	0.2	\$745
BRTBPEFH34	2.5 x 6 x 34	65	7.03	0.3	\$780







Base Feed & Housing for Power Beam*

Attaches to inner side of the Power Beam leg. Base feed kit consists of two mounting brackets, steel shroud and base feed harness with 72" long liquid-tight conduit hardwired to building power supply. Must be hard wired to building power supply by a licensed electrician.

- Specify **BRTBPEFH18** for 18"H power beams; **BRTBPEFH26** for 26"H power beams; **BRTBPEFH34** for 34"H power beams.
- Post vertical trim must be specified in accordance to your post 2-way, 3-way or 4-way configuration.
- Note: On-site drilling required to secure mounting brackets to the inside of the beam vertical leg.

Required Specifications

Paint finish*

ELECTRICAL - POWER BEAM		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	Ceiling Feed - Single		D x W x H				
		BRTECF120	6 x 6 x 120	250	5.25	2	\$476
		BRTECF144	6 x 6 x 144	250	6	2	\$530
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					
	Ceiling Feed - Double						
		BRTECF1202	3 x 6 x 120	250	5.24	2	\$995
		BRTECF1442	3 x 6 x 144	250	5.96	2	\$1121
		Provides dual power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately. <ul style="list-style-type: none">• For use in the middle of a run to distribute power in two directions OR at the beginning of a run where second Ceiling Feed harness is connected to BRTEHJxx and distributes power underneath Power Distribution Housing to pick up a second circuit grouping in a long panel run.					
	Ceiling Feed - New York Electrical						
		BRTECFK120	6 x 6 x 120	250	5.25	2	\$712
		BRTECFK144	6 x 6 x 144	250	6	2	\$790
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					
	Hardwire Junction Box - Chicago						
		BRTECHJB	x	70	5.25	0.01	\$342
		Provides single power entry from ceiling, through post and into Power Beam raceway channel. Power entry cable penetrates 8" into a power beam and plugs into either a Power Distribution Housing or BRTEHJxx Pass-Thru Harness. Must be hard wired to power source by a licensed electrician. Specify Post Extension separately.					

Required Specifications