



Office Spaces™ is a unique desking architecture addressing current and future private office trends. Elements in the series coordinate with products in the Spaces Collection. Modular in design, Office Spaces is self-supporting for easy reconfiguration or relocation. A progressive palette of finishes and materials supports the light look of this contemporary desking line.

Office Spaces was designed from the ground up to incorporate height adjustable surfaces in both rectangular and L-shaped configurations. The series offers new solutions for meeting rooms and guest offices that facilitate engagement and support collaboration. The seamless integration of work carts and trolleys from Collaborative Spaces extend the possibilities and applications with shared details, materials and finishes.

Features and Benefits

- Tops are 1" thick thermally fused laminate or 1-1/16" high pressure laminate
- Tops are constructed of 45 lb. density particle board
- Worksurfaces are sold separate from the base.
- Height range is 26"-52.5" measured from the floor to the top of the worksurface
- Height adjustable and fixed height legs share the same design, for a consistent visual across all applications.
- PET felt privacy and modesty panels and tackable backboards soften the overall look and feel.



PET felt wire manager



Fixed or height adjustable legs support worksurfaces and returns



Tackable PET felt backboard (varied pattern shown)

GENERAL INFORMATION

- Primary and return worksurfaces feature both square corners and ergonomic large radius corners for improved ergonomics.
- Worksurfaces supported by fixed or height adjustable legs, in 2 or 3-legged applications.
- Storage elements are available in a variety of sizes and configurations including wardrobes, file drawers, box drawers and cubbies for personal items.
- Backboards support media displays and include options for whiteboards, tackable PET felt or laminate surfaces, with or without shelves.
- Accessorize surfaces and storage with whiteboards, wire management, desktop electrical and more.
- For environmental certifications, please visit globalfurnituregroup.com.

CONSTRUCTION

- All worksurfaces are standard in high performance thermally fused laminate. Optional high pressure (HP) laminate available.
- High performance thermally fused laminate tops are 1" thick particle board and have a flat 3mm edge profile on all sides
- High pressure (HP) laminate tops are 1-1/16" thick laminate particle board and have a flat 3mm edge profile on all sides
- Laminate surfaces offer a selection of matching + coordinating edgeband. Specify separately from the surface finish.



- Products specified with the high pressure laminate option are finished on the underside of the surface with a kraft paper backing.
- Grommet location must be specified at the time of order or it will default to a no grommet option.
- Storage requires the top, top edge, chassis and door/drawer fronts finishes to be specified separately. Chassis and door/drawer edge finish will match corresponding chassis and door/drawer finish.
- Storage components require foot kit or storage undercarriage to be specified separately
- Power modules and grommets are not included and must be specified separately.
- Woodgrain runs horizontally on all backboards.
- Backboards will have a matching edge to the chosen laminate. If dry erase board is specified, Designer White (DWT) edging will be applied.
- Corner radius for 24"D worksurfaces is 12", where applicable
- Corner radius for 30"D worksurfaces is 15", where applicable

PET FELT COLORS

AMT	Amethyst	HVT	Harvest
APR	Apricot	LAP	Lapis
BLK	Black	MTS	Mist
BSK	Blue Smoke	NVY	Navy
BRI	Brick	PWT	Pewter
CNN	Carnation	RBV	Ruby
DEN	Denim	SHR	Shamrock
EMD	Emerald	SFR	Sunflower
GPH	Graphite	WHT	White

METAL LEG FINISHES:

BLK	Black	SIL	Silver
BZD	Blizzard	SDT	Stonedust
CHR	Charcoal	TPE	Taupe
DWT	Designer White	TUN	Tungsten
NEV	Nevada		

LAMINATE FINISHES (thermally fused and high pressure laminates):

ACJ	Absolute Acajou	FCL	First Class
ASN	Asian Night	NBL	Noce Biondo
AWC	Avant Cherry	NGL	Noce Grigio
AWH	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BZD	Blizzard	QTM	Quartered Mahogany
BRC	Brushed Cobalt	SBY	Sheer Beauty
CMB	Clear Maple	SDT	Stonedust
CGY	Custom Grey	SOG	Storm Grey
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
FAS	Fashionista	WCR	Winter Cherry

EDGE FINISHES

AAE	Absolute Acajou	FCL	First Class
ASE	Asian Night	NBL	Noce Biondo
ACE	Avant Cherry	NGL	Noce Grigio
AHE	Avant Honey	NEL	Noce Leggero
BLK	Black	NML	Noce Medio
BRC	Brushed Cobalt	QTM	Quartered Mahogany
BZD	Blizzard	SBY	Sheer Beauty
CHR	Charcoal (use w/SOG)	SIL	Silver
CME	Clear Maple	SDT	Stonedust
CGY	Custom Grey	TPE	Taupe
DEE	Dark Espresso	WHE	Walnut Heights
DWE	Designer White	CBE	White Chocolate
FAS	Fashionista	WCE	Winter Cherry

HOW TO SPECIFY:**Example: SKWSRW2460****SK** - Office Spaces**WS** - Worksurface**RW** - Rectangular worksurface**24** - Depth**60** - Width**All worksurface options:****RW** - rectangular worksurface**RRT** - rectangular worksurface with radius on top right**RLT** - rectangular worksurface with radius on top left**RTL** - rectangular worksurface with radius on top right and top left**RTBL** - rectangular worksurface with radius at top right and bottom left**RBTL** - rectangular worksurface with radius at top left and bottom right**CT** - rectangular worksurface for conferencing**CR** - racetrack worksurface for right return**CL** - racetrack worksurface for left return**CW** - racetrack worksurface**DW** - D shaped worksurface**RR** - right rectangular return**RL** - left rectangular return**RBR** - rectangular return with radius at bottom right**RBL** - rectangular return with radius at bottom left**RTR** - rectangular return with radius at top right**RTL** - rectangular return with radius at top left**Material:****LP** - Low Pressure laminate, 1" thick**HP** - High Pressure laminate, 1-1/16" thick**Required specifications:**

- Laminate finish
- Edge finish
- Cut-out location (see diagrams)

Example: SKWSFH2C18T24**SK** - Office Spaces**WS** - Worksurface Support**FH** - Fixed height legs**2C** - Two column**18T24** - For 18" to 24" deep surfaces*Other Options:***HA** - Height adjustable**3C** - Three column**30T36** - 30" to 36" deep surfaces**Required specifications:**

- Metal paint finish

A unique desking architecture addressing current and future private office trends in providing flexible footprints and a coordinating ecosystem of products.

A unique desking architecture addressing current and future private office trends in providing flexible footprints and a coordinating ecosystem of products.

Backboards with options for whiteboard, PET or laminate with or without shelves complement the combinations of low/high storage possibilities. Backboards are also available sized to fill the void between wall hung overheads and low storage. Shelves and overheads add practical storage solutions for personal belongings.

- Accessorize your surfaces and storage with whiteboards, wire management, desktop electrical and more.

- Primary and return worksurfaces feature both square corners and ergonomic large radius corners.

PET modesty and privacy panels can emulate the curves of the surfaces they're applied to, providing privacy and mild sound absorption.

Column kits to support workspaces and returns in 2 or 3 legged applications.


Low storage and high storage options available. All storage to be supported by low storage legs or a storage undercarriage. Low storage with leg grommets for two or three column kits for desk integration.

Painted legs available in small kits for single wide units or large under carriage spans to house mixed low/high storage combinations.

Worksurfaces



SKWSRW
Rectangular
Worksurface



SKWSRRT
Rectangular
Worksurface with
Radius on Top Right



SKWSRTRL
Rectangular
Worksurface with
Radius on Top
Right and Top Left



SKWSRTBL
Rectangular
Worksurface with
Radius at Top Right
and Bottom Left



SKWSCT
Rectangular
worksurface for
conferencing




SKWSCW
Racetrack
Worksurface for
conferencing




SKWSDW
D Shaped Worksurface
for conferencing

Return Worksurfaces



SKWSRR
Right Rectangular
Return



SKWSRTR
Rectangular Return
with Radius at Top Right




SKWSRTL
Rectangular Return
with Radius at Top Left




SKWSCR
Racetrack worksurface
for right return


Fixed Height Column Kits




SKWSFH2C2
2 Column Kit



SKWSFH3C
3 Column Kit



SKWSHA2C
2 Column Kit




SKWSHA3C
3 Column kit

Support Channel




SKWSDC
Support Channel




SKWSRDC
Return Support Channel Kit


Modesty Panel




SKWABP
Modesty Panel




SKWACML
Corner Modesty
Panel - Left
(Right Available)




SKWARML
Curved Modesty
Panel - Left
(Right Available)



SKWAPP
Privacy Panel



SKWACPL
Corner Privacy
Panel - Left
(Right Available)



SKWARPL
Curved Privacy
Panel - Left
(Right Available)

Electrical



SCTAPE
Nik Edge/Clamp
Mount Power
Module




SCTAPS
Nik In-Surface
Power Module



SCTAPB
Nik Below
Surface Power
Module



SCTAPPB
Below Surface
Power Bar



SCTAPC
Below Surface
Power Bar



SCTACT
PET Felt Wire
Manager



SKWESCT
Storage Cable
Tube



SKSEPO
Storage Power
Outlet

Backboards



SKBB
Backboard



SKBBR
Backboard - Right
Radius Corner



SKBBL
Backboard - Left
Radius Corner



SKBBC
Backboard - Radius
Corners at Top



SKBS
Backboard with
Shelf




SKBD
Backboard with
Double Shelves




SKBOS
Backboard below
Overhead Storage


Overheads




SKS00
Open Cubby Over-
head



SKS0H
Hinged Door Over-
head



SKS0L
Laminate Sliding
Door Overhead




SKS0G
Glass Sliding Door
Overhead




OFFICE SPACES - STATEMENT OF LINE

Legs



SKSLL


Low Storage Legs



SKSLU


Storage Undercarriage

Low Storage (legs / undercarriage required, specify separately)




SKSLOS

Open Cubby with shelf




SKSLFD

File Drawer




SKSLBB

Box/Box Drawers




SKSLHD

Hinged Doors




SKSLCHLR

Hinged Door, Lateral File




SKSLCHLL

Lateral File, Hinged door




SKSLCHDR

Hinged Door, Box/
Box Drawers




SKSLCHDL

Box/Box Drawers,
Hinged Door




SKSLCOLR

Open Cubby, Lateral File




SKSLCOLL

Lateral File, Open
Cubby




SKSLCODR

Open Cubby, Box/
Box Drawers



SKSLCODL

Box/Box Drawers,
Open Cubby




SKSLCFF

File/File Drawers


Low Storage with Leg Grommets (legs / undercarriage required, specify separately)

(one leg grommet for use with two fixed or height adjustable column kits - primary workspace or conferencing top; two leg grommet for use with three fixed or height adjustable column kits - primary top + return)




SKSLHDG

Hinged Doors with
Leg Grommet




SKSLCHOL

Open Cubby, Hinged
Door with Leg
Grommet




SKSLCHOR

Hinged
Door with Leg
Grommet, Open
Cubby




SKSLCHFR

Hinged Door with
Leg Grommet, File
Drawer




SKSLCHFL

Hinged Door with
Leg Grommet, File
Drawer




SKSLCHBR

Hinged Door with
Leg Grommet, Box/
Box Drawers




SKSLCHBL

Box/Box Drawers,
Hinged Door with
Leg Grommet




SKSLCHOFL

File Drawer, Open
Cubby, Hinged Door
with Leg Grommet




SKSLCHOFR

Hinged Door with
Leg Grommet, Open
Cubby, File Drawer




SKSLCHODL

Box/Box Drawer, Open
Cubby, Hinged Door
with Leg Grommet




SKSLCHODR

Hinged Door with Leg
Grommet, Open Cubby,
Box/Box Drawer




SKSLCOHO

Open Cubby, Hinged
Door with Leg
Grommet, Open Cubby




SKSLCHBFL

File Drawer, Box/Box
Drawers, Hinged Door
with Leg Grommet




SKSLCHBFR

Hinged Door with Leg
Grommet, Box/Box
Drawers, File Drawer




SKSLCHOBFL

File Drawer, Box/Box
Drawers, Open Cubby,
Hinged Door with Leg
Grommet




SKSLCHOBFR

Hinged Door with Leg
Grommet, Open
Cubby, Box/Box
Drawers, File Drawer




SKSLCHFH

Hinged Door with Leg
Grommet, File
Drawer, Hinged Door
with Leg Grommet




SKSLCHBH

Hinged Door with Leg
Grommet, Box/Box
Drawers, Hinged Door
with Leg Grommet




SKSLCHOH

Hinged Door with Leg
Grommet, Open
Cubby, Hinged Door
with Leg Grommet




SKSLCHDG

Hinged Doors with
Leg Grommet




SKSLCHOFHL

Hinged Doors with Leg
Grommet, File Drawer,
Open Cubby, Hinged
Door with Leg
Grommet




SKSLCHOFHR

Hinged Doors with Leg
Grommet, Open Cubby,
File Drawer, Hinged
Door with Leg Grommet




SKSLCHOBHL

Hinged Doors with
Leg Grommet, Box/
Box Drawers, Open
Cubby, Hinged Door
with Leg Grommet




SKSLCHOBHR

Hinged Doors with Leg
Grommet, Open Cubby,
Box/Box Drawers,
Hinged Door with Leg
Grommet




SKSLCHOBFL

Hinged Doors with Leg
Grommet, File Drawer,
Box/Box Drawers,
Open Cubby, Hinged
Door with Leg
Grommet




SKSLCHOBFHR

Hinged Doors with Leg
Grommet, Open Cubby,
Box/Box Drawers, File
Drawer, Hinged Door
with Leg Grommet



SKSLCHBFL

Hinged Door with Leg
Grommet, File Drawer,
Box/Box Drawers,
Hinged Door with Leg
Grommet



SKSLCHBFR

Hinged Door with Leg
Grommet, Box/Box
Drawers, File Drawer,
Hinged Door with Leg
Grommet


High Storage (legs / undercarriage required, specify separately)




SKSHO
Open Cubby




SKSHR
Hinged Door - Right




SKSHL
Hinged Door - Left




SKSHH
Hinged Door




SKSHRF
Hinged Door - Right
with File Drawer




SKSHRL
Hinged Door - Left
with File Drawer




SKSHHF
Hinged Doors with
File Drawer




SKSHOF
Open Cubby with File
Drawer




SKSHOBF
Open Cubby with Box,
File Drawer




SKSHRBF
Hinged Door - Right
with Box File Drawer




SKSHLBF
Hinged Door - Left
with Box File Drawer



SKSHHBF
Hinged Doors - with
Box File Drawer




SKSHCSR
Sliding Door - Closed
Shelves Right




SKSHCSL
Sliding Door - Closed
Shelves Left


Storage Accessories



SKSAC
Low Storage Cushion



SKSAGC
Base Ganging Clip



SKWSFP
Flush Plate



SKSADW
Magnetic Whiteboard

HEIGHT ADJUSTABLE BASE SPECIFICATION

Construction:

- Leg column size: 70mm
- Leg and foot materials: steel
- Glide adjustment range: 18mm
- Operation speed: 1.4 inches/sec (35mm/sec)
- Anti-collision: 6-axis gyro built into control box
- Certifications: ANSI/BIFMA Compliant. UL component level certification.

Three stage leg design:

- Guide/actuator/motor housing design: steel/aluminum/plastic
- Lift capacity: 180 lbs./leg
- Noise level: <50dB

Control box specs NE2/N3:

Control box specs **NE2** for two column:

- Size: 11 5/8" x 1 7/8" x 3 3/4"
- Weight: 1.14 lbs.

Control box specs **N3** for three column:



- Size: 12 5/8" x 1 15/16" x 3 11/16"
- Weight: 1.54 lbs

- Voltage: 120V
- Temperatures: below 70°C.
- Color: Black
- Overload protection:
 - Work duty: 2 min. operation, requires 18 min. rest, otherwise code H01 will show.
 - Current limitations: single port not larger than 7A, total ports not larger than 15A.
- Type of plug: three prong
- Cord length: 1 meter

Handset K50C:

- Color: Black
- PVC
- Plug style and cord length: RJ45
- Standby power consumption: < 0.1W
- Active power consumption: NE2 max 350W, N3 max 500W
- Certifications: UL component level certification

HEIGHT ADJUSTABLE TABLE ELEVATIONS



POWER MODULE SPECIFICATION


Worksurfaces	Code/Location
SKWSRW	NG - No Grommet
SKWSRRT	F1 - left position
SKWSRLT	F2/C2 - center position
SKWSRTRL	F3 - right position
SKWSRTBL	
SKWSRBTBL	
SKWSCR	
SKWSCL	

Worksurface Grommet Options:




- **F1/F2/F3** - BG5. Available in White (**W**), Black (**B**) and Grey (**G**). Add **\$96**.

Worksurface Power Module Options:

- Cut-outs for SCTAPsx modules available in center position only. Specify **C2**, add **\$96**.

**Worksurface Grommet Locations:**

- Grommets available in standard worksurface locations (left, center or right). Order as **F1, F2 or F3**. Add **\$96** for each cut-out.
- Grommet hole dimensions are 3 1/4" wide x 1 7/8" deep.




Conference Tops	Code/Location
SKWSCT	NG - No Grommet
SKWSCW	F1/C1 - left position
	F2/C2/O2 - center position
	F3/C3 - right position

Conference Top Grommet Options:




- **F1/F2/F3** - BG5. Available in White (**W**), Black (**B**) and Grey (**G**).

Conference Top Power Module Options:

- Cut-outs for SCTAPsx and SCTAOTx modules available, centered on depth in left, center and right locations. Order as **C1, C2 or C3**, add **\$96**.



- Cut-outs for SCTAPTx / SCTAPRx modules available, centered on depth in center position only. Order as **O2**, add **\$96**.



**Conference Top Grommet Locations:**

POWER ACCESSORY CUT-OUT LOCATIONS


D-Top/Return	Code/Location
SKWSDW	NG - No Grommet
SKWSRR	F2/C2 - center position. Add \$96 for each cut-out.
SKWSRL	
SKWSRBR	
SKWSRBL	
SKWSRTR	
SKWSRTL	
SKWSCT	

D-Top Power Module Options:


- Cut-outs for SCTAPs_x and SCTAOT_x modules available in center position only. Specify **C2**, add **\$96**.




D-Top Grommet Options:
F2 - BG5. Available in White (**W**), Black (**B**) and Grey (**G**).




WORKSURFACE RADIUS + GRAIN DIRECTION




ELEVATIONS




Low storage with undercarriage




Low storage with leg grommet and fixed height leg




Low storage with 48" high storage on undercarriage




Low storage with 54" high storage on undercarriage



Low storage with 60" high storage on undercarriage with backboard






Low storage with 66" high storage on undercarriage with backboard



Low storage with 72" high storage on undercarriage with backboard


Note - PET Felt:

- Varied asymmetrical pattern (**VE-V**) repeats every 15" in a combination of 1.5", 3", 4.5" and 6" sections between grooves.
- Equal symmetrical pattern (**VE-E**) is consistent 3" center to center of grooves.

Modesty Panels - SKWABP, SKWACML/R, SKWARML/R**Backboard Radius Corners****Lateral File Drawers Capacity****Lateral File Drawer:**

36W & 42W


Legal Filing - front to back

**Lateral File Drawer:**

36W & 42W

Legal Filing - side to side

Letter Filing - front to back

**Lateral File Drawer:**


30W, 36W & 42W

Letter Filing - front to back

**Lateral File Drawer:**


36W & 42W

Letter & Legal Filing - front to back

**Lateral File Drawer:**

30W, 36W & 42W

Legal Filing - side to side



- Drawer file with plastic rail
- 30"W Size 9.44"H x 25.75"W x 16"L
- 36"W Size 9.44"H x 31.75"W x 16"L
- 42"W Size 9.44"H x 37.75"W x 16"L

Pedestal Drawers Capacity**Box Drawer:**

15.5W

Legal Filing - side to side

**File Drawer:**

15.5W

Letter Filing - front to back

**File Drawer:**

15.5W

Legal Filing - side to side



- 18"D Drawer Box Size 3.93"H x 13"W x 16"L
- 20.23.24.29.30.36"D Drawer Box Size 3.93"H x 13"W x 20"L



- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L

- 18"D Drawer File with plastic rail Size 9.4"H x 13"W x 16"L
- 20"D and up Drawer File with plastic rail Size 9.4"H x 13"W x 20"L



BASIC WORKSTATION

Office Spaces planning begins with the credenza, the storage undercarriage, the worksurface, the required support channels and the leg column kit type. The examples below feature fixed height leg column kits and all surface types in a right handed configuration, but any can be specified with height adjustable leg column kits and/or the opposite handedness.



To support surfaces, specify the required leg column kit, the low storage with leg grommet and support channel bars for primary surfaces (single bar up to 66", two required for 72" and above) and a return support kit for return surfaces. Primary worksurfaces cannot rest directly on the low storage or as a freestanding table desk.



Specification:
SKWSRW3072, SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72
Rectangular surfaces can be used
with a credenza on the left or right.





Specification:
SKWSRTL3072, SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72
Surfaces with curves at upper left/
right can be used with left or right
handed credenzas (right shown).





Specification:
SKWSCR3072, SKSLCHOEDR2072,
SKSLU2072, SKWSFH2C30T36,
2 x SKWSDC72
Racetrack surfaces can be
specified for use with left or right
handed credenzas (right shown).

BASIC WORKSTATIONS



Specification:
SKWSRLT3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72

Surfaces with the curve at the upper left are used with credenza on the right (as shown). Opposite hand available.





Specification:
SKWSRTBL3072,
SKSLCHOEDR2072, SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72

Surfaces with curves at opposite sides can be used with left or right handed credenzas (right shown).



L-DESK SURFACES

To specify an "L" shaped configuration with Office Spaces, a credenza with two leg grommet, a three column fixed or height adjustable kit, two support channels and a return support channel kit are needed. The examples below feature fixed height column kits, a basic rectangular primary worksurface with various return shapes available.



They can also be specified with height adjustable column kits and/or opposite handedness. The primary surface can be specified as any shape as shown on the previous page. To support surfaces, credenzas must be specified with two leg grommets. Surfaces cannot rest on the credenza.



Specification:
SKWSRW2472,
SKWSRR1860,
SKSLCH0BHR2084,
SKSLU2084,
SKWSFH3C18T24,
2 x SKWSDC72,
SKWSRDC60





Specification:
SKWSRW2472,
SKWSRR1860,
SKSLCH0BHR2084,
SKSLU2084,
SKWSFH3C18T24,
2 x SKWSDC72,
SKWSRDC60





Specification:
SKWSRW2472,
SKWSRR1860,
SKSLCH0BHR2084,
SKSLU2084,
SKWSFH3C18T24,
2 x SKWSDC72,
SKWSRDC60

SHARED OFFICE/CONFERENCE



Shared spaces can be accomplished by using center grommet credenzas with Office Spaces conferencing surfaces. Conferencing surfaces are designed for use with two column kits only, fixed or height adjustable. They are not intended to be connected to returns.



Specification:
 SKWSCT3696,
 SKSLCHDG2084,
 SKSLU2084,
 SKWSFH2C30T36,
 2 x SKWSDC84



Specification:
 SKWSDW3696,
 SKSLCHDG2084,
 SKSLU2084,
 SKWSFH2C30T36,
 2 x SKWSDC84




Specification:
 SKWSCW3696,
 SKSLCHDG2084,
 SKSLU2084,
 SKWSFH2C30T36,
 2 x SKWSDC84


STORAGE

SKSLL Storage Legs for single units.



SKSLU20 Storage Undercarriage



*Freestanding Storage 24 or 30\"w use SKSLL.
Cannot be used for high storage.




*Freestanding Storage 36\"w or greater use SKSLU20xx



*Combining low and high storage is possible over a single undercarriage.
No more than one low storage unit and one high storage can be combined
on a single undercarriage.


18\" wide high storage can only be used in conjunction with low storage
36\" wide or greater.

NOTE: All storage units have a recessed back of 1.29"



Flush Plate Detail

Flush plates (SKWSFP) are required when combining low and high
storage over a single undercarriage.



Ganging Clip Detail


A base ganging clip (SKSAGC) is recommended when positioning two
separate undercarriage pieces side by side. The half-pill shaped legs
align to form an oval column to emulate the curves seen through the
Spaces Collection.

BACKBOARDS + OVERHEADS


Backboards add a decorative finished element to the space and with optional shelving or when used with overheads add personal storage options; they are wall mounted. Backboards include rails for mounting; hardware to fix to the wall is not included.

Backboards are intended to be mounted with bottom flush to the top of 20" low storage and aligned to the top of high storage.

Backboards are available in laminate (**LP**), dry erase whiteboard (**DE**), PET felt (**PT**), and patterned PET felt (**VE**).




Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBS5272VE-V




Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBS5272VE-V


Note: when using backboard with two shelves, for use with fixed height column kits only




Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBBL5272VE-V



Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBOS5272VE-V,
2 x SKSOH1436




Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBBR5272VE-V




Specification:
SKWSRW3072,
SKSLCHOEDR2072,
SKSLU2072,
SKWSFH2C30T36,
2 x SKWSDC72,
SKBBC5272VE-V

MODESTY + PRIVACY PANELS


Modesty and privacy panels can be added to rectangular or curved surfaces.



Specification:
 SKWSRW3072,
 SKSLCHOEDR2072,
 SKSLU2072,
 SKWSFH2C30T36,
 2 x SKWSDC72,
 SKWABP1172 (flush)




Specification:
 SKWSRW3072,
 SKWSRR1836,
 SKSLCHBH3066,
 SKSH07218,
 SKSLU2084,
 SKWSFH3C30T36,
 2 x SKWSDC72,
 SKWACML1172D30




Specification:
 SKWSRTRL3072,
 SKWSRR1836,
 SKSLCHBH3066,
 SKSH07218,
 SKSLU2072,
 SKWSFH3C30T36,
 2 x SKWSDC72,
 SKWARM1172D30


MODESTY + PRIVACY PANELS

Specification:

SKWSRW3072,
 SKSLCHOEDR2072,
 SKSLU2072,
 SKWSFH2C30T36,
 2 x SKWSDC72,
 SKWAPP2372

Specification:





SKWSRW3072,
 SKWSRR1836,
 SKSLCHBH3066,
 SKSH07218,
 SKSLU2084,
 SKWSFH3C30T36,
 2 x SKWSDC72,
 SKWACPL2372D30

Specification:


SKWSRTRL3072,
 SKWSRR1836,
 SKSLCHBH3066,
 SKSH07218,
 SKSLU2072,
 SKWSFH3C30T36,
 2 x SKWSDC72,
 SKWARPL2372D30

ACCESSORIES




Leg grommets feature a large opening for the fixed height or height adjustable column (specified separately).
A second smaller diameter opening (1.8") allows for use of either **SKWESCT** - storage cable tube or **SKSEPO** - storage power outlet.



SKSADW Magnetic Whiteboard
(specify separately, installed on site)



PET felt leg cover inside the low storage,
standard within the credenza where any leg
grommet is present.

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Rectangular Worksurface	D x W x H						
	SKWSRW2460	24 x 60 x 1	60	44.3	0.83	\$466	\$175
	SKWSRW2466	24 x 66 x 1	60	48.71	0.92	\$508	\$193
	SKWSRW2472	24 x 72 x 1	60	53.11	1	\$551	\$210
	SKWSRW2478	24 x 78 x 1	60	57.51	1.08	\$593	\$228
	SKWSRW2484	24 x 84 x 1	60	61.92	1.17	\$635	\$245
	SKWSRW3060	30 x 60 x 1	60	55.24	1.04	\$558	\$219
	SKWSRW3066	30 x 66 x 1	60	60.75	1.15	\$608	\$241
	SKWSRW3072	30 x 72 x 1	60	66.23	1.25	\$659	\$263
	SKWSRW3078	30 x 78 x 1	60	71.74	1.35	\$710	\$285
	SKWSRW3084	30 x 84 x 1	60	77.22	1.46	\$760	\$307
 Rectangular Worksurface, Radius Top Right	SKWSRRT2460	24 x 60 x 1	60	44.86	0.83	\$493	\$188
	SKWSRRT2466	24 x 66 x 1	60	49.31	0.92	\$539	\$207
	SKWSRRT2472	24 x 72 x 1	60	53.77	1	\$584	\$225
	SKWSRRT2478	24 x 78 x 1	60	58.21	1.08	\$629	\$244
	SKWSRRT2484	24 x 84 x 1	60	62.66	1.17	\$674	\$263
	SKWSRRT3060	30 x 60 x 1	60	55.85	1.04	\$589	\$235
	SKWSRRT3066	30 x 66 x 1	60	61.4	1.15	\$643	\$258
	SKWSRRT3072	30 x 72 x 1	60	66.92	1.25	\$697	\$281
	SKWSRRT3078	30 x 78 x 1	60	72.46	1.35	\$751	\$305
	SKWSRRT3084	30 x 84 x 1	60	78.01	1.46	\$804	\$328
 Rectangular Worksurface, Radius Top Left	SKWSRLT2460	24 x 60 x 1	60	44.86	0.83	\$493	\$188
	SKWSRLT2466	24 x 66 x 1	60	49.31	0.92	\$539	\$207
	SKWSRLT2472	24 x 72 x 1	60	53.77	1	\$584	\$225
	SKWSRLT2478	24 x 78 x 1	60	58.21	1.08	\$629	\$244
	SKWSRLT2484	24 x 84 x 1	60	62.66	1.17	\$674	\$263
	SKWSRLT3060	30 x 60 x 1	60	55.85	1.04	\$589	\$235
	SKWSRLT3066	30 x 66 x 1	60	61.4	1.15	\$643	\$258
	SKWSRLT3072	30 x 72 x 1	60	66.92	1.25	\$697	\$281
	SKWSRLT3078	30 x 78 x 1	60	72.46	1.35	\$751	\$305
	SKWSRLT3084	30 x 84 x 1	60	78.01	1.46	\$804	\$328

Rectangular primary surface to be used with fixed height or height adjustable column kit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

Primary surface with curve at the top right to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

- 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

Primary surface with curve at the top left to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.

- 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

Required specifications




Laminate finish
Edge finish

Optional specifications

HP laminate
Grommet (and grommet finish)
Power module cut-out

Accessories

PET felt modesty panel, privacy panel,
Nik power modules,
PET felt wire manager





WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Rectangular Worksurface, Radius Top Right and Top Left	D x W x H						
	SKWSRTRL2460	24 x 60 x 1	60	44.84	0.83	\$493	\$188
	SKWSRTRL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRTRL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
	SKWSRTRL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRTRL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRTRL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRTRL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRTRL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRTRL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRTRL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328
 Rectangular Worksurface, Radius Top Right and Bottom Left	SKWSRTBL2460	24 x 60 x 1	60	44.83	0.83	\$493	\$188
	SKWSRTBL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRTBL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
	SKWSRTBL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRTBL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRTBL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRTBL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRTBL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRTBL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRTBL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328
 Rectangular Worksurface, Radius Top Left and Bottom Right	SKWSRBTL2460	24 x 60 x 1	60	44.83	0.83	\$493	\$188
	SKWSRBTL2466	24 x 66 x 1	60	49.28	0.92	\$539	\$207
	SKWSRBTL2472	24 x 72 x 1	60	53.74	1	\$584	\$225
	SKWSRBTL2478	24 x 78 x 1	60	58.19	1.08	\$629	\$244
	SKWSRBTL2484	24 x 84 x 1	60	62.63	1.17	\$674	\$263
	SKWSRBTL3060	30 x 60 x 1	60	55.82	1.04	\$589	\$235
	SKWSRBTL3066	30 x 66 x 1	60	61.36	1.15	\$643	\$258
	SKWSRBTL3072	30 x 72 x 1	60	66.88	1.25	\$697	\$281
	SKWSRBTL3078	30 x 78 x 1	60	72.43	1.35	\$751	\$305
	SKWSRBTL3084	30 x 84 x 1	60	77.97	1.46	\$804	\$328

Primary surface with curve at the top corners to be used with fixed height or height adjustable column kit.
 All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above..
 • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

Primary surface with curve at the top right and bottom left to be used with fixed height or height adjustable column kit.
 Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.
 • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

Primary surface with curve at the top left and bottom right to be used with fixed height or height adjustable column kit.
 Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above.
 • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface

Required specifications	Optional specifications	Accessories
Laminate finish Edge finish	HP laminate Grommet (and grommet finish) Power module cut-out	PET felt modesty panel, privacy panel, Nik power modules, PET felt wire manager

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Racetrack Worksurface for Right Return	D x W x H						
	SKWSCR3072	30 x 72 x 1	60	66.83	1.25	\$691	\$281
	SKWSCR3078	30 x 78 x 1	60	72.37	1.35	\$744	\$305
	SKWSCR3084	30 x 84 x 1	60	77.92	1.46	\$798	\$328
	SKWSCR3090	30 x 90 x 1	60	83.46	1.56	\$852	\$351
	SKWSCR3096	30 x 96 x 1	60	88.98	1.67	\$906	\$375
	SKWSCR3672	36 x 72 x 1	60	79.98	1.5	\$803	\$337
	SKWSCR3678	36 x 78 x 1	60	86.61	1.63	\$865	\$365
	SKWSCR3684	36 x 84 x 1	60	93.25	1.75	\$928	\$393
	SKWSCR3690	36 x 90 x 1	60	99.87	1.88	\$990	\$421
	SKWSCR3696	36 x 96 x 1	60	106.49	2	\$1052	\$449
Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the right side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above. • When specifying 90" and 96" surfaces, use 84" support channels. • 15" radius on 30" deep surface							
 Racetrack Worksurface for Left Return	SKWSCL3072	30 x 72 x 1	60	66.83	1.25	\$691	\$281
	SKWSCL3078	30 x 78 x 1	60	72.37	1.35	\$744	\$305
	SKWSCL3084	30 x 84 x 1	60	77.92	1.46	\$798	\$328
	SKWSCL3090	30 x 90 x 1	60	83.46	1.56	\$852	\$351
	SKWSCL3096	30 x 96 x 1	60	88.98	1.67	\$906	\$375
	SKWSCL3672	36 x 72 x 1	60	79.98	1.5	\$803	\$337
	SKWSCL3678	36 x 78 x 1	60	86.61	1.63	\$865	\$365
	SKWSCL3684	36 x 84 x 1	60	93.25	1.75	\$928	\$393
	SKWSCL3690	36 x 90 x 1	60	99.87	1.88	\$990	\$421
	SKWSCL3696	36 x 96 x 1	60	106.49	2	\$1052	\$449
Racetrack primary surface to be used with fixed height or height adjustable column kit. Surface is intended to be used with a return or credenza on the left side. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above. • When specifying 90" and 96" surfaces, use 84" support channels. • 15" radius on 30" deep surface							
 Rectangular Return, Right	SKWSRR1836	18 x 36 x 1	60	20.08	0.38	\$237	\$78
	SKWSRR1842	18 x 42 x 1	60	23.41	0.44	\$271	\$92
	SKWSRR1848	18 x 48 x 1	60	26.71	0.5	\$305	\$105
	SKWSRR1854	18 x 54 x 1	60	30.04	0.56	\$340	\$118
	SKWSRR1860	18 x 60 x 1	60	33.34	0.63	\$374	\$131
	SKWSRR1866	18 x 66 x 1	60	36.66	0.69	\$408	\$144
Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).							
 Rectangular Return, Left	SKWSRL1836	18 x 36 x 1	60	20.09	0.38	\$237	\$78
	SKWSRL1842	18 x 42 x 1	60	23.41	0.44	\$271	\$92
	SKWSRL1848	18 x 48 x 1	60	26.71	0.5	\$305	\$105
	SKWSRL1854	18 x 54 x 1	60	30.04	0.56	\$340	\$118
	SKWSRL1860	18 x 60 x 1	60	33.34	0.63	\$374	\$131
	SKWSRL1866	18 x 66 x 1	60	36.66	0.69	\$408	\$144
Connects to a primary surface to create an L-shaped configuration. Specify support channel separately as needed. Handedness determines grommet location(s).							

Required specifications






Laminate finish
Edge finish

Optional specifications

HP laminate
Grommet (and grommet finish)
Power module cut-out

Accessories


PET felt modesty panel, privacy panel,
Nik power modules,
PET felt wire manager

WORKSURFACES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	HP ADD
 Rectangular Return w/Radius Bottom Right	D x W x H						
	SKWSRBR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRBR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRBR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRBR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRBR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
Connects to a primary surface on the left edge to create an L-shaped configuration. Specify support channel separately as needed. • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface							
 Rectangular Return w/Radius Bottom Left	SKWSRBL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRBL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRBL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRBL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRBL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	Connects to a primary surface on the right edge to create an L-shaped configuration. Specify support channel separately as needed. • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface						
 Rectangular Return w/Radius Top Right	SKWSRTR1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRTR1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRTR1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRTR1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRTR1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	Connects to a primary surface on the left edge to create an L-shaped configuration. Specify support channel separately as needed. • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface						
 Rectangular Return w/Radius Top Left	SKWSRTL1842	18 x 42 x 1	60	23.82	0.44	\$288	\$99
	SKWSRTL1848	18 x 48 x 1	60	27.16	0.5	\$325	\$113
	SKWSRTL1854	18 x 54 x 1	60	30.53	0.56	\$361	\$127
	SKWSRTL1860	18 x 60 x 1	60	33.89	0.63	\$398	\$141
	SKWSRTL1866	18 x 66 x 1	60	37.24	0.69	\$434	\$155
	Connects to a primary surface on the right edge to create an L-shaped configuration. Specify support channel separately as needed. • 12" radius on 24" deep surfaces; 15" radius on 30" deep surface						
 Rectangular Worksurface for Conferencing	SKWSCT3072	30 x 72 x 1	60	66.23	1.25	\$659	\$263
	SKWSCT3078	30 x 78 x 1	60	71.74	1.35	\$710	\$285
	SKWSCT3084	30 x 84 x 1	60	77.22	1.46	\$760	\$307
	SKWSCT3090	30 x 90 x 1	60	82.72	1.56	\$811	\$329
	SKWSCT3096	30 x 96 x 1	60	88.23	1.67	\$862	\$351
	SKWSCT3672	36 x 72 x 1	60	79.37	1.5	\$767	\$316
	SKWSCT3678	36 x 78 x 1	60	85.96	1.63	\$826	\$342
	SKWSCT3684	36 x 84 x 1	60	92.54	1.75	\$885	\$369
	SKWSCT3690	36 x 90 x 1	60	99.12	1.88	\$944	\$395
	SKWSCT3696	36 x 96 x 1	60	105.71	2	\$1003	\$421
	Rectangular surface to be used for conferencing application that is semi-supported. Not for use with a return or a freestanding unit. All surfaces with an unsupported length of 48" or greater require a support channel; 2 channels on 72" and above. • When specifying 90" and 96" surfaces, use 84" support channels.						

Required specifications	Optional specifications	Accessories
Laminate finish Edge finish	HP laminate Grommet (and grommet finish) Power module cut-out	PET felt modesty panel, privacy panel, Nik power modules, PET felt wire manager




WORKSURFACE SUPPORTS




surface not included

Fixed Height 2 Column Kit




surface not included

Fixed Height 3 Column Kit



surface not included

Height Adjustable 2 Column Kit



surface not included

Height Adjustable 3 Column Kit

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
SKWSFH2C18T24	6 x 20 x 28	150	81.31	15.4	\$1172
SKWSFH2C30T36	6 x 20 x 28	150	81.31	15.4	\$1187

For use with Office Spaces low storage units with a leg grommet. Kit includes two fixed height columns, one foot, one column basket, two leg brackets and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH2C18T24
- For 30" and 36" deep worksurfaces, specify SKWSFH2C30T36

SKWSFH3C18T24	6 x 20 x 28	250	81.31	25.4	\$1544
SKWSFH3C30T36	6 x 20 x 28	250	81.31	25.4	\$1719

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Kit includes three fixed height columns, one foot, two column basket, three leg brackets and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSFH3C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSFH3C30T36.

SKWSHA2C18T24	6 x 20 x 25-51.2	150	81.31	15.38	\$2411
SKWSHA2C30T36	6 x 20 x 25-51.2	150	81.31	15.38	\$2423

For use with Office Spaces low storage units with a leg grommet. Range from top of surface to floor is 26" to 52.2". Kit includes two height adjustable columns, one control box (2 port), one handset, one foot, one spacer, one column basket and two small column brackets. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.





- For 18" and 24" deep worksurfaces, specify SKWSHA2C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA2C30T36.

SKWSHA3C18T24	6 x 20 x 25-51.2	250	81.31	25.4	\$3504
SKWSHA3C30T36	6 x 20 x 25-51.2	250	81.31	25.4	\$3522

For use with Office Spaces low storage units with two leg grommets, forming an L shape configuration. Range from top of surface to floor is 26" to 52.2". Kit includes three height adjustable columns, one control box (3 port), one handset, one foot, one spacer, two column basket, one small column bracket for the return surface and two small column brackets for the primary surface. Support channels are not included and must be specified based on the surface size. Kit components are powder coated metal. Specify paint finish.

- For 18" and 24" deep worksurfaces, specify SKWSHA2C18T24.
- For 30" and 36" deep worksurfaces, specify SKWSHA2C30T36.

Required specifications
Paint finish

WORKSURFACE SUPPORTS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Support Channel		D x W x H				
	SKWSDC66	2 x 36 x 1.75	85	20	1.5	\$80
	SKWSDC72	2 x 42 x 1.75	85	20	1.5	\$96
	SKWSDC78	2 x 48 x 1.75	85	20	1.5	\$102
	SKWSDC84	2 x 54 x 1.75	85	20	1.5	\$111
Used to support the primary surface. Specify two channels for each primary surface. Support channels are specified by the surface length. Available in Black (BLK) only.						
 Return Support Channel Kit	SKWSRDC36	8.5 x 18 x 1.75	70	20	1.5	\$126
	SKWSRDC42	8.5 x 24 x 1.75	85	20	1.5	\$136
	SKWSRDC48	8.5 x 30 x 1.75	85	20	1.5	\$145
	SKWSRDC54	8.5 x 36 x 1.75	85	20	1.5	\$153
	SKWSRDC60	8.5 x 42 x 1.75	85	20	1.5	\$168
	SKWSRDC66	8.5 x 48 x 1.75	85	20	1.5	\$175
Supports a return in an L-shaped configuration. Kit includes the channel and the support bracket. Support channels are specified by the surface length. Available in Black (BLK) only.						
PRIMARY WORKSURFACE ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Privacy Panel*	SKWAPP2360	4.75 x 57 x 23	400	3.03	3.6	\$172
	SKWAPP2366	4.75 x 63 x 23	400	3.18	3.98	\$182
	SKWAPP2372	4.75 x 69 x 23	400	3.37	4.36	\$192
	SKWAPP2378	4.75 x 75 x 23	400	3.55	4.74	\$201
	SKWAPP2384	4.75 x 81 x 23	400	3.73	5.12	\$211
Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. Specify the privacy panel that matches the nominal surface length. The privacy panel extends past the surface by 0.45". Installed panel measures 13" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.						
• Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L						
 Modesty Panel*	SKWABP1160	4.75 x 57 x 10	300	2.53	1.72	\$140
	SKWABP1166	4.75 x 63 x 10	300	2.68	1.9	\$144
	SKWABP1172	4.75 x 69 x 10	300	2.87	2.09	\$148
	SKWABP1178	4.75 x 75 x 10	300	3.05	2.27	\$153
	SKWABP1184	4.75 x 81 x 10	300	3.23	2.45	\$157
Felt modesty panel can be mounted flush (upper bracket location) or inset (low bracket location). Specify the modesty panel that matches the nominal surface length. The modesty panel is inset by 0.45" when installed in the low bracket position and flush in the upper bracket position. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 2) are powder coated metal. Specify standard metal paint finish and PET felt color.						
• Cannot be used in conjunction with privacy panel - SKWAPP/SKWACPR/L/SKWAPR/L						

Required specifications

Paint finish*


PET felt finish*



PRIMARY WORKSURFACE ACCESSORIES



Corner Privacy Panel, Left



Corner Privacy Panel, Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKWACPL2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$265
SKWACPL2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$275
SKWACPL2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$284
SKWACPL2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$294
SKWACPL2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$304
SKWACPL3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$284
SKWACPL3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$294
SKWACPL3172D24	4.75 x 47.8 x 30	300	6.76	3.94	\$303
SKWACPL3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$313
SKWACPL3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$323
SKWACPL2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$287
SKWACPL2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$297
SKWACPL2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$306
SKWACPL2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$316
SKWACPL2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$326
SKWACPL3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$306
SKWACPL3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$316
SKWACPL3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$325
SKWACPL3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$335
SKWACPL3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$345

Felt privacy panel secures to the edge of the surface (SKWSRW) and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface. Specify the privacy panel that matches the nominal surface length and depth. 23" high dividers measure 13" from the top of the worksurface and 9" below the surface. 31" high dividers measure 21" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L

SKWACPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$265
SKWACPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$275
SKWACPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$284
SKWACPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$294
SKWACPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$304
SKWACPR3160D24	4.75 x 35.8 x 30	250	4.69	2.26	\$284
SKWACPR3166D24	4.75 x 41.8 x 30	300	5.06	2.64	\$294
SKWACPR3172D24	4.75 x 47.8 x 30	300	5.44	3.02	\$303
SKWACPR3178D24	4.75 x 53.8 x 30	300	5.81	3.4	\$313
SKWACPR3184D24	4.75 x 59.8 x 30	300	6.18	3.78	\$323
SKWACPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$287
SKWACPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$297
SKWACPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$306
SKWACPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$316
SKWACPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$326
SKWACPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$306
SKWACPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$316
SKWACPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$325
SKWACPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$335
SKWACPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$345

Felt privacy panel secures to the edge of the surface (SKWSRW) and provides privacy above and below the surface. It wraps around the corner on the right side of the primary surface. Specify the privacy panel that matches the nominal surface length and depth. 23" high dividers measure 13" from the top of the worksurface and 9" below the surface. 31" high dividers measure 21" from the top of the worksurface and 9" below the surface. Must align with pre-drilled holes on the underside of the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.


- Cannot be used in conjunction with modesty panel - SKWABP/SKWACMR/L/SKWARMR/L

Required specifications
PET felt color
Paint finish


LIST PRICE



WORKSURFACE ACCESSORIES



Curved Privacy Panel, Left



Curved Privacy Panel, Right

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKWARPL2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$300
SKWARPL2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$310
SKWARPL2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$319
SKWARPL2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$329
SKWARPL2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$339
SKWARPL3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$319
SKWARPL3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$329
SKWARPL3172D24	4.75 x 47.8 x 30	300	6.26	3.45	\$338
SKWARPL3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$348
SKWARPL3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$358
SKWARPL2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$322
SKWARPL2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$332
SKWARPL2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$341
SKWARPL2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$351
SKWARPL2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$361
SKWARPL3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$341
SKWARPL3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$351
SKWARPL3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$359
SKWARPL3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$370
SKWARPL3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$380

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)

SKWARPR2360D24	4.75 x 35.8 x 23	250	4.69	2.26	\$300
SKWARPR2366D24	4.75 x 41.8 x 23	300	5.06	2.64	\$310
SKWARPR2372D24	4.75 x 47.8 x 23	300	5.44	3.02	\$319
SKWARPR2378D24	4.75 x 53.8 x 23	300	5.81	3.4	\$329
SKWARPR2384D24	4.75 x 59.8 x 23	300	6.18	3.78	\$339
SKWARPR3160D24	4.75 x 35.8 x 30	300	5.75	2.95	\$319
SKWARPR3166D24	4.75 x 41.8 x 30	300	6.26	3.45	\$329
SKWARPR3172D24	4.75 x 47.8 x 30	300	6.76	3.94	\$338
SKWARPR3178D24	4.75 x 53.8 x 30	300	7.26	4.44	\$348
SKWARPR3184D24	4.75 x 59.8 x 30	300	7.76	4.93	\$358
SKWARPR2360D30	4.75 x 35.8 x 23	250	4.69	2.26	\$322
SKWARPR2366D30	4.75 x 41.8 x 23	300	5.06	2.64	\$332
SKWARPR2372D30	4.75 x 47.8 x 23	300	5.44	3.02	\$341
SKWARPR2378D30	4.75 x 53.8 x 23	300	5.81	3.4	\$351
SKWARPR2384D30	4.75 x 59.8 x 23	300	6.18	3.78	\$361
SKWARPR3160D30	4.75 x 35.8 x 30	300	5.75	2.95	\$341
SKWARPR3166D30	4.75 x 41.8 x 30	300	6.26	3.45	\$351
SKWARPR3172D30	4.75 x 47.8 x 30	300	6.76	3.94	\$359
SKWARPR3178D30	4.75 x 53.8 x 30	300	7.26	4.44	\$370
SKWARPR3184D30	4.75 x 59.8 x 30	300	7.76	4.93	\$380

Felt privacy panel secures to the edge of the surface and provides privacy above and below the surface. It wraps around the corner on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the privacy panel that matches the nominal surface length and depth. Must align with pre-drilled holes in the primary surface. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with modesty panel (SKWABP/SKWACMR/L/SKWARMR/L)

Required specifications
PET felt color
Paint finish

LIST PRICE

Curved Modesty Panel, Right

	D x W x H				
SKWARML1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$168
SKWARML1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$173
SKWARML1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$178
SKWARML1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$182
SKWARML1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$188
SKWARML1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$178
SKWARML1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$182
SKWARML1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$187
SKWARML1178D30	4.75 x 53.8 x 10	250	3.47	1.31	\$192
SKWARML1184D30	4.75 x 59.8 x 10	250	3.83	1.64	\$197

Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the left side of the primary surface (SKWSRLT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWAPR/L)

SKWARMR1160D24	4.75 x 35.8 x 10	250	3.12	0.98	\$168
SKWARMR1166D24	4.75 x 41.8 x 10	250	3.3	1.15	\$173
SKWARMR1172D24	4.75 x 47.8 x 10	250	3.47	1.31	\$178
SKWARMR1178D24	4.75 x 53.8 x 10	250	3.65	1.48	\$182
SKWARMR1184D24	4.75 x 59.8 x 10	250	3.83	1.64	\$188
SKWARMR1160D30	4.75 x 35.8 x 10	250	3.12	0.98	\$178
SKWARMR1166D30	4.75 x 41.8 x 10	250	3.3	1.15	\$182
SKWARMR1172D30	4.75 x 47.8 x 10	250	3.47	1.31	\$187
SKWARMR1178D30	4.75 x 53.8 x 10	250	3.65	1.48	\$192
SKWARMR1184D30	4.75 x 59.8 x 10	250	3.83	1.64	\$181


Felt modesty panel can be mounted flush (low bracket location) or inset (upper bracket location) and wraps around on the right side of the primary surface (SKWSRRT). Must be used opposite a credenza in an L configuration. Specify the modesty panel that matches the nominal surface length and depth. Brackets (set of 3) are powder coated metal. Specify standard metal paint finish and PET felt color.

- Cannot be used in conjunction with privacy panel (SKWAPP/SKWACPR/L/SKWAPR/L)


Required specifications

Required sp
PET felt color
Paint finish


POWER ACCESSORIES




Nik Edge/Clamp Mount Power Module




Nik In-Surface Power Module



Nik Below Surface Power Module



SCTAPPBS



SCTAPPBD

Below Surface Power Bar

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

SCTAPEA	2.10 x 6 x 3.7	60	4	0.03	\$570
SCTAPEB	2.10 x 6 x 3.7	60	4	0.03	\$542
SCTAPEC	2.10 x 6 x 3.7	60	4	0.03	\$630
SCTAPED	2.10 x 6 x 3.7	60	4	0.03	\$746
SCTAPEE	2.10 x 6 x 3.7	60	4	0.03	\$556

Black with black receptacles, 10ft cord. Specify configuration, last letter of the code represents the following:

- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPSC	2.10 x 6 x 3.7	60	4	0.03	\$639
SCTAPSD	2.10 x 6 x 3.7	60	4	0.03	\$797
SCTAPSE	2.10 x 6 x 3.7	60	4	0.03	\$561

Black with black receptacles, 10ft cord. Corresponding cut-out option is C1, C2 or C3 (where applicable). Specify configuration, last letter of the code represents the following:

- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPBA	2.10 x 6 x 3.7	60	4	0.03	\$445
SCTAPBB	2.10 x 6 x 3.7	60	4	0.03	\$403
SCTAPBC	2.10 x 6 x 3.7	60	4	0.03	\$473
SCTAPBD	2.10 x 6 x 3.7	60	4	0.03	\$584
SCTAPBE	2.10 x 6 x 3.7	60	4	0.03	\$413

Black with black receptacles, 10ft cord. Undermounts at the edge of any worksurface. Specify configuration, last letter of the code represents the following:





- A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- B = 2 AC
- C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port
- D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port
- E = 3 AC

SCTAPPBS	1.95 x 21 x 1.95	60	2.7	0.06	\$343
SCTAPPBD	4 x 10.6 x 2.3	60	2.7	0.06	\$843

Available in black only. 10ft cord.

- Single (SCTAPPBS) includes 8 outlets on a single side
- Double (SCTAPPBD) includes 4 outlets on each side of the bar. Built-in circuit breaker.



POWER ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Below Surface Power Bar		D x W x H				
	SCTAPCA	4 x 10.6 x 3.7	60	6.7	0.09	\$1589
	SCTAPCB	4 x 10.6 x 3.7	60	6.7	0.09	\$1532
	SCTAPCC	4 x 10.6 x 3.7	60	6.7	0.09	\$1665
	SCTAPCD	4 x 10.6 x 3.7	60	6.7	0.09	\$1929
	SCTAPCE	4 x 10.6 x 3.7	60	6.7	0.09	\$1559
Integrated power bar and edge mount power module provides a code compliant all-in-one power solution with a single plug. The power bar includes AC outlets and built-in surge protection. The Nik Edge Clamp module is hardwired to the power bar via a 3' cord. Cord length is 6". Below surface power bar is black only. Specify configuration, last letter of the code represents the following: • A = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port • B = 2 AC • C = 2 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port • D = 1 AC, 1 USB-A 1.5A charge port, 1 USB-A 2.4A quick charge port, 1 60W USB-C charge port • E = 3 AC						
 Collaborative Spaces PET Felt* Wire Manager	SCTACT	26 x 11 x 4	70	1.1	0.66	\$97
	PET felt wire manager hangs from four brackets under the surface. Includes Black painted metal brackets. Aligns to pre-drilled holes on all surfaces. PET felt available in standard finishes.					
 Storage Cable Tube	SKWESCT	2.36 x 2.13 x 15.5	70	0.39	0.05	\$96
	Neoprene cable manager connects to the underside of the worksurface and into the small opening on the storage leg grommet. • Cannot be used in conjunction with storage power outlet (SKSEPO). • Capacity: 4 wires (eg. 2 data & 2 power).					
 Storage Power Outlet	SKSEPOA	2 x 2 x 2.2	60	4	0.03	\$230
	SKSEPOB	2 x 2 x 2.2	60	4	0.03	\$526
	Storage power outlet to fit within the leg grommet outlet opening. Black finish only. Specify configuration, last letter of the code represents the following: • A = 1 AC • B = 1 USB-A and 1 USB-C • Cannot be used in conjunction with storage cable tube (SKWESCT).					

Required specifications
PET felt finish*



BACKBOARDS

Backboards Notes

Backboards are decorative, wall-mounted pieces that provide the office with a finished look. Rails included for mounting (hardware to affix to wall is not included). Backboards are meant to be mounted where the bottom of the board is flush with Office Spaces 20"h storage.

- Backboards radius is 6" (where applicable).
- Backboard curved corner (where applicable) is not intended to be used adjacent to high storage.
- Backboards are available in laminate (**LP**), white dry erase board (**DE**), PET felt (**PT**) and patterned PET felt (**VE**). Specify (**V**) for a varied asymmetrical pattern and (**E**) for an equal symmetrical pattern.
- Grain will run horizontally for any woodgrain laminate. Backboards specified with low pressure laminate will have a corresponding 3mm edging.
- Backboards with PET (**PT**) are mounted on a laminate panel. Specify standard PET and laminate finish.
- Backboards specified with dry erase board (**DE**) will have Designer White (**DWT**) 3mm edging.
- (**DE**) option not available on any backboard with a radius corner
- Backboards are intended to match the length of the credenza.

Backboards with shelves

- Shelf width will match the backboard and is 10" deep
- Shelves are non-adjustable and can support 171 lbs. evenly distributed
- *Do not use height adjustable surfaces and column kits with double shelf backboards directly below.*

Alignment is as follows:





- 34"h backboards will align with 54"h storage
- 40"h backboards will align with 60"h storage, single shelf clearance is 60", double shelf clearance is 12" (where applicable)
- 46"h backboards will align with 66"h storage, single shelf clearance is 32", double shelf clearance is 18" (where applicable)
- 52"h backboards will align with 72"h storage, single shelf clearance is 72", double shelf clearance is 24" (where applicable)
- 58"h backboards will align with 78"h storage, single shelf clearance is 44", double shelf clearance is 30" (where applicable)

Note: VE-V varied asymmetrical pattern is a combination of 1.5", 3", 4.5", 6" grooves in a random pattern. VE-E equal symmetrical pattern is a repeat of 3" grooves.

Required specifications

- PET felt finish
- Laminate finish
- Edge finish







BACKBOARDS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 Low pressure laminate (LP) Dry erase whiteboard (DE)	D x W x H								
	SKBB3436	2 x 36 x 34	65	37.94	1.42	\$350	\$474	\$528	\$612
	SKBB3442	2 x 42 x 34	65	44.23	1.65	\$356	\$501	\$564	\$662
	SKBB3448	2 x 48 x 34	65	50.54	1.89	\$361	\$527	\$598	\$711
	SKBB3454	2 x 54 x 34	65	56.87	2.13	\$367	\$553	\$634	\$760
	SKBB3460	2 x 60 x 34	65	63.16	2.36	\$372	\$579	\$669	\$809
	SKBB3466	2 x 66 x 34	65	69.48	2.6	\$378	\$606	\$704	\$859
	SKBB3472	2 x 72 x 34	65	75.77	2.83	\$384	\$633	\$740	\$908
	SKBB3478	2 x 78 x 34	65	82.08	3.07	\$389	\$658	\$775	\$957
	SKBB3484	2 x 84 x 34	65	88.38	3.31	\$395	\$685	\$810	\$1007
 PET felt (PT)	SKBB4036	2 x 36 x 40	65	44.61	1.67	\$396	\$542	\$606	\$705
	SKBB4042	2 x 42 x 40	65	52.02	1.94	\$473	\$644	\$717	\$833
	SKBB4048	2 x 48 x 40	65	59.43	2.22	\$524	\$719	\$803	\$936
	SKBB4054	2 x 54 x 40	65	66.88	2.5	\$629	\$848	\$943	\$1092
	SKBB4060	2 x 60 x 40	65	74.29	2.78	\$680	\$924	\$1029	\$1194
	SKBB4066	2 x 66 x 40	65	81.71	3.06	\$731	\$999	\$1115	\$1297
	SKBB4072	2 x 72 x 40	65	89.12	3.33	\$782	\$1075	\$1201	\$1399
	SKBB4078	2 x 78 x 40	65	96.53	3.61	\$833	\$1150	\$1286	\$1501
	SKBB4084	2 x 84 x 40	65	103.94	3.89	\$1037	\$1378	\$1525	\$1757
 PET felt, equal pattern (VE-E)	SKBB4636	2 x 36 x 46	65	51.28	1.92	\$442	\$610	\$683	\$797
	SKBB4642	2 x 42 x 46	65	59.8	2.24	\$526	\$722	\$807	\$940
	SKBB4648	2 x 48 x 46	65	68.33	2.56	\$584	\$808	\$905	\$1057
	SKBB4654	2 x 54 x 46	65	76.87	2.88	\$697	\$949	\$1058	\$1229
	SKBB4660	2 x 60 x 46	65	85.41	3.19	\$755	\$1036	\$1156	\$1346
	SKBB4666	2 x 66 x 46	65	93.92	3.51	\$813	\$1122	\$1254	\$1463
	SKBB4672	2 x 72 x 46	65	102.45	3.83	\$872	\$1209	\$1353	\$1581
	SKBB4678	2 x 78 x 46	65	110.98	4.15	\$930	\$1295	\$1451	\$1698
	SKBB4684	2 x 84 x 46	65	119.49	4.47	\$1142	\$1535	\$1703	\$1970
 PET felt, varied pattern (VE-V)	SKBB5236	2 x 36 x 52	65	57.96	2.17	\$488	\$678	\$760	\$889
	SKBB5242	2 x 42 x 52	65	67.59	2.53	\$579	\$801	\$897	\$1047
	SKBB5248	2 x 48 x 52	65	77.22	2.89	\$645	\$899	\$1008	\$1180
	SKBB5254	2 x 54 x 52	65	86.89	3.25	\$764	\$1049	\$1172	\$1366
	SKBB5260	2 x 60 x 52	65	96.52	3.61	\$830	\$1147	\$1283	\$1498
	SKBB5266	2 x 66 x 52	65	106.15	3.97	\$896	\$1245	\$1395	\$1631
	SKBB5272	2 x 72 x 52	65	115.78	4.33	\$962	\$1343	\$1506	\$1764
	SKBB5278	2 x 78 x 52	65	125.41	4.69	\$1027	\$1440	\$1616	\$1896
	SKBB5284	2 x 84 x 52	65	135.04	5.06	\$1247	\$1691	\$1882	\$2183
Backboard	SKBB5836	2 x 36 x 58	65	64.63	2.42	\$533	\$745	\$837	\$980
	SKBB5842	2 x 42 x 58	65	75.36	2.82	\$632	\$880	\$986	\$1154
	SKBB5848	2 x 48 x 58	65	86.11	3.22	\$705	\$988	\$1110	\$1301
	SKBB5854	2 x 54 x 58	65	96.89	3.63	\$832	\$1150	\$1287	\$1503
	SKBB5860	2 x 60 x 58	65	107.63	4.03	\$905	\$1259	\$1411	\$1650
	SKBB5866	2 x 66 x 58	65	118.38	4.43	\$979	\$1368	\$1535	\$1799
	SKBB5872	2 x 72 x 58	65	129.13	4.83	\$1052	\$1477	\$1659	\$1946
	SKBB5878	2 x 78 x 58	65	139.86	5.24	\$1125	\$1585	\$1782	\$2094
	SKBB5884	2 x 84 x 58	65	150.61	5.64	\$1352	\$1847	\$2060	\$2395

Required specifications

PET felt finish
Laminate finish
Edge finish



BACKBOARDS - RIGHT RADIUS CORNER		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
			D x W x H							
		SKBBR3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$528	\$612
		SKBBR3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
		SKBBR3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
		SKBBR3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
		SKBBR3460	2 x 60 x 34	65	63.8	2.36	\$609	n/a	\$906	\$1046
		SKBBR3466	2 x 66 x 34	65	70.13	2.6	\$653	n/a	\$979	\$1134
		SKBBR3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
		SKBBR3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1125	\$1308
		SKBBR3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
										
		SKBBR4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
		SKBBR4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
		SKBBR4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
		SKBBR4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
		SKBBR4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
		SKBBR4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
		SKBBR4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
		SKBBR4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
		SKBBR4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
										
		SKBBR4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
		SKBBR4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
		SKBBR4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
		SKBBR4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
		SKBBR4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
		SKBBR4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
		SKBBR4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
		SKBBR4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
		SKBBR4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
										
		SKBBR5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
		SKBBR5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
		SKBBR5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
		SKBBR5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
		SKBBR5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
		SKBBR5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
		SKBBR5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
		SKBBR5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
		SKBBR5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
		SKBBR5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
		SKBBR5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
		SKBBR5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
		SKBBR5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
		SKBBR5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
		SKBBR5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
		SKBBR5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
		SKBBR5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
		SKBBR5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Backboard, Right Radius Corner

Required specifications

- PET felt finish
- Laminate finish
- Edge finish



BACKBOARDS - LEFT RADIUS CORNER		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
			D x W x H							
	Low pressure laminate (LP)	SKBBL3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$531	\$615
		SKBBL3442	2 x 42 x 34	65	44.74	1.65	\$423	n/a	\$631	\$729
		SKBBL3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
		SKBBL3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
		SKBBL3460	2 x 60 x 34	65	63.8	2.36	\$609	n/a	\$906	\$1046
		SKBBL3466	2 x 66 x 34	65	70.13	2.6	\$653	n/a	\$981	\$1134
		SKBBL3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
		SKBBL3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1125	\$1308
		SKBBL3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
	PET felt (PT)	SKBBL4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
		SKBBL4042	2 x 42 x 40	65	52.56	1.94	\$477	n/a	\$721	\$837
		SKBBL4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$939
		SKBBL4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
		SKBBL4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
		SKBBL4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
		SKBBL4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
		SKBBL4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
		SKBBL4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
	PET felt, equal pattern (VE-E)	SKBBL4636	2 x 36 x 46	65	51.82	1.92	\$446	n/a	\$687	\$801
		SKBBL4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
		SKBBL4648	2 x 48 x 46	65	68.94	2.56	\$589	n/a	\$910	\$1062
		SKBBL4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
		SKBBL4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
		SKBBL4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
		SKBBL4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1586
		SKBBL4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1704
		SKBBL4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
	PET felt, varied pattern (VE-V)	SKBBL5236	2 x 36 x 52	65	58.53	2.17	\$492	n/a	\$764	\$893
		SKBBL5242	2 x 42 x 52	65	68.2	2.53	\$584	n/a	\$902	\$1052
		SKBBL5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
		SKBBL5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
		SKBBL5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
		SKBBL5266	2 x 66 x 52	65	106.93	3.97	\$901	n/a	\$1400	\$1636
		SKBBL5272	2 x 72 x 52	65	116.61	4.33	\$968	n/a	\$1512	\$1770
		SKBBL5278	2 x 78 x 52	65	126.28	4.69	\$1034	n/a	\$1623	\$1903
		SKBBL5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
		SKBBL5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
		SKBBL5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
		SKBBL5848	2 x 48 x 58	65	86.82	3.22	\$710	n/a	\$1115	\$1306
		SKBBL5854	2 x 54 x 58	65	97.62	3.63	\$838	n/a	\$1293	\$1509
		SKBBL5860	2 x 60 x 58	65	108.41	4.03	\$911	n/a	\$1417	\$1656
		SKBBL5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
		SKBBL5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
		SKBBL5878	2 x 78 x 58	65	140.77	5.24	\$1131	n/a	\$1788	\$2100
		SKBBL5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Backboard, Left Radius Corner

Required specifications

- PET felt finish
- Laminate finish
- Edge finish



BACKBOARDS - RADIUS CORNERS AT TOP

MODEL#

DIMENSIONS

FREIGHT CLASS

WT/LBS.

CUBIC FT.

LP

DE

PT

VE

D x W x H

SKBBC3436	2 x 36 x 34	65	38.39	1.42	\$353	n/a	\$531	\$615
SKBBC3442	2 x 42 x 34	65	44.73	1.65	\$423	n/a	\$631	\$729
SKBBC3448	2 x 48 x 34	65	51.07	1.89	\$467	n/a	\$704	\$817
SKBBC3454	2 x 54 x 34	65	57.45	2.13	\$565	n/a	\$832	\$958
SKBBC3460	2 x 60 x 34	65	63.8	2.36	\$608	n/a	\$905	\$1045
SKBBC3466	2 x 66 x 34	65	70.13	2.6	\$652	n/a	\$978	\$1133
SKBBC3472	2 x 72 x 34	65	76.47	2.83	\$696	n/a	\$1052	\$1220
SKBBC3478	2 x 78 x 34	65	82.82	3.07	\$740	n/a	\$1126	\$1308
SKBBC3484	2 x 84 x 34	65	89.15	3.31	\$938	n/a	\$1353	\$1550
SKBBC4036	2 x 36 x 40	65	45.1	1.67	\$399	n/a	\$609	\$708
SKBBC4042	2 x 42 x 40	65	52.56	1.94	\$476	n/a	\$720	\$836
SKBBC4048	2 x 48 x 40	65	60.01	2.22	\$528	n/a	\$807	\$940
SKBBC4054	2 x 54 x 40	65	67.5	2.5	\$633	n/a	\$947	\$1096
SKBBC4060	2 x 60 x 40	65	74.94	2.78	\$684	n/a	\$1033	\$1198
SKBBC4066	2 x 66 x 40	65	82.39	3.06	\$735	n/a	\$1119	\$1301
SKBBC4072	2 x 72 x 40	65	89.86	3.33	\$787	n/a	\$1206	\$1404
SKBBC4078	2 x 78 x 40	65	97.31	3.61	\$838	n/a	\$1291	\$1506
SKBBC4084	2 x 84 x 40	65	104.76	3.89	\$1043	n/a	\$1531	\$1763
SKBBC4636	2 x 36 x 46	65	51.82	1.92	\$445	n/a	\$686	\$800
SKBBC4642	2 x 42 x 46	65	60.37	2.24	\$530	n/a	\$811	\$944
SKBBC4648	2 x 48 x 46	65	68.94	2.56	\$588	n/a	\$909	\$1061
SKBBC4654	2 x 54 x 46	65	77.54	2.88	\$701	n/a	\$1062	\$1233
SKBBC4660	2 x 60 x 46	65	86.11	3.19	\$760	n/a	\$1161	\$1351
SKBBC4666	2 x 66 x 46	65	94.66	3.51	\$818	n/a	\$1259	\$1468
SKBBC4672	2 x 72 x 46	65	103.23	3.83	\$877	n/a	\$1358	\$1587
SKBBC4678	2 x 78 x 46	65	111.79	4.15	\$936	n/a	\$1457	\$1705
SKBBC4684	2 x 84 x 46	65	120.36	4.47	\$1148	n/a	\$1709	\$1976
SKBBC5236	2 x 36 x 52	65	58.53	2.17	\$491	n/a	\$763	\$892
SKBBC5242	2 x 42 x 52	65	68.2	2.53	\$583	n/a	\$901	\$1051
SKBBC5248	2 x 48 x 52	65	77.87	2.89	\$649	n/a	\$1012	\$1184
SKBBC5254	2 x 54 x 52	65	87.59	3.25	\$769	n/a	\$1177	\$1371
SKBBC5260	2 x 60 x 52	65	97.26	3.61	\$835	n/a	\$1288	\$1503
SKBBC5266	2 x 66 x 52	65	106.92	3.97	\$901	n/a	\$1400	\$1636
SKBBC5272	2 x 72 x 52	65	116.61	4.33	\$967	n/a	\$1511	\$1769
SKBBC5278	2 x 78 x 52	65	126.28	4.69	\$1033	n/a	\$1622	\$1902
SKBBC5284	2 x 84 x 52	65	135.95	5.06	\$1253	n/a	\$1888	\$2189
SKBBC5836	2 x 36 x 58	65	65.24	2.42	\$538	n/a	\$842	\$985
SKBBC5842	2 x 42 x 58	65	76.03	2.82	\$637	n/a	\$991	\$1159
SKBBC5848	2 x 48 x 58	65	86.81	3.22	\$710	n/a	\$1115	\$1306
SKBBC5854	2 x 54 x 58	65	97.62	3.63	\$837	n/a	\$1292	\$1508
SKBBC5860	2 x 60 x 58	65	108.4	4.03	\$911	n/a	\$1417	\$1656
SKBBC5866	2 x 66 x 58	65	119.19	4.43	\$984	n/a	\$1540	\$1804
SKBBC5872	2 x 72 x 58	65	129.98	4.83	\$1058	n/a	\$1665	\$1952
SKBBC5878	2 x 78 x 58	65	140.76	5.24	\$1131	n/a	\$1788	\$2100
SKBBC5884	2 x 84 x 58	65	151.55	5.64	\$1358	n/a	\$2066	\$2401

Low pressure laminate (LP)

PET felt (PT)

PET felt, equal pattern (VE-E)





PET felt, varied pattern (VE-V)

Backboard, Radius Corners at Top

Required specifications

PET felt finish
Laminate finish
Edge finish







BACKBOARDS WITH SHELF	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 Low pressure laminate (LP)	D x W x H								
	SKBS4036	2 x 36 x 40	125	56.78	9.17	\$553	n/a	\$689	\$754
	SKBS4042	2 x 42 x 40	125	66.22	10.69	\$674	n/a	\$833	\$908
	SKBS4048	2 x 48 x 40	125	75.65	12.22	\$747	n/a	\$929	\$1015
	SKBS4054	2 x 54 x 40	125	85.11	13.75	\$879	n/a	\$1083	\$1180
	SKBS4060	2 x 60 x 40	125	94.54	15.28	\$953	n/a	\$1180	\$1287
	SKBS4066	2 x 66 x 40	125	103.98	16.81	\$1096	n/a	\$1346	\$1464
	SKBS4072	2 x 72 x 40	125	113.42	18.33	\$1169	n/a	\$1441	\$1570
	SKBS4078	2 x 78 x 40	125	122.84	19.86	\$1239	n/a	\$1534	\$1674
	SKBS4084	2 x 84 x 40	125	132.28	21.39	\$1389	n/a	\$1707	\$1857
 PET felt (PT)	SKBS4636	2 x 36 x 46	125	63.46	10.54	\$599	n/a	\$767	\$846
	SKBS4642	2 x 42 x 46	125	74	12.3	\$727	n/a	\$923	\$1015
	SKBS4648	2 x 48 x 46	125	84.54	14.06	\$808	n/a	\$1031	\$1137
	SKBS4654	2 x 54 x 46	125	95.1	15.81	\$947	n/a	\$1198	\$1317
	SKBS4660	2 x 60 x 46	125	105.65	17.57	\$1028	n/a	\$1307	\$1439
	SKBS4666	2 x 66 x 46	125	116.19	19.33	\$1178	n/a	\$1485	\$1631
	SKBS4672	2 x 72 x 46	125	126.75	21.08	\$1259	n/a	\$1594	\$1753
	SKBS4678	2 x 78 x 46	125	137.29	22.84	\$1336	n/a	\$1699	\$1871
	SKBS4684	2 x 84 x 46	125	147.83	24.6	\$1494	n/a	\$1885	\$2070
 PET felt, equal pattern (VE-E)	SKBS5236	2 x 36 x 52	150	70.13	11.92	\$644	n/a	\$843	\$937
	SKBS5242	2 x 42 x 52	150	81.79	13.9	\$780	n/a	\$1012	\$1122
	SKBS5248	2 x 48 x 52	150	93.43	15.89	\$868	n/a	\$1133	\$1259
	SKBS5254	2 x 54 x 52	150	105.11	17.88	\$1015	n/a	\$1313	\$1455
	SKBS5260	2 x 60 x 52	150	116.77	19.86	\$1103	n/a	\$1434	\$1592
	SKBS5266	2 x 66 x 52	150	128.42	21.85	\$1261	n/a	\$1626	\$1798
	SKBS5272	2 x 72 x 52	150	140.08	23.83	\$1349	n/a	\$1747	\$1935
	SKBS5278	2 x 78 x 52	150	151.72	25.82	\$1434	n/a	\$1865	\$2069
	SKBS5284	2 x 84 x 52	150	163.38	27.81	\$1599	n/a	\$2063	\$2283
 PET felt, varied pattern (VE-V)	SKBS5836	2 x 36 x 58	150	76.8	13.29	\$690	n/a	\$920	\$1030
	SKBS5842	2 x 42 x 58	150	89.56	15.51	\$833	n/a	\$1102	\$1229
	SKBS5848	2 x 48 x 58	150	102.32	17.72	\$929	n/a	\$1236	\$1382
	SKBS5854	2 x 54 x 58	150	115.12	19.94	\$1083	n/a	\$1428	\$1592
	SKBS5860	2 x 60 x 58	150	127.88	22.15	\$1178	n/a	\$1562	\$1744
	SKBS5866	2 x 66 x 58	150	140.65	24.37	\$1344	n/a	\$1766	\$1966
	SKBS5872	2 x 72 x 58	150	153.43	26.58	\$1439	n/a	\$1899	\$2118
	SKBS5878	2 x 78 x 58	150	166.17	28.8	\$1531	n/a	\$2030	\$2266
	SKBS5884	2 x 84 x 58	150	178.95	31.01	\$1704	n/a	\$2241	\$2496
Backboard with Shelf									

Required specifications

- PET felt finish
- Laminate finish
- Edge finish



BACKBOARDS WITH DOUBLE SHELVES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
 Low pressure laminate (LP)		D x W x H							
	SKBD4036	2 x 36 x 40	125	68.96	9.17	\$789	n/a	\$852	\$882
	SKBD4042	2 x 42 x 40	125	80.42	10.69	\$981	n/a	\$1055	\$1089
	SKBD4048	2 x 48 x 40	125	91.86	12.22	\$1077	n/a	\$1161	\$1201
	SKBD4054	2 x 54 x 40	125	103.33	13.75	\$1289	n/a	\$1384	\$1428
	SKBD4060	2 x 60 x 40	125	114.79	15.28	\$1385	n/a	\$1490	\$1540
	SKBD4066	2 x 66 x 40	125	126.26	16.81	\$1621	n/a	\$1736	\$1791
	SKBD4072	2 x 72 x 40	125	137.72	18.33	\$1717	n/a	\$1843	\$1902
	SKBD4078	2 x 78 x 40	125	149.15	19.86	\$1806	n/a	\$1942	\$2007
	SKBD4084	2 x 84 x 40	125	160.62	21.39	\$2056	n/a	\$2203	\$2272
 PET felt (PT)	SKBD4636	2 x 36 x 46	125	75.63	10.54	\$835	n/a	\$930	\$974
	SKBD4642	2 x 42 x 46	125	88.2	12.3	\$1034	n/a	\$1144	\$1196
	SKBD4648	2 x 48 x 46	125	100.75	14.06	\$1137	n/a	\$1263	\$1322
	SKBD4654	2 x 54 x 46	125	113.32	15.81	\$1357	n/a	\$1499	\$1566
	SKBD4660	2 x 60 x 46	125	125.9	17.57	\$1461	n/a	\$1618	\$1693
	SKBD4666	2 x 66 x 46	125	138.47	19.33	\$1703	n/a	\$1876	\$1958
	SKBD4672	2 x 72 x 46	125	151.05	21.08	\$1807	n/a	\$1996	\$2085
	SKBD4678	2 x 78 x 46	125	163.6	22.84	\$1903	n/a	\$2107	\$2204
	SKBD4684	2 x 84 x 46	125	176.17	24.6	\$2161	n/a	\$2381	\$2485
 PET felt, equal pattern (VE-E)	SKBD5236	2 x 36 x 52	125	82.3	11.92	\$881	n/a	\$1007	\$1066
	SKBD5242	2 x 42 x 52	125	95.99	13.9	\$1087	n/a	\$1234	\$1303
	SKBD5248	2 x 48 x 52	125	109.65	15.89	\$1198	n/a	\$1366	\$1445
	SKBD5254	2 x 54 x 52	125	123.33	17.88	\$1425	n/a	\$1614	\$1703
	SKBD5260	2 x 60 x 52	125	137.01	19.86	\$1536	n/a	\$1746	\$1845
	SKBD5266	2 x 66 x 52	125	150.7	21.85	\$1786	n/a	\$2016	\$2126
	SKBD5272	2 x 72 x 52	125	164.38	23.83	\$1897	n/a	\$2148	\$2267
	SKBD5278	2 x 78 x 52	125	178.03	25.82	\$2001	n/a	\$2273	\$2402
	SKBD5284	2 x 84 x 52	125	191.72	27.81	\$2265	n/a	\$2558	\$2697
 PET felt, varied pattern (VE-V)	SKBD5836	2 x 36 x 58	125	88.98	13.29	\$927	n/a	\$1084	\$1159
	SKBD5842	2 x 42 x 58	125	103.76	15.51	\$1140	n/a	\$1323	\$1410
	SKBD5848	2 x 48 x 58	125	118.54	17.72	\$1258	n/a	\$1468	\$1567
	SKBD5854	2 x 54 x 58	125	133.34	19.94	\$1493	n/a	\$1729	\$1840
	SKBD5860	2 x 60 x 58	125	148.13	22.15	\$1611	n/a	\$1873	\$1997
	SKBD5866	2 x 66 x 58	125	162.93	24.37	\$1869	n/a	\$2157	\$2293
	SKBD5872	2 x 72 x 58	125	177.73	26.58	\$1987	n/a	\$2301	\$2450
	SKBD5878	2 x 78 x 58	125	192.48	28.8	\$2098	n/a	\$2438	\$2599
	SKBD5884	2 x 84 x 58	125	207.28	31.01	\$2370	n/a	\$2736	\$2910


Backboard with Double Shelves

Required specifications


PET felt finish
Laminate finish
Edge finish




BACKBOARDS - BELOW OVERHEAD STORAGE




Low pressure laminate (LP)
Dry erase whiteboard (DE)



PET felt (PT)



PET felt, equal pattern (VE-E)



PET felt, varied pattern (VE-V)








Backboard for use below
overhead storage

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LP	DE	PT	VE
D x W x H								
SKBOS4036	2 x 36 x 26	65	44.61	1.67	\$289	\$542	\$605	\$705
SKBOS4042	2 x 42 x 26	65	52.02	1.94	\$349	\$644	\$717	\$833
SKBOS4048	2 x 48 x 26	65	59.43	2.22	\$382	\$718	\$803	\$935
SKBOS4054	2 x 54 x 26	65	66.88	2.5	\$470	\$848	\$943	\$1091
SKBOS4060	2 x 60 x 26	65	74.29	2.78	\$504	\$924	\$1029	\$1194
SKBOS4066	2 x 66 x 26	65	81.71	3.06	\$538	\$999	\$1115	\$1296
SKBOS4072	2 x 72 x 26	65	89.12	3.33	\$571	\$1074	\$1200	\$1398
SKBOS4636	2 x 36 x 32	65	51.28	1.92	\$335	\$610	\$683	\$797
SKBOS4642	2 x 42 x 32	65	59.8	2.24	\$402	\$722	\$807	\$940
SKBOS4648	2 x 48 x 32	65	68.33	2.56	\$443	\$809	\$905	\$1057
SKBOS4654	2 x 54 x 32	65	76.87	2.88	\$538	\$949	\$1058	\$1229
SKBOS4660	2 x 60 x 32	65	85.41	3.19	\$579	\$1035	\$1156	\$1346
SKBOS4666	2 x 66 x 32	65	93.92	3.51	\$620	\$1122	\$1254	\$1463
SKBOS4672	2 x 72 x 32	65	102.45	3.83	\$661	\$1208	\$1353	\$1581
SKBOS5236	2 x 36 x 38	65	57.96	2.17	\$381	\$678	\$760	\$889
SKBOS5242	2 x 42 x 38	65	67.59	2.53	\$455	\$801	\$897	\$1047
SKBOS5248	2 x 48 x 38	65	77.22	2.89	\$504	\$899	\$1008	\$1180
SKBOS5254	2 x 54 x 38	65	86.89	3.25	\$606	\$1050	\$1173	\$1366
SKBOS5260	2 x 60 x 38	65	96.52	3.61	\$655	\$1148	\$1284	\$1499
SKBOS5266	2 x 66 x 38	65	106.15	3.97	\$703	\$1245	\$1395	\$1631
SKBOS5272	2 x 72 x 38	65	115.78	4.33	\$752	\$1343	\$1506	\$1764
SKBOS5836	2 x 36 x 44	65	64.63	2.42	\$427	\$746	\$837	\$981
SKBOS5842	2 x 42 x 44	65	75.36	2.82	\$508	\$880	\$986	\$1154
SKBOS5848	2 x 48 x 44	65	86.11	3.22	\$564	\$988	\$1110	\$1302
SKBOS5854	2 x 54 x 44	65	96.9	3.63	\$674	\$1151	\$1288	\$1503
SKBOS5860	2 x 60 x 44	65	107.63	4.03	\$730	\$1259	\$1411	\$1651
SKBOS5866	2 x 66 x 44	65	118.38	4.43	\$786	\$1368	\$1535	\$1799
SKBOS5872	2 x 72 x 44	65	129.13	4.83	\$842	\$1477	\$1659	\$1946

Required specifications




- PET felt finish
- Laminate finish
- Edge finish




OVERHEAD STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 24"w - 33"w  36"w - 48"w Open Cubby Overhead		D x W x H				
	SKS001424	14 x 24 x 14	85	35.19	2.57	\$415
	SKS001430	14 x 30 x 14	85	41.78	3.22	\$488
	SKS001433	14 x 33 x 14	85	45.03	3.54	\$520
	SKS001436	14 x 36 x 14	85	52.68	3.86	\$604
	SKS001439	14 x 39 x 14	85	55.97	4.18	\$639
	SKS001442	14 x 42 x 14	85	59.29	4.5	\$694
	SKS001448	14 x 48 x 14	85	65.85	5.15	\$756
 24"w - 36"w  39"w - 42"w  48"w Hinged Door Overhead*						
	SKSOH1424	14 x 24 x 14	70	46.84	2.57	\$847
	SKSOH1430	14 x 30 x 14	70	55.77	3.22	\$944
	SKSOH1433	14 x 33 x 14	70	60.21	3.54	\$988
	SKSOH1436	14 x 36 x 14	70	64.66	3.86	\$1046
	SKSOH1439	14 x 39 x 14	70	69.11	4.18	\$1323
	SKSOH1442	14 x 42 x 14	70	79.61	4.5	\$1439
	SKSOH1448	14 x 48 x 14	70	93.53	5.15	\$1658
 42"w - 48"w Laminate Sliding Door Overhead*						
	SKSOL1433	14 x 33 x 14	70	54.67	3.54	\$854
	SKSOL1436	14 x 36 x 14	70	58.43	3.86	\$906
	SKSOL1439	14 x 39 x 14	85	62.22	4.18	\$946
	SKSOL1442	14 x 42 x 14	85	66.05	4.5	\$1006
	SKSOL1448	14 x 48 x 14	85	73.6	5.15	\$1080
 Glass Sliding Door Overhead						
	SKSOG1433	14 x 33 x 14	85	49.16	3.54	\$1723
	SKSOG1436	14 x 36 x 14	85	52.42	3.86	\$1806
	SKSOG1439	14 x 39 x 14	85	55.7	4.18	\$1876
	SKSOG1442	14 x 42 x 14	85	59.02	4.5	\$1966
	SKSOG1448	14 x 48 x 14	85	65.58	5.15	\$2097
Wall mounted open cubby overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 33" wide units are a single open cubby. 36" to 48" wide units are a double open cubby with a center divider. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis. Specify paint finish for handles.						
Wall mounted hinged door overhead. Must be installed flush with the top of high storage so that back board aligns. 24" to 36" wide units have two doors, 39" to 42" wide units have three doors, and 48" wide units have four doors. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles.						
Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One laminate non-locking door only. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finishes and edge finishes for chassis and door. Specify paint finish for handle.						
Wall mounted sliding door overhead. Must be installed flush with the top of high storage so that back board aligns. Sliding door is inset. One frosted glass non-locking door only. Includes a finger pull. Overheads include rails for mounting (hardware to affix to wall is not included). Specify laminate finish and edge finish for chassis.						

Required specifications
Laminate chassis finish
Laminate front/door finish
Paint finish* (handles)


LOW STORAGE

**Low Storage Legs*****Storage Undercarriage***

24" to 36"



42" to 72"

Open Cubby w/Shelf, Low Storage**File Drawer, Low Storage***

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
--------	------------	---------------	---------	-----------	------------

D x W x H

SKSLL	1.5 x 1.5 x 6	85	20	1.5	\$317
-------	---------------	----	----	-----	--------------

For use with 24" or 30" wide low storage units. *Cannot be used on 36" or longer width storage units or any high storage units.* Specify paint finish.

SKSLU2036	20 x 36 x 6	85	20	1.5	\$837
SKSLU2042	20 x 42 x 6	85	20	1.5	\$852
SKSLU2048	20 x 48 x 6	85	20	1.5	\$883
SKSLU2054	20 x 54 x 6	85	20	1.5	\$915
SKSLU2060	20 x 60 x 6	85	20	1.5	\$946
SKSLU2066	20 x 66 x 6	85	20	1.5	\$977
SKSLU2072	20 x 72 x 6	85	20	1.5	\$1008
SKSLU2078	20 x 78 x 6	85	20	1.5	\$1039
SKSLU2084	20 x 84 x 6	85	20	1.5	\$1071

For use with all units 36" and wider, all high storage units, or a mix thereof. Maximum number of units per undercarriage is one low and one high, or two low or two high. Specify paint finish.

SKSLOS2024	20 x 24 x 14	85	58.29	3.76	\$611
SKSLOS2030	20 x 30 x 14	85	69.78	4.7	\$712
SKSLOS2036	20 x 36 x 14	85	81.2	5.64	\$815
SKSLOS2042	20 x 42 x 14	85	98.3	6.58	\$965
SKSLOS2048	20 x 48 x 14	85	109.75	7.52	\$1066
SKSLOS2054	20 x 54 x 14	85	121.2	8.46	\$1166
SKSLOS2060	20 x 60 x 14	85	132.72	9.4	\$1268
SKSLOS2066	20 x 66 x 14	85	144.18	10.34	\$1369
SKSLOS2072	20 x 72 x 14	85	155.69	11.29	\$1474

Open cubby low storage unit with an adjustable laminate shelf. Can be used as a standalone unit or with another low or high storage unit. 24" to 36" wide units are a single open cubby. 42" to 72" wide units are a double open cubby with a center divider. Specify laminate finish and edge finish for chassis.

- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.

SKSLFD2024	20 x 24 x 14	70	59.49	3.76	\$1375
SKSLFD2030	20 x 30 x 14	85	70.47	4.7	\$1517
SKSLFD2036	20 x 36 x 14	85	81.35	5.64	\$1646







Single file drawer low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.

Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish*
Legs/Undercarriage



LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
 42" to 54" (42" shown)  60" to 72" (60" shown) Lateral File/Hinged Door		D x W x H				
	SKSLCHLL2042	20 x 42 x 14	70	99.84	6.58	\$1993
	SKSLCHLL2048	20 x 48 x 14	85	110.79	7.52	\$2097
	SKSLCHLL2054	20 x 54 x 14	85	121.71	8.46	\$2227
	SKSLCHLL2060	20 x 60 x 14	70	152.95	9.4	\$2608
	SKSLCHLL2066	20 x 66 x 14	70	166.73	10.34	\$2734
	SKSLCHLL2072	20 x 72 x 14	70	177.69	11.29	\$2865
 42" to 54" (42" shown)  60" to 72" (60" shown) Hinged Door/Box/Box File						
	SKSLCHDR2042	20 x 42 x 14	85	86.99	6.58	\$2132
	SKSLCHDR2048	20 x 48 x 14	85	97.93	7.52	\$2236
	SKSLCHDR2054	20 x 54 x 14	85	106.51	8.46	\$2324
	SKSLCHDR2060	20 x 60 x 14	85	140.1	9.4	\$2747
	SKSLCHDR2066	20 x 66 x 14	85	153.88	10.34	\$2873
	SKSLCHDR2072	20 x 72 x 14	85	162.49	11.29	\$2961
 42" to 54" (42" shown)  60" to 72" (60" shown) Box/Box File/Hinged Door						
	SKSLCHDL2042	20 x 42 x 14	85	86.99	6.58	\$2132
	SKSLCHDL2048	20 x 48 x 14	85	97.93	7.52	\$2236
	SKSLCHDL2054	20 x 54 x 14	85	106.51	8.46	\$2324
	SKSLCHDL2060	20 x 60 x 14	85	140.1	9.4	\$2747
	SKSLCHDL2066	20 x 66 x 14	85	153.88	10.34	\$2873
	SKSLCHDL2072	20 x 72 x 14	85	162.49	11.29	\$2961
Hinged door on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. • 2042, 2048, 2060 and 2066 units have a 30" lateral file, hinged door/door width is variable. • 2054 and 2072 units have a 36" lateral file, hinged door/door width is variable. • Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.						
Hinged door on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. • 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable. • 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable. • Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.						
Hinged door on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and doors/drawers. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. • 2042, 2048, 2060 and 2066 units have 30" box drawers, hinged door/door width is variable. • 2054 and 2072 units have a 36" box drawers, hinged door/door width is variable. • Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.						

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage

LOW STORAGE

MODEL#

DIMENSIONS


FREIGHT CLASS

WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H




Open Cubby/Lateral File

SKSLCOLR2042	20 x 42 x 14	85	93.6	6.58	\$1725
SKSLCOLR2048	20 x 48 x 14	85	102.18	7.52	\$1805
SKSLCOLR2054	20 x 54 x 14	85	113.11	8.46	\$1935
SKSLCOLR2060	20 x 60 x 14	85	133.32	9.4	\$2076
SKSLCOLR2072	20 x 72 x 14	85	155.73	11.29	\$2309

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Lateral File/Open Cubby

SKSLCOLL2042	20 x 42 x 14	85	93.6	6.58	\$1725
SKSLCOLL2048	20 x 48 x 14	85	102.18	7.52	\$1805
SKSLCOLL2054	20 x 54 x 14	85	113.11	8.46	\$1935
SKSLCOLL2060	20 x 60 x 14	85	133.32	9.4	\$2076
SKSLCOLL2072	20 x 72 x 14	85	155.73	11.29	\$2309

Open cubby on the right and lateral file on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have a 30" lateral file, open cubby width is variable.
- 2054 and 2072 units have a 36" lateral file, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Open Cubby/Lateral File

SKSLCODR2042	20 x 42 x 14	85	80.75	6.58	\$1865
SKSLCODR2048	20 x 48 x 14	92.5	89.33	7.52	\$1944
SKSLCODR2054	20 x 54 x 14	92.5	97.91	8.46	\$2032
SKSLCODR2060	20 x 60 x 14	85	120.46	9.4	\$2215
SKSLCODR2072	20 x 72 x 14	85	140.53	11.29	\$2406

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Lateral File/Open Cubby





SKSLCDDL2042	20 x 42 x 14	85	80.75	6.58	\$1865
SKSLCDDL2048	20 x 48 x 14	92.5	89.33	7.52	\$1944
SKSLCDDL2054	20 x 54 x 14	92.5	97.91	8.46	\$2032
SKSLCDDL2060	20 x 60 x 14	85	120.46	9.4	\$2215
SKSLCDDL2072	20 x 72 x 14	85	140.53	11.29	\$2406

Open cubby on the left and lateral file on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042, 2048, 2060 and 2066 units have 30" box drawers, open cubby width is variable.
- 2054 and 2072 units have 36" box drawers, open cubby width is variable
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish
Undercarriage

LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	SKSLCFF2048	20 x 48 x 14	70	115.86	7.52	\$2562
	SKSLCFF2060	20 x 60 x 14	85	137.82	9.4	\$2845
	SKSLCFF2072	20 x 72 x 14	85	159.67	11.29	\$3105
File/File Drawers	File/file low storage unit. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. File drawers are of equal width. Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	SKSLHDG2024	20 x 24 x 14	70	62.11	3.76	\$1090
	SKSLHDG2030	20 x 30 x 14	70	73.11	4.7	\$1193
	SKSLHDG2036	20 x 36 x 14	85	83.99	5.64	\$1296
Hinged Doors w/Leg Grommet	Hinged door low storage unit with grommet for leg application. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (GPH) only. - Legs or an undercarriage required on all storage and must be specified separately: - Specify SKSLL for 24" and 30" wide low storage units. - Specify SKSLU undercarriage for units 36" and wider.					
	SKSLCHOR2030	20 x 30 x 14	70	72.13	4.7	\$1007
	SKSLCHOR2036	20 x 36 x 14	85	80.66	5.64	\$1085
	SKSLCHOR2042	20 x 42 x 14	70	100.32	6.58	\$1256
	SKSLCHOR2048	20 x 48 x 14	85	111.78	7.52	\$1357
	SKSLCHOR2054	20 x 54 x 14	85	123.26	8.46	\$1460
Hinged Door w/Leg Grommet/Open Cubby	Hinged door with leg grommet on the left and open cubby on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (GPH) only. An adjustable shelf is included for open cubby units 24" and wider. - Legs or an undercarriage required on all storage and must be specified separately: - Specify SKSLL for 24" and 30" wide low storage units. - Specify SKSLU undercarriage for units 36" and wider.					
	SKSLCHOL2030	20 x 30 x 14	70	72.13	4.7	\$1007
	SKSLCHOL2036	20 x 36 x 14	70	72.13	4.7	\$1085
	SKSLCHOL2042	20 x 42 x 14	70	100.32	6.58	\$1256
	SKSLCHOL2048	20 x 48 x 14	85	111.78	7.52	\$1357
	SKSLCHOL2054	20 x 54 x 14	85	123.26	8.46	\$1460
Open Cubby/Hinged Door w/Leg Grommet	Hinged door with leg grommet on the right and open cubby on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer. Specify paint finish for handles. Interior felt leg cover in Graphite (GPH) only. An adjustable shelf is included for open cubby units 24" and wider. - Legs or an undercarriage required on all storage and must be specified separately: - Specify SKSLL for 24" and 30" wide low storage units. - Specify SKSLU undercarriage for units 36" and wider.					


Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish
Legs/Undercarriage

LOW STORAGE

MODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE

D x W x H




Hinged Door w/Leg Grommet/File Drawer

SKSLCHFR2036	20 x 36 x 14	70	90.42	5.64	\$1664
SKSLCHFR2042	20 x 42 x 14	70	101.58	6.58	\$2022
SKSLCHFR2048	20 x 48 x 14	85	112.53	7.52	\$2163
SKSLCHFR2054	20 x 54 x 14	85	123.45	8.46	\$2293

Hinged door with leg grommet on the left and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




File Drawer/Hinged Door w/Leg Grommet

SKSLCHFL2036	20 x 36 x 14	70	90.42	5.64	\$1664
SKSLCHFL2042	20 x 42 x 14	70	101.58	6.58	\$2022
SKSLCHFL2048	20 x 48 x 14	85	112.53	7.52	\$2163
SKSLCHFL2054	20 x 54 x 14	85	123.45	8.46	\$2293

Hinged door with leg grommet on the right and file drawer on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, file drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




Hinged Door w/Leg Grommet/Box Drawers

SKSLCHBR2036	20 x 36 x 14	70	90.73	5.64	\$1877
SKSLCHBR2042	20 x 42 x 14	70	102.03	6.58	\$2484
SKSLCHBR2048	20 x 48 x 14	70	112.98	6.58	\$2620
SKSLCHBR2054	20 x 54 x 14	85	123.93	8.46	\$2739

Hinged door with leg grommet on the left and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



Box Drawers/Hinged Door w/Leg Grommet


SKSLCHBL2036	20 x 36 x 14	70	90.73	5.64	\$1877
SKSLCHBL2042	20 x 42 x 14	70	102.03	6.58	\$2484
SKSLCHBL2048	20 x 48 x 14	70	112.98	6.58	\$2620
SKSLCHBL2054	20 x 54 x 14	85	123.93	8.46	\$2739

Hinged door with leg grommet on the right and two box drawers on the left low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. Hinged door side is 18" wide, box drawer width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications


- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage

LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H						
	SKSLCHOFR2042	20 x 42 x 14	70	109.68	6.58	\$1820
	SKSLCHOFR2048	20 x 48 x 14	70	118.26	7.52	\$1899
	SKSLCHOFR2054	20 x 54 x 14	70	130.55	8.46	\$2280
	SKSLCHOFR2060	20 x 60 x 14	85	139.19	9.4	\$2360
	SKSLCHOFR2066	20 x 66 x 14	85	150.11	10.34	\$2501
	SKSLCHOFR2072	20 x 72 x 14	85	161.07	11.29	\$2631
	SKSLCHOEFR2072	20 x 72 x 14	85	169.07	11.29	\$2665
	SKSLCHOFR2078	20 x 78 x 14	85	180.73	12.23	\$2769
	SKSLCHOEFR2078	20 x 78 x 14	85	181.11	12.23	\$2728
	SKSLCHOFR2084	20 x 84 x 14	85	191.64	13.17	\$2899
	SKSLCHOEFR2084	20 x 84 x 14	85	192.04	13.17	\$2869

**Hinged Door w/Leg Grommet/
Open Cubby/File Drawer**

Hinged door with leg grommet on the left, open cubby at the center and file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



**File Drawer/Open Cubby/
Hinged Door w/Leg Grommet**

SKSLCHOFL2042	20 x 42 x 14	70	109.68	6.58	\$1820
SKSLCHOFL2048	20 x 48 x 14	70	118.26	7.52	\$1899
SKSLCHOFL2054	20 x 54 x 14	70	130.55	8.46	\$2280
SKSLCHOFL2060	20 x 60 x 14	85	139.19	9.4	\$2360
SKSLCHOFL2066	20 x 66 x 14	85	150.11	10.34	\$2501
SKSLCHOFL2072	20 x 72 x 14	85	161.07	11.29	\$2631
SKSLCHOEFL2072	20 x 72 x 14	85	169.07	11.29	\$2665
SKSLCHOFL2078	20 x 78 x 14	85	180.73	12.23	\$2769
SKSLCHOEFL2078	20 x 78 x 14	85	181.11	12.23	\$2728
SKSLCHOFL2084	20 x 84 x 14	85	191.64	13.17	\$2899
SKSLCHOEFL2084	20 x 84 x 14	85	192.04	13.17	\$2869


File drawer on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have a 15" file drawer, open cubby width is variable.
- 2054, 2060 and E2078 units have a 24" file drawer, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have a 30" file drawer, open cubby width is variable.
- 2072 and 2084 units have a 36" file drawer, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish
Undercarriage

LOW STORAGE



Hinged Door w/Leg Grommet/
Open Cubby, Box/Box Drawers



Box/Box Drawers/Open Cubby/
Hinged Door w/Leg Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSLCHODR2042	20 x 42 x 14	70	110.31	6.58	\$2031
SKSLCHODR2048	20 x 48 x 14	70	118.89	7.52	\$2110
SKSLCHODR2054	20 x 54 x 14	70	131.33	8.46	\$2745
SKSLCHODR2060	20 x 60 x 14	85	139.98	9.4	\$2825
SKSLCHODR2066	20 x 66 x 14	85	150.9	10.34	\$2960
SKSLCHODR2072	20 x 72 x 14	85	161.88	11.29	\$3080
SKSLCHOEDR2072	20 x 72 x 14	70	170.14	11.29	\$3128
SKSLCHODR2078	20 x 78 x 14	85	181.52	12.23	\$3228
SKSLCHOEDR2078	20 x 78 x 14	85	182.18	12.23	\$3196
SKSLCHODR2084	20 x 84 x 14	85	192.46	13.17	\$3347
SKSLCHOEDR2084	20 x 84 x 14	85	193.12	13.17	\$3332

Hinged door with leg grommet on the left, open cubby at the center and two box drawers on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.




SKSLCHODL2042	20 x 42 x 14	70	110.31	6.58	\$2031
SKSLCHODL2048	20 x 48 x 14	70	118.89	7.52	\$2110
SKSLCHODL2054	20 x 54 x 14	70	131.33	8.46	\$2745
SKSLCHODL2060	20 x 60 x 14	85	139.98	9.4	\$2825
SKSLCHODL2066	20 x 66 x 14	85	150.9	10.34	\$2960
SKSLCHODL2072	20 x 72 x 14	85	161.88	11.29	\$3080
SKSLCHOEDL2072	20 x 72 x 14	70	170.14	11.29	\$3128
SKSLCHODL2078	20 x 78 x 14	85	181.52	12.23	\$3228
SKSLCHOEDL2078	20 x 78 x 14	85	182.18	12.23	\$3196
SKSLCHODL2084	20 x 84 x 14	85	192.46	13.17	\$3347
SKSLCHOEDL2084	20 x 84 x 14	85	193.12	13.17	\$3332

Two box drawers on the left, open cubby at the center and hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 and 2048 units have 15" box drawers, open cubby width is variable.
- 2054, 2060 and E2078 units have 24" box drawers, open cubby width is variable.
- 2066, E2072, 2078 and E2084 units have 30" box drawers, open cubby width is variable.
- 2072 and 2084 units have 36" box drawers, open cubby width is variable.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications
 Laminate chassis finish
 Laminate door/drawer finish
 Paint finish
 Undercarriage



LOW STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H				
	SKSLCOHO2042	20 x 42 x 14	85	94.55	6.58	\$1171
	SKSLCOHO2048	20 x 48 x 14	85	108.42	7.52	\$1507
	SKSLCOHO2054	20 x 54 x 14	85	119.38	8.46	\$1611
	SKSLCOHO2060	20 x 60 x 14	85	128.02	9.4	\$1690
	SKSLCOHO2066	20 x 66 x 14	85	136.57	10.34	\$1769
	SKSLCOHO2072	20 x 72 x 14	85	145.18	11.29	\$1849
	SKSLCOHO2078	20 x 78 x 14	85	164.8	12.23	\$2019
	SKSLCOHO2084	20 x 84 x 14	85	173.85	13.17	\$2095
						
	SKSLCHBFR2048	20 x 48 x 14	70	126.76	7.52	\$2658
	SKSLCHBFR2066	20 x 66 x 14	70	160.09	10.34	\$3753
	SKSLCHBFR2072	20 x 72 x 14	70	171.07	11.29	\$3895
	SKSLCHBFR2078	20 x 78 x 14	85	182.04	12.23	\$4031
	SKSLCHBFR2084	20 x 84 x 14	85	192.95	13.17	\$4161
						
	SKSLCHBFL2048	20 x 48 x 14	70	126.76	7.52	\$2658
	SKSLCHBFL2066	20 x 66 x 14	70	160.09	10.34	\$3753
	SKSLCHBFL2072	20 x 72 x 14	70	171.07	11.29	\$3895
	SKSLCHBFL2078	20 x 78 x 14	85	182.04	12.23	\$4031
	SKSLCHBFL2084	20 x 84 x 14	85	192.95	13.17	\$4161

Open Cubby/Hinged Door w/Leg Grommet/Open Cubby

Open cubby on left and right, hinged door with leg grommet at the center low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/door. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. An adjustable shelf is included for open cubby units 24" and wider.

- 2042 has a 14" wide hinged door with leg grommet, open cubby widths are variable.
- 2048 and 2084 units have a 24" wide hinged door with leg grommet, open cubby widths are variable.
- 2054, 2060, 2066, 2072 and 2078 units have a 30" wide hinged door with leg grommet, remainder are the open cubbies.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Hinged Door w/Leg Grommet/Box/Box Drawers/File Drawer

Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

File Drawer/Box/Box Drawers Hinged Door w/Leg Grommet/


Hinged door with leg grommet on the left, two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. An adjustable shelf is included for open cubby units 24" and wider.

- 2048 has 15" wide box and file drawers.
- 2066 and 2072 have 24" wide box drawers, 2078 and 2084 have 30" wide box drawers.
- 2066 has a 24" wide file drawer, 2072 and 2078 have 30" wide file drawer and 2084 has a 36" wide file drawer.
- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.


Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish
Undercarriage


LOW STORAGE, SINGLE GROMMET



Hinged Door w/Leg Grommet/Open
Cubby/Box/Box Drawers/File Drawer



File Drawer/Box/Box Drawers/Open
Cubby/Hinged Door w/Leg Grommet



Hinged Doors w/Leg Grommet

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
D x W x H					
SKSLCHOBFR2060	20 x 60 x 14	70	149.96	9.4	\$2867
SKSLCHOBFR2066	20 x 66 x 14	70	158.5	10.34	\$2946
SKSLCHOBFR2072	20 x 72 x 14	70	178.13	11.29	\$3116
SKSLCHOBFR2078	20 x 78 x 14	70	189.6	12.23	\$3217
SKSLCHOBFR2084	20 x 84 x 14	70	201.07	13.17	\$3320

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a file drawer on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBFL2060	20 x 60 x 14	70	149.96	9.4	\$2867
SKSLCHOBFL2066	20 x 66 x 14	70	158.5	10.34	\$2946
SKSLCHOBFL2072	20 x 72 x 14	70	178.13	11.29	\$3116
SKSLCHOBFL2078	20 x 78 x 14	70	189.6	12.23	\$3217
SKSLCHOBFL2084	20 x 84 x 14	70	201.07	13.17	\$3320

File drawer on right, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (**GPH**) only. Hinged door is 19" wide for all sizes. Box and file drawers are 15" wide for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.





SKSLCHDG2072	20 x 72 x 14	85	164.74	11.29	\$2457
SKSLCHDG2078	20 x 78 x 14	70	210.44	12.23	\$2982
SKSLCHDG2084	20 x 84 x 14	70	223.71	13.17	\$3103

Hinged door low storage unit with leg grommet at the center. Can be used as a standalone unit or with another low or high storage unit. For use with 2 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and doors. Specify paint finish for handles. Interior felt leg cover in Graphite (**GPH**) only. 72" wide unit has 4 doors and the 78" and 84" wide units have 5 doors.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage

LOW STORAGE, DOUBLE GROMMETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		D x W x H					
	Hinged Door w/Leg Grommet/File Drawer/Hinged Door w/Leg Grommet	SKSLCHFH2060	20 x 60 x 14	70	143.42	9.4	\$2666
		SKSLCHFH2066	20 x 66 x 14	85	154.33	10.34	\$2807
		SKSLCHFH2072	20 x 72 x 14	85	165.29	11.29	\$2938
		Hinged door with leg grommet on the left, file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. File drawer width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Box/Box Drawers/Hinged Door w/Leg Grommet	SKSLCHBH2060	20 x 60 x 14	70	144.01	9.4	\$3129
		SKSLCHBH2066	20 x 66 x 14	85	154.93	10.34	\$3265
		SKSLCHBH2072	20 x 72 x 14	85	165.92	11.29	\$3385
		Hinged door with leg grommet on the left, two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Box drawer width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Open Cubby/Hinged Door w/Leg Grommet	SKSLCHOH2060	20 x 60 x 14	70	142.21	9.4	\$1902
		SKSLCHOH2066	20 x 66 x 14	85	153.63	10.34	\$2003
		SKSLCHOH2072	20 x 72 x 14	85	165.13	11.29	\$2106
		Hinged door with leg grommet on the left, an open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 19" wide on each side for all sizes. Open cubby width is variable. An adjustable shelf is included for open cubby units 24" and wider.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
	Hinged Door w/Leg Grommet/Open Cubby File Drawer/Hinged Door w/Leg Grommet	SKSLCHOFHR2078	20 x 78 x 14	85	177.52	12.23	\$3016
		SKSLCHOFHR2084	20 x 84 x 14	85	186.08	13.17	\$3095
		Hinged door with leg grommet on the left, open cubby and file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.					
		• Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					

Required specifications

Laminate chassis finish
 Laminate door/drawer finish
 Paint finish
 Undercarriage

LOW STORAGE, DOUBLE GROMMETS

MODEL#DIMENSIONSFREIGHT CLASSWT/LBS.CUBIC FT.LIST PRICE

D x W x H

SKSLCHOFHL2078	20 x 78 x 14	85	177.52	12.23	\$3016
SKSLCHOFHL2084	20 x 84 x 14	85	186.08	13.17	\$3095

Hinged Door w/Leg Grommet/File Drawer
Open Cubby/Hinged Door w/Leg Grommet

Hinged door with leg grommet on the left, file drawer and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 18" wide on each side for all sizes. Lateral file is 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHR2078	20 x 78 x 14	85	178.11	12.23	\$3474
SKSLCHOBHR2084	20 x 84 x 14	85	186.68	13.17	\$3553

Hinged Doors w/Leg Grommet/
Open Cubby/Box Drawers

Hinged door with leg grommet on the left, open cubby and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBHL2078	20 x 78 x 14	85	178.11	12.23	\$3474
SKSLCHOBHL2084	20 x 84 x 14	85	186.68	13.17	\$3553

Hinged Doors w/Leg Grommets/
Box Drawers/Open Cubby

Hinged door with leg grommet on the left, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 18" wide on each side for all sizes. Box drawers are 30" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSLCHOBFHR2078	20 x 78 x 14	70	191.89	12.23	\$3512
SKSLCHOBFHR2084	20 x 84 x 14	70	200.45	13.17	\$3591

Hinged Doors w/Leg Grommets/Open
Cubby/Box Drawers/File Drawer




Hinged door with leg grommet on the left, open cubby, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite **(GPH)** only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage



LOW STORAGE, DOUBLE GROMMETS		MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
			D x W x H				
		SKSLCHOBFHL2078	20 x 78 x 14	70	191.89	12.23	\$3512
		SKSLCHOBFHL2084	20 x 84 x 14	70	200.45	13.17	\$3591
Hinged Doors w/Leg Grommets/File Drawer/Box Drawers/Open Cubby		Hinged door with leg grommet on the left, file drawer, two box drawers and open cubby at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. Hinged door is 18" wide on each side for all sizes. File and box drawers are 15" wide, open cubby width is variable. Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
							
		SKSLCHBFHR2084	20 x 84 x 14	70	202.04	13.17	\$4399
Hinged Doors w/Leg Grommets/Box Drawers/File Drawer		Hinged door with leg grommet on the left, two box drawers and a file drawer at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. 18" hinged door, 24" box/box drawers, 24" file drawer, 18" hinged door. Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					
							
		SKSLCHFBHL2084	20 x 84 x 14	70	202.04	13.17	\$4399
Hinged Doors w/Leg Grommets/Box Drawers/File Drawer		Hinged door with leg grommet on the left, file drawer and two box drawers at the center, and a hinged door with leg grommet on the right low storage unit. Can be used as a standalone unit or with another low or high storage unit. For use with 3 legged fixed or height adjustable column kits. Specify laminate finishes and edge finishes for chassis and drawer/doors. Specify paint finish for handle. Interior felt leg cover in Graphite (GPH) only. 18" hinged door, 24" file drawer, 24" box/box drawers, 18" hinged door. Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.					

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Undercarriage

HIGH STORAGE

MODEL#

DIMENSIONS

FREIGHT CLASS


WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H


SKSH05418	20 x 18 x 48	92.5	99.58	9.65	\$1166
SKSH06018	20 x 18 x 54	92.5	108.77	10.85	\$1242
SKSH06618	20 x 18 x 60	100	118.02	12.06	\$1319
SKSH06624	20 x 24 x 60	100	138.51	16.08	\$1918
SKSH06630	20 x 30 x 60	125	157.76	20.1	\$2076
SKSH06636	20 x 36 x 60	125	176.93	24.11	\$2234
SKSH07218	20 x 18 x 66	100	127.21	13.26	\$1394
SKSH07224	20 x 24 x 66	100	148.71	17.68	\$2001
SKSH07230	20 x 30 x 66	125	168.98	22.1	\$2167
SKSH07236	20 x 36 x 66	125	189.14	26.52	\$2331
SKSH07818	20 x 18 x 72	100	136.43	14.47	\$1470
SKSH07824	20 x 24 x 72	100	158.92	19.29	\$2085
SKSH07830	20 x 30 x 72	125	180.2	24.11	\$2258
SKSH07836	20 x 36 x 72	125	201.36	28.93	\$2429



Open Cubby High Storage

Open cubby high storage unit with bottom shelf and coat hook/coat rail. Units 18" wide have one coat hook and remaining units have a coat rail installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat hook/coat rail. Shelf opening is 12.6".


- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.



High Storage Hinged Door, Right

Right hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.



High Storage Hinged Door, Left





SKSHL5418	20 x 18 x 48	85	125.54	9.65	\$1616
SKSHL6018	20 x 18 x 54	85	137.74	10.85	\$1717
SKSHL6618	20 x 18 x 60	85	150.03	12.06	\$1819
SKSHL7218	20 x 18 x 66	85	162.24	13.26	\$1920
SKSHL7818	20 x 18 x 72	85	174.48	14.47	\$2022

Left hand hinged door high storage unit with bottom shelf and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6".

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Legs/Undercarriage

HIGH STORAGE	MODEL#	DIMENSIONS	FREIGHT CLASS	WT./LBS.	CUBIC FT.	LIST PRICE
	D x W x H					
	SKSHH6624	20 x 24 x 60	92.5	181.77	16.08	\$2784
	SKSHH6630	20 x 30 x 60	92.5	211.09	20.1	\$3023
	SKSHH6636	20 x 36 x 60	100	240.37	24.11	\$3261
	SKSHH7224	20 x 24 x 66	92.5	196.01	17.68	\$2911
	SKSHH7230	20 x 30 x 66	92.5	227.37	22.1	\$3164
	SKSHH7236	20 x 36 x 66	100	258.62	26.52	\$3417
	SKSHH7824	20 x 24 x 72	92.5	210.22	19.29	\$3037
	SKSHH7830	20 x 30 x 72	92.5	243.61	24.11	\$3306
	SKSHH7836	20 x 36 x 72	100	276.87	28.93	\$3573
Double hinged door high storage unit with bottom shelf and coat hook/coat rail. Units have a coat rail installed at the back panel. Can be used as a standalone unit or with another low or high storage unit. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. Shelf opening is 12.6". • Legs or an undercarriage required on all storage and must be specified separately: - Specify SKSLL for 24" and 30" wide low storage units. - Specify SKSLU undercarriage for units 36" and wider.						
	SKSHRF5418	20 x 18 x 48	85	128.02	9.65	\$2202
	SKSHRF6018	20 x 18 x 54	85	140.25	10.85	\$2307
	SKSHRF6618	20 x 18 x 60	85	153.08	12.06	\$2485
	SKSHRF7218	20 x 18 x 66	85	165.28	13.26	\$2590
	SKSHRF7818	20 x 18 x 72	85	177.54	14.47	\$2695
Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. • Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.						
	SKSHRL5418	20 x 18 x 48	85	128.02	9.65	\$2202
	SKSHRL6018	20 x 18 x 54	85	140.25	10.85	\$2307
	SKSHRL6618	20 x 18 x 60	85	153.08	12.06	\$2485
	SKSHRL7218	20 x 18 x 66	85	165.28	13.26	\$2590
	SKSHRL7818	20 x 18 x 72	85	177.54	14.47	\$2695
Right hand hinged door high storage unit with bottom file drawer and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finishes and edge finishes for chassis/door. Specify paint finish for coat hook. • Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.						
	SKSHHF6624	20 x 24 x 60	92.5	184.06	16.08	\$3534
	SKSHHF6630	20 x 30 x 60	92.5	213.43	20.1	\$3818
	SKSHHF6636	20 x 36 x 60	92.5	242.66	24.11	\$4090
	SKSHHF7224	20 x 24 x 66	92.5	198.3	17.68	\$3661
	SKSHHF7230	20 x 30 x 66	92.5	229.67	22.1	\$3959
	SKSHHF7236	20 x 36 x 66	92.5	260.91	25.52	\$4246
	SKSHHF7824	20 x 24 x 72	92.5	212.55	19.29	\$3788
	SKSHHF7830	20 x 30 x 72	92.5	245.94	24.11	\$4101
	SKSHHF7836	20 x 36 x 72	100	279.2	28.93	\$4402
Double hinged door high storage unit with bottom file drawer and coat rail. Units have a coat rail installed at the back panel. Specify laminate finishes and edge finishes for chassis/doors/drawer. Specify paint finish for coat rail. • Legs or an undercarriage required on all storage and must be specified separately: - Specify SKSLL for 24" and 30" wide low storage units. - Specify SKSLU undercarriage for units 36" and wider.						

Required specifications

Laminate chassis finish
Laminate door/drawer finish
Paint finish
Legs/Undercarriage

HIGH STORAGE

MODEL#

DIMENSIONS

FREIGHT CLASS


WT/LBS.

CUBIC FT.

LIST PRICE

D x W x H

SKSHOF5418	20 x 18 x 48	85	123.83	9.65	\$1609
SKSHOF6018	20 x 18 x 54	85	133.02	10.85	\$1684
SKSHOF6618	20 x 18 x 60	92.5	142.27	12.06	\$1761
SKSHOF6624	20 x 24 x 60	92.5	169.8	16.08	\$2241
SKSHOF6630	20 x 30 x 60	100	197.16	20.1	\$2505
SKSHOF6636	20 x 36 x 60	100	224.45	24.11	\$2761
SKSHOF7218	20 x 18 x 66	92.5	151.46	13.26	\$1837
SKSHOF7224	20 x 24 x 66	92.5	180	17.68	\$2324
SKSHOF7230	20 x 30 x 66	100	208.38	22.1	\$2595
SKSHOF7236	20 x 36 x 66	100	236.66	26.52	\$2859
SKSHOF7818	20 x 18 x 72	92.5	168.36	14.47	\$1979
SKSHOF7824	20 x 24 x 72	92.5	200.75	19.29	\$2495
SKSHOF7830	20 x 30 x 72	100	233.01	24.11	\$2796
SKSHOF7836	20 x 36 x 72	100	265.18	28.93	\$3090




Open Cubby w/File Drawer

Open cubby high storage unit with bottom file drawer and adjustable shelves. 54" to 72" high storage units have two adjustable shelves and 78" high units have three adjustable shelves. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.

SKSHOBF5418	20 x 18 x 48	85	127.21	9.65	\$1959
SKSHOBF6018	20 x 18 x 54	85	136.4	10.85	\$2035
SKSHOBF6618	20 x 18 x 60	85	145.65	12.06	\$2111
SKSHOBF6624	20 x 24 x 60	92.5	174.51	16.08	\$2855
SKSHOBF6630	20 x 30 x 60	92.5	203.06	20.1	\$3147
SKSHOBF6636	20 x 36 x 60	100	231.53	24.11	\$3423
SKSHOBF7218	20 x 18 x 66	92.5	154.84	13.26	\$2187
SKSHOBF7224	20 x 24 x 66	92.5	184.71	17.68	\$2938
SKSHOBF7230	20 x 30 x 66	100	214.28	22.1	\$3238
SKSHOBF7236	20 x 36 x 66	100	243.75	26.52	\$3521
SKSHOBF7818	20 x 18 x 72	92.5	171.74	14.47	\$2329
SKSHOBF7824	20 x 24 x 72	92.5	205.47	19.29	\$3109
SKSHOBF7830	20 x 30 x 72	100	238.92	24.11	\$3438
SKSHOBF7836	20 x 36 x 72	100	272.27	28.93	\$3752




Open Cubby w/Box/File Drawer

Open cubby high storage unit with bottom box and file drawers and adjustable shelves. 54" to 72" high storage units have two adjustable shelves and 78" high units have three adjustable shelves. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. 24", 30" and 36" wide units can be used as a standalone unit or in conjunction with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for handle.

- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.

SKSHRBF6618	20 x 18 x 60	85	151.98	12.06	\$2657
SKSHRBF7218	20 x 18 x 66	85	164.46	13.26	\$2798
SKSHRBF7818	20 x 18 x 72	85	176.7	14.47	\$2903



Hinged Door, Right w/Box/File Drawer

Right hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications

Laminate chassis finish
 Laminate door/drawer finish
 Paint finish
 Legs/Undercarriage

LIST PRICE

Left hand hinged door high storage unit with bottom box and file drawers and coat hook. Units have one coat hook installed at the back panel. 18" wide units must be specified in conjunction with a low storage unit on an appropriate undercarriage. Specify laminate finish and edge finish for chassis. Specify paint finish for handle and coat hook.

- ### Hinged Doors w/Box/File Drawer


Double hinged door high storage unit with bottom box and file drawers and coat rail. Specify laminate finishes and edge finishes for chassis/doors. Specify paint finish for handles and coat rail.

- Legs or an undercarriage required on all storage and must be specified separately:
 - Specify SKSLL for 24" and 30" wide low storage units.
 - Specify SKSLU undercarriage for units 36" and wider.


Required specifications
Laminate chassis finish
Laminate door/drawer finish
Paint finish
Legs/Undercarriage



SLIDING DOOR STORAGE



Sliding Door, Closed Shelves, Right



Sliding Door, Closed Shelves, Left

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
SKSHCSR6648	20 x 48 x 60	92.5	338.6	32.77	\$6678
SKSHCSR7248	20 x 48 x 66	92.5	359.85	35.98	\$6851
SKSHCSR7248	20 x 48 x 72	92.5	359.85	35.98	\$6851

Sliding door with shelving on the right, wardrobe on the left high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

SKSHCSL6648	20 x 48 x 60	92.5	338.6	32.77	\$6678
SKSHCSL7248	20 x 48 x 66	92.5	359.85	35.98	\$6851
SKSHCSL7248	20 x 48 x 72	92.5	359.85	35.98	\$6851







Sliding door with shelving on the left, wardrobe on the right high storage unit. Can be used as a standalone unit or combined with another low or high storage unit. Specify laminate finish and edge finish for chassis. Specify paint finish for coat rail. Bottom shelf is fixed at 12.6", others are adjustable.

- Undercarriage required on all storage and must be specified separately. Specify SKSLU undercarriage.

Required specifications




- Laminate chassis finish
- Laminate door/drawer finish
- Paint finish
- Legs/Undercarriage



ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	GRADE	LIST	GRADE	LIST
 Low Storage Cushion	SKSAC2014	14 x 20 x 1	150	2.50	05.52	1	\$556	7	\$753
						2	\$585	8	\$822
						3	\$607	9	\$875
						4	\$640	10	\$934
						5	\$688	11	\$1055
						6	\$710	12	\$1184
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 0.75									
 Low Storage Cushion	SKSAC2018	18 x 20 x 1	150	2.50	0.52	1	\$482	7	\$923
						2	\$546	8	\$998
						3	\$597	9	\$1084
						4	\$658	10	\$1186
						5	\$751	11	\$1303
						6	\$835	12	\$1471
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 0.75									
 Low Storage Cushion	SKSAC2024	24 x 20 x 1	85	4	0.28	1	\$541	7	\$1053
						2	\$614	8	\$1144
						3	\$656	9	\$1246
						4	\$742	10	\$1356
						5	\$848	11	\$1493
						6	\$948	12	\$1691
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 0.75									
 Low Storage Cushion	SKSAC2030	30 x 20 x 1	85	5	0.35	1	\$652	7	\$1230
						2	\$733	8	\$1340
						3	\$804	9	\$1453
						4	\$879	10	\$1579
						5	\$1003	11	\$1736
						6	\$1122	12	\$1970
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 1									
 Low Storage Cushion	SKSAC2036	36 x 20 x 1	85	6	0.42	1	\$773	7	\$1504
						2	\$877	8	\$1634
						3	\$936	9	\$1780
						4	\$1060	10	\$1936
						5	\$1210	11	\$2133
						6	\$1354	12	\$2416
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 1.25									
 Low Storage Cushion	SKSAC2042	42 x 20 x 1	85	7	0.49	1	\$901	7	\$1755
						2	\$1023	8	\$1906
						3	\$1093	9	\$2076
						4	\$1237	10	\$2259
						5	\$1411	11	\$2488
						6	\$1579	12	\$2817
						Cushion to fit atop the low storage units. Available in all Global seating fabrics.			
• Yardage required: 1.50									

Required specifications
Fabric



ACCESSORIES	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
 Base Ganging Clip  Flush Plate  Magnetic Whiteboard	D x W x H					
	SKSAGC	0.1 x 5 x 2.5	70	0.22	0.01	\$32
	Base ganging clip to be used between two storage units with separate metal bases. Recommended to create a tight connection between storage (not required).					
	SKWSFP	0.1 x 5 x 2.5	60	10	0.03	\$23
	Flush plate required between mixed height storage units that share the same metal undercarriage. Kit includes two plates. Black finish only.					
	SKSADW	0.1 x 5 x 2.5	70	1.70	0.20	\$607
	Magnetic door whiteboard can be attached to any 18" wide storage unit. White magnetic whiteboard attaches to the metal backing. Black finish metal backing only. Hardware included. Will only fit on tower taller than 60" high.					