GENERAL INFORMATION

- . Comprehensive range of personal storage in a variety of sizes and configurations starting at 27"H single column widths up to 66"H triple column widths.
- Configurations include units with 1, 2, 3, 4, 6, 8 or 9 compartments depending on size.
- Lockers adapt to any space plan; in personal or shared work spaces, individually tailored to suit storage needs. Ideal for flex spaces or used to define space and used as barriers between work areas and to help guide workplace foot traffic flow.
- Painted metal case available in two depths with door front options available in painted metal or thermally fused laminate to add warmth and complement desking products or millwork. Also available in limited sizes without doors for open cubby style storage.
- Multiple door pull options including integrated full metal pulls, applied pulls to match Global Desking series and "no pull" options for ease of cleaning and to seamlessly integrate with any existing products to customize the overall aesthetic.
- . Digital keyless lock options including keypad entry or RFID, programmable for "assigned" or single use "hoteling" applications
- · Inside access to leveling glides for ease of installation.
- · Units may be specified for optional ganging.
- · Ships fully assembled.

CONSTRUCTION SPECIFICATIONS

- Metal case construction of top/bottom and inside panels in 18 gauge steel; sides, back and shelves in 20 gauge steel.
- Door fronts may be specified in painted metal or ¹¹/₁₆" thick thermally fused laminate doors with 2mm matching edge.
- Inside depth clearance is 17.125" on 18" deep cabinets.
- Inside depth clearance is 23.125" on 24" deep cabinets.
- Standard flush base with recessed kick base and 1" levelers (3/4" of adjustability for leveling), elevated units also available with 4"H feet (2" of adjustability for leveling).
- · Welded case with reinforced channels to ensure strength.
- · Full overlay doors with soft close hinges.
- Meets applicable ANSI/BIFMA standards for optimum durability and performance. Note: All 12", 15" or 18" wide lockers must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/ BIFMA X5.6 Storage standards.

PRODUCT CODE BREAKDOWN:

LM- indicates locker, metal door fronts

LL- indicates locker, laminate door fronts

- 3rd & 4th position indicates outside width

- 5th & 6th position indicates outside nominal height

S- indicates 18"D overall / D - indicates 24"D overall

- 8th position indicates the number of columns side to side

- 9th position indicates the number of rows top to bottom

L or R - indicates doors installed for left or right hand hinge (doors with cam locks are reversible on-site if required)

N - indicates no feet, levelers only / 4 - indicates elevated case, supported by 4"H feet

FINISH OPTIONS

- · Must specify finish for case and doors separately
- Metal case and doors are finished in an environmentally friendly electrostatically applied powder coat solution - a superior durable and lasting finish.

Painted metal case and door finish options:

Business Grey	MCH	Mocha Textured
Black Coffee Textured	MET	Metro
Black	MOS	Moss
Bone	NEV	Nevada
Blizzard Textured	NVY	Navy
Charcoal	OYS	Oyster
Claret	SDT	Stonedust Textured
Dark Chocolate Textured	SGR	Storm Grey
Desert Putty	SIL	Silver
Designer White	SKY	Sky
Fog	STN	Stone
Grey	TPE	Taupe
Light Grey	TSA	Tahiti Sand
Ice	TUN	Tungsten (add 10% upcharge)
lvory	WIL	Willow
	Black Coffee Textured Black Bone Blizzard Textured Charcoal Claret Dark Chocolate Textured Desert Putty Designer White Fog Grey Light Grey Ice	Black Coffee Textured Black MOS Bone NEV Blizzard Textured NVY Charcoal OYS Claret Dark Chocolate Textured Designer White Fog Grey Light Grey ItsA Ice Interpretation of the service of th

Thermally fused laminate door front finish options:

ACJ	Absolute Acajou	NGL	Noce Grigio
ASN	Asian Night	NEL	Noce Leggero
AWC	Avant Cherry	NML	Noce Medio
AWH	Avant Honey	QTM	Quartered Mahogany
BLK	Black	SOG	Storm Grey
BRC	Brushed Cobalt	TFW	Tiger Fruitwood
CMB	Clear Maple	TWL	Tiger Walnut
DES	Dark Espresso	WHE	Walnut Heights
DWT	Designer White	WHC	White Chocolate
HGT	Hayden Grey	WGY	Willow Grey
NBL	Noce Biondo	WCR	Winter Cherry

SPECIFICATION OPTIONS

LOCKS

NL - No lock

CL - Cam locks(1). No upcharge.

PL - Hasp lock (for user supplied pad locks). Add \$117 per opening.

DL (Silver) or DB (Black) - Keyless, key pad entry⁽²⁾. Add \$210 per opening.

DR (Silver) or **DA** (Black) - Keyless, RFID entry⁽²⁾. **Add \$274** per opening. Notes:

(1) CL option - randomly assigned lock cores and keys are factory installed. Option to specify key list requirements available. Complete key list form (see "Global Key List Form" on page 3) and include completed form with order. Lock cores and keys will be shipped separately, to be field installed.

(2) DA, DB, DL and DR options are not available with metal fronts with PX pull option.

 Programming and Manager keys must be ordered separately when specifying Keypad or RFID Digital Locks. Please see notes on page 53.

PULLS

NH - No pull, flush front. No upcharge.

PX - Integral full pull (only available metal doors). Add \$19 per opening.

KN - Knob. Add \$19 per opening.

HS - Flared Silver. Add \$19 per opening.

HW - Flared Brass. Add \$19 per opening.

HX - Flared matte Black. Add \$19 per opening.

HV - Square edge Silver. Add \$19 per opening.


HU - Square edge matte Black. Add \$19 per opening.

HO - Crescent Black. Add \$19 per opening.

HQ - Bar Silver. Add \$19 per opening.

HR - Bar Black. Add \$19 per opening.

HZ - Dimpled matte Nickel. Add \$19 per opening.



HX flared matte Black

INTERIOR SHELF AND HANGING OPTIONS

 To add interior shelves, accessory hooks or accessory bar specify one of the following options:

NS - None. No upcharge.

TS - Top shelf. Add \$42 per opening.

TR - Top shelf with accessory rod. Add \$80 per opening.

TH - Top shelf with two accessory hooks. Add \$62 per opening.

BS - Bottom shelf. Add \$42 per opening.

BR - Bottom shelf with accessory rod above. Add \$80 per opening.

BH - Bottom shelf with two accessory hooks above. Add \$62 per opening.

DS - Top and bottom shelf. Add \$80 per opening.

DR - Top and bottom shelf with accessory rod. Add \$120 per opening.

DH - Top and bottom shelf with two accessory hooks. Add \$103 per opening.

RO - Accessory rod only. Add \$33 per opening.

HO - Two accessory hooks only. Add \$23 per opening.

Not all options are available for all size openings. Confirm available options specific to opening size per electronic specification tools or Build-it tool on Global's website.

NOTES

- Shelves are adjustable in 2" increments, tools required. Minimum position 3" from top or bottom of opening.
- Load capacity per shelf is 48.5 lbs.

VENTILATION


. Only applicable for lockers with metal doors (LM models only).


N - None. No upcharge.

U - Upper position on door front. Add \$152 per opening.

L - Lower position on door front. Add \$152 per opening.

B - Both upper and lower positions on door front. **Add \$303** per opening.





MAIL SLOT

• Optional mail slot for units with metal doors only.

• Mail slot is 5" wide x 0.25" high, position centered 3" from top.

N - None. No upcharge.

M - Mail slot. Add \$146 per opening.

NOTE: If both ventilation and mail slot options are desired, specify bottom ventilation option only with mail slot option.

GANGING

 All units 12", 15" or 18" wide must be ganged to another locker or anchored to a fixed wall or adjacent cabinet for compliance with applicable ANSI/ BIFMA X5.6 Storage standards.

• Units may ship factory ready for ganging, specify:


NG - No ganging. No upcharge.

BG - Unit drilled on both sides for ganging, upcharge per cabinet applies. Add \$60. Ganging hardware included.

Units specified for ganging will be drilled through on both sides of cabinets and
include ganging hardware for one side. For end units, specify no ganging and follow
easy on site instructions to add ganging left or right side as required to end a run.

ELEVATED BASE

• Elevated units with 4" feet






1200 PERSONAL LOCKERS - NOTES


ELEVATION SPECIFICS


(A) Outside overall height


(B) Outside door height per opening

All other dimensions indicate inside height clearance per opening









- Inside depth clearance is 17.125" on 18" deep cabinets.
- Inside depth clearance is 23.125" on 24" deep cabinets.
- Inside width clearance per opening:

1 column - 12" wide cabinets: 10.5"

1 column - 15" wide cabinets: 13.5"

1 column - 18" wide cabinets: 16.5"

2 columns - 24" wide cabinets: 10.5"

2 columns - 30" wide cabinets: 13.5"

2 columns - 36" wide cabinets: 16.5"

3 columns - 36" wide cabinets: 10.5"

	ı	
	ı	

ONE COLUMN LOCKERS, ONE ROW

Metal doors, flush base Left hand shown



One Column Locker, One Row - 27"H



LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Metal case with met	tal doors, flush bas	е			
LM1240S11LN / RN	18 x 12 x 40.5	92.5	72	6.8	\$890
LM1540S11LN / RN	18 x 15 x 40.5	100	79	8.3	\$926
LM1840S11LN / RN	18 x 18 x 40.5	100	85	9.7	\$971
LM1240D11LN / RN	24 x 12 x 40.5	92.5	88	8.8	\$1002
LM1540D11LN / RN	24 x 15 x 40.5	100	95	10.7	\$1041
LM1840D11LN / RN	24 x 18 x 40.5	100	103	12.6	\$1091
Metal case with met	tal doors, elevated	base			
LM1240S11L4 / R4	18 x 12 x 44.5	92.5	72	6.8	\$1033
LM1540S11L4 / R4	18 x 15 x 44.5	100	79	8.3	\$1068
LM1840S11L4 / R4	18 x 18 x 44.5	100	85	9.74	\$1114
LM1240D11L4 / R4	24 x 12 x 44.5	92.5	88	8.8	\$1146
LM1540D11L4 / R4	24 x 15 x 44.5	100	95	10.7	\$1185
LM1840D11L4 / R4	24 x 18 x 44.5	100	103	12.6	\$1235
Metal case with lam	inate doors, flush l	base			
LL1240S11LN / RN	18 x 12 x 40.5	92.5	68	6.8	\$966
LL1540S11LN / RN	18 x 15 x 40.5	100	74	8.3	\$999
LL1840S11LN / RN	18 x 18 x 40.5	100	80	9.7	\$1086
LL1240D11LN / RN	24 x 12 x 40.5	100	84	8.8	\$1079
LL1540D11LN / RN	24 x 15 x 40.5	100	91	10.7	\$1116
LL1840D11LN / RN	24 x 18 x 40.5	125	97	12.6	\$1206
Metal case with lam	inate doors, eleva	ted base			
LL1240S11L4 / R4	18 x 12 x 44.5	92.5	68	6.8	\$1110
LL1540S11L4 / R4	18 x 15 x 44.5	100	74	8.3	\$1143
LL1840S11L4 / R4	18 x 18 x 44.5	100	80	9.7	\$1228
LL1240D11L4 / R4	24 x 12 x 44.5	100	84	8.8	\$1223

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

100

125

• Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).

24 x 15 x 44.5

24 x 18 x 44.5

- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

91

97

10.7

12.6

\$1259

\$1350







Left hand shown

One Column Locker, One Row - 40"H


Required Specifications

LL1540D11L4 / R4

LL1840D11L4 / R4

Case finish (painted) Door front finish (painted or laminate) **Optional Specifications**

Pulls Locks Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)



One Column Locker, One Row - 53"H

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications

Case finish (painted)


Door front finish (painted or laminate)

Optional Specifications

Pulls Locks Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)







One Column Locker, One Row - 66"H

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12", 15" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

					•		
ONE COLUM	MN LOCKERS, TWO ROWS	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
		Metal case with me	tal doors				
		LM1227S12LN / RN	18 x 12 x 27.15	92.5	53	4.7	\$866
	Metal doors, flush base	LM1227S12L4 / R4	18 x 12 x 31.15	92.5	53	4.7	\$1011
	Left hand shown						
\checkmark		Metal case with lan	ninate doors				
\wedge		LL1227S12LN / RN	18 x 12 x 27.15	92.5	50	4.7	\$980
		LL1227S12L4 / R4	18 x 12 x 31.15	92.5	50	4.7	\$1124
	Laminate doors, elevated base Left hand shown	LM models shown wit	h PX pull and CL loo	ck; LL models show	n with defau	lt no handle, CL	lock.
One Columi	n Locker, Two Rows - 27"H	 Select suffix (LN) fo Select suffix (L4) for 12" wide lockers to 	left hand / (R4) for	right hand opening	g with 4" ele	evated base.	


Required Specifications

Case finish (painted)


Door front finish (painted or laminate)

Optional Specifications

Locks Pulls Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)



ONE COLUMN LOCKERS, TWO ROWS



One Column Locker, Two Rows - 66"H

ONE COLUMN LOCKERS, THREE ROWS


MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
Metal case with me	tal doors, flush b	ase			
LM1266S12LN / RN	18 x 12 x 65.85	100	109	11	\$1300
LM1866S12LN / RN	18 x 18 x 65.85	100	127	15.7	\$1424
LM1266D12LN / RN	24 x 12 x 65.85	100	137	14.3	\$1468
LM1866D12LN / RN	24 x 18 x 65.85	125	151	20.5	\$1601
Metal case with me	tal doors, elevat	ed base			
LM1266S12L4 / R4	18 x 12 x 69.85	100	109	11	\$1443
LM1866S12L4 / R4	18 x 18 x 69.85	100	127	15.7	\$1568
LM1266D12L4 / R4	24 x 12 x 69.85	100	137	14.3	\$1612
LM1866D12L4 / R4	24 x 18 x 69.85	125	151	20.5	\$1745
Metal case with lan	ninata doore flue	h haca			
LL1266S12LN / RN	18 x 12 x 65.85	100	103	11	\$1470
LL1866S12LN / RN	18 x 18 x 65.85	100	123.5	14.9	\$1527
LL1266D12LN / RN	24 x 12 x 65.85	100	131	14.3	\$1640
LL1866D12LN / RN	24 x 18 x 65.85	125	143	20.5	\$1703
Metal case with lan	ninata doore ala	vatad haca			
LL1266S12L4 / R4	18 x 12 x 69.85	100	103	11	\$1614
LL1866S12L4 / R4	18 x 18 x 69.85	125	118	15.7	\$1670
LL1266D12L4 / R4	24 x 12 x 69.85	100	131	14.3	\$1782
,					
LL1866D12L4 / R4	24 x 18 x 69.85	125	143	20.5	\$1848

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12" or 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

	Left hand shown
Metal doors,	Laminate doors,
flush base	elevated base

One Column Locker, Three Rows - 53"H



elevated base One Column Locker, Three Rows - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
Metal case with me	tal doors				
LM1253S13LN / RN	18 x 12 x 52.95	92.5	93	8.9	\$1274
LM1253S13L4 / R4	18 x 12 x 56.95	92.5	93	8.9	\$1418
Metal case with lan					
LL1253S13LN / RN	18 x 12 x 52.95	100	88	8.9	\$1462
LL1253S13L4 / R4	18 x 12 x 56.95	100	88	8.9	\$1607

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

al doors					
18 x 18 x 65.85	125	101	15.7	\$1542	
18 x 18 x 69.85	125	101	15.7	\$1687	
inate doors					
18 x 18 x 65.85	100	127.7	14.9	\$1721	
18 x 18 x 69.85	150	93	15.74	\$1865	
i	18 x 18 x 69.85 inate doors 18 x 18 x 65.85	18 x 18 x 69.85 125 inate doors 18 x 18 x 65.85 100	18 x 18 x 69.85 125 101 inate doors 18 x 18 x 65.85 100 127.7	18 x 18 x 69.85 125 101 15.7 inate doors 18 x 18 x 65.85 100 127.7 14.9	18 x 18 x 69.85 125 101 15.7 \$1687 inate doors 18 x 18 x 65.85 100 127.7 14.9 \$1721


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.


Required Specifications	Optional Specifications		
Case finish (painted)	Locks	Pulls	
Door front finish (painted or laminate)	Interior options	Ganging	
	Ventilation (LM mode	ls only)	
	Mail slot (LM models	only)	

Refer to specification options on page 36 for applicable options and upcharges.


flush base



One Column Locker, Four Rows - 53"H



One Column Locker, Four Rows - 66"H



LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 18" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Metal case with me	tal doors				
LM1266S14LN / RN	18 x 12 x 65.85	92.5	114	11	\$1545
LM1266S14L4 / R4	18 x 12 x 69.85	92.5	114	11	\$1688
Metal case with lan	ninate doors				
LL1266S14LN / RN	18 x 12 x 65.85	100	108	11	\$1760
LL1266S14L4 / R4	18 x 12 x 69.85	100	108	11	\$1903


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.
- 12" wide lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

TWO COLUMN LOCKERS, ONE ROW	MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	Metal case with me	tal doore fluch ha	200			
	LM2440S21LN / RN	18 x 24 x 40.5	100	114	12.6	\$1408
	LM3040S21LN / RN	18 x 30 x 40.5	100	126	15.6	\$1495
	LM2440D21LN / RN	24 x 24 x 40.5	100	137	16.4	\$1567
	LM3040D21LN / RN	24 x 30 x 40.5	125	149	20.2	\$1659
	LIVI3U4UDZ ILIN/ NIN	24 X 30 X 40.5	120	149	20.2	\$1009
	Metal case with me	tal doors. elevate	d base			
	LM2440S21L4 / R4	18 x 24 x 44.5	100	114	12.6	\$1550
	LM3040S21L4 / R4	18 x 30 x 44.5	100	126	15.6	\$1637
	LM2440D21L4 / R4	24 x 24 x 44.5	100	137	16.4	\$1710
	LM3040D21L4 / R4	24 x 30 x 44.5	125	149	20.2	\$1802
	Metal case with lam	inate doors, flusl	n base			
	LL2440S21LN / RN	18 x 24 x 40.5	100	106	12.6	\$1562
	LL3040S21LN / RN	18 x 30 x 40.5	125	117	15.6	\$1642
	LL2440D21LN / RN	24 x 24 x 40.5	125	129	16.4	\$1721
\sim	LL3040D21LN / RN	24 x 30 x 40.5	125	140	20.2	\$1808
	Metal case with lam	inate doors, elev	ated base			
	LL2440S21L4 / R4	18 x 24 x 44.5	100	106	12.6	\$1707
	LL3040S21L4 / R4	18 x 30 x 44.5	125	117	15.6	\$1785
	LL2440D21L4 / R4	24 x 24 x 44.5	125	129	16.4	\$1865
	LL3040D21L4 / R4	24 x 30 x 44.5	125	140	20.2	\$1950
¥ ¥						
Left hand shown	LM models shown with	h PX pull and CL loo	ck; LL models showi	n with defau	lt no handle, CL	lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.


Required Specifications	Optional Specificat	ions	
Case finish (painted)	Locks	Pulls	Refer to specification options on page 36
Door front finish (painted or laminate)	Interior options	Ganging	for applicable options and upcharges.
	Ventilation (LM mode	Is only)	
	Mail slot (LM models	only)	




Two Column Locker, One Row - 40"H

MODEL#

Metal case with metal doors



Two Column Locker, Two Rows - 27"H



WT/LBS.

CUBIC FT.

LIST PRICE


FREIGHT CLASS


LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.


DIMENSIONS

DxWxH

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.







Left hand shown

Two Column Locker, Two Rows - 40"H

Metal case with me	etal doors, flush bas	е			
LM2440S22LN / RN	18 x 24 x 40.5	100	119	12.6	\$1641
LM3040S22LN / RN	18 x 30 x 40.5	100	134	15.6	\$1730
LM2440D22LN / RN	24 x 24 x 40.5	100	143	16.4	\$1811
LM3040D22LN / RN	24 x 30 x 40.5	125	159	20.2	\$1906
Metal case with me	tal doors, elevated	base			
LM2440S22L4 / R4	18 x 24 x 44.5	100	119	12.6	\$1783
LM3040S22L4 / R4	18 x 30 x 44.5	100	134	15.6	\$1873
LM2440D22L4 / R4	24 x 24 x 44.5	100	143	16.4	\$1954
LM3040D22L4 / R4	24 x 30 x 44.5	125	159	20.2	\$2050
Metal case with lan	ninate doors, flush	base			
LL2440S22LN / RN	18 x 24 x 40.5	100	109	12.6	\$1941
LL3040S22LN / RN	18 x 30 x 40.5	100	125	15.6	\$2100
LL2440D22LN / RN	24 x 24 x 40.5	100	133	16.4	\$2129
LL3040D22LN / RN	24 x 30 x 40.5	125	151	20.2	\$2295
Metal case with lan	ninate doors, eleva	ted base			
LL2440S22L4 / R4	18 x 24 x 44.5	100	109	12.6	\$2084
LL3040S22L4 / R4	18 x 30 x 44.5	100	125	15.6	\$2242
LL2440D22L4 / R4	24 x 24 x 44.5	100	133	16.4	\$2274
LL3040D22L4 / R4	24 x 30 x 44.5	125	151	20.2	\$2438

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Case finish (painted) Door front finish (painted or laminate)

Optional Specifications

Pulls Locks Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)





TWO COLUMN LOCKERS, TWO ROWS



Left hand shown

Two Column Locker, Two Rows - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	D x W x H				
Metal case with me	etal doors, flush b	ase			
LM2466S22LN / RN	18 x 24 x 65.85	100	181	20.5	\$2121
LM3666S22LN / RN	18 x 36 x 65.85	92.5	220	20.5	\$2398
LM2466D22LN / RN	24 x 24 x 65.85	100	216	26.6	\$2469
Metal case with me	tal doors, elevat	ed base			
LM2466S22L4 / R4	18 x 24 x 69.85	100	181	20.5	\$2265
LM3666S22L4 / RN	18 x 36 x 69.85	92.5	220	20.5	\$2542
LM2466D22L4 / R4	24 x 24 x 69.85	100	216	26.6	\$2612
Metal case with lan	ninate doors, flus	sh base			
LL2466S22LN / RN	18 x 24 x 65.85	100	169	20.5	\$2462
LL3666S22LN / RN	18 x 36 x 65.85	125	206.8	28.6	\$2602
LL2466D22LN / RN	24 x 24 x 65.85	125	204	26.6	\$2714
Metal case with lan	ninate doors, ele	vated base			
LL2466S22L4 / R4	18 x 24 x 69.85	100	169	20.5	\$2605
LL3666S22L4 / R4	18 x 36 x 69.85	100	189	20.5	\$2747
LL2466D22L4 / R4	24 x 24 x 69.85	125	204	26.6	\$2859
					·

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

LUMN LOCKERS, THREE ROWS MODEL# DIMENSIONS FREIGHT CLASS WT/LBS. CUBIC FT. LIST PRI Metal case with metal doors LM2453S23LN / RN 18 x 24 x 52.95 100 157 16.6 \$2115	RICE
LM2453S23LN / RN 18 x 24 x 52.95 100 157 16.6 \$2119	
	9
LM2453S23L4 / R4	i3
Metal doors, flush base	
Left hand shown	
Na-tal and with lawing to do an	
Metal case with laminate doors LL2453S23LN / RN 18 x 24 x 52.95 100 145 16.6 \$2498	IR
LL2453S23L4 / R4	
ELECTODO2014 / 114 10 X 24 X 00.00 100 140 10.0 Q204 0	•
Laminate doors, elevated base	
Left hand shown LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.	
umn Locker, Three Rows - 53"H • Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).	
 Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base. 	
Metal case with metal doors	
Metal case with metal doors LM3666S23LN / RN	15
LM3666S23LN / RN 18 x 36 x 65.85 125 212 29.9 \$2645	
LM3666S23LN / RN	
LM3666S23LN / RN 18 x 36 x 65.85 125 212 29.9 \$2645 LM3666S23L4 / R4 18 x 36 x 65.85 125 212 29.9 \$2785 Metal doors, flush base Left hand shown	
LM3666S23LN / RN	39
LM3666S23LN / RN 18 x 36 x 65.85 125 212 29.9 \$2645 LM3666S23L4 / R4 18 x 36 x 65.85 125 212 29.9 \$2785 Metal doors, flush base Left hand shown	39


Left hand shown

Laminate doors, elevated base


Two Column Locker, Three Rows - 66"H

- LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.
- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Required Specifications	Optional Specificat	ions	
Case finish (painted) Door front finish (painted or laminate)	Locks Interior options	Pulls Ganging	Refer to specification options on page 36 for applicable options and upcharges.
,	Ventilation (LM mode Mail slot (LM models	, ,	



Two Column Locker, Four Rows - 53"H



Metal doors, flush base Left hand shown



Laminate doors, elevated base Left hand shown

Two Column Locker, Four Rows - 66"H



Metal case with lam	inate doors				
LL3653S24LN / RN	18 x 36 x 52.95	100	196	24.2	\$3406
LL3653S24L4 / R4	18 x 36 x 56.95	100	196	24.2	\$3549

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.


Metal case with met	tal doors				
LM2466S24LN / RN	18 x 24 x 65.85	100	192	20.5	\$2608
LM2466S24L4 / R4	18 x 24 x 69.85	100	192	20.5	\$2751


Metal case with lan	ninate doors				
LL2466S24LN / RN	18 x 24 x 65.85	100	179	20.5	\$3040
LL2466S24L4 / R4	18 x 24 x 69.85	100	179	20.5	\$3183

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

THREE COLUMN LOCKERS, ONE ROW





Left hand shown

Three Column Locker, One Row - 40"H

LM3640S31LN / RN	18 x 36 x 40.5	100	161	18.5	\$1927
LM3640D31LN/RN	24 x 36 x 40.5	100	192	24	\$2137
Metal case with me	tal doors, elevated	base			
LM3640S31L4 / R4	18 x 36 x 44.5	100	161	18.5	\$2072
LM3640D31L4 / R4	24 x 36 x 44.5	100	192	24	\$2282
Metal case with lar	ninate doors, flush	base			
LL3640S31LN / RN	18 x 36 x 40.5	125	134	18.5	\$2161
LLOU-TOUGHLIN / IIIN		105	105	24	\$2369
LL3640D31LN / RN	24 x 36 x 40.5	125	165	24	\$2309
LL3640D31LN / RN			165	<u> </u>	\$2309
			134	18.5	\$2309

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Required Specifications	
Case finish (painted)	
Door front finish (painted or laminate)	

13
Pulls
Ganging
nly)
y)


Ontional Specifications



THREE COLUMN LOCKERS, ONE ROW

Three Column Locker, One Row - 53"H

Left hand shown



Three Column Locker, One Row - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
Metal case with me	tal doors, flush b	ase				
LM3653S31LN / RN	18 x 36 x 52.95	100	203	24.2	\$2289	
LM3653D31LN/RN	24 x 36 x 52.95	125	240	31.4	\$2561	
Metal case with me	tal doors, elevat	ed base				
LM3653S31L4 / R4	18 x 36 x 56.95	100	203	24.2	\$2434	
LM3653D31L4 / R4	24 x 36 x 56.95	125	240	31.4	\$2704	
Metal case with lan	ninate doors, flus	sh base				
LL3653S31LN / RN	18 x 36 x 52.95	125	188	24.2	\$2726	
LL3653D31LN / RN	24 x 36 x 52.95	125	226	31.4	\$2996	
Metal case with lan	ninate doors, ele	vated base				
LL3653S31L4 / R4	18 x 36 x 56.95	125	188	24.2	\$2869	
LL3653D31L4 / R4	24 x 36 x 56.95	125	226	31.4	\$3141	

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Metal case with me	tal doors, flush base	•						
LM3666S31LN / RN	18 x 36 x 65.85	100	246	29.9	\$2623			
LM3666D31LN / RN	24 x 36 x 65.85	125	291	38.9	\$2950			
Metal case with me	tal doors, elevated	base						
LM3666S31L4 / R4	18 x 36 x 69.85	100	246	29.9	\$2768			
LM3666D31L4 / R4	24 x 36 x 69.85	125	291	38.9	\$3093			
Metal case with lan	ninate doors, flush b	ase						
LL3666S31LN / RN	18 x 36 x 65.85	125	229	29.9	\$3012			
LL3666D31LN / RN	24 x 36 x 65.85	125	274	38.9	\$3338			
Metal case with laminate doors, elevated base								
LL3666S31L4 / R4	18 x 36 x 69.85	125	229	29.9	\$3156			
LL3666D31L4 / R4	24 x 36 x 69.85	125	274	38.9	\$3483			

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.


- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Ron	uirad	Cno	cific	ation

Case finish (painted) Door front finish (painted or laminate)


Optional Specifications

Pulls Locks Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)



Three Column Locker, Two Rows - 40"H

Left hand shown



Three Column Locker, Two Rows - 53"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
Metal case with me	tal doors, flush l	base			
LM3640S32LN / RN	18 x 36 x 40.5	100	169	18.5	\$2277
LM3640D32LN / RN	24 x 36 x 40.5	100	202	24	\$2504
Metal case with me	tal doors, elevat	ted base			
LM3640S32L4 / R4	18 x 36 x 44.5	100	169	18.5	\$2421
LM3640D32L4 / R4	24 x 36 x 44.5	100	202	24	\$2648
Metal case with lan	ninate doors, flu	sh base			
LL3640S32LN / RN	18 x 36 x 40.5	100	157	18.5	\$2727
LL3640D32LN / RN	24 x 36 x 40.5	125	190	24	\$2983
Metal case with lan	ninate doors, ele	evated base			
LL3640S32L4 / R4	18 x 36 x 44.5	100	157	18.5	\$2871
LL3640D32L4 / R4	24 x 36 x 44.5	125	190	24	\$3126
LL3640D32L4 / R4					*

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Metal case with me	tal doors, flush base)			
LM3653S32LN / RN	18 x 36 x 52.95	100	211	24.2	\$2605
LM3653D32LN / RN	24 x 36 x 52.95	125	251	31.4	\$2894
Metal case with me	tal doors, elevated	base			
LM3653S32L4 / R4	18 x 36 x 56.95	100	211	24.2	\$2749
LM3653D32L4 / R4	24 x 36 x 56.95	125	251	31.4	\$3039
Metal case with lan	ninate doors, flush b	ase			
LL3653S32LN / RN	18 x 36 x 52.95	100	196	24.2	\$3024
LL3653D32LN / RN	24 x 36 x 52.95	125	236	31.4	\$3314
Metal case with lan	ninate doors, elevat	ed base			
LL3653S32L4 / R4	18 x 36 x 56.95	100	196	24.2	\$3168
LL3653D32L4 / R4	24 x 36 x 56.95	125	236	31.4	\$3458

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.


- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

Case finish (painted) Door front finish (painted or laminate)

Optional Specifications

Locks Pulls Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)






Three Column Locker, Two Rows - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
	DxWxH				
Metal case with me	etal doors, flush b	ase			
LM3666S32LN / RN	18 x 36 x 65.85	100	259	29.9	\$2950
LM3666D32LN/RN	24 x 36 x 65.85	100	317	38.9	\$3293
Metal case with me	etal doors, elevate	ed base			
LM3666S32L4 / R4	18 x 36 x 69.85	100	259	29.9	\$3092
LM3666D32L4 / R4	24 x 36 x 69.85	100	317	38.9	\$3435
Metal case with lan	ninate doors, flus	sh base			
LL3666S32LN / RN	18 x 36 x 65.85	100	240	29.9	\$3461
LL3666D32LN / RN	24 x 36 x 65.85	125	298	38.9	\$3804
Metal case with lan	ninate doors, ele	vated base			
LL3666S32L4 / R4	18 x 36 x 69.85	100	240	29.9	\$3605
LL3666D32L4 / R4	24 x 36 x 69.85	125	298	38.9	\$3948

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
Metal case with me	tal doors, flush ba	ise			
LM3653S33LN / RN	18 x 36 x 52.95	100	220	24.2	\$2972
LM3653D33LN/RN	24 x 36 x 52.95	100	262	31.4	\$3278
Metal case with me	tal doors, elevate	d base			
LM3653S33L4 / R4	18 x 36 x 56.95	100	220	24.2	\$3114
LM3653D33L4 / R4	24 x 36 x 56.95	100	262	31.4	\$3420
Metal case with lan	ninate doors, flush	ı base			
LL3653S33LN / RN	18 x 36 x 52.95	100	203	24.2	\$3539
LL3653D33LN / RN	24 x 36 x 52.95	125	245	31.4	\$3846
Metal case with lan	ninate doors, elev	ated base			
LL3653S33L4 / R4	18 x 36 x 56.95	100	203	24.2	\$3682
LL3653D33L4 / R4	24 x 36 x 56.95	125	245	31.4	\$3988

Left hand shown LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.


Three Column Locker, Three Rows - 53"H

Required Specifications	
Casa finish (naintad)	

Case finish (painted)
Door front finish (painted or laminate)

Optional Specifications
Locks Pulls

Locks Pulls
Interior options Ganging
Ventilation (LM models only)
Mail slot (LM models only)



Three Column Locker, Three Rows - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
Metal case with me	tal doors, flush b	ase				
LM3666S33LN / RN	18 x 36 x 65.85	100	267	29.9	\$3294	
LM3666D33LN/RN	24 x 36 x 65.85	100	317	38.9	\$3655	
Metal case with me	tal doors, elevat	ed base				
LM3666S33L4 / R4	18 x 36 x 69.85	100	267	29.9	\$3437	
LM3666D33L4 / R4	24 x 36 x 69.85	100	317	38.9	\$3797	
Metal case with lan	ninate doors, flus	h base				
LL3666S33LN / RN	18 x 36 x 65.85	100	247	29.9	\$3857	
LL3666D33LN / RN	24 x 36 x 65.85	125	297	38.9	\$4217	
Metal case with lan	ninate doors, ele	vated base				
LL3666S33L4 / R4	18 x 36 x 69.85	100	247	29.9	\$4001	
LL3666D33L4 / R4	24 x 36 x 69.85	125	297	38.9	\$4362	

LM models shown with PX pull and CL lock; LL models shown with default no handle, CL lock.

- Select suffix (LN) for left hand / (RN) for right hand opening with levelers (flush base).
- Select suffix (L4) for left hand / (R4) for right hand opening with 4" elevated base.

When specific keying information is required with preassisgned lock core and key numbers, add KEYLIST to order as a no charge line item. Must be accompanied by a completed KEY LIST form found on page 3. Lock cores will be shipped separately, to be installed on site.

WFL50	x 2 x 1	70	1	.01	\$274	
WFL100	x 2 x 1	70	1	.01	\$274	
WFL150	x 2 x 1	70	1	.01	\$274	
WFL200	x 2 x 1	70	1	.01	\$274	
WFI 250	x 2 x 1	70	1	Π1	\$274	

WFL50 set includes numbers 01-50.

WFL100 set includes numbers 51-100.

WFL150 set includes numbers 101-150

WFL200 set includes numbers 151-200

WFL250 set includes numbers 201-250


vvay	ınaıng	Number	Sets
------	--------	--------	------

Keylist


Required Specifications

Case finish (painted) Door front finish (painted or laminate) **Optional Specifications**


Pulls Locks Interior options Ganging Ventilation (LM models only) Mail slot (LM models only)



Metal Cubbies, No Doors - 27"H



Metal Cubbies, No Doors - 53"H



Metal Cubbies, No Doors - 66"H

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE
One column, two i	D x W x H rows, flush base				
LM1227S12NN	18 x 12 x 27.15	100	44	4.7	\$615
Two column, two	rows, flush base				
LM2427S22NN	18 x 24 x 27.15	100	71	8.7	\$913
One column, two i	rows, elevated bas	e			
LM1227S12N4	18 x 12 x 31.15	100	44	4.7	\$759
Two column, two	rows, elevated bas	e			
LM2427S22N4	18 x 24 x 31.15	100	71	8.7	\$1057

- Select suffix (NN) for metal cubbies with levelers (flush base).
- Select suffix (N4) for metal cubbies with 4" elevated base.
- 12" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One column, three	rows, flush base				
LM1253S13NN	18 x 12 x 52.95	100	77	8.9	\$869
One column, four	rows, flush base				
LM1853S14NN	18 x 18 x 52.95	125	77	12.7	\$956
Two column, three	e rows, flush base				
LM2453S23NN	18 x 24 x 52.95	125	123	16.6	\$1307
One column, three	rows, elevated base				
LM1253S13N4	18 x 12 x 56.95	100	77	8.9	\$1012
One column, four	rows, elevated base				
LM1853S14N4	18 x 18 x 56.95	125	77	12.7	\$1101
Two column, three	e rows, elevated base				
LM2453S23N4	18 x 24 x 56.95	125	123	16.6	\$1451

- Select suffix (NN) for metal cubbies with levelers (flush base).
- Select suffix (N4) for metal cubbies with 4" elevated base.
- 12" or 18" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

One column, three	e rows, flush base					
LM1866S13NN	18 x 18 x 65.85	150	72	15.7	\$1039	
One column, four	rows, flush base					
LM1266S14NN	18 x 12 x 65.85	100	94	11	\$1012	
Two column, four	rows, flush base					
LM2466S24NN	18 x 24 x 65.85	125	151	20.5	\$1542	
One column, three	e rows, elevated base					
LM1866S13N4	18 x 18 x 69.85	150	72	15.7	\$1183	
One column, four	rows, elevated base					
LM1266S14N4	18 x 12 x 69.85	100	94	11	\$1155	
Iwo column, tour	rows, elevated base					
LM2466S24N4	18 x 24 x 69.85	125	151	20.5	\$1687	

- Select suffix (NN) for metal cubbies with levelers (flush base).
- Select suffix (N4) for metal cubbies with 4" elevated base.
- 12" or 18" wide cubby style lockers to be ganged or anchored for compliance with ANSI/BIFMA X5.6 storage standards.

Required Specifications

Optional Specifications

Interior options (refer to notes section)
Factory ganging (**BG**)

Case finish (painted)



18"D Locker Sloped Top*

LOCKER SLOPED TOPS

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
LMST1218	18 x 12 x 8	250	7.1	2.23	\$151	
LMST1518	18 x 15 x 8	250	8.1	2.23	\$164	
LMST1818	18 x 18 x 8	150	9.15	2.23	\$165	
LMST2418	18 x 24 x 8	250	11.25	3.68	\$169	
LMST3018	18 x 30 x 8	250	13.45	3.68	\$178	
LMST3618	18 x 36 x 8	250	15.5	4.4	\$184	

Convert standard flat top locker to sloped top. Prevents items from being stacked on the top of a locker and makes cleaning easy. Mounted flush with the locker case; excluding the door front. Mounting hardware included, use with LM or LL lockers with corresponding width and depth as the sloped top.

_	
_	

24"D Locker Sloped Top*

LMST1224	24 x 12 x 8	150	9	2.23	\$160	
LMST1524	24 x 15 x 8	150	10.35	2.23	\$167	
LMST1824	24 x 18 x 8	150	11.65	2.23	\$174	
LMST2424	24 x 24 x 8	250	14.2	3.68	\$181	
LMST3024	24 x 30 x 8	150	16.7	3.68	\$194	
LMST3624	24 x 36 x 8	150	19.35	4.4	\$206	

Convert standard flat top locker to sloped top. Prevents items from being stacked on the top of a locker and makes cleaning easy. Mounted flush with the locker case; excluding the door front. Mounting hardware included, use with LM or LL lockers with corresponding width and depth as the sloped top.

END OF RUN LAMINATE PANELS
X 1 2"

End of Run Laminate Panel - 18"D**

MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
LLERP1827	18 x 0.69 x 25.65	60	13	0.34	\$177	
LLERP1840	18 x 0.69 x 38.55	60	19.5	0.51	\$265	
LLERP1853	18 x 0.69 x 51.45	60	26	0.67	\$352	
LLERP1866	18 x 0.69 x 64.35	60	32.5	0.84	\$441	

To cap the ends of a locker run with a finished laminate panel. To accept panels, lockers at the end of run must be specified with ganging option (BG). Finished laminate panel connects to the side of the locker with the ganging hardware supplied. End of run panels include factory installed inserts for the connection. End of run panel overlaps case to be flushed with laminate door front. Available in all the standard laminates for 1200 series lockers.



End of Run Laminate Panel - 24"D**

LLERP2427	24 x 0.69 x 25.65	60	17.5	0.45	\$236	
LLERP2440	24 x 0.69 x 38.55	60	26	0.67	\$352	
LLERP2453	24 x 0.69 x 51.45	60	35	0.89	\$470	
LLERP2466	24 x 0.69 x 64.35	60	73	1.11	\$589	

To cap the ends of a locker run with a finished laminate panel. To accept panels, lockers at the end of run must be specified with ganging option (BG). Finished laminate panel connects to the side of the locker with the ganging hardware supplied. End of run panels include factory installed inserts for the connection. End of run panel overlaps case to be flushed with laminate door front. Available in all the standard laminates for 1200 series lockers.

Required Specifications

Painted finish

Laminate finish**





KEYLESS ENTRY, PROGRAM KEYS



MODEL#	DIMENSIONS	FREIGHT CLASS	WT/LBS.	CUBIC FT.	LIST PRICE	
	DxWxH					
User Key						
LKUSRKEY	1.2 x 0.9 x 2	70	0.2	0.05	\$58	
Manager Key						
LKMGRKEY	1.2 x 0.9 x 4	70	0.5	0.05	\$129	
Programming Key						
LKPRGKEY	1.2 x 0.9 x 4	70	0.5	0.05	\$178	

	User Key	Manager Key ¹	Programming Key ²
Operates the lock, for users unable to use keypad	•	•	•
Overrides user access		•	•
Allows management inspection		•	•
Provides external power		•	•
Programs manager keys to the lock			•
Assigns user credentials ³ (in assigned use functionality)		•	
Sets lock functionality			•

¹ Up to six manager keys may be programmed to each lock.

Required Specifications

Case finish (painted) Door front finish (painted or laminate) **Optional Specifications**

Locks Pulls Interior options Ganging Ventilation (LM models only)
Mail slot (LM models only)

² One programming key allowed per lock system.

³ Up to 20 user credentials may be assigned to each lock.