

arm and caster options




HOW TO SELECT ARMRESTS

Global has a wide selection of armrest to suit almost every work task. Armrest are an important feature of a chair. They reduce stress an tension on the spine, neck and shoulder muscles by supporting the weight of your arms. This makes you more comfortable and ultimately more productive. Height, width and angle adjustable armrests enable you to position your arms at a comfortable working position, based on the task at hand.


COMFORT TIPS

- Wrists should be in a straight or neutral position - avoid bending your wrists
- When mousing, use whole arm movements instead of flexing your wrist.
- Rest your palm on the mouse pad for support.




HEIGHT ADJUSTABLE ARMS

- A full range of arms is available with armcaps in self-skinned urethane (SSU).
- Use the features available on Global's adjustable arms to accommodate your ergonomic requirements.




VARI-WIDTH ARM

- Features maximum comfort while enabling you to maintain top productivity levels.
- Easy to use levers enable you to adjust the distance between armrests quickly and simply. An ergonomic feature, Vari-Width maximizes shoulder support as it accommodates the specific width requirements of each user.
- Metal adapter plates provide width adjustability. One adapter plate is attached under each side of the seat. Arms are inserted into the adapter plates.
- Arms extend outward up to 2" on each side. A lever locks each arm in any position.
- Vari-Width is available only with Global's height adjustable arms. The arm chart (on the following pages) specifies all arm options available for the Vari-Width series. Vari-Width is standard on many chairs; they can also be retroactively installed on chairs.
- When ordering, please specify series, arm and **(WA)** ie. Loover 2660-0 (**G5**) and **(WA)**. When ordering as retrofit, please specify **2660-0-WA**.



ROTATING ARMCAPS

Rotating armcaps articulate inward and/or outward. This positions the arm to support mousing or keyboarding activities. Rotating armcaps can also be used to narrow the space between the arms for slender people seeking arm support while keyboarding.



SLIDING ARMCAPS

Select arms have sliding armcaps. They can slide over top of the seat to narrow the space between the arms for smaller users. Sliding armcaps also slide forward for arm support for larger users or slide to the rear allowing slender users to sit closer to their worksurface.

OPTIONAL ARMS


Purchased separately from the chair. Cost listed below arm descriptions. Refer to chart for series compatibility.



AS

Height and width adjustable forward and backward sliding armcaps.


\$289



C

Fixed height and stylish "C" arm. Self-skinned urethane. Black only.


\$289



CA

Fixed height and stylish "C" arm. Polished Aluminum.

\$454



G1

Height and width adjustable forward and backward sliding armcaps. Self-skinned urethane pad rotates inward.


\$289



G2

Special low rise version of G3 arm, positions 1" lower but retains all G3 functions.

\$289



G3

Height and width adjustable forward and backward sliding armcaps. Self-skinned urethane pad rotates inward 30 degrees.


\$289



G4

Height adjustable "T" style Graphic arm. Self-Skinned Urethane (SSU) armcap. Slides forward and back.

\$289



G5

Lockable, highly adjustable armcap slides forward and backward, cap slides over seat 3/4" each side, cap rotates inward & outward. Soft (SSU) arm pad.


\$289



G6

Special low rise version of G5 arm, positions 1" lower but retains all G5 arm functions.


\$289



G7

Wider highly adjustable armcap slides forward and backward, cap slides over seat 3/4" each side. Cap rotates inward. Soft SSU arm pad. Curved corners and sides.


\$289



G8

Special low rise version of G7 arm, positions 1" lower but retains all G7 functions.


\$289



GL

Width adjustable forward and backward sliding armcaps.


\$289



SC

Height adjustable forward swept arms with kidney shaped armcaps. Self-skinned urethane.


\$252



TD

Height adjustable "T" arms with teardrop shaped armcaps. Self-skinned urethane.


\$252



T6

Height adj. T arm. Rotates 360. Self-skinned urethane.

\$336



ZT

Height adjustable "T" arms, teardrop shaped. Swings away and folds. Self-skinned urethane.


\$306



3B

Height Adjustable "T" arm with soft touch Self-Skinned Urethane (SSU) armcap.


\$252



3N

Height adjustable "T" arms with curved shaped armcaps. Self-skinned urethane. Available in Black only.

\$206



3P

Height adjustable "waterfall edge" arms. Self-skinned urethane. Available in Black Only.

\$320



3R

Hard durometer. Height Adjustable "T" arm with Concave Oval soft touch Self-Skinned Urethane (SSU) armcap.

\$252

ARM SELECTIONS

| SERIES \ ARM | STD | AS | C | CA | G1 | G2 | G3 | G4 | G5 | G6 | G7 | G8 |
|-------------------|------|-----|-----|-----|-----|----|-----|----|-----|----|----|----|
| ASPEN | AS | | NA | NA | 0 | NA | 0 | 0 | 0 | NA | 0 | 0 |
| ENTERPRISE | TD | 102 | NA | NA | 46 | 46 | 46 | 6 | 46 | 46 | NA | NA |
| GOAL | 3N | NR | 94 | NA | NR | NR | NR | NR | NR | NR | NR | NR |
| GRAHAM | 3N | 102 | NA | NA | 95 | 95 | 95 | 95 | 95 | 95 | NA | NA |
| GRANADA | 3N | 102 | NA | NA | 95 | 95 | 95 | 95 | 95 | 95 | NR | NR |
| GRANADA DELUXE | 3B | 102 | NA | NA | 46 | 46 | 46 | 46 | 46 | 46 | NA | NA |
| GRAPHIC | G4 | 0 | 0 | NA | 0 | NA | 0 | | 0 | NA | 0 | 0 |
| LOOVER | G5 | 0 | 0 | 153 | 0 | 0 | 0 | 0 | STD | 0 | 0 | 0 |
| MALAGA | TD | 96 | NA | NA | 46 | 46 | 46 | 46 | 46 | 46 | NA | NA |
| OBUSFORME COMFORT | G3 | 0 | NA | NA | 0 | 0 | STD | 0 | 0 | 0 | 0 | 0 |
| SAXON | VL | 0 | NA | NA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SUPRA X | SC | 102 | 46 | NA | 46 | 46 | 46 | 46 | 46 | 46 | NA | NA |
| SYNOPSIS | 3B | 102 | 46 | NA | 46 | 46 | 46 | 46 | 46 | 46 | NA | NA |
| TRIUMPH | G1 | 0 | NA | NA | STD | NA | 0 | 0 | 0 | NA | NA | NA |
| TRUFORM | SC | 102 | 46 | NA | 46 | 46 | 46 | 46 | 46 | 46 | 46 | NA |
| TYE | 3N | 102 | NA | NA | 95 | 95 | 95 | 95 | 95 | 95 | 95 | NA |
| VION | AS/C | STD | STD | 214 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WEEV | GL | 0 | 0 | NA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

NOTE: ARMCHAIRS HAVE FIXED ARMS WHICH ARE NOT INTERCHANGEABLE WITH ADJUSTABLE ARMS LISTED ABOVE.
* INDICATES THAT ARMS CANNOT BE USED WITH “WA” ARM WIDTH ADAPTER.

\$0 = AVAILABLE AT NO ADDITIONAL CHARGE

NA = NOT AVAILABLE

NR = OPTION NOT RECOMMENDED

| SERIES \ ARMS | STD | GL | SC | TD | T6 | ZT | 3B | 3N | 3P | 3R | WA |
|-------------------|------|-----|-----|-----|-----|-----|-----|-----|----|----|-----|
| ASPEN | AS | 0 | NR | NR | NA | NA | NR | NR | NR | NR | STD |
| ENTERPRISE | TD | 46 | 0 | 0 | 122 | 67 | 0 | 0 | 0 | 0 | STD |
| GOAL | 3N | NR | 52 | 55 | NR | 117 | 52 | STD | 55 | 52 | NA |
| GRAHAM | 3N | 95 | 55 | 55 | 171 | 117 | 52 | STD | 52 | 52 | NA |
| GRANADA | 3N | 95 | 55 | 55 | 171 | 117 | 52 | STD | 52 | 52 | STD |
| GRANADA DELUXE | 3B | 46 | 0 | 0 | 122 | 67 | STD | 0 | 0 | 0 | STD |
| GRAPHIC | G4 | 0 | 0 | NR | 80 | 25 | NR | NR | NR | NR | STD |
| LOOVER | G5 | 0 | 0 | 0 | 0 | NA | 0 | 0 | 0 | 0 | 0 |
| MALAGA | TD | 46 | 0 | STD | 117 | 67 | 0 | 0 | 0 | 0 | STD |
| OBUSFORME COMFORT | G3 | 0 | 0 | 0 | 80 | 25 | 0 | 0 | 0 | 0 | STD |
| SAXON | VL | 0 | 0 | NR | 60 | NR | 0 | 0 | 0 | 0 | NA |
| SUPRA X | SC | 46 | STD | 0 | 117 | 67 | 0 | 0 | 0 | 0 | STD |
| SYNOPSIS | 3B | 46 | 0 | 0 | 117 | 67 | STD | 0 | 0 | 0 | STD |
| TRIUMPH | G1 | 0 | NA | NA | NA | NA | NA | NA | NA | NA | NA |
| TRUFORM | SC | 46 | STD | 0 | 117 | 67 | 0 | 0 | 0 | 0 | NA |
| TYE | 3N | 95 | 55 | 55 | 171 | 117 | 55 | STD | 55 | 55 | NA |
| VION | AS/C | 0 | 0 | 0 | 80 | NA | 0 | 0 | 0 | 0 | 0 |
| WEEV | GL | STD | 0 | 0 | 80 | 25 | 0 | 0 | 0 | 0 | STD |

NOTE: ARMCHAIRS HAVE FIXED ARMS WHICH ARE NOT INTERCHANGEABLE WITH ADJUSTABLE ARMS LISTED ABOVE.
 * INDICATES THAT ARMS CANNOT BE USED WITH "WA" ARM WIDTH ADAPTER.

\$0 = AVAILABLE AT NO ADDITIONAL CHARGE

NA = NOT AVAILABLE

NR = OPTION NOT RECOMMENDED

CASTER SELECTIONS




| | | | | | |
|----|----------------------|-------|----------------|--------------------|----------|
| C1 | 2" Dual Wheel Caster | Black | Carpeted Floor | 1 each set of 5 | 21 88 |
|----|----------------------|-------|----------------|--------------------|----------|

Available on: Softcurve and Traditional bases.



| | | | | | |
|----|---|-------|-------------|--------------------|----------|
| C7 | Slipper Glide (allows chair to remain at caster height) | Black | Any surface | 1 each set of 5 | 21 88 |
|----|---|-------|-------------|--------------------|----------|

Available on: All bases




| | | | | | |
|-----|--|-------|----------------------------------|--------------------|-----------|
| C9R | 21/2" Dual Wheel Rubber Coated Caster | Black | Vinyl, Marble, Hardwood Floor | 1 each set of 5 | 36 161 |
|-----|--|-------|----------------------------------|--------------------|-----------|

Available on: All bases



C10

| | | | | | |
|-----|------------------------------------|-------|----------------|--------------------|-----------|
| C10 | 2" Integrated Dual Wheel Caster | Black | Carpeted Floor | 1 each set of 5 | 33 143 |
|-----|------------------------------------|-------|----------------|--------------------|-----------|



C10R

| | | | | | |
|------|---|-------|----------------------------------|--------------------|-----------|
| C10R | Integrated Dual Wheel Rubber Coated Caster | Black | Vinyl, Marble, Hardwood Floor | 1 each set of 5 | 47 209 |
|------|---|-------|----------------------------------|--------------------|-----------|

Available on: Concorde, Graham, and Malaga bases only.



| | | | | | |
|------|---|-------|--------------|--------------------|-----------|
| C14R | Automatic Locking Rubber Caster (while sitting) | Black | Any surface* | 1 each set of 5 | 93 374 |
|------|---|-------|--------------|--------------------|-----------|

Available on: All bases




| | | | | | |
|-----|---------------------------------------|-------|----------------|--------------------|-----------|
| C15 | Manual Locking Caster (individual) | Black | Carpeted Floor | 1 each set of 5 | 43 194 |
|-----|---------------------------------------|-------|----------------|--------------------|-----------|

Available on: All bases



C65



C65R











| | | | | | |
|-----|----------------------|-------|----------------|--------------------|----------|
| C65 | 2" Dual Wheel Caster | Black | Carpeted Floor | 1 each set of 5 | 28 88 |
|-----|----------------------|-------|----------------|--------------------|----------|

| | | | | | |
|------|---------------------------------------|-------|----------------------------------|--------------------|-----------|
| C65R | 2" Dual Wheel Rubber Coated Caster | Black | Vinyl, Marble, Hardwood Floor | 1 each set of 5 | 40 161 |
|------|---------------------------------------|-------|----------------------------------|--------------------|-----------|

Available on: All bases (except wood base chairs).

CASTER NOTES:

- The casters shown above are sold in sets for replacement purposes. This price list can also be used to calculate the upcharge to change casters at time of ordering a chair. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced casters will not be credited.
- All casters are not appropriate for all flooring surfaces. Please consult with your sales representative or Global Customer Service representative for special situations that can be verified with the caster manufacturer. Alternative casters, if needed, may require an upcharge.
- *Recommended for use on hard surface floors.

| | MODEL # | MODEL NAME |
|---|---------|--|
|  | 3G | 3" cylinder, 360° swivel Soft Descent™ pneumatic lift cylinder with 3 inch travel range. This lift cannot be used on synchro-tilter (-0) and multi-tilter (-3) mechanisms due to operational interference with controls. |
|  | 4F | Fixed height 360° swivel spindle #4 Fixed height, swivel only. Seat height is determined by the spindle length which is preset at the factory and cannot be changed. |
|  | 4L | 4" cylinder, 360° swivel, low rise Soft Descent™ low rise, pneumatic lift cylinder with 4 inch travel range. |
|  | 5F | Fixed height 360° swivel spindle #5 Fixed height, swivel only. Seat height is determined by the spindle length which is preset at the factory and cannot be changed. |
|  | 5L | 5" cylinder, 360° swivel, low rise Soft Descent™ low rise, pneumatic lift cylinder with 5 inch travel range. |
|  | 7G | 7" cylinder, 360° swivel Soft Descent™ pneumatic lift cylinder with 7 inch travel range. Lift allows most users to sit at both desk and counter heights. Seats may be too tall for shorter users at desk height. |
|  | 7R | 7" cylinder, 360° swivel with 20" Chrome footrest Soft Descent™ pneumatic lift cylinder with 7 inch travel range and adjustable footrest. Lift allows most users to sit at both desk and counter heights. Seats may be too tall for shorter users at desk height (refer to cylinder chart on page 416). |
|  | SC | Self-centering, height auto-return, 360° swivel Return-to-center and return-to-height pneumatic height adjust cylinder with 2 inch travel range. Chair swivels back to face the original direction so groups of chairs remain aligned. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair. |
|  | SH | Height auto-return, 360° swivel Return-to-height pneumatic height adjust cylinder with 2 inch travel range. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair. |
|  | SN | Height auto-return, non-swivel cylinder Return-to-height pneumatic height adjust cylinder with 2 inch travel range. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair. |

CYLINDER NOTES:

- All cylinders are not appropriate for all mechanisms. Please refer to the following chart for compatibility and effect on minimum seat height.
- For cylinder upcharges and replacement costs, please contact Customer Service.

CYLINDER SELECTIONS






| SERIES | CYLINDER Mechanism | STD | 3G | 4L | 4F | 5L | 5F | 7G | 7R | SC | SH | SN |
|-------------------|-----------------------|-----|-------|-------|------|-------|------|-------|-------|-------|-------|-------|
| ACCORD | -2 | 4L | NA | STD | NA | +1.5 | NA | +1.0 | NA | NA | NA | NA |
| | -4 | 4G* | NA | NA | +0.5 | NA | +1.0 | +1.0 | NA | +1.5 | +1.5 | +1.5 |
| ASPEN | -3 | 4L | -0.75 | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| G1 ERGO SELECT | -0 | 4L | N/A | STD | NA | +1.5 | NA | NA | NA | NA | NA | NA |
| | -3 | 4L | N/A | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| | -8 | 4L | N/A | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| G20 | | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| GRANADA DELUXE | -2, -3 | 4L | NA | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| | -5 | 4L | -0.75 | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| LOOVER | -3 | 4L | -0.75 | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| | -4 | 5L | -2.25 | -1.5 | NA | STD | +1.0 | +1.0 | +1.0 | +1.75 | +1.75 | +1.75 |
| | -8 | 5L | -2.25 | -1.5 | NA | STD | +1.0 | +1.0 | +1.0 | +2.0 | +2.0 | +2.0 |
| LURAY | -2 | 4L | NA | STD | NA | +1.5 | NA | NA | NA | NA | NA | NA |
| | -4 | 5L | NA | -1.5 | +0.5 | STD | +1.0 | +1.0 | NA | +1.5 | +1.5 | +1.5 |
| MALAGA | -1, -4 | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| | -2, -3 | 5L | NA | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| NOVELLO | | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| OBUSFORME COMFORT | -2, -3 | 4L | NA | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| | -5 | 4L | -0.75 | STD | NA | +1.5 | NA | NA | NA | NA | NA | NA |
| PREFER | | 4G* | -1.75 | -1.25 | +0 | +0.25 | +1.0 | +0.75 | +0.75 | NA | NA | NA |
| ROMA | | 4L* | -0.75 | STD | NA | +1.5 | +2.5 | +2.0 | NA | +2.0 | +2.0 | +2.0 |
| SOFTCURVE LM | -1 | 5L | NA | -1.5 | NA | STD | NA | NA | NA | NA | NA | NA |
| | -2, -3 | 4L | NA | STD | NA | +1.5 | NA | NA | NA | NA | NA | NA |
| | -4 | 5L | NA | -1.5 | NA | STD | +0.5 | NA | NA | +2.0 | +2.0 | +2.0 |
| SOLAR | | 4L* | NA | NA | +0.0 | NA | +1.0 | NA | NA | NA | NA | NA |
| SORA | -8 | 4L | -0.75 | STD | NA | +1.5 | NA | +2.0 | +2.0 | NA | NA | NA |
| SPREE | | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| SUPRA-X | -1, -4, -5 | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| | -3 | 5L | NA | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| SYNOPSIS | -3 | 5L | NA | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| | -4 | 5L | -2.25 | -1.5 | NA | STD | +1.0 | +1.0 | NA | +2.25 | +2.25 | +2.25 |
| TRIUMPH | -3, -8 | 4L* | -0.75 | STD | NA | +1.5 | NA | +2.0 | NA | NA | NA | NA |
| TRUFORM | -0 | 5L | NA | -1.5 | NA | STD | NA | NA | NA | NA | NA | NA |
| | -3 | 5L | NA | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| | -1, -4, -5 | 5L | NA | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| | -8 | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |
| VION | -3 | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | +1.0 | +1.75 | +1.75 | +1.5 |
| | -4 | 5L | -2.25 | -1.5 | NA | STD | +1.0 | +1.0 | +1.0 | +1.0 | +1.0 | +1.5 |
| | -8 | 5L | -2.25 | -1.5 | NA | STD | +0.5 | +1.0 | NA | NA | NA | +1.5 |
| WEEV | -3, -4, -8 | 5L | -2.25 | -1.5 | NA | STD | NA | +1.0 | NA | NA | NA | NA |

NOTE: CHART VALUES INDICATE CHANGE FROM STANDARD MINIMUM SEAT HEIGHT (IN INCHES).

3G AND 7G CYLINDERS ARE NOT AVAILABLE FOR USE WITH -0 SYNCHRO-TILT MECHANISM.

*SPECIAL CYLINDER

DUET AND POPCORN GLIDE SELECTIONS

| GLIDES | SURFACE | CARPET | VINYL SHEET | LVT | VCT | RUBBER | CORK | HARDWOOD | LAMINATE | CERAMIC TILE, STONE | MARBLE, GRANITE | CONCRETE |
|--|---------|--------|-------------|-----|-----|--------|------|----------|----------|---------------------|-----------------|----------|
| NO GLIDE (XG): The plain Chrome sled based frame slides easily and silently over carpeted surfaces. Note: do not use in damp areas. | | | | | | | | | | | | |
|  | | ● | NR | NR | NR | ● | NR | NR | NR | NR | NR | NR |
| CLEAR POLYCARBONATE GLIDE (CG): The polycarbonate glide is easy to move over most flooring. It does not leave marks and it reduces noise on hard surfaces. | | | | | | | | | | | | |
|  | | ● | NR | NR | NR | ● | NR | NR | NR | NR | NR | ● |
| STAINLESS STEEL PAD ON POLYCARBONATE GLIDE (SG): The stainless steel bottomed glide slides easily. It is extremely durable, reduces floor contact and noise on hard surfaces. | | | | | | | | | | | | |
|  | | ● | NR | NR | NR | ● | NR | NR | NR | NR | NR | NR |
| FELT PAD ON POLY CARBONATE GLIDE (FG): The felt bottomed glide moves silently and smoothly on hard surface flooring. Helps to prevent floor damage. | | | | | | | | | | | | |
|  | | NR | ● | ● | ● | NR | ● | NR | ● | NR | NR | NR |
| RUBBER NO SLIP PAD ON POLY CARBONATE GLIDE (RG): The rubber bottomed glide is slip-resistant. It grips flooring, reduces movement, scratching and eliminates noise. | | | | | | | | | | | | |
|  | | NR | ● | ● | ● | NR | NR | ● | ● | ● | ● | NR |

NOTE: THE ABOVE IS ONLY A GUIDELINE BASED ON CLEAN AND PROPERLY FINISHED FLOORS. GLIDES THAT ARE NOT RECOMMENDED FOR USE WILL NOT BE COVERED BY GLOBAL'S LIFETIME WARRANTY. SITE CONDITIONS CAN DRAMATICALLY AFFECT HOW APPROPRIATE A GLIDE IS FOR ANY APPLICATION. REGULAR INSPECTION OF GLIDES IS CRITICAL TO PREVENTING FLOOR DAMAGE. SEE DESCRIPTIONS BELOW.

● = BEST FOR APPLICATION

NR = OPTION NOT RECOMMENDED

| |
|--|
| NO GLIDE (XG): The plain Chrome sled based frame slides easily and silently over carpeted surfaces. Note: do not use in damp areas. |
| CLEAR POLYCARBONATE GLIDE (CG): The polycarbonate glide is easy to move over most flooring. It does not leave marks and it reduces noise on hard surfaces. |
| STAINLESS STEEL PAD ON POLYCARBONATE GLIDE (SG): The stainless steel bottomed glide slides easily. It is extremely durable, reduces floor contact and noise on hard surfaces. |
| FELT PAD ON POLYCARBONATE GLIDE (FG): The felt bottomed glide moves silently and smoothly on hard surface flooring. Helps to prevent floor damage. |
| RUBBER NO SLIP PAD ON POLYCARBONATE GLIDE (RG): The rubber bottomed glide is slip-resistant. It grips flooring, reduces movement, scratching and eliminates noise. |