arm and caster options



HOW TO SELECT ARMRESTS

Global has a wide selection of armrest to suit almost every work task. Armrest are an important feature of a chair. They reduce stress an tension on the spine, neck and shoulder muscles by supporting the weight of your arms. This makes you more comfortable and ultimately more productive. Height, width and angle adjustable armrests enable you to position your arms at a comfortable working position, based on the task at hand.

COMFORT TIPS

- · Wrists should be in a straight or neutral position avoid bending your wrists
- · When mousing, use whole arm movements instead of flexing your wrist.
- · Rest your palm on the mouse pad for support.



HEIGHT ADJUSTABLE ARMS

- · A full range of arms is available with armcaps in self-skinned urethane (SSU).
- · Use the features available on Global's adjustable arms to accommodate your ergonomic requirements.



VARI-WIDTH ARM

- · Features maximum comfort while enabling you to maintain top productivity levels.
- Easy to use levers enable you to adjust the distance between armrests quickly and simply. An ergonomic feature, Vari-Width maximizes shoulder support
 as it accommodates the specific width requirements of each user.
- Metal adapter plates provide width adjustability. One adapter plate is attached under each side of the seat. Arms are inserted into the adapter plates.
- . Arms extend outward up to 2" on each side. A lever locks each arm in any position.
- Vari-Width is available only with Global's height adjustable arms. The arm chart (on the following pages) specifies all arm options available for the Vari-Width series. Vari-Width is standard on many chairs; they can also be retroactively installed on chairs.
- When ordering, please specify series, arm and (WA) ie. Loover 2660-0 (G5) and (WA). When ordering as retrofit, please specify 2660-0-WA.



ROTATING ARMCAPS

Rotating armcaps articulate inward and/or outward. This positions the arm to support mousing or keyboarding activities. Rotating armcaps can also be used to narrow the space between the arms for slender people seeking arm support while keyboarding.



SLIDING ARMCAPS

Select arms have sliding armcaps. They can slide over top of the seat to narrow the space between the arms for smaller users. Sliding armcaps also slide forward for arm support for larger users or slide to the rear allowing slender users to sit closer to their worksurface.

OPTIONAL ARMS

Purchased separately from the chair. Cost listed below arm descriptions. Refer to chart for series compatibility.



Height and width adjustable forward and backward sliding armcaps.

\$289



Fixed height and stylish "C" arm. Self-skinned urethane. Black only.

\$289



Fixed height and stylish "C" arm. Polished Aluminum.

\$454




Height and width adjustable forward and backward sliding armcaps. Self-skinned urethane pad rotates inward.

\$289



Special low rise version of G3 arm, positions 1" lower but retains all G3 functions.

\$289



Height and width adjustable forward and backward sliding armcaps. Self-skinned urethane pad rotates inward 30 degrees.

\$289



Height adjustable "T" style Graphic arm. Self-Skinned Urethane (SSU) armcap. Slides forward and back.

\$289



Lockable, highly adjustable armcap slides forward and backward, cap slides over seat 3/4" each side, cap rotates inward & outward. Soft (SSU) arm pad.

\$289



Wider highly adjustable

armcap slides forward

and backward, cap

slides over seat 3/4"

each side. Cap rotates

inward. Soft SSU arm

pad. Curved corners and

Special low rise version of G5 arm, positions 1" lower but retains all G5 arm functions.

\$289

G6



Special low rise version of G7 arm, positions 1" lower but retains all G7 functions.

\$289



Width adjustable forward and backward sliding armcaps.

\$289



Height adjustable forward swept arms with kidney shaped armcaps. Self-skinned urethane.

\$252



Height adjustable "T" arms with teardrop shaped armcaps. Self-skinned urethane.

\$252



Height adj. T arm. Rotates 360. Selfskinned urethane. \$336



Height adjustable "T" arms, teardrop shaped. Swings away and folds. Self-skinned urethane.

\$306



sides.

\$289

Height Adjustable "T" arm with soft touch Self-Skinned Urethane (SSU) armcap.

\$252



Height adjustable "T" arms with curved shaped armcaps. Self-skinned urethane. Available in Black only.

\$206



Height adjustable "waterfall edge" arms. Self-skinned urethane. Available in Black Only. \$320

3P 3R

> Hard durometer. Height Adjustable "T" arm with Concave Oval soft touch Self-Skinned Urethane (SSU) armcap.

\$252



ARM SELECTIONS

ARM	STD	AS	С	CA	G1	G2	G3	G4	G5	G6	G7	G8
SERIES												
ASPEN	AS		NA	NA	0	NA	0	0	0	NA	0	0
ENTERPRISE	TD	102	NA	NA	46	46	46	6	46	46	NA	NA
GOAL	3N	NR	94	NA	NR	NR	NR	NR	NR	NR	NR	NR
GRAHAM	3N	102	NA	NA	95	95	95	95	95	95	NA	NA
GRANADA	3N	102	NA	NA	95	95	95	95	95	95	NR	NR
GRANADA DELUXE	3B	102	NA	NA	46	46	46	46	46	46	NA	NA
GRAPHIC	G4	0	0	NA	0	NA	0		0	NA	0	0
LOOVER	G5	0	0	153	0	0	0	0	STD	0	0	0
MALAGA	TD	96	NA	NA	46	46	46	46	46	46	NA	NA
OBUSFORME COMFORT	G3	0	NA	NA	0	0	STD	0	0	0	0	0
SAXON	VL	0	NA	NA	0	0	0	0	0	0	0	0
SUPRA X	SC	102	46	NA	46	46	46	46	46	46	NA	NA
SYNOPSIS	3B	102	46	NA	46	46	46	46	46	46	NA	NA
TRIUMPH	G1	0	NA	NA	STD	NA	0	0	0	NA	NA	NA
TRUFORM	SC	102	46	NA	46	46	46	46	46	46	46	NA
TYE	3N	102	NA	NA	95	95	95	95	95	95	95	NA
VION	AS/C	STD	STD	214	0	0	0	0	0	0	0	0
WEEV	GL	0	0	NA	0	0	0	0	0	0	0	0

ARMCHAIRS HAVE FIXED ARMS WHICH ARE NOT INTERCHANGEABLE WITH ADJUSTABLE ARMS LISTED ABOVE. * INDICATES THAT ARMS CANNOT BE USED WITH "WA" ARM WIDTH ADAPTER.

\$0 = Available at no additional charge

NA = NOT AVAILABLE

NR = OPTION NOT RECOMMENDED

ARM SELECTIONS

ARMS	STD	GL	sc	TD	T6	ZT	3B	3N	3P	3R	WA
SERIES	015	- GE		- 10				311	J.	JII	
ASPEN	AS	0	NR	NR	NA	NA	NR	NR	NR	NR	STD
ENTERPRISE	TD	46	0	0	122	67	0	0	0	0	STD
GOAL	3N	NR	52	55	NR	117	52	STD	55	52	NA
GRAHAM	3N	95	55	55	171	117	52	STD	52	52	NA
GRANADA	3N	95	55	55	171	117	52	STD	52	52	STD
GRANADA DELUXE	3B	46	0	0	122	67	STD	0	0	0	STD
GRAPHIC	G4	0	0	NR	80	25	NR	NR	NR	NR	STD
LOOVER	G5	0	0	0	0	NA	0	0	0	0	0
MALAGA	TD	46	0	STD	117	67	0	0	0	0	STD
OBUSFORME COMFORT	G3	0	0	0	80	25	0	0	0	0	STD
SAXON	VL	0	0	NR	60	NR	0	0	0	0	NA
SUPRA X	SC	46	STD	0	117	67	0	0	0	0	STD
SYNOPSIS	3B	46	0	0	117	67	STD	0	0	0	STD
TRIUMPH	G1	0	NA	NA	NA	NA	NA	NA	NA	NA	NA
TRUFORM	SC	46	STD	0	117	67	0	0	0	0	NA
TYE	3N	95	55	55	171	117	55	STD	55	55	NA
VION	AS/C	0	0	0	80	NA	0	0	0	0	0
WEEV	GL	STD	0	0	80	25	0	0	0	0	STD

ARMCHAIRS HAVE FIXED ARMS WHICH ARE NOT INTERCHANGEABLE WITH ADJUSTABLE ARMS LISTED ABOVE. * INDICATES THAT ARMS CANNOT BE USED WITH "WA" ARM WIDTH ADAPTER. NOTE:

\$0 = AVAILABLE AT NO ADDITIONAL CHARGE

NA = NOT AVAILABLE

NR = OPTION NOT RECOMMENDED

CASTER SELECTIONS

	C1	2" Dual Wheel Caster Available on: Softcurve and To	Black raditional bases	Carpeted Floor	1 each set of 5	21 88
	C7	Slipper Glide (allows chair to remain at caster height)	Black	Any surface	1 each set of 5	21 88
		Available on: All bases				
	C9R	21/2" Dual Wheel Rubber Coated Caster	Black	Vinyl, Marble, Hardwood Floor	1 each set of 5	36 161
		Available on: All bases				
	C10	2" Integrated Dual Wheel Caster	Black	Carpeted Floor	1 each set of 5	33 143
C10						
	C10R	Integrated Dual Wheel Rubber Coated Caster	Black	Vinyl, Marble, Hardwood Floor	1 each set of 5	47 209
		Available on: Concorde, Grah	nam, and Malaga	a bases only.		
C10R	C14R	Automatic Locking Rubber Caster (while sitting)	Black	Any surface*	1 each set of 5	93 374
		Available on: All bases				
	C15	Manual Locking Caster (individual)	Black	Carpeted Floor	1 each set of 5	43 194
		Available on: All bases				
	C65	2" Dual Wheel Caster	Black	Carpeted Floor	1 each set of 5	28 88
C65 C65R	C65R	2" Dual Wheel Rubber Coated Caster	Black	Vinyl, Marble, Hardwood Floor	1 each set of 5	40 161
		Available on: All bases (excep	ot wood base ch	airs).		

CASTER NOTES:

- The casters shown above are sold in sets for replacement purposes. This price list can also be used to calculate the upcharge to change casters at time of ordering a chair. Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced casters will not be credited.
- All casters are not appropriate for all flooring surfaces. Please consult with your sales representative or Global Customer Service representative for special situations that can be verified with the caster manufacturer. Alternative casters, if needed, may require an upcharge.
- *Recommended for use on hard surface floors.

	MODEL#	MODEL NAME
	3G	3" cylinder, 360° swivel Soft Descent" pneumatic lift cylinder with 3 inch travel range. This lift cannot be used on synchro-tilter (-0) and multi-tilter (-3) mechanisms due to operational interference with controls.
	4F	Fixed height 360° swivel spindle #4 Fixed height, swivel only. Seat height is determined by the spindle length which is preset at the factory and cannot be changed.
	4L	4" cylinder, 360° swivel, low rise Soft Descent™ low rise, pneumatic lift cylinder with 4 inch travel range.
	5F	Fixed height 360° swivel spindle #5 Fixed height, swivel only. Seat height is determined by the spindle length which is preset at the factory and cannot be changed.
	5L	5" cylinder, 360° swivel, low rise Soft Descent™ low rise, pneumatic lift cylinder with 5 inch travel range.
	7G	7" cylinder, 360° swivel Soft Descent" pneumatic lift cylinder with 7 inch travel range. Lift allows most users to sit at both desk and counter heights. Seats may be too tall for shorter users at desk height.
	7R	7" cylinder, 360° swivel with 20" Chrome footrest Soft Descent™ pneumatic lift cylinder with 7 inch travel range and adjustable footrest. Lift allows most users to sit at both desk and counter heights. Seats may be too tall for shorter users at desk height (refer to cylinder chart on page 410).
	SC	Self-centering, height auto-return, 360° swivel Return-to-center and return-to-height pneumatic height adjust cylinder with 2 inch travel range. Chair swivels back to face the original direction so groups of chairs remain aligned. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair.
	SH	Height auto-return, 360° swivel Return-to-height pneumatic height adjust cylinder with 2 inch travel range. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair.
	SN	Height auto-return, non-swivel cylinder Return-to-height pneumatic height adjust cylinder with 2 inch travel range. The seat height may be lowered by occupant. Chair returns to the maximum seat height when user exits the chair.
CYLINDER NOTES:	All cylinders are no chart for compatib	• For cylinder upcharges and replacement costs, please contact Customer Service.



CYLINDER SELECTIONS

	CYLINDER	STD	3G	4L	4F	5L	5F	7 G	7R	SC	SH	SN
SERIES	Mechanism											
ACCORD	-2	4L	NA	STD	NA	+ 1.5	NA	+ 1.0	NA	NA	NA	NA
	-4	4G*	NA	NA	+ 0.5	NA	+ 1.0	+ 1.0	NA	+ 1.5	+ 1.5	+ 1.5
ASPEN	-3	4L	- 0.75	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
G1 ERGO SELECT	-0	4L	N/A	STD	NA	+ 1.5	NA	NA	NA	NA	NA	NA
	-3	4L	N/A	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
	-8	4L	N/A	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
G20		5L	- 2.25	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
GRANADA DELUXE	-2, -3	4L	NA	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
	-5	4L	- 0.75	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
LOOVER	-3	4L	- 0.75	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
	-4	5L	- 2.25	- 1.5	NA	STD	+ 1.0	+ 1.0	+ 1.0	+ 1.75	+ 1.75	+ 1.75
	-8	5L	- 2.25	- 1.5	NA	STD	+ 1.0	+ 1.0	+ 1.0	+ 2.0	+ 2.0	+ 2.0
LURAY	-2	4L	NA	STD	NA	+ 1.5	NA	NA	NA	NA	NA	NA
	-4	5L	NA	- 1.5	+ 0.5	STD	+ 1.0	+ 1.0	NA	+ 1.5	+ 1.5	+ 1.5
MALAGA	-1, -4	5L	- 2.25	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
	-2, -3	5L	NA	- 1.5	NA	STD	NA	+1.0	NA	NA	NA	NA
NOVELLO		5L	- 2.25	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
OBUSFORME COMFORT	-2, -3	4L	NA	STD	NA	+ 1.5	NA	+ 2.0	NA	NA	NA	NA
	-5	4L	- 0.75	STD	NA	+ 1.5	NA	NA	NA	NA	NA	NA
PREFER		4G*	-1.75	-1.25	+0	+0.25	+1.0	+0.75	+0.75	NA	NA	NA
ROMA		4L*	- 0.75	STD	NA	+ 1.5	+ 2.5	+ 2.0	NA	+ 2.0	+ 2.0	+ 2.0
SOFTCURVE LM	-1	5L	NA	- 1.5	NA	STD	NA	NA	NA	NA	NA	NA
	-2,-3	4L	NA	STD	NA	+1.5	NA	NA	NA	NA	NA	NA
	-4	5L	NA	- 1.5	NA	STD	+0.5	NA	NA	+2.0	+2.0	+2.0
SOLAR		4L*	NA	NA	+0.0	NA	+1.0	NA	NA	NA	NA	NA
SORA	-8	4L	- 0.75	STD	NA	+ 1.5	NA	+ 2.0	+ 2.0	NA	NA	NA
SPREE		5L	- 2.25	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
SUPRA-X	-1, -4, -5	5L	- 2.25	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
	-3	5L	NA	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
SYNOPSIS	-3	5L	NA	- 1.5	NA	STD	NA	+ 1.0	NA	NA	NA	NA
	-4	5L	- 2.25	- 1.5	NA	STD	+ 1.0	+ 1.0	NA	+ 2.25	+ 2.25	+ 2.25
TRIUMPH	-3, -8	4L*	- 0.75	STD	NA	+ 1.5	NA.	+ 2.0	NA	NA NA	NA	NA NA
TRUFORM	-0	5L	NA	- 1.5	NA	STD	NA	NA	NA	NA	NA	NA
	-3	5L	NA NA	- 1.5	NA.	STD	NA.	+ 1.0	NA.	NA.	NA.	NA NA
	-1, -4, -5	5L	NA NA	- 1.5	NA.	STD	NA.	+ 1.0	NA NA	NA NA	NA.	NA NA
	-8	5L	- 2.25	- 1.5	NA	STD	NA.	+ 1.0	NA	NA.	NA.	NA NA
VION	-3	5L	- 2.25	- 1.5	NA NA	STD	NA NA	+ 1.0	+ 1.0	+ 1.75	+ 1.75	+ 1.5
	-4	5L	- 2.25	- 1.5	NA	STD	+ 1.0	+ 1.0	+ 1.0	+ 1.0	+ 1.0	+ 1.5
	-8	5L	- 2.25	- 1.5	NA NA	STD	+ 0.5	+ 1.0	NA NA	NA NA	NA NA	+ 1.5
WEEV	-3,-4,-8	5L	-2.25	-1.5	NA NA	STD	NA	+1.0	NA NA	NA NA	NA NA	NA NA

NOTE: CHART VALUES INDICATE CHANGE FROM STANDARD MINIMUM SEAT HEIGHT (IN INCHES).

3G AND 7G CYLINDERS ARE NOT AVAILABLE FOR USE WITH -0 SYNCHRO-TILT MECHANISM.

*SPECIAL CYLINDER

SWIVEL, FIXED HEIGHT BOARDROOM SEATING

	MODEL	DESCRIPTION	4" FIXED	SPINDLE	5" FIXED	SPINDLE	BACK MATERIAL	
SERIES			SEAT HEIGHT	ARM HEIGHT CLEARANCE	SEAT HEIGHT	ARM HEIGHT CLEARANCE		
GLOBAL ACCORD	2670-4	Upholstered High Back Tilter	17"	26.25"	18"	27.25"	Upholstered	
	2671-4	Upholstered Medium Back Tilter	17"	26.25"	18"	27.25"	Upholstered	
AUBURN	3767	High Back Tilter	17.5"	25.75"	18.5"	26.75"	Upholstered	
ENTERPRISE	4560	High Back Tilter	15.75"	24"	16.75"	25"	Upholstered	
	4561	Medium Back Tilter	15.75"	24"	16.75"	25"	Upholstered	
FACTOR (W / FIXED ARMS)	5540	High Back	16"	24.25" 17" 25.25"		Mesh		
	5541	Medium Back	16"	24.25"	17"	25.25"	Mesh	
LOOVER (W/ FIXED ARMS)	2660-4	Extended High Back Tilter	16"	24.25"	17"	25.25"	Mesh	
	2661-4	High Back Tilter	16"	24.25"	17"	25.25"	Mesh	
	2662-4	Medium Back Tilter	16"	24.25"	17"	25.25"	Mesh	
	2660-8	Extended High Back Weight Sensing Synchro-Tilter	16"	24.25"	17"	25.25"	Mesh	
	2661-8	High Back Weight Sensing Synchro-Tilter	16"	24.25"	17"	25.25"	Mesh	
	2662-8	Medium Back Weight Sensing Synchro-Tilter	16"	24.25"	17"	25.25"	Mesh	
LURAY	2460-4	Extended High Back Tilter	17"	24.75"	18"	25.75"	Upholstered	
	2461-4	High Back Tilter	17"	24.75"	18"	25.75"	Upholstered	
NOETIC (W/ FIXED ARMS)	6074	Mesh Back Weight Sensing Synchro-Tilter	18.25"	25"	19.25"	26"	Mesh	
	6075	Upholstered Back Weight Sensing Synchro-Tilter	18.25"	25"	19.25"	26"	Upholstered	
PREFER	8458	Multi-Task Chair, Asphalt Frame + Base	18"	26.75"	19"	27.75"	Mesh	
	8459	Multi-Task Chair, Alabaster Frame + Base	18"	26.75"	19"	27.75"	Mesh	
ROMA (W/ FIXED ARMS	1897	Honeycomb Poly Medium Back	16.5"	25.5"	17.5"	26.5"	Honeycomb Poly	
	1906	Mesh Medium Back	16.5"	25.5"	17.5"	26.5"	Mesh	
	1907	Poly Medium Back	16.5"	25.5"	17.5"	26.5"	Poly Flex	
SUPRA	5330-4	High Back Tilter	16.5"	26.5"	17.5"	27.5"	Upholstered	
	5331-4	High Back Tilter	16.5"	26.5"	17.5"	27.5"	Upholstered	
SYNOPSIS	5090-4	High Back Tilter	16.5"	25.25"	17.5"	26.25"	Upholstered	
	5091-4	Medium Back Tilter	16.5"	25.25"	17.5"	26.25"	Upholstered	
VION (W/ FIXED ARMS)	6321-4	Mesh High Back Tilter	16"	26"	17"	27"	Mesh	
	6322-4	Mesh Medium Back Tilter	16"	26"	17"	27"	Mesh	
	6331-4	Upholstered High Back Tilter	16"	26"	17"	27"	Upholstered	
	6332-4	Upholstered Medium Back Tilter	16"	26"	17"	27"	Upholstered	
	6321-8	Mesh High Back Weight Sensing Synchro-Tilter	16"	26"	17"	27"	Mesh	
	6322-8	Mesh Medium Back Weight Sensing Synchro-Tilter	16"	26"	17"	27"	Mesh	
	6331-8	Upholstered High Back Weight Sensing Synchro-Tilter	16"	26"	17"	27"	Upholstered	
	6332-8	Upholstered Medium Back Weight Sensing Synchro-Tilter	16"	26"	17"	27"	Upholstered	

- SEATING MODELS CAN BE ORDERED WITH FIXED HEIGHT SPINDLES SHOWN TO ACHIEVE CONSISTENT BACK, SEAT AND ARM HEIGHTS. CONTACT CUSTOMER CARE FOR ORDERING DETAILS.
- DIMENSIONS SHOWN ARE FOR THE SPECIFIED MODEL, MECHANISM NOTED, WITH FIXED ARM OPTION AND STANDARD CASTERS.
- ARM HEIGHT CLEARANCE DIMENSIONS SHOWN INCLUDE OVERALL MAX. FIXED ARM HEIGHT WITH SELECTED SPINDLE PLUS A 1/4" ARM LIFT TOLERANCE FOR CHAIR TILT.
- HEIGHT ADJUST CONTROL HANDLE REMAINS WITH NO HEIGHT ADJUST FUNCTION. ALL OTHER MECHANISM FUNCTIONS REMAIN INCLUDING PUSH/PULL TILT LOCKS.

DUET AND POPCORN GLIDE SELECTIONS

GLIDES	CARPET	VINYL SHEET	LVT	VCT	RUBBER	CORK	HARDW00D	LAMINATE	CERAMIC TILE, STONE	MARBLE, GRANITE	CONCRETE
NO GLIDE (XG): The plain Chrome sled ba	esed frame sl	nR	NR	er carpeted s	eurfaces. Not	e: do not use	NR	NR	NR	NR	NR
CLEAR POLYCARBONATE GLIDE (CG):	The polycarb	onate glide is	easy to mov	e over most f	looring. It do	es not leave i	marks and it redu	uces noise on	hard surfaces.		
	•	NR	NR	NR	•	NR	NR	NR	NR	NR	•
STAINLESS STEEL PAD ON POLYCARE	ONATE GLI	DE (SG): The	stainless ste	el bottomed	glide slides e	asily. It is ex	xtremely durable	, reduces floor	contact and noi	se on hard sur	faces.
	•	NR	NR	NR	•	NR	NR	NR	NR	NR	NR
FELT PAD ON POLY CARBONATE GLID	E (FG): The fe	elt bottomed (glide moves :	silently and s	moothly on h	ard surface f	looring. Helps to	prevent floor	damage.		
	NR	•	•	•	NR	•	NR	•	NR	NR	NR
RUBBER NO SLIP PAD ON POLY CARBONATE GLIDE (RG): The rubber bottomed glide is slip-resistant. It grips flooring, reduces movement, scratching and eliminates noise.											
	NR	•	•	•	NR	NR	•	•	•	•	NR

THE ABOVE IS ONLY A GUIDELINE BASED ON CLEAN AND PROPERLY FINISHED FLOORS. GLIDES THAT ARE NOT RECOMMENDED FOR USE WILL NOT BE COVERED BY GLOBAL'S LIFETIME WARRANTY. SITE CONDITIONS CAN DRAMATICALLY AFFECT HOW APPROPRIATE A GLIDE IS FOR ANY APPLICATION. REGULAR INSPECTION OF GLIDES IS CRITICAL TO PREVENTING FLOOR DAMAGE. SEE DESCRIPTIONS BELOW.

● = BEST FOR APPLICATION

NR = OPTION NOT RECOMMENDED

NO GLIDE (XG): The plain Chrome sled based frame slides easily and silently over carpeted surfaces. Note: do not use in damp areas.

CLEAR POLYCARBONATE GLIDE (CG): The polycarbonate glide is easy to move over most flooring. It does not leave marks and it reduces noise on hard surfaces.

STAINLESS STEEL PAD ON POLYCARBONATE GLIDE (SG): The stainless steel bottomed glide slides easily. It is extremely durable, reduces floor contact and noise on hard surfaces.

FELT PAD ON POLYCARBONATE GLIDE (FG): The felt bottomed glide moves silently and smoothly on hard surface flooring. Helps to prevent floor damage.

RUBBER NO SLIP PAD ON POLYCARBONATE GLIDE (RG): The rubber bottomed glide is slip-resistant. It grips flooring, reduces movement, scratching and eliminates noise.