
specialty



INDUSTRIAL

SEATING

EXPLANATION OF VARIOUS INDUSTRIAL APPLICATIONS

This section presents only some of the possibilities that are available. Please contact your Sales Representative for additional information.



50 - INDUSTRIAL

Designed for heavier duty intensive environments such as those found in factories, assembly lines and dispatch offices. Seating features durable components including heavy gauge steel construction, chromed chip/corrosion/humidity resistant pneumatic lift cylinders and frames, heavy duty bases, weight activated interval safety casters for hard floors or encased levelling glides, wear resistant fabric or easy clean vinyl upholstery.



64 - WIPE DOWN

Furniture designed for dry food manufacturers, hospitals and forensic labs requiring regular and immediate clean up of dust,dirt or powder. Upholstery of any kind is unacceptable here. Features include comfortable Black self-skinned polyurethane seats and backs, chip/corroionn/humidity resistant pneumatic lift cylinders and frames,safety casters or glides. Some "Wipe Down" products may also be available with ESD.

FABRIC APPLICATION GRID

APPLICATION	FABRIC/VINYL
50 - Industrial	Grade 1 (fabric): Terrace, Waterfall
	Grade 2 (fabric): Imprint
	Grade 2 (vinyl): Allante FRee, Luxhide, MorCare™ Collection (Abbey, Arc, Aristo, Cinema, Nomad, Verve, Vitality)
Wipe Down - 64	No upholstery required, seats are molded self- skinned urethane (SSU) foam.

INDUSTRIAL SEATING



50 - Industrial

Designed for heavy duty environments found in

factories, assembly lines

See page 416 for available


and dispatch offices.

STANDARD FEATURES

- *Industrial models have a chrome back upright.
- Granada models feature a molded seat and contoured back with enhanced lumbar support.
- Standard with adjustable height T-arms with curved urethane armcaps (3N) in Black Only.
- Chrome chip/corrosion/humidity resistant pneumatic lift cylinders and frames.
- Chairs have a 5" chrome pneumatic cylinder, stools have a 10" chrome pneumatic cylinder.
- · All chairs and stools have chrome back uprights.
- Clear protective back bumper (full surround) is standard on all models.
- Standard with a five-legged, heavy duty molded hase in Black
- C10R casters are standard on Granada models amd Minotaur stools.
- Minotaur models are standard with a five-legged, heavy duty base with metal hub and $\mbox{\bf C7R}$ casters.
- Heavy Duty Bench Stools are standard with nonslip rubber glides.
- Check textile availability prior to specifying upholstery material.

OPTIONAL FEATURES

- · See back of this section for additional arm or caster options.
- Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited



RTA 2

FedEx

Ergonomic Features:

C. E. M. N

Product Weight (lbs.): 32

Cubic Feet Per Carton: 13

^{*} Images shown are for illustration purposes only.

I INDUSTRIAL **SPECIALTY**

DESCRIPTION	FEATURES	MODEL#	STANDARD TEXTILE GRAD	ES
			3 4 5 6 7 8	9 10 11 12
	ADJUSTMENTS [Z] Preumatic seat height [8] Seat depth	3255-50 - 1519 15	68 1639 1733	
		OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H	BACK DIMENSIONS W H
LB Task - w/3N Arms COM Yardage: 1.5	Granada	25.5 24 38	20.5 17-19.5 17-22	19 19
Freight Class: 250 Product Weight (lbs.): 40 Cubic Feet Per Carton: 13	Ergonomic Features: C, E, M, N`	RTA2 FedEx	(ips	
		1 2 3	3 4 5 6 7 8	9 10 11 12
	ADJUSTMENTS (2) Presuments each tright (8) Seat depth	3256-50 - 1527 15	577 1644 1741	
		OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H	BACK DIMENSIONS W H
Stool Task - Arnless COM Yardage: 1.5 Freight Class: 250	Granada	20.5 24 48	20.5 17.5-19 24-34	19 19
Product Weight (lbs.): 37 Cubic Feet Per Carton: 13	Ergonomic Features: C, E, M, N	RTA2 FedEx	(ips	
		1 2 3	3 4 5 6 7 8	9 10 11 12
	ADJUSTMENTS [2] Preumatic seat height (8) Seat depth	3257-50 - 1717 17	66 1837 1930	
		OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H	BACK DIMENSIONS W H
Stool Task - w/3N Arms COM Yardage: 1.5 Freight Class: 250	Granada	25.5 24 48	20.5 17.5-19 24-34	19 19
Product Weight (Ibs.): 43 Cubic Feet Per Carton: 15.75	Ergonomic Features: C, E, H, M, N, Q	RTA 2		
			3 4 5 6 7 8	9 10 11 12
	ADJUSTMENTS (2) Presumatic seat height (3) Back angle (4) Seat angle	3278-50 - 1832 18	1946 2046	
	(6) Back/lumbar height	OVERALL DIMENSIONS W D H	SEAT DIMENSIONS W D H	BACK DIMENSIONS W H
Stool Operator - Arnless COM Yardage: 1.5 Freight Class: 250	Granada	20.5 23.5 48	20.5 17.5 24-34	19 17.5-21
Product Weight (lbs.): 44 Cubic Feet Per Carton: 13	Ergonomic Features: C, D, F, G, M, N	RTA2 FedEx	брѕ	
			3 4 5 6 7 8	9 10 11 12
	ADJUSTMENTS (2) Preumatic seat height (3) Bock angle (4) Seat angle	3288-50 - 2020 20	69 2137 2234	
	(6) Back/lumbar height	OVERALL DIMENSIONS	SEAT DIMENSIONS	BACK DIMENSIONS
		W D H	W D H	W H
- y -				
Stool Operator - w/3N Arms COM Yardage: 1.5 Freight Class: 250 Product Weight (lbs.): 52	Granada Ergonomic Features:	25.5 23.5 48	20.5 17.5 24-34	19 17.5-21



DESCRIPTION	FEATURES	MODEL# STANDARD TEXTILE GRADES
		1 2 3 4 5 6 7 8 9 10 11 12
		9602-50 - 701 728 763 806
J		OVERALL DIMENSIONS SEAT DIMENSIONS BACK DIMENSIONS W D H W H
Minotaur - Work Stool COM Yardage: 0.75 Freight Class: 300	5" Pneumatic	14 14 17.5 14 - 15-20
Product Weight (Ibs.): 19 Cubic Feet Per Carton: 14.5	Ergonomic Features: C	RTA 00 Fed Ex (p)
		1 2 3 4 5 6 7 8 9 10 11 12
		9604-50 - 798 825 860 903
		OVERALL DIMENSIONS SEAT DIMENSIONS BACK DIMENSIONS W D H W H
Minotaur - Work Stool COM Yardage: 0.75	10" Pneumatic	14 14 26.5 14 - 21.5-31.5
reight Class: 300 Iroduct Weight (lbs.): 21 Jubic Feet Per Carton: 14.5	Ergonomic Features:	RTA 00 Fecilies Upp
		1 2 3 4 5 6 7 8 9 10 11 12
		9611-50 1002
		OVERALL DIMENSIONS SEAT DIMENSIONS BACK DIMENSIONS
		W D H W D H W H
finotaur - Work Stool OM Yardage: N/A reight Class: 300 roduct Weight (lbs.): 16	5" Pneumatic Ergonomic Features:	14 14 24.5 14 - 15-20
ubic Feet Per Carton: 13	C	1 2 3 4 5 6 7 8 9 10 11 12
		9612-50 1072
		OVERALL DIMENSIONS SEAT DIMENSIONS BACK DIMENSIONS W D H W H
Ainotaur - Work Stool 10M Yardage: N/A reight Class: 300	10" Pneumatic	14 14 31 14 - 21.5-31.5
Product Weight (Ibs.): 22 Cubic Feet Per Carton: 14.5	Ergonomic Features: C	RTA 00 FedEx (p)
		1 2 3 4 5 6 7 8 9 10 11 12
		9624-50 - 550 577 612 655
<u>и</u> в		OVERALL DIMENSIONS SEAT DIMENSIONS BACK DIMENSIONS W D H W D H W H
Minotaur - Heavy Duty Work Stool COM Yardage: N/A reight Class: 300		14 14 27.5 14 - 27.5
roduct Weight (Ibs.): 22 ubic Feet Per Carton: 14.5		RTA 00 FedEx

I INDUSTRIAL **SPECIALTY**

DESCRIPTION	FEATURES	MODEL#					TAME	OARD TEX	THE	RADE	\$			
DESCRIPTION	real unes	MODEL#	1	2	3	4	5	6	7	8	9	10	11	12
		9632-50	-	593	620	655	699		-	-	-	-	-	-
		OVERA W	LL DIMI	NSION:			SEA1 W	DIMENS D	SIONS H		В	ACK D		IONS I
Minotaur - Heavy Duty Work Stool COM Yardage: 0.75 Freight Class: 250		16	16	32.	5		14	-	32.	5		-		-
Product Weight (lbs.): 19 Cubic Feet Per Carton: 5.5		RTA 00		FedEx	Ups									
(SO)		9662-50	1 1145	2	3	4	5	6	7	8	9	10	11	12
		OVERA W	LL DIMI D	NSION:			SEA1 W	DIMENS D	SIONS H		В	ACK DI W		IONS I
Minotaur - Work Stool Task COM Yardage: N/A Freight Class: 250	5" Pneumatic	18	21	32			18	16.5-19	14-1	9		16.5	1	6
Product Weight (lbs.): 26 Cubic Feet Per Carton: 13	Ergonomic Features: C, E	RTA 2		FedEx	Ups									
(000)			1	2	3	4	5	6	7	8	9	10	11	12
		9663-50	1363	-	-	-	-	-	-	-	-	-	-	-
		OVERA W	LL DIMI D	NSION: H			SEAT W	DIMENS D	SIONS H		В	ACK D		IONS I
Minotaur - Work Stool Task COM Yardage: N/A Freight Class: 250	10" Pneumatic	18	20.5	42			18	16.5-19	20-3			16.5		3.5
Product Weight (lbs.): 33														
	Ergonomic Features: C, E	RTA 2		FedEx	Ups									
		RTA 2	1	FedE×	3	4	5	6	7	8	9	10	11	12
		9664-50				4 -	5	6 -	7 -	8 -	9	10	11	12
Cubic Feet Per Carton: 13		9664-50	1	2	3 -	-	-	6 - T DIMENS D	-	-	-	10 - BACK DI W	MENS	-
Cubic Feet Per Carton: 13 Minotaur - Chair Stool Posture Task COM Yardage: N/A		9664-50 OVERA	1 1291	2 - ENSION:	3	-	SEAT	- DIMENS	SIONS	-		- BACK DI	- MENS	- IONS
Minotaur - Chair Stool Posture Task COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 30	C, Ē	9664-50 OVERA W	1 1291 ALL DIMI D	2 - Ension: H	3	-	SEAT W	- DIMENS D	SIONS H	-		- BACK DI W	- MENS	IONS
Cubic Feet Per Carton: 13 Minotaur - Chair Stool Posture Task COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 30	C, E 5" Pneumatic Ergonomic Features:	9664-50 OVERA W	1 1291 ALL DIMI D	2 - Ensions H	3	-	SEAT W	- DIMENS D	SIONS H	-		- BACK DI W	- MENS	IONS
Cubic Feet Per Carton: 13	C, E 5" Pneumatic Ergonomic Features:	9664-50 OVERAW 18 RTA2	1 1291 ALL DIMI D 20	2 - ENSION: H 32 FedEx 2	3 3	4	5	T DIMENS D 16	- SIONS H 14-1	9 8 -	9 -	3 ACK DI W 16.5	11 - MENS	10NS 1 5-19
Cubic Feet Per Carton: 13 Minotaur - Chair Stool Posture Task COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 30	C, E 5" Pneumatic Ergonomic Features:	9664-50 OVERA W 18 RTA 2 9665-50	1 1291 ALL DIMI D 20 1 1506	2 - ENSION: H 32 FedE× 2 -	3 - 3 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 -	4	SEAT W 18 5 -	T DIMENS D 16	7 - SIONS	9	9 -	10 -	11 - MENS	10NS 1 5-19

DESCRIPTION	FEATURES	MODEL#				ST	ANDAR	D TE	XTILE G	RADE	s				
			1	2	3	4	5	6	7	8	9	10	11	12	
	ADJUSTMENTS (2) Preumatic seat height (3) Back angle (4) Soat angle	Pheumatic seat height Back angle Seat angle Back/lumbar height								-	-	BACK DIMENSIONS W H			
	(6) Back/lumbar height	OVERA	LL DIMEN	ISIONS	;	S	SEAT DI	MEN	SIONS		В	ACK D	MENS	IONS	
ų ,		W	D	Н		W	ı	D	ŀ	I		W	ŀ	1	
Minotaur - Stool Operator COM Yardage: N/A Freight Class: 250	5" Pneumatic	18	20.5	32		18	3	17	15-	20		16.5	12.5	5-19	
Product Weight (lbs.): 34 Cubic Feet Per Carton: 13	Ergonomic Features: C, D, F, G	RTA 2	F	edEx	úps										
0000 0000 0000			1	2	3	4	5	6	7	8	9	10	11	12	
	ADJUSTMENTS (2) Presumetrs seat height (3) Back angle (4) Seat angle	9667-50	1707	-	-	-	-	-	-	-	-	-	-	-	
	(6) Back/lumbar height		LL DIMEN		;		SEAT DI				В	ACK D			
		W	D	Н		W	1	D	ŀ	ı		W	ŀ	1	
Minotaur - Stool Operator COM Yardage: N/A Freight Class: 250	10" Pneumatic	18	20.5	42		18	3	17	21-	31		16.5	12.5	5-19	
Product Weight (lbs.): 35 Cubic Feet Per Carton: 13	Ergonomic Features: C, D, F, G	RTA 2	Б	edEx	úps										

SPECIALTY

WIPE DOWN - SEATING





STANDARD FEATURES

64 - Wipe Down Furniture designed for dry food manufacturers,

requiring regular and

immediate clean up of

dust, dirt or powder.

hospitals and forensic labs

- *Wipe Down models have a black pneumatic cylinder.
- Minotaur Wipe Down models have comfortable Black, self-skinned polyurethane seats and backs.
- Chip/corrosion/humidity resistant pneumatic lift cylinders and frames.
- Stools have a 5" or 10" black pneumatic cylinder.
- · All chairs have a chrome back upright.
- Standard with a five-legged, heavy duty molded base in Black.
- No arms are available for any work stools.
- All Bench Stools have chrome frames.
- · Work Stools are shipped fully set-up.

OPTIONAL FEATURES

- Work stools are available with optional **C5** casters at no charge. Please Specify.
- See back of this section for additional arm or caster options.
- Optional casters may be priced higher than the standard casters for your chair and the difference will be charged. Lower priced optional casters will not be credited

DESCRIPTION	FEATURES	MODEL#				:	STAND	ARD TE	XTILE	GRADE	S			
			1	2	3	4	5	6	7	8	9	10	11	12
		9602-64	\$723	-	-	-	-	-	-	-	-	-	-	-
U		OVER/ W	ALL DIME D	NSION:			SEAT W	DIMEN D		H	E	BACK D W		IONS H
Minotaur - Work Stool COM Yardage: N/A Freight Class: 250	5" Pneumatic	14	14	17.	.5		14	-	15	5-20		-		-
Product Weight (lbs.): 14 Cubic Feet Per Carton: 6.5	Ergonomic Features: C	RTA 00	-	FedEx	ÚPS									
			1	2	3	4	5	6	7	8	9	10	11	12
		9604-64	\$798	-	-	-	-	-	-	-	-	-	-	
			ALL DIME					DIMEN			E	BACK D		IONS H
		W	D	Н			W	D		Н		W		"
Minotaur - Work Stool COM Yardage: N/A Freight Class: 250	10" Pneumatic	14	14	26.			14	- -		H 5-31.5		-		-
COM Yardage: N/A	10" Pneumatic Ergonomic Features: C		14		.5							-		-
COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 20	Ergonomic Features:	14	14	26.	.5						9	- 10	11	12
COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 20	Ergonomic Features:	14	14 I	26. FedEx	5		14	-	21.	5-31.5	9 -	-		-
COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 20	Ergonomic Features:	14 RTA 00	14 I	26.	5	4	14 5 -	-	21.! 7 -	5-31.5 8 -	-	-	11 -	12
COM Yardage: N/A Freight Class: 250 Product Weight (lbs.): 20	Ergonomic Features:	14 RTA 00 9611-64 OVERA	14 1 \$871	26. Fed x 2 -	3 -	4	14 5 - SEAT	- 6 -	21.9 7 -	8 -	-	10 - BACK D	11 -	- 12 -

SCRIPTION	FEATURES	MODEL#						ARD TE						
			1	2	3	4	5	6	7	8	9	10	11	12
		9612-64	\$941	-	-	-	-	-	-	-	-	-	-	-
		OVER/ W	ALL DIME D	NSIONS H	3		SEAT W	DIMEN D	SIONS H	ł	BA(MENSI H	
notaur - Work Stool M Yardage: N/A ight Class: 250 duct Weight (lbs.): 22	10" Pneumatic Ergonomic Features:	14 RTA 00	14	31			14	-	21.5-	31.5	-		-	
oic Feet Per Carton: 13.75	C	K1A 00		0	•		-		-	0	0	10	44	10
		0004.04	1	2	3	4	5	6	7	8	9	10	11	12
		9624-64	\$723	-	-	-	-	-	-	-	-	-	-	-
ll A		OVER/ W	ALL DIME D	NSIONS H	3	,	SEAT W	DIMEN D	SIONS H	ł	BA(MENSI H	
notaur - Heavy Duty Work Stool M Yardage: N/A ight Class: 250		16	16	27.5	5		14	-	27	'.5	-		-	
duct Weight (Ibs.): 17 pic Feet Per Carton: 5.5		RTA 00		edEx	úps									
(E)			1	2	3	4	5	6	7	8	9	10	11	12
		9632-64	\$755	-	-	-	-	-	-	-	-	-	-	-
		OVER/ W	ALL DIME D	NSIONS H	3		SEAT W	DIMEN D	SIONS H	ł	BA(MENSI H	
notaur - Heavy Duty Work Stool M Yardage: N/A ght Class: 250		16	16	32.5	ō		14	-	32	² .5	-		-	
duct Weight (Ibs.): 19 pic Feet Per Carton: 5.5		RTA 00	F	edEx	ups									
			1	2	3	4	5	6	7	8	9	10	11	12
		9662-64	\$1015	-	-	-	-	-	-	-	-	-	-	-
		OVER/ W	ALL DIME D	NSIONS H			SEAT W	DIMEN D	SIONS H	ł	BA(MENSI H	
notaur - Work Stool Task M Yardage: N/A ight Class: 250	5" Pneumatic	18	21	32			18	16.5-19	14-	-19	16	.5	16	6
duct Weight (lbs.): 26 oic Feet Per Carton: 13	Ergonomic Features: C, E	RTA 00			F	FedE:	×	os						
			1	2	3	4	5	6	7	8	9	10	11	12
		9663-64	\$1231	-	-	-	-	-	-	-	-	-	-	-
		OVER/	ALL DIME D	NSIONS H	3		SEAT W	DIMEN D	SIONS H	ł	BAG		MENSI H	
notaur - Work Stool Task M Yardage: N/A	10" Pneumatic	18	20.5	42			18	16.5-19	20-	-30	16	.5	16	.5
ight Class: 250 duct Weight (lbs.): 33 pic Feet Per Carton: 13	Ergonomic Features: C, E	RTA 00			Fed	Eχ	úps							

DESCRIPTION	FEATURES	MODEL#				s	TAND	ARD TE	XTILE (GRADE	S			
		9664-64	1 \$1159	2	3	4	5	6	7	8	9	10 -	-	12 -
		OVER/ W	ALL DIMI D	ENSION:		,	SEAT I	DIMEN D		Н		ACK DI		IONS H
Minotaur - Stool Posture Task COM Yardage: N/A Freight Class: 250	5" Pneumatic	0	0	0			18	16	14	-19		16.5	12.	5-19
Product Weight (lbs.): 30 Cubic Feet Per Carton: 13	Ergonomic Features: C, D	RTA 2		FedEx	úps									
(0000)			1	2	3	4	5	6	7	8	9	10	11	12
		9665-64	\$1374	-	-	-	-	-	-	-	-	-	-	-
		OVER/ W	ALL DIMI D	ENSION: H		,	SEAT I	DIMEN D		Н		ACK D		IONS H
Minotaur - Stool Posture Task COM Yardage: N/A Freight Class: 250	COM Yardage: N/A 10" Pneumatic		0	0			18	16	20.5	-30.5		16.5	12.	5-19
Product Weight (lbs.): 33 Cubic Feet Per Carton: 13	Ergonomic Features: C, D	RTA 2		FedE×	úps									
0 000			1	2	3	4	5	6	7	8	9	10	11	12
	ADJUSTMENTS (2) Phesuratic seat height (3) Bock angle (4) Seat angle	9666-64	\$1363	-	-	-	-	-	-	-	-	-	-	-
	(6) Back/lumbar height	OVER/ W	ALL DIMI D	ENSION: H		,	SEAT I	DIMEN D		Н		ACK DI W		IONS H
Minotaur - Stool Operator COM Yardage: N/A	5" Pneumatic	0	0	0			18	17		-20		16.5		5-19
Freight Class: 250 Product Weight (lbs.): 34 Cubic Feet Per Carton: 13	Ergonomic Features: C, D, F, G	RTA 2		FedE×	ups									
			1	2	3	4	5	6	7	8	9	10	11	12
	ADJUSTMENTS (2) Pheumatic seed height (3) Back angle (4) Seat angle	9667-64	\$1579	-	-	-	-	-	-	-	-	-	-	-
	(6) Back/lumbar height	OVER/ W	ALL DIMI D	ENSION: H			SEAT I	DIMEN D		Н		ACK D		IONS H
Minotaur - Stool Operator COM Yardage: N/A Freight Class: 250	10" Pneumatic	18	20.5	42	2		18	17	21	-31	•	16.5	12.	5-19
Product Weight (Ibs.): 35 Cubic Feet Per Carton: 13	Ergonomic Features: C, D, F, G	RTA 2		FedEx	ups									

ACADEMIC REPLACEMENT ARMS

(For Task Seating models ONLY) Arms other than those provided as standard on your chair.
Refer to chart below for availability by series.

	STD	AL	F	0	0J	TD	ZH	3N	4J	4M	4T	GL
GOAL	3N	NR	NR	42	106	42	NR	STD	139	77	77	NR
GRANADA	3N	83	201	42	106	42	0	STD	139	77	77	77

\$0 = AVAILABLE AT NO ADDITIONAL CHARGE

NR = OPTION NOT RECOMMENDED

INDUSTRIAL REPLACEMENT ARMS


Optional arms for INDUSTRIAL and ESD seating ONLY.

500	Industrial Seating Series	Options	*Replacement Arm Price	**Optional Arm Price
T-arm, Curved	Adjustable height	urethane	STD	\$241
	Industrial Seating Series	Options	*Replacement Arm Price	**Optional Arm Price
27	Fixed height T-arm, Kidney Shaped	upholstered	STD (ESD Models)	\$122

 $[\]ensuremath{^{*}}$ Use this column to select another arm other than the one provided on your chair.

^{**} Use this column to select arms for a chair that doesn't come with arms.

INDUSTRIAL CASTER SELECTIONS SPECIALTY



INDUSTRIAL CASTERS NOTES:

- Prices listed for Industrial Casters are upcharges when substituted on Industrial chair orders.
- Industrial Casters are not suitable for use on standard Global seating products.
- All casters are not appropriate for all flooring surfaces. Please consult with your Sales Representative or Global Customer Care for special situations that can be verified with the caster manufacturer. Alternate casters, if needed, may require an upcharge.

PLEASE SPECIFY ALL SUBSTITUTIONS AND OPTIONS.